

Computer algebra independent integration tests

1-Algebraic-functions/1.1-Binomial-products/1.1.3-General/1.1.3.8-P-x-c-
 $x^{-m-a}+b-x^n^{-p}$

Nasser M. Abbasi

June 29, 2021

Compiled on June 29, 2021 at 12:46am

Contents

1	Introduction	29
1.1	Listing of CAS systems tested	29
1.2	Results	30
1.3	Performance	34
1.4	list of integrals that has no closed form antiderivative	35
1.5	list of integrals solved by CAS but has no known antiderivative	36
1.6	list of integrals solved by CAS but failed verification	36
1.7	Timing	37
1.8	Verification	37
1.9	Important notes about some of the results	37
1.9.1	Important note about Maxima results	37
1.9.2	Important note about FriCAS and Giac/XCAS results	38
1.9.3	Important note about finding leaf size of antiderivative	38
1.9.4	Important note about Mupad results	39
1.10	Design of the test system	40
2	detailed summary tables of results	41
2.1	List of integrals sorted by grade for each CAS	41
2.1.1	Rubi	41
2.1.2	Mathematica	42
2.1.3	Maple	43

2.1.4	Maxima	43
2.1.5	FriCAS	44
2.1.6	Sympy	45
2.1.7	Giac	46
2.1.8	Mupad	46
2.2	Detailed conclusion table per each integral for all CAS systems	48
2.3	Detailed conclusion table specific for Rubi results	167
3	Listing of integrals	191
3.1	$\int \frac{c+dx+ex^2}{\sqrt{a+bx}} dx$	191
3.2	$\int \frac{(c+dx+ex^2)^2}{\sqrt{a+bx}} dx$	195
3.3	$\int \frac{(c+dx+ex^2)^3}{\sqrt{a+bx}} dx$	199
3.4	$\int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx}} dx$	204
3.5	$\int \frac{(c+dx+ex^2+fx^3)^2}{\sqrt{a+bx}} dx$	208
3.6	$\int \frac{(c+dx+ex^2+fx^3)^3}{\sqrt{a+bx}} dx$	213
3.7	$\int \frac{c+dx}{a+bx^3} dx$	220
3.8	$\int \frac{c+dx}{(a+bx^3)^2} dx$	226
3.9	$\int \frac{c+dx}{(a+bx^3)^3} dx$	232
3.10	$\int \frac{c+dx}{(a+bx^3)^4} dx$	239
3.11	$\int \frac{a+bx}{d+ex^3} dx$	246
3.12	$\int \frac{a+bx}{d-ex^3} dx$	252
3.13	$\int \frac{1+x}{1+x^3} dx$	258
3.14	$\int \frac{1-x}{1-x^3} dx$	261
3.15	$\int \frac{1+x}{1-x^3} dx$	264
3.16	$\int \frac{1-x}{1+x^3} dx$	267
3.17	$\int \frac{3-x}{1-x^3} dx$	270
3.18	$\int \frac{c+dx}{c^3+d^3x^3} dx$	274
3.19	$\int \frac{c-dx}{c^3-d^3x^3} dx$	277
3.20	$\int \frac{\sqrt[3]{a} \sqrt[3]{b} B + b^{2/3} Bx}{a+bx^3} dx$	280
3.21	$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - (-b)^{2/3} Bx}{a+bx^3} dx$	284

3.22	$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{Bx+Cx^2}{a+bx^3} \right) dx$	288
3.23	$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Cx^2}{a+bx^3} \right) dx$	294
3.24	$\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Bx+Cx^2}{a+bx^3} \right) dx$	300
3.25	$\int \frac{bx+cx^2}{d+ex^3} dx$	306
3.26	$\int \frac{a+cx^2}{d-ex^3} dx$	312
3.27	$\int \frac{2a^2+b^2x^2}{a^3+b^3x^3} dx$	318
3.28	$\int \frac{2a^2+b^2x^2}{a^3-b^3x^3} dx$	322
3.29	$\int \frac{8C+b^{2/3}Cx^2}{8+bx^3} dx$	326
3.30	$\int \frac{a^{2/3}C+2Cx^2}{a+8x^3} dx$	330
3.31	$\int \frac{8C+(-b)^{2/3}Cx^2}{-8+bx^3} dx$	334
3.32	$\int \frac{(-a)^{2/3}C+2Cx^2}{a-8x^3} dx$	339
3.33	$\int \frac{2\left(\frac{a}{b}\right)^{2/3}C+Cx^2}{a+bx^3} dx$	343
3.34	$\int \frac{2\left(-\frac{a}{b}\right)^{2/3}C+Cx^2}{a-bx^3} dx$	347
3.35	$\int \frac{2\left(-\frac{a}{b}\right)^{2/3}C+Cx^2}{a+bx^3} dx$	352
3.36	$\int \frac{2\left(\frac{a}{b}\right)^{2/3}C+Cx^2}{a-bx^3} dx$	357
3.37	$\int \frac{2a^{2/3}C+b^{2/3}Cx^2}{a+bx^3} dx$	361
3.38	$\int \frac{-2a^{2/3}C-(-b)^{2/3}Cx^2}{a+bx^3} dx$	366
3.39	$\int \frac{-3+x^2}{-1+x^3} dx$	371
3.40	$\int \frac{\sqrt[3]{a} \sqrt[3]{b} B+2a^{2/3}C+b^{2/3}Bx+b^{2/3}Cx^2}{a+bx^3} dx$	375
3.41	$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B-2a^{2/3}C-(-b)^{2/3}Bx-(-b)^{2/3}Cx^2}{a+bx^3} dx$	380
3.42	$\int \frac{B^2+BCx+C^2x^2}{-B^3+C^3x^3} dx$	385
3.43	$\int \frac{a^{2/3}C-\sqrt[3]{a} \sqrt[3]{b} Cx+b^{2/3}Cx^2}{a+bx^3} dx$	388
3.44	$\int \frac{\sqrt[3]{\frac{a}{b}} B+2\left(\frac{a}{b}\right)^{2/3} C+Bx+Cx^2}{a+bx^3} dx$	392
3.45	$\int \frac{\sqrt[3]{-\frac{a}{b}} B+2\left(-\frac{a}{b}\right)^{2/3} C+Bx+Cx^2}{a-bx^3} dx$	397
3.46	$\int \frac{-\sqrt[3]{-\frac{a}{b}} B+2\left(-\frac{a}{b}\right)^{2/3} C+Bx+Cx^2}{a+bx^3} dx$	402
3.47	$\int \frac{-\sqrt[3]{\frac{a}{b}} B+2\left(\frac{a}{b}\right)^{2/3} C+Bx+Cx^2}{a-bx^3} dx$	407

3.48	$\int \frac{a+ax+cx^2}{1-x^3} dx$	412
3.49	$\int \frac{a+bx+cx^2}{1-x^3} dx$	415
3.50	$\int \frac{1+x+x^2}{1-x^3} dx$	419
3.51	$\int \frac{1-x+3x^2}{1-x^3} dx$	422
3.52	$\int \frac{1+x+4x^2}{1-x^3} dx$	426
3.53	$\int (a+bx^3)^3 (ac+adx+bcx^3+bdx^4) dx$	429
3.54	$\int (a+bx^3)^2 (ac+adx+bcx^3+bdx^4) dx$	432
3.55	$\int (a+bx^3) (ac+adx+bcx^3+bdx^4) dx$	435
3.56	$\int \frac{ac+adx+bcx^3+bdx^4}{a+bx^3} dx$	438
3.57	$\int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^2} dx$	441
3.58	$\int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^3} dx$	447
3.59	$\int (a+bx^3)^{3/2} (ac+adx+bcx^3+bdx^4) dx$	453
3.60	$\int \sqrt{a+bx^3} (ac+adx+bcx^3+bdx^4) dx$	459
3.61	$\int \frac{ac+adx+bcx^3+bdx^4}{\sqrt{a+bx^3}} dx$	465
3.62	$\int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{3/2}} dx$	471
3.63	$\int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{5/2}} dx$	476
3.64	$\int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{7/2}} dx$	482
3.65	$\int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{9/2}} dx$	488
3.66	$\int \frac{c+dx+ex^2+fx^3+gx^4}{\sqrt{a+bx^3}} dx$	494
3.67	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^3)^{3/2}} dx$	500
3.68	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^3)^{5/2}} dx$	506
3.69	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^3)^{7/2}} dx$	512
3.70	$\int \frac{(a+bx)^2}{c+dx^3} dx$	519
3.71	$\int \frac{(a+bx)^3}{c+dx^3} dx$	527
3.72	$\int \frac{(a+bx)^4}{c+dx^3} dx$	536

3.73	$\int \frac{(a+bx+cx^2)^2}{d+ex^3} dx$	546
3.74	$\int \frac{(a+bx+cx^2)^3}{d+ex^3} dx$	558
3.75	$\int \frac{(a+bx+cx^2)^4}{d+ex^3} dx$	565
3.76	$\int \frac{2x^2+x^4}{1+x^3} dx$	573
3.77	$\int \frac{2x^2+x^4}{1-x^3} dx$	578
3.78	$\int \frac{1-x+4x^3}{1+x^3} dx$	583
3.79	$\int \frac{1+\sqrt{3}+x}{\sqrt{1+x^3}} dx$	587
3.80	$\int \frac{1+\sqrt{3}-x}{\sqrt{1-x^3}} dx$	592
3.81	$\int \frac{1+\sqrt{3}-x}{\sqrt{-1+x^3}} dx$	597
3.82	$\int \frac{1+\sqrt{3}+x}{\sqrt{-1-x^3}} dx$	601
3.83	$\int \frac{(1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x}{\sqrt{a+bx^3}} dx$	605
3.84	$\int \frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{a-bx^3}} dx$	610
3.85	$\int \frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{-a+bx^3}} dx$	615
3.86	$\int \frac{(1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x}{\sqrt{-a-bx^3}} dx$	619
3.87	$\int \frac{1+\sqrt{3}+\sqrt[3]{\frac{b}{a}}x}{\sqrt{a+bx^3}} dx$	623
3.88	$\int \frac{1+\sqrt{3}-\sqrt[3]{\frac{b}{a}}x}{\sqrt{a-bx^3}} dx$	628
3.89	$\int \frac{1+\sqrt{3}-\sqrt[3]{\frac{b}{a}}x}{\sqrt{-a+bx^3}} dx$	633
3.90	$\int \frac{1+\sqrt{3}+\sqrt[3]{\frac{b}{a}}x}{\sqrt{-a-bx^3}} dx$	637
3.91	$\int \frac{1-\sqrt{3}+x}{\sqrt{1+x^3}} dx$	641
3.92	$\int \frac{1-\sqrt{3}-x}{\sqrt{1-x^3}} dx$	645
3.93	$\int \frac{1-\sqrt{3}-x}{\sqrt{-1+x^3}} dx$	649
3.94	$\int \frac{1-\sqrt{3}+x}{\sqrt{-1-x^3}} dx$	654
3.95	$\int \frac{-1+\sqrt{3}-x}{\sqrt{1+x^3}} dx$	659

3.96	$\int \frac{-1+\sqrt{3}+x}{\sqrt{1-x^3}} dx$	663
3.97	$\int \frac{-1+\sqrt{3}+x}{\sqrt{-1+x^3}} dx$	667
3.98	$\int \frac{-1+\sqrt{3}-x}{\sqrt{-1-x^3}} dx$	672
3.99	$\int \frac{(1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x}{\sqrt{a+bx^3}} dx$	677
3.100	$\int \frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{a-bx^3}} dx$	681
3.101	$\int \frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{-a+bx^3}} dx$	685
3.102	$\int \frac{(1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x}{\sqrt{-a-bx^3}} dx$	690
3.103	$\int \frac{1-\sqrt{3}+\sqrt{\frac{b}{a}}x}{\sqrt{a+bx^3}} dx$	695
3.104	$\int \frac{1-\sqrt{3}-\sqrt{\frac{b}{a}}x}{\sqrt{a-bx^3}} dx$	699
3.105	$\int \frac{1-\sqrt{3}-\sqrt{\frac{b}{a}}x}{\sqrt{-a+bx^3}} dx$	703
3.106	$\int \frac{1-\sqrt{3}+\sqrt{\frac{b}{a}}x}{\sqrt{-a-bx^3}} dx$	708
3.107	$\int \frac{c+dx}{\sqrt{a+bx^3}} dx$	713
3.108	$\int \frac{c+dx}{\sqrt{a-bx^3}} dx$	718
3.109	$\int \frac{c+dx}{\sqrt{-a+bx^3}} dx$	723
3.110	$\int \frac{c+dx}{\sqrt{-a-bx^3}} dx$	728
3.111	$\int \frac{c+dx}{\sqrt{1+x^3}} dx$	733
3.112	$\int \frac{c+dx}{\sqrt{1-x^3}} dx$	738
3.113	$\int \frac{c+dx}{\sqrt{-1+x^3}} dx$	743
3.114	$\int \frac{c+dx}{\sqrt{-1-x^3}} dx$	748
3.115	$\int \frac{c+dx}{a-bx^4} dx$	753
3.116	$\int \frac{c+dx}{a+bx^4} dx$	757
3.117	$\int \frac{c+dx}{(a-bx^4)^2} dx$	763
3.118	$\int \frac{c+dx}{(a+bx^4)^2} dx$	768
3.119	$\int \frac{c+dx}{(a-bx^4)^3} dx$	774

3.120	$\int \frac{c+dx}{(a+bx^4)^3} dx$	780
3.121	$\int \frac{c+dx}{(a-bx^4)^4} dx$	787
3.122	$\int \frac{c+dx}{(a+bx^4)^4} dx$	793
3.123	$\int \frac{c+dx}{1-x^4} dx$	800
3.124	$\int \frac{c+dx}{1+x^4} dx$	804
3.125	$\int \frac{c+dx+ex^2}{a-bx^4} dx$	809
3.126	$\int \frac{c+dx+ex^2}{a+bx^4} dx$	814
3.127	$\int \frac{c+dx+ex^2}{(a-bx^4)^2} dx$	820
3.128	$\int \frac{c+dx+ex^2}{(a+bx^4)^2} dx$	825
3.129	$\int \frac{c+dx+ex^2}{(a-bx^4)^3} dx$	831
3.130	$\int \frac{c+dx+ex^2}{(a+bx^4)^3} dx$	837
3.131	$\int \frac{c+dx+ex^2}{(a-bx^4)^4} dx$	845
3.132	$\int \frac{c+dx+ex^2}{(a+bx^4)^4} dx$	852
3.133	$\int a(e+fx^4)^2 dx$	860
3.134	$\int bx(e+fx^4)^2 dx$	863
3.135	$\int (a+bx)(e+fx^4)^2 dx$	866
3.136	$\int cx^2(e+fx^4)^2 dx$	869
3.137	$\int (a+cx^2)(e+fx^4)^2 dx$	872
3.138	$\int (bx+cx^2)(e+fx^4)^2 dx$	875
3.139	$\int (a+bx+cx^2)(e+fx^4)^2 dx$	878
3.140	$\int dx^3(e+fx^4)^2 dx$	881
3.141	$\int (a+dx^3)(e+fx^4)^2 dx$	884
3.142	$\int (bx+dx^3)(e+fx^4)^2 dx$	887
3.143	$\int (a+bx+dx^3)(e+fx^4)^2 dx$	890
3.144	$\int (cx^2+dx^3)(e+fx^4)^2 dx$	893
3.145	$\int (a+cx^2+dx^3)(e+fx^4)^2 dx$	896

3.146	$\int (bx + cx^2 + dx^3)(e + fx^4)^2 dx$	899
3.147	$\int (c + dx + ex^2 + fx^3)(a + bx^4)^2 dx$	903
3.148	$\int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx$	907
3.149	$\int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^2} dx$	911
3.150	$\int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^3} dx$	917
3.151	$\int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^4} dx$	923
3.152	$\int \frac{a}{2+3x^4} dx$	929
3.153	$\int \frac{bx}{2+3x^4} dx$	934
3.154	$\int \frac{a+bx}{2+3x^4} dx$	937
3.155	$\int \frac{cx^2}{2+3x^4} dx$	942
3.156	$\int \frac{a+cx^2}{2+3x^4} dx$	947
3.157	$\int \frac{bx+cx^2}{2+3x^4} dx$	953
3.158	$\int \frac{a+bx+cx^2}{2+3x^4} dx$	958
3.159	$\int \frac{dx^3}{2+3x^4} dx$	963
3.160	$\int \frac{a+dx^3}{2+3x^4} dx$	966
3.161	$\int \frac{bx+dx^3}{2+3x^4} dx$	971
3.162	$\int \frac{a+bx+dx^3}{2+3x^4} dx$	975
3.163	$\int \frac{cx^2+dx^3}{2+3x^4} dx$	981
3.164	$\int \frac{a+cx^2+dx^3}{2+3x^4} dx$	986
3.165	$\int \frac{bx+cx^2+dx^3}{2+3x^4} dx$	992
3.166	$\int \frac{a+bx+cx^2+dx^3}{2+3x^4} dx$	998
3.167	$\int \frac{1+x+x^2+x^3}{1-x^4} dx$	1005
3.168	$\int \frac{1+x+x^2+x^3}{1+x^4} dx$	1008
3.169	$\int \frac{1+x+x^2+x^3}{a-bx^4} dx$	1013
3.170	$\int \frac{1+x+x^2+x^3}{a+bx^4} dx$	1018
3.171	$\int \frac{c+dx+ex^2+fx^3+gx^4}{a-bx^4} dx$	1024
3.172	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^2} dx$	1032

3.173	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^3} dx$	1038
3.174	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^4} dx$	1044
3.175	$\int \frac{c+dx+ex^2+fx^3+gx^4}{a+bx^4} dx$	1051
3.176	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^2} dx$	1060
3.177	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^3} dx$	1067
3.178	$\int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^4} dx$	1075
3.179	$\int \frac{(1-x^4)^3}{(1+x+x^2+x^3)^3} dx$	1083
3.180	$\int \frac{(1-x^4)^2}{(1+x+x^2+x^3)^2} dx$	1086
3.181	$\int \frac{1-x^4}{1+x+x^2+x^3} dx$	1089
3.182	$\int \frac{1+x+x^2+x^3}{1-x^4} dx$	1092
3.183	$\int \frac{(1+x+x^2+x^3)^2}{(1-x^4)^2} dx$	1095
3.184	$\int \frac{(1+x+x^2+x^3)^3}{(1-x^4)^3} dx$	1098
3.185	$\int \frac{(1+x+x^2+x^3)^4}{(1-x^4)^4} dx$	1101
3.186	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a-bx^4} dx$	1104
3.187	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a-bx^4} dx$	1111
3.188	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a-bx^4} dx$	1118
3.189	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^4} dx$	1126
3.190	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a+bx^4} dx$	1134
3.191	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a+bx^4} dx$	1143
3.192	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^2} dx$	1153
3.193	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^2} dx$	1159
3.194	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^2} dx$	1166

3.195	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^2} dx$.1174
3.196	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^2} dx$.1182
3.197	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^2} dx$.1190
3.198	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^3} dx$.1199
3.199	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^3} dx$.1206
3.200	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^3} dx$.1213
3.201	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^3} dx$.1220
3.202	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^3} dx$.1228
3.203	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^3} dx$.1237
3.204	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^4} dx$.1246
3.205	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^4} dx$.1253
3.206	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^4} dx$.1261
3.207	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^4} dx$.1269
3.208	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^4} dx$.1277
3.209	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^4} dx$.1286
3.210	$\int \frac{c+dx}{\sqrt{a+bx^4}} dx$.1295
3.211	$\int \frac{c+dx}{\sqrt{a-bx^4}} dx$.1299
3.212	$\int \frac{c+dx}{\sqrt{-a+bx^4}} dx$.1303
3.213	$\int \frac{c+dx}{\sqrt{-a-bx^4}} dx$.1307
3.214	$\int \frac{c+dx+ex^2}{\sqrt{a+bx^4}} dx$.1311
3.215	$\int \frac{ag-bgx^4}{(a+bx^4)^{3/2}} dx$.1316
3.216	$\int \frac{ag+ex-bgx^4}{(a+bx^4)^{3/2}} dx$.1319

3.217	$\int \frac{ag+fx^3-bgx^4}{(a+bx^4)^{3/2}} dx$	1322
3.218	$\int \frac{ag+ex+fx^3-bgx^4}{(a+bx^4)^{3/2}} dx$	1325
3.219	$\int \frac{-1+x^4}{(1+x^4)^{3/2}} dx$	1328
3.220	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{\sqrt{a+bx^4}} dx$	1331
3.221	$\int \frac{1+x}{1+x^5} dx$	1338
3.222	$\int \frac{1-x}{1-x^5} dx$	1343
3.223	$\int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1348
3.224	$\int \frac{x^8(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1352
3.225	$\int \frac{x^5(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1356
3.226	$\int \frac{x^2(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1360
3.227	$\int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)} dx$	1364
3.228	$\int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)} dx$	1367
3.229	$\int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)} dx$	1370
3.230	$\int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)} dx$	1374
3.231	$\int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)} dx$	1378
3.232	$\int \frac{c+dx^3+ex^6+fx^9}{x^{16}(a+bx^3)} dx$	1382
3.233	$\int \frac{x^9(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1386
3.234	$\int \frac{x^7(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1393
3.235	$\int \frac{x^6(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1400
3.236	$\int \frac{x^4(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1406
3.237	$\int \frac{x^3(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1412
3.238	$\int \frac{x(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$	1418
3.239	$\int \frac{c+dx^3+ex^6+fx^9}{a+bx^3} dx$	1424
3.240	$\int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)} dx$	1430
3.241	$\int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)} dx$	1436

3.242	$\int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)} dx$.1442
3.243	$\int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)} dx$.1448
3.244	$\int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)} dx$.1454
3.245	$\int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)} dx$.1460
3.246	$\int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)} dx$.1466
3.247	$\int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)} dx$.1472
3.248	$\int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)} dx$.1478
3.249	$\int \frac{c+dx^3+ex^6+fx^9}{x^{15}(a+bx^3)} dx$.1484
3.250	$\int \frac{c+dx^3+ex^6+fx^9}{x^{17}(a+bx^3)} dx$.1490
3.251	$\int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$.1496
3.252	$\int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$.1500
3.253	$\int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$.1504
3.254	$\int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$.1508
3.255	$\int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^2} dx$.1512
3.256	$\int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^2} dx$.1516
3.257	$\int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^2} dx$.1520
3.258	$\int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^2} dx$.1524
3.259	$\int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^2} dx$.1528
3.260	$\int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$.1532
3.261	$\int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$.1539
3.262	$\int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$.1547

3.263	$\int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$.1554
3.264	$\int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$.1562
3.265	$\int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$.1569
3.266	$\int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^2} dx$.1576
3.267	$\int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^2} dx$.1583
3.268	$\int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^2} dx$.1590
3.269	$\int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^2} dx$.1597
3.270	$\int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^2} dx$.1604
3.271	$\int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^2} dx$.1611
3.272	$\int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^2} dx$.1617
3.273	$\int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^2} dx$.1623
3.274	$\int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^2} dx$.1630
3.275	$\int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^2} dx$.1637
3.276	$\int \frac{x^{14}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1644
3.277	$\int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1649
3.278	$\int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1653
3.279	$\int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1657
3.280	$\int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1661
3.281	$\int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^3} dx$.1665
3.282	$\int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^3} dx$.1669

3.283	$\int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^3} dx$.1673
3.284	$\int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^3} dx$.1677
3.285	$\int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^3} dx$.1681
3.286	$\int \frac{x^{12}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1685
3.287	$\int \frac{x^{10}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1693
3.288	$\int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1701
3.289	$\int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1709
3.290	$\int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1717
3.291	$\int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1725
3.292	$\int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1733
3.293	$\int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$.1741
3.294	$\int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^3} dx$.1749
3.295	$\int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^3} dx$.1756
3.296	$\int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^3} dx$.1764
3.297	$\int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^3} dx$.1772
3.298	$\int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^3} dx$.1780
3.299	$\int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^3} dx$.1788
3.300	$\int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^3} dx$.1795
3.301	$\int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^3} dx$.1802
3.302	$\int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^3} dx$.1809

3.303	$\int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^3} dx$.1816
3.304	$\int \frac{(1-x)x^4}{1+x^3} dx$.1823
3.305	$\int \frac{(1-x)x^3}{1+x^3} dx$.1827
3.306	$\int \frac{(1-x)x^2}{1+x^3} dx$.1830
3.307	$\int \frac{(1-x)x}{1+x^3} dx$.1834
3.308	$\int \frac{1-x}{x(1+x^3)} dx$.1838
3.309	$\int \frac{1-x}{x^2(1+x^3)} dx$.1842
3.310	$\int \frac{1-x}{x^3(1+x^3)} dx$.1846
3.311	$\int \frac{x(1+2x)}{1+x^3} dx$.1849
3.312	$\int \frac{x(1+2x)}{1-x^3} dx$.1853
3.313	$\int x^2 (c + dx + ex^2) (a + bx^3) dx$.1857
3.314	$\int x (c + dx + ex^2) (a + bx^3) dx$.1860
3.315	$\int (c + dx + ex^2) (a + bx^3) dx$.1863
3.316	$\int \frac{(c+dx+ex^2)(a+bx^3)}{x} dx$.1866
3.317	$\int \frac{(c+dx+ex^2)(a+bx^3)}{x^2} dx$.1869
3.318	$\int \frac{(c+dx+ex^2)(a+bx^3)}{x^3} dx$.1872
3.319	$\int x^2 (c + dx + ex^2) (a + bx^3)^2 dx$.1875
3.320	$\int x (c + dx + ex^2) (a + bx^3)^2 dx$.1878
3.321	$\int (c + dx + ex^2) (a + bx^3)^2 dx$.1881
3.322	$\int \frac{(c+dx+ex^2)(a+bx^3)^2}{x} dx$.1884
3.323	$\int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^2} dx$.1887
3.324	$\int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^3} dx$.1890
3.325	$\int x^2 (c + dx + ex^2) (a + bx^3)^3 dx$.1893
3.326	$\int x (c + dx + ex^2) (a + bx^3)^3 dx$.1897
3.327	$\int (c + dx + ex^2) (a + bx^3)^3 dx$.1901
3.328	$\int \frac{(c+dx+ex^2)(a+bx^3)^3}{x} dx$.1905
3.329	$\int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^2} dx$.1908

3.330	$\int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^3} dx$.1911
3.331	$\int x^2 (c + dx + ex^2) (a + bx^3)^4 dx$.1914
3.332	$\int x (c + dx + ex^2) (a + bx^3)^4 dx$.1918
3.333	$\int (c + dx + ex^2) (a + bx^3)^4 dx$.1922
3.334	$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x} dx$.1926
3.335	$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^2} dx$.1929
3.336	$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^3} dx$.1932
3.337	$\int \frac{x^3(c+dx+ex^2)}{a+bx^3} dx$.1935
3.338	$\int \frac{x^2(c+dx+ex^2)}{a+bx^3} dx$.1943
3.339	$\int \frac{x(c+dx+ex^2)}{a+bx^3} dx$.1951
3.340	$\int \frac{c+dx+ex^2}{a+bx^3} dx$.1959
3.341	$\int \frac{c+dx+ex^2}{x(a+bx^3)} dx$.1967
3.342	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)} dx$.1975
3.343	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)} dx$.1983
3.344	$\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^2} dx$.1991
3.345	$\int \frac{x(c+dx+ex^2)}{(a+bx^3)^2} dx$.1997
3.346	$\int \frac{c+dx+ex^2}{(a+bx^3)^2} dx$.2004
3.347	$\int \frac{c+dx+ex^2}{x(a+bx^3)^2} dx$.2011
3.348	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)^2} dx$.2021
3.349	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)^2} dx$.2031
3.350	$\int \frac{c+dx+ex^2}{x^4(a+bx^3)^2} dx$.2041
3.351	$\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^3} dx$.2051
3.352	$\int \frac{x(c+dx+ex^2)}{(a+bx^3)^3} dx$.2058

3.353	$\int \frac{c+dx+ex^2}{(a+bx^3)^3} dx$2065
3.354	$\int \frac{c+dx+ex^2}{x(a+bx^3)^3} dx$2072
3.355	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)^3} dx$2082
3.356	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)^3} dx$2092
3.357	$\int \frac{c+dx+ex^2}{x^4(a+bx^3)^3} dx$2102
3.358	$\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^4} dx$2113
3.359	$\int \frac{x(c+dx+ex^2)}{(a+bx^3)^4} dx$2120
3.360	$\int \frac{c+dx+ex^2}{(a+bx^3)^4} dx$2128
3.361	$\int \frac{c+dx+ex^2}{x(a+bx^3)^4} dx$2135
3.362	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)^4} dx$2146
3.363	$\int \frac{c+dx+ex^2}{x^3(a+bx^3)^4} dx$2157
3.364	$\int \frac{c+dx+ex^2}{x^4(a+bx^3)^4} dx$2168
3.365	$\int \frac{2ax-x^2}{a^3+x^3} dx$2179
3.366	$\int \frac{(2a-x)x}{a^3+x^3} dx$2183
3.367	$\int \frac{2ax+x^2}{a^3-x^3} dx$2186
3.368	$\int \frac{x(2a+x)}{a^3-x^3} dx$2190
3.369	$\int \frac{x(-2\sqrt[3]{\frac{a}{b}}C+Cx)}{a+bx^3} dx$2193
3.370	$\int \frac{x(-2\sqrt[3]{-\frac{a}{b}}C+Cx)}{a-bx^3} dx$2198
3.371	$\int \frac{x(2\sqrt[3]{\frac{a}{b}}C+Cx)}{a+bx^3} dx$2203
3.372	$\int \frac{x(2\sqrt[3]{\frac{a}{b}}C+Cx)}{a-bx^3} dx$2208
3.373	$\int x^4(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5) dx$2212
3.374	$\int x^3(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5) dx$2215
3.375	$\int x^2(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5) dx$2218
3.376	$\int x(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5) dx$2221

3.377	$\int (a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$.2224
3.378	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$.2227
3.379	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$.2230
3.380	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$.2233
3.381	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$.2236
3.382	$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$.2239
3.383	$\int x^4 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$.2242
3.384	$\int x^3 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$.2245
3.385	$\int x^2 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$.2248
3.386	$\int x (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$.2252
3.387	$\int (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$.2256
3.388	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$.2260
3.389	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$.2264
3.390	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$.2268
3.391	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$.2272
3.392	$\int \frac{(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$.2275
3.393	$\int x^4 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$.2278
3.394	$\int x^3 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$.2282
3.395	$\int x^2 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$.2286
3.396	$\int x (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$.2290
3.397	$\int (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$.2294
3.398	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$.2298
3.399	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$.2302
3.400	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$.2306
3.401	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$.2310
3.402	$\int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$.2314

3.403	$\int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$	2318
3.404	$\int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$	2326
3.405	$\int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$	2334
3.406	$\int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$	2342
3.407	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^3} dx$	2350
3.408	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)} dx$	2357
3.409	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)} dx$	2363
3.410	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)} dx$	2369
3.411	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)} dx$	2378
3.412	$\int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$	2385
3.413	$\int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$	2393
3.414	$\int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$	2401
3.415	$\int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$	2414
3.416	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^2} dx$	2427
3.417	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^2} dx$	2439
3.418	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^2} dx$	2453
3.419	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^2} dx$	2467
3.420	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^2} dx$	2481
3.421	$\int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$	2489
3.422	$\int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$	2503
3.423	$\int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$	2517
3.424	$\int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$	2527

3.425	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^3} dx$.2537
3.426	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^3} dx$.2547
3.427	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^3} dx$.2562
3.428	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^3} dx$.2577
3.429	$\int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^3} dx$.2592
3.430	$\int \frac{x^3(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$.2601
3.431	$\int \frac{x^2(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$.2607
3.432	$\int \frac{x(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$.2613
3.433	$\int \frac{c+dx+ex^2}{\sqrt{a+bx^3}} dx$.2619
3.434	$\int \frac{c+dx+ex^2}{x\sqrt{a+bx^3}} dx$.2624
3.435	$\int \frac{c+dx+ex^2}{x^2\sqrt{a+bx^3}} dx$.2630
3.436	$\int \frac{c+dx+ex^2}{x^3\sqrt{a+bx^3}} dx$.2638
3.437	$\int \frac{x^5(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$.2644
3.438	$\int \frac{x^4(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$.2650
3.439	$\int \frac{x^3(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$.2656
3.440	$\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$.2662
3.441	$\int \frac{x(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$.2667
3.442	$\int \frac{c+dx+ex^2}{(a+bx^3)^{3/2}} dx$.2673
3.443	$\int \frac{c+dx+ex^2}{x(a+bx^3)^{3/2}} dx$.2678
3.444	$\int \frac{c+dx+ex^2}{x^2(a+bx^3)^{3/2}} dx$.2684
3.445	$\int x^3\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx$.2691
3.446	$\int x^2\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx$.2699

3.447	$\int x\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx$.2706
3.448	$\int \sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx$.2713
3.449	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x} dx$.2720
3.450	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^2} dx$.2727
3.451	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^3} dx$.2734
3.452	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^4} dx$.2741
3.453	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^5} dx$.2748
3.454	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^6} dx$.2755
3.455	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^7} dx$.2762
3.456	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^8} dx$.2769
3.457	$\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^9} dx$.2776
3.458	$\int x^3 (a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4) dx$.2784
3.459	$\int x^2 (a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4) dx$.2793
3.460	$\int x (a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4) dx$.2800
3.461	$\int (a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4) dx$.2807
3.462	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x} dx$.2814
3.463	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^2} dx$.2821
3.464	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^3} dx$.2828
3.465	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^4} dx$.2835
3.466	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^5} dx$.2842
3.467	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^6} dx$.2849
3.468	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^7} dx$.2857
3.469	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^8} dx$.2865
3.470	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^9} dx$.2873
3.471	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^{10}} dx$.2881

3.472	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^{11}} dx$.2888
3.473	$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^{12}} dx$.2896
3.474	$\int (c+dx+ex^2)(a+bx^3)^p dx$.2905
3.475	$\int x(c+dx+ex^2)(a+bx^3)^p dx$.2910
3.476	$\int x^2(c+dx+ex^2)(a+bx^3)^p dx$.2914
3.477	$\int (c+dx+ex^2+fx^3)(a+bx^4) dx$.2918
3.478	$\int x^3(c+dx+ex^2+fx^3)(a+bx^4) dx$.2921
3.479	$\int (c+dx+ex^2+fx^3)(a+bx^4)^2 dx$.2924
3.480	$\int x^3(c+dx+ex^2+fx^3)(a+bx^4)^2 dx$.2928
3.481	$\int (c+dx+ex^2+fx^3)(a+bx^4)^3 dx$.2932
3.482	$\int x^3(c+dx+ex^2+fx^3)(a+bx^4)^3 dx$.2936
3.483	$\int (c+dx+ex^2+fx^3)(a+bx^4)^4 dx$.2940
3.484	$\int x^3(c+dx+ex^2+fx^3)(a+bx^4)^4 dx$.2944
3.485	$\int \frac{c+dx+ex^2+fx^3}{a-bx^4} dx$.2948
3.486	$\int \frac{x^3(c+dx+ex^2+fx^3)}{a-bx^4} dx$.2954
3.487	$\int \frac{c+dx+ex^2+fx^3}{a+bx^4} dx$.2959
3.488	$\int \frac{x^3(c+dx+ex^2+fx^3)}{a+bx^4} dx$.2966
3.489	$\int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^2} dx$.2973
3.490	$\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^2} dx$.2980
3.491	$\int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^3} dx$.2987
3.492	$\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^3} dx$.2995
3.493	$\int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^4} dx$.3002
3.494	$\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^4} dx$.3010
3.495	$\int x^4(c+dx+ex^2+fx^3)\sqrt{a+bx^4} dx$.3017
3.496	$\int x^3(c+dx+ex^2+fx^3)\sqrt{a+bx^4} dx$.3023
3.497	$\int x^2(c+dx+ex^2+fx^3)\sqrt{a+bx^4} dx$.3029
3.498	$\int x(c+dx+ex^2+fx^3)\sqrt{a+bx^4} dx$.3035

3.499	$\int (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$3041
3.500	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x} dx$3047
3.501	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^2} dx$3053
3.502	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^3} dx$3059
3.503	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^4} dx$3065
3.504	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^5} dx$3072
3.505	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^6} dx$3078
3.506	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^7} dx$3085
3.507	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^8} dx$3091
3.508	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^9} dx$3097
3.509	$\int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^{10}} dx$3104
3.510	$\int x^4 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$3111
3.511	$\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$3118
3.512	$\int x^2 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$3124
3.513	$\int x (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$3131
3.514	$\int (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$3138
3.515	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x} dx$3144
3.516	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^2} dx$3151
3.517	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^3} dx$3159
3.518	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^4} dx$3167
3.519	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^5} dx$3175
3.520	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^6} dx$3183
3.521	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^7} dx$3191
3.522	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^8} dx$3199
3.523	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^9} dx$3207

3.524	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{10}} dx$.3214
3.525	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{11}} dx$.3221
3.526	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{12}} dx$.3228
3.527	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{13}} dx$.3235
3.528	$\int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{14}} dx$.3243
3.529	$\int \frac{x^4(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$.3251
3.530	$\int \frac{x^3(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$.3257
3.531	$\int \frac{x^2(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$.3263
3.532	$\int \frac{x(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$.3269
3.533	$\int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx^4}} dx$.3274
3.534	$\int \frac{c+dx+ex^2+fx^3}{x\sqrt{a+bx^4}} dx$.3279
3.535	$\int \frac{c+dx+ex^2+fx^3}{x^2\sqrt{a+bx^4}} dx$.3285
3.536	$\int \frac{c+dx+ex^2+fx^3}{x^3\sqrt{a+bx^4}} dx$.3291
3.537	$\int \frac{c+dx+ex^2+fx^3}{x^4\sqrt{a+bx^4}} dx$.3297
3.538	$\int \frac{c+dx+ex^2+fx^3}{x^5\sqrt{a+bx^4}} dx$.3303
3.539	$\int \frac{c+dx+ex^2+fx^3}{x^6\sqrt{a+bx^4}} dx$.3309
3.540	$\int \frac{x^6(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$.3315
3.541	$\int \frac{x^5(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$.3322
3.542	$\int \frac{x^4(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$.3328
3.543	$\int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$.3334
3.544	$\int \frac{x^2(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$.3339
3.545	$\int \frac{x(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$.3345

3.546	$\int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^{3/2}} dx$3350
3.547	$\int \frac{c+dx+ex^2+fx^3}{x(a+bx^4)^{3/2}} dx$3354
3.548	$\int \frac{c+dx+ex^2+fx^3}{x^2(a+bx^4)^{3/2}} dx$3360
3.549	$\int \frac{c+dx+ex^2+fx^3}{x^3(a+bx^4)^{3/2}} dx$3367
3.550	$\int \frac{c+dx+ex^2+fx^3}{x^4(a+bx^4)^{3/2}} dx$3374
3.551	$\int (gx)^m (c+dx+ex^2+fx^3)(a+bx^4)^p dx$3382
3.552	$\int (c+dx+ex^2+fx^3)(a+bx^4)^p dx$3386
3.553	$\int x^3 (c+dx+ex^2+fx^3)(a+bx^4)^p dx$3391
3.554	$\int \frac{1+x+x^2+x^3+x^4}{1-x^5} dx$3396
3.555	$\int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{729-64x^6} dx$3399
3.556	$\int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{729-64x^6} dx$3402
3.557	$\int \frac{81+36x^2+16x^4}{729-64x^6} dx$3405
3.558	$\int \frac{81+54x-24x^3-16x^4}{729-64x^6} dx$3408
3.559	$\int \frac{3-2x}{729-64x^6} dx$3411
3.560	$\int \frac{3+2x}{729-64x^6} dx$3415
3.561	$\int \frac{9-6x+4x^2}{729-64x^6} dx$3419
3.562	$\int \frac{9+6x+4x^2}{729-64x^6} dx$3423
3.563	$\int \frac{27-8x^3}{729-64x^6} dx$3427
3.564	$\int \frac{27+36x+24x^2+8x^3}{729-64x^6} dx$3431
3.565	$\int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{(729-64x^6)^2} dx$3435
3.566	$\int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{(729-64x^6)^2} dx$3440
3.567	$\int \frac{81+36x^2+16x^4}{(729-64x^6)^2} dx$3445
3.568	$\int \frac{81+54x-24x^3-16x^4}{(729-64x^6)^2} dx$3449
3.569	$\int \frac{3-2x}{(729-64x^6)^2} dx$3454
3.570	$\int \frac{3+2x}{(729-64x^6)^2} dx$3459

3.571	$\int \frac{9-6x+4x^2}{(729-64x^6)^2} dx$	3464
3.572	$\int \frac{9+6x+4x^2}{(729-64x^6)^2} dx$	3469
3.573	$\int \frac{27-8x^3}{(729-64x^6)^2} dx$	3474
3.574	$\int \frac{27+36x+24x^2+8x^3}{(729-64x^6)^2} dx$	3479
3.575	$\int \frac{x(27-2x^3)}{729-64x^6} dx$	3484
3.576	$\int \frac{(cx)^m (d+ex^n+fx^{2n}+gx^{3n})}{a+bx^n} dx$	3488
3.577	$\int (c+dx^{-1+n})(a+bx^n)^3 dx$	3492
3.578	$\int (c+dx^{-1+n})(a+bx^n)^2 dx$	3497
3.579	$\int (c+dx^{-1+n})(a+bx^n) dx$	3501
3.580	$\int (c+dx^{-1+n}) dx$	3504
3.581	$\int \frac{c+dx^{-1+n}}{a+bx^n} dx$	3507
3.582	$\int \frac{c+dx^{-1+n}}{(a+bx^n)^2} dx$	3510
3.583	$\int \frac{c+dx^{-1+n}}{(a+bx^n)^3} dx$	3514
3.584	$\int \frac{(cx)^m (d+ex^n+fx^{2n}+gx^{3n})}{\sqrt{a+bx^n}} dx$	3517
3.585	$\int \frac{-ahx^{-1+\frac{n}{4}}+bfx^{-1+\frac{n}{2}}+bgx^{-1+n}+bhx^{-1+\frac{5n}{4}}}{(a+bx^n)^{3/2}} dx$	3521
3.586	$\int (cx)^m (d+ex+fx^2+gx^3)(a+bx^n)^p dx$	3525
3.587	$\int (cx)^m (a+bx^n)^p (d+ex^n+fx^{2n}+gx^{3n}) dx$	3529
3.588	$\int \frac{c+dx^{n/2}+ex^n+fx^{3n/2}}{(a+bx^n)^2} dx$	3533
3.589	$\int \frac{ac+2(bc+ad)x^2+3bdx^4}{\sqrt{a+bx^2}\sqrt{c+dx^2}} dx$	3537
3.590	$\int \frac{1+x^3}{(1-x^4)\sqrt[4]{1+x^4}} dx$	3540
3.591	$\int (a+bx^n)^{\frac{-1-n}{n}} (c+dx^n)^{\frac{-1-n}{n}} (ac-bdx^{2n}) dx$	3545
3.592	$\int (hx)^{-1-n-np} (a+bx^n)^p (c+dx^n)^p (ac-bdx^{2n}) dx$	3548
3.593	$\int (a+bx^n)^p (c+dx^n)^p \left(e + \frac{(bc+ad)e(1+n+np)x^n}{ac} + \frac{bde(1+2n+2np)x^{2n}}{ac} \right) dx$	3551
3.594	$\int (hx)^m (a+bx^n)^p (c+dx^n)^p \left(e + \frac{(bc+ad)e(1+m+n+np)x^n}{ac(1+m)} + \frac{bde(1+m+2n+2np)x^{2n}}{ac(1+m)} \right) dx$	3554

4	Listing of Grading functions	3557
4.0.1	Mathematica and Rubi grading function	3557
4.0.2	Maple grading function	3559

4.0.3	Sympy grading function3564
4.0.4	SageMath grading function3567

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [594]. This is test number [29].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric₂F₁ functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (594)	% 0.00 (0)
Mathematica	% 100.00 (594)	% 0.00 (0)
Maple	% 97.14 (577)	% 2.86 (17)
Maxima	% 71.04 (422)	% 28.96 (172)
Fricas	% 57.41 (341)	% 42.59 (253)
Sympy	% 74.75 (444)	% 25.25 (150)
Giac	% 70.71 (420)	% 29.29 (174)
Mupad	% 75.59 (449)	% 24.41 (145)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	70.54	2.69	26.77	0.00
Maple	56.90	29.80	10.44	2.86
Maxima	67.17	3.87	0.00	28.96
Fricas	41.58	6.23	9.60	42.59
Sympy	61.11	3.20	10.44	25.25
Giac	61.78	8.92	0.00	29.29
Mupad	0.00	75.59	0.00	24.41

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	17	94.12 %	5.88 %	0.00 %
Maxima	172	100.00 %	0.00 %	0.00 %
Fricas	253	65.61 %	33.60 %	0.79 %
Sympy	150	1.33 %	98.00 %	0.67 %
Giac	174	92.53 %	2.30 %	5.17 %
Mupad	145	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.27	245.10	1.00	221.50	1.00
Mathematica	0.20	170.81	0.91	154.00	0.95
Maple	0.07	388.70	1.44	289.00	1.27
Maxima	2.45	190.42	1.11	173.00	0.99
Fricas	2.02	1179.66	5.06	160.00	1.12
Sympy	10.47	197.41	1.18	129.00	0.93
Giac	0.20	216.82	1.23	189.50	1.03
Mupad	3.38	490.04	2.28	199.00	1.03

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.



1.4 list of integrals that has no closed form antiderivative

{

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {41,567,590}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at <https://>

ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
 2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
 3. integer. Leaf size of result.
 4. integer. Leaf size of the optimal antiderivative.
 5. number. CPU time used to solve this integral. 0 if failed.
 6. string. The integral in Latex format
 7. string. The input used in CAS own syntax.
 8. string. The result (antiderivative) produced by CAS in Latex format
 9. string. The optimal antiderivative in Latex format.
 10. integer. 0 or 1. Indicates if problem has known antiderivative or not
 11. String. The result (antiderivative) in CAS own syntax.
 12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
 15. integer. Integrand leaf size.
 16. real number. Ratio of field 14 over field 15
 17. integer. 1 if result was verified or 0 if not verified.
 18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549,

550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 37, 38, 39, 40, 42, 43, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 70, 71, 72, 73, 74, 75, 76, 77, 78, 115, 116, 117, 118, 119, 120, 121, 122, 123, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 551, 552, 553, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 591, 592, 593, 594 }

B grade: { 21, 32, 33, 34, 35, 36, 41, 44, 45, 46, 47, 369, 370, 371, 372, 557 }

C grade: { 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 124, 161, 210, 211, 212, 213, 214, 220, 221, 222, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 567, 590 }

F grade: { }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 25, 26, 27, 28, 33, 36, 39, 42, 44, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 70, 71, 72, 76, 77, 78, 80, 93, 94, 97, 98, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 124, 126, 128, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 151, 152, 153, 154, 155, 157, 159, 160, 161, 162, 163, 165, 166, 167, 170, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 189, 195, 198, 201, 202, 203, 204, 205, 206, 207, 208, 209, 211, 212, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 288, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 422, 423, 424, 425, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 441, 442, 443, 444, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 577, 578, 579, 580, 589, 593 }

B grade: { 6, 20, 21, 29, 30, 31, 32, 34, 35, 37, 38, 40, 41, 43, 45, 46, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 73, 74, 75, 79, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 95, 96, 99, 100, 101, 102, 103, 104, 105, 106, 123, 125, 127, 129, 149, 150, 156, 158, 164, 168, 169, 171, 172, 186, 187, 188, 190, 191, 192, 193, 194, 196, 197, 199, 200, 221, 222, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 287, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 370, 371, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 426, 427, 428, 429, 440, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 557 }

C grade: { 210, 213, 214, 220, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 592, 594 }

F grade: { 474, 475, 476, 551, 552, 553, 576, 581, 582, 583, 584, 585, 586, 587, 588, 590, 591 }

2.1.4 Maxima

A grade: { 1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 25, 26, 27, 28, 29, 30, 33, 36, 39, 42, 44, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 70, 71, 72, 73, 74, 75, 76, 77, 78, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 180, 181, 182, 183, 184, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233,

234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 577, 578, 579, 580, 589, 592, 593 }

B grade: { 3, 6, 20, 21, 31, 32, 34, 35, 37, 38, 40, 41, 43, 45, 46, 115, 161, 179, 185, 370, 371, 557, 594 }

C grade: { }

F grade: { 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 210, 211, 212, 213, 214, 220, 221, 222, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 576, 581, 582, 583, 584, 585, 586, 587, 588, 590, 591 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 42, 43, 48, 49, 50, 51, 52, 53, 54, 55, 56, 76, 77, 78, 123, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 153, 159, 161, 167, 180, 181, 182, 183, 184, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 284, 285, 286, 287, 288, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 477, 478, 479, 480, 481, 482, 483, 484, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 571, 572, 573, 574, 575, 579, 580, 585, 589, 593, 594 }

B grade: { 40, 41, 44, 45, 46, 47, 152, 155, 156, 160, 163, 164, 168, 179, 185, 221, 222, 283, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 557, 569, 570, 577, 578, 591, 592 }

C grade: { 7, 8, 9, 10, 11, 12, 24, 25, 26, 57, 58, 70, 71, 72, 73, 337, 338, 339, 340, 341, 342, 343, 344,

345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 414, 415, 416, 417, 418, 419, 421, 422, 423, 424, 425, 426, 427, 428 }

F grade: { 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 74, 75, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 124, 125, 126, 127, 128, 129, 130, 131, 132, 149, 150, 151, 154, 157, 158, 162, 165, 166, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 220, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 420, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 576, 581, 582, 583, 584, 586, 587, 588, 590 }

2.1.6 Sympy

A grade: { 1, 2, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 22, 23, 24, 25, 26, 29, 31, 37, 38, 39, 42, 43, 48, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 66, 67, 70, 71, 72, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 124, 126, 128, 130, 132, 133, 134, 135, 136, 137, 138, 139, 141, 142, 143, 144, 145, 146, 147, 148, 152, 153, 154, 155, 156, 157, 159, 160, 162, 163, 164, 165, 167, 168, 169, 170, 180, 181, 182, 183, 184, 211, 212, 217, 218, 220, 223, 224, 225, 226, 227, 228, 229, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 251, 252, 253, 254, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 344, 345, 346, 351, 352, 353, 358, 359, 360, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 489, 490, 491, 495, 496, 497, 498, 499, 510, 511, 512, 513, 514, 515, 516, 517, 518, 529, 530, 531, 532, 533, 540, 541, 542, 543, 544, 545, 546, 552, 553, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 577, 578, 579, 580, 581 }

B grade: { 125, 127, 129, 131, 140, 149, 150, 158, 166, 179, 185, 221, 222, 403, 404, 405, 406, 407, 557 }

C grade: { 18, 19, 20, 21, 27, 28, 30, 32, 33, 34, 35, 36, 49, 123, 161, 210, 213, 214, 215, 216, 219, 365, 366, 367, 368, 369, 370, 371, 372, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 534, 535, 536, 537, 538, 539, 547, 548, 549, 550, 576, 582, 584 }

F grade: { 3, 5, 6, 40, 41, 44, 45, 46, 47, 65, 68, 69, 73, 74, 75, 151, 171, 172, 173, 174, 175, 176, 177, 178, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 230, 231, 232, 246, 247, 248, 249, 250, 256, 257, 258, 259, 270, 271, 272, 273, 274, }

275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 341, 342, 343, 347, 348, 349, 350, 354, 355, 356, 357, 361, 362, 363, 364, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 485, 486, 487, 488, 492, 493, 494, 551, 583, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594 }

2.1.7 Giac

A grade: { 1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 35, 36, 39, 42, 43, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 70, 71, 72, 73, 74, 75, 76, 77, 78, 116, 118, 120, 122, 124, 126, 128, 130, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 152, 153, 154, 155, 156, 157, 158, 159, 160, 162, 163, 164, 165, 166, 167, 168, 170, 174, 175, 176, 177, 178, 180, 181, 182, 183, 184, 185, 189, 190, 191, 195, 196, 197, 201, 202, 203, 207, 208, 209, 215, 216, 217, 218, 219, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 477, 478, 479, 480, 481, 482, 483, 484, 487, 488, 489, 490, 491, 492, 493, 494, 554, 555, 556, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 579, 580 }

B grade: { 3, 6, 29, 30, 31, 32, 33, 34, 44, 45, 115, 117, 119, 121, 123, 125, 127, 129, 131, 149, 150, 151, 161, 169, 171, 172, 173, 179, 186, 187, 188, 192, 193, 194, 198, 199, 200, 204, 205, 206, 254, 369, 370, 371, 485, 486, 557, 577, 578, 591, 592, 593, 594 }

C grade: { }

F grade: { 37, 38, 40, 41, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 210, 211, 212, 213, 214, 220, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 576, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590 }

2.1.8 Mupad

A grade: { }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 91, 92, 93, 94, 95, 96, 97, 98, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 215, 216, 217, 218, 219, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 435, 444, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 536, 548, 549, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 577, 578, 579, 580, 581, 582, 583, 589, 591, 592, 593, 594 }

C grade: { }

F grade: { 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 83, 84, 85, 86, 87, 88, 89, 90, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 210, 211, 212, 213, 214, 220, 430, 431, 432, 433, 434, 436, 437, 438, 439, 440, 441, 442, 443, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 550, 551, 552, 553, 576, 584, 585, 586, 587, 588, 590 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	53	53	77	53	223	78	58
normalized size	1	1.00	0.74	0.74	1.07	0.74	3.10	1.08	0.81
time (sec)	N/A	0.033	0.157	0.060	0.923	0.623	11.050	0.157	4.715
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	155	194	237	192	644	237	149
normalized size	1	1.00	0.96	1.20	1.47	1.19	4.00	1.47	0.93
time (sec)	N/A	0.105	0.292	0.048	0.900	0.682	85.150	0.167	4.762
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	274	274	294	495	525	457	0	526	299
normalized size	1	1.00	1.07	1.81	1.92	1.67	0.00	1.92	1.09
time (sec)	N/A	0.194	1.029	0.052	0.978	0.582	0.000	0.226	0.098

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	82	91	128	90	354	129	103
normalized size	1	1.00	0.72	0.80	1.12	0.79	3.11	1.13	0.90
time (sec)	N/A	0.071	0.175	0.045	0.833	0.597	45.834	0.174	4.814

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	320	320	303	447	500	417	0	516	316
normalized size	1	1.00	0.95	1.40	1.56	1.30	0.00	1.61	0.99
time (sec)	N/A	0.244	0.565	0.047	1.002	0.543	0.000	0.200	4.698

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	708	708	678	1417	1360	1221	0	1414	896
normalized size	1	1.00	0.96	2.00	1.92	1.72	0.00	2.00	1.27
time (sec)	N/A	0.625	2.894	0.053	1.094	0.691	0.000	0.287	0.242

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	124	186	135	1931	76	141	127
normalized size	1	1.00	0.77	1.16	0.84	11.99	0.47	0.88	0.79
time (sec)	N/A	0.111	0.083	0.050	1.912	2.198	1.187	0.166	5.511

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	180	238	169	2088	105	174	169
normalized size	1	1.00	0.95	1.26	0.89	11.05	0.56	0.92	0.89
time (sec)	N/A	0.139	0.230	0.047	2.000	2.491	2.146	0.178	4.872

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	215	215	205	272	203	2215	146	194	206
normalized size	1	1.00	0.95	1.27	0.94	10.30	0.68	0.90	0.96
time (sec)	N/A	0.187	0.254	0.055	1.965	2.360	2.470	0.226	0.268

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	240	240	229	306	238	2308	185	218	241
normalized size	1	1.00	0.95	1.28	0.99	9.62	0.77	0.91	1.00
time (sec)	N/A	0.223	0.229	0.053	2.616	2.533	3.638	0.230	4.931

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	125	186	135	1961	76	132	127
normalized size	1	1.00	0.78	1.16	0.84	12.18	0.47	0.82	0.79
time (sec)	N/A	0.121	0.073	0.053	2.509	2.360	1.433	0.175	4.847

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	125	188	132	1905	78	115	124
normalized size	1	1.00	0.78	1.17	0.82	11.83	0.48	0.71	0.77
time (sec)	N/A	0.100	0.058	0.046	2.678	2.381	1.492	0.181	0.213

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	19	17	16	16	26	16	16
normalized size	1	1.00	1.00	0.89	0.84	0.84	1.37	0.84	0.84
time (sec)	N/A	0.015	0.007	0.045	2.485	0.500	0.370	0.189	4.699

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	19	17	16	16	26	16	16
normalized size	1	1.00	1.00	0.89	0.84	0.84	1.37	0.84	0.84
time (sec)	N/A	0.013	0.006	0.044	2.426	0.532	0.217	0.172	4.670

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	22	17	16	16	17	17	16
normalized size	1	1.00	1.00	0.77	0.73	0.73	0.77	0.77	0.73
time (sec)	N/A	0.012	0.004	0.047	2.441	0.567	0.253	0.164	0.063

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	22	19	18	18	17	19	18
normalized size	1	1.00	1.00	0.86	0.82	0.82	0.77	0.86	0.82
time (sec)	N/A	0.013	0.005	0.043	2.469	0.482	0.225	0.170	0.112

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	41	33	32	32	44	33	46
normalized size	1	1.00	1.00	0.80	0.78	0.78	1.07	0.80	1.12
time (sec)	N/A	0.027	0.009	0.050	2.433	0.820	0.468	0.147	0.140

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	31	35	34	28	54	28	28
normalized size	1	1.00	1.07	1.21	1.17	0.97	1.86	0.97	0.97
time (sec)	N/A	0.022	0.012	0.074	2.901	0.528	0.397	0.206	0.054

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	29	34	33	26	53	26	28
normalized size	1	1.00	1.00	1.17	1.14	0.90	1.83	0.90	0.97
time (sec)	N/A	0.020	0.025	0.043	2.980	0.586	0.465	0.165	0.045

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	35	195	163	107	88	48	49
normalized size	1	1.00	0.90	5.00	4.18	2.74	2.26	1.23	1.26
time (sec)	N/A	0.027	0.016	0.063	2.977	0.771	0.588	0.223	4.821

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	129	228	174	114	105	58	49
normalized size	1	1.00	3.15	5.56	4.24	2.78	2.56	1.41	1.20
time (sec)	N/A	0.043	0.066	0.058	2.950	0.578	0.854	0.214	0.231

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	90	94	159	310	26	103	98
normalized size	1	1.00	0.76	0.80	1.35	2.63	0.22	0.87	0.83
time (sec)	N/A	0.126	0.033	0.048	3.028	0.617	0.477	0.186	4.944

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	90	94	159	305	22	115	96
normalized size	1	1.00	0.76	0.80	1.35	2.58	0.19	0.97	0.81
time (sec)	N/A	0.106	0.016	0.049	2.994	0.756	0.214	0.209	5.015

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	124	186	188	1961	76	147	127
normalized size	1	1.00	0.77	1.16	1.17	12.18	0.47	0.91	0.79
time (sec)	N/A	0.166	0.047	0.045	2.958	2.323	1.282	0.198	4.923

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	122	108	145	1043	75	110	158
normalized size	1	1.00	0.91	0.81	1.08	7.78	0.56	0.82	1.18
time (sec)	N/A	0.113	0.026	0.049	2.924	1.920	0.713	0.176	0.189

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	123	111	144	1267	70	95	178
normalized size	1	1.00	0.92	0.83	1.07	9.46	0.52	0.71	1.33
time (sec)	N/A	0.089	0.039	0.045	3.045	2.374	0.590	0.173	5.009

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	72	43	42	36	60	37	84
normalized size	1	1.00	1.95	1.16	1.14	0.97	1.62	1.00	2.27
time (sec)	N/A	0.058	0.023	0.053	2.992	0.727	0.500	0.169	4.809

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	71	45	44	36	60	38	86
normalized size	1	1.00	1.82	1.15	1.13	0.92	1.54	0.97	2.21
time (sec)	N/A	0.042	0.026	0.058	2.966	0.622	0.697	0.154	0.093

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	76	117	47	134	58	115	147
normalized size	1	1.00	1.58	2.44	0.98	2.79	1.21	2.40	3.06
time (sec)	N/A	0.037	0.022	0.056	2.991	0.681	0.625	0.416	5.137

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	72	84	36	40	85	111	145
normalized size	1	1.00	1.53	1.79	0.77	0.85	1.81	2.36	3.09
time (sec)	N/A	0.034	0.029	0.045	3.003	0.597	0.745	0.204	5.024

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	57	57	99	122	122	182	58	91	176
normalized size	1	1.00	1.74	2.14	2.14	3.19	1.02	1.60	3.09
time (sec)	N/A	0.069	0.033	0.051	2.943	0.824	0.987	0.306	5.272

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	106	110	93	43	95	98	142
normalized size	1	1.00	2.26	2.34	1.98	0.91	2.02	2.09	3.02
time (sec)	N/A	0.061	0.043	0.052	2.988	0.549	0.934	0.214	0.328

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	146	87	51	52	100	166	172
normalized size	1	1.00	2.92	1.74	1.02	1.04	2.00	3.32	3.44
time (sec)	N/A	0.077	0.054	0.051	3.030	0.709	0.738	0.224	5.098

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	150	135	167	53	110	162	172
normalized size	1	1.00	2.83	2.55	3.15	1.00	2.08	3.06	3.25
time (sec)	N/A	0.081	0.102	0.049	3.031	0.674	0.843	0.221	5.402

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	149	132	168	56	109	91	173
normalized size	1	1.00	2.76	2.44	3.11	1.04	2.02	1.69	3.20
time (sec)	N/A	0.060	0.067	0.043	3.149	0.662	0.771	0.176	5.270

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	147	90	52	53	102	85	171
normalized size	1	1.00	2.77	1.70	0.98	1.00	1.92	1.60	3.23
time (sec)	N/A	0.058	0.052	0.050	2.999	0.599	0.791	0.215	5.191

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	95	117	162	160	70	0	193
normalized size	1	1.00	1.56	1.92	2.66	2.62	1.15	0.00	3.16
time (sec)	N/A	0.041	0.021	0.056	2.869	0.867	0.732	0.000	5.307

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	116	122	173	205	73	0	221
normalized size	1	1.00	1.66	1.74	2.47	2.93	1.04	0.00	3.16
time (sec)	N/A	0.072	0.032	0.054	3.022	0.892	1.241	0.000	5.239

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	50	32	31	31	42	32	46
normalized size	1	1.00	1.25	0.80	0.78	0.78	1.05	0.80	1.15
time (sec)	N/A	0.030	0.030	0.046	2.988	0.869	0.294	0.321	0.155

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F(-1)	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	122	310	236	430	0	0	386
normalized size	1	1.00	1.74	4.43	3.37	6.14	0.00	0.00	5.51
time (sec)	N/A	0.067	0.052	0.056	3.120	6.322	0.000	0.000	6.232

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	F(-1)	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	238	345	252	470	0	0	444
normalized size	1	1.00	2.70	3.92	2.86	5.34	0.00	0.00	5.05
time (sec)	N/A	0.112	0.655	0.054	3.041	5.660	0.000	0.000	6.324

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	12	12	12	12	7	13	12
normalized size	1	1.00	1.09	1.09	1.09	1.09	0.64	1.18	1.09
time (sec)	N/A	0.011	0.002	0.045	1.359	0.817	0.244	0.362	0.036

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	21	21	21	218	210	17	20	16	15
normalized size	1	1.00	1.00	10.38	10.00	0.81	0.95	0.76	0.71
time (sec)	N/A	0.015	0.003	0.049	2.989	0.865	0.263	0.312	4.903

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	247	121	78	429	0	242	436
normalized size	1	1.00	3.48	1.70	1.10	6.04	0.00	3.41	6.14
time (sec)	N/A	0.094	0.334	0.051	2.950	3.543	0.000	0.204	6.077

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	288	345	238	459	0	235	456
normalized size	1	1.00	3.79	4.54	3.13	6.04	0.00	3.09	6.00
time (sec)	N/A	0.102	0.254	0.049	3.010	3.372	0.000	0.214	6.479

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	253	340	239	450	0	133	453
normalized size	1	1.00	3.24	4.36	3.06	5.77	0.00	1.71	5.81
time (sec)	N/A	0.108	0.356	0.050	3.031	3.414	0.000	0.192	6.053

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	244	124	78	450	0	125	435
normalized size	1	1.00	3.25	1.65	1.04	6.00	0.00	1.67	5.80
time (sec)	N/A	0.105	0.322	0.051	3.140	3.196	0.000	0.179	6.357

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	31	36	26	26	24	27	35
normalized size	1	1.00	0.97	1.12	0.81	0.81	0.75	0.84	1.09
time (sec)	N/A	0.034	0.014	0.054	2.972	0.586	0.869	0.155	4.778

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	62	87	47	47	323	52	87
normalized size	1	1.00	1.13	1.58	0.85	0.85	5.87	0.95	1.58
time (sec)	N/A	0.057	0.038	0.049	2.992	0.881	1.885	0.169	4.948

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	8	7	6	6	5	7	6
normalized size	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75
time (sec)	N/A	0.006	0.001	0.054	1.270	0.785	0.134	0.154	0.023

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	30	30	33	32	32	5	33	63
normalized size	1	1.00	1.00	1.10	1.07	1.07	0.17	1.10	2.10
time (sec)	N/A	0.030	0.010	0.053	2.958	0.859	0.336	0.156	4.930

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	18	17	16	16	15	17	16
normalized size	1	1.00	1.00	0.94	0.89	0.89	0.83	0.94	0.89
time (sec)	N/A	0.019	0.006	0.050	2.926	0.789	0.161	0.149	0.041

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	113	113	113	98	97	97	117	97	97
normalized size	1	1.00	1.00	0.87	0.86	0.86	1.04	0.86	0.86
time (sec)	N/A	0.099	0.005	0.045	1.386	0.737	0.731	0.165	0.061

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	88	75	74	74	90	74	74
normalized size	1	1.00	1.00	0.85	0.84	0.84	1.02	0.84	0.84
time (sec)	N/A	0.060	0.003	0.050	1.387	0.630	0.155	0.155	0.036

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	60	51	50	50	58	50	50
normalized size	1	1.00	1.00	0.85	0.83	0.83	0.97	0.83	0.83
time (sec)	N/A	0.038	0.003	0.041	1.402	0.741	0.097	0.165	0.028

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	12	11	10	10	8	10	10
normalized size	1	1.00	1.00	0.92	0.83	0.83	0.67	0.83	0.83
time (sec)	N/A	0.014	0.001	0.043	1.322	0.700	0.127	0.198	0.018

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	124	186	135	1931	76	141	127
normalized size	1	1.00	0.77	1.16	0.84	11.99	0.47	0.88	0.79
time (sec)	N/A	0.098	0.051	0.046	2.985	3.221	1.338	0.184	5.094

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	180	238	169	2088	105	174	169
normalized size	1	1.00	0.95	1.26	0.89	11.05	0.56	0.92	0.89
time (sec)	N/A	0.127	0.173	0.046	3.016	3.131	1.851	0.213	5.084

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	585	585	78	1618	0	0	265	0	-1
normalized size	1	1.00	0.13	2.77	0.00	0.00	0.45	0.00	-0.00
time (sec)	N/A	0.464	0.054	0.052	0.000	1.270	11.796	0.000	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	556	556	76	1546	0	0	170	0	-1
normalized size	1	1.00	0.14	2.78	0.00	0.00	0.31	0.00	-0.00
time (sec)	N/A	0.327	0.035	0.062	0.000	1.312	7.358	0.000	0.000

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	525	525	75	1480	0	0	163	0	-1
normalized size	1	1.00	0.14	2.82	0.00	0.00	0.31	0.00	-0.00
time (sec)	N/A	0.239	0.036	0.055	0.000	0.668	8.149	0.000	0.000

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	490	490	75	1536	0	0	78	0	-1
normalized size	1	1.00	0.15	3.13	0.00	0.00	0.16	0.00	-0.00
time (sec)	N/A	0.158	0.068	0.052	0.000	0.876	8.054	0.000	0.000

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	522	522	96	1662	0	0	163	0	-1
normalized size	1	1.00	0.18	3.18	0.00	0.00	0.31	0.00	-0.00
time (sec)	N/A	0.249	0.065	0.052	0.000	1.014	20.908	0.000	0.000

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	554	554	123	1782	0	0	163	0	-1
normalized size	1	1.00	0.22	3.22	0.00	0.00	0.29	0.00	-0.00
time (sec)	N/A	0.317	0.105	0.128	0.000	0.759	68.681	0.000	0.000

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	581	581	138	1902	0	0	0	0	-1
normalized size	1	1.00	0.24	3.27	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.410	0.204	0.131	0.000	0.718	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	590	590	135	1491	0	0	187	0	-1
normalized size	1	1.00	0.23	2.53	0.00	0.00	0.32	0.00	-0.00
time (sec)	N/A	0.556	0.162	0.061	0.000	1.108	8.043	0.000	0.000

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	594	594	130	1547	0	0	189	0	-1
normalized size	1	1.00	0.22	2.60	0.00	0.00	0.32	0.00	-0.00
time (sec)	N/A	0.433	0.145	0.059	0.000	0.694	32.600	0.000	0.000

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	628	628	170	1673	0	0	0	0	-1
normalized size	1	1.00	0.27	2.66	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.500	0.222	0.063	0.000	1.173	0.000	0.000	0.000

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	676	676	196	1793	0	0	0	0	-1
normalized size	1	1.00	0.29	2.65	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.675	0.396	0.065	0.000	0.803	0.000	0.000	0.000

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	186	186	200	211	192	5014	156	175	357
normalized size	1	1.00	1.08	1.13	1.03	26.96	0.84	0.94	1.92
time (sec)	N/A	0.178	0.088	0.049	2.925	3.158	1.384	0.176	0.262

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	222	222	214	325	240	7245	245	214	370
normalized size	1	1.00	0.96	1.46	1.08	32.64	1.10	0.96	1.67
time (sec)	N/A	0.319	0.238	0.051	2.960	5.134	5.714	0.186	5.143

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	282	280	277	446	303	8787	325	294	513
normalized size	1	0.99	0.98	1.58	1.07	31.16	1.15	1.04	1.82
time (sec)	N/A	0.443	0.365	0.051	3.044	13.214	60.245	0.193	4.973

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	272	270	269	444	314	12827	0	264	769
normalized size	1	0.99	0.99	1.63	1.15	47.16	0.00	0.97	2.83
time (sec)	N/A	0.490	0.422	0.071	3.033	3.923	0.000	0.212	5.134

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	416	416	439	837	520	0	0	432	1700
normalized size	1	1.00	1.06	2.01	1.25	0.00	0.00	1.04	4.09
time (sec)	N/A	0.700	0.577	0.052	3.049	0.000	0.000	0.233	4.913

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	645	643	678	1339	833	0	0	723	2971
normalized size	1	1.00	1.05	2.08	1.29	0.00	0.00	1.12	4.61
time (sec)	N/A	1.097	0.476	0.056	3.126	0.000	0.000	0.210	5.047

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	54	38	37	37	44	38	49
normalized size	1	1.00	1.26	0.88	0.86	0.86	1.02	0.88	1.14
time (sec)	N/A	0.078	0.016	0.052	2.858	0.779	0.251	0.151	0.098

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	54	38	37	37	46	38	51
normalized size	1	1.00	1.17	0.83	0.80	0.80	1.00	0.83	1.11
time (sec)	N/A	0.084	0.029	0.052	2.900	0.549	0.308	0.157	0.093

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	38	37	37	48	38	49
normalized size	1	1.00	1.00	0.86	0.84	0.84	1.09	0.86	1.11
time (sec)	N/A	0.043	0.010	0.047	2.809	0.669	0.327	0.153	4.697

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	230	230	47	407	0	0	92	0	312
normalized size	1	1.00	0.20	1.77	0.00	0.00	0.40	0.00	1.36
time (sec)	N/A	0.060	0.041	0.111	0.000	0.542	3.352	0.000	0.152

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	43	368	0	0	97	0	342
normalized size	1	1.00	0.17	1.43	0.00	0.00	0.38	0.00	1.33
time (sec)	N/A	0.067	0.017	0.129	0.000	0.732	5.454	0.000	5.138

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	144	144	63	407	0	0	82	0	326
normalized size	1	1.00	0.44	2.83	0.00	0.00	0.57	0.00	2.26
time (sec)	N/A	0.027	0.039	0.069	0.000	0.705	6.187	0.000	4.875

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	67	370	0	0	99	0	360
normalized size	1	1.00	0.50	2.74	0.00	0.00	0.73	0.00	2.67
time (sec)	N/A	0.033	0.029	0.065	0.000	0.668	3.579	0.000	4.909

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	468	468	90	1003	0	0	122	0	-1
normalized size	1	1.00	0.19	2.14	0.00	0.00	0.26	0.00	-0.00
time (sec)	N/A	0.121	0.097	0.268	0.000	0.773	10.490	0.000	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	481	481	91	949	0	0	128	0	-1
normalized size	1	1.00	0.19	1.97	0.00	0.00	0.27	0.00	-0.00
time (sec)	N/A	0.139	0.087	0.293	0.000	0.655	14.663	0.000	0.000

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	271	271	92	952	0	0	112	0	-1
normalized size	1	1.00	0.34	3.51	0.00	0.00	0.41	0.00	-0.00
time (sec)	N/A	0.066	0.044	0.115	0.000	0.531	9.214	0.000	0.000

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	266	93	1012	0	0	129	0	-1
normalized size	1	1.00	0.35	3.80	0.00	0.00	0.48	0.00	-0.00
time (sec)	N/A	0.062	0.050	0.108	0.000	0.672	8.679	0.000	0.000

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	520	520	89	1004	0	0	124	0	-1
normalized size	1	1.00	0.17	1.93	0.00	0.00	0.24	0.00	-0.00
time (sec)	N/A	0.213	0.054	0.201	0.000	0.802	5.128	0.000	0.000

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	533	533	89	950	0	0	129	0	-1
normalized size	1	1.00	0.17	1.78	0.00	0.00	0.24	0.00	-0.00
time (sec)	N/A	0.172	0.055	0.187	0.000	0.558	5.969	0.000	0.000

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	256	256	90	953	0	0	114	0	-1
normalized size	1	1.00	0.35	3.72	0.00	0.00	0.45	0.00	-0.00
time (sec)	N/A	0.083	0.043	0.097	0.000	0.679	5.174	0.000	0.000

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	251	251	92	1013	0	0	131	0	-1
normalized size	1	1.00	0.37	4.04	0.00	0.00	0.52	0.00	-0.00
time (sec)	N/A	0.064	0.041	0.080	0.000	0.591	6.612	0.000	0.000

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	49	407	0	0	92	0	313
normalized size	1	1.00	0.39	3.20	0.00	0.00	0.72	0.00	2.46
time (sec)	N/A	0.019	0.026	0.108	0.000	0.508	3.516	0.000	0.126

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	45	368	0	0	97	0	343
normalized size	1	1.00	0.32	2.59	0.00	0.00	0.68	0.00	2.42
time (sec)	N/A	0.025	0.018	0.107	0.000	0.614	4.389	0.000	4.738

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	264	264	63	407	0	0	82	0	327
normalized size	1	1.00	0.24	1.54	0.00	0.00	0.31	0.00	1.24
time (sec)	N/A	0.054	0.033	0.066	0.000	0.665	5.715	0.000	4.750

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	247	247	67	370	0	0	97	0	361
normalized size	1	1.00	0.27	1.50	0.00	0.00	0.39	0.00	1.46
time (sec)	N/A	0.054	0.032	0.063	0.000	0.690	3.363	0.000	4.824

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	47	407	0	0	92	0	312
normalized size	1	1.00	0.37	3.23	0.00	0.00	0.73	0.00	2.48
time (sec)	N/A	0.025	0.035	0.074	0.000	0.689	3.301	0.000	4.820

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	43	368	0	0	97	0	342
normalized size	1	1.00	0.30	2.57	0.00	0.00	0.68	0.00	2.39
time (sec)	N/A	0.025	0.012	0.065	0.000	0.579	4.886	0.000	0.052

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	263	263	63	407	0	0	82	0	326
normalized size	1	1.00	0.24	1.55	0.00	0.00	0.31	0.00	1.24
time (sec)	N/A	0.050	0.023	0.064	0.000	0.512	3.159	0.000	0.061

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	248	248	67	370	0	0	97	0	360
normalized size	1	1.00	0.27	1.49	0.00	0.00	0.39	0.00	1.45
time (sec)	N/A	0.052	0.024	0.064	0.000	0.561	5.217	0.000	4.900

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	256	256	90	1003	0	0	122	0	-1
normalized size	1	1.00	0.35	3.92	0.00	0.00	0.48	0.00	-0.00
time (sec)	N/A	0.045	0.074	0.244	0.000	0.622	11.533	0.000	0.000

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	263	263	90	949	0	0	128	0	-1
normalized size	1	1.00	0.34	3.61	0.00	0.00	0.49	0.00	-0.00
time (sec)	N/A	0.042	0.093	0.224	0.000	0.749	13.434	0.000	0.000

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	497	497	91	952	0	0	112	0	-1
normalized size	1	1.00	0.18	1.92	0.00	0.00	0.23	0.00	-0.00
time (sec)	N/A	0.133	0.068	0.076	0.000	0.690	12.956	0.000	0.000

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	488	488	93	1012	0	0	128	0	-1
normalized size	1	1.00	0.19	2.07	0.00	0.00	0.26	0.00	-0.00
time (sec)	N/A	0.115	0.090	0.087	0.000	0.723	9.879	0.000	0.000

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	241	241	89	1004	0	0	124	0	-1
normalized size	1	1.00	0.37	4.17	0.00	0.00	0.51	0.00	-0.00
time (sec)	N/A	0.069	0.077	0.180	0.000	0.612	6.498	0.000	0.000

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	248	248	89	950	0	0	129	0	-1
normalized size	1	1.00	0.36	3.83	0.00	0.00	0.52	0.00	-0.00
time (sec)	N/A	0.061	0.061	0.180	0.000	0.643	6.191	0.000	0.000

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	549	549	90	953	0	0	114	0	-1
normalized size	1	1.00	0.16	1.74	0.00	0.00	0.21	0.00	-0.00
time (sec)	N/A	0.218	0.045	0.078	0.000	0.615	6.151	0.000	0.000

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	540	540	92	1013	0	0	129	0	-1
normalized size	1	1.00	0.17	1.88	0.00	0.00	0.24	0.00	-0.00
time (sec)	N/A	0.163	0.048	0.092	0.000	0.616	3.700	0.000	0.000

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	490	490	75	720	0	0	78	0	-1
normalized size	1	1.00	0.15	1.47	0.00	0.00	0.16	0.00	-0.00
time (sec)	N/A	0.148	0.032	0.047	0.000	0.636	3.916	0.000	0.000

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	503	503	75	681	0	0	82	0	-1
normalized size	1	1.00	0.15	1.35	0.00	0.00	0.16	0.00	-0.00
time (sec)	N/A	0.149	0.044	0.049	0.000	0.564	3.294	0.000	0.000

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	515	515	76	683	0	0	73	0	-1
normalized size	1	1.00	0.15	1.33	0.00	0.00	0.14	0.00	-0.00
time (sec)	N/A	0.163	0.028	0.053	0.000	0.618	3.709	0.000	0.000

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	508	508	78	726	0	0	83	0	-1
normalized size	1	1.00	0.15	1.43	0.00	0.00	0.16	0.00	-0.00
time (sec)	N/A	0.154	0.033	0.052	0.000	0.690	4.200	0.000	0.000

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	246	246	42	291	0	0	61	0	373
normalized size	1	1.00	0.17	1.18	0.00	0.00	0.25	0.00	1.52
time (sec)	N/A	0.081	0.010	0.049	0.000	0.684	3.046	0.000	4.770

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	271	271	38	267	0	0	65	0	406
normalized size	1	1.00	0.14	0.99	0.00	0.00	0.24	0.00	1.50
time (sec)	N/A	0.087	0.011	0.049	0.000	0.560	3.541	0.000	5.070

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	58	291	0	0	56	0	374
normalized size	1	1.00	0.21	1.06	0.00	0.00	0.20	0.00	1.36
time (sec)	N/A	0.087	0.030	0.049	0.000	0.624	2.945	0.000	0.120

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	261	261	62	269	0	0	66	0	405
normalized size	1	1.00	0.24	1.03	0.00	0.00	0.25	0.00	1.55
time (sec)	N/A	0.078	0.022	0.047	0.000	0.661	2.735	0.000	4.821

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	134	101	126	0	126	225	182
normalized size	1	1.00	1.54	1.16	1.45	0.00	1.45	2.59	2.09
time (sec)	N/A	0.065	0.039	0.046	2.882	0.000	1.219	0.181	5.012

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	219	219	184	151	207	0	124	213	160
normalized size	1	1.00	0.84	0.69	0.95	0.00	0.57	0.97	0.73
time (sec)	N/A	0.171	0.090	0.045	3.042	0.000	1.030	0.186	4.798

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	168	142	157	0	156	254	283
normalized size	1	1.00	1.53	1.29	1.43	0.00	1.42	2.31	2.57
time (sec)	N/A	0.082	0.202	0.050	3.038	0.000	1.798	0.173	4.919

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	241	241	224	188	238	0	155	238	282
normalized size	1	1.00	0.93	0.78	0.99	0.00	0.64	0.99	1.17
time (sec)	N/A	0.202	0.279	0.052	2.932	0.000	1.511	0.170	4.944

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	193	180	186	0	194	272	315
normalized size	1	1.00	1.42	1.32	1.37	0.00	1.43	2.00	2.32
time (sec)	N/A	0.110	0.208	0.049	3.015	0.000	1.970	0.188	4.979

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	266	249	222	269	0	192	256	315
normalized size	1	1.00	0.94	0.83	1.01	0.00	0.72	0.96	1.18
time (sec)	N/A	0.230	0.264	0.049	3.061	0.000	1.989	0.181	4.989

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	217	177	223	0	231	296	351
normalized size	1	1.00	1.34	1.09	1.38	0.00	1.43	1.83	2.17
time (sec)	N/A	0.130	0.215	0.064	2.974	0.000	2.062	0.278	4.975

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	291	291	274	225	304	0	231	280	350
normalized size	1	1.00	0.94	0.77	1.04	0.00	0.79	0.96	1.20
time (sec)	N/A	0.268	0.338	0.070	3.198	0.000	1.807	0.180	0.309

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	42	44	35	35	313	37	100
normalized size	1	1.00	1.75	1.83	1.46	1.46	13.04	1.54	4.17
time (sec)	N/A	0.018	0.021	0.044	3.042	0.860	0.923	0.147	4.918

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	99	68	86	0	83	86	71
normalized size	1	1.00	1.01	0.69	0.88	0.00	0.85	0.88	0.72
time (sec)	N/A	0.067	0.125	0.046	2.998	0.000	0.705	0.172	0.092

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	116	116	187	161	153	0	471	263	725
normalized size	1	1.00	1.61	1.39	1.32	0.00	4.06	2.27	6.25
time (sec)	N/A	0.095	0.062	0.045	2.911	0.000	11.044	0.179	5.143

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	277	277	229	280	257	0	466	275	712
normalized size	1	1.00	0.83	1.01	0.93	0.00	1.68	0.99	2.57
time (sec)	N/A	0.197	0.115	0.046	3.042	0.000	10.540	0.174	5.086

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	146	146	211	228	191	0	508	311	477
normalized size	1	1.00	1.45	1.56	1.31	0.00	3.48	2.13	3.27
time (sec)	N/A	0.128	0.283	0.055	2.936	0.000	13.740	0.182	4.982

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	308	308	305	344	294	0	505	306	472
normalized size	1	1.00	0.99	1.12	0.95	0.00	1.64	0.99	1.53
time (sec)	N/A	0.255	0.545	0.049	3.102	0.000	11.548	0.177	0.333

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	179	179	244	286	230	0	563	340	826
normalized size	1	1.00	1.36	1.60	1.28	0.00	3.15	1.90	4.61
time (sec)	N/A	0.167	0.289	0.052	3.124	0.000	45.341	0.235	5.111

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	341	341	337	396	336	0	558	336	826
normalized size	1	1.00	0.99	1.16	0.99	0.00	1.64	0.99	2.42
time (sec)	N/A	0.311	0.417	0.051	3.089	0.000	40.860	0.191	5.047

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	211	211	276	274	279	0	612	377	874
normalized size	1	1.00	1.31	1.30	1.32	0.00	2.90	1.79	4.14
time (sec)	N/A	0.211	0.284	0.061	3.019	0.000	59.744	0.223	5.220

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	372	372	369	394	383	0	610	373	873
normalized size	1	1.00	0.99	1.06	1.03	0.00	1.64	1.00	2.35
time (sec)	N/A	0.379	0.585	0.065	3.108	0.000	63.470	0.191	5.137

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	27	24	25	24	27	25	25
normalized size	1	1.00	0.96	0.86	0.89	0.86	0.96	0.89	0.89
time (sec)	N/A	0.011	0.002	0.045	1.372	0.605	0.119	0.145	4.674

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	32	27	27	27	29	27	27
normalized size	1	1.00	0.97	0.82	0.82	0.82	0.88	0.82	0.82
time (sec)	N/A	0.014	0.002	0.041	1.396	0.491	0.073	0.169	0.034

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	60	51	50	50	58	50	50
normalized size	1	1.00	1.00	0.85	0.83	0.83	0.97	0.83	0.83
time (sec)	N/A	0.062	0.002	0.048	1.356	0.583	0.110	0.150	0.025

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	33	27	27	27	31	27	27
normalized size	1	1.00	1.00	0.82	0.82	0.82	0.94	0.82	0.82
time (sec)	N/A	0.013	0.001	0.042	1.357	0.530	0.132	0.195	0.039

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	60	51	50	50	60	50	50
normalized size	1	1.00	1.00	0.85	0.83	0.83	1.00	0.83	0.83
time (sec)	N/A	0.027	0.003	0.044	1.317	0.609	0.083	0.151	0.025

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	65	54	53	53	61	53	53
normalized size	1	1.00	1.00	0.83	0.82	0.82	0.94	0.82	0.82
time (sec)	N/A	0.098	0.003	0.039	1.349	0.450	0.135	0.149	0.027

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	92	77	76	76	90	76	76
normalized size	1	1.00	1.00	0.84	0.83	0.83	0.98	0.83	0.83
time (sec)	N/A	0.053	0.004	0.043	1.430	0.464	0.163	0.150	0.038

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	17	17	33	27	15	27	29	16	26
normalized size	1	1.00	1.94	1.59	0.88	1.59	1.71	0.94	1.53
time (sec)	N/A	0.005	0.001	0.044	1.386	0.697	0.244	0.143	0.033

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	60	51	50	50	58	50	50
normalized size	1	1.00	1.33	1.13	1.11	1.11	1.29	1.11	1.11
time (sec)	N/A	0.019	0.003	0.043	1.314	0.572	0.078	0.201	0.024

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	65	54	53	53	60	53	53
normalized size	1	1.00	1.30	1.08	1.06	1.06	1.20	1.06	1.06
time (sec)	N/A	0.020	0.003	0.039	1.320	0.597	0.116	0.163	0.027

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	92	77	76	76	88	76	76
normalized size	1	1.00	1.19	1.00	0.99	0.99	1.14	0.99	0.99
time (sec)	N/A	0.051	0.004	0.044	1.363	0.535	0.085	0.150	0.038

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	65	54	53	53	61	53	53
normalized size	1	1.00	1.30	1.08	1.06	1.06	1.22	1.06	1.06
time (sec)	N/A	0.023	0.004	0.043	1.360	0.526	0.085	0.146	0.027

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	92	77	76	76	90	76	76
normalized size	1	1.00	1.19	1.00	0.99	0.99	1.17	0.99	0.99
time (sec)	N/A	0.042	0.005	0.043	1.337	0.443	0.146	0.201	0.038

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	97	80	79	79	92	79	79
normalized size	1	1.00	1.18	0.98	0.96	0.96	1.12	0.96	0.96
time (sec)	N/A	0.084	0.005	0.038	1.417	0.685	0.112	0.161	0.041

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	124	103	102	102	121	105	102
normalized size	1	1.00	1.14	0.94	0.94	0.94	1.11	0.96	0.94
time (sec)	N/A	0.080	0.008	0.040	1.393	0.457	0.089	0.167	4.677

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	180	151	150	150	180	154	150
normalized size	1	1.00	1.19	1.00	0.99	0.99	1.19	1.02	0.99
time (sec)	N/A	0.106	0.005	0.049	1.339	0.504	0.133	0.168	4.863

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	155	155	220	248	200	0	520	320	483
normalized size	1	1.00	1.42	1.60	1.29	0.00	3.35	2.06	3.12
time (sec)	N/A	0.118	0.229	0.052	3.002	0.000	24.169	0.231	0.415

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	253	326	249	0	583	358	832
normalized size	1	1.00	1.35	1.73	1.32	0.00	3.10	1.90	4.43
time (sec)	N/A	0.155	0.262	0.054	2.964	0.000	116.916	0.204	5.185

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	220	220	286	280	297	0	0	395	880
normalized size	1	1.00	1.30	1.27	1.35	0.00	0.00	1.80	4.00
time (sec)	N/A	0.189	0.502	0.058	3.061	0.000	0.000	0.187	5.246

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	78	114	123	284	88	97	36
normalized size	1	1.00	0.77	1.13	1.22	2.81	0.87	0.96	0.36
time (sec)	N/A	0.096	0.034	0.045	2.937	0.818	0.441	0.196	0.125

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	22	16	15	15	19	15	15
normalized size	1	1.00	1.00	0.73	0.68	0.68	0.86	0.68	0.68
time (sec)	N/A	0.013	0.011	0.039	2.875	0.779	0.134	0.166	4.774

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	107	129	147	0	88	115	119
normalized size	1	1.00	0.87	1.05	1.20	0.00	0.72	0.93	0.97
time (sec)	N/A	0.103	0.055	0.049	2.907	0.000	0.717	0.191	0.200

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	78	114	123	278	88	97	32
normalized size	1	1.00	0.77	1.13	1.22	2.75	0.87	0.96	0.32
time (sec)	N/A	0.077	0.017	0.043	3.038	1.015	0.430	0.202	4.974

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	113	226	167	2278	68	131	315
normalized size	1	1.00	0.80	1.60	1.18	16.16	0.48	0.93	2.23
time (sec)	N/A	0.098	0.061	0.043	3.038	0.748	0.573	0.204	5.110

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	99	129	147	0	85	114	162
normalized size	1	1.00	0.80	1.05	1.20	0.00	0.69	0.93	1.32
time (sec)	N/A	0.118	0.054	0.047	3.090	0.000	0.770	0.195	0.217

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	129	241	187	0	292	143	270
normalized size	1	1.00	0.79	1.48	1.15	0.00	1.79	0.88	1.66
time (sec)	N/A	0.124	0.083	0.048	3.062	0.000	5.070	0.216	5.519

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	13	12	11	11	10	11	9
normalized size	1	1.00	1.00	0.92	0.85	0.85	0.77	0.85	0.69
time (sec)	N/A	0.004	0.004	0.046	1.323	0.797	0.094	0.164	0.030

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	108	125	149	359	51	109	117
normalized size	1	1.00	0.95	1.10	1.31	3.15	0.45	0.96	1.03
time (sec)	N/A	0.099	0.034	0.048	3.056	0.851	0.417	0.196	0.283

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	B	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	65	28	113	27	53	93	25
normalized size	1	1.00	1.81	0.78	3.14	0.75	1.47	2.58	0.69
time (sec)	N/A	0.031	0.045	0.047	3.062	0.784	0.411	0.181	0.056

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	128	140	171	0	199	125	307
normalized size	1	1.00	0.94	1.03	1.26	0.00	1.46	0.92	2.26
time (sec)	N/A	0.118	0.096	0.045	3.053	0.000	1.684	0.197	5.496

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	108	125	152	272	70	109	117
normalized size	1	1.00	0.95	1.10	1.33	2.39	0.61	0.96	1.03
time (sec)	N/A	0.121	0.030	0.041	3.026	0.898	0.422	0.276	0.374

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	148	237	195	2326	148	137	286
normalized size	1	1.00	0.96	1.54	1.27	15.10	0.96	0.89	1.86
time (sec)	N/A	0.117	0.106	0.047	2.993	1.167	1.379	0.209	5.810

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	125	140	174	0	189	124	300
normalized size	1	1.00	0.92	1.03	1.28	0.00	1.39	0.91	2.21
time (sec)	N/A	0.140	0.083	0.046	3.017	0.000	1.991	0.197	5.388

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	176	176	164	252	207	0	580	149	1168
normalized size	1	1.00	0.93	1.43	1.18	0.00	3.30	0.85	6.64
time (sec)	N/A	0.144	0.187	0.046	2.993	0.000	13.068	0.216	5.636

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	8	7	6	6	5	7	6
normalized size	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75
time (sec)	N/A	0.008	0.003	0.043	1.347	0.739	0.073	0.150	0.023

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	50	102	76	145	73	70	156
normalized size	1	1.00	0.94	1.92	1.43	2.74	1.38	1.32	2.94
time (sec)	N/A	0.042	0.042	0.046	3.004	0.724	0.427	0.152	0.402

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	203	171	160	0	187	290	312
normalized size	1	1.00	1.64	1.38	1.29	0.00	1.51	2.34	2.52
time (sec)	N/A	0.087	0.064	0.049	3.024	0.000	2.278	0.173	5.034

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	277	277	283	286	296	0	187	270	305
normalized size	1	1.00	1.02	1.03	1.07	0.00	0.68	0.97	1.10
time (sec)	N/A	0.196	0.240	0.047	2.975	0.000	2.268	0.209	5.041

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	148	148	249	244	202	0	0	303	5082
normalized size	1	1.00	1.68	1.65	1.36	0.00	0.00	2.05	34.34
time (sec)	N/A	0.203	0.092	0.047	3.104	0.000	0.000	0.194	5.507

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	221	289	224	0	0	344	1393
normalized size	1	1.00	1.28	1.68	1.30	0.00	0.00	2.00	8.10
time (sec)	N/A	0.165	0.425	0.052	3.114	0.000	0.000	0.184	5.560

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	221	263	328	284	0	0	393	1002
normalized size	1	1.00	1.19	1.48	1.29	0.00	0.00	1.78	4.53
time (sec)	N/A	0.263	0.772	0.072	3.004	0.000	0.000	0.195	5.436

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	266	313	368	345	0	0	442	1056
normalized size	1	1.00	1.18	1.38	1.30	0.00	0.00	1.66	3.97
time (sec)	N/A	0.320	0.390	0.059	3.179	0.000	0.000	0.189	5.662

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	319	319	311	429	328	0	0	340	5042
normalized size	1	1.00	0.97	1.34	1.03	0.00	0.00	1.07	15.81
time (sec)	N/A	0.351	0.407	0.055	3.028	0.000	0.000	0.273	5.588

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	341	341	319	482	350	0	0	365	1383
normalized size	1	1.00	0.94	1.41	1.03	0.00	0.00	1.07	4.06
time (sec)	N/A	0.305	0.232	0.053	3.003	0.000	0.000	0.203	5.592

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	394	394	366	519	412	0	0	416	1001
normalized size	1	1.00	0.93	1.32	1.05	0.00	0.00	1.06	2.54
time (sec)	N/A	0.439	0.392	0.062	3.029	0.000	0.000	0.197	0.705

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	437	437	411	560	472	0	0	466	1053
normalized size	1	1.00	0.94	1.28	1.08	0.00	0.00	1.07	2.41
time (sec)	N/A	0.531	0.520	0.064	3.120	0.000	0.000	0.188	5.562

Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	9	8	15	15	15	15	15
normalized size	1	1.00	0.82	0.73	1.36	1.36	1.36	1.36	1.36
time (sec)	N/A	0.013	0.002	0.046	1.295	0.582	0.093	0.242	0.031

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	14	8	12	12	8	12	11
normalized size	1	1.00	1.27	0.73	1.09	1.09	0.73	1.09	1.00
time (sec)	N/A	0.012	0.001	0.043	1.292	0.703	0.082	0.159	0.024

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	9	9	9	8	7	7	5	7	6
normalized size	1	1.00	1.00	0.89	0.78	0.78	0.56	0.78	0.67
time (sec)	N/A	0.009	0.001	0.041	1.295	0.504	0.070	0.154	0.019

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	8	7	6	6	5	7	6
normalized size	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75
time (sec)	N/A	0.007	0.001	0.045	1.372	0.413	0.073	0.166	0.002

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	7	7	7	8	7	7	5	7	7
normalized size	1	1.00	1.00	1.14	1.00	1.00	0.71	1.00	1.00
time (sec)	N/A	0.016	0.001	0.042	1.296	0.404	0.107	0.213	0.031

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	9	8	12	12	10	7	7
normalized size	1	1.00	0.82	0.73	1.09	1.09	0.91	0.64	0.64
time (sec)	N/A	0.018	0.003	0.038	1.302	0.383	0.210	0.157	4.837

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	9	8	17	17	17	7	7
normalized size	1	1.00	0.82	0.73	1.55	1.55	1.55	0.64	0.64
time (sec)	N/A	0.019	0.001	0.045	1.325	0.388	0.150	0.156	4.806

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	256	296	222	0	0	342	2478
normalized size	1	1.00	1.55	1.79	1.35	0.00	0.00	2.07	15.02
time (sec)	N/A	0.261	0.427	0.047	3.039	0.000	0.000	0.197	5.544

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	301	367	240	0	0	541	3810
normalized size	1	1.00	1.60	1.95	1.28	0.00	0.00	2.88	20.27
time (sec)	N/A	0.327	0.547	0.054	3.025	0.000	0.000	0.213	5.074

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	318	393	257	0	0	556	5673
normalized size	1	1.00	1.55	1.92	1.25	0.00	0.00	2.71	27.67
time (sec)	N/A	0.313	0.512	0.052	3.074	0.000	0.000	0.215	5.161

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	337	337	342	462	351	0	0	375	2469
normalized size	1	1.00	1.01	1.37	1.04	0.00	0.00	1.11	7.33
time (sec)	N/A	0.399	0.487	0.047	3.047	0.000	0.000	0.189	5.542

Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	384	384	427	603	399	0	0	562	3798
normalized size	1	1.00	1.11	1.57	1.04	0.00	0.00	1.46	9.89
time (sec)	N/A	0.565	0.371	0.056	3.077	0.000	0.000	0.209	5.054

Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	402	402	445	627	429	0	0	578	5664
normalized size	1	1.00	1.11	1.56	1.07	0.00	0.00	1.44	14.09
time (sec)	N/A	0.567	0.418	0.049	3.156	0.000	0.000	0.204	5.203

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	184	184	257	340	243	0	0	380	1626
normalized size	1	1.00	1.40	1.85	1.32	0.00	0.00	2.07	8.84
time (sec)	N/A	0.204	0.284	0.053	3.077	0.000	0.000	0.193	5.615

Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	302	409	260	0	0	583	2611
normalized size	1	1.00	1.49	2.01	1.28	0.00	0.00	2.87	12.86
time (sec)	N/A	0.274	0.279	0.051	3.064	0.000	0.000	0.200	5.671

Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	225	225	338	431	299	0	0	610	3943
normalized size	1	1.00	1.50	1.92	1.33	0.00	0.00	2.71	17.52
time (sec)	N/A	0.310	0.251	0.060	3.149	0.000	0.000	0.225	5.909

Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	353	353	359	515	374	0	0	398	1623
normalized size	1	1.00	1.02	1.46	1.06	0.00	0.00	1.13	4.60
time (sec)	N/A	0.340	0.302	0.056	3.194	0.000	0.000	0.186	5.578

Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	395	395	415	654	416	0	0	589	2605
normalized size	1	1.00	1.05	1.66	1.05	0.00	0.00	1.49	6.59
time (sec)	N/A	0.492	0.465	0.054	3.194	0.000	0.000	0.598	5.702

Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	417	417	460	675	458	0	0	617	3939
normalized size	1	1.00	1.10	1.62	1.10	0.00	0.00	1.48	9.45
time (sec)	N/A	0.536	0.440	0.063	3.214	0.000	0.000	0.219	5.844

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	241	241	309	389	316	0	0	440	1687
normalized size	1	1.00	1.28	1.61	1.31	0.00	0.00	1.83	7.00
time (sec)	N/A	0.339	0.416	0.062	2.963	0.000	0.000	0.208	5.732

Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	268	268	359	472	343	0	0	652	2680
normalized size	1	1.00	1.34	1.76	1.28	0.00	0.00	2.43	10.00
time (sec)	N/A	0.435	0.400	0.063	3.083	0.000	0.000	0.280	5.801

Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	285	285	380	488	377	0	0	684	2696
normalized size	1	1.00	1.33	1.71	1.32	0.00	0.00	2.40	9.46
time (sec)	N/A	0.391	0.338	0.061	3.129	0.000	0.000	0.213	5.910

Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	413	413	411	561	446	0	0	459	1686
normalized size	1	1.00	1.00	1.36	1.08	0.00	0.00	1.11	4.08
time (sec)	N/A	0.486	0.425	0.058	3.068	0.000	0.000	0.204	5.691

Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	463	463	473	716	497	0	0	661	2680
normalized size	1	1.00	1.02	1.55	1.07	0.00	0.00	1.43	5.79
time (sec)	N/A	0.686	0.677	0.061	3.175	0.000	0.000	0.226	5.749

Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	480	480	500	731	535	0	0	693	2695
normalized size	1	1.00	1.04	1.52	1.11	0.00	0.00	1.44	5.61
time (sec)	N/A	0.666	0.508	0.059	3.093	0.000	0.000	0.221	5.788

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	293	293	360	434	389	0	0	501	1747
normalized size	1	1.00	1.23	1.48	1.33	0.00	0.00	1.71	5.96
time (sec)	N/A	0.431	0.487	0.064	3.178	0.000	0.000	0.263	5.994

Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	422	522	429	0	0	727	2747
normalized size	1	1.00	1.27	1.58	1.30	0.00	0.00	2.20	8.30
time (sec)	N/A	0.567	0.545	0.059	3.163	0.000	0.000	0.209	6.140

Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	349	349	439	538	463	0	0	759	2764
normalized size	1	1.00	1.26	1.54	1.33	0.00	0.00	2.17	7.92
time (sec)	N/A	0.524	0.525	0.060	3.085	0.000	0.000	0.207	6.396

Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	462	462	461	607	517	0	0	521	1743
normalized size	1	1.00	1.00	1.31	1.12	0.00	0.00	1.13	3.77
time (sec)	N/A	0.619	0.581	0.070	3.126	0.000	0.000	0.204	6.075

Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	516	516	530	767	579	0	0	735	2741
normalized size	1	1.00	1.03	1.49	1.12	0.00	0.00	1.42	5.31
time (sec)	N/A	0.850	1.010	0.066	3.160	0.000	0.000	0.207	6.084

Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	534	534	555	783	613	0	0	767	2757
normalized size	1	1.00	1.04	1.47	1.15	0.00	0.00	1.44	5.16
time (sec)	N/A	0.824	0.706	0.067	3.228	0.000	0.000	0.206	6.480

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	79	96	0	0	61	0	-1
normalized size	1	1.00	0.65	0.79	0.00	0.00	0.50	0.00	-0.01
time (sec)	N/A	0.068	0.061	0.152	0.000	0.893	2.981	0.000	0.000

Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	81	90	0	0	95	0	-1
normalized size	1	1.00	0.93	1.03	0.00	0.00	1.09	0.00	-0.01
time (sec)	N/A	0.062	0.053	0.168	0.000	0.725	2.958	0.000	0.000

Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	83	95	0	0	90	0	-1
normalized size	1	1.00	0.93	1.07	0.00	0.00	1.01	0.00	-0.01
time (sec)	N/A	0.060	0.049	0.174	0.000	0.807	2.892	0.000	0.000

Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	85	101	0	0	66	0	-1
normalized size	1	1.00	0.67	0.80	0.00	0.00	0.52	0.00	-0.01
time (sec)	N/A	0.072	0.053	0.184	0.000	0.933	3.245	0.000	0.000

Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	131	193	0	0	102	0	-1
normalized size	1	1.00	0.51	0.75	0.00	0.00	0.40	0.00	-0.00
time (sec)	N/A	0.124	0.140	0.235	0.000	0.711	3.383	0.000	0.000

Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	14	13	12	12	80	12	12
normalized size	1	1.00	1.00	0.93	0.86	0.86	5.71	0.86	0.86
time (sec)	N/A	0.006	0.010	0.047	1.764	1.057	9.598	0.198	5.036

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	27	24	25	34	104	23	23
normalized size	1	1.00	0.93	0.83	0.86	1.17	3.59	0.79	0.79
time (sec)	N/A	0.023	0.103	0.048	1.767	0.699	12.387	0.245	4.905

Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	27	24	23	33	109	22	20
normalized size	1	1.00	1.08	0.96	0.92	1.32	4.36	0.88	0.80
time (sec)	N/A	0.028	0.043	0.048	1.828	0.657	17.799	0.201	4.901

Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	38	35	44	44	133	31	29
normalized size	1	1.00	1.00	0.92	1.16	1.16	3.50	0.82	0.76
time (sec)	N/A	0.030	0.046	0.044	1.850	0.645	21.515	0.224	4.836

Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	12	11	10	10	58	10	10
normalized size	1	1.00	1.00	0.92	0.83	0.83	4.83	0.83	0.83
time (sec)	N/A	0.003	0.006	0.048	3.244	0.688	5.208	0.181	4.847

Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	385	385	281	516	0	0	260	0	-1
normalized size	1	1.00	0.73	1.34	0.00	0.00	0.68	0.00	-0.00
time (sec)	N/A	0.424	0.256	0.204	0.000	0.786	7.364	0.000	0.000

Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	51	173	0	835	1287	101	64
normalized size	1	1.00	0.47	1.59	0.00	7.66	11.81	0.93	0.59
time (sec)	N/A	0.064	0.012	0.122	0.000	2.961	1.202	0.221	4.918

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	47	169	0	799	1287	101	65
normalized size	1	1.00	0.43	1.55	0.00	7.33	11.81	0.93	0.60
time (sec)	N/A	0.041	0.011	0.112	0.000	2.774	1.284	0.185	4.981

Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	208	208	187	266	209	210	216	246	237
normalized size	1	1.00	0.90	1.28	1.00	1.01	1.04	1.18	1.14
time (sec)	N/A	0.316	0.106	0.046	1.374	0.748	1.318	0.173	4.920

Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	170	170	154	218	169	170	172	197	189
normalized size	1	1.00	0.91	1.28	0.99	1.00	1.01	1.16	1.11
time (sec)	N/A	0.242	0.093	0.046	1.383	0.636	1.345	0.186	4.959

Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	119	170	129	130	128	148	141
normalized size	1	1.00	0.90	1.29	0.98	0.98	0.97	1.12	1.07
time (sec)	N/A	0.183	0.073	0.050	1.374	0.588	1.045	0.168	4.927

Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	88	124	91	92	88	101	96
normalized size	1	1.00	0.92	1.29	0.95	0.96	0.92	1.05	1.00
time (sec)	N/A	0.140	0.051	0.044	1.389	0.745	1.126	0.205	4.827

Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	75	97	77	80	70	79	76
normalized size	1	1.00	0.94	1.21	0.96	1.00	0.88	0.99	0.95
time (sec)	N/A	0.120	0.037	0.050	1.383	0.774	5.262	0.205	4.925

Problem 228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	81	77	94	77	85	70	95	74
normalized size	1	1.00	0.95	1.16	0.95	1.05	0.86	1.17	0.91
time (sec)	N/A	0.116	0.048	0.056	1.335	0.774	14.561	0.177	4.973

Problem 229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	88	116	93	101	85	126	92
normalized size	1	1.00	0.93	1.22	0.98	1.06	0.89	1.33	0.97
time (sec)	N/A	0.129	0.075	0.052	1.356	0.571	74.001	0.163	4.993

Problem 230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	128	128	128	161	125	127	0	184	123
normalized size	1	1.00	1.00	1.26	0.98	0.99	0.00	1.44	0.96
time (sec)	N/A	0.162	0.093	0.049	1.358	0.718	0.000	0.178	5.025

Problem 231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	164	210	166	168	0	235	161
normalized size	1	1.00	1.00	1.28	1.01	1.02	0.00	1.43	0.98
time (sec)	N/A	0.181	0.087	0.057	1.359	0.909	0.000	0.168	5.073

Problem 232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	194	260	208	210	0	287	200
normalized size	1	1.00	0.95	1.27	1.01	1.02	0.00	1.40	0.98
time (sec)	N/A	0.209	0.237	0.053	1.415	0.954	0.000	0.170	0.257

Problem 233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	348	348	351	592	351	342	469	454	358
normalized size	1	1.00	1.01	1.70	1.01	0.98	1.35	1.30	1.03
time (sec)	N/A	0.333	0.088	0.049	3.015	0.642	4.350	0.182	0.311

Problem 234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	316	316	311	554	313	321	513	441	313
normalized size	1	1.00	0.98	1.75	0.99	1.02	1.62	1.40	0.99
time (sec)	N/A	0.306	0.107	0.050	2.946	0.598	4.057	0.185	5.162

Problem 235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	312	312	306	544	311	304	423	401	311
normalized size	1	1.00	0.98	1.74	1.00	0.97	1.36	1.29	1.00
time (sec)	N/A	0.298	0.113	0.045	2.968	0.723	3.243	0.179	5.187

Problem 236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	279	279	266	502	269	281	469	386	267
normalized size	1	1.00	0.95	1.80	0.96	1.01	1.68	1.38	0.96
time (sec)	N/A	0.273	0.117	0.047	3.025	0.693	2.481	0.182	5.147

Problem 237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	274	274	264	492	267	249	376	346	264
normalized size	1	1.00	0.96	1.80	0.97	0.91	1.37	1.26	0.96
time (sec)	N/A	0.267	0.109	0.046	2.929	0.638	2.511	0.185	5.101

Problem 238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	245	245	231	450	225	568	427	291	225
normalized size	1	1.00	0.94	1.84	0.92	2.32	1.74	1.19	0.92
time (sec)	N/A	0.216	0.179	0.046	3.014	0.794	2.380	0.196	5.135

Problem 239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	240	240	229	442	223	600	342	253	222
normalized size	1	1.00	0.95	1.84	0.93	2.50	1.42	1.05	0.92
time (sec)	N/A	0.153	0.168	0.043	3.014	0.543	3.414	0.187	5.174

Problem 240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	227	227	224	419	217	560	408	269	204
normalized size	1	1.00	0.99	1.85	0.96	2.47	1.80	1.19	0.90
time (sec)	N/A	0.193	0.205	0.049	2.962	0.642	4.724	0.181	5.372

Problem 241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	224	224	218	414	214	565	326	232	201
normalized size	1	1.00	0.97	1.85	0.96	2.52	1.46	1.04	0.90
time (sec)	N/A	0.170	0.161	0.055	2.982	0.747	4.364	0.217	0.284

Problem 242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	227	227	220	412	217	556	411	261	209
normalized size	1	1.00	0.97	1.81	0.96	2.45	1.81	1.15	0.92
time (sec)	N/A	0.186	0.157	0.057	3.037	0.655	11.527	0.184	5.164

Problem 243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	225	225	220	410	214	584	328	220	207
normalized size	1	1.00	0.98	1.82	0.95	2.60	1.46	0.98	0.92
time (sec)	N/A	0.170	0.122	0.051	3.080	0.564	19.683	0.483	5.091

Problem 244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	242	242	231	440	234	610	432	275	219
normalized size	1	1.00	0.95	1.82	0.97	2.52	1.79	1.14	0.90
time (sec)	N/A	0.188	0.145	0.048	3.067	0.832	46.610	0.213	5.200

Problem 245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	244	244	231	441	234	595	348	297	220
normalized size	1	1.00	0.95	1.81	0.96	2.44	1.43	1.22	0.90
time (sec)	N/A	0.174	0.245	0.061	3.009	0.712	88.516	0.196	5.126

Problem 246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	277	277	266	491	260	262	0	376	253
normalized size	1	1.00	0.96	1.77	0.94	0.95	0.00	1.36	0.91
time (sec)	N/A	0.222	0.135	0.062	3.054	0.737	0.000	0.194	5.329

Problem 247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	280	280	266	493	260	295	0	338	253
normalized size	1	1.00	0.95	1.76	0.93	1.05	0.00	1.21	0.90
time (sec)	N/A	0.199	0.163	0.054	2.974	0.773	0.000	0.185	5.153

Problem 248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	313	313	308	546	307	317	0	419	286
normalized size	1	1.00	0.98	1.74	0.98	1.01	0.00	1.34	0.91
time (sec)	N/A	0.238	0.135	0.053	2.988	0.789	0.000	0.183	5.228

Problem 249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	315	315	311	548	307	335	0	393	287
normalized size	1	1.00	0.99	1.74	0.97	1.06	0.00	1.25	0.91
time (sec)	N/A	0.229	0.153	0.056	3.114	0.587	0.000	0.195	5.171

Problem 250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	351	351	346	600	353	355	0	474	323
normalized size	1	1.00	0.99	1.71	1.01	1.01	0.00	1.35	0.92
time (sec)	N/A	0.258	0.146	0.056	3.029	0.834	0.000	0.190	5.164

Problem 251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	220	220	205	288	222	303	236	300	356
normalized size	1	1.00	0.93	1.31	1.01	1.38	1.07	1.36	1.62
time (sec)	N/A	0.341	0.209	0.065	1.303	0.585	14.416	0.249	4.988

Problem 252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	167	240	180	257	189	248	233
normalized size	1	1.00	0.93	1.33	1.00	1.43	1.05	1.38	1.29
time (sec)	N/A	0.265	0.142	0.059	1.381	0.765	12.381	0.183	4.995

Problem 253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	129	192	138	202	141	217	155
normalized size	1	1.00	0.92	1.37	0.99	1.44	1.01	1.55	1.11
time (sec)	N/A	0.199	0.124	0.056	1.397	0.605	12.812	0.197	4.930

Problem 254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	93	142	98	143	100	206	103
normalized size	1	1.00	0.90	1.38	0.95	1.39	0.97	2.00	1.00
time (sec)	N/A	0.145	0.068	0.066	1.352	0.850	11.614	0.189	0.085

Problem 255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	95	125	100	145	95	125	100
normalized size	1	1.00	0.95	1.25	1.00	1.45	0.95	1.25	1.00
time (sec)	N/A	0.125	0.181	0.062	1.319	0.681	41.960	0.168	5.033

Problem 256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	97	132	116	172	0	131	109
normalized size	1	1.00	0.89	1.21	1.06	1.58	0.00	1.20	1.00
time (sec)	N/A	0.142	0.151	0.059	1.434	0.609	0.000	0.213	5.046

Problem 257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	118	167	138	208	0	201	130
normalized size	1	1.00	0.91	1.28	1.06	1.60	0.00	1.55	1.00
time (sec)	N/A	0.154	0.137	0.066	1.353	0.884	0.000	0.168	5.014

Problem 258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	175	175	160	229	181	261	0	275	175
normalized size	1	1.00	0.91	1.31	1.03	1.49	0.00	1.57	1.00
time (sec)	N/A	0.203	0.139	0.063	1.433	0.617	0.000	0.196	5.084

Problem 259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	214	214	198	282	226	310	0	331	216
normalized size	1	1.00	0.93	1.32	1.06	1.45	0.00	1.55	1.01
time (sec)	N/A	0.234	0.264	0.069	1.438	0.813	0.000	0.171	5.087

Problem 260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	369	369	364	622	369	488	500	451	481
normalized size	1	1.00	0.99	1.69	1.00	1.32	1.36	1.22	1.30
time (sec)	N/A	0.467	0.435	0.053	2.982	0.592	15.903	0.199	0.347

Problem 261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	335	335	319	584	325	455	539	442	362
normalized size	1	1.00	0.95	1.74	0.97	1.36	1.61	1.32	1.08
time (sec)	N/A	0.705	0.196	0.054	3.021	0.559	58.232	0.200	5.278

Problem 262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	328	328	315	567	321	423	449	394	358
normalized size	1	1.00	0.96	1.73	0.98	1.29	1.37	1.20	1.09
time (sec)	N/A	0.369	0.304	0.055	3.016	0.629	14.983	0.183	5.201

Problem 263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	282	529	277	920	490	344	287
normalized size	1	1.00	0.95	1.78	0.93	3.09	1.64	1.15	0.96
time (sec)	N/A	0.463	0.299	0.058	3.078	0.616	51.285	0.187	5.222

Problem 264	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	288	288	277	514	270	946	401	295	280
normalized size	1	1.00	0.96	1.78	0.94	3.28	1.39	1.02	0.97
time (sec)	N/A	0.326	0.193	0.053	2.985	0.657	12.901	0.179	0.311

Problem 265	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	271	271	255	495	259	874	461	318	246
normalized size	1	1.00	0.94	1.83	0.96	3.23	1.70	1.17	0.91
time (sec)	N/A	0.289	0.187	0.054	3.122	0.804	22.482	0.220	5.232

Problem 266	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	264	264	251	482	254	861	377	273	241
normalized size	1	1.00	0.95	1.83	0.96	3.26	1.43	1.03	0.91
time (sec)	N/A	0.264	0.200	0.055	3.045	0.901	7.023	0.208	5.177

Problem 267	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	265	265	255	474	258	860	457	305	244
normalized size	1	1.00	0.96	1.79	0.97	3.25	1.72	1.15	0.92
time (sec)	N/A	0.253	0.212	0.058	3.015	0.800	32.216	0.185	5.390

Problem 268	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	260	260	250	463	258	902	381	261	245
normalized size	1	1.00	0.96	1.78	0.99	3.47	1.47	1.00	0.94
time (sec)	N/A	0.246	0.219	0.061	2.971	0.835	77.381	0.178	5.222

Problem 269	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	269	269	255	486	267	902	473	310	247
normalized size	1	1.00	0.95	1.81	0.99	3.35	1.76	1.15	0.92
time (sec)	N/A	0.288	0.274	0.066	2.930	0.555	177.026	0.197	5.177

Problem 270	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	270	270	253	477	268	897	0	264	248
normalized size	1	1.00	0.94	1.77	0.99	3.32	0.00	0.98	0.92
time (sec)	N/A	0.272	0.192	0.055	2.927	0.621	0.000	0.177	5.127

Problem 271	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	281	529	292	982	0	333	274
normalized size	1	1.00	0.95	1.78	0.98	3.31	0.00	1.12	0.92
time (sec)	N/A	0.384	0.258	0.069	3.053	0.680	0.000	0.231	5.184

Problem 272	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	280	520	292	959	0	347	274
normalized size	1	1.00	0.94	1.75	0.98	3.23	0.00	1.17	0.92
time (sec)	N/A	0.370	0.240	0.063	3.031	0.684	0.000	0.199	5.200

Problem 273	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	334	334	319	575	323	442	0	437	310
normalized size	1	1.00	0.96	1.72	0.97	1.32	0.00	1.31	0.93
time (sec)	N/A	0.457	0.206	0.063	3.133	0.762	0.000	0.371	5.406

Problem 274	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	335	335	317	566	323	475	0	391	310
normalized size	1	1.00	0.95	1.69	0.96	1.42	0.00	1.17	0.93
time (sec)	N/A	0.434	0.325	0.058	3.065	0.760	0.000	0.180	5.121

Problem 275	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	375	375	370	631	374	507	0	482	348
normalized size	1	1.00	0.99	1.68	1.00	1.35	0.00	1.29	0.93
time (sec)	N/A	0.534	0.413	0.063	2.974	0.812	0.000	0.207	5.118

Problem 276	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	266	246	361	275	396	0	349	449
normalized size	1	1.00	0.92	1.36	1.03	1.49	0.00	1.31	1.69
time (sec)	N/A	0.436	0.190	0.061	1.542	0.585	0.000	0.184	4.958

Problem 277	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	226	226	208	313	233	353	0	298	293
normalized size	1	1.00	0.92	1.38	1.03	1.56	0.00	1.32	1.30
time (sec)	N/A	0.331	0.202	0.061	1.423	0.798	0.000	0.246	4.969

Problem 278	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	186	186	170	266	191	295	0	236	204
normalized size	1	1.00	0.91	1.43	1.03	1.59	0.00	1.27	1.10
time (sec)	N/A	0.269	0.165	0.058	1.352	0.838	0.000	0.216	4.924

Problem 279	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	146	146	145	213	147	225	0	146	152
normalized size	1	1.00	0.99	1.46	1.01	1.54	0.00	1.00	1.04
time (sec)	N/A	0.201	0.103	0.072	1.395	0.541	0.000	0.184	0.105

Problem 280	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	105	156	109	158	0	100	112
normalized size	1	1.00	0.96	1.43	1.00	1.45	0.00	0.92	1.03
time (sec)	N/A	0.152	0.061	0.062	1.384	0.593	0.000	0.196	4.939

Problem 281	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	104	147	129	187	0	128	123
normalized size	1	1.00	0.91	1.29	1.13	1.64	0.00	1.12	1.08
time (sec)	N/A	0.155	0.126	0.062	1.369	0.517	0.000	0.241	0.175

Problem 282	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	121	163	144	250	0	173	135
normalized size	1	1.00	0.90	1.22	1.07	1.87	0.00	1.29	1.01
time (sec)	N/A	0.171	0.109	0.059	1.355	0.722	0.000	0.183	5.068

Problem 283	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	149	213	182	316	0	189	167
normalized size	1	1.00	0.91	1.31	1.12	1.94	0.00	1.16	1.02
time (sec)	N/A	0.200	0.133	0.059	1.398	0.629	0.000	0.194	5.099

Problem 284	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	218	218	200	293	232	396	0	324	222
normalized size	1	1.00	0.92	1.34	1.06	1.82	0.00	1.49	1.02
time (sec)	N/A	0.264	0.166	0.067	1.459	0.738	0.000	0.188	5.171

Problem 285	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	258	258	238	349	280	448	0	380	265
normalized size	1	1.00	0.92	1.35	1.09	1.74	0.00	1.47	1.03
time (sec)	N/A	0.304	0.267	0.063	1.465	0.823	0.000	0.201	0.307

Problem 286	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	416	416	411	706	424	667	0	500	575
normalized size	1	1.00	0.99	1.70	1.02	1.60	0.00	1.20	1.38
time (sec)	N/A	0.742	0.688	0.066	3.056	0.625	0.000	0.203	5.241

Problem 287	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	384	384	380	668	380	634	0	491	425
normalized size	1	1.00	0.99	1.74	0.99	1.65	0.00	1.28	1.11
time (sec)	N/A	1.050	0.554	0.068	3.004	0.551	0.000	0.202	5.339

Problem 288	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	375	375	362	651	376	602	0	443	420
normalized size	1	1.00	0.97	1.74	1.00	1.61	0.00	1.18	1.12
time (sec)	N/A	0.606	0.468	0.064	3.033	0.563	0.000	0.197	5.351

Problem 289	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	345	345	329	611	330	1278	0	391	338
normalized size	1	1.00	0.95	1.77	0.96	3.70	0.00	1.13	0.98
time (sec)	N/A	0.763	0.365	0.061	3.075	0.763	0.000	0.203	5.530

Problem 290	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	336	336	323	596	326	1318	0	345	335
normalized size	1	1.00	0.96	1.77	0.97	3.92	0.00	1.03	1.00
time (sec)	N/A	0.509	0.368	0.053	3.035	0.844	0.000	0.197	5.302

Problem 291	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	316	316	300	574	311	1224	0	365	295
normalized size	1	1.00	0.95	1.82	0.98	3.87	0.00	1.16	0.93
time (sec)	N/A	0.505	0.292	0.063	3.096	0.601	0.000	0.201	5.271

Problem 292	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	307	307	294	561	305	1213	0	319	290
normalized size	1	1.00	0.96	1.83	0.99	3.95	0.00	1.04	0.94
time (sec)	N/A	0.412	0.308	0.065	3.061	0.731	0.000	0.216	5.143

Problem 293	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	284	550	296	1158	0	339	280
normalized size	1	1.00	0.94	1.83	0.98	3.85	0.00	1.13	0.93
time (sec)	N/A	0.368	0.321	0.059	2.942	0.794	0.000	0.206	5.268

Problem 294	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	279	539	291	1184	0	295	275
normalized size	1	1.00	0.96	1.85	1.00	4.05	0.00	1.01	0.94
time (sec)	N/A	0.307	0.235	0.062	3.068	0.778	0.000	0.198	5.196

Problem 295	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	303	303	286	547	300	1206	0	341	276
normalized size	1	1.00	0.94	1.81	0.99	3.98	0.00	1.13	0.91
time (sec)	N/A	0.339	0.293	0.116	2.961	0.596	0.000	0.210	5.198

Problem 296	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	283	539	302	1217	0	312	279
normalized size	1	1.00	0.94	1.79	1.00	4.04	0.00	1.04	0.93
time (sec)	N/A	0.329	0.295	0.061	3.073	0.678	0.000	0.215	5.164

Problem 297	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	317	317	303	574	317	1254	0	357	293
normalized size	1	1.00	0.96	1.81	1.00	3.96	0.00	1.13	0.92
time (sec)	N/A	0.370	0.320	0.066	3.031	0.658	0.000	0.244	5.232

Problem 298	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	316	316	299	566	318	1247	0	310	293
normalized size	1	1.00	0.95	1.79	1.01	3.95	0.00	0.98	0.93
time (sec)	N/A	0.368	0.275	0.063	3.051	0.655	0.000	0.231	5.196

Problem 299	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	343	343	328	611	343	1340	0	380	321
normalized size	1	1.00	0.96	1.78	1.00	3.91	0.00	1.11	0.94
time (sec)	N/A	0.569	0.312	0.069	3.046	0.607	0.000	0.315	5.262

Problem 300	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	341	341	324	603	343	1317	0	394	321
normalized size	1	1.00	0.95	1.77	1.01	3.86	0.00	1.16	0.94
time (sec)	N/A	0.547	0.346	0.062	2.949	0.617	0.000	0.232	5.217

Problem 301	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	381	381	366	659	376	621	0	486	359
normalized size	1	1.00	0.96	1.73	0.99	1.63	0.00	1.28	0.94
time (sec)	N/A	0.714	0.588	0.075	3.199	0.738	0.000	0.202	5.279

Problem 302	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	380	380	376	651	376	654	0	440	359
normalized size	1	1.00	0.99	1.71	0.99	1.72	0.00	1.16	0.94
time (sec)	N/A	0.669	0.577	0.066	3.286	0.717	0.000	0.350	5.176

Problem 303	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	424	424	419	716	427	686	0	531	397
normalized size	1	1.00	0.99	1.69	1.01	1.62	0.00	1.25	0.94
time (sec)	N/A	0.853	0.666	0.071	3.055	0.839	0.000	0.220	5.304

Problem 304	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	59	45	44	44	53	45	56
normalized size	1	1.00	1.09	0.83	0.81	0.81	0.98	0.83	1.04
time (sec)	N/A	0.072	0.015	0.047	2.897	0.727	0.180	0.162	0.099

Problem 305	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	30	30	25	24	24	24	25	24
normalized size	1	1.00	1.00	0.83	0.80	0.80	0.80	0.83	0.80
time (sec)	N/A	0.040	0.007	0.046	3.006	0.600	0.117	0.163	0.032

Problem 306	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	53	38	37	37	44	38	49
normalized size	1	1.00	1.20	0.86	0.84	0.84	1.00	0.86	1.11
time (sec)	N/A	0.060	0.011	0.048	2.962	0.718	0.230	0.152	4.961

Problem 307	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	50	35	34	34	42	35	63
normalized size	1	1.00	1.22	0.85	0.83	0.83	1.02	0.85	1.54
time (sec)	N/A	0.042	0.009	0.052	2.868	0.500	0.270	0.148	0.080

Problem 308	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	53	37	36	36	46	38	48
normalized size	1	1.00	1.26	0.88	0.86	0.86	1.10	0.90	1.14
time (sec)	N/A	0.049	0.009	0.051	2.879	0.679	0.208	0.164	4.960

Problem 309	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	60	44	43	48	49	45	55
normalized size	1	1.00	1.22	0.90	0.88	0.98	1.00	0.92	1.12
time (sec)	N/A	0.050	0.018	0.049	3.034	0.757	0.223	0.163	0.080

Problem 310	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	32	27	28	33	27	29	25
normalized size	1	1.00	1.00	0.84	0.88	1.03	0.84	0.91	0.78
time (sec)	N/A	0.033	0.005	0.046	2.996	0.625	0.128	0.147	0.069

Problem 311	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	47	35	34	34	42	35	63
normalized size	1	1.00	1.15	0.85	0.83	0.83	1.02	0.85	1.54
time (sec)	N/A	0.041	0.035	0.051	2.991	0.508	0.184	0.151	4.956

Problem 312	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	53	33	32	32	41	33	63
normalized size	1	1.00	1.36	0.85	0.82	0.82	1.05	0.85	1.62
time (sec)	N/A	0.040	0.020	0.063	2.988	0.830	0.159	0.152	0.089

Problem 313	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	55	44	43	43	49	45	43
normalized size	1	1.00	1.00	0.80	0.78	0.78	0.89	0.82	0.78
time (sec)	N/A	0.055	0.025	0.041	1.334	0.717	0.075	0.199	0.028

Problem 314	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	55	44	43	43	49	45	43
normalized size	1	1.00	1.00	0.80	0.78	0.78	0.89	0.82	0.78
time (sec)	N/A	0.038	0.003	0.048	1.359	0.466	0.074	0.177	0.025

Problem 315	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	50	41	40	40	46	42	40
normalized size	1	1.00	1.00	0.82	0.80	0.80	0.92	0.84	0.80
time (sec)	N/A	0.025	0.002	0.045	1.345	0.463	0.074	0.147	0.024

Problem 316	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	46	39	38	38	44	41	38
normalized size	1	1.00	1.00	0.85	0.83	0.83	0.96	0.89	0.83
time (sec)	N/A	0.025	0.005	0.048	1.326	0.724	0.139	0.153	0.029

Problem 317	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	39	38	45	41	41	38
normalized size	1	1.00	1.00	0.89	0.86	1.02	0.93	0.93	0.86
time (sec)	N/A	0.035	0.006	0.058	1.335	0.684	0.164	0.149	0.030

Problem 318	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	39	38	45	44	41	38
normalized size	1	1.00	1.00	0.89	0.86	1.02	1.00	0.93	0.86
time (sec)	N/A	0.034	0.011	0.056	1.351	0.646	0.247	0.163	0.028

Problem 319	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	97	80	79	79	92	82	79
normalized size	1	1.00	1.18	0.98	0.96	0.96	1.12	1.00	0.96
time (sec)	N/A	0.059	0.004	0.049	1.352	0.535	0.089	0.163	0.040

Problem 320	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	97	80	79	79	94	82	79
normalized size	1	1.00	1.18	0.98	0.96	0.96	1.15	1.00	0.96
time (sec)	N/A	0.051	0.003	0.046	1.292	0.597	0.086	0.150	0.038

Problem 321	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	92	77	76	76	88	79	76
normalized size	1	1.00	1.19	1.00	0.99	0.99	1.14	1.03	0.99
time (sec)	N/A	0.061	0.004	0.043	1.404	0.496	0.087	0.178	0.038

Problem 322	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	88	75	74	74	88	78	74
normalized size	1	1.00	1.00	0.85	0.84	0.84	1.00	0.89	0.84
time (sec)	N/A	0.052	0.010	0.040	1.371	0.662	0.190	0.151	0.042

Problem 323	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	83	74	73	81	82	77	73
normalized size	1	1.00	1.00	0.89	0.88	0.98	0.99	0.93	0.88
time (sec)	N/A	0.063	0.014	0.058	1.297	0.592	0.248	0.150	0.042

Problem 324	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	84	75	74	81	87	78	74
normalized size	1	1.00	1.00	0.89	0.88	0.96	1.04	0.93	0.88
time (sec)	N/A	0.064	0.009	0.052	1.311	0.710	0.308	0.165	0.038

Problem 325	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	139	116	115	115	138	119	115
normalized size	1	1.00	1.26	1.05	1.05	1.05	1.25	1.08	1.05
time (sec)	N/A	0.079	0.005	0.043	1.332	0.800	0.091	0.157	0.078

Problem 326	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	139	116	115	115	138	119	115
normalized size	1	1.00	1.26	1.05	1.05	1.05	1.25	1.08	1.05
time (sec)	N/A	0.069	0.005	0.040	1.371	0.548	0.089	0.169	0.074

Problem 327	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	134	113	112	112	134	116	112
normalized size	1	1.00	1.28	1.08	1.07	1.07	1.28	1.10	1.07
time (sec)	N/A	0.097	0.037	0.052	1.329	0.527	0.139	0.149	0.073

Problem 328	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	127	110	109	109	131	114	109
normalized size	1	1.00	1.00	0.87	0.86	0.86	1.03	0.90	0.86
time (sec)	N/A	0.074	0.012	0.048	1.286	0.725	0.294	0.152	0.079

Problem 329	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	125	110	109	117	128	114	109
normalized size	1	1.00	1.00	0.88	0.87	0.94	1.02	0.91	0.87
time (sec)	N/A	0.092	0.016	0.050	1.350	0.592	0.289	0.181	0.081

Problem 330	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	126	111	110	117	131	115	110
normalized size	1	1.00	1.00	0.88	0.87	0.93	1.04	0.91	0.87
time (sec)	N/A	0.086	0.010	0.046	1.325	0.558	0.362	0.153	4.896

Problem 331	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	181	152	151	151	184	156	151
normalized size	1	1.00	1.31	1.10	1.09	1.09	1.33	1.13	1.09
time (sec)	N/A	0.099	0.006	0.040	1.310	0.512	0.107	0.165	5.073

Problem 332	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	181	152	151	151	185	156	151
normalized size	1	1.00	1.31	1.10	1.09	1.09	1.34	1.13	1.09
time (sec)	N/A	0.093	0.005	0.041	1.336	0.441	0.113	0.158	0.131

Problem 333	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	173	148	147	147	178	152	147
normalized size	1	1.00	1.33	1.14	1.13	1.13	1.37	1.17	1.13
time (sec)	N/A	0.145	0.005	0.040	1.314	0.545	0.102	0.167	0.152

Problem 334	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	166	145	144	144	175	150	144
normalized size	1	1.00	1.00	0.87	0.87	0.87	1.05	0.90	0.87
time (sec)	N/A	0.109	0.010	0.044	1.301	0.722	0.336	0.153	0.141

Problem 335	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	162	145	144	153	168	150	144
normalized size	1	1.00	1.00	0.90	0.89	0.94	1.04	0.93	0.89
time (sec)	N/A	0.133	0.012	0.052	1.311	0.562	0.379	0.159	4.994

Problem 336	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	166	147	146	153	175	152	146
normalized size	1	1.00	1.00	0.89	0.88	0.92	1.05	0.92	0.88
time (sec)	N/A	0.125	0.010	0.051	1.334	0.727	0.443	0.166	4.993

Problem 337	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	191	231	190	4798	178	208	319
normalized size	1	1.00	0.93	1.13	0.93	23.40	0.87	1.01	1.56
time (sec)	N/A	0.261	0.111	0.044	2.942	2.832	1.639	0.180	5.067

Problem 338	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	184	221	181	4261	150	195	340
normalized size	1	1.00	0.95	1.15	0.94	22.08	0.78	1.01	1.76
time (sec)	N/A	0.248	0.096	0.049	2.936	2.760	1.490	0.211	5.133

Problem 339	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	183	183	200	209	173	4628	160	178	266
normalized size	1	1.00	1.09	1.14	0.95	25.29	0.87	0.97	1.45
time (sec)	N/A	0.226	0.060	0.046	2.943	2.741	1.432	0.208	5.162

Problem 340	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	176	200	159	4671	160	163	274
normalized size	1	1.00	0.99	1.13	0.90	26.39	0.90	0.92	1.55
time (sec)	N/A	0.132	0.105	0.046	3.013	2.612	1.423	0.180	0.257

Problem 341	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	184	184	176	207	176	4588	0	179	716
normalized size	1	1.00	0.96	1.12	0.96	24.93	0.00	0.97	3.89
time (sec)	N/A	0.206	0.099	0.053	3.018	2.622	0.000	0.184	5.247

Problem 342	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	192	192	184	216	186	4524	0	201	723
normalized size	1	1.00	0.96	1.12	0.97	23.56	0.00	1.05	3.77
time (sec)	N/A	0.214	0.254	0.049	2.981	2.763	0.000	0.230	5.056

Problem 343	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	192	225	177	4279	0	204	701
normalized size	1	1.00	0.95	1.11	0.87	21.08	0.00	1.00	3.45
time (sec)	N/A	0.194	0.231	0.218	3.032	3.074	0.000	0.183	0.131

Problem 344	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	190	190	174	219	163	2077	110	180	180
normalized size	1	1.00	0.92	1.15	0.86	10.93	0.58	0.95	0.95
time (sec)	N/A	0.166	0.203	0.053	3.033	2.633	2.333	0.204	0.220

Problem 345	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	200	200	186	228	185	2358	124	190	194
normalized size	1	1.00	0.93	1.14	0.92	11.79	0.62	0.95	0.97
time (sec)	N/A	0.153	0.204	0.052	2.840	2.968	1.853	0.182	5.167

Problem 346	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	199	199	189	253	179	2118	116	184	175
normalized size	1	1.00	0.95	1.27	0.90	10.64	0.58	0.92	0.88
time (sec)	N/A	0.132	0.282	0.045	3.025	2.595	1.385	0.183	0.251

Problem 347	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	222	222	199	274	203	5018	0	217	490
normalized size	1	1.00	0.90	1.23	0.91	22.60	0.00	0.98	2.21
time (sec)	N/A	0.313	0.236	0.058	2.938	3.147	0.000	0.183	0.380

Problem 348	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	231	231	213	275	222	4976	0	237	488
normalized size	1	1.00	0.92	1.19	0.96	21.54	0.00	1.03	2.11
time (sec)	N/A	0.343	0.336	0.061	3.099	3.149	0.000	0.180	5.468

Problem 349	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	242	242	221	276	220	4774	0	248	733
normalized size	1	1.00	0.91	1.14	0.91	19.73	0.00	1.02	3.03
time (sec)	N/A	0.345	0.216	0.059	2.862	3.259	0.000	0.197	5.394

Problem 350	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	262	262	225	289	236	5373	0	269	537
normalized size	1	1.00	0.86	1.10	0.90	20.51	0.00	1.03	2.05
time (sec)	N/A	0.404	0.298	0.058	3.066	3.181	0.000	0.181	5.484

Problem 351	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	215	215	198	255	203	2163	148	208	216
normalized size	1	1.00	0.92	1.19	0.94	10.06	0.69	0.97	1.00
time (sec)	N/A	0.197	0.208	0.057	3.020	2.724	6.261	0.205	0.232

Problem 352	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	239	239	214	256	223	2519	170	215	232
normalized size	1	1.00	0.90	1.07	0.93	10.54	0.71	0.90	0.97
time (sec)	N/A	0.204	0.404	0.054	3.055	2.728	3.991	0.197	0.225

Problem 353	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	225	225	213	308	219	2251	163	210	212
normalized size	1	1.00	0.95	1.37	0.97	10.00	0.72	0.93	0.94
time (sec)	N/A	0.188	0.375	0.049	2.992	2.669	2.277	0.213	0.262

Problem 354	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	229	331	246	5229	0	253	540
normalized size	1	1.00	0.89	1.29	0.96	20.35	0.00	0.98	2.10
time (sec)	N/A	0.414	0.206	0.073	3.004	2.527	0.000	0.244	5.440

Problem 355	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	267	267	248	334	266	5112	0	273	793
normalized size	1	1.00	0.93	1.25	1.00	19.15	0.00	1.02	2.97
time (sec)	N/A	0.462	0.330	0.061	3.094	3.329	0.000	0.207	5.460

Problem 356	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	253	337	265	4911	0	282	778
normalized size	1	1.00	0.92	1.22	0.96	17.79	0.00	1.02	2.82
time (sec)	N/A	0.500	0.334	0.065	3.106	3.060	0.000	0.193	5.358

Problem 357	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	255	351	283	5550	0	305	870
normalized size	1	1.00	0.86	1.18	0.95	18.62	0.00	1.02	2.92
time (sec)	N/A	0.589	0.460	0.063	3.027	3.660	0.000	0.259	0.465

Problem 358	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	248	248	230	275	248	2364	201	242	253
normalized size	1	1.00	0.93	1.11	1.00	9.53	0.81	0.98	1.02
time (sec)	N/A	0.242	0.288	0.056	3.006	3.581	17.943	0.212	0.267

Problem 359	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	270	270	241	278	260	2646	214	244	265
normalized size	1	1.00	0.89	1.03	0.96	9.80	0.79	0.90	0.98
time (sec)	N/A	0.254	0.427	0.055	3.029	3.269	8.787	0.238	0.239

Problem 360	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	250	250	239	360	254	2344	202	234	247
normalized size	1	1.00	0.96	1.44	1.02	9.38	0.81	0.94	0.99
time (sec)	N/A	0.222	0.279	0.055	2.991	2.674	4.470	0.205	0.279

Problem 361	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	291	291	259	394	293	5370	0	290	871
normalized size	1	1.00	0.89	1.35	1.01	18.45	0.00	1.00	2.99
time (sec)	N/A	0.517	0.310	0.063	3.037	3.528	0.000	0.238	5.402

Problem 362	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	279	397	313	5250	0	310	840
normalized size	1	1.00	0.93	1.32	1.04	17.44	0.00	1.03	2.79
time (sec)	N/A	0.601	0.313	0.067	2.995	3.508	0.000	0.184	5.434

Problem 363	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	310	310	284	400	312	5049	0	320	825
normalized size	1	1.00	0.92	1.29	1.01	16.29	0.00	1.03	2.66
time (sec)	N/A	0.656	0.315	0.067	3.104	2.962	0.000	0.185	5.375

Problem 364	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	340	340	284	415	330	5670	0	333	918
normalized size	1	1.00	0.84	1.22	0.97	16.68	0.00	0.98	2.70
time (sec)	N/A	0.773	0.602	0.066	3.081	3.391	0.000	0.197	0.525

Problem 365	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	57	29	26	26	54	27	26
normalized size	1	1.00	1.97	1.00	0.90	0.90	1.86	0.93	0.90
time (sec)	N/A	0.058	0.019	0.052	2.892	0.583	0.179	0.155	4.970

Problem 366	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	57	29	26	26	54	27	26
normalized size	1	1.00	1.97	1.00	0.90	0.90	1.86	0.93	0.90
time (sec)	N/A	0.035	0.007	0.052	2.967	0.746	0.168	0.154	0.027

Problem 367	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	58	29	28	28	54	29	27
normalized size	1	1.00	1.87	0.94	0.90	0.90	1.74	0.94	0.87
time (sec)	N/A	0.056	0.015	0.049	2.923	0.595	0.173	0.154	4.946

Problem 368	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	58	29	28	28	54	29	27
normalized size	1	1.00	1.87	0.94	0.90	0.90	1.74	0.94	0.87
time (sec)	N/A	0.037	0.007	0.058	2.838	0.601	0.169	0.151	0.030

Problem 369	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	146	87	51	52	100	174	154
normalized size	1	1.00	2.92	1.74	1.02	1.04	2.00	3.48	3.08
time (sec)	N/A	0.087	0.044	0.049	3.068	0.573	0.322	0.480	5.223

Problem 370	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	149	135	166	53	110	165	156
normalized size	1	1.00	2.81	2.55	3.13	1.00	2.08	3.11	2.94
time (sec)	N/A	0.093	0.084	0.052	3.021	0.617	0.349	0.205	5.250

Problem 371	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	A	C	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	148	132	167	56	109	97	155
normalized size	1	1.00	2.74	2.44	3.09	1.04	2.02	1.80	2.87
time (sec)	N/A	0.077	0.051	0.056	2.994	0.541	0.319	0.190	5.224

Problem 372	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	A	A	C	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	147	90	52	53	102	90	155
normalized size	1	1.00	2.77	1.70	0.98	1.00	1.92	1.70	2.92
time (sec)	N/A	0.076	0.063	0.051	3.018	0.692	0.372	0.196	5.234

Problem 373	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	97	80	79	85	90	87	82
normalized size	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85
time (sec)	N/A	0.121	0.043	0.046	1.353	0.548	0.086	0.155	0.051

Problem 374	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	97	80	79	85	90	87	82
normalized size	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85
time (sec)	N/A	0.101	0.036	0.048	1.346	0.403	0.087	0.161	0.042

Problem 375	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	97	80	79	85	90	87	82
normalized size	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85
time (sec)	N/A	0.091	0.032	0.046	1.337	0.523	0.085	0.164	0.044

Problem 376	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	97	80	79	85	90	87	82
normalized size	1	1.00	1.00	0.82	0.81	0.88	0.93	0.90	0.85
time (sec)	N/A	0.080	0.027	0.046	1.374	0.705	0.084	0.147	0.043

Problem 377	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	92	77	76	82	87	84	79
normalized size	1	1.00	1.00	0.84	0.83	0.89	0.95	0.91	0.86
time (sec)	N/A	0.073	0.015	0.040	1.405	0.520	0.084	0.148	0.041

Problem 378	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	88	81	74	74	85	83	77
normalized size	1	1.00	1.00	0.92	0.84	0.84	0.97	0.94	0.88
time (sec)	N/A	0.058	0.065	0.049	1.344	0.517	0.222	0.152	0.047

Problem 379	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	86	81	74	81	82	83	77
normalized size	1	1.00	1.00	0.94	0.86	0.94	0.95	0.97	0.90
time (sec)	N/A	0.066	0.073	0.051	1.352	0.521	0.235	0.163	0.048

Problem 380	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	78	78	74	81	83	80	76
normalized size	1	1.00	0.91	0.91	0.86	0.94	0.97	0.93	0.88
time (sec)	N/A	0.072	0.072	0.051	1.342	0.592	0.306	0.162	0.043

Problem 381	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	76	76	75	81	83	79	75
normalized size	1	1.00	0.88	0.88	0.87	0.94	0.97	0.92	0.87
time (sec)	N/A	0.071	0.069	0.048	1.363	0.936	0.669	0.169	0.041

Problem 382	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	77	76	75	81	83	77	74
normalized size	1	1.00	0.90	0.88	0.87	0.94	0.97	0.90	0.86
time (sec)	N/A	0.073	0.076	0.051	1.341	0.422	2.569	0.152	4.976

Problem 383	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	163	152	151	157	167	160	151
normalized size	1	1.00	1.00	0.93	0.93	0.96	1.02	0.98	0.93
time (sec)	N/A	0.210	0.050	0.043	1.374	0.362	0.101	0.154	0.102

Problem 384	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	163	152	151	157	167	160	151
normalized size	1	1.00	1.00	0.93	0.93	0.96	1.02	0.98	0.93
time (sec)	N/A	0.159	0.032	0.042	1.349	0.354	0.105	0.153	0.088

Problem 385	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	158	158	150	152	151	157	167	160	151
normalized size	1	1.00	0.95	0.96	0.96	0.99	1.06	1.01	0.96
time (sec)	N/A	0.126	0.082	0.042	1.376	0.363	0.104	0.182	0.091

Problem 386	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	158	158	163	152	151	157	167	160	151
normalized size	1	1.00	1.03	0.96	0.96	0.99	1.06	1.01	0.96
time (sec)	N/A	0.129	0.026	0.037	1.277	0.363	0.104	0.188	0.091

Problem 387	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	125	149	148	154	163	157	148
normalized size	1	1.00	0.82	0.97	0.97	1.01	1.07	1.03	0.97
time (sec)	N/A	0.127	0.087	0.043	1.318	0.397	0.103	0.164	0.092

Problem 388	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	149	149	154	153	146	146	162	156	146
normalized size	1	1.00	1.03	1.03	0.98	0.98	1.09	1.05	0.98
time (sec)	N/A	0.106	0.046	0.045	1.314	0.400	0.341	0.151	0.096

Problem 389	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	152	152	146	153	156	155	145
normalized size	1	1.00	1.03	1.03	0.99	1.04	1.06	1.05	0.99
time (sec)	N/A	0.128	0.070	0.052	1.398	0.425	0.360	0.152	0.098

Problem 390	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	127	150	146	153	158	153	145
normalized size	1	1.00	0.86	1.02	0.99	1.04	1.07	1.04	0.99
time (sec)	N/A	0.128	0.095	0.050	1.347	0.436	0.446	0.153	5.008

Problem 391	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	123	149	147	153	158	153	145
normalized size	1	1.00	0.81	0.98	0.97	1.01	1.04	1.01	0.95
time (sec)	N/A	0.118	0.101	0.049	1.322	0.439	0.880	0.172	0.076

Problem 392	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	125	149	147	153	156	152	145
normalized size	1	1.00	0.82	0.98	0.97	1.01	1.03	1.00	0.95
time (sec)	N/A	0.117	0.115	0.054	1.366	0.462	3.235	0.170	0.066

Problem 393	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	223	224	217	229	246	233	205
normalized size	1	1.00	1.00	1.00	0.97	1.03	1.10	1.04	0.92
time (sec)	N/A	0.293	0.062	0.037	1.373	0.418	0.124	0.152	0.174

Problem 394	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	223	224	217	229	246	233	205
normalized size	1	1.00	1.00	1.00	0.97	1.03	1.10	1.04	0.92
time (sec)	N/A	0.228	0.055	0.045	1.375	0.393	0.118	0.170	5.165

Problem 395	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	212	212	223	224	217	229	246	233	205
normalized size	1	1.00	1.05	1.06	1.02	1.08	1.16	1.10	0.97
time (sec)	N/A	0.179	0.063	0.048	1.356	0.371	0.125	0.176	0.162

Problem 396	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	212	212	223	224	217	229	246	233	205
normalized size	1	1.00	1.05	1.06	1.02	1.08	1.16	1.10	0.97
time (sec)	N/A	0.177	0.037	0.039	1.345	0.371	0.114	0.166	0.157

Problem 397	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	207	207	170	221	214	226	243	230	202
normalized size	1	1.00	0.82	1.07	1.03	1.09	1.17	1.11	0.98
time (sec)	N/A	0.177	0.109	0.042	1.338	0.366	0.121	0.152	0.157

Problem 398	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	200	200	214	224	212	212	240	228	199
normalized size	1	1.00	1.07	1.12	1.06	1.06	1.20	1.14	1.00
time (sec)	N/A	0.146	0.135	0.047	1.424	0.418	0.541	0.159	5.113

Problem 399	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	172	224	212	219	236	228	199
normalized size	1	1.00	0.87	1.13	1.07	1.11	1.19	1.15	1.01
time (sec)	N/A	0.182	0.208	0.052	1.292	0.440	0.511	0.155	5.045

Problem 400	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	174	222	212	219	238	226	199
normalized size	1	1.00	0.88	1.12	1.07	1.11	1.20	1.14	1.01
time (sec)	N/A	0.197	0.148	0.058	1.383	0.472	0.593	0.158	0.137

Problem 401	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	209	209	172	220	212	219	236	225	199
normalized size	1	1.00	0.82	1.05	1.01	1.05	1.13	1.08	0.95
time (sec)	N/A	0.180	0.146	0.050	1.360	0.448	1.043	0.185	0.122

Problem 402	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	209	209	170	220	212	219	235	224	199
normalized size	1	1.00	0.81	1.05	1.01	1.05	1.12	1.07	0.95
time (sec)	N/A	0.177	0.160	0.046	1.394	0.435	3.137	0.155	5.027

Problem 403	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	334	533	378	0	881	380	1271
normalized size	1	1.00	1.01	1.61	1.14	0.00	2.66	1.15	3.84
time (sec)	N/A	1.070	0.558	0.049	2.978	0.000	60.517	0.200	5.086

Problem 404	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	313	313	299	505	332	0	845	353	1236
normalized size	1	1.00	0.96	1.61	1.06	0.00	2.70	1.13	3.95
time (sec)	N/A	0.988	0.292	0.049	2.896	0.000	73.527	0.184	4.992

Problem 405	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	294	294	290	483	313	0	790	333	1170
normalized size	1	1.00	0.99	1.64	1.06	0.00	2.69	1.13	3.98
time (sec)	N/A	0.976	0.313	0.047	2.997	0.000	88.696	0.244	5.023

Problem 406	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	272	455	300	0	811	295	1161
normalized size	1	1.00	0.99	1.65	1.09	0.00	2.95	1.07	4.22
time (sec)	N/A	0.921	0.480	0.044	3.029	0.000	63.001	0.284	4.989

Problem 407	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	259	257	254	429	266	0	804	272	1150
normalized size	1	0.99	0.98	1.66	1.03	0.00	3.10	1.05	4.44
time (sec)	N/A	0.373	0.388	0.049	3.037	0.000	59.388	0.190	5.033

Problem 408	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	258	256	258	426	290	0	0	281	1731
normalized size	1	0.99	1.00	1.65	1.12	0.00	0.00	1.09	6.71
time (sec)	N/A	0.471	0.314	0.051	3.019	0.000	0.000	0.189	5.097

Problem 409	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	253	253	257	423	290	0	0	277	1802
normalized size	1	1.00	1.02	1.67	1.15	0.00	0.00	1.09	7.12
time (sec)	N/A	0.454	0.321	0.056	3.025	0.000	0.000	0.187	5.087

Problem 410	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	260	258	257	423	271	0	0	269	6948
normalized size	1	0.99	0.99	1.63	1.04	0.00	0.00	1.03	26.72
time (sec)	N/A	0.380	0.464	0.050	2.996	0.000	0.000	0.275	5.205

Problem 411	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	274	264	442	302	0	0	291	1842
normalized size	1	0.99	0.96	1.60	1.09	0.00	0.00	1.05	6.67
time (sec)	N/A	0.436	0.547	0.056	3.079	0.000	0.000	0.226	5.870

Problem 412	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	337	337	334	562	364	0	0	357	1241
normalized size	1	1.00	0.99	1.67	1.08	0.00	0.00	1.06	3.68
time (sec)	N/A	0.717	0.574	0.060	3.054	0.000	0.000	0.199	5.109

Problem 413	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	311	311	294	533	329	0	0	330	1229
normalized size	1	1.00	0.95	1.71	1.06	0.00	0.00	1.06	3.95
time (sec)	N/A	0.640	0.222	0.058	3.136	0.000	0.000	0.214	0.152

Problem 414	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	290	288	280	506	283	12153	0	307	816
normalized size	1	0.99	0.97	1.74	0.98	41.91	0.00	1.06	2.81
time (sec)	N/A	0.498	0.251	0.056	3.027	4.787	0.000	0.190	0.137

Problem 415	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	289	289	285	502	311	12617	0	318	827
normalized size	1	1.00	0.99	1.74	1.08	43.66	0.00	1.10	2.86
time (sec)	N/A	0.505	0.260	0.050	2.963	7.504	0.000	0.199	5.390

Problem 416	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	268	462	292	12636	0	302	835
normalized size	1	1.00	0.97	1.67	1.06	45.78	0.00	1.09	3.03
time (sec)	N/A	0.370	0.209	0.048	2.953	3.636	0.000	0.194	5.540

Problem 417	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	289	287	269	507	302	12541	0	319	1660
normalized size	1	0.99	0.93	1.75	1.04	43.39	0.00	1.10	5.74
time (sec)	N/A	0.559	0.223	0.061	3.045	55.188	0.000	0.203	5.601

Problem 418	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	285	517	329	12556	0	328	1684
normalized size	1	1.00	0.95	1.72	1.09	41.71	0.00	1.09	5.59
time (sec)	N/A	0.593	0.402	0.061	3.135	59.486	0.000	0.201	5.768

Problem 419	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	306	304	292	527	316	12231	0	336	1632
normalized size	1	0.99	0.95	1.72	1.03	39.97	0.00	1.10	5.33
time (sec)	N/A	0.577	0.539	0.066	3.063	43.398	0.000	0.191	5.712

Problem 420	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	338	336	303	561	365	0	0	363	1924
normalized size	1	0.99	0.90	1.66	1.08	0.00	0.00	1.07	5.69
time (sec)	N/A	0.727	0.622	0.062	3.079	0.000	0.000	0.229	5.958

Problem 421	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	345	345	342	619	391	12967	0	385	916
normalized size	1	1.00	0.99	1.79	1.13	37.59	0.00	1.12	2.66
time (sec)	N/A	0.891	0.376	0.064	3.129	7.813	0.000	0.207	0.579

Problem 422	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	325	325	315	515	366	12939	0	363	908
normalized size	1	1.00	0.97	1.58	1.13	39.81	0.00	1.12	2.79
time (sec)	N/A	0.642	0.338	0.060	3.119	6.175	0.000	0.777	5.659

Problem 423	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	287	490	308	6926	0	320	627
normalized size	1	1.00	0.97	1.65	1.04	23.32	0.00	1.08	2.11
time (sec)	N/A	0.430	0.302	0.057	3.051	4.324	0.000	0.230	5.690

Problem 424	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	323	323	297	498	344	7190	0	340	640
normalized size	1	1.00	0.92	1.54	1.07	22.26	0.00	1.05	1.98
time (sec)	N/A	0.482	0.358	0.056	3.067	5.634	0.000	0.207	5.365

Problem 425	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	313	313	295	506	327	6984	0	330	630
normalized size	1	1.00	0.94	1.62	1.04	22.31	0.00	1.05	2.01
time (sec)	N/A	0.429	0.282	0.057	3.107	4.870	0.000	0.218	0.432

Problem 426	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	347	345	311	618	368	12815	0	376	1716
normalized size	1	0.99	0.90	1.78	1.06	36.93	0.00	1.08	4.95
time (sec)	N/A	0.723	0.349	0.068	3.112	55.836	0.000	0.265	5.705

Problem 427	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	362	362	336	622	400	12951	0	390	1747
normalized size	1	1.00	0.93	1.72	1.10	35.78	0.00	1.08	4.83
time (sec)	N/A	0.830	0.779	0.064	3.074	54.028	0.000	0.220	5.747

Problem 428	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	C	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	360	357	337	626	390	12435	0	399	1697
normalized size	1	0.99	0.94	1.74	1.08	34.54	0.00	1.11	4.71
time (sec)	N/A	0.814	0.713	0.066	3.102	37.172	0.000	0.226	5.659

Problem 429	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	395	392	352	680	444	0	0	431	1994
normalized size	1	0.99	0.89	1.72	1.12	0.00	0.00	1.09	5.05
time (sec)	N/A	1.006	0.789	0.070	3.089	0.000	0.000	0.203	6.321

Problem 430	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	583	583	132	793	0	0	129	0	-1
normalized size	1	1.00	0.23	1.36	0.00	0.00	0.22	0.00	-0.00
time (sec)	N/A	0.733	0.209	0.079	0.000	0.431	3.917	0.000	0.000

Problem 431	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	560	560	121	773	0	0	107	0	-1
normalized size	1	1.00	0.22	1.38	0.00	0.00	0.19	0.00	-0.00
time (sec)	N/A	0.484	0.167	0.056	0.000	0.456	3.665	0.000	0.000

Problem 432	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	537	537	114	753	0	0	107	0	-1
normalized size	1	1.00	0.21	1.40	0.00	0.00	0.20	0.00	-0.00
time (sec)	N/A	0.323	0.073	0.049	0.000	0.494	3.516	0.000	0.000

Problem 433	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	509	509	107	735	0	0	105	0	-1
normalized size	1	1.00	0.21	1.44	0.00	0.00	0.21	0.00	-0.00
time (sec)	N/A	0.173	0.050	0.051	0.000	0.440	2.530	0.000	0.000

Problem 434	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	518	518	128	740	0	0	105	0	-1
normalized size	1	1.00	0.25	1.43	0.00	0.00	0.20	0.00	-0.00
time (sec)	N/A	0.205	0.202	0.046	0.000	0.667	4.103	0.000	0.000

Problem 435	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	547	547	126	759	0	0	107	0	121
normalized size	1	1.00	0.23	1.39	0.00	0.00	0.20	0.00	0.22
time (sec)	N/A	0.343	0.141	0.060	0.000	0.513	3.244	0.000	5.957

Problem 436	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	569	569	131	778	0	0	112	0	-1
normalized size	1	1.00	0.23	1.37	0.00	0.00	0.20	0.00	-0.00
time (sec)	N/A	0.464	0.218	0.059	0.000	0.480	3.434	0.000	0.000

Problem 437	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	594	594	134	836	0	0	129	0	-1
normalized size	1	1.00	0.23	1.41	0.00	0.00	0.22	0.00	-0.00
time (sec)	N/A	0.641	0.128	0.086	0.000	0.467	20.586	0.000	0.000

Problem 438	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	574	574	127	817	0	0	129	0	-1
normalized size	1	1.00	0.22	1.42	0.00	0.00	0.22	0.00	-0.00
time (sec)	N/A	0.469	0.135	0.053	0.000	0.477	15.272	0.000	0.000

Problem 439	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	542	542	118	800	0	0	129	0	-1
normalized size	1	1.00	0.22	1.48	0.00	0.00	0.24	0.00	-0.00
time (sec)	N/A	0.327	0.117	0.054	0.000	0.458	12.497	0.000	0.000

Problem 440	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	522	522	107	779	0	0	109	0	-1
normalized size	1	1.00	0.20	1.49	0.00	0.00	0.21	0.00	-0.00
time (sec)	N/A	0.262	0.103	0.059	0.000	0.445	11.432	0.000	0.000

Problem 441	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	561	561	108	782	0	0	109	0	-1
normalized size	1	1.00	0.19	1.39	0.00	0.00	0.19	0.00	-0.00
time (sec)	N/A	0.321	0.076	0.130	0.000	0.452	11.085	0.000	0.000

Problem 442	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	532	532	109	785	0	0	107	0	-1
normalized size	1	1.00	0.20	1.48	0.00	0.00	0.20	0.00	-0.00
time (sec)	N/A	0.246	0.076	0.052	0.000	0.431	10.859	0.000	0.000

Problem 443	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	579	579	119	810	0	0	265	0	-1
normalized size	1	1.00	0.21	1.40	0.00	0.00	0.46	0.00	-0.00
time (sec)	N/A	0.400	0.117	0.049	0.000	0.511	16.573	0.000	0.000

Problem 444	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	607	607	121	825	0	0	267	0	136
normalized size	1	1.00	0.20	1.36	0.00	0.00	0.44	0.00	0.22
time (sec)	N/A	0.560	0.113	0.056	0.000	0.480	18.304	0.000	5.804

Problem 445	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	733	733	172	1674	0	0	238	0	-1
normalized size	1	1.00	0.23	2.28	0.00	0.00	0.32	0.00	-0.00
time (sec)	N/A	1.910	0.465	0.090	0.000	0.455	5.835	0.000	0.000

Problem 446	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	681	681	158	1197	0	0	223	0	-1
normalized size	1	1.00	0.23	1.76	0.00	0.00	0.33	0.00	-0.00
time (sec)	N/A	1.422	0.297	0.058	0.000	0.471	5.689	0.000	0.000

Problem 447	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	667	667	143	1311	0	0	223	0	-1
normalized size	1	1.00	0.21	1.97	0.00	0.00	0.33	0.00	-0.00
time (sec)	N/A	1.047	0.357	0.053	0.000	0.468	5.387	0.000	0.000

Problem 448	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	639	639	135	1557	0	0	194	0	-1
normalized size	1	1.00	0.21	2.44	0.00	0.00	0.30	0.00	-0.00
time (sec)	N/A	0.719	0.192	0.053	0.000	0.496	5.125	0.000	0.000

Problem 449	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	620	620	185	1118	0	0	235	0	-1
normalized size	1	1.00	0.30	1.80	0.00	0.00	0.38	0.00	-0.00
time (sec)	N/A	0.547	0.433	0.056	0.000	0.692	10.854	0.000	0.000

Problem 450	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	638	638	211	1248	0	0	236	0	-1
normalized size	1	1.00	0.33	1.96	0.00	0.00	0.37	0.00	-0.00
time (sec)	N/A	0.650	0.295	0.062	0.000	0.686	6.766	0.000	0.000

Problem 451	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	640	640	218	1529	0	0	255	0	-1
normalized size	1	1.00	0.34	2.39	0.00	0.00	0.40	0.00	-0.00
time (sec)	N/A	0.765	0.501	0.060	0.000	0.717	7.053	0.000	0.000

Problem 452	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	637	637	254	1114	0	0	265	0	-1
normalized size	1	1.00	0.40	1.75	0.00	0.00	0.42	0.00	-0.00
time (sec)	N/A	0.844	0.436	0.061	0.000	0.926	8.089	0.000	0.000

Problem 453	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	694	694	253	1286	0	0	274	0	-1
normalized size	1	1.00	0.36	1.85	0.00	0.00	0.39	0.00	-0.00
time (sec)	N/A	1.084	0.464	0.074	0.000	0.957	8.270	0.000	0.000

Problem 454	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	652	652	180	1571	0	0	240	0	-1
normalized size	1	1.00	0.28	2.41	0.00	0.00	0.37	0.00	-0.00
time (sec)	N/A	0.787	0.347	0.059	0.000	0.703	7.541	0.000	0.000

Problem 455	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	659	659	211	1180	0	0	304	0	-1
normalized size	1	1.00	0.32	1.79	0.00	0.00	0.46	0.00	-0.00
time (sec)	N/A	0.980	0.533	0.064	0.000	0.575	10.709	0.000	0.000

Problem 456	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	711	711	213	1376	0	0	308	0	-1
normalized size	1	1.00	0.30	1.94	0.00	0.00	0.43	0.00	-0.00
time (sec)	N/A	1.123	0.517	0.063	0.000	0.545	11.602	0.000	0.000

Problem 457	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	743	743	192	1679	0	0	304	0	-1
normalized size	1	1.00	0.26	2.26	0.00	0.00	0.41	0.00	-0.00
time (sec)	N/A	1.331	0.250	0.059	0.000	0.486	11.536	0.000	0.000

Problem 458	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	791	791	179	1764	0	0	512	0	-1
normalized size	1	1.00	0.23	2.23	0.00	0.00	0.65	0.00	-0.00
time (sec)	N/A	2.111	0.654	0.084	0.000	0.445	13.013	0.000	0.000

Problem 459	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	742	742	162	1269	0	0	525	0	-1
normalized size	1	1.00	0.22	1.71	0.00	0.00	0.71	0.00	-0.00
time (sec)	N/A	1.552	0.410	0.060	0.000	0.482	11.686	0.000	0.000

Problem 460	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	723	723	148	1383	0	0	525	0	-1
normalized size	1	1.00	0.20	1.91	0.00	0.00	0.73	0.00	-0.00
time (sec)	N/A	1.239	0.366	0.054	0.000	0.652	10.783	0.000	0.000

Problem 461	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	694	694	139	1629	0	0	444	0	-1
normalized size	1	1.00	0.20	2.35	0.00	0.00	0.64	0.00	-0.00
time (sec)	N/A	0.899	0.263	0.060	0.000	0.459	10.134	0.000	0.000

Problem 462	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	676	676	215	1188	0	0	473	0	-1
normalized size	1	1.00	0.32	1.76	0.00	0.00	0.70	0.00	-0.00
time (sec)	N/A	0.707	0.584	0.055	0.000	0.759	23.744	0.000	0.000

Problem 463	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	692	692	224	1317	0	0	474	0	-1
normalized size	1	1.00	0.32	1.90	0.00	0.00	0.68	0.00	-0.00
time (sec)	N/A	0.791	0.453	0.057	0.000	0.719	13.432	0.000	0.000

Problem 464	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	694	694	232	1613	0	0	462	0	-1
normalized size	1	1.00	0.33	2.32	0.00	0.00	0.67	0.00	-0.00
time (sec)	N/A	0.888	0.428	0.059	0.000	0.742	12.847	0.000	0.000

Problem 465	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	692	692	243	1193	0	0	484	0	-1
normalized size	1	1.00	0.35	1.72	0.00	0.00	0.70	0.00	-0.00
time (sec)	N/A	0.957	0.797	0.057	0.000	0.902	14.266	0.000	0.000

Problem 466	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	741	741	246	1342	0	0	495	0	-1
normalized size	1	1.00	0.33	1.81	0.00	0.00	0.67	0.00	-0.00
time (sec)	N/A	1.240	0.763	0.060	0.000	0.926	14.641	0.000	0.000

Problem 467	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	689	689	191	1606	0	0	476	0	-1
normalized size	1	1.00	0.28	2.33	0.00	0.00	0.69	0.00	-0.00
time (sec)	N/A	0.921	0.276	0.063	0.000	0.821	14.430	0.000	0.000

Problem 468	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	692	692	240	1196	0	0	524	0	-1
normalized size	1	1.00	0.35	1.73	0.00	0.00	0.76	0.00	-0.00
time (sec)	N/A	1.004	0.732	0.067	0.000	0.990	17.916	0.000	0.000

Problem 469	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	746	746	240	1375	0	0	536	0	-1
normalized size	1	1.00	0.32	1.84	0.00	0.00	0.72	0.00	-0.00
time (sec)	N/A	1.284	1.073	0.060	0.000	0.975	18.715	0.000	0.000

Problem 470	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	705	705	202	1663	0	0	527	0	-1
normalized size	1	1.00	0.29	2.36	0.00	0.00	0.75	0.00	-0.00
time (sec)	N/A	1.008	0.603	0.059	0.000	0.739	17.277	0.000	0.000

Problem 471	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	714	714	226	1273	0	0	573	0	-1
normalized size	1	1.00	0.32	1.78	0.00	0.00	0.80	0.00	-0.00
time (sec)	N/A	1.123	0.818	0.095	0.000	0.533	25.788	0.000	0.000

Problem 472	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	764	764	227	1470	0	0	576	0	-1
normalized size	1	1.00	0.30	1.92	0.00	0.00	0.75	0.00	-0.00
time (sec)	N/A	1.330	0.721	0.060	0.000	0.585	26.656	0.000	0.000

Problem 473	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	796	796	194	1773	0	0	541	0	-1
normalized size	1	1.00	0.24	2.23	0.00	0.00	0.68	0.00	-0.00
time (sec)	N/A	1.534	0.473	0.099	0.000	0.490	24.052	0.000	0.000

Problem 474	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	120	114	0	0	0	112	0	-1
normalized size	1	1.18	1.12	0.00	0.00	0.00	1.10	0.00	-0.01
time (sec)	N/A	0.076	0.070	0.459	0.000	0.431	59.326	0.000	0.000

Problem 475	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	125	116	0	0	0	114	0	-1
normalized size	1	1.17	1.08	0.00	0.00	0.00	1.07	0.00	-0.01
time (sec)	N/A	0.091	0.097	0.473	0.000	0.435	88.353	0.000	0.000

Problem 476	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	125	116	0	0	0	114	0	-1
normalized size	1	1.17	1.08	0.00	0.00	0.00	1.07	0.00	-0.01
time (sec)	N/A	0.106	0.116	0.476	0.000	0.437	124.185	0.000	0.000

Problem 477	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	68	55	54	54	63	56	54
normalized size	1	1.00	1.00	0.81	0.79	0.79	0.93	0.82	0.79
time (sec)	N/A	0.044	0.006	0.043	1.319	0.366	0.078	0.151	0.035

Problem 478	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	73	58	57	57	66	59	57
normalized size	1	1.00	1.00	0.79	0.78	0.78	0.90	0.81	0.78
time (sec)	N/A	0.064	0.004	0.045	1.334	0.385	0.073	0.156	0.031

Problem 479	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	124	103	102	102	121	105	102
normalized size	1	1.00	1.14	0.94	0.94	0.94	1.11	0.96	0.94
time (sec)	N/A	0.074	0.004	0.043	1.356	0.359	0.088	0.160	0.080

Problem 480	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	129	106	105	105	124	108	105
normalized size	1	1.00	1.13	0.93	0.92	0.92	1.09	0.95	0.92
time (sec)	N/A	0.084	0.005	0.043	1.329	0.344	0.089	0.149	0.072

Problem 481	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	180	151	150	150	180	154	150
normalized size	1	1.00	1.19	1.00	0.99	0.99	1.19	1.02	0.99
time (sec)	N/A	0.108	0.005	0.043	1.369	0.389	0.096	0.157	0.164

Problem 482	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	185	154	153	153	184	157	153
normalized size	1	1.00	1.19	0.99	0.98	0.98	1.18	1.01	0.98
time (sec)	N/A	0.113	0.018	0.043	1.382	0.353	0.099	0.164	0.161

Problem 483	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	236	199	198	198	241	203	198
normalized size	1	1.00	1.22	1.03	1.03	1.03	1.25	1.05	1.03
time (sec)	N/A	0.156	0.007	0.043	1.330	0.367	0.103	0.173	5.080

Problem 484	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	241	202	201	201	245	206	201
normalized size	1	1.00	1.22	1.02	1.02	1.02	1.24	1.04	1.02
time (sec)	N/A	0.150	0.007	0.043	1.371	0.390	0.110	0.193	0.359

Problem 485	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	133	133	214	177	174	0	0	280	1970
normalized size	1	1.00	1.61	1.33	1.31	0.00	0.00	2.11	14.81
time (sec)	N/A	0.124	0.113	0.046	3.031	0.000	0.000	0.186	5.658

Problem 486	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	221	208	208	0	0	328	846
normalized size	1	1.00	1.36	1.28	1.28	0.00	0.00	2.02	5.22
time (sec)	N/A	0.203	0.095	0.044	2.976	0.000	0.000	0.190	4.846

Problem 487	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	293	293	296	294	277	0	0	290	1952
normalized size	1	1.00	1.01	1.00	0.95	0.00	0.00	0.99	6.66
time (sec)	N/A	0.222	0.231	0.052	3.030	0.000	0.000	0.184	0.927

Problem 488	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	321	321	311	325	305	0	0	308	838
normalized size	1	1.00	0.97	1.01	0.95	0.00	0.00	0.96	2.61
time (sec)	N/A	0.334	0.239	0.053	3.015	0.000	0.000	0.185	4.854

Problem 489	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	318	318	315	362	305	0	517	316	478
normalized size	1	1.00	0.99	1.14	0.96	0.00	1.63	0.99	1.50
time (sec)	N/A	0.270	0.406	0.049	3.058	0.000	22.319	0.184	0.360

Problem 490	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	310	310	294	334	294	0	510	303	559
normalized size	1	1.00	0.95	1.08	0.95	0.00	1.65	0.98	1.80
time (sec)	N/A	0.274	0.383	0.054	3.022	0.000	44.229	0.215	5.097

Problem 491	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	351	351	347	432	355	0	578	354	832
normalized size	1	1.00	0.99	1.23	1.01	0.00	1.65	1.01	2.37
time (sec)	N/A	0.318	0.439	0.052	3.019	0.000	108.467	0.192	5.199

Problem 492	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	340	340	329	373	343	0	0	338	521
normalized size	1	1.00	0.97	1.10	1.01	0.00	0.00	0.99	1.53
time (sec)	N/A	0.328	0.391	0.060	3.084	0.000	0.000	0.294	0.396

Problem 493	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	382	382	379	400	402	0	0	391	879
normalized size	1	1.00	0.99	1.05	1.05	0.00	0.00	1.02	2.30
time (sec)	N/A	0.406	0.442	0.063	3.088	0.000	0.000	0.329	5.255

Problem 494	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	380	380	366	403	396	0	0	380	888
normalized size	1	1.00	0.96	1.06	1.04	0.00	0.00	1.00	2.34
time (sec)	N/A	0.402	0.459	0.065	3.125	0.000	0.000	0.185	0.482

Problem 495	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	418	418	202	390	0	0	252	0	-1
normalized size	1	1.00	0.48	0.93	0.00	0.00	0.60	0.00	-0.00
time (sec)	N/A	0.381	0.727	0.207	0.000	0.510	8.541	0.000	0.000

Problem 496	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	394	394	215	380	0	0	212	0	-1
normalized size	1	1.00	0.55	0.96	0.00	0.00	0.54	0.00	-0.00
time (sec)	N/A	0.334	0.659	0.189	0.000	0.488	7.506	0.000	0.000

Problem 497	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	369	369	182	361	0	0	212	0	-1
normalized size	1	1.00	0.49	0.98	0.00	0.00	0.57	0.00	-0.00
time (sec)	N/A	0.298	0.781	0.169	0.000	0.514	7.089	0.000	0.000

Problem 498	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	354	354	211	337	0	0	158	0	-1
normalized size	1	1.00	0.60	0.95	0.00	0.00	0.45	0.00	-0.00
time (sec)	N/A	0.273	0.205	0.165	0.000	0.488	6.529	0.000	0.000

Problem 499	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	171	313	0	0	156	0	-1
normalized size	1	1.00	0.52	0.95	0.00	0.00	0.47	0.00	-0.00
time (sec)	N/A	0.194	0.139	0.180	0.000	0.473	5.971	0.000	0.000

Problem 500	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	345	345	208	339	0	0	204	0	-1
normalized size	1	1.00	0.60	0.98	0.00	0.00	0.59	0.00	-0.00
time (sec)	N/A	0.255	0.387	0.197	0.000	0.737	10.125	0.000	0.000

Problem 501	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	341	341	208	339	0	0	206	0	-1
normalized size	1	1.00	0.61	0.99	0.00	0.00	0.60	0.00	-0.00
time (sec)	N/A	0.263	0.427	0.201	0.000	0.704	6.997	0.000	0.000

Problem 502	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	342	342	204	360	0	0	230	0	-1
normalized size	1	1.00	0.60	1.05	0.00	0.00	0.67	0.00	-0.00
time (sec)	N/A	0.262	0.259	0.178	0.000	0.750	6.410	0.000	0.000

Problem 503	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	357	357	205	362	0	0	235	0	-1
normalized size	1	1.00	0.57	1.01	0.00	0.00	0.66	0.00	-0.00
time (sec)	N/A	0.295	0.331	0.197	0.000	0.717	6.622	0.000	0.000

Problem 504	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	329	329	175	385	0	0	211	0	-1
normalized size	1	1.00	0.53	1.17	0.00	0.00	0.64	0.00	-0.00
time (sec)	N/A	0.281	0.272	0.196	0.000	0.732	6.783	0.000	0.000

Problem 505	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	360	360	179	404	0	0	216	0	-1
normalized size	1	1.00	0.50	1.12	0.00	0.00	0.60	0.00	-0.00
time (sec)	N/A	0.324	0.263	0.198	0.000	0.710	7.057	0.000	0.000

Problem 506	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	352	352	145	361	0	0	189	0	-1
normalized size	1	1.00	0.41	1.03	0.00	0.00	0.54	0.00	-0.00
time (sec)	N/A	0.316	0.267	0.190	0.000	0.502	7.042	0.000	0.000

Problem 507	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	375	375	145	385	0	0	192	0	-1
normalized size	1	1.00	0.39	1.03	0.00	0.00	0.51	0.00	-0.00
time (sec)	N/A	0.362	0.265	0.192	0.000	0.489	6.927	0.000	0.000

Problem 508	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	400	400	146	408	0	0	246	0	-1
normalized size	1	1.00	0.36	1.02	0.00	0.00	0.62	0.00	-0.00
time (sec)	N/A	0.386	0.177	0.183	0.000	0.495	9.616	0.000	0.000

Problem 509	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	425	425	148	429	0	0	246	0	-1
normalized size	1	1.00	0.35	1.01	0.00	0.00	0.58	0.00	-0.00
time (sec)	N/A	0.433	0.182	0.210	0.000	0.480	10.707	0.000	0.000

Problem 510	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	476	476	225	462	0	0	462	0	-1
normalized size	1	1.00	0.47	0.97	0.00	0.00	0.97	0.00	-0.00
time (sec)	N/A	0.440	0.942	0.202	0.000	0.501	22.074	0.000	0.000

Problem 511	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	452	452	238	434	0	0	398	0	-1
normalized size	1	1.00	0.53	0.96	0.00	0.00	0.88	0.00	-0.00
time (sec)	N/A	0.408	0.772	0.186	0.000	0.477	17.953	0.000	0.000

Problem 512	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	427	427	205	413	0	0	398	0	-1
normalized size	1	1.00	0.48	0.97	0.00	0.00	0.93	0.00	-0.00
time (sec)	N/A	0.353	0.935	0.207	0.000	0.481	17.741	0.000	0.000

Problem 513	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	409	409	196	392	0	0	396	0	-1
normalized size	1	1.00	0.48	0.96	0.00	0.00	0.97	0.00	-0.00
time (sec)	N/A	0.324	0.978	0.166	0.000	0.493	13.228	0.000	0.000

Problem 514	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	382	382	175	368	0	0	394	0	-1
normalized size	1	1.00	0.46	0.96	0.00	0.00	1.03	0.00	-0.00
time (sec)	N/A	0.255	0.560	0.180	0.000	0.489	12.310	0.000	0.000

Problem 515	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	403	403	224	411	0	0	405	0	-1
normalized size	1	1.00	0.56	1.02	0.00	0.00	1.00	0.00	-0.00
time (sec)	N/A	0.353	0.571	0.182	0.000	0.746	31.319	0.000	0.000

Problem 516	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	404	404	222	411	0	0	406	0	-1
normalized size	1	1.00	0.55	1.02	0.00	0.00	1.00	0.00	-0.00
time (sec)	N/A	0.348	0.566	0.207	0.000	0.748	14.146	0.000	0.000

Problem 517	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	406	406	194	409	0	0	377	0	-1
normalized size	1	1.00	0.48	1.01	0.00	0.00	0.93	0.00	-0.00
time (sec)	N/A	0.343	0.402	0.212	0.000	0.711	11.480	0.000	0.000

Problem 518	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	408	408	194	408	0	0	381	0	-1
normalized size	1	1.00	0.48	1.00	0.00	0.00	0.93	0.00	-0.00
time (sec)	N/A	0.336	0.390	0.215	0.000	0.800	11.341	0.000	0.000

Problem 519	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	386	386	163	409	0	0	379	0	-1
normalized size	1	1.00	0.42	1.06	0.00	0.00	0.98	0.00	-0.00
time (sec)	N/A	0.347	0.247	0.185	0.000	0.742	13.191	0.000	0.000

Problem 520	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	387	387	165	409	0	0	386	0	-1
normalized size	1	1.00	0.43	1.06	0.00	0.00	1.00	0.00	-0.00
time (sec)	N/A	0.349	0.235	0.211	0.000	0.789	13.155	0.000	0.000

Problem 521	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	392	392	163	408	0	0	406	0	-1
normalized size	1	1.00	0.42	1.04	0.00	0.00	1.04	0.00	-0.00
time (sec)	N/A	0.342	0.220	0.209	0.000	0.750	12.308	0.000	0.000

Problem 522	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	412	412	164	411	0	0	415	0	-1
normalized size	1	1.00	0.40	1.00	0.00	0.00	1.01	0.00	-0.00
time (sec)	N/A	0.394	0.246	0.220	0.000	0.748	13.003	0.000	0.000

Problem 523	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	377	377	174	416	0	0	444	0	-1
normalized size	1	1.00	0.46	1.10	0.00	0.00	1.18	0.00	-0.00
time (sec)	N/A	0.371	0.316	0.206	0.000	0.792	18.590	0.000	0.000

Problem 524	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	405	405	174	437	0	0	449	0	-1
normalized size	1	1.00	0.43	1.08	0.00	0.00	1.11	0.00	-0.00
time (sec)	N/A	0.425	0.354	0.213	0.000	0.777	21.885	0.000	0.000

Problem 525	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	399	399	171	417	0	0	398	0	-1
normalized size	1	1.00	0.43	1.05	0.00	0.00	1.00	0.00	-0.00
time (sec)	N/A	0.420	0.351	0.190	0.000	0.495	19.190	0.000	0.000

Problem 526	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	424	424	172	441	0	0	401	0	-1
normalized size	1	1.00	0.41	1.04	0.00	0.00	0.95	0.00	-0.00
time (sec)	N/A	0.462	0.425	0.219	0.000	0.479	22.521	0.000	0.000

Problem 527	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	449	449	149	462	0	0	403	0	-1
normalized size	1	1.00	0.33	1.03	0.00	0.00	0.90	0.00	-0.00
time (sec)	N/A	0.490	0.208	0.203	0.000	0.504	31.881	0.000	0.000

Problem 528	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	474	474	151	483	0	0	403	0	-1
normalized size	1	1.00	0.32	1.02	0.00	0.00	0.85	0.00	-0.00
time (sec)	N/A	0.549	0.213	0.219	0.000	0.474	27.900	0.000	0.000

Problem 529	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	361	361	212	335	0	0	177	0	-1
normalized size	1	1.00	0.59	0.93	0.00	0.00	0.49	0.00	-0.00
time (sec)	N/A	0.300	0.144	0.226	0.000	0.480	10.787	0.000	0.000

Problem 530	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	336	336	212	325	0	0	156	0	-1
normalized size	1	1.00	0.63	0.97	0.00	0.00	0.46	0.00	-0.00
time (sec)	N/A	0.265	0.162	0.166	0.000	0.477	10.299	0.000	0.000

Problem 531	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	308	308	193	248	0	0	156	0	-1
normalized size	1	1.00	0.63	0.81	0.00	0.00	0.51	0.00	-0.00
time (sec)	N/A	0.222	0.183	0.189	0.000	0.526	10.862	0.000	0.000

Problem 532	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	299	299	160	229	0	0	129	0	-1
normalized size	1	1.00	0.54	0.77	0.00	0.00	0.43	0.00	-0.00
time (sec)	N/A	0.198	0.104	0.168	0.000	0.464	8.228	0.000	0.000

Problem 533	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	150	208	0	0	128	0	-1
normalized size	1	1.00	0.54	0.75	0.00	0.00	0.46	0.00	-0.00
time (sec)	N/A	0.142	0.105	0.175	0.000	0.469	6.145	0.000	0.000

Problem 534	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	285	285	159	222	0	0	126	0	-1
normalized size	1	1.00	0.56	0.78	0.00	0.00	0.44	0.00	-0.00
time (sec)	N/A	0.180	0.242	0.420	0.000	0.712	9.712	0.000	0.000

Problem 535	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	309	309	157	299	0	0	128	0	-1
normalized size	1	1.00	0.51	0.97	0.00	0.00	0.41	0.00	-0.00
time (sec)	N/A	0.224	0.252	0.204	0.000	0.700	6.572	0.000	0.000

Problem 536	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	300	300	148	293	0	0	126	0	118
normalized size	1	1.00	0.49	0.98	0.00	0.00	0.42	0.00	0.39
time (sec)	N/A	0.216	0.152	0.180	0.000	0.514	6.333	0.000	5.849

Problem 537	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	323	323	149	316	0	0	131	0	-1
normalized size	1	1.00	0.46	0.98	0.00	0.00	0.41	0.00	-0.00
time (sec)	N/A	0.258	0.173	0.179	0.000	0.490	6.795	0.000	0.000

Problem 538	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	346	346	147	335	0	0	158	0	-1
normalized size	1	1.00	0.42	0.97	0.00	0.00	0.46	0.00	-0.00
time (sec)	N/A	0.281	0.156	0.211	0.000	0.516	8.547	0.000	0.000

Problem 539	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	377	377	134	354	0	0	163	0	-1
normalized size	1	1.00	0.36	0.94	0.00	0.00	0.43	0.00	-0.00
time (sec)	N/A	0.327	0.232	0.188	0.000	0.497	9.877	0.000	0.000

Problem 540	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	365	365	220	378	0	0	202	0	-1
normalized size	1	1.00	0.60	1.04	0.00	0.00	0.55	0.00	-0.00
time (sec)	N/A	0.523	0.190	0.193	0.000	0.475	51.872	0.000	0.000

Problem 541	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	343	343	176	358	0	0	172	0	-1
normalized size	1	1.00	0.51	1.04	0.00	0.00	0.50	0.00	-0.00
time (sec)	N/A	0.367	0.167	0.191	0.000	0.571	43.257	0.000	0.000

Problem 542	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	314	314	166	340	0	0	172	0	-1
normalized size	1	1.00	0.53	1.08	0.00	0.00	0.55	0.00	-0.00
time (sec)	N/A	0.268	0.158	0.168	0.000	0.499	26.108	0.000	0.000

Problem 543	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	302	297	181	331	0	0	156	0	-1
normalized size	1	0.98	0.60	1.10	0.00	0.00	0.52	0.00	-0.00
time (sec)	N/A	0.200	0.141	0.174	0.000	0.487	24.638	0.000	0.000

Problem 544	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	333	333	165	331	0	0	156	0	-1
normalized size	1	1.00	0.50	0.99	0.00	0.00	0.47	0.00	-0.00
time (sec)	N/A	0.251	0.219	0.176	0.000	0.488	21.067	0.000	0.000

Problem 545	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	303	303	116	250	0	0	133	0	-1
normalized size	1	1.00	0.38	0.83	0.00	0.00	0.44	0.00	-0.00
time (sec)	N/A	0.193	0.082	0.168	0.000	0.431	19.339	0.000	0.000

Problem 546	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	116	250	0	0	131	0	-1
normalized size	1	1.00	0.42	0.91	0.00	0.00	0.48	0.00	-0.00
time (sec)	N/A	0.117	0.063	0.170	0.000	0.442	18.324	0.000	0.000

Problem 547	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	323	323	125	336	0	0	289	0	-1
normalized size	1	1.00	0.39	1.04	0.00	0.00	0.89	0.00	-0.00
time (sec)	N/A	0.292	0.135	0.164	0.000	0.514	23.819	0.000	0.000

Problem 548	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	344	344	123	355	0	0	291	0	133
normalized size	1	1.00	0.36	1.03	0.00	0.00	0.85	0.00	0.39
time (sec)	N/A	0.383	0.126	0.191	0.000	0.490	28.559	0.000	5.945

Problem 549	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	367	367	140	363	0	0	316	0	147
normalized size	1	1.00	0.38	0.99	0.00	0.00	0.86	0.00	0.40
time (sec)	N/A	0.478	0.127	0.190	0.000	0.526	25.303	0.000	6.076

Problem 550	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	387	387	136	383	0	0	321	0	-1
normalized size	1	1.00	0.35	0.99	0.00	0.00	0.83	0.00	-0.00
time (sec)	N/A	0.606	0.138	0.186	0.000	0.467	33.726	0.000	0.000

Problem 551	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	269	269	174	0	0	0	0	0	-1
normalized size	1	1.00	0.65	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.256	0.240	0.469	0.000	0.462	0.000	0.000	0.000

Problem 552	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	170	147	0	0	0	141	0	-1
normalized size	1	1.19	1.03	0.00	0.00	0.00	0.99	0.00	-0.01
time (sec)	N/A	0.131	0.125	0.469	0.000	0.436	49.566	0.000	0.000

Problem 553	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	175	175	145	0	0	0	143	0	-1
normalized size	1	1.00	0.83	0.00	0.00	0.00	0.82	0.00	-0.01
time (sec)	N/A	0.182	0.139	0.477	0.000	0.463	111.183	0.000	0.000

Problem 554	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	8	7	6	6	5	7	6
normalized size	1	1.00	1.00	0.88	0.75	0.75	0.62	0.88	0.75
time (sec)	N/A	0.010	0.001	0.037	1.302	0.403	0.085	0.170	0.023

Problem 555	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	10	9	8	8	7	9	6
normalized size	1	1.00	1.00	0.90	0.80	0.80	0.70	0.90	0.60
time (sec)	N/A	0.015	0.001	0.042	1.334	0.399	0.080	0.192	0.056

Problem 556	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	10	9	8	8	8	9	6
normalized size	1	1.00	1.00	0.90	0.80	0.80	0.80	0.90	0.60
time (sec)	N/A	0.013	0.001	0.041	1.392	0.396	0.093	0.182	4.992

Problem 557	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	21	18	17	17	15	15	6
normalized size	1	1.00	2.10	1.80	1.70	1.70	1.50	1.50	0.60
time (sec)	N/A	0.010	0.003	0.047	1.329	0.417	0.110	0.196	0.097

Problem 558	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	24	17	16	16	24	16	16
normalized size	1	1.00	1.00	0.71	0.67	0.67	1.00	0.67	0.67
time (sec)	N/A	0.024	0.008	0.045	2.928	0.394	0.147	0.188	0.030

Problem 559	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	50	39	38	38	46	39	49
normalized size	1	1.00	1.00	0.78	0.76	0.76	0.92	0.78	0.98
time (sec)	N/A	0.049	0.020	0.051	2.887	0.410	0.212	0.202	0.131

Problem 560	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	46	39	38	38	46	39	48
normalized size	1	1.00	0.92	0.78	0.76	0.76	0.92	0.78	0.96
time (sec)	N/A	0.048	0.016	0.049	2.954	0.440	0.242	0.183	4.987

Problem 561	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	56	47	46	46	56	48	52
normalized size	1	1.00	0.93	0.78	0.77	0.77	0.93	0.80	0.87
time (sec)	N/A	0.051	0.014	0.048	2.944	0.443	0.226	0.188	5.010

Problem 562	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	52	47	46	46	56	48	52
normalized size	1	1.00	0.87	0.78	0.77	0.77	0.93	0.80	0.87
time (sec)	N/A	0.049	0.013	0.050	3.076	0.408	0.232	0.181	4.975

Problem 563	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	50	39	38	38	48	35	46
normalized size	1	1.00	1.00	0.78	0.76	0.76	0.96	0.70	0.92
time (sec)	N/A	0.026	0.007	0.049	2.926	0.455	0.156	0.173	0.086

Problem 564	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	50	39	38	38	48	39	46
normalized size	1	1.00	1.00	0.78	0.76	0.76	0.96	0.78	0.92
time (sec)	N/A	0.043	0.012	0.052	2.948	0.443	0.198	0.179	0.100

Problem 565	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	100	85	84	115	105	86	100
normalized size	1	1.00	0.91	0.77	0.76	1.05	0.95	0.78	0.91
time (sec)	N/A	0.118	0.108	0.056	2.984	0.423	0.432	0.192	5.098

Problem 566	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	97	85	84	115	105	86	100
normalized size	1	1.00	0.88	0.77	0.76	1.05	0.95	0.78	0.91
time (sec)	N/A	0.117	0.093	0.049	2.943	0.454	0.468	0.208	0.189

Problem 567	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	A	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	81	81	122	68	61	91	70	63	52
normalized size	1	1.00	1.51	0.84	0.75	1.12	0.86	0.78	0.64
time (sec)	N/A	0.069	0.569	0.056	3.063	0.424	0.229	0.170	4.923

Problem 568	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	84	73	74	126	82	76	77
normalized size	1	1.00	0.91	0.79	0.80	1.37	0.89	0.83	0.84
time (sec)	N/A	0.116	0.036	0.058	2.966	0.435	0.422	0.188	0.123

Problem 569	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	148	148	119	115	105	256	124	111	120
normalized size	1	1.00	0.80	0.78	0.71	1.73	0.84	0.75	0.81
time (sec)	N/A	0.172	0.085	0.067	2.908	0.443	0.651	0.203	0.190

Problem 570	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	146	146	121	115	105	257	124	111	121
normalized size	1	1.00	0.83	0.79	0.72	1.76	0.85	0.76	0.83
time (sec)	N/A	0.173	0.090	0.066	2.896	0.459	0.647	0.177	5.089

Problem 571	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	111	111	95	187	116	106	110
normalized size	1	1.00	0.78	0.78	0.67	1.32	0.82	0.75	0.77
time (sec)	N/A	0.148	0.072	0.060	2.983	0.426	0.639	0.180	5.080

Problem 572	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	111	111	95	187	116	106	111
normalized size	1	1.00	0.78	0.78	0.67	1.32	0.82	0.75	0.78
time (sec)	N/A	0.145	0.074	0.061	2.884	0.431	0.572	0.243	0.189

Problem 573	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	113	113	103	102	87	131	110	89	102
normalized size	1	1.00	0.91	0.90	0.77	1.16	0.97	0.79	0.90
time (sec)	N/A	0.082	0.068	0.062	2.936	0.421	0.529	0.174	0.172

Problem 574	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	111	102	95	187	119	99	111
normalized size	1	1.00	0.85	0.78	0.73	1.43	0.91	0.76	0.85
time (sec)	N/A	0.148	0.080	0.060	2.986	0.430	0.695	0.177	0.190

Problem 575	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	91	76	75	75	102	69	91
normalized size	1	1.00	0.92	0.77	0.76	0.76	1.03	0.70	0.92
time (sec)	N/A	0.063	0.037	0.050	2.988	0.403	0.395	0.192	5.096

Problem 576	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	130	0	0	0	654	0	-1
normalized size	1	1.00	0.80	0.00	0.00	0.00	4.04	0.00	-0.01
time (sec)	N/A	0.167	0.432	0.648	0.000	0.454	57.805	0.000	0.000

Problem 577	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	108	130	118	305	1251	392	115
normalized size	1	1.00	1.29	1.55	1.40	3.63	14.89	4.67	1.37
time (sec)	N/A	0.056	0.228	0.063	1.356	0.449	8.171	0.262	5.135

Problem 578	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	120	87	78	160	552	196	76
normalized size	1	1.00	1.97	1.43	1.28	2.62	9.05	3.21	1.25
time (sec)	N/A	0.040	0.152	0.063	1.397	0.436	4.269	0.219	5.058

Problem 579	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	42	45	39	56	163	65	38
normalized size	1	1.00	1.02	1.10	0.95	1.37	3.98	1.59	0.93
time (sec)	N/A	0.023	0.133	0.056	1.293	0.457	2.027	0.222	5.056

Problem 580	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	12	13	12	17	15	12	12
normalized size	1	1.00	1.00	1.08	1.00	1.42	1.25	1.00	1.00
time (sec)	N/A	0.003	0.002	0.043	1.319	0.443	0.067	0.167	5.011

Problem 581	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	42	0	0	0	65	0	43
normalized size	1	1.00	1.00	0.00	0.00	0.00	1.55	0.00	1.02
time (sec)	N/A	0.030	0.066	0.780	0.000	0.466	17.153	0.000	5.326

Problem 582	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	0	0	0	299	0	49
normalized size	1	1.00	1.00	0.00	0.00	0.00	6.80	0.00	1.11
time (sec)	N/A	0.029	0.117	1.034	0.000	0.444	51.151	0.000	5.349

Problem 583	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	63	0	0	0	0	0	59
normalized size	1	1.00	1.37	0.00	0.00	0.00	0.00	0.00	1.28
time (sec)	N/A	0.030	0.115	0.707	0.000	0.420	0.000	0.000	5.414

Problem 584	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	305	305	206	0	0	0	274	0	-1
normalized size	1	1.00	0.68	0.00	0.00	0.00	0.90	0.00	-0.00
time (sec)	N/A	0.232	0.561	0.695	0.000	0.000	55.356	0.000	0.000

Problem 585	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	45	0	0	66	0	0	-1
normalized size	1	1.00	1.00	0.00	0.00	1.47	0.00	0.00	-0.02
time (sec)	N/A	0.395	0.305	0.691	0.000	0.458	0.000	0.000	0.000

Problem 586	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	273	273	178	0	0	0	0	0	-1
normalized size	1	1.00	0.65	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.185	0.318	0.740	0.000	0.444	0.000	0.000	0.000

Problem 587	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	204	0	0	0	0	0	-1
normalized size	1	1.00	0.69	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.208	0.302	0.664	0.000	0.462	0.000	0.000	0.000

Problem 588	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	147	0	0	0	0	0	-1
normalized size	1	1.00	0.91	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.124	0.393	0.651	0.000	0.456	0.000	0.000	0.000

Problem 589	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	24	21	20	20	0	0	20
normalized size	1	1.00	1.00	0.88	0.83	0.83	0.00	0.00	0.83
time (sec)	N/A	0.053	0.176	0.052	2.126	0.415	0.000	0.000	5.587

Problem 590	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F(-1)	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	93	0	0	0	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.103	0.203	180.000	0.000	0.000	0.000	0.000	0.000

Problem 591	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	28	0	0	61	0	228	95
normalized size	1	1.00	1.00	0.00	0.00	2.18	0.00	8.14	3.39
time (sec)	N/A	0.101	0.346	1.082	0.000	0.949	0.000	0.422	5.197

Problem 592	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	46	138	77	119	0	237	124
normalized size	1	1.00	1.02	3.07	1.71	2.64	0.00	5.27	2.76
time (sec)	N/A	0.157	0.410	0.575	3.039	1.086	0.000	0.426	5.367

Problem 593	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-2)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	31	52	59	54	0	115	76
normalized size	1	1.00	1.00	1.68	1.90	1.74	0.00	3.71	2.45
time (sec)	N/A	0.205	0.601	0.171	2.672	0.856	0.000	0.556	5.298

Problem 594	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	B	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	41	136	92	88	0	155	106
normalized size	1	1.00	0.91	3.02	2.04	1.96	0.00	3.44	2.36
time (sec)	N/A	0.553	0.888	0.502	3.035	0.990	0.000	0.809	5.640

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [124] had the largest ratio of [.6923]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	2	1	1.00	20	0.050
2	A	2	1	1.00	22	0.045
3	A	2	1	1.00	22	0.045
4	A	2	1	1.00	25	0.040
5	A	2	1	1.00	27	0.037
6	A	2	1	1.00	27	0.037
7	A	6	6	1.00	15	0.400
8	A	7	7	1.00	15	0.467
9	A	8	7	1.00	15	0.467
10	A	9	7	1.00	15	0.467

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
11	A	6	6	1.00	15	0.400
12	A	6	6	1.00	16	0.375
13	A	3	3	1.00	11	0.273
14	A	3	3	1.00	15	0.200
15	A	3	3	1.00	13	0.231
16	A	3	3	1.00	13	0.231
17	A	6	6	1.00	15	0.400
18	A	3	3	1.00	19	0.158
19	A	3	3	1.00	21	0.143
20	A	3	3	1.00	31	0.097
21	A	3	3	1.00	36	0.083
22	A	12	10	1.00	35	0.286
23	A	11	9	1.00	33	0.273
24	A	10	8	1.00	36	0.222
25	A	10	10	1.00	19	0.526
26	A	9	9	1.00	18	0.500
27	A	4	4	1.00	27	0.148
28	A	4	4	1.00	28	0.143
29	A	4	4	1.00	24	0.167
30	A	4	4	1.00	24	0.167
31	A	4	4	1.00	26	0.154
32	A	4	4	1.00	26	0.154
33	A	4	4	1.00	28	0.143
34	A	4	4	1.00	30	0.133
35	A	4	4	1.00	29	0.138
36	A	4	4	1.00	29	0.138

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
37	A	4	4	1.00	29	0.138
38	A	4	4	1.00	32	0.125
39	A	6	6	1.00	13	0.462
40	A	4	4	1.00	49	0.082
41	A	4	4	1.00	57	0.070
42	A	2	2	1.00	31	0.065
43	A	2	2	1.00	42	0.048
44	A	4	4	1.00	42	0.095
45	A	4	4	1.00	45	0.089
46	A	4	4	1.00	45	0.089
47	A	4	4	1.00	44	0.091
48	A	3	3	1.00	20	0.150
49	A	6	6	1.00	20	0.300
50	A	2	2	1.00	16	0.125
51	A	5	5	1.00	20	0.250
52	A	3	3	1.00	18	0.167
53	A	2	1	1.00	30	0.033
54	A	2	1	1.00	30	0.033
55	A	2	1	1.00	28	0.036
56	A	2	1	1.00	30	0.033
57	A	7	7	1.00	30	0.233
58	A	8	8	1.00	30	0.267
59	A	7	5	1.00	32	0.156
60	A	6	5	1.00	32	0.156
61	A	5	5	1.00	32	0.156
62	A	4	4	1.00	32	0.125

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
63	A	5	5	1.00	32	0.156
64	A	6	5	1.00	32	0.156
65	A	7	5	1.00	32	0.156
66	A	7	6	1.00	32	0.188
67	A	6	6	1.00	32	0.188
68	A	5	5	1.00	32	0.156
69	A	6	6	1.00	32	0.188
70	A	8	8	1.00	17	0.471
71	A	10	9	1.00	17	0.529
72	A	10	9	0.99	17	0.529
73	A	10	9	0.99	22	0.409
74	A	10	9	1.00	22	0.409
75	A	10	9	1.00	22	0.409
76	A	9	8	1.00	17	0.471
77	A	9	8	1.00	19	0.421
78	A	8	7	1.00	18	0.389
79	A	3	3	1.00	18	0.167
80	A	3	3	1.00	22	0.136
81	A	1	1	1.00	20	0.050
82	A	1	1	1.00	20	0.050
83	A	3	3	1.00	33	0.091
84	A	3	3	1.00	35	0.086
85	A	1	1	1.00	36	0.028
86	A	1	1	1.00	36	0.028
87	A	3	3	1.00	30	0.100
88	A	3	3	1.00	32	0.094

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
89	A	1	1	1.00	33	0.030
90	A	1	1	1.00	33	0.030
91	A	1	1	1.00	20	0.050
92	A	1	1	1.00	24	0.042
93	A	3	3	1.00	22	0.136
94	A	3	3	1.00	22	0.136
95	A	1	1	1.00	20	0.050
96	A	1	1	1.00	20	0.050
97	A	3	3	1.00	18	0.167
98	A	3	3	1.00	22	0.136
99	A	1	1	1.00	35	0.029
100	A	1	1	1.00	37	0.027
101	A	3	3	1.00	38	0.079
102	A	3	3	1.00	38	0.079
103	A	1	1	1.00	32	0.031
104	A	1	1	1.00	34	0.029
105	A	3	3	1.00	35	0.086
106	A	3	3	1.00	35	0.086
107	A	3	3	1.00	17	0.176
108	A	3	3	1.00	18	0.167
109	A	3	3	1.00	19	0.158
110	A	3	3	1.00	20	0.150
111	A	3	3	1.00	15	0.200
112	A	3	3	1.00	17	0.176
113	A	3	3	1.00	15	0.200
114	A	3	3	1.00	17	0.176

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
115	A	7	5	1.00	16	0.312
116	A	13	9	1.00	15	0.600
117	A	8	6	1.00	16	0.375
118	A	14	10	1.00	15	0.667
119	A	9	6	1.00	16	0.375
120	A	15	10	1.00	15	0.667
121	A	10	6	1.00	16	0.375
122	A	16	10	1.00	15	0.667
123	A	7	5	1.00	15	0.333
124	A	13	9	1.00	13	0.692
125	A	7	5	1.00	21	0.238
126	A	13	9	1.00	20	0.450
127	A	8	6	1.00	21	0.286
128	A	14	10	1.00	20	0.500
129	A	9	6	1.00	21	0.286
130	A	15	10	1.00	20	0.500
131	A	10	6	1.00	21	0.286
132	A	16	10	1.00	20	0.500
133	A	3	2	1.00	11	0.182
134	A	3	2	1.00	12	0.167
135	A	2	1	1.00	15	0.067
136	A	3	2	1.00	14	0.143
137	A	2	1	1.00	17	0.059
138	A	3	2	1.00	19	0.105
139	A	2	1	1.00	20	0.050
140	A	2	2	1.00	14	0.143

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
141	A	4	3	1.00	17	0.176
142	A	4	3	1.00	19	0.158
143	A	3	2	1.00	20	0.100
144	A	4	3	1.00	21	0.143
145	A	3	2	1.00	22	0.091
146	A	4	3	1.00	24	0.125
147	A	3	2	1.00	25	0.080
148	A	3	2	1.00	25	0.080
149	A	8	6	1.00	26	0.231
150	A	9	7	1.00	26	0.269
151	A	10	7	1.00	26	0.269
152	A	10	7	1.00	11	0.636
153	A	3	3	1.00	12	0.250
154	A	13	9	1.00	15	0.600
155	A	10	7	1.00	14	0.500
156	A	9	6	1.00	17	0.353
157	A	14	10	1.00	19	0.526
158	A	13	9	1.00	20	0.450
159	A	2	2	1.00	14	0.143
160	A	12	8	1.00	17	0.471
161	A	5	5	1.00	19	0.263
162	A	15	11	1.00	20	0.550
163	A	13	9	1.00	21	0.429
164	A	12	8	1.00	22	0.364
165	A	16	12	1.00	24	0.500
166	A	15	11	1.00	25	0.440

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
167	A	2	2	1.00	19	0.105
168	A	11	8	1.00	17	0.471
169	A	9	7	1.00	20	0.350
170	A	15	11	1.00	19	0.579
171	A	11	8	1.00	31	0.258
172	A	8	6	1.00	31	0.194
173	A	9	7	1.00	31	0.226
174	A	10	8	1.00	31	0.258
175	A	17	12	1.00	30	0.400
176	A	14	10	1.00	30	0.333
177	A	15	11	1.00	30	0.367
178	A	16	12	1.00	30	0.400
179	A	2	2	1.00	21	0.095
180	A	2	2	1.00	21	0.095
181	A	2	1	1.00	19	0.053
182	A	2	2	1.00	19	0.105
183	A	2	2	1.00	21	0.095
184	A	2	2	1.00	21	0.095
185	A	2	2	1.00	21	0.095
186	A	13	9	1.00	36	0.250
187	A	13	9	1.00	41	0.220
188	A	13	9	1.00	46	0.196
189	A	19	13	1.00	35	0.371
190	A	19	13	1.00	40	0.325
191	A	19	13	1.00	45	0.289
192	A	8	6	1.00	36	0.167

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
193	A	8	6	1.00	41	0.146
194	A	10	8	1.00	46	0.174
195	A	14	10	1.00	35	0.286
196	A	14	10	1.00	40	0.250
197	A	16	12	1.00	45	0.267
198	A	9	7	1.00	36	0.194
199	A	9	7	1.00	41	0.171
200	A	9	7	1.00	46	0.152
201	A	15	11	1.00	35	0.314
202	A	15	11	1.00	40	0.275
203	A	15	11	1.00	45	0.244
204	A	10	8	1.00	36	0.222
205	A	10	8	1.00	41	0.195
206	A	10	8	1.00	46	0.174
207	A	16	12	1.00	35	0.343
208	A	16	12	1.00	40	0.300
209	A	16	12	1.00	45	0.267
210	A	6	5	1.00	17	0.294
211	A	7	6	1.00	18	0.333
212	A	7	6	1.00	19	0.316
213	A	6	5	1.00	20	0.250
214	A	8	7	1.00	22	0.318
215	A	1	1	1.00	23	0.043
216	A	1	1	1.00	26	0.038
217	A	1	1	1.00	28	0.036
218	A	1	1	1.00	31	0.032

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
219	A	1	1	1.00	15	0.067
220	A	12	10	1.00	42	0.238
221	A	3	2	1.00	11	0.182
222	A	3	2	1.00	15	0.133
223	A	3	2	1.00	30	0.067
224	A	3	2	1.00	30	0.067
225	A	3	2	1.00	30	0.067
226	A	3	2	1.00	30	0.067
227	A	3	2	1.00	30	0.067
228	A	3	2	1.00	30	0.067
229	A	3	2	1.00	30	0.067
230	A	3	2	1.00	30	0.067
231	A	3	2	1.00	30	0.067
232	A	3	2	1.00	30	0.067
233	A	9	8	1.00	30	0.267
234	A	9	8	1.00	30	0.267
235	A	9	8	1.00	30	0.267
236	A	9	8	1.00	30	0.267
237	A	9	8	1.00	30	0.267
238	A	9	8	1.00	28	0.286
239	A	8	7	1.00	27	0.259
240	A	8	7	1.00	30	0.233
241	A	8	7	1.00	30	0.233
242	A	8	7	1.00	30	0.233
243	A	8	7	1.00	30	0.233
244	A	8	7	1.00	30	0.233

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
245	A	8	7	1.00	30	0.233
246	A	8	7	1.00	30	0.233
247	A	8	7	1.00	30	0.233
248	A	8	7	1.00	30	0.233
249	A	8	7	1.00	30	0.233
250	A	8	7	1.00	30	0.233
251	A	3	2	1.00	30	0.067
252	A	3	2	1.00	30	0.067
253	A	3	2	1.00	30	0.067
254	A	3	2	1.00	30	0.067
255	A	3	2	1.00	30	0.067
256	A	3	2	1.00	30	0.067
257	A	3	2	1.00	30	0.067
258	A	3	2	1.00	30	0.067
259	A	3	2	1.00	30	0.067
260	A	9	8	1.00	30	0.267
261	A	12	10	1.00	30	0.333
262	A	9	8	1.00	30	0.267
263	A	11	10	1.00	30	0.333
264	A	9	8	1.00	30	0.267
265	A	10	9	1.00	28	0.321
266	A	9	9	1.00	27	0.333
267	A	9	8	1.00	30	0.267
268	A	9	8	1.00	30	0.267
269	A	9	8	1.00	30	0.267
270	A	9	8	1.00	30	0.267

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
271	A	9	8	1.00	30	0.267
272	A	9	8	1.00	30	0.267
273	A	9	8	1.00	30	0.267
274	A	9	8	1.00	30	0.267
275	A	9	8	1.00	30	0.267
276	A	3	2	1.00	30	0.067
277	A	3	2	1.00	30	0.067
278	A	3	2	1.00	30	0.067
279	A	3	2	1.00	30	0.067
280	A	3	2	1.00	30	0.067
281	A	3	2	1.00	30	0.067
282	A	3	2	1.00	30	0.067
283	A	3	2	1.00	30	0.067
284	A	3	2	1.00	30	0.067
285	A	3	2	1.00	30	0.067
286	A	10	9	1.00	30	0.300
287	A	14	10	1.00	30	0.333
288	A	10	9	1.00	30	0.300
289	A	13	10	1.00	30	0.333
290	A	10	9	1.00	30	0.300
291	A	12	10	1.00	30	0.333
292	A	10	10	1.00	30	0.333
293	A	10	10	1.00	28	0.357
294	A	9	9	1.00	27	0.333
295	A	9	9	1.00	30	0.300
296	A	9	9	1.00	30	0.300

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
297	A	10	9	1.00	30	0.300
298	A	10	9	1.00	30	0.300
299	A	10	8	1.00	30	0.267
300	A	10	8	1.00	30	0.267
301	A	10	8	1.00	30	0.267
302	A	10	8	1.00	30	0.267
303	A	10	8	1.00	30	0.267
304	A	8	7	1.00	16	0.438
305	A	5	4	1.00	16	0.250
306	A	8	7	1.00	16	0.438
307	A	6	6	1.00	14	0.429
308	A	6	5	1.00	16	0.312
309	A	6	5	1.00	16	0.312
310	A	3	2	1.00	16	0.125
311	A	6	6	1.00	14	0.429
312	A	6	6	1.00	16	0.375
313	A	2	1	1.00	21	0.048
314	A	2	1	1.00	19	0.053
315	A	2	1	1.00	18	0.056
316	A	2	1	1.00	21	0.048
317	A	2	1	1.00	21	0.048
318	A	2	1	1.00	21	0.048
319	A	3	2	1.00	23	0.087
320	A	3	2	1.00	21	0.095
321	A	3	2	1.00	20	0.100
322	A	2	1	1.00	23	0.043

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
323	A	2	1	1.00	23	0.043
324	A	2	1	1.00	23	0.043
325	A	3	2	1.00	23	0.087
326	A	3	2	1.00	21	0.095
327	A	3	2	1.00	20	0.100
328	A	2	1	1.00	23	0.043
329	A	2	1	1.00	23	0.043
330	A	2	1	1.00	23	0.043
331	A	3	2	1.00	23	0.087
332	A	3	2	1.00	21	0.095
333	A	3	2	1.00	20	0.100
334	A	2	1	1.00	23	0.043
335	A	2	1	1.00	23	0.043
336	A	2	1	1.00	23	0.043
337	A	10	9	1.00	23	0.391
338	A	10	9	1.00	23	0.391
339	A	10	9	1.00	21	0.429
340	A	8	8	1.00	20	0.400
341	A	10	9	1.00	23	0.391
342	A	10	9	1.00	23	0.391
343	A	10	9	1.00	23	0.391
344	A	7	7	1.00	23	0.304
345	A	7	7	1.00	21	0.333
346	A	7	7	1.00	20	0.350
347	A	11	10	1.00	23	0.435
348	A	11	10	1.00	23	0.435

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
349	A	11	10	1.00	23	0.435
350	A	11	10	1.00	23	0.435
351	A	8	8	1.00	23	0.348
352	A	8	8	1.00	21	0.381
353	A	8	8	1.00	20	0.400
354	A	12	10	1.00	23	0.435
355	A	12	10	1.00	23	0.435
356	A	12	10	1.00	23	0.435
357	A	12	10	1.00	23	0.435
358	A	9	8	1.00	23	0.348
359	A	9	9	1.00	21	0.429
360	A	9	8	1.00	20	0.400
361	A	13	10	1.00	23	0.435
362	A	13	10	1.00	23	0.435
363	A	13	10	1.00	23	0.435
364	A	13	10	1.00	23	0.435
365	A	5	5	1.00	20	0.250
366	A	4	4	1.00	18	0.222
367	A	5	5	1.00	20	0.250
368	A	4	4	1.00	18	0.222
369	A	4	4	1.00	27	0.148
370	A	4	4	1.00	29	0.138
371	A	4	4	1.00	28	0.143
372	A	4	4	1.00	28	0.143
373	A	2	1	1.00	36	0.028
374	A	2	1	1.00	36	0.028

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
375	A	2	1	1.00	36	0.028
376	A	2	1	1.00	34	0.029
377	A	2	1	1.00	33	0.030
378	A	2	1	1.00	36	0.028
379	A	2	1	1.00	36	0.028
380	A	2	1	1.00	36	0.028
381	A	2	1	1.00	36	0.028
382	A	2	1	1.00	36	0.028
383	A	2	1	1.00	38	0.026
384	A	2	1	1.00	38	0.026
385	A	3	2	1.00	38	0.053
386	A	3	2	1.00	36	0.056
387	A	3	2	1.00	35	0.057
388	A	3	2	1.00	38	0.053
389	A	3	2	1.00	38	0.053
390	A	3	2	1.00	38	0.053
391	A	2	1	1.00	38	0.026
392	A	2	1	1.00	38	0.026
393	A	2	1	1.00	38	0.026
394	A	2	1	1.00	38	0.026
395	A	3	2	1.00	38	0.053
396	A	3	2	1.00	36	0.056
397	A	3	2	1.00	35	0.057
398	A	3	2	1.00	38	0.053
399	A	3	2	1.00	38	0.053
400	A	3	2	1.00	38	0.053

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
401	A	2	1	1.00	38	0.026
402	A	2	1	1.00	38	0.026
403	A	13	10	1.00	38	0.263
404	A	13	10	1.00	38	0.263
405	A	13	10	1.00	38	0.263
406	A	13	10	1.00	36	0.278
407	A	10	9	0.99	35	0.257
408	A	10	9	0.99	38	0.237
409	A	10	9	1.00	38	0.237
410	A	10	9	0.99	38	0.237
411	A	10	9	0.99	38	0.237
412	A	11	10	1.00	38	0.263
413	A	11	10	1.00	38	0.263
414	A	11	10	0.99	38	0.263
415	A	11	10	1.00	36	0.278
416	A	9	9	1.00	35	0.257
417	A	11	10	0.99	38	0.263
418	A	11	10	1.00	38	0.263
419	A	11	10	0.99	38	0.263
420	A	11	10	0.99	38	0.263
421	A	12	11	1.00	38	0.290
422	A	10	10	1.00	38	0.263
423	A	8	8	1.00	38	0.210
424	A	8	8	1.00	36	0.222
425	A	8	8	1.00	35	0.229
426	A	12	10	0.99	38	0.263

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
427	A	12	10	1.00	38	0.263
428	A	12	10	0.99	38	0.263
429	A	12	10	0.99	38	0.263
430	A	10	7	1.00	25	0.280
431	A	8	7	1.00	25	0.280
432	A	6	6	1.00	23	0.261
433	A	5	5	1.00	22	0.227
434	A	7	7	1.00	25	0.280
435	A	8	8	1.00	25	0.320
436	A	9	8	1.00	25	0.320
437	A	8	7	1.00	25	0.280
438	A	7	7	1.00	25	0.280
439	A	6	6	1.00	25	0.240
440	A	4	4	1.00	25	0.160
441	A	6	6	1.00	23	0.261
442	A	4	4	1.00	22	0.182
443	A	10	10	1.00	25	0.400
444	A	11	11	1.00	25	0.440
445	A	13	9	1.00	35	0.257
446	A	11	9	1.00	35	0.257
447	A	9	8	1.00	33	0.242
448	A	8	7	1.00	32	0.219
449	A	11	11	1.00	35	0.314
450	A	11	11	1.00	35	0.314
451	A	10	9	1.00	35	0.257
452	A	11	9	1.00	35	0.257

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
453	A	12	9	1.00	35	0.257
454	A	10	10	1.00	35	0.286
455	A	11	10	1.00	35	0.286
456	A	12	10	1.00	35	0.286
457	A	13	10	1.00	35	0.286
458	A	14	9	1.00	35	0.257
459	A	12	9	1.00	35	0.257
460	A	10	8	1.00	33	0.242
461	A	9	7	1.00	32	0.219
462	A	12	11	1.00	35	0.314
463	A	12	11	1.00	35	0.314
464	A	11	9	1.00	35	0.257
465	A	12	9	1.00	35	0.257
466	A	13	9	1.00	35	0.257
467	A	11	11	1.00	35	0.314
468	A	12	11	1.00	35	0.314
469	A	13	11	1.00	35	0.314
470	A	11	10	1.00	35	0.286
471	A	12	10	1.00	35	0.286
472	A	13	10	1.00	35	0.286
473	A	14	10	1.00	35	0.286
474	A	8	7	1.18	20	0.350
475	A	7	4	1.17	21	0.190
476	A	7	4	1.17	23	0.174
477	A	2	1	1.00	23	0.043
478	A	2	1	1.00	26	0.038

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
479	A	3	2	1.00	25	0.080
480	A	3	2	1.00	28	0.071
481	A	3	2	1.00	25	0.080
482	A	3	2	1.00	28	0.071
483	A	3	2	1.00	25	0.080
484	A	3	2	1.00	28	0.071
485	A	9	7	1.00	26	0.269
486	A	12	9	1.00	29	0.310
487	A	15	11	1.00	25	0.440
488	A	18	13	1.00	28	0.464
489	A	14	10	1.00	25	0.400
490	A	14	10	1.00	28	0.357
491	A	15	11	1.00	25	0.440
492	A	15	11	1.00	28	0.393
493	A	16	11	1.00	25	0.440
494	A	16	11	1.00	28	0.393
495	A	14	12	1.00	30	0.400
496	A	13	11	1.00	30	0.367
497	A	12	11	1.00	30	0.367
498	A	12	11	1.00	28	0.393
499	A	11	10	1.00	27	0.370
500	A	14	13	1.00	30	0.433
501	A	14	13	1.00	30	0.433
502	A	14	13	1.00	30	0.433
503	A	15	14	1.00	30	0.467
504	A	13	13	1.00	30	0.433

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
505	A	14	14	1.00	30	0.467
506	A	12	12	1.00	30	0.400
507	A	13	12	1.00	30	0.400
508	A	14	13	1.00	30	0.433
509	A	15	13	1.00	30	0.433
510	A	16	12	1.00	30	0.400
511	A	15	11	1.00	30	0.367
512	A	14	11	1.00	30	0.367
513	A	14	11	1.00	28	0.393
514	A	13	10	1.00	27	0.370
515	A	16	13	1.00	30	0.433
516	A	16	14	1.00	30	0.467
517	A	16	15	1.00	30	0.500
518	A	16	14	1.00	30	0.467
519	A	15	15	1.00	30	0.500
520	A	15	15	1.00	30	0.500
521	A	15	15	1.00	30	0.500
522	A	16	16	1.00	30	0.533
523	A	14	13	1.00	30	0.433
524	A	15	14	1.00	30	0.467
525	A	13	12	1.00	30	0.400
526	A	14	12	1.00	30	0.400
527	A	15	13	1.00	30	0.433
528	A	16	13	1.00	30	0.433
529	A	12	10	1.00	30	0.333
530	A	11	9	1.00	30	0.300

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
531	A	10	9	1.00	30	0.300
532	A	10	9	1.00	28	0.321
533	A	9	8	1.00	27	0.296
534	A	12	11	1.00	30	0.367
535	A	13	12	1.00	30	0.400
536	A	11	10	1.00	30	0.333
537	A	12	10	1.00	30	0.333
538	A	13	11	1.00	30	0.367
539	A	14	11	1.00	30	0.367
540	A	12	11	1.00	30	0.367
541	A	11	10	1.00	30	0.333
542	A	10	9	1.00	30	0.300
543	A	9	8	0.98	30	0.267
544	A	10	9	1.00	30	0.300
545	A	7	6	1.00	28	0.214
546	A	4	4	1.00	27	0.148
547	A	11	10	1.00	30	0.333
548	A	13	12	1.00	30	0.400
549	A	15	12	1.00	30	0.400
550	A	17	13	1.00	30	0.433
551	A	14	4	1.00	30	0.133
552	A	12	8	1.19	25	0.320
553	A	13	7	1.00	28	0.250
554	A	2	2	1.00	22	0.091
555	A	2	2	1.00	35	0.057
556	A	2	2	1.00	35	0.057

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
557	A	2	2	1.00	22	0.091
558	A	3	3	1.00	25	0.120
559	A	6	5	1.00	15	0.333
560	A	6	5	1.00	15	0.333
561	A	7	6	1.00	20	0.300
562	A	7	6	1.00	20	0.300
563	A	7	7	1.00	17	0.412
564	A	7	6	1.00	25	0.240
565	A	11	6	1.00	35	0.171
566	A	11	6	1.00	35	0.171
567	A	8	5	1.00	22	0.227
568	A	11	7	1.00	25	0.280
569	A	17	7	1.00	15	0.467
570	A	17	7	1.00	15	0.467
571	A	14	7	1.00	20	0.350
572	A	14	7	1.00	20	0.350
573	A	15	9	1.00	17	0.529
574	A	14	7	1.00	25	0.280
575	A	13	7	1.00	18	0.389
576	A	7	4	1.00	36	0.111
577	A	4	3	1.00	19	0.158
578	A	4	3	1.00	19	0.158
579	A	4	2	1.00	17	0.118
580	A	1	0	1.00	9	0.000
581	A	3	3	1.00	19	0.158
582	A	3	3	1.00	19	0.158

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
583	A	3	3	1.00	19	0.158
584	A	13	4	1.00	38	0.105
585	A	2	2	1.00	58	0.034
586	A	10	3	1.00	30	0.100
587	A	13	4	1.00	36	0.111
588	A	4	4	1.00	35	0.114
589	A	1	1	1.00	46	0.022
590	A	10	8	1.00	24	0.333
591	A	1	1	1.00	48	0.021
592	A	1	1	1.00	45	0.022
593	A	1	1	1.00	69	0.014
594	A	1	1	1.00	86	0.012

Chapter 3

Listing of integrals

3.1
$$\int \frac{c+dx+ex^2}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=72

$$\frac{2\sqrt{a+bx}(a^2e-abd+b^2c)}{b^3} + \frac{2(a+bx)^{3/2}(bd-2ae)}{3b^3} + \frac{2e(a+bx)^{5/2}}{5b^3}$$

[Out] $2/3*(-2*a*e+b*d)*(b*x+a)^{(3/2)}/b^3+2/5*e*(b*x+a)^{(5/2)}/b^3+2*(a^2*e-a*b*d+b^2*c)*(b*x+a)^{(1/2)}/b^3$

Rubi [A] time = 0.03, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {698}

$$\frac{2\sqrt{a+bx}(a^2e-abd+b^2c)}{b^3} + \frac{2(a+bx)^{3/2}(bd-2ae)}{3b^3} + \frac{2e(a+bx)^{5/2}}{5b^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/Sqrt[a + b*x], x]

[Out] $(2*(b^2*c - a*b*d + a^2*e)*Sqrt[a + b*x])/b^3 + (2*(b*d - 2*a*e)*(a + b*x)^{(3/2)})/(3*b^3) + (2*e*(a + b*x)^{(5/2)})/(5*b^3)$

Rule 698

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_ Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0]

&& IntegerQ[m]))

Rubi steps

$$\int \frac{c + dx + ex^2}{\sqrt{a + bx}} dx = \int \left(\frac{b^2c - abd + a^2e}{b^2\sqrt{a + bx}} + \frac{(bd - 2ae)\sqrt{a + bx}}{b^2} + \frac{e(a + bx)^{3/2}}{b^2} \right) dx$$

$$= \frac{2(b^2c - abd + a^2e)\sqrt{a + bx}}{b^3} + \frac{2(bd - 2ae)(a + bx)^{3/2}}{3b^3} + \frac{2e(a + bx)^{5/2}}{5b^3}$$

Mathematica [A] time = 0.16, size = 53, normalized size = 0.74

$$\frac{2\sqrt{a + bx} (8a^2e - 2ab(5d + 2ex) + b^2(15c + x(5d + 3ex)))}{15b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/Sqrt[a + b*x], x]

[Out] (2*Sqrt[a + b*x]*(8*a^2*e - 2*a*b*(5*d + 2*e*x) + b^2*(15*c + x*(5*d + 3*e*x)))/(15*b^3)

fricas [A] time = 0.62, size = 53, normalized size = 0.74

$$\frac{2(3b^2ex^2 + 15b^2c - 10abd + 8a^2e + (5b^2d - 4abe)x)\sqrt{bx + a}}{15b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x+a)^(1/2), x, algorithm="fricas")

[Out] 2/15*(3*b^2*e*x^2 + 15*b^2*c - 10*a*b*d + 8*a^2*e + (5*b^2*d - 4*a*b*e)*x)*sqrt(b*x + a)/b^3

giac [A] time = 0.16, size = 78, normalized size = 1.08

$$\frac{2 \left(15\sqrt{bx + a}c + \frac{5 \left((bx+a)^{\frac{3}{2}} - 3\sqrt{bx+a}a \right) d}{b} + \frac{\left(3(bx+a)^{\frac{5}{2}} - 10(bx+a)^{\frac{3}{2}}a + 15\sqrt{bx+a}a^2 \right) e}{b^2} \right)}{15b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x+a)^(1/2),x, algorithm="giac")

[Out] $2/15*(15*\sqrt{b*x+a}*c + 5*((b*x+a)^{(3/2)} - 3*\sqrt{b*x+a})*a)*d/b + (3*(b*x+a)^{(5/2)} - 10*(b*x+a)^{(3/2)}*a + 15*\sqrt{b*x+a}*a^2)*e/b^2)/b$

maple [A] time = 0.06, size = 53, normalized size = 0.74

$$\frac{2\sqrt{bx+a} (3ex^2b^2 - 4abex + 5b^2dx + 8a^2e - 10abd + 15b^2c)}{15b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x+a)^(1/2),x)

[Out] $2/15*(b*x+a)^{(1/2)}*(3*b^2*e*x^2-4*a*b*e*x+5*b^2*d*x+8*a^2*e-10*a*b*d+15*b^2*c)/b^3$

maxima [A] time = 0.92, size = 77, normalized size = 1.07

$$\frac{2 \left(15 \sqrt{bx+a} c + \frac{5 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} \right) d}{b} + \frac{\left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} \right)}{15 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x+a)^(1/2),x, algorithm="maxima")

[Out] $2/15*(15*\sqrt{b*x+a}*c + 5*((b*x+a)^{(3/2)} - 3*\sqrt{b*x+a})*a)*d/b + (3*(b*x+a)^{(5/2)} - 10*(b*x+a)^{(3/2)}*a + 15*\sqrt{b*x+a}*a^2)*e/b^2)/b$

mupad [B] time = 4.72, size = 58, normalized size = 0.81

$$\frac{2 \sqrt{a+bx} (3e(a+bx)^2 + 15b^2c + 15a^2e - 10ae(a+bx) + 5bd(a+bx) - 15abd)}{15b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x)^(1/2),x)

[Out] $(2*(a+b*x)^{(1/2)}*(3*e*(a+b*x)^2 + 15*b^2*c + 15*a^2*e - 10*a*e*(a+b*x) + 5*b*d*(a+b*x) - 15*a*b*d))/(15*b^3)$

sympy [A] time = 11.05, size = 223, normalized size = 3.10

$$\left\{ \begin{array}{l} \frac{\frac{2ac}{\sqrt{a+bx}} - \frac{2ad\left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx}\right)}{b} - \frac{2ae\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b^2}}{b} - 2c\left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx}\right) - \frac{2d\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b} - \frac{2e\left(-\frac{a^3}{\sqrt{a+bx}} - 3a^2\sqrt{a+bx} + a(a+bx)\right)}{b^2}}{\frac{cx + \frac{dx^2}{2} + \frac{ex^3}{3}}{\sqrt{a}}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x+a)**(1/2),x)

[Out] Piecewise(((-2*a*c/sqrt(a + b*x) - 2*a*d*(-a/sqrt(a + b*x) - sqrt(a + b*x)) /b - 2*a*e*(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b*
*2 - 2*c*(-a/sqrt(a + b*x) - sqrt(a + b*x)) - 2*d*(a**2/sqrt(a + b*x) + 2*a*
*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b - 2*e*(-a**3/sqrt(a + b*x) - 3*a**2*
sqrt(a + b*x) + a*(a + b*x)**(3/2) - (a + b*x)**(5/2)/5)/b**2)/b, Ne(b, 0))
, ((c*x + d*x**2/2 + e*x**3/3)/sqrt(a), True))

$$3.2 \quad \int \frac{(c+dx+ex^2)^2}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=161

$$\frac{2(a+bx)^{5/2}(-6a^2e^2+6abde-(b^2(2ce+d^2)))}{5b^5} + \frac{4(a+bx)^{3/2}(bd-2ae)(a^2e-abd+b^2c)}{3b^5} + \frac{2\sqrt{a+bx}(a^2e-abd+b^2c)}{b^5}$$

[Out] $4/3*(-2*a*e+b*d)*(a^2*e-a*b*d+b^2*c)*(b*x+a)^{(3/2)}/b^5-2/5*(6*a*b*d*e-6*a^2*e^2-b^2*(2*c*e+d^2))*(b*x+a)^{(5/2)}/b^5+4/7*e*(-2*a*e+b*d)*(b*x+a)^{(7/2)}/b^5+2/9*e^2*(b*x+a)^{(9/2)}/b^5+2*(a^2*e-a*b*d+b^2*c)^2*(b*x+a)^{(1/2)}/b^5$

Rubi [A] time = 0.11, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {698}

$$\frac{2(a+bx)^{5/2}(-6a^2e^2+6abde+b^2(-(2ce+d^2)))}{5b^5} + \frac{4(a+bx)^{3/2}(bd-2ae)(a^2e-abd+b^2c)}{3b^5} + \frac{2\sqrt{a+bx}(a^2e-abd+b^2c)}{b^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)^2/Sqrt[a + b*x], x]

[Out] $(2*(b^2*c - a*b*d + a^2*e)^2*\text{Sqrt}[a + b*x])/b^5 + (4*(b*d - 2*a*e)*(b^2*c - a*b*d + a^2*e)*(a + b*x)^{(3/2)})/(3*b^5) - (2*(6*a*b*d*e - 6*a^2*e^2 - b^2*(d^2 + 2*c*e))*(a + b*x)^{(5/2)})/(5*b^5) + (4*e*(b*d - 2*a*e)*(a + b*x)^{(7/2)})/(7*b^5) + (2*e^2*(a + b*x)^{(9/2)})/(9*b^5)$

Rule 698

Int[((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^(p_.), x_ Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\int \frac{(c+dx+ex^2)^2}{\sqrt{a+bx}} dx = \int \left(\frac{(b^2c-abd+a^2e)^2}{b^4\sqrt{a+bx}} + \frac{2(bd-2ae)(b^2c-abd+a^2e)\sqrt{a+bx}}{b^4} + \frac{(-6abde+6a^2e^2+2(b^2c-abd+a^2e)^2\sqrt{a+bx})}{b^5} + \frac{4(bd-2ae)(b^2c-abd+a^2e)(a+bx)^{3/2}}{3b^5} - \frac{2(6abde-6a^2e^2-b^2(d^2+2ce))}{b^5} \right) dx$$

Mathematica [A] time = 0.29, size = 155, normalized size = 0.96

$$\frac{2\sqrt{a+bx} \left(128a^4e^2 - 32a^3be(9d+2ex) + 24a^2b^2 \left(2e(7c+ex^2) + 7d^2 + 6dex\right) - 4ab^3 \left(21c(5d+2ex) + x(21d^2 + 27d^2 + 6d^2eex + 2e(7c+ex^2))\right) - 4a^2b^2(7d^2 + 6d^2eex + 2e(7c+ex^2))\right) - 4a^2b^2(7d^2 + 6d^2eex + 2e(7c+ex^2)) + b^4(315c^2 + 42c^2x(5d+3eex) + x^2(63d^2 + 90d^2eex + 35e^2x^2))}{315b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)^2/Sqrt[a + b*x], x]

[Out] (2*Sqrt[a + b*x]*(128*a^4*e^2 - 32*a^3*b*e*(9*d + 2*e*x) + 24*a^2*b^2*(7*d^2 + 6*d*e*x + 2*e*(7*c + e*x^2)) - 4*a*b^3*(21*c*(5*d + 2*e*x) + x*(21*d^2 + 27*d*e*x + 10*e^2*x^2)) + b^4*(315*c^2 + 42*c*x*(5*d + 3*e*x) + x^2*(63*d^2 + 90*d*e*x + 35*e^2*x^2)))/(315*b^5)

fricas [A] time = 0.68, size = 192, normalized size = 1.19

$$\frac{2 \left(35 b^4 e^2 x^4 + 315 b^4 c^2 - 420 a b^3 c d + 168 a^2 b^2 d^2 + 128 a^4 e^2 + 10 \left(9 b^4 d e - 4 a b^3 e^2\right) x^3 + 3 \left(21 b^4 d^2 + 16 a^2 b^2 e^2 + 27 d^2 e x + 2 e \left(7 c + e x^2\right)\right) x^2 + 4 a b^3 \left(21 c \left(5 d + 2 e x\right) + x \left(21 d^2 + 27 d^2 e x + 10 e^2 x^2\right)\right) + b^4 \left(315 c^2 + 42 c x \left(5 d + 3 e x\right) + x^2 \left(63 d^2 + 90 d e x + 35 e^2 x^2\right)\right)\right)}{315 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^2/(b*x+a)^(1/2), x, algorithm="fricas")

[Out] 2/315*(35*b^4*e^2*x^4 + 315*b^4*c^2 - 420*a*b^3*c*d + 168*a^2*b^2*d^2 + 128*a^4*e^2 + 10*(9*b^4*d*e - 4*a*b^3*e^2)*x^3 + 3*(21*b^4*d^2 + 16*a^2*b^2*e^2 + 6*(7*b^4*c - 6*a*b^3*d)*e)*x^2 + 48*(7*a^2*b^2*c - 6*a^3*b*d)*e + 2*(10*5*b^4*c*d - 42*a*b^3*d^2 - 32*a^3*b*e^2 - 12*(7*a*b^3*c - 6*a^2*b^2*d)*e)*x)*sqrt(b*x + a)/b^5

giac [A] time = 0.17, size = 237, normalized size = 1.47

$$\frac{2 \left(315 \sqrt{bx+a} c^2 + \frac{210 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a}\right) cd}{b} + \frac{21 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2\right) d^2}{b^2} + \frac{42 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2\right) e^2}{b^2}\right)}{315 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^2/(b*x+a)^(1/2), x, algorithm="giac")

[Out] 2/315*(315*sqrt(b*x + a)*c^2 + 210*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*c*d/b + 21*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*d^2/b^2 + 42*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*c*e/b^2 + 18*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*d*e/b^3 + (35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*e^2/b^4)/b

maple [A] time = 0.05, size = 194, normalized size = 1.20

$$\frac{2\sqrt{bx+a} (35e^2x^4b^4 - 40ab^3e^2x^3 + 90b^4dex^3 + 48a^2b^2e^2x^2 - 108ab^3dex^2 + 126b^4cex^2 + 63b^4d^2x^2 - 64a^3be^2)}{b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)^2/(b*x+a)^(1/2),x)

[Out] $\frac{2}{315}(b*x+a)^{(1/2)}*(35*b^4*e^2*x^4-40*a*b^3*e^2*x^3+90*b^4*d*e*x^3+48*a^2*b^2*e^2*x^2-108*a*b^3*d*e*x^2+126*b^4*c*e*x^2+63*b^4*d^2*x^2-64*a^3*b*e^2*x+144*a^2*b^2*d*e*x-168*a*b^3*c*e*x-84*a*b^3*d^2*x+210*b^4*c*d*x+128*a^4*e^2-288*a^3*b*d*e+336*a^2*b^2*c*e+168*a^2*b^2*d^2-420*a*b^3*c*d+315*b^4*c^2)/b^5$

maxima [A] time = 0.90, size = 237, normalized size = 1.47

$$\frac{2 \left(315 \sqrt{bx+a} c^2 + 42 c \left(\frac{5 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) d}{b} + \frac{3 \left((bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} \right) \right) + \frac{21 \left(3 \left((bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2}}{b^2}}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="maxima")

[Out] $\frac{2}{315}*(315*\sqrt{b*x+a}*c^2 + 42*c*(5*((b*x+a)^{(3/2)} - 3*\sqrt{b*x+a}*a)*d/b + (3*(b*x+a)^{(5/2)} - 10*(b*x+a)^{(3/2)}*a + 15*\sqrt{b*x+a}*a^2)*e/b^2) + 21*(3*(b*x+a)^{(5/2)} - 10*(b*x+a)^{(3/2)}*a + 15*\sqrt{b*x+a}*a^2)*d^2/b^2 + 18*(5*(b*x+a)^{(7/2)} - 21*(b*x+a)^{(5/2)}*a + 35*(b*x+a)^{(3/2)}*a^2 - 35*\sqrt{b*x+a}*a^3)*d*e/b^3 + (35*(b*x+a)^{(9/2)} - 180*(b*x+a)^{(7/2)}*a + 378*(b*x+a)^{(5/2)}*a^2 - 420*(b*x+a)^{(3/2)}*a^3 + 315*\sqrt{b*x+a}*a^4)*e^2/b^4)/b$

mupad [B] time = 4.76, size = 149, normalized size = 0.93

$$\frac{2e^2(a+bx)^{9/2}}{9b^5} + \frac{(a+bx)^{5/2} (12a^2e^2 - 12abde + 2b^2d^2 + 4cb^2e)}{5b^5} + \frac{2\sqrt{a+bx} (ea^2 - dab + cb^2)^2}{b^5} - \frac{(8ae^2 - 4ab^2c^2e - 12a^2b^2d^2e)}{5b^5} + (2(a+bx)^{(1/2)}*(b^2*c + a^2*e - a^2*d^2) + 4*b^2*c*e - 12*a*b*d*e)/(5*b^5) + (2*(a+bx)^{(1/2)}*(b^2*c + a^2*e - a^2*d^2) + 4*b^2*c*e - 12*a*b*d*e)/(5*b^5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)^2/(a + b*x)^(1/2),x)

[Out] $\frac{(2e^2*(a+b*x)^{(9/2)})/(9*b^5) + ((a+b*x)^{(5/2)}*(12*a^2*e^2 + 2*b^2*d^2 + 4*b^2*c*e - 12*a*b*d*e))/(5*b^5) + (2*(a+b*x)^{(1/2)}*(b^2*c + a^2*e - a^2*d^2) + 4*b^2*c*e - 12*a*b*d*e)/(5*b^5)}{b^5}$

$b*d)^2)/b^5 - ((8*a*e^2 - 4*b*d*e)*(a + b*x)^{(7/2)})/(7*b^5) - (4*(2*a*e - b*d)*(a + b*x)^{(3/2)*(b^2*c + a^2*e - a*b*d)})/(3*b^5)$

sympy [A] time = 85.15, size = 644, normalized size = 4.00

$$\left\{ \begin{array}{l} \frac{\frac{2ac^2}{\sqrt{a+bx}} - \frac{4acd\left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx}\right)}{b} - \frac{4ace\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b^2} - \frac{2ad^2\left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3}\right)}{b^2} - \frac{4ade\left(-\frac{a^3}{\sqrt{a+bx}} - 3a^2\sqrt{a+bx} + a(a+bx)^{\frac{3}{2}} - \frac{(a+bx)^{\frac{5}{2}}}{5}\right)}{b^3}}{\frac{c^2x+cdx^2+\frac{dex^4}{2}+\frac{e^2x^5}{5}+\frac{x^3(2ce+d^2)}{3}}{\sqrt{a}}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)**2/(b*x+a)**(1/2),x)

[Out] Piecewise((($-2*a*c**2/\sqrt{a + b*x} - 4*a*c*d*(-a/\sqrt{a + b*x} - \sqrt{a + b*x})/b - 4*a*c*e*(a**2/\sqrt{a + b*x} + 2*a*\sqrt{a + b*x} - (a + b*x)**(3/2)/3)/b**2 - 2*a*d**2*(a**2/\sqrt{a + b*x} + 2*a*\sqrt{a + b*x} - (a + b*x)**(3/2)/3)/b**2 - 4*a*d*e*(-a**3/\sqrt{a + b*x} - 3*a**2*\sqrt{a + b*x} + a*(a + b*x)**(3/2) - (a + b*x)**(5/2)/5)/b**3 - 2*a*e**2*(a**4/\sqrt{a + b*x} + 4*a**3*\sqrt{a + b*x} - 2*a**2*(a + b*x)**(3/2) + 4*a*(a + b*x)**(5/2)/5 - (a + b*x)**(7/2)/7)/b**4 - 2*c**2*(-a/\sqrt{a + b*x} - \sqrt{a + b*x}) - 4*c*d*(a**2/\sqrt{a + b*x} + 2*a*\sqrt{a + b*x} - (a + b*x)**(3/2)/3)/b - 4*c*e*(-a**3/\sqrt{a + b*x} - 3*a**2*\sqrt{a + b*x} + a*(a + b*x)**(3/2) - (a + b*x)**(5/2)/5)/b**2 - 2*d**2*(-a**3/\sqrt{a + b*x} - 3*a**2*\sqrt{a + b*x} + a*(a + b*x)**(3/2) - (a + b*x)**(5/2)/5)/b**2 - 4*d*e*(a**4/\sqrt{a + b*x} + 4*a**3*\sqrt{a + b*x} - 2*a**2*(a + b*x)**(3/2) + 4*a*(a + b*x)**(5/2)/5 - (a + b*x)**(7/2)/7)/b**3 - 2*e**2*(-a**5/\sqrt{a + b*x} - 5*a**4*\sqrt{a + b*x} + 10*a**3*(a + b*x)**(3/2)/3 - 2*a**2*(a + b*x)**(5/2) + 5*a*(a + b*x)**(7/2)/7 - (a + b*x)**(9/2)/9)/b**4)/b, Ne(b, 0)), ((c**2*x + c*d*x**2 + d*e*x**4/2 + e**2*x**5/5 + x**3*(2*c*e + d**2)/3)/sqrt(a), True))$

$$3.3 \quad \int \frac{(c+dx+ex^2)^3}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=274

$$\frac{2e(a+bx)^{9/2}(-5a^2e^2+5abde-(b^2(ce+d^2)))}{3b^7} - \frac{2(a+bx)^{7/2}(bd-2ae)(-10a^2e^2+10abde-(b^2(6ce+d^2)))}{7b^7}$$

[Out] $2*(-2*a*e+b*d)*(a^2*e-a*b*d+b^2*c)^2*(b*x+a)^{(3/2)}/b^7-6/5*(a^2*e-a*b*d+b^2*c)*(5*a*b*d*e-5*a^2*e^2-b^2*(c*e+d^2))*(b*x+a)^{(5/2)}/b^7-2/7*(-2*a*e+b*d)*(10*a*b*d*e-10*a^2*e^2-b^2*(6*c*e+d^2))*(b*x+a)^{(7/2)}/b^7-2/3*e*(5*a*b*d*e-5*a^2*e^2-b^2*(c*e+d^2))*(b*x+a)^{(9/2)}/b^7+6/11*e^2*(-2*a*e+b*d)*(b*x+a)^{(11/2)}/b^7+2/13*e^3*(b*x+a)^{(13/2)}/b^7+2*(a^2*e-a*b*d+b^2*c)^3*(b*x+a)^{(1/2)}/b^7$

Rubi [A] time = 0.19, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {698}

$$\frac{2e(a+bx)^{9/2}(-5a^2e^2+5abde+b^2(-(ce+d^2)))}{3b^7} - \frac{2(a+bx)^{7/2}(bd-2ae)(-10a^2e^2+10abde+b^2(-(6ce+d^2)))}{7b^7}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)^3/Sqrt[a + b*x], x]

[Out] $(2*(b^2*c - a*b*d + a^2*e)^3*Sqrt[a + b*x])/b^7 + (2*(b*d - 2*a*e)*(b^2*c - a*b*d + a^2*e)^2*(a + b*x)^{(3/2)})/b^7 - (6*(b^2*c - a*b*d + a^2*e)*(5*a*b*d*e - 5*a^2*e^2 - b^2*(d^2 + c*e))*(a + b*x)^{(5/2)})/(5*b^7) - (2*(b*d - 2*a*e)*(10*a*b*d*e - 10*a^2*e^2 - b^2*(d^2 + 6*c*e))*(a + b*x)^{(7/2)})/(7*b^7) - (2*e*(5*a*b*d*e - 5*a^2*e^2 - b^2*(d^2 + c*e))*(a + b*x)^{(9/2)})/(3*b^7) + (6*e^2*(b*d - 2*a*e)*(a + b*x)^{(11/2)})/(11*b^7) + (2*e^3*(a + b*x)^{(13/2)})/(13*b^7)$

Rule 698

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_ Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\int \frac{(c + dx + ex^2)^3}{\sqrt{a + bx}} dx = \int \left(\frac{(b^2c - abd + a^2e)^3}{b^6 \sqrt{a + bx}} + \frac{3(bd - 2ae)(b^2c - abd + a^2e)^2 \sqrt{a + bx}}{b^6} + \frac{3(b^2c - abd + a^2e)}{b^6} \right) dx$$

$$= \frac{2(b^2c - abd + a^2e)^3 \sqrt{a + bx}}{b^7} + \frac{2(bd - 2ae)(b^2c - abd + a^2e)^2 (a + bx)^{3/2}}{b^7} - \frac{6(b^2c - abd + a^2e)}{b^6}$$

Mathematica [A] time = 1.03, size = 294, normalized size = 1.07

$$\frac{2\sqrt{a + bx}(c + x(d + ex))^3}{b} - \frac{4(a + bx)^{3/2}(-2560a^5e^3 + 640a^4be^2(13d + 6ex) - 64a^3b^2e(e(143c + 75ex^2) + 143d^2))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)^3/Sqrt[a + b*x], x]

[Out] (2*Sqrt[a + b*x]*(c + x*(d + e*x))^3)/b - (4*(a + b*x)^(3/2)*(-2560*a^5*e^3 + 640*a^4*b*e^2*(13*d + 6*e*x) - 64*a^3*b^2*e*(143*d^2 + 195*d*e*x + e*(143*c + 75*e*x^2)) + 8*a^2*b^3*(429*d^3 + 1716*d^2*e*x + 78*d*e*(33*c + 25*e*x^2) + 4*e^2*x*(429*c + 175*e*x^2)) + b^5*(3003*c^2*(5*d + 6*e*x) + 286*c*x*(63*d^2 + 135*d*e*x + 70*e^2*x^2) + 5*x^2*(1287*d^3 + 4004*d^2*e*x + 4095*d*e^2*x^2 + 1386*e^3*x^3)) - 4*a*b^4*(3003*c^2*e + 429*c*(7*d^2 + 18*d*e*x + 10*e^2*x^2) + x*(1287*d^3 + 4290*d^2*e*x + 4550*d*e^2*x^2 + 1575*e^3*x^3)))/(15015*b^7)

fricas [A] time = 0.58, size = 457, normalized size = 1.67

$$\frac{2(1155b^6e^3x^6 + 15015b^6c^3 - 30030ab^5c^2d + 24024a^2b^4cd^2 - 6864a^3b^3d^3 + 5120a^6e^3 + 315(13b^6de^2 - 4ab^5e^3))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^3/(b*x+a)^(1/2), x, algorithm="fricas")

[Out] 2/15015*(1155*b^6*e^3*x^6 + 15015*b^6*c^3 - 30030*a*b^5*c^2*d + 24024*a^2*b^4*c*d^2 - 6864*a^3*b^3*d^3 + 5120*a^6*e^3 + 315*(13*b^6*d*e^2 - 4*a*b^5*e^3)*x^5 + 35*(143*b^6*d^2*e + 40*a^2*b^4*e^3 + 13*(11*b^6*c - 10*a*b^5*d)*e^2)*x^4 + 5*(429*b^6*d^3 - 320*a^3*b^3*e^3 - 104*(11*a*b^5*c - 10*a^2*b^4*d)*e^2 + 286*(9*b^6*c*d - 4*a*b^5*d^2)*e)*x^3 + 1664*(11*a^4*b^2*c - 10*a^5*b*d)*e^2 + 3*(3003*b^6*c*d^2 - 858*a*b^5*d^3 + 640*a^4*b^2*e^3 + 208*(11*a^2*b^4*c - 10*a^3*b^3*d)*e^2 + 143*(21*b^6*c^2 - 36*a*b^5*c*d + 16*a^2*b^4*d^2)*e)*x^2 + 1144*(21*a^2*b^4*c^2 - 36*a^3*b^3*c*d + 16*a^4*b^2*d^2)*e + (15015*b^6*c^2*d - 12012*a*b^5*c*d^2 + 3432*a^2*b^4*d^3 - 2560*a^5*b*e^3 - 832

$(11a^3b^3c - 10a^4b^2d)e^2 - 572(21ab^5c^2 - 36a^2b^4cd + 16a^3b^3d^2)e)x \sqrt{bx+a}/b^7$

giac [B] time = 0.23, size = 526, normalized size = 1.92

$$2 \left(15015 \sqrt{bx+a} c^3 + \frac{15015 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) c^2 d}{b} + \frac{3003 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) c d^2}{b^2} + \frac{3003 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a \right)}{b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="giac")

[Out] $2/15015*(15015*\sqrt{bx+a}*c^3 + 15015*((bx+a)^{(3/2)} - 3*\sqrt{bx+a})*a)*c^2*d/b + 3003*(3*(bx+a)^{(5/2)} - 10*(bx+a)^{(3/2)}*a + 15*\sqrt{bx+a})*a^2)*c*d^2/b^2 + 3003*(3*(bx+a)^{(5/2)} - 10*(bx+a)^{(3/2)}*a + 15*\sqrt{bx+a})*a^2)*c^2*e/b^2 + 429*(5*(bx+a)^{(7/2)} - 21*(bx+a)^{(5/2)}*a + 35*(bx+a)^{(3/2)}*a^2 - 35*\sqrt{bx+a})*a^3)*d^3/b^3 + 2574*(5*(bx+a)^{(7/2)} - 21*(bx+a)^{(5/2)}*a + 35*(bx+a)^{(3/2)}*a^2 - 35*\sqrt{bx+a})*a^3)*c*d*e/b^3 + 143*(35*(bx+a)^{(9/2)} - 180*(bx+a)^{(7/2)}*a + 378*(bx+a)^{(5/2)}*a^2 - 420*(bx+a)^{(3/2)}*a^3 + 315*\sqrt{bx+a})*a^4)*d^2*e/b^4 + 143*(35*(bx+a)^{(9/2)} - 180*(bx+a)^{(7/2)}*a + 378*(bx+a)^{(5/2)}*a^2 - 420*(bx+a)^{(3/2)}*a^3 + 315*\sqrt{bx+a})*a^4)*c*e^2/b^4 + 65*(63*(bx+a)^{(11/2)} - 385*(bx+a)^{(9/2)}*a + 990*(bx+a)^{(7/2)}*a^2 - 1386*(bx+a)^{(5/2)}*a^3 + 1155*(bx+a)^{(3/2)}*a^4 - 693*\sqrt{bx+a})*a^5)*d*e^2/b^5 + 5*(231*(bx+a)^{(13/2)} - 1638*(bx+a)^{(11/2)}*a + 5005*(bx+a)^{(9/2)}*a^2 - 8580*(bx+a)^{(7/2)}*a^3 + 9009*(bx+a)^{(5/2)}*a^4 - 6006*(bx+a)^{(3/2)}*a^5 + 3003*\sqrt{bx+a})*a^6)*e^3/b^6)/b$

maple [A] time = 0.05, size = 495, normalized size = 1.81

$$2\sqrt{bx+a} \left(1155e^3x^6b^6 - 1260ab^5e^3x^5 + 4095b^6de^2x^5 + 1400a^2b^4e^3x^4 - 4550ab^5de^2x^4 + 5005b^6ce^2x^4 + 5005 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)^3/(b*x+a)^(1/2),x)

[Out] $2/15015*(b*x+a)^{(1/2)}*(1155*b^6*e^3*x^6-1260*a*b^5*e^3*x^5+4095*b^6*d*e^2*x^5+1400*a^2*b^4*e^3*x^4-4550*a*b^5*d*e^2*x^4+5005*b^6*c*e^2*x^4+5005*b^6*d^2*e*x^4-1600*a^3*b^3*e^3*x^3+5200*a^2*b^4*d*e^2*x^3-5720*a*b^5*c*e^2*x^3-5720*a*b^5*d^2*e*x^3+12870*b^6*c*d*e*x^3+2145*b^6*d^3*x^3+1920*a^4*b^2*e^3*x^2-6240*a^3*b^3*d*e^2*x^2+6864*a^2*b^4*c*e^2*x^2+6864*a^2*b^4*d^2*e*x^2-15444*a*b^5*c*d*e*x^2-2574*a*b^5*d^3*x^2+9009*b^6*c^2*e*x^2+9009*b^6*c*d^2*x^2-2560*a^5*b*e^3*x+8320*a^4*b^2*d*e^2*x-9152*a^3*b^3*c*e^2*x-9152*a^3*b^3*d^2$

$*e*x+20592*a^2*b^4*c*d*e*x+3432*a^2*b^4*d^3*x-12012*a*b^5*c^2*e*x-12012*a*b^5*c*d^2*x+15015*b^6*c^2*d*x+5120*a^6*e^3-16640*a^5*b*d*e^2+18304*a^4*b^2*c*e^2+18304*a^4*b^2*d^2*e-41184*a^3*b^3*c*d*e-6864*a^3*b^3*d^3+24024*a^2*b^4*c^2*e+24024*a^2*b^4*c*d^2-30030*a*b^5*c^2*d+15015*b^6*c^3)/b^7$

maxima [B] time = 0.98, size = 525, normalized size = 1.92

$$2 \left(15015 \sqrt{bx+a} c^3 + 3003 c^2 \left(\frac{5 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} \right) d}{b} + \frac{\left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} \right) + 143 c \left(\frac{21 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) d}{b^2} + \frac{\left(3 (bx+a)^{\frac{7}{2}} - 10 (bx+a)^{\frac{5}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="maxima")

[Out] $\frac{2}{15015} (15015 \sqrt{bx+a} c^3 + 3003 c^2 (5((bx+a)^{3/2} - 3\sqrt{bx+a})a)d/b + (3(bx+a)^{5/2} - 10(bx+a)^{3/2}a + 15\sqrt{bx+a})a^2)e/b^2 + 143c(21(3(bx+a)^{5/2} - 10(bx+a)^{3/2}a + 15\sqrt{bx+a})a^2)d^2/b^2 + 18(5(bx+a)^{7/2} - 21(bx+a)^{5/2}a + 35(bx+a)^{3/2}a^2 - 35\sqrt{bx+a})a^3)d^3/b^3 + (35(bx+a)^{9/2} - 180(bx+a)^{7/2}a + 378(bx+a)^{5/2}a^2 - 420(bx+a)^{3/2}a^3 + 315\sqrt{bx+a})a^4)e^2/b^4 + 429(5(bx+a)^{7/2} - 21(bx+a)^{5/2}a + 35(bx+a)^{3/2}a^2 - 35\sqrt{bx+a})a^3)d^3/b^3 + 143(35(bx+a)^{9/2} - 180(bx+a)^{7/2}a + 378(bx+a)^{5/2}a^2 - 420(bx+a)^{3/2}a^3 + 315\sqrt{bx+a})a^4)d^2e/b^4 + 65(63(bx+a)^{11/2} - 385(bx+a)^{9/2}a + 990(bx+a)^{7/2}a^2 - 1386(bx+a)^{5/2}a^3 + 1155(bx+a)^{3/2}a^4 - 693\sqrt{bx+a})a^5)d^2e^2/b^5 + 5(231(bx+a)^{13/2} - 1638(bx+a)^{11/2}a + 5005(bx+a)^{9/2}a^2 - 8580(bx+a)^{7/2}a^3 + 9009(bx+a)^{5/2}a^4 - 6006(bx+a)^{3/2}a^5 + 3003\sqrt{bx+a})a^6)e^3/b^6)/b$

mupad [B] time = 0.10, size = 299, normalized size = 1.09

$$\frac{2e^3(a+bx)^{13/2}}{13b^7} - \frac{(12ae^3 - 6bde^2)(a+bx)^{11/2}}{11b^7} + \frac{(a+bx)^{9/2}(30a^2e^3 - 30abde^2 + 6b^2d^2e + 6cb^2e^2)}{9b^7} + \frac{2\sqrt{a+bx}}{b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)^3/(a + b*x)^(1/2),x)

[Out] $\frac{2e^3(a+bx)^{13/2}}{(13b^7)} - \frac{((12ae^3 - 6bde^2)(a+bx)^{11/2})}{(11b^7)} + \frac{((a+bx)^{9/2}(30a^2e^3 + 6b^2c^2e^2 + 6b^2d^2e - 30abde^2))}{(9b^7)} + \frac{(2(a+bx)^{1/2}(b^2c + a^2e - ab^2d)^3)}{b^7} + \frac{((a+bx)^{5/2}(30a^4e^3 - 6a^3b^3d^3 + 6b^4cd^2 + 6b^4c^2e + 36a^2b^2c^2e^2 + 36a^2b^2d^2e - 60a^3bde^2 - 36ab^3cde))}{(5b^7)}$

$$7) - \frac{(2*(2*a*e - b*d)*(a + b*x)^{(7/2)}*(10*a^2*e^2 + b^2*d^2 + 6*b^2*c*e - 10*a*b*d*e))}{(7*b^7)} - \frac{(2*(2*a*e - b*d)*(a + b*x)^{(3/2)}*(b^2*c + a^2*e - a*b*d)^2)}{b^7}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)**3/(b*x+a)**(1/2),x)

[Out] Timed out

$$3.4 \quad \int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=114

$$\frac{2(a+bx)^{3/2}(3a^2f-2abe+b^2d)}{3b^4} + \frac{2\sqrt{a+bx}(a^3(-f)+a^2be-ab^2d+b^3c)}{b^4} + \frac{2(a+bx)^{5/2}(be-3af)}{5b^4} + \frac{2f(a+bx)^{7/2}}{7b^4}$$

[Out] $\frac{2}{3} \cdot \frac{(3a^2f - 2abe + b^2d)(bx+a)^{3/2}}{b^4} + \frac{2}{5} \cdot \frac{(-3a^2f + b^2e)(bx+a)^{5/2}}{b^4} + \frac{2}{7} \cdot \frac{f(bx+a)^{7/2}}{b^4} + \frac{2(-a^3f + a^2be - ab^2d + b^3c)(bx+a)^{1/2}}{b^4}$

Rubi [A] time = 0.07, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$, Rules used = {1850}

$$\frac{2\sqrt{a+bx}(a^2be+a^3(-f)-ab^2d+b^3c)}{b^4} + \frac{2(a+bx)^{3/2}(3a^2f-2abe+b^2d)}{3b^4} + \frac{2(a+bx)^{5/2}(be-3af)}{5b^4} + \frac{2f(a+bx)^{7/2}}{7b^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/Sqrt[a + b*x], x]

[Out] $\frac{(2(b^3c - ab^2d + a^2be - a^3f)\sqrt{a+bx})}{b^4} + \frac{(2(b^2d - 2abe + 3a^2f)(a+bx)^{3/2})}{(3b^4)} + \frac{(2(b^2e - 3a^2f)(a+bx)^{5/2})}{(5b^4)} + \frac{(2f(a+bx)^{7/2})}{(7b^4)}$

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx}} dx = \int \left(\frac{b^3c - ab^2d + a^2be - a^3f}{b^3\sqrt{a+bx}} + \frac{(b^2d - 2abe + 3a^2f)\sqrt{a+bx}}{b^3} + \frac{(be - 3af)(a+bx)^{3/2}}{b^3} \right) dx$$

$$= \frac{2(b^3c - ab^2d + a^2be - a^3f)\sqrt{a+bx}}{b^4} + \frac{2(b^2d - 2abe + 3a^2f)(a+bx)^{3/2}}{3b^4} + \frac{2(be - 3af)(a+bx)^{5/2}}{5b^4}$$

Mathematica [A] time = 0.18, size = 82, normalized size = 0.72

$$\frac{2\sqrt{a+bx}(-48a^3f + 8a^2b(7e + 3fx) - 2ab^2(35d + x(14e + 9fx)) + b^3(105c + x(35d + 3x(7e + 5fx))))}{105b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/Sqrt[a + b*x], x]

[Out] (2*Sqrt[a + b*x]*(-48*a^3*f + 8*a^2*b*(7*e + 3*f*x) - 2*a*b^2*(35*d + x*(14*e + 9*f*x)) + b^3*(105*c + x*(35*d + 3*x*(7*e + 5*f*x))))/(105*b^4)

fricas [A] time = 0.60, size = 90, normalized size = 0.79

$$\frac{2 \left(15 b^3 f x^3 + 105 b^3 c - 70 a b^2 d + 56 a^2 b e - 48 a^3 f + 3 \left(7 b^3 e - 6 a b^2 f \right) x^2 + \left(35 b^3 d - 28 a b^2 e + 24 a^2 b f \right) x \right) \sqrt{b x + a}}{105 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2), x, algorithm="fricas")

[Out] 2/105*(15*b^3*f*x^3 + 105*b^3*c - 70*a*b^2*d + 56*a^2*b*e - 48*a^3*f + 3*(7*b^3*e - 6*a*b^2*f)*x^2 + (35*b^3*d - 28*a*b^2*e + 24*a^2*b*f)*x)*sqrt(b*x + a)/b^4

giac [A] time = 0.17, size = 129, normalized size = 1.13

$$\frac{2 \left(105 \sqrt{b x + a} c + \frac{35 \left((b x + a)^{\frac{3}{2}} - 3 \sqrt{b x + a} a \right) d}{b} + \frac{7 \left(3 (b x + a)^{\frac{5}{2}} - 10 (b x + a)^{\frac{3}{2}} a + 15 \sqrt{b x + a} a^2 \right) e}{b^2} + \frac{3 \left(5 (b x + a)^{\frac{7}{2}} - 21 (b x + a)^{\frac{5}{2}} a + 35 (b x + a)^{\frac{3}{2}} a^2 - 35 a^3 \right) f}{b^3} \right)}{105 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2), x, algorithm="giac")

[Out] 2/105*(105*sqrt(b*x + a)*c + 35*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*d/b + 7*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*e/b^2 + 3*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*f/b^3)/b

maple [A] time = 0.04, size = 91, normalized size = 0.80

$$\frac{2 \sqrt{b x + a} \left(-15 f x^3 b^3 + 18 a b^2 f x^2 - 21 b^3 e x^2 - 24 a^2 b f x + 28 a b^2 e x - 35 b^3 d x + 48 a^3 f - 56 a^2 b e + 70 a b^2 d - 105 b^3 c \right)}{105 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2), x)

[Out] -2/105*(b*x+a)^(1/2)*(-15*b^3*f*x^3+18*a*b^2*f*x^2-21*b^3*e*x^2-24*a^2*b*f*x+28*a*b^2*e*x-35*b^3*d*x+48*a^3*f-56*a^2*b*e+70*a*b^2*d-105*b^3*c)/b^4

maxima [A] time = 0.83, size = 128, normalized size = 1.12

$$2 \left(105 \sqrt{bx+a} c + \frac{35 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) d}{b} + \frac{7 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} + \frac{3 \left(5 (bx+a)^{\frac{7}{2}} - 21 (bx+a)^{\frac{5}{2}} a + 35 (bx+a)^{\frac{3}{2}} a^2 - 35 \sqrt{bx+a} a^3 \right) f}{b^3} \right) / 105 b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x+a)^(1/2),x, algorithm="maxima")

[Out] 2/105*(105*sqrt(b*x + a)*c + 35*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*d/b + 7*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*e/b^2 + 3*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*f/b^3)/b

mupad [B] time = 4.81, size = 103, normalized size = 0.90

$$\frac{(a+bx)^{3/2} (6fa^2 - 4eab + 2db^2)}{3b^4} - \frac{(6af - 2be)(a+bx)^{5/2}}{5b^4} + \frac{\sqrt{a+bx} (-2fa^3 + 2ea^2b - 2dab^2 + 2cb^3)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x)^(1/2),x)

[Out] ((a + b*x)^(3/2)*(2*b^2*d + 6*a^2*f - 4*a*b*e))/(3*b^4) - ((6*a*f - 2*b*e)*(a + b*x)^(5/2))/(5*b^4) + ((a + b*x)^(1/2)*(2*b^3*c - 2*a^3*f - 2*a*b^2*d + 2*a^2*b*e))/b^4 + (2*f*(a + b*x)^(7/2))/(7*b^4)

sympy [A] time = 45.83, size = 354, normalized size = 3.11

$$\left\{ \begin{array}{l} \frac{\frac{2ac}{\sqrt{a+bx}} - \frac{2ad \left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx} \right)}{b} - \frac{2ae \left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3} \right)}{b^2} - \frac{2af \left(-\frac{a^3}{\sqrt{a+bx}} - 3a^2\sqrt{a+bx} + a(a+bx)^{\frac{3}{2}} - \frac{(a+bx)^{\frac{5}{2}}}{5} \right)}{b^3} - 2c \left(-\frac{a}{\sqrt{a+bx}} - \sqrt{a+bx} \right) - \frac{2d \left(\frac{a^2}{\sqrt{a+bx}} + 2a\sqrt{a+bx} - \frac{(a+bx)^{\frac{3}{2}}}{3} \right)}{b}}{\frac{cx + \frac{dx^2}{2} + \frac{ex^3}{3} + \frac{fx^4}{4}}{\sqrt{a}}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x+a)**(1/2),x)

[Out] Piecewise((((-2*a*c/sqrt(a + b*x) - 2*a*d*(-a/sqrt(a + b*x) - sqrt(a + b*x)))/b - 2*a*e*(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b**2 - 2*a*f*(-a**3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a + b*x)**(3/2))

```

- (a + b*x)**(5/2)/5)/b**3 - 2*c*(-a/sqrt(a + b*x) - sqrt(a + b*x)) - 2*d*
(a**2/sqrt(a + b*x) + 2*a*sqrt(a + b*x) - (a + b*x)**(3/2)/3)/b - 2*e*(-a**
3/sqrt(a + b*x) - 3*a**2*sqrt(a + b*x) + a*(a + b*x)**(3/2) - (a + b*x)**(5
/2)/5)/b**2 - 2*f*(a**4/sqrt(a + b*x) + 4*a**3*sqrt(a + b*x) - 2*a**2*(a +
b*x)**(3/2) + 4*a*(a + b*x)**(5/2)/5 - (a + b*x)**(7/2)/7)/b**3)/b, Ne(b, 0
)), ((c*x + d*x**2/2 + e*x**3/3 + f*x**4/4)/sqrt(a), True))

```

$$3.5 \quad \int \frac{(c+dx+ex^2+fx^3)^2}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=320

$$\frac{2(a+bx)^{9/2}(-15a^2f^2+10abef-(b^2(2df+e^2)))}{9b^7} + \frac{4(a+bx)^{7/2}(-10a^3f^2+10a^2bef-2ab^2(2df+e^2)+b^3(cf+de))}{7b^7}$$

[Out] $4/3*(3*a^2*f-2*a*b*e+b^2*d)*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*(b*x+a)^{(3/2)}/b^7+2/5*(b^4*(2*c*e+d^2)-20*a^3*b*e*f+15*a^4*f^2-6*a*b^3*(c*f+d*e)+6*a^2*b^2*(2*d*f+e^2))*(b*x+a)^{(5/2)}/b^7+4/7*(10*a^2*b*e*f-10*a^3*f^2+b^3*(c*f+d*e)-2*a*b^2*(2*d*f+e^2))*(b*x+a)^{(7/2)}/b^7-2/9*(10*a*b*e*f-15*a^2*f^2-b^2*(2*d*f+e^2))*(b*x+a)^{(9/2)}/b^7+4/11*f*(-3*a*f+b*e)*(b*x+a)^{(11/2)}/b^7+2/13*f^2*(b*x+a)^{(13/2)}/b^7+2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)^2*(b*x+a)^{(1/2)}/b^7$

Rubi [A] time = 0.24, antiderivative size = 320, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$, Rules used = {1850}

$$\frac{2(a+bx)^{5/2}(6a^2b^2(2df+e^2)-20a^3bef+15a^4f^2-6ab^3(cf+de)+b^4(2ce+d^2))}{5b^7} + \frac{4(a+bx)^{7/2}(10a^2bef-10a^3f^2+b^3(cf+de))}{7b^7}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)^2/Sqrt[a + b*x], x]

[Out] $(2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*\text{Sqrt}[a + b*x])/b^7 + (4*(b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a + b*x)^{(3/2)})/(3*b^7) + (2*(b^4*(d^2 + 2*c*e) - 20*a^3*b*e*f + 15*a^4*f^2 - 6*a*b^3*(d*e + c*f) + 6*a^2*b^2*(e^2 + 2*d*f))*(a + b*x)^{(5/2)})/(5*b^7) + (4*(10*a^2*b*e*f - 10*a^3*f^2 + b^3*(d*e + c*f) - 2*a*b^2*(e^2 + 2*d*f))*(a + b*x)^{(7/2)})/(7*b^7) - (2*(10*a*b*e*f - 15*a^2*f^2 - b^2*(e^2 + 2*d*f))*(a + b*x)^{(9/2)})/(9*b^7) + (4*f*(b*e - 3*a*f)*(a + b*x)^{(11/2)})/(11*b^7) + (2*f^2*(a + b*x)^{(13/2)})/(13*b^7)$

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(c + dx + ex^2 + fx^3)^2}{\sqrt{a + bx}} dx = \int \left(\frac{(b^3c - ab^2d + a^2be - a^3f)^2}{b^6\sqrt{a + bx}} + \frac{2(b^2d - 2abe + 3a^2f)(b^3c - ab^2d + a^2be - a^3f)}{b^6} \right) dx$$

$$= \frac{2(b^3c - ab^2d + a^2be - a^3f)^2 \sqrt{a + bx}}{b^7} + \frac{4(b^2d - 2abe + 3a^2f)(b^3c - ab^2d + a^2be - a^3f)}{3b^7}$$

Mathematica [A] time = 0.57, size = 303, normalized size = 0.95

$$2 \left(-\frac{1}{9}(a + bx)^{9/2} (-15a^2f^2 + 10abef - (b^2(2df + e^2))) \right) + \frac{2}{7}(a + bx)^{7/2} (-10a^3f^2 + 10a^2bef - 2ab^2(2df + e^2) +$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)^2/Sqrt[a + b*x], x]

[Out] (2*((b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*Sqrt[a + b*x] + (2*(b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a + b*x)^(3/2)))/3 + ((b^4*(d^2 + 2*c*e) - 20*a^3*b*e*f + 15*a^4*f^2 - 6*a*b^3*(d*e + c*f) + 6*a^2*b^2*(e^2 + 2*d*f))*(a + b*x)^(5/2))/5 + (2*(10*a^2*b*e*f - 10*a^3*f^2 + b^3*(d*e + c*f) - 2*a*b^2*(e^2 + 2*d*f))*(a + b*x)^(7/2))/7 - ((10*a*b*e*f - 15*a^2*f^2 - b^2*(e^2 + 2*d*f))*(a + b*x)^(9/2))/9 + (2*f*(b*e - 3*a*f)*(a + b*x)^(11/2))/11 + (f^2*(a + b*x)^(13/2))/13)/b^7

fricas [A] time = 0.54, size = 417, normalized size = 1.30

$$2 \left(3465 b^6 f^2 x^6 + 45045 b^6 c^2 - 60060 a b^5 c d + 24024 a^2 b^4 d^2 + 18304 a^4 b^2 e^2 + 15360 a^6 f^2 + 630 (13 b^6 e f - 6 a b^5 c) \right) \sqrt{a + b x} + \frac{2}{7} (a + b x)^{7/2} (-10 a^3 f^2 + 10 a^2 b e f - 2 a b^2 (2 d f + e^2) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="fricas")

[Out] 2/45045*(3465*b^6*f^2*x^6 + 45045*b^6*c^2 - 60060*a*b^5*c*d + 24024*a^2*b^4*d^2 + 18304*a^4*b^2*e^2 + 15360*a^6*f^2 + 630*(13*b^6*e*f - 6*a*b^5*f^2)*x^5 + 35*(143*b^6*e^2 + 120*a^2*b^4*f^2 + 26*(11*b^6*d - 10*a*b^5*e)*f)*x^4 + 10*(1287*b^6*d*e - 572*a*b^5*e^2 - 480*a^3*b^3*f^2 + 13*(99*b^6*c - 88*a*b^5*d + 80*a^2*b^4*e)*f)*x^3 + 3*(3003*b^6*d^2 + 2288*a^2*b^4*e^2 + 1920*a^4*b^2*f^2 + 858*(7*b^6*c - 6*a*b^5*d)*e - 52*(99*a*b^5*c - 88*a^2*b^4*d + 80*a^3*b^3*e)*f)*x^2 + 6864*(7*a^2*b^4*c - 6*a^3*b^3*d)*e - 416*(99*a^3*b^3*c - 88*a^4*b^2*d + 80*a^5*b*e)*f + 2*(15015*b^6*c*d - 6006*a*b^5*d^2 - 4576*a^3*b^3*e^2 - 3840*a^5*b*f^2 - 1716*(7*a*b^5*c - 6*a^2*b^4*d)*e + 104*(99*a^2*b^4*c - 88*a^3*b^3*d + 80*a^4*b^2*e)*f)*x)*sqrt(b*x + a)/b^7

giac [A] time = 0.20, size = 516, normalized size = 1.61

$$2 \left(45045 \sqrt{bx+a} c^2 + \frac{30030 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) cd}{b} + \frac{3003 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) d^2}{b^2} + \frac{6006 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a \right)}{b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="giac")

[Out] 2/45045*(45045*sqrt(b*x + a)*c^2 + 30030*((b*x + a)^(3/2) - 3*sqrt(b*x + a)*a)*c*d/b + 3003*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*d^2/b^2 + 6006*(3*(b*x + a)^(5/2) - 10*(b*x + a)^(3/2)*a + 15*sqrt(b*x + a)*a^2)*c*e/b^2 + 2574*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*c*f/b^3 + 2574*(5*(b*x + a)^(7/2) - 21*(b*x + a)^(5/2)*a + 35*(b*x + a)^(3/2)*a^2 - 35*sqrt(b*x + a)*a^3)*d*e/b^3 + 286*(35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*d*f/b^4 + 143*(35*(b*x + a)^(9/2) - 180*(b*x + a)^(7/2)*a + 378*(b*x + a)^(5/2)*a^2 - 420*(b*x + a)^(3/2)*a^3 + 315*sqrt(b*x + a)*a^4)*e^2/b^4 + 130*(63*(b*x + a)^(11/2) - 385*(b*x + a)^(9/2)*a + 990*(b*x + a)^(7/2)*a^2 - 1386*(b*x + a)^(5/2)*a^3 + 1155*(b*x + a)^(3/2)*a^4 - 693*sqrt(b*x + a)*a^5)*f*e/b^5 + 15*(2*31*(b*x + a)^(13/2) - 1638*(b*x + a)^(11/2)*a + 5005*(b*x + a)^(9/2)*a^2 - 8580*(b*x + a)^(7/2)*a^3 + 9009*(b*x + a)^(5/2)*a^4 - 6006*(b*x + a)^(3/2)*a^5 + 3003*sqrt(b*x + a)*a^6)*f^2/b^6)/b

maple [A] time = 0.05, size = 447, normalized size = 1.40

$$2\sqrt{bx+a} \left(3465f^2x^6b^6 - 3780ab^5f^2x^5 + 8190b^6efx^5 + 4200a^2b^4f^2x^4 - 9100ab^5efx^4 + 10010b^6dfx^4 + 5005b^6f^2x^3 - 4800a^3b^3f^2x^3 + 10400a^2b^4efx^3 - 11440ab^5d^2fx^3 - 5720ab^5e^2fx^3 + 12870b^6c^2fx^3 + 12870b^6d^2fx^3 + 5760a^4b^2f^2x^2 - 12480a^3b^3efx^2 + 13728a^2b^4d^2fx^2 + 6864a^2b^4e^2fx^2 - 15444ab^5c^2fx^2 - 15444ab^5d^2fx^2 + 18018b^6c^2fx^2 + 9009b^6d^2fx^2 - 7680a^5b^2fx^2 + 16640a^4b^2efx - 18304a^3b^3d^2fx - 9152a^3b^3e^2fx + 20592a^2b^4c^2fx + 20592a^2b^4d^2fx - 24024ab^5c^2fx - 12012ab^5d^2fx + 30030b^6c^2fx + 15360a^6f^2 - 33280a^5b^2ef + 36608a^4b^2d^2fx + 18304a^4b^2e^2 - 41184a^3b^2ef^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2),x)

[Out] 2/45045*(b*x+a)^(1/2)*(3465*b^6*f^2*x^6-3780*a*b^5*f^2*x^5+8190*b^6*e*f*x^5+4200*a^2*b^4*f^2*x^4-9100*a*b^5*e*f*x^4+10010*b^6*d*f*x^4+5005*b^6*e^2*x^4-4800*a^3*b^3*f^2*x^3+10400*a^2*b^4*e*f*x^3-11440*a*b^5*d*f*x^3-5720*a*b^5*e^2*x^3+12870*b^6*c*f*x^3+12870*b^6*d*e*x^3+5760*a^4*b^2*f^2*x^2-12480*a^3*b^3*e*f*x^2+13728*a^2*b^4*d*f*x^2+6864*a^2*b^4*e^2*x^2-15444*a*b^5*c*f*x^2-15444*a*b^5*d*e*x^2+18018*b^6*c*e*x^2+9009*b^6*d^2*x^2-7680*a^5*b^2*f^2*x+16640*a^4*b^2*e*f*x-18304*a^3*b^3*d^2*f*x-9152*a^3*b^3*e^2*x+20592*a^2*b^4*c^2*f*x+20592*a^2*b^4*d^2*f*x-24024*a*b^5*c^2*f*x-12012*a*b^5*d^2*f*x+30030*b^6*c^2*f*x+15360*a^6*f^2-33280*a^5*b^2*e*f+36608*a^4*b^2*d^2*f+18304*a^4*b^2*e^2-41184*a^3*b^2*e*f^2)

$\frac{\sqrt{3}cf - 41184a^3b^3d^2e + 48048a^2b^4c^2e + 24024a^2b^4d^2 - 60060ab^5c^2d + 45045b^6c^2}{b^7}$

maxima [A] time = 1.00, size = 500, normalized size = 1.56

$$2 \left(45045 \sqrt{bx+a} c^2 + 858 c \left(\frac{35 \left((bx+a)^{\frac{3}{2}} - 3 \sqrt{bx+a} a \right) d}{b} + \frac{7 \left(3 (bx+a)^{\frac{5}{2}} - 10 (bx+a)^{\frac{3}{2}} a + 15 \sqrt{bx+a} a^2 \right) e}{b^2} + \frac{3 \left(5 (bx+a)^{\frac{7}{2}} - 21 (bx+a)^{\frac{5}{2}} a + 35 \sqrt{bx+a} a^2 \right) e}{b^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^2/(b*x+a)^(1/2),x, algorithm="maxima")

[Out] $\frac{2}{45045} (45045 \sqrt{bx+a} c^2 + 858 c (35 ((bx+a)^{3/2} - 3 \sqrt{bx+a} a) d / b + 7 (3 (bx+a)^{5/2} - 10 (bx+a)^{3/2} a + 15 \sqrt{bx+a} a^2) e / b^2 + 3 (5 (bx+a)^{7/2} - 21 (bx+a)^{5/2} a + 35 (bx+a)^{3/2} a^2 - 35 \sqrt{bx+a} a^3) f / b^3) + 3003 (3 (bx+a)^{5/2} - 10 (bx+a)^{3/2} a + 15 \sqrt{bx+a} a^2) d^2 / b^2 + 143 (35 (bx+a)^{9/2} - 180 (bx+a)^{7/2} a + 378 (bx+a)^{5/2} a^2 - 420 (bx+a)^{3/2} a^3 + 315 \sqrt{bx+a} a^4) e^2 / b^4 + 286 (35 (bx+a)^{9/2} f + 45 (b^2 e - 4 a^2 f) (bx+a)^{7/2} - 189 (a^2 b^2 e - 2 a^2 f) (bx+a)^{5/2} + 105 (3 a^2 b^2 e - 4 a^3 f) (bx+a)^{3/2} - 315 (a^3 b^2 e - a^4 f) \sqrt{bx+a}) d / b^4 + 130 (63 (bx+a)^{11/2} - 385 (bx+a)^{9/2} a + 990 (bx+a)^{7/2} a^2 - 1386 (bx+a)^{5/2} a^3 + 1155 (bx+a)^{3/2} a^4 - 693 \sqrt{bx+a} a^5) e f / b^5 + 15 (231 (bx+a)^{13/2} - 1638 (bx+a)^{11/2} a + 5005 (bx+a)^{9/2} a^2 - 8580 (bx+a)^{7/2} a^3 + 9009 (bx+a)^{5/2} a^4 - 6006 (bx+a)^{3/2} a^5 + 3003 \sqrt{bx+a} a^6) f^2 / b^6) / b$

mupad [B] time = 4.70, size = 316, normalized size = 0.99

$$\frac{2 \sqrt{a+bx} (-f a^3 + e a^2 b - d a b^2 + c b^3)^2}{b^7} + \frac{2 f^2 (a+bx)^{13/2}}{13 b^7} - \frac{(a+bx)^{7/2} (40 a^3 f^2 - 40 a^2 b e f + 8 a b^2 e^2 + 16 c^2 f^2)}{7 b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)^2/(a + b*x)^(1/2),x)

[Out] $\frac{2 (a + b x)^{1/2} (b^3 c - a^3 f - a b^2 d + a^2 b e)^2}{b^7} + \frac{2 f^2 (a + b x)^{13/2}}{13 b^7} - \frac{((a + b x)^{7/2} (40 a^3 f^2 + 8 a b^2 e^2 - 4 b^3 c f - 4 b^3 d e + 16 a b^2 d f - 40 a^2 b e f))}{7 b^7} + \frac{((a + b x)^{9/2} (30 a^2 f^2 + 2 b^2 e^2 + 4 b^2 d f - 20 a b e f))}{9 b^7} + \frac{((a + b x)^{5/2} (2 b^4 d^2 + 30 a^4 f^2 + 12 a^2 b^2 e^2 + 4 b^4 c e - 12 a b^3 c f - 12 a b^3 d e - 40 a^3 b e f + 24 a^2 b^2 d f))}{5 b^7} - \frac{((12 a f^2 - 4 b e e f) (a + b x)^{11/2})}{11 b^7} + \frac{4 (a + b x)^{3/2} (b^2 d + 3 a^2 f - 2 a b e) (b^3 c - a^3 f - a b^2 d + a^2 b e)}{3 b^7}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)**2/(b*x+a)**(1/2),x)

[Out] Timed out

$$3.6 \quad \int \frac{(c+dx+ex^2+fx^3)^3}{\sqrt{a+bx}} dx$$

Optimal. Leaf size=708

$$\frac{2f(a+bx)^{15/2}(-12a^2f^2+8abef-(b^2(df+e^2)))}{5b^{10}} + \frac{2(a+bx)^{13/2}(-84a^3f^3+84a^2bef^2-21ab^2f(df+e^2)+13b^{10})}{13b^{10}}$$

[Out] $2*(3*a^2*f-2*a*b*e+b^2*d)*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)^2*(b*x+a)^{(3/2)}/b^{10}+6/5*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*(b^4*(c*e+d^2)-16*a^3*b*e*f+12*a^4*f^2-2*a*b^3*(3*c*f+5*d*e)+a^2*b^2*(9*d*f+5*e^2))*(b*x+a)^{(5/2)}/b^{10}-2/7*(168*a^5*b*e*f^2-84*a^6*f^3-b^6*(3*c^2*f+6*c*d*e+d^3)-105*a^4*b^2*f*(d*f+e^2)+12*a*b^5*(2*c*d*f+c*e^2+d^2*e)-30*a^2*b^4*(2*c*e*f+d^2*f+d*e^2)+20*a^3*b^3*(3*c*f^2+6*d*e*f+e^3))*(b*x+a)^{(7/2)}/b^{10}+2/3*(70*a^4*b*e*f^2-42*a^5*f^3-35*a^3*b^2*f*(d*f+e^2)+b^5*(2*c*d*f+c*e^2+d^2*e)-5*a*b^4*(2*c*e*f+d^2*f+d*e^2)+5*a^2*b^3*(3*c*f^2+6*d*e*f+e^3))*(b*x+a)^{(9/2)}/b^{10}-6/11*(56*a^3*b*e*f^2-42*a^4*f^3-21*a^2*b^2*f*(d*f+e^2)-b^4*(2*c*e*f+d^2*f+d*e^2)+2*a*b^3*(3*c*f^2+6*d*e*f+e^3))*(b*x+a)^{(11/2)}/b^{10}+2/13*(84*a^2*b*e*f^2-84*a^3*f^3-21*a*b^2*f*(d*f+e^2)+b^3*(3*c*f^2+6*d*e*f+e^3))*(b*x+a)^{(13/2)}/b^{10}-2/5*f*(8*a*b*e*f-12*a^2*f^2-b^2*(d*f+e^2))*(b*x+a)^{(15/2)}/b^{10}+6/17*f^2*(-3*a*f+b*e)*(b*x+a)^{(17/2)}/b^{10}+2/19*f^3*(b*x+a)^{(19/2)}/b^{10}+2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)^3*(b*x+a)^{(1/2)}/b^{10}$

Rubi [A] time = 0.63, antiderivative size = 708, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$, Rules used = {1850}

$$\frac{2(a+bx)^{7/2}(-30a^2b^4(2cef+d^2f+de^2)+20a^3b^3(3cf^2+6def+e^3)-105a^4b^2f(df+e^2)+168a^5bef^2-84a^6f^3-b^6(d^3+6c*d*e+3c^2*f)-105a^4*b^2*f*(e^2+d*f)+12*a*b^5*(d^2*e+c*e^2+2*c*d*f)-30*a^2*b^4*(d*e^2+d^2*f+2*c*e*f)+20*a^3*b^3*(e^3+6*d*e*f+3*c*f^2))*(a+bx)^{(7/2)}}{(7*b^{10})} + \frac{2*(70*a^4*b*e*f^2-42*a^5*f^3-35*a^3*b^2*f*(e^2+d*f)+b^5*(d^2*e+c*e^2+2*c*d*f)-5*a*b^4*(d*e^2+d^2*f+2*c*e*f)+5*a^2*b^3*(e^3+6*d*e*f+3*c*f^2))*(a+bx)^{(9/2)}}{(3*b^{10})} -$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)^3/Sqrt[a + b*x], x]

[Out] $(2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^3*\text{Sqrt}[a + b*x])/b^{10} + (2*(b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*(a + b*x)^{(3/2)})/b^{10} + (6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(b^4*(d^2 + c*e) - 16*a^3*b*e*f + 12*a^4*f^2 - a*b^3*(5*d*e + 3*c*f) + a^2*b^2*(5*e^2 + 9*d*f))*(a + b*x)^{(5/2)})/(5*b^{10}) - (2*(168*a^5*b*e*f^2 - 84*a^6*f^3 - b^6*(d^3 + 6*c*d*e + 3*c^2*f) - 105*a^4*b^2*f*(e^2 + d*f) + 12*a*b^5*(d^2*e + c*e^2 + 2*c*d*f) - 30*a^2*b^4*(d*e^2 + d^2*f + 2*c*e*f) + 20*a^3*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^{(7/2)})/(7*b^{10}) + (2*(70*a^4*b*e*f^2 - 42*a^5*f^3 - 35*a^3*b^2*f*(e^2 + d*f) + b^5*(d^2*e + c*e^2 + 2*c*d*f) - 5*a*b^4*(d*e^2 + d^2*f + 2*c*e*f) + 5*a^2*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^{(9/2)})/(3*b^{10}) -$

$$(6*(56*a^3*b*e*f^2 - 42*a^4*f^3 - 21*a^2*b^2*f*(e^2 + d*f) - b^4*(d*e^2 + d^2*f + 2*c*e*f) + 2*a*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(11/2))/(11*b^10) + (2*(84*a^2*b*e*f^2 - 84*a^3*f^3 - 21*a*b^2*f*(e^2 + d*f) + b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(13/2))/(13*b^10) - (2*f*(8*a*b*e*f - 12*a^2*f^2 - b^2*(e^2 + d*f))*(a + b*x)^(15/2))/(5*b^10) + (6*f^2*(b*e - 3*a*f)*(a + b*x)^(17/2))/(17*b^10) + (2*f^3*(a + b*x)^(19/2))/(19*b^10)$$

Rule 1850

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand
[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p
, 0] || EqQ[n, 1])
```

Rubi steps

$$\int \frac{(c + dx + ex^2 + fx^3)^3}{\sqrt{a + bx}} dx = \int \left(\frac{(b^3c - ab^2d + a^2be - a^3f)^3}{b^9\sqrt{a + bx}} + \frac{3(b^2d - 2abe + 3a^2f)(b^3c - ab^2d + a^2be - a^3f)}{b^9} \right) dx$$

$$= \frac{2(b^3c - ab^2d + a^2be - a^3f)^3 \sqrt{a + bx}}{b^{10}} + \frac{2(b^2d - 2abe + 3a^2f)(b^3c - ab^2d + a^2be - a^3f)}{b^{10}}$$

Mathematica [A] time = 2.89, size = 678, normalized size = 0.96

$$2 \left(\frac{1}{5} f(a + bx)^{15/2} (12a^2f^2 - 8abef + b^2(df + e^2)) + \frac{1}{13} (a + bx)^{13/2} (-84a^3f^3 + 84a^2bef^2 - 21ab^2f(df + e^2) + b^3) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3)^3/Sqrt[a + b*x], x]
```

```
[Out] (2*((b^3*c - a*b^2*d + a^2*b*e - a^3*f)^3*Sqrt[a + b*x] + (b^2*d - 2*a*b*e + 3*a^2*f)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)^2*(a + b*x)^(3/2) + (3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(b^4*(d^2 + c*e) - 16*a^3*b*e*f + 12*a^4*f^2 - a*b^3*(5*d*e + 3*c*f) + a^2*b^2*(5*e^2 + 9*d*f))*(a + b*x)^(5/2))/5 + ((-168*a^5*b*e*f^2 + 84*a^6*f^3 + b^6*(d^3 + 6*c*d*e + 3*c^2*f) + 105*a^4*b^2*f*(e^2 + d*f) - 12*a*b^5*(d^2*e + c*e^2 + 2*c*d*f) + 30*a^2*b^4*(d*e^2 + d^2*f + 2*c*e*f) - 20*a^3*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(7/2))/7 + ((70*a^4*b*e*f^2 - 42*a^5*f^3 - 35*a^3*b^2*f*(e^2 + d*f) + b^5*(d^2*e + c*e^2 + 2*c*d*f) - 5*a*b^4*(d*e^2 + d^2*f + 2*c*e*f) + 5*a^2*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(9/2))/3 + (3*(-56*a^3*b*e*f^2 + 42*a^4*f^3 + 21*a^2*b^2*f*(e^2 + d*f) + b^4*(d*e^2 + d^2*f + 2*c*e*f) - 2*a*b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^(11/2))/11 + ((84*a^2*b*e*f^2 - 84*a^3*f^3 - 21*a
```

$$*b^2*f*(e^2 + d*f) + b^3*(e^3 + 6*d*e*f + 3*c*f^2))*(a + b*x)^{(13/2)}/13 + (f*(-8*a*b*e*f + 12*a^2*f^2 + b^2*(e^2 + d*f))*(a + b*x)^{(15/2)}/5 + (3*f^2*(b*e - 3*a*f)*(a + b*x)^{(17/2)}/17 + (f^3*(a + b*x)^{(19/2)}/19))/b^{10}$$

fricas [A] time = 0.69, size = 1221, normalized size = 1.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="fricas")

[Out] 2/4849845*(255255*b^9*f^3*x^9 + 4849845*b^9*c^3 - 9699690*a*b^8*c^2*d + 7759752*a^2*b^7*c*d^2 - 2217072*a^3*b^6*d^3 + 1653760*a^6*b^3*e^3 - 1376256*a^9*f^3 + 45045*(19*b^9*e*f^2 - 6*a*b^8*f^3)*x^8 + 3003*(323*b^9*e^2*f + 96*a^2*b^7*f^3 + 19*(17*b^9*d - 16*a*b^8*e)*f^2)*x^7 + 231*(1615*b^9*e^3 - 1344*a^3*b^6*f^3 + 19*(255*b^9*c - 238*a*b^8*d + 224*a^2*b^7*e)*f^2 + 646*(15*b^9*d*e - 7*a*b^8*e^2)*f)*x^6 + 63*(20995*b^9*d*e^2 - 6460*a*b^8*e^3 + 5376*a^4*b^5*f^3 - 76*(255*a*b^8*c - 238*a^2*b^7*d + 224*a^3*b^6*e)*f^2 + 323*(65*b^9*d^2 + 56*a^2*b^7*e^2 + 10*(13*b^9*c - 12*a*b^8*d)*e)*f)*x^5 + 35*(46189*b^9*d^2*e + 12920*a^2*b^7*e^3 - 10752*a^5*b^4*f^3 + 4199*(11*b^9*c - 10*a*b^8*d)*e^2 + 152*(255*a^2*b^7*c - 238*a^3*b^6*d + 224*a^4*b^5*e)*f^2 + 646*(143*b^9*c*d - 65*a*b^8*d^2 - 56*a^3*b^6*e^2 - 10*(13*a*b^8*c - 12*a^2*b^7*d)*e)*f)*x^4 + 5*(138567*b^9*d^3 - 103360*a^3*b^6*e^3 + 86016*a^6*b^3*f^3 - 33592*(11*a*b^8*c - 10*a^2*b^7*d)*e^2 - 1216*(255*a^3*b^6*c - 238*a^4*b^5*d + 224*a^5*b^4*e)*f^2 + 92378*(9*b^9*c*d - 4*a*b^8*d^2)*e + 323*(1287*b^9*c^2 - 2288*a*b^8*c*d + 1040*a^2*b^7*d^2 + 896*a^4*b^5*e^2 + 160*(13*a^2*b^7*c - 12*a^3*b^6*d)*e)*f)*x^3 + 537472*(11*a^4*b^5*c - 10*a^5*b^4*d)*e^2 + 19456*(255*a^6*b^3*c - 238*a^7*b^2*d + 224*a^8*b*e)*f^2 + 3*(969969*b^9*c*d^2 - 277134*a*b^8*d^3 + 206720*a^4*b^5*e^3 - 172032*a^7*b^2*f^3 + 67184*(11*a^2*b^7*c - 10*a^3*b^6*d)*e^2 + 2432*(255*a^4*b^5*c - 238*a^5*b^4*d + 224*a^6*b^3*e)*f^2 + 46189*(21*b^9*c^2 - 36*a*b^8*c*d + 16*a^2*b^7*d^2)*e - 646*(1287*a*b^8*c^2 - 2288*a^2*b^7*c*d + 1040*a^3*b^6*d^2 + 896*a^5*b^4*e^2 + 160*(13*a^3*b^6*c - 12*a^4*b^5*d)*e)*f)*x^2 + 369512*(21*a^2*b^7*c^2 - 36*a^3*b^6*c*d + 16*a^4*b^5*d^2)*e - 5168*(1287*a^3*b^6*c^2 - 2288*a^4*b^5*c*d + 1040*a^5*b^4*d^2 + 896*a^7*b^2*e^2 + 160*(13*a^5*b^4*c - 12*a^6*b^3*d)*e)*f + (4849845*b^9*c^2*d - 3879876*a*b^8*c*d^2 + 1108536*a^2*b^7*d^3 - 826880*a^5*b^4*e^3 + 688128*a^8*b*f^3 - 268736*(11*a^3*b^6*c - 10*a^4*b^5*d)*e^2 - 9728*(255*a^5*b^4*c - 238*a^6*b^3*d + 224*a^7*b^2*e)*f^2 - 184756*(21*a*b^8*c^2 - 36*a^2*b^7*c*d + 16*a^3*b^6*d^2)*e + 2584*(1287*a^2*b^7*c^2 - 2288*a^3*b^6*c*d + 1040*a^4*b^5*d^2 + 896*a^6*b^3*e^2 + 160*(13*a^4*b^5*c - 12*a^5*b^4*d)*e)*f)*x)*sqrt(b*x + a)/b^{10}

giac [B] time = 0.29, size = 1414, normalized size = 2.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & 2/4849845*(4849845*\sqrt{b*x+a}*c^3 + 4849845*((b*x+a)^{(3/2)} - 3*\sqrt{b*x+a})*a)*c^2*d/b + 969969*(3*(b*x+a)^{(5/2)} - 10*(b*x+a)^{(3/2)}*a + 15*\sqrt{b*x+a})*a^2*c*d^2/b^2 + 969969*(3*(b*x+a)^{(5/2)} - 10*(b*x+a)^{(3/2)})*a + 15*\sqrt{b*x+a})*a^2*c^2*e/b^2 + 138567*(5*(b*x+a)^{(7/2)} - 21*(b*x+a)^{(5/2)}*a + 35*(b*x+a)^{(3/2)}*a^2 - 35*\sqrt{b*x+a})*a^3*d^3/b^3 + 415701*(5*(b*x+a)^{(7/2)} - 21*(b*x+a)^{(5/2)}*a + 35*(b*x+a)^{(3/2)}*a^2 - 35*\sqrt{b*x+a})*a^3*c^2*f/b^3 + 831402*(5*(b*x+a)^{(7/2)} - 21*(b*x+a)^{(5/2)}*a + 35*(b*x+a)^{(3/2)}*a^2 - 35*\sqrt{b*x+a})*a^3*c*d*e/b^3 + 92378*(35*(b*x+a)^{(9/2)} - 180*(b*x+a)^{(7/2)}*a + 378*(b*x+a)^{(5/2)}*a^2 - 420*(b*x+a)^{(3/2)}*a^3 + 315*\sqrt{b*x+a})*a^4*c*d*f/b^4 + 46189*(35*(b*x+a)^{(9/2)} - 180*(b*x+a)^{(7/2)}*a + 378*(b*x+a)^{(5/2)}*a^2 - 420*(b*x+a)^{(3/2)}*a^3 + 315*\sqrt{b*x+a})*a^4*d^2*e/b^4 + 20995*(63*(b*x+a)^{(11/2)} - 385*(b*x+a)^{(9/2)}*a + 990*(b*x+a)^{(7/2)}*a^2 - 1386*(b*x+a)^{(5/2)}*a^3 + 1155*(b*x+a)^{(3/2)}*a^4 - 693*\sqrt{b*x+a})*a^5*d^2*f/b^5 + 46189*(35*(b*x+a)^{(9/2)} - 180*(b*x+a)^{(7/2)}*a + 378*(b*x+a)^{(5/2)}*a^2 - 420*(b*x+a)^{(3/2)}*a^3 + 315*\sqrt{b*x+a})*a^4*c*e^2/b^4 + 41990*(63*(b*x+a)^{(11/2)} - 385*(b*x+a)^{(9/2)}*a + 990*(b*x+a)^{(7/2)}*a^2 - 1386*(b*x+a)^{(5/2)}*a^3 + 1155*(b*x+a)^{(3/2)}*a^4 - 693*\sqrt{b*x+a})*a^5*c*f*e/b^5 + 4845*(231*(b*x+a)^{(13/2)} - 1638*(b*x+a)^{(11/2)}*a + 5005*(b*x+a)^{(9/2)}*a^2 - 8580*(b*x+a)^{(7/2)}*a^3 + 9009*(b*x+a)^{(5/2)}*a^4 - 6006*(b*x+a)^{(3/2)}*a^5 + 3003*\sqrt{b*x+a})*a^6*c*f^2/b^6 + 20995*(63*(b*x+a)^{(11/2)} - 385*(b*x+a)^{(9/2)}*a + 990*(b*x+a)^{(7/2)}*a^2 - 1386*(b*x+a)^{(5/2)}*a^3 + 1155*(b*x+a)^{(3/2)}*a^4 - 693*\sqrt{b*x+a})*a^5*d*e^2/b^5 + 9690*(231*(b*x+a)^{(13/2)} - 1638*(b*x+a)^{(11/2)}*a + 5005*(b*x+a)^{(9/2)}*a^2 - 8580*(b*x+a)^{(7/2)}*a^3 + 9009*(b*x+a)^{(5/2)}*a^4 - 6006*(b*x+a)^{(3/2)}*a^5 + 3003*\sqrt{b*x+a})*a^6*d*f*e/b^6 + 2261*(429*(b*x+a)^{(15/2)} - 3465*(b*x+a)^{(13/2)}*a + 12285*(b*x+a)^{(11/2)}*a^2 - 25025*(b*x+a)^{(9/2)}*a^3 + 32175*(b*x+a)^{(7/2)}*a^4 - 27027*(b*x+a)^{(5/2)}*a^5 + 15015*(b*x+a)^{(3/2)}*a^6 - 6435*\sqrt{b*x+a})*a^7*d*f^2/b^7 + 1615*(231*(b*x+a)^{(13/2)} - 1638*(b*x+a)^{(11/2)}*a + 5005*(b*x+a)^{(9/2)}*a^2 - 8580*(b*x+a)^{(7/2)}*a^3 + 9009*(b*x+a)^{(5/2)}*a^4 - 6006*(b*x+a)^{(3/2)}*a^5 + 3003*\sqrt{b*x+a})*a^6*e^3/b^6 + 2261*(429*(b*x+a)^{(15/2)} - 3465*(b*x+a)^{(13/2)}*a + 12285*(b*x+a)^{(11/2)}*a^2 - 25025*(b*x+a)^{(9/2)}*a^3 + 32175*(b*x+a)^{(7/2)}*a^4 - 27027*(b*x+a)^{(5/2)}*a^5 + 15015*(b*x+a)^{(3/2)}*a^6 - 6435*\sqrt{b*x+a})*a^7*f*e^2/b^7 + 133*(6435*(b*x+a)^{(17/2)} - 58344*(b*x+a)^{(15/2)}*a + 235620*(b*x+a)^{(13/2)}*a^2 - 556920*(b*x+a)^{(11/2)}*a^3 + 850850*(b*x+a)^{(9/2)}*a^4 - 875160*(b*x+a)^{(7/2)}*a^5 + 612612*(b*x+a)^{(5/2)}*a^6 - 291720*(b*x+a)^{(3/2)}*a^7 + 109395*\sqrt{b*x+a})*a^8*f^2*e/b^8 + 21*(12155*(b*x+a)^{(19/2)} - 122265*(b*x+a)^{(17/2)}*a + 554268*(b*x+a)^{(15/2)}*a^2 - 1492260*(b*x+a)^{(13/2)}*a^3 + 2645370*(b*x+a)^{(11/2)}*a^4 - 3233230*(b*x+a)^{(9/2)}*a^5 + 2771340*(b*x+a)^{(7/2)}*a^6 - 1662804*(b*x+a)^{(5/2)}*a^7 + 554268*(b*x+a)^{(3/2)}*a^8 - 122265*(b*x+a)^{(1/2)}*a^9) \end{aligned}$$

$*a^7 + 692835*(b*x + a)^{(3/2)}*a^8 - 230945*\text{sqrt}(b*x + a)*a^9)*f^3/b^9)/b$

maple [B] time = 0.05, size = 1417, normalized size = 2.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^3+e*x^2+d*x+c)^3/(b*x+a)^{(1/2)}, x)$

[Out] $-2/4849845*(b*x+a)^{(1/2)}*(-255255*b^9*f^3*x^9+270270*a*b^8*f^3*x^8-855855*b^9*e*f^2*x^8-288288*a^2*b^7*f^3*x^7+912912*a*b^8*e*f^2*x^7-969969*b^9*d*f^2*x^7-969969*b^9*e^2*f*x^7+310464*a^3*b^6*f^3*x^6-983136*a^2*b^7*e*f^2*x^6+1044582*a*b^8*d*f^2*x^6+1044582*a*b^8*e^2*f*x^6-1119195*b^9*c*f^2*x^6-2238390*b^9*d*e*f*x^6-373065*b^9*e^3*x^6-338688*a^4*b^5*f^3*x^5+1072512*a^3*b^6*e*f^2*x^5-1139544*a^2*b^7*d*f^2*x^5-1139544*a^2*b^7*e^2*f*x^5+1220940*a*b^8*c*f^2*x^5+2441880*a*b^8*d*e*f*x^5+406980*a*b^8*e^3*x^5-2645370*b^9*c*e*f*x^5-1322685*b^9*d^2*f*x^5-1322685*b^9*d*e^2*x^5+376320*a^5*b^4*f^3*x^4-1191680*a^4*b^5*e*f^2*x^4+1266160*a^3*b^6*d*f^2*x^4+1266160*a^3*b^6*e^2*f*x^4-1356600*a^2*b^7*c*f^2*x^4-2713200*a^2*b^7*d*e*f*x^4-452200*a^2*b^7*e^3*x^4+2939300*a*b^8*c*e*f*x^4+1469650*a*b^8*d^2*f*x^4+1469650*a*b^8*d*e^2*x^4-3233230*b^9*c*d*f*x^4-1616615*b^9*c*e^2*x^4-1616615*b^9*d^2*e*x^4-430080*a^6*b^3*f^3*x^3+1361920*a^5*b^4*e*f^2*x^3-1447040*a^4*b^5*d*f^2*x^3-1447040*a^4*b^5*e^2*f*x^3+1550400*a^3*b^6*c*f^2*x^3+3100800*a^3*b^6*d*e*f*x^3+516800*a^3*b^6*e^3*x^3-3359200*a^2*b^7*c*e*f*x^3-1679600*a^2*b^7*d^2*f*x^3-1679600*a^2*b^7*d*e^2*x^3+3695120*a*b^8*c*d*f*x^3+1847560*a*b^8*c*e^2*x^3+1847560*a*b^8*d^2*e*x^3-2078505*b^9*c^2*f*x^3-4157010*b^9*c*d*e*x^3-692835*b^9*d^3*x^3+516096*a^7*b^2*f^3*x^2-1634304*a^6*b^3*e*f^2*x^2+1736448*a^5*b^4*d*f^2*x^2+1736448*a^5*b^4*e^2*f*x^2-1860480*a^4*b^5*c*f^2*x^2-3720960*a^4*b^5*d*e*f*x^2-620160*a^4*b^5*e^3*x^2+4031040*a^3*b^6*c*e*f*x^2+2015520*a^3*b^6*d^2*f*x^2+2015520*a^3*b^6*d*e^2*x^2-4434144*a^2*b^7*c*d*f*x^2-2217072*a^2*b^7*c*e^2*x^2-2217072*a^2*b^7*d^2*e*x^2+2494206*a*b^8*c^2*f*x^2+4988412*a*b^8*c*d*e*x^2+831402*a*b^8*d^3*x^2-2909907*b^9*c^2*e*x^2-2909907*b^9*c*d^2*x^2-688128*a^8*b*f^3*x+2179072*a^7*b^2*e*f^2*x-2315264*a^6*b^3*d*f^2*x-2315264*a^6*b^3*e^2*f*x+2480640*a^5*b^4*c*f^2*x+4961280*a^5*b^4*d*e*f*x+826880*a^5*b^4*e^3*x-5374720*a^4*b^5*c*e*f*x-2687360*a^4*b^5*d^2*f*x-2687360*a^4*b^5*d*e^2*x+5912192*a^3*b^6*c*d*f*x+2956096*a^3*b^6*c*e^2*x+2956096*a^3*b^6*d^2*e*x-3325608*a^2*b^7*c^2*f*x-6651216*a^2*b^7*c*d*e*x-1108536*a^2*b^7*d^3*x+3879876*a*b^8*c^2*e*x+3879876*a*b^8*c*d^2*x-4849845*b^9*c^2*d*x+1376256*a^9*f^3-4358144*a^8*b*e*f^2+4630528*a^7*b^2*d*f^2+4630528*a^7*b^2*e^2*f-4961280*a^6*b^3*c*f^2-9922560*a^6*b^3*d*e*f-1653760*a^6*b^3*e^3+10749440*a^5*b^4*c*e*f+5374720*a^5*b^4*d^2*f+5374720*a^5*b^4*d*e^2-11824384*a^4*b^5*c*d*f-5912192*a^4*b^5*c*e^2-5912192*a^4*b^5*d^2*e+6651216*a^3*b^6*c^2*f+13302432*a^3*b^6*c*d*e+2217072*a^3*b^6*d^3-7759752*a^2*b^7*c^2*e-7759752*a^2*b^7*c*d^2+9699690*a*b^8*c^2*d-4849845*b^9*c^3)/b^10$

maxima [B] time = 1.09, size = 1360, normalized size = 1.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)^3/(b*x+a)^(1/2),x, algorithm="maxima")

[Out] $2/4849845*(4849845*\sqrt{b*x + a}*c^3 + 138567*c^2*(35*((b*x + a)^{(3/2)} - 3*\sqrt{b*x + a}*a)*d/b + 7*(3*(b*x + a)^{(5/2)} - 10*(b*x + a)^{(3/2)*a + 15*\sqrt{b*x + a}*a^2)*e/b^2 + 3*(5*(b*x + a)^{(7/2)} - 21*(b*x + a)^{(5/2)*a + 35*(b*x + a)^{(3/2)*a^2 - 35*\sqrt{b*x + a}*a^3)*f/b^3) + 323*c*(3003*(3*(b*x + a)^{(5/2)} - 10*(b*x + a)^{(3/2)*a + 15*\sqrt{b*x + a}*a^2)*d^2/b^2 + 143*(35*(b*x + a)^{(9/2)} - 180*(b*x + a)^{(7/2)*a + 378*(b*x + a)^{(5/2)*a^2 - 420*(b*x + a)^{(3/2)*a^3 + 315*\sqrt{b*x + a}*a^4)*e^2/b^4 + 286*(35*(b*x + a)^{(9/2)*f + 45*(b*e - 4*a*f)*(b*x + a)^{(7/2)} - 189*(a*b*e - 2*a^2*f)*(b*x + a)^{(5/2)} + 105*(3*a^2*b*e - 4*a^3*f)*(b*x + a)^{(3/2)} - 315*(a^3*b*e - a^4*f)*\sqrt{b*x + a})*d/b^4 + 130*(63*(b*x + a)^{(11/2)} - 385*(b*x + a)^{(9/2)*a + 990*(b*x + a)^{(7/2)*a^2 - 1386*(b*x + a)^{(5/2)*a^3 + 1155*(b*x + a)^{(3/2)*a^4 - 693*\sqrt{b*x + a}*a^5)*e*f/b^5 + 15*(231*(b*x + a)^{(13/2)} - 1638*(b*x + a)^{(11/2)*a + 5005*(b*x + a)^{(9/2)*a^2 - 8580*(b*x + a)^{(7/2)*a^3 + 9009*(b*x + a)^{(5/2)*a^4 - 6006*(b*x + a)^{(3/2)*a^5 + 3003*\sqrt{b*x + a}*a^6)*f^2/b^6) + 138567*(5*(b*x + a)^{(7/2)} - 21*(b*x + a)^{(5/2)*a + 35*(b*x + a)^{(3/2)*a^2 - 35*\sqrt{b*x + a}*a^3)*d^3/b^3 + 4199*(315*(b*x + a)^{(11/2)*f + 385*(b*e - 5*a*f)*(b*x + a)^{(9/2)} - 990*(2*a*b*e - 5*a^2*f)*(b*x + a)^{(7/2)} + 1386*(3*a^2*b*e - 5*a^3*f)*(b*x + a)^{(5/2)} - 1155*(4*a^3*b*e - 5*a^4*f)*(b*x + a)^{(3/2)} + 3465*(a^4*b*e - a^5*f)*\sqrt{b*x + a})*d^2/b^5 + 1615*(231*(b*x + a)^{(13/2)} - 1638*(b*x + a)^{(11/2)*a + 5005*(b*x + a)^{(9/2)*a^2 - 8580*(b*x + a)^{(7/2)*a^3 + 9009*(b*x + a)^{(5/2)*a^4 - 6006*(b*x + a)^{(3/2)*a^5 + 3003*\sqrt{b*x + a}*a^6)*e^3/b^6 + 2261*(429*(b*x + a)^{(15/2)} - 3465*(b*x + a)^{(13/2)*a + 12285*(b*x + a)^{(11/2)*a^2 - 25025*(b*x + a)^{(9/2)*a^3 + 32175*(b*x + a)^{(7/2)*a^4 - 27027*(b*x + a)^{(5/2)*a^5 + 15015*(b*x + a)^{(3/2)*a^6 - 6435*\sqrt{b*x + a}*a^7)*e^2*f/b^7 + 133*(6435*(b*x + a)^{(17/2)} - 58344*(b*x + a)^{(15/2)*a + 235620*(b*x + a)^{(13/2)*a^2 - 556920*(b*x + a)^{(11/2)*a^3 + 850850*(b*x + a)^{(9/2)*a^4 - 875160*(b*x + a)^{(7/2)*a^5 + 612612*(b*x + a)^{(5/2)*a^6 - 291720*(b*x + a)^{(3/2)*a^7 + 109395*\sqrt{b*x + a}*a^8)*e*f^2/b^8 + 323*(3003*(b*x + a)^{(15/2)*f^2 + 3465*(2*b*e*f - 7*a*f^2)*(b*x + a)^{(13/2)} + 4095*(b^2*e^2 - 12*a*b*e*f + 21*a^2*f^2)*(b*x + a)^{(11/2)} - 25025*(a*b^2*e^2 - 6*a^2*b*e*f + 7*a^3*f^2)*(b*x + a)^{(9/2)} + 32175*(2*a^2*b^2*e^2 - 8*a^3*b*e*f + 7*a^4*f^2)*(b*x + a)^{(7/2)} - 9009*(10*a^3*b^2*e^2 - 30*a^4*b*e*f + 21*a^5*f^2)*(b*x + a)^{(5/2)} + 15015*(5*a^4*b^2*e^2 - 12*a^5*b*e*f + 7*a^6*f^2)*(b*x + a)^{(3/2)} - 45045*(a^5*b^2*e^2 - 2*a^6*b*e*f + a^7*f^2)*\sqrt{b*x + a})*d/b^7 + 21*(12155*(b*x + a)^{(19/2)} - 122265*(b*x + a)^{(17/2)*a + 554268*(b*x + a)^{(15/2)*a^2 - 1492260*(b*x + a)^{(13/2)*a^3 + 2645370*(b*x + a)^{(11/2)*a^4 - 3233230*(b*x + a)^{(9/2)*a^5 + 2771340*(b*x + a)^{(7/2)*a$

$a^6 - 1662804*(b*x + a)^{(5/2)}*a^7 + 692835*(b*x + a)^{(3/2)}*a^8 - 230945*\text{sqr}$
 $t(b*x + a)*a^9)*f^3/b^9)/b$

mupad [B] time = 0.24, size = 896, normalized size = 1.27

$$\frac{(a + bx)^{11/2} (252 a^4 f^3 - 336 a^3 b e f^2 + 126 a^2 b^2 d f^2 + 126 a^2 b^2 e^2 f - 72 a b^3 d e f - 12 a b^3 e^3 - 36 c a b^3 f^2 + \dots)}{11 b^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3)^3/(a + b*x)^(1/2),x)`

[Out] $((a + b*x)^{(11/2)}*(252*a^4*f^3 - 12*a*b^3*e^3 + 6*b^4*d*e^2 + 6*b^4*d^2*f + 126*a^2*b^2*d*f^2 + 126*a^2*b^2*e^2*f + 12*b^4*c*e*f - 36*a*b^3*c*f^2 - 33*6*a^3*b*e*f^2 - 72*a*b^3*d*e*f))/(11*b^{10}) + (2*(a + b*x)^{(1/2)}*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)^3)/b^{10} + ((a + b*x)^{(9/2)}*(6*b^5*c*e^2 - 252*a^5*f^3 + 6*b^5*d^2*e + 30*a^2*b^3*e^3 + 90*a^2*b^3*c*f^2 - 210*a^3*b^2*d*f^2 - 210*a^3*b^2*e^2*f + 12*b^5*c*d*f - 30*a*b^4*d*e^2 - 30*a*b^4*d^2*f + 420*a^4*b*e*f^2 + 180*a^2*b^3*d*e*f - 60*a*b^4*c*e*f))/(9*b^{10}) + (2*f^3*(a + b*x)^{(19/2)})/(19*b^{10}) + ((a + b*x)^{(13/2)}*(2*b^3*e^3 - 168*a^3*f^3 + 6*b^3*c*f^2 + 12*b^3*d*e*f - 42*a*b^2*d*f^2 - 42*a*b^2*e^2*f + 168*a^2*b*e*f^2))/(13*b^{10}) - ((18*a*f^3 - 6*b*e*f^2)*(a + b*x)^{(17/2)})/(17*b^{10}) + ((a + b*x)^{(15/2)}*(72*a^2*f^3 + 6*b^2*d*f^2 + 6*b^2*e^2*f - 48*a*b*e*f^2))/(15*b^{10}) - ((a + b*x)^{(5/2)}*(72*a^7*f^3 + 6*a*b^6*d^3 - 6*b^7*c*d^2 - 6*b^7*c^2*e - 30*a^4*b^3*e^3 - 36*a^2*b^5*c*e^2 - 36*a^2*b^5*d^2*e + 60*a^3*b^4*d*e^2 - 90*a^4*b^3*c*f^2 + 60*a^3*b^4*d^2*f + 126*a^5*b^2*d*f^2 + 126*a^5*b^2*e^2*f + 18*a*b^6*c^2*f - 168*a^6*b*e*f^2 - 72*a^2*b^5*c*d*f + 120*a^3*b^4*c*e*f - 180*a^4*b^3*d*e*f + 36*a*b^6*c*d*e))/(5*b^{10}) + ((a + b*x)^{(7/2)}*(2*b^6*d^3 + 168*a^6*f^3 + 6*b^6*c^2*f - 40*a^3*b^3*e^3 + 60*a^2*b^4*d*e^2 - 120*a^3*b^3*c*f^2 + 60*a^2*b^4*d^2*f + 210*a^4*b^2*d*f^2 + 210*a^4*b^2*e^2*f + 12*b^6*c*d*e - 24*a*b^5*c*e^2 - 24*a*b^5*d^2*e - 336*a^5*b*e*f^2 + 120*a^2*b^4*c*e*f - 240*a^3*b^3*d*e*f - 48*a*b^5*c*d*f))/(7*b^{10}) + (2*(a + b*x)^{(3/2)}*(b^2*d + 3*a^2*f - 2*a*b*e)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)^2)/b^{10}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)**3/(b*x+a)**(1/2),x)`

[Out] Timed out

3.7 $\int \frac{c+dx}{a+bx^3} dx$

Optimal. Leaf size=161

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

[Out] $\frac{1}{3}*(b^{(1/3)}*c-a^{(1/3)}*d)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(2/3)}/b^{(2/3)}-1/6*(c-a^{(1/3)}*d/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(2/3)}/b^{(1/3)}-1/3*(b^{(1/3)}*c+a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(2/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1860, 31, 634, 617, 204, 628}

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3), x]

[Out] $-\left(\left(b^{(1/3)}*c + a^{(1/3)}*d\right)*\text{ArcTan}\left[\frac{a^{(1/3)} - 2*b^{(1/3)}*x}{\text{Sqrt}[3]*a^{(1/3)}}\right]\right)/\left(\text{Sqrt}[3]*a^{(2/3)}*b^{(2/3)}\right) + \left(b^{(1/3)}*c - a^{(1/3)}*d\right)*\text{Log}\left[a^{(1/3)} + b^{(1/3)}*x\right]/\left(3*a^{(2/3)}*b^{(2/3)}\right) - \left(c - a^{(1/3)}*d\right)/b^{(1/3)}*\text{Log}\left[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2\right]/\left(6*a^{(2/3)}*b^{(1/3)}\right)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx}{a + bx^3} dx &= \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}c + \sqrt[3]{ad}) + \sqrt[3]{b}(-\sqrt[3]{b}c + \sqrt[3]{ad})x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\
 &= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \frac{1}{2} \left(\frac{c}{\sqrt[3]{a}} + \frac{d}{\sqrt[3]{b}}\right) \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx \\
 &= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} + \frac{(\sqrt[3]{b}c + \sqrt[3]{ad}) \operatorname{Su}}{6a^{2/3}b^{2/3}} \\
 &= -\frac{(\sqrt[3]{b}c + \sqrt[3]{ad}) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{ad}) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}}
 \end{aligned}$$

Mathematica [A] time = 0.08, size = 124, normalized size = 0.77

$$\frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \left(2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) \right) - 2\sqrt{3}(\sqrt[3]{a}d + \sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{6a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^3), x]

[Out] (-2*Sqrt[3]*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + (b^(1/3)*c - a^(1/3)*d)*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(2/3)*b^(2/3))

fricas [C] time = 2.20, size = 1931, normalized size = 11.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a), x, algorithm="fricas")

[Out] -1/6*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))*log(1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a^2*b*d - 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a*b + 16*c*d)/(a*b))*log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a^2*b*d + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a*b*c^2 - 2*a*c*d^2 + 2*(b*c^3 + a*d^3)*x + 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3))

```

+ a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))*a^2*b*d + 2*a*b*c^2
)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 -
a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3
+ a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a*b + 16*c*d)/(a*
b))) + 1/12*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^
3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c
^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3))) - 3*sqrt(1/3)*sqr
t(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^
3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d
^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a*b + 16*c*d)/(a*b)))
log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 -
a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3
+ a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^2*a^2*b*d + 1/2*((1
/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2
*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^
2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3))))*a*b*c^2 - 2*a*c*d^2 + 2*(b*c^3
+ a*d^3)*x - 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(
a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3)
+ 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))
a^2*b*d + 2*a*b*c^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(
a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3)
+ 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3)))^
2*a*b + 16*c*d)/(a*b)))

```

giac [A] time = 0.17, size = 141, normalized size = 0.88

$$\frac{\sqrt{3} \left(bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}}} + \frac{\left(bc + \left(-ab^2 \right)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + c \right)}{6 \left(-ab^2 \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b*c - (-a*b^2)^(1/3)*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3))/(-a*b^2)^(2/3) - 1/6*(b*c + (-a*b^2)^(1/3)*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(-a*b^2)^(2/3) - 1/3*(d*(-a/b)^(1/3) + c)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a

maple [A] time = 0.05, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a),x)

[Out] $\frac{1}{3} * c / b / (a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) - 1/6 * c / b / (a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + 1/3 * c / b / (a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) - 1/3 * d / b / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) + 1/6 * d / b / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + 1/3 * d * 3^{(1/2)} / b / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1))$

maxima [A] time = 1.91, size = 135, normalized size = 0.84

$$\frac{\sqrt{3}\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}} + c\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}} - c\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(d\left(\frac{a}{b}\right)^{\frac{1}{3}} - c\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{3} * \text{sqrt}(3) * (d * (a/b)^{(1/3)} + c) * \arctan(1/3 * \text{sqrt}(3) * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (b * (a/b)^{(2/3)}) + 1/6 * (d * (a/b)^{(1/3)} - c) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (b * (a/b)^{(2/3)}) - 1/3 * (d * (a/b)^{(1/3)} - c) * \log(x + (a/b)^{(1/3)}) / (b * (a/b)^{(2/3)})$

mupad [B] time = 5.51, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln\left(b\left(c d + d^2 x + \text{root}\left(27 a^2 b^2 z^3 + 9 a b c d z + a d^3 - b c^3, z, k\right)^2 a b^9 + \text{root}\left(27 a^2 b^2 z^3 + 9 a b c d z + a d^3 - b c^3, z, k\right)^2 a b^9\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x)/(a + b*x^3),x)
```

```
[Out] symsum(log(b*(c*d + d^2*x + 9*root(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k)^2*a*b + 3*root(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k)*b*c*x))*root(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k), k, 1, 3)
```

sympy [A] time = 1.19, size = 76, normalized size = 0.47

$$\text{RootSum}\left(27t^3a^2b^2 + 9tabcd + ad^3 - bc^3, \left(t \mapsto t \log\left(x + \frac{9t^2a^2bd + 3tabc^2 + 2acd^2}{ad^3 + bc^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(b*x**3+a),x)
```

```
[Out] RootSum(27*_t**3*a**2*b**2 + 9*_t*a*b*c*d + a*d**3 - b*c**3, Lambda(_t, _t*log(x + (9*_t**2*a**2*b*d + 3*_t*a*b*c**2 + 2*a*c*d**2)/(a*d**3 + b*c**3)))
```

$$3.8 \quad \int \frac{c+dx}{(a+bx^3)^2} dx$$

Optimal. Leaf size=189

$$-\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

[Out] 1/3*x*(d*x+c)/a/(b*x^3+a)+1/9*(2*b^(1/3)*c-a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(5/3)/b^(2/3)-1/18*(2*b^(1/3)*c-a^(1/3)*d)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(5/3)/b^(2/3)-1/9*(2*b^(1/3)*c+a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(5/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.14, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1855, 1860, 31, 634, 617, 204, 628}

$$-\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3)^2, x]

[Out] (x*(c + d*x))/(3*a*(a + b*x^3)) - ((2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(2/3)) + ((2*b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(2/3)) - ((2*b^(1/3)*c - a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(5/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+bx^3)^2} dx &= \frac{x(c+dx)}{3a(a+bx^3)} - \frac{\int \frac{-2c-dx}{a+bx^3} dx}{3a} \\
&= \frac{x(c+dx)}{3a(a+bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}c-\sqrt[3]{a}d)+\sqrt[3]{b}(2\sqrt[3]{b}c-\sqrt[3]{a}d)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{9a^{5/3}\sqrt[3]{b}} + \frac{(2c-\frac{\sqrt[3]{a}d}{\sqrt[3]{b}}) \int \frac{1}{\sqrt[3]{a}+\sqrt[3]{b}x} dx}{9a^{5/3}} \\
&= \frac{x(c+dx)}{3a(a+bx^3)} + \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b}+2b^{2/3}x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{18a^{5/3}b^{2/3}} + \dots \\
&= \frac{x(c+dx)}{3a(a+bx^3)} + \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3})}{18a^{5/3}b^{2/3}} \\
&= \frac{x(c+dx)}{3a(a+bx^3)} - \frac{(2\sqrt[3]{b}c+\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c-\sqrt[3]{a}d) \log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3})}{18a^{5/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 180, normalized size = 0.95

$$\frac{\frac{(a^{2/3}d-2\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{b^{2/3}} + \frac{2(2\sqrt[3]{a}\sqrt[3]{b}c-a^{2/3}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{b^{2/3}} - \frac{2\sqrt{3}\sqrt[3]{a}(\sqrt[3]{a}d+2\sqrt[3]{b}c) \tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{b^{2/3}} + \frac{6ax(c+dx)}{a+bx^3}}{18a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^3)^2, x]

[Out] ((6*a*x*(c + d*x))/(a + b*x^3) - (2*sqrt[3]*a^(1/3)*(2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + (2*(2*a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((-2*a^(1/3)*b^(1/3)*c + a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3))/(18*a^2)

fricas [C] time = 2.49, size = 2088, normalized size = 11.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

+ a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3)))*a^4*b*d + 8*a^2*b*c^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1))*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3) + 4*(1/2)^(2/3)*c*d*(I*sqrt(3) - 1)/(a^3*b*((8*b*c^3 + a*d^3)/(a^5*b^2) + (8*b*c^3 - a*d^3)/(a^5*b^2))^(1/3))))^2*a^3*b + 32*c*d)/(a^3*b)))/(a*b*x^3 + a^2)

giac [A] time = 0.18, size = 174, normalized size = 0.92

$$\frac{\sqrt{3} \left(2bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a} - \frac{\left(2bc + \left(-ab^2 \right)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} a} - \frac{\left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/9*sqrt(3)*(2*b*c - (-a*b^2)^(1/3)*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a/b)^(1/3))/((-a*b^2)^(2/3)*a) - 1/18*(2*b*c + (-a*b^2)^(1/3)*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a) - 1/9*(d*(-a/b)^(1/3) + 2*c)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^2 + 1/3*(d*x^2 + c*x)/(b*x^3 + a)*a

maple [A] time = 0.05, size = 238, normalized size = 1.26

$$\frac{dx^2}{3(bx^3+a)a} + \frac{cx}{3(bx^3+a)a} + \frac{2\sqrt{3}c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{2c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} - \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{\sqrt{3} da}{18 \left(-ab^2 \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a)^2,x)

[Out] 1/3*c*x/a/(b*x^3+a)+2/9*c/a/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/9*c/a/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9*c/a/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*d*x^2/a/(b*x^3+a)-1/9*d/a/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/18*d/a/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9*d/a*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 2.00, size = 169, normalized size = 0.89

$$\frac{dx^2 + cx}{3(abx^3 + a^2)} + \frac{\sqrt{3} \left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right)}{9a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/3*(d*x^2 + c*x)/(a*b*x^3 + a^2) + 1/9*sqrt(3)*(d*(a/b)^(1/3) + 2*c)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b*(a/b)^(2/3)) + 1/18*(d*(a/b)^(1/3) - 2*c)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b*(a/b)^(2/3)) - 1/9*(d*(a/b)^(1/3) - 2*c)*log(x + (a/b)^(1/3))/(a*b*(a/b)^(2/3))

mupad [B] time = 4.87, size = 169, normalized size = 0.89

$$\left(\sum_{k=1}^3 \ln \left(\frac{b \left(2cd + d^2x + \text{root} \left(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k \right)^2 a^3b81 + \text{root} \left(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k \right)}{a^29} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^3)^2,x)

[Out] symsum(log((b*(2*c*d + d^2*x + 81*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k)^2*a^3*b + 18*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k)*a*b*c*x))/(9*a^2))*root(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k), k, 1, 3) + ((d*x^2)/(3*a) + (c*x)/(3*a))/(a + b*x^3)

sympy [A] time = 2.15, size = 105, normalized size = 0.56

$$\text{RootSum} \left(729t^3a^5b^2 + 54ta^2bcd + ad^3 - 8bc^3, \left(t \mapsto t \log \left(x + \frac{81t^2a^4bd + 36ta^2bc^2 + 4acd^2}{ad^3 + 8bc^3} \right) \right) \right) + \frac{cx + dx^2}{3a^2 + 3abx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**3+a)**2,x)

[Out] RootSum(729*_t**3*a**5*b**2 + 54*_t*a**2*b*c*d + a*d**3 - 8*b*c**3, Lambda(_t, _t*log(x + (81*_t**2*a**4*b*d + 36*_t*a**2*b*c**2 + 4*a*c*d**2)/(a*d**3 + 8*b*c**3)))) + (c*x + d*x**2)/(3*a**2 + 3*a*b*x**3)

$$3.9 \quad \int \frac{c+dx}{(a+bx^3)^3} dx$$

Optimal. Leaf size=215

$$\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

[Out] 1/6*x*(d*x+c)/a/(b*x^3+a)^2+1/18*x*(4*d*x+5*c)/a^2/(b*x^3+a)+1/27*(5*b^(1/3)*c-2*a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(8/3)/b^(2/3)-1/54*(5*b^(1/3)*c-2*a^(1/3)*d)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)/b^(2/3)-1/27*(5*b^(1/3)*c+2*a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.19, antiderivative size = 215, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3)^3, x]

[Out] (x*(c + d*x))/(6*a*(a + b*x^3)^2) + (x*(5*c + 4*d*x))/(18*a^2*(a + b*x^3)) - ((5*b^(1/3)*c + 2*a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(8/3)*b^(2/3)) + ((5*b^(1/3)*c - 2*a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(8/3)*b^(2/3)) - ((5*b^(1/3)*c - 2*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(8/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+bx^3)^3} dx &= \frac{x(c+dx)}{6a(a+bx^3)^2} - \frac{\int \frac{-5c-4dx}{(a+bx^3)^2} dx}{6a} \\
&= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{\int \frac{10c+4dx}{a+bx^3} dx}{18a^2} \\
&= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{\int \frac{\sqrt[3]{a}(20\sqrt[3]{b}c+4\sqrt[3]{a}d)+\sqrt[3]{b}(-10\sqrt[3]{b}c+4\sqrt[3]{a}d)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{54a^{8/3}\sqrt[3]{b}} + \frac{(5c-\frac{2\sqrt[3]{a}d}{\sqrt[3]{b}}) \int \frac{1}{a+bx^3} dx}{27a^{8/3}\sqrt[3]{b}} \\
&= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \int \frac{1}{a+bx^3} dx}{54a^{8/3}\sqrt[3]{b}} \\
&= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} + \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{54a^{8/3}\sqrt[3]{b}} \\
&= \frac{x(c+dx)}{6a(a+bx^3)^2} + \frac{x(5c+4dx)}{18a^2(a+bx^3)} - \frac{(5\sqrt[3]{b}c+2\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c-2\sqrt[3]{a}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{27a^{8/3}\sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 205, normalized size = 0.95

$$\frac{(2a^{2/3}d-5\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{b^{2/3}} + \frac{2(5\sqrt[3]{a}\sqrt[3]{b}c-2a^{2/3}d) \log(\sqrt[3]{a}+\sqrt[3]{b}x)}{b^{2/3}} + \frac{9a^2x(c+dx)}{(a+bx^3)^2} - \frac{2\sqrt{3}\sqrt[3]{a}(2\sqrt[3]{a}d+5\sqrt[3]{b}c) \tan^{-1}\left(\frac{1-\frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{b^{2/3}}$$

$$54a^3$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^3)^3, x]

[Out] ((9*a^2*x*(c + d*x))/(a + b*x^3)^2 + (3*a*x*(5*c + 4*d*x))/(a + b*x^3) - (2*sqrt[3]*a^(1/3)*(5*b^(1/3)*c + 2*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + (2*(5*a^(1/3)*b^(1/3)*c - 2*a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((-5*a^(1/3)*b^(1/3)*c + 2*a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3))/(54*a^3)

$$\begin{aligned} & \left(\left(\frac{1}{2} \right)^{\frac{1}{3}} * (I * \sqrt{3}) + 1 \right) * \left(\frac{125 * b * c^3 + 8 * a * d^3}{a^8 * b^2} + \left(\frac{125 * b * c^3 - 8 * a * d^3}{a^8 * b^2} \right)^{\frac{1}{3}} - 20 * \left(\frac{1}{2} \right)^{\frac{2}{3}} * c * d * (-I * \sqrt{3}) + 1 \right) / \left(a^5 * b * \left(\frac{125 * b * c^3 + 8 * a * d^3}{a^8 * b^2} + \left(\frac{125 * b * c^3 - 8 * a * d^3}{a^8 * b^2} \right)^{\frac{1}{3}} \right) \right)^2 \\ & * a^5 * b + 160 * c * d / (a^5 * b) \Big) * \log \left(-\frac{1}{2} * \left(\left(\frac{1}{2} \right)^{\frac{1}{3}} * (I * \sqrt{3}) + 1 \right) * \left(\frac{125 * b * c^3 + 8 * a * d^3}{a^8 * b^2} + \left(\frac{125 * b * c^3 - 8 * a * d^3}{a^8 * b^2} \right)^{\frac{1}{3}} \right) - 20 * \left(\frac{1}{2} \right)^{\frac{2}{3}} * c * d * (-I * \sqrt{3}) + 1 \right) / \left(a^5 * b * \left(\frac{125 * b * c^3 + 8 * a * d^3}{a^8 * b^2} + \left(\frac{125 * b * c^3 - 8 * a * d^3}{a^8 * b^2} \right)^{\frac{1}{3}} \right) \right)^2 \\ & * a^6 * b * d + 25 / 2 * \left(\left(\frac{1}{2} \right)^{\frac{1}{3}} * (I * \sqrt{3}) + 1 \right) * \left(\frac{125 * b * c^3 + 8 * a * d^3}{a^8 * b^2} + \left(\frac{125 * b * c^3 - 8 * a * d^3}{a^8 * b^2} \right)^{\frac{1}{3}} - 20 * \left(\frac{1}{2} \right)^{\frac{2}{3}} * c * d * (-I * \sqrt{3}) + 1 \right) / \left(a^5 * b * \left(\frac{125 * b * c^3 + 8 * a * d^3}{a^8 * b^2} + \left(\frac{125 * b * c^3 - 8 * a * d^3}{a^8 * b^2} \right)^{\frac{1}{3}} \right) \right) \\ & * a^3 * b * c^2 - 40 * a * c * d^2 + 2 * \left(\frac{125 * b * c^3 + 8 * a * d^3}{a^8 * b^2} \right) * x - 3 / 2 * \sqrt{1/3} * \left(\left(\frac{1}{2} \right)^{\frac{1}{3}} * (I * \sqrt{3}) + 1 \right) * \left(\frac{125 * b * c^3 + 8 * a * d^3}{a^8 * b^2} + \left(\frac{125 * b * c^3 - 8 * a * d^3}{a^8 * b^2} \right)^{\frac{1}{3}} - 20 * \left(\frac{1}{2} \right)^{\frac{2}{3}} * c * d * (-I * \sqrt{3}) + 1 \right) / \left(a^5 * b * \left(\frac{125 * b * c^3 + 8 * a * d^3}{a^8 * b^2} + \left(\frac{125 * b * c^3 - 8 * a * d^3}{a^8 * b^2} \right)^{\frac{1}{3}} \right) \right) \\ & * a^6 * b * d + 25 * a^3 * b * c^2 * \sqrt{-\left(\left(\frac{1}{2} \right)^{\frac{1}{3}} * (I * \sqrt{3}) + 1 \right) * \left(\frac{125 * b * c^3 + 8 * a * d^3}{a^8 * b^2} + \left(\frac{125 * b * c^3 - 8 * a * d^3}{a^8 * b^2} \right)^{\frac{1}{3}} - 20 * \left(\frac{1}{2} \right)^{\frac{2}{3}} * c * d * (-I * \sqrt{3}) + 1 \right) / \left(a^5 * b * \left(\frac{125 * b * c^3 + 8 * a * d^3}{a^8 * b^2} + \left(\frac{125 * b * c^3 - 8 * a * d^3}{a^8 * b^2} \right)^{\frac{1}{3}} \right) \right)^2 \\ & * a^5 * b + 160 * c * d / (a^5 * b) \Big) \Big) / (a^2 * b^2 * x^6 + 2 * a^3 * b * x^3 + a^4) \end{aligned}$$

giac [A] time = 0.23, size = 194, normalized size = 0.90

$$\frac{\sqrt{3} \left(5bc - 2 \left(-ab^2 \right)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} a^2} - \frac{\left(5bc + 2 \left(-ab^2 \right)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 \left(-ab^2 \right)^{\frac{2}{3}} a^2} - \frac{\left(2d \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{54 \left(-ab^2 \right)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$-1/27 * \sqrt{3} * (5 * b * c - 2 * (-a * b^2)^{\frac{1}{3}} * d) * \arctan \left(\frac{1/3 * \sqrt{3} * (2 * x + (-a/b)^{\frac{1}{3}})}{(-a/b)^{\frac{1}{3}}} \right) / ((-a * b^2)^{\frac{2}{3}} * a^2) - 1/54 * (5 * b * c + 2 * (-a * b^2)^{\frac{1}{3}} * d) * \log(x^2 + x * (-a/b)^{\frac{1}{3}} + (-a/b)^{\frac{2}{3}}) / ((-a * b^2)^{\frac{2}{3}} * a^2) - 1/27 * (2 * d * (-a/b)^{\frac{1}{3}} + 5 * c) * (-a/b)^{\frac{1}{3}} * \log(\text{abs}(x - (-a/b)^{\frac{1}{3}})) / a^3 + 1/18 * (4 * b * d * x^5 + 5 * b * c * x^4 + 7 * a * d * x^2 + 8 * a * c * x) / ((b * x^3 + a)^2 * a^2)$$

maple [A] time = 0.06, size = 272, normalized size = 1.27

$$\frac{dx^2}{6(bx^3+a)^2 a} + \frac{cx}{6(bx^3+a)^2 a} + \frac{2dx^2}{9(bx^3+a)a^2} + \frac{5cx}{18(bx^3+a)a^2} + \frac{5\sqrt{3}c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b} + \frac{5c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a)^3,x)

[Out] 1/6*c/a*x/(b*x^3+a)^2+5/18*c/a^2*x/(b*x^3+a)+5/27*c/a^2/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-5/54*c/a^2/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+5/27*c/a^2/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/6*d/a*x^2/(b*x^3+a)^2+2/9*d/a^2*x^2/(b*x^3+a)-2/27*d/a^2/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/27*d/a^2/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/27*d/a^2*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 1.96, size = 203, normalized size = 0.94

$$\frac{4bdx^5 + 5bcx^4 + 7adx^2 + 8acx}{18(a^2b^2x^6 + 2a^3bx^3 + a^4)} + \frac{\sqrt{3}\left(2d\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5c\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(2d\left(\frac{a}{b}\right)^{\frac{1}{3}} - 5c\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^2b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(4*b*d*x^5 + 5*b*c*x^4 + 7*a*d*x^2 + 8*a*c*x)/(a^2*b^2*x^6 + 2*a^3*b*x^3 + a^4) + 1/27*sqrt(3)*(2*d*(a/b)^(1/3) + 5*c)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b*(a/b)^(2/3)) + 1/54*(2*d*(a/b)^(1/3) - 5*c)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b*(a/b)^(2/3)) - 1/27*(2*d*(a/b)^(1/3) - 5*c)*log(x + (a/b)^(1/3))/(a^2*b*(a/b)^(2/3))

mupad [B] time = 0.27, size = 206, normalized size = 0.96

$$\frac{\frac{7dx^2}{18a} + \frac{4cx}{9a} + \frac{5bcx^4}{18a^2} + \frac{2bdx^5}{9a^2}}{a^2 + 2abx^3 + b^2x^6} + \left(\sum_{k=1}^3 \ln \left(\frac{b \left(10cd + 4d^2x + \text{root}\left(19683a^8b^2z^3 + 810a^3bcdz - 125bc^3 + 8ad^3\right)}{3} \right)}{a^2 + 2abx^3 + b^2x^6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a + b*x^3)^3,x)`

[Out] $((7*d*x^2)/(18*a) + (4*c*x)/(9*a) + (5*b*c*x^4)/(18*a^2) + (2*b*d*x^5)/(9*a^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + \text{symsum}(\log((b*(10*c*d + 4*d^2*x + 729*\text{root}(19683*a^8*b^2*z^3 + 810*a^3*b*c*d*z - 125*b*c^3 + 8*a*d^3, z, k))^2*a^5*b + 135*\text{root}(19683*a^8*b^2*z^3 + 810*a^3*b*c*d*z - 125*b*c^3 + 8*a*d^3, z, k))*a^2*b*c*x))/(81*a^4))*\text{root}(19683*a^8*b^2*z^3 + 810*a^3*b*c*d*z - 125*b*c^3 + 8*a*d^3, z, k), k, 1, 3)$

sympy [A] time = 2.47, size = 146, normalized size = 0.68

$$\text{RootSum}\left(19683t^3a^8b^2 + 810ta^3bcd + 8ad^3 - 125bc^3, \left(t \mapsto t \log\left(x + \frac{1458t^2a^6bd + 675ta^3bc^2 + 40acd^2}{8ad^3 + 125bc^3}\right)\right)\right) + \frac{8a}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(b*x**3+a)**3,x)`

[Out] $\text{RootSum}(19683*_t**3*a**8*b**2 + 810*_t*a**3*b*c*d + 8*a*d**3 - 125*b*c**3, \text{Lambda}(_t, _t*\log(x + (1458*_t**2*a**6*b*d + 675*_t*a**3*b*c**2 + 40*a*c*d**2)/(8*a*d**3 + 125*b*c**3)))) + (8*a*c*x + 7*a*d*x**2 + 5*b*c*x**4 + 4*b*d*x**5)/(18*a**4 + 36*a**3*b*x**3 + 18*a**2*b**2*x**6)$

$$3.10 \quad \int \frac{c+dx}{(a+bx^3)^4} dx$$

Optimal. Leaf size=240

$$\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \arctan\left(\frac{\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt[3]{a} + \sqrt[3]{b}x}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

[Out] $1/9*x*(d*x+c)/a/(b*x^3+a)^3+1/54*x*(7*d*x+8*c)/a^2/(b*x^3+a)^2+2/81*x*(7*d*x+10*c)/a^3/(b*x^3+a)+2/243*(20*b^(1/3)*c-7*a^(1/3)*d)*\ln(a^(1/3)+b^(1/3)*x)/a^(11/3)/b^(2/3)-1/243*(20*b^(1/3)*c-7*a^(1/3)*d)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)/b^(2/3)-2/243*(20*b^(1/3)*c+7*a^(1/3)*d)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)/b^(2/3)*3^(1/2)$

Rubi [A] time = 0.22, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \arctan\left(\frac{\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt[3]{a} + \sqrt[3]{b}x}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^3)^4, x]

[Out] $(x*(c + d*x))/(9*a*(a + b*x^3)^3) + (x*(8*c + 7*d*x))/(54*a^2*(a + b*x^3)^2) + (2*x*(10*c + 7*d*x))/(81*a^3*(a + b*x^3)) - (2*(20*b^(1/3)*c + 7*a^(1/3)*d)*\text{ArcTan}[a^(1/3) - 2*b^(1/3)*x]/(\text{Sqrt}[3]*a^(11/3)))/(81*\text{Sqrt}[3]*a^(11/3)*b^(2/3)) + (2*(20*b^(1/3)*c - 7*a^(1/3)*d)*\text{Log}[a^(1/3) + b^(1/3)*x]/(243*a^(11/3)*b^(2/3)) - ((20*b^(1/3)*c - 7*a^(1/3)*d)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(11/3)*b^(2/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+bx^3)^4} dx &= \frac{x(c+dx)}{9a(a+bx^3)^3} - \frac{\int \frac{-8c-7dx}{(a+bx^3)^3} dx}{9a} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{\int \frac{40c+28dx}{(a+bx^3)^2} dx}{54a^2} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{2x(10c+7dx)}{81a^3(a+bx^3)} - \frac{\int \frac{-80c-28dx}{a+bx^3} dx}{162a^3} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{2x(10c+7dx)}{81a^3(a+bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-160\sqrt[3]{b}c-28\sqrt[3]{a}d)+\sqrt[3]{b}(80\sqrt[3]{b}c-28\sqrt[3]{a}d)}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{486a^{11/3}\sqrt[3]{b}} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{2x(10c+7dx)}{81a^3(a+bx^3)} + \frac{2(20\sqrt[3]{b}c-7\sqrt[3]{a}d)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{2x(10c+7dx)}{81a^3(a+bx^3)} + \frac{2(20\sqrt[3]{b}c-7\sqrt[3]{a}d)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\
&= \frac{x(c+dx)}{9a(a+bx^3)^3} + \frac{x(8c+7dx)}{54a^2(a+bx^3)^2} + \frac{2x(10c+7dx)}{81a^3(a+bx^3)} - \frac{2(20\sqrt[3]{b}c+7\sqrt[3]{a}d)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 229, normalized size = 0.95

$$\frac{2(7a^{2/3}d-20\sqrt[3]{a}\sqrt[3]{b}c)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{b^{2/3}} + \frac{4(20\sqrt[3]{a}\sqrt[3]{b}c-7a^{2/3}d)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{b^{2/3}} + \frac{54a^3x(c+dx)}{(a+bx^3)^3} + \frac{9a^2x(8c+7dx)}{(a+bx^3)^2} - \frac{4\sqrt{3}\sqrt[3]{a}(7\sqrt[3]{a}d+20\sqrt[3]{b}c)}{486a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^3)^4, x]

[Out] ((54*a^3*x*(c + d*x))/(a + b*x^3)^3 + (9*a^2*x*(8*c + 7*d*x))/(a + b*x^3)^2 + (12*a*x*(10*c + 7*d*x))/(a + b*x^3) - (4*sqrt[3]*a^(1/3)*(20*b^(1/3)*c +

$$7*a^{(1/3)*d}*ArcTan[(1 - (2*b^{(1/3)*x})/a^{(1/3)})/sqrt[3]]/b^{(2/3)} + (4*(20*a^{(1/3)*b^{(1/3)*c} - 7*a^{(2/3)*d}*Log[a^{(1/3)} + b^{(1/3)*x}])/b^{(2/3)} + (2*(-20*a^{(1/3)*b^{(1/3)*c} + 7*a^{(2/3)*d}*Log[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}])/b^{(2/3)})/(486*a^4)$$

fricas [C] time = 2.53, size = 2308, normalized size = 9.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/972*(168*b^2*d*x^8 + 240*b^2*c*x^7 + 462*a*b*d*x^5 + 624*a*b*c*x^4 + 402*a^2*d*x^2 + 492*a^2*c*x - 2*(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6)*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2)))^(1/3))*log(7/4*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2)))^(1/3))^2*a^8*b*d - 400*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2)))^(1/3))*a^4*b*c^2 + 7840*a*c*d^2 + 4*(8000*b*c^3 + 343*a*d^3)*x) + ((a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6)*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2)))^(1/3))) + 3*sqrt(1/3)*(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6)*sqrt(-((4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2)))^(1/3)) + 8960*c*d)/(a^7*b)))*log(-7/4*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2)))^(1/3))^2*a^8*b*d + 400*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2)))^(1/3))*a^4*b*c^2 - 7840*a*c*d^2 + 8*(8000*b*c^3 + 343*a*d^3)*x + 3/4*sqrt(1/3)*(7*(4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2)))^(1/3))*a^8*b*d + 1600*a^4*b*c^2)*sqrt(-((4^(1/3)*(I*sqrt(3) + 1)*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2)))^(1/3)))

$$\begin{aligned} & (a^{11}b^2)^{1/3} - 140 \cdot 4^{2/3} \cdot c \cdot d \cdot (-I\sqrt{3} + 1) / (a^7 b \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3})^2 \cdot a^7 b \\ & + 8960cd / (a^7 b)) + ((a^3 b^3 x^9 + 3a^4 b^2 x^6 + 3a^5 b x^3 + a^6) \cdot (4^{1/3} (I\sqrt{3} + 1) \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3} - 140 \cdot 4^{2/3} \cdot c \cdot d \cdot (-I\sqrt{3} + 1) / (a^7 b \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3})) - 3\sqrt{3} \cdot (a^3 b^3 x^9 + 3a^4 b^2 x^6 + 3a^5 b x^3 + a^6) \cdot \sqrt{-((4^{1/3} (I\sqrt{3} + 1) \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3} - 140 \cdot 4^{2/3} \cdot c \cdot d \cdot (-I\sqrt{3} + 1) / (a^7 b \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3}))^2 \cdot a^7 b + 8960cd) / (a^7 b))} \cdot \log(-7/4 \cdot (4^{1/3} (I\sqrt{3} + 1) \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3} - 140 \cdot 4^{2/3} \cdot c \cdot d \cdot (-I\sqrt{3} + 1) / (a^7 b \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3}))^2 \cdot a^8 b \cdot d + 400 \cdot (4^{1/3} (I\sqrt{3} + 1) \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3} - 140 \cdot 4^{2/3} \cdot c \cdot d \cdot (-I\sqrt{3} + 1) / (a^7 b \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3})) \cdot a^4 b \cdot c^2 - 7840 \cdot a \cdot c \cdot d^2 + 8 \cdot (8000bc^3 + 343ad^3) \cdot x - 3/4 \cdot \sqrt{3} \cdot (7 \cdot (4^{1/3} (I\sqrt{3} + 1) \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3} - 140 \cdot 4^{2/3} \cdot c \cdot d \cdot (-I\sqrt{3} + 1) / (a^7 b \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3})) \cdot a^8 b \cdot d + 1600 \cdot a^4 b \cdot c^2) \cdot \sqrt{-((4^{1/3} (I\sqrt{3} + 1) \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3} - 140 \cdot 4^{2/3} \cdot c \cdot d \cdot (-I\sqrt{3} + 1) / (a^7 b \cdot ((8000bc^3 + 343ad^3) / (a^{11}b^2) + (8000bc^3 - 343ad^3) / (a^{11}b^2))^{1/3}))^2 \cdot a^7 b + 8960cd) / (a^7 b))} / (a^3 b^3 x^9 + 3a^4 b^2 x^6 + 3a^5 b x^3 + a^6) \end{aligned}$$

giac [A] time = 0.23, size = 218, normalized size = 0.91

$$\frac{2\sqrt{3} \left(20bc - 7(-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{243 \left(-ab^2\right)^{\frac{2}{3}} a^3} - \frac{\left(20bc + 7(-ab^2)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}} \right)}{243 \left(-ab^2\right)^{\frac{2}{3}} a^3} - 2 \left(7 \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out]
$$-2/243 \cdot \sqrt{3} \cdot (20bc - 7(-ab^2)^{1/3} d) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2x + (-a/b)^{1/3}) / ((-a/b)^{1/3}) / (((-a/b^2)^{2/3} a^3) - 1/243 \cdot (20bc + 7(-ab^2)^{1/3} d) \cdot \log(x^2 + x \cdot (-a/b)^{1/3} + (-a/b)^{2/3}) / (((-a/b^2)^{2/3} a^3) - 2/243 \cdot (7d \cdot (-a/b)^{1/3} + 20c) \cdot (-a/b)^{1/3} \cdot \log(\text{abs}(x - (-a/b)^{1/3}))) / a^4 + 1/162 \cdot (28b^2 d x^8 + 40b^2 c x^7 + 77a b d x^5 + 104a b c x^4 + 67a^2 d x^2 + 82a^2 c x) / ((b x^3 + a)^3 a^3)$$

maple [A] time = 0.05, size = 306, normalized size = 1.28

$$\frac{dx^2}{9(bx^3+a)^3} + \frac{cx}{9(bx^3+a)^3} + \frac{7dx^2}{54(bx^3+a)^2} + \frac{4cx}{27(bx^3+a)^2} + \frac{14dx^2}{81(bx^3+a)^3} + \frac{20cx}{81(bx^3+a)^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a)^4,x)

[Out] $\frac{1}{9}c/a*x/(b*x^3+a)^3 + \frac{4}{27}c/a^2*x/(b*x^3+a)^2 + \frac{20}{81}c/a^3*x/(b*x^3+a) + \frac{40}{243}c/a^3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) - \frac{20}{243}c/a^3/b/(a/b)^{(2/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + \frac{40}{243}c/a^3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + \frac{1}{9}d/a*x^2/(b*x^3+a)^3 + \frac{7}{54}d/a^2*x^2/(b*x^3+a)^2 + \frac{14}{81}d/a^3*x^2/(b*x^3+a) - \frac{14}{243}d/a^3/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) + \frac{7}{243}d/a^3/b/(a/b)^{(1/3)}*\ln(x^2 - (a/b)^{(1/3)}*x + (a/b)^{(2/3)}) + \frac{14}{243}d/a^3*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 2.62, size = 238, normalized size = 0.99

$$\frac{28b^2dx^8 + 40b^2cx^7 + 77abdx^5 + 104abcx^4 + 67a^2dx^2 + 82a^2cx}{162(a^3b^3x^9 + 3a^4b^2x^6 + 3a^5bx^3 + a^6)} + \frac{2\sqrt{3}\left(7d\left(\frac{a}{b}\right)^{\frac{1}{3}} + 20c\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243a^3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{162}*(28*b^2*d*x^8 + 40*b^2*c*x^7 + 77*a*b*d*x^5 + 104*a*b*c*x^4 + 67*a^2*d*x^2 + 82*a^2*c*x)/(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6) + \frac{2}{243}*sqrt(3)*(7*d*(a/b)^{(1/3)} + 20*c)*arctan(1/3*sqrt(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^3*b*(a/b)^{(2/3)}) + \frac{1}{243}*(7*d*(a/b)^{(1/3)} - 20*c)*log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b*(a/b)^{(2/3)}) - \frac{2}{243}*(7*d*(a/b)^{(1/3)} - 20*c)*log(x + (a/b)^{(1/3)})/(a^3*b*(a/b)^{(2/3)})$

mupad [B] time = 4.93, size = 241, normalized size = 1.00

$$\left(\sum_{k=1}^3 \ln\left(\frac{b\left(560cd + 196d^2x + \text{root}\left(14348907a^{11}b^2z^3 + 408240a^4bcdz - 64000bc^3 + 2744ad^3, z, k\right)a^7b5}{a^66561}\right)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a + b*x^3)^4,x)`

[Out] `symsum(log((b*(560*c*d + 196*d^2*x + 59049*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k)^2*a^7*b + 9720*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k)*a^3*b*c*x))/(6561*a^6))*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k), k, 1, 3) + ((67*d*x^2)/(162*a) + (41*c*x)/(81*a) + (20*b^2*c*x^7)/(81*a^3) + (14*b^2*d*x^8)/(81*a^3) + (52*b*c*x^4)/(81*a^2) + (77*b*d*x^5)/(162*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6)`

sympy [A] time = 3.64, size = 185, normalized size = 0.77

$$\text{RootSum}\left(14348907t^3a^{11}b^2 + 408240ta^4bcd + 2744ad^3 - 64000bc^3, \left(t \mapsto t \log\left(x + \frac{413343t^2a^8bd + 194400ta^4b^2c + 7840a^3cd^2}{1372ad^3 + 32000b^2c^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(b*x**3+a)**4,x)`

[Out] `RootSum(14348907*_t**3*a**11*b**2 + 408240*_t*a**4*b*c*d + 2744*a*d**3 - 64000*b*c**3, Lambda(_t, _t*log(x + (413343*_t**2*a**8*b*d + 194400*_t*a**4*b*c**2 + 7840*a*c*d**2)/(1372*a*d**3 + 32000*b*c**3)))) + (82*a**2*c*x + 67*a**2*d*x**2 + 104*a*b*c*x**4 + 77*a*b*d*x**5 + 40*b**2*c*x**7 + 28*b**2*d*x**8)/(162*a**6 + 486*a**5*b*x**3 + 486*a**4*b**2*x**6 + 162*a**3*b**3*x**9)`

3.11 $\int \frac{a+bx}{d+ex^3} dx$

Optimal. Leaf size=161

$$\frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log\left(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2\right)}{6d^{2/3}\sqrt[3]{e}} - \frac{\left(b\sqrt[3]{d} - a\sqrt[3]{e}\right) \log\left(\sqrt[3]{d} + \sqrt[3]{e}x\right)}{3d^{2/3}e^{2/3}} - \frac{\left(a\sqrt[3]{e} + b\sqrt[3]{d}\right) \tan^{-1}\left(\frac{\sqrt[3]{d}-2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}}$$

[Out] $-1/3*(b*d^{(1/3)}-a*e^{(1/3)})*\ln(d^{(1/3)}+e^{(1/3)*x}/d^{(2/3)}/e^{(2/3)}-1/6*(a-b*d^{(1/3)}/e^{(1/3)})*\ln(d^{(2/3)}-d^{(1/3)*e^{(1/3)*x}+e^{(2/3)*x^2}/d^{(2/3)}/e^{(1/3)}-1/3*(b*d^{(1/3)}+a*e^{(1/3)})*\arctan(1/3*(d^{(1/3)}-2*e^{(1/3)*x}/d^{(1/3)}*3^{(1/2))}/d^{(2/3)}/e^{(2/3)}*3^{(1/2)})$

Rubi [A] time = 0.12, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1860, 31, 634, 617, 204, 628}

$$\frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log\left(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2\right)}{6d^{2/3}\sqrt[3]{e}} - \frac{\left(b\sqrt[3]{d} - a\sqrt[3]{e}\right) \log\left(\sqrt[3]{d} + \sqrt[3]{e}x\right)}{3d^{2/3}e^{2/3}} - \frac{\left(a\sqrt[3]{e} + b\sqrt[3]{d}\right) \tan^{-1}\left(\frac{\sqrt[3]{d}-2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)/(d + e*x^3), x]

[Out] $-(((b*d^{(1/3)} + a*e^{(1/3)})*ArcTan[(d^{(1/3)} - 2*e^{(1/3)*x}/(Sqrt[3]*d^{(1/3)}))/((Sqrt[3]*d^{(2/3)*e^{(2/3)}) - ((b*d^{(1/3)} - a*e^{(1/3)})*Log[d^{(1/3)} + e^{(1/3)*x}]/(3*d^{(2/3)*e^{(2/3)}) - ((a - (b*d^{(1/3)})/e^{(1/3)})*Log[d^{(2/3)} - d^{(1/3)*e^{(1/3)*x} + e^{(2/3)*x^2}]/(6*d^{(2/3)*e^{(1/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{a + bx}{d + ex^3} dx &= \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \int \frac{1}{\sqrt[3]{d} + \sqrt[3]{e}x} dx}{3d^{2/3}} + \frac{\int \frac{\sqrt[3]{d}(b\sqrt[3]{d} + 2a\sqrt[3]{e}) + (b\sqrt[3]{d} - a\sqrt[3]{e})\sqrt[3]{e}x}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3d^{2/3}\sqrt[3]{e}} \\ &= \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{1}{2} \left(\frac{a}{\sqrt[3]{d}} + \frac{b}{\sqrt[3]{e}}\right) \int \frac{1}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \int}{6d} \\ &= \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \operatorname{Su}}{6d} \\ &= -\frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}} + \frac{\left(a - \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 125, normalized size = 0.78

$$-\frac{(b\sqrt[3]{d} - a\sqrt[3]{e})\left(2\log(\sqrt[3]{d} + \sqrt[3]{e}x) - \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)\right) - 2\sqrt{3}(a\sqrt[3]{e} + b\sqrt[3]{d})\tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{e}x}{\sqrt[3]{d}}}{\sqrt{3}}\right)}{6d^{2/3}e^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)/(d + e*x^3), x]

[Out] (-2*Sqrt[3]*(b*d^(1/3) + a*e^(1/3))*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))/Sqrt[3]] - (b*d^(1/3) - a*e^(1/3))*(2*Log[d^(1/3) + e^(1/3)*x] - Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2]))/(6*d^(2/3)*e^(2/3))

fricas [C] time = 2.36, size = 1961, normalized size = 12.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(e*x^3+d), x, algorithm="fricas")

[Out] -1/6*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))*log(1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*b*d^2*e - 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*b*d^2*e + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*b*d^2*e - 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*b*d^2*e + 16*a*b)/(d*e))*log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))*a^2*d*e - 2*a*b^2*d + 2*(b^3*d + a^3*e)*x + 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d

```

+ a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3))) * b*d^2*e + 2*a^2*d*e
)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d -
a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d
+ a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*d*e + 16*a*b)/(d*
e))) + 1/12*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*
d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3
*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3))) - 3*sqrt(1/3)*sqr
t(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*
e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3
*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*d*e + 16*a*b)/(d*e))) *
log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d -
a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d
+ a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*b*d^2*e + 1/2*((1
/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2
*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3) + 1)/(d*e*((b^3*d + a^3*e)/(d^
2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3))) * a^2*d*e - 2*a*b^2*d + 2*(b^3*d
+ a^3*e)*x - 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(
d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3)
+ 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3))) *
b*d^2*e + 2*a^2*d*e)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^3*d + a^3*e)/(
d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 2*(1/2)^(2/3)*a*b*(-I*sqrt(3)
+ 1)/(d*e*((b^3*d + a^3*e)/(d^2*e^2) - (b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^
2*d*e + 16*a*b)/(d*e)))

```

giac [A] time = 0.17, size = 132, normalized size = 0.82

$$\frac{\sqrt{3} \left(a e - (-d e^2)^{\frac{1}{3}} b \right) \arctan \left(\frac{\sqrt{3} \left(2 x + (-d e^{-1})^{\frac{1}{3}} \right)}{3 (-d e^{-1})^{\frac{1}{3}}} \right)}{3 (-d e^2)^{\frac{2}{3}}} - \frac{\left(a e + (-d e^2)^{\frac{1}{3}} b \right) \log \left(x^2 + (-d e^{-1})^{\frac{1}{3}} x + (-d e^{-1})^{\frac{2}{3}} \right)}{6 (-d e^2)^{\frac{2}{3}}} (-d e^{-1})^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(e*x^3+d),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(a*e - (-d*e^2)^(1/3)*b)*arctan(1/3*sqrt(3)*(2*x + (-d*e^(-1))^(1/3))/(-d*e^(-1))^(1/3))/(-d*e^2)^(2/3) - 1/6*(a*e + (-d*e^2)^(1/3)*b)*log(x^2 + (-d*e^(-1))^(1/3)*x + (-d*e^(-1))^(2/3))/(-d*e^2)^(2/3) - 1/3*(-d*e^(-1))^(1/3)*((-d*e^(-1))^(1/3)*b + a)*log(abs(x - (-d*e^(-1))^(1/3)))/d

maple [A] time = 0.05, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} a \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{a \ln\left(x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} - \frac{a \ln\left(x^2 - \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e} - \frac{b \ln\left(x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)/(e*x^3+d),x)

[Out] 1/3*a/e/(d/e)^(2/3)*ln(x+(d/e)^(1/3))-1/6*a/e/(d/e)^(2/3)*ln(x^2-(d/e)^(1/3)*x+(d/e)^(2/3))+1/3*a/e/(d/e)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(d/e)^(1/3)*x-1))-1/3*b/e/(d/e)^(1/3)*ln(x+(d/e)^(1/3))+1/6*b/e/(d/e)^(1/3)*ln(x^2-(d/e)^(1/3)*x+(d/e)^(2/3))+1/3*b*3^(1/2)/e/(d/e)^(1/3)*arctan(1/3*3^(1/2)*(2/(d/e)^(1/3)*x-1))

maxima [A] time = 2.51, size = 135, normalized size = 0.84

$$\frac{\sqrt{3}\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}+a\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}} + \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}-a\right)\log\left(x^2-x\left(\frac{d}{e}\right)^{\frac{1}{3}}+\left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6e\left(\frac{d}{e}\right)^{\frac{2}{3}}} - \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}-a\right)\log\left(x+\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(e*x^3+d),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*(b*(d/e)^(1/3)+a)*arctan(1/3*sqrt(3)*(2*x-(d/e)^(1/3))/(d/e)^(1/3))/(e*(d/e)^(2/3))+1/6*(b*(d/e)^(1/3)-a)*log(x^2-x*(d/e)^(1/3)+(d/e)^(2/3))/(e*(d/e)^(2/3))-1/3*(b*(d/e)^(1/3)-a)*log(x+(d/e)^(1/3))/(e*(d/e)^(2/3))

mupad [B] time = 4.85, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln\left(e\left(ab+b^2x+\operatorname{root}\left(27d^2e^2z^3+9abdez+b^3d-a^3e,z,k\right)^2de^9+\operatorname{root}\left(27d^2e^2z^3+9abdez+b^3d-\right.\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x)/(d + e*x^3),x)
```

```
[Out] symsum(log(e*(a*b + b^2*x + 9*root(27*d^2*e^2*z^3 + 9*a*b*d*e*z + b^3*d - a^3*e, z, k)^2*d*e + 3*root(27*d^2*e^2*z^3 + 9*a*b*d*e*z + b^3*d - a^3*e, z, k)*a*e*x))*root(27*d^2*e^2*z^3 + 9*a*b*d*e*z + b^3*d - a^3*e, z, k), k, 1, 3)
```

sympy [A] time = 1.43, size = 76, normalized size = 0.47

$$\text{RootSum}\left(27t^3d^2e^2 + 9tabde - a^3e + b^3d, \left(t \mapsto t \log\left(x + \frac{9t^2bd^2e + 3ta^2de + 2ab^2d}{a^3e + b^3d}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)/(e*x**3+d),x)
```

```
[Out] RootSum(27*_t**3*d**2*e**2 + 9*_t*a*b*d*e - a**3*e + b**3*d, Lambda(_t, _t*log(x + (9*_t**2*b*d**2*e + 3*_t*a**2*d*e + 2*a*b**2*d)/(a**3*e + b**3*d)))
```

3.12 $\int \frac{a+bx}{d-ex^3} dx$

Optimal. Leaf size=161

$$\frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} - \frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} - \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}}$$

[Out] $-1/3*(b*d^{(1/3)}+a*e^{(1/3)})*\ln(d^{(1/3)}-e^{(1/3)}*x)/d^{(2/3)}/e^{(2/3)}+1/6*(b*d^{(1/3)}+a*e^{(1/3)})*\ln(d^{(2/3)}+d^{(1/3)}*e^{(1/3)}*x+e^{(2/3)}*x^2)/d^{(2/3)}/e^{(2/3)}-1/3*(b*d^{(1/3)}-a*e^{(1/3)})*\arctan(1/3*(d^{(1/3)}+2*e^{(1/3)}*x)/d^{(1/3)}*3^{(1/2)})/d^{(2/3)}/e^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.10, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1861, 31, 634, 617, 204, 628}

$$\frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} - \frac{(a\sqrt[3]{e} + b\sqrt[3]{d}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} - \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)/(d - e*x^3), x]

[Out] $-(((b*d^{(1/3)} - a*e^{(1/3)})*ArcTan[(d^{(1/3)} + 2*e^{(1/3)}*x)/(Sqrt[3]*d^{(1/3)})])/(Sqrt[3]*d^{(2/3)}*e^{(2/3)}) - ((b*d^{(1/3)} + a*e^{(1/3)})*Log[d^{(1/3)} - e^{(1/3)}*x])/(3*d^{(2/3)}*e^{(2/3)}) + ((b*d^{(1/3)} + a*e^{(1/3)})*Log[d^{(2/3)} + d^{(1/3)}*e^{(1/3)}*x + e^{(2/3)}*x^2])/(6*d^{(2/3)}*e^{(2/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1861

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 3]], s = Denominator[Rt[-(a/b), 3]]}, Dist[(r*(B*r + A*s))/(3*a*s), Int[1/(r - s*x), x], x] - Dist[r/(3*a*s), Int[(r*(B*r - 2*A*s) - s*(B*r + A*s)*x)/(r^2 + r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{a + bx}{d - ex^3} dx &= \frac{\left(a + \frac{b\sqrt[3]{d}}{\sqrt[3]{e}}\right) \int \frac{1}{\sqrt[3]{d} - \sqrt[3]{e}x} dx}{3d^{2/3}} - \frac{\int \frac{\sqrt[3]{d}(b\sqrt[3]{d} - 2a\sqrt[3]{e}) - (b\sqrt[3]{d} + a\sqrt[3]{e})\sqrt[3]{e}x}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3d^{2/3}\sqrt[3]{e}} \\ &= -\frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} - \frac{1}{2} \left(-\frac{a}{\sqrt[3]{d}} + \frac{b}{\sqrt[3]{e}}\right) \int \frac{1}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} \\ &= -\frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}} \\ &= -\frac{(b\sqrt[3]{d} - a\sqrt[3]{e}) \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{2/3}} - \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}e^{2/3}} + \frac{(b\sqrt[3]{d} + a\sqrt[3]{e}) \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}e^{2/3}} \end{aligned}$$

2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3))) * b*d^2*e + 6*a^2*d*e)*sqrt(-((9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*d*e - 144*a*b)/(d*e))) + 1/36*(9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3) - 3*sqrt(1/3)*sqrt(-((9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*d*e - 144*a*b)/(d*e)) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3))) * log(-1/36*(9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*b*d^2*e + 1/6*(9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3))) * a^2*d*e + 2*a*b^2*d - 2*(b^3*d - a^3*e)*x - 1/12*sqrt(1/3)*((9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3))) * b*d^2*e + 6*a^2*d*e)*sqrt(-((9*(I*sqrt(3) + 1)*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3) + a*b*(-I*sqrt(3) + 1)/(d*e*(-1/54*(b^3*d + a^3*e)/(d^2*e^2) - 1/54*(b^3*d - a^3*e)/(d^2*e^2))^(1/3)))^2*d*e - 144*a*b)/(d*e)))

giac [A] time = 0.18, size = 115, normalized size = 0.71

$$\frac{\sqrt{3} \left(b d^{\frac{2}{3}} e^{\frac{4}{3}} - a d^{\frac{1}{3}} e^{\frac{5}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(d^{\frac{1}{3}} e^{\left(-\frac{1}{3}\right)} + 2x \right) e^{\frac{1}{3}}}{3 d^{\frac{1}{3}}} \right) e^{(-2)}}{3 d} - \frac{\left(b d^{\frac{1}{3}} e^{\left(-\frac{1}{3}\right)} + a \right) e^{\left(-\frac{1}{3}\right)} \log \left(\left| -d^{\frac{1}{3}} e^{\left(-\frac{1}{3}\right)} + x \right| \right) \left(b d^{\frac{2}{3}} e^{\frac{4}{3}} + a d^{\frac{1}{3}} e^{\frac{5}{3}} \right)}{3 d^{\frac{2}{3}}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(-e*x^3+d),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b*d^(2/3)*e^(4/3) - a*d^(1/3)*e^(5/3))*arctan(1/3*sqrt(3)*(d^(1/3)*e^(-1/3) + 2*x)*e^(1/3)/d^(1/3))*e^(-2)/d - 1/3*(b*d^(1/3)*e^(-1/3) + a)*e^(-1/3)*log(abs(-d^(1/3)*e^(-1/3) + x))/d^(2/3) + 1/6*(b*d^(2/3)*e^(4/3) + a*d^(1/3)*e^(5/3))*e^(-2)*log(d^(1/3)*x*e^(-1/3) + x^2 + d^(2/3)*e^(-2/3))/d

maple [A] time = 0.05, size = 188, normalized size = 1.17

$$\frac{\sqrt{3} a \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}+1\right)}{\frac{3}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e}\right) + a \ln\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right) + a \ln\left(x^2 + \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}+1\right)}{\frac{3}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{6\left(\frac{d}{e}\right)^{\frac{2}{3}}e}\right) + b \ln\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e} + \frac{b \ln\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)/(-e*x^3+d),x)

[Out] $-1/3*a/e/(d/e)^{(2/3)}*\ln(x-(d/e)^{(1/3)})+1/6*a/e/(d/e)^{(2/3)}*\ln(x^2+(d/e)^{(1/3)}*x+(d/e)^{(2/3)})+1/3*a/e/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x+1))-1/3*b/e/(d/e)^{(1/3)}*\ln(x-(d/e)^{(1/3)})+1/6*b/e/(d/e)^{(1/3)}*\ln(x^2+(d/e)^{(1/3)}*x+(d/e)^{(2/3)})-1/3*b*3^{(1/2)}/e/(d/e)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x+1))$

maxima [A] time = 2.68, size = 132, normalized size = 0.82

$$\frac{\sqrt{3}\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}-a\right)\arctan\left(\frac{\sqrt{3}\left(2x+\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}} + \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}+a\right)\log\left(x^2+x\left(\frac{d}{e}\right)^{\frac{1}{3}}+\left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6e\left(\frac{d}{e}\right)^{\frac{2}{3}}} - \frac{\left(b\left(\frac{d}{e}\right)^{\frac{1}{3}}+a\right)\log\left(x-\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(-e*x^3+d),x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*(b*(d/e)^{(1/3)}-a)*\arctan(1/3*\sqrt{3}*(2*x+(d/e)^{(1/3)})/(d/e)^{(1/3)})/(e*(d/e)^{(2/3)})+1/6*(b*(d/e)^{(1/3)}+a)*\log(x^2+x*(d/e)^{(1/3)}+(d/e)^{(2/3)})/(e*(d/e)^{(2/3)})-1/3*(b*(d/e)^{(1/3)}+a)*\log(x-(d/e)^{(1/3)})/(e*(d/e)^{(2/3)})$

mupad [B] time = 0.21, size = 124, normalized size = 0.77

$$\sum_{k=1}^3 \ln\left(e\left(ab+b^2x-\text{root}\left(27d^2e^2z^3-9abdez+b^3d+a^3e,z,k\right)^2de-9-\text{root}\left(27d^2e^2z^3-9abdez+b^3d+a^3e,z,k\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x)/(d - e*x^3),x)
```

```
[Out] symsum(log(e*(a*b + b^2*x - 9*root(27*d^2*e^2*z^3 - 9*a*b*d*e*z + b^3*d + a^3*e, z, k)^2*d*e - 3*root(27*d^2*e^2*z^3 - 9*a*b*d*e*z + b^3*d + a^3*e, z, k)*a*e*x))*root(27*d^2*e^2*z^3 - 9*a*b*d*e*z + b^3*d + a^3*e, z, k), k, 1, 3)
```

sympy [A] time = 1.49, size = 78, normalized size = 0.48

$$-\text{RootSum}\left(27t^3d^2e^2 - 9tabde - a^3e - b^3d, \left(t \mapsto t \log\left(x + \frac{9t^2bd^2e - 3ta^2de - 2ab^2d}{a^3e - b^3d}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)/(-e*x**3+d),x)
```

```
[Out] -RootSum(27*_t**3*d**2*e**2 - 9*_t*a*b*d*e - a**3*e - b**3*d, Lambda(_t, _t*log(x + (9*_t**2*b*d**2*e - 3*_t*a**2*d*e - 2*a*b**2*d)/(a**3*e - b**3*d)))
```

3.13

$$\int \frac{1+x}{1+x^3} dx$$

Optimal. Leaf size=19

$$-\frac{2 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] -2/3*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.02, antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1586, 618, 204}

$$-\frac{2 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x)/(1 + x^3), x]

[Out] (-2*ArcTan[(1 - 2*x)/Sqrt[3]])/Sqrt[3]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{1+x}{1+x^3} dx &= \int \frac{1}{1-x+x^2} dx \\ &= -\left(2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, -1+2x\right)\right) \\ &= -\frac{2 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 19, normalized size = 1.00

$$\frac{2 \tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)/(1 + x^3), x]

[Out] (2*ArcTan[(-1 + 2*x)/Sqrt[3]])/Sqrt[3]

fricas [A] time = 0.50, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^3+1),x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1))

giac [A] time = 0.19, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^3+1),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1))

maple [A] time = 0.04, size = 17, normalized size = 0.89

$$\frac{2\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x+1)/(x^3+1),x)`

[Out] `2/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))`

maxima [A] time = 2.48, size = 16, normalized size = 0.84

$$\frac{2}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)/(x^3+1),x, algorithm="maxima")`

[Out] `2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1))`

mupad [B] time = 4.70, size = 16, normalized size = 0.84

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}(2x-1)}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x + 1)/(x^3 + 1),x)`

[Out] `(2*3^(1/2)*atan((3^(1/2)*(2*x - 1))/3))/3`

sympy [A] time = 0.37, size = 26, normalized size = 1.37

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)/(x**3+1),x)`

[Out] `2*sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3`

$$3.14 \quad \int \frac{1-x}{1-x^3} dx$$

Optimal. Leaf size=19

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] 2/3*arctan(1/3*(1+2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.01, antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1586, 618, 204}

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(1 - x^3), x]

[Out] (2*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{1-x}{1-x^3} dx &= \int \frac{1}{1+x+x^2} dx \\ &= -\left(2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right)\right) \\ &= \frac{2 \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 19, normalized size = 1.00

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(1 - x^3), x]

[Out] (2*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3]

fricas [A] time = 0.53, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^3+1), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1))

giac [A] time = 0.17, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^3+1), x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1))

maple [A] time = 0.04, size = 17, normalized size = 0.89

$$\frac{2\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/(-x^3+1),x)

[Out] 2/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.43, size = 16, normalized size = 0.84

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^3+1),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1))

mupad [B] time = 4.67, size = 16, normalized size = 0.84

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}(2x+1)}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x - 1)/(x^3 - 1),x)

[Out] (2*3^(1/2)*atan((3^(1/2)*(2*x + 1))/3))/3

sympy [A] time = 0.22, size = 26, normalized size = 1.37

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x**3+1),x)

[Out] 2*sqrt(3)*atan(2*sqrt(3)*x/3 + sqrt(3)/3)/3

3.15

$$\int \frac{1+x}{1-x^3} dx$$

Optimal. Leaf size=22

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x)$$

[Out] -2/3*ln(1-x)+1/3*ln(x^2+x+1)

Rubi [A] time = 0.01, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1861, 31, 628}

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)/(1 - x^3), x]

[Out] (-2*Log[1 - x])/3 + Log[1 + x + x^2]/3

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1861

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 3]], s = Denominator[Rt[-(a/b), 3]]}, Dist[(r*(B*r + A*s))/(3*a*s), Int[1/(r - s*x), x], x] - Dist[r/(3*a*s), Int[(r*(B*r - 2*A*s) - s*(B*r + A*s)*x)/(r^2 + r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && NegQ[a/b]

Rubi steps

$$\begin{aligned}\int \frac{1+x}{1-x^3} dx &= -\left(\frac{1}{3} \int \frac{-1-2x}{1+x+x^2} dx\right) + \frac{2}{3} \int \frac{1}{1-x} dx \\ &= -\frac{2}{3} \log(1-x) + \frac{1}{3} \log(1+x+x^2)\end{aligned}$$

Mathematica [A] time = 0.00, size = 22, normalized size = 1.00

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)/(1 - x^3), x]

[Out] (-2*Log[1 - x])/3 + Log[1 + x + x^2]/3

fricas [A] time = 0.57, size = 16, normalized size = 0.73

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(-x^3+1),x, algorithm="fricas")

[Out] 1/3*log(x^2 + x + 1) - 2/3*log(x - 1)

giac [A] time = 0.16, size = 17, normalized size = 0.77

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(-x^3+1),x, algorithm="giac")

[Out] 1/3*log(x^2 + x + 1) - 2/3*log(abs(x - 1))

maple [A] time = 0.05, size = 17, normalized size = 0.77

$$-\frac{2 \ln(x - 1)}{3} + \frac{\ln(x^2 + x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x+1)/(-x^3+1),x)`

[Out] `-2/3*ln(x-1)+1/3*ln(x^2+x+1)`

maxima [A] time = 2.44, size = 16, normalized size = 0.73

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)/(-x^3+1),x, algorithm="maxima")`

[Out] `1/3*log(x^2 + x + 1) - 2/3*log(x - 1)`

mupad [B] time = 0.06, size = 16, normalized size = 0.73

$$\frac{\ln(x^2 + x + 1)}{3} - \frac{2 \ln(x - 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x + 1)/(x^3 - 1),x)`

[Out] `log(x + x^2 + 1)/3 - (2*log(x - 1))/3`

sympy [A] time = 0.25, size = 17, normalized size = 0.77

$$-\frac{2 \log(x - 1)}{3} + \frac{\log(x^2 + x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)/(-x**3+1),x)`

[Out] `-2*log(x - 1)/3 + log(x**2 + x + 1)/3`

$$3.16 \quad \int \frac{1-x}{1+x^3} dx$$

Optimal. Leaf size=22

$$\frac{2}{3} \log(x+1) - \frac{1}{3} \log(x^2-x+1)$$

[Out] 2/3*ln(1+x)-1/3*ln(x^2-x+1)

Rubi [A] time = 0.01, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1860, 31, 628}

$$\frac{2}{3} \log(x+1) - \frac{1}{3} \log(x^2-x+1)$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(1 + x^3), x]

[Out] (2*Log[1 + x])/3 - Log[1 - x + x^2]/3

Rule 31

Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned}\int \frac{1-x}{1+x^3} dx &= \frac{1}{3} \int \frac{1-2x}{1-x+x^2} dx + \frac{2}{3} \int \frac{1}{1+x} dx \\ &= \frac{2}{3} \log(1+x) - \frac{1}{3} \log(1-x+x^2)\end{aligned}$$

Mathematica [A] time = 0.01, size = 22, normalized size = 1.00

$$\frac{2}{3} \log(x+1) - \frac{1}{3} \log(x^2-x+1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(1 + x^3), x]

[Out] (2*Log[1 + x])/3 - Log[1 - x + x^2]/3

fricas [A] time = 0.48, size = 18, normalized size = 0.82

$$-\frac{1}{3} \log(x^2-x+1) + \frac{2}{3} \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(x^3+1),x, algorithm="fricas")

[Out] -1/3*log(x^2 - x + 1) + 2/3*log(x + 1)

giac [A] time = 0.17, size = 19, normalized size = 0.86

$$-\frac{1}{3} \log(x^2-x+1) + \frac{2}{3} \log(|x+1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(x^3+1),x, algorithm="giac")

[Out] -1/3*log(x^2 - x + 1) + 2/3*log(abs(x + 1))

maple [A] time = 0.04, size = 19, normalized size = 0.86

$$\frac{2 \ln(x+1)}{3} - \frac{\ln(x^2-x+1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-x)/(x^3+1),x)`

[Out] `2/3*ln(x+1)-1/3*ln(x^2-x+1)`

maxima [A] time = 2.47, size = 18, normalized size = 0.82

$$-\frac{1}{3} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)/(x^3+1),x, algorithm="maxima")`

[Out] `-1/3*log(x^2 - x + 1) + 2/3*log(x + 1)`

mupad [B] time = 0.11, size = 18, normalized size = 0.82

$$\frac{2 \ln(x + 1)}{3} - \frac{\ln(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x - 1)/(x^3 + 1),x)`

[Out] `(2*log(x + 1))/3 - log(x^2 - x + 1)/3`

sympy [A] time = 0.23, size = 17, normalized size = 0.77

$$\frac{2 \log(x + 1)}{3} - \frac{\log(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)/(x**3+1),x)`

[Out] `2*log(x + 1)/3 - log(x**2 - x + 1)/3`

$$3.17 \quad \int \frac{3-x}{1-x^3} dx$$

Optimal. Leaf size=41

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \frac{4 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-2/3*\ln(1-x)+1/3*\ln(x^2+x+1)+4/3*\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1861, 31, 634, 618, 204, 628}

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \frac{4 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(3 - x)/(1 - x^3), x]

[Out] $(4*\text{ArcTan}[(1 + 2*x)/\text{Sqrt}[3]])/\text{Sqrt}[3] - (2*\text{Log}[1 - x])/3 + \text{Log}[1 + x + x^2]/3$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1861

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 3]], s = Denominator[Rt[-(a/b), 3]]}, Dist[(r*(B*r + A*s))/(3*a*s), Int[1/(r - s*x), x], x] - Dist[r/(3*a*s), Int[(r*(B*r - 2*A*s) - s*(B*r + A*s)*x)/(r^2 + r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && NegQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{3-x}{1-x^3} dx &= -\left(\frac{1}{3} \int \frac{-7-2x}{1+x+x^2} dx\right) + \frac{2}{3} \int \frac{1}{1-x} dx \\ &= -\frac{2}{3} \log(1-x) + \frac{1}{3} \int \frac{1+2x}{1+x+x^2} dx + 2 \int \frac{1}{1+x+x^2} dx \\ &= -\frac{2}{3} \log(1-x) + \frac{1}{3} \log(1+x+x^2) - 4 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right) \\ &= \frac{4 \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{2}{3} \log(1-x) + \frac{1}{3} \log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 41, normalized size = 1.00

$$\frac{1}{3} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \frac{4 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(3 - x)/(1 - x^3), x]

[Out] (4*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3] - (2*Log[1 - x])/3 + Log[1 + x + x^2]/3

fricas [A] time = 0.82, size = 32, normalized size = 0.78

$$\frac{4}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) + \frac{1}{3}\log(x^2+x+1) - \frac{2}{3}\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x^3+1),x, algorithm="fricas")

[Out] 4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/3*log(x^2 + x + 1) - 2/3*log(x - 1)

giac [A] time = 0.15, size = 33, normalized size = 0.80

$$\frac{4}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) + \frac{1}{3}\log(x^2+x+1) - \frac{2}{3}\log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x^3+1),x, algorithm="giac")

[Out] 4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/3*log(x^2 + x + 1) - 2/3*log(abs(x - 1))

maple [A] time = 0.05, size = 33, normalized size = 0.80

$$\frac{4\sqrt{3}\arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \frac{2\ln(x-1)}{3} + \frac{\ln(x^2+x+1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3-x)/(-x^3+1),x)

[Out] -2/3*ln(x-1)+1/3*ln(x^2+x+1)+4/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.43, size = 32, normalized size = 0.78

$$\frac{4}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) + \frac{1}{3}\log(x^2+x+1) - \frac{2}{3}\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x^3+1),x, algorithm="maxima")

[Out] 4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/3*log(x^2 + x + 1) - 2/3*log(x - 1)

mupad [B] time = 0.14, size = 46, normalized size = 1.12

$$-\frac{2 \ln(x-1)}{3} - \ln\left(x + \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) \left(-\frac{1}{3} + \frac{\sqrt{3} 2i}{3}\right) + \ln\left(x + \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(\frac{1}{3} + \frac{\sqrt{3} 2i}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x - 3)/(x^3 - 1), x)

[Out] log(x + (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*2i)/3 + 1/3) - log(x - (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*2i)/3 - 1/3) - (2*log(x - 1))/3

sympy [A] time = 0.47, size = 44, normalized size = 1.07

$$-\frac{2 \log(x-1)}{3} + \frac{\log(x^2 + x + 1)}{3} + \frac{4\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-x)/(-x**3+1), x)

[Out] -2*log(x - 1)/3 + log(x**2 + x + 1)/3 + 4*sqrt(3)*atan(2*sqrt(3)*x/3 + sqrt(3)/3)/3

$$3.18 \quad \int \frac{c+dx}{c^3+d^3x^3} dx$$

Optimal. Leaf size=29

$$-\frac{2 \tan^{-1}\left(\frac{c-2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd}$$

[Out] $-2/3*\arctan(1/3*(-2*d*x+c)/c*3^{(1/2)})/c/d*3^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1586, 617, 204}

$$-\frac{2 \tan^{-1}\left(\frac{c-2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] `Int[(c + d*x)/(c^3 + d^3*x^3), x]`

[Out] `(-2*ArcTan[(c - 2*d*x)/(Sqrt[3]*c)])/(Sqrt[3]*c*d)`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 617

`Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 1586

`Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]`

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{c^3 + d^3 x^3} dx &= \int \frac{1}{c^2 - cdx + d^2 x^2} dx \\ &= \frac{2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2dx}{c}\right)}{cd} \\ &= -\frac{2 \tan^{-1}\left(\frac{c-2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd} \end{aligned}$$

Mathematica [A] time = 0.01, size = 31, normalized size = 1.07

$$\frac{2 \tan^{-1}\left(\frac{2dx-c}{\sqrt{3}c}\right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(c^3 + d^3*x^3), x]

[Out] (2*ArcTan[(-c + 2*d*x)/(Sqrt[3]*c)])/(Sqrt[3]*c*d)

fricas [A] time = 0.53, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx-c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(d^3*x^3+c^3), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x - c)/c)/(c*d)

giac [A] time = 0.21, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx-c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(d^3*x^3+c^3), x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x - c)/c)/(c*d)

maple [A] time = 0.07, size = 35, normalized size = 1.21

$$\frac{2\sqrt{3} \arctan\left(\frac{(2d^2x-cd)\sqrt{3}}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(d^3*x^3+c^3),x)`

[Out] `2/3*3^(1/2)/c/d*arctan(1/3*(2*d^2*x-c*d)*3^(1/2)/c/d)`

maxima [A] time = 2.90, size = 34, normalized size = 1.17

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2d^2x-cd)}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(d^3*x^3+c^3),x, algorithm="maxima")`

[Out] `2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d^2*x - c*d)/(c*d))/(c*d)`

mupad [B] time = 0.05, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}}{3} - \frac{2\sqrt{3} dx}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(c^3 + d^3*x^3),x)`

[Out] `-(2*3^(1/2)*atan(3^(1/2)/3 - (2*3^(1/2)*d*x)/(3*c)))/(3*c*d)`

sympy [C] time = 0.40, size = 54, normalized size = 1.86

$$\frac{-\frac{\sqrt{3}i \log\left(x + \frac{-c - \sqrt{3}ic}{2d}\right)}{3} + \frac{\sqrt{3}i \log\left(x + \frac{-c + \sqrt{3}ic}{2d}\right)}{3}}{cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(d**3*x**3+c**3),x)`

[Out] `(-sqrt(3)*I*log(x + (-c - sqrt(3)*I*c)/(2*d))/3 + sqrt(3)*I*log(x + (-c + sqrt(3)*I*c)/(2*d))/3)/(c*d)`

$$3.19 \quad \int \frac{c-dx}{c^3-d^3x^3} dx$$

Optimal. Leaf size=29

$$\frac{2 \tan^{-1} \left(\frac{c+2dx}{\sqrt{3}c} \right)}{\sqrt{3}cd}$$

[Out] $2/3*\arctan(1/3*(2*d*x+c)/c*3^{(1/2)})/c/d*3^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1586, 617, 204}

$$\frac{2 \tan^{-1} \left(\frac{c+2dx}{\sqrt{3}c} \right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] Int[(c - d*x)/(c^3 - d^3*x^3), x]

[Out] (2*ArcTan[(c + 2*d*x)/(Sqrt[3]*c)])/(Sqrt[3]*c*d)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{c - dx}{c^3 - d^3 x^3} dx &= \int \frac{1}{c^2 + cdx + d^2 x^2} dx \\ &= -\frac{2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2dx}{c}\right)}{cd} \\ &= \frac{2 \tan^{-1}\left(\frac{c+2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd} \end{aligned}$$

Mathematica [A] time = 0.03, size = 29, normalized size = 1.00

$$\frac{2 \tan^{-1}\left(\frac{c+2dx}{\sqrt{3}c}\right)}{\sqrt{3}cd}$$

Antiderivative was successfully verified.

[In] Integrate[(c - d*x)/(c^3 - d^3*x^3), x]

[Out] (2*ArcTan[(c + 2*d*x)/(Sqrt[3]*c)])/(Sqrt[3]*c*d)

fricas [A] time = 0.59, size = 26, normalized size = 0.90

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx+c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x+c)/(-d^3*x^3+c^3), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x + c)/c)/(c*d)

giac [A] time = 0.17, size = 26, normalized size = 0.90

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2dx+c)}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x+c)/(-d^3*x^3+c^3), x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d*x + c)/c)/(c*d)

maple [A] time = 0.04, size = 34, normalized size = 1.17

$$\frac{2\sqrt{3} \arctan\left(\frac{(2d^2x+cd)\sqrt{3}}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-d*x+c)/(-d^3*x^3+c^3),x)`

[Out] `2/3*3^(1/2)/c/d*arctan(1/3*(2*d^2*x+c*d)*3^(1/2)/c/d)`

maxima [A] time = 2.98, size = 33, normalized size = 1.14

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2d^2x+cd)}{3cd}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-d*x+c)/(-d^3*x^3+c^3),x, algorithm="maxima")`

[Out] `2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*d^2*x + c*d)/(c*d))/(c*d)`

mupad [B] time = 0.04, size = 28, normalized size = 0.97

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}}{3} + \frac{2\sqrt{3}dx}{3c}\right)}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c - d*x)/(c^3 - d^3*x^3),x)`

[Out] `(2*3^(1/2)*atan(3^(1/2)/3 + (2*3^(1/2)*d*x)/(3*c)))/(3*c*d)`

sympy [C] time = 0.47, size = 53, normalized size = 1.83

$$\frac{-\frac{\sqrt{3}i \log\left(x + \frac{c - \sqrt{3}ic}{2d}\right)}{3} + \frac{\sqrt{3}i \log\left(x + \frac{c + \sqrt{3}ic}{2d}\right)}{3}}{cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-d*x+c)/(-d**3*x**3+c**3),x)`

[Out] `(-sqrt(3)*I*log(x + (c - sqrt(3)*I*c)/(2*d))/3 + sqrt(3)*I*log(x + (c + sqrt(3)*I*c)/(2*d))/3)/(c*d)`

$$3.20 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{b} B + b^{2/3} Bx}{a + bx^3} dx$$

Optimal. Leaf size=39

$$\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx}}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

[Out] $-2/3*B*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}}/a^{(1/3)*3^{(1/2)}}$

Rubi [A] time = 0.03, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1586, 617, 204}

$$\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx}}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a^{(1/3)}*b^{(1/3)}*B + b^{(2/3)}*B*x)/(a + b*x^3), x]$

[Out] $(-2*B*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})])/(\text{Sqrt}[3]*a^{(1/3)})$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] := \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1586

$\text{Int}[(u_)*(P_x)^{(p_)}*(Q_x)^{(q_)}, x_Symbol] := \text{Int}[u*\text{PolynomialQuotient}[P_x, Q_x, x]^{p+q} * x^{(p+q)}, x] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ \text{PolyQ}[Q_x, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[P_x, Q_x, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p+q, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt[3]{a} \sqrt[3]{b} B + b^{2/3} B x}{a + b x^3} dx &= \int \frac{1}{\frac{a^{2/3}}{\sqrt[3]{b} B} - \frac{\sqrt[3]{a} x}{B} + \frac{\sqrt[3]{b} x^2}{B}} dx \\
&= \frac{(2B) \operatorname{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}} \right)}{\sqrt[3]{a}} \\
&= -\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 35, normalized size = 0.90

$$-\frac{2B \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(a^(1/3)*b^(1/3)*B + b^(2/3)*B*x)/(a + b*x^3), x]

[Out] (-2*B*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*a^(1/3))

fricas [A] time = 0.77, size = 107, normalized size = 2.74

$$\left[\sqrt{\frac{1}{3}} B \sqrt{-\frac{1}{a^{\frac{2}{3}}}} \log \left(\frac{2bx^3 - 3a^{\frac{2}{3}}b^{\frac{1}{3}}x + 3\sqrt{\frac{1}{3}} \left(2a^{\frac{2}{3}}b^{\frac{2}{3}}x^2 + ab^{\frac{1}{3}}x - a^{\frac{4}{3}} \right) \sqrt{-\frac{1}{a^{\frac{2}{3}}}} - a}{bx^3 + a} \right), \frac{2\sqrt{\frac{1}{3}} B \arctan \left(\frac{\sqrt{\frac{1}{3}} \left(2b^{\frac{1}{3}}x - a^{\frac{1}{3}} \right)}{a^{\frac{1}{3}}} \right)}{a^{\frac{1}{3}}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a), x, algorithm="fricas")

[Out] [sqrt(1/3)*B*sqrt(-1/a^(2/3))*log((2*b*x^3 - 3*a^(2/3)*b^(1/3)*x + 3*sqrt(1/3)*(2*a^(2/3)*b^(2/3)*x^2 + a*b^(1/3)*x - a^(4/3))*sqrt(-1/a^(2/3)) - a)/(b*x^3 + a), 2*sqrt(1/3)*B*arctan(sqrt(1/3)*(2*b^(1/3)*x - a^(1/3))/a^(1/3))/a^(1/3)]

giac [A] time = 0.22, size = 48, normalized size = 1.23

$$\frac{2\sqrt{3}Bb^{\frac{1}{3}}\arctan\left(\frac{\sqrt{3}\left(2b^{\frac{2}{3}}x-a^{\frac{1}{3}}b^{\frac{1}{3}}\right)}{3\sqrt{a^{\frac{2}{3}}b^{\frac{2}{3}}}}\right)}{3\sqrt{a^{\frac{2}{3}}b^{\frac{2}{3}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a),x, algorithm="giac")

[Out] 2/3*sqrt(3)*B*b^(1/3)*arctan(1/3*sqrt(3)*(2*b^(2/3)*x - a^(1/3)*b^(1/3))/sqrt(a^(2/3)*b^(2/3)))/sqrt(a^(2/3)*b^(2/3))

maple [B] time = 0.06, size = 195, normalized size = 5.00

$$\frac{\sqrt{3}Ba^{\frac{1}{3}}\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}} + \frac{Ba^{\frac{1}{3}}\ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}} - \frac{Ba^{\frac{1}{3}}\ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}} + \frac{\sqrt{3}B\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a),x)

[Out] 1/3*B/b^(2/3)*a^(1/3)/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/6*B/b^(2/3)*a^(1/3)/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*B/b^(2/3)*a^(1/3)/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*B/b^(1/3)/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/6*B/b^(1/3)/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*B/b^(1/3)*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [B] time = 2.98, size = 163, normalized size = 4.18

$$\frac{\sqrt{3}\left(Bb^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}}+Ba^{\frac{1}{3}}b^{\frac{1}{3}}\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(Bb^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}}-Ba^{\frac{1}{3}}b^{\frac{1}{3}}\right)\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(Bb^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}}-Ba^{\frac{1}{3}}b^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+b^(2/3)*B*x)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*(B*b^(2/3)*(a/b)^(1/3) + B*a^(1/3)*b^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b*(a/b)^(2/3)) + 1/6*(B*b^(2/3)*(a/b)^(1/3) - B*a^(1/3)*b^(1/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) - 1/3*(B*b^(2/3)*(a/b)^(1/3) - B*a^(1/3)*b^(1/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 4.82, size = 49, normalized size = 1.26

$$\frac{2\sqrt{3}B\sqrt{b}\operatorname{atanh}\left(\frac{\sqrt{3}\sqrt{b}}{3\sqrt{-b}} - \frac{2\sqrt{3}b^{5/6}x}{3a^{1/3}\sqrt{-b}}\right)}{3a^{1/3}\sqrt{-b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*a^(1/3)*b^(1/3) + B*b^(2/3)*x)/(a + b*x^3),x)

[Out] (2*3^(1/2)*B*b^(1/2)*atanh((3^(1/2)*b^(1/2))/(3*(-b)^(1/2)) - (2*3^(1/2)*b^(5/6)*x)/(3*a^(1/3)*(-b)^(1/2)))/(3*a^(1/3)*(-b)^(1/2))

sympy [C] time = 0.59, size = 88, normalized size = 2.26

$$\frac{B\left(-\frac{\sqrt{3}i\log\left(x+\frac{-B\sqrt[3]{a}-\sqrt{3}iB\sqrt[3]{a}}{2B\sqrt[3]{b}}\right)}{3} + \frac{\sqrt{3}i\log\left(x+\frac{-B\sqrt[3]{a}+\sqrt{3}iB\sqrt[3]{a}}{2B\sqrt[3]{b}}\right)}{3}\right)}{\sqrt[3]{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**(1/3)*b**(1/3)*B+b**(2/3)*B*x)/(b*x**3+a),x)

[Out] B*(-sqrt(3)*I*log(x + (-B*a**(1/3) - sqrt(3)*I*B*a**(1/3))/(2*B*b**(1/3)))/3 + sqrt(3)*I*log(x + (-B*a**(1/3) + sqrt(3)*I*B*a**(1/3))/(2*B*b**(1/3)))/3)/a**(1/3)

$$3.21 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - (-b)^{2/3} Bx}{a + bx^3} dx$$

Optimal. Leaf size=41

$$\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-bx}}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

[Out] $2/3*B*\arctan(1/3*(a^{(1/3)}+2*(-b)^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(1/3)}*3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {1586, 617, 204}

$$\frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-bx}}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] `Int[(a^(1/3)*(-b)^(1/3)*B - (-b)^(2/3)*B*x)/(a + b*x^3), x]`

[Out] `(2*B*ArcTan[(a^(1/3) + 2*(-b)^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(1/3)))`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 617

`Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 1586

`Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]`

Rubi steps

$$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - (-b)^{2/3} B x}{a + b x^3} dx = \int \frac{1}{-\frac{a^{2/3}(-b)^{2/3}}{bB} + \frac{\sqrt[3]{a} x}{B} + \frac{\sqrt[3]{-b} x^2}{B}} dx$$

$$= \frac{(2B) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2\sqrt[3]{-b} x}{\sqrt[3]{a}} \right)}{\sqrt[3]{a}}$$

$$= \frac{2B \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} \sqrt[3]{a}}$$

Mathematica [B] time = 0.07, size = 129, normalized size = 3.15

$$\frac{\sqrt[3]{-b} B \left((\sqrt[3]{-b} + \sqrt[3]{b}) (2 \log(\sqrt[3]{a} + \sqrt[3]{b} x) - \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)) + 2\sqrt{3} (\sqrt[3]{-b} - \sqrt[3]{b}) \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}} \right) \right)}{6\sqrt[3]{a} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a^(1/3)*(-b)^(1/3)*B - (-b)^(2/3)*B*x)/(a + b*x^3),x]

[Out] ((-b)^(1/3)*B*(2*Sqrt[3]*((-b)^(1/3) - b^(1/3))*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + ((-b)^(1/3) + b^(1/3))*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(1/3)*b^(2/3))

fricas [A] time = 0.58, size = 114, normalized size = 2.78

$$\left[\sqrt{\frac{1}{3}} B \sqrt{\frac{1}{a^{\frac{2}{3}}}} \log \left(\frac{2bx^3 + 3a^{\frac{2}{3}}(-b)^{\frac{1}{3}}x - 3\sqrt{\frac{1}{3}} \left(2a^{\frac{2}{3}}(-b)^{\frac{2}{3}}x^2 - a(-b)^{\frac{1}{3}}x - a^{\frac{4}{3}} \right) \sqrt{\frac{-1}{a^{\frac{2}{3}}} - a}}{bx^3 + a} \right), \frac{2\sqrt{\frac{1}{3}} B \arctan \left(\frac{y}{\sqrt{3}} \right)}{a^{\frac{1}{3}}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a),x, algorithm="fricas")

[Out] [sqrt(1/3)*B*sqrt(-1/a^(2/3))*log((2*b*x^3 + 3*a^(2/3)*(-b)^(1/3)*x - 3*sqrt(1/3)*(2*a^(2/3)*(-b)^(2/3)*x^2 - a*(-b)^(1/3)*x - a^(4/3))*sqrt(-1/a^(2/3)

)) - a)/(b*x^3 + a)), 2*sqrt(1/3)*B*arctan(sqrt(1/3)*(2*(-b)^(1/3)*x + a^(1/3))/a^(1/3))/a^(1/3)]

giac [A] time = 0.21, size = 58, normalized size = 1.41

$$\frac{2\sqrt{3}Bb \arctan\left(-\frac{\sqrt{3}\left(2(-b)^{\frac{2}{3}}x+a^{\frac{1}{3}}(-b)^{\frac{1}{3}}\right)}{3\sqrt{a^{\frac{2}{3}}(-b)^{\frac{2}{3}}}}\right)}{3\sqrt{a^{\frac{2}{3}}(-b)^{\frac{2}{3}}}} \frac{(-b)^{\frac{2}{3}}}{(-b)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a),x, algorithm="giac")

[Out] 2/3*sqrt(3)*B*b*arctan(-1/3*sqrt(3)*(2*(-b)^(2/3)*x + a^(1/3)*(-b)^(1/3))/sqrt(a^(2/3)*(-b)^(2/3)))/(sqrt(a^(2/3)*(-b)^(2/3))*(-b)^(2/3))

maple [B] time = 0.06, size = 228, normalized size = 5.56

$$\frac{(-1)^{\frac{1}{3}}\sqrt{3}Ba^{\frac{1}{3}}\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}} + \frac{(-1)^{\frac{1}{3}}Ba^{\frac{1}{3}}\ln\left(x+\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}} - \frac{(-1)^{\frac{1}{3}}Ba^{\frac{1}{3}}\ln\left(x^2-\left(\frac{a}{b}\right)^{\frac{1}{3}}x+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a),x)

[Out] 1/3*B/b^(2/3)*(-1)^(1/3)*a^(1/3)/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/6*B/b^(2/3)*(-1)^(1/3)*a^(1/3)/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*B/b^(2/3)*(-1)^(1/3)*a^(1/3)/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*B/b^(2/3)*(-1)^(1/3)*(-b)^(1/3)/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-1/6*B/b^(2/3)*(-1)^(1/3)*(-b)^(1/3)/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3*B/b^(2/3)*(-1)^(1/3)*(-b)^(1/3)*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [B] time = 2.95, size = 174, normalized size = 4.24

$$\frac{\sqrt{3} \left(B(-b)^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} - Ba^{\frac{1}{3}} (-b)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right) \left(B(-b)^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} + Ba^{\frac{1}{3}} (-b)^{\frac{1}{3}} \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3b \left(\frac{a}{b} \right)^{\frac{2}{3}} \quad 6b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-(-b)^(2/3)*B*x)/(b*x^3+a),x, algorithm="maxima")

[Out] -1/3*sqrt(3)*(B*(-b)^(2/3)*(a/b)^(1/3) - B*a^(1/3)*(-b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b*(a/b)^(2/3)) - 1/6*(B*(-b)^(2/3)*(a/b)^(1/3) + B*a^(1/3)*(-b)^(1/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(B*(-b)^(2/3)*(a/b)^(1/3) + B*a^(1/3)*(-b)^(1/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 0.23, size = 49, normalized size = 1.20

$$\frac{2\sqrt{3} B \sqrt{-b} \operatorname{atanh} \left(\frac{\sqrt{3} \sqrt{-b}}{3 \sqrt{b}} - \frac{2\sqrt{3} \sqrt{b} x}{3a^{1/3} (-b)^{1/6}} \right)}{3a^{1/3} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(B*(-b)^(2/3)*x - B*a^(1/3)*(-b)^(1/3))/(a + b*x^3),x)

[Out] -(2*3^(1/2)*B*(-b)^(1/2)*atanh((3^(1/2)*(-b)^(1/2))/(3*b^(1/2)) - (2*3^(1/2)*b^(1/2)*x)/(3*a^(1/3)*(-b)^(1/6)))/(3*a^(1/3)*b^(1/2))

sympy [C] time = 0.85, size = 105, normalized size = 2.56

$$B \left(\frac{\sqrt{3} i \log \left(-\frac{\sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} - \frac{\sqrt{3} i \sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} + x \right)}{3} + \frac{\sqrt{3} i \log \left(-\frac{\sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} + \frac{\sqrt{3} i \sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b} + x \right)}{3} \right) \frac{1}{\sqrt[3]{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**(1/3)*(-b)**(1/3)*B-(-b)**(2/3)*B*x)/(b*x**3+a),x)

[Out] -B*(-sqrt(3)*I*log(-a**(1/3)*(-b)**(2/3)/(2*b) - sqrt(3)*I*a**(1/3)*(-b)**(2/3)/(2*b) + x)/3 + sqrt(3)*I*log(-a**(1/3)*(-b)**(2/3)/(2*b) + sqrt(3)*I*a**(1/3)*(-b)**(2/3)/(2*b) + x)/3)/a**(1/3)

$$3.22 \quad \int \left(-\frac{Cx^2}{a+bx^3} + \frac{Bx+Cx^2}{a+bx^3} \right) dx$$

Optimal. Leaf size=118

$$\frac{B \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6 \sqrt[3]{a} b^{2/3}} - \frac{B \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3 \sqrt[3]{a} b^{2/3}} - \frac{B \tan^{-1}\left(\frac{\sqrt[3]{a} - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} \sqrt[3]{a} b^{2/3}}$$

[Out] $-1/3*B*\ln(a^{(1/3)}+b^{(1/3)*x}/a^{(1/3)}/b^{(2/3)}+1/6*B*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)*x}+b^{(2/3)*x^2})/a^{(1/3)}/b^{(2/3)}-1/3*B*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}}/a^{(1/3)}/b^{(2/3)*3^{(1/2)}})$

Rubi [A] time = 0.13, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {260, 1593, 1871, 12, 292, 31, 634, 617, 204, 628}

$$\frac{B \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6 \sqrt[3]{a} b^{2/3}} - \frac{B \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3 \sqrt[3]{a} b^{2/3}} - \frac{B \tan^{-1}\left(\frac{\sqrt[3]{a} - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} \sqrt[3]{a} b^{2/3}}$$

Antiderivative was successfully verified.

[In] `Int[-((C*x^2)/(a + b*x^3)) + (B*x + C*x^2)/(a + b*x^3), x]`

[Out] $-(B*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(1/3)}*b^{(2/3)}) - (B*\text{Log}[a^{(1/3)} + b^{(1/3)*x}] / (3*a^{(1/3)}*b^{(2/3)}) + (B*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)*x} + b^{(2/3)*x^2}] / (6*a^{(1/3)}*b^{(2/3)}))$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 31

`Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 260

$\text{Int}[(x_)^m / ((a_) + (b_)(x_)^n), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]] / (b*n), x] /;$ $\text{FreeQ}\{a, b, m, n\}, x\} \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 292

$\text{Int}[(x_) / ((a_) + (b_)(x_)^3), x_Symbol] \rightarrow -\text{Dist}[(3*\text{Rt}[a, 3]*\text{Rt}[b, 3])^{(-1)}, \text{Int}[1/(\text{Rt}[a, 3] + \text{Rt}[b, 3]*x), x], x] + \text{Dist}[1/(3*\text{Rt}[a, 3]*\text{Rt}[b, 3]), \text{Int}[(\text{Rt}[a, 3] + \text{Rt}[b, 3]*x) / (\text{Rt}[a, 3]^2 - \text{Rt}[a, 3]*\text{Rt}[b, 3]*x + \text{Rt}[b, 3]^2*x^2), x], x] /;$ $\text{FreeQ}\{a, b\}, x\}$

Rule 617

$\text{Int}[(a_) + (b_)(x_) + (c_)(x_)^2]^{(-1)}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /;$ $\text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /;$ $\text{FreeQ}\{a, b, c\}, x\} \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_) + (e_)(x_) / ((a_) + (b_)(x_) + (c_)(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]) / b, x] /;$ $\text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_) + (e_)(x_) / ((a_) + (b_)(x_) + (c_)(x_)^2), x_Symbol] \rightarrow \text{Dist}[(2*c*d - b*e) / (2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e / (2*c), \text{Int}[(b + 2*c*x) / (a + b*x + c*x^2), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1593

$\text{Int}[(u_)*((a_)(x_)^{p_}) + (b_)(x_)^{q_}]^{(n_)}, x_Symbol] \rightarrow \text{Int}[u*x^{(n*p)}*(a + b*x^{(q-p)})^n, x] /;$ $\text{FreeQ}\{a, b, p, q\}, x\} \ \&\& \ \text{IntegerQ}[n] \ \&\& \ \text{PosQ}[q - p]$

Rule 1871

$\text{Int}[(P2_) / ((a_) + (b_)(x_)^3), x_Symbol] \rightarrow \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{Int}[(A + B*x) / (a + b*x^3), x] + \text{Dist}[C, \text{Int}[x^2 / (a + b*x^3), x], x] /;$ $\text{EqQ}[a*B^3 - b*A^3, 0] \ || \ !\text{RationalQ}[a/b] /;$ $\text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rubi steps

$$\begin{aligned}
\int \left(-\frac{Cx^2}{a+bx^3} + \frac{Bx+Cx^2}{a+bx^3} \right) dx &= -\left(C \int \frac{x^2}{a+bx^3} dx \right) + \int \frac{Bx+Cx^2}{a+bx^3} dx \\
&= -\frac{C \log(a+bx^3)}{3b} + \int \frac{x(B+Cx)}{a+bx^3} dx \\
&= -\frac{C \log(a+bx^3)}{3b} + C \int \frac{x^2}{a+bx^3} dx + \int \frac{Bx}{a+bx^3} dx \\
&= B \int \frac{x}{a+bx^3} dx \\
&= -\frac{B \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3\sqrt[3]{a}\sqrt[3]{b}} + \frac{B \int \frac{\sqrt[3]{a} + \sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3\sqrt[3]{a}\sqrt[3]{b}} \\
&= -\frac{B \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{2/3}} + \frac{B \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6\sqrt[3]{a}b^{2/3}} + \frac{B \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{2\sqrt[3]{b}} \\
&= -\frac{B \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{2/3}} + \frac{B \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6\sqrt[3]{a}b^{2/3}} + \frac{B \text{Subst}\left(\int \frac{1}{-3-x^2} dx, \sqrt[3]{a}b^{2/3}\right)}{\sqrt[3]{a}b^{2/3}} \\
&= -\frac{B \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}b^{2/3}} - \frac{B \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{2/3}} + \frac{B \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6\sqrt[3]{a}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 90, normalized size = 0.76

$$\frac{B \left(\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) - 2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \right)}{6\sqrt[3]{a}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[-((C*x^2)/(a + b*x^3)) + (B*x + C*x^2)/(a + b*x^3), x]

[Out] (B*(-2*Sqrt[3]*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] - 2*Log[a^(1/3) + b^(1/3)*x] + Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(1/3)*b^(2/3))

fricas [A] time = 0.62, size = 310, normalized size = 2.63

$$\frac{3 \sqrt{\frac{1}{3}} B a b \sqrt{\frac{(-ab^2)^{\frac{1}{3}}}{a}} \log \left(\frac{2b^2x^3 - ab + 3 \sqrt{\frac{1}{3}} \left(abx + 2(-ab^2)^{\frac{2}{3}}x^2 + (-ab^2)^{\frac{1}{3}}a \right) \sqrt{\frac{(-ab^2)^{\frac{1}{3}}}{a}} - 3(-ab^2)^{\frac{2}{3}}x}{bx^3 + a}} \right) + (-ab^2)^{\frac{2}{3}} B \log \left(b^2x^2 + (-ab^2)^{\frac{1}{3}}x \right)}{6ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a),x, algorithm="fricas")

[Out] [1/6*(3*sqrt(1/3)*B*a*b*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + (-a*b^2)^(2/3)*B*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 2*(-a*b^2)^(2/3)*B*log(b*x - (-a*b^2)^(1/3)))/(a*b^2), 1/6*(6*sqrt(1/3)*B*a*b*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) + (-a*b^2)^(2/3)*B*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 2*(-a*b^2)^(2/3)*B*log(b*x - (-a*b^2)^(1/3)))/(a*b^2)]

giac [A] time = 0.19, size = 103, normalized size = 0.87

$$\frac{\sqrt{3} B \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{1}{3}}} - \frac{B \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-ab^2 \right)^{\frac{1}{3}}} - \frac{B \left(-\frac{a}{b} \right)^{\frac{2}{3}} \log \left(\left| x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right| \right)}{3 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*B*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(-a*b^2)^(1/3) - 1/6*B*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(-a*b^2)^(1/3) - 1/3*B*(-a/b)^(2/3)*log(abs(x - (-a/b)^(1/3)))/a

maple [A] time = 0.05, size = 94, normalized size = 0.80

$$\frac{\sqrt{3} B \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{B \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{B \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a),x)`

[Out] $-1/3*B/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/6*B/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3*B*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 3.03, size = 159, normalized size = 1.35

$$-\frac{C \log(bx^3 + a)}{3b} + \frac{\left(2C\left(\frac{a}{b}\right)^{\frac{1}{3}} + B\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\left(C\left(\frac{a}{b}\right)^{\frac{1}{3}} - B\right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{\sqrt{3}\left(2Ca - \left(3B\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)\right)}{6b\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x)/(b*x^3+a),x, algorithm="maxima")`

[Out] $-1/3*C*\log(b*x^3 + a)/b + 1/6*(2*C*(a/b)^{(1/3)} + B)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b*(a/b)^{(1/3)}) + 1/3*(C*(a/b)^{(1/3)} - B)*\log(x + (a/b)^{(1/3)})/(b*(a/b)^{(1/3)}) - 1/9*\sqrt{3}*(2*C*a - (3*B*(a/b)^{(2/3)} + 2*C*a/b)*b)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b)$

mupad [B] time = 4.94, size = 98, normalized size = 0.83

$$-\frac{B \ln\left(b^{1/3} x + a^{1/3}\right)}{3 a^{1/3} b^{2/3}} + \frac{\ln\left(4 b^{1/3} x - 2 a^{1/3} - \sqrt{3} a^{1/3} 2i\right) (B - \sqrt{3} B i)}{6 a^{1/3} b^{2/3}} + \frac{\ln\left(4 b^{1/3} x - 2 a^{1/3} + \sqrt{3} a^{1/3} 2i\right) (B + \sqrt{3} B i)}{6 a^{1/3} b^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x + C*x^2)/(a + b*x^3) - (C*x^2)/(a + b*x^3),x)`


```
[Out] (log(4*b^(1/3)*x - 3^(1/2)*a^(1/3)*2i - 2*a^(1/3))*(B - 3^(1/2)*B*1i))/(6*a
^(1/3)*b^(2/3)) - (B*log(b^(1/3)*x + a^(1/3)))/(3*a^(1/3)*b^(2/3)) + (log(3
^(1/2)*a^(1/3)*2i + 4*b^(1/3)*x - 2*a^(1/3))*(B + 3^(1/2)*B*1i))/(6*a^(1/3)
*b^(2/3))
```

sympy [A] time = 0.48, size = 26, normalized size = 0.22

$$B \operatorname{RootSum}\left(27t^3ab^2 + 1, (t \mapsto t \log(9t^2ab + x))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-C*x**2/(b*x**3+a)+(C*x**2+B*x)/(b*x**3+a), x)
```

```
[Out] B*RootSum(27*_t**3*a*b**2 + 1, Lambda(_t, _t*log(9*_t**2*a*b + x)))
```

$$3.23 \quad \int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Cx^2}{a+bx^3} \right) dx$$

Optimal. Leaf size=118

$$-\frac{A \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} \sqrt[3]{b}} + \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} \sqrt[3]{b}} - \frac{A \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} \sqrt[3]{b}}$$

[Out] 1/3*A*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(1/3)-1/6*A*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(1/3)-1/3*A*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(1/3)*3^(1/2)

Rubi [A] time = 0.11, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {260, 1871, 12, 200, 31, 634, 617, 204, 628}

$$-\frac{A \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{6a^{2/3} \sqrt[3]{b}} + \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} \sqrt[3]{b}} - \frac{A \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[-((C*x^2)/(a + b*x^3)) + (A + C*x^2)/(a + b*x^3), x]

[Out] -((A*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*b^(1/3))) + (A*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(1/3)) - (A*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*b^(1/3)))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Cx^2}{a+bx^3} \right) dx &= -\left(C \int \frac{x^2}{a+bx^3} dx \right) + \int \frac{A+Cx^2}{a+bx^3} dx \\
&= -\frac{C \log(a+bx^3)}{3b} + C \int \frac{x^2}{a+bx^3} dx + \int \frac{A}{a+bx^3} dx \\
&= A \int \frac{1}{a+bx^3} dx \\
&= \frac{A \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} + \frac{A \int \frac{2\sqrt[3]{a} - \sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}} \\
&= \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} + \frac{A \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{2\sqrt[3]{a}} - \frac{A \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}\sqrt[3]{b}} \\
&= \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{A \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}\sqrt[3]{b}} + \frac{A \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x \right)}{a^{2/3}\sqrt[3]{b}} \\
&= -\frac{A \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}} \right)}{\sqrt{3}a^{2/3}\sqrt[3]{b}} + \frac{A \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{A \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}\sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 90, normalized size = 0.76

$$\frac{A \left(\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) - 2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) + 2\sqrt{3} \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}} \right) \right)}{6a^{2/3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[-((C*x^2)/(a + b*x^3)) + (A + C*x^2)/(a + b*x^3), x]

[Out] -1/6*(A*(2*Sqrt[3]*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*Log[a^(1/3) + b^(1/3)*x] + Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(a^(2/3)*b^(1/3))

fricas [A] time = 0.76, size = 305, normalized size = 2.58

$$\frac{3 \sqrt{\frac{1}{3}} A a b \sqrt{-\frac{(a^2 b)^{\frac{1}{3}}}{b}} \log \left(\frac{2 a b x^3 - 3 (a^2 b)^{\frac{1}{3}} a x - a^2 + 3 \sqrt{\frac{1}{3}} \left(2 a b x^2 + (a^2 b)^{\frac{2}{3}} x - (a^2 b)^{\frac{1}{3}} a \right) \sqrt{-\frac{(a^2 b)^{\frac{1}{3}}}{b}}}{b x^3 + a} \right) - (a^2 b)^{\frac{2}{3}} A \log \left(a b x^2 - (a^2 b)^{\frac{2}{3}} \right)}{6 a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x, algorithm="fricas")

[Out] [1/6*(3*sqrt(1/3)*A*a*b*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a)) - (a^2*b)^(2/3)*A*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 2*(a^2*b)^(2/3)*A*log(a*b*x + (a^2*b)^(2/3)))/(a^2*b), 1/6*(6*sqrt(1/3)*A*a*b*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2 - (a^2*b)^(2/3)*A*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 2*(a^2*b)^(2/3)*A*log(a*b*x + (a^2*b)^(2/3)))/(a^2*b)]

giac [A] time = 0.21, size = 115, normalized size = 0.97

$$\frac{A \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right| \right)}{3 a} + \frac{\sqrt{3} \left(-a b^2\right)^{\frac{1}{3}} A \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3 a b} + \frac{\left(-a b^2\right)^{\frac{1}{3}} A \log \left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}} \right)}{6 a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*A*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a + 1/3*sqrt(3)*(-a*b^2)^(1/3)*A*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a*b) + 1/6*(-a*b^2)^(1/3)*A*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a*b)

maple [A] time = 0.05, size = 94, normalized size = 0.80

$$\frac{\sqrt{3} A \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{A \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{A \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x)

[Out] 1/3*A/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/6*A/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*A/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 2.99, size = 159, normalized size = 1.35

$$\frac{C \log(bx^3 + a)}{3b} - \frac{\sqrt{3}\left(2Ca - \left(3A\left(\frac{a}{b}\right)^{\frac{1}{3}} + \frac{2Ca}{b}\right)b\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \frac{\left(2C\left(\frac{a}{b}\right)^{\frac{2}{3}} - A\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+A)/(b*x^3+a),x, algorithm="maxima")

[Out] -1/3*C*log(b*x^3 + a)/b - 1/9*sqrt(3)*(2*C*a - (3*A*(a/b)^(1/3) + 2*C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) + 1/6*(2*C*(a/b)^(2/3) - A)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(C*(a/b)^(2/3) + A)*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 5.01, size = 96, normalized size = 0.81

$$\frac{A \ln\left(b^{1/3}x + a^{1/3}\right)}{3a^{2/3}b^{1/3}} - \frac{\ln\left(a^{1/3} - 2b^{1/3}x - \sqrt{3}a^{1/3}1i\right)\left(A - \sqrt{3}A1i\right)}{6a^{2/3}b^{1/3}} - \frac{\ln\left(2b^{1/3}x - a^{1/3} - \sqrt{3}a^{1/3}1i\right)\left(A + \sqrt{3}A1i\right)}{6a^{2/3}b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + C*x^2)/(a + b*x^3) - (C*x^2)/(a + b*x^3),x)

```
[Out] (A*log(b^(1/3)*x + a^(1/3)))/(3*a^(2/3)*b^(1/3)) - (log(a^(1/3) - 2*b^(1/3)
*x - 3^(1/2)*a^(1/3)*1i)*(A - 3^(1/2)*A*1i))/(6*a^(2/3)*b^(1/3)) - (log(2*b
^(1/3)*x - 3^(1/2)*a^(1/3)*1i - a^(1/3))*(A + 3^(1/2)*A*1i))/(6*a^(2/3)*b^(
1/3))
```

sympy [A] time = 0.21, size = 22, normalized size = 0.19

$$A \operatorname{RootSum}\left(27t^3a^2b - 1, (t \mapsto t \log(3ta + x))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-C*x**2/(b*x**3+a)+(C*x**2+A)/(b*x**3+a), x)
```

```
[Out] A*RootSum(27*_t**3*a**2*b - 1, Lambda(_t, _t*log(3*_t*a + x)))
```

$$3.24 \quad \int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Bx+Cx^2}{a+bx^3} \right) dx$$

Optimal. Leaf size=161

$$\frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(A\sqrt[3]{b} - \sqrt[3]{a}B\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}B + A\sqrt[3]{b}\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

[Out] $1/3*(A*b^{(1/3)}-a^{(1/3)*B})*\ln(a^{(1/3)}+b^{(1/3)*x}/a^{(2/3)}/b^{(2/3)}-1/6*(A-a^{(1/3)*B}/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}/a^{(2/3)}/b^{(1/3)}-1/3*(A*b^{(1/3)}+a^{(1/3)*B})*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x}/a^{(1/3)*3^{(1/2)}})/a^{(2/3)}/b^{(2/3)*3^{(1/2)}})$

Rubi [A] time = 0.17, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {260, 1871, 1860, 31, 634, 617, 204, 628}

$$\frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(A\sqrt[3]{b} - \sqrt[3]{a}B\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}B + A\sqrt[3]{b}\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}\left[-\left(\frac{C*x^2}{a + b*x^3}\right) + \frac{A + B*x + C*x^2}{a + b*x^3}, x\right]$

[Out] $-\left(\frac{(A*b^{(1/3)} + a^{(1/3)*B})*\text{ArcTan}\left[\frac{a^{(1/3)} - 2*b^{(1/3)*x}}{\sqrt[3]{a}}\right]}{\sqrt[3]{a}^{(2/3)*b^{(2/3)}}}\right) + \left(\frac{(A*b^{(1/3)} - a^{(1/3)*B})*\text{Log}\left[a^{(1/3)} + b^{(1/3)*x}\right]}{3*a^{(2/3)*b^{(2/3)}}} - \left(\frac{(A - (a^{(1/3)*B})/b^{(1/3)})*\text{Log}\left[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}\right]}{6*a^{(2/3)*b^{(1/3)}}}\right)\right)$

Rule 31

$\text{Int}\left[\frac{(a_1 + (b_1*x_1)^{-1})}{x_Symbol}\right] := \text{Simp}\left[\text{Log}\left[\frac{\text{RemoveContent}[a + b*x, x]}{b, x}\right]; \text{FreeQ}\{a, b\}, x\right]$

Rule 204

$\text{Int}\left[\frac{(a_1 + (b_1*x_1)^2)^{-1}}{x_Symbol}\right] := -\text{Simp}\left[\frac{\text{ArcTan}\left[\frac{\text{Rt}[-b, 2]*x}{\text{Rt}[-a, 2]}\right]}{\text{Rt}[-a, 2]*\text{Rt}[-b, 2]}\right]; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 260


```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \left(-\frac{Cx^2}{a+bx^3} + \frac{A+Bx+Cx^2}{a+bx^3} \right) dx &= -\left(C \int \frac{x^2}{a+bx^3} dx \right) + \int \frac{A+Bx+Cx^2}{a+bx^3} dx \\
&= -\frac{C \log(a+bx^3)}{3b} + C \int \frac{x^2}{a+bx^3} dx + \int \frac{A+Bx}{a+bx^3} dx \\
&= \frac{\int \frac{\sqrt[3]{a}(2A\sqrt[3]{b} + \sqrt[3]{a}B) + \sqrt[3]{b}(-A\sqrt[3]{b} + \sqrt[3]{a}B)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\
&= \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \frac{1}{2} \\
&= \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} \\
&= -\frac{(A\sqrt[3]{b} + \sqrt[3]{a}B) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(A - \frac{\sqrt[3]{a}B}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 124, normalized size = 0.77

$$\frac{(A\sqrt[3]{b} - \sqrt[3]{a}B) \left(2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) \right) - 2\sqrt{3} (\sqrt[3]{a}B + A\sqrt[3]{b}) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{6a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[-((C*x^2)/(a + b*x^3)) + (A + B*x + C*x^2)/(a + b*x^3), x]

[Out] (-2*Sqrt[3]*(A*b^(1/3) + a^(1/3)*B)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + (A*b^(1/3) - a^(1/3)*B)*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(2/3)*b^(2/3))

fricas [C] time = 2.32, size = 1961, normalized size = 12.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a), x, algorithm="fricas")

```
[Out] -1/6*((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3
*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^
3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))*log(1/4*((1/2)^(1/3)*(I
*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)
- 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^
3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*B*a^2*b - 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1
)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(
2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)
/(a^2*b^2))^(1/3))) * A^2*a*b + 2*A*B^2*a + (B^3*a + A^3*b)*x) + 1/12*((1/2)^(
1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2
))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^
2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3))) + 3*sqrt(1/3)*sqrt(-(((1/2)^(1/3)*(I
*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)
- 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^
3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*a*b + 16*A*B)/(a*b))) * log(-1/4*((1/2)^(1/
3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(
1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2)
- (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*B*a^2*b + 1/2*((1/2)^(1/3)*(I*sqrt(3
) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1
/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A
^3*b)/(a^2*b^2))^(1/3))) * A^2*a*b - 2*A*B^2*a + 2*(B^3*a + A^3*b)*x + 3/4*sq
rt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a -
A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a
+ A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3))) * B*a^2*b + 2*A^2*a*b
)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a -
A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a
+ A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*a*b + 16*A*B)/(a*b
))) + 1/12*((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*
a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3
*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3))) - 3*sqrt(1/3)*sq
rt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*
b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3
*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*a*b + 16*A*B)/(a*b))) *
log(-1/4*((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a -
A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a
+ A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))^2*B*a^2*b + 1/2*((1
/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2
*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3) + 1)/(a*b*((B^3*a + A^3*b)/(a^
2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3))) * A^2*a*b - 2*A*B^2*a + 2*(B^3*a
+ A^3*b)*x - 3/4*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(
a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3)
+ 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3))) *
B*a^2*b + 2*A^2*a*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((B^3*a + A^3*b)/(
a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*A*B*(-I*sqrt(3)
+ 1)/(a*b*((B^3*a + A^3*b)/(a^2*b^2) - (B^3*a - A^3*b)/(a^2*b^2))^(1/3)))^

```

$2*a*b + 16*A*B)/(a*b))$

giac [A] time = 0.20, size = 147, normalized size = 0.91

$$\frac{\sqrt{3} \left(Ab - (-ab^2)^{\frac{1}{3}} B \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) \left(Ab + (-ab^2)^{\frac{1}{3}} B \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(Bb \left(-\frac{a}{b} \right)^{\frac{1}{3}} + Ab \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}} \quad 6 \left(-ab^2 \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a),x, algorithm="giac")

[Out] $-\frac{1}{3} \sqrt{3} (A b - (-a b^2)^{1/3} B) \arctan \left(\frac{\sqrt{3} (2x + (-a/b)^{1/3})}{(-a/b)^{1/3}} \right) / (-a/b)^{1/3} / (-a b^2)^{2/3} - \frac{1}{6} (A b + (-a b^2)^{1/3} B) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / (-a b^2)^{2/3} - \frac{1}{3} (B b (-a/b)^{1/3} + A b) (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / (a b)$

maple [A] time = 0.04, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} A \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{A \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{A \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{\sqrt{3} B \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{B \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a),x)

[Out] $\frac{1}{3} (a/b)^{2/3} A/b \ln(x + (a/b)^{1/3}) - \frac{1}{6} (a/b)^{2/3} A/b \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{1}{3} (a/b)^{2/3} 3^{1/2} A/b \arctan(1/3 3^{1/2} (2/(a/b)^{1/3} x - 1)) - \frac{1}{3} (a/b)^{1/3} B/b \ln(x + (a/b)^{1/3}) + \frac{1}{6} (a/b)^{1/3} B/b \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{1}{3} 3^{1/2} / (a/b)^{1/3} B/b \arctan(1/3 3^{1/2} (2/(a/b)^{1/3} x - 1))$

maxima [A] time = 2.96, size = 188, normalized size = 1.17

$$\frac{C \log(bx^3 + a)}{3b} - \frac{\sqrt{3} \left(2Ca - \left(3B \left(\frac{a}{b} \right)^{\frac{2}{3}} + 3A \left(\frac{a}{b} \right)^{\frac{1}{3}} + \frac{2Ca}{b} \right) b \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9ab} + \frac{\left(2C \left(\frac{a}{b} \right)^{\frac{2}{3}} + B \left(\frac{a}{b} \right)^{\frac{1}{3}} - A \right) \log \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6b \left(\frac{a}{b} \right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-C*x^2/(b*x^3+a)+(C*x^2+B*x+A)/(b*x^3+a),x, algorithm="maxima")
```

```
[Out] -1/3*C*log(b*x^3 + a)/b - 1/9*sqrt(3)*(2*C*a - (3*B*(a/b)^(2/3) + 3*A*(a/b)^(1/3) + 2*C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) + 1/6*(2*C*(a/b)^(2/3) + B*(a/b)^(1/3) - A)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(C*(a/b)^(2/3) - B*(a/b)^(1/3) + A)*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))
```

mupad [B] time = 4.92, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln \left(b \left(B^2 x + AB + \text{root} \left(27 a^2 b^2 z^3 + 9 A B a b z + B^3 a - A^3 b, z, k \right)^2 a b^9 + A \text{root} \left(27 a^2 b^2 z^3 + 9 A B a b z + B^3 a - A^3 b, z, k \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x + C*x^2)/(a + b*x^3) - (C*x^2)/(a + b*x^3),x)
```

```
[Out] symsum(log(b*(B^2*x + A*B + 9*root(27*a^2*b^2*z^3 + 9*A*B*a*b*z + B^3*a - A^3*b, z, k)^2*a*b + 3*A*root(27*a^2*b^2*z^3 + 9*A*B*a*b*z + B^3*a - A^3*b, z, k)*b*x))*root(27*a^2*b^2*z^3 + 9*A*B*a*b*z + B^3*a - A^3*b, z, k), k, 1, 3)
```

sympy [A] time = 1.28, size = 76, normalized size = 0.47

$$\text{RootSum} \left(27t^3 a^2 b^2 + 9t A B a b - A^3 b + B^3 a, \left(t \mapsto t \log \left(x + \frac{9t^2 B a^2 b + 3t A^2 a b + 2A B^2 a}{A^3 b + B^3 a} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(-C*x**2/(b*x**3+a)+(C*x**2+B*x+A)/(b*x**3+a),x)
```

```
[Out] RootSum(27*_t**3*a**2*b**2 + 9*_t*A*B*a*b - A**3*b + B**3*a, Lambda(_t, _t*log(x + (9*_t**2*B*a**2*b + 3*_t*A**2*a*b + 2*A*B**2*a)/(A**3*b + B**3*a))))
```

$$3.25 \quad \int \frac{bx+cx^2}{d+ex^3} dx$$

Optimal. Leaf size=134

$$\frac{b \log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2)}{6 \sqrt[3]{d} e^{2/3}} - \frac{b \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3 \sqrt[3]{d} e^{2/3}} - \frac{b \tan^{-1}\left(\frac{\sqrt[3]{d} - 2 \sqrt[3]{e} x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} \sqrt[3]{d} e^{2/3}} + \frac{c \log(d + ex^3)}{3e}$$

[Out] $-1/3*b*\ln(d^{(1/3)}+e^{(1/3)*x}/d^{(1/3)}/e^{(2/3)}+1/6*b*\ln(d^{(2/3)}-d^{(1/3)}*e^{(1/3)*x}+e^{(2/3)*x^2}/d^{(1/3)}/e^{(2/3)}+1/3*c*\ln(e*x^3+d)/e-1/3*b*\arctan(1/3*(d^{(1/3)}-2*e^{(1/3)*x}/d^{(1/3)}*3^{(1/2)})/d^{(1/3)}/e^{(2/3)}*3^{(1/2)})$

Rubi [A] time = 0.11, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.526$, Rules used = {1593, 1871, 12, 292, 31, 634, 617, 204, 628, 260}

$$\frac{b \log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2)}{6 \sqrt[3]{d} e^{2/3}} - \frac{b \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3 \sqrt[3]{d} e^{2/3}} - \frac{b \tan^{-1}\left(\frac{\sqrt[3]{d} - 2 \sqrt[3]{e} x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} \sqrt[3]{d} e^{2/3}} + \frac{c \log(d + ex^3)}{3e}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2)/(d + e*x^3), x]

[Out] $-((b*\text{ArcTan}[(d^{(1/3)} - 2*e^{(1/3)*x})/(\text{Sqrt}[3]*d^{(1/3)})])/(\text{Sqrt}[3]*d^{(1/3)}*e^{(2/3)})) - (b*\text{Log}[d^{(1/3)} + e^{(1/3)*x}]/(3*d^{(1/3)}*e^{(2/3)}) + (b*\text{Log}[d^{(2/3)} - d^{(1/3)}*e^{(1/3)*x} + e^{(2/3)*x^2}]/(6*d^{(1/3)}*e^{(2/3)}) + (c*\text{Log}[d + e*x^3])/ (3*e))$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^((m_.)/((a_) + (b_.)*(x_)^(n_))), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 292

```
Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1593

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^((n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{bx + cx^2}{d + ex^3} dx &= \int \frac{x(b + cx)}{d + ex^3} dx \\
&= c \int \frac{x^2}{d + ex^3} dx + \int \frac{bx}{d + ex^3} dx \\
&= \frac{c \log(d + ex^3)}{3e} + b \int \frac{x}{d + ex^3} dx \\
&= \frac{c \log(d + ex^3)}{3e} - \frac{b \int \frac{1}{\sqrt[3]{d} + \sqrt[3]{e}x} dx}{3\sqrt[3]{d}\sqrt[3]{e}} + \frac{b \int \frac{\sqrt[3]{d} + \sqrt[3]{e}x}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3\sqrt[3]{d}\sqrt[3]{e}} \\
&= -\frac{b \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3\sqrt[3]{d}e^{2/3}} + \frac{c \log(d + ex^3)}{3e} + \frac{b \int \frac{-\sqrt[3]{d}\sqrt[3]{e} + 2e^{2/3}x}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{6\sqrt[3]{d}e^{2/3}} + \frac{b \int \frac{1}{d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{2\sqrt[3]{e}} \\
&= -\frac{b \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3\sqrt[3]{d}e^{2/3}} + \frac{b \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6\sqrt[3]{d}e^{2/3}} + \frac{c \log(d + ex^3)}{3e} + \frac{b \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, \sqrt[3]{d}e^{2/3}\right)}{\sqrt[3]{d}e^{2/3}} \\
&= -\frac{b \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}\sqrt[3]{d}e^{2/3}} - \frac{b \log(\sqrt[3]{d} + \sqrt[3]{e}x)}{3\sqrt[3]{d}e^{2/3}} + \frac{b \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6\sqrt[3]{d}e^{2/3}} + \frac{c \log(d + ex^3)}{3e}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 122, normalized size = 0.91

$$\frac{b\sqrt[3]{e} \log(d^{2/3} - \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2) - 2b\sqrt[3]{e} \log(\sqrt[3]{d} + \sqrt[3]{e}x) - 2\sqrt{3}b\sqrt[3]{e} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{e}x}{\sqrt[3]{d}}}{\sqrt{3}}\right) + 2c\sqrt[3]{d} \log(d + ex^3)}{6\sqrt[3]{d}e}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2)/(d + e*x^3), x]

[Out] (-2*sqrt[3]*b*e^(1/3)*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))/sqrt[3]] - 2*b*e^(1/3)*Log[d^(1/3) + e^(1/3)*x] + b*e^(1/3)*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2] + 2*c*d^(1/3)*Log[d + e*x^3])/(6*d^(1/3)*e)

fricas [C] time = 1.92, size = 1043, normalized size = 7.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(e*x^3+d),x, algorithm="fricas")

[Out]
$$-1/12*(12*\sqrt{1/3}*e*\sqrt{((3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*e^2 + 4*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*c*e + 4*c^2)/e^2)*\arctan(1/8*\sqrt{1/3}*((3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*d*e^2 + 4*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*c*d*e - 8*b^2*e*x + 4*b^2*e*\sqrt{-((3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*d*e^2*x - 4*b^2*e*x^2 + 4*c^2*d*x - 4*b*c*d + 2*(2*c*d*e*x - b*d*e)*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e))/(b^2*e)) + 4*c^2*d)*\sqrt{((3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*e^2 + 4*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*c*e + 4*c^2)/e^2)/b^3} + 2*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*e*\log(1/4*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*d*e^2 + (3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*c*d*e + b^2*e*x + c^2*d) - ((3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)*e + 6*c)*\log(-1/4*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e)^2*d*e^2*x + b^2*e*x^2 - c^2*d*x + b*c*d - 1/2*(2*c*d*e*x - b*d*e)*(3*(I*\sqrt{3}) + 1)*(-1/54*c^3/e^3 + 1/54*b^3/(d*e^2) + 1/54*(c^3*d - b^3*e)/(d*e^3))^{1/3} - 2*c/e))/e$$

giac [A] time = 0.18, size = 110, normalized size = 0.82

$$\frac{1}{3} c e^{-1} \log(|x^3 e + d|) + \frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3}\left(2x + (-de^{-1})^{\frac{1}{3}}\right)}{3(-de^{-1})^{\frac{1}{3}}}\right)}{3(-de^2)^{\frac{1}{3}}} - \frac{b \log\left(x^2 + (-de^{-1})^{\frac{1}{3}} x + (-de^{-1})^{\frac{2}{3}}\right)}{6(-de^2)^{\frac{1}{3}}} - (-de^{-1})^{\frac{2}{3}} b \log\left(\frac{1}{4}\left(3\left(3 + \sqrt{3}\right)\left(-1/54 c^3/e^3 + 1/54 b^3/(d e^2) + 1/54 (c^3 d - b^3 e)/(d e^3)\right)^{1/3} - 2 c/e\right)^2 d e^2 + \left(3\left(3 + \sqrt{3}\right)\left(-1/54 c^3/e^3 + 1/54 b^3/(d e^2) + 1/54 (c^3 d - b^3 e)/(d e^3)\right)^{1/3} - 2 c/e\right) c d e + b^2 e x + c^2 d\right)}{3(-de^2)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(e*x^3+d),x, algorithm="giac")

[Out]
$$1/3*c*e^{-1}*\log(\text{abs}(x^3*e + d)) + 1/3*\sqrt{3}*b*\arctan(1/3*\sqrt{3}*(2*x + (-d*e^{-1})^{1/3})/((-d*e^{-1})^{1/3})/((-d*e^{-1})^{1/3}) - 1/6*b*\log(x^2 + (-d*e^{-1})^{1/3}*x + (-d*e^{-1})^{2/3})/((-d*e^{-1})^{1/3}) - 1/3*(-d*e^{-1})^{2/3})*b*\log(\text{abs}(x - (-d*e^{-1})^{1/3}))/d$$

maple [A] time = 0.05, size = 108, normalized size = 0.81

$$\frac{\sqrt{3} b \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e} - \frac{b \ln\left(x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}e} + \frac{b \ln\left(x^2 - \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6\left(\frac{d}{e}\right)^{\frac{1}{3}}e} + \frac{c \ln\left(e x^3 + d\right)}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x)/(e*x^3+d),x)`

[Out] $-1/3/(d/e)^{(1/3)}*b/e*\ln(x+(d/e)^{(1/3)})+1/6/(d/e)^{(1/3)}*b/e*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})+1/3*3^{(1/2)}/(d/e)^{(1/3)}*b/e*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))+1/3*c*\ln(e*x^3+d)/e$

maxima [A] time = 2.92, size = 145, normalized size = 1.08

$$\frac{\left(2c\left(\frac{d}{e}\right)^{\frac{1}{3}}+b\right)\log\left(x^2-x\left(\frac{d}{e}\right)^{\frac{1}{3}}+\left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6e\left(\frac{d}{e}\right)^{\frac{1}{3}}} + \frac{\left(c\left(\frac{d}{e}\right)^{\frac{1}{3}}-b\right)\log\left(x+\left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3e\left(\frac{d}{e}\right)^{\frac{1}{3}}} - \frac{\sqrt{3}\left(2cd-\left(3b\left(\frac{d}{e}\right)^{\frac{2}{3}}+\frac{2cd}{e}\right)e\right)\arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9de}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x)/(e*x^3+d),x, algorithm="maxima")`

[Out] $1/6*(2*c*(d/e)^{(1/3)}+b)*\log(x^2-x*(d/e)^{(1/3)}+(d/e)^{(2/3)})/(e*(d/e)^{(1/3)})+1/3*(c*(d/e)^{(1/3)}-b)*\log(x+(d/e)^{(1/3)})/(e*(d/e)^{(1/3)})-1/9*\sqrt{3}*(2*c*d-(3*b*(d/e)^{(2/3)}+2*c*d/e)*e)*\arctan(1/3*\sqrt{3}*(2*x-(d/e)^{(1/3)})/(d/e)^{(1/3)})/(d*e)$

mupad [B] time = 0.19, size = 158, normalized size = 1.18

$$\sum_{k=1}^3 \ln\left(-\text{root}\left(27de^3z^3-27cde^2z^2+9c^2dez+b^3e-c^3d,z,k\right)\left(6cde-\text{root}\left(27de^3z^3-27cde^2z^2+9c^2d\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x + c*x^2)/(d + e*x^3),x)
```

```
[Out] symsum(log(c^2*d - root(27*d*e^3*z^3 - 27*c*d*e^2*z^2 + 9*c^2*d*e*z + b^3*e
- c^3*d, z, k)*(6*c*d*e - 9*root(27*d*e^3*z^3 - 27*c*d*e^2*z^2 + 9*c^2*d*e
*z + b^3*e - c^3*d, z, k)*d*e^2) + b^2*e*x)*root(27*d*e^3*z^3 - 27*c*d*e^2*
z^2 + 9*c^2*d*e*z + b^3*e - c^3*d, z, k), k, 1, 3)
```

sympy [A] time = 0.71, size = 75, normalized size = 0.56

$$\text{RootSum}\left(27t^3de^3 - 27t^2cde^2 + 9tc^2de + b^3e - c^3d, \left(t \mapsto t \log\left(x + \frac{9t^2de^2 - 6tcde + c^2d}{b^2e}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+b*x)/(e*x**3+d),x)
```

```
[Out] RootSum(27*_t**3*d*e**3 - 27*_t**2*c*d*e**2 + 9*_t*c**2*d*e + b**3*e - c**3
*d, Lambda(_t, _t*log(x + (9*_t**2*d*e**2 - 6*_t*c*d*e + c**2*d)/(b**2*e)))
)
```

3.26 $\int \frac{a+cx^2}{d-ex^3} dx$

Optimal. Leaf size=134

$$\frac{a \log(d^{2/3} + \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2)}{6d^{2/3} \sqrt[3]{e}} - \frac{a \log(\sqrt[3]{d} - \sqrt[3]{e} x)}{3d^{2/3} \sqrt[3]{e}} + \frac{a \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e} x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} d^{2/3} \sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e}$$

[Out] $-1/3*a*\ln(d^{(1/3)}-e^{(1/3)}*x)/d^{(2/3)}/e^{(1/3)}+1/6*a*\ln(d^{(2/3)}+d^{(1/3)}*e^{(1/3)}*x+e^{(2/3)}*x^2)/d^{(2/3)}/e^{(1/3)}-1/3*c*\ln(-e*x^3+d)/e+1/3*a*\arctan(1/3*(d^{(1/3)}+2*e^{(1/3)}*x)/d^{(1/3)}*3^{(1/2)})/d^{(2/3)}/e^{(1/3)}*3^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1871, 12, 200, 31, 634, 617, 204, 628, 260}

$$\frac{a \log(d^{2/3} + \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2)}{6d^{2/3} \sqrt[3]{e}} - \frac{a \log(\sqrt[3]{d} - \sqrt[3]{e} x)}{3d^{2/3} \sqrt[3]{e}} + \frac{a \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e} x}{\sqrt{3} \sqrt[3]{d}}\right)}{\sqrt{3} d^{2/3} \sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2)/(d - e*x^3), x]

[Out] $(a*\text{ArcTan}[(d^{(1/3)} + 2*e^{(1/3)}*x)/(\text{Sqrt}[3]*d^{(1/3)})]/(\text{Sqrt}[3]*d^{(2/3)}*e^{(1/3)}) - (a*\text{Log}[d^{(1/3)} - e^{(1/3)}*x])/((3*d^{(2/3)}*e^{(1/3)}) + (a*\text{Log}[d^{(2/3)} + d^{(1/3)}*e^{(1/3)}*x + e^{(2/3)}*x^2])/((6*d^{(2/3)}*e^{(1/3)}) - (c*\text{Log}[d - e*x^3])/(3*e)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F

reeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{a + cx^2}{d - ex^3} dx &= c \int \frac{x^2}{d - ex^3} dx + \int \frac{a}{d - ex^3} dx \\
&= -\frac{c \log(d - ex^3)}{3e} + a \int \frac{1}{d - ex^3} dx \\
&= -\frac{c \log(d - ex^3)}{3e} + \frac{a \int \frac{1}{\sqrt[3]{d} - \sqrt[3]{e}x} dx}{3d^{2/3}} + \frac{a \int \frac{2\sqrt[3]{d} + \sqrt[3]{e}x}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{3d^{2/3}} \\
&= -\frac{a \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e} + \frac{a \int \frac{1}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{2\sqrt[3]{d}} + \frac{a \int \frac{\sqrt[3]{d}\sqrt[3]{e} + 2e^{2/3}x}{d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2} dx}{6d^{2/3}\sqrt[3]{e}} \\
&= -\frac{a \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{a \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}\sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e} - \frac{a \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, \sqrt[3]{d} - \sqrt[3]{e}x\right)}{d^{2/3}\sqrt[3]{e}} \\
&= \frac{a \tan^{-1}\left(\frac{\sqrt[3]{d} + 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}\sqrt[3]{e}} - \frac{a \log(\sqrt[3]{d} - \sqrt[3]{e}x)}{3d^{2/3}\sqrt[3]{e}} + \frac{a \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2)}{6d^{2/3}\sqrt[3]{e}} - \frac{c \log(d - ex^3)}{3e}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 123, normalized size = 0.92

$$\frac{ae^{2/3} \log(d^{2/3} + \sqrt[3]{d}\sqrt[3]{e}x + e^{2/3}x^2) - 2ae^{2/3} \log(\sqrt[3]{d} - \sqrt[3]{e}x) + 2\sqrt{3}ae^{2/3} \tan^{-1}\left(\frac{2\sqrt[3]{e}x + 1}{\sqrt{3}\sqrt[3]{d}}\right) - 2cd^{2/3} \log(d - ex^3)}{6d^{2/3}e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2)/(d - e*x^3), x]

[Out] (2*Sqrt[3]*a*e^(2/3)*ArcTan[(1 + (2*e^(1/3)*x)/d^(1/3))/Sqrt[3]] - 2*a*e^(2/3)*Log[d^(1/3) - e^(1/3)*x] + a*e^(2/3)*Log[d^(2/3) + d^(1/3)*e^(1/3)*x + e^(2/3)*x^2] - 2*c*d^(2/3)*Log[d - e*x^3])/(6*d^(2/3)*e)

fricas [C] time = 2.37, size = 1267, normalized size = 9.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(-e*x^3+d), x, algorithm="fricas")

[Out] 1/12*(12*sqrt(1/3)*e*sqrt((((1/2)^(1/3)*(I*sqrt(3) + 1)*(c^3/e^3 + a^3/(d^2*e) - (c^3*d^2 + a^3*e^2)/(d^2*e^3))^(1/3) + 2*c/e)^2*e^2 - 4*((1/2)^(1/3)*

$$\begin{aligned} & (I\sqrt{3} + 1)(c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} \\ & + 2c/e)c^2/e^2 + 4c^2/e^2) \arctan(-1/8 * (2\sqrt{1/3}) * (((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e) * a * d * e^2 - 2 * a * c * d * e) * \sqrt{(((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e)^2 * e^2 - 4 * ((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e) * c^2/e^2) * \sqrt{(((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e)^2 * d^2 * e^2 + 4 * a^2 * e^2 * x^2 - 4 * a * c * d * e * x + 4 * c^2 * d^2 + 2 * (a * d * e^2 * x - 2 * c * d^2 * e) * ((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e)) / (a^2 * e^2)) - \sqrt{1/3} * (((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e)^2 * d^2 * e^2 - 8 * a * c * d * e * x + 4 * c^2 * d^2 + 4 * (a * d * e^2 * x - c * d^2 * e) * ((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e)) * \sqrt{(((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e)^2 * e^2 - 4 * ((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e) * c^2/e^2) / (a^3 * e)) - 2 * ((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e) * e * \log(-1/2 * ((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e) * d * e + a * e * x + c * d) + (((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e) * e - 6 * c) * \log(1/4 * ((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e)^2 * d^2 * e^2 + a^2 * e^2 * x^2 - a * c * d * e * x + c^2 * d^2 + 1/2 * (a * d * e^2 * x - 2 * c * d^2 * e) * ((1/2)^{1/3}) * (I\sqrt{3} + 1) * (c^3/e^3 + a^3/(d^2e) - (c^3d^2 + a^3e^2)/(d^2e^3))^{1/3} + 2c/e)) / e \end{aligned}$$

giac [A] time = 0.17, size = 95, normalized size = 0.71

$$-\frac{1}{3} c e^{(-1)} \log(|x^3 e - d|) + \frac{\sqrt{3} a \arctan\left(\frac{\sqrt{3}\left(d^{\frac{1}{3}} e^{\left(-\frac{1}{3}\right)} + 2x\right) e^{\frac{1}{3}}}{3 d^{\frac{1}{3}}}\right) e^{\left(-\frac{1}{3}\right)}}{3 d^{\frac{2}{3}}} + \frac{a e^{\left(-\frac{1}{3}\right)} \log\left(d^{\frac{1}{3}} x e^{\left(-\frac{1}{3}\right)} + x^2 + d^{\frac{2}{3}} e^{\left(-\frac{2}{3}\right)}\right)}{6 d^{\frac{2}{3}}} - \frac{a e^{\left(-\frac{1}{3}\right)} \log\left(d^{\frac{1}{3}} x e^{\left(-\frac{1}{3}\right)} + x^2 + d^{\frac{2}{3}} e^{\left(-\frac{2}{3}\right)}\right)}{6 d^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(-e*x^3+d),x, algorithm="giac")

[Out] $-\frac{1}{3} c e^{(-1)} \log(\text{abs}(x^3 e - d)) + \frac{1}{3} \sqrt{3} a \arctan\left(\frac{1}{3} \sqrt{3} \left(d^{\frac{1}{3}} e^{\left(-\frac{1}{3}\right)} + 2x\right) e^{\frac{1}{3}}\right) e^{\left(-\frac{1}{3}\right)} / d^{\frac{2}{3}} + \frac{1}{6} a e^{(-1/3)} \log\left(d^{\frac{1}{3}} x e^{\left(-\frac{1}{3}\right)} + x^2 + d^{\frac{2}{3}} e^{\left(-\frac{2}{3}\right)}\right) / d^{\frac{2}{3}} - \frac{1}{3} a e^{(-1/3)} \log(\text{abs}(-d^{\frac{1}{3}} e^{\left(-\frac{1}{3}\right)} + x)) / d^{\frac{2}{3}}$

maple [A] time = 0.04, size = 111, normalized size = 0.83

$$\frac{\sqrt{3} a \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}+1}\right)}{3}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} - \frac{a \ln\left(x - \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{2}{3}}e} + \frac{a \ln\left(x^2 + \left(\frac{d}{e}\right)^{\frac{1}{3}}x + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6\left(\frac{d}{e}\right)^{\frac{2}{3}}e} - \frac{c \ln(e x^3 - d)}{3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+a)/(-e*x^3+d),x)

[Out] -1/3/(d/e)^(2/3)*a/e*ln(x-(d/e)^(1/3))+1/6/(d/e)^(2/3)*a/e*ln(x^2+(d/e)^(1/3)*x+(d/e)^(2/3))+1/3/(d/e)^(2/3)*3^(1/2)*a/e*arctan(1/3*3^(1/2)*(2/(d/e)^(1/3)*x+1))-1/3*c/e*ln(e*x^3-d)

maxima [A] time = 3.05, size = 144, normalized size = 1.07

$$\frac{\sqrt{3}\left(2cd - \left(3a\left(\frac{d}{e}\right)^{\frac{1}{3}} + \frac{2cd}{e}\right)e\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{d}{e}\right)^{\frac{1}{3}}\right)}{3\left(\frac{d}{e}\right)^{\frac{1}{3}}}\right)}{9de} - \frac{\left(2c\left(\frac{d}{e}\right)^{\frac{2}{3}} - a\right) \log\left(x^2 + x\left(\frac{d}{e}\right)^{\frac{1}{3}} + \left(\frac{d}{e}\right)^{\frac{2}{3}}\right)}{6e\left(\frac{d}{e}\right)^{\frac{2}{3}}} - \frac{\left(c\left(\frac{d}{e}\right)^{\frac{2}{3}} + a\right) \log\left(e x^3 - d\right)}{3e\left(\frac{d}{e}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(-e*x^3+d),x, algorithm="maxima")

[Out] -1/9*sqrt(3)*(2*c*d - (3*a*(d/e)^(1/3) + 2*c*d/e)*e)*arctan(1/3*sqrt(3)*(2*x + (d/e)^(1/3))/(d/e)^(1/3))/(d*e) - 1/6*(2*c*(d/e)^(2/3) - a)*log(x^2 + x*(d/e)^(1/3) + (d/e)^(2/3))/(e*(d/e)^(2/3)) - 1/3*(c*(d/e)^(2/3) + a)*log(x - (d/e)^(1/3))/(e*(d/e)^(2/3))

mupad [B] time = 5.01, size = 178, normalized size = 1.33

$$\sum_{k=1}^3 \ln\left(-\left(c + \text{root}\left(27d^2e^3z^3 + 27cd^2e^2z^2 + 9c^2d^2ez + c^3d^2 + a^3e^2, z, k\right)\right)e\right) \left(cd + \text{root}\left(27d^2e^3z^3 + 27cd^2e^2z^2 + 9c^2d^2ez + c^3d^2 + a^3e^2, z, k\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)/(d - e*x^3),x)`

[Out] `symsum(log(-(c + 3*root(27*d^2*e^3*z^3 + 27*c*d^2*e^2*z^2 + 9*c^2*d^2*e*z + c^3*d^2 + a^3*e^2, z, k)*e)*(c*d + 3*root(27*d^2*e^3*z^3 + 27*c*d^2*e^2*z^2 + 9*c^2*d^2*e*z + c^3*d^2 + a^3*e^2, z, k)*d*e + a*e*x))*root(27*d^2*e^3*z^3 + 27*c*d^2*e^2*z^2 + 9*c^2*d^2*e*z + c^3*d^2 + a^3*e^2, z, k), k, 1, 3)`

sympy [A] time = 0.59, size = 70, normalized size = 0.52

$$-\text{RootSum}\left(27t^3d^2e^3 - 27t^2cd^2e^2 + 9tc^2d^2e - a^3e^2 - c^3d^2, \left(t \mapsto t \log\left(x + \frac{-3tde + cd}{ae}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a)/(-e*x**3+d),x)`

[Out] `-RootSum(27*_t**3*d**2*e**3 - 27*_t**2*c*d**2*e**2 + 9*_t*c**2*d**2*e - a**3*e**2 - c**3*d**2, Lambda(_t, _t*log(x + (-3*_t*d*e + c*d)/(a*e))))`

$$3.27 \quad \int \frac{2a^2 + b^2 x^2}{a^3 + b^3 x^3} dx$$

Optimal. Leaf size=37

$$\frac{\log(a + bx)}{b} - \frac{2 \tan^{-1}\left(\frac{a-2bx}{\sqrt{3}a}\right)}{\sqrt{3}b}$$

[Out] $\ln(b*x+a)/b-2/3*\arctan(1/3*(-2*b*x+a)/a*3^(1/2))/b*3^(1/2)$

Rubi [A] time = 0.06, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1868, 31, 617, 204}

$$\frac{\log(a + bx)}{b} - \frac{2 \tan^{-1}\left(\frac{a-2bx}{\sqrt{3}a}\right)}{\sqrt{3}b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(2*a^2 + b^2*x^2)/(a^3 + b^3*x^3), x]$

[Out] $(-2*\text{ArcTan}[(a - 2*b*x)/(\text{Sqrt}[3]*a)])/(\text{Sqrt}[3]*b) + \text{Log}[a + b*x]/b$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] \text{ ; FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{(-1)}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] \text{ ; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) \text{ ; FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1868

$\text{Int}[(P2_)/((a_ + (b_)*(x_)^3), x_Symbol] \rightarrow \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}\{q = \text{Rt}[a/b, 3]\}, \text{Dist}[C/b, I$

nt[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /
 ; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ
 [P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2a^2 + b^2x^2}{a^3 + b^3x^3} dx &= \frac{a \int \frac{1}{\frac{a^2}{b^2} - \frac{ax}{b} + x^2} dx}{b^2} + \frac{\int \frac{1}{\frac{a}{b} + x} dx}{b} \\ &= \frac{\log(a + bx)}{b} + \frac{2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2bx}{a}\right)}{b} \\ &= -\frac{2 \tan^{-1}\left(\frac{a-2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} + \frac{\log(a + bx)}{b} \end{aligned}$$

Mathematica [A] time = 0.02, size = 72, normalized size = 1.95

$$\frac{\log(a^3 + b^3x^3) - \log(a^2 - abx + b^2x^2) + 2 \log(a + bx) + 2\sqrt{3} \tan^{-1}\left(\frac{2bx-a}{\sqrt{3}a}\right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*a^2 + b^2*x^2)/(a^3 + b^3*x^3), x]

[Out] (2*Sqrt[3]*ArcTan[(-a + 2*b*x)/(Sqrt[3]*a)] + 2*Log[a + b*x] - Log[a^2 - a*b*x + b^2*x^2] + Log[a^3 + b^3*x^3])/(3*b)

fricas [A] time = 0.73, size = 36, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2bx-a)}{3a}\right) + 3 \log(bx + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(b^3*x^3+a^3), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x - a)/a) + 3*log(b*x + a))/b

giac [A] time = 0.17, size = 37, normalized size = 1.00

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2bx-a)}{3a}\right)}{3b} + \frac{\log(|bx + a|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(b^3*x^3+a^3),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x - a)/a)/b + log(abs(b*x + a))/b

maple [A] time = 0.05, size = 43, normalized size = 1.16

$$\frac{2\sqrt{3} \arctan\left(\frac{(2b^2x-ab)\sqrt{3}}{3ab}\right)}{3b} + \frac{\ln(bx + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^2*x^2+2*a^2)/(b^3*x^3+a^3),x)

[Out] 2/3*3^(1/2)/b*arctan(1/3*(2*b^2*x-a*b)*3^(1/2)/a/b)+ln(b*x+a)/b

maxima [A] time = 2.99, size = 42, normalized size = 1.14

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2b^2x-ab)}{3ab}\right)}{3b} + \frac{\log(bx + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(b^3*x^3+a^3),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b^2*x - a*b)/(a*b))/b + log(b*x + a)/b

mupad [B] time = 4.81, size = 84, normalized size = 2.27

$$\frac{\ln(a + bx)}{b} - \frac{2\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}a^3b^4}{4a^3b^4+4xa^2b^5} - \frac{4\sqrt{3}a^2b^5x}{4a^3b^4+4xa^2b^5}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a^2 + b^2*x^2)/(a^3 + b^3*x^3),x)

[Out] log(a + b*x)/b - (2*3^(1/2)*atan((4*3^(1/2)*a^3*b^4)/(4*a^3*b^4 + 4*a^2*b^5*x) - (4*3^(1/2)*a^2*b^5*x)/(4*a^3*b^4 + 4*a^2*b^5*x)))/(3*b)

sympy [C] time = 0.50, size = 60, normalized size = 1.62

$$-\frac{\sqrt{3}i \log\left(x + \frac{-a - \sqrt{3}ia}{2b}\right)}{3} + \frac{\sqrt{3}i \log\left(x + \frac{-a + \sqrt{3}ia}{2b}\right)}{3} + \log\left(\frac{a}{b} + x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b**2*x**2+2*a**2)/(b**3*x**3+a**3),x)
```

```
[Out] (-sqrt(3)*I*log(x + (-a - sqrt(3)*I*a)/(2*b))/3 + sqrt(3)*I*log(x + (-a + s  
qrt(3)*I*a)/(2*b))/3 + log(a/b + x))/b
```

$$3.28 \quad \int \frac{2a^2 + b^2x^2}{a^3 - b^3x^3} dx$$

Optimal. Leaf size=39

$$\frac{2 \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} - \frac{\log(a-bx)}{b}$$

[Out] $-\ln(-b*x+a)/b+2/3*\arctan(1/3*(2*b*x+a)/a*3^{(1/2)})/b*3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1868, 31, 617, 204}

$$\frac{2 \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} - \frac{\log(a-bx)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(2*a^2 + b^2*x^2)/(a^3 - b^3*x^3), x]$

[Out] $(2*\text{ArcTan}[(a + 2*b*x)/(\text{Sqrt}[3]*a)])/(\text{Sqrt}[3]*b) - \text{Log}[a - b*x]/b$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{(-1)}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1868

$\text{Int}[(P2_)/((a_ + (b_)*(x_)^3), x_Symbol] \rightarrow \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}\{q = \text{Rt}[a/b, 3]\}, \text{Dist}[C/b, I$

nt[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /
 ; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ
 [P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2a^2 + b^2x^2}{a^3 - b^3x^3} dx &= \frac{a \int \frac{1}{\frac{a^2}{b^2} + \frac{ax}{b} + x^2} dx}{b^2} - \frac{\int \frac{1}{-\frac{a}{b} + x} dx}{b} \\ &= \frac{\log(a - bx)}{b} - \frac{2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2bx}{a}\right)}{b} \\ &= \frac{2 \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{\sqrt{3}b} - \frac{\log(a - bx)}{b} \end{aligned}$$

Mathematica [A] time = 0.03, size = 71, normalized size = 1.82

$$\frac{-\log(a^3 - b^3x^3) + \log(a^2 + abx + b^2x^2) - 2\log(a - bx) + 2\sqrt{3} \tan^{-1}\left(\frac{a+2bx}{\sqrt{3}a}\right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*a^2 + b^2*x^2)/(a^3 - b^3*x^3), x]

[Out] (2*Sqrt[3]*ArcTan[(a + 2*b*x)/(Sqrt[3]*a)] - 2*Log[a - b*x] + Log[a^2 + a*b*x + b^2*x^2] - Log[a^3 - b^3*x^3])/(3*b)

fricas [A] time = 0.62, size = 36, normalized size = 0.92

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2bx+a)}{3a}\right) - 3 \log(bx - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(-b^3*x^3+a^3), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x + a)/a) - 3*log(b*x - a))/b

giac [A] time = 0.15, size = 38, normalized size = 0.97

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2bx+a)}{3a}\right)}{3b} - \frac{\log(|bx - a|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(-b^3*x^3+a^3),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b*x + a)/a)/b - log(abs(b*x - a))/b

maple [A] time = 0.06, size = 45, normalized size = 1.15

$$\frac{2\sqrt{3} \arctan\left(\frac{(2b^2x+ab)\sqrt{3}}{3ab}\right)}{3b} - \frac{\ln(bx - a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^2*x^2+2*a^2)/(-b^3*x^3+a^3),x)

[Out] -1/b*ln(b*x-a)+2/3*3^(1/2)/b*arctan(1/3*(2*b^2*x+a*b)*3^(1/2)/a/b)

maxima [A] time = 2.97, size = 44, normalized size = 1.13

$$\frac{2\sqrt{3} \arctan\left(\frac{\sqrt{3}(2b^2x+ab)}{3ab}\right)}{3b} - \frac{\log(bx - a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^2*x^2+2*a^2)/(-b^3*x^3+a^3),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*b^2*x + a*b)/(a*b))/b - log(b*x - a)/b

mupad [B] time = 0.09, size = 86, normalized size = 2.21

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}a^3b^4}{4a^3b^4-4a^2b^5x} + \frac{4\sqrt{3}a^2b^5x}{4a^3b^4-4a^2b^5x}\right)}{3b} - \frac{\ln(a - bx)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a^2 + b^2*x^2)/(a^3 - b^3*x^3),x)

[Out] (2*3^(1/2)*atan((4*3^(1/2)*a^3*b^4)/(4*a^3*b^4 - 4*a^2*b^5*x) + (4*3^(1/2)*a^2*b^5*x)/(4*a^3*b^4 - 4*a^2*b^5*x)))/(3*b) - log(a - b*x)/b

sympy [C] time = 0.70, size = 60, normalized size = 1.54

$$\frac{\frac{\sqrt{3}i \log\left(x + \frac{a - \sqrt{3}ia}{2b}\right)}{3} - \frac{\sqrt{3}i \log\left(x + \frac{a + \sqrt{3}ia}{2b}\right)}{3}}{b} + \log\left(-\frac{a}{b} + x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b**2*x**2+2*a**2)/(-b**3*x**3+a**3),x)
```

```
[Out] -(sqrt(3)*I*log(x + (a - sqrt(3)*I*a)/(2*b))/3 - sqrt(3)*I*log(x + (a + sqrt(3)*I*a)/(2*b))/3 + log(-a/b + x))/b
```

$$3.29 \quad \int \frac{8C + b^{2/3}Cx^2}{8 + bx^3} dx$$

Optimal. Leaf size=48

$$\frac{C \log(\sqrt[3]{b}x + 2)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{b}}$$

[Out] $C \ln(2 + b^{1/3}x)/b^{1/3} - 2/3 C \arctan(1/3(1 - b^{1/3}x) \cdot 3^{1/2})/b^{1/3} \cdot 3^{1/2}$

Rubi [A] time = 0.04, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1863, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{b}x + 2)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] `Int[(8*C + b^(2/3)*C*x^2)/(8 + b*x^3),x]`

[Out] $(-2*C*\text{ArcTan}[(1 - b^{1/3}x)/\text{Sqrt}[3]])/(\text{Sqrt}[3]*b^{1/3}) + (C*\text{Log}[2 + b^{1/3}x])/b^{1/3}$

Rule 31

`Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 617

`Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 1863

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{8C + b^{2/3}Cx^2}{8 + bx^3} dx &= \frac{(2C) \int \frac{1}{\frac{4}{b^{2/3}} - \frac{2x}{\sqrt[3]{b}} + x^2} dx}{b^{2/3}} + \frac{C \int \frac{1}{\frac{2}{\sqrt[3]{b}} + x} dx}{\sqrt[3]{b}} \\ &= \frac{C \log(2 + \sqrt[3]{b}x)}{\sqrt[3]{b}} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \sqrt[3]{b}x\right)}{\sqrt[3]{b}} \\ &= -\frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{b}} + \frac{C \log(2 + \sqrt[3]{b}x)}{\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 76, normalized size = 1.58

$$\frac{C \left(-\log(b^{2/3}x^2 - 2\sqrt[3]{b}x + 4) + \log(bx^3 + 8) + 2 \log(\sqrt[3]{b}x + 2) + 2\sqrt{3} \tan^{-1}\left(\frac{\sqrt[3]{b}x - 1}{\sqrt{3}}\right) \right)}{3\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(8*C + b^(2/3)*C*x^2)/(8 + b*x^3), x]

[Out] (C*(2*Sqrt[3]*ArcTan[(-1 + b^(1/3)*x)/Sqrt[3]] + 2*Log[2 + b^(1/3)*x] - Log[4 - 2*b^(1/3)*x + b^(2/3)*x^2] + Log[8 + b*x^3]))/(3*b^(1/3))

fricas [A] time = 0.68, size = 134, normalized size = 2.79

$$\left[\frac{\sqrt{\frac{1}{3}} C b \sqrt{-\frac{1}{2} \frac{1}{b^{\frac{2}{3}}}} \log\left(\frac{bx^3 + 6\sqrt{\frac{1}{3}}(bx^2 + b^{\frac{2}{3}}x - 2b^{\frac{1}{3}})\sqrt{-\frac{1}{2} - 6b^{\frac{1}{3}}x - 4}}{bx^3 + 8}}\right) + C b^{\frac{2}{3}} \log\left(bx + 2b^{\frac{2}{3}}\right) + 2\sqrt{\frac{1}{3}} C b^{\frac{2}{3}} \arctan\left(\frac{\sqrt{\frac{1}{3}}(b^{\frac{2}{3}}x - b^{\frac{1}{3}})}{\frac{1}{b^{\frac{1}{3}}}}\right)}{b}, \frac{\quad}{b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+b^(2/3)*C*x^2)/(b*x^3+8),x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt(-1/b^(2/3))*log((b*x^3 + 6*sqrt(1/3)*(b*x^2 + b^(2/3))*x - 2*b^(1/3))*sqrt(-1/b^(2/3)) - 6*b^(1/3)*x - 4)/(b*x^3 + 8)) + C*b^(2/3)*log(b*x + 2*b^(2/3)))/b, (2*sqrt(1/3)*C*b^(2/3)*arctan(sqrt(1/3)*(b^(2/3)*x - b^(1/3))/b^(1/3)) + C*b^(2/3)*log(b*x + 2*b^(2/3)))/b]

giac [B] time = 0.42, size = 115, normalized size = 2.40

$$\frac{2}{3} \sqrt{3} C \left(-\frac{1}{b}\right)^{\frac{1}{3}} \arctan \left(\frac{\sqrt{3} \left(x + \left(-\frac{1}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{1}{b}\right)^{\frac{1}{3}}} \right) - \frac{1}{3} \left(C b^{\frac{2}{3}} \left(-\frac{1}{b}\right)^{\frac{2}{3}} + 2C \right) \left(-\frac{1}{b}\right)^{\frac{1}{3}} \log \left(\left| x - 2 \left(-\frac{1}{b}\right)^{\frac{1}{3}} \right| \right) + \frac{1}{3} \left(C \left(-\frac{1}{b}\right)^{\frac{1}{3}} + \frac{C}{b^{\frac{1}{3}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+b^(2/3)*C*x^2)/(b*x^3+8),x, algorithm="giac")

[Out] 2/3*sqrt(3)*C*(-1/b)^(1/3)*arctan(1/3*sqrt(3)*(x + (-1/b)^(1/3))/(-1/b)^(1/3)) - 1/3*(C*b^(2/3)*(-1/b)^(2/3) + 2*C)*(-1/b)^(1/3)*log(abs(x - 2*(-1/b)^(1/3))) + 1/3*(C*(-1/b)^(1/3) + C/b^(1/3))*log(x^2 + 2*x*(-1/b)^(1/3) + 4*(-1/b)^(2/3))

maple [B] time = 0.06, size = 117, normalized size = 2.44

$$\frac{C \ln(bx^3 + 8)}{3b^{\frac{1}{3}}} + \frac{8^{\frac{1}{3}} \sqrt{3} C \arctan \left(\frac{\sqrt{3} \left(\frac{2}{8^{\frac{2}{3}} x} - 1 \right)}{4 \left(\frac{1}{b}\right)^{\frac{1}{3}}} \right)}{3 \left(\frac{1}{b}\right)^{\frac{2}{3}} b} + \frac{8^{\frac{1}{3}} C \ln \left(x + 8^{\frac{1}{3}} \left(\frac{1}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{1}{b}\right)^{\frac{2}{3}} b} - \frac{8^{\frac{1}{3}} C \ln \left(x^2 - 8^{\frac{1}{3}} \left(\frac{1}{b}\right)^{\frac{1}{3}} x + 8^{\frac{2}{3}} \left(\frac{1}{b}\right)^{\frac{2}{3}} \right)}{6 \left(\frac{1}{b}\right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8*C+b^(2/3)*C*x^2)/(b*x^3+8),x)

[Out] 1/3*C/b*8^(1/3)/(1/b)^(2/3)*ln(x+8^(1/3)*(1/b)^(1/3))-1/6*C/b*8^(1/3)/(1/b)^(2/3)*ln(x^2-8^(1/3)*(1/b)^(1/3)*x+8^(2/3)*(1/b)^(2/3))+1/3*C/b*8^(1/3)/(1/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(1/4*8^(2/3)/(1/b)^(1/3)*x-1))+1/3*C/b^(1/3)*ln(b*x^3+8)

maxima [A] time = 2.99, size = 47, normalized size = 0.98

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(b^{\frac{2}{3}}x - b^{\frac{1}{3}}\right)}{3b^{\frac{1}{3}}}\right)}{3b^{\frac{1}{3}}} + \frac{C \log\left(\frac{b^{\frac{1}{3}}x + 2}{b^{\frac{1}{3}}}\right)}{b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+b^(2/3)*C*x^2)/(b*x^3+8),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(b^(2/3)*x - b^(1/3))/b^(1/3))/b^(1/3) + C*log((b^(1/3)*x + 2)/b^(1/3))/b^(1/3)

mupad [B] time = 5.14, size = 147, normalized size = 3.06

$$\sum_{k=1}^3 \ln\left(-\frac{(C - \text{root}(27b^3z^3 - 27Cb^{8/3}z^2 + 9C^2b^{7/3}z - 9C^3b^2, z, k) b^{1/3} 3) (-C + \text{root}(27b^3z^3 - 27Cb^{8/3}z^2 - 9C^2b^{7/3}z - 9C^3b^2, z, k) b^{1/3} 3)}{b^{5/3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8*C + C*b^(2/3)*x^2)/(b*x^3 + 8),x)

[Out] symsum(log(-(8*(C - 3*root(27*b^3*z^3 - 27*C*b^(8/3)*z^2 + 9*C^2*b^(7/3)*z - 9*C^3*b^2, z, k)*b^(1/3))*(3*root(27*b^3*z^3 - 27*C*b^(8/3)*z^2 + 9*C^2*b^(7/3)*z - 9*C^3*b^2, z, k)*b^(1/3) - C + C*b^(1/3)*x))/b^(5/3))*root(27*b^3*z^3 - 27*C*b^(8/3)*z^2 + 9*C^2*b^(7/3)*z - 9*C^3*b^2, z, k), k, 1, 3)

sympy [A] time = 0.63, size = 58, normalized size = 1.21

$$\text{RootSum}\left(3t^3b^{\frac{5}{3}} - 3t^2Cb^{\frac{4}{3}} + tC^2b - C^3b^{\frac{2}{3}}, \left(t \mapsto t \log\left(x + \frac{3t\sqrt[3]{b} - C}{C\sqrt[3]{b}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+b**(2/3)*C*x**2)/(b*x**3+8),x)

[Out] RootSum(3*_t**3*b**(5/3) - 3*_t**2*C*b**(4/3) + _t*C**2*b - C**3*b**(2/3), Lambda(_t, _t*log(x + (3*_t*b**(1/3) - C)/(C*b**(1/3)))))

$$3.30 \quad \int \frac{a^{2/3}C+2Cx^2}{a+8x^3} dx$$

Optimal. Leaf size=47

$$\frac{1}{4}C \log(\sqrt[3]{a} + 2x) - \frac{C \tan^{-1}\left(\frac{\sqrt[3]{a}-4x}{\sqrt{3}\sqrt[3]{a}}\right)}{2\sqrt{3}}$$

[Out] $1/4*C*\ln(a^{(1/3)}+2*x)-1/6*C*\arctan(1/3*(a^{(1/3)}-4*x)/a^{(1/3)}*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1863, 31, 617, 204}

$$\frac{1}{4}C \log(\sqrt[3]{a} + 2x) - \frac{C \tan^{-1}\left(\frac{\sqrt[3]{a}-4x}{\sqrt{3}\sqrt[3]{a}}\right)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(a^(2/3)*C + 2*C*x^2)/(a + 8*x^3),x]

[Out] $-(C*\text{ArcTan}[(a^{(1/3)} - 4*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(2*\text{Sqrt}[3]) + (C*\text{Log}[a^{(1/3)} + 2*x])/4$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(−1), x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1863

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{a^{2/3}C + 2Cx^2}{a + 8x^3} dx &= \frac{1}{4}C \int \frac{1}{\frac{\sqrt[3]{a}}{2} + x} dx + \frac{1}{8}(\sqrt[3]{a}C) \int \frac{1}{\frac{a^{2/3}}{4} - \frac{\sqrt[3]{a}x}{2} + x^2} dx \\ &= \frac{1}{4}C \log(\sqrt[3]{a} + 2x) + \frac{1}{2}C \text{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{4x}{\sqrt[3]{a}}\right) \\ &= -\frac{C \tan^{-1}\left(\frac{\sqrt[3]{a}-4x}{\sqrt{3} \sqrt[3]{a}}\right)}{2\sqrt{3}} + \frac{1}{4}C \log(\sqrt[3]{a} + 2x) \end{aligned}$$

Mathematica [A] time = 0.03, size = 72, normalized size = 1.53

$$\frac{1}{12}C \left(-\log(a^{2/3} - 2\sqrt[3]{a}x + 4x^2) + \log(a + 8x^3) + 2\log(\sqrt[3]{a} + 2x) - 2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{4x}{\sqrt[3]{a}}}{\sqrt{3}}\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a^(2/3)*C + 2*C*x^2)/(a + 8*x^3), x]
```

```
[Out] (C*(-2*Sqrt[3]*ArcTan[(1 - (4*x)/a^(1/3))/Sqrt[3]] + 2*Log[a^(1/3) + 2*x] - Log[a^(2/3) - 2*a^(1/3)*x + 4*x^2] + Log[a + 8*x^3]))/12
```

fricas [A] time = 0.60, size = 40, normalized size = 0.85

$$\frac{1}{6}\sqrt{3}C \arctan\left(\frac{4\sqrt{3}a^{\frac{2}{3}}x - \sqrt{3}a}{3a}\right) + \frac{1}{4}C \log(2x + a^{\frac{1}{3}})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a^(2/3)*C+2*C*x^2)/(8*x^3+a), x, algorithm="fricas")
```

```
[Out] 1/6*sqrt(3)*C*arctan(1/3*(4*sqrt(3)*a^(2/3)*x - sqrt(3)*a)/a) + 1/4*C*log(2*x + a^(1/3))
```

giac [B] time = 0.20, size = 111, normalized size = 2.36

$$\frac{\sqrt{3}(\sqrt{3}i|a| + a)C \arctan\left(\frac{\sqrt{3}(4x+(-a)^{\frac{1}{3}})}{3(-a)^{\frac{1}{3}}}\right)}{12a} + \frac{(\sqrt{3}i|a| + 3a)C \log\left(x^2 + \frac{1}{2}(-a)^{\frac{1}{3}}x + \frac{1}{4}(-a)^{\frac{2}{3}}\right)}{24a} - \frac{(C(-a)^{\frac{2}{3}} + 2Ca^{\frac{2}{3}})(-a)^{\frac{1}{3}}}{12a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C+2*C*x^2)/(8*x^3+a),x, algorithm="giac")

[Out] 1/12*sqrt(3)*(sqrt(3)*i*abs(a) + a)*C*arctan(1/3*sqrt(3)*(4*x + (-a)^(1/3)) / (-a)^(1/3))/a + 1/24*(sqrt(3)*i*abs(a) + 3*a)*C*log(x^2 + 1/2*(-a)^(1/3)*x + 1/4*(-a)^(2/3))/a - 1/12*(C*(-a)^(2/3) + 2*C*a^(2/3))*(-a)^(1/3)*log(abs(x - 1/2*(-a)^(1/3)))/a

maple [B] time = 0.04, size = 84, normalized size = 1.79

$$\frac{8^{\frac{2}{3}}\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(\frac{28^{\frac{1}{3}}x-1}{a^{\frac{1}{3}}}\right)}{3}\right)}{24} + \frac{8^{\frac{2}{3}}C \ln\left(x + \frac{2}{8}a^{\frac{1}{3}}\right)}{24} - \frac{8^{\frac{2}{3}}C \ln\left(x^2 - \frac{2}{8}a^{\frac{1}{3}}x + \frac{1}{8}a^{\frac{2}{3}}\right)}{48} + \frac{C \ln(8x^3 + a)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(2/3)*C+2*C*x^2)/(8*x^3+a),x)

[Out] 1/24*C*8^(2/3)*ln(x+1/8*8^(2/3)*a^(1/3))-1/48*C*8^(2/3)*ln(x^2-1/8*8^(2/3)*a^(1/3)*x+1/8*8^(1/3)*a^(2/3))+1/24*C*8^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2*8^(1/3)/a^(1/3)*x-1))+1/12*C*ln(8*x^3+a)

maxima [A] time = 3.00, size = 36, normalized size = 0.77

$$\frac{1}{6}\sqrt{3}C \arctan\left(\frac{\sqrt{3}(4x - a^{\frac{1}{3}})}{3a^{\frac{1}{3}}}\right) + \frac{1}{4}C \log\left(x + \frac{1}{2}a^{\frac{1}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C+2*C*x^2)/(8*x^3+a),x, algorithm="maxima")

[Out] 1/6*sqrt(3)*C*arctan(1/3*sqrt(3)*(4*x - a^(1/3))/a^(1/3)) + 1/4*C*log(x + 1/2*a^(1/3))

mupad [B] time = 5.02, size = 145, normalized size = 3.09

$$\sum_{k=1}^3 \ln \left(-\frac{a^{2/3} \left(C - 12 \operatorname{root} \left(1728 a^2 z^3 - 432 C a^2 z^2 + 36 C^2 a^2 z - 9 C^3 a^2, z, k \right) \right) \left(4 C x - C a^{1/3} + \operatorname{root} \left(1728 a^2 z^3 - 432 C a^2 z^2 + 36 C^2 a^2 z - 9 C^3 a^2, z, k \right) \right)}{128} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*a^(2/3) + 2*C*x^2)/(a + 8*x^3), x)`

[Out] `symsum(log(-(a^(2/3)*(C - 12*root(1728*a^2*z^3 - 432*C*a^2*z^2 + 36*C^2*a^2*z - 9*C^3*a^2, z, k))*(4*C*x - C*a^(1/3) + 12*root(1728*a^2*z^3 - 432*C*a^2*z^2 + 36*C^2*a^2*z - 9*C^3*a^2, z, k))*a^(1/3)))/128)*root(1728*a^2*z^3 - 432*C*a^2*z^2 + 36*C^2*a^2*z - 9*C^3*a^2, z, k), k, 1, 3)`

sympy [C] time = 0.74, size = 85, normalized size = 1.81

$$C \left(\frac{\log \left(\frac{\sqrt[3]{a}}{2} + x \right)}{4} - \frac{\sqrt{3} i \log \left(x + \frac{-C \sqrt[3]{a} - \sqrt{3} i C \sqrt[3]{a}}{4C} \right)}{12} + \frac{\sqrt{3} i \log \left(x + \frac{-C \sqrt[3]{a} + \sqrt{3} i C \sqrt[3]{a}}{4C} \right)}{12} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a**(2/3)*C+2*C*x**2)/(8*x**3+a), x)`

[Out] `C*(log(a**(1/3)/2 + x)/4 - sqrt(3)*I*log(x + (-C*a**(1/3) - sqrt(3)*I*C*a**(1/3))/(4*C))/12 + sqrt(3)*I*log(x + (-C*a**(1/3) + sqrt(3)*I*C*a**(1/3))/(4*C))/12)`

$$3.31 \quad \int \frac{8C + (-b)^{2/3}Cx^2}{-8 + bx^3} dx$$

Optimal. Leaf size=57

$$\frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{-b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{-b}} - \frac{C \log(\sqrt[3]{-b}x + 2)}{\sqrt[3]{-b}}$$

[Out] $-C \ln(2 + (-b)^{1/3}x) / (-b)^{1/3} + 2/3 C \arctan(1/3 * (1 - (-b)^{1/3}x) * 3^{1/2}) / (-b)^{1/3} * 3^{1/2}$

Rubi [A] time = 0.07, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1864, 31, 617, 204}

$$\frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{-b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{-b}} - \frac{C \log(\sqrt[3]{-b}x + 2)}{\sqrt[3]{-b}}$$

Antiderivative was successfully verified.

[In] Int[(8*C + (-b)^(2/3)*C*x^2)/(-8 + b*x^3),x]

[Out] (2*C*ArcTan[(1 - (-b)^(1/3)*x)/Sqrt[3]])/(Sqrt[3]*(-b)^(1/3)) - (C*Log[2 + (-b)^(1/3)*x])/(-b)^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1864

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a)^(1/3)/(-b)^(1/3)},
Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2)
, x], x]] /; EqQ[A*(-b)^(2/3) - (-a)^(1/3)*(-b)^(1/3)*B - 2*(-a)^(2/3)*C, 0
]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{8C + (-b)^{2/3} Cx^2}{-8 + bx^3} dx &= -\frac{(2C) \int \frac{1}{\frac{4}{(-b)^{2/3}} - \frac{2x}{\sqrt[3]{-b}} + x^2} dx}{(-b)^{2/3}} - \frac{C \int \frac{1}{\frac{2}{\sqrt[3]{-b}} + x} dx}{\sqrt[3]{-b}} \\ &= -\frac{C \log(2 + \sqrt[3]{-b}x)}{\sqrt[3]{-b}} - \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \sqrt[3]{-b}x\right)}{\sqrt[3]{-b}} \\ &= \frac{2C \tan^{-1}\left(\frac{1 - \sqrt[3]{-b}x}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{-b}} - \frac{C \log(2 + \sqrt[3]{-b}x)}{\sqrt[3]{-b}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 99, normalized size = 1.74

$$\frac{C \left(-b^{2/3} \log(b^{2/3}x^2 + 2\sqrt[3]{b}x + 4) + 2b^{2/3} \log(2 - \sqrt[3]{b}x) - 2\sqrt{3}b^{2/3} \tan^{-1}\left(\frac{\sqrt[3]{b}x+1}{\sqrt{3}}\right) + (-b)^{2/3} \log(8 - bx^3) \right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(8*C + (-b)^(2/3)*C*x^2)/(-8 + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*b^(2/3)*ArcTan[(1 + b^(1/3)*x)/Sqrt[3]] + 2*b^(2/3)*Log[2 - b^(1/3)*x] - b^(2/3)*Log[4 + 2*b^(1/3)*x + b^(2/3)*x^2] + (-b)^(2/3)*Log[8 - b*x^3]))/(3*b)

fricas [A] time = 0.82, size = 182, normalized size = 3.19

$$\frac{\sqrt{\frac{1}{3}} C b \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} \log \left(\frac{b x^3 - 6 \sqrt{\frac{1}{3}} \left(b x^2 - (-b)^{\frac{2}{3}} x + 2 (-b)^{\frac{1}{3}} \right) \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} + 6 (-b)^{\frac{1}{3}} x + 4}{b x^3 - 8}} \right) + C (-b)^{\frac{2}{3}} \log \left(b x - 2 (-b)^{\frac{2}{3}} \right)}{b}, - \frac{2 \sqrt{\frac{1}{3}} C b \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8),x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt((-b)^(1/3)/b)*log((b*x^3 - 6*sqrt(1/3)*(b*x^2 - (-b)^(2/3)*x + 2*(-b)^(1/3))*sqrt((-b)^(1/3)/b) + 6*(-b)^(1/3)*x + 4)/(b*x^3 - 8) + C*(-b)^(2/3)*log(b*x - 2*(-b)^(2/3)))/b, -(2*sqrt(1/3)*C*b*sqrt((-b)^(1/3)/b)*arctan(sqrt(1/3)*((-b)^(2/3)*x - (-b)^(1/3))*sqrt((-b)^(1/3)/b)) - C*(-b)^(2/3)*log(b*x - 2*(-b)^(2/3))/b]

giac [B] time = 0.31, size = 91, normalized size = 1.60

$$-\frac{2 \sqrt{3} C |b|^{\frac{2}{3}} \arctan \left(\frac{1}{3} \sqrt{3} b^{\frac{1}{3}} \left(x + \frac{1}{b^{\frac{1}{3}}} \right) \right)}{3 b} + \frac{1}{3} \left(\frac{C (-b)^{\frac{2}{3}}}{b} - \frac{C}{b^{\frac{1}{3}}} \right) \log \left(x^2 + \frac{2x}{b^{\frac{1}{3}}} + \frac{4}{b^{\frac{2}{3}}} \right) + \frac{\left(2C + \frac{C(-b)^{\frac{2}{3}}}{b^{\frac{2}{3}}} \right) \log \left(\left| x - \frac{2}{b^{\frac{1}{3}}} \right| \right)}{3 b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8),x, algorithm="giac")

[Out] -2/3*sqrt(3)*C*abs(b)^(2/3)*arctan(1/3*sqrt(3)*b^(1/3)*(x + 1/b^(1/3)))/b + 1/3*(C*(-b)^(2/3)/b - C/b^(1/3))*log(x^2 + 2*x/b^(1/3) + 4/b^(2/3)) + 1/3*(2*C + C*(-b)^(2/3)/b^(2/3))*log(abs(x - 2/b^(1/3)))/b^(1/3)

maple [B] time = 0.05, size = 122, normalized size = 2.14

$$\frac{8^{\frac{1}{3}} \sqrt{3} C \arctan \left(\frac{\sqrt{3} \left(\frac{2}{8^{\frac{2}{3}} x} + 1 \right)}{4 \left(\frac{1}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{1}{b} \right)^{\frac{2}{3}} b} + \frac{8^{\frac{1}{3}} C \ln \left(x - 8^{\frac{1}{3}} \left(\frac{1}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{1}{b} \right)^{\frac{2}{3}} b} - \frac{8^{\frac{1}{3}} C \ln \left(x^2 + 8^{\frac{1}{3}} \left(\frac{1}{b} \right)^{\frac{1}{3}} x + 8^{\frac{2}{3}} \left(\frac{1}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{1}{b} \right)^{\frac{2}{3}} b} + \frac{(-b)^{\frac{2}{3}} C \ln \left(b x^3 - \dots \right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8),x)`

[Out] $\frac{1}{3} \frac{C}{b} 8^{1/3} / (1/b)^{2/3} \ln(x - 8^{1/3}) * (1/b)^{1/3} - \frac{1}{6} \frac{C}{b} 8^{1/3} / (1/b)^{2/3} \ln(x^2 + 8^{1/3}) * (1/b)^{1/3} * x + 8^{2/3} * (1/b)^{2/3} - \frac{1}{3} \frac{C}{b} 8^{1/3} / (1/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (1/4 * 8^{2/3} / (1/b)^{1/3} * x + 1)) + \frac{1}{3} \frac{C}{b} * (-b)^{2/3} / b * \ln(b * x^3 - 8)$

maxima [B] time = 2.94, size = 122, normalized size = 2.14

$$\frac{\left(C(-b)^{\frac{2}{3}} - Cb^{\frac{2}{3}}\right) \log\left(b^{\frac{2}{3}}x^2 + 2b^{\frac{1}{3}}x + 4\right)}{3b} + \frac{\left(C(-b)^{\frac{2}{3}} + 2Cb^{\frac{2}{3}}\right) \log\left(\frac{b^{\frac{1}{3}}x-2}{b^{\frac{1}{3}}}\right)}{3b} + \frac{2\sqrt{3}\left(C(-b)^{\frac{2}{3}}b^{\frac{4}{3}} - \left(C(-b)^{\frac{2}{3}}b^{\frac{1}{3}} + 3\right)\right)}{9b^{\frac{7}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((8*C+(-b)^(2/3)*C*x^2)/(b*x^3-8),x, algorithm="maxima")`

[Out] $\frac{1}{3} * (C * (-b)^{2/3} - C * b^{2/3}) * \log(b^{2/3} * x^2 + 2 * b^{1/3} * x + 4) / b + \frac{1}{3} * (C * (-b)^{2/3} + 2 * C * b^{2/3}) * \log((b^{1/3} * x - 2) / b^{1/3}) / b + \frac{2}{9} * \sqrt{3} * (C * (-b)^{2/3} * b^{4/3} - (C * (-b)^{2/3} * b^{1/3} + 3 * C * b) * b) * \arctan(1/3 * \sqrt{3} * (b^{2/3} * x + b^{1/3}) / b^{1/3}) / b^{7/3}$

mupad [B] time = 5.27, size = 176, normalized size = 3.09

$$\sum_{k=1}^3 \ln\left(\frac{8C^2}{(-b)^{5/3}} + \text{root}\left(27b^3z^3 - 27C(-b)^{8/3}z^2 - 9C^2(-b)^{7/3}z - 9C^3b^2, z, k\right)\right) \left(-\frac{\text{root}\left(27b^3z^3 - 27C(-b)^{8/3}z^2 - 9C^2(-b)^{7/3}z - 9C^3b^2, z, k\right)}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((8*C + C*(-b)^(2/3)*x^2)/(b*x^3 - 8),x)`

[Out] `symsum(log((8*C^2)/(-b)^(5/3) + root(27*b^3*z^3 - 27*C*(-b)^(8/3)*z^2 - 9*C^2*(-b)^(7/3)*z - 9*C^3*b^2, z, k))*((48*C)/(-b)^(4/3) - (72*root(27*b^3*z^3 - 27*C*(-b)^(8/3)*z^2 - 9*C^2*(-b)^(7/3)*z - 9*C^3*b^2, z, k))/b + (24*C*x)/b - (8*C^2*x)/(-b)^(4/3))*root(27*b^3*z^3 - 27*C*(-b)^(8/3)*z^2 - 9*C^2*(-b)^(7/3)*z - 9*C^3*b^2, z, k), k, 1, 3)`

sympy [A] time = 0.99, size = 58, normalized size = 1.02

$$\text{RootSum}\left(3t^3b^2 - 3t^2Cb(-b)^{\frac{2}{3}} + tC^2(-b)^{\frac{4}{3}} - C^3b, \left(t \mapsto t \log\left(-\frac{3t}{C} + x + \frac{(-b)^{\frac{2}{3}}}{b}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((8*C+(-b)**(2/3)*C*x**2)/(b*x**3-8),x)
```

```
[Out] RootSum(3*_t**3*b**2 - 3*_t**2*C*b*(-b)**(2/3) + *_t*C**2*(-b)**(4/3) - C**3
*b, Lambda(_t, _t*log(-3*_t/C + x + (-b)**(2/3)/b)))
```

$$3.32 \quad \int \frac{(-a)^{2/3}C+2Cx^2}{a-8x^3} dx$$

Optimal. Leaf size=47

$$\frac{C \tan^{-1}\left(\frac{1-\frac{4x}{\sqrt[3]{-a}}}{\sqrt{3}}\right)}{2\sqrt{3}} - \frac{1}{4}C \log(\sqrt[3]{-a} + 2x)$$

[Out] $-1/4*C*\ln((-a)^{(1/3)+2*x})+1/6*C*\arctan(1/3*(1-4*x/(-a)^{(1/3}))*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1864, 31, 617, 204}

$$\frac{C \tan^{-1}\left(\frac{1-\frac{4x}{\sqrt[3]{-a}}}{\sqrt{3}}\right)}{2\sqrt{3}} - \frac{1}{4}C \log(\sqrt[3]{-a} + 2x)$$

Antiderivative was successfully verified.

[In] $\text{Int}[((-a)^{(2/3)}*C + 2*C*x^2)/(a - 8*x^3), x]$

[Out] $(C*\text{ArcTan}[(1 - (4*x)/(-a)^{(1/3)})/\text{Sqrt}[3]])/(2*\text{Sqrt}[3]) - (C*\text{Log}[(-a)^{(1/3)} + 2*x])/4$

Rule 31

$\text{Int}[(a_0 + (b_0)*(x_0))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_0 + (b_0)*(x_0)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_0 + (b_0)*(x_0) + (c_0)*(x_0)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1864

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a)^(1/3)/(-b)^(1/3)},
Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2)
, x], x]] /; EqQ[A*(-b)^(2/3) - (-a)^(1/3)*(-b)^(1/3)*B - 2*(-a)^(2/3)*C, 0
]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{(-a)^{2/3}C + 2Cx^2}{a - 8x^3} dx &= -\left(\frac{1}{4}C \int \frac{1}{\frac{\sqrt[3]{-a}}{2} + x} dx\right) - \frac{1}{8}(\sqrt[3]{-a}C) \int \frac{1}{\frac{1}{4}(-a)^{2/3} - \frac{1}{2}\sqrt[3]{-a}x + x^2} dx \\ &= -\frac{1}{4}C \log(\sqrt[3]{-a} + 2x) - \frac{1}{2}C \operatorname{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{4x}{\sqrt[3]{-a}}\right) \\ &= \frac{C \tan^{-1}\left(\frac{1 - \frac{4x}{\sqrt[3]{-a}}}{\sqrt{3}}\right)}{2\sqrt{3}} - \frac{1}{4}C \log(\sqrt[3]{-a} + 2x) \end{aligned}$$

Mathematica [B] time = 0.04, size = 106, normalized size = 2.26

$$\frac{C \left(-a^{2/3} \log(8x^3 - a) + (-a)^{2/3} \log(a^{2/3} + 2\sqrt[3]{a}x + 4x^2) - 2(-a)^{2/3} \log(\sqrt[3]{a} - 2x) + 2\sqrt{3}(-a)^{2/3} \tan^{-1}\left(\frac{\frac{4x}{\sqrt[3]{a}} + 1}{\sqrt{3}}\right) \right)}{12a^{2/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((-a)^(2/3)*C + 2*C*x^2)/(a - 8*x^3), x]
```

```
[Out] (C*(2*Sqrt[3]*(-a)^(2/3)*ArcTan[(1 + (4*x)/a^(1/3))/Sqrt[3]] - 2*(-a)^(2/3)
*Log[a^(1/3) - 2*x] + (-a)^(2/3)*Log[a^(2/3) + 2*a^(1/3)*x + 4*x^2] - a^(2/
3)*Log[-a + 8*x^3]))/(12*a^(2/3))
```

fricas [A] time = 0.55, size = 43, normalized size = 0.91

$$\frac{1}{6}\sqrt{3}C \arctan\left(\frac{4\sqrt{3}(-a)^{\frac{2}{3}}x + \sqrt{3}a}{3a}\right) - \frac{1}{4}C \log\left(2x + (-a)^{\frac{1}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((−a)^(2/3)*C+2*C*x^2)/(−8*x^3+a),x, algorithm="fricas")

[Out] 1/6*sqrt(3)*C*arctan(1/3*(4*sqrt(3)*(-a)^(2/3)*x + sqrt(3)*a)/a) - 1/4*C*log(2*x + (-a)^(1/3))

giac [B] time = 0.21, size = 98, normalized size = 2.09

$$\frac{\sqrt{3}(\sqrt{3}i|a| - a)C \arctan\left(\frac{\sqrt{3}\left(4x+a^{\frac{1}{3}}\right)}{3a^{\frac{1}{3}}}\right)}{12a} + \frac{(\sqrt{3}i|a| - 3a)C \log\left(x^2 + \frac{1}{2}a^{\frac{1}{3}}x + \frac{1}{4}a^{\frac{2}{3}}\right)}{24a} - \frac{(2C(-a)^{\frac{2}{3}} + Ca^{\frac{2}{3}}) \log\left(x - \frac{1}{2}a^{\frac{1}{3}}\right)}{12a^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((−a)^(2/3)*C+2*C*x^2)/(−8*x^3+a),x, algorithm="giac")

[Out] 1/12*sqrt(3)*(sqrt(3)*i*abs(a) - a)*C*arctan(1/3*sqrt(3)*(4*x + a^(1/3))/a^(1/3))/a + 1/24*(sqrt(3)*i*abs(a) - 3*a)*C*log(x^2 + 1/2*a^(1/3)*x + 1/4*a^(2/3))/a - 1/12*(2*C*(-a)^(2/3) + C*a^(2/3))*log(abs(x - 1/2*a^(1/3)))/a^(2/3)

maple [B] time = 0.05, size = 110, normalized size = 2.34

$$\frac{C \ln(8x^3 - a)}{12} + \frac{(-a)^{\frac{2}{3}} 8^{\frac{2}{3}} \sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(\frac{28^{\frac{1}{3}}x}{a^{\frac{1}{3}}} + 1\right)}{3}\right)}{24a^{\frac{2}{3}}} - \frac{(-a)^{\frac{2}{3}} 8^{\frac{2}{3}} C \ln\left(x - \frac{8^{\frac{2}{3}} a^{\frac{1}{3}}}{8}\right)}{24a^{\frac{2}{3}}} + \frac{(-a)^{\frac{2}{3}} 8^{\frac{2}{3}} C \ln\left(x^2 + \frac{8^{\frac{2}{3}} a^{\frac{1}{3}} x}{8} + \frac{8^{\frac{2}{3}} a^{\frac{2}{3}}}{8}\right)}{48a^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((−a)^(2/3)*C+2*C*x^2)/(−8*x^3+a),x)

[Out] -1/24*C*(-a)^(2/3)*8^(2/3)/a^(2/3)*ln(x-1/8*8^(2/3)*a^(1/3))+1/48*C*(-a)^(2/3)*8^(2/3)/a^(2/3)*ln(x^2+1/8*8^(2/3)*a^(1/3)*x+1/8*8^(1/3)*a^(2/3))+1/24*C*(-a)^(2/3)*8^(2/3)/a^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2*8^(1/3)/a^(1/3)*x+1))-1/12*C*ln(8*x^3-a)

maxima [B] time = 2.99, size = 93, normalized size = 1.98

$$\frac{\sqrt{3}C(-a)^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3}\left(4x+a^{\frac{1}{3}}\right)}{3a^{\frac{1}{3}}}\right)}{6a^{\frac{2}{3}}} + \frac{(C(-a)^{\frac{2}{3}} - Ca^{\frac{2}{3}}) \log\left(4x^2 + 2a^{\frac{1}{3}}x + a^{\frac{2}{3}}\right)}{12a^{\frac{2}{3}}} - \frac{(2C(-a)^{\frac{2}{3}} + Ca^{\frac{2}{3}}) \log\left(x - \frac{1}{2}a^{\frac{1}{3}}\right)}{12a^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((−a)^(2/3)*C+2*C*x²)/(−8*x³+a),x, algorithm="maxima")

[Out] 1/6*sqrt(3)*C*(−a)^(2/3)*arctan(1/3*sqrt(3)*(4*x + a^(1/3))/a^(1/3))/a^(2/3) + 1/12*(C*(−a)^(2/3) − C*a^(2/3))*log(4*x² + 2*a^(1/3)*x + a^(2/3))/a^(2/3) − 1/12*(2*C*(−a)^(2/3) + C*a^(2/3))*log(x − 1/2*a^(1/3))/a^(2/3)

mupad [B] time = 0.33, size = 142, normalized size = 3.02

$$\sum_{k=1}^3 \ln \left(-\frac{(C + 12 \operatorname{root}(1728 a^2 z^3 + 432 C a^2 z^2 + 36 C^2 a^2 z + 9 C^3 a^2, z, k)) (C a + \operatorname{root}(1728 a^2 z^3 + 432 C a^2 z^2 + 36 C^2 a^2 z + 9 C^3 a^2, z, k))}{128} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*C*x² + C*(−a)^(2/3))/(a − 8*x³),x)

[Out] symsum(log(−((C + 12*root(1728*a²*z³ + 432*C*a²*z² + 36*C²*a²*z + 9*C³*a², z, k))*(C*a + 12*root(1728*a²*z³ + 432*C*a²*z² + 36*C²*a²*z + 9*C³*a², z, k)*a + 4*C*(−a)^(2/3)*x))/128)*root(1728*a²*z³ + 432*C*a²*z² + 36*C²*a²*z + 9*C³*a², z, k), k, 1, 3)

sympy [C] time = 0.93, size = 95, normalized size = 2.02

$$-C \left(\frac{\log \left(-\frac{a}{2(-a)^{\frac{2}{3}}} + x \right)}{4} + \frac{\sqrt{3} i \log \left(\frac{a}{4(-a)^{\frac{2}{3}}} - \frac{\sqrt{3} i a}{4(-a)^{\frac{2}{3}}} + x \right)}{12} - \frac{\sqrt{3} i \log \left(\frac{a}{4(-a)^{\frac{2}{3}}} + \frac{\sqrt{3} i a}{4(-a)^{\frac{2}{3}}} + x \right)}{12} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((−a)**(2/3)*C+2*C*x**2)/(−8*x**3+a),x)

[Out] −C*(log(−a/(2*(−a)**(2/3)) + x)/4 + sqrt(3)*I*log(a/(4*(−a)**(2/3)) − sqrt(3)*I*a/(4*(−a)**(2/3)) + x)/12 − sqrt(3)*I*log(a/(4*(−a)**(2/3)) + sqrt(3)*I*a/(4*(−a)**(2/3)) + x)/12)

$$3.33 \quad \int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=50

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{a}}}{\sqrt{b}}\right)}{\sqrt{3}b}$$

[Out] C*ln((a/b)^(1/3)+x)/b-2/3*C*arctan(1/3*(1-2*x/(a/b)^(1/3))*3^(1/2))/b*3^(1/2)

Rubi [A] time = 0.08, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1867, 31, 617, 204}

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{a}}}{\sqrt{b}}\right)}{\sqrt{3}b}$$

Antiderivative was successfully verified.

[In] Int[(2*(a/b)^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] (-2*C*ArcTan[(1 - (2*x)/(a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*b) + (C*Log[(a/b)^(1/3) + x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 1867

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b,
Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]]
/; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && Poly
Q[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} + x} dx}{b} + \frac{\left(\sqrt[3]{\frac{a}{b}} C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} - \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right)}{b} \\ &= -\frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} + \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.05, size = 146, normalized size = 2.92

$$\frac{C \left(-b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) + a^{2/3} \log\left(a + bx^3\right) + 2b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) - 2\sqrt{3} b^{2/3} \left(\frac{a}{b}\right)^{2/3} \right)}{3a^{2/3}b}$$

Antiderivative was successfully verified.

```
[In] Integrate[(2*(a/b)^(2/3)*C + C*x^2)/(a + b*x^3), x]
```

```
[Out] (C*(-2*sqrt[3]*(a/b)^(2/3)*b^(2/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[
3]] + 2*(a/b)^(2/3)*b^(2/3)*Log[a^(1/3) + b^(1/3)*x] - (a/b)^(2/3)*b^(2/3)*
Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(2/3)*Log[a + b*x^3]))/(
3*a^(2/3)*b)
```

fricas [A] time = 0.71, size = 52, normalized size = 1.04

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(\frac{a}{b}\right)^{\frac{2}{3}} - \sqrt{3}a}{3a}\right) + 3C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) + 3*C*log(x + (a/b)^(1/3)))/b

giac [B] time = 0.22, size = 166, normalized size = 3.32

$$\frac{\sqrt{3}\left(ab^2 + \sqrt{3}\sqrt{a^2b^4}i\right)C \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^3} - \frac{\left(Cb^2\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 2\left(ab^2\right)^{\frac{2}{3}}C\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab^2} + \frac{\left(3ab^2 + \sqrt{3}\sqrt{a^2b^4}i\right)C \log\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*(a*b^2 + sqrt(3)*sqrt(a^2*b^4)*i)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a*b^3) - 1/3*(C*b^2*(-a/b)^(2/3) + 2*(a*b^2)^(2/3)*C)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^2) + 1/6*(3*a*b^2 + sqrt(3)*sqrt(a^2*b^4)*i)*C*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a*b^3)

maple [A] time = 0.05, size = 87, normalized size = 1.74

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3b} + \frac{2C \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} - \frac{C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} + \frac{C \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x)

[Out] 2/3*C*ln(x+(a/b)^(1/3))/b-1/3*C/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C/b*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b*ln(b*x^3+a)

maxima [A] time = 3.03, size = 51, normalized size = 1.02

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} + \frac{C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/b + C*log(x + (a/b)^(1/3))/b

mupad [B] time = 5.10, size = 172, normalized size = 3.44

$$\sum_{k=1}^3 \ln \left(-\frac{(C - \text{root}(27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2, z, k) b^3) (-Ca + \text{root}(27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2, z, k) b^3)}{b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2 + 2*C*(a/b)^(2/3))/(a + b*x^3),x)

[Out] symsum(log(-((C - 3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k)*b)*(3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k)*a*b - C*a + 2*C*b*x*(a/b)^(2/3)))/b^3)*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k), k, 1, 3)

sympy [C] time = 0.74, size = 100, normalized size = 2.00

$$C \left(\log\left(\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) - \frac{\sqrt{3}i \log\left(-\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} + \frac{\sqrt{3}i \log\left(-\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} \right) / b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)**(2/3)*C+C*x**2)/(b*x**3+a),x)

[Out] C*(log(a/(b*(a/b)**(2/3)) + x) - sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b

$$3.34 \quad \int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=53

$$\frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}$$

[Out] $-C \ln\left(\left(-\frac{a}{b}\right)^{1/3} + x\right)/b + 2/3 * C * \arctan\left(\frac{1 - 2 * x / \left(-\frac{a}{b}\right)^{1/3}}{\sqrt{3}}\right) / b * 3^{1/2}$
(1/2)

Rubi [A] time = 0.08, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {1867, 31, 617, 204}

$$\frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(2*(-(a/b))^(2/3)*C + C*x^2)/(a - b*x^3), x]

[Out] $(2 * C * \text{ArcTan}\left[\frac{1 - (2 * x) / \left(-\frac{a}{b}\right)^{1/3}}{\text{Sqrt}[3]}\right]) / (\text{Sqrt}[3] * b) - (C * \text{Log}\left[\left(-\frac{a}{b}\right)^{1/3} + x\right]) / b$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} + x} dx}{b} - \frac{\left(\sqrt[3]{-\frac{a}{b}} C\right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} - \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b} - \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right)}{b} \\ &= \frac{2C \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.10, size = 150, normalized size = 2.83

$$\frac{C \left(b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) - a^{2/3} \log\left(a - bx^3\right) - 2b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} - \sqrt[3]{b} x\right) + 2\sqrt{3} b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right) \right)}{3a^{2/3}b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*(-(a/b))^(2/3)*C + C*x^2)/(a - b*x^3), x]

[Out] (C*(2*Sqrt[3]*(-(a/b))^(2/3)*b^(2/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*(-(a/b))^(2/3)*b^(2/3)*Log[a^(1/3) - b^(1/3)*x] + (-(a/b))^(2/3)*b^(2/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - a^(2/3)*Log[a - b*x^3]))/(3*a^(2/3)*b)

fricas [A] time = 0.67, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(-\frac{a}{b}\right)^{\frac{2}{3}} + \sqrt{3}a}{3a}\right) - 3C \log\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a),x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) + sqrt(3)*a)/a) - 3*C*log(x + (-a/b)^(1/3)))/b

giac [B] time = 0.22, size = 162, normalized size = 3.06

$$\frac{\sqrt{3}\left(ab^2 - \sqrt{3}\sqrt{a^2b^4}i\right)C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^3} - \frac{\left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2(-ab^2)^{\frac{2}{3}}C\right)\left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab^2} - \frac{\left(3ab^2 - \sqrt{3}\sqrt{a^2b^4}i\right)C \ln\left(bx^3 - a\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/(a*b^3) - 1/3*(C*b^2*(a/b)^(2/3) + 2*(-a*b^2)^(2/3)*C)*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b^2) - 1/6*(3*a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i)*C*log(x^2 + x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^3)

maple [B] time = 0.05, size = 135, normalized size = 2.55

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}\sqrt{3}C \arctan\left(\frac{\left(\frac{\frac{2x}{1}+1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)\sqrt{3}}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{\left(-\frac{a}{b}\right)^{\frac{2}{3}}C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{C \ln\left(bx^3 - a\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a),x)

[Out] $-2/3*C*(-a/b)^{(2/3)}/b/(a/b)^{(2/3)}*\ln(x-(a/b)^{(1/3)})+1/3*C*(-a/b)^{(2/3)}/b/(a/b)^{(2/3)}*\ln(x^2+(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/3*C*(-a/b)^{(2/3)}/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*(1+2/(a/b)^{(1/3)}*x)*3^{(1/2)})-1/3*C/b*\ln(b*x^3-a)$

maxima [B] time = 3.03, size = 167, normalized size = 3.15

$$\frac{2\sqrt{3}\left(Ca - \left(3C\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{2}{3}} + \frac{Ca}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + \left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} - C\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)\log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9ab + 3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*(-a/b)^(2/3)*C+C*x^2)/(-b*x^3+a),x, algorithm="maxima")`

[Out] $-2/9*\sqrt{3}*(C*a - (3*C*(a/b)^{(1/3)}*(-a/b)^{(2/3)} + C*a/b)*b)*\arctan(1/3*\sqrt{3}*(2*x + (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b) - 1/3*(C*(a/b)^{(2/3)} - C*(-a/b)^{(2/3)})*\log(x^2 + x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b*(a/b)^{(2/3)}) - 1/3*(C*(a/b)^{(2/3)} + 2*C*(-a/b)^{(2/3)})*\log(x - (a/b)^{(1/3)})/(b*(a/b)^{(2/3)})$

mupad [B] time = 5.40, size = 172, normalized size = 3.25

$$\sum_{k=1}^3 \ln \left(\frac{(C + \text{root}(27a^2b^3z^3 + 27Ca^2b^2z^2 + 9C^2a^2bz + 9C^3a^2, z, k))b^3}{b^3} (Ca + \text{root}(27a^2b^3z^3 + 27Ca^2b^2z^2 + 9C^2a^2bz + 9C^3a^2, z, k)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*x^2 + 2*C*(-a/b)^(2/3))/(a - b*x^3),x)`

[Out] `symsum(log(-((C + 3*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k))*b)*(C*a + 3*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k))*a*b + 2*C*b*x*(-a/b)^(2/3)))/b^3)*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k), k, 1, 3)`

sympy [C] time = 0.84, size = 110, normalized size = 2.08

$$\frac{C \left(\log \left(-\frac{a}{b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right) + \frac{\sqrt{3}i \log \left(\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right)}{3} - \frac{\sqrt{3}i \log \left(\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*(-a/b)**(2/3)*C+C*x**2)/(-b*x**3+a),x)
```

```
[Out] -C*(log(-a/(b*(-a/b)**(2/3)) + x) + sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3))) - s  
sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3)))  
+ sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```

$$3.35 \quad \int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=54

$$\frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{-\frac{a}{b}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b}$$

[Out] C*ln((-a/b)^(1/3)-x)/b-2/3*C*arctan(1/3*(1+2*x/(-a/b)^(1/3))*3^(1/2))/b*3^(1/2)

Rubi [A] time = 0.06, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1869, 31, 617, 204}

$$\frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{-\frac{a}{b}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b}$$

Antiderivative was successfully verified.

[In] Int[(2*(-(a/b))^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] (-2*C*ArcTan[(1 + (2*x)/(-a/b)^(1/3))/Sqrt[3]]/(Sqrt[3]*b) + (C*Log[(-(a/b))^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2\left(-\frac{a}{b}\right)^{2/3} C + Cx^2}{a + bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} - x} dx}{b} - \frac{\left(\sqrt[3]{-\frac{a}{b}} C\right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} + \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right)}{b} \\ &= -\frac{2C \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} + \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.07, size = 149, normalized size = 2.76

$$\frac{C \left(-b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) + a^{2/3} \log\left(a + bx^3\right) + 2b^{2/3} \left(-\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) - 2\sqrt{3} b^{2/3} \left(1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right) \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right) \right)}{3a^{2/3}b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*(-a/b))^(2/3)*C + C*x^2)/(a + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*(-a/b)^(2/3)*b^(2/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*(-a/b)^(2/3)*b^(2/3)*Log[a^(1/3) + b^(1/3)*x] - (-a/b)^(2/3)*b^(2/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(2/3)*Log[a + b*x^3]))/(3*a^(2/3)*b)

fricas [A] time = 0.66, size = 56, normalized size = 1.04

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(-\frac{a}{b}\right)^{\frac{2}{3}} - \sqrt{3}a}{3a}\right) + 3C \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a), x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) + 3*C*log(x - (-a/b)^(1/3)))/b

giac [A] time = 0.18, size = 91, normalized size = 1.69

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{\left(Cb^2\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 2\left(-ab^2\right)^{\frac{2}{3}}C\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a), x, algorithm="giac")

[Out] -2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b - 1/3*(C*b^2*(-a/b)^(2/3) + 2*(-a*b^2)^(2/3)*C)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^2)

maple [B] time = 0.04, size = 132, normalized size = 2.44

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{2\left(-\frac{a}{b}\right)^{\frac{2}{3}}C \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{\left(-\frac{a}{b}\right)^{\frac{2}{3}}C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{C \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a), x)

[Out] 2/3*C*(-a/b)^(2/3)/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/3*C*(-a/b)^(2/3)/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C*(-a/b)^(2/3)/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b*ln(b*x^3+a)

maxima [B] time = 3.15, size = 168, normalized size = 3.11

$$\frac{2\sqrt{3}\left(Ca - \left(3C\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{2}{3}} + \frac{Ca}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \frac{\left(C\left(\frac{a}{b}\right)^{\frac{2}{3}} - C\left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)^(2/3)*C+C*x^2)/(b*x^3+a),x, algorithm="maxima")

[Out] -2/9*sqrt(3)*(C*a - (3*C*(a/b)^(1/3)*(-a/b)^(2/3) + C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) + 1/3*(C*(a/b)^(2/3) - C*(-a/b)^(2/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(C*(a/b)^(2/3) + 2*C*(-a/b)^(2/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 5.27, size = 173, normalized size = 3.20

$$\sum_{k=1}^3 \ln \left(\frac{(C - \text{root}(27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2, z, k))b^3}{b^3} \left(-Ca + \text{root}(27a^2b^3z^3 - 27Ca^2b^2z^2 + 9C^2a^2bz - 9C^3a^2, z, k) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2 + 2*C*(-a/b)^(2/3))/(a + b*x^3),x)

[Out] symsum(log(-((C - 3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k))*b)*(3*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k))*a*b - C*a + 2*C*b*x*(-a/b)^(2/3)))/b^3)*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z - 9*C^3*a^2, z, k), k, 1, 3)

sympy [C] time = 0.77, size = 109, normalized size = 2.02

$$\frac{C \left(\log \left(\frac{a}{b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right) - \frac{\sqrt{3}i \log \left(-\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right)}{3} + \frac{\sqrt{3}i \log \left(-\frac{a}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(-\frac{a}{b}\right)^{\frac{2}{3}}} + x \right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(-a/b)**(2/3)*C+C*x**2)/(b*x**3+a),x)

```
[Out] C*(log(a/(b*(-a/b)**(2/3)) + x) - sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3)) - sq  
rt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3))  
+ sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```


$$3.36 \quad \int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=53

$$\frac{2C \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{a}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

[Out] $-C \ln\left(\left(\frac{a}{b}\right)^{1/3} - x\right)/b + 2/3 * C * \arctan\left(\frac{1 + 2 * x / \left(\frac{a}{b}\right)^{1/3}}{\sqrt{3}}\right) / b * 3^{1/2}$

Rubi [A] time = 0.06, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1869, 31, 617, 204}

$$\frac{2C \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{a}} + 1}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(2*(a/b)^(2/3)*C + C*x^2)/(a - b*x^3), x]

[Out] $(2 * C * \text{ArcTan}\left[\frac{1 + (2 * x) / \left(\frac{a}{b}\right)^{1/3}}{\sqrt{3}}\right]) / (\sqrt{3} * b) - (C * \text{Log}\left[\left(\frac{a}{b}\right)^{1/3} - x\right]) / b$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2\left(\frac{a}{b}\right)^{2/3} C + Cx^2}{a - bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} - x} dx}{b} + \frac{\left(\sqrt[3]{\frac{a}{b}} C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} + \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\ &= -\frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} - \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right)}{b} \\ &= \frac{2C \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.05, size = 147, normalized size = 2.77

$$\frac{C \left(b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) - a^{2/3} \log\left(a - bx^3\right) - 2b^{2/3} \left(\frac{a}{b}\right)^{2/3} \log\left(\sqrt[3]{a} - \sqrt[3]{b} x\right) + 2\sqrt{3} b^{2/3} \left(\frac{a}{b}\right)^{2/3} \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right) \right)}{3a^{2/3}b}$$

Antiderivative was successfully verified.

[In] Integrate[(2*(a/b)^(2/3)*C + C*x^2)/(a - b*x^3), x]

[Out] (C*(2*Sqrt[3]*(a/b)^(2/3)*b^(2/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3)]/Sqrt[3]] - 2*(a/b)^(2/3)*b^(2/3)*Log[a^(1/3) - b^(1/3)*x] + (a/b)^(2/3)*b^(2/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - a^(2/3)*Log[a - b*x^3]))/(3*a^(2/3)*b)

fricas [A] time = 0.60, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(\frac{a}{b}\right)^{\frac{2}{3}} + \sqrt{3}a}{3a}\right) - 3C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a),x, algorithm="fricas")

[Out] 1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) + sqrt(3)*a)/a) - 3*C*log(x - (a/b)^(1/3)))/b

giac [A] time = 0.21, size = 85, normalized size = 1.60

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{\left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2\left(ab^2\right)^{\frac{2}{3}}C\right)\left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a),x, algorithm="giac")

[Out] 2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/b - 1/3*(C*b^2*(a/b)^(2/3) + 2*(a*b^2)^(2/3)*C)*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b^2)

maple [A] time = 0.05, size = 90, normalized size = 1.70

$$\frac{2\sqrt{3}C \arctan\left(\frac{\left(\frac{\frac{2x}{1} + 1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)\sqrt{3}}{3}\right)}{3b} - \frac{2C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} + \frac{C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} - \frac{C \ln(bx^3 - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a),x)

[Out] -2/3*C/b*ln(x-(a/b)^(1/3))+1/3*C/b*ln(x^2+(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))/b*3^(1/2)-1/3*C/b*ln(b*x^3-a)

maxima [A] time = 3.00, size = 52, normalized size = 0.98

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)^(2/3)*C+C*x^2)/(-b*x^3+a),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/b - C*log(x - (a/b)^(1/3))/b

mupad [B] time = 5.19, size = 171, normalized size = 3.23

$$\sum_{k=1}^3 \ln \left(\frac{(C + \text{root}(27 a^2 b^3 z^3 + 27 C a^2 b^2 z^2 + 9 C^2 a^2 b z + 9 C^3 a^2, z, k) b^3) (C a + \text{root}(27 a^2 b^3 z^3 + 27 C a^2 b^2 z^2 + 9 C^2 a^2 b z + 9 C^3 a^2, z, k) a b + 2 C b x (a/b)^{2/3})}{b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C*x^2 + 2*C*(a/b)^(2/3))/(a - b*x^3),x)

[Out] symsum(log(-((C + 3*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k)*b)*(C*a + 3*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k)*a*b + 2*C*b*x*(a/b)^(2/3)))/b^3)*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 + 9*C^2*a^2*b*z + 9*C^3*a^2, z, k), k, 1, 3)

sympy [C] time = 0.79, size = 102, normalized size = 1.92

$$\frac{C \left(\log\left(-\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) + \frac{\sqrt{3}i \log\left(\frac{\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} - \frac{\sqrt{3}i \log\left(\frac{\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*(a/b)**(2/3)*C+C*x**2)/(-b*x**3+a),x)

[Out] -C*(log(-a/(b*(a/b)**(2/3)) + x) + sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b

$$3.37 \quad \int \frac{2a^{2/3}C + b^{2/3}Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=61

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{b}}$$

[Out] $C \ln(a^{1/3} + b^{1/3}x) / b^{1/3} - 2/3 * C * \arctan(1/3 * (a^{1/3} - 2 * b^{1/3} * x) / a^{1/3} * 3^{1/2}) / b^{1/3} * 3^{1/2}$

Rubi [A] time = 0.04, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1863, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(2*a^{2/3}*C + b^{2/3}*C*x^2)/(a + b*x^3), x]$

[Out] $(-2*C*ArcTan[(a^{1/3} - 2*b^{1/3}*x)/(Sqrt[3]*a^{1/3})])/(Sqrt[3]*b^{1/3}) + (C*Log[a^{1/3} + b^{1/3}*x])/b^{1/3}$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S \text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1863

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{2a^{2/3}C + b^{2/3}Cx^2}{a + bx^3} dx &= \frac{(\sqrt[3]{a}C) \int \frac{1}{\frac{a^{2/3}}{b^{2/3}} - \frac{\sqrt[3]{a}x}{\sqrt[3]{b}} + x^2} dx}{b^{2/3}} + \frac{C \int \frac{1}{\frac{\sqrt[3]{a}}{\sqrt[3]{b}} + x} dx}{\sqrt[3]{b}} \\ &= \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{\sqrt[3]{b}} \\ &= -\frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{b}} + \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 95, normalized size = 1.56

$$\frac{C \left(-\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + \log(a + bx^3) + 2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right) \right)}{3\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(2*a^(2/3)*C + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + Log[a + b*x^3]))/(3*b^(1/3))

fricas [A] time = 0.87, size = 160, normalized size = 2.62

$$\frac{\sqrt{\frac{1}{3}} C b \sqrt{-\frac{1}{2} \frac{1}{b^{\frac{2}{3}}}} \log \left(\frac{2 b x^3 - 3 a^{\frac{2}{3}} b^{\frac{1}{3}} x + 3 \sqrt{\frac{1}{3}} \left(2 a^{\frac{1}{3}} b x^2 + a^{\frac{2}{3}} b^{\frac{2}{3}} x - a b^{\frac{1}{3}} \right) \sqrt{-\frac{1}{2} \frac{1}{b^{\frac{2}{3}}}}}{b x^3 + a} \right) + C b^{\frac{2}{3}} \log \left(b x + a^{\frac{1}{3}} b^{\frac{2}{3}} \right) 2 \sqrt{\frac{1}{3}} C b^{\frac{2}{3}} \arctan \left(\frac{\sqrt{\frac{1}{3}} \left(2 a^{\frac{1}{3}} b x^2 + a^{\frac{2}{3}} b^{\frac{2}{3}} x - a b^{\frac{1}{3}} \right) \sqrt{-\frac{1}{2} \frac{1}{b^{\frac{2}{3}}}}}{a b^{\frac{1}{3}}} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt(-1/b^(2/3))*log((2*b*x^3 - 3*a^(2/3)*b^(1/3)*x + 3*sqrt(1/3)*(2*a^(1/3)*b*x^2 + a^(2/3)*b^(2/3)*x - a*b^(1/3))*sqrt(-1/b^(2/3)) - a)/(b*x^3 + a)) + C*b^(2/3)*log(b*x + a^(1/3)*b^(2/3)))/b, (2*sqrt(1/3)*C*b^(2/3)*arctan(sqrt(1/3)*(2*a^(2/3)*b^(2/3)*x - a*b^(1/3))/(a*b^(1/3)))/b + C*b^(2/3)*log(b*x + a^(1/3)*b^(2/3)))/b]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.06, size = 117, normalized size = 1.92

$$\frac{2\sqrt{3} C a^{\frac{2}{3}} \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\frac{1}{b}} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{2 C a^{\frac{2}{3}} \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{C a^{\frac{2}{3}} \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{C \ln (b x^3 + a)}{3 b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a),x)

[Out] $\frac{2}{3}C*a^{(2/3)}/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-1/3*C*a^{(2/3)}/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/3*C*a^{(2/3)}/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3*C/b^{(1/3)}*\ln(b*x^3+a)$

maxima [B] time = 2.87, size = 162, normalized size = 2.66

$$\frac{2\sqrt{3}\left(Cab^{\frac{2}{3}} - \left(3Ca^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} + \frac{Ca}{b^{\frac{1}{3}}}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + \left(Cb^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}} - Ca^{\frac{2}{3}}\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \left(Cb^{\frac{2}{3}}\right)}{9ab + 3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a^(2/3)*C+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="maxima")

[Out] $-2/9*\sqrt{3}*(C*a*b^{(2/3)} - (3*C*a^{(2/3)}*(a/b)^{(1/3)} + C*a/b^{(1/3)})*b)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b) + 1/3*(C*b^{(2/3)}*(a/b)^{(2/3)} - C*a^{(2/3)})*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b*(a/b)^{(2/3)}) + 1/3*(C*b^{(2/3)}*(a/b)^{(2/3)} + 2*C*a^{(2/3)})*\log(x + (a/b)^{(1/3)})/(b*(a/b)^{(2/3)})$

mupad [B] time = 5.31, size = 193, normalized size = 3.16

$$\sum_{k=1}^3 \ln\left(-\frac{a^{2/3}\left(C - \text{root}\left(27a^2b^3z^3 - 27Ca^2b^{8/3}z^2 + 9C^2a^2b^{7/3}z - 9C^3a^2b^2, z, k\right)b^{1/3}\right)}{b^{5/3}}\left(-Ca^{1/3} + \text{root}\left(27a^2b^3z^3 - 27Ca^2b^{8/3}z^2 + 9C^2a^2b^{7/3}z - 9C^3a^2b^2, z, k\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*C*a^(2/3) + C*b^(2/3)*x^2)/(a + b*x^3),x)

[Out] $\text{symsum}(\log(-a^{(2/3)}*(C - 3*\text{root}(27*a^2*b^3*z^3 - 27*C*a^2*b^{(8/3)}*z^2 + 9*C^2*a^2*b^{(7/3)}*z - 9*C^3*a^2*b^2, z, k)*b^{(1/3)}))*(3*\text{root}(27*a^2*b^3*z^3 - 27*C*a^2*b^{(8/3)}*z^2 + 9*C^2*a^2*b^{(7/3)}*z - 9*C^3*a^2*b^2, z, k)*a^{(1/3)}*b^{(1/3)} - C*a^{(1/3)} + 2*C*b^{(1/3)}*x))/b^{(5/3)})*\text{root}(27*a^2*b^3*z^3 - 27*C*a^2*b^{(8/3)}*z^2 + 9*C^2*a^2*b^{(7/3)}*z - 9*C^3*a^2*b^2, z, k), k, 1, 3)$

sympy [A] time = 0.73, size = 70, normalized size = 1.15

$$\text{RootSum}\left(3t^3b^{\frac{5}{3}} - 3t^2Cb^{\frac{4}{3}} + tC^2b - C^3b^{\frac{2}{3}}, \left(t \mapsto t \log\left(x + \frac{3t\sqrt[3]{a}\sqrt[3]{b} - C\sqrt[3]{a}}{2C\sqrt[3]{b}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a**(2/3)*C+b**(2/3)*C*x**2)/(b*x**3+a),x)


```
[Out] RootSum(3*_t**3*b**(5/3) - 3*_t**2*C*b**(4/3) + _t*C**2*b - C**3*b**(2/3),  
Lambda(_t, _t*log(x + (3*_t*a**(1/3)*b**(1/3) - C*a**(1/3))/(2*C*b**(1/3))))  
)
```

$$3.38 \quad \int \frac{-2a^{2/3}C - (-b)^{2/3}Cx^2}{a+bx^3} dx$$

Optimal. Leaf size=70

$$\frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a}+2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{-b}}$$

[Out] $C \ln(a^{1/3} - (-b)^{1/3}x) / (-b)^{1/3} - 2/3 * C * \arctan(1/3 * (a^{1/3} + 2 * (-b)^{1/3} * x) / a^{1/3} * 3^{1/2}) / (-b)^{1/3} * 3^{1/2}$

Rubi [A] time = 0.07, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1866, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}} - \frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a}+2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{-b}}$$

Antiderivative was successfully verified.

[In] `Int[(-2*a^(2/3)*C - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]`

[Out] $(-2*C*ArcTan[(a^{1/3} + 2*(-b)^{1/3}*x)/(Sqrt[3]*a^{1/3})]) / (Sqrt[3]*(-b)^{1/3}) + (C*Log[a^{1/3} - (-b)^{1/3}*x]) / (-b)^{1/3}$

Rule 31

`Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 617

`Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 1866

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/(-b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A*(-b)^(2/3) + a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{-2a^{2/3}C - (-b)^{2/3}Cx^2}{a + bx^3} dx &= \frac{(\sqrt[3]{a}C) \int \frac{1}{\frac{a^{2/3}}{(-b)^{2/3}} + \frac{\sqrt[3]{a}x}{\sqrt[3]{-b}} + x^2} dx}{(-b)^{2/3}} - C \int \frac{1}{\frac{\sqrt[3]{a}}{\sqrt[3]{-b}} - x} dx \\ &= \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}} + \frac{(2C) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2\sqrt[3]{-b}x}{\sqrt[3]{a}}\right)}{\sqrt[3]{-b}} \\ &= -\frac{2C \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{-b}} + \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 116, normalized size = 1.66

$$\frac{C \left(-b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + 2b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x) - 2\sqrt{3} b^{2/3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right) + (-b)^{2/3} \log(a + b x^3) \right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[(-2*a^(2/3)*C - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] -1/3*(C*(-2*sqrt[3]*b^(2/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3)]/sqrt[3]) + 2*b^(2/3)*Log[a^(1/3) + b^(1/3)*x] - b^(2/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + (-b)^(2/3)*Log[a + b*x^3])/b

fricas [A] time = 0.89, size = 205, normalized size = 2.93

$$\frac{\sqrt{\frac{1}{3}} C b \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} \log \left(\frac{2 b x^3 + 3 a^{\frac{2}{3}} (-b)^{\frac{1}{3}} x - 3 \sqrt{\frac{1}{3}} \left(2 a^{\frac{1}{3}} b x^2 + a^{\frac{2}{3}} (-b)^{\frac{2}{3}} x + a (-b)^{\frac{1}{3}} \right) \sqrt{\frac{(-b)^{\frac{1}{3}}}{b}} - a}{b x^3 + a} \right) - C (-b)^{\frac{2}{3}} \log \left(b x + a^{\frac{1}{3}} (-b)^{\frac{2}{3}} \right)}{b}, - 2 \sqrt{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*a^(2/3)*C*(-b)^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] [(sqrt(1/3)*C*b*sqrt((-b)^(1/3)/b)*log((2*b*x^3 + 3*a^(2/3)*(-b)^(1/3)*x - 3*sqrt(1/3)*(2*a^(1/3)*b*x^2 + a^(2/3)*(-b)^(2/3)*x + a*(-b)^(1/3))*sqrt((-b)^(1/3)/b) - a)/(b*x^3 + a)) - C*(-b)^(2/3)*log(b*x + a^(1/3)*(-b)^(2/3)))/b, -(2*sqrt(1/3)*C*b*sqrt(-(-b)^(1/3)/b)*arctan(sqrt(1/3)*(2*a^(2/3)*(-b)^(2/3)*x + a*(-b)^(1/3))*sqrt(-(-b)^(1/3)/b)/a) + C*(-b)^(2/3)*log(b*x + a^(1/3)*(-b)^(2/3)))/b]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*a^(2/3)*C*(-b)^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.05, size = 122, normalized size = 1.74

$$\frac{2\sqrt{3} C a^{\frac{2}{3}} \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{2 C a^{\frac{2}{3}} \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{C a^{\frac{2}{3}} \ln \left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{(-b)^{\frac{2}{3}} C \ln(b x^3 + a)}{3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-2*a^(2/3)*C-(-b)^(2/3)*C*x^2)/(b*x^3+a),x)`

[Out] $-2/3/(a/b)^{(2/3)}*C*a^{(2/3)}/b*\ln(x+(a/b)^{(1/3)})+1/3/(a/b)^{(2/3)}*C*a^{(2/3)}/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-2/3/(a/b)^{(2/3)}*3^{(1/2)}*C*a^{(2/3)}/b*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3*C*(-b)^{(2/3)}/b*\ln(b*x^3+a)$

maxima [B] time = 3.02, size = 173, normalized size = 2.47

$$\frac{2\sqrt{3}\left(Ca(-b)^{\frac{2}{3}}-\left(3Ca^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}}+\frac{Ca(-b)^{\frac{2}{3}}}{b}\right)b\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab}-\frac{\left(C(-b)^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{2}{3}}-Ca^{\frac{2}{3}}\right)\log\left(x^2-x\left(\frac{a}{b}\right)^{\frac{1}{3}}+\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*a^(2/3)*C-(-b)^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="maxima")`

[Out] $2/9*\sqrt{3}*(C*a*(-b)^{(2/3)}-(3*C*a^{(2/3)}*(a/b)^{(1/3)}+C*a*(-b)^{(2/3)}/b)*b)*\arctan(1/3*\sqrt{3}*(2*x-(a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b)-1/3*(C*(-b)^{(2/3)}*(a/b)^{(2/3)}-C*a^{(2/3)})*\log(x^2-x*(a/b)^{(1/3)}+(a/b)^{(2/3)})/(b*(a/b)^{(2/3)})-1/3*(C*(-b)^{(2/3)}*(a/b)^{(2/3)}+2*C*a^{(2/3)})*\log(x+(a/b)^{(1/3)})/(b*(a/b)^{(2/3)})$

mupad [B] time = 5.24, size = 221, normalized size = 3.16

$$\sum_{k=1}^3 \ln\left(\text{root}\left(27a^2b^3z^3+27Ca^2(-b)^{8/3}z^2-9C^2a^2(-b)^{7/3}z+9C^3a^2b^2,z,k\right)\left(\frac{6Ca}{(-b)^{4/3}}+\frac{\text{root}\left(27a^2b^3z^3+27Ca^2(-b)^{8/3}z^2-9C^2a^2(-b)^{7/3}z+9C^3a^2b^2,z,k\right)}{(-b)^{4/3}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*C*a^(2/3)+C*(-b)^(2/3)*x^2)/(a+b*x^3),x)`

[Out] $\text{symsum}(\log(\text{root}(27*a^2*b^3*z^3+27*C*a^2*(-b)^{(8/3)}*z^2-9*C^2*a^2*(-b)^{(7/3)}*z+9*C^3*a^2*b^2,z,k))*((6*C*a)/(-b)^{(4/3)}+(9*\text{root}(27*a^2*b^3*z^3+27*C*a^2*(-b)^{(8/3)}*z^2-9*C^2*a^2*(-b)^{(7/3)}*z+9*C^3*a^2*b^2,z,k)*a)/b-(6*C*a^{(2/3)}*x)/b)-(C^2*a)/(-b)^{(5/3)}-(2*C^2*a^{(2/3)}*x)/(-b)^{(4/3}))*\text{root}(27*a^2*b^3*z^3+27*C*a^2*(-b)^{(8/3)}*z^2-9*C^2*a^2*(-b)^{(7/3)}*z+9*C^3*a^2*b^2,z,k),k,1,3)$

sympy [A] time = 1.24, size = 73, normalized size = 1.04

$$-\text{RootSum}\left(3t^3b^2-3t^2Cb(-b)^{\frac{2}{3}}+tC^2(-b)^{\frac{4}{3}}-C^3b,\left(t\mapsto t\log\left(\frac{3t\sqrt[3]{a}}{2C}-\frac{\sqrt[3]{a}(-b)^{\frac{2}{3}}}{2b}+x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*a**(2/3)*C-(-b)**(2/3)*C*x**2)/(b*x**3+a),x)`

[Out] `-RootSum(3*_t**3*b**2 - 3*_t**2*C*b*(-b)**(2/3) + _t*C**2*(-b)**(4/3) - C**3*b, Lambda(_t, _t*log(3*_t*a**(1/3)/(2*C) - a**(1/3)*(-b)**(2/3)/(2*b) + x)))`

$$3.39 \quad \int \frac{-3+x^2}{-1+x^3} dx$$

Optimal. Leaf size=40

$$\frac{5}{6} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \sqrt{3} \tan^{-1}\left(\frac{2x + 1}{\sqrt{3}}\right)$$

[Out] $-2/3*\ln(1-x)+5/6*\ln(x^2+x+1)+\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.462$, Rules used = {1875, 31, 634, 618, 204, 628}

$$\frac{5}{6} \log(x^2 + x + 1) - \frac{2}{3} \log(1 - x) + \sqrt{3} \tan^{-1}\left(\frac{2x + 1}{\sqrt{3}}\right)$$

Antiderivative was successfully verified.

[In] Int[(-3 + x^2)/(-1 + x^3), x]

[Out] Sqrt[3]*ArcTan[(1 + 2*x)/Sqrt[3]] - (2*Log[1 - x])/3 + (5*Log[1 + x + x^2])/6

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1875

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = -(a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{-3+x^2}{-1+x^3} dx &= -\left(\frac{1}{3} \int \frac{-7-5x}{1+x+x^2} dx\right) + \frac{2}{3} \int \frac{1}{1-x} dx \\ &= -\frac{2}{3} \log(1-x) + \frac{5}{6} \int \frac{1+2x}{1+x+x^2} dx + \frac{3}{2} \int \frac{1}{1+x+x^2} dx \\ &= -\frac{2}{3} \log(1-x) + \frac{5}{6} \log(1+x+x^2) - 3 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right) \\ &= \sqrt{3} \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right) - \frac{2}{3} \log(1-x) + \frac{5}{6} \log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.03, size = 50, normalized size = 1.25

$$\frac{1}{3} \log(1-x^3) + \frac{1}{2} \log(x^2+x+1) - \log(1-x) + \sqrt{3} \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(-3 + x^2)/(-1 + x^3), x]

[Out] Sqrt[3]*ArcTan[(1 + 2*x)/Sqrt[3]] - Log[1 - x] + Log[1 + x + x^2]/2 + Log[1 - x^3]/3

fricas [A] time = 0.87, size = 31, normalized size = 0.78

$$\sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{5}{6} \log(x^2+x+1) - \frac{2}{3} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2-3)/(x^3-1),x, algorithm="fricas")

[Out] sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 5/6*log(x^2 + x + 1) - 2/3*log(x - 1)

giac [A] time = 0.32, size = 32, normalized size = 0.80

$$\sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{5}{6} \log(x^2+x+1) - \frac{2}{3} \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2-3)/(x^3-1),x, algorithm="giac")

[Out] sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 5/6*log(x^2 + x + 1) - 2/3*log(abs(x - 1))

maple [A] time = 0.05, size = 32, normalized size = 0.80

$$\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right) - \frac{2 \ln(x-1)}{3} + \frac{5 \ln(x^2+x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2-3)/(x^3-1),x)

[Out] -2/3*ln(x-1)+5/6*ln(x^2+x+1)+3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.99, size = 31, normalized size = 0.78

$$\sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{5}{6} \log(x^2+x+1) - \frac{2}{3} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2-3)/(x^3-1),x, algorithm="maxima")

[Out] sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 5/6*log(x^2 + x + 1) - 2/3*log(x - 1)

mupad [B] time = 0.16, size = 46, normalized size = 1.15

$$-\frac{2 \ln(x-1)}{3} - \ln\left(x + \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) \left(\frac{5}{6} + \frac{\sqrt{3} 1i}{2}\right) + \ln\left(x + \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(\frac{5}{6} + \frac{\sqrt{3} 1i}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2 - 3)/(x^3 - 1), x)`

[Out] `log(x + (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*1i)/2 + 5/6) - log(x - (3^(1/2)*1i)/2 + 1/2)*((3^(1/2)*1i)/2 - 5/6) - (2*log(x - 1))/3`

sympy [A] time = 0.29, size = 42, normalized size = 1.05

$$-\frac{2 \log(x-1)}{3} + \frac{5 \log(x^2 + x + 1)}{6} + \sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**2-3)/(x**3-1), x)`

[Out] `-2*log(x - 1)/3 + 5*log(x**2 + x + 1)/6 + sqrt(3)*atan(2*sqrt(3)*x/3 + sqrt(3)/3)`

$$3.40 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{b} B + 2a^{2/3} C + b^{2/3} Bx + b^{2/3} Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=70

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2 \left(\frac{B}{\sqrt[3]{a}} + \frac{C}{\sqrt[3]{b}} \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3}}$$

[Out] C*ln(a^(1/3)+b^(1/3)*x)/b^(1/3)-2/3*(B/a^(1/3)+C/b^(1/3))*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.07, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 49, $\frac{\text{number of rules}}{\text{integrand size}} = 0.082$, Rules used = {1863, 31, 617, 204}

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} - \frac{2 \left(\frac{B}{\sqrt[3]{a}} + \frac{C}{\sqrt[3]{b}} \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(a^(1/3)*b^(1/3)*B + 2*a^(2/3)*C + b^(2/3)*B*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (-2*(B/a^(1/3) + C/b^(1/3))*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/Sqrt[3] + (C*Log[a^(1/3) + b^(1/3)*x])/b^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] :> With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1863

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/b^(1/3)}, Dist[C
/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x],
x]] /; EqQ[A*b^(2/3) - a^(1/3)*b^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}
, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\int \frac{\sqrt[3]{a} \sqrt[3]{b} B + 2a^{2/3} C + b^{2/3} Bx + b^{2/3} Cx^2}{a + bx^3} dx = \frac{C \int \frac{1}{\frac{\sqrt[3]{a}}{\sqrt[3]{b}} + x} dx}{\sqrt[3]{b}} + \frac{(\sqrt[3]{b} B + \sqrt[3]{a} C) \int \frac{1}{\frac{a^{2/3}}{b^{2/3}} - \frac{\sqrt[3]{a} x}{\sqrt[3]{b}} + x^2} dx}{b^{2/3}}$$

$$= \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{\sqrt[3]{b}} + \left(2 \left(\frac{B}{\sqrt[3]{a}} + \frac{C}{\sqrt[3]{b}} \right) \right) \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, 1 \right)$$

$$= -\frac{2 \left(\frac{B}{\sqrt[3]{a}} + \frac{C}{\sqrt[3]{b}} \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3}} + \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{\sqrt[3]{b}}$$

Mathematica [A] time = 0.05, size = 122, normalized size = 1.74

$$\frac{\sqrt[3]{a} C \left(-\log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \log \left(a + bx^3 \right) + 2 \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \right) - 2\sqrt{3} \left(\sqrt[3]{a} C + \sqrt[3]{b} B \right) \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}} \right)}{3\sqrt[3]{a} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a^(1/3)*b^(1/3)*B + 2*a^(2/3)*C + b^(2/3)*B*x + b^(2/3)*C*x^2)/(
a + b*x^3), x]
```

```
[Out] (-2*Sqrt[3]*(b^(1/3)*B + a^(1/3)*C)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt
[3]] + a^(1/3)*C*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)
]*x + b^(2/3)*x^2] + Log[a + b*x^3))/(3*a^(1/3)*b^(1/3))
```

fricas [B] time = 6.32, size = 430, normalized size = 6.14

$$\left[\sqrt{\frac{1}{3}} b \sqrt{-\frac{C^2 a b^{\frac{1}{3}} + 2 B C a^{\frac{2}{3}} b^{\frac{2}{3}} + B^2 a^{\frac{1}{3}} b}{ab}} \log \left(\frac{C^3 a^2 + B^3 a b - 2 (C^3 a b + B^3 b^2) x^3 + 3 (C^3 a + B^3 b) a^{\frac{2}{3}} b^{\frac{1}{3}} x - 3 \sqrt{\frac{1}{3}} \left((2 B^2 b x^2 + C^2 a x + B C a) a^{\frac{2}{3}} b^{\frac{2}{3}} + (2 C^2 a b x + B^2 b^2) a^{\frac{1}{3}} b \right)}{b x^3 + a}} \right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+2*a^(2/3)*C+b^(2/3)*B*x+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] [(sqrt(1/3)*b*sqrt(-(C^2*a*b^(1/3) + 2*B*C*a^(2/3)*b^(2/3) + B^2*a^(1/3)*b)/(a*b))*log(-(C^3*a^2 + B^3*a*b - 2*(C^3*a*b + B^3*b^2)*x^3 + 3*(C^3*a + B^3*b)*a^(2/3)*b^(1/3)*x - 3*sqrt(1/3)*((2*B^2*b*x^2 + C^2*a*x + B*C*a)*a^(2/3)*b^(2/3) + (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*a^(1/3) - (2*B*C*a*b*x^2 - B^2*a*b*x + C^2*a^2)*b^(1/3)))*sqrt(-(C^2*a*b^(1/3) + 2*B*C*a^(2/3)*b^(2/3) + B^2*a^(1/3)*b)/(a*b)))/(b*x^3 + a) + C*b^(2/3)*log(b*x + a^(1/3)*b^(2/3)))/b, (2*sqrt(1/3)*b*sqrt((C^2*a*b^(1/3) + 2*B*C*a^(2/3)*b^(2/3) + B^2*a^(1/3)*b)/(a*b))*arctan(sqrt(1/3)*((2*C^2*x + B*C)*a^(2/3)*b^(2/3) - (2*B*C*b*x + B^2*b)*a^(1/3) + (2*B^2*b*x - C^2*a)*b^(1/3)))*sqrt((C^2*a*b^(1/3) + 2*B*C*a^(2/3)*b^(2/3) + B^2*a^(1/3)*b)/(a*b)))/(C^3*a + B^3*b) + C*b^(2/3)*log(b*x + a^(1/3)*b^(2/3)))/b]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+2*a^(2/3)*C+b^(2/3)*B*x+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.06, size = 310, normalized size = 4.43

$$\frac{\sqrt{3} B a^{\frac{1}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^{\frac{2}{3}}} + \frac{B a^{\frac{1}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^{\frac{2}{3}}} - \frac{B a^{\frac{1}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b^{\frac{2}{3}}} + \frac{\sqrt{3} B \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(1/3)*b^(1/3)*B+2*a^(2/3)*C+b^(2/3)*B*x+b^(2/3)*C*x^2)/(b*x^3+a),x)

[Out] 1/3/(a/b)^(2/3)*B*a^(1/3)/b^(2/3)*ln(x+(a/b)^(1/3))+2/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x+(a/b)^(1/3))-1/6/(a/b)^(2/3)*B*a^(1/3)/b^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/(a/b)^(2/3)*C*a^(2/3)/b*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/(a/b)^(2/3)*3^(1/2)*B*a^(1/3)/b^(2/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+2/3/(a/b)^(2/3)*3^(1/2)*C*a^(2/3)/b*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/(a/b)^(1/3)*B/b^(1/3)*ln(x+(a/b)^(1/3))+1/6/(a/b)^(1/3)*B/b^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*3^(1/2)/(a/b)^(1/3)*B/b^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b^(1/3)*ln(b*x^3+a)

maxima [B] time = 3.12, size = 236, normalized size = 3.37

$$\frac{\sqrt{3}\left(2Cab^{\frac{2}{3}} - \left(6Ca^{\frac{2}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} + 3Ba^{\frac{1}{3}}b^{\frac{1}{3}}\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(3B\left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{2Ca}{b}\right)b^{\frac{2}{3}}\right)b\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} \left(2Ca^{\frac{2}{3}} + Ba^{\frac{1}{3}}b^{\frac{1}{3}} - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*b^(1/3)*B+2*a^(2/3)*C+b^(2/3)*B*x+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="maxima")

[Out] -1/9*sqrt(3)*(2*C*a*b^(2/3) - (6*C*a^(2/3)*(a/b)^(1/3) + 3*B*a^(1/3)*b^(1/3))*(a/b)^(1/3) + (3*B*(a/b)^(2/3) + 2*C*a/b)*b^(2/3))*b*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b) - 1/6*(2*C*a^(2/3) + B*a^(1/3)*b^(1/3) - (2*C*(a/b)^(2/3) + B*(a/b)^(1/3))*b^(2/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b*(a/b)^(2/3)) + 1/3*(2*C*a^(2/3) + B*a^(1/3)*b^(1/3) + (C*(a/b)^(2/3) - B*(a/b)^(1/3))*b^(2/3))*log(x + (a/b)^(1/3))/(b*(a/b)^(2/3))

mupad [B] time = 6.23, size = 386, normalized size = 5.51

$$\sum_{k=1}^3 \ln \left(-\frac{x \left(2C^2 a^{2/3} b^{2/3} - B^2 b^{4/3} + BC a^{1/3} b \right)}{b^2} + \frac{a^{1/3} \left(Bb^{1/3} + Ca^{1/3} \right)^2}{b^{5/3}} + \frac{\text{root} \left(27a^2 b^3 z^3 - 27Ca^2 b^{8/3} z^2 + 18B^2 a^{4/3} b^3 z - 18B^2 C a^{5/3} b^{8/3} z + 9C^2 a^2 b^{7/3} z + 9B^2 a^{4/3} b^3 z - 18B^2 C a^{5/3} b^{8/3} z + 9C^2 a^2 b^{7/3} z + 9B^2 a^{4/3} b^3 z - 18B^2 C a^{5/3} b^{8/3} z - 9C^3 a^2 b^2, z, k \right) \cdot \left(9\text{root} \left(27a^2 b^3 z^3 - 27Ca^2 b^{8/3} z^2 + 18B^2 a^{4/3} b^3 z - 18B^2 C a^{5/3} b^{8/3} z + 9C^2 a^2 b^{7/3} z + 9B^2 a^{4/3} b^3 z - 18B^2 C a^{5/3} b^{8/3} z - 9C^3 a^2 b^2, z, k \right) \cdot a \cdot b^{1/3} - 6Ca + 3B a^{1/3} b^{2/3} x + 6C a^{2/3} b^{1/3} x \right)}{b^{4/3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*C*a^(2/3) + B*a^(1/3)*b^(1/3) + C*b^(2/3)*x^2 + B*b^(2/3)*x)/(a + b*x^3), x)`

[Out] `symsum(log((a^(1/3)*(B*b^(1/3) + C*a^(1/3))^2)/b^(5/3) - (x*(2*C^2*a^(2/3)*b^(2/3) - B^2*b^(4/3) + B*C*a^(1/3)*b))/b^2 + (root(27*a^2*b^3*z^3 - 27*C*a^2*b^(8/3)*z^2 + 18*B*C*a^(5/3)*b^(8/3)*z + 9*C^2*a^2*b^(7/3)*z + 9*B^2*a^(4/3)*b^3*z - 18*B*C^2*a^(5/3)*b^(7/3) - 9*B^2*C*a^(4/3)*b^(8/3) - 9*C^3*a^2*b^2, z, k)*(9*root(27*a^2*b^3*z^3 - 27*C*a^2*b^(8/3)*z^2 + 18*B*C*a^(5/3)*b^(8/3)*z + 9*C^2*a^2*b^(7/3)*z + 9*B^2*a^(4/3)*b^3*z - 18*B*C^2*a^(5/3)*b^(7/3) - 9*B^2*C*a^(4/3)*b^(8/3) - 9*C^3*a^2*b^2, z, k)*a*b^(1/3) - 6*C*a + 3*B*a^(1/3)*b^(2/3)*x + 6*C*a^(2/3)*b^(1/3)*x)/b^(4/3))/root(27*a^2*b^3*z^3 - 27*C*a^2*b^(8/3)*z^2 + 18*B*C*a^(5/3)*b^(8/3)*z + 9*C^2*a^2*b^(7/3)*z + 9*B^2*a^(4/3)*b^3*z - 18*B*C^2*a^(5/3)*b^(7/3) - 9*B^2*C*a^(4/3)*b^(8/3) - 9*C^3*a^2*b^2, z, k), k, 1, 3)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a**(1/3)*b**(1/3)*B+2*a**(2/3)*C+b**(2/3)*B*x+b**(2/3)*C*x**2)/(b*x**3+a), x)`

[Out] Timed out

$$3.41 \quad \int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - 2a^{2/3} C - (-b)^{2/3} Bx - (-b)^{2/3} Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=88

$$\frac{2(\sqrt[3]{a}(-b)^{2/3}C + bB) \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}b} + \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}}$$

[Out] $C \ln(a^{1/3} - (-b)^{1/3}x) / (-b)^{1/3} + 2/3 * (b*B + a^{1/3} * (-b)^{2/3} * C) * \arctan(1/3 * (a^{1/3} + 2 * (-b)^{1/3} * x) / a^{1/3} * 3^{1/2}) / a^{1/3} / b * 3^{1/2}$

Rubi [A] time = 0.11, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 57, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {1866, 31, 617, 204}

$$\frac{2(\sqrt[3]{a}(-b)^{2/3}C + bB) \tan^{-1}\left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}b} + \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b}x)}{\sqrt[3]{-b}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a^{1/3} * (-b)^{1/3} * B - 2 * a^{2/3} * C - (-b)^{2/3} * B * x - (-b)^{2/3} * C * x^2) / (a + b * x^3), x]$

[Out] $(2 * (b * B + a^{1/3} * (-b)^{2/3} * C) * \text{ArcTan}[(a^{1/3} + 2 * (-b)^{1/3} * x) / (\text{Sqrt}[3] * a^{1/3})]) / (\text{Sqrt}[3] * a^{1/3} * b) + (C * \text{Log}[a^{1/3} - (-b)^{1/3} * x]) / (-b)^{1/3}$

Rule 31

$\text{Int}[(a + (b * x)^{-1}), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b * x, x]] / b, x] /;$ FreeQ[{a, b}, x]

Rule 204

$\text{Int}[(a + (b * x)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2] * x) / \text{Rt}[-a, 2]] / (\text{Rt}[-a, 2] * \text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

$\text{Int}[(a + (b * x) + (c * x)^2)^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4 * \text{Simplify}[(a * c) / b^2]\}, \text{Dist}[-2 / b, \text{Subst}[\text{Int}[1 / (q - x^2), x], x, 1 + (2 * c * x) / b], x] /;$ RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4 * a * c]) /;

Rule 1866

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = a^(1/3)/(-b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A*(-b)^(2/3) + a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\int \frac{\sqrt[3]{a} \sqrt[3]{-b} B - 2a^{2/3} C - (-b)^{2/3} Bx - (-b)^{2/3} Cx^2}{a + bx^3} dx = \frac{C \int \frac{1}{\sqrt[3]{a} - x} dx}{\sqrt[3]{-b}} + \frac{(\sqrt[3]{-b} B - \sqrt[3]{a} C) \int \frac{1}{\frac{a^{2/3}}{(-b)^{2/3}} + \frac{\sqrt[3]{a} x}{\sqrt[3]{-b}} + x^2} dx}{(-b)^{2/3}}$$

$$= \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b} x)}{\sqrt[3]{-b}} - \left(2 \left(\frac{B}{\sqrt[3]{a}} + \frac{bC}{(-b)^{4/3}} \right) \right) \text{Subst} \left(\int \frac{1}{-3} \right)$$

$$= \frac{2 \left(\frac{B}{\sqrt[3]{a}} + \frac{bC}{(-b)^{4/3}} \right) \tan^{-1} \left(\frac{\sqrt[3]{a} + 2\sqrt[3]{-b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3}} + \frac{C \log(\sqrt[3]{a} - \sqrt[3]{-b} x)}{\sqrt[3]{-b}}$$

Mathematica [B] time = 0.66, size = 238, normalized size = 2.70

$$\frac{(2\sqrt[3]{a} b \sqrt[3]{-b} C + b^{5/3} B + (-b)^{5/3} B) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) - 2b(2\sqrt[3]{a} \sqrt[3]{-b} C + (b^{2/3} - (-b)^{2/3}) B) \log(\sqrt[3]{a} + \sqrt[3]{b} x) - 2\sqrt[3]{a} (-b)^{2/3} \sqrt[3]{-b^2} C \log(a + bx^3)}{\sqrt[3]{-b^2}} + \frac{6\sqrt[3]{a} b}{6\sqrt[3]{a} b}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a^(1/3)*(-b)^(1/3)*B - 2*a^(2/3)*C - (-b)^(2/3)*B*x - (-b)^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (2*sqrt[3]*b^(1/3)*((-b)^(2/3) - (-b^2)^(1/3))*B + 2*a^(1/3)*b^(1/3)*C)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + (-2*b*((-b)^(2/3) + b^(2/3))*B + 2*a^(1/3)*(-b)^(1/3)*C)*Log[a^(1/3) + b^(1/3)*x] + ((-b)^(5/3)*B + b^(5/3)*B + 2*a^(1/3)*(-b)^(1/3)*b*C)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*a^(1/3)*(-b)^(2/3)*(-b^2)^(1/3)*C*Log[a + b*x^3])/((-b^2)^(1/3))/(6*a^(1/3)*b)

fricas [B] time = 5.66, size = 470, normalized size = 5.34

$$\sqrt{\frac{1}{3}} b \sqrt{\frac{C^2 a (-b)^{\frac{1}{3}} - 2 B C a^{\frac{2}{3}} (-b)^{\frac{2}{3}} - B^2 a^{\frac{1}{3}} b}{ab}} \log \left(\frac{C^3 a^2 + B^3 ab - 2 (C^3 ab + B^3 b^2) x^3 - 3 (C^3 a + B^3 b) a^{\frac{2}{3}} (-b)^{\frac{1}{3}} x + 3 \sqrt{\frac{1}{3}} \left((2 B^2 b x^2 + C^2 a x + B C a) a^{\frac{2}{3}} (-b)^{\frac{2}{3}} \right)}{b x^3 + a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-2*a^(2/3)*C-(-b)^(2/3)*B*x-(-b)^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] [(sqrt(1/3)*b*sqrt((C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a^(1/3)*b)/(a*b))*log(-(C^3*a^2 + B^3*a*b - 2*(C^3*a*b + B^3*b^2)*x^3 - 3*(C^3*a + B^3*b)*a^(2/3)*(-b)^(1/3)*x + 3*sqrt(1/3)*((2*B^2*b*x^2 + C^2*a*x + B*C*a)*a^(2/3)*(-b)^(2/3) + (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*a^(1/3) + (2*B*C*a*b*x^2 - B^2*a*b*x + C^2*a^2)*(-b)^(1/3)))*sqrt((C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a^(1/3)*b)/(a*b)))/(b*x^3 + a) - C*(-b)^(2/3)*log(b*x + a^(1/3)*(-b)^(2/3)))/b, -(2*sqrt(1/3)*b*sqrt(-(C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a^(1/3)*b)/(a*b))*arctan(sqrt(1/3)*((2*C^2*x + B*C)*a^(2/3)*(-b)^(2/3) - (2*B*C*b*x + B^2*b)*a^(1/3) - (2*B^2*b*x - C^2*a)*(-b)^(1/3)))*sqrt(-(C^2*a*(-b)^(1/3) - 2*B*C*a^(2/3)*(-b)^(2/3) - B^2*a^(1/3)*b)/(a*b)))/(C^3*a + B^3*b) + C*(-b)^(2/3)*log(b*x + a^(1/3)*(-b)^(2/3)))/b]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/3)*(-b)^(1/3)*B-2*a^(2/3)*C-(-b)^(2/3)*B*x-(-b)^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.05, size = 345, normalized size = 3.92

$$\frac{2\sqrt{3} C a^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{2C a^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{C a^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{\sqrt{3} (-b)^{\frac{1}{3}} B a^{\frac{1}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a^(1/3)*(-b)^(1/3)*B-2*a^(2/3)*C-(-b)^(2/3)*B*x-(-b)^(2/3)*C*x^2)/(b*x^3+a), x)`

[Out] $\frac{1}{3} \frac{b}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) * a^{1/3} * (-b)^{1/3} * B - \frac{2}{3} \frac{C}{(a/b)^{2/3}} * a^{2/3} / b * \ln(x + (a/b)^{1/3}) - \frac{1}{6} \frac{b}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * a^{1/3} * (-b)^{1/3} * B + \frac{1}{3} \frac{C}{(a/b)^{2/3}} * a^{2/3} / b * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) + \frac{1}{3} \frac{b}{(a/b)^{2/3}} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * a^{1/3} * (-b)^{1/3} * B - \frac{2}{3} \frac{C}{(a/b)^{2/3}} * 3^{1/2} * C * a^{2/3} / b * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + \frac{1}{3} * B * (-b)^{2/3} / b / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) - \frac{1}{6} * B * (-b)^{2/3} / b / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) - \frac{1}{3} * B * (-b)^{2/3} * 3^{1/2} / b / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) - \frac{1}{3} * (-b)^{2/3} * C / b * \ln(b * x^3 + a)$

maxima [B] time = 3.04, size = 252, normalized size = 2.86

$$\frac{\sqrt{3} \left(2Ca(-b)^{\frac{2}{3}} - \left(6Ca^{\frac{2}{3}} \left(\frac{a}{b}\right)^{\frac{1}{3}} - 3Ba^{\frac{1}{3}} (-b)^{\frac{1}{3}} \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(3B \left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{2Ca}{b} \right) (-b)^{\frac{2}{3}} \right) b \right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \left(2Ca^{\frac{2}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a^(1/3)*(-b)^(1/3)*B-2*a^(2/3)*C-(-b)^(2/3)*B*x-(-b)^(2/3)*C*x^2)/(b*x^3+a), x, algorithm="maxima")`

[Out] $\frac{1}{9} \sqrt{3} * (2 * C * a * (-b)^{2/3} - (6 * C * a^{2/3} * (a/b)^{1/3} - 3 * B * a^{1/3} * (-b)^{1/3} * (a/b)^{1/3} + (3 * B * (a/b)^{2/3} + 2 * C * a/b) * (-b)^{2/3}) * b) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a * b) + 1/6 * (2 * C * a^{2/3} - B * a^{1/3} * (-b)^{1/3} - (2 * C * (a/b)^{2/3} + B * (a/b)^{1/3}) * (-b)^{2/3}) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (b * (a/b)^{2/3}) - 1/3 * (2 * C * a^{2/3} - B * a^{1/3} * (-b)^{1/3}) * \ln(b * x^3 + a)$

$$b^{1/3} + (C(a/b)^{2/3} - B(a/b)^{1/3}) * (-b)^{2/3} * \log(x + (a/b)^{1/3}) / (b * (a/b)^{2/3})$$

mupad [B] time = 6.32, size = 444, normalized size = 5.05

$$\sum_{k=1}^3 \ln \left(\text{root} \left(27 a^2 b^3 z^3 + 27 C a^2 (-b)^{8/3} z^2 + 18 B C a^{5/3} (-b)^{8/3} z + 9 B^2 a^{4/3} b^3 z - 9 C^2 a^2 (-b)^{7/3} z - 18 B C^2 a^{5/3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*C*a^(2/3) + B*(-b)^(2/3))*x - B*a^(1/3)*(-b)^(1/3) + C*(-b)^(2/3)*x^2)/(a + b*x^3), x)`

[Out] `symsum(log(root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 + 18*B*C*a^(5/3)*(-b)^(8/3)*z + 9*B^2*a^(4/3)*b^3*z - 9*C^2*a^2*(-b)^(7/3)*z - 18*B*C^2*a^(5/3)*(-b)^(7/3) + 9*B^2*C*a^(4/3)*(-b)^(8/3) + 9*C^3*a^2*b^2, z, k)*((6*C*a)/(-b)^(4/3) - (x*(3*B*a^(1/3)*(-b)^(4/3) + 6*C*a^(2/3)*b))/b^2 + (9*root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 + 18*B*C*a^(5/3)*(-b)^(8/3)*z + 9*B^2*a^(4/3)*b^3*z - 9*C^2*a^2*(-b)^(7/3)*z - 18*B*C^2*a^(5/3)*(-b)^(7/3) + 9*B^2*C*a^(4/3)*(-b)^(8/3) + 9*C^3*a^2*b^2, z, k)*a)/b) + (B^2*a^(1/3)*b^2 + C^2*a*(-b)^(4/3) - 2*B*C*a^(2/3)*(-b)^(5/3))/b^3 - (x*(2*C^2*a^(2/3)*(-b)^(2/3) - B^2*(-b)^(4/3) + B*C*a^(1/3)*b))/b^2)*root(27*a^2*b^3*z^3 + 27*C*a^2*(-b)^(8/3)*z^2 + 18*B*C*a^(5/3)*(-b)^(8/3)*z + 9*B^2*a^(4/3)*b^3*z - 9*C^2*a^2*(-b)^(7/3)*z - 18*B*C^2*a^(5/3)*(-b)^(7/3) + 9*B^2*C*a^(4/3)*(-b)^(8/3) + 9*C^3*a^2*b^2, z, k), k, 1, 3)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a**(1/3)*(-b)**(1/3)*B-2*a**(2/3)*C-(-b)**(2/3)*B*x-(-b)**(2/3)*C*x**2)/(b*x**3+a), x)`

[Out] Timed out

$$3.42 \quad \int \frac{B^2 + BCx + C^2x^2}{-B^3 + C^3x^3} dx$$

Optimal. Leaf size=11

$$\frac{\log(B - Cx)}{C}$$

[Out] $\ln(-C*x+B)/C$

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$, Rules used = {1586, 31}

$$\frac{\log(B - Cx)}{C}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(B^2 + B*C*x + C^2*x^2)/(-B^3 + C^3*x^3), x]$

[Out] $\text{Log}[B - C*x]/C$

Rule 31

$\text{Int}[(a_.) + (b_.)*(x_.)^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}[\{a, b\}, x]$

Rule 1586

$\text{Int}[(u_.)*(Px_.)^{(p_.)}*(Qx_.)^{(q_.)}, x_Symbol] \rightarrow \text{Int}[u*\text{PolynomialQuotient}[Px, Qx, x]^p*Qx^{(p+q)}, x] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[Px, x] \ \&\& \ \text{PolyQ}[Qx, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[Px, Qx, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p*q, 0]$

Rubi steps

$$\int \frac{B^2 + BCx + C^2x^2}{-B^3 + C^3x^3} dx = \int \frac{1}{-B + Cx} dx = \frac{\log(B - Cx)}{C}$$

Mathematica [A] time = 0.00, size = 12, normalized size = 1.09

$$\frac{\log(Cx - B)}{C}$$

Antiderivative was successfully verified.

[In] Integrate[(B^2 + B*C*x + C^2*x^2)/(-B^3 + C^3*x^3), x]

[Out] Log[-B + C*x]/C

fricas [A] time = 0.82, size = 12, normalized size = 1.09

$$\frac{\log(Cx - B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3), x, algorithm="fricas")

[Out] log(C*x - B)/C

giac [A] time = 0.36, size = 13, normalized size = 1.18

$$\frac{\log(|Cx - B|)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3), x, algorithm="giac")

[Out] log(abs(C*x - B))/C

maple [A] time = 0.04, size = 12, normalized size = 1.09

$$\frac{\ln(-Cx + B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3), x)

[Out] ln(-C*x+B)/C

maxima [A] time = 1.36, size = 12, normalized size = 1.09

$$\frac{\log(Cx - B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C^2*x^2+B*C*x+B^2)/(C^3*x^3-B^3), x, algorithm="maxima")

[Out] log(C*x - B)/C

mupad [B] time = 0.04, size = 12, normalized size = 1.09

$$\frac{\ln(Cx - B)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(B^2 + C^2*x^2 + B*C*x)/(B^3 - C^3*x^3), x)`

[Out] `log(C*x - B)/C`

sympy [A] time = 0.24, size = 7, normalized size = 0.64

$$\frac{\log(-B + Cx)}{C}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C**2*x**2+B*C*x+B**2)/(C**3*x**3-B**3), x)`

[Out] `log(-B + C*x)/C`

$$3.43 \quad \int \frac{a^{2/3}C - \sqrt[3]{a} \sqrt[3]{b} Cx + b^{2/3}Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=21

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}}$$

[Out] C*ln(a^(1/3)+b^(1/3)*x)/b^(1/3)

Rubi [A] time = 0.01, antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1586, 31}

$$\frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(a^(2/3)*C - a^(1/3)*b^(1/3)*C*x + b^(2/3)*C*x^2)/(a + b*x^3), x]

[Out] (C*Log[a^(1/3) + b^(1/3)*x])/b^(1/3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{a^{2/3}C - \sqrt[3]{a} \sqrt[3]{b} Cx + b^{2/3}Cx^2}{a + bx^3} dx &= \int \frac{1}{\frac{\sqrt[3]{a}}{C} + \frac{\sqrt[3]{b}x}{C}} dx \\ &= \frac{C \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} \end{aligned}$$

Mathematica [A] time = 0.00, size = 21, normalized size = 1.00

$$\frac{C \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(a^(2/3)*C - a^(1/3)*b^(1/3)*C*x + b^(2/3)*C*x^2)/(a + b*x^3),x]

[Out] (C*Log[a^(1/3) + b^(1/3)*x])/b^(1/3)

fricas [A] time = 0.86, size = 17, normalized size = 0.81

$$\frac{C \log\left(bx + a^{\frac{1}{3}}b^{\frac{2}{3}}\right)}{b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] C*log(b*x + a^(1/3)*b^(2/3))/b^(1/3)

giac [A] time = 0.31, size = 16, normalized size = 0.76

$$\frac{C \log\left(\left|b^{\frac{1}{3}}x + a^{\frac{1}{3}}\right|\right)}{b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] C*log(abs(b^(1/3)*x + a^(1/3)))/b^(1/3)

maple [B] time = 0.05, size = 218, normalized size = 10.38

$$\frac{\sqrt{3} C a^{\frac{2}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} + \frac{C a^{\frac{2}{3}} \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{C a^{\frac{2}{3}} \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{\sqrt{3} C a^{\frac{1}{3}} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a),x)`

[Out] $\frac{1}{3} \frac{1}{(a/b)^{2/3}} C a^{2/3} / b \ln(x + (a/b)^{1/3}) - \frac{1}{6} \frac{1}{(a/b)^{2/3}} C a^{2/3} / b \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{1}{3} \frac{1}{(a/b)^{2/3}} 3^{1/2} C a^{2/3} / b \arctan\left(\frac{1/3 \cdot 3^{1/2} (2/(a/b)^{1/3} x - 1)}{1/3 C / b^{2/3} a^{1/3} / (a/b)^{1/3}}\right) \ln(x + (a/b)^{1/3}) - \frac{1}{6} C / b^{2/3} a^{1/3} / (a/b)^{1/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) - \frac{1}{3} C / b^{2/3} a^{1/3} 3^{1/2} / (a/b)^{1/3} \arctan\left(\frac{1/3 \cdot 3^{1/2} (2/(a/b)^{1/3} x - 1)}{1/3 C / b^{2/3} a^{1/3} / (a/b)^{1/3}}\right) + \frac{1}{3} C / b^{1/3} \ln(b x^3 + a)$

maxima [B] time = 2.99, size = 210, normalized size = 10.00

$$\frac{\sqrt{3} \left(2 C a b^{\frac{2}{3}} + \left(3 C a^{\frac{1}{3}} b^{\frac{1}{3}} \left(\frac{a}{b} \right)^{\frac{2}{3}} - 3 C a^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} - \frac{2 C a}{b^{\frac{1}{3}}} \right) b \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 a b} + \frac{\left(2 C b^{\frac{2}{3}} \left(\frac{a}{b} \right)^{\frac{2}{3}} - C a^{\frac{1}{3}} b^{\frac{1}{3}} \left(\frac{a}{b} \right)^{\frac{1}{3}} - C a^{\frac{2}{3}} \right)}{6 b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a^(2/3)*C-a^(1/3)*b^(1/3)*C*x+b^(2/3)*C*x^2)/(b*x^3+a),x, algorithm="maxima")`

[Out] $-\frac{1}{9} \sqrt{3} (2 C a b^{2/3} + (3 C a^{1/3} b^{1/3} (a/b)^{2/3} - 3 C a^{2/3} (a/b)^{1/3} - \frac{2 C a}{b^{1/3}}) b) \arctan\left(\frac{\sqrt{3} (2 x - (a/b)^{1/3})}{3 (a/b)^{1/3}}\right) / (a b) + \frac{1}{6} (2 C b^{2/3} (a/b)^{2/3} - C a^{1/3} b^{1/3} (a/b)^{1/3} - C a^{2/3}) \log(x^2 - x (a/b)^{1/3} + (a/b)^{2/3}) / (b (a/b)^{2/3}) + \frac{1}{3} (C b^{2/3} (a/b)^{2/3} + C a^{1/3} b^{1/3} (a/b)^{1/3} + C a^{2/3}) \log(x + (a/b)^{1/3}) / (b (a/b)^{2/3})$

mupad [B] time = 4.90, size = 15, normalized size = 0.71

$$\frac{C \ln \left(x + \frac{a^{1/3}}{b^{1/3}} \right)}{b^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((C*a^(2/3) + C*b^(2/3)*x^2 - C*a^(1/3)*b^(1/3)*x)/(a + b*x^3),x)`

[Out] $(C \log(x + a^{1/3}/b^{1/3})) / b^{1/3}$

sympy [A] time = 0.26, size = 20, normalized size = 0.95

$$\frac{C \log \left(\sqrt[3]{a} b^{\frac{2}{3}} + b x \right)}{\sqrt[3]{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a**(2/3)*C-a**(1/3)*b**(1/3)*C*x+b**(2/3)*C*x**2)/(b*x**3+a),x)
```

```
[Out] C*log(a**(1/3)*b**(2/3) + b*x)/b**(1/3)
```

$$3.44 \quad \int \frac{\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=71

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2\left(\frac{a}{b}\right)^{2/3} \left(C\sqrt[3]{\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}a}$$

[Out] $C \ln\left(\left(\frac{a}{b}\right)^{1/3} + x\right)/b - 2/3 * \left(\frac{a}{b}\right)^{2/3} * (B + \left(\frac{a}{b}\right)^{1/3} * C) * \arctan\left(\frac{1 - 2x/\left(\frac{a}{b}\right)^{1/3}}{\sqrt{3}}\right) / a * 3^{1/2}$

Rubi [A] time = 0.09, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1867, 31, 617, 204}

$$\frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} - \frac{2\left(\frac{a}{b}\right)^{2/3} \left(C\sqrt[3]{\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}a}$$

Antiderivative was successfully verified.

[In] Int[((a/b)^(1/3)*B + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] $(-2*(a/b)^{2/3}*(B + (a/b)^{1/3}*C)*\text{ArcTan}[(1 - (2*x)/(a/b)^{1/3})/\text{Sqrt}[3]])/(\text{Sqrt}[3]*a) + (C*\text{Log}[(a/b)^{1/3} + x])/b$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{\frac{a}{b}} B + 2 \left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} + x} dx}{b} + \frac{\left(B + \sqrt[3]{\frac{a}{b}} C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} - \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} + \left(2 \left(\frac{\left(\frac{a}{b}\right)^{2/3} B}{a} + \frac{C}{b}\right)\right) \text{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right) \\ &= -\frac{2 \left(\frac{\left(\frac{a}{b}\right)^{2/3} B}{a} + \frac{C}{b}\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}} + \frac{C \log\left(\sqrt[3]{\frac{a}{b}} + x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.33, size = 247, normalized size = 3.48

$$\sqrt[3]{b} \left(a^{2/3} B - \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(2C \sqrt[3]{\frac{a}{b}} + B \right) \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + 2 \sqrt[3]{b} \left(\sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(2C \sqrt[3]{\frac{a}{b}} + B \right) - a^{2/3} B \right)$$

6ab

Antiderivative was successfully verified.

[In] Integrate[((a/b)^(1/3)*B + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] (2*sqrt[3]*a^(1/3)*b^(1/3)*(a^(1/3)*B + (a/b)^(1/3)*b^(1/3)*(B + 2*(a/b)^(1/3)*C))*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(sqrt[3]*a^(1/3))] + 2*b^(1/3)*(-a^(2/3)*B + a^(1/3)*(a/b)^(1/3)*b^(1/3)*(B + 2*(a/b)^(1/3)*C))*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(a^(2/3)*B - a^(1/3)*(a/b)^(1/3)*b^(1/3)*(B + 2*(a/b)^(1/3)*C))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 2*a*C*Log[a + b*x^3]/(6*a*b)

fricas [B] time = 3.54, size = 429, normalized size = 6.04

$$\left[C \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) + \sqrt{\frac{1}{3}} \sqrt{-\frac{2BCb\left(\frac{a}{b}\right)^{\frac{2}{3}} + B^2b\left(\frac{a}{b}\right)^{\frac{1}{3}} + C^2a}{a}} \log \left(\frac{C^3a^2 + B^3ab - 2(C^3ab + B^3b^2)x^3 + 3(C^3ab + B^3b^2)x\left(\frac{a}{b}\right)^{\frac{2}{3}} + 3\sqrt{\frac{1}{3}}\left(2BCabx^2 - \dots\right)}{b} \right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] [(C*log(x + (a/b)^(1/3)) + sqrt(1/3)*sqrt(-(2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a)*log(-(C^3*a^2 + B^3*a*b - 2*(C^3*a*b + B^3*b^2)*x^3 + 3*(C^3*a*b + B^3*b^2)*x*(a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x + C^2*a^2 - (2*B^2*b^2*x^2 + C^2*a*b*x + B*C*a*b)*(a/b)^(2/3) - (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(a/b)^(1/3))*sqrt(-(2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a))/(b*x^3 + a))/b, (2*sqrt(1/3)*sqrt((2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a)*arctan(sqrt(1/3)*(2*B^2*b*x - C^2*a + (2*C^2*b*x + B*C*b)*(a/b)^(2/3) - (2*B*C*b*x + B^2*b)*(a/b)^(1/3))*sqrt((2*B*C*b*(a/b)^(2/3) + B^2*b*(a/b)^(1/3) + C^2*a)/a)/(C^3*a + B^3*b)) + C*log(x + (a/b)^(1/3)))/b]

giac [B] time = 0.20, size = 242, normalized size = 3.41

$$\frac{\left(2Cab + (-a^2b^4)^{\frac{1}{3}}B\right)\log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3ab^2 - \sqrt{3}\sqrt{a^2b^4}i} - \frac{\left(Cb^2\left(-\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(-\frac{a}{b}\right)^{\frac{1}{3}} + (ab^2)^{\frac{1}{3}}Bb + 2(ab^2)^{\frac{2}{3}}C\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}}\log\left(\dots\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out] (2*C*a*b + (-a^2*b^4)^(1/3)*B)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(3*a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i) - 1/3*(C*b^2*(-a/b)^(2/3) + B*b^2*(-a/b)^(1/3) + (a*b^2)^(1/3)*B*b + 2*(a*b^2)^(2/3)*C)*(-a/b)^(1/3)*log(abs(x - (-a/

$b^{1/3})/(a*b^2) + 1/54*\sqrt{3}*((9*(-a^2*b^4)^{1/3}*a*b^2 - 27^{5/6})*(-a^2*b^4)^{5/6})*B + 18*(a^2*b^3 - \sqrt{3}*\sqrt{a^4*b^6})*i)*C)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{1/3})/(-a/b)^{1/3})/(a^2*b^4)$

maple [A] time = 0.05, size = 121, normalized size = 1.70

$$\frac{2\sqrt{3} B \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \frac{2\sqrt{3} C \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3b} + \frac{2C \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} - \frac{C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} + \frac{C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a), x)`

[Out] $2/3*C/b*\ln(x+(a/b)^{1/3})-1/3*C/b*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})+2/3*3^{1/2}*C/b*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))+2/3*3^{1/2}/(a/b)^{1/3}*B/b*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))+1/3*C/b*\ln(b*x^3+a)$

maxima [A] time = 2.95, size = 78, normalized size = 1.10

$$\frac{C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b} - \frac{2\sqrt{3}\left(Ca - \left(3B\left(\frac{a}{b}\right)^{\frac{2}{3}} + \frac{4Ca}{b}\right)b\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a), x, algorithm="maxima")`

[Out] $C*\log(x + (a/b)^{1/3})/b - 2/9*\sqrt{3}*(C*a - (3*B*(a/b)^{2/3} + 4*C*a/b)*b)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a*b)$

mupad [B] time = 6.08, size = 436, normalized size = 6.14

$$\sum_{k=1}^3 \ln\left(\frac{C^2 a + B^2 b \left(\frac{a}{b}\right)^{1/3} + 2 B C b \left(\frac{a}{b}\right)^{2/3}}{b^3} + \frac{\text{root}\left(27 a^2 b^3 z^3 - 27 C a^2 b^2 z^2 + 18 B C a b^2 z \left(\frac{a}{b}\right)^{2/3} + 9 B^2 a b^2 z \left(\frac{a}{b}\right)^{1/3} - 27 C^2\right)}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x + C*x^2 + B*(a/b)^(1/3) + 2*C*(a/b)^(2/3))/(a + b*x^3),x)`

[Out] `symsum(log((C^2*a + B^2*b*(a/b)^(1/3) + 2*B*C*b*(a/b)^(2/3))/b^3 + (root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^(2/3) - 9*B^2*C*a*b*(a/b)^(1/3) - 9*C^3*a^2, z, k)*(9*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^(2/3) - 9*B^2*C*a*b*(a/b)^(1/3) - 9*C^3*a^2, z, k)*a*b - 6*C*a + 3*B*b*x*(a/b)^(1/3) + 6*C*b*x*(a/b)^(2/3)))/b^2 - (x*(2*C^2*(a/b)^(2/3) - B^2 + B*C*(a/b)^(1/3)))/b^2)*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^(2/3) - 9*B^2*C*a*b*(a/b)^(1/3) - 9*C^3*a^2, z, k), k, 1, 3)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(((a/b)**(1/3)*B+2*(a/b)**(2/3)*C+B*x+C*x**2)/(b*x**3+a),x)`

[Out] Timed out

$$3.45 \quad \int \frac{\sqrt[3]{-\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=76

$$\frac{2\left(C\sqrt[3]{-\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b\sqrt[3]{-\frac{a}{b}}} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}$$

[Out] $-C \ln\left(\left(-\frac{a}{b}\right)^{1/3} + x\right)/b + 2/3 * (B + \left(-\frac{a}{b}\right)^{1/3} * C) * \arctan\left(\frac{1 - 2*x/\left(-\frac{a}{b}\right)^{1/3}}{\sqrt{3}}\right) * 3^{1/2} / \left(-\frac{a}{b}\right)^{1/3} / b * 3^{1/2}$

Rubi [A] time = 0.10, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {1867, 31, 617, 204}

$$\frac{2\left(C\sqrt[3]{-\frac{a}{b}} + B\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3}b\sqrt[3]{-\frac{a}{b}}} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[((-a/b))^(1/3)*B + 2*(-a/b)^(2/3)*C + B*x + C*x^2)/(a - b*x^3),x]

[Out] $(2*(B + (-a/b)^{1/3}*C)*\text{ArcTan}[(1 - (2*x)/(-a/b)^{1/3})/\text{Sqrt}[3]])/(\text{Sqrt}[3]*(-a/b)^{1/3}*b) - (C*\text{Log}[(-a/b)^{1/3} + x])/b$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{-\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} + x} dx}{b} - \frac{\left(B + \sqrt[3]{-\frac{a}{b}} C\right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} - \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= -\frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b} - \frac{\left(2\left(\frac{B}{\sqrt[3]{-\frac{a}{b}}} + C\right)\right) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right)}{b} \\ &= \frac{2\left(\frac{B}{\sqrt[3]{-\frac{a}{b}}} + C\right) \tan^{-1}\left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3} b} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.25, size = 288, normalized size = 3.79

$$\frac{\left(-a^{2/3} B - \sqrt[3]{a} \sqrt[3]{b} B \sqrt[3]{-\frac{a}{b}} - 2\sqrt[3]{a} \sqrt[3]{b} C \left(-\frac{a}{b}\right)^{2/3}\right) \log\left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} B \sqrt[3]{-\frac{a}{b}} + 2\sqrt[3]{a} \sqrt[3]{b} C \left(-\frac{a}{b}\right)^{2/3}\right)}{6ab^{2/3}} - \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} + x\right)}{3ab^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(((a/b))^(1/3)*B + 2*((a/b))^(2/3)*C + B*x + C*x^2)/(a - b*x^3), x]

[Out] -(((a^(2/3)*B - a^(1/3)*((a/b))^(1/3)*b^(1/3)*B - 2*a^(1/3)*((a/b))^(2/3)*b^(1/3)*C)*ArcTan[(a^(1/3) + 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a*b^(2/3))) - ((a^(2/3)*B + a^(1/3)*((a/b))^(1/3)*b^(1/3)*B + 2*a^(1/3)*((a/b))^(2/3)*b^(1/3)*C)*Log[a^(1/3) - b^(1/3)*x]/(3*a*b^(2/3)) - (((a^(2/3)*B - a^(1/3)*((a/b))^(1/3)*b^(1/3)*B - 2*a^(1/3)*((a/b))^(2/3)*b^(1/3)*C)

*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a*b^(2/3)) - (C*Log[a - b*x^3])/(3*b)

fricas [B] time = 3.37, size = 459, normalized size = 6.04

$$\frac{C \log\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) - \sqrt{\frac{1}{3}} \sqrt{\frac{2BCb\left(-\frac{a}{b}\right)^{\frac{2}{3}} + B^2b\left(-\frac{a}{b}\right)^{\frac{1}{3}} - C^2a}{a}} \log\left(\frac{C^3a^2 - B^3ab + 2(C^3ab - B^3b^2)x^3 - 3(C^3ab - B^3b^2)x\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 3\sqrt{\frac{1}{3}}(2BCb\left(-\frac{a}{b}\right)^{\frac{2}{3}} + B^2b\left(-\frac{a}{b}\right)^{\frac{1}{3}} - C^2a)}{b}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a),x, algorithm="fricas")

[Out] [-(C*log(x + (-a/b)^(1/3)) - sqrt(1/3)*sqrt((2*B*C*b*(-a/b)^(2/3) + B^2*b*(-a/b)^(1/3) - C^2*a)/a)*log(-(C^3*a^2 - B^3*a*b + 2*(C^3*a*b - B^3*b^2)*x^3 - 3*(C^3*a*b - B^3*b^2)*x*(-a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x - C^2*a^2 + (2*B^2*b^2*x^2 - C^2*a*b*x - B*C*a*b)*(-a/b)^(2/3) - (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(-a/b)^(1/3))*sqrt((2*B*C*b*(-a/b)^(2/3) + B^2*b*(-a/b)^(1/3) - C^2*a)/a))/(b*x^3 - a))/b, -(2*sqrt(1/3)*sqrt(-(2*B*C*b*(-a/b)^(2/3) + B^2*b*(-a/b)^(1/3) - C^2*a)/a)*arctan(-sqrt(1/3)*(2*B^2*b*x + C^2*a + (2*C^2*b*x + B*C*b)*(-a/b)^(2/3) - (2*B*C*b*x + B^2*b)*(-a/b)^(1/3))*sqrt(-(2*B*C*b*(-a/b)^(2/3) + B^2*b*(-a/b)^(1/3) - C^2*a)/a)/(C^3*a - B^3*b)) + C*log(x + (-a/b)^(1/3)))/b]

giac [B] time = 0.21, size = 235, normalized size = 3.09

$$\frac{\left(2Cab - (-a^2b^4)^{\frac{1}{3}}B\right) \log\left(x^2 + x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) \left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(\frac{a}{b}\right)^{\frac{1}{3}} + (-ab^2)^{\frac{1}{3}}Bb + 2(-ab^2)^{\frac{2}{3}}C\right) \left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\frac{C^3a^2 - B^3ab + 2(C^3ab - B^3b^2)x^3 - 3(C^3ab - B^3b^2)x\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 3\sqrt{\frac{1}{3}}(2BCb\left(-\frac{a}{b}\right)^{\frac{2}{3}} + B^2b\left(-\frac{a}{b}\right)^{\frac{1}{3}} - C^2a)}{b}}\right)}{3ab^2 + \sqrt{3}\sqrt{a^2b^4}i}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a),x, algorithm="giac")

[Out] $-(2C*ab - (-a^2*b^4)^{1/3}*B)*\log(x^2 + x*(a/b)^{1/3} + (a/b)^{2/3})/(3*a*b^2 + \sqrt{3}*\sqrt{a^2*b^4}*i) - 1/3*(C*b^2*(a/b)^{2/3} + B*b^2*(a/b)^{1/3}) + (-a*b^2)^{1/3}*B*b + 2*(-a*b^2)^{2/3}*C*(a/b)^{1/3}*\log(\text{abs}(x - (a/b)^{1/3}))/a*b^2 + 1/54*\sqrt{3}*((9*(-a^2*b^4)^{1/3}*a*b^2 + 27^{5/6})*(-a^2*b^4)^{5/6})*B - 18*(a^2*b^3 + \sqrt{3}*\sqrt{a^4*b^6}*i)*C*\arctan(1/3*\sqrt{3}*(2*x + (a/b)^{1/3}))/a*b^4$

maple [B] time = 0.05, size = 345, normalized size = 4.54

$$\frac{\sqrt{3} \left(-\frac{a}{b}\right)^{\frac{1}{3}} B \arctan\left(\frac{\left(\frac{\frac{2x}{\frac{1}{b}}+1\right)\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \sqrt{3} B \arctan\left(\frac{\left(\frac{\frac{2x}{\frac{1}{b}}+1\right)\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \left(-\frac{a}{b}\right)^{\frac{1}{3}} B \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b} - \frac{B \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x)`

[Out] $-2/3*(a/b)^{2/3}/(a/b)^{2/3}*C/b*\ln(x-(a/b)^{1/3})-1/3*b/(a/b)^{2/3}*\ln(x-(a/b)^{1/3})*(-a/b)^{1/3}*B+1/3*(a/b)^{2/3}/(a/b)^{2/3}*C/b*\ln(x^2+(a/b)^{1/3}*x+(a/b)^{2/3})+1/6*b/(a/b)^{2/3}*\ln(x^2+(a/b)^{1/3}*x+(a/b)^{2/3})*(-a/b)^{1/3}*B+2/3*(a/b)^{2/3}/(a/b)^{2/3}*3^{1/2}*C/b*\arctan(1/3*(2/(a/b)^{1/3}*x+1)*3^{1/2})+1/3*b/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*(2/(a/b)^{1/3}*x+1)*3^{1/2})*(-a/b)^{1/3}*B-1/3*B/b/(a/b)^{1/3}*\ln(x-(a/b)^{1/3})+1/6*B/b/(a/b)^{1/3}*\ln(x^2+(a/b)^{1/3}*x+(a/b)^{2/3})-1/3*B*3^{1/2}/b/(a/b)^{1/3}*\arctan(1/3*(2/(a/b)^{1/3}*x+1)*3^{1/2})-1/3*C/b*\ln(b*x^3-a)$

maxima [B] time = 3.01, size = 238, normalized size = 3.13

$$\frac{\sqrt{3}\left(2Ca - \left(6C\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{2}{3}} - 3B\left(\frac{a}{b}\right)^{\frac{2}{3}} + 3B\left(\frac{a}{b}\right)^{\frac{1}{3}}\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \frac{2Ca}{b}\right)b\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} \left(2C\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(((a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x, algorithm="maxima")`

[Out] $-1/9*\sqrt{3}*(2C*a - (6C*(a/b)^{1/3}*(-a/b)^{2/3} - 3*B*(a/b)^{2/3} + 3*B*(a/b)^{1/3}*(-a/b)^{1/3} + 2C*a/b)*b)*\arctan(1/3*\sqrt{3}*(2*x + (a/b)^{1/3}))/a*b^4$

3)) / (a/b)^(1/3)) / (a*b) - 1/6*(2*C*(a/b)^(2/3) - 2*C*(-a/b)^(2/3) - B*(a/b)^(1/3) - B*(-a/b)^(1/3))*log(x^2 + x*(a/b)^(1/3) + (a/b)^(2/3)) / (b*(a/b)^(2/3)) - 1/3*(C*(a/b)^(2/3) + 2*C*(-a/b)^(2/3) + B*(a/b)^(1/3) + B*(-a/b)^(1/3))*log(x - (a/b)^(1/3)) / (b*(a/b)^(2/3))

mupad [B] time = 6.48, size = 456, normalized size = 6.00

$$\sum_{k=1}^3 \ln \left(\frac{B^2 b \left(-\frac{a}{b}\right)^{1/3} - C^2 a + 2 B C b \left(-\frac{a}{b}\right)^{2/3}}{b^3} - \frac{\text{root}\left(27 a^2 b^3 z^3 + 27 C a^2 b^2 z^2 - 18 B C a b^2 z \left(-\frac{a}{b}\right)^{2/3} - 9 B^2 a b^2\right)}{b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x + C*x^2 + B*(-a/b)^(1/3) + 2*C*(-a/b)^(2/3))/(a - b*x^3), x)

[Out] symsum(log((B^2*b*(-a/b)^(1/3) - C^2*a + 2*B*C*b*(-a/b)^(2/3))/b^3 - (root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) - 9*B^2*C*a*b*(-a/b)^(1/3) + 9*C^3*a^2, z, k)*(6*C*a + 9*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) - 9*B^2*C*a*b*(-a/b)^(1/3) + 9*C^3*a^2, z, k)*a*b + 3*B*b*x*(-a/b)^(1/3) + 6*C*b*x*(-a/b)^(2/3)))/b^2 - (x*(2*C^2*(-a/b)^(2/3) - B^2 + B*C*(-a/b)^(1/3)))/b^2)*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) - 9*B^2*C*a*b*(-a/b)^(1/3) + 9*C^3*a^2, z, k), k, 1, 3)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a/b)**(1/3)*B+2*(-a/b)**(2/3)*C+B*x+C*x**2)/(-b*x**3+a), x)

[Out] Timed out

$$3.46 \quad \int \frac{-\sqrt[3]{-\frac{a}{b}} B + 2\left(-\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a + bx^3} dx$$

Optimal. Leaf size=78

$$\frac{2\left(B - C\sqrt[3]{-\frac{a}{b}}\right) \tan^{-1}\left(\frac{\sqrt[3]{-\frac{a}{b}} + 1}{\sqrt{3}}\right)}{\sqrt{3} b \sqrt[3]{-\frac{a}{b}}} + \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b}$$

[Out] C*ln((-a/b)^(1/3)-x)/b+2/3*(B-(-a/b)^(1/3)*C)*arctan(1/3*(1+2*x/(-a/b)^(1/3))*3^(1/2))/(-a/b)^(1/3)/b*3^(1/2)

Rubi [A] time = 0.11, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {1869, 31, 617, 204}

$$\frac{2\left(B - C\sqrt[3]{-\frac{a}{b}}\right) \tan^{-1}\left(\frac{\sqrt[3]{-\frac{a}{b}} + 1}{\sqrt{3}}\right)}{\sqrt{3} b \sqrt[3]{-\frac{a}{b}}} + \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(-((-a/b))^(1/3)*B) + 2*(-(a/b))^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] (2*(B - (-a/b)^(1/3)*C)*ArcTan[(1 + (2*x)/(-a/b)^(1/3))/Sqrt[3]])/(Sqrt[3]*(-a/b)^(1/3)*b) + (C*Log[(-a/b)^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^(1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\int \frac{-\sqrt[3]{-\frac{a}{b}}B + 2\left(-\frac{a}{b}\right)^{2/3}C + Bx + Cx^2}{a + bx^3} dx = -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} - x} dx}{b} + \frac{\left(B - \sqrt[3]{-\frac{a}{b}}C\right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} + \sqrt[3]{-\frac{a}{b}}x + x^2} dx}{b}$$

$$= \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b} - \frac{\left(2\left(B - \sqrt[3]{-\frac{a}{b}}C\right)\right) \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}\right)}{\sqrt[3]{-\frac{a}{b}}b}$$

$$= \frac{2\left(B - \sqrt[3]{-\frac{a}{b}}C\right) \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}}\right)}{\sqrt{3} \sqrt[3]{-\frac{a}{b}}b} + \frac{C \log\left(\sqrt[3]{-\frac{a}{b}} - x\right)}{b}$$

Mathematica [B] time = 0.36, size = 253, normalized size = 3.24

$$\sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \left(B - 2C \sqrt[3]{-\frac{a}{b}} \right) \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) - 2 \sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \left(B - 2C \sqrt[3]{-\frac{a}{b}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(-((-a/b))^(1/3)*B) + 2*(-(a/b))^(2/3)*C + B*x + C*x^2)/(a + b*x^3), x]

[Out] (2*Sqrt[3]*a^(1/3)*b^(1/3)*(a^(1/3)*B + (-a/b)^(1/3)*b^(1/3)*(-B + 2*(-(a/b))^(1/3)*C))*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))] - 2*b^(1/3)*(a^(2/3)*B + a^(1/3)*(-a/b)^(1/3)*b^(1/3)*(B - 2*(-a/b)^(1/3)*C))*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(a^(2/3)*B + a^(1/3)*(-a/b)^(1/3)*b^(1/3)

)*(B - 2*(-(a/b))^(1/3)*C))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 2*a*C*Log[a + b*x^3])/(6*a*b)

fricas [B] time = 3.41, size = 450, normalized size = 5.77

$$\frac{C \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) + \sqrt{\frac{1}{3}} \sqrt{-\frac{2BCb\left(-\frac{a}{b}\right)^{\frac{2}{3}} - B^2b\left(-\frac{a}{b}\right)^{\frac{1}{3}} + C^2a}{a}} \log\left(\frac{C^3a^2 + B^3ab - 2(C^3ab + B^3b^2)x^3 + 3(C^3ab + B^3b^2)x\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 3\sqrt{\frac{1}{3}}(2BCa - B^2b\left(-\frac{a}{b}\right)^{\frac{1}{3}})}{b}}{b}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-(-a/b)^(1/3)*B+2*(-a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a),x, algorithm="fricas")

[Out] [(C*log(x - (-a/b)^(1/3)) + sqrt(1/3)*sqrt(-(2*B*C*b*(-a/b)^(2/3) - B^2*b*(-a/b)^(1/3) + C^2*a)/a)*log(-(C^3*a^2 + B^3*a*b - 2*(C^3*a*b + B^3*b^2)*x^3 + 3*(C^3*a*b + B^3*b^2)*x*(-a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x + C^2*a^2 - (2*B^2*b^2*x^2 + C^2*a*b*x + B*C*a*b)*(-a/b)^(2/3) + (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(-a/b)^(1/3))*sqrt(-(2*B*C*b*(-a/b)^(2/3) - B^2*b*(-a/b)^(1/3) + C^2*a)/a)))/(b*x^3 + a))/b, (2*sqrt(1/3)*sqrt((2*B*C*b*(-a/b)^(2/3) - B^2*b*(-a/b)^(1/3) + C^2*a)/a)*arctan(sqrt(1/3)*(2*B^2*b*x - C^2*a + (2*C^2*b*x + B*C*b)*(-a/b)^(2/3) + (2*B*C*b*x + B^2*b)*(-a/b)^(1/3))*sqrt((2*B*C*b*(-a/b)^(2/3) - B^2*b*(-a/b)^(1/3) + C^2*a)/a)/(C^3*a + B^3*b)) + C*log(x - (-a/b)^(1/3)))/b]

giac [A] time = 0.19, size = 133, normalized size = 1.71

$$\frac{2\sqrt{3}\left(Cab + (-ab^2)^{\frac{2}{3}}B\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^2} \left(Cb^2\left(-\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(-\frac{a}{b}\right)^{\frac{1}{3}} - (-ab^2)^{\frac{1}{3}}Bb + 2(-ab^2)^{\frac{2}{3}}C\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}}}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-(-a/b)^(1/3)*B+2*(-a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a),x, algorithm="giac")

[Out]
$$\frac{-2/3\sqrt{3}(C*a*b + (-a*b^2)^{(2/3)}*B)*\arctan(1/3\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a*b^2) - 1/3*(C*b^2*(-a/b)^{(2/3)} + B*b^2*(-a/b)^{(1/3)} - (-a*b^2)^{(1/3)}*B*b + 2*(-a*b^2)^{(2/3)}*C)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})))/(a*b^2)}$$

maple [B] time = 0.05, size = 340, normalized size = 4.36

$$\frac{\sqrt{3} \left(-\frac{a}{b}\right)^{\frac{1}{3}} B \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{\sqrt{3} B \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} - \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}} B \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{B \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} b} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-(-a/b)^(1/3)*B+2*(-a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a), x)`

[Out]
$$\frac{2/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*C/b*\ln(x+(a/b)^{(1/3)})-1/3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)))*(-a/b)^{(1/3)}*B-1/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*C/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3))}+1/6/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)))*(-a/b)^{(1/3)}*B+2/3*(-a/b)^{(2/3)}/(a/b)^{(2/3)}*3^{(1/2)}*C/b*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*(-a/b)^{(1/3)}*B-1/3/(a/b)^{(1/3)}*B/b*\ln(x+(a/b)^{(1/3)})+1/6/(a/b)^{(1/3)}*B/b*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3))}+1/3*3^{(1/2)}/(a/b)^{(1/3)}*B/b*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3*C/b*\ln(b*x^3+a)}$$

maxima [B] time = 3.03, size = 239, normalized size = 3.06

$$\frac{\sqrt{3} \left(2Ca - \left(6C \left(\frac{a}{b}\right)^{\frac{1}{3}} \left(-\frac{a}{b}\right)^{\frac{2}{3}} + 3B \left(\frac{a}{b}\right)^{\frac{2}{3}} - 3B \left(\frac{a}{b}\right)^{\frac{1}{3}} \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \frac{2Ca}{b}\right)b\right) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab} + \left(2C \left(\frac{a}{b}\right)^{\frac{2}{3}} - 2C \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-(-a/b)^(1/3)*B+2*(-a/b)^(2/3)*C+B*x+C*x^2)/(b*x^3+a), x, algorithm="maxima")`

[Out]
$$\frac{-1/9\sqrt{3}*(2*C*a - (6*C*(a/b)^{(1/3)}*(-a/b)^{(2/3)} + 3*B*(a/b)^{(2/3)} - 3*B*(a/b)^{(1/3)}*(-a/b)^{(1/3)} + 2*C*a/b)*b)*\arctan(1/3\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b) + 1/6*(2*C*(a/b)^{(2/3)} - 2*C*(-a/b)^{(2/3)} + B*(a/b)^{(1/3)})}{9ab}$$

$$\left(\frac{1}{3} + B(-a/b)^{1/3}\right) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) / (b(a/b)^{2/3}) + 1/3(C(a/b)^{2/3} + 2C(-a/b)^{2/3} - B(a/b)^{1/3} - B(-a/b)^{1/3}) \log(x + (a/b)^{1/3}) / (b(a/b)^{2/3})$$

mupad [B] time = 6.05, size = 453, normalized size = 5.81

$$\sum_{k=1}^3 \ln \left(\frac{C^2 a - B^2 b \left(-\frac{a}{b}\right)^{1/3} + 2 B C b \left(-\frac{a}{b}\right)^{2/3}}{b^3} - \frac{\text{root}\left(27 a^2 b^3 z^3 - 27 C a^2 b^2 z^2 + 18 B C a b^2 z \left(-\frac{a}{b}\right)^{2/3} - 9 B^2 a b^2 z\right)}{b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x + C*x^2 - B*(-a/b)^(1/3) + 2*C*(-a/b)^(2/3))/(a + b*x^3), x)

[Out] symsum(log((C^2*a - B^2*b*(-a/b)^(1/3) + 2*B*C*b*(-a/b)^(2/3))/b^3 - (root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) + 9*B^2*C*a*b*(-a/b)^(1/3) - 9*C^3*a^2, z, k)*(6*C*a - 9*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) + 9*B^2*C*a*b*(-a/b)^(1/3) - 9*C^3*a^2, z, k))*a*b + 3*B*b*x*(-a/b)^(1/3) - 6*C*b*x*(-a/b)^(2/3)))/b^2 + (x*(B^2 - 2*C^2*(-a/b)^(2/3) + B*C*(-a/b)^(1/3)))/b^2)*root(27*a^2*b^3*z^3 - 27*C*a^2*b^2*z^2 + 18*B*C*a*b^2*z*(-a/b)^(2/3) - 9*B^2*a*b^2*z*(-a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(-a/b)^(2/3) + 9*B^2*C*a*b*(-a/b)^(1/3) - 9*C^3*a^2, z, k), k, 1, 3)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-(-a/b)**(1/3)*B+2*(-a/b)**(2/3)*C+B*x+C*x**2)/(b*x**3+a), x)

[Out] Timed out

$$3.47 \quad \int \frac{-\sqrt[3]{\frac{a}{b}} B + 2\left(\frac{a}{b}\right)^{2/3} C + Bx + Cx^2}{a - bx^3} dx$$

Optimal. Leaf size=75

$$\frac{2\left(\frac{a}{b}\right)^{2/3} \left(B - C\sqrt[3]{\frac{a}{b}}\right) \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}}\right)}{\sqrt{3}a} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

[Out] $-C \ln\left(\left(\frac{a}{b}\right)^{1/3} - x\right)/b - 2/3 \cdot \left(\frac{a}{b}\right)^{2/3} \cdot \left(B - \left(\frac{a}{b}\right)^{1/3} \cdot C\right) \cdot \arctan\left(\frac{1 + 2x/\sqrt[3]{a/b}}{\sqrt{3}}\right) / \left(\sqrt[3]{a/b} \cdot 3^{1/2}\right) / a \cdot 3^{1/2}$

Rubi [A] time = 0.10, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 44, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1869, 31, 617, 204}

$$\frac{2\left(\frac{a}{b}\right)^{2/3} \left(B - C\sqrt[3]{\frac{a}{b}}\right) \tan^{-1}\left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}}\right)}{\sqrt{3}a} - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}\left[\left(-\left(\frac{a}{b}\right)^{1/3} \cdot B\right) + 2 \cdot \left(\frac{a}{b}\right)^{2/3} \cdot C + Bx + Cx^2\right] / \left(a - b \cdot x^3\right), x]$

[Out] $\left(-2 \cdot \left(\frac{a}{b}\right)^{2/3} \cdot \left(B - \left(\frac{a}{b}\right)^{1/3} \cdot C\right) \cdot \text{ArcTan}\left[\frac{1 + (2x)/\sqrt[3]{a/b}}{\sqrt{3}}\right] / \left(\sqrt{3} \cdot a\right) - \left(C \cdot \text{Log}\left[\left(\frac{a}{b}\right)^{1/3} - x\right]\right) / b\right)$

Rule 31

$\text{Int}\left[\left(\left(a_{_}\right) + \left(b_{_}\right) \cdot \left(x_{_}\right)^{-1}\right), x_{\text{Symbol}}\right] \text{ :> } \text{Simp}\left[\text{Log}\left[\text{RemoveContent}\left[a + b \cdot x, x\right]\right] / b, x\right] \text{ /; FreeQ}\left[\{a, b\}, x\right]$

Rule 204

$\text{Int}\left[\left(\left(a_{_}\right) + \left(b_{_}\right) \cdot \left(x_{_}\right)^2\right)^{-1}, x_{\text{Symbol}}\right] \text{ :> } -\text{Simp}\left[\text{ArcTan}\left[\text{Rt}\left[-b, 2\right] \cdot x\right] / \text{Rt}\left[-a, 2\right]\right] / \left(\text{Rt}\left[-a, 2\right] \cdot \text{Rt}\left[-b, 2\right]\right), x] \text{ /; FreeQ}\left[\{a, b\}, x\right] \ \&\& \ \text{PosQ}\left[a/b\right] \ \&\& \ \left(\text{LtQ}\left[a, 0\right] \ \|\ \text{LtQ}\left[b, 0\right]\right)$

Rule 617

$\text{Int}\left[\left(\left(a_{_}\right) + \left(b_{_}\right) \cdot \left(x_{_}\right) + \left(c_{_}\right) \cdot \left(x_{_}\right)^2\right)^{-1}, x_{\text{Symbol}}\right] \text{ :> } \text{With}\left[\{q = 1 - 4 \cdot \text{Simplify}\left[\left(a \cdot c\right) / b^2\right]\}, \text{Dist}\left[-2/b, \text{Subst}\left[\text{Int}\left[1/\left(q - x^2\right)\right], x\right], x, 1 + \left(2 \cdot c \cdot x\right) / b\right]\right)$

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{-\sqrt[3]{\frac{a}{b}}B + 2\left(\frac{a}{b}\right)^{2/3}C + Bx + Cx^2}{a - bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} - x} dx}{b} - \frac{\left(B - \sqrt[3]{\frac{a}{b}}C\right) \int \frac{1}{\left(\frac{a}{b}\right)^{2/3} + \sqrt[3]{\frac{a}{b}}x + x^2} dx}{b} \\ &= -\frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} + \left(2\left(\frac{a}{b}\right)^{2/3}\frac{B}{a} - \frac{C}{b}\right) \text{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}\right) \\ &= -\frac{2\left(\frac{a}{b}\right)^{2/3}\frac{B}{a} - \frac{C}{b}}{\sqrt{3}} \tan^{-1}\left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}}\right) - \frac{C \log\left(\sqrt[3]{\frac{a}{b}} - x\right)}{b} \end{aligned}$$

Mathematica [B] time = 0.32, size = 244, normalized size = 3.25

$$\sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(2C \sqrt[3]{\frac{a}{b}} - B \right) \right) \log \left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) - 2 \sqrt[3]{b} \left(a^{2/3} B + \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \left(2C \sqrt[3]{\frac{a}{b}} - B \right) \right) \log \left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)$$

6ab

Antiderivative was successfully verified.

[In] Integrate[(-(a/b)^(1/3)*B) + 2*(a/b)^(2/3)*C + B*x + C*x^2)/(a - b*x^3), x]

[Out] (-2*Sqrt[3]*a^(1/3)*b^(1/3)*(a^(1/3)*B + (a/b)^(1/3)*b^(1/3)*(B - 2*(a/b)^(1/3)*C))*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*b^(1/3)*(a^(2/3)*B + a^(1/3)*(a/b)^(1/3)*b^(1/3)*(-B + 2*(a/b)^(1/3)*C))*Log[a^(1/3) - b^(1/3)*x] + b^(1/3)*(a^(2/3)*B + a^(1/3)*(a/b)^(1/3)*b^(1/3)*(-B + 2*(a/b)^(1/3)*C))*Log[a^(1/3) - b^(1/3)*x]

*C))*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*a*C*Log[a - b*x^3])
/(6*a*b)

fricas [B] time = 3.20, size = 450, normalized size = 6.00

$$\left[\frac{C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - \sqrt{\frac{1}{3}} \sqrt{\frac{2BCb\left(\frac{a}{b}\right)^{\frac{2}{3}} - B^2b\left(\frac{a}{b}\right)^{\frac{1}{3}} - C^2a}{a}} \log\left(\frac{C^3a^2 - B^3ab + 2(C^3ab - B^3b^2)x^3 - 3(C^3ab - B^3b^2)x\left(\frac{a}{b}\right)^{\frac{2}{3}} + 3\sqrt{\frac{1}{3}}(2BCabx^2 - B^2b^2x - C^2a)}{b}\right)}{b}\right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a),x, algorithm="fricas")

[Out] [-(C*log(x - (a/b)^(1/3)) - sqrt(1/3)*sqrt((2*B*C*b*(a/b)^(2/3) - B^2*b*(a/b)^(1/3) - C^2*a)/a)*log(-(C^3*a^2 - B^3*a*b + 2*(C^3*a*b - B^3*b^2)*x^3 - 3*(C^3*a*b - B^3*b^2)*x*(a/b)^(2/3) + 3*sqrt(1/3)*(2*B*C*a*b*x^2 - B^2*a*b*x - C^2*a^2 + (2*B^2*b^2*x^2 - C^2*a*b*x - B*C*a*b)*(a/b)^(2/3) + (2*C^2*a*b*x^2 - B*C*a*b*x - B^2*a*b)*(a/b)^(1/3))*sqrt((2*B*C*b*(a/b)^(2/3) - B^2*b*(a/b)^(1/3) - C^2*a)/a))/(b*x^3 - a))/b, -(2*sqrt(1/3)*sqrt(-(2*B*C*b*(a/b)^(2/3) - B^2*b*(a/b)^(1/3) - C^2*a)/a)*arctan(-sqrt(1/3)*(2*B^2*b*x + C^2*a + (2*C^2*b*x + B*C*b)*(a/b)^(2/3) + (2*B*C*b*x + B^2*b)*(a/b)^(1/3))*sqrt(-(2*B*C*b*(a/b)^(2/3) - B^2*b*(a/b)^(1/3) - C^2*a)/a)/(C^3*a - B^3*b)) + C*log(x - (a/b)^(1/3)))/b]

giac [A] time = 0.18, size = 125, normalized size = 1.67

$$\frac{2\sqrt{3}\left(Cab - (ab^2)^{\frac{2}{3}}B\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^2} + \frac{\left(Cb^2\left(\frac{a}{b}\right)^{\frac{2}{3}} + Bb^2\left(\frac{a}{b}\right)^{\frac{1}{3}} - (ab^2)^{\frac{1}{3}}Bb + 2(ab^2)^{\frac{2}{3}}C\right)\left(\frac{a}{b}\right)^{\frac{1}{3}}\log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a),x, algorithm="giac")

[Out] $\frac{2\sqrt{3}\text{arctan}\left(\frac{\left(\frac{2x}{\frac{1}{3}}+1\right)\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{1}{3}\frac{C\sqrt{3}\text{arctan}\left(\frac{\left(\frac{2x}{\frac{1}{3}}+1\right)\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{b} + \frac{2C\ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} - \frac{2C\ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} + \frac{C\ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b}$

maple [A] time = 0.05, size = 124, normalized size = 1.65

$$\frac{2\sqrt{3} B \arctan\left(\frac{\left(\frac{2x}{\frac{1}{3}}+1\right)\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{2\sqrt{3} C \arctan\left(\frac{\left(\frac{2x}{\frac{1}{3}}+1\right)\sqrt{3}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{2C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} + \frac{C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} - \frac{C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x)`

[Out] $-2/3*C/b*\ln(x - (a/b)^{1/3}) + 1/3*C/b*\ln(x^2 + (a/b)^{1/3}*x + (a/b)^{2/3}) + 2/3*3^{1/2}*C/b*\arctan(1/3*(2/(a/b)^{1/3}*x+1)*3^{1/2}) - 2/3*3^{1/2}/(a/b)^{1/3}*B/b*\arctan(1/3*(2/(a/b)^{1/3}*x+1)*3^{1/2}) - 1/3*C/b*\ln(b*x^3-a)$

maxima [A] time = 3.14, size = 78, normalized size = 1.04

$$\frac{C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b} - \frac{2\sqrt{3}\left(Ca + \left(3B\left(\frac{a}{b}\right)^{\frac{2}{3}} - \frac{4Ca}{b}\right)b\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a/b)^(1/3)*B+2*(a/b)^(2/3)*C+B*x+C*x^2)/(-b*x^3+a), x, algorithm="maxima")`

[Out] $-C*\log(x - (a/b)^{1/3})/b - 2/9*\sqrt{3}*(C*a + (3*B*(a/b)^{2/3} - 4*C*a/b)*b)*\arctan(1/3*\sqrt{3}*(2*x + (a/b)^{1/3})/(a/b)^{1/3})/(a*b)$

mupad [B] time = 6.36, size = 435, normalized size = 5.80

$$\sum_{k=1}^3 \ln\left(\frac{C^2 a + B^2 b \left(\frac{a}{b}\right)^{1/3} - 2 B C b \left(\frac{a}{b}\right)^{2/3}}{b^3} - \frac{\text{root}\left(27 a^2 b^3 z^3 + 27 C a^2 b^2 z^2 - 18 B C a b^2 z \left(\frac{a}{b}\right)^{2/3} + 9 B^2 a b^2 z \left(\frac{a}{b}\right)^{1/3} - C^2\right)}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x + C*x^2 - B*(a/b)^(1/3) + 2*C*(a/b)^(2/3))/(a - b*x^3),x)`

[Out] `symsum(log((x*(B^2 - 2*C^2*(a/b)^(2/3) + B*C*(a/b)^(1/3)))/b^2 - (root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^(2/3) + 9*B^2*C*a*b*(a/b)^(1/3) + 9*C^3*a^2, z, k)*(6*C*a + 9*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^(2/3) + 9*B^2*C*a*b*(a/b)^(1/3) + 9*C^3*a^2, z, k))*a*b - 3*B*b*x*(a/b)^(1/3) + 6*C*b*x*(a/b)^(2/3)))/b^2 - (C^2*a + B^2*b*(a/b)^(1/3) - 2*B*C*b*(a/b)^(2/3))/b^3)*root(27*a^2*b^3*z^3 + 27*C*a^2*b^2*z^2 - 18*B*C*a*b^2*z*(a/b)^(2/3) + 9*B^2*a*b^2*z*(a/b)^(1/3) + 9*C^2*a^2*b*z - 18*B*C^2*a*b*(a/b)^(2/3) + 9*B^2*C*a*b*(a/b)^(1/3) + 9*C^3*a^2, z, k), k, 1, 3)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a/b)**(1/3)*B+2*(a/b)**(2/3)*C+B*x+C*x**2)/(-b*x**3+a),x)`

[Out] Timed out

$$3.48 \quad \int \frac{a+ax+cx^2}{1-x^3} dx$$

Optimal. Leaf size=32

$$\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(1-x)$$

[Out] -1/3*(2*a+c)*ln(1-x)+1/3*(a-c)*ln(x^2+x+1)

Rubi [A] time = 0.03, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1875, 31, 628}

$$\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(a + a*x + c*x^2)/(1 - x^3),x]

[Out] -((2*a + c)*Log[1 - x])/3 + ((a - c)*Log[1 + x + x^2])/3

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1875

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (-a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]

Rubi steps

$$\int \frac{a + ax + cx^2}{1 - x^3} dx = \frac{1}{3} \int \frac{a - c + (2a - 2c)x}{1 + x + x^2} dx + \frac{1}{3}(2a + c) \int \frac{1}{1 - x} dx$$

$$= -\frac{1}{3}(2a + c) \log(1 - x) + \frac{1}{3}(a - c) \log(1 + x + x^2)$$

Mathematica [A] time = 0.01, size = 31, normalized size = 0.97

$$\frac{1}{3} \left((a - c) \log(x^2 + x + 1) - (2a + c) \log(1 - x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*x + c*x^2)/(1 - x^3), x]

[Out] (-((2*a + c)*Log[1 - x]) + (a - c)*Log[1 + x + x^2])/3

fricas [A] time = 0.59, size = 26, normalized size = 0.81

$$\frac{1}{3} (a - c) \log(x^2 + x + 1) - \frac{1}{3} (2a + c) \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a*x+a)/(-x^3+1), x, algorithm="fricas")

[Out] 1/3*(a - c)*log(x^2 + x + 1) - 1/3*(2*a + c)*log(x - 1)

giac [A] time = 0.15, size = 27, normalized size = 0.84

$$\frac{1}{3} (a - c) \log(x^2 + x + 1) - \frac{1}{3} (2a + c) \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a*x+a)/(-x^3+1), x, algorithm="giac")

[Out] 1/3*(a - c)*log(x^2 + x + 1) - 1/3*(2*a + c)*log(abs(x - 1))

maple [A] time = 0.05, size = 36, normalized size = 1.12

$$-\frac{2a \ln(x - 1)}{3} + \frac{a \ln(x^2 + x + 1)}{3} - \frac{c \ln(x - 1)}{3} - \frac{c \ln(x^2 + x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+a*x+a)/(-x^3+1),x)`

[Out] `-1/3*ln(x-1)*c-2/3*ln(x-1)*a+1/3*ln(x^2+x+1)*a-1/3*ln(x^2+x+1)*c`

maxima [A] time = 2.97, size = 26, normalized size = 0.81

$$\frac{1}{3}(a-c)\log(x^2+x+1) - \frac{1}{3}(2a+c)\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a*x+a)/(-x^3+1),x, algorithm="maxima")`

[Out] `1/3*(a - c)*log(x^2 + x + 1) - 1/3*(2*a + c)*log(x - 1)`

mupad [B] time = 4.78, size = 35, normalized size = 1.09

$$\frac{a \ln(x^2 + x + 1)}{3} - \frac{c \ln(x - 1)}{3} - \frac{2a \ln(x - 1)}{3} - \frac{c \ln(x^2 + x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(a + a*x + c*x^2)/(x^3 - 1),x)`

[Out] `(a*log(x + x^2 + 1))/3 - (c*log(x - 1))/3 - (2*a*log(x - 1))/3 - (c*log(x + x^2 + 1))/3`

sympy [A] time = 0.87, size = 24, normalized size = 0.75

$$\frac{(a-c)\log(x^2+x+1)}{3} - \frac{(2a+c)\log(x-1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a*x+a)/(-x**3+1),x)`

[Out] `(a - c)*log(x**2 + x + 1)/3 - (2*a + c)*log(x - 1)/3`

$$3.49 \quad \int \frac{a+bx+cx^2}{1-x^3} dx$$

Optimal. Leaf size=55

$$\frac{1}{6} \log(x^2 + x + 1)(a + b - 2c) - \frac{1}{3} \log(1 - x)(a + b + c) + \frac{(a - b) \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-1/3*(a+b+c)*\ln(1-x)+1/6*(a+b-2*c)*\ln(x^2+x+1)+1/3*(a-b)*\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1875, 31, 634, 618, 204, 628}

$$\frac{1}{6} \log(x^2 + x + 1)(a + b - 2c) - \frac{1}{3} \log(1 - x)(a + b + c) + \frac{(a - b) \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(1 - x^3), x]

[Out] $((a - b)*\text{ArcTan}[(1 + 2*x)/\text{Sqrt}[3]])/\text{Sqrt}[3] - ((a + b + c)*\text{Log}[1 - x])/3 + ((a + b - 2*c)*\text{Log}[1 + x + x^2])/6$

Rule 31

Int[((a_) + (b_.)*(x_)^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1875

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = -(a/b)^(1/3)}, Dist[(q*(A + B
*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q
- C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 -
b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x,
2] && LtQ[a/b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{1 - x^3} dx &= \frac{1}{3} \int \frac{2a - b - c + (a + b - 2c)x}{1 + x + x^2} dx + \frac{1}{3}(a + b + c) \int \frac{1}{1 - x} dx \\ &= -\frac{1}{3}(a + b + c) \log(1 - x) + \frac{1}{2}(a - b) \int \frac{1}{1 + x + x^2} dx + \frac{1}{6}(a + b - 2c) \int \frac{1 + 2x}{1 + x + x^2} dx \\ &= -\frac{1}{3}(a + b + c) \log(1 - x) + \frac{1}{6}(a + b - 2c) \log(1 + x + x^2) + (-a + b) \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, \right. \\ &\quad \left. \frac{(a - b) \tan^{-1} \left(\frac{1 + 2x}{\sqrt{3}} \right)}{\sqrt{3}} - \frac{1}{3}(a + b + c) \log(1 - x) + \frac{1}{6}(a + b - 2c) \log(1 + x + x^2) \right) \end{aligned}$$

Mathematica [A] time = 0.04, size = 62, normalized size = 1.13

$$\frac{1}{6} \left((a + b) \log(x^2 + x + 1) - 2(a + b) \log(1 - x) + 2\sqrt{3}(a - b) \tan^{-1} \left(\frac{2x + 1}{\sqrt{3}} \right) - 2c \log(1 - x^3) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x + c*x^2)/(1 - x^3), x]
```

[Out] $(2\sqrt{3}(a-b)\text{ArcTan}[(1+2x)/\sqrt{3}] - 2(a+b)\text{Log}[1-x] + (a+b)\text{Log}[1+x+x^2] - 2c\text{Log}[1-x^3])/6$

fricas [A] time = 0.88, size = 47, normalized size = 0.85

$$\frac{1}{3}\sqrt{3}(a-b)\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) + \frac{1}{6}(a+b-2c)\log(x^2+x+1) - \frac{1}{3}(a+b+c)\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(-x^3+1),x, algorithm="fricas")`

[Out] $1/3*\text{sqrt}(3)*(a-b)*\arctan(1/3*\text{sqrt}(3)*(2*x+1)) + 1/6*(a+b-2*c)*\log(x^2+x+1) - 1/3*(a+b+c)*\log(x-1)$

giac [A] time = 0.17, size = 52, normalized size = 0.95

$$\frac{1}{3}(\sqrt{3}a - \sqrt{3}b)\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) + \frac{1}{6}(a+b-2c)\log(x^2+x+1) - \frac{1}{3}(a+b+c)\log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(-x^3+1),x, algorithm="giac")`

[Out] $1/3*(\text{sqrt}(3)*a - \text{sqrt}(3)*b)*\arctan(1/3*\text{sqrt}(3)*(2*x+1)) + 1/6*(a+b-2*c)*\log(x^2+x+1) - 1/3*(a+b+c)*\log(\text{abs}(x-1))$

maple [A] time = 0.05, size = 87, normalized size = 1.58

$$\frac{\sqrt{3} a \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \frac{a \ln(x-1)}{3} + \frac{a \ln(x^2+x+1)}{6} - \frac{\sqrt{3} b \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \frac{b \ln(x-1)}{3} + \frac{b \ln(x^2+x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/(-x^3+1),x)`

[Out] $-1/3*c*\ln(x-1) - 1/3*\ln(x-1)*b - 1/3*a*\ln(x-1) + 1/6*a*\ln(x^2+x+1) + 1/6*\ln(x^2+x+1)*b - 1/3*c*\ln(x^2+x+1) + 1/3*3^{(1/2)}*\arctan(1/3*(2*x+1)*3^{(1/2)})*a - 1/3*3^{(1/2)}*\arctan(1/3*(2*x+1)*3^{(1/2)})*b$

maxima [A] time = 2.99, size = 47, normalized size = 0.85

$$\frac{1}{3}\sqrt{3}(a-b)\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) + \frac{1}{6}(a+b-2c)\log(x^2+x+1) - \frac{1}{3}(a+b+c)\log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(-x^3+1),x, algorithm="maxima")

[Out] $\frac{1}{3}\sqrt{3}(a-b)\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) + \frac{1}{6}(a+b-2c)\log(x^2+x+1) - \frac{1}{3}(a+b+c)\log(x-1)$

mupad [B] time = 4.95, size = 87, normalized size = 1.58

$$\ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(\frac{a}{6} + \frac{b}{6} - \frac{c}{3} - \frac{\sqrt{3}a1i}{6} + \frac{\sqrt{3}b1i}{6}\right) + \ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{a}{6} + \frac{b}{6} - \frac{c}{3} + \frac{\sqrt{3}a1i}{6} - \frac{\sqrt{3}b1i}{6}\right) - \ln(x-1)\left(\frac{a}{3} + \frac{b}{3} + \frac{c}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(a + b*x + c*x^2)/(x^3 - 1),x)

[Out] $\log(x - (3^{1/2}*1i)/2 + 1/2)*(a/6 + b/6 - c/3 - (3^{1/2}*a*1i)/6 + (3^{1/2}*b*1i)/6) + \log(x + (3^{1/2}*1i)/2 + 1/2)*(a/6 + b/6 - c/3 + (3^{1/2}*a*1i)/6 - (3^{1/2}*b*1i)/6) - \log(x-1)*(a/3 + b/3 + c/3)$

sympy [C] time = 1.89, size = 323, normalized size = 5.87

$$-\frac{(a+b+c)\log\left(x + \frac{a^2c - a^2(a+b+c) - 2ab^2 + bc^2 - 2bc(a+b+c) + b(a+b+c)^2}{a^3 - b^3}\right)}{3} - \left(-\frac{a}{6} - \frac{b}{6} + \frac{c}{3} - \frac{\sqrt{3}i(a-b)}{6}\right)\log\left(x + \frac{a^2c - 3a^2}{a^3 - b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)/(-x**3+1),x)

[Out] $-(a+b+c)\log(x + (a**2*c - a**2*(a+b+c) - 2*a*b**2 + b*c**2 - 2*b*c*(a+b+c) + b*(a+b+c)**2)/(a**3 - b**3))/3 - (-a/6 - b/6 + c/3 - \sqrt{3}*I*(a-b)/6)*\log(x + (a**2*c - 3*a**2*(-a/6 - b/6 + c/3 - \sqrt{3}*I*(a-b)/6) - 2*a*b**2 + b*c**2 - 6*b*c*(-a/6 - b/6 + c/3 - \sqrt{3}*I*(a-b)/6) + 9*b*(-a/6 - b/6 + c/3 - \sqrt{3}*I*(a-b)/6)**2)/(a**3 - b**3)) - (-a/6 - b/6 + c/3 + \sqrt{3}*I*(a-b)/6)*\log(x + (a**2*c - 3*a**2*(-a/6 - b/6 + c/3 + \sqrt{3}*I*(a-b)/6) - 2*a*b**2 + b*c**2 - 6*b*c*(-a/6 - b/6 + c/3 + \sqrt{3}*I*(a-b)/6) + 9*b*(-a/6 - b/6 + c/3 + \sqrt{3}*I*(a-b)/6)**2)/(a**3 - b**3))$

$$3.50 \quad \int \frac{1+x+x^2}{1-x^3} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

[Out] $-\ln(1-x)$

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1+x+x^2)/(1-x^3), x]$

[Out] $-\text{Log}[1-x]$

Rule 31

$\text{Int}[(a_ + (b_ \cdot)(x_))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 1586

$\text{Int}[(u_ \cdot)(P_x)^{(p_)} \cdot (Q_x)^{(q_)}], x_Symbol] \rightarrow \text{Int}[u \cdot \text{PolynomialQuotient}[P_x, Q_x, x]^p \cdot Q_x^{(p+q)}, x] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ \text{PolyQ}[Q_x, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[P_x, Q_x, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p \cdot q, 0]$

Rubi steps

$$\int \frac{1+x+x^2}{1-x^3} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(1+x+x^2)/(1-x^3), x]$

[Out] $-\text{Log}[1 - x]$

fricas [A] time = 0.78, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2+x+1)/(-x^3+1),x, algorithm="fricas")`

[Out] $-\log(x - 1)$

giac [A] time = 0.15, size = 7, normalized size = 0.88

$$-\log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2+x+1)/(-x^3+1),x, algorithm="giac")`

[Out] $-\log(\text{abs}(x - 1))$

maple [A] time = 0.05, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2+x+1)/(-x^3+1),x)`

[Out] $-\ln(x-1)$

maxima [A] time = 1.27, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2+x+1)/(-x^3+1),x, algorithm="maxima")`

[Out] $-\log(x - 1)$

mupad [B] time = 0.02, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x + x^2 + 1)/(x^3 - 1),x)`

[Out] $-\log(x - 1)$

sympy [A] time = 0.13, size = 5, normalized size = 0.62

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**2+x+1)/(-x**3+1),x)`

[Out] $-\log(x - 1)$

$$3.51 \quad \int \frac{1-x+3x^2}{1-x^3} dx$$

Optimal. Leaf size=30

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x^3)$$

[Out] $-\ln(-x^3+1)+2/3*\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1871, 1586, 618, 204, 260}

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x^3)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1-x+3*x^2)/(1-x^3),x]$

[Out] $(2*\text{ArcTan}[(1+2*x)/\text{Sqrt}[3]])/\text{Sqrt}[3] - \text{Log}[1-x^3]$

Rule 204

$\text{Int}[(a_+ + (b_+)(x_+)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 260

$\text{Int}[(x_+)^{(m_+)} / ((a_+ + (b_+)(x_+)^n)), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]] / (b*n), x] /; \text{FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n-1]$

Rule 618

$\text{Int}[(a_+ + (b_+)(x_+) + (c_+)(x_+)^2)^{-1}, x_Symbol] \rightarrow \text{Dist}[-2, \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1586

$\text{Int}[(u_+)(P_x_+)^{(p_+)}(Q_x_+)^{(q_+)}, x_Symbol] \rightarrow \text{Int}[u*\text{PolynomialQuotient}[P_x, Q_x, x]^p * Q_x^{(p+q)}, x] /; \text{FreeQ}[q, x] \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ \text{PolyQ}[Q_x, x] \ \&\& \ \text{EqQ}[\text{PolynomialRemainder}[P_x, Q_x, x], 0] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{LtQ}[p*q, 0]$

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{1-x+3x^2}{1-x^3} dx &= 3 \int \frac{x^2}{1-x^3} dx + \int \frac{1-x}{1-x^3} dx \\ &= -\log(1-x^3) + \int \frac{1}{1+x+x^2} dx \\ &= -\log(1-x^3) - 2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right) \\ &= \frac{2 \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x^3) \end{aligned}$$

Mathematica [A] time = 0.01, size = 30, normalized size = 1.00

$$\frac{2 \tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x^3)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x + 3*x^2)/(1 - x^3), x]

[Out] (2*ArcTan[(1 + 2*x)/Sqrt[3]])/Sqrt[3] - Log[1 - x^3]

fricas [A] time = 0.86, size = 32, normalized size = 1.07

$$\frac{2}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x+1)\right) - \log(x^2 + x + 1) - \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2-x+1)/(-x^3+1),x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - log(x^2 + x + 1) - log(x - 1)

giac [A] time = 0.16, size = 33, normalized size = 1.10

$$\frac{2}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \log(x^2+x+1) - \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2-x+1)/(-x^3+1),x, algorithm="giac")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - log(x^2 + x + 1) - log(abs(x - 1))

maple [A] time = 0.05, size = 33, normalized size = 1.10

$$\frac{2\sqrt{3}\arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \ln(x-1) - \ln(x^2+x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2-x+1)/(-x^3+1),x)

[Out] -ln(x-1)-ln(x^2+x+1)+2/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.96, size = 32, normalized size = 1.07

$$\frac{2}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2-x+1)/(-x^3+1),x, algorithm="maxima")

[Out] 2/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - log(x^2 + x + 1) - log(x - 1)

mupad [B] time = 4.93, size = 63, normalized size = 2.10

$$-\ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right) - \ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - \ln(x-1) - \frac{\sqrt{3}\ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)1i}{3} + \frac{\sqrt{3}\ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)1i}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(3*x^2 - x + 1)/(x^3 - 1),x)

[Out] (3^(1/2)*log(x + (3^(1/2)*1i)/2 + 1/2)*1i)/3 - log(x + (3^(1/2)*1i)/2 + 1/2) - log(x - 1) - (3^(1/2)*log(x - (3^(1/2)*1i)/2 + 1/2)*1i)/3 - log(x - (3^(1/2)*1i)/2 + 1/2)

sympy [A] time = 0.34, size = 5, normalized size = 0.17

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2-x+1)/(-x**3+1),x)

[Out] -log(x - 1)

$$3.52 \quad \int \frac{1+x+4x^2}{1-x^3} dx$$

Optimal. Leaf size=18

$$-\log(x^2 + x + 1) - 2\log(1 - x)$$

[Out] $-2*\ln(1-x)-\ln(x^2+x+1)$

Rubi [A] time = 0.02, antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1875, 31, 628}

$$-\log(x^2 + x + 1) - 2\log(1 - x)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + x + 4*x^2)/(1 - x^3), x]$

[Out] $-2*\text{Log}[1 - x] - \text{Log}[1 + x + x^2]$

Rule 31

$\text{Int}[(a_ + (b_ .)*(x_))^{(-1)}, x_Symbol] :> \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 628

$\text{Int}[(d_ + (e_ .)*(x_))/((a_ .) + (b_ .)*(x_) + (c_ .)*(x_)^2), x_Symbol] :> \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 1875

$\text{Int}[(P2_)/((a_) + (b_ .)*(x_)^3), x_Symbol] :> \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2], q = (-a/b)^{(1/3)}\}, \text{Dist}[(q*(A + B*q + C*q^2))/(3*a), \text{Int}[1/(q - x), x], x] + \text{Dist}[q/(3*a), \text{Int}[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{NeQ}[A + B*q + C*q^2, 0] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2] \ \&\& \ \text{LtQ}[a/b, 0]$

Rubi steps

$$\int \frac{1+x+4x^2}{1-x^3} dx = \frac{1}{3} \int \frac{-3-6x}{1+x+x^2} dx + 2 \int \frac{1}{1-x} dx$$

$$= -2 \log(1-x) - \log(1+x+x^2)$$

Mathematica [A] time = 0.01, size = 18, normalized size = 1.00

$$-\log(x^2 + x + 1) - 2 \log(1 - x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + 4*x^2)/(1 - x^3), x]

[Out] -2*Log[1 - x] - Log[1 + x + x^2]

fricas [A] time = 0.79, size = 16, normalized size = 0.89

$$-\log(x^2 + x + 1) - 2 \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+x+1)/(-x^3+1),x, algorithm="fricas")

[Out] -log(x^2 + x + 1) - 2*log(x - 1)

giac [A] time = 0.15, size = 17, normalized size = 0.94

$$-\log(x^2 + x + 1) - 2 \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+x+1)/(-x^3+1),x, algorithm="giac")

[Out] -log(x^2 + x + 1) - 2*log(abs(x - 1))

maple [A] time = 0.05, size = 17, normalized size = 0.94

$$-2 \ln(x - 1) - \ln(x^2 + x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2+x+1)/(-x^3+1), x)

[Out] -2*ln(x-1)-ln(x^2+x+1)

maxima [A] time = 2.93, size = 16, normalized size = 0.89

$$-\log(x^2 + x + 1) - 2 \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+x+1)/(-x^3+1),x, algorithm="maxima")

[Out] -log(x^2 + x + 1) - 2*log(x - 1)

mupad [B] time = 0.04, size = 16, normalized size = 0.89

$$-\ln(x^2 + x + 1) - 2 \ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x + 4*x^2 + 1)/(x^3 - 1),x)

[Out] -log(x + x^2 + 1) - 2*log(x - 1)

sympy [A] time = 0.16, size = 15, normalized size = 0.83

$$-2 \log(x - 1) - \log(x^2 + x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x**2+x+1)/(-x**3+1),x)

[Out] -2*log(x - 1) - log(x**2 + x + 1)

3.53 $\int (a + bx^3)^3 (ac + adx + bcx^3 + bdx^4) dx$

Optimal. Leaf size=113

$$a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

[Out] $a^4c*x + 1/2*a^4*d*x^2 + a^3*b*c*x^4 + 4/5*a^3*b*d*x^5 + 6/7*a^2*b^2*c*x^7 + 3/4*a^2*b^2*d*x^8 + 2/5*a*b^3*c*x^{10} + 4/11*a*b^3*d*x^{11} + 1/13*b^4*c*x^{13} + 1/14*b^4*d*x^{14}$

Rubi [A] time = 0.10, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$, Rules used = {1850}

$$\frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + a^4cx + \frac{1}{2}a^4dx^2 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^3*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $a^4c*x + (a^4*d*x^2)/2 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a*b^3*c*x^{10})/5 + (4*a*b^3*d*x^{11})/11 + (b^4*c*x^{13})/13 + (b^4*d*x^{14})/14$

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)^3 (ac + adx + bcx^3 + bdx^4) dx &= \int (a^4c + a^4dx + 4a^3bcx^3 + 4a^3bdx^4 + 6a^2b^2cx^6 + 6a^2b^2dx^7 + 4ab^3cx^9 + 4ab^3dx^{10} + b^4cx^{12} + b^4dx^{13}) dx \\ &= a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14} \end{aligned}$$

Mathematica [A] time = 0.00, size = 113, normalized size = 1.00

$$a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^3*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $a^4*c*x + (a^4*d*x^2)/2 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a*b^3*c*x^{10})/5 + (4*a*b^3*d*x^{11})/11 + (b^4*c*x^{13})/13 + (b^4*d*x^{14})/14$

fricas [A] time = 0.74, size = 97, normalized size = 0.86

$$\frac{1}{14}x^{14}db^4 + \frac{1}{13}x^{13}cb^4 + \frac{4}{11}x^{11}db^3a + \frac{2}{5}x^{10}cb^3a + \frac{3}{4}x^8db^2a^2 + \frac{6}{7}x^7cb^2a^2 + \frac{4}{5}x^5dba^3 + x^4cba^3 + \frac{1}{2}x^2da^4 + xca^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="fricas")

[Out] $1/14*x^{14}*d*b^4 + 1/13*x^{13}*c*b^4 + 4/11*x^{11}*d*b^3*a + 2/5*x^{10}*c*b^3*a + 3/4*x^8*d*b^2*a^2 + 6/7*x^7*c*b^2*a^2 + 4/5*x^5*d*b*a^3 + x^4*c*b*a^3 + 1/2*x^2*d*a^4 + x*c*a^4$

giac [A] time = 0.16, size = 97, normalized size = 0.86

$$\frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{4}{5}a^3bdx^5 + a^3bcx^4 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c), x, algorithm="giac")

[Out] $1/14*b^4*d*x^{14} + 1/13*b^4*c*x^{13} + 4/11*a*b^3*d*x^{11} + 2/5*a*b^3*c*x^{10} + 3/4*a^2*b^2*d*x^8 + 6/7*a^2*b^2*c*x^7 + 4/5*a^3*b*d*x^5 + a^3*b*c*x^4 + 1/2*a^4*d*x^2 + a^4*c*x$

maple [A] time = 0.04, size = 98, normalized size = 0.87

$$\frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{4}{5}a^3bdx^5 + a^3bcx^4 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c), x)

[Out] $a^4*c*x + 1/2*a^4*d*x^2 + a^3*b*c*x^4 + 4/5*a^3*b*d*x^5 + 6/7*a^2*b^2*c*x^7 + 3/4*a^2*b^2*d*x^8 + 2/5*a*b^3*c*x^{10} + 4/11*a*b^3*d*x^{11} + 1/13*b^4*c*x^{13} + 1/14*b^4*d*x^{14}$

maxima [A] time = 1.39, size = 97, normalized size = 0.86

$$\frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{4}{5}a^3bdx^5 + a^3bcx^4 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] $1/14*b^4*d*x^{14} + 1/13*b^4*c*x^{13} + 4/11*a*b^3*d*x^{11} + 2/5*a*b^3*c*x^{10} + 3/4*a^2*b^2*d*x^8 + 6/7*a^2*b^2*c*x^7 + 4/5*a^3*b*d*x^5 + a^3*b*c*x^4 + 1/2*a^4*d*x^2 + a^4*c*x$

mupad [B] time = 0.06, size = 97, normalized size = 0.86

$$\frac{d a^4 x^2}{2} + c a^4 x + \frac{4 d a^3 b x^5}{5} + c a^3 b x^4 + \frac{3 d a^2 b^2 x^8}{4} + \frac{6 c a^2 b^2 x^7}{7} + \frac{4 d a b^3 x^{11}}{11} + \frac{2 c a b^3 x^{10}}{5} + \frac{d b^4 x^{14}}{14} + \frac{c b^4 x^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^3*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x)

[Out] $(a^4*d*x^2)/2 + (b^4*c*x^{13})/13 + (b^4*d*x^{14})/14 + a^4*c*x + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + a^3*b*c*x^4 + (2*a*b^3*c*x^{10})/5 + (4*a^3*b*d*x^5)/5 + (4*a*b^3*d*x^{11})/11$

sympy [A] time = 0.73, size = 117, normalized size = 1.04

$$a^4 c x + \frac{a^4 d x^2}{2} + a^3 b c x^4 + \frac{4 a^3 b d x^5}{5} + \frac{6 a^2 b^2 c x^7}{7} + \frac{3 a^2 b^2 d x^8}{4} + \frac{2 a b^3 c x^{10}}{5} + \frac{4 a b^3 d x^{11}}{11} + \frac{b^4 c x^{13}}{13} + \frac{b^4 d x^{14}}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)

[Out] $a**4*c*x + a**4*d*x**2/2 + a**3*b*c*x**4 + 4*a**3*b*d*x**5/5 + 6*a**2*b**2*c*x**7/7 + 3*a**2*b**2*d*x**8/4 + 2*a*b**3*c*x**10/5 + 4*a*b**3*d*x**11/11 + b**4*c*x**13/13 + b**4*d*x**14/14$

$$3.54 \quad \int (a + bx^3)^2 (ac + adx + bcx^3 + bdx^4) dx$$

Optimal. Leaf size=88

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

[Out] $a^3c*x + 1/2*a^3*d*x^2 + 3/4*a^2*b*c*x^4 + 3/5*a^2*b*d*x^5 + 3/7*a*b^2*c*x^7 + 3/8*a*b^2*d*x^8 + 1/10*b^3*c*x^{10} + 1/11*b^3*d*x^{11}$

Rubi [A] time = 0.06, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$, Rules used = {1850}

$$\frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x^3)^2*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]$

[Out] $a^3c*x + (a^3*d*x^2)/2 + (3*a^2*b*c*x^4)/4 + (3*a^2*b*d*x^5)/5 + (3*a*b^2*c*x^7)/7 + (3*a*b^2*d*x^8)/8 + (b^3*c*x^{10})/10 + (b^3*d*x^{11})/11$

Rule 1850

$\text{Int}[(Pq_)*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, n\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{EqQ}[n, 1])$

Rubi steps

$$\begin{aligned} \int (a + bx^3)^2 (ac + adx + bcx^3 + bdx^4) dx &= \int (a^3c + a^3dx + 3a^2bcx^3 + 3a^2bdx^4 + 3ab^2cx^6 + 3ab^2dx^7 + b^3cx^9 + \\ &= a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 88, normalized size = 1.00

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x]

[Out] $a^3*c*x + (a^3*d*x^2)/2 + (3*a^2*b*c*x^4)/4 + (3*a^2*b*d*x^5)/5 + (3*a*b^2*c*x^7)/7 + (3*a*b^2*d*x^8)/8 + (b^3*c*x^{10})/10 + (b^3*d*x^{11})/11$

fricas [A] time = 0.63, size = 74, normalized size = 0.84

$$\frac{1}{11}x^{11}db^3 + \frac{1}{10}x^{10}cb^3 + \frac{3}{8}x^8db^2a + \frac{3}{7}x^7cb^2a + \frac{3}{5}x^5dba^2 + \frac{3}{4}x^4cba^2 + \frac{1}{2}x^2da^3 + xca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="fricas")

[Out] $1/11*x^{11}*d*b^3 + 1/10*x^{10}*c*b^3 + 3/8*x^8*d*b^2*a + 3/7*x^7*c*b^2*a + 3/5*x^5*d*b*a^2 + 3/4*x^4*c*b*a^2 + 1/2*x^2*d*a^3 + x*c*a^3$

giac [A] time = 0.16, size = 74, normalized size = 0.84

$$\frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="giac")

[Out] $1/11*b^3*d*x^{11} + 1/10*b^3*c*x^{10} + 3/8*a*b^2*d*x^8 + 3/7*a*b^2*c*x^7 + 3/5*a^2*b*d*x^5 + 3/4*a^2*b*c*x^4 + 1/2*a^3*d*x^2 + a^3*c*x$

maple [A] time = 0.05, size = 75, normalized size = 0.85

$$\frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c),x)

[Out] $a^3*c*x + 1/2*a^3*d*x^2 + 3/4*a^2*b*c*x^4 + 3/5*a^2*b*d*x^5 + 3/7*a*b^2*c*x^7 + 3/8*a*b^2*d*x^8 + 1/10*b^3*c*x^{10} + 1/11*b^3*d*x^{11}$

maxima [A] time = 1.39, size = 74, normalized size = 0.84

$$\frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] $1/11*b^3*d*x^{11} + 1/10*b^3*c*x^{10} + 3/8*a*b^2*d*x^8 + 3/7*a*b^2*c*x^7 + 3/5*a^2*b*d*x^5 + 3/4*a^2*b*c*x^4 + 1/2*a^3*d*x^2 + a^3*c*x$

mupad [B] time = 0.04, size = 74, normalized size = 0.84

$$\frac{d a^3 x^2}{2} + c a^3 x + \frac{3 d a^2 b x^5}{5} + \frac{3 c a^2 b x^4}{4} + \frac{3 d a b^2 x^8}{8} + \frac{3 c a b^2 x^7}{7} + \frac{d b^3 x^{11}}{11} + \frac{c b^3 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^2*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x)`

[Out] $(a^3*d*x^2)/2 + (b^3*c*x^{10})/10 + (b^3*d*x^{11})/11 + a^3*c*x + (3*a^2*b*c*x^4)/4 + (3*a*b^2*c*x^7)/7 + (3*a^2*b*d*x^5)/5 + (3*a*b^2*d*x^8)/8$

sympy [A] time = 0.16, size = 90, normalized size = 1.02

$$a^3cx + \frac{a^3dx^2}{2} + \frac{3a^2bcx^4}{4} + \frac{3a^2bdx^5}{5} + \frac{3ab^2cx^7}{7} + \frac{3ab^2dx^8}{8} + \frac{b^3cx^{10}}{10} + \frac{b^3dx^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**2*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)`

[Out] $a**3*c*x + a**3*d*x**2/2 + 3*a**2*b*c*x**4/4 + 3*a**2*b*d*x**5/5 + 3*a*b**2*c*x**7/7 + 3*a*b**2*d*x**8/8 + b**3*c*x**10/10 + b**3*d*x**11/11$

$$3.55 \quad \int (a + bx^3) (ac + adx + bcx^3 + bdx^4) dx$$

Optimal. Leaf size=60

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

[Out] $a^2c*x + 1/2*a^2*d*x^2 + 1/2*a*b*c*x^4 + 2/5*a*b*d*x^5 + 1/7*b^2*c*x^7 + 1/8*b^2*d*x^8$

Rubi [A] time = 0.04, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$, Rules used = {1850}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $a^2*c*x + (a^2*d*x^2)/2 + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8$

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3) (ac + adx + bcx^3 + bdx^4) dx &= \int (a^2c + a^2dx + 2abcx^3 + 2abdx^4 + b^2cx^6 + b^2dx^7) dx \\ &= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8 \end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.00

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x]

[Out] $a^2*c*x + (a^2*d*x^2)/2 + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8$

fricas [A] time = 0.74, size = 50, normalized size = 0.83

$$\frac{1}{8}x^8db^2 + \frac{1}{7}x^7cb^2 + \frac{2}{5}x^5dba + \frac{1}{2}x^4cba + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="fricas")

[Out] $1/8*x^8*d*b^2 + 1/7*x^7*c*b^2 + 2/5*x^5*d*b*a + 1/2*x^4*c*b*a + 1/2*x^2*d*a^2 + x*c*a^2$

giac [A] time = 0.17, size = 50, normalized size = 0.83

$$\frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="giac")

[Out] $1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/2*a^2*d*x^2 + a^2*c*x$

maple [A] time = 0.04, size = 51, normalized size = 0.85

$$\frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x)

[Out] $a^2*c*x + 1/2*a^2*d*x^2 + 1/2*a*b*c*x^4 + 2/5*a*b*d*x^5 + 1/7*b^2*c*x^7 + 1/8*b^2*d*x^8$

maxima [A] time = 1.40, size = 50, normalized size = 0.83

$$\frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] $1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/2*a^2*d*x^2 + a^2*c*x$

mupad [B] time = 0.03, size = 50, normalized size = 0.83

$$\frac{d a^2 x^2}{2} + c a^2 x + \frac{2 d a b x^5}{5} + \frac{c a b x^4}{2} + \frac{d b^2 x^8}{8} + \frac{c b^2 x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x)`

[Out] $(a^2*d*x^2)/2 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8 + a^2*c*x + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5$

sympy [A] time = 0.10, size = 58, normalized size = 0.97

$$a^2cx + \frac{a^2dx^2}{2} + \frac{abcx^4}{2} + \frac{2abdx^5}{5} + \frac{b^2cx^7}{7} + \frac{b^2dx^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)`

[Out] $a**2*c*x + a**2*d*x**2/2 + a*b*c*x**4/2 + 2*a*b*d*x**5/5 + b**2*c*x**7/7 + b**2*d*x**8/8$

$$3.56 \quad \int \frac{ac+adx+bcx^3+bdx^4}{a+bx^3} dx$$

Optimal. Leaf size=12

$$cx + \frac{dx^2}{2}$$

[Out] c*x+1/2*d*x^2

Rubi [A] time = 0.01, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$, Rules used = {1586}

$$cx + \frac{dx^2}{2}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3),x]

[Out] c*x + (d*x^2)/2

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{ac + adx + bcx^3 + bdx^4}{a + bx^3} dx &= \int (c + dx) dx \\ &= cx + \frac{dx^2}{2} \end{aligned}$$

Mathematica [A] time = 0.00, size = 12, normalized size = 1.00

$$cx + \frac{dx^2}{2}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3),x]

[Out] c*x + (d*x^2)/2

fricas [A] time = 0.70, size = 10, normalized size = 0.83

$$\frac{1}{2} dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/2*d*x^2 + c*x

giac [A] time = 0.20, size = 10, normalized size = 0.83

$$\frac{1}{2} dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/2*d*x^2 + c*x

maple [A] time = 0.04, size = 11, normalized size = 0.92

$$\frac{1}{2} dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x)

[Out] c*x+1/2*d*x^2

maxima [A] time = 1.32, size = 10, normalized size = 0.83

$$\frac{1}{2} dx^2 + cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/2*d*x^2 + c*x

mupad [B] time = 0.02, size = 10, normalized size = 0.83

$$\frac{dx^2}{2} + cx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3),x)
```

```
[Out] c*x + (d*x^2)/2
```

sympy [A] time = 0.13, size = 8, normalized size = 0.67

$$cx + \frac{dx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a),x)
```

```
[Out] c*x + d*x**2/2
```

$$3.57 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^2} dx$$

Optimal. Leaf size=161

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3} b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}}$$

[Out] $1/3*(b^{(1/3)}*c-a^{(1/3)}*d)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(2/3)}/b^{(2/3)}-1/6*(c-a^{(1/3)}*d/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(2/3)}/b^{(1/3)}-1/3*(b^{(1/3)}*c+a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(2/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.10, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1586, 1860, 31, 634, 617, 204, 628}

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3} b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^2, x]

[Out] $-(((b^{(1/3)}*c + a^{(1/3)}*d)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(2/3)}*b^{(2/3)}) + ((b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(2/3)}*b^{(2/3)}) - ((c - (a^{(1/3)}*d)/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(2/3)}*b^{(1/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^2} dx = \int \frac{c + dx}{a + bx^3} dx$$

$$= \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}c + \sqrt[3]{a}d) + \sqrt[3]{b}(-\sqrt[3]{b}c + \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}}$$

$$= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \frac{1}{2} \left(\frac{c}{\sqrt[3]{a}} + \frac{d}{\sqrt[3]{b}}\right)$$

$$= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} + \frac{1}{2} \left(\frac{c}{\sqrt[3]{a}} + \frac{d}{\sqrt[3]{b}}\right)$$

$$= -\frac{(\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}}$$

Mathematica [A] time = 0.05, size = 124, normalized size = 0.77

$$\frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \left(2 \log(\sqrt[3]{a} + \sqrt[3]{b}x) - \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)\right) - 2\sqrt{3}(\sqrt[3]{a}d + \sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{6a^{2/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^2, x]

[Out] (-2*Sqrt[3]*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + (b^(1/3)*c - a^(1/3)*d)*(2*Log[a^(1/3) + b^(1/3)*x] - Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]))/(6*a^(2/3)*b^(2/3))

fricas [C] time = 3.22, size = 1931, normalized size = 11.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^2, x, algorithm="fricas")

[Out] -1/6*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^(1/3) - 2*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2))^(1/3))

$$\begin{aligned}
& d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}) * \log(1/4*((1/2)^{(1/3)}*(I \\
& * \sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} \\
& - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b* \\
& c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{2*a^2*b*d} - 1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1 \\
&)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(\\
& 2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3) \\
& / (a^2*b^2))^{(1/3)})) * a*b*c^2 + 2*a*c*d^2 + (b*c^3 + a*d^3)*x + 1/12*((1/2)^{ \\
& (1/3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2 \\
&))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^ \\
& 2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)})) + 3*\sqrt{1/3}*\sqrt{-(((1/2)^{(1/3)}*(I \\
& *\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} \\
& - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b* \\
& c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{2*a*b} + 16*c*d)/(a*b)))* \log(-1/4*((1/2)^{(1/ \\
& 3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{ \\
& (1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) \\
& + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{2*a^2*b*d} + 1/2*((1/2)^{(1/3)}*(I*\sqrt{3} \\
&) + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1 \\
& /2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a \\
& *d^3)/(a^2*b^2))^{(1/3)})) * a*b*c^2 - 2*a*c*d^2 + 2*(b*c^3 + a*d^3)*x + 3/4*\sqrt{ \\
& rt(1/3)*(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - \\
& a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 \\
& + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)})) * a^2*b*d + 2*a*b*c^2 \\
&)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - \\
& a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 \\
& + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{2*a*b} + 16*c*d)/(a* \\
& b)) + 1/12*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^ \\
& 3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c \\
& ^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)})) - 3*\sqrt{1/3}*\sqrt{ \\
& t(-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^ \\
& 3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d \\
& ^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{2*a*b} + 16*c*d)/(a*b)))* \\
& \log(-1/4*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - \\
& a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 \\
& + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{2*a^2*b*d} + 1/2*((1 \\
& /2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2 \\
& *b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} + 1)/(a*b*((b*c^3 + a*d^3)/(a^ \\
& 2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)})) * a*b*c^2 - 2*a*c*d^2 + 2*(b*c^3 \\
& + a*d^3)*x - 3/4*\sqrt{1/3)*(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(\\
& a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} \\
& + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)})) * \\
& a^2*b*d + 2*a*b*c^2)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*c^3 + a*d^3)/(\\
& a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)} - 2*(1/2)^{(2/3)}*c*d*(-I*\sqrt{3} \\
& + 1)/(a*b*((b*c^3 + a*d^3)/(a^2*b^2) + (b*c^3 - a*d^3)/(a^2*b^2))^{(1/3)}))^{ \\
& 2*a*b} + 16*c*d)/(a*b))
\end{aligned}$$

giac [A] time = 0.18, size = 141, normalized size = 0.88

$$\frac{\sqrt{3} \left(bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) \left(bc + (-ab^2)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + c \right) \left(-\frac{1}{a} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}} \quad 6 \left(-ab^2 \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/3*\sqrt{3}*(b*c - (-a*b^2)^{(1/3)}*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(-a*b^2)^{(2/3)} - 1/6*(b*c + (-a*b^2)^{(1/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(-a*b^2)^{(2/3)} - 1/3*(d*(-a/b)^{(1/3)} + c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a$

maple [A] time = 0.05, size = 186, normalized size = 1.16

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^2,x)

[Out] $1/3/(a/b)^{(2/3)}/b*c*\ln(x+(a/b)^{(1/3)})-1/6*c/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3*c/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3*d/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/6*d/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3*d*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 2.98, size = 135, normalized size = 0.84

$$\frac{\sqrt{3} \left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} + c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 b \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - c \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}\sqrt{3}*(d*(a/b)^{(1/3)} + c)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b*(a/b)^{(2/3)}) + 1/6*(d*(a/b)^{(1/3)} - c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b*(a/b)^{(2/3)}) - 1/3*(d*(a/b)^{(1/3)} - c)*\log(x + (a/b)^{(1/3)})/(b*(a/b)^{(2/3)})$

mupad [B] time = 5.09, size = 127, normalized size = 0.79

$$\sum_{k=1}^3 \ln \left(b \left(cd + d^2 x + \text{root} \left(27 a^2 b^2 z^3 + 9 a b c d z + a d^3 - b c^3, z, k \right)^2 a b 9 + \text{root} \left(27 a^2 b^2 z^3 + 9 a b c d z + a d^3 - b c^3, z, k \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^2,x)

[Out] $\text{symsum}(\log(b*(c*d + d^2*x + 9*\text{root}(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k)^2*a*b + 3*\text{root}(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k)*b*c*x))*\text{root}(27*a^2*b^2*z^3 + 9*a*b*c*d*z + a*d^3 - b*c^3, z, k), k, 1, 3)$

sympy [A] time = 1.34, size = 76, normalized size = 0.47

$$\text{RootSum} \left(27t^3a^2b^2 + 9tabcd + ad^3 - bc^3, \left(t \mapsto t \log \left(x + \frac{9t^2a^2bd + 3tabc^2 + 2acd^2}{ad^3 + bc^3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**2,x)

[Out] $\text{RootSum}(27*_t**3*a**2*b**2 + 9*_t*a*b*c*d + a*d**3 - b*c**3, \text{Lambda}(_t, _t*\log(x + (9*_t**2*a**2*b*d + 3*_t*a*b*c**2 + 2*a*c*d**2)/(a*d**3 + b*c**3)))$

$$3.58 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^3} dx$$

Optimal. Leaf size=189

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{a^2+b^2x^2}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

[Out] $\frac{1}{3}x*(d*x+c)/a/(b*x^3+a)+1/9*(2*b^{(1/3)}*c-a^{(1/3)}*d)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}/b^{(2/3)}-1/18*(2*b^{(1/3)}*c-a^{(1/3)}*d)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(2/3)}-1/9*(2*b^{(1/3)}*c+a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1586, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{a^2+b^2x^2}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^3, x]

[Out] $(x*(c + d*x))/(3*a*(a + b*x^3)) - ((2*b^{(1/3)}*c + a^{(1/3)}*d)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(5/3)}*b^{(2/3)}) + ((2*b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(5/3)}*b^{(2/3)}) - ((2*b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(5/3)}*b^{(2/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1586

```
Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^3} dx &= \int \frac{c + dx}{(a + bx^3)^2} dx \\
&= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{\int \frac{-2c - dx}{a + bx^3} dx}{3a} \\
&= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}c - \sqrt[3]{a}d) + \sqrt[3]{b}(2\sqrt[3]{b}c - \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{5/3}\sqrt[3]{b}} + \frac{(2c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{5/3}} \\
&= \frac{x(c + dx)}{3a(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{18a^{5/3}b^{2/3}} \\
&= \frac{x(c + dx)}{3a(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{18a^{5/3}b^{2/3}} \\
&= \frac{x(c + dx)}{3a(a + bx^3)} - \frac{(2\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 180, normalized size = 0.95

$$\frac{\frac{(a^{2/3}d - 2\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{b^{2/3}} + \frac{2(2\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{b^{2/3}} - \frac{2\sqrt{3}\sqrt[3]{a}(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{b^{2/3}} + \frac{6ax(c + dx)}{a + bx^3}}{18a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^3, x]

[Out] ((6*a*x*(c + d*x))/(a + b*x^3) - (2*sqrt[3]*a^(1/3)*(2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + (2*(2*a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x]/b^(2/3) + ((-2*a^(1/3)*b^(1/3)*c + a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/b^(2/3))/(18*a^2)

fricas [C] time = 3.13, size = 2088, normalized size = 11.05

result too large to display

$$(a^5 b^2) + (8 b^3 c^3 - a d^3) / (a^5 b^2)^{1/3} \Big)^{1/3} \Big) a^2 b^3 c^2 - 4 a^3 c d^2 + 2 (8 b^3 c^3 + a d^3) x - 3/4 \sqrt{1/3} \Big(((1/2)^{1/3} (I \sqrt{3}) + 1) \Big((8 b^3 c^3 + a d^3) / (a^5 b^2) + (8 b^3 c^3 - a d^3) / (a^5 b^2)^{1/3} \Big) + 4 (1/2)^{2/3} c d (I \sqrt{3} - 1) / (a^3 b \Big((8 b^3 c^3 + a d^3) / (a^5 b^2) + (8 b^3 c^3 - a d^3) / (a^5 b^2)^{1/3} \Big) \Big) \Big) a^4 b d + 8 a^2 b^3 c^2 \sqrt{-((1/2)^{1/3} (I \sqrt{3}) + 1) \Big((8 b^3 c^3 + a d^3) / (a^5 b^2) + (8 b^3 c^3 - a d^3) / (a^5 b^2)^{1/3} \Big) + 4 (1/2)^{2/3} c d (I \sqrt{3} - 1) / (a^3 b \Big((8 b^3 c^3 + a d^3) / (a^5 b^2) + (8 b^3 c^3 - a d^3) / (a^5 b^2)^{1/3} \Big) \Big) \Big) \Big)^2 a^3 b + 32 c d / (a^3 b) \Big) \Big) / (a b x^3 + a^2)$$

giac [A] time = 0.21, size = 174, normalized size = 0.92

$$\frac{\sqrt{3} \left(2bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) \left(2bc + (-ab^2)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + 2 \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a \quad 18 \left(-ab^2 \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/9 \sqrt{3} (2bc - (-ab^2)^{1/3} d) \arctan(1/3 \sqrt{3} (2x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / ((-ab^2)^{2/3} a) - 1/18 (2bc + (-ab^2)^{1/3} d) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / ((-ab^2)^{2/3} a) - 1/9 (d(-a/b)^{1/3} + 2c) (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / a^2 + 1/3 (d x^2 + c x) / (b x^3 + a) a$

maple [A] time = 0.05, size = 238, normalized size = 1.26

$$\frac{\frac{dx^2}{3(bx^3+a)a} + \frac{cx}{3(bx^3+a)a} + \frac{2\sqrt{3}c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{2c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{\sqrt{3}d}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^3,x)

[Out] $1/3 c x / a (b x^3 + a) + 2/9 (a/b)^{2/3} / a b^3 c \ln(x + (a/b)^{1/3}) - 1/9 c / a / b (a/b)^{2/3} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + 2/9 c / a / b (a/b)^{2/3} 3^{1/2} \arctan(1/3 3^{1/2} (2/(a/b)^{1/3} x - 1)) + 1/3 (d x^2 + c x) / (b x^3 + a) a - 1/9 d / a / b (a/b)^{2/3}$

$1/3) \cdot \ln(x + (a/b)^{1/3}) + 1/18 \cdot d/a/b/(a/b)^{1/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) + 1/9 \cdot d/a \cdot 3^{1/2}/b/(a/b)^{1/3} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1))$

maxima [A] time = 3.02, size = 169, normalized size = 0.89

$$\frac{dx^2 + cx}{3(abx^3 + a^2)} + \frac{\sqrt{3} \left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right)}{9 ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $1/3 \cdot (d \cdot x^2 + c \cdot x) / (a \cdot b \cdot x^3 + a^2) + 1/9 \cdot \sqrt{3} \cdot (d \cdot (a/b)^{1/3} + 2 \cdot c) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2 \cdot x - (a/b)^{1/3}) / (a/b)^{1/3}) / (a \cdot b \cdot (a/b)^{2/3}) + 1/18 \cdot (d \cdot (a/b)^{1/3} - 2 \cdot c) \cdot \log(x^2 - x \cdot (a/b)^{1/3} + (a/b)^{2/3}) / (a \cdot b \cdot (a/b)^{2/3}) - 1/9 \cdot (d \cdot (a/b)^{1/3} - 2 \cdot c) \cdot \log(x + (a/b)^{1/3}) / (a \cdot b \cdot (a/b)^{2/3})$

mupad [B] time = 5.08, size = 169, normalized size = 0.89

$$\left(\sum_{k=1}^3 \ln \left(\frac{b \left(2cd + d^2x + \text{root}(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k) \right)^2 a^3 b^8 1 + \text{root}(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k)}{a^2 9} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^3,x)

[Out] $\text{symsum}(\log((b \cdot (2 \cdot c \cdot d + d^2 \cdot x + 81 \cdot \text{root}(729 \cdot a^5 \cdot b^2 \cdot z^3 + 54 \cdot a^2 \cdot b \cdot c \cdot d \cdot z - 8 \cdot b \cdot c^3 + a \cdot d^3, z, k)^2 \cdot a^3 \cdot b + 18 \cdot \text{root}(729 \cdot a^5 \cdot b^2 \cdot z^3 + 54 \cdot a^2 \cdot b \cdot c \cdot d \cdot z - 8 \cdot b \cdot c^3 + a \cdot d^3, z, k) \cdot a \cdot b \cdot c \cdot x)) / (9 \cdot a^2)) \cdot \text{root}(729 \cdot a^5 \cdot b^2 \cdot z^3 + 54 \cdot a^2 \cdot b \cdot c \cdot d \cdot z - 8 \cdot b \cdot c^3 + a \cdot d^3, z, k), k, 1, 3) + ((d \cdot x^2) / (3 \cdot a) + (c \cdot x) / (3 \cdot a)) / (a + b \cdot x^3)$

sympy [A] time = 1.85, size = 105, normalized size = 0.56

$$\text{RootSum} \left(729t^3a^5b^2 + 54ta^2bcd + ad^3 - 8bc^3, \left(t \mapsto t \log \left(x + \frac{81t^2a^4bd + 36ta^2bc^2 + 4acd^2}{ad^3 + 8bc^3} \right) \right) \right) + \frac{cx + dx^2}{3a^2 + 3abx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**3,x)

[Out] $\text{RootSum}(729 \cdot t^3 \cdot a^5 \cdot b^2 + 54 \cdot t \cdot a^2 \cdot b \cdot c \cdot d + a \cdot d^3 - 8 \cdot b \cdot c^3, \text{Lambda}(_t, _t \cdot \log(x + (81 \cdot t^2 \cdot a^4 \cdot b \cdot d + 36 \cdot t \cdot a^2 \cdot b \cdot c^2 + 4 \cdot a \cdot c \cdot d^2) / (a \cdot d^3 + 8 \cdot b \cdot c^3)))) + (c \cdot x + d \cdot x^2) / (3 \cdot a^2 + 3 \cdot a \cdot b \cdot x^3)$

$$3.59 \quad \int (a + bx^3)^{3/2} (ac + adx + bcx^3 + bdx^4) dx$$

Optimal. Leaf size=585

$$\frac{405\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{10/3}d(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{1729b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}} + \frac{810a}{1729b^{2/3}} \left(\frac{1}{\sqrt{a+bx^3}} \right)$$

[Out] 30/46189*a*(187*d*x^2+247*c*x)*(b*x^3+a)^(3/2)+2/323*(17*d*x^2+19*c*x)*(b*x^3+a)^(5/2)+54/323323*a^2*(935*d*x^2+1729*c*x)*(b*x^3+a)^(1/2)+810/1729*a^3*d*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-405/1729*3^(1/4)*a^(10/3)*d*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)+54/323323*3^(3/4)*a^3*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1729*b^(1/3)*c-935*a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)

Rubi [A] time = 0.46, antiderivative size = 585, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1852, 1853, 1878, 218, 1877}

$$\frac{54\sqrt[3]{3}\sqrt{2+\sqrt{3}}a^3(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(1729\sqrt[3]{b}c-935(1-\sqrt{3})\sqrt[3]{a}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right)}{323323b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(3/2)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] (810*a^3*d*sqrt[a + b*x^3])/(1729*b^(2/3)*((1 + sqrt[3])*a^(1/3) + b^(1/3)*x)) + (54*a^2*(1729*c*x + 935*d*x^2)*sqrt[a + b*x^3])/323323 + (30*a*(247*c*x + 187*d*x^2)*(a + b*x^3)^(3/2))/46189 + (2*(19*c*x + 17*d*x^2)*(a + b*x^3)^(5/2))/323 - (405*3^(1/4)*sqrt[2 - sqrt[3]]*a^(10/3)*d*(a^(1/3) + b^(1/3)

```
) * x) * Sqrt[(a^(2/3) - a^(1/3) * b^(1/3) * x + b^(2/3) * x^2) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)^2] * EllipticE[ArcSin[((1 - Sqrt[3]) * a^(1/3) + b^(1/3) * x) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)], -7 - 4 * Sqrt[3]]] / (1729 * b^(2/3) * Sqrt[(a^(1/3) * (a^(1/3) + b^(1/3) * x)) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)^2] * Sqrt[a + b * x^3]) + (54 * 3^(3/4) * Sqrt[2 + Sqrt[3]] * a^3 * (1729 * b^(1/3) * c - 935 * (1 - Sqrt[3]) * a^(1/3) * d) * (a^(1/3) + b^(1/3) * x) * Sqrt[(a^(2/3) - a^(1/3) * b^(1/3) * x + b^(2/3) * x^2) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)^2] * EllipticF[ArcSin[((1 - Sqrt[3]) * a^(1/3) + b^(1/3) * x) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)], -7 - 4 * Sqrt[3]]] / (323323 * b^(2/3) * Sqrt[(a^(1/3) * (a^(1/3) + b^(1/3) * x)) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)^2] * Sqrt[a + b * x^3])
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 1852

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[PolynomialQuotient[Pq, a + b*x^n, x]*(a + b*x^n)^(p + 1), x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GeQ[Expon[Pq, x], n] && EqQ[PolynomialRemainder[Pq, a + b*x^n, x], 0]
```

Rule 1853

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
 \int (a + bx^3)^{3/2} (ac + adx + bcx^3 + bdx^4) dx &= \int (c + dx) (a + bx^3)^{5/2} dx \\
 &= \frac{2}{323} (19cx + 17dx^2) (a + bx^3)^{5/2} + \frac{1}{2} (15a) \int \left(\frac{2c}{17} + \frac{2dx}{19} \right) (a + bx^3)^{3/2} dx \\
 &= \frac{30a (247cx + 187dx^2) (a + bx^3)^{3/2}}{46189} + \frac{2}{323} (19cx + 17dx^2) (a + bx^3)^{3/2} \\
 &= \frac{54a^2 (1729cx + 935dx^2) \sqrt{a + bx^3}}{323323} + \frac{30a (247cx + 187dx^2) (a + bx^3)^{3/2}}{46189} \\
 &= \frac{54a^2 (1729cx + 935dx^2) \sqrt{a + bx^3}}{323323} + \frac{30a (247cx + 187dx^2) (a + bx^3)^{3/2}}{46189} \\
 &= \frac{810a^3 d \sqrt{a + bx^3}}{1729b^{2/3} ((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx^3})} + \frac{54a^2 (1729cx + 935dx^2) \sqrt{a + bx^3}}{323323}
 \end{aligned}$$

Mathematica [C] time = 0.05, size = 78, normalized size = 0.13

$$\frac{a^2 x \sqrt{a + bx^3} \left(2c {}_2F_1 \left(-\frac{5}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a} \right) + dx {}_2F_1 \left(-\frac{5}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) \right)}{2 \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^(3/2)*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x]

[Out] (a^2*x*Sqrt[a + b*x^3]*(2*c*Hypergeometric2F1[-5/2, 1/3, 4/3, -((b*x^3)/a)] + d*x*Hypergeometric2F1[-5/2, 2/3, 5/3, -((b*x^3)/a)])/(2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 1.27, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 dx^7 + b^2 cx^6 + 2 abdx^4 + 2 abcx^3 + a^2 dx + a^2 c\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="fricas")

[Out] integral((b^2*d*x^7 + b^2*c*x^6 + 2*a*b*d*x^4 + 2*a*b*c*x^3 + a^2*d*x + a^2*c)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bdx^4 + bcx^3 + adx + ac)(bx^3 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)*(b*x^3 + a)^(3/2), x)

maple [B] time = 0.05, size = 1618, normalized size = 2.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c), x)

[Out] b*d*(2/19*b*x^8*(b*x^3+a)^(1/2)+44/247*(b*x^3+a)^(1/2)*a*x^5+54/1729*(b*x^3+a)^(1/2)*a^2/b*x^2+72/1729*I*a^3/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2))*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) +b*c*(2/17*b*x^7*(b*x^3+a)^(1/2)+40/187*(b*x^3+a)^(1/2)*a*x^4+54/935*(b*x^3+a)^(1/2)*a^2/b*x+36/935*I*a^3/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*

$$\left(\frac{(x - (-ab^2)^{1/3}/b)}{(-3/2 * (-ab^2)^{1/3}/b + 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b)} \right)^{1/2} * (-I * (x + 1/2 * (-ab^2)^{1/3}/b + 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) * 3^{1/2}) / (-ab^2)^{1/3} * b^{1/2} / (b * x^3 + a)^{1/2} * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-ab^2)^{1/3}/b - 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) * 3^{1/2}) / (-ab^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-ab^2)^{1/3} / (-3/2 * (-ab^2)^{1/3}/b + 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) / b)^{1/2}) + a * d * (2/13 * b * x^5 * (b * x^3 + a)^{1/2} + 32/91 * (b * x^3 + a)^{1/2} * a * x^2 - 18/91 * I * a^2 * 3^{1/2} * (-ab^2)^{1/3} / b * (I * (x + 1/2 * (-ab^2)^{1/3}/b - 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) * 3^{1/2}) / (-ab^2)^{1/3} * b)^{1/2} * ((x - (-ab^2)^{1/3}/b) / (-3/2 * (-ab^2)^{1/3}/b + 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b))^{1/2} * (-I * (x + 1/2 * (-ab^2)^{1/3}/b + 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) * 3^{1/2}) / (-ab^2)^{1/3} * b)^{1/2} / (b * x^3 + a)^{1/2} * ((-3/2 * (-ab^2)^{1/3}/b + 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) * \text{EllipticE}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-ab^2)^{1/3}/b - 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) * 3^{1/2}) / (-ab^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-ab^2)^{1/3} / (-3/2 * (-ab^2)^{1/3}/b + 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) / b)^{1/2}) + (-ab^2)^{1/3} / b * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-ab^2)^{1/3}/b - 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) * 3^{1/2}) / (-ab^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-ab^2)^{1/3} / (-3/2 * (-ab^2)^{1/3}/b + 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) / b)^{1/2}) + a * c * (2/11 * (b * x^3 + a)^{1/2} * b * x^4 + 28/55 * (b * x^3 + a)^{1/2} * a * x - 18/55 * I * a^2 * 3^{1/2} * (-ab^2)^{1/3} / b * (I * (x + 1/2 * (-ab^2)^{1/3}/b - 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) * 3^{1/2}) / (-ab^2)^{1/3} * b)^{1/2} * ((x - (-ab^2)^{1/3}/b) / (-3/2 * (-ab^2)^{1/3}/b + 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b))^{1/2} * (-I * (x + 1/2 * (-ab^2)^{1/3}/b + 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) * 3^{1/2}) / (-ab^2)^{1/3} * b)^{1/2} / (b * x^3 + a)^{1/2} * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-ab^2)^{1/3}/b - 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) * 3^{1/2}) / (-ab^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-ab^2)^{1/3} / (-3/2 * (-ab^2)^{1/3}/b + 1/2 * I * 3^{1/2} * (-ab^2)^{1/3}/b) / b)^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bdx^4 + bcx^3 + adx + ac)(bx^3 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)*(b*x^3 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (bx^3 + a)^{\frac{3}{2}} (bdx^4 + bcx^3 + adx + ac) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(3/2)*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x)

[Out] $\int (a + b*x^3)^{(3/2)}*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x$

sympy [A] time = 11.80, size = 265, normalized size = 0.45

$$\frac{a^{\frac{5}{2}}cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{a^{\frac{5}{2}}dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{2a^{\frac{3}{2}}bcx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{2a^{\frac{3}{2}}bdx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**(3/2)*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)`

[Out] $a^{5/2}c*x*\gamma(1/3)*\text{hyper}((-1/2, 1/3), (4/3,), b*x^3*\exp_polar(I*\pi)/a)/(3*\gamma(4/3)) + a^{5/2}d*x^2*\gamma(2/3)*\text{hyper}((-1/2, 2/3), (5/3,), b*x^3*\exp_polar(I*\pi)/a)/(3*\gamma(5/3)) + 2*a^{3/2}*b*c*x^4*\gamma(4/3)*\text{hyper}((-1/2, 4/3), (7/3,), b*x^3*\exp_polar(I*\pi)/a)/(3*\gamma(7/3)) + 2*a^{3/2}*b*d*x^5*\gamma(5/3)*\text{hyper}((-1/2, 5/3), (8/3,), b*x^3*\exp_polar(I*\pi)/a)/(3*\gamma(8/3)) + \text{sqrt}(a)*b^2*c*x^7*\gamma(7/3)*\text{hyper}((-1/2, 7/3), (10/3,), b*x^3*\exp_polar(I*\pi)/a)/(3*\gamma(10/3)) + \text{sqrt}(a)*b^2*d*x^8*\gamma(8/3)*\text{hyper}((-1/2, 8/3), (11/3,), b*x^3*\exp_polar(I*\pi)/a)/(3*\gamma(11/3))$

3.60 $\int \sqrt{a + bx^3} (ac + adx + bcx^3 + bdx^4) dx$

Optimal. Leaf size=556

$$\frac{27\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{7/3}d(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{91b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}} + \frac{54a^2d\sqrt{2+\sqrt{3}}}{91b^{2/3}\sqrt{2+\sqrt{3}}}$$

[Out] $2/143*(11*d*x^2+13*c*x)*(b*x^3+a)^(3/2)+18/5005*a*(55*d*x^2+91*c*x)*(b*x^3+a)^(1/2)+54/91*a^2*d*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))) - 27/91*3^(1/4)*a^(7/3)*d*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)+18/5005*3^(3/4)*a^2*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(91*b^(1/3)*c-55*a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)$

Rubi [A] time = 0.33, antiderivative size = 556, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1852, 1853, 1878, 218, 1877}

$$\frac{18\sqrt[3]{4}\sqrt{2+\sqrt{3}}a^2(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}(91\sqrt[3]{b}c-55(1-\sqrt{3})\sqrt[3]{a}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{5005b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x^3]*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]

[Out] $(54*a^2*d*\text{Sqrt}[a + b*x^3])/(91*b^(2/3)*((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)) + (18*a*(91*c*x + 55*d*x^2)*\text{Sqrt}[a + b*x^3])/5005 + (2*(13*c*x + 11*d*x^2)*(a + b*x^3)^(3/2))/143 - (27*3^(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^(7/3)*d*(a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x]/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*\text{Sqrt}[3])/(91*b^(2/3)*\text{Sqrt}[a + b*x^3])$

$$\frac{(a^{1/3}(a^{1/3} + b^{1/3}x))}{((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \sqrt{a + b^3x^3} + (18 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^2 (91 b^{1/3} c - 55 (1 - \sqrt{3}) a^{1/3} d) (a^{1/3} + b^{1/3} x) \sqrt{(a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2)} / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)^2) \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3}) a^{1/3} + b^{1/3} x}{(1 + \sqrt{3}) a^{1/3} + b^{1/3} x}], -7 - 4 \sqrt{3}]] / (5005 b^{2/3} \sqrt{(a^{1/3}(a^{1/3} + b^{1/3} x)) / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)^2} \sqrt{a + b^3x^3})$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 1852

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[PolynomialQuotient[Pq, a + b*x^n, x]*(a + b*x^n)^(p + 1), x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GeQ[Expon[Pq, x], n] && EqQ[PolynomialRemainder[Pq, a + b*x^n, x], 0]
```

Rule 1853

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(n*p + i + 1), {i, 0, q}], x] + Dist[a^n*p, Int[(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
```



```

umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + bx^3} (ac + adx + bcx^3 + bdx^4) dx &= \int (c + dx) (a + bx^3)^{3/2} dx \\
&= \frac{2}{143} (13cx + 11dx^2) (a + bx^3)^{3/2} + \frac{1}{2}(9a) \int \left(\frac{2c}{11} + \frac{2dx}{13}\right) \sqrt{a + bx^3} dx \\
&= \frac{18a(91cx + 55dx^2) \sqrt{a + bx^3}}{5005} + \frac{2}{143} (13cx + 11dx^2) (a + bx^3)^{3/2} + \dots \\
&= \frac{18a(91cx + 55dx^2) \sqrt{a + bx^3}}{5005} + \frac{2}{143} (13cx + 11dx^2) (a + bx^3)^{3/2} + \dots \\
&= \frac{54a^2 d \sqrt{a + bx^3}}{91b^{2/3} ((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} + \frac{18a(91cx + 55dx^2) \sqrt{a + bx^3}}{5005} + \dots
\end{aligned}$$

Mathematica [C] time = 0.03, size = 76, normalized size = 0.14

$$\frac{ax\sqrt{a + bx^3} \left(2c {}_2F_1\left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right) + dx {}_2F_1\left(-\frac{3}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right)\right)}{2\sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*x^3]*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x]
```

```
[Out] (a*x*Sqrt[a + b*x^3]*(2*c*Hypergeometric2F1[-3/2, 1/3, 4/3, -((b*x^3)/a)] +
d*x*Hypergeometric2F1[-3/2, 2/3, 5/3, -((b*x^3)/a)]))/(2*Sqrt[1 + (b*x^3)/
a])
```

fricas [F] time = 1.31, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bdx^4 + bcx^3 + adx + ac\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(1/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="fricas")
```

```
[Out] integral((b*d*x^4 + b*c*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bdx^4 + bcx^3 + adx + ac)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^(1/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="giac")
```

```
[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a), x)
```

maple [B] time = 0.06, size = 1546, normalized size = 2.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^3+a)^(1/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x)
```

```
[Out] b*d*(2/13*(b*x^3+a)^(1/2)*x^5+6/91*(b*x^3+a)^(1/2)*a/b*x^2+8/91*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2),(I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2),(I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + b*c*(2/11*(b*x^3+a)^(1/2)*x^4+6/55*(b*x^3+a)^(1/2)*a/b*x+4/55*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2),(I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + a*d*(2/7*(b*x^3+a)^(1/2)*x^2-2/7*I*a*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/
```

$(-a*b^2)^{(1/3)*b)^{(1/2)*((x-(-a*b^2)^{(1/3)/b)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b))^{(1/2)*(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)/(b*x^3+a)^{(1/2)*((-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*EllipticE(1/3*3^{(1/2)*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2), (I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)/b)^{(1/2)+(-a*b^2)^{(1/3)/b*EllipticF(1/3*3^{(1/2)*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2), (I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)/b)^{(1/2))}})+a*c*(2/5*(b*x^3+a)^{(1/2)*x-2/5*I*a*3^{(1/2)*(-a*b^2)^{(1/3)/b*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)*((x-(-a*b^2)^{(1/3)/b)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b))^{(1/2)*(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)/(b*x^3+a)^{(1/2)*EllipticF(1/3*3^{(1/2)*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2), (I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)/b)^{(1/2))}}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bdx^4 + bcx^3 + adx + ac)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(1/2)*(b*d*x^4+b*c*x^3+a*d*x+a*c),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{bx^3 + a} (bdx^4 + bcx^3 + adx + ac) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(1/2)*(a*c + a*d*x + b*c*x^3 + b*d*x^4),x)

[Out] int((a + b*x^3)^(1/2)*(a*c + a*d*x + b*c*x^3 + b*d*x^4), x)

sympy [A] time = 7.36, size = 170, normalized size = 0.31

$$\frac{a^{\frac{3}{2}}cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}}dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{\sqrt{a}bcx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{\sqrt{a}bdx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)**(1/2)*(b*d*x**4+b*c*x**3+a*d*x+a*c),x)
```

```
[Out] a**(3/2)*c*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a
)/(3*gamma(4/3)) + a**(3/2)*d*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*
x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*c*x**4*gamma(4/3)*hyper(
(-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*b*d
*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*ga
mma(8/3))
```

$$3.61 \quad \int \frac{ac+adx+bcx^3+bdx^4}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=525

$$\frac{2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}} \left(7 \sqrt[3]{b} c - 5 (1 - \sqrt{3}) \sqrt[3]{a} d \right) F \left(\sin^{-1} \left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}} \right) \right) - 7 \sqrt{a + bx^3}}{35 b^{2/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}} \sqrt{a + bx^3}}$$

[Out] $2/35*(5*d*x^2+7*c*x)*(b*x^3+a)^(1/2)+6/7*a*d*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-3/7*3^(1/4)*a^(4/3)*d*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)+2/35*3^(3/4)*a*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(7*b^(1/3)*c-5*a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)$

Rubi [A] time = 0.24, antiderivative size = 525, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1586, 1853, 1878, 218, 1877}

$$\frac{2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}} \left(7 \sqrt[3]{b} c - 5 (1 - \sqrt{3}) \sqrt[3]{a} d \right) F \left(\sin^{-1} \left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}} \right) \right) - 7 \sqrt{a + bx^3}}{35 b^{2/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/Sqrt[a + b*x^3], x]

[Out] $(6*a*d*\text{Sqrt}[a + b*x^3])/(7*b^(2/3)*((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)) + (2*(7*c*x + 5*d*x^2)*\text{Sqrt}[a + b*x^3])/35 - (3*3^(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^(4/3)*d*(a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2)*\text{EllipticE}[\text{ArcSin}(((1 - \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)), -7 - 4*\text{Sqrt}[3]]/(7*b^(2/3)*\text{Sqrt}[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)])$

$$\frac{1}{3}x^2 \sqrt{a + bx^3} + (2 \cdot 3^{3/4}) \sqrt{2 + \sqrt{3}} a (7b^{1/3}c - 5(1 - \sqrt{3})a^{1/3}d) (a^{1/3} + b^{1/3}x) \sqrt{(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2) / ((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \operatorname{EllipticF}[\operatorname{ArcSin}[\frac{(1 - \sqrt{3})a^{1/3} + b^{1/3}x}{(1 + \sqrt{3})a^{1/3} + b^{1/3}x}], -7 - 4\sqrt{3}]] / (35b^{2/3} \sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x)) / ((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2}) \sqrt{a + bx^3}$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 1586

```
Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 1853

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
```

`[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{ac + adx + bcx^3 + bdx^4}{\sqrt{a + bx^3}} dx &= \int (c + dx)\sqrt{a + bx^3} dx \\
 &= \frac{2}{35} (7cx + 5dx^2) \sqrt{a + bx^3} + \frac{1}{2}(3a) \int \frac{\frac{2c}{5} + \frac{2dx}{7}}{\sqrt{a + bx^3}} dx \\
 &= \frac{2}{35} (7cx + 5dx^2) \sqrt{a + bx^3} + \frac{(3ad) \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{7\sqrt[3]{b}} + \frac{1}{35} \left(3a \left(7c - \frac{5(1-\sqrt{3})}{\sqrt[3]{b}} \right) \sqrt[3]{a} \sqrt{2-\sqrt{3}} a^{4/3} \right) \\
 &= \frac{6ad\sqrt{a + bx^3}}{7b^{2/3} \left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x \right)} + \frac{2}{35} (7cx + 5dx^2) \sqrt{a + bx^3} - \frac{3^4 \sqrt{3} \sqrt{2 - \sqrt{3}} a^{4/3}}{\dots}
 \end{aligned}$$

Mathematica [C] time = 0.04, size = 75, normalized size = 0.14

$$\frac{x\sqrt{a + bx^3} \left(2c {}_2F_1 \left(-\frac{1}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a} \right) + dx {}_2F_1 \left(-\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) \right)}{2\sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/Sqrt[a + b*x^3],x]

[Out] (x*Sqrt[a + b*x^3]*(2*c*Hypergeometric2F1[-1/2, 1/3, 4/3, -((b*x^3)/a)] + d*x*Hypergeometric2F1[-1/2, 2/3, 5/3, -((b*x^3)/a)]))/(2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral} \left(\sqrt{bx^3 + a} (dx + c), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(d*x + c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/sqrt(b*x^3 + a), x)

maple [B] time = 0.06, size = 1480, normalized size = 2.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(1/2),x)

[Out] b*d*(2/7*(b*x^3+a)^(1/2)/b*x^2+8/21*I*a/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+b*c*(2/5*(b*x^3+a)^(1/2)/b*x+4/15*I*a/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))-2/3*I*a*d*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)

$$\begin{aligned} & /b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I \\ & *3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)} \\ & *3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})) -2/3*I*a*c*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)} \\ & *3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(1/2),x)

[Out] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(1/2), x)

sympy [A] time = 8.15, size = 163, normalized size = 0.31

$$\frac{\sqrt{a} cx \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{a} dx^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{bcx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{7}{3}\right)} + \frac{bdx^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{5}{3}, \frac{5}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**(1/2),x)`

[Out] `sqrt(a)*c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + b*c*x**4*gamma(4/3)*hyper((1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(7/3)) + b*d*x**5*gamma(5/3)*hyper((1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(8/3))`

$$3.62 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=490

$$\frac{2\sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} (\sqrt[3]{b}c - (1-\sqrt{3})\sqrt[3]{a}d) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

[Out] 2*d*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-3^(1/4)*a^(1/3)*d*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)+2/3*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(b^(1/3)*c-a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)*3^(3/4)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)

Rubi [A] time = 0.16, antiderivative size = 490, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1586, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} (\sqrt[3]{b}c - (1-\sqrt{3})\sqrt[3]{a}d) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(3/2), x]

[Out] (2*d*Sqrt[a + b*x^3])/(b^(2/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(1/3)*d*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (2*Sqrt[2 + Sqrt[3]]*

$$(b^{1/3}c - (1 - \sqrt{3})a^{1/3}d)(a^{1/3} + b^{1/3}x)\sqrt{(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2)/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3})a^{1/3} + b^{1/3}x}{(1 + \sqrt{3})a^{1/3} + b^{1/3}x}], -7 - 4\sqrt{3}]/(3^{1/4}b^{2/3}\sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x)))/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2}\sqrt{a + b^3x^3}]$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 1586

```
Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{3/2}} dx &= \int \frac{c + dx}{\sqrt{a + bx^3}} dx \\
&= \frac{d \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{\sqrt[3]{b}} + \left(c - \frac{(1-\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a+bx^3}} dx \\
&= \frac{2d\sqrt{a+bx^3}}{b^{2/3} \left((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x \right)} - \frac{\sqrt[4]{3} \sqrt{2-\sqrt{3}} \sqrt[3]{a}d \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{b^{2/3} \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^2}{\left((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x \right)}}}
\end{aligned}$$

Mathematica [C] time = 0.07, size = 75, normalized size = 0.15

$$\frac{x\sqrt{\frac{bx^3}{a} + 1} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(3/2), x]

[Out] (x*sqrt[1 + (b*x^3)/a]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)]))/(2*sqrt[a + b*x^3])

fricas [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx + c}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(3/2), x, algorithm="fricas")

[Out] integral((d*x + c)/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(3/2), x)
```

maple [B] time = 0.05, size = 1536, normalized size = 3.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(3/2),x)
```

```
[Out] b*d*(-2/3/b*x^2/((x^3+a/b)*b)^(1/2)-8/9*I/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+
1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)
*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^
2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)
/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b
+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(
1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3
^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b
)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)
/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/
2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b
)^(1/2))))+b*c*(-2/3/((x^3+a/b)*b)^(1/2)/b*x-4/9*I/b^2*3^(1/2)*(-a*b^2)^(1/3)
)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^
2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)
)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^
2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3
^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(
-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2
*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+a*d*(2/3/((x^3+a/b)*b)^(1/2)/a*x^2+
2/9*I/a^3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-
a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/
2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^
2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/
(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*Ell
ipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/
b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)
^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*Ellipti
cF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3
^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/
3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+a*c*(2/3/((x^3+a/b)*b)^(1/
2)/a*x-2/9*I/a^3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^
(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/
```

b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(3/2),x)

[Out] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(3/2), x)

sympy [A] time = 8.05, size = 78, normalized size = 0.16

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**(3/2),x)

[Out] c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3))

$$3.63 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{5/2}} dx$$

Optimal. Leaf size=522

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\left((1-\sqrt{3})\sqrt[3]{a}d+\sqrt[3]{b}c\right)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3^4\sqrt{3}ab^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

[Out] $2/3*x*(d*x+c)/a/(b*x^3+a)^{(1/2)}-2/3*d*(b*x^3+a)^{(1/2)}/a/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+1/3*d*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)-1/2*2^{(1/2)})}*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)*3^{(1/4)}/a^{(2/3)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)+2/9*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(b^{(1/3)*c+a^{(1/3)*d*(1-3^{(1/2)})})}*(1/2*6^{(1/2)+1/2*2^{(1/2)})}*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)*3^{(3/4)}/a/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 522, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1586, 1855, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\left((1-\sqrt{3})\sqrt[3]{a}d+\sqrt[3]{b}c\right)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3^4\sqrt{3}ab^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(5/2), x]

[Out] $(2*x*(c+d*x))/(3*a*\text{Sqrt}[a+b*x^3])-(2*d*\text{Sqrt}[a+b*x^3])/(3*a*b^{(2/3)}*((1+\text{Sqrt}[3])*a^{(1/3)+b^{(1/3)*x}})+(\text{Sqrt}[2-\text{Sqrt}[3]]*d*(a^{(1/3)+b^{(1/3)*x}})*\text{Sqrt}[(a^{(2/3)-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/((1+\text{Sqrt}[3])*a^{(1/3)+b^{(1/3)*x}})^2]*\text{EllipticE}[\text{ArcSin}[(1-\text{Sqrt}[3])*a^{(1/3)+b^{(1/3)*x}}/(1+\text{Sqrt}[3])*a^{(1/3)+b^{(1/3)*x}}], -7-4*\text{Sqrt}[3]])/(3^{(3/4)}*a^{(2/3)}*b^{(2/3)}$

3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (2*Sqrt[2 + Sqrt[3]]*(b^(1/3)*c + (1 - Sqrt[3])*a^(1/3)*d)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(3*3^(1/4)*a*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 1855

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt

`[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{5/2}} dx &= \int \frac{c + dx}{(a + bx^3)^{3/2}} dx \\
 &= \frac{2x(c + dx)}{3a\sqrt{a + bx^3}} - \frac{2 \int \frac{-\frac{c}{2} + \frac{dx}{2}}{\sqrt{a + bx^3}} dx}{3a} \\
 &= \frac{2x(c + dx)}{3a\sqrt{a + bx^3}} - \frac{d \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{3a\sqrt[3]{b}} + \frac{\left(c + \frac{(1 - \sqrt{3})\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt{a + bx^3}} dx}{3a} \\
 &= \frac{2x(c + dx)}{3a\sqrt{a + bx^3}} - \frac{2d\sqrt{a + bx^3}}{3ab^{2/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} + \frac{\sqrt{2 - \sqrt{3}} d (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \dots}{(1 + \dots)}}}{3^{3/4} a^{2/3} b^{2/3}}
 \end{aligned}$$

Mathematica [C] time = 0.07, size = 96, normalized size = 0.18

$$\frac{x \left(2c \sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 3dx \sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4c \right)}{6a\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(5/2), x]

[Out] (x*(4*c + 2*c*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 3*d*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -((b*x^3)/a)]))/(6*a*Sqrt[a + b*x^3])

fricas [F] time = 1.01, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^3 + a}(dx + c)}{b^2x^6 + 2abx^3 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(d*x + c)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(5/2),x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(5/2), x)

maple [B] time = 0.05, size = 1662, normalized size = 3.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(5/2),x)

[Out] b*d*(-2/9*x^2/b^3*(b*x^3+a)^(1/2)/(x^3+a/b)^2+8/27/b/a*x^2/((x^3+a/b)*b)^(1/2)+8/81*I/b^2/a*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+b*c*(-2/9*x/b^3*(b*x^3+a)^(1/2)/(x^3+a/b)^2+4/27/b/a*x/((x^3+a/b)*b)^(1/2)-4/81*I/b^2/a*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+a*d*(2/9/a*x^2/b^2*(b*x^3+a)^(1/2)/(x^3+a/b)^2+10/27/a^2*x^2/((x^3+a/b)*b)^(1/2)+10/81*I/a^2*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)

$$\frac{1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)*((x-(-a*b^2)^{(1/3)/b)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b))^{(1/2)*(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)/(b*x^3+a)^{(1/2)*((-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*EllipticE(1/3*3^{(1/2)*I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)/b)^{(1/2))+(-a*b^2)^{(1/3)/b}*EllipticF(1/3*3^{(1/2)*I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)/b)^{(1/2))}})+a*c*(2/9*(b*x^3+a)^{(1/2)/(x^3+a/b)^2/a/b^2*x+14/27/((x^3+a/b)*b)^{(1/2)/a^2*x-14/81*I/a^2*3^{(1/2)*(-a*b^2)^{(1/3)/b*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)*((x-(-a*b^2)^{(1/3)/b)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b))^{(1/2)*(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)/(b*x^3+a)^{(1/2)*EllipticF(1/3*3^{(1/2)*I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)/b)^{(1/2))}})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(5/2),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(5/2),x)

[Out] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(5/2), x)

sympy [A] time = 20.91, size = 163, normalized size = 0.31

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{5}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{5}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{5}{3}\right)} + \frac{bcx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{5}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{5}{2}}\Gamma\left(\frac{7}{3}\right)} + \frac{bdx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{5}{3}, \frac{5}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{5}{2}}\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**(5/2),x)

[Out] c*x*gamma(1/3)*hyper((1/3, 5/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((2/3, 5/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(5/3)) + b*c*x**4*gamma(4/3)*hyper((4/3, 5/2), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(5/2)*gamma(7/3)) + b*d*x**5*gamma(5/3)*hyper((5/3, 5/2), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(5/2)*gamma(8/3))

$$3.64 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{7/2}} dx$$

Optimal. Leaf size=554

$$\frac{5\sqrt{2-\sqrt{3}} d (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a} \sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3}) \sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{9 \cdot 3^{3/4} a^{5/3} b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}} \frac{10d\sqrt{a+bx^3}}{27a^2b^{2/3} ((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}$$

[Out] $2/9*x*(d*x+c)/a/(b*x^3+a)^{(3/2)}+2/27*x*(5*d*x+7*c)/a^2/(b*x^3+a)^{(1/2)}-10/2$
 $7*d*(b*x^3+a)^{(1/2)}/a^2/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}+5/27*d*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}*(1+3^{(1/2)})), I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)*3^{(1/4)}/a^{(5/3)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}+2/81*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)+2*I}*(7*b^{(1/3)*c}+5*a^{(1/3)*d*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)*3^{(3/4)}/a^2/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 554, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1586, 1855, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a} \sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} (5(1-\sqrt{3}) \sqrt[3]{a}d + 7\sqrt[3]{b}c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3}) \sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{27\sqrt[4]{3} a^2b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(7/2), x]

[Out] $(2*x*(c + d*x))/(9*a*(a + b*x^3)^{(3/2)} + (2*x*(7*c + 5*d*x))/(27*a^2*\text{Sqrt}[a + b*x^3]) - (10*d*\text{Sqrt}[a + b*x^3])/(27*a^2*b^{(2/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (5*\text{Sqrt}[2 - \text{Sqrt}[3]]*d*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*$

```

EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3)
+ b^(1/3)*x)], -7 - 4*Sqrt[3]]/(9*3^(3/4)*a^(5/3)*b^(2/3)*Sqrt[(a^(1/3)*(
a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3
]) + (2*Sqrt[2 + Sqrt[3]]*(7*b^(1/3)*c + 5*(1 - Sqrt[3])*a^(1/3)*d)*(a^(1/3)
) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[
3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/
3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(27*3^(1/4)*a^
2*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(
1/3)*x)^2]*Sqrt[a + b*x^3])

```

Rule 218

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
& PosQ[a]

```

Rule 1586

```

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

```

Rule 1855

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

```

Rule 1877

```

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rule 1878

```

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N

```

```

umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]], Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{7/2}} dx &= \int \frac{c + dx}{(a + bx^3)^{5/2}} dx \\
&= \frac{2x(c + dx)}{9a(a + bx^3)^{3/2}} - \frac{2 \int \frac{-\frac{7c}{2} - \frac{5dx}{2}}{(a + bx^3)^{3/2}} dx}{9a} \\
&= \frac{2x(c + dx)}{9a(a + bx^3)^{3/2}} + \frac{2x(7c + 5dx)}{27a^2\sqrt{a + bx^3}} + \frac{4 \int \frac{\frac{7c}{4} - \frac{5dx}{4}}{\sqrt{a + bx^3}} dx}{27a^2} \\
&= \frac{2x(c + dx)}{9a(a + bx^3)^{3/2}} + \frac{2x(7c + 5dx)}{27a^2\sqrt{a + bx^3}} - \frac{(5d) \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{27a^2\sqrt[3]{b}} + \frac{\left(7c + \frac{5(1 - \sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{27a^2} \\
&= \frac{2x(c + dx)}{9a(a + bx^3)^{3/2}} + \frac{2x(7c + 5dx)}{27a^2\sqrt{a + bx^3}} - \frac{10d\sqrt{a + bx^3}}{27a^2b^{2/3}\left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x\right)} + \frac{5\sqrt{2 - \sqrt{3}}}{27a^2}
\end{aligned}$$

Mathematica [C] time = 0.11, size = 123, normalized size = 0.22

$$\frac{14cx(a + bx^3)\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 4cx(10a + 7bx^3) + 27dx^2(a + bx^3)\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{2}{3}, \frac{5}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right)}{54a^2(a + bx^3)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(7/2), x]

[Out] (4*c*x*(10*a + 7*b*x^3) + 14*c*x*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + 27*d*x^2*(a + b*x^3)*Sqrt[1 + (b*x^3)

)/a]*Hypergeometric2F1[2/3, 5/2, 5/3, -((b*x^3)/a)]/(54*a^2*(a + b*x^3)^(3/2))

fricas [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3+a}(dx+c)}{b^3x^9+3ab^2x^6+3a^2bx^3+a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(7/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(d*x + c)/(b^3*x^9 + 3*a*b^2*x^6 + 3*a^2*b*x^3 + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(7/2),x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(7/2), x)

maple [B] time = 0.13, size = 1782, normalized size = 3.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(7/2),x)

[Out] b*d*(-2/15*x^2/b^4*(b*x^3+a)^(1/2)/(x^3+a/b)^3+8/135/a*x^2/b^3*(b*x^3+a)^(1/2)/(x^3+a/b)^2+8/81/b/a^2*x^2/((x^3+a/b)*b)^(1/2)+8/243*I/a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)

$$\begin{aligned} & /3) * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} \\ & * (-a * b^2)^{(1/3)} / b) / b)^{(1/2))} + b * c * (-2/15 * x / b^4 * (b * x^3 + a)^{(1/2)} / (x^3 + a / b)^3 \\ & + 4/135 / a * x / b^3 * (b * x^3 + a)^{(1/2)} / (x^3 + a / b)^2 + 28/405 / b / a^2 * x / ((x^3 + a / b) * b)^{(1/2)} \\ & - 28/1215 * I / a^2 / b^2 * 3^{(1/2)} * (-a * b^2)^{(1/3)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * \\ & I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a * b^2)^{(1/3)} / b) / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x \\ & + 1/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} \\ &) * b)^{(1/2)} / (b * x^3 + a)^{(1/2)} * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b \\ & - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} \\ & * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2))} \\ & + a * d * (2/15 / a * x^2 / b^3 * (b * x^3 + a)^{(1/2)} / (x^3 + a / b)^3 + 22/135 / a^2 * x^2 / b^2 * (\\ & b * x^3 + a)^{(1/2)} / (x^3 + a / b)^2 + 22/81 / a^3 * x^2 / ((x^3 + a / b) * b)^{(1/2)} + 22/243 * I / a^3 * 3 \\ & ^{(1/2)} * (-a * b^2)^{(1/3)} / b * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a * b^2)^{(1/3)} / b) / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} / (b * x^3 + a)^{(1/2)} * ((-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * \text{EllipticE}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2))} + (-a * b^2)^{(1/3)} / b * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2))} + a * c * (2/15 / a * x / b^3 * (b * x^3 + a)^{(1/2)} / (x^3 + a / b)^3 + 26/135 / a^2 * x / b^2 * (b * x^3 + a)^{(1/2)} / (x^3 + a / b)^2 + 182/405 / a^3 * x / ((x^3 + a / b) * b)^{(1/2)} - 182/1215 * I / a^3 * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a * b^2)^{(1/3)} / b) / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} / (b * x^3 + a)^{(1/2)} * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2))} \\ & , (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2))} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(7/2),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(7/2), x)

[Out] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(7/2), x)

sympy [A] time = 68.68, size = 163, normalized size = 0.29

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} \frac{1}{3}, \frac{7}{2} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{5}{2}}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} \frac{2}{3}, \frac{7}{2} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{5}{2}}\Gamma\left(\frac{5}{3}\right)} + \frac{bcx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} \frac{4}{3}, \frac{7}{2} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{7}{2}}\Gamma\left(\frac{7}{3}\right)} + \frac{bdx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} \frac{5}{3}, \frac{7}{2} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{7}{2}}\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**(7/2), x)

[Out] c*x*gamma(1/3)*hyper((1/3, 7/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(5/2)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((2/3, 7/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(5/2)*gamma(5/3)) + b*c*x**4*gamma(4/3)*hyper((4/3, 7/2), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(7/2)*gamma(7/3)) + b*d*x**5*gamma(5/3)*hyper((5/3, 7/2), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(7/2)*gamma(8/3))

$$3.65 \quad \int \frac{ac+adx+bcx^3+bdx^4}{(a+bx^3)^{9/2}} dx$$

Optimal. Leaf size=581

$$\frac{11\sqrt{2-\sqrt{3}} d \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \middle| -7-4\sqrt{3}\right)}{27 \cdot 3^{3/4} a^{8/3} b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}} \frac{22d\sqrt{a+bx^3}}{81a^3b^{2/3}\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}$$

[Out] $\frac{2}{15}xx(d*x+c)/a/(b*x^3+a)^{(5/2)}+2/135xx(11*d*x+13*c)/a^2/(b*x^3+a)^{(3/2)}+2/405xx(55*d*x+91*c)/a^3/(b*x^3+a)^{(1/2)}-22/81*d*(b*x^3+a)^{(1/2)}/a^3/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}+11/81*d*(a^{(1/3)}+b^{(1/3)*x})*\text{EllipticE}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}*3^{(1/4)}/a^{(8/3)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x}))/((b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}+2/1215*(a^{(1/3)}+b^{(1/3)*x})*\text{EllipticF}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}),I*3^{(1/2)}+2*I)*(91*b^{(1/3)*c}+55*a^{(1/3)*d*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}*3^{(3/4)}/a^3/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x}))/((b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}$

Rubi [A] time = 0.41, antiderivative size = 581, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1586, 1855, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \left(55(1-\sqrt{3})\sqrt[3]{a}d+91\sqrt[3]{b}c\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \middle| -7-4\sqrt{3}\right)}{405\sqrt[4]{3} a^3b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(9/2),x]

[Out] $\frac{(2*x*(c + d*x))/(15*a*(a + b*x^3)^{(5/2)}) + (2*x*(13*c + 11*d*x))/(135*a^2*(a + b*x^3)^{(3/2)}) + (2*x*(91*c + 55*d*x))/(405*a^3*\text{Sqrt}[a + b*x^3]) - (22*d*\text{Sqrt}[a + b*x^3])/(81*a^3*b^{(2/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (1*\text{Sqrt}[2 - \text{Sqrt}[3]]*d*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}})]}{}$

```
*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[(
(1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7
- 4*Sqrt[3]])/(27*3^(3/4)*a^(8/3)*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)
*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (2*Sqrt[2 +
Sqrt[3]]*(91*b^(1/3)*c + 55*(1 - Sqrt[3])*a^(1/3)*d)*(a^(1/3) + b^(1/3)*x)*
Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b
^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqr
t[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(405*3^(1/4)*a^3*b^(2/3)*Sqrt
[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqr
t[a + b*x^3])
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 1586

```
Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{ac + adx + bcx^3 + bdx^4}{(a + bx^3)^{9/2}} dx &= \int \frac{c + dx}{(a + bx^3)^{7/2}} dx \\
 &= \frac{2x(c + dx)}{15a(a + bx^3)^{5/2}} - \frac{2 \int \frac{\frac{13c}{2} - \frac{11dx}{2}}{(a + bx^3)^{5/2}} dx}{15a} \\
 &= \frac{2x(c + dx)}{15a(a + bx^3)^{5/2}} + \frac{2x(13c + 11dx)}{135a^2(a + bx^3)^{3/2}} + \frac{4 \int \frac{\frac{91c}{4} + \frac{55dx}{4}}{(a + bx^3)^{3/2}} dx}{135a^2} \\
 &= \frac{2x(c + dx)}{15a(a + bx^3)^{5/2}} + \frac{2x(13c + 11dx)}{135a^2(a + bx^3)^{3/2}} + \frac{2x(91c + 55dx)}{405a^3\sqrt{a + bx^3}} - \frac{8 \int \frac{-\frac{91c}{8} + \frac{55dx}{8}}{\sqrt{a + bx^3}} dx}{405a^3} \\
 &= \frac{2x(c + dx)}{15a(a + bx^3)^{5/2}} + \frac{2x(13c + 11dx)}{135a^2(a + bx^3)^{3/2}} + \frac{2x(91c + 55dx)}{405a^3\sqrt{a + bx^3}} - \frac{(11d) \int \frac{(1 - \sqrt{3})\sqrt[3]{a + \sqrt[3]{b}}}{\sqrt{a + bx^3}} dx}{81a^3\sqrt[3]{b}} \\
 &= \frac{2x(c + dx)}{15a(a + bx^3)^{5/2}} + \frac{2x(13c + 11dx)}{135a^2(a + bx^3)^{3/2}} + \frac{2x(91c + 55dx)}{405a^3\sqrt{a + bx^3}} - \frac{22d\sqrt{a + bx^3}}{81a^3b^{2/3}((1 + \sqrt{3})\sqrt[3]{b})}
 \end{aligned}$$

Mathematica [C] time = 0.20, size = 138, normalized size = 0.24

$$\frac{4cx(157a^2 + 221abx^3 + 91b^2x^6) + 182cx\sqrt{\frac{bx^3}{a} + 1}(a + bx^3)^2 {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 405dx^2\sqrt{\frac{bx^3}{a} + 1}(a + bx^3)^2}{810a^3(a + bx^3)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(9/2),x]

[Out] (4*c*x*(157*a^2 + 221*a*b*x^3 + 91*b^2*x^6) + 182*c*x*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 405*d*x^2*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 7/2, 5/3, -((b*x^3)/a)])/(810*a^3*(a + b*x^3)^(5/2))

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3 + a}(dx + c)}{b^4x^{12} + 4ab^3x^9 + 6a^2b^2x^6 + 4a^3bx^3 + a^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(9/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(d*x + c)/(b^4*x^12 + 4*a*b^3*x^9 + 6*a^2*b^2*x^6 + 4*a^3*b*x^3 + a^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(9/2),x, algorithm="giac")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(9/2), x)

maple [B] time = 0.13, size = 1902, normalized size = 3.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(9/2),x)

[Out] b*d*(-2/21*x^2/b^5*(b*x^3+a)^(1/2)/(x^3+a/b)^4+8/315/a*x^2/b^4*(b*x^3+a)^(1/2)/(x^3+a/b)^3+88/2835/a^2*x^2/b^3*(b*x^3+a)^(1/2)/(x^3+a/b)^2+88/1701/b/a^3*x^2/((x^3+a/b)*b)^(1/2)+88/5103*I/a^3/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+

$1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+b*c*(-2/21*x/b^5*(b*x^3+a)^{(1/2)}/(x^3+a/b)^4+4/315/a*x/b^4*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3+52/2835/a^2*x/b^3*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2+52/1215/b/a^3*x/((x^3+a/b)*b)^{(1/2)}-52/3645*I/a^3/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*(x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+a*d*(2/21/a*x^2/b^4*(b*x^3+a)^{(1/2)}/(x^3+a/b)^4+34/315/a^2*x^2/b^3*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3+374/2835/a^3*x^2/b^2*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2+374/1701/a^4*x^2/((x^3+a/b)*b)^{(1/2)}+374/5103*I/a^4*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+a*c*(2/21/a*x/b^4*(b*x^3+a)^{(1/2)}/(x^3+a/b)^4+38/315/a^2*x/b^3*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3+494/2835/a^3*x/b^2*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2+494/1215/a^4*x/((x^3+a/b)*b)^{(1/2)}-494/3645*I/a^4*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+(-a*b^2)^{(1/3)}/b)^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x^4+b*c*x^3+a*d*x+a*c)/(b*x^3+a)^(9/2),x, algorithm="maxima")

[Out] integrate((b*d*x^4 + b*c*x^3 + a*d*x + a*c)/(b*x^3 + a)^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{bdx^4 + bcx^3 + adx + ac}{(bx^3 + a)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(9/2), x)

[Out] int((a*c + a*d*x + b*c*x^3 + b*d*x^4)/(a + b*x^3)^(9/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*d*x**4+b*c*x**3+a*d*x+a*c)/(b*x**3+a)**(9/2), x)

[Out] Timed out

$$3.66 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=590

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)(7\sqrt[3]{b}(5bc-2af)-5(1-\sqrt{3}))}{35\sqrt[4]{3}b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

[Out] $\frac{2/3 * e * (b * x^3 + a)^{1/2} / b + 2/5 * f * x * (b * x^3 + a)^{1/2} / b + 2/7 * g * x^2 * (b * x^3 + a)^{1/2} / b + 2/7 * (-4 * a * g + 7 * b * d) * (b * x^3 + a)^{1/2} / b^{5/3} / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})) - 1/7 * 3^{1/4} * a^{1/3} * (-4 * a * g + 7 * b * d) * (a^{1/3} + b^{1/3} * x) * \text{EllipticE}((b^{1/3} * x + a^{1/3} * (1 - 3^{1/2})) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2}))), I * 3^{1/2} + 2 * I) * (1/2 * 6^{1/2} - 1/2 * 2^{1/2}) * ((a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2} / b^{5/3} / (b * x^3 + a)^{1/2} / (a^{1/3} * (a^{1/3} + b^{1/3} * x) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2} + 2/105 * (a^{1/3} + b^{1/3} * x) * \text{EllipticF}((b^{1/3} * x + a^{1/3} * (1 - 3^{1/2})) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2}))), I * 3^{1/2} + 2 * I) * (7 * b^{1/3} * (-2 * a * f + 5 * b * c) - 5 * a^{1/3} * (-4 * a * g + 7 * b * d) * (1 - 3^{1/2})) * (1/2 * 6^{1/2} + 1/2 * 2^{1/2}) * ((a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2} * 3^{3/4} / b^{5/3} / (b * x^3 + a)^{1/2} / (a^{1/3} * (a^{1/3} + b^{1/3} * x) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2}$

Rubi [A] time = 0.56, antiderivative size = 590, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {1888, 1886, 261, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)(7\sqrt[3]{b}(5bc-2af)-5(1-\sqrt{3}))}{35\sqrt[4]{3}b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/Sqrt[a + b*x^3], x]

[Out] $(2 * e * \text{Sqrt}[a + b * x^3]) / (3 * b) + (2 * f * x * \text{Sqrt}[a + b * x^3]) / (5 * b) + (2 * g * x^2 * \text{Sqrt}[a + b * x^3]) / (7 * b) + (2 * (7 * b * d - 4 * a * g) * \text{Sqrt}[a + b * x^3]) / (7 * b^{5/3} * ((1 + \text{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)) - (3^{1/4} * \text{Sqrt}[2 - \text{Sqrt}[3]] * a^{1/3} * (7 * b * d - 4 * a * g) * (a^{1/3} + b^{1/3} * x) * \text{Sqrt}[(a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / ((1 + \text{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2]) * \text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3]) *$

$$\frac{a^{1/3} + b^{1/3}x}{(1 + \sqrt{3})a^{1/3} + b^{1/3}x}, -7 - 4\sqrt{3}] / (7b^{5/3}\sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x))/(1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \sqrt{a + b^3x^3}) + (2\sqrt{2 + \sqrt{3}})(7b^{1/3}(5bc - 2af) - 5(1 - \sqrt{3})a^{1/3}(7bd - 4ag))(a^{1/3} + b^{1/3}x)\sqrt{(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2)/(1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \text{EllipticF}[\text{ArcSin}[(1 - \sqrt{3})a^{1/3} + b^{1/3}x]/(1 + \sqrt{3})a^{1/3} + b^{1/3}x], -7 - 4\sqrt{3}]/(35 \cdot 3^{1/4} b^{5/3} \sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x))/(1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \sqrt{a + b^3x^3})$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - sqrt[3])*s
+ r*x)/((1 + sqrt[3])*s + r*x)], -7 - 4*sqrt[3]])/(3^(1/4)*r*sqrt[a + b*x^3
]*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - sqrt[3])*d)/c]], s = Denom[Simplify[((1 - sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*sqrt[a + b*x^3])/(a*r^2*((1 + sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*sqrt[2 - sqrt[3]]*d*s*(s + r*x)*sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - sqrt[3])*s + r*x)/((1 + sq
rt[3])*s + r*x)], -7 - 4*sqrt[3]])/(r^2*sqrt[a + b*x^3]*sqrt[(s*(s + r*x))/
((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - sqrt[3])*s + r*x)/sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4}{\sqrt{a + bx^3}} dx &= \frac{2gx^2\sqrt{a + bx^3}}{7b} + \frac{2 \int \frac{\frac{7bc}{2} + \frac{1}{2}(7bd - 4ag)x + \frac{7}{2}bex^2 + \frac{7}{2}bf x^3}{\sqrt{a + bx^3}} dx}{7b} \\
 &= \frac{2fx\sqrt{a + bx^3}}{5b} + \frac{2gx^2\sqrt{a + bx^3}}{7b} + \frac{4 \int \frac{\frac{7}{4}b(5bc - 2af) + \frac{5}{4}b(7bd - 4ag)x + \frac{35}{4}b^2ex^2}{\sqrt{a + bx^3}} dx}{35b^2} \\
 &= \frac{2fx\sqrt{a + bx^3}}{5b} + \frac{2gx^2\sqrt{a + bx^3}}{7b} + \frac{4 \int \frac{\frac{7}{4}b(5bc - 2af) + \frac{5}{4}b(7bd - 4ag)x}{\sqrt{a + bx^3}} dx}{35b^2} + e \int \frac{x^2}{\sqrt{a + bx^3}} dx \\
 &= \frac{2e\sqrt{a + bx^3}}{3b} + \frac{2fx\sqrt{a + bx^3}}{5b} + \frac{2gx^2\sqrt{a + bx^3}}{7b} + \frac{(7bd - 4ag) \int \frac{(1 - \sqrt{3})\sqrt[3]{a + \sqrt[3]{bx^3}}}{\sqrt{a + bx^3}} dx}{7b^{4/3}} \\
 &= \frac{2e\sqrt{a + bx^3}}{3b} + \frac{2fx\sqrt{a + bx^3}}{5b} + \frac{2gx^2\sqrt{a + bx^3}}{7b} + \frac{2(7bd - 4ag)\sqrt{a + bx^3}}{7b^{5/3}((1 + \sqrt{3})\sqrt[3]{a + \sqrt[3]{bx^3}})}
 \end{aligned}$$

Mathematica [C] time = 0.16, size = 135, normalized size = 0.23

$$\frac{42x\sqrt{\frac{bx^3}{a}} + 1(5bc - 2af) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 15x^2\sqrt{\frac{bx^3}{a}} + 1(7bd - 4ag) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4(a + bx^3)(35e + 3)}{210b\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/Sqrt[a + b*x^3],x]

[Out] (4*(a + b*x^3)*(35*e + 3*x*(7*f + 5*g*x)) + 42*(5*b*c - 2*a*f)*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 15*(7*b*d - 4*a*g)*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)])/(210*b*Sqrt[a + b*x^3])

fricas [F] time = 1.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^3 + a), x)

maple [B] time = 0.06, size = 1491, normalized size = 2.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(1/2),x)

[Out] g*(2/7*(b*x^3+a)^(1/2)/b*x^2+8/21*I*a/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)

$\wedge(1/2))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+f*(2/5*(b*x^3+a)^{(1/2)}/b*x+4/15*I*a/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+2/3*e*(b*x^3+a)^{(1/2)}/b-2/3*I*d*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))-2/3*I*c*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{g x^4 + f x^3 + e x^2 + d x + c}{\sqrt{b x^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{g x^4 + f x^3 + e x^2 + d x + c}{\sqrt{b x^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(1/2), x)`

[Out] `int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(1/2), x)`

sympy [A] time = 8.04, size = 187, normalized size = 0.32

$$e \left(\begin{array}{ll} \frac{x^3}{3\sqrt{a}} & \text{for } b = 0 \\ \frac{2\sqrt{a+bx^3}}{3b} & \text{otherwise} \end{array} \right) + \frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} + \frac{fx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{7}{3}\right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**(1/2), x)`

[Out] `e*Piecewise((x**3/(3*sqrt(a)), Eq(b, 0)), (2*sqrt(a + b*x**3)/(3*b), True)) + c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) + f*x**4*gamma(4/3)*hyper((1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(7/3)) + g*x**5*gamma(5/3)*hyper((1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(8/3))`

$$3.67 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=594

$$2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right) \left(\sqrt[3]{b}(2af+bc) + (1-\sqrt{3})\sqrt[3]{a}\right) + \frac{3\sqrt[4]{3}ab^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

[Out] $2/3*x*(b*c-a*f+(-a*g+b*d)*x+b*e*x^2)/a/b/(b*x^3+a)^{(1/2)}-2/3*e*(b*x^3+a)^{(1/2)}/a/b-2/3*(-4*a*g+b*d)*(b*x^3+a)^{(1/2)}/a/b^{(5/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+1/3*(-4*a*g+b*d)*(a^{(1/3)}+b^{(1/3)*x})*\text{EllipticE}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}*3^{(1/4)}/a^{(2/3)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}+2/9*(a^{(1/3)}+b^{(1/3)*x})*\text{EllipticF}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)}+2*I)*(b^{(1/3)*(2*a*f+b*c)+a^{(1/3)*(-4*a*g+b*d)*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}*3^{(3/4)}/a/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}$

Rubi [A] time = 0.43, antiderivative size = 594, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {1858, 1886, 261, 1878, 218, 1877}

$$2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right) \left(\sqrt[3]{b}(2af+bc) + (1-\sqrt{3})\sqrt[3]{a}\right) + \frac{3\sqrt[4]{3}ab^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(3/2), x]

[Out] $(2*x*(b*c - a*f + (b*d - a*g)*x + b*e*x^2))/(3*a*b*\text{Sqrt}[a + b*x^3]) - (2*e*\text{Sqrt}[a + b*x^3])/(3*a*b) - (2*(b*d - 4*a*g)*\text{Sqrt}[a + b*x^3])/(3*a*b^{(5/3)}*(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}) + (\text{Sqrt}[2 - \text{Sqrt}[3]]*(b*d - 4*a*g)*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})])/(3*a*b^{(5/3)}*(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})$


```

rt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(3^(3/4)*a^(2/3)*b^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (2*Sqrt[2 + Sqrt[3]]*(b^(1/3)*(b*c + 2*a*f) + (1 - Sqrt[3])*a^(1/3)*(b*d - 4*a*g))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2])*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(3*3^(1/4)*a*b^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

```

Rule 218

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3])*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] && PosQ[a]

```

Rule 261

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

```

Rule 1858

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

```

Rule 1877

```

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^3)^{3/2}} dx &= \frac{2x(bc - af + (bd - ag)x + bex^2)}{3ab\sqrt{a + bx^3}} - \frac{2 \int \frac{-\frac{1}{2}b(bc+2af) + \frac{1}{2}b(bd-4ag)x + \frac{3}{2}b^2ex^2}{\sqrt{a+bx^3}} dx}{3ab^2} \\ &= \frac{2x(bc - af + (bd - ag)x + bex^2)}{3ab\sqrt{a + bx^3}} - \frac{2 \int \frac{-\frac{1}{2}b(bc+2af) + \frac{1}{2}b(bd-4ag)x}{\sqrt{a+bx^3}} dx}{3ab^2} - \frac{e \int \frac{x^2}{\sqrt{a+bx^3}} dx}{a} \\ &= \frac{2x(bc - af + (bd - ag)x + bex^2)}{3ab\sqrt{a + bx^3}} - \frac{2e\sqrt{a + bx^3}}{3ab} - \frac{(bd - 4ag) \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx}}{\sqrt{a+bx^3}} dx}{3ab^{4/3}} \\ &= \frac{2x(bc - af + (bd - ag)x + bex^2)}{3ab\sqrt{a + bx^3}} - \frac{2e\sqrt{a + bx^3}}{3ab} - \frac{2(bd - 4ag)\sqrt{a + bx^3}}{3ab^{5/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})} \end{aligned}$$

Mathematica [C] time = 0.14, size = 130, normalized size = 0.22

$$\frac{2x\sqrt{\frac{bx^3}{a} + 1}(2af + bc) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 3x^2\sqrt{\frac{bx^3}{a} + 1}(bd - 4ag) {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 4a(e + x(f - 3gx)) + 4bc}{6ab\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(3/2),x]

[Out] (4*b*c*x - 4*a*(e + x*(f - 3*g*x)) + 2*(b*c + 2*a*f)*x*sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 3*(b*d - 4*a*g)*x^2*sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -((b*x^3)/a)]/(6*a*b*sqrt[a + b*x^3])

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^(3/2), x)

maple [B] time = 0.06, size = 1547, normalized size = 2.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(3/2),x)

[Out] g*(-2/3/((x^3+a/b)*b)^(1/2)/b*x^2-8/9*I/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/

$b^{1/2}) + (-a*b^2)^{1/3}/b*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b - 1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})) + f*(-2/3/((x^3+a/b)*b)^{1/2}/b*x-4/9*I/b^2*3^{1/2}*(-a*b^2)^{1/3}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})) - 2/3*e/b/(b*x^3+a)^{1/2} + d*(2/3/((x^3+a/b)*b)^{1/2}/a*x^2+2/9*I/a*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*((-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*EllipticE(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})) + (-a*b^2)^{1/3}/b*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})) + c*(2/3/((x^3+a/b)*b)^{1/2}/a*x-2/9*I/a*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{g x^4 + f x^3 + e x^2 + d x + c}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(3/2), x)`

[Out] `int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(3/2), x)`

sympy [A] time = 32.60, size = 189, normalized size = 0.32

$$e \left(\begin{array}{ll} -\frac{2}{3b\sqrt{a+bx^3}} & \text{for } b \neq 0 \\ \frac{x^3}{3a^2} & \text{otherwise} \end{array} \right) + \frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^2\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^2\Gamma\left(\frac{5}{3}\right)} + \frac{fx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^2\Gamma\left(\frac{7}{3}\right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**(3/2), x)`

[Out] `e*Piecewise((-2/(3*b*sqrt(a + b*x**3)), Ne(b, 0)), (x**3/(3*a**(3/2)), True)) + c*x*gamma(1/3)*hyper((1/3, 3/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((2/3, 3/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(5/3)) + f*x**4*gamma(4/3)*hyper((4/3, 3/2), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(7/3)) + g*x**5*gamma(5/3)*hyper((3/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(8/3))`

$$3.68 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^3)^{5/2}} dx$$

Optimal. Leaf size=628

$$\frac{\sqrt{2-\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} (4ag+5bd) E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right)}{9 \cdot 3^{3/4} a^{5/3} b^{5/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}} \frac{2\sqrt{a+bx^3}}{27a^2b^{5/3}\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)}$$

[Out] $\frac{2/9*x*(b*c-a*f+(-a*g+b*d)*x+b*e*x^2)/a/b/(b*x^3+a)^{(3/2)}-2/27*(3*a*e-x*(7*b*c+2*a*f+(4*a*g+5*b*d)*x))/a^2/b/(b*x^3+a)^{(1/2)}-2/27*(4*a*g+5*b*d)*(b*x^3+a)^{(1/2)}/a^2/b^{(5/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+1/27*(4*a*g+5*b*d)*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}*3^{(1/4)}/a^{(5/3)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}+2/81*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(b^{(1/3)*(2*a*f+7*b*c)+a^{(1/3)*(4*a*g+5*b*d)*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}*3^{(3/4)}/a^2/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}$

Rubi [A] time = 0.50, antiderivative size = 628, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1858, 1854, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right) \left(\sqrt[3]{b}(2af+7bc) + (1-\sqrt{3})\right)}{27\sqrt[4]{3} a^2 b^{5/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(5/2), x]

[Out] $\frac{(2*x*(b*c - a*f + (b*d - a*g)*x + b*e*x^2))/(9*a*b*(a + b*x^3)^{(3/2)}) - (2*(5*b*d + 4*a*g)*Sqrt[a + b*x^3])/(27*a^2*b^{(5/3)}*((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})) - (2*(3*a*e - x*(7*b*c + 2*a*f + (5*b*d + 4*a*g)*x)))/(27*a^2*b*$

$\text{Sqrt}[a + b*x^3]) + (\text{Sqrt}[2 - \text{Sqrt}[3]]*(5*b*d + 4*a*g)*(a^{1/3} + b^{1/3}*x) * \text{Sqrt}[(a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2)/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2] * \text{EllipticE}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x}{(1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x}], -7 - 4*\text{Sqrt}[3]])/(9*3^{3/4}*a^{5/3}*b^{5/3}* \text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3}*x))/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2] * \text{Sqrt}[a + b*x^3]) + (2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(b^{1/3}*(7*b*c + 2*a*f) + (1 - \text{Sqrt}[3])*a^{1/3}*(5*b*d + 4*a*g))*(a^{1/3} + b^{1/3}*x)* \text{Sqrt}[(a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2)/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2] * \text{EllipticF}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x}{(1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x}], -7 - 4*\text{Sqrt}[3]])/(27*3^{1/4}*a^2*b^{5/3}* \text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3}*x))/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2] * \text{Sqrt}[a + b*x^3])$

Rule 218

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^3], x_Symbol] := \text{With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)* \text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2] * \text{EllipticF}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*s + r*x}{(1 + \text{Sqrt}[3])*s + r*x}], -7 - 4*\text{Sqrt}[3]])/(3^{1/4}*r*\text{Sqrt}[a + b*x^3] * \text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x] /; \text{FreeQ}[\{a, b\}, x] \& \& \text{PosQ}[a]$

Rule 1854

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \text{Module}[\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(a*\text{Coeff}[Pq, x, q] - b*x*\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, q]*x^q, x])*(a + b*x^n)^{(p + 1)}/(a*b*n*(p + 1)), x] + \text{Dist}[1/(a*n*(p + 1)), \text{Int}[\text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[Pq, x, i]*x^i, \{i, 0, q - 1\}]* (a + b*x^n)^{(p + 1)}, x], x] /; q == n - 1] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1]$

Rule 1858

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^{(n_.)})^{(p_)}, x_Symbol] := \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq}, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq}, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)}/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{GeQ}[q, n]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1]$

Rule 1877

$\text{Int}[(c_) + (d_)*(x_)]/\text{Sqrt}[(a_) + (b_)*(x_)^3], x_Symbol] := \text{With}[\{r = \text{Numer}[\text{Simplify}[\frac{(1 - \text{Sqrt}[3])*d}{c}], s = \text{Denom}[\text{Simplify}[\frac{(1 - \text{Sqrt}[3])*d}{c}]]\}, \text{Simp}[(2*d*s^3*\text{Sqrt}[a + b*x^3])/(a*r^2*((1 + \text{Sqrt}[3])*s + r*x)), x] - \text{Simp}[(3^{1/4}*\text{Sqrt}[2 - \text{Sqrt}[3]]*d*s*(s + r*x)* \text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]$

$(1 + \sqrt{3})s + rx)^2 \text{EllipticE}[\text{ArcSin}[\frac{(1 - \sqrt{3})s + rx}{(1 + \sqrt{3})s + rx}], -7 - 4\sqrt{3}]/(r^2 \sqrt{a + bx^3} \sqrt{(s(s + rx))/((1 + \sqrt{3})s + rx)^2}), x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{Eq}[b^3c - 2(5 - 3\sqrt{3})ad^3, 0]$

Rule 1878

$\text{Int}[\frac{(c_.) + (d_.)x}{\sqrt{(a_.) + (b_.)x^3}}, x_Symbol] :> \text{With}\{r = \text{Numerator}[\text{Rt}[b/a, 3]], s = \text{Denominator}[\text{Rt}[b/a, 3]]\}, \text{Dist}[\frac{c \cdot r - (1 - \sqrt{3})d \cdot s}{r}, \text{Int}[1/\sqrt{a + bx^3}, x], x] + \text{Dist}[d/r, \text{Int}[\frac{(1 - \sqrt{3})s + rx}{\sqrt{a + bx^3}}, x], x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b^3c - 2(5 - 3\sqrt{3})ad^3, 0]$

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^3)^{5/2}} dx &= \frac{2x(bc - af + (bd - ag)x + bex^2)}{9ab(a + bx^3)^{3/2}} - \frac{2 \int \frac{-\frac{1}{2}b(7bc+2af) - \frac{1}{2}b(5bd+4ag)x - \frac{3}{2}b^2ex^2}{(a+bx^3)^{3/2}} dx}{9ab^2} \\ &= \frac{2x(bc - af + (bd - ag)x + bex^2)}{9ab(a + bx^3)^{3/2}} - \frac{2(3ae - x(7bc + 2af + (5bd + 4ag)x))}{27a^2b\sqrt{a + bx^3}} + \frac{4}{27a^2b} \\ &= \frac{2x(bc - af + (bd - ag)x + bex^2)}{9ab(a + bx^3)^{3/2}} - \frac{2(3ae - x(7bc + 2af + (5bd + 4ag)x))}{27a^2b\sqrt{a + bx^3}} - \frac{4}{27a^2b} \\ &= \frac{2x(bc - af + (bd - ag)x + bex^2)}{9ab(a + bx^3)^{3/2}} - \frac{2(5bd + 4ag)\sqrt{a + bx^3}}{27a^2b^{5/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{2(3ae - x(7bc + 2af + (5bd + 4ag)x))}{27a^2b} \end{aligned}$$

Mathematica [C] time = 0.22, size = 170, normalized size = 0.27

$$\frac{-4a^2(15e + x(5f + 27gx)) + 10x(a + bx^3)\sqrt{\frac{bx^3}{a} + 1}(2af + 7bc) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 40abx(5c + fx^3) + 27x^2(a + bx^3)}{270a^2b(a + bx^3)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(5/2),x]

[Out] (140*b^2*c*x^4 + 40*a*b*x*(5*c + f*x^3) - 4*a^2*(15*e + x*(5*f + 27*g*x)) + 10*(7*b*c + 2*a*f)*x*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 27*(5*b*d + 4*a*g)*x^2*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 5/2, 5/3, -((b*x^3)/a)])/(270*a^2*b*(a + b*x^3)^(3/2))

fricas [F] time = 1.17, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{b^3x^9 + 3ab^2x^6 + 3a^2bx^3 + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(5/2),x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/(b^3*x^9 + 3*a*b^2*x^6 + 3*a^2*b*x^3 + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{(bx^3 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(5/2),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^(5/2), x)

maple [B] time = 0.06, size = 1673, normalized size = 2.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(5/2),x)

[Out] g*(-2/9*(b*x^3+a)^(1/2)/(x^3+a/b)^2/b^3*x^2+8/27/((x^3+a/b)*b)^(1/2)/a/b*x^2+8/81*I/b^2/a*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))

$$\frac{1/3}{b} * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b^{1/2}) + (-a * b^2)^{1/3} / b * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}), (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b^{1/2})) + f * (-2/9 * (b * x^3 + a)^{1/2} / (x^3 + a/b)^2 / b^3 * x + 4/27 / ((x^3 + a/b) * b)^{1/2} / a / b * x - 4/81 * I / b^2 / a * 3^{1/2} * (-a * b^2)^{1/3} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}) * ((x - (-a * b^2)^{1/3} / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b))^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}) / (b * x^3 + a)^{1/2} * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}), (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b^{1/2})) - 2/9 * e / b / (b * x^3 + a)^{3/2} + d * (2/9 * (b * x^3 + a)^{1/2} / (x^3 + a/b)^2 / a / b^2 * x^2 + 10/27 / ((x^3 + a/b) * b)^{1/2} / a^2 * x^2 + 10/81 * I / a^2 * 3^{1/2} * (-a * b^2)^{1/3} / b * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}) / (-a * b^2)^{1/3} * b^{1/2}) * ((x - (-a * b^2)^{1/3} / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b))^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}) / (b * x^3 + a)^{1/2} * ((-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * \text{EllipticE}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}), (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b^{1/2})) + (-a * b^2)^{1/3} / b * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}), (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b^{1/2})) + c * (2/9 * (b * x^3 + a)^{1/2} / (x^3 + a/b)^2 / a / b^2 * x + 14/27 / ((x^3 + a/b) * b)^{1/2} / a^2 * x - 14/81 * I / a^2 * 3^{1/2} * (-a * b^2)^{1/3} / b * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}) / (-a * b^2)^{1/3} * b^{1/2}) * ((x - (-a * b^2)^{1/3} / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b))^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}) / (b * x^3 + a)^{1/2} * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}), (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{(bx^3 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(5/2),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{g x^4 + f x^3 + e x^2 + d x + c}{(b x^3 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(5/2), x)

[Out] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**(5/2), x)

[Out] Timed out

$$3.69 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^3)^{7/2}} dx$$

Optimal. Leaf size=676

$$\frac{\sqrt{2-\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} (4ag+11bd) E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right)}{27 \cdot 3^{3/4} a^{8/3} b^{5/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}} \cdot \frac{2\sqrt{a+bx^3}}{81a^3b^{5/3}\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}$$

[Out] $\frac{2}{15} x (b^3 c - a^3 f + (-a^3 g + b^3 d) x + b^3 e x^2) / a b (b^3 x^3 + a)^{5/2} - 2/135 (9 a^3 e - x (13 b^3 c + 2 a^3 f + (4 a^3 g + 11 b^3 d) x)) / a^2 b (b^3 x^3 + a)^{3/2} + 2/405 x (14 a^3 f + 91 b^3 c + 5 (4 a^3 g + 11 b^3 d) x) / a^3 b (b^3 x^3 + a)^{1/2} - 2/81 (4 a^3 g + 11 b^3 d) (b^3 x^3 + a)^{1/2} / a^3 b^{5/3} / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})) + 1/81 (4 a^3 g + 11 b^3 d) (a^{1/3} + b^{1/3} x) \text{EllipticE}\left(\frac{b^{1/3} x + a^{1/3} (1 - 3^{1/2})}{b^{1/3} x + a^{1/3} (1 + 3^{1/2})}\right) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})) + I 3^{1/2} (1 + 2 I) (1/2 6^{1/2} - 1/2 2^{1/2}) ((a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})))^{1/2} 3^{1/4} / a^{8/3} / b^{5/3} / (b^3 x^3 + a)^{1/2} / (a^{1/3} (a^{1/3} + b^{1/3} x) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})))^{1/2} + 2/1215 (a^{1/3} + b^{1/3} x) \text{EllipticF}\left(\frac{b^{1/3} x + a^{1/3} (1 - 3^{1/2})}{b^{1/3} x + a^{1/3} (1 + 3^{1/2})}\right) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})) + I 3^{1/2} (1 + 2 I) (7 b^{1/3} (2 a^3 f + 13 b^3 c) + 5 a^{1/3} (4 a^3 g + 11 b^3 d) (1 - 3^{1/2})) (1/2 6^{1/2} + 1/2 2^{1/2}) ((a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})))^{1/2} 3^{3/4} / a^3 b^{5/3} / (b^3 x^3 + a)^{1/2} / (a^{1/3} (a^{1/3} + b^{1/3} x) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})))^{1/2}$

Rubi [A] time = 0.67, antiderivative size = 676, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {1858, 1854, 1855, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right) (7\sqrt[3]{b}(2af+13bc) + 5(1 - \dots))}{405 \sqrt[4]{3} a^3 b^{5/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(7/2), x]

[Out] $\frac{2 x (b^3 c - a^3 f + (b^3 d - a^3 g) x + b^3 e x^2)}{(15 a^3 b (a + b^3 x^3)^{5/2})} + \frac{2 x (7 (13 b^3 c + 2 a^3 f) + 5 (11 b^3 d + 4 a^3 g) x)}{(405 a^3 b \sqrt{a + b^3 x^3})}$

$$\begin{aligned}
& - (2*(11*b*d + 4*a*g)*\text{Sqrt}[a + b*x^3])/(81*a^3*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) - (2*(9*a*e - x*(13*b*c + 2*a*f + (11*b*d + 4*a*g)*x)))/(135*a^2*b*(a + b*x^3)^{(3/2)}) + (\text{Sqrt}[2 - \text{Sqrt}[3]]*(11*b*d + 4*a*g)*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(27*3^{(3/4)}*a^{(8/3)}*b^{(5/3)*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) + (2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(7*b^{(1/3)}*(13*b*c + 2*a*f) + 5*(1 - \text{Sqrt}[3])*a^{(1/3)}*(11*b*d + 4*a*g))*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]))/(405*3^{(1/4)}*a^3*b^{(5/3)*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3])
\end{aligned}$$

Rule 218

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

```

Rule 1854

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]* (a + b*x^n)^(p + 1), x], x] /; q == n - 1 /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

```

Rule 1855

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

```

Rule 1858

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan

```

```
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
  b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
  umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
  ]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
  imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
  (1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqr
  t[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
  ((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
  Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
  umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
  Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
  [a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
  (5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^3)^{7/2}} dx &= \frac{2x(bc - af + (bd - ag)x + bex^2)}{15ab(a + bx^3)^{5/2}} - \frac{2 \int \frac{-\frac{1}{2}b(13bc+2af) - \frac{1}{2}b(11bd+4ag)x - \frac{9}{2}b^2ex^2}{(a+bx^3)^{5/2}} dx}{15ab^2} \\
&= \frac{2x(bc - af + (bd - ag)x + bex^2)}{15ab(a + bx^3)^{5/2}} - \frac{2(9ae - x(13bc + 2af + (11bd + 4ag)x))}{135a^2b(a + bx^3)^{3/2}} \\
&= \frac{2x(bc - af + (bd - ag)x + bex^2)}{15ab(a + bx^3)^{5/2}} + \frac{2x(7(13bc + 2af) + 5(11bd + 4ag)x)}{405a^3b\sqrt{a + bx^3}} - \frac{2}{8} \\
&= \frac{2x(bc - af + (bd - ag)x + bex^2)}{15ab(a + bx^3)^{5/2}} + \frac{2x(7(13bc + 2af) + 5(11bd + 4ag)x)}{405a^3b\sqrt{a + bx^3}} - \frac{2}{8} \\
&= \frac{2x(bc - af + (bd - ag)x + bex^2)}{15ab(a + bx^3)^{5/2}} + \frac{2x(7(13bc + 2af) + 5(11bd + 4ag)x)}{405a^3b\sqrt{a + bx^3}} - \frac{2}{8}
\end{aligned}$$

Mathematica [C] time = 0.40, size = 196, normalized size = 0.29

$$\frac{-4a^3(297e + x(77f + 405gx)) + 44a^2bx(157c + 34fx^3) + 44ab^2x^4(221c + 14fx^3) + 154x(a + bx^3)^2 \sqrt{\frac{bx^3}{a}} + 1}{8910a^3b(a + bx^3)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(7/2), x]

[Out] (4004*b^3*c*x^7 + 44*a*b^2*x^4*(221*c + 14*f*x^3) + 44*a^2*b*x*(157*c + 34*f*x^3) - 4*a^3*(297*e + x*(77*f + 405*g*x)) + 154*(13*b*c + 2*a*f)*x*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 405*(11*b*d + 4*a*g)*x^2*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 7/2, 5/3, -((b*x^3)/a)])/(8910*a^3*b*(a + b*x^3)^(5/2))

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{b^4x^{12} + 4ab^3x^9 + 6a^2b^2x^6 + 4a^3bx^3 + a^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(7/2),x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/(b^4*x^12 + 4*a*b^3*x^9 + 6*a^2*b^2*x^6 + 4*a^3*b*x^3 + a^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{(bx^3 + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(7/2),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^(7/2), x)

maple [B] time = 0.06, size = 1793, normalized size = 2.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(7/2),x)

[Out] $g*(-2/15*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3/b^4*x^2+8/135*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2/a/b^3*x^2+8/81/((x^3+a/b)*b)^{(1/2)}/a^2/b*x^2+8/243*I/a^2/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+f*(-2/15*(b*x^3+a)^{(1/2)}/(x^3+a/b)^3/b^4*x+4/135*(b*x^3+a)^{(1/2)}/(x^3+a/b)^2/a/b^3*x+28/405/((x^3+a/b)*b)^{(1/2)}/a^2/b*x-28/1215*I/a^2/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a$

$$\begin{aligned}
 & *b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}/b)^{(1/2)} \\
 &))-2/15*e/b/(b*x^3+a)^{(5/2)+d*(2/15*(b*x^3+a)^{(1/2)/(x^3+a/b)^3/a/b^3*x^2+2} \\
 & 2/135*(b*x^3+a)^{(1/2)/(x^3+a/b)^2/a^2/b^2*x^2+22/81/((x^3+a/b)*b)^{(1/2)/a^3} \\
 & *x^2+22/243*I/a^3*3^{(1/2)*(-a*b^2)^{(1/3)/b*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I} \\
 & *3^{(1/2)*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)*((x-(-a*b^2)^{(1/3)/b} \\
 &)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})^{(1/2)*(-I*(x+ \\
 & 1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)} \\
 & *b)^{(1/2)/(b*x^3+a)^{(1/2)*((-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b} \\
 &)*EllipticE(1/3*3^{(1/2)*I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b} \\
 &)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)} \\
 &)*(-a*b^2)^{(1/3)/b}/b)^{(1/2))+(-a*b^2)^{(1/3)/b*EllipticF(1/3*3^{(1/2)*I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)} \\
 &)*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)} \\
 &)*(-a*b^2)^{(1/3)/b}/b)^{(1/2)))+c*(2/15*(b*x^3+a)^{(1/2)/(x^3+a/b)^3/a/b^3*x+26/135*(b*x^3+a)^{(1/2)/(x^3+a/b)^2/a^2/b^2*x+18} \\
 & 2/405/((x^3+a/b)*b)^{(1/2)/a^3*x-182/1215*I/a^3*3^{(1/2)*(-a*b^2)^{(1/3)/b*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)} \\
 &)*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)*((x-(-a*b^2)^{(1/3)/b}/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)} \\
 &)*(-a*b^2)^{(1/3)/b})^{(1/2)*(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b} \\
 &)*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)/(b*x^3+a)^{(1/2)*EllipticF(1/3*3^{(1/2)*I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)} \\
 &)*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)} \\
 &)*(-a*b^2)^{(1/3)/b}/b)^{(1/2))}
 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx^4 + fx^3 + ex^2 + dx + c}{(bx^3 + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^(7/2),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)/(b*x^3 + a)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{g x^4 + f x^3 + e x^2 + d x + c}{(b x^3 + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(7/2),x)

[Out] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^3)^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**(7/2),x)

[Out] Timed out

3.70 $\int \frac{(a+bx)^2}{c+dx^3} dx$

Optimal. Leaf size=186

$$\frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{2/3}} - \frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} - \frac{a(a\sqrt[3]{d} + 2b\sqrt[3]{c}) \tan^{-1}\left(\frac{\sqrt[3]{c}}{\sqrt{3}c^{2/3}d^{2/3}}\right)}{\sqrt{3}c^{2/3}d^{2/3}}$$

[Out] $-1/3*a*(2*b*c^{(1/3)}-a*d^{(1/3)})*\ln(c^{(1/3)}+d^{(1/3)*x}/c^{(2/3)}/d^{(2/3)}+1/6*a*(2*b*c^{(1/3)}-a*d^{(1/3)})*\ln(c^{(2/3)}-c^{(1/3)*d^{(1/3)*x}+d^{(2/3)*x^2}/c^{(2/3)}/d^{(2/3)}+1/3*b^2*\ln(d*x^3+c)/d-1/3*a*(2*b*c^{(1/3)}+a*d^{(1/3)})*\arctan(1/3*(c^{(1/3)}-2*d^{(1/3)*x}/c^{(1/3)*3^{(1/2)}})/c^{(2/3)}/d^{(2/3)*3^{(1/2)}})$

Rubi [A] time = 0.18, antiderivative size = 186, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{2/3}} - \frac{a(2b\sqrt[3]{c} - a\sqrt[3]{d}) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} - \frac{a(a\sqrt[3]{d} + 2b\sqrt[3]{c}) \tan^{-1}\left(\frac{\sqrt[3]{c}}{\sqrt{3}c^{2/3}d^{2/3}}\right)}{\sqrt{3}c^{2/3}d^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^2/(c + d*x^3), x]

[Out] $-((a*(2*b*c^{(1/3)} + a*d^{(1/3)})*ArcTan[(c^{(1/3)} - 2*d^{(1/3)*x})/(Sqrt[3]*c^{(1/3)})])/(Sqrt[3]*c^{(2/3)*d^{(2/3)}}) - (a*(2*b*c^{(1/3)} - a*d^{(1/3)})*Log[c^{(1/3)} + d^{(1/3)*x}]/(3*c^{(2/3)*d^{(2/3)}}) + (a*(2*b*c^{(1/3)} - a*d^{(1/3)})*Log[c^{(2/3)} - c^{(1/3)*d^{(1/3)*x} + d^{(2/3)*x^2}]/(6*c^{(2/3)*d^{(2/3)}}) + (b^2*Log[c + d*x^3])/(3*d)$

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^2}{c+dx^3} dx &= b^2 \int \frac{x^2}{c+dx^3} dx + \int \frac{a^2+2abx}{c+dx^3} dx \\
&= \frac{b^2 \log(c+dx^3)}{3d} + \frac{\int \frac{\sqrt[3]{c}(2ab\sqrt[3]{c}+2a^2\sqrt[3]{d})+(2ab\sqrt[3]{c}-a^2\sqrt[3]{d})\sqrt[3]{d}x}{c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2} dx}{3c^{2/3}\sqrt[3]{d}} - \frac{(2ab\sqrt[3]{c}-a^2\sqrt[3]{d}) \int \frac{1}{\sqrt[3]{c}+\sqrt[3]{d}x} dx}{3c^{2/3}\sqrt[3]{d}} \\
&= -\frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} + \frac{b^2 \log(c+dx^3)}{3d} + \frac{1}{2} \left(a \left(\frac{a}{\sqrt[3]{c}} + \frac{2b}{\sqrt[3]{d}} \right) \right) \int \frac{1}{c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x} dx \\
&= -\frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} + \frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2)}{6c^{2/3}d^{2/3}} + \frac{b^2 \log(c+dx^3)}{3d} \\
&= -\frac{a(2b\sqrt[3]{c}+a\sqrt[3]{d}) \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{2/3}} - \frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3c^{2/3}d^{2/3}} + \frac{a(2b\sqrt[3]{c}-a\sqrt[3]{d}) \log(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2)}{6c^{2/3}d^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 200, normalized size = 1.08

$$-\frac{(a^2\sqrt[3]{c}\sqrt[3]{d}-2abc^{2/3}) \log(c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2)}{6cd^{2/3}} + \frac{(a^2\sqrt[3]{c}\sqrt[3]{d}-2abc^{2/3}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{3cd^{2/3}} + \frac{(a^2\sqrt[3]{c}\sqrt[3]{d}+2abc^{2/3}) \log(\sqrt[3]{c}+\sqrt[3]{d}x)}{\sqrt{3}cd^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^2/(c + d*x^3), x]

[Out] ((2*a*b*c^(2/3) + a^2*c^(1/3)*d^(1/3))*ArcTan[(-c^(1/3) + 2*d^(1/3)*x)/(Sqrt[3]*c^(1/3))]/(Sqrt[3]*c*d^(2/3)) + ((-2*a*b*c^(2/3) + a^2*c^(1/3)*d^(1/3))*Log[c^(1/3) + d^(1/3)*x]/(3*c*d^(2/3)) - ((-2*a*b*c^(2/3) + a^2*c^(1/3)*d^(1/3))*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2]/(6*c*d^(2/3)) + (b^2*Log[c + d*x^3])/(3*d)

fricas [C] time = 3.16, size = 5014, normalized size = 26.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2/(d*x^3+c), x, algorithm="fricas")

[Out] -1/12*(2*(2*(1/2)^(2/3)*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2))*(-I*sqrt(3) + 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*

$$\begin{aligned}
& 6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) \\
& + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3} + (1/2)^{1/3}(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) \\
& + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3})(I\sqrt{3} + 1) - 2 \\
& *b^2/d)b^2c^2d^2*\sqrt{-(4b^4c + 32a^3b^3d + 4*(1/2)^{2/3}(b^4/d^2 - (b^4c + 2a^3b^3d)/(cd^2)))*(-I\sqrt{3} + 1)/(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3} + (1/2)^{1/3}(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3})(I\sqrt{3} + 1) - 2b^2/d)b^2cd + (2*(1/2)^{2/3}(b^4/d^2 - (b^4c + 2a^3b^3d)/(cd^2)))*(-I\sqrt{3} + 1)/(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3} + (1/2)^{1/3}(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3})(I\sqrt{3} + 1) - 2b^2/d)^2*c*d^2)/(cd^2)) - (6b^2 + (2*(1/2)^{2/3}(b^4/d^2 - (b^4c + 2a^3b^3d)/(cd^2)))*(-I\sqrt{3} + 1)/(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3} + (1/2)^{1/3}(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3})(I\sqrt{3} + 1) - 2b^2/d)*d - 3*\sqrt{1/3}*d*\sqrt{-(4b^4c + 32a^3b^3d + 4*(1/2)^{2/3}(b^4/d^2 - (b^4c + 2a^3b^3d)/(cd^2)))*(-I\sqrt{3} + 1)/(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3} + (1/2)^{1/3}(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3})(I\sqrt{3} + 1) - 2b^2/d)^2*c*d^2)/(cd^2)))*\log(-2b^5c^2 - 7a^3b^2cd - 1/2*(2*(1/2)^{2/3}(b^4/d^2 - (b^4c + 2a^3b^3d)/(cd^2)))*(-I\sqrt{3} + 1)/(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3} + (1/2)^{1/3}(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3})(I\sqrt{3} + 1) - 2b^2/d)^2*c*d^2 - 1/2*(4b^3c^2d - a^3c*d^2)*(2*(1/2)^{2/3}(b^4/d^2 - (b^4c + 2a^3b^3d)/(cd^2)))*(-I\sqrt{3} + 1)/(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3} + (1/2)^{1/3}(2b^6/d^3 + (8b^3c + a^3d)a^3/(c^2d^2) - 3(b^4c + 2a^3b^3d)b^2/(cd^3) + (b^6c^2 - 2a^3b^3cd + a^6d^2)/(c^2d^3)^{1/3})(I\sqrt{3} + 1) - 2b^2/d) + 2*(8a^2b^3cd + a^5d^2)*x - 3/2*\sqrt{1/3}(2b^3c^2d + a^3c*d^2 + (2*(1/2)^{2/3}(b^4/d^2 - (b^4c + 2a^3b^3d)/(cd^2))
\end{aligned}$$

$$\begin{aligned} & *(-I\sqrt{3} + 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + \\ & 2*a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^{(1/3)} + (1/2)^{(1/3)}*(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + \\ & 2*a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^{(1/3)}*(I\sqrt{3} + 1) - 2*b^2/d)*b*c^2*d^2)*\sqrt{(-4*b^4*c + 32*a^3*b*d + 4*(\\ & 2*(1/2)^{(2/3)}*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2)))*(-I\sqrt{3} + 1)/(2*b \\ & ^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3 \\ &) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^{(1/3)} + (1/2)^{(1/3)}*(2*b \\ & ^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2*a^3*b*d)*b^2/(c*d^3 \\ &) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^{(1/3)}*(I\sqrt{3} + 1) - \\ & 2*b^2/d)*b^2*c*d + (2*(1/2)^{(2/3)}*(b^4/d^2 - (b^4*c + 2*a^3*b*d)/(c*d^2)))*(- \\ & I\sqrt{3} + 1)/(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2 \\ & *a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^{(1/3)} + \\ & (1/2)^{(1/3)}*(2*b^6/d^3 + (8*b^3*c + a^3*d)*a^3/(c^2*d^2) - 3*(b^4*c + 2 \\ & *a^3*b*d)*b^2/(c*d^3) + (b^6*c^2 - 2*a^3*b^3*c*d + a^6*d^2)/(c^2*d^3))^{(1/3)} \\ &)*(I\sqrt{3} + 1) - 2*b^2/d)^2*c*d^2)/(c*d^2)))/d \end{aligned}$$

giac [A] time = 0.18, size = 175, normalized size = 0.94

$$\frac{b^2 \log(|dx^3 + c|)}{3d} - \frac{\sqrt{3} \left(a^2 d - 2 (-cd^2)^{\frac{1}{3}} ab \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{c}{d} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{c}{d} \right)^{\frac{1}{3}}} \right)}{3 (-cd^2)^{\frac{2}{3}}} - \frac{\left(a^2 d + 2 (-cd^2)^{\frac{1}{3}} ab \right) \log \left(x^2 + x \left(-\frac{c}{d} \right)^{\frac{1}{3}} + \left(-\frac{c}{d} \right)^{\frac{2}{3}} \right)}{6 (-cd^2)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2/(d*x^3+c),x, algorithm="giac")

[Out] $\frac{1}{3}b^2 \log(\text{abs}(d*x^3 + c))/d - \frac{1}{3}\sqrt{3}*(a^2*d - 2*(-c*d^2)^{(1/3)}*a*b)*\arctan(1/3*\sqrt{3}*(2*x + (-c/d)^{(1/3)})/(-c/d)^{(1/3)})/(-c*d^2)^{(2/3)} - 1/6*(a^2*d + 2*(-c*d^2)^{(1/3)}*a*b)*\log(x^2 + x*(-c/d)^{(1/3)} + (-c/d)^{(2/3)})/(-c*d^2)^{(2/3)} - 1/3*(2*a*b*d*(-c/d)^{(1/3)} + a^2*d)*(-c/d)^{(1/3)}*\log(\text{abs}(x - (-c/d)^{(1/3)}))/c*d$

maple [A] time = 0.05, size = 211, normalized size = 1.13

$$\frac{\sqrt{3} a^2 \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{c}{d} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{c}{d} \right)^{\frac{2}{3}} d} + \frac{a^2 \ln \left(x + \left(\frac{c}{d} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{2}{3}} d} - \frac{a^2 \ln \left(x^2 - \left(\frac{c}{d} \right)^{\frac{1}{3}} x + \left(\frac{c}{d} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{c}{d} \right)^{\frac{2}{3}} d} + \frac{2\sqrt{3} ab \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{c}{d} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{c}{d} \right)^{\frac{1}{3}} d} - \frac{2ab \ln \left(x^2 + x \left(-\frac{c}{d} \right)^{\frac{1}{3}} + \left(-\frac{c}{d} \right)^{\frac{2}{3}} \right)}{6 \left(-\frac{c}{d} \right)^{\frac{2}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x+a)^2/(d*x^3+c),x)`

[Out] $\frac{1}{3}a^2/d/(c/d)^{(2/3)}*\ln(x+(c/d)^{(1/3)})-1/6*a^2/d/(c/d)^{(2/3)}*\ln(x^2-(c/d)^{(1/3)}*x+(c/d)^{(2/3)})+1/3*a^2/d/(c/d)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(c/d)^{(1/3)}*x-1))-2/3*a*b/d/(c/d)^{(1/3)}*\ln(x+(c/d)^{(1/3)})+1/3*a*b/d/(c/d)^{(1/3)}*\ln(x^2-(c/d)^{(1/3)}*x+(c/d)^{(2/3)})+2/3*a*b*3^{(1/2)}/d/(c/d)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(c/d)^{(1/3)}*x-1))+1/3*b^2*\ln(d*x^3+c)/d$

maxima [A] time = 2.92, size = 192, normalized size = 1.03

$$\frac{\sqrt{3}\left(2b^2c - \left(6ab\left(\frac{c}{d}\right)^{\frac{2}{3}} + 3a^2\left(\frac{c}{d}\right)^{\frac{1}{3}} + \frac{2b^2c}{d}\right)d\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3\left(\frac{c}{d}\right)^{\frac{1}{3}}}\right)}{9cd} + \frac{\left(2b^2\left(\frac{c}{d}\right)^{\frac{2}{3}} + 2ab\left(\frac{c}{d}\right)^{\frac{1}{3}} - a^2\right)\log\left(x^2 - x\left(\frac{c}{d}\right)^{\frac{1}{3}} + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6d\left(\frac{c}{d}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)^2/(d*x^3+c),x, algorithm="maxima")`

[Out] $-1/9*\sqrt{3}*(2*b^2*c - (6*a*b*(c/d)^{(2/3)} + 3*a^2*(c/d)^{(1/3)} + 2*b^2*c/d)*d)*\arctan(1/3*\sqrt{3}*(2*x - (c/d)^{(1/3)})/(c/d)^{(1/3)})/(c*d) + 1/6*(2*b^2*(c/d)^{(2/3)} + 2*a*b*(c/d)^{(1/3)} - a^2)*\log(x^2 - x*(c/d)^{(1/3)} + (c/d)^{(2/3)})/(d*(c/d)^{(2/3)}) + 1/3*(b^2*(c/d)^{(2/3)} - 2*a*b*(c/d)^{(1/3)} + a^2)*\log(x + (c/d)^{(1/3)})/(d*(c/d)^{(2/3)})$

mupad [B] time = 0.26, size = 357, normalized size = 1.92

$$\sum_{k=1}^3 \ln\left(b^4c + \text{root}\left(27c^2d^3z^3 - 27b^2c^2d^2z^2 + 18a^3bcd^2z + 9b^4c^2dz + 2a^3b^3cd - b^6c^2 - a^6d^2, z, k\right)^2\right)cd^29$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x)^2/(c + d*x^3),x)`

[Out] `symsum(log(b^4*c + 9*root(27*c^2*d^3*z^3 - 27*b^2*c^2*d^2*z^2 + 18*a^3*b*c*d^2*z + 9*b^4*c^2*d*z + 2*a^3*b^3*c*d - b^6*c^2 - a^6*d^2, z, k)^2*c*d^2 + 2*a^3*b*d - 6*root(27*c^2*d^3*z^3 - 27*b^2*c^2*d^2*z^2 + 18*a^3*b*c*d^2*z + 9*b^4*c^2*d*z + 2*a^3*b^3*c*d - b^6*c^2 - a^6*d^2, z, k)*b^2*c*d + 3*root(27*c^2*d^3*z^3 - 27*b^2*c^2*d^2*z^2 + 18*a^3*b*c*d^2*z + 9*b^4*c^2*d*z + 2*a^3*b^3*c*d - b^6*c^2 - a^6*d^2, z, k)*a^2*d^2*x + 3*a^2*b^2*d*x)*root(27*c^2*d^3*z^3 - 27*b^2*c^2*d^2*z^2 + 18*a^3*b*c*d^2*z + 9*b^4*c^2*d*z + 2*a^3*b^3*c*d - b^6*c^2 - a^6*d^2, z, k), k, 1, 3)`

sympy [A] time = 1.38, size = 156, normalized size = 0.84

$$\text{RootSum}\left(27t^3c^2d^3 - 27t^2b^2c^2d^2 + t(18a^3bcd^2 + 9b^4c^2d) - a^6d^2 + 2a^3b^3cd - b^6c^2, \left(t \mapsto t \log\left(x + \frac{18t^2bc^2d^2 + 3t^2b^2c^2d}{a^5d^2 + 8a^2b^3cd}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2/(d*x**3+c),x)

[Out] RootSum(27*_t**3*c**2*d**3 - 27*_t**2*b**2*c**2*d**2 + _t*(18*a**3*b*c*d**2 + 9*b**4*c**2*d) - a**6*d**2 + 2*a**3*b**3*c*d - b**6*c**2, Lambda(_t, _t*log(x + (18*_t**2*b*c**2*d**2 + 3*_t*a**3*c*d**2 - 12*_t*b**3*c**2*d + 7*a**3*b**2*c*d + 2*b**5*c**2)/(a**5*d**2 + 8*a**2*b**3*c*d))))

$$3.71 \quad \int \frac{(a+bx)^3}{c+dx^3} dx$$

Optimal. Leaf size=222

$$\frac{(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{4/3}} - \frac{(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \dots$$

[Out] $b^3x/d - 1/3*(b^3c + 3a^2b*c^{1/3}*d^{2/3} - a^3*d)*\ln(c^{1/3} + d^{1/3}*x)/c^{2/3}/d^{4/3} + 1/6*(b^3c + 3a^2b*c^{1/3}*d^{2/3} - a^3*d)*\ln(c^{2/3} - c^{1/3}*d^{1/3}*x + d^{2/3}*x^2)/c^{2/3}/d^{4/3} + a*b^2*\ln(d*x^3 + c)/d + 1/3*(b^3c - 3a^2*b*c^{1/3}*d^{2/3} - a^3*d)*\arctan(1/3*(c^{1/3} - 2*d^{1/3}*x)/c^{1/3}*3^{1/2})/c^{2/3}/d^{4/3}*3^{1/2}$

Rubi [A] time = 0.32, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(3a^2b\sqrt[3]{c}d^{2/3} + a^3(-d) + b^3c) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{4/3}} - \frac{(3a^2b\sqrt[3]{c}d^{2/3} + a^3(-d) + b^3c) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^3/(c + d*x^3), x]

[Out] $(b^3*x)/d + ((b^3*c - 3*a^2*b*c^{1/3}*d^{2/3} - a^3*d)*\text{ArcTan}[(c^{1/3} - 2*d^{1/3}*x)/(\text{Sqrt}[3]*c^{1/3})]) / (\text{Sqrt}[3]*c^{2/3}*d^{4/3}) - ((b^3*c + 3*a^2*b*c^{1/3}*d^{2/3} - a^3*d)*\text{Log}[c^{1/3} + d^{1/3}*x]) / (3*c^{2/3}*d^{4/3}) + ((b^3*c + 3*a^2*b*c^{1/3}*d^{2/3} - a^3*d)*\text{Log}[c^{2/3} - c^{1/3}*d^{1/3}*x + d^{2/3}*x^2]) / (6*c^{2/3}*d^{4/3}) + (a*b^2*\text{Log}[c + d*x^3])/d$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^3}{c+dx^3} dx &= \int \left(\frac{b^3}{d} - \frac{b^3c - a^3d - 3a^2bdx - 3ab^2dx^2}{d(c+dx^3)} \right) dx \\
&= \frac{b^3x}{d} - \frac{\int \frac{b^3c - a^3d - 3a^2bdx - 3ab^2dx^2}{c+dx^3} dx}{d} \\
&= \frac{b^3x}{d} + (3ab^2) \int \frac{x^2}{c+dx^3} dx - \frac{\int \frac{b^3c - a^3d - 3a^2bdx}{c+dx^3} dx}{d} \\
&= \frac{b^3x}{d} + \frac{ab^2 \log(c+dx^3)}{d} - \frac{\int \frac{\sqrt[3]{c}(-3a^2b\sqrt[3]{c}d + 2\sqrt[3]{d}(b^3c - a^3d)) + \sqrt[3]{d}(-3a^2b\sqrt[3]{c}d - \sqrt[3]{d}(b^3c - a^3d))x}{c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2} dx}{3c^{2/3}d^{4/3}} - \frac{(b^3c + \dots)}{\dots} \\
&= \frac{b^3x}{d} - \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{ab^2 \log(c+dx^3)}{d} - \frac{(b^3c - 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{4/3}} \\
&= \frac{b^3x}{d} - \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{4/3}} \\
&= \frac{b^3x}{d} + \frac{(b^3c - 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \tan^{-1}\left(\frac{\sqrt[3]{c} - 2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{4/3}} - \frac{(b^3c + 3a^2b\sqrt[3]{c}d^{2/3} - a^3d) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 214, normalized size = 0.96

$$(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2) - 2(a^3(-d) + 3a^2b\sqrt[3]{c}d^{2/3} + b^3c) \log(\sqrt[3]{c} + \sqrt[3]{d}x) +$$

$6c^{2/3}d^{4/3}$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^3/(c + d*x^3), x]

[Out] (6*b^3*c^(2/3)*d^(1/3)*x + 2*Sqrt[3]*(b^3*c - 3*a^2*b*c^(1/3)*d^(2/3) - a^3*d)*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/Sqrt[3]] - 2*(b^3*c + 3*a^2*b*c^(1/3)*d^(2/3) - a^3*d)*Log[c^(1/3) + d^(1/3)*x] + (b^3*c + 3*a^2*b*c^(1/3)*d^(2/3) - a^3*d)*Log[c^(2/3) - c^(1/3)*d^(1/3)*x + d^(2/3)*x^2] + 6*a*b^2*c^(2/3)*d^(1/3)*Log[c + d*x^3]/(6*c^(2/3)*d^(4/3))

fricas [C] time = 5.13, size = 7245, normalized size = 32.64

result too large to display

$$\begin{aligned}
& *b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2 \\
& *d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4)) \\
& ^{(1/3)} - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b* \\
& d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/ \\
& (c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d \\
& ^4))^{(1/3)}*(I*sqrt(3) + 1))^{2*c*d^2)/(c*d^2)))*log(3*a*b^8*c^3 - 15*a^4*b^5 \\
& *c^2*d - 15*a^7*b^2*c*d^2 - 3/4*(6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c \\
& + a^5*b*d)/(c*d^2))*(-I*sqrt(3) + 1)/(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + \\
& a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9 \\
& *d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/ \\
& (c^2*d^4))^{(1/3)} - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c \\
& + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - \\
& a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d \\
& ^3)/(c^2*d^4))^{(1/3)}*(I*sqrt(3) + 1))^{2*a^2*b*c^2*d^3 + 1/2*(b^6*c^3*d - 20 \\
& *a^3*b^3*c^2*d^2 + a^6*c*d^3)*(6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c \\
& + a^5*b*d)/(c*d^2))*(-I*sqrt(3) + 1)/(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^ \\
& 5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d \\
& ^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c \\
& ^2*d^4))^{(1/3)} - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c \\
& + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a \\
& ^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3 \\
&)/(c^2*d^4))^{(1/3)}*(I*sqrt(3) + 1)) - 2*(b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6 \\
& *b^3*c*d^2 - a^9*d^3)*x + 3/4*sqrt(1/3)*(2*b^6*c^3*d + 14*a^3*b^3*c^2*d^2 + \\
& 2*a^6*c*d^3 + 3*(6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c \\
& *d^2))*(-I*sqrt(3) + 1)/(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/ \\
& (c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) \\
& - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3} \\
&) - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a* \\
& b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2* \\
& d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{ \\
& (1/3)}*(I*sqrt(3) + 1))*a^2*b*c^2*d^3)*sqrt((12*a^2*b^4*c - 48*a^5*b*d - 12* \\
& (6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c*d^2))*(-I*sqrt(3) \\
&) + 1)/(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^ \\
& 3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a \\
& ^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)} - 6*a*b^2/d + (\\
& 1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^ \\
& 9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - \\
& 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*sqrt(3) \\
& + 1))*a*b^2*c*d - (6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(\\
& c*d^2))*(-I*sqrt(3) + 1)/(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2 \\
& /(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4 \\
&) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/ \\
& 3)} - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a \\
& *b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2 \\
& *d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))
\end{aligned}$$

$$\begin{aligned}
& ^{(1/3)} * (I * \text{sqrt}(3) + 1))^2 * c * d^2) / (c * d^2)) + (18 * a * b^2 + (6 * (1/2)^{(2/3)} * (3 * \\
& a^2 * b^4 / d^2 - (2 * a^2 * b^4 * c + a^5 * b * d) / (c * d^2)) * (-I * \text{sqrt}(3) + 1) / (54 * a^3 * b^6 \\
& / d^3 - 27 * (2 * a^2 * b^4 * c + a^5 * b * d) * a * b^2 / (c * d^3) - (b^9 * c^3 - 3 * a^3 * b^6 * c^2 * \\
& d + 3 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4) - (b^9 * c^3 - 3 * a^3 * b^6 * c^2 * d - 24 * \\
& a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4))^{(1/3)} - 6 * a * b^2 / d + (1/2)^{(1/3)} * (54 * a^3 \\
& * b^6 / d^3 - 27 * (2 * a^2 * b^4 * c + a^5 * b * d) * a * b^2 / (c * d^3) - (b^9 * c^3 - 3 * a^3 * b^6 * \\
& c^2 * d + 3 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4) - (b^9 * c^3 - 3 * a^3 * b^6 * c^2 * d - \\
& 24 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4))^{(1/3)} * (I * \text{sqrt}(3) + 1) * d - 3 * \text{sqrt}(1 \\
& / 3) * d * \text{sqrt}((12 * a^2 * b^4 * c - 48 * a^5 * b * d - 12 * (6 * (1/2)^{(2/3)} * (3 * a^2 * b^4 / d^2 - \\
& (2 * a^2 * b^4 * c + a^5 * b * d) / (c * d^2)) * (-I * \text{sqrt}(3) + 1) / (54 * a^3 * b^6 / d^3 - 27 * (2 * a \\
& ^2 * b^4 * c + a^5 * b * d) * a * b^2 / (c * d^3) - (b^9 * c^3 - 3 * a^3 * b^6 * c^2 * d + 3 * a^6 * b^3 * \\
& c * d^2 - a^9 * d^3) / (c^2 * d^4) - (b^9 * c^3 - 3 * a^3 * b^6 * c^2 * d - 24 * a^6 * b^3 * c * d^2 \\
& - a^9 * d^3) / (c^2 * d^4))^{(1/3)} - 6 * a * b^2 / d + (1/2)^{(1/3)} * (54 * a^3 * b^6 / d^3 - 27 * \\
& (2 * a^2 * b^4 * c + a^5 * b * d) * a * b^2 / (c * d^3) - (b^9 * c^3 - 3 * a^3 * b^6 * c^2 * d + 3 * a^6 * \\
& b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4) - (b^9 * c^3 - 3 * a^3 * b^6 * c^2 * d - 24 * a^6 * b^3 * c * \\
& d^2 - a^9 * d^3) / (c^2 * d^4))^{(1/3)} * (I * \text{sqrt}(3) + 1) * a * b^2 * c * d - (6 * (1/2)^{(2/3)} \\
& * (3 * a^2 * b^4 / d^2 - (2 * a^2 * b^4 * c + a^5 * b * d) / (c * d^2)) * (-I * \text{sqrt}(3) + 1) / (54 * a^3 \\
& * b^6 / d^3 - 27 * (2 * a^2 * b^4 * c + a^5 * b * d) * a * b^2 / (c * d^3) - (b^9 * c^3 - 3 * a^3 * b^6 * \\
& c^2 * d + 3 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4) - (b^9 * c^3 - 3 * a^3 * b^6 * c^2 * d - \\
& 24 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4))^{(1/3)} - 6 * a * b^2 / d + (1/2)^{(1/3)} * (54 \\
& * a^3 * b^6 / d^3 - 27 * (2 * a^2 * b^4 * c + a^5 * b * d) * a * b^2 / (c * d^3) - (b^9 * c^3 - 3 * a^3 * \\
& b^6 * c^2 * d + 3 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4) - (b^9 * c^3 - 3 * a^3 * b^6 * c^2 \\
& * d - 24 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4))^{(1/3)} * (I * \text{sqrt}(3) + 1))^2 * c * d^2) \\
& / (c * d^2)) * \log(3 * a * b^8 * c^3 - 15 * a^4 * b^5 * c^2 * d - 15 * a^7 * b^2 * c * d^2 - 3/4 * (6 * \\
& (1/2)^{(2/3)} * (3 * a^2 * b^4 / d^2 - (2 * a^2 * b^4 * c + a^5 * b * d) / (c * d^2)) * (-I * \text{sqrt}(3) + \\
& 1) / (54 * a^3 * b^6 / d^3 - 27 * (2 * a^2 * b^4 * c + a^5 * b * d) * a * b^2 / (c * d^3) - (b^9 * c^3 - \\
& 3 * a^3 * b^6 * c^2 * d + 3 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4) - (b^9 * c^3 - 3 * a^3 * b \\
& ^6 * c^2 * d - 24 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4))^{(1/3)} - 6 * a * b^2 / d + (1/2) \\
& ^{(1/3)} * (54 * a^3 * b^6 / d^3 - 27 * (2 * a^2 * b^4 * c + a^5 * b * d) * a * b^2 / (c * d^3) - (b^9 * c^3 \\
& - 3 * a^3 * b^6 * c^2 * d + 3 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4) - (b^9 * c^3 - 3 * a \\
& ^3 * b^6 * c^2 * d - 24 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4))^{(1/3)} * (I * \text{sqrt}(3) + 1) \\
&)^2 * a^2 * b * c^2 * d^3 + 1/2 * (b^6 * c^3 * d - 20 * a^3 * b^3 * c^2 * d^2 + a^6 * c * d^3) * (6 * (1/ \\
& 2)^{(2/3)} * (3 * a^2 * b^4 / d^2 - (2 * a^2 * b^4 * c + a^5 * b * d) / (c * d^2)) * (-I * \text{sqrt}(3) + 1) \\
& / (54 * a^3 * b^6 / d^3 - 27 * (2 * a^2 * b^4 * c + a^5 * b * d) * a * b^2 / (c * d^3) - (b^9 * c^3 - 3 * \\
& a^3 * b^6 * c^2 * d + 3 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4) - (b^9 * c^3 - 3 * a^3 * b^6 \\
& * c^2 * d - 24 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4))^{(1/3)} - 6 * a * b^2 / d + (1/2)^(\\
& 1/3) * (54 * a^3 * b^6 / d^3 - 27 * (2 * a^2 * b^4 * c + a^5 * b * d) * a * b^2 / (c * d^3) - (b^9 * c^3 \\
& - 3 * a^3 * b^6 * c^2 * d + 3 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4) - (b^9 * c^3 - 3 * a^3 \\
& * b^6 * c^2 * d - 24 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4))^{(1/3)} * (I * \text{sqrt}(3) + 1)) \\
& - 2 * (b^9 * c^3 - 3 * a^3 * b^6 * c^2 * d - 24 * a^6 * b^3 * c * d^2 - a^9 * d^3) * x - 3/4 * \text{sqrt}(1 \\
& / 3) * (2 * b^6 * c^3 * d + 14 * a^3 * b^3 * c^2 * d^2 + 2 * a^6 * c * d^3 + 3 * (6 * (1/2)^{(2/3)} * (3 * a \\
& ^2 * b^4 / d^2 - (2 * a^2 * b^4 * c + a^5 * b * d) / (c * d^2)) * (-I * \text{sqrt}(3) + 1) / (54 * a^3 * b^6 / \\
& d^3 - 27 * (2 * a^2 * b^4 * c + a^5 * b * d) * a * b^2 / (c * d^3) - (b^9 * c^3 - 3 * a^3 * b^6 * c^2 * d \\
& + 3 * a^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4) - (b^9 * c^3 - 3 * a^3 * b^6 * c^2 * d - 24 * a \\
& ^6 * b^3 * c * d^2 - a^9 * d^3) / (c^2 * d^4))^{(1/3)} - 6 * a * b^2 / d + (1/2)^{(1/3)} * (54 * a^3 *
\end{aligned}$$

$$\begin{aligned}
& b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c \\
& ^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - \\
& 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\sqrt{3} + 1))*a^2*b*c^2*d^3 \\
&)*\sqrt{((12*a^2*b^4*c - 48*a^5*b*d - 12*(6*(1/2)^{(2/3)}*(3*a^2*b^4/d^2 - (2*a \\
& ^2*b^4*c + a^5*b*d)/(c*d^2)))*(-I*\sqrt{3} + 1)/(54*a^3*b^6/d^3 - 27*(2*a \\
& ^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c*d^ \\
& 2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 - a^ \\
& 9*d^3)/(c^2*d^4))^{(1/3)} - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3*b^6/d^3 - 27*(2*a \\
& ^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2*d + 3*a^6*b^3*c \\
& *d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24*a^6*b^3*c*d^2 \\
& - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\sqrt{3} + 1))*a*b^2*c*d - (6*(1/2)^{(2/3)}*(3* \\
& a^2*b^4/d^2 - (2*a^2*b^4*c + a^5*b*d)/(c*d^2))*(-I*\sqrt{3} + 1)/(54*a^3*b^6 \\
& /d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6*c^2* \\
& d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - 24* \\
& a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)} - 6*a*b^2/d + (1/2)^{(1/3)}*(54*a^3 \\
& *b^6/d^3 - 27*(2*a^2*b^4*c + a^5*b*d)*a*b^2/(c*d^3) - (b^9*c^3 - 3*a^3*b^6* \\
& c^2*d + 3*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4) - (b^9*c^3 - 3*a^3*b^6*c^2*d - \\
& 24*a^6*b^3*c*d^2 - a^9*d^3)/(c^2*d^4))^{(1/3)}*(I*\sqrt{3} + 1))^{2*c*d^2)/(c* \\
& d^2)))/d
\end{aligned}$$

giac [A] time = 0.19, size = 214, normalized size = 0.96

$$\frac{b^3x}{d} + \frac{ab^2 \log(|dx^3 + c|)}{d} + \frac{\sqrt{3} \left(b^3c - a^3d + 3(-cd^2)^{\frac{1}{3}} a^2b \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{c}{d})^{\frac{1}{3}} \right)}{3(-\frac{c}{d})^{\frac{1}{3}}} \right)}{3(-cd^2)^{\frac{2}{3}}} + \frac{\left(b^3c - a^3d - 3(-cd^2)^{\frac{1}{3}} a^2b \right)}{6(-cd^2)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^3/(d*x^3+c),x, algorithm="giac")

[Out] $b^3*x/d + a*b^2*\log(\text{abs}(d*x^3 + c))/d + 1/3*\sqrt{3}*(b^3*c - a^3*d + 3*(-c*d^2)^{(1/3)}*a^2*b)*\arctan(1/3*\sqrt{3}*(2*x + (-c/d)^{(1/3)})/(-c/d)^{(1/3)})/(-c*d^2)^{(2/3)} + 1/6*(b^3*c - a^3*d - 3*(-c*d^2)^{(1/3)}*a^2*b)*\log(x^2 + x*(-c/d)^{(1/3)} + (-c/d)^{(2/3)})/(-c*d^2)^{(2/3)} - 1/3*(3*a^2*b*d^3*(-c/d)^{(1/3)} - b^3*c*d^2 + a^3*d^3)*(-c/d)^{(1/3)}*\log(\text{abs}(x - (-c/d)^{(1/3)}))/ (c*d^3)$

maple [A] time = 0.05, size = 325, normalized size = 1.46

$$\frac{\sqrt{3} a^3 \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}} d} + \frac{a^3 \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}} d} - \frac{a^3 \ln\left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}} x + \left(\frac{c}{d}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{c}{d}\right)^{\frac{2}{3}} d} + \frac{\sqrt{3} a^2 b \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{\left(\frac{c}{d}\right)^{\frac{1}{3}} d} - \frac{a^2 b \ln\left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}}\right)}{\left(\frac{c}{d}\right)^{\frac{1}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x+a)^3/(d*x^3+c),x)`

[Out] $b^3 x/d + 1/3 d/(c/d)^{2/3} \ln(x + (c/d)^{1/3}) * a^3 - 1/3 d^2/(c/d)^{2/3} \ln(x + (c/d)^{1/3}) * b^3 c - 1/6 d/(c/d)^{2/3} \ln(x^2 - (c/d)^{1/3} x + (c/d)^{2/3}) * a^3 + 1/6 d^2/(c/d)^{2/3} \ln(x^2 - (c/d)^{1/3} x + (c/d)^{2/3}) * b^3 c + 1/3 d/(c/d)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(c/d)^{1/3} * x - 1)) * a^3 - 1/3 d^2/(c/d)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(c/d)^{1/3} * x - 1)) * b^3 c - 1/d * a^2 * b/(c/d)^{1/3} * \ln(x + (c/d)^{1/3}) + 1/2 d * a^2 * b/(c/d)^{1/3} * \ln(x^2 - (c/d)^{1/3} x + (c/d)^{2/3}) + 1/d * a^2 * b * 3^{1/2}/(c/d)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(c/d)^{1/3} * x - 1)) + a * b^2 * \ln(d * x^3 + c)/d$

maxima [A] time = 2.96, size = 240, normalized size = 1.08

$$\frac{b^3 x}{d} - \frac{\sqrt{3} \left(\left(b^3 \left(\frac{c}{d} \right)^{\frac{1}{3}} + 2 a b^2 \right) c - \left(3 a^2 b \left(\frac{c}{d} \right)^{\frac{2}{3}} + a^3 \left(\frac{c}{d} \right)^{\frac{1}{3}} + \frac{2 a b^2 c}{d} \right) d \right) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{c}{d} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{1}{3}}}\right)}{3 c d} + \frac{\left(b^3 c + \left(6 a b^2 \left(\frac{c}{d} \right)^{\frac{2}{3}} + 3 a^2 \right) d \right) \ln\left(x + \left(\frac{c}{d} \right)^{\frac{1}{3}}\right)}{\left(\frac{c}{d} \right)^{\frac{1}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)^3/(d*x^3+c),x, algorithm="maxima")`

[Out] $b^3 x/d - 1/3 \sqrt{3} * ((b^3 * (c/d)^{1/3} + 2 * a * b^2) * c - (3 * a^2 * b * (c/d)^{2/3} + a^3 * (c/d)^{1/3} + 2 * a * b^2 * c/d) * d) * \arctan(1/3 * \sqrt{3} * (2 * x - (c/d)^{1/3}) / (c/d)^{1/3}) / (c * d) + 1/6 * (b^3 * c + (6 * a * b^2 * (c/d)^{2/3} + 3 * a^2 * b * (c/d)^{1/3} - a^3) * d) * \log(x^2 - x * (c/d)^{1/3} + (c/d)^{2/3}) / (d^2 * (c/d)^{2/3}) - 1/3 * (b^3 * c - (3 * a * b^2 * (c/d)^{2/3} - 3 * a^2 * b * (c/d)^{1/3} + a^3) * d) * \log(x + (c/d)^{1/3}) / (d^2 * (c/d)^{2/3})$

mupad [B] time = 5.14, size = 370, normalized size = 1.67

$$\left(\sum_{k=1}^3 \ln\left(\text{root}\left(27 c^2 d^4 z^3 - 81 a b^2 c^2 d^3 z^2 + 54 a^2 b^4 c^2 d^2 z + 27 a^5 b c d^3 z + 3 a^6 b^3 c d^2 - 3 a^3 b^6 c^2 d + b^9 c^3 - a^9\right), z\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x)^3/(c + d*x^3),x)`

[Out] `symsum(log(root(27*c^2*d^4*z^3 - 81*a*b^2*c^2*d^3*z^2 + 54*a^2*b^4*c^2*d^2*z + 27*a^5*b*c*d^3*z + 3*a^6*b^3*c*d^2 - 3*a^3*b^6*c^2*d + b^9*c^3 - a^9*d^3, z, k)*(x*(3*a^3*d^2 - 3*b^3*c*d) + 9*root(27*c^2*d^4*z^3 - 81*a*b^2*c^2*d^3*z^2 + 54*a^2*b^4*c^2*d^2*z + 27*a^5*b*c*d^3*z + 3*a^6*b^3*c*d^2 - 3*a^3*b^6*c^2*d + b^9*c^3 - a^9*d^3, z, k)*c*d^2 - 18*a*b^2*c*d) + x*(6*a^4*b^2*d + 3*a*b^5*c) + 6*a^2*b^4*c + 3*a^5*b*d)*root(27*c^2*d^4*z^3 - 81*a*b^2*c^2*d^3*z^2 + 54*a^2*b^4*c^2*d^2*z + 27*a^5*b*c*d^3*z + 3*a^6*b^3*c*d^2 - 3*a^3*b^6*c^2*d + b^9*c^3 - a^9*d^3, z, k), k, 1, 3) + (b^3*x)/d`

sympy [A] time = 5.71, size = 245, normalized size = 1.10

$$\frac{b^3x}{d} + \text{RootSum}\left(27t^3c^2d^4 - 81t^2ab^2c^2d^3 + t(27a^5bcd^3 + 54a^2b^4c^2d^2) - a^9d^3 + 3a^6b^3cd^2 - 3a^3b^6c^2d + b^9c^3, (t + \dots)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)**3/(d*x**3+c),x)`

[Out] `b**3*x/d + RootSum(27*_t**3*c**2*d**4 - 81*_t**2*a*b**2*c**2*d**3 + _t*(27*a**5*b*c*d**3 + 54*a**2*b**4*c**2*d**2) - a**9*d**3 + 3*a**6*b**3*c*d**2 - 3*a**3*b**6*c**2*d + b**9*c**3, Lambda(_t, _t*log(x + (27*_t**2*a**2*b*c**2*d**3 + 3*_t*a**6*c*d**3 - 60*_t*a**3*b**3*c**2*d**2 + 3*_t*b**6*c**3*d + 15*a**7*b**2*c*d**2 + 15*a**4*b**5*c**2*d - 3*a*b**8*c**3)/(a**9*d**3 + 24*a**6*b**3*c*d**2 + 3*a**3*b**6*c**2*d - b**9*c**3))))`

$$3.72 \quad \int \frac{(a+bx)^4}{c+dx^3} dx$$

Optimal. Leaf size=282

$$\frac{2a^2b^2 \log(c+dx^3)}{d} - \frac{(b\sqrt[3]{c}(b^3c-4a^3d) - \sqrt[3]{d}(4ab^3c-a^4d)) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{6c^{2/3}d^{5/3}} + \frac{(b\sqrt[3]{c}(b^3c-4a^3d) - \sqrt[3]{d}(4ab^3c-a^4d)) \log(\sqrt[3]{c}x + \sqrt[3]{d}x^2)}{3c^{2/3}d^{5/3}}$$

[Out] $4*a*b^3*x/d + 1/2*b^4*x^2/d + 1/3*(b*c^{(1/3)}*(-4*a^3*d + b^3*c) - d^{(1/3)}*(-a^4*d + 4*a*b^3*c)) * \ln(c^{(1/3)} + d^{(1/3)}*x) / c^{(2/3)} / d^{(5/3)} - 1/6*(b*c^{(1/3)}*(-4*a^3*d + b^3*c) - d^{(1/3)}*(-a^4*d + 4*a*b^3*c)) * \ln(c^{(2/3)} - c^{(1/3)}*d^{(1/3)}*x + d^{(2/3)}*x^2) / c^{(2/3)} / d^{(5/3)} + 2*a^2*b^2 * \ln(d*x^3 + c) / d + 1/3*(b^4*c^{(4/3)} + 4*a*b^3*c*d^{(1/3)} - 4*a^3*b*c^{(1/3)}*d - a^4*d^{(4/3)}) * \arctan(1/3*(c^{(1/3)} - 2*d^{(1/3)}*x) / c^{(1/3)} * 3^{(1/2)}) / c^{(2/3)} / d^{(5/3)} * 3^{(1/2)}$

Rubi [A] time = 0.44, antiderivative size = 280, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\left(-\frac{b\sqrt[3]{c}(b^3c-4a^3d)}{\sqrt[3]{d}} + a^4(-d) + 4ab^3c\right) \log\left(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2\right)}{6c^{2/3}d^{4/3}} + \frac{(b\sqrt[3]{c}(b^3c-4a^3d) - \sqrt[3]{d}(4ab^3c-a^4d)) \log(\sqrt[3]{c}x + \sqrt[3]{d}x^2)}{3c^{2/3}d^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^4/(c + d*x^3), x]

[Out] $(4*a*b^3*x)/d + (b^4*x^2)/(2*d) + ((b^4*c^{(4/3)} + 4*a*b^3*c*d^{(1/3)} - 4*a^3*b*c^{(1/3)}*d - a^4*d^{(4/3)}) * \text{ArcTan}[(c^{(1/3)} - 2*d^{(1/3)}*x) / (\text{Sqrt}[3]*c^{(1/3)})]) / (\text{Sqrt}[3]*c^{(2/3)}*d^{(5/3)}) + ((b*c^{(1/3)}*(b^3*c - 4*a^3*d) - d^{(1/3)}*(4*a*b^3*c - a^4*d)) * \text{Log}[c^{(1/3)} + d^{(1/3)}*x]) / (3*c^{(2/3)}*d^{(5/3)}) + ((4*a*b^3*c - a^4*d - (b*c^{(1/3)}*(b^3*c - 4*a^3*d)) / d^{(1/3)}) * \text{Log}[c^{(2/3)} - c^{(1/3)}*d^{(1/3)}*x + d^{(2/3)}*x^2]) / (6*c^{(2/3)}*d^{(4/3)}) + (2*a^2*b^2 * \text{Log}[c + d*x^3]) / d$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

$\text{Int}[(x_)^{(m_.)}/((a_) + (b_.)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]]/(b*n), x] /; \text{FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 617

$\text{Int}[(a_) + (b_.)*(x_) + (c_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_) + (e_.)*(x_)]/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_) + (e_.)*(x_)]/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1860

$\text{Int}[(A_) + (B_.)*(x_)]/((a_) + (b_.)*(x_)^3), x_Symbol] \rightarrow \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; \text{FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rule 1871

$\text{Int}[(P2_)]/((a_) + (b_.)*(x_)^3), x_Symbol] \rightarrow \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{Int}[(A + B*x)/(a + b*x^3), x] + \text{Dist}[C, \text{Int}[x^2/(a + b*x^3), x], x] /; \text{EqQ}[a*B^3 - b*A^3, 0] \ || \ !\text{RationalQ}[a/b] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rule 1887

$\text{Int}[(Pq_)]/((a_) + (b_.)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq/(a + b*x^n), x], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^4}{c+dx^3} dx &= \int \left(\frac{4ab^3}{d} + \frac{b^4x}{d} - \frac{4ab^3c - a^4d + b(b^3c - 4a^3d)x - 6a^2b^2dx^2}{d(c+dx^3)} \right) dx \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} - \frac{\int \frac{4ab^3c - a^4d + b(b^3c - 4a^3d)x - 6a^2b^2dx^2}{c+dx^3} dx}{d} \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + (6a^2b^2) \int \frac{x^2}{c+dx^3} dx - \frac{\int \frac{4ab^3c - a^4d + b(b^3c - 4a^3d)x}{c+dx^3} dx}{d} \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + \frac{2a^2b^2 \log(c+dx^3)}{d} - \frac{\int \frac{\sqrt[3]{c}(b\sqrt[3]{c}(b^3c-4a^3d)+2\sqrt[3]{d}(4ab^3c-a^4d))+\sqrt[3]{d}(b\sqrt[3]{c}(b^3c-4a^3d)-\sqrt[3]{d}(4ab^3c-a^4d))}{c^{2/3}-\sqrt[3]{c}\sqrt[3]{d}x+d^{2/3}x^2} dx}{3c^{2/3}d^{4/3}} \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} - \frac{\left(4ab^3c - a^4d - \frac{b\sqrt[3]{c}(b^3c-4a^3d)}{\sqrt[3]{d}}\right) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{2a^2b^2 \log(c+dx^3)}{d} - \frac{(b^4c^4)}{6c^2} \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} - \frac{\left(4ab^3c - a^4d - \frac{b\sqrt[3]{c}(b^3c-4a^3d)}{\sqrt[3]{d}}\right) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{3c^{2/3}d^{4/3}} + \frac{\left(4ab^3c - a^4d - \frac{b\sqrt[3]{c}(b^3c-4a^3d)}{\sqrt[3]{d}}\right)}{6c^2} \\
&= \frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + \frac{(b^4c^{4/3} + 4ab^3c\sqrt[3]{d} - 4a^3b\sqrt[3]{c}d - a^4d^{4/3}) \tan^{-1}\left(\frac{\sqrt[3]{c}-2\sqrt[3]{d}x}{\sqrt{3}\sqrt[3]{c}}\right)}{\sqrt{3}c^{2/3}d^{5/3}} - \frac{\left(4ab^3c - a^4d - \frac{b\sqrt[3]{c}(b^3c-4a^3d)}{\sqrt[3]{d}}\right)}{6c^2}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 277, normalized size = 0.98

$$\frac{12a^2b^2d^{2/3} \log(c+dx^3) - \frac{(a^4d^{4/3} - 4a^3b\sqrt[3]{c}d - 4ab^3c\sqrt[3]{d} + b^4c^{4/3}) \log(c^{2/3} - \sqrt[3]{c}\sqrt[3]{d}x + d^{2/3}x^2)}{c^{2/3}} + \frac{2(a^4d^{4/3} - 4a^3b\sqrt[3]{c}d - 4ab^3c\sqrt[3]{d} + b^4c^{4/3}) \log(\sqrt[3]{c} + \sqrt[3]{d}x)}{c^{2/3}}}{6d^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^4/(c + d*x^3), x]

[Out] (24*a*b^3*d^(2/3)*x + 3*b^4*d^(2/3)*x^2 + (2*sqrt[3]*(b^4*c^(4/3) + 4*a*b^3*c*d^(1/3) - 4*a^3*b*c^(1/3)*d - a^4*d^(4/3))*ArcTan[(1 - (2*d^(1/3)*x)/c^(1/3))/sqrt[3]])/c^(2/3) + (2*(b^4*c^(4/3) - 4*a*b^3*c*d^(1/3) - 4*a^3*b*c^(1/3)*d + a^4*d^(4/3))*Log[c^(1/3) + d^(1/3)*x])/c^(2/3) - ((b^4*c^(4/3) - 4*a*b^3*c*d^(1/3) - 4*a^3*b*c^(1/3)*d + a^4*d^(4/3))*Log[c^(2/3) - c^(1/3)*d

$$\sqrt[3]{x + d^{2/3}x^2} / c^{2/3} + 12a^2b^2d^{2/3} \text{Log}[c + dx^3] / (6d^{5/3})$$

fricas [C] time = 13.21, size = 8787, normalized size = 31.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^4/(d*x^3+c),x, algorithm="fricas")

[Out] $\frac{1}{12} \left(\frac{6b^4x^2 + 48ab^3x + 2 \left(\frac{12a^2b^2}{d} - 2 \left(\frac{1}{2} \right)^{2/3} (36a^4b^4/d^2 - (4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)) \right) (-\sqrt{3} + 1)}{(432a^6b^6/d^3 - 18(4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{1/3} - (1/2)^{1/3} (432a^6b^6/d^3 - 18(4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{1/3} (I\sqrt{3} + 1) \right) d \log(-8ab^{11}c^4 - 66a^4b^8c^3d + 48a^7b^5c^2d^2 + 26a^{10}b^2cd^3 - 1/4(b^4c^3d^3 - 4a^3b^2cd^4) \left(\frac{12a^2b^2}{d} - 2 \left(\frac{1}{2} \right)^{2/3} (36a^4b^4/d^2 - (4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)) \right) (-\sqrt{3} + 1)}{(432a^6b^6/d^3 - 18(4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{1/3} - (1/2)^{1/3} (432a^6b^6/d^3 - 18(4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{1/3} (I\sqrt{3} + 1) \right)^2 + 1/2 (28a^2b^6c^3d^2 - 56a^5b^3c^2d^3 + a^8cd^4) \left(\frac{12a^2b^2}{d} - 2 \left(\frac{1}{2} \right)^{2/3} (36a^4b^4/d^2 - (4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)) \right) (-\sqrt{3} + 1) / (432a^6b^6/d^3 - 18(4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{1/3} - (1/2)^{1/3} (432a^6b^6/d^3 - 18(4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{1/3} (I\sqrt{3} + 1) \right) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4) x \right) + (36a^2b^2 - (12a^2b^2/d - 2 \left(\frac{1}{2} \right)^{2/3} (36a^4b^4/d^2 - (4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3)) \right) (-\sqrt{3} + 1) / (432a^6b^6/d^3 - 18(4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{1/3} - (1/2)^{1/3} (432a^6b^6/d^3 - 18(4ab^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{1/3} (I\sqrt{3} + 1) \right)$

$$\begin{aligned}
& 2*(1/2)^{(2/3)}*(36*a^4*b^4/d^2 - (4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3))*(-I*\sqrt{3} + 1)/(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^{(1/3)} - (1/2)^{(1/3)}*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^{(1/3)}*(I*\sqrt{3} + 1))*\sqrt{-(64*a*b^7*c^2 - 128*a^4*b^4*c*d + 64*a^7*b*d^2 - 24*(12*a^2*b^2/d - 2*(1/2)^{(2/3)}*(36*a^4*b^4/d^2 - (4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3))*(-I*\sqrt{3} + 1)/(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^{(1/3)} - (1/2)^{(1/3)}*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^{(1/3)}*(I*\sqrt{3} + 1))} \\
&)*a^2*b^2*c*d^2 + (12*a^2*b^2/d - 2*(1/2)^{(2/3)}*(36*a^4*b^4/d^2 - (4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3))*(-I*\sqrt{3} + 1)/(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^{(1/3)} - (1/2)^{(1/3)}*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^{(1/3)}*(I*\sqrt{3} + 1))^{2*c*d^3}/(c*d^3)) + (36*a^2*b^2 - (12*a^2*b^2/d - 2*(1/2)^{(2/3)}*(36*a^4*b^4/d^2 - (4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3))*(-I*\sqrt{3} + 1)/(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^{(1/3)} - (1/2)^{(1/3)}*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^{(1/3)}*(I*\sqrt{3} + 1))*d - 3*\sqrt{1/3}*d*\sqrt{-(64*a*b^7*c^2 - 128*a^4*b^4*c*d + 64*a^7*b*d^2 - 24*(12*a^2*b^2/d - 2*(1/2)^{(2/3)}*(36*a^4*b^4/d^2 - (4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)/(c*d^3))*(-I*\sqrt{3} + 1)/(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^{(1/3)} - (1/2)^{(1/3)}*(432*a^6*b^6/d^3 - 18*(4*a*b^7*c^2 + 19*a^4*b^4*c*d + 4*a^7*b*d^2)*a^2*b^2/(c*d^4) - (b^12*c^4 + 52*a^3*b^9*c^3*d - 52*a^9*b^3*c*d^3 - a^12*d^4)/(c^2*d^5) + (b^12*c^4 - 4*a^3*b^9*c^3*d + 6*a^6*b^6*c^2*d^2 - 4*a^9*b^3*c*d^3 + a^12*d^4)/(c^2*d^5))^{(1/3)}*(I*\sqrt{3} + 1))}
\end{aligned}$$

$$\begin{aligned}
& 2 - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1))*a^2b^2c \\
& *d^2 + (12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a*b^7c^2 + 19a^4 \\
& 4b^4c^3d + 4a^7b^3d^2)/(c*d^3)))*(-I*\text{sqrt}(3) + 1)/(432a^6b^6/d^3 - 18*(4 \\
& a*b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c*d^4) - (b^{12}c^4 + 52 \\
& a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3 \\
& *b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))^{(1/ \\
& 3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a*b^7c^2 + 19a^4b^4c^3d + 4a^7 \\
& 7b^3d^2)*a^2b^2/(c*d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 \\
& - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4 \\
& a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1))^2*c*d^3)/(c*d^ \\
& 3)))*\log(8a*b^{11}c^4 + 66a^4b^8c^3d - 48a^7b^5c^2d^2 - 26a^{10}b^2 \\
& *c*d^3 + 1/4*(b^4c^3d^3 - 4a^3b*c^2d^4)*(12a^2b^2/d - 2*(1/2)^{(2/3)}* \\
& (36a^4b^4/d^2 - (4a*b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)/(c*d^3)))*(-I \\
& *sqrt(3) + 1)/(432a^6b^6/d^3 - 18*(4a*b^7c^2 + 19a^4b^4c^3d + 4a^7b \\
& *d^2)*a^2b^2/(c*d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a \\
& ^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9 \\
& 9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 1 \\
& 8*(4a*b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c*d^4) - (b^{12}c^4 \\
& + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4 \\
& a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5)) \\
& ^{(1/3)}*(I*\text{sqrt}(3) + 1))^2 - 1/2*(28a^2b^6c^3d^2 - 56a^5b^3c^2d^3 + \\
& a^8c^4d^4)*(12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a*b^7c^2 + 1 \\
& 9a^4b^4c^3d + 4a^7b^3d^2)/(c*d^3)))*(-I*\text{sqrt}(3) + 1)/(432a^6b^6/d^3 - 1 \\
& 8*(4a*b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c*d^4) - (b^{12}c^4 \\
& + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4 \\
& a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5)) \\
& ^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a*b^7c^2 + 19a^4b^4c^3d + \\
& 4a^7b^3d^2)*a^2b^2/(c*d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3 \\
& d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 \\
& - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1)) - 2*(b^{12} \\
& c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4)*x - 3/4*\text{sqrt}(1/3)*(20 \\
& a^2b^6c^3d^2 + 32a^5b^3c^2d^3 + 2a^8c^4d^4 + (b^4c^3d^3 - 4a^3b \\
& *c^2d^4)*(12a^2b^2/d - 2*(1/2)^{(2/3)}*(36a^4b^4/d^2 - (4a*b^7c^2 + 1 \\
& 9a^4b^4c^3d + 4a^7b^3d^2)/(c*d^3)))*(-I*\text{sqrt}(3) + 1)/(432a^6b^6/d^3 - 1 \\
& 8*(4a*b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)*a^2b^2/(c*d^4) - (b^{12}c^4 \\
& + 52a^3b^9c^3d - 52a^9b^3c^3d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4 \\
& a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5)) \\
& ^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18*(4a*b^7c^2 + 19a^4b^4c^3d + \\
& 4a^7b^3d^2)*a^2b^2/(c*d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3 \\
& d^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 \\
& - 4a^9b^3c^3d^3 + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\text{sqrt}(3) + 1)))*\text{sqrt}(-(64 \\
& a*b^7c^2 - 128a^4b^4c^3d + 64a^7b^3d^2 - 24*(12a^2b^2/d - 2*(1/2)^{(2 \\
& /3)}*(36a^4b^4/d^2 - (4a*b^7c^2 + 19a^4b^4c^3d + 4a^7b^3d^2)/(c*d^3)) \\
& *(-I*\text{sqrt}(3) + 1)/(432a^6b^6/d^3 - 18*(4a*b^7c^2 + 19a^4b^4c^3d + 4a \\
& ^7b^3d^2)*a^2b^2/(c*d^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3c^3d^3
\end{aligned}$$

$$\begin{aligned}
& - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - \\
& 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 \\
& - 18*(4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 \\
& c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 \\
& - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d \\
& ^5))^{(1/3)}*(I*\sqrt{3} + 1))*a^2b^2cd^2 + (12a^2b^2/d - 2*(1/2)^{(2/3)}*(\\
& 36a^4b^4/d^2 - (4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)/(cd^3))*(-I* \\
& \sqrt{3} + 1)/(432a^6b^6/d^3 - 18*(4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)} - (1/2)^{(1/3)}*(432a^6b^6/d^3 - 18 \\
& *(4a^7c^2 + 19a^4b^4cd + 4a^7b^2d^2)*a^2b^2/(cd^4) - (b^{12}c^4 + 52a^3b^9c^3d - 52a^9b^3cd^3 - a^{12}d^4)/(c^2d^5) + (b^{12}c^4 - 4a^3b^9c^3d + 6a^6b^6c^2d^2 - 4a^9b^3cd^3 + a^{12}d^4)/(c^2d^5))^{(1/3)}*(I*\sqrt{3} + 1))^{2*cd^3)/(cd^3)))/d
\end{aligned}$$

giac [A] time = 0.19, size = 294, normalized size = 1.04

$$\frac{2a^2b^2 \log(|dx^3 + c|)}{d} + \frac{\sqrt{3} \left(4ab^3cd - a^4d^2 - (-cd^2)^{\frac{1}{3}} b^4c + 4(-cd^2)^{\frac{1}{3}} a^3bd \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{c}{d})^{\frac{1}{3}} \right)}{3(-\frac{c}{d})^{\frac{1}{3}}} \right)}{3(-cd^2)^{\frac{2}{3}} d} + \left(4ab^3cd - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^4/(d*x^3+c),x, algorithm="giac")

[Out] $2a^2b^2 \log(\text{abs}(d*x^3 + c))/d + 1/3*\sqrt{3}*(4a^3b^3cd - a^4d^2 - (-c*d^2)^{(1/3)}*b^4c + 4*(-c*d^2)^{(1/3)}*a^3b*d)*\arctan(1/3*\sqrt{3}*(2*x + (-c/d)^{(1/3)})/(-c/d)^{(1/3)})/((-c*d^2)^{(2/3)}*d) + 1/6*(4a^3b^3cd - a^4d^2 + (-c*d^2)^{(1/3)}*b^4c - 4*(-c*d^2)^{(1/3)}*a^3b*d)*\log(x^2 + x*(-c/d)^{(1/3)} + (-c/d)^{(2/3)})/((-c*d^2)^{(2/3)}*d) + 1/2*(b^4d*x^2 + 8a^3b^3d*x)/d^2 + 1/3*(b^4cd^4*(-c/d)^{(1/3)} - 4a^3b^4d^5*(-c/d)^{(1/3)} + 4a^3b^3cd^4 - a^4d^5)*(-c/d)^{(1/3)}*\log(\text{abs}(x - (-c/d)^{(1/3)}))/ (c*d^5)$

maple [A] time = 0.05, size = 446, normalized size = 1.58

$$\frac{b^4x^2}{2d} + \frac{\sqrt{3} a^4 \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}} d} + \frac{a^4 \ln \left(x + \left(\frac{c}{d}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{c}{d}\right)^{\frac{2}{3}} d} - \frac{a^4 \ln \left(x^2 - \left(\frac{c}{d}\right)^{\frac{1}{3}} x + \left(\frac{c}{d}\right)^{\frac{2}{3}} \right)}{6 \left(\frac{c}{d}\right)^{\frac{2}{3}} d} + \frac{4\sqrt{3} a^3b \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{c}{d}\right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{c}{d}\right)^{\frac{1}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x+a)^4/(d*x^3+c), x)$

[Out] $\frac{1}{2}b^4x^2/d + 4ab^3x/d + 1/3d/(c/d)^{2/3} \ln(x+(c/d)^{1/3}) * a^4 - 4/3d^2/(c/d)^{2/3} \ln(x+(c/d)^{1/3}) * ab^3c - 1/6d/(c/d)^{2/3} \ln(x^2-(c/d)^{1/3} * x + (c/d)^{2/3}) * a^4 + 2/3d^2/(c/d)^{2/3} \ln(x^2-(c/d)^{1/3} * x + (c/d)^{2/3}) * ab^3c + 1/3d/(c/d)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(c/d)^{1/3} * x - 1)) * a^4 - 4/3d^2/(c/d)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(c/d)^{1/3} * x - 1)) * ab^3c - 4/3d/(c/d)^{1/3} \ln(x+(c/d)^{1/3}) * a^3b + 1/3d^2/(c/d)^{1/3} \ln(x+(c/d)^{1/3}) * b^4c + 2/3d/(c/d)^{1/3} \ln(x^2-(c/d)^{1/3} * x + (c/d)^{2/3}) * a^3b - 1/6d^2/(c/d)^{1/3} \ln(x^2-(c/d)^{1/3} * x + (c/d)^{2/3}) * b^4c + 4/3d * 3^{1/2} / (c/d)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(c/d)^{1/3} * x - 1)) * a^3b - 1/3d^2 * 3^{1/2} / (c/d)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(c/d)^{1/3} * x - 1)) * b^4c + 2a^2b^2 \ln(d*x^3+c)/d$

maxima [A] time = 3.04, size = 303, normalized size = 1.07

$$\frac{\sqrt{3} \left(\left(b^4 \left(\frac{c}{d} \right)^{\frac{2}{3}} + 4ab^3 \left(\frac{c}{d} \right)^{\frac{1}{3}} + 4a^2b^2 \right) c - \left(4a^3b \left(\frac{c}{d} \right)^{\frac{2}{3}} + a^4 \left(\frac{c}{d} \right)^{\frac{1}{3}} + \frac{4a^2b^2c}{d} \right) d \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{c}{d} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{c}{d} \right)^{\frac{1}{3}}} \right)}{3cd} + \frac{b^4x^2 + 8ab^3x}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((b*x+a)^4/(d*x^3+c), x, \text{algorithm}="maxima")$

[Out] $-\frac{1}{3} \sqrt{3} * ((b^4 * (c/d)^{2/3} + 4 * a * b^3 * (c/d)^{1/3} + 4 * a^2 * b^2) * c - (4 * a^3 * b * (c/d)^{2/3} + a^4 * (c/d)^{1/3} + 4 * a^2 * b^2 * c/d) * d) * \arctan(1/3 * \sqrt{3} * (2 * x - (c/d)^{1/3}) / (c/d)^{1/3}) / (c * d) + 1/2 * (b^4 * x^2 + 8 * a * b^3 * x) / d - 1/6 * ((b^4 * (c/d)^{1/3} - 4 * a * b^3) * c - (12 * a^2 * b^2 * (c/d)^{2/3} + 4 * a^3 * b * (c/d)^{1/3}) - a^4) * d * \log(x^2 - x * (c/d)^{1/3} + (c/d)^{2/3}) / (d^2 * (c/d)^{2/3}) + 1/3 * ((b^4 * (c/d)^{1/3} - 4 * a * b^3) * c + (6 * a^2 * b^2 * (c/d)^{2/3} - 4 * a^3 * b * (c/d)^{1/3}) + a^4) * d * \log(x + (c/d)^{1/3}) / (d^2 * (c/d)^{2/3})$

mupad [B] time = 4.97, size = 513, normalized size = 1.82

$$\left(\sum_{k=1}^3 \ln \left(\text{root} \left(27c^2d^5z^3 - 162a^2b^2c^2d^4z^2 + 171a^4b^4c^2d^3z + 36ab^7c^3d^2z + 36a^7bcd^4z - 6a^6b^6c^2d^2 + 4a^9 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b*x)^4/(c + d*x^3), x)$

[Out] $\text{symsum}(\log(\text{root}(27*c^2*d^5*z^3 - 162*a^2*b^2*c^2*d^4*z^2 + 171*a^4*b^4*c^2*d^3*z + 36*a*b^7*c^3*d^2*z + 36*a^7*b*c*d^4*z - 6*a^6*b^6*c^2*d^2 + 4*a^9*b^9)), x)$

```

^3*c*d^3 + 4*a^3*b^9*c^3*d - b^12*c^4 - a^12*d^4, z, k)*((x*(3*a^4*d^3 - 12
*a*b^3*c*d^2))/d + 9*root(27*c^2*d^5*z^3 - 162*a^2*b^2*c^2*d^4*z^2 + 171*a^
4*b^4*c^2*d^3*z + 36*a*b^7*c^3*d^2*z + 36*a^7*b*c*d^4*z - 6*a^6*b^6*c^2*d^2
+ 4*a^9*b^3*c*d^3 + 4*a^3*b^9*c^3*d - b^12*c^4 - a^12*d^4, z, k)*c*d^2 - 3
6*a^2*b^2*c*d) + (4*a*b^7*c^2 + 4*a^7*b*d^2 + 19*a^4*b^4*c*d)/d + (x*(b^8*c
^2 + 10*a^6*b^2*d^2 + 16*a^3*b^5*c*d))/d)*root(27*c^2*d^5*z^3 - 162*a^2*b^2
*c^2*d^4*z^2 + 171*a^4*b^4*c^2*d^3*z + 36*a*b^7*c^3*d^2*z + 36*a^7*b*c*d^4*
z - 6*a^6*b^6*c^2*d^2 + 4*a^9*b^3*c*d^3 + 4*a^3*b^9*c^3*d - b^12*c^4 - a^12
*d^4, z, k), k, 1, 3) + (b^4*x^2)/(2*d) + (4*a*b^3*x)/d

```

sympy [A] time = 60.25, size = 325, normalized size = 1.15

$$\frac{4ab^3x}{d} + \frac{b^4x^2}{2d} + \text{RootSum}\left(27t^3c^2d^5 - 162t^2a^2b^2c^2d^4 + t(36a^7bcd^4 + 171a^4b^4c^2d^3 + 36ab^7c^3d^2) - a^{12}d^4 + 4a^9b^3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)**4/(d*x**3+c),x)
```

```
[Out] 4*a*b**3*x/d + b**4*x**2/(2*d) + RootSum(27*_t**3*c**2*d**5 - 162*_t**2*a**
2*b**2*c**2*d**4 + _t*(36*a**7*b*c*d**4 + 171*a**4*b**4*c**2*d**3 + 36*a*b*
*7*c**3*d**2) - a**12*d**4 + 4*a**9*b**3*c*d**3 - 6*a**6*b**6*c**2*d**2 + 4
*a**3*b**9*c**3*d - b**12*c**4, Lambda(_t, _t*log(x + (36*_t**2*a**3*b*c**2
*d**4 - 9*_t**2*b**4*c**3*d**3 + 3*_t*a**8*c*d**4 - 168*_t*a**5*b**3*c**2*d
**3 + 84*_t*a**2*b**6*c**3*d**2 + 26*a**10*b**2*c*d**3 + 48*a**7*b**5*c**2*
d**2 - 66*a**4*b**8*c**3*d - 8*a*b**11*c**4)/(a**12*d**4 + 52*a**9*b**3*c*d
**3 - 52*a**3*b**9*c**3*d - b**12*c**4))))

```

$$3.73 \quad \int \frac{(a+bx+cx^2)^2}{d+ex^3} dx$$

Optimal. Leaf size=272

$$\frac{\log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2) (\sqrt[3]{e} (2bcd - a^2 e) - \sqrt[3]{d} (c^2 d - 2abe))}{6d^{2/3} e^{5/3}} - \frac{\log(\sqrt[3]{d} + \sqrt[3]{e} x) (\sqrt[3]{e} (2bcd - a^2 e) - \sqrt[3]{d} (c^2 d - 2abe))}{3d^{2/3} e^{5/3}}$$

[Out] $2*b*c*x/e + 1/2*c^2*x^2/e - 1/3*(e^{(1/3)}*(-a^2*e + 2*b*c*d) - d^{(1/3)}*(-2*a*b*e + c^2*d)) * \ln(d^{(1/3)} + e^{(1/3)}*x) / d^{(2/3)} / e^{(5/3)} + 1/6*(e^{(1/3)}*(-a^2*e + 2*b*c*d) - d^{(1/3)}*(-2*a*b*e + c^2*d)) * \ln(d^{(2/3)} - d^{(1/3)}*e^{(1/3)}*x + e^{(2/3)}*x^2) / d^{(2/3)} / e^{(5/3)} + 1/3*(2*a*c + b^2) * \ln(e*x^3 + d) / e + 1/3*(c^2*d^{(4/3)} + 2*b*c*d*e^{(1/3)} - a*(2*b*d^{(1/3)} + a*e^{(1/3)}) * e) * \arctan(1/3*(d^{(1/3)} - 2*e^{(1/3)}*x) / d^{(1/3)} * 3^{(1/2)}) / d^{(2/3)} / e^{(5/3)} * 3^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 270, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2) \left(a^2(-e) - \frac{\sqrt[3]{d}(c^2 d - 2abe)}{\sqrt[3]{e}} + 2bcd \right)}{6d^{2/3} e^{4/3}} - \frac{\log(\sqrt[3]{d} + \sqrt[3]{e} x) (\sqrt[3]{e} (2bcd - a^2 e) - \sqrt[3]{d} (c^2 d - 2abe))}{3d^{2/3} e^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)^2/(d + e*x^3), x]

[Out] $(2*b*c*x)/e + (c^2*x^2)/(2*e) + ((c^2*d^{(4/3)} + 2*b*c*d*e^{(1/3)} - a*(2*b*d^{(1/3)} + a*e^{(1/3)}) * e) * \text{ArcTan}[(d^{(1/3)} - 2*e^{(1/3)}*x) / (\text{Sqrt}[3]*d^{(1/3)})]) / (\text{Sqrt}[3]*d^{(2/3)}*e^{(5/3)}) - ((e^{(1/3)}*(2*b*c*d - a^2*e) - d^{(1/3)}*(c^2*d - 2*a*b*e)) * \text{Log}[d^{(1/3)} + e^{(1/3)}*x]) / (3*d^{(2/3)}*e^{(5/3)}) + ((2*b*c*d - a^2*e - (d^{(1/3)}*(c^2*d - 2*a*b*e)) / e^{(1/3)}) * \text{Log}[d^{(2/3)} - d^{(1/3)}*e^{(1/3)}*x + e^{(2/3)}*x^2]) / (6*d^{(2/3)}*e^{(4/3)}) + ((b^2 + 2*a*c) * \text{Log}[d + e*x^3]) / (3*e)$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

`Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]`

Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx + cx^2)^2}{d + ex^3} dx &= \int \left(\frac{2bc}{e} + \frac{c^2x}{e} - \frac{2bcd - a^2e + (c^2d - 2abe)x - (b^2 + 2ac)ex^2}{e(d + ex^3)} \right) dx \\
 &= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - \frac{\int \frac{2bcd - a^2e + (c^2d - 2abe)x - (b^2 + 2ac)ex^2}{d + ex^3} dx}{e} \\
 &= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - (-b^2 - 2ac) \int \frac{x^2}{d + ex^3} dx - \frac{\int \frac{2bcd - a^2e + (c^2d - 2abe)x}{d + ex^3} dx}{e} \\
 &= \frac{2bcx}{e} + \frac{c^2x^2}{2e} + \frac{(b^2 + 2ac) \log(d + ex^3)}{3e} - \frac{\int \frac{\sqrt[3]{d} (2\sqrt[3]{e} (2bcd - a^2e) + \sqrt[3]{d} (c^2d - 2abe)) + \sqrt[3]{e} (-\sqrt[3]{e} (2bcd - a^2e) + \sqrt[3]{d} (c^2d - 2abe))}{d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2} dx}{3d^{2/3} e^{4/3}} \\
 &= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - \frac{\left(2bcd - a^2e - \frac{\sqrt[3]{d} (c^2d - 2abe)}{\sqrt[3]{e}} \right) \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3d^{2/3} e^{4/3}} + \frac{(b^2 + 2ac) \log(d + ex^3)}{3e} \\
 &= \frac{2bcx}{e} + \frac{c^2x^2}{2e} - \frac{\left(2bcd - a^2e - \frac{\sqrt[3]{d} (c^2d - 2abe)}{\sqrt[3]{e}} \right) \log(\sqrt[3]{d} + \sqrt[3]{e} x)}{3d^{2/3} e^{4/3}} + \frac{\left(2bcd - a^2e - \frac{\sqrt[3]{d} (c^2d - 2abe)}{\sqrt[3]{e}} \right) \log(d + ex^3)}{3e} \\
 &= \frac{2bcx}{e} + \frac{c^2x^2}{2e} + \frac{(c^2d^{4/3} + 2bcd\sqrt[3]{e} - a(2b\sqrt[3]{d} + a\sqrt[3]{e})) \tan^{-1}\left(\frac{\sqrt[3]{d} - 2\sqrt[3]{e}x}{\sqrt{3}\sqrt[3]{d}}\right)}{\sqrt{3}d^{2/3}e^{5/3}} - \frac{(2bcd - a^2e) \log(d + ex^3)}{6e}
 \end{aligned}$$

Mathematica [A] time = 0.42, size = 269, normalized size = 0.99

$$\frac{2e^{2/3} (2ac + b^2) \log(d + ex^3) - \frac{\log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2) (ae(a\sqrt[3]{e} - 2b\sqrt[3]{d}) - 2bcd\sqrt[3]{e} + c^2d^{4/3})}{d^{2/3}}}{6e^{5/3}} + \frac{2 \log(\sqrt[3]{d} + \sqrt[3]{e} x) (ae(a\sqrt[3]{e} - 2b\sqrt[3]{d}) - 2bcd\sqrt[3]{e} + c^2d^{4/3})}{d^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)^2/(d + e*x^3), x]

[Out] (12*b*c*e^(2/3)*x + 3*c^2*e^(2/3)*x^2 + (2*sqrt[3]*(c*d^(2/3) - a*e^(2/3))*(c*d^(2/3) + 2*b*d^(1/3)*e^(1/3) + a*e^(2/3))*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))]) / (6*e^(5/3))

$$\frac{1}{3})/\text{Sqrt}[3]]/d^{(2/3)} + (2*(c^2*d^{(4/3)} - 2*b*c*d*e^{(1/3)} + a*(-2*b*d^{(1/3)} + a*e^{(1/3)})*e)*\text{Log}[d^{(1/3)} + e^{(1/3)}*x])/d^{(2/3)} - ((c^2*d^{(4/3)} - 2*b*c*d*e^{(1/3)} + a*(-2*b*d^{(1/3)} + a*e^{(1/3)})*e)*\text{Log}[d^{(2/3)} - d^{(1/3)}*e^{(1/3)}*x + e^{(2/3)}*x^2])/d^{(2/3)} + 2*(b^2 + 2*a*c)*e^{(2/3)}*\text{Log}[d + e*x^3])/(6*e^{(5/3)})$$

fricas [C] time = 3.92, size = 12827, normalized size = 47.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^2/(e*x^3+d),x, algorithm="fricas")

[Out] $\frac{1}{12}*(6*c^2*x^2 + 24*b*c*x - 2*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)*\text{Log}(-4*b*c^5*d^4 - (5*b^4*c^2 - 4*a*b^2*c^3 + 2*a^2*c^4)*d^3*e + 2*(a*b^5 - 2*a^2*b^3*c + 4*a^3*b*c^2)*d^2*e^2 + (7*a^4*b^2 - 2*a^5*c)*d*e^3 - 1/4*(c^2*d^3*e^3 - 2*a*b*d^2*e^4)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)^2 - 1/2*(a^4*d*e^4 + 2*(3*b^2*c^2 + 2*a*c^3)*d^3*e^2 - 4*(a*b^3 + 3*a^2*b*c)*d^2*e^3)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) +$

$$\begin{aligned}
& (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b \\
& *c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4 \\
& *c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d \\
& ^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*s \\
& qrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d \\
& *e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6* \\
& d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 \\
& - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 \\
& - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d \\
& *e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e - (c^6*d^4 - a^6*e^4 + 2*(4*b^3 \\
& *c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)*x) + (6*b^2 + 12 \\
& *a*c + (2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 \\
& + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - \\
& 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^ \\
& 4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a \\
& ^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - \\
& b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^ \\
& 4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d \\
& *e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^ \\
& ^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + \\
& b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^ \\
& 2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^ \\
& 6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b* \\
& c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)*e + 3*sqrt(1/3)*e*sqrt(-(32 \\
& *b*c^3*d^2 + 32*a^3*b*e^2 + (2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^ \\
& 2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(\\
& b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2 \\
&)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2* \\
& b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a \\
& ^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2* \\
& (4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d^3*e)/(d^2*e^5)) \\
& ^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^ \\
& 2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 \\
& - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 \\
& + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^ \\
& 2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2* \\
& (4*a^3*b^3 - 3*a^4*b*c)*d^3*e)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)^2*d*e^ \\
& 3 + 4*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + \\
& b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3 \\
& *(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4 \\
&) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^ \\
& 4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - \\
& b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4 \\
&)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d^3*e)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(\\
& I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^
\end{aligned}$$

$$\begin{aligned}
&2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b \\
&^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2 \\
&*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6 \\
&*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c \\
&)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)*(b^2 + 2*a*c)*d*e^2 + 4*(b^4 \\
&- 12*a*b^2*c)*d*e)/(d*e^3))*\log(4*b*c^5*d^4 + (5*b^4*c^2 - 4*a*b^2*c^3 + \\
&2*a^2*c^4)*d^3*e - 2*(a*b^5 - 2*a^2*b^3*c + 4*a^3*b*c^2)*d^2*e^2 - (7*a^4*b \\
&^2 - 2*a^5*c)*d*e^3 + 1/4*(c^2*d^3*e^3 - 2*a*b*d^2*e^4)*(2*(1/2)^{(2/3)}*(-I \\
&\text{sqrt}(3) + 1))*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e \\
&+ 2*a^3*b*e^2)/(d*e^3))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + \\
&3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3* \\
&d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2 \\
&*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^ \\
&5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - \\
&3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*(b^2 + \\
&2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 \\
&+ 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^ \\
&2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6 \\
&*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3 \\
&*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} \\
&- 2*(b^2 + 2*a*c)/e)^2 + 1/2*(a^4*d*e^4 + 2*(3*b^2*c^2 + 2*a*c^3)*d^3*e^2 \\
&- 4*(a*b^3 + 3*a^2*b*c)*d^2*e^3)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1))*((b^2 + 2* \\
&a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)) \\
&/ (2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3* \\
&b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9 \\
&a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^ \\
&^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 \\
&+ 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2* \\
&e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c \\
&^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^ \\
&6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d \\
&*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d \\
&^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e \\
&- 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e) - \\
&2*(c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3* \\
&a^4*b*c)*d*e^3)*x + 3/4*\text{sqrt}(1/3)*(4*a*b^3*d^2*e^3 + 2*a^4*d*e^4 + 2*(3*b^2 \\
&*c^2 - 2*a*c^3)*d^3*e^2 - (c^2*d^3*e^3 - 2*a*b*d^2*e^4)*(2*(1/2)^{(2/3)}*(-I \\
&\text{sqrt}(3) + 1))*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e \\
&+ 2*a^3*b*e^2)/(d*e^3))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + \\
&3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3* \\
&d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2 \\
&*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^ \\
&5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - \\
&3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(2*(b^2 + \\
&2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2
\end{aligned}$$

$$\begin{aligned}
& + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^4 \\
& 2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6 \\
& *(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 \\
& *c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} \\
& - 2*(b^2 + 2*a*c)/e))*sqrt(-(32*b*c^3*d^2 + 32*a^3*b*e^2 + (2*(1/2)^{(2/3)}* \\
& (-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2* \\
& d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d \\
& *e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3* \\
& c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 \\
& + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^ \\
& 2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 \\
& - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^ \\
& 2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)* \\
& (b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^ \\
& 2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 \\
& + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4 \\
& *b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(\\
& 1/3)} - 2*(b^2 + 2*a*c)/e)^2*d*e^3 + 4*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 \\
& + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d* \\
& e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2 \\
& *a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^ \\
& 2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^ \\
& 3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^ \\
& 6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/ \\
& (d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(\\
& 2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) \\
& + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4* \\
& b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^ \\
& 4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)* \\
& d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c) \\
& /e)*(b^2 + 2*a*c)*d*e^2 + 4*(b^4 - 12*a*b^2*c)*d*e)/(d*e^3)) + (6*b^2 + 12 \\
& *a*c + (2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 \\
& + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - \\
& 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^ \\
& 4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a \\
& ^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - \\
& b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^ \\
& 4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}* \\
& (I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c \\
& ^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + \\
& b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^ \\
& 2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^ \\
& 6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b* \\
& c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)*e - 3*sqrt(1/3)*e*sqrt(-(32 \\
& *b*c^3*d^2 + 32*a^3*b*e^2 + (2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^
\end{aligned}$$

$$\begin{aligned}
& 2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3))/(2*(\\
& b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2) \\
&)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2* \\
& b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a \\
& ^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2* \\
& (4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5)) \\
& ^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 \\
& + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 \\
& - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 \\
& + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2) \\
&)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2* \\
& (4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)^2*d*e^ \\
& 3 + 4*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + \\
& b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3))/(2*(b^2 + 2*a*c)^3/e^3 - 3 \\
& *(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) \\
&) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4 \\
& *b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - \\
& b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4) \\
&)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(\\
& I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^ \\
& 2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b \\
& ^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2 \\
& *e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6 \\
& *d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c \\
&)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)*(b^2 + 2*a*c)*d*e^2 + 4*(b^4 \\
& - 12*a*b^2*c)*d*e)/(d*e^3))*log(4*b*c^5*d^4 + (5*b^4*c^2 - 4*a*b^2*c^3 + \\
& 2*a^2*c^4)*d^3*e - 2*(a*b^5 - 2*a^2*b^3*c + 4*a^3*b*c^2)*d^2*e^2 - (7*a^4*b \\
& ^2 - 2*a^5*c)*d*e^3 + 1/4*(c^2*d^3*e^3 - 2*a*b*d^2*e^4)*(2*(1/2)^{(2/3)}*(-I* \\
& sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e \\
& + 2*a^3*b*e^2)/(d*e^3))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + \\
& 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3* \\
& d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2 \\
& *(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^ \\
& 5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - \\
& 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^2 + \\
& 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 \\
& + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^ \\
& 2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6 \\
& *(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3 \\
& *c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} \\
& - 2*(b^2 + 2*a*c)/e)^2 + 1/2*(a^4*d*e^4 + 2*(3*b^2*c^2 + 2*a*c^3)*d^3*e^2 \\
& - 4*(a*b^3 + 3*a^2*b*c)*d^2*e^3)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2* \\
& a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)) \\
&)/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3* \\
& b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9
\end{aligned}$$

$$\begin{aligned}
& *a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e) - 2*(c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)*x - 3/4*sqrt(1/3)*(4*a*b^3*d^2*e^3 + 2*a^4*d*e^4 + 2*(3*b^2*c^2 - 2*a*c^3)*d^3*e^2 - (c^2*d^3*e^3 - 2*a*b*d^2*e^4)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e))*sqrt(-(32*b*c^3*d^2 + 32*a^3*b*e^2 + (2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} - 2*(b^2 + 2*a*c)/e)^2*d*e^3 + 4*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*((b^2 + 2*a*c)^2/e^2 - (2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)/(d*e^3)))/(2*(b^2 + 2*a*c)^3/e^3 - 3*(2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4) + (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(2*(b^2 + 2*a*c)^3/e^3 - 3*(
\end{aligned}$$

$2*b*c^3*d^2 + b^4*d*e + 3*a^2*c^2*d*e + 2*a^3*b*e^2)*(b^2 + 2*a*c)/(d*e^4)$
 $+ (c^6*d^4 - 2*b^3*c^3*d^3*e + b^6*d^2*e^2 + 9*a^2*b^2*c^2*d^2*e^2 + 6*a^4*$
 $b*c*d*e^3 + a^6*e^4 + 2*(c^3*d^2*e^2 - b^3*d*e^3)*a^3 + 6*(b*c^4*d^3*e - b^$
 $4*c*d^2*e^2)*a)/(d^2*e^5) - (c^6*d^4 - a^6*e^4 + 2*(4*b^3*c^3 - 3*a*b*c^4)*$
 $d^3*e - 2*(4*a^3*b^3 - 3*a^4*b*c)*d*e^3)/(d^2*e^5))^(1/3) - 2*(b^2 + 2*a*c)$
 $/e)*(b^2 + 2*a*c)*d*e^2 + 4*(b^4 - 12*a*b^2*c)*d*e)/(d*e^3)))/e$

giac [A] time = 0.21, size = 264, normalized size = 0.97

$$\frac{1}{3} (b^2 + 2ac)e^{(-1)} \log(|x^3e + d|) + \frac{\sqrt{3} \left(2bcde - (-de^2)^{\frac{1}{3}} c^2d + 2(-de^2)^{\frac{1}{3}} abe - a^2e^2 \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-de^{(-1)})^{\frac{1}{3}} \right)}{3(-de^{(-1)})^{\frac{1}{3}}} \right)}{3(-de^2)^{\frac{2}{3}}} e}{3(-de^2)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^2/(e*x^3+d),x, algorithm="giac")

[Out] $1/3*(b^2 + 2*a*c)*e^{(-1)}*\log(\text{abs}(x^3*e + d)) + 1/3*\text{sqrt}(3)*(2*b*c*d*e - (-d$
 $*e^2)^{(1/3)}*c^2*d + 2*(-d*e^2)^{(1/3)}*a*b*e - a^2*e^2)*\arctan(1/3*\text{sqrt}(3)*(2$
 $*x + (-d*e^{(-1)})^{(1/3)})/(-d*e^{(-1)})^{(1/3)})*e^{(-1)}/(-d*e^2)^{(2/3)} + 1/6*(2*b$
 $*c*d*e + (-d*e^2)^{(1/3)}*c^2*d - 2*(-d*e^2)^{(1/3)}*a*b*e - a^2*e^2)*e^{(-1)}*\log$
 $(x^2 + (-d*e^{(-1)})^{(1/3)}*x + (-d*e^{(-1)})^{(2/3)})/(-d*e^2)^{(2/3)} + 1/3*((-d*$
 $e^{(-1)})^{(1/3)}*c^2*d*e^4 + 2*b*c*d*e^4 - 2*(-d*e^{(-1)})^{(1/3)}*a*b*e^5 - a^2*e$
 $^5)*(-d*e^{(-1)})^{(1/3)}*e^{(-5)}*\log(\text{abs}(x - (-d*e^{(-1)})^{(1/3)}))/d + 1/2*(c^2*x$
 $^2*e + 4*b*c*x*e)*e^{(-2)}$

maple [B] time = 0.07, size = 444, normalized size = 1.63

$$\frac{c^2x^2}{2e} + \frac{\sqrt{3} a^2 \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{d}{e}\right)^{\frac{2}{3}} e} + \frac{a^2 \ln \left(x + \left(\frac{d}{e}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{d}{e}\right)^{\frac{2}{3}} e} - \frac{a^2 \ln \left(x^2 - \left(\frac{d}{e}\right)^{\frac{1}{3}} x + \left(\frac{d}{e}\right)^{\frac{2}{3}} \right)}{6 \left(\frac{d}{e}\right)^{\frac{2}{3}} e} + \frac{2\sqrt{3} ab \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{d}{e}\right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{d}{e}\right)^{\frac{1}{3}} e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)^2/(e*x^3+d),x)

[Out] $1/2*c^2*x^2/e + 2*b*c*x/e + 1/3*e/(d/e)^{(2/3)}*\ln(x+(d/e)^{(1/3)})*a^2 - 2/3/e^2/(d/$
 $e)^{(2/3)}*\ln(x+(d/e)^{(1/3)})*b*c*d - 1/6*e/(d/e)^{(2/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/$

$e^{(2/3)} * a^{2+1/3} / e^{2/(d/e)^{(2/3)}} * \ln(x^{2-(d/e)^{(1/3)}} * x + (d/e)^{(2/3)}) * b * c * d + 1/3 * e / (d/e)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * a^{2-2/3} / e^{2/(d/e)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * b * c * d - 2/3 * e / (d/e)^{(1/3)} * \ln(x + (d/e)^{(1/3)}) * a * b + 1/3 * e^{2/(d/e)^{(1/3)} * \ln(x + (d/e)^{(1/3)}) * c^2 * d + 1/3 * e / (d/e)^{(1/3)} * \ln(x^{2-(d/e)^{(1/3)}} * x + (d/e)^{(2/3)}) * a * b - 1/6 * e^{2/(d/e)^{(1/3)} * \ln(x^{2-(d/e)^{(1/3)}} * x + (d/e)^{(2/3)}) * c^2 * d + 2/3 * e * 3^{(1/2)} / (d/e)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * a * b - 1/3 * e^{2 * 3^{(1/2)} / (d/e)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * c^2 * d + 2/3 * e * \ln(e * x^3 + d) * a * c + 1/3 * e * \ln(e * x^3 + d) * b^2$

maxima [A] time = 3.03, size = 314, normalized size = 1.15

$$\frac{\sqrt{3} \left(\left(3c^2 \left(\frac{d}{e} \right)^{\frac{2}{3}} + 2b^2 + 2 \left(3b \left(\frac{d}{e} \right)^{\frac{1}{3}} + 2a \right) c \right) d - \left(6ab \left(\frac{d}{e} \right)^{\frac{2}{3}} + 3a^2 \left(\frac{d}{e} \right)^{\frac{1}{3}} + \frac{2b^2d}{e} + \frac{4acd}{e} \right) e \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{d}{e} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{d}{e} \right)^{\frac{1}{3}}} \right)}{9de}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^2/(e*x^3+d),x, algorithm="maxima")

[Out] $-1/9 * \sqrt{3} * ((3 * c^2 * (d/e)^{(2/3)} + 2 * b^2 + 2 * (3 * b * (d/e)^{(1/3)} + 2 * a) * c) * d - (6 * a * b * (d/e)^{(2/3)} + 3 * a^2 * (d/e)^{(1/3)} + 2 * b^2 * d/e + 4 * a * c * d/e) * e) * \arctan(1/3 * \sqrt{3} * (2 * x - (d/e)^{(1/3)}) / (d/e)^{(1/3)}) / (d * e) + 1/2 * (c^2 * x^2 + 4 * b * c * x) / e - 1/6 * ((c^2 * (d/e)^{(1/3)} - 2 * b * c) * d - (2 * b^2 * (d/e)^{(2/3)} + 4 * a * c * (d/e)^{(2/3)} + 2 * a * b * (d/e)^{(1/3)} - a^2) * e) * \log(x^2 - x * (d/e)^{(1/3)} + (d/e)^{(2/3)}) / (e^2 * (d/e)^{(2/3)}) + 1/3 * ((c^2 * (d/e)^{(1/3)} - 2 * b * c) * d + (b^2 * (d/e)^{(2/3)} + 2 * a * c * (d/e)^{(2/3)} - 2 * a * b * (d/e)^{(1/3)} + a^2) * e) * \log(x + (d/e)^{(1/3)}) / (e^2 * (d/e)^{(2/3)})$

mupad [B] time = 5.13, size = 769, normalized size = 2.83

$$\left(\sum_{k=1}^3 \ln \left(\frac{2a^3 b e^2 + 3a^2 c^2 d e + b^4 d e + 2b c^3 d^2}{e} + \frac{x(-2a^3 c e^2 + 3a^2 b^2 e^2 + 2b^3 c d e + c^4 d^2)}{e} \right) - \text{root}(27d^2 e^5 z^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2)^2/(d + e*x^3),x)

[Out] $\text{symsum}(\log((2 * a^3 * b * e^2 + 2 * b * c^3 * d^2 + b^4 * d * e + 3 * a^2 * c^2 * d * e) / e + (x * (c^4 * d^2 - 2 * a^3 * c * e^2 + 3 * a^2 * b^2 * e^2 + 2 * b^3 * c * d * e)) / e - 3 * \text{root}(27 * d^2 * e^5 * z^3 - 54 * a * c * d^2 * e^4 * z^2 - 27 * b^2 * d^2 * e^4 * z^2 + 27 * a^2 * c^2 * d^2 * e^3 * z + 18 * b * c^3 * d^3 * e^2 * z + 18 * a^3 * b * d * e^4 * z + 9 * b^4 * d^2 * e^3 * z + 6 * a * b^4 * c * d^2 * e^2 - 9 *$

$$\begin{aligned}
& a^2 b^2 c^2 d^2 e^2 - 6 a^4 b c d e^3 - 6 a b c^4 d^3 e - 2 a^3 c^3 d^2 e^2 \\
& + 2 b^3 c^3 d^3 e + 2 a^3 b^3 d e^3 - b^6 d^2 e^2 - c^6 d^4 - a^6 e^4, z, \\
& k) * e * (2 b^2 d - 3 \operatorname{root}(27 d^2 e^5 z^3 - 54 a c d^2 e^4 z^2 - 27 b^2 d^2 e^4 \\
& * z^2 + 27 a^2 c^2 d^2 e^3 z + 18 b c^3 d^3 e^2 z + 18 a^3 b d e^4 z + 9 b^4 \\
& * d^2 e^3 z + 6 a b^4 c d^2 e^2 - 9 a^2 b^2 c^2 d^2 e^2 - 6 a^4 b c d e^3 - \\
& 6 a b c^4 d^3 e - 2 a^3 c^3 d^2 e^2 + 2 b^3 c^3 d^3 e + 2 a^3 b^3 d e^3 - b \\
& ^6 d^2 e^2 - c^6 d^4 - a^6 e^4, z, k) * d * e + 4 a c d - a^2 e * x + 2 b c d * x)) \\
& * \operatorname{root}(27 d^2 e^5 z^3 - 54 a c d^2 e^4 z^2 - 27 b^2 d^2 e^4 z^2 + 27 a^2 c^2 \\
& * d^2 e^3 z + 18 b c^3 d^3 e^2 z + 18 a^3 b d e^4 z + 9 b^4 d^2 e^3 z + 6 a * \\
& b^4 c d^2 e^2 - 9 a^2 b^2 c^2 d^2 e^2 - 6 a^4 b c d e^3 - 6 a b c^4 d^3 e - \\
& 2 a^3 c^3 d^2 e^2 + 2 b^3 c^3 d^3 e + 2 a^3 b^3 d e^3 - b^6 d^2 e^2 - c^6 * \\
& d^4 - a^6 e^4, z, k), k, 1, 3) + (c^2 * x^2) / (2 * e) + (2 * b * c * x) / e
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)**2/(e*x**3+d),x)

[Out] Timed out

$$3.74 \quad \int \frac{(a+bx+cx^2)^3}{d+ex^3} dx$$

Optimal. Leaf size=416

$$\frac{\log(d+ex^3)(a^2(-c)e-ab^2e+bc^2d)}{e^2} - \frac{\log(d^{2/3}-\sqrt[3]{d}\sqrt[3]{e}x+e^{2/3}x^2)(-e(b^3d-a^3e)+3\sqrt[3]{d}e^{2/3}(a^2(-b)e+ac^2d))}{6d^{2/3}e^{7/3}}$$

[Out] $-(6abc^3e-b^3e+c^3d)x/e^2+3/2c(a+c^2b^2)x^2/e+b^3c^2x^3/e+1/4c^3x^4/e+1/3(c^3d^2-6abc^2d^2e-e(-a^3e+b^3d)+3d^{1/3}e^{2/3}(-a^2b^2e+a^2c^2d+b^2c^2d))\ln(d^{1/3}+e^{1/3}x)/d^{2/3}/e^{7/3}-1/6(c^3d^2-6abc^2d^2e-e(-a^3e+b^3d)+3d^{1/3}e^{2/3}(-a^2b^2e+a^2c^2d+b^2c^2d))\ln(d^{2/3}-d^{1/3}e^{1/3}x+e^{2/3}x^2)/d^{2/3}/e^{7/3}-(-a^2c^2e-a^2b^2e+b^3c^2d)\ln(e^2x^3+d)/e^2-1/3(c^3d^2-3b^2c^2d^{4/3}e^{2/3}-3a^2c^2d^{4/3}e^{2/3}-b^3d^2e-6abc^2d^2e+3a^2b^2d^{1/3}e^{5/3}+a^3e^2)\arctan(1/3(d^{1/3}-2e^{1/3}x)/d^{1/3})/3^{1/2}/d^{2/3}/e^{7/3}/3^{1/2}$

Rubi [A] time = 0.70, antiderivative size = 416, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(d^{2/3}-\sqrt[3]{d}\sqrt[3]{e}x+e^{2/3}x^2)(3\sqrt[3]{d}e^{2/3}(a^2(-b)e+ac^2d+b^2cd)-e(b^3d-a^3e)-6abcde+c^3d^2)}{6d^{2/3}e^{7/3}} + \frac{\log(\sqrt[3]{d}+\sqrt[3]{e}x)}{3^{1/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)^3/(d + e*x^3), x]

[Out] $-(((c^3d-b^3e-6abc^2e)x)/e^2)+(3c(b^2+ac)x^2)/(2e)+(b^3c^2x^3)/e+(c^3x^4)/(4e)-((c^3d^2-3b^2c^2d^{4/3}e^{2/3}-3a^2c^2d^{4/3}e^{2/3}-b^3d^2e-6abc^2d^2e+3a^2b^2d^{1/3}e^{5/3}+a^3e^2)\text{ArcTan}[(d^{1/3}-2e^{1/3}x)/(\text{Sqrt}[3]d^{1/3})])/(3\text{Sqrt}[3]d^{2/3}e^{7/3})+((c^3d^2-6abc^2d^2e-e(b^3d-a^3e)+3d^{1/3}e^{2/3}(b^2c^2d+ac^2d-a^2b^2e))\text{Log}[d^{1/3}+e^{1/3}x])/(3d^{2/3}e^{7/3})-((c^3d^2-6abc^2d^2e-e(b^3d-a^3e)+3d^{1/3}e^{2/3}(b^2c^2d+ac^2d-a^2b^2e))\text{Log}[d^{2/3}-d^{1/3}e^{1/3}x+e^{2/3}x^2])/(6d^{2/3}e^{7/3})-((b^3c^2d-a^2b^2e-a^2c^2e)\text{Log}[d+e^2x^3])/e^2$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
```

/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx + cx^2)^3}{d + ex^3} dx &= \int \left(-\frac{c^3d - b^3e - 6abce}{e^2} + \frac{3c(b^2 + ac)x}{e} + \frac{3bc^2x^2}{e} + \frac{c^3x^3}{e} + \frac{c^3d^2 - 6abcde - e(b^3d - a^3e)}{e^2} \right) dx \\
 &= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{\int \frac{c^3d^2 - 6abcde - e(b^3d - a^3e) - 3e(b^2cd - a^2ce)}{d} dx}{e^2} \\
 &= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{\int \frac{c^3d^2 - 6abcde - e(b^3d - a^3e) - 3e(b^2cd - a^2ce)}{d + ex^3} dx}{e^2} \\
 &= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} - \frac{(bc^2d - ab^2e - a^2ce) \log(d + ex^3)}{e^2} \\
 &= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{(c^3d^2 - 6abcde - e(b^3d - a^3e)) \sqrt[3]{d}}{e^2} \\
 &= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} + \frac{(c^3d^2 - 6abcde - e(b^3d - a^3e)) \sqrt[3]{d}}{e^2} \\
 &= -\frac{(c^3d - b^3e - 6abce)x}{e^2} + \frac{3c(b^2 + ac)x^2}{2e} + \frac{bc^2x^3}{e} + \frac{c^3x^4}{4e} - \frac{(c^3d^2 - 3b^2cd^{4/3}e^{2/3} - 3ac^2d^{5/3}) \sqrt[3]{d}}{e^2}
 \end{aligned}$$

Mathematica [A] time = 0.58, size = 439, normalized size = 1.06

$$12\sqrt[3]{e} \log(d + ex^3) (a^2ce + ab^2e - bc^2d) - \frac{4\sqrt{3} \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{ex}}{\sqrt[3]{d}}}{\sqrt{3}} \right) \left(e(a^3e + 3a^2b\sqrt[3]{d}e^{2/3} - b^3d) - 3c(2abde + b^2d^{4/3}e^{2/3}) - 3ac^2d^{4/3}e^{2/3} + c^3d^2 \right)}{d^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)^3/(d + e*x^3),x]

[Out] $(12e^{1/3}*(-(c^3d) + b^3e + 6a*b*c*e)*x + 18c*(b^2 + a*c)*e^{4/3}*x^2 + 12*b*c^2*e^{4/3}*x^3 + 3*c^3*e^{4/3}*x^4 - (4*\sqrt{3}*(c^3*d^2 - 3*a*c^2*d^{4/3}*e^{2/3} + e*(-(b^3*d) + 3*a^2*b*d^{1/3}*e^{2/3} + a^3*e) - 3*c*(b^2*d^{4/3}*e^{2/3} + 2*a*b*d*e))*\text{ArcTan}[(1 - (2*e^{1/3}*x)/d^{1/3})/\sqrt{3}])/d^{2/3} + (4*(c^3*d^2 + 3*b^2*c*d^{4/3}*e^{2/3} + 3*a*c^2*d^{4/3}*e^{2/3}) - b^3*d*e - 6*a*b*c*d*e - 3*a^2*b*d^{1/3}*e^{5/3} + a^3*e^2)*\text{Log}[d^{1/3} + e^{1/3}*x])/d^{2/3} - (2*(c^3*d^2 + 3*b^2*c*d^{4/3}*e^{2/3} + 3*a*c^2*d^{4/3}*e^{2/3}) - b^3*d*e - 6*a*b*c*d*e - 3*a^2*b*d^{1/3}*e^{5/3} + a^3*e^2)*\text{Log}[d^{2/3} - d^{1/3}*e^{1/3}*x + e^{2/3}*x^2])/d^{2/3} + 12*e^{1/3}*(-(b*c^2*d) + a*b^2*e + a^2*c*e)*\text{Log}[d + e*x^3])/(12*e^{7/3})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^3/(e*x^3+d),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.23, size = 432, normalized size = 1.04

$$-\frac{\sqrt{3} \left(c^3 d^2 - b^3 d e - 6 a b c d e + 3 (-d e^2)^{\frac{1}{3}} b^2 c d + 3 (-d e^2)^{\frac{1}{3}} a c^2 d - 3 (-b^2 d - a b^2 e - a^2 c e) e^{(-2)} \log(|x^3 e + d|) \right)}{3 (-d e^2)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^3/(e*x^3+d),x, algorithm="giac")

[Out] $-(b*c^2*d - a*b^2*e - a^2*c*e)*e^{(-2)}*\log(\text{abs}(x^3*e + d)) - 1/3*\sqrt{3}*(c^3*d^2 - b^3*d*e - 6*a*b*c*d*e + 3*(-d*e^2)^{1/3}*b^2*c*d + 3*(-d*e^2)^{1/3}*a*c^2*d - 3*(-d*e^2)^{1/3}*a^2*b*e + a^3*e^2)*\arctan(1/3*\sqrt{3}*(2*x + (-d*e^{(-1)})^{1/3})/(-d*e^{(-1)})^{1/3})*e^{(-1)}/(-d*e^2)^{2/3} - 1/6*(c^3*d^2 - b^3*d*e - 6*a*b*c*d*e - 3*(-d*e^2)^{1/3}*b^2*c*d - 3*(-d*e^2)^{1/3}*a*c^2*d + 3*(-d*e^2)^{1/3}*a^2*b*e + a^3*e^2)*e^{(-1)}*\log(x^2 + (-d*e^{(-1)})^{1/3}*x + (-d*e^{(-1)})^{2/3})/(-d*e^2)^{2/3} - 1/3*(c^3*d^2*e^7 - 3*(-d*e^{(-1)})^{1/3}*b^2*c*d*e^8 - 3*(-d*e^{(-1)})^{1/3}*a*c^2*d*e^8 - b^3*d*e^8 - 6*a*b*c*d*e^8 + 3*(-d*e^{(-1)})^{1/3}*a^2*b*e^9 + a^3*e^9)*(-d*e^{(-1)})^{1/3}*e^{(-9)}*\log(\text{abs}(x - (-d*e^{(-1)})^{1/3}))/d + 1/4*(c^3*x^4*e^3 + 4*b*c^2*x^3*e^3 + 6*b^2*c*x^2*e^3 + 6*a*c^2*x^2*e^3 - 4*c^3*d*x*e^2 + 4*b^3*x*e^3 + 24*a*b*c*x*e^3)*e^{(-4)}$

maple [B] time = 0.05, size = 837, normalized size = 2.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)^3/(e*x^3+d),x)

[Out]
$$-2/e^2/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*a*b*c*d-1/2/e^2/(d/e)^{(1/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*b^2*c*d+1/e^2/(d/e)^{(1/3)}*(d/e)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*a^2*b+1/e^2/(d/e)^{(1/3)}*\ln(x+(d/e)^{(1/3)})*a*c^2*d+1/e^2/(d/e)^{(1/3)}*\ln(x+(d/e)^{(1/3)})*b^2*c*d-1/2/e^2/(d/e)^{(1/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*a*c^2*d-1/3/e^2/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*b^3*d+1/3/e^3/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*c^3*d^2-2/e^2/(d/e)^{(2/3)}*\ln(x+(d/e)^{(1/3)})*a*b*c*d+1/e^2/(d/e)^{(2/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*a*b*c*d-1/e^2*3^{(1/2)}/(d/e)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*a*c^2*d-1/e^2*3^{(1/2)}/(d/e)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*b^2*c*d-1/6/e/(d/e)^{(2/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*a^3+1/e*\ln(e*x^3+d)*a^2*c+1/e*\ln(e*x^3+d)*a*b^2+1/3/e/(d/e)^{(2/3)}*\ln(x+(d/e)^{(1/3)})*a^3+3/2/e*x^2*a*c^2+3/2/e*x^2*b^2*c-1/e^2*c^3*d*x+6/e*a*b*c*x-1/e/(d/e)^{(1/3)}*\ln(x+(d/e)^{(1/3)})*a^2*b+1/2/e/(d/e)^{(1/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*a^2*b-1/e^2*\ln(e*x^3+d)*b*c^2*d+1/3/e^3/(d/e)^{(2/3)}*\ln(x+(d/e)^{(1/3)})*c^3*d^2+1/6/e^2/(d/e)^{(2/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*b^3*d-1/6/e^3/(d/e)^{(2/3)}*\ln(x^2-(d/e)^{(1/3)}*x+(d/e)^{(2/3)})*c^3*d^2+1/3/e/(d/e)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(d/e)^{(1/3)}*x-1))*a^3-1/3/e^2/(d/e)^{(2/3)}*\ln(x+(d/e)^{(1/3)})*b^3*d+1/e*b^3*x+1/4*c^3*x^4/e+b*c^2*x^3/e$$

maxima [A] time = 3.05, size = 520, normalized size = 1.25

$$\sqrt{3} \left(\left(c^3 \left(\frac{d}{e} \right)^{\frac{1}{3}} + 2bc^2 \right) d^2 - \left(b^3 \left(\frac{d}{e} \right)^{\frac{1}{3}} + 2ab^2 + \left(3a \left(\frac{d}{e} \right)^{\frac{2}{3}} + \frac{2bd}{e} \right) c^2 + \left(3b^2 \left(\frac{d}{e} \right)^{\frac{2}{3}} + 6ab \left(\frac{d}{e} \right)^{\frac{1}{3}} + 2a^2 \right) c \right) de + \left(3a^2b \left(\frac{d}{e} \right)^{\frac{1}{3}} + 3a^2b \left(\frac{d}{e} \right)^{\frac{1}{3}} \right) c \right) de + \left(3a^2b \left(\frac{d}{e} \right)^{\frac{1}{3}} + 3a^2b \left(\frac{d}{e} \right)^{\frac{1}{3}} \right) c$$

$$3de^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^3/(e*x^3+d),x, algorithm="maxima")

[Out]
$$1/3*\sqrt{3}*((c^3*(d/e)^{(1/3)} + 2*b*c^2)*d^2 - (b^3*(d/e)^{(1/3)} + 2*a*b^2 + (3*a*(d/e)^{(2/3)} + 2*b*d/e)*c^2 + (3*b^2*(d/e)^{(2/3)} + 6*a*b*(d/e)^{(1/3)} + 2*a^2)*c)*d*e + (3*a^2*b*(d/e)^{(2/3)} + a^3*(d/e)^{(1/3)} + 2*a*b^2*d/e + 2*a^2*c*d/e)*e^2*\arctan(1/3*\sqrt{3}*(2*x - (d/e)^{(1/3)})/(d/e)^{(1/3)})/(d*e^2)$$

$$\begin{aligned}
& + 1/4*(c^3*e*x^4 + 4*b*c^2*e*x^3 + 6*(b^2*c + a*c^2)*e*x^2 - 4*(c^3*d - (b^3 + 6*a*b*c)*e)*x)/e^2 - 1/6*(c^3*d^2 - (b^3 - 3*(2*b*(d/e)^(2/3) + a*(d/e)^(1/3))*c^2 - 3*(b^2*(d/e)^(1/3) - 2*a*b)*c)*d*e - (6*a*b^2*(d/e)^(2/3) + 6*a^2*c*(d/e)^(2/3) + 3*a^2*b*(d/e)^(1/3) - a^3)*e^2)*\log(x^2 - x*(d/e)^(1/3) + (d/e)^(2/3))/(e^3*(d/e)^(2/3)) + 1/3*(c^3*d^2 - (b^3 + 3*(b*(d/e)^(2/3) - a*(d/e)^(1/3))*c^2 - 3*(b^2*(d/e)^(1/3) - 2*a*b)*c)*d*e + (3*a*b^2*(d/e)^(2/3) + 3*a^2*c*(d/e)^(2/3) - 3*a^2*b*(d/e)^(1/3) + a^3)*e^2)*\log(x + (d/e)^(1/3))/(e^3*(d/e)^(2/3))
\end{aligned}$$

mupad [B] time = 4.91, size = 1700, normalized size = 4.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b*x + c*x^2)^3/(d + e*x^3), x)$

[Out] $x*((b^3 + 6*a*b*c)/e - (c^3*d)/e^2) + \text{symsum}(\log(\text{root}(27*d^2*e^7*z^3 + 81*b*c^2*d^3*e^5*z^2 - 81*a^2*c*d^2*e^6*z^2 - 81*a*b^2*d^2*e^6*z^2 - 27*a^3*b^2*c*d^2*e^5*z + 27*a^2*b*c^3*d^3*e^4*z + 27*a*b^3*c^2*d^3*e^4*z + 54*b^2*c^4*d^4*e^3*z + 54*a^4*c^2*d^2*e^5*z + 54*a^2*b^4*d^2*e^5*z + 27*b^5*c*d^3*e^4*z - 27*a*c^5*d^4*e^3*z + 27*a^5*b*d*e^6*z + 18*a^4*b^4*c*d^2*e^4 - 18*a^4*b*c^4*d^3*e^3 + 18*a*b^4*c^4*d^4*e^2 - 9*a*b^7*c*d^3*e^3 - 27*a^5*b^2*c^2*d^2*e^4 + 27*a^2*b^5*c^2*d^3*e^3 - 27*a^2*b^2*c^5*d^4*e^2 - 21*a^3*b^3*c^3*d^3*e^3 - 9*a^7*b*c*d*e^5 - 9*a*b*c^7*d^5*e - 3*b^6*c^3*d^4*e^2 - 3*a^6*c^3*d^2*e^4 - 3*a^3*c^6*d^4*e^2 - 3*a^3*b^6*d^2*e^4 + 3*b^3*c^6*d^5*e + 3*a^6*b^3*d*e^5 + b^9*d^3*e^3 - c^9*d^6 - a^9*e^6, z, k)*((3*x*(a^3*e^4 - b^3*d*e^3 + c^3*d^2*e^2 - 6*a*b*c*d*e^3))/e^2 - (3*(6*a*b^2*d*e^3 - 6*b*c^2*d^2*e^2 + 6*a^2*c*d*e^3))/e^2 + 9*\text{root}(27*d^2*e^7*z^3 + 81*b*c^2*d^3*e^5*z^2 - 81*a^2*c*d^2*e^6*z^2 - 81*a*b^2*d^2*e^6*z^2 - 27*a^3*b^2*c*d^2*e^5*z + 27*a^2*b*c^3*d^3*e^4*z + 27*a*b^3*c^2*d^3*e^4*z + 54*b^2*c^4*d^4*e^3*z + 54*a^4*c^2*d^2*e^5*z + 54*a^2*b^4*d^2*e^5*z + 27*b^5*c*d^3*e^4*z - 27*a*c^5*d^4*e^3*z + 27*a^5*b*d*e^6*z + 18*a^4*b^4*c*d^2*e^4 - 18*a^4*b*c^4*d^3*e^3 + 18*a*b^4*c^4*d^4*e^2 - 9*a*b^7*c*d^3*e^3 - 27*a^5*b^2*c^2*d^2*e^4 + 27*a^2*b^5*c^2*d^3*e^3 - 27*a^2*b^2*c^5*d^4*e^2 - 21*a^3*b^3*c^3*d^3*e^3 - 9*a^7*b*c*d*e^5 - 9*a*b*c^7*d^5*e - 3*b^6*c^3*d^4*e^2 - 3*a^6*c^3*d^2*e^4 - 3*a^3*c^6*d^4*e^2 - 3*a^3*b^6*d^2*e^4 + 3*b^3*c^6*d^5*e + 3*a^6*b^3*d*e^5 + b^9*d^3*e^3 - c^9*d^6 - a^9*e^6, z, k)*d*e^2) + (3*(a^5*b*e^3 - a*c^5*d^3 + 2*b^2*c^4*d^3 + 2*a^2*b^4*d*e^2 + 2*a^4*c^2*d*e^2 + b^5*c*d^2*e + a*b^3*c^2*d^2*e + a^2*b*c^3*d^2*e - a^3*b^2*c*d*e^2))/e^2 + (3*x*(b*c^5*d^3 - a^5*c*e^3 + 2*a^4*b^2*e^3 + 2*a^2*c^4*d^2*e + 2*b^4*c^2*d^2*e + a*b^5*d*e^2 - a*b^2*c^3*d^2*e + a^2*b^3*c*d*e^2 + a^3*b*c^2*d*e^2))/e^2)*\text{root}(27*d^2*e^7*z^3 + 81*b*c^2*d^3*e^5*z^2 - 81*a^2*c*d^2*e^6*z^2 - 81*a*b^2*d^2*e^6*z^2 - 27*a^3*b^2*c*d^2*e^5*z + 27*a^2*b*c^3*d^3*e^4*z + 27*a*b^3*c^2*d^3*e^4*z + 54*b^2*c^4*d^4*e^3*z + 54*a^4*c^2*d^2*e^5*z + 54*a^2*b^4*d^2*e^5*z + 27*b^5*c*d^3*e^4*z - 27*a*c^5*d^4*e^3*z + 27*a^5*b*d*e^6*z + 18*a^4*b^4*c*d^2*e^4 - 18*a^4*b*c^4*d^3*e^3 - 18*a^4*b*c^4*d^3*e^3 + 18*a*b^4*c^4*d^4*e^2 - 9*a*b^7*c*d^3*e^3 - 27*a^5*b^2*c^2*d^2*e^4 + 27*a^2*b^5*c^2*d^3*e^3 - 27*a^2*b^2*c^5*d^4*e^2 - 21*a^3*b^3*c^3*d^3*e^3 - 9*a^7*b*c*d*e^5 - 9*a*b*c^7*d^5*e - 3*b^6*c^3*d^4*e^2 - 3*a^6*c^3*d^2*e^4 - 3*a^3*c^6*d^4*e^2 - 3*a^3*b^6*d^2*e^4 + 3*b^3*c^6*d^5*e + 3*a^6*b^3*d*e^5 + b^9*d^3*e^3 - c^9*d^6 - a^9*e^6, z, k)*d*e^2) + (3*(a^5*b*e^3 - a*c^5*d^3 + 2*b^2*c^4*d^3 + 2*a^2*b^4*d*e^2 + 2*a^4*c^2*d*e^2 + b^5*c*d^2*e + a*b^3*c^2*d^2*e + a^2*b*c^3*d^2*e - a^3*b^2*c*d*e^2))/e^2 + (3*x*(b*c^5*d^3 - a^5*c*e^3 + 2*a^4*b^2*e^3 + 2*a^2*c^4*d^2*e + 2*b^4*c^2*d^2*e + a*b^5*d*e^2 - a*b^2*c^3*d^2*e + a^2*b^3*c*d*e^2 + a^3*b*c^2*d*e^2))/e^2)*\text{root}(27*d^2*e^7*z^3 + 81*b*c^2*d^3*e^5*z^2 - 81*a^2*c*d^2*e^6*z^2 - 81*a*b^2*d^2*e^6*z^2 - 27*a^3*b^2*c*d^2*e^5*z + 27*a^2*b*c^3*d^3*e^4*z + 27*a*b^3*c^2*d^3*e^4*z + 54*b^2*c^4*d^4*e^3*z + 54*a^4*c^2*d^2*e^5*z + 54*a^2*b^4*d^2*e^5*z + 27*b^5*c*d^3*e^4*z - 27*a*c^5*d^4*e^3*z + 27*a^5*b*d*e^6*z + 18*a^4*b^4*c*d^2*e^4 - 18*a^4*b*c^4*d^3*e^3 - 18*a^4*b*c^4*d^3*e^3 + 18*a*b^4*c^4*d^4*e^2 - 9*a*b^7*c*d^3*e^3 - 27*a^5*b^2*c^2*d^2*e^4 + 27*a^2*b^5*c^2*d^3*e^3 - 27*a^2*b^2*c^5*d^4*e^2 - 21*a^3*b^3*c^3*d^3*e^3 - 9*a^7*b*c*d*e^5 - 9*a*b*c^7*d^5*e - 3*b^6*c^3*d^4*e^2 - 3*a^6*c^3*d^2*e^4 - 3*a^3*c^6*d^4*e^2 - 3*a^3*b^6*d^2*e^4 + 3*b^3*c^6*d^5*e + 3*a^6*b^3*d*e^5 + b^9*d^3*e^3 - c^9*d^6 - a^9*e^6, z, k)*d*e^2)$

$$\begin{aligned}
&^4*d^3*e^3 + 18*a*b^4*c^4*d^4*e^2 - 9*a*b^7*c*d^3*e^3 - 27*a^5*b^2*c^2*d^2* \\
&e^4 + 27*a^2*b^5*c^2*d^3*e^3 - 27*a^2*b^2*c^5*d^4*e^2 - 21*a^3*b^3*c^3*d^3* \\
&e^3 - 9*a^7*b*c*d*e^5 - 9*a*b*c^7*d^5*e - 3*b^6*c^3*d^4*e^2 - 3*a^6*c^3*d^2* \\
&e^4 - 3*a^3*c^6*d^4*e^2 - 3*a^3*b^6*d^2*e^4 + 3*b^3*c^6*d^5*e + 3*a^6*b^3* \\
&d*e^5 + b^9*d^3*e^3 - c^9*d^6 - a^9*e^6, z, k), k, 1, 3) + (c^3*x^4)/(4*e) \\
&+ (b*c^2*x^3)/e + (3*c*x^2*(a*c + b^2))/(2*e)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)**3/(e*x**3+d),x)

[Out] Timed out

$$3.75 \quad \int \frac{(a+bx+cx^2)^4}{d+ex^3} dx$$

Optimal. Leaf size=645

$$\frac{x^2(-6a^2c^2e - 12ab^2ce + b^4(-e) + 4bc^3d)}{2e^2} - \frac{2x(-6a^2bce - 2ab^3e + 2ac^3d + 3b^2c^2d)}{e^2} + \frac{\log(d+ex^3)(-4ce(b^3d -$$

[Out] $-2*(-6*a^2*b*c*e-2*a*b^3*e+2*a*c^3*d+3*b^2*c^2*d)*x/e^2-1/2*(-6*a^2*c^2*e-12*a*b^2*c*e-b^4*e+4*b*c^3*d)*x^2/e^2-1/3*c*(-12*a*b*c*e-4*b^3*e+c^3*d)*x^3/e^2+1/2*c^2*(2*a*c+3*b^2)*x^4/e+4/5*b*c^3*x^5/e+1/6*c^4*x^6/e+1/3*(e^(1/3)*(a^4*e^2-12*a^2*b*c*d*e-4*a*b^3*d*e+4*a*c^3*d^2+6*b^2*c^2*d^2)+d^(1/3)*(b^4*d*e+12*a*b^2*c*d*e+6*a^2*c^2*d*e-4*b*(a^3*e^2+c^3*d^2)))*\ln(d^(1/3)+e^(1/3))*x)/d^(2/3)/e^(8/3)-1/6*(e^(1/3)*(a^4*e^2-12*a^2*b*c*d*e-4*a*b^3*d*e+4*a*c^3*d^2+6*b^2*c^2*d^2)+d^(1/3)*(b^4*d*e+12*a*b^2*c*d*e+6*a^2*c^2*d*e-4*b*(a^3*e^2+c^3*d^2)))*\ln(d^(2/3)-d^(1/3)*e^(1/3)*x+e^(2/3)*x^2)/d^(2/3)/e^(8/3)+1/3*(c^4*d^2-12*a*b*c^2*d*e+6*a^2*b^2*e^2-4*c*e*(-a^3*e+b^3*d))*\ln(e*x^3+d)/e^3-1/3*(b*d^(1/3)+a*e^(1/3))*(4*c^3*d^2+6*c^2*(b*d^(5/3)*e^(1/3)-a*d^(4/3)*e^(2/3))-12*a*b*c*d*e-e*(b^3*d+3*a*b^2*d^(2/3)*e^(1/3)-3*a^2*b*d^(1/3)*e^(2/3)-a^3*e))*\arctan(1/3*(d^(1/3)-2*e^(1/3)*x)/d^(1/3)*3^(1/2))/d^(2/3)/e^(8/3)*3^(1/2)$

Rubi [A] time = 1.10, antiderivative size = 643, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(d^{2/3} - \sqrt[3]{d} \sqrt[3]{e} x + e^{2/3} x^2) \left(\frac{\sqrt[3]{d}(-4b(a^3e^2+c^3d^2)+6a^2c^2de+12ab^2cde+b^4de)}{\sqrt[3]{e}} - 12a^2bcde + a^4e^2 - 4ab^3de + 4ac^3d^2 + 6b^4de \right)}{6d^{2/3}e^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)^4/(d + e*x^3), x]

[Out] $(-2*(3*b^2*c^2*d + 2*a*c^3*d - 2*a*b^3*e - 6*a^2*b*c*e)*x)/e^2 - ((4*b*c^3*d - b^4*e - 12*a*b^2*c*e - 6*a^2*c^2*e)*x^2)/(2*e^2) - (c*(c^3*d - 4*b^3*e - 12*a*b*c*e)*x^3)/(3*e^2) + (c^2*(3*b^2 + 2*a*c)*x^4)/(2*e) + (4*b*c^3*x^5)/(5*e) + (c^4*x^6)/(6*e) - ((b*d^(1/3) + a*e^(1/3))*(4*c^3*d^2 + 6*c^2*(b*d^(5/3)*e^(1/3) - a*d^(4/3)*e^(2/3))) - 12*a*b*c*d*e - e*(b^3*d + 3*a*b^2*d^(2/3)*e^(1/3) - 3*a^2*b*d^(1/3)*e^(2/3) - a^3*e))*\text{ArcTan}[(d^(1/3) - 2*e^(1/3)*x)/(\text{Sqrt}[3]*d^(1/3))]/(\text{Sqrt}[3]*d^(2/3)*e^(8/3)) + ((e^(1/3)*(6*b^2*c^2*d^2 + 4*a*c^3*d^2 - 4*a*b^3*d*e - 12*a^2*b*c*d*e + a^4*e^2) + d^(1/3)*(b^4*d*e + 12*a*b^2*c*d*e + 6*a^2*c^2*d*e - 4*b*(c^3*d^2 + a^3*e^2)))*\text{Log}[d^(1/3)$

) + e^(1/3)*x)]/(3*d^(2/3)*e^(8/3)) - ((6*b^2*c^2*d^2 + 4*a*c^3*d^2 - 4*a*b^3*d*e - 12*a^2*b*c*d*e + a^4*e^2 + (d^(1/3)*(b^4*d*e + 12*a*b^2*c*d*e + 6*a^2*c^2*d*e - 4*b*(c^3*d^2 + a^3*e^2)))/e^(1/3))*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2])/(6*d^(2/3)*e^(7/3)) + ((c^4*d^2 - 12*a*b*c^2*d*e + 6*a^2*b^2*e^2 - 4*c*e*(b^3*d - a^3*e))*Log[d + e*x^3])/(3*e^3)

Rule 31

Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*

s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned} \int \frac{(a + bx + cx^2)^4}{d + ex^3} dx &= \int \left(-\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x}{e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{e^2} - \frac{c^4d - b^5e - 12abc^2de - 6a^2c^3e^2}{e^2} \right) dx \\ &= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{3e^2} - \frac{c^4d - b^5e - 12abc^2de - 6a^2c^3e^2}{e^2}x \\ &= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{3e^2} - \frac{c^4d - b^5e - 12abc^2de - 6a^2c^3e^2}{e^2}x \\ &= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{3e^2} - \frac{c^4d - b^5e - 12abc^2de - 6a^2c^3e^2}{e^2}x \\ &= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{3e^2} - \frac{c^4d - b^5e - 12abc^2de - 6a^2c^3e^2}{e^2}x \\ &= -\frac{2(3b^2c^2d + 2ac^3d - 2ab^3e - 6a^2bce)x}{e^2} - \frac{(4bc^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^2}{2e^2} - \frac{c(c^3d - b^4e - 12ab^2ce - 6a^2c^2e)x^3}{3e^2} - \frac{c^4d - b^5e - 12abc^2de - 6a^2c^3e^2}{e^2}x \end{aligned}$$

Mathematica [A] time = 0.48, size = 678, normalized size = 1.05

$$15e^{2/3}x^2(6a^2c^2e + 12ab^2ce + b^4e - 4bc^3d) + 60e^{2/3}x(6a^2bce + 2ab^3e - 2ac^3d - 3b^2c^2d) + \frac{10\log(d+ex^3)(4ce(a^3e-b^3d)+e)}{\sqrt[3]{e}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)^4/(d + e*x^3), x]

[Out] (60*e^(2/3)*(-3*b^2*c^2*d - 2*a*c^3*d + 2*a*b^3*e + 6*a^2*b*c*e)*x + 15*e^(2/3)*(-4*b*c^3*d + b^4*e + 12*a*b^2*c*e + 6*a^2*c^2*e)*x^2 + 10*c*e^(2/3)*(-c^3*d + 4*b^3*e + 12*a*b*c*e)*x^3 + 15*c^2*(3*b^2 + 2*a*c)*e^(5/3)*x^4 + 24*b*c^3*e^(5/3)*x^5 + 5*c^4*e^(5/3)*x^6 + (10*sqrt[3]*(b*d^(1/3) + a*e^(1/3))*(-4*c^3*d^2 + c^2*(-6*b*d^(5/3)*e^(1/3) + 6*a*d^(4/3)*e^(2/3)) + 12*a*b*c*d*e + e*(b^3*d + 3*a*b^2*d^(2/3)*e^(1/3) - 3*a^2*b*d^(1/3)*e^(2/3) - a^3*e))*ArcTan[(1 - (2*e^(1/3)*x)/d^(1/3))/sqrt[3]]/d^(2/3) + (10*(4*a*c^3*d^2*e^(1/3) + b^4*d^(4/3)*e + 6*a^2*c^2*d^(4/3)*e - 4*a*b^3*d*e^(4/3) + a^4*e^(7/3) + 6*b^2*(c^2*d^2*e^(1/3) + 2*a*c*d^(4/3)*e) - 4*b*(c^3*d^(7/3) + 3*a^2*c*d*e^(4/3) + a^3*d^(1/3)*e^2))*Log[d^(1/3) + e^(1/3)*x])/d^(2/3) - (5*(4*a*c^3*d^2*e^(1/3) + b^4*d^(4/3)*e + 6*a^2*c^2*d^(4/3)*e - 4*a*b^3*d*e^(4/3) + a^4*e^(7/3) + 6*b^2*(c^2*d^2*e^(1/3) + 2*a*c*d^(4/3)*e) - 4*b*(c^3*d^(7/3) + 3*a^2*c*d*e^(4/3) + a^3*d^(1/3)*e^2))*Log[d^(2/3) - d^(1/3)*e^(1/3)*x + e^(2/3)*x^2])/d^(2/3) + (10*(c^4*d^2 - 12*a*b*c^2*d*e + 6*a^2*b^2*e^2 + 4*c*e*(-b^3*d + a^3*e))*Log[d + e*x^3])/e^(1/3))/(30*e^(8/3))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^4/(e*x^3+d), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 723, normalized size = 1.12

$$\frac{1}{3} \left(c^4 d^2 - 4 b^3 c d e - 12 a b c^2 d e + 6 a^2 b^2 e^2 + 4 a^3 c e^2 \right) e^{(-3)} \log(|x^3 e + d|) - \frac{\sqrt{3} \left(6 b^2 c^2 d^2 e + 4 a c^3 d^2 e - 4 (-d e^2)^{\frac{1}{3}} b c^3 d \right)}{\sqrt[3]{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^4/(e*x^3+d),x, algorithm="giac")

[Out] $\frac{1}{3}(c^4d^2 - 4b^3cd^2 + 12a^2b^2c^2d^2 + 6a^2b^2c^2d^2 + 4a^3c^2e^2) e^{-3} \log(\text{abs}(x^3e + d)) - \frac{1}{3}\sqrt{3}(6b^2c^2d^2e + 4a^2c^3d^2e - 4(-de^2)^{1/3}b^3cd^2 + (-de^2)^{1/3}b^4d^2e + 12(-de^2)^{1/3}ab^2cd^2 + 6(-de^2)^{1/3}a^2c^2d^2e - 4ab^3d^2e^2 - 12a^2b^2cd^2e^2 - 4(-de^2)^{1/3}a^3b^2e^2 + a^4e^3) \arctan\left(\frac{1}{3}\sqrt{3}(2x + (-de^2)^{-1})^{1/3}\right) / (-de^2)^{-1} - \frac{1}{6}(6b^2c^2d^2e + 4a^2c^3d^2e + 4(-de^2)^{1/3}b^3cd^2 - (-de^2)^{1/3}b^4d^2e - 12(-de^2)^{1/3}ab^2cd^2 - 6(-de^2)^{1/3}a^2c^2d^2e - 4ab^3d^2e^2 - 12a^2b^2cd^2e^2 + 4(-de^2)^{1/3}a^3b^2e^2 + a^4e^3) e^{-2} \log(x^2 + (-de^2)^{-1})^{1/3} x + (-de^2)^{-1} - \frac{1}{3}(4(-de^2)^{-1})^{1/3} b^3cd^2e^{11} + 6b^2c^2d^2e^{11} + 4a^2c^3d^2e^{11} - (-de^2)^{-1})^{1/3} b^4d^2e^{12} - 12(-de^2)^{-1})^{1/3} ab^2cd^2e^{12} - 6(-de^2)^{-1})^{1/3} a^2c^2d^2e^{12} - 4ab^3d^2e^{12} - 12a^2b^2cd^2e^{12} + 4(-de^2)^{-1})^{1/3} a^3b^2e^{13} + a^4e^{13}) (-de^2)^{-1} e^{-13} \log(\text{abs}(x - (-de^2)^{-1})^{1/3}) / d + \frac{1}{30}(5c^4x^6e^5 + 24b^3c^3x^5e^5 + 45b^2c^2x^4e^5 + 30a^2c^3x^4e^5 - 10c^4dx^3e^4 + 40b^3c^3x^3e^5 + 120a^2b^2c^2x^3e^5 - 60b^3c^3dx^2e^4 + 15b^4x^2e^5 + 180a^2b^2c^2x^2e^5 + 90a^2c^2x^2e^5 - 180b^2c^2dx^2e^4 - 120a^2c^3dx^2e^4 + 120ab^3x^2e^5 + 360a^2b^2c^2x^2e^5) e^{-6}$

maple [B] time = 0.06, size = 1339, normalized size = 2.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)^4/(e*x^3+d),x)

[Out] $-4/e^2/(d/e)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(d/e)^{1/3} * x - 1)) * a^2 * b * c * d - 4/e^2 * 3^{1/2} / (d/e)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(d/e)^{1/3} * x - 1)) * a * b^2 * c * d - 1/e^2 / (d/e)^{1/3} * \ln(x^2 - (d/e)^{1/3} * x + (d/e)^{2/3}) * a^2 * c^2 * d - 1/3 * e^{2/3} * (1/2) / (d/e)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(d/e)^{1/3} * x - 1)) * b^4 * d - 4/e^2 * \ln(e * x^3 + d) * a * b * c^2 * d + 2/3 * e^3 / (d/e)^{1/3} * \ln(x^2 - (d/e)^{1/3} * x + (d/e)^{2/3}) * b * c^3 * d^2 + 4/3 * e * 3^{1/2} / (d/e)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(d/e)^{1/3} * x - 1)) * a^3 * b + 2/e^2 / (d/e)^{1/3} * \ln(x + (d/e)^{1/3}) * a^2 * c^2 * d - 4/3 * e^3 / (d/e)^{1/3} * \ln(x + (d/e)^{1/3}) * b * c^3 * d^2 + 2/e^3 / (d/e)^{2/3} * \ln(x + (d/e)^{1/3}) * b^2 * c^2 * d^2 + 2/3 * e^{-2} / (d/e)^{2/3} * \ln(x^2 - (d/e)^{1/3} * x + (d/e)^{2/3}) * a * b^3 * d - 2/3 * e^3 / (d/e)^{2/3} * \ln(x^2 - (d/e)^{1/3} * x + (d/e)^{2/3}) * b^2 * c^2 * d^2 - 4/3 * e^2 / (d/e)^{2/3} * \ln(x + (d/e)^{1/3}) * a * b^3 * d + 4/3 * e^3 / (d/e)^{2/3} * \ln(x + (d/e)^{1/3}) * a * c^3 * d^2 + 1/2 * e * x^2 * b^4 - 4/3 * e^2 / (d/e)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(d/e)^{1/3} * x - 1)) * a * b^3 * d + 4/3 * e^3 / (d/e)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(d/e)^{1/3} * x - 1)) * a * c^3 * d^2 + 2/e$

$$\begin{aligned} &^3/(d/e)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * b^2 * c^2 * d^2 + \\ &4/e^2/(d/e)^{(1/3)} * \ln(x + (d/e)^{(1/3)}) * a * b^2 * c * d - 2/e^2/(d/e)^{(1/3)} * \ln(x^2 - (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * a * b^2 * c * d - 2/e^2 * 3^{(1/2)} / (d/e)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * a^2 * c^2 * d + 4/3/e^3 * 3^{(1/2)} / (d/e)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * b * c^3 * d^2 - 4/e^2 / (d/e)^{(2/3)} * \ln(x + (d/e)^{(1/3)}) * a^2 * b * c * d + 2/e^2 / (d/e)^{(2/3)} * \ln(x^2 - (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * a^2 * b * c * d + 4/3/e * x^3 * b^3 * c + 3/e * x^2 * a^2 * c^2 + 4/e * a * b^3 * x + 1/e * x^4 * a * c^3 + 3/2/e * x^4 * b^2 * c^2 + 4/3/e * \ln(e * x^3 + d) * a^3 * c + 2/e * \ln(e * x^3 + d) * a^2 * b^2 + 1/3/e^3 * \ln(e * x^3 + d) * c^4 * d^2 + 1/3/e / (d/e)^{(2/3)} * \ln(x + (d/e)^{(1/3)}) * a^4 - 1/3/e^2 * x^3 * c^4 * d - 1/6/e / (d/e)^{(2/3)} * \ln(x^2 - (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * a^4 + 1/6 * c^4 * x^6/e + 2/3/e / (d/e)^{(1/3)} * \ln(x^2 - (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * a^3 * b - 1/6/e^2 / (d/e)^{(1/3)} * \ln(x^2 - (d/e)^{(1/3)} * x + (d/e)^{(2/3)}) * b^4 * d - 4/3/e / (d/e)^{(1/3)} * \ln(x + (d/e)^{(1/3)}) * a^3 * b - 4/3/e^2 * \ln(e * x^3 + d) * b^3 * c * d + 1/3/e^2 / (d/e)^{(1/3)} * \ln(x + (d/e)^{(1/3)}) * b^4 * d - 2/e^2 * x^2 * b * c^3 * d + 12/e * a^2 * b * c * x - 4/e^2 * a * c^3 * d * x - 6/e^2 * b^2 * c^2 * d * x + 4/e * x^3 * a * b * c^2 + 6/e * x^2 * a * b^2 * c + 1/3/e / (d/e)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(d/e)^{(1/3)} * x - 1)) * a^4 + 4/5 * b * c^3 * x^5/e \end{aligned}$$

maxima [A] time = 3.13, size = 833, normalized size = 1.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)^4/(e*x^3+d),x, algorithm="maxima")

[Out]
$$\begin{aligned} &1/30 * (5 * c^4 * e * x^6 + 24 * b * c^3 * e * x^5 + 15 * (3 * b^2 * c^2 + 2 * a * c^3) * e * x^4 - 10 * (c^4 * d - 4 * (b^3 * c + 3 * a * b * c^2) * e) * x^3 - 15 * (4 * b * c^3 * d - (b^4 + 12 * a * b^2 * c + 6 * a^2 * c^2) * e) * x^2 - 60 * ((3 * b^2 * c^2 + 2 * a * c^3) * d - 2 * (a * b^3 + 3 * a^2 * b * c) * e) * x) / e^2 - 1/9 * \sqrt{3} * (2 * c^4 * d^3 - 2 * (4 * b^3 * c + 6 * (b * (d/e)^{(2/3)} + a * (d/e)^{(1/3)}) * c^3 + c^4 * d/e + 3 * (3 * b^2 * (d/e)^{(1/3)} + 4 * a * b) * c^2) * d^2 * e + (3 * b^4 * (d/e)^{(2/3)} + 12 * a * b^3 * (d/e)^{(1/3)} + 12 * a^2 * b^2 + 6 * (3 * a^2 * (d/e)^{(2/3)} + 4 * a * b * d/e) * c^2 + 4 * (9 * a * b^2 * (d/e)^{(2/3)} + 9 * a^2 * b * (d/e)^{(1/3)} + 2 * a^3 + 2 * b^3 * d/e) * c) * d * e^2 - (12 * a^3 * b * (d/e)^{(2/3)} + 3 * a^4 * (d/e)^{(1/3)} + 12 * a^2 * b^2 * d/e + 8 * a^3 * c * d/e) * e^3) * \arctan(1/3 * \sqrt{3} * (2 * x - (d/e)^{(1/3)}) / (d/e)^{(1/3)}) / (d * e^3) + 1/6 * (2 * (c^4 * (d/e)^{(2/3)} - 3 * b^2 * c^2 + 2 * (b * (d/e)^{(1/3)} - a) * c^3) * d^2 - (b^4 * (d/e)^{(1/3)} - 4 * a * b^3 + 6 * (4 * a * b * (d/e)^{(2/3)} + a^2 * (d/e)^{(1/3)}) * c^2 + 4 * (2 * b^3 * (d/e)^{(2/3)} + 3 * a * b^2 * (d/e)^{(1/3)} - 3 * a^2 * b) * c) * d * e + (12 * a^2 * b^2 * (d/e)^{(2/3)} + 8 * a^3 * c * (d/e)^{(2/3)} + 4 * a^3 * b * (d/e)^{(1/3)} - a^4) * e^2) * \log(x^2 - x * (d/e)^{(1/3)} + (d/e)^{(2/3)}) / (e^3 * (d/e)^{(2/3)}) + 1/3 * ((c^4 * (d/e)^{(2/3)} + 6 * b^2 * c^2 - 4 * (b * (d/e)^{(1/3)} - a) * c^3) * d^2 + (b^4 * (d/e)^{(1/3)} - 4 * a * b^3 - 6 * (2 * a * b * (d/e)^{(2/3)} - a^2 * (d/e)^{(1/3)}) * c^2 - 4 * (b^3 * (d/e)^{(2/3)} - 3 * a * b^2 * (d/e)^{(1/3)} + 3 * a^2 * b) * c) * d * e + (6 * a^2 * b^2 * (d/e)^{(2/3)} + 4 * a^3 * c * (d/e)^{(2/3)}) - 4 * a^3 * b * (d/e)^{(1/3)} + a^4) * e^2) * \log(x + (d/e)^{(1/3)}) / (e^3 * (d/e)^{(2/3)}) \end{aligned}$$

mupad [B] time = 5.05, size = 2971, normalized size = 4.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b*x + c*x^2)^4/(d + e*x^3), x)$

[Out] $x^2*((b^4 + 6*a^2*c^2 + 12*a*b^2*c)/(2*e) - (2*b*c^3*d)/e^2) - x^3*((c^4*d)/(3*e^2) - (4*b*c*(3*a*c + b^2))/(3*e)) + \text{symsum}(\log(\text{root}(27*d^2*e^9*z^3 + 324*a*b*c^2*d^3*e^7*z^2 + 108*b^3*c*d^3*e^7*z^2 - 108*a^3*c*d^2*e^8*z^2 - 162*a^2*b^2*d^2*e^8*z^2 - 27*c^4*d^4*e^6*z^2 - 72*a*b*c^6*d^5*e^4*z + 216*a^2*b^2*c^4*d^4*e^5*z + 144*a^3*b^3*c^2*d^3*e^6*z - 108*a^5*b^2*c*d^2*e^7*z + 108*a^2*b^5*c*d^3*e^6*z - 36*a^4*b*c^3*d^3*e^6*z + 36*a*b^4*c^3*d^4*e^5*z + 144*b^3*c^5*d^5*e^4*z + 90*b^6*c^2*d^4*e^5*z - 144*a^3*c^5*d^4*e^5*z + 90*a^6*c^2*d^2*e^7*z + 171*a^4*b^4*d^2*e^7*z + 36*a*b^7*d^3*e^6*z + 36*a^7*b*d*e^8*z + 9*c^8*d^6*e^3*z + 36*a^7*b^4*c*d^2*e^6 - 36*a^7*b*c^4*d^3*e^5 - 36*a^4*b^7*c*d^3*e^5 - 36*a^4*b*c^7*d^5*e^3 - 36*a*b^7*c^4*d^5*e^3 + 36*a*b^4*c^7*d^6*e^2 + 12*a*b^10*c*d^4*e^4 + 108*a^5*b^5*c^2*d^3*e^5 - 108*a^5*b^2*c^5*d^4*e^4 + 108*a^2*b^5*c^5*d^5*e^3 - 96*a^6*b^3*c^3*d^3*e^5 + 96*a^3*b^6*c^3*d^4*e^4 - 96*a^3*b^3*c^6*d^5*e^3 - 54*a^8*b^2*c^2*d^2*e^6 - 54*a^2*b^8*c^2*d^4*e^4 - 54*a^2*b^2*c^8*d^6*e^2 - 9*a^4*b^4*c^4*d^4*e^4 - 12*a^10*b*c*d*e^7 - 12*a*b*c^10*d^7*e - 6*b^6*c^6*d^6*e^2 + 4*b^9*c^3*d^5*e^3 - 6*a^6*c^6*d^4*e^4 - 4*a^9*c^3*d^2*e^6 - 4*a^3*c^9*d^6*e^2 - 6*a^6*b^6*d^2*e^6 + 4*a^3*b^9*d^3*e^5 + 4*b^3*c^9*d^7*e + 4*a^9*b^3*d*e^7 - b^12*d^4*e^4 - c^12*d^8 - a^12*e^8, z, k)*((x*(3*a^4*e^5 + 12*a*c^3*d^2*e^3 + 18*b^2*c^2*d^2*e^3 - 12*a*b^3*d*e^4 - 36*a^2*b*c*d*e^4))/e^3 - (6*c^4*d^3*e^3 + 36*a^2*b^2*d*e^5 - 24*b^3*c*d^2*e^4 + 24*a^3*c*d*e^5 - 72*a*b*c^2*d^2*e^4)/e^4 + 9*\text{root}(27*d^2*e^9*z^3 + 324*a*b*c^2*d^3*e^7*z^2 + 108*b^3*c*d^3*e^7*z^2 - 108*a^3*c*d^2*e^8*z^2 - 162*a^2*b^2*d^2*e^8*z^2 - 27*c^4*d^4*e^6*z^2 - 72*a*b*c^6*d^5*e^4*z + 216*a^2*b^2*c^4*d^4*e^5*z + 144*a^3*b^3*c^2*d^3*e^6*z - 108*a^5*b^2*c*d^2*e^7*z + 108*a^2*b^5*c*d^3*e^6*z - 36*a^4*b*c^3*d^3*e^6*z + 36*a*b^4*c^3*d^4*e^5*z + 144*b^3*c^5*d^5*e^4*z + 90*b^6*c^2*d^4*e^5*z - 144*a^3*c^5*d^4*e^5*z + 90*a^6*c^2*d^2*e^7*z + 171*a^4*b^4*d^2*e^7*z + 36*a*b^7*d^3*e^6*z + 36*a^7*b*d*e^8*z + 9*c^8*d^6*e^3*z + 36*a^7*b^4*c*d^2*e^6 - 36*a^7*b*c^4*d^3*e^5 - 36*a^4*b^7*c*d^3*e^5 - 36*a^4*b*c^7*d^5*e^3 - 36*a*b^7*c^4*d^5*e^3 + 36*a*b^4*c^7*d^6*e^2 + 12*a*b^10*c*d^4*e^4 + 108*a^5*b^5*c^2*d^3*e^5 - 108*a^5*b^2*c^5*d^4*e^4 + 108*a^2*b^5*c^5*d^5*e^3 - 96*a^6*b^3*c^3*d^3*e^5 + 96*a^3*b^6*c^3*d^4*e^4 - 96*a^3*b^3*c^6*d^5*e^3 - 54*a^8*b^2*c^2*d^2*e^6 - 54*a^2*b^8*c^2*d^4*e^4 - 54*a^2*b^2*c^8*d^6*e^2 - 9*a^4*b^4*c^4*d^4*e^4 - 12*a^10*b*c*d*e^7 - 12*a*b*c^10*d^7*e - 6*b^6*c^6*d^6*e^2 + 4*b^9*c^3*d^5*e^3 - 6*a^6*c^6*d^4*e^4 - 4*a^9*c^3*d^2*e^6 - 4*a^3*c^9*d^6*e^2 - 6*a^6*b^6*d^2*e^6 + 4*a^3*b^9*d^3*e^5 + 4*b^3*c^9*d^7*e + 4*a^9*b^3*d*e^7 - b^12*d^4*e^4 - c^12*d^8 - a^12*e^8, z, k)*d*e^2) + (c^8*d^5 + 4*a^7*b*e^5 + 4*a*b^7*d^2*e^3 + 19*a^4*b^4*d*e^4 + 10*a^6*c^2*d*e^4 + 16*b^3*c^5*d^4*e - 16*a^3*c^5*d^3*e^2 + 10*b^6*c^2*d^3*e^2 - 8*a*b*c^6*d^4*e + 24*a^2*b^2*c^4*d^3*e^2 + 16*a^3*b^3*c^2*d^2*e^3 - 12*a^5*b^2*c*d*e^4 + 4*a*b^4*c^3*d^3*e^2 + 12*a^2*b^5*c*d^2*e^3 - 4*a^4*b*c^3*d^2*e^3)/e^4 + (x*(10*a^6*b^2*e^4 - 4*a^7*c*e^4 - 4*a*c^7*d^4 + 10*b^2*c^6*d^4 + b^8*d^2*e^2 + 16*a^3*b^5*d*e^3$

$$\begin{aligned}
& + 16*b^5*c^3*d^3*e + 19*a^4*c^4*d^2*e^2 + 24*a^2*b^4*c^2*d^2*e^2 - 16*a^3* \\
& b^2*c^3*d^2*e^2 - 4*a*b^3*c^4*d^3*e + 8*a*b^6*c*d^2*e^2 + 12*a^2*b*c^5*d^3* \\
& e - 4*a^4*b^3*c*d*e^3 + 12*a^5*b*c^2*d*e^3))/e^3)*\text{root}(27*d^2*e^9*z^3 + 324 \\
& *a*b*c^2*d^3*e^7*z^2 + 108*b^3*c*d^3*e^7*z^2 - 108*a^3*c*d^2*e^8*z^2 - 162* \\
& a^2*b^2*d^2*e^8*z^2 - 27*c^4*d^4*e^6*z^2 - 72*a*b*c^6*d^5*e^4*z + 216*a^2*b \\
& ^2*c^4*d^4*e^5*z + 144*a^3*b^3*c^2*d^3*e^6*z - 108*a^5*b^2*c*d^2*e^7*z + 10 \\
& 8*a^2*b^5*c*d^3*e^6*z - 36*a^4*b*c^3*d^3*e^6*z + 36*a*b^4*c^3*d^4*e^5*z + 1 \\
& 44*b^3*c^5*d^5*e^4*z + 90*b^6*c^2*d^4*e^5*z - 144*a^3*c^5*d^4*e^5*z + 90*a^ \\
& 6*c^2*d^2*e^7*z + 171*a^4*b^4*d^2*e^7*z + 36*a*b^7*d^3*e^6*z + 36*a^7*b*d*e \\
& ^8*z + 9*c^8*d^6*e^3*z + 36*a^7*b^4*c*d^2*e^6 - 36*a^7*b*c^4*d^3*e^5 - 36*a \\
& ^4*b^7*c*d^3*e^5 - 36*a^4*b*c^7*d^5*e^3 - 36*a*b^7*c^4*d^5*e^3 + 36*a*b^4*c \\
& ^7*d^6*e^2 + 12*a*b^10*c*d^4*e^4 + 108*a^5*b^5*c^2*d^3*e^5 - 108*a^5*b^2*c^ \\
& 5*d^4*e^4 + 108*a^2*b^5*c^5*d^5*e^3 - 96*a^6*b^3*c^3*d^3*e^5 + 96*a^3*b^6*c \\
& ^3*d^4*e^4 - 96*a^3*b^3*c^6*d^5*e^3 - 54*a^8*b^2*c^2*d^2*e^6 - 54*a^2*b^8*c \\
& ^2*d^4*e^4 - 54*a^2*b^2*c^8*d^6*e^2 - 9*a^4*b^4*c^4*d^4*e^4 - 12*a^10*b*c*d \\
& *e^7 - 12*a*b*c^10*d^7*e - 6*b^6*c^6*d^6*e^2 + 4*b^9*c^3*d^5*e^3 - 6*a^6*c^ \\
& 6*d^4*e^4 - 4*a^9*c^3*d^2*e^6 - 4*a^3*c^9*d^6*e^2 - 6*a^6*b^6*d^2*e^6 + 4*a \\
& ^3*b^9*d^3*e^5 + 4*b^3*c^9*d^7*e + 4*a^9*b^3*d*e^7 - b^12*d^4*e^4 - c^12*d^ \\
& 8 - a^12*e^8, z, k), k, 1, 3) - x*((d*(4*a*c^3 + 6*b^2*c^2))/e^2 - (4*a*b*(\\
& 3*a*c + b^2))/e) + (c^4*x^6)/(6*e) + (x^4*(4*a*c^3 + 6*b^2*c^2))/(4*e) + (4 \\
& *b*c^3*x^5)/(5*e)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x+a)**4/(e*x**3+d),x)

[Out] Timed out

$$3.76 \quad \int \frac{2x^2+x^4}{1+x^3} dx$$

Optimal. Leaf size=43

$$\frac{x^2}{2} + \frac{1}{2} \log(x^2 - x + 1) + \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] 1/2*x^2+ln(1+x)+1/2*ln(x^2-x+1)+1/3*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.08, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1593, 1887, 1874, 31, 634, 618, 204, 628}

$$\frac{x^2}{2} + \frac{1}{2} \log(x^2 - x + 1) + \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(2*x^2 + x^4)/(1 + x^3), x]

[Out] x^2/2 + ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] + Log[1 + x] + Log[1 - x + x^2]/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1874

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && GtQ[a/b, 0]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{2x^2 + x^4}{1 + x^3} dx &= \int \frac{x^2(2 + x^2)}{1 + x^3} dx \\
&= \int \left(x + \frac{x(-1 + 2x)}{1 + x^3} \right) dx \\
&= \frac{x^2}{2} + \int \frac{x(-1 + 2x)}{1 + x^3} dx \\
&= \frac{x^2}{2} + \frac{1}{3} \int \frac{-3 + 3x}{1 - x + x^2} dx + \int \frac{1}{1 + x} dx \\
&= \frac{x^2}{2} + \log(1 + x) - \frac{1}{2} \int \frac{1}{1 - x + x^2} dx + \frac{1}{2} \int \frac{-1 + 2x}{1 - x + x^2} dx \\
&= \frac{x^2}{2} + \log(1 + x) + \frac{1}{2} \log(1 - x + x^2) + \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, -1 + 2x \right) \\
&= \frac{x^2}{2} - \frac{\tan^{-1} \left(\frac{-1 + 2x}{\sqrt{3}} \right)}{\sqrt{3}} + \log(1 + x) + \frac{1}{2} \log(1 - x + x^2)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 54, normalized size = 1.26

$$\frac{1}{6} \left(4 \log(x^3 + 1) + 3x^2 - \log(x^2 - x + 1) + 2 \log(x + 1) - 2\sqrt{3} \tan^{-1} \left(\frac{2x - 1}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2*x^2 + x^4)/(1 + x^3), x]

[Out] (3*x^2 - 2*sqrt(3)*ArcTan[(-1 + 2*x)/sqrt(3)] + 2*Log[1 + x] - Log[1 - x + x^2] + 4*Log[1 + x^3])/6

fricas [A] time = 0.78, size = 37, normalized size = 0.86

$$\frac{1}{2} x^2 - \frac{1}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x - 1) \right) + \frac{1}{2} \log(x^2 - x + 1) + \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(x^3+1), x, algorithm="fricas")

[Out] 1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/2*log(x^2 - x + 1) + log(x + 1)

giac [A] time = 0.15, size = 38, normalized size = 0.88

$$\frac{1}{2} x^2 - \frac{1}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x - 1) \right) + \frac{1}{2} \log(x^2 - x + 1) + \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(x^3+1),x, algorithm="giac")

[Out] $\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{2}\log(x^2-x+1) + \log(\text{abs}(x+1))$

maple [A] time = 0.05, size = 38, normalized size = 0.88

$$\frac{x^2}{2} - \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \ln(x+1) + \frac{\ln(x^2-x+1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+2*x^2)/(x^3+1),x)

[Out] $\frac{1}{2}x^2 + \ln(x+1) + \frac{1}{2}\ln(x^2-x+1) - \frac{1}{3}3^{(1/2)}\arctan\left(\frac{1}{3}(2x-1)3^{(1/2)}\right)$

maxima [A] time = 2.86, size = 37, normalized size = 0.86

$$\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{2}\log(x^2-x+1) + \log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(x^3+1),x, algorithm="maxima")

[Out] $\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{2}\log(x^2-x+1) + \log(x+1)$

mupad [B] time = 0.10, size = 49, normalized size = 1.14

$$\ln(x+1) + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{6}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{6}\right) + \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + x^4)/(x^3 + 1),x)

[Out] $\log(x+1) + \log(x - (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 + 1/2) - \log(x + (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 - 1/2) + x^2/2$

sympy [A] time = 0.25, size = 44, normalized size = 1.02

$$\frac{x^2}{2} + \log(x+1) + \frac{\log(x^2-x+1)}{2} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**4+2*x**2)/(x**3+1),x)
```

```
[Out] x**2/2 + log(x + 1) + log(x**2 - x + 1)/2 - sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3
```

$$3.77 \quad \int \frac{2x^2+x^4}{1-x^3} dx$$

Optimal. Leaf size=46

$$-\frac{x^2}{2} - \frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-1/2*x^2 - \ln(1-x) - 1/2*\ln(x^2+x+1) - 1/3*\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {1593, 1887, 1875, 31, 634, 618, 204, 628}

$$-\frac{x^2}{2} - \frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(2*x^2 + x^4)/(1 - x^3), x]

[Out] $-x^2/2 - \text{ArcTan}[(1 + 2*x)/\text{Sqrt}[3]]/\text{Sqrt}[3] - \text{Log}[1 - x] - \text{Log}[1 + x + x^2]/2$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(−1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^n, x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1875

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (-a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^n), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{2x^2 + x^4}{1 - x^3} dx &= \int \frac{x^2(2 + x^2)}{1 - x^3} dx \\
&= \int \left(-x + \frac{x(1 + 2x)}{1 - x^3} \right) dx \\
&= -\frac{x^2}{2} + \int \frac{x(1 + 2x)}{1 - x^3} dx \\
&= -\frac{x^2}{2} + \frac{1}{3} \int \frac{-3 - 3x}{1 + x + x^2} dx + \int \frac{1}{1 - x} dx \\
&= -\frac{x^2}{2} - \log(1 - x) - \frac{1}{2} \int \frac{1}{1 + x + x^2} dx - \frac{1}{2} \int \frac{1 + 2x}{1 + x + x^2} dx \\
&= -\frac{x^2}{2} - \log(1 - x) - \frac{1}{2} \log(1 + x + x^2) + \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, 1 + 2x \right) \\
&= -\frac{x^2}{2} - \frac{\tan^{-1} \left(\frac{1 + 2x}{\sqrt{3}} \right)}{\sqrt{3}} - \log(1 - x) - \frac{1}{2} \log(1 + x + x^2)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 54, normalized size = 1.17

$$\frac{1}{6} \left(-4 \log(1 - x^3) - 3x^2 + \log(x^2 + x + 1) - 2 \log(1 - x) - 2\sqrt{3} \tan^{-1} \left(\frac{2x + 1}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2*x^2 + x^4)/(1 - x^3), x]

[Out] (-3*x^2 - 2*Sqrt[3]*ArcTan[(1 + 2*x)/Sqrt[3]] - 2*Log[1 - x] + Log[1 + x + x^2] - 4*Log[1 - x^3])/6

fricas [A] time = 0.55, size = 37, normalized size = 0.80

$$-\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x + 1)\right) - \frac{1}{2} \log(x^2 + x + 1) - \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(-x^3+1), x, algorithm="fricas")

[Out] -1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - 1/2*log(x^2 + x + 1) - log(x - 1)

giac [A] time = 0.16, size = 38, normalized size = 0.83

$$-\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x + 1)\right) - \frac{1}{2} \log(x^2 + x + 1) - \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(-x^3+1),x, algorithm="giac")

[Out] $-1/2*x^2 - 1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x + 1)) - 1/2*\log(x^2 + x + 1) - \log(\text{abs}(x - 1))$

maple [A] time = 0.05, size = 38, normalized size = 0.83

$$-\frac{x^2}{2} - \frac{\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \ln(x-1) - \frac{\ln(x^2 + x + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+2*x^2)/(-x^3+1),x)

[Out] $-1/2*x^2 - \ln(x-1) - 1/2*\ln(x^2+x+1) - 1/3*3^{(1/2)}*\arctan(1/3*(2*x+1)*3^{(1/2)})$

maxima [A] time = 2.90, size = 37, normalized size = 0.80

$$-\frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \frac{1}{2}\log(x^2 + x + 1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+2*x^2)/(-x^3+1),x, algorithm="maxima")

[Out] $-1/2*x^2 - 1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x + 1)) - 1/2*\log(x^2 + x + 1) - \log(x - 1)$

mupad [B] time = 0.09, size = 51, normalized size = 1.11

$$-\ln(x-1) + \ln\left(x + \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right)\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{6}\right) - \ln\left(x + \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{6}\right) - \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 + x^4)/(x^3 - 1),x)

[Out] $\log(x - (3^{(1/2)}*1i)/2 + 1/2)*((3^{(1/2)}*1i)/6 - 1/2) - \log(x - 1) - \log(x + (3^{(1/2)}*1i)/2 + 1/2)*((3^{(1/2)}*1i)/6 + 1/2) - x^2/2$

sympy [A] time = 0.31, size = 46, normalized size = 1.00

$$-\frac{x^2}{2} - \log(x-1) - \frac{\log(x^2 + x + 1)}{2} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**4+2*x**2)/(-x**3+1),x)
```

```
[Out] -x**2/2 - log(x - 1) - log(x**2 + x + 1)/2 - sqrt(3)*atan(2*sqrt(3)*x/3 + s  
qrt(3)/3)/3
```

$$3.78 \quad \int \frac{1-x+4x^3}{1+x^3} dx$$

Optimal. Leaf size=44

$$\frac{1}{3} \log(x^2 - x + 1) + 4x - \frac{2}{3} \log(x + 1) + \frac{4 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] 4*x-2/3*ln(1+x)+1/3*ln(x^2-x+1)+4/3*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.04, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {1887, 1860, 31, 634, 618, 204, 628}

$$\frac{1}{3} \log(x^2 - x + 1) + 4x - \frac{2}{3} \log(x + 1) + \frac{4 \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x + 4*x^3)/(1 + x^3), x]

[Out] 4*x + (4*ArcTan[(1 - 2*x)/Sqrt[3]])/Sqrt[3] - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{1-x+4x^3}{1+x^3} dx &= \int \left(4 - \frac{3+x}{1+x^3} \right) dx \\
 &= 4x - \int \frac{3+x}{1+x^3} dx \\
 &= 4x - \frac{1}{3} \int \frac{7-2x}{1-x+x^2} dx - \frac{2}{3} \int \frac{1}{1+x} dx \\
 &= 4x - \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-1+2x}{1-x+x^2} dx - 2 \int \frac{1}{1-x+x^2} dx \\
 &= 4x - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2) + 4 \operatorname{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\
 &= 4x + \frac{4 \tan^{-1} \left(\frac{1-2x}{\sqrt{3}} \right)}{\sqrt{3}} - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 44, normalized size = 1.00

$$\frac{1}{3} \log(x^2 - x + 1) + 4x - \frac{2}{3} \log(x + 1) - \frac{4 \tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x + 4*x^3)/(1 + x^3), x]

[Out] 4*x - (4*ArcTan[(-1 + 2*x)/Sqrt[3]])/Sqrt[3] - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

fricas [A] time = 0.67, size = 37, normalized size = 0.84

$$-\frac{4}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + 4x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^3-x+1)/(x^3+1), x, algorithm="fricas")

[Out] -4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 4*x + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)

giac [A] time = 0.15, size = 38, normalized size = 0.86

$$-\frac{4}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + 4x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^3-x+1)/(x^3+1), x, algorithm="giac")

[Out] -4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 4*x + 1/3*log(x^2 - x + 1) - 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 38, normalized size = 0.86

$$4x - \frac{4\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} - \frac{2 \ln(x + 1)}{3} + \frac{\ln(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^3-x+1)/(x^3+1), x)

[Out] 4*x-2/3*ln(x+1)+1/3*ln(x^2-x+1)-4/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.81, size = 37, normalized size = 0.84

$$-\frac{4}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right)+4x+\frac{1}{3}\log(x^2-x+1)-\frac{2}{3}\log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^3-x+1)/(x^3+1),x, algorithm="maxima")

[Out] -4/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 4*x + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)

mupad [B] time = 4.70, size = 49, normalized size = 1.11

$$4x - \frac{2\ln(x+1)}{3} + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{3} + \frac{\sqrt{3}2i}{3}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{3} + \frac{\sqrt{3}2i}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^3 - x + 1)/(x^3 + 1),x)

[Out] 4*x - (2*log(x + 1))/3 + log(x - (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*2i)/3 + 1/3) - log(x + (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*2i)/3 - 1/3)

sympy [A] time = 0.33, size = 48, normalized size = 1.09

$$4x - \frac{2\log(x+1)}{3} + \frac{\log(x^2-x+1)}{3} - \frac{4\sqrt{3}\operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x**3-x+1)/(x**3+1),x)

[Out] 4*x - 2*log(x + 1)/3 + log(x**2 - x + 1)/3 - 4*sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3

$$3.79 \quad \int \frac{1 + \sqrt{3} + x}{\sqrt{1 + x^3}} dx$$

Optimal. Leaf size=230

$$\frac{2\sqrt{x^3+1}}{x+\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right) \mid -7-4\sqrt{3}\right)}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}}}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}}$$

[Out] 2*(x^3+1)^(1/2)/(1+x+3^(1/2))-3^(1/4)*(1+x)*EllipticE((1+x-3^(1/2))/(1+x+3^(1/2)), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((x^2-x+1)/(1+x+3^(1/2)))^(1/2)/(x^3+1)^(1/2)/((1+x)/(1+x+3^(1/2)))^(1/2)+4*3^(1/4)*(1+x)*EllipticF((1+x-3^(1/2))/(1+x+3^(1/2)), I*3^(1/2)+2*I)*(1/2*6^(1/2)+1/2*2^(1/2))*((x^2-x+1)/(1+x+3^(1/2)))^(1/2)/(x^3+1)^(1/2)/((1+x)/(1+x+3^(1/2)))^(1/2)

Rubi [A] time = 0.06, antiderivative size = 230, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{x^3+1}}{x+\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right) \mid -7-4\sqrt{3}\right)}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}}}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] + x)/Sqrt[1 + x^3], x]

[Out] (2*Sqrt[1 + x^3])/(1 + Sqrt[3] + x) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*(1 + x)*Sqrt[(1 - x + x^2)/(1 + Sqrt[3] + x)^2]*EllipticE[ArcSin[(1 - Sqrt[3] + x)/(1 + Sqrt[3] + x)], -7 - 4*Sqrt[3]])/(Sqrt[(1 + x)/(1 + Sqrt[3] + x)^2]*Sqrt[1 + x^3]) + (4*3^(1/4)*Sqrt[2 + Sqrt[3]]*(1 + x)*Sqrt[(1 - x + x^2)/(1 + Sqrt[3] + x)^2]*EllipticF[ArcSin[(1 - Sqrt[3] + x)/(1 + Sqrt[3] + x)], -7 - 4*Sqrt[3]])/(Sqrt[(1 + x)/(1 + Sqrt[3] + x)^2]*Sqrt[1 + x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &

& PosQ[a]

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 + \sqrt{3} + x}{\sqrt{1 + x^3}} dx = (2\sqrt{3}) \int \frac{1}{\sqrt{1 + x^3}} dx + \int \frac{1 - \sqrt{3} + x}{\sqrt{1 + x^3}} dx$$

$$= \frac{2\sqrt{1 + x^3}}{1 + \sqrt{3} + x} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1 + x) \sqrt{\frac{1 - x + x^2}{(1 + \sqrt{3} + x)^2}} E\left(\sin^{-1}\left(\frac{1 - \sqrt{3} + x}{1 + \sqrt{3} + x}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1 + x}{(1 + \sqrt{3} + x)^2}} \sqrt{1 + x^3}} + \frac{4\sqrt[4]{3} \sqrt{2 - \sqrt{3}}}{\sqrt{1 + x^3}}$$

Mathematica [C] time = 0.04, size = 47, normalized size = 0.20

$$(1 + \sqrt{3}) x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + \frac{1}{2} x^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] + x)/Sqrt[1 + x^3], x]

[Out] (1 + Sqrt[3])*x*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] + (x^2*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3])/2

fricas [F] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x + \sqrt{3} + 1}{\sqrt{x^3 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x*3^(1/2))/(x^3+1)^(1/2),x, algorithm="fricas")

[Out] integral((x + sqrt(3) + 1)/sqrt(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x*3^(1/2))/(x^3+1)^(1/2),x, algorithm="giac")

[Out] integrate((x + sqrt(3) + 1)/sqrt(x^3 + 1), x)

maple [B] time = 0.11, size = 407, normalized size = 1.77

$$\frac{2\left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{-3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} + \frac{i\sqrt{3}}{2}}{\frac{-3}{2} + \frac{i\sqrt{3}}{2}}} \text{EllipticF}\left(\sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{\frac{-3}{2} + \frac{i\sqrt{3}}{2}}{\frac{-3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3} \left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{-3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x*3^(1/2))/(x^3+1)^(1/2),x)

[Out] 2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))+2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*((-3/2-1/2*I*3^(1/2))*EllipticE(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))+((1/2+1/2*I*3^(1/2))*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)))+2*3^(1/2)*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*EllipticF(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3^(1/2))/(x^3+1)^(1/2),x, algorithm="maxima")

[Out] integrate((x + sqrt(3) + 1)/sqrt(x^3 + 1), x)

mupad [B] time = 0.15, size = 312, normalized size = 1.36

$$\sqrt{3} x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) - \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{\frac{1}{2}-x+\frac{\sqrt{3}1i}{2}}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}\right)\right) \Big|_{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}^{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}} + \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 3^(1/2) + 1)/(x^3 + 1)^(1/2),x)

[Out] $3^{1/2} x \operatorname{hypergeom}\left(\left[\frac{1}{3}, \frac{1}{2}\right], \frac{4}{3}, -x^3\right) - \frac{6 \left((x + (3^{1/2} * 1i) / 2 - 1/2) / ((3^{1/2} * 1i) / 2 - 3/2) \right)^{1/2} \left((x + 1) / ((3^{1/2} * 1i) / 2 + 3/2) \right)^{1/2} \left((3^{1/2} * 1i) / 2 - x + 1/2 \right) / ((3^{1/2} * 1i) / 2 + 3/2) \right)^{1/2} \operatorname{ellipticE}\left(\operatorname{asin}\left(\frac{(x + 1) / ((3^{1/2} * 1i) / 2 + 3/2) \right)^{1/2}}{\left((3^{1/2} * 1i) / 2 + 3/2 \right)^{1/2}} \right), -\left((3^{1/2} * 1i) / 2 + 3/2 \right) / \left((3^{1/2} * 1i) / 2 - 3/2 \right)}{x^3 - x \left((3^{1/2} * 1i) / 2 - 1/2 \right) \left((3^{1/2} * 1i) / 2 + 1/2 \right) + 1 - \left((3^{1/2} * 1i) / 2 - 1/2 \right) \left((3^{1/2} * 1i) / 2 + 1/2 \right)^{1/2}} + \frac{6 \left((x + (3^{1/2} * 1i) / 2 - 1/2) / ((3^{1/2} * 1i) / 2 - 3/2) \right)^{1/2} \left((x + 1) / ((3^{1/2} * 1i) / 2 + 3/2) \right)^{1/2} \left((3^{1/2} * 1i) / 2 - x + 1/2 \right) / ((3^{1/2} * 1i) / 2 + 3/2) \right)^{1/2} \operatorname{ellipticF}\left(\operatorname{asin}\left(\frac{(x + 1) / ((3^{1/2} * 1i) / 2 + 3/2) \right)^{1/2}}{\left((3^{1/2} * 1i) / 2 + 3/2 \right)^{1/2}} \right), -\left((3^{1/2} * 1i) / 2 + 3/2 \right) / \left((3^{1/2} * 1i) / 2 - 3/2 \right)}{x^3 - x \left((3^{1/2} * 1i) / 2 - 1/2 \right) \left((3^{1/2} * 1i) / 2 + 1/2 \right) + 1 - \left((3^{1/2} * 1i) / 2 - 1/2 \right) \left((3^{1/2} * 1i) / 2 + 1/2 \right)^{1/2}}$

sympy [A] time = 3.35, size = 92, normalized size = 0.40

$$\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+x+3**(1/2))/(x**3+1)**(1/2),x)
```

```
[Out] x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3))
```

$$3.80 \quad \int \frac{1 + \sqrt{3} - x}{\sqrt{1 - x^3}} dx$$

Optimal. Leaf size=257

$$\frac{\frac{2\sqrt{1-x^3}}{-x+\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}} + \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}}}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}}$$

[Out] $-2*(-x^3+1)^{(1/2)}/(1-x+3^{(1/2)})+3^{(1/4)}*(1-x)*\text{EllipticE}((1-x-3^{(1/2)})/(1-x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x+3^{(1/2)})^2)^{(1/2)}/(-x^3+1)^{(1/2)}/((1-x)/(1-x+3^{(1/2)})^2)^{(1/2)}-4*3^{(1/4)}*(1-x)*\text{EllipticF}((1-x-3^{(1/2)})/(1-x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((x^2+x+1)/(1-x+3^{(1/2)})^2)^{(1/2)}/(-x^3+1)^{(1/2)}/((1-x)/(1-x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1878, 218, 1877}

$$\frac{\frac{2\sqrt{1-x^3}}{-x+\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right) \middle| -7-4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}} + \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}}}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] - x)/Sqrt[1 - x^3], x]

[Out] $(-2*\text{Sqrt}[1-x^3])/(1+\text{Sqrt}[3]-x) + (3^{(1/4)}*\text{Sqrt}[2-\text{Sqrt}[3]]*(1-x)*\text{Sqrt}[(1+x+x^2)/(1+\text{Sqrt}[3]-x)^2]*\text{EllipticE}[\text{ArcSin}[(1-\text{Sqrt}[3]-x)/(1+\text{Sqrt}[3]-x)], -7-4*\text{Sqrt}[3]])/(\text{Sqrt}[(1-x)/(1+\text{Sqrt}[3]-x)^2]*\text{Sqrt}[1-x^3]) - (4*3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*(1-x)*\text{Sqrt}[(1+x+x^2)/(1+\text{Sqrt}[3]-x)^2]*\text{EllipticF}[\text{ArcSin}[(1-\text{Sqrt}[3]-x)/(1+\text{Sqrt}[3]-x)], -7-4*\text{Sqrt}[3]])/(\text{Sqrt}[(1-x)/(1+\text{Sqrt}[3]-x)^2]*\text{Sqrt}[1-x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &

& PosQ[a]

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 + \sqrt{3} - x}{\sqrt{1 - x^3}} dx = (2\sqrt{3}) \int \frac{1}{\sqrt{1 - x^3}} dx + \int \frac{1 - \sqrt{3} - x}{\sqrt{1 - x^3}} dx$$

$$= -\frac{2\sqrt{1 - x^3}}{1 + \sqrt{3} - x} + \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1 - x) \sqrt{\frac{1+x+x^2}{(1+\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1-\sqrt{3}-x}{1+\sqrt{3}-x}\right) \mid -7 - 4\sqrt{3}\right) - 4\sqrt[4]{3} \sqrt{\frac{1-x}{(1+\sqrt{3}-x)^2}} \sqrt{1 - x^3}}{\sqrt{\frac{1-x}{(1+\sqrt{3}-x)^2}} \sqrt{1 - x^3}}$$

Mathematica [C] time = 0.02, size = 43, normalized size = 0.17

$$(1 + \sqrt{3}) x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) - \frac{1}{2} x^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] - x)/Sqrt[1 - x^3], x]

[Out] (1 + Sqrt[3])*x*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] - (x^2*Hypergeometric2F1[1/2, 2/3, 5/3, x^3])/2

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^3+1}(x-\sqrt{3}-1)}{x^3-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3^(1/2))/(-x^3+1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^3 + 1)*(x - sqrt(3) - 1)/(x^3 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x-\sqrt{3}-1}{\sqrt{-x^3+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3^(1/2))/(-x^3+1)^(1/2),x, algorithm="giac")

[Out] integrate(-(x - sqrt(3) - 1)/sqrt(-x^3 + 1), x)

maple [A] time = 0.13, size = 368, normalized size = 1.43

$$\frac{2i\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)\sqrt{3}} \sqrt{\frac{x-1}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x + \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)\sqrt{3}} \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)\sqrt{3}}}{3}, \sqrt{\frac{i\sqrt{3}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) 2i\sqrt{3}}{3\sqrt{-x^3+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x+3^(1/2))/(-x^3+1)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x-1)/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)} \\ & *(-I*(x+1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3+1)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, \\ & (I*3^{(1/2)}/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)})+2/3*I*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)} \\ & *((x-1)/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)}*(-I*(x+1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3+1)^{(1/2)} \\ & *((-3/2+1/2*I*3^{(1/2)})*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, \\ & (I*3^{(1/2)}/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)})+EllipticF(1/3*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, \\ & (I*3^{(1/2)}/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)})-2*I*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x-1)/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)} \\ & *(-I*(x+1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3+1)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, \\ & (I*3^{(1/2)}/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x - \sqrt{3} - 1}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3^(1/2))/(-x^3+1)^(1/2),x, algorithm="maxima")

[Out] -integrate((x - sqrt(3) - 1)/sqrt(-x^3 + 1), x)

mupad [B] time = 5.14, size = 342, normalized size = 1.33

$$\sqrt{3} x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + \frac{6\sqrt{x^3-1} \sqrt{-\frac{x+\frac{1}{2}-\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{-\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{-\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}\right)\right) \Big|_{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}^{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}{\sqrt{1-x^3} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right)x + \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3^(1/2) - x + 1)/(1 - x^3)^(1/2),x)

[Out] 3^(1/2)*x*hypergeom([1/3, 1/2], 4/3, x^3) + (6*(x^3 - 1)^(1/2)*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticE(asin((-x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((1 - x^3)^(1/2)*(((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*(((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + x^3)^(1/2)) - (6*(x^3 - 1)^(1/2)*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticF(asin((-x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((1 - x^3)^(1/2)*(((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*(((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + x^3)^(1/2))

sympy [A] time = 5.45, size = 97, normalized size = 0.38

$$-\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-x+3**(1/2))/(-x**3+1)**(1/2),x)
```

```
[Out] -x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(2*I*pi))/(3*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(2*I*pi))/(3*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(2*I*pi))/(3*gamma(4/3))
```


$$3.81 \quad \int \frac{1 + \sqrt{3} - x}{\sqrt{-1 + x^3}} dx$$

Optimal. Leaf size=144

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

[Out] 2*(x^3-1)^(1/2)/(1-x-3^(1/2))-3^(1/4)*(1-x)*EllipticE((1-x+3^(1/2))/(1-x-3^(1/2)),2*I-I*3^(1/2))*((x^2+x+1)/(1-x-3^(1/2)))^2)^(1/2)*(1/2*6^(1/2)+1/2*2^(1/2))/(x^3-1)^(1/2)/((-1+x)/(1-x-3^(1/2)))^2)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1879}

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] - x)/Sqrt[-1 + x^3], x]

[Out] (2*Sqrt[-1 + x^3])/(1 - Sqrt[3] - x) - (3^(1/4)*Sqrt[2 + Sqrt[3]]*(1 - x)*Sqrt[(1 + x + x^2)/(1 - Sqrt[3] - x)^2]*EllipticE[ArcSin[(1 + Sqrt[3] - x)/(1 - Sqrt[3] - x)], -7 + 4*Sqrt[3]])/(Sqrt[-((1 - x)/(1 - Sqrt[3] - x)^2)]*Sqrt[-1 + x^3])

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1 + \sqrt{3} - x}{\sqrt{-1 + x^3}} dx = \frac{2\sqrt{-1 + x^3}}{1 - \sqrt{3} - x} - \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (1 - x) \sqrt{\frac{1+x+x^2}{(1-\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1+\sqrt{3}-x}{1-\sqrt{3}-x}\right) \middle| -7 + 4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(1-\sqrt{3}-x)^2}} \sqrt{-1 + x^3}}$$

Mathematica [C] time = 0.04, size = 63, normalized size = 0.44

$$\frac{x\sqrt{1-x^3} \left(x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right) - 2(1 + \sqrt{3}) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) \right)}{2\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] - x)/Sqrt[-1 + x^3], x]

[Out] -1/2*(x*Sqrt[1 - x^3]*(-2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] + x*Hypergeometric2F1[1/2, 2/3, 5/3, x^3]))/Sqrt[-1 + x^3]

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{x - \sqrt{3} - 1}{\sqrt{x^3 - 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3^(1/2))/(x^3-1)^(1/2), x, algorithm="fricas")

[Out] integral(-(x - sqrt(3) - 1)/sqrt(x^3 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x - \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3^(1/2))/(x^3-1)^(1/2), x, algorithm="giac")

[Out] integrate(-(x - sqrt(3) - 1)/sqrt(x^3 - 1), x)

maple [B] time = 0.07, size = 407, normalized size = 2.83

$$\frac{2\left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x + \frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x + \frac{1}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \text{EllipticF}\left(\sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{\frac{3}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3} \left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-x+3^(1/2))/(x^3-1)^(1/2),x)`

[Out] $2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))-2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*((3/2-1/2*I*3^(1/2))*\text{EllipticE}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+(-1/2+1/2*I*3^(1/2))*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)))+2*3^(1/2)*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x - \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x+3^(1/2))/(x^3-1)^(1/2),x, algorithm="maxima")`

[Out] `-integrate((x - sqrt(3) - 1)/sqrt(x^3 - 1), x)`

mupad [B] time = 4.87, size = 326, normalized size = 2.26

$$\frac{\sqrt{3} x \sqrt{1-x^3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{\sqrt{x^3-1}} + \frac{6 \sqrt{\frac{x+\frac{1}{2}-\frac{\sqrt{3} \text{li}}{2}}{-\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3} \text{li}}{2}}{\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}} \sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}} E\left(\text{asin}\left(\sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}}\right)\right) - \frac{\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}{-\frac{3}{2}+\frac{\sqrt{3} \text{li}}{2}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2}\right) - 1\right) x + \left(-\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \text{li}}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3^(1/2) - x + 1)/(x^3 - 1)^(1/2),x)`

[Out] $(3^(1/2)*x*(1-x^3)^(1/2)*\text{hypergeom}([1/3, 1/2], 4/3, x^3))/(x^3-1)^(1/2) + (6*(-(x-(3^(1/2)*1i)/2+1/2)/((3^(1/2)*1i)/2-3/2))^(1/2)*((x+(3^(1/2)*1i)/2+1/2)/((3^(1/2)*1i)/2+3/2))^(1/2)*(-(x-1)/((3^(1/2)*1i)/2+3/2))^(1/2)*\text{ellipticE}(\text{asin}((-x-1)/((3^(1/2)*1i)/2+3/2))^(1/2), -((3^(1/2)*1i)/2+3/2)/((3^(1/2)*1i)/2-3/2))/(((3^(1/2)*1i)/2-1/2)*((3^(1/2)*1i)/2-3/2))^(1/2)$

$2) * 1i) / 2 + 1/2) - x * (((3^{(1/2)} * 1i) / 2 - 1/2) * ((3^{(1/2)} * 1i) / 2 + 1/2) + 1) + x^3)^{(1/2)} - (6 * (-x - (3^{(1/2)} * 1i) / 2 + 1/2) / ((3^{(1/2)} * 1i) / 2 - 3/2))^{(1/2)} * ((x + (3^{(1/2)} * 1i) / 2 + 1/2) / ((3^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)} * (-x - 1) / ((3^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)} * \text{ellipticF}(\text{asin}((-x - 1) / ((3^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)}), -(3^{(1/2)} * 1i) / 2 + 3/2) / ((3^{(1/2)} * 1i) / 2 - 3/2)) / (((3^{(1/2)} * 1i) / 2 - 1/2) * ((3^{(1/2)} * 1i) / 2 + 1/2) - x * (((3^{(1/2)} * 1i) / 2 - 1/2) * ((3^{(1/2)} * 1i) / 2 + 1/2) + 1) + x^3)^{(1/2)}$

sympy [A] time = 6.19, size = 82, normalized size = 0.57

$$\frac{ix^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{5}{3} \right) x^3}{3\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3}{3\Gamma\left(\frac{4}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x+3**(1/2))/(x**3-1)**(1/2),x)

[Out] I*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3)/(3*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3))

$$3.82 \quad \int \frac{1 + \sqrt{3} + x}{\sqrt{-1 - x^3}} dx$$

Optimal. Leaf size=135

$$\frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (x + 1) \sqrt{\frac{x^2 - x + 1}{(x - \sqrt{3} + 1)^2}} E\left(\sin^{-1}\left(\frac{x + \sqrt{3} + 1}{x - \sqrt{3} + 1}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{x + 1}{(x - \sqrt{3} + 1)^2}} \sqrt{-x^3 - 1}} - \frac{2\sqrt{-x^3 - 1}}{x - \sqrt{3} + 1}$$

[Out] $-2*(-x^3-1)^{(1/2)}/(1+x-3^{(1/2)})+3^{(1/4)}*(1+x)*\text{EllipticE}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1879}

$$\frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (x + 1) \sqrt{\frac{x^2 - x + 1}{(x - \sqrt{3} + 1)^2}} E\left(\sin^{-1}\left(\frac{x + \sqrt{3} + 1}{x - \sqrt{3} + 1}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{x + 1}{(x - \sqrt{3} + 1)^2}} \sqrt{-x^3 - 1}} - \frac{2\sqrt{-x^3 - 1}}{x - \sqrt{3} + 1}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] + x)/Sqrt[-1 - x^3], x]

[Out] $(-2*\text{Sqrt}[-1 - x^3])/(1 - \text{Sqrt}[3] + x) + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*(1 + x)*\text{Sqrt}[(1 - x + x^2)/(1 - \text{Sqrt}[3] + x)^2]*\text{EllipticE}[\text{ArcSin}[(1 + \text{Sqrt}[3] + x)/(1 - \text{Sqrt}[3] + x)], -7 + 4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1 + x)/(1 - \text{Sqrt}[3] + x)^2)]*\text{Sqrt}[-1 - x^3])$

Rule 1879

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1 + \sqrt{3} + x}{\sqrt{-1 - x^3}} dx = -\frac{2\sqrt{-1 - x^3}}{1 - \sqrt{3} + x} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (1 + x) \sqrt{\frac{1 - x + x^2}{(1 - \sqrt{3} + x)^2}} E\left(\sin^{-1}\left(\frac{1 + \sqrt{3} + x}{1 - \sqrt{3} + x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1 + x}{(1 - \sqrt{3} + x)^2}} \sqrt{-1 - x^3}}$$

Mathematica [C] time = 0.03, size = 67, normalized size = 0.50

$$\frac{x\sqrt{x^3 + 1} \left(2(1 + \sqrt{3}) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right) \right)}{2\sqrt{-x^3 - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] + x)/Sqrt[-1 - x^3], x]

[Out] (x*Sqrt[1 + x^3]*(2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] + x*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3]))/(2*Sqrt[-1 - x^3])

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^3 - 1}(x + \sqrt{3} + 1)}{x^3 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3^(1/2))/(-x^3-1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-x^3 - 1)*(x + sqrt(3) + 1)/(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} + 1}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3^(1/2))/(-x^3-1)^(1/2),x, algorithm="giac")

[Out] integrate((x + sqrt(3) + 1)/sqrt(-x^3 - 1), x)

maple [B] time = 0.06, size = 370, normalized size = 2.74

$$\frac{2i\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x - \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \operatorname{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) 2i\sqrt{i}}{3\sqrt{-x^3 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+x*3^(1/2))/(-x^3-1)^(1/2), x)`

[Out] $-2/3 * I * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x+1)/(3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x - 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 - 1)^{(1/2)} * \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) - 2/3 * I * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x+1)/(3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x - 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 - 1)^{(1/2)} * ((3/2 + 1/2 * I * 3^{(1/2)}) * \operatorname{EllipticE}(1/3 * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) - \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) - 2 * I * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x+1)/(3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x - 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 - 1)^{(1/2)} * \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} + 1}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x*3^(1/2))/(-x^3-1)^(1/2), x, algorithm="maxima")`

[Out] `integrate((x + sqrt(3) + 1)/sqrt(-x^3 - 1), x)`

mupad [B] time = 4.91, size = 360, normalized size = 2.67

$$\frac{\sqrt{3} x \sqrt{x^3 + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) 6 \sqrt{x^3 + 1} \sqrt{\frac{x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{1-x + \frac{\sqrt{3} 1i}{2}}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}}\right)\right) \left| -\frac{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}} \right|}{\sqrt{-x^3 - 1} \sqrt{-x^3 - 1} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x + 3^(1/2) + 1)/(- x^3 - 1)^(1/2),x)`

[Out] $(3^{1/2} * x * (x^3 + 1)^{1/2} * \text{hypergeom}([1/3, 1/2], 4/3, -x^3)) / (-x^3 - 1)^{1/2} - (6 * (x^3 + 1)^{1/2} * ((x + (3^{1/2} * 1i) / 2 - 1/2) / ((3^{1/2} * 1i) / 2 - 3/2))^{1/2} * ((x + 1) / ((3^{1/2} * 1i) / 2 + 3/2))^{1/2} * (((3^{1/2} * 1i) / 2 - x + 1/2) / ((3^{1/2} * 1i) / 2 + 3/2))^{1/2} * \text{ellipticE}(\text{asin}(((x + 1) / ((3^{1/2} * 1i) / 2 + 3/2))^{1/2})), -((3^{1/2} * 1i) / 2 + 3/2) / ((3^{1/2} * 1i) / 2 - 3/2)) / ((-x^3 - 1)^{1/2} * (x^3 - x * (((3^{1/2} * 1i) / 2 - 1/2) * ((3^{1/2} * 1i) / 2 + 1/2) + 1) - ((3^{1/2} * 1i) / 2 - 1/2) * ((3^{1/2} * 1i) / 2 + 1/2))^{1/2}) + (6 * (x^3 + 1)^{1/2} * ((x + (3^{1/2} * 1i) / 2 - 1/2) / ((3^{1/2} * 1i) / 2 - 3/2))^{1/2} * ((x + 1) / ((3^{1/2} * 1i) / 2 + 3/2))^{1/2} * \text{ellipticF}(\text{asin}(((x + 1) / ((3^{1/2} * 1i) / 2 + 3/2))^{1/2})), -((3^{1/2} * 1i) / 2 + 3/2) / ((3^{1/2} * 1i) / 2 - 3/2)) / ((-x^3 - 1)^{1/2} * (x^3 - x * (((3^{1/2} * 1i) / 2 - 1/2) * ((3^{1/2} * 1i) / 2 + 1/2) + 1) - ((3^{1/2} * 1i) / 2 - 1/2) * ((3^{1/2} * 1i) / 2 + 1/2))^{1/2}))$

sympy [A] time = 3.58, size = 99, normalized size = 0.73

$$\frac{ix^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} \frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| x^3 e^{i\pi} \right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} \frac{1}{3}, \frac{1}{2} \\ \frac{4}{3} \end{matrix} \middle| x^3 e^{i\pi} \right)}{3\Gamma\left(\frac{4}{3}\right)} - \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} \frac{1}{3}, \frac{1}{2} \\ \frac{4}{3} \end{matrix} \middle| x^3 e^{i\pi} \right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x+3**(1/2))/(-x**3-1)**(1/2),x)`

[Out] $-I * x^{**2} * \text{gamma}(2/3) * \text{hyper}((1/2, 2/3), (5/3,), x^{**3} * \text{exp_polar}(I * \text{pi})) / (3 * \text{gamma}(5/3)) - \text{sqrt}(3) * I * x * \text{gamma}(1/3) * \text{hyper}((1/3, 1/2), (4/3,), x^{**3} * \text{exp_polar}(I * \text{pi})) / (3 * \text{gamma}(4/3)) - I * x * \text{gamma}(1/3) * \text{hyper}((1/3, 1/2), (4/3,), x^{**3} * \text{exp_polar}(I * \text{pi})) / (3 * \text{gamma}(4/3))$

$$3.83 \quad \int \frac{(1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=468

$$\frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right) \sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

[Out] $2*(b*x^3+a)^{(1/2)}/b^{(1/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})-3^{(1/4)*a^{(1/3)*(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}/b^{(1/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)+4*3^{(1/4)*a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}/b^{(1/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 468, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1878, 218, 1877}

$$\frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \middle| -7-4\sqrt{3}\right) \sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[a + b*x^3], x]

[Out] $(2*\text{Sqrt}[a + b*x^3])/b^{(1/3)*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})} - (3^{(1/4)})*\text{Sqrt}[2 - \text{Sqrt}[3])*a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*EllipticE[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 - 4*\text{Sqrt}[3]])/(b^{(1/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3])} + (4*3^{(1/4)})*\text{Sqrt}[2 + \text{Sqrt}[3])*a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3])}$

$$3)x^2)/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2 * \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3})a^{1/3} + b^{1/3}x}{(1 + \sqrt{3})a^{1/3} + b^{1/3}x}], -7 - 4\sqrt{3}]] / (b^{1/3}\sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x))}) / ((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2] * \sqrt{a + b x^3}$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{a + bx^3}} dx = (2\sqrt{3} \sqrt[3]{a}) \int \frac{1}{\sqrt{a + bx^3}} dx + \int \frac{(1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{a + bx^3}} dx$$

$$= \frac{2\sqrt{a + bx^3}}{\sqrt[3]{b} ((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.10, size = 90, normalized size = 0.19

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(2(1 + \sqrt{3}) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + \sqrt[3]{b} x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[a + b*x^3]), x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*(1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a]))/(2*Sqrt[a + b*x^3])

fricas [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{b^{\frac{1}{3}} x + a^{\frac{1}{3}} (\sqrt{3} + 1)}{\sqrt{bx^3 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((b^(1/3)*x + a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}} x + a^{\frac{1}{3}} (\sqrt{3} + 1)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 + a), x)

maple [B] time = 0.27, size = 1003, normalized size = 2.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3+a)^(1/2),x)

[Out]
$$-2/3*I/b^{2/3}*3^{1/2}*(-a*b^2)^{1/3}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*((-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*\text{EllipticE}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})+(-a*b^2)^{1/3}/b*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})) - 2*I*a^{1/3}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}) - 2/3*I*a^{1/3}*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{b^{1/3} x + a^{1/3} (\sqrt{3} + 1)}{\sqrt{b x^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x + a^(1/3)*(3^(1/2) + 1))/(a + b*x^3)^(1/2),x)

[Out] int((b^(1/3)*x + a^(1/3)*(3^(1/2) + 1))/(a + b*x^3)^(1/2), x)

sympy [A] time = 10.49, size = 122, normalized size = 0.26

$$\frac{\sqrt[3]{b} x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{b x^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{b x^3 e^{i\pi}}{a}\right)}{3\sqrt[6]{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{b x^3 e^{i\pi}}{a}\right)}{3\sqrt[6]{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b**(1/3)*x+a**(1/3)*(1+3**(1/2)))/(b*x**3+a)**(1/2),x)

[Out] b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3))

$$3.84 \quad \int \frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{a-bx^3}} dx$$

Optimal. Leaf size=481

$$\frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}F\left(\sin^{-1}\left(\frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7-4\sqrt{3}\right)\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{a-bx^3}}$$

[Out] $-2*(-b*x^3+a)^{(1/2)}/b^{(1/3)}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+3^{(1/4)*a^{(1/3)}}*(a^{(1/3)-b^{(1/3)*x}}*EllipticE((-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)-1/2*2^{(1/2)})}*((a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}/b^{(1/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)-4*3^{(1/4)*a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}}*EllipticF((-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)+1/2*2^{(1/2)})}*((a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}/b^{(1/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 481, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {1878, 218, 1877}

$$\frac{4\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}F\left(\sin^{-1}\left(\frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7-4\sqrt{3}\right)\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{a-bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] $(-2*\text{Sqrt}[a - b*x^3])/b^{(1/3)*((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})} + (3^{(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}}{(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}]}], -7 - 4*\text{Sqrt}[3]])/b^{(1/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x})}]/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{Sqrt}[a - b*x^3]) - (4*3^{(1/4)*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticF}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}}{(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}]}], I*3^{(1/2)+2*I}*(1/2*6^{(1/2)-1/2*2^{(1/2)})}*((a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}/b^{(1/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)-4*3^{(1/4)*a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}}*EllipticF((-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)+1/2*2^{(1/2)})}*((a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}/b^{(1/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}$

$$\frac{1}{3}x^2)/((1 + \sqrt{3})a^{1/3} - b^{1/3}x)^2] * \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3})a^{1/3} - b^{1/3}x}{(1 + \sqrt{3})a^{1/3} - b^{1/3}x}], -7 - 4\sqrt{3}]] / (b^{1/3} \sqrt{(a^{1/3}(a^{1/3} - b^{1/3}x)}) / ((1 + \sqrt{3})a^{1/3} - b^{1/3}x)^2] * \sqrt{a - b x^3})$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt{a - bx^3}} dx = (2\sqrt{3} \sqrt[3]{a}) \int \frac{1}{\sqrt{a - bx^3}} dx + \int \frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt{a - bx^3}} dx$$

$$= -\frac{2\sqrt{a - bx^3}}{\sqrt[3]{b} ((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)} + \frac{\sqrt[3]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.09, size = 91, normalized size = 0.19

$$\frac{x \sqrt{1 - \frac{bx^3}{a}} \left(2(1 + \sqrt{3}) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) - \sqrt[3]{b} x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) \right)}{2\sqrt{a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] (x*Sqrt[1 - (b*x^3)/a]*(2*(1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] - b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/(2*Sqrt[a - b*x^3])

fricas [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{-bx^3 + a} b^{\frac{1}{3}} x - \sqrt{-bx^3 + a} a^{\frac{1}{3}} (\sqrt{3} + 1)}{bx^3 - a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((sqrt(-b*x^3 + a)*b^(1/3)*x - sqrt(-b*x^3 + a)*a^(1/3)*(sqrt(3) + 1))/(b*x^3 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{b^{\frac{1}{3}} x - a^{\frac{1}{3}} (\sqrt{3} + 1)}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate(-(b^(1/3)*x - a^(1/3)*(sqrt(3) + 1))/sqrt(-b*x^3 + a), x)

maple [B] time = 0.29, size = 949, normalized size = 1.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3+a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I/b^{2/3}*3^{1/2}*(a*b^2)^{1/3}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}*b/(a*b^2)^{1/3})^{1/2}/(-b*x^3+a)^{1/2}*((-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*\text{EllipticE}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2},(-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))+1/b*(a*b^2)^{1/3}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2},(-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))+2*I*a^{1/3}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}*b/(a*b^2)^{1/3})^{1/2}/(-b*x^3+a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2},(-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))+2/3*I*a^{1/3}*3^{1/2}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}*b/(a*b^2)^{1/3})^{1/2}/(-b*x^3+a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b)^{1/2},(-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] -integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) + 1))/sqrt(-b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$-\int \frac{b^{1/3} x - a^{1/3} (\sqrt{3} + 1)}{\sqrt{a - b x^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b^(1/3)*x - a^(1/3)*(3^(1/2) + 1))/(a - b*x^3)^(1/2),x)

[Out] -int((b^(1/3)*x - a^(1/3)*(3^(1/2) + 1))/(a - b*x^3)^(1/2), x)

sympy [A] time = 14.66, size = 128, normalized size = 0.27

$$-\frac{\sqrt[3]{b} x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{b x^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{b x^3 e^{2i\pi}}{a}\right)}{3\sqrt[6]{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{b x^3 e^{2i\pi}}{a}\right)}{3\sqrt[6]{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b**(1/3)*x+a**(1/3)*(1+3**(1/2)))/(-b*x**3+a)**(1/2),x)

[Out] -b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*a**(1/6)*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*a**(1/6)*gamma(4/3))

$$3.85 \quad \int \frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{-a+bx^3}} dx$$

Optimal. Leaf size=271

$$\frac{2\sqrt{bx^3-a}}{\sqrt[3]{b}\left((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x\right)} \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}\left(\sqrt[3]{a}-\sqrt[3]{b}x\right)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{\left((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x\right)^2}}E\left(\sin^{-1}\left(\frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\right)-7}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}-\sqrt[3]{b}x\right)}{\left((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x\right)^2}}\sqrt{bx^3-a}}$$

[Out] $2*(b*x^3-a)^{(1/2)}/b^{(1/3)}/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})-3^{(1/4)*a^{(1/3)*}}$
 $(a^{(1/3)-b^{(1/3)*x}*EllipticE((-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})/(-b^{(1/3)*x+}$
 $a^{(1/3)*(1-3^{(1/2)})}),2*I-I*3^{(1/2)})*((a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}$
 $)/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})^2)^{(1/2)*(1/2*6^{(1/2)+1/2*2^{(1/2)})}/b^{(1/$
 $3)/(b*x^3-a)^{(1/2)/(-a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})^2)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1879}

$$\frac{2\sqrt{bx^3-a}}{\sqrt[3]{b}\left((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x\right)} \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}\left(\sqrt[3]{a}-\sqrt[3]{b}x\right)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{\left((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x\right)^2}}E\left(\sin^{-1}\left(\frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\right)-7}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}-\sqrt[3]{b}x\right)}{\left((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x\right)^2}}\sqrt{bx^3-a}}$$

Antiderivative was successfully verified.

[In] Int[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] $(2*\text{Sqrt}[-a + b*x^3])/ (b^{(1/3)}*((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})) - (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}}], -7 + 4*\text{Sqrt}[3]])/(b^{(1/3)}*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x}))/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2])*\text{Sqrt}[-a + b*x^3])$

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + S

```
imp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)]], -7 + 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt{-a + bx^3}} dx = \frac{2\sqrt{-a + bx^3}}{\sqrt[3]{b} ((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x)} - \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x)^2}} E}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b}x)}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x)^2}}}$$

Mathematica [C] time = 0.04, size = 92, normalized size = 0.34

$$\frac{x \sqrt{1 - \frac{bx^3}{a}} \left(2(1 + \sqrt{3}) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) - \sqrt[3]{b}x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) \right)}{2\sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] (x*Sqrt[1 - (b*x^3)/a]*(2*(1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] - b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/(2*Sqrt[-a + b*x^3])

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{bx^3 - a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3-a)^(1/2), x, algorithm="fricas")

[Out] integral(-b^(1/3)*x - a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3-a)^(1/2),x, algorithm="giac")

[Out] integrate(-(b^(1/3)*x - a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 - a), x)

maple [B] time = 0.12, size = 952, normalized size = 3.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3-a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I/b^{2/3}*3^{1/2}*(a*b^2)^{1/3}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(b*x^3-a)^{1/2}*((-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*\text{EllipticE}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2})+1/b*(a*b^2)^{1/3}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2})))+2*I*a^{1/3}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2})*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2})+2/3*I*a^{1/3}*3^{1/2}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2})*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2})) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] -integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) + 1))/sqrt(b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$-\int \frac{b^{1/3}x - a^{1/3}(\sqrt{3} + 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b^(1/3)*x - a^(1/3)*(3^(1/2) + 1))/(b*x^3 - a)^(1/2),x)

[Out] -int((b^(1/3)*x - a^(1/3)*(3^(1/2) + 1))/(b*x^3 - a)^(1/2), x)

sympy [A] time = 9.21, size = 112, normalized size = 0.41

$$\frac{i\sqrt[3]{b}x^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b**(1/3)*x+a**(1/3)*(1+3**(1/2)))/(b*x**3-a)**(1/2),x)

[Out] I*b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*a**(1/6)*gamma(4/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*a**(1/6)*gamma(4/3))

$$3.86 \quad \int \frac{(1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{-a-bx^3}} dx$$

Optimal. Leaf size=266

$$\frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1+\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1-\sqrt{3})\sqrt[3]{a}}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{-a - bx^3}} \frac{2\sqrt{-a - bx^3}}{\sqrt[3]{b} ((1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)}$$

[Out] $-2*(-b*x^3-a)^{(1/2)}/b^{(1/3)}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})+3^{(1/4)*a^{(1/3)}}*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))}),2*I-I*3^{(1/2)})*((a^{(2/3)-a^{(1/3)}*b^{(1/3)*x+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}*(1/2*6^{(1/2)+1/2*2^{(1/2)})}/b^{(1/3)}/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}))$

Rubi [A] time = 0.06, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1879}

$$\frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1+\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1-\sqrt{3})\sqrt[3]{a}}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{-a - bx^3}} \frac{2\sqrt{-a - bx^3}}{\sqrt[3]{b} ((1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)}$$

Antiderivative was successfully verified.

[In] Int[((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] $(-2*\text{Sqrt}[-a - b*x^3])/(b^{(1/3)}*((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3])*a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 + 4*\text{Sqrt}[3]])/(b^{(1/3)}*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2])* \text{Sqrt}[-a - b*x^3])$

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + S

```
imp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/
(1 - Sqrt[3])*s + r*x]^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{-a - bx^3}} dx = -\frac{2\sqrt{-a - bx^3}}{\sqrt[3]{b} ((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.05, size = 93, normalized size = 0.35

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(2(1 + \sqrt{3}) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + \sqrt[3]{b} x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{-a - bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[-a - b*x^3], x]
```

```
[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*(1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)]))/(2*Sqrt[-a - b*x^3])
```

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{\sqrt{-bx^3 - a} b^{\frac{1}{3}} x + \sqrt{-bx^3 - a} a^{\frac{1}{3}} (\sqrt{3} + 1)}{bx^3 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3-a)^(1/2), x, algorithm="fricas")
```

```
[Out] integral(-(sqrt(-b*x^3 - a)*b^(1/3)*x + sqrt(-b*x^3 - a)*a^(1/3)*(sqrt(3) + 1))/(b*x^3 + a), x)
```


giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3-a)^(1/2),x, algorithm="giac")

[Out] integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) + 1))/sqrt(-b*x^3 - a), x)

maple [B] time = 0.11, size = 1012, normalized size = 3.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3-a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I/b^{2/3}*3^{1/2}*(-a*b^2)^{1/3}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2}*((x-(-a*b^2)^{1/3}/b) \\ & /(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2} \\ & /(-b*x^3-a)^{1/2}*((-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*\text{EllipticE}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, \\ & (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})+(-a*b^2)^{1/3}/b*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, \\ & (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})-2*I*a^{1/3}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2} \\ & *((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2} \\ & /(-b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})-2/3*I*a^{1/3}*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2} \\ & *((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2} \\ & /(-b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} + 1)}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) + 1))/sqrt(-b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{b^{1/3}x + a^{1/3}(\sqrt{3} + 1)}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x + a^(1/3)*(3^(1/2) + 1))/(-a - b*x^3)^(1/2),x)

[Out] int((b^(1/3)*x + a^(1/3)*(3^(1/2) + 1))/(-a - b*x^3)^(1/2), x)

sympy [A] time = 8.68, size = 129, normalized size = 0.48

$$\frac{i\sqrt[3]{b}x^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b**(1/3)*x+a**(1/3)*(1+3**(1/2)))/(-b*x**3-a)**(1/2),x)

[Out] -I*b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3))

$$3.87 \quad \int \frac{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{a + bx^3}} dx$$

Optimal. Leaf size=520

$$\frac{2\sqrt{2 + \sqrt{3}} \left((1 + \sqrt{3}) \sqrt[3]{b} - (1 - \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right) - 7}{\sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

[Out] $2*(b/a)^{(1/3)}*(b*x^3+a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-3^{(1/4)}*a^{(1/3)}*(b/a)^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}+2/3*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(-a^{(1/3)}*(b/a)^{(1/3)}*(1-3^{(1/2)})+b^{(1/3)}*(1+3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}*3^{(3/4)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 0.21, antiderivative size = 520, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{2 + \sqrt{3}} \left((1 + \sqrt{3}) \sqrt[3]{b} - (1 - \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right) - 7}{\sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[a + b*x^3], x]

[Out] $(2*(b/a)^{(1/3)}*\text{Sqrt}[a + b*x^3])/(b^{(2/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) - (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)}*(b/a)^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}(((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x))], -7 - 4*\text{Sqrt}[3]))/(b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))])$

```
) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2)*Sqrt[a + b*x^3]) + (
2*Sqrt[2 + Sqrt[3]]*((1 + Sqrt[3])*b^(1/3) - (1 - Sqrt[3])*a^(1/3)*(b/a)^(1
/3))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)
/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(
1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(3
^(1/4)*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3)
+ b^(1/3)*x)^2]*Sqrt[a + b*x^3])
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{a + bx^3}} dx = \frac{\sqrt[3]{\frac{b}{a}} \int \frac{(1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{a + bx^3}} dx}{\sqrt[3]{b}} + \left(1 + \sqrt{3} - \frac{(1 - \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}}}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a + bx^3}} dx$$

$$= \frac{2 \sqrt[3]{\frac{b}{a}} \sqrt{a + bx^3}}{b^{2/3} \left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}}}{b^{2/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}} \sqrt{a}}$$

Mathematica [C] time = 0.05, size = 89, normalized size = 0.17

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(2(1 + \sqrt{3}) {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right) + x \sqrt[3]{\frac{b}{a}} {}_2F_1 \left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) \right)}{2 \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[a + b*x^3], x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a]) + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a])/(2*Sqrt[a + b*x^3])

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{x \left(\frac{b}{a} \right)^{\frac{1}{3}} + \sqrt{3} + 1}{\sqrt{bx^3 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x^3^(1/2))/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((x*(b/a)^(1/3) + sqrt(3) + 1)/sqrt(b*x^3 + a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x+3^(1/2))/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
 i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
 ,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.20, size = 1004, normalized size = 1.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+(1/a*b)^(1/3)*x+3^(1/2))/(b*x^3+a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2})*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2 \\ & *(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2} \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2} \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2},(I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2} \\ & *(-a*b^2)^{1/3}/b)/b)^{1/2})-2/3*I*(1/a*b)^{1/3}*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2} \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2} \\ & *(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2} \\ & /(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})*(-I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2} \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2},(I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2} \\ & *(-a*b^2)^{1/3}/b)/b)^{1/2})*(-a*b^2)^{1/3}/b*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2} \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2},(I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2} \\ & *(-a*b^2)^{1/3}/b)/b)^{1/2})-2*I*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2} \\ & *((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2} \\ & *(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*EllipticF(1/3*3^{1/2} \\ & *(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2},(I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2} \\ & *(-a*b^2)^{1/3}/b)/b)^{1/2}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{3} + 1}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x+3^(1/2))/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((x*(b/a)^(1/3) + sqrt(3) + 1)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{3} + x \left(\frac{b}{a}\right)^{1/3} + 1}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3^(1/2) + x*(b/a)^(1/3) + 1)/(a + b*x^3)^(1/2),x)

[Out] int((3^(1/2) + x*(b/a)^(1/3) + 1)/(a + b*x^3)^(1/2), x)

sympy [A] time = 5.13, size = 124, normalized size = 0.24

$$\frac{x^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)**(1/3)*x+3**(1/2))/(b*x**3+a)**(1/2),x)

[Out] x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3))

$$3.88 \quad \int \frac{1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}} x}{\sqrt{a - bx^3}} dx$$

Optimal. Leaf size=533

$$\frac{2\sqrt{2 + \sqrt{3}} \left((1 + \sqrt{3}) \sqrt[3]{b} - (1 - \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}\right)\right) - 7}{\sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} \sqrt{a - bx^3}}$$

[Out] $-2*(b/a)^{(1/3)}*(-b*x^3+a)^{(1/2)}/b^{(2/3)}/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+3^{(1/4)}*a^{(1/3)}*(b/a)^{(1/3)}*(a^{(1/3)}-b^{(1/3)}*x)*\text{EllipticE}((-b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}+a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/b^{(2/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}-b^{(1/3)}*x)/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-2/3*(a^{(1/3)}-b^{(1/3)}*x)*\text{EllipticF}((-b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)+2*I}*(-a^{(1/3)}*(b/a)^{(1/3)}*(1-3^{(1/2)})+b^{(1/3)}*(1+3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}+a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}*3^{(3/4)}/b^{(2/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}-b^{(1/3)}*x)/(-b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 533, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{2 + \sqrt{3}} \left((1 + \sqrt{3}) \sqrt[3]{b} - (1 - \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}\right)\right) - 7}{\sqrt[4]{3} b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} \sqrt{a - bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] $(-2*(b/a)^{(1/3)}*\text{Sqrt}[a - b*x^3])/(b^{(2/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x)) + (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)}*(b/a)^{(1/3)}*(a^{(1/3)} - b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}(((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x)/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)}*x))], -7 - 4*\text{Sqrt}[3]))/(b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} - b^{(1/3)}*x) - 7 - 4*\text{Sqrt}[3])])$

$$3) - b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2*\text{Sqrt}[a - b*x^3]) - (2*\text{Sqrt}[2 + \text{Sqrt}[3]]*((1 + \text{Sqrt}[3])*b^{(1/3)} - (1 - \text{Sqrt}[3])*a^{(1/3)}*(b/a)^{(1/3}))*a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}))/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(3^{(1/4)}*b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x}))/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{Sqrt}[a - b*x^3])$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)]], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}} x}{\sqrt{a - bx^3}} dx = \frac{\sqrt[3]{\frac{b}{a}} \int \frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt{a - bx^3}} dx}{\sqrt[3]{b}} - \left(-1 - \sqrt{3} + \frac{(1 - \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}}}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a - bx^3}} dx$$

$$= -\frac{2 \sqrt[3]{\frac{b}{a}} \sqrt{a - bx^3}}{b^{2/3} \left((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x \right)} + \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \left(\sqrt[3]{a} - \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{\left((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x \right)^2}}}{b^{2/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} - \sqrt[3]{b} x \right)}{\left((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x \right)^2}} \sqrt{a}}$$

Mathematica [C] time = 0.06, size = 89, normalized size = 0.17

$$\frac{x \sqrt{1 - \frac{bx^3}{a}} \left(x \sqrt[3]{\frac{b}{a}} {}_2F_1 \left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a} \right) - 2(1 + \sqrt{3}) {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a} \right) \right)}{2\sqrt{a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(-2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a])/Sqrt[a - b*x^3]

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{-bx^3 + a} x \left(\frac{b}{a} \right)^{\frac{1}{3}} - \sqrt{-bx^3 + a} (\sqrt{3} + 1)}{bx^3 - a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(-b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((sqrt(-b*x^3 + a)*x*(b/a)^(1/3) - sqrt(-b*x^3 + a)*(sqrt(3) + 1))/(b*x^3 - a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(-b*x^3+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.19, size = 950, normalized size = 1.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-(1/a*b)^(1/3)*x+3^(1/2))/(-b*x^3+a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I*(1/a*b)^{(1/3)}*3^{(1/2)}/b*(a*b^2)^{(1/3)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2 \\ & *I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(a*b^2)^{(1/3)}/b) \\ &)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b))^{(1/2)}*(I*(x+1/2* \\ & (a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b)^{(1/2)} \\ & /(-b*x^3+a)^{(1/2)}*((-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*E \\ & llipticE(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/ \\ & b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b)^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/ \\ & b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}+1/b*(a*b^2)^{(1/3)}*Elliptic \\ & F(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)} \\ & /(-b*x^3+a)^{(1/2)}*((-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b) \\ &)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b))^{(1/2)}+2*I*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(\\ & a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b)^{(1/2)} \\ & *((x-(a*b^2)^{(1/3)}/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b) \\ &)^{(1/2)}*(I*(x+1/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a \\ & *b^2)^{(1/3)}*b)^{(1/2)}/(-b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b \\ & ^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b)^{(1/2)},(\\ & -I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/ \\ & b)/b)^{(1/2)}+2/3*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I \\ & *3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(a*b^2)^{(1/3)}/ \\ & b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b))^{(1/2)}*(I*(x+1/2*(a \\ & *b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b)^{(1/2)} \\ & /(-b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)} \\ & *(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b)^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/ \\ & (-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{3} - 1}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(-b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] -integrate((x*(b/a)^(1/3) - sqrt(3) - 1)/sqrt(-b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{3} - x \left(\frac{b}{a}\right)^{1/3} + 1}{\sqrt{a - bx^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3^(1/2) - x*(b/a)^(1/3) + 1)/(a - b*x^3)^(1/2),x)

[Out] int((3^(1/2) - x*(b/a)^(1/3) + 1)/(a - b*x^3)^(1/2), x)

sympy [A] time = 5.97, size = 129, normalized size = 0.24

$$-\frac{x^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)**(1/3)*x+3**(1/2))/(-b*x**3+a)**(1/2),x)

[Out] -x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(5/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(4/3))

$$3.89 \quad \int \frac{1 + \sqrt{3} - \sqrt{\frac{b}{a}} x}{\sqrt{-a + bx^3}} dx$$

Optimal. Leaf size=256

$$\frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{bx^3 - a} \sqrt[4]{3} \sqrt{2 + \sqrt{3}} \left(1 - x \sqrt{\frac{b}{a}}\right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} + x \sqrt{\frac{b}{a}} + 1}{\left(x \left(-\sqrt{\frac{b}{a}}\right) - \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{-\sqrt{\frac{b}{a}} x + \sqrt{3} + 1}{-\sqrt{\frac{b}{a}} x - \sqrt{3} + 1}\right) \mid -7 + 4\sqrt{3}\right)}{b \left(x \left(-\sqrt{\frac{b}{a}}\right) - \sqrt{3} + 1\right) \sqrt{\frac{b}{a}} \sqrt{-\frac{1 - x \sqrt{\frac{b}{a}}}{\left(x \left(-\sqrt{\frac{b}{a}}\right) - \sqrt{3} + 1\right)^2}} \sqrt{bx^3 - a}}$$

[Out] $2*(b/a)^{(2/3)}*(b*x^3-a)^{(1/2)}/b/((1-(b/a)^{(1/3)}*x-3^{(1/2)})-3^{(1/4)}*(1-(b/a)^{(1/3)}*x)*\text{EllipticE}((1-(b/a)^{(1/3)}*x+3^{(1/2)})/(1-(b/a)^{(1/3)}*x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((1+(b/a)^{(1/3)}*x+(b/a)^{(2/3)}*x^2)/(1-(b/a)^{(1/3)}*x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(b/a)^{(1/3)}/(b*x^3-a)^{(1/2)}/((-1+(b/a)^{(1/3)}*x)/(1-(b/a)^{(1/3)}*x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 256, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {1879}

$$\frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{bx^3 - a} \sqrt[4]{3} \sqrt{2 + \sqrt{3}} \left(1 - x \sqrt{\frac{b}{a}}\right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} + x \sqrt{\frac{b}{a}} + 1}{\left(x \left(-\sqrt{\frac{b}{a}}\right) - \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{-\sqrt{\frac{b}{a}} x + \sqrt{3} + 1}{-\sqrt{\frac{b}{a}} x - \sqrt{3} + 1}\right) \mid -7 + 4\sqrt{3}\right)}{b \left(x \left(-\sqrt{\frac{b}{a}}\right) - \sqrt{3} + 1\right) \sqrt{\frac{b}{a}} \sqrt{-\frac{1 - x \sqrt{\frac{b}{a}}}{\left(x \left(-\sqrt{\frac{b}{a}}\right) - \sqrt{3} + 1\right)^2}} \sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] $(2*(b/a)^{(2/3)}*\text{Sqrt}[-a + b*x^3])/b*(1 - \text{Sqrt}[3] - (b/a)^{(1/3)}*x) - (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*(1 - (b/a)^{(1/3)}*x)*\text{Sqrt}[(1 + (b/a)^{(1/3)}*x + (b/a)^{(2/3)}*x^2)/(1 - \text{Sqrt}[3] - (b/a)^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 + \text{Sqrt}[3] - (b/a)^{(1/3)}*x)/(1 - \text{Sqrt}[3] - (b/a)^{(1/3)}*x)], -7 + 4*\text{Sqrt}[3]])/((b/a)^{(1/3)}*\text{Sqrt}[-((1 - (b/a)^{(1/3)}*x)/(1 - \text{Sqrt}[3] - (b/a)^{(1/3)}*x)^2])* \text{Sqrt}[-a + b*x^3])$

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c}}

```

]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + S
imp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/
(1 - Sqrt[3])*s + r*x]^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sq
rt[3])*s + r*x)], -7 + 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x)
)/((1 - Sqrt[3])*s + r*x)^2)]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] &&
EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

```

Rubi steps

$$\int \frac{1 + \sqrt{3} - \sqrt{\frac{b}{a}}x}{\sqrt{-a + bx^3}} dx = \frac{2\left(\frac{b}{a}\right)^{2/3} \sqrt{-a + bx^3}}{b\left(1 - \sqrt{3} - \sqrt{\frac{b}{a}}x\right)} - \frac{4\sqrt{3} \sqrt{2 + \sqrt{3}} \left(1 - \sqrt{\frac{b}{a}}x\right) \sqrt{\frac{1 + \sqrt{\frac{b}{a}}x + \left(\frac{b}{a}\right)^{2/3} x^2}{\left(1 - \sqrt{3} - \sqrt{\frac{b}{a}}x\right)^2}} E\left(\sin^{-1}\left(\frac{1 + \sqrt{3} - \sqrt{\frac{b}{a}}x}{1 - \sqrt{3} - \sqrt{\frac{b}{a}}x}\right)\right)}{\sqrt{\frac{b}{a}} \sqrt{\frac{1 - \sqrt{\frac{b}{a}}x}{\left(1 - \sqrt{3} - \sqrt{\frac{b}{a}}x\right)^2}} \sqrt{-a + bx^3}}$$

Mathematica [C] time = 0.04, size = 90, normalized size = 0.35

$$\frac{x\sqrt{1 - \frac{bx^3}{a}} \left(x\sqrt{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) - 2(1 + \sqrt{3}) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right)\right)}{2\sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(-2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a])/Sqrt[-a + b*x^3]

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{x\left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{3} - 1}{\sqrt{bx^3 - a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(b*x^3-a)^(1/2), x, algorithm="fricas")

[Out] integral(-(x*(b/a)^(1/3) - sqrt(3) - 1)/sqrt(b*x^3 - a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(b*x^3-a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
 i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
 ,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.10, size = 953, normalized size = 3.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-(1/a*b)^(1/3)*x+3^(1/2))/(b*x^3-a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I*(1/a*b)^{(1/3)}*3^{(1/2)}*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2 \\ & *I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}*((x-(a*b^2)^{(1/3)}/b) \\ &)/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)^{(1/2)}*(I*(x+1/2* \\ & (a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)} \\ &)/(b*x^3-a)^{(1/2)}*((-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*E \\ & llipticE(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/ \\ & b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b- \\ & 1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}+1/b*(a*b^2)^{(1/3)*EllipticF \\ & (1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)} \\ &)/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b- \\ & 1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}+2*I*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a \\ & *b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)} \\ &)*((x-(a*b^2)^{(1/3)}/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)) \\ &)^{(1/2)}*(I*(x+1/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a \\ & *b^2)^{(1/3)*b}^{(1/2)}/(b*x^3-a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2) \\ &)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I \\ & *3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b) \\ &)/b)^{(1/2)}+2/3*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3 \\ & ^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}*((x-(a*b^2)^{(1/3)}/b) \\ &)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)^{(1/2)}*(I*(x+1/2*(a*b \\ & ^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)}/(\\ & b*x^3-a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)} \\ &)*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)*b}^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/ \\ &)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{3} - 1}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x+3^(1/2))/(b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] -integrate((x*(b/a)^(1/3) - sqrt(3) - 1)/sqrt(b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{3} - x \left(\frac{b}{a}\right)^{\frac{1}{3}} + 1}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3^(1/2) - x*(b/a)^(1/3) + 1)/(b*x^3 - a)^(1/2),x)

[Out] int((3^(1/2) - x*(b/a)^(1/3) + 1)/(b*x^3 - a)^(1/2), x)

sympy [A] time = 5.17, size = 114, normalized size = 0.45

$$\frac{ix^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} - \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)**(1/3)*x+3**(1/2))/(b*x**3-a)**(1/2),x)

[Out] I*x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*sqrt(a)*gamma(4/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*sqrt(a)*gamma(4/3))

$$3.90 \quad \int \frac{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{-a - bx^3}} dx$$

Optimal. Leaf size=251

$$\frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \left(x \sqrt[3]{\frac{b}{a}} + 1 \right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} - x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}{\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}\right) \middle| -7 + 4\sqrt{3}\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)^2}} \sqrt{-a - bx^3}} \frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{-a - bx^3}}{b \left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)}$$

[Out] $-2*(b/a)^{(2/3)}*(-b*x^3-a)^{(1/2)}/b/(1+(b/a)^{(1/3)}*x-3^{(1/2)})+3^{(1/4)}*(1+(b/a)^{(1/3)}*x)*\text{EllipticE}((1+(b/a)^{(1/3)}*x+3^{(1/2)})/(1+(b/a)^{(1/3)}*x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((1-(b/a)^{(1/3)}*x+(b/a)^{(2/3)}*x^2)/(1+(b/a)^{(1/3)}*x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(b/a)^{(1/3)}/(-b*x^3-a)^{(1/2)}/((-1-(b/a)^{(1/3)}*x)/(1+(b/a)^{(1/3)}*x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 251, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {1879}

$$\frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \left(x \sqrt[3]{\frac{b}{a}} + 1 \right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} - x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}{\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}\right) \middle| -7 + 4\sqrt{3}\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)^2}} \sqrt{-a - bx^3}} \frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{-a - bx^3}}{b \left(x \sqrt[3]{\frac{b}{a}} - \sqrt{3} + 1\right)}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] $(-2*(b/a)^{(2/3)}*\text{Sqrt}[-a - b*x^3])/(b*(1 - \text{Sqrt}[3] + (b/a)^{(1/3)}*x)) + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*(1 + (b/a)^{(1/3)}*x)*\text{Sqrt}[(1 - (b/a)^{(1/3)}*x + (b/a)^{(2/3)}*x^2)/(1 - \text{Sqrt}[3] + (b/a)^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 + \text{Sqrt}[3] + (b/a)^{(1/3)}*x)/(1 - \text{Sqrt}[3] + (b/a)^{(1/3)}*x)], -7 + 4*\text{Sqrt}[3]])/((b/a)^{(1/3)}*\text{Sqrt}[-((1 + (b/a)^{(1/3)}*x)/(1 - \text{Sqrt}[3] + (b/a)^{(1/3)}*x)^2])* \text{Sqrt}[-a - b*x^3])$

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c

```

]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + S
imp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/
(1 - Sqrt[3])*s + r*x]^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sq
rt[3])*s + r*x)], -7 + 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x)
)/((1 - Sqrt[3])*s + r*x)^2)]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] &&
EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

```

Rubi steps

$$\int \frac{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}}x}{\sqrt{-a - bx^3}} dx = -\frac{2\left(\frac{b}{a}\right)^{2/3} \sqrt{-a - bx^3}}{b\left(1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}x\right)} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \left(1 + \sqrt[3]{\frac{b}{a}}x\right) \sqrt{\frac{1 - \sqrt[3]{\frac{b}{a}}x + \left(\frac{b}{a}\right)^{2/3}x^2}{\left(1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}x\right)^2}} E\left(\sin^{-1}\left(\frac{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}}x}{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}x}\right)\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 + \sqrt[3]{\frac{b}{a}}x}{\left(1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}x\right)^2}} \sqrt{-a - bx^3}}$$

Mathematica [C] time = 0.04, size = 92, normalized size = 0.37

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(2(1 + \sqrt{3}) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + x \sqrt[3]{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{-a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*(1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a]) + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a])/(2*Sqrt[-a - b*x^3])

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{\sqrt{-bx^3 - a} x \left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{-bx^3 - a} (\sqrt{3} + 1)}{bx^3 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x+3^(1/2))/(-b*x^3-a)^(1/2), x, algorithm="fricas")

```
[Out] integral(-(sqrt(-b*x^3 - a))*x*(b/a)^(1/3) + sqrt(-b*x^3 - a)*(sqrt(3) + 1))
/(b*x^3 + a), x)
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+(b/a)^(1/3)*x+3^(1/2))/(-b*x^3-a)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone
```

```
maple [B] time = 0.08, size = 1013, normalized size = 4.04
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1+(1/a*b)^(1/3)*x+3^(1/2))/(-b*x^3-a)^(1/2),x)
```

```
[Out] -2/3*I*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-
a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2
*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2
)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(-
b*x^3-a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1
/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(
1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))-2/3*I
*(1/a*b)^(1/3)*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(
1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/
b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2
*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)
^(1/2)/(-b*x^3-a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3
)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2
)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*
(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b
*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1
/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a
b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))-2*I*(-a*b^2)^(1/3)/
b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^
2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2
)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^
2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(-b*x^3-a)^(1/2)*EllipticF(1/3*
```

$3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3}) / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{3} + 1}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x+3^(1/2))/(-b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((x*(b/a)^(1/3) + sqrt(3) + 1)/sqrt(-b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{3} + x \left(\frac{b}{a}\right)^{1/3} + 1}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3^(1/2) + x*(b/a)^(1/3) + 1)/(-a - b*x^3)^(1/2),x)

[Out] int((3^(1/2) + x*(b/a)^(1/3) + 1)/(-a - b*x^3)^(1/2), x)

sympy [A] time = 6.61, size = 131, normalized size = 0.52

$$\frac{ix^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} - \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)**(1/3)*x+3**(1/2))/(-b*x**3-a)**(1/2),x)

[Out] -I*x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3))

$$3.91 \quad \int \frac{1 - \sqrt{3} + x}{\sqrt{1 + x^3}} dx$$

Optimal. Leaf size=127

$$\frac{2\sqrt{x^3+1}}{x+\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right) \mid -7-4\sqrt{3}\right)}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}}$$

[Out] 2*(x^3+1)^(1/2)/(1+x+3^(1/2))-3^(1/4)*(1+x)*EllipticE((1+x-3^(1/2))/(1+x+3^(1/2)),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((x^2-x+1)/(1+x+3^(1/2)))^2)^(1/2)/(x^3+1)^(1/2)/((1+x)/(1+x+3^(1/2)))^2)^(1/2)

Rubi [A] time = 0.02, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1877}

$$\frac{2\sqrt{x^3+1}}{x+\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right) \mid -7-4\sqrt{3}\right)}{\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] + x)/Sqrt[1 + x^3], x]

[Out] (2*Sqrt[1 + x^3])/(1 + Sqrt[3] + x) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*(1 + x)*Sqrt[(1 - x + x^2)/(1 + Sqrt[3] + x)^2]*EllipticE[ArcSin[(1 - Sqrt[3] + x)/(1 + Sqrt[3] + x)], -7 - 4*Sqrt[3]])/(Sqrt[(1 + x)/(1 + Sqrt[3] + x)^2]*Sqrt[1 + x^3])

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1 - \sqrt{3} + x}{\sqrt{1 + x^3}} dx = \frac{2\sqrt{1 + x^3}}{1 + \sqrt{3} + x} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1 + x) \sqrt{\frac{1 - x + x^2}{(1 + \sqrt{3} + x)^2}} E\left(\sin^{-1}\left(\frac{1 - \sqrt{3} + x}{1 + \sqrt{3} + x}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1 + x}{(1 + \sqrt{3} + x)^2}} \sqrt{1 + x^3}}$$

Mathematica [C] time = 0.03, size = 49, normalized size = 0.39

$$(1 - \sqrt{3}) x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + \frac{1}{2} x^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] + x)/Sqrt[1 + x^3], x]

[Out] (1 - Sqrt[3])*x*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] + (x^2*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3])/2

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3^(1/2))/(x^3+1)^(1/2), x, algorithm="fricas")

[Out] integral((x - sqrt(3) + 1)/sqrt(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3^(1/2))/(x^3+1)^(1/2), x, algorithm="giac")

[Out] integrate((x - sqrt(3) + 1)/sqrt(x^3 + 1), x)

maple [B] time = 0.11, size = 407, normalized size = 3.20

$$\frac{2\left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \text{EllipticF}\left(\sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3} \left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+x-3^(1/2))/(x^3+1)^(1/2),x)`

[Out] $2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*\text{EllipticF}(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))+2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*((-3/2-1/2*I*3^(1/2))*\text{EllipticE}(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))+1/2+1/2*I*3^(1/2))*\text{EllipticF}(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))-2*3^(1/2)*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*\text{EllipticF}(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x-3^(1/2))/(x^3+1)^(1/2),x, algorithm="maxima")`

[Out] `integrate((x - sqrt(3) + 1)/sqrt(x^3 + 1), x)`

mupad [B] time = 0.13, size = 313, normalized size = 2.46

$$-\sqrt{3} x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) - \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}{-\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}} \sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}} \sqrt{\frac{\frac{1}{2}-x+\frac{\sqrt{3} \operatorname{li}}{2}}{\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}}\right)\right) \Big|_{-\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}^{-\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)}} + \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}{-\frac{3}{2}+\frac{\sqrt{3} \operatorname{li}}{2}}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} \operatorname{li}}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x - 3^(1/2) + 1)/(x^3 + 1)^(1/2),x)`

[Out] $(6*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*\text{ellipticF}(\operatorname{asin}(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2)$

/2) - (6*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticE(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)))/(x^3 - x*((3^(1/2)*1i)/2 - 1/2))*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2) - 3^(1/2)*x*hypergeom([1/3, 1/2], 4/3, -x^3)

sympy [A] time = 3.52, size = 92, normalized size = 0.72

$$\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{5}{3} \right) x^3 e^{i\pi}}{3 \Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3 e^{i\pi}}{3 \Gamma\left(\frac{4}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3 e^{i\pi}}{3 \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3**(1/2))/(x**3+1)**(1/2),x)

[Out] x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3)) - sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3))

$$3.92 \quad \int \frac{1 - \sqrt{3} - x}{\sqrt{1 - x^3}} dx$$

Optimal. Leaf size=142

$$\frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1 - x) \sqrt{\frac{x^2 + x + 1}{(-x + \sqrt{3} + 1)^2}} E\left(\sin^{-1}\left(\frac{-x - \sqrt{3} + 1}{-x + \sqrt{3} + 1}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1 - x}{(-x + \sqrt{3} + 1)^2}} \sqrt{1 - x^3}} - \frac{2\sqrt{1 - x^3}}{-x + \sqrt{3} + 1}$$

[Out] $-2*(-x^3+1)^{(1/2)}/(1-x+3^{(1/2)})+3^{(1/4)}*(1-x)*\text{EllipticE}((1-x-3^{(1/2)})/(1-x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x+3^{(1/2)})^2)^{(1/2)}/(-x^3+1)^{(1/2)}/((1-x)/(1-x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$, Rules used = {1877}

$$\frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1 - x) \sqrt{\frac{x^2 + x + 1}{(-x + \sqrt{3} + 1)^2}} E\left(\sin^{-1}\left(\frac{-x - \sqrt{3} + 1}{-x + \sqrt{3} + 1}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1 - x}{(-x + \sqrt{3} + 1)^2}} \sqrt{1 - x^3}} - \frac{2\sqrt{1 - x^3}}{-x + \sqrt{3} + 1}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] - x)/Sqrt[1 - x^3], x]

[Out] $(-2*\text{Sqrt}[1 - x^3])/(1 + \text{Sqrt}[3] - x) + (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*(1 - x)*\text{Sqrt}[(1 + x + x^2)/(1 + \text{Sqrt}[3] - x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3] - x)/(1 + \text{Sqrt}[3] - x)], -7 - 4*\text{Sqrt}[3]])/(\text{Sqrt}[(1 - x)/(1 + \text{Sqrt}[3] - x)^2]*\text{Sqrt}[1 - x^3])$

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1 - \sqrt{3} - x}{\sqrt{1 - x^3}} dx = -\frac{2\sqrt{1 - x^3}}{1 + \sqrt{3} - x} + \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1 - x) \sqrt{\frac{1+x+x^2}{(1+\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1-\sqrt{3}-x}{1+\sqrt{3}-x}\right) \middle| -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(1+\sqrt{3}-x)^2}} \sqrt{1-x^3}}$$

Mathematica [C] time = 0.02, size = 45, normalized size = 0.32

$$(1 - \sqrt{3}) x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) - \frac{1}{2} x^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] - x)/Sqrt[1 - x^3], x]

[Out] (1 - Sqrt[3])*x*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] - (x^2*Hypergeometric2F1[1/2, 2/3, 5/3, x^3])/2

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^3 + 1}(x + \sqrt{3} - 1)}{x^3 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x-3^(1/2))/(-x^3+1)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(-x^3 + 1)*(x + sqrt(3) - 1)/(x^3 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x + \sqrt{3} - 1}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x-3^(1/2))/(-x^3+1)^(1/2), x, algorithm="giac")

[Out] integrate(-(x + sqrt(3) - 1)/sqrt(-x^3 + 1), x)

maple [B] time = 0.11, size = 368, normalized size = 2.59

$$\frac{2i\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x-1}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x + \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \operatorname{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right)}{3\sqrt{-x^3+1}} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-x-3^(1/2))/(-x^3+1)^(1/2),x)`

[Out] $-2/3 * I * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x-1)/(-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x + 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 + 1)^{(1/2)} * \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) + 2/3 * I * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x-1)/(-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x + 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 + 1)^{(1/2)} * ((-3/2 + 1/2 * I * 3^{(1/2)}) * \operatorname{EllipticE}(1/3 * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) + \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) + 2 * I * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x-1)/(-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x + 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 + 1)^{(1/2)} * \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x + \sqrt{3} - 1}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x-3^(1/2))/(-x^3+1)^(1/2),x, algorithm="maxima")`

[Out] `-integrate((x + sqrt(3) - 1)/sqrt(-x^3 + 1), x)`

mupad [B] time = 4.74, size = 343, normalized size = 2.42

$$-\sqrt{3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + \frac{6\sqrt{x^3-1} \sqrt{\frac{x+\frac{1}{2}-\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}\right)\right) \Big|_{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}^{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}{\sqrt{1-x^3} \sqrt{x^3 + \left(-\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right)x + \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x + 3^(1/2) - 1)/(1 - x^3)^(1/2),x)`

[Out] $(6*(x^3 - 1)^{(1/2)}*(-(x - (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 - 3/2))^{(1/2)}*((x + (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*(-(x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*\text{ellipticE}(\text{asin}((-x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}, -((3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2))/((1 - x^3)^{(1/2)}*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) - x*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) + 1) + x^3)^{(1/2)} - 3^{(1/2)}*x*\text{hypergeom}([1/3, 1/2], 4/3, x^3) - (6*(x^3 - 1)^{(1/2)}*(-(x - (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 - 3/2))^{(1/2)}*((x + (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*(-(x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*\text{ellipticF}(\text{asin}((-x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}, -((3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2))/((1 - x^3)^{(1/2)}*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) - x*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) + x^3)^{(1/2)})$

sympy [A] time = 4.39, size = 97, normalized size = 0.68

$$\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} \frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} \frac{1}{3}, \frac{1}{2} \\ \frac{4}{3} \end{matrix} \middle| x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} \frac{1}{3}, \frac{1}{2} \\ \frac{4}{3} \end{matrix} \middle| x^3 e^{2i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x-3**(1/2))/(-x**3+1)**(1/2),x)`

[Out] $-x**2*\text{gamma}(2/3)*\text{hyper}((1/2, 2/3), (5/3,), x**3*\text{exp_polar}(2*I*\text{pi}))/ (3*\text{gamma}(5/3)) - \text{sqrt}(3)*x*\text{gamma}(1/3)*\text{hyper}((1/3, 1/2), (4/3,), x**3*\text{exp_polar}(2*I*\text{pi}))/ (3*\text{gamma}(4/3)) + x*\text{gamma}(1/3)*\text{hyper}((1/3, 1/2), (4/3,), x**3*\text{exp_polar}(2*I*\text{pi}))/ (3*\text{gamma}(4/3))$

$$3.93 \quad \int \frac{1-\sqrt{3}-x}{\sqrt{-1+x^3}} dx$$

Optimal. Leaf size=264

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right) - 4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

[Out] $2*(x^3-1)^{(1/2)}/(1-x-3^{(1/2)})+4*3^{(1/4)}*(1-x)*\text{EllipticF}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)})*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)}/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)}-3^{(1/4)}*(1-x)*\text{EllipticE}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right) - 4\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] - x)/Sqrt[-1 + x^3], x]

[Out] $(2*\text{Sqrt}[-1+x^3])/(1-\text{Sqrt}[3]-x) - (3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*(1-x)*\text{Sqrt}[(1+x+x^2)/(1-\text{Sqrt}[3]-x)^2]*\text{EllipticE}[\text{ArcSin}[(1+\text{Sqrt}[3]-x)/(1-\text{Sqrt}[3]-x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1-x)/(1-\text{Sqrt}[3]-x)^2)]*\text{Sqrt}[-1+x^3]) + (4*3^{(1/4)}*\text{Sqrt}[2-\text{Sqrt}[3]]*(1-x)*\text{Sqrt}[(1+x+x^2)/(1-\text{Sqrt}[3]-x)^2]*\text{EllipticF}[\text{ArcSin}[(1+\text{Sqrt}[3]-x)/(1-\text{Sqrt}[3]-x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1-x)/(1-\text{Sqrt}[3]-x)^2)]*\text{Sqrt}[-1+x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x]

] && NegQ[a]

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)]], -7 + 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 - \sqrt{3} - x}{\sqrt{-1 + x^3}} dx = -\left((2\sqrt{3}) \int \frac{1}{\sqrt{-1 + x^3}} dx \right) + \int \frac{1 + \sqrt{3} - x}{\sqrt{-1 + x^3}} dx$$

$$= \frac{2\sqrt{-1 + x^3}}{1 - \sqrt{3} - x} - \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (1 - x) \sqrt{\frac{1+x+x^2}{(1-\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1+\sqrt{3}-x}{1-\sqrt{3}-x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(1-\sqrt{3}-x)^2}} \sqrt{-1 + x^3}} + \frac{4\sqrt[4]{3} \sqrt{2 - \sqrt{3}}}{\sqrt{-1 + x^3}}$$

Mathematica [C] time = 0.03, size = 63, normalized size = 0.24

$$\frac{x\sqrt{1-x^3} \left(2(\sqrt{3}-1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right) \right)}{2\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - Sqrt[3] - x)/Sqrt[-1 + x^3], x]
```

[Out] $-1/2*(x*\text{Sqrt}[1 - x^3]*(2*(-1 + \text{Sqrt}[3])*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] + x*Hypergeometric2F1[1/2, 2/3, 5/3, x^3]))/\text{Sqrt}[-1 + x^3]$

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x-3^(1/2))/(x^3-1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-(x + sqrt(3) - 1)/sqrt(x^3 - 1), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x-3^(1/2))/(x^3-1)^(1/2),x, algorithm="giac")`

[Out] `integrate(-(x + sqrt(3) - 1)/sqrt(x^3 - 1), x)`

maple [A] time = 0.07, size = 407, normalized size = 1.54

$$\frac{2\left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \text{EllipticF}\left(\sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{\frac{3}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3} \left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1-x-3^(1/2))/(x^3-1)^(1/2),x)`

[Out] $2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))-2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*((3/2-1/2*I*3^(1/2))*\text{EllipticE}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+(-1/2+1/2*I*3^(1/2))*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2),((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)))-2*3^(1/2)*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)$

$$\frac{\sqrt{x+1/2+1/2\sqrt{3}}}{\sqrt{x^3-1}} \operatorname{EllipticF}\left(\frac{x-1}{\sqrt{x^3-1}}, \frac{3\sqrt{3}}{2}\right) - \frac{\sqrt{x+1/2-1/2\sqrt{3}}}{\sqrt{x^3-1}} \operatorname{EllipticF}\left(\frac{x-1}{\sqrt{x^3-1}}, \frac{3\sqrt{3}}{2}\right)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x-3^(1/2))/(x^3-1)^(1/2),x, algorithm="maxima")

[Out] -integrate((x + sqrt(3) - 1)/sqrt(x^3 - 1), x)

mupad [B] time = 4.75, size = 327, normalized size = 1.24

$$\frac{\sqrt{3} x \sqrt{1-x^3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{\sqrt{x^3-1}} + \frac{6 \sqrt{\frac{x+\frac{1}{2}-\frac{\sqrt{3}i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3}i}{2}}{\frac{3}{2}+\frac{\sqrt{3}i}{2}}} \sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}i}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}i}{2}}}\right) \middle| -\frac{\frac{3}{2}+\frac{\sqrt{3}i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}i}{2}}\right)}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right) - 1\right)x + \left(-\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x + 3^(1/2) - 1)/(x^3 - 1)^(1/2),x)

[Out] (6*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticE(asin((-x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*(((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + x^3)^(1/2) - (3^(1/2)*x*(1 - x^3)^(1/2)*hypergeom([1/3, 1/2], 4/3, x^3))/(x^3 - 1)^(1/2) - (6*(-(x - (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + (3^(1/2)*1i)/2 + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(-(x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticF(asin((-x - 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2))/((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) - x*(((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + x^3)^(1/2)

sympy [A] time = 5.72, size = 82, normalized size = 0.31

$$\frac{ix^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-x-3**(1/2))/(x**3-1)**(1/2),x)
```

```
[Out] I*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3)/(3*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3))
```

$$3.94 \quad \int \frac{1-\sqrt{3}+x}{\sqrt{-1-x^3}} dx$$

Optimal. Leaf size=247

$$\frac{\frac{2\sqrt{-x^3-1}}{x-\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} + \frac{\frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}$$

[Out] $-2*(-x^3-1)^{(1/2)}/(1+x-3^{(1/2)})-4*3^{(1/4)}*(1+x)*\text{EllipticF}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}+3^{(1/4)}*(1+x)*\text{EllipticE}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1880, 219, 1879}

$$\frac{\frac{2\sqrt{-x^3-1}}{x-\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} + \frac{\frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] + x)/Sqrt[-1 - x^3], x]

[Out] $(-2*\text{Sqrt}[-1-x^3])/(1-\text{Sqrt}[3]+x) + (3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticE}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3]) - (4*3^{(1/4)}*\text{Sqrt}[2-\text{Sqrt}[3]]*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticF}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x]

] && NegQ[a]

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 - \sqrt{3} + x}{\sqrt{-1 - x^3}} dx = - \left((2\sqrt{3}) \int \frac{1}{\sqrt{-1 - x^3}} dx \right) + \int \frac{1 + \sqrt{3} + x}{\sqrt{-1 - x^3}} dx$$

$$= - \frac{2\sqrt{-1 - x^3}}{1 - \sqrt{3} + x} + \frac{4\sqrt{3} \sqrt{2 + \sqrt{3}} (1 + x) \sqrt{\frac{1 - x + x^2}{(1 - \sqrt{3} + x)^2}} E \left(\sin^{-1} \left(\frac{1 + \sqrt{3} + x}{1 - \sqrt{3} + x} \right) \mid -7 + 4\sqrt{3} \right)}{\sqrt{-\frac{1 + x}{(1 - \sqrt{3} + x)^2}} \sqrt{-1 - x^3}} - \frac{4\sqrt{3} \sqrt{2 + \sqrt{3}}}{\sqrt{-1 - x^3}}$$

Mathematica [C] time = 0.03, size = 67, normalized size = 0.27

$$\frac{x\sqrt{x^3 + 1} \left(x {}_2F_1 \left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3 \right) - 2(\sqrt{3} - 1) {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3 \right) \right)}{2\sqrt{-x^3 - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] + x)/Sqrt[-1 - x^3], x]

[Out] $(x*\text{Sqrt}[1 + x^3]*(-2*(-1 + \text{Sqrt}[3]))*\text{Hypergeometric2F1}[1/3, 1/2, 4/3, -x^3] + x*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, -x^3]))/(2*\text{Sqrt}[-1 - x^3])$

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^3-1}(x-\sqrt{3}+1)}{x^3+1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x-3^(1/2))/(-x^3-1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-x^3 - 1)*(x - sqrt(3) + 1)/(x^3 + 1), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x - \sqrt{3} + 1}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x-3^(1/2))/(-x^3-1)^(1/2),x, algorithm="giac")`

[Out] `integrate((x - sqrt(3) + 1)/sqrt(-x^3 - 1), x)`

maple [A] time = 0.06, size = 370, normalized size = 1.50

$$\frac{2i\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x - \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) + 2i\sqrt{i\left(x - \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)}}{3\sqrt{-x^3-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+x-3^(1/2))/(-x^3-1)^(1/2),x)`

[Out] $-2/3*I*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x+1)/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}*(-I*(x-1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3-1)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)},(I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)})-2/3*I*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x+1)/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}*(-I*(x-1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3-1)^{(1/2)}*((3/2+1/2*I*3^{(1/2)})*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)},(I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)})-\text{EllipticF}(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)},(I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}))+2*I*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x+1)/(3/2+1/2*I$

$\sqrt{3}^{(1/2)})^{(1/2)} * (-I * (x - 1/2 + 1/2 * I * \sqrt{3}^{(1/2)}) * \sqrt{3}^{(1/2)})^{(1/2)} / (-x^3 - 1)^{(1/2)} * \text{EllipticF}(1/3 * \sqrt{3}^{(1/2)} * (I * (x - 1/2 - 1/2 * I * \sqrt{3}^{(1/2)}) * \sqrt{3}^{(1/2)})^{(1/2)}, (I * \sqrt{3}^{(1/2)}) / (3/2 + 1/2 * I * \sqrt{3}^{(1/2)}))^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x - \sqrt{3} + 1}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x*sqrt(3))/(-x^3-1)^(1/2),x, algorithm="maxima")

[Out] integrate((x - sqrt(3) + 1)/sqrt(-x^3 - 1), x)

mupad [B] time = 4.82, size = 361, normalized size = 1.46

$$\frac{\sqrt{3} x \sqrt{x^3 + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right)}{\sqrt{-x^3 - 1}} - \frac{6 \sqrt{x^3 + 1} \sqrt{\frac{x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{\frac{1}{2} - x + \frac{\sqrt{3} 1i}{2}}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} E\left(\text{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}}\right)\right) - \frac{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}}{\sqrt{-x^3 - 1} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x - sqrt(3) + 1)/(-x^3 - 1)^(1/2),x)

[Out] $(6 * (x^3 + 1)^{(1/2)} * ((x + (\sqrt{3}^{(1/2)} * 1i) / 2 - 1/2) / ((\sqrt{3}^{(1/2)} * 1i) / 2 - 3/2))^{(1/2)} * ((x + 1) / ((\sqrt{3}^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)} * (((\sqrt{3}^{(1/2)} * 1i) / 2 - x + 1/2) / ((\sqrt{3}^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)} * \text{ellipticF}(\text{asin}(((x + 1) / ((\sqrt{3}^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)}), -((\sqrt{3}^{(1/2)} * 1i) / 2 + 3/2) / ((\sqrt{3}^{(1/2)} * 1i) / 2 - 3/2))) / ((-x^3 - 1)^{(1/2)} * (x^3 - x * (((\sqrt{3}^{(1/2)} * 1i) / 2 - 1/2) * ((\sqrt{3}^{(1/2)} * 1i) / 2 + 1/2) + 1) - ((\sqrt{3}^{(1/2)} * 1i) / 2 - 1/2) * ((\sqrt{3}^{(1/2)} * 1i) / 2 + 1/2))^{(1/2)}) - (6 * (x^3 + 1)^{(1/2)} * ((x + (\sqrt{3}^{(1/2)} * 1i) / 2 - 1/2) / ((\sqrt{3}^{(1/2)} * 1i) / 2 - 3/2))^{(1/2)} * ((x + 1) / ((\sqrt{3}^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)} * (((\sqrt{3}^{(1/2)} * 1i) / 2 - x + 1/2) / ((\sqrt{3}^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)} * \text{ellipticE}(\text{asin}(((x + 1) / ((\sqrt{3}^{(1/2)} * 1i) / 2 + 3/2))^{(1/2)}), -((\sqrt{3}^{(1/2)} * 1i) / 2 + 3/2) / ((\sqrt{3}^{(1/2)} * 1i) / 2 - 3/2))) / ((-x^3 - 1)^{(1/2)} * (x^3 - x * (((\sqrt{3}^{(1/2)} * 1i) / 2 - 1/2) * ((\sqrt{3}^{(1/2)} * 1i) / 2 + 1/2) + 1) - ((\sqrt{3}^{(1/2)} * 1i) / 2 - 1/2) * ((\sqrt{3}^{(1/2)} * 1i) / 2 + 1/2))^{(1/2)}) - (3^{(1/2)} * x * (x^3 + 1)^{(1/2)} * \text{hypergeom}([1/3, 1/2], 4/3, -x^3)) / (-x^3 - 1)^{(1/2)}$

sympy [A] time = 3.36, size = 97, normalized size = 0.39

$$-\frac{ix^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{5}{3} \right) x^3 e^{i\pi}}{3\Gamma\left(\frac{5}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3 e^{i\pi}}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3 e^{i\pi}}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3**(1/2))/(-x**3-1)**(1/2),x)

[Out] -I*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3))

$$3.95 \quad \int \frac{-1 + \sqrt{3} - x}{\sqrt{1 + x^3}} dx$$

Optimal. Leaf size=126

$$\frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (x + 1) \sqrt{\frac{x^2 - x + 1}{(x + \sqrt{3} + 1)^2}} E\left(\sin^{-1}\left(\frac{x - \sqrt{3} + 1}{x + \sqrt{3} + 1}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{x + 1}{(x + \sqrt{3} + 1)^2}} \sqrt{x^3 + 1}} - \frac{2\sqrt{x^3 + 1}}{x + \sqrt{3} + 1}$$

[Out] $-2*(x^3+1)^{(1/2)}/(1+x+3^{(1/2)})+3^{(1/4)}*(1+x)*\text{EllipticE}((1+x-3^{(1/2)})/(1+x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2-x+1)/(1+x+3^{(1/2)})^2)^{(1/2)}/(x^3+1)^{(1/2)}/((1+x)/(1+x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1877}

$$\frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (x + 1) \sqrt{\frac{x^2 - x + 1}{(x + \sqrt{3} + 1)^2}} E\left(\sin^{-1}\left(\frac{x - \sqrt{3} + 1}{x + \sqrt{3} + 1}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{x + 1}{(x + \sqrt{3} + 1)^2}} \sqrt{x^3 + 1}} - \frac{2\sqrt{x^3 + 1}}{x + \sqrt{3} + 1}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Sqrt[3] - x)/Sqrt[1 + x^3], x]

[Out] $(-2*\text{Sqrt}[1 + x^3])/(1 + \text{Sqrt}[3] + x) + (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*(1 + x)*\text{Sqrt}[(1 - x + x^2)/(1 + \text{Sqrt}[3] + x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3] + x)/(1 + \text{Sqrt}[3] + x)], -7 - 4*\text{Sqrt}[3]])/(\text{Sqrt}[(1 + x)/(1 + \text{Sqrt}[3] + x)^2]*\text{Sqrt}[1 + x^3])$

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{-1 + \sqrt{3} - x}{\sqrt{1 + x^3}} dx = -\frac{2\sqrt{1 + x^3}}{1 + \sqrt{3} + x} + \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1 + x) \sqrt{\frac{1 - x + x^2}{(1 + \sqrt{3} + x)^2}} E\left(\sin^{-1}\left(\frac{1 - \sqrt{3} + x}{1 + \sqrt{3} + x}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1 + x}{(1 + \sqrt{3} + x)^2}} \sqrt{1 + x^3}}$$

Mathematica [C] time = 0.04, size = 47, normalized size = 0.37

$$(\sqrt{3} - 1)x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) - \frac{1}{2}x^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Sqrt[3] - x)/Sqrt[1 + x^3], x]

[Out] (-1 + Sqrt[3])*x*Hypergeometric2F1[1/3, 1/2, 4/3, -x^3] - (x^2*Hypergeometric2F1[1/2, 2/3, 5/3, -x^3])/2

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-x+3^(1/2))/(x^3+1)^(1/2), x, algorithm="fricas")

[Out] integral(-(x - sqrt(3) + 1)/sqrt(x^3 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-x+3^(1/2))/(x^3+1)^(1/2), x, algorithm="giac")

[Out] integrate(-(x - sqrt(3) + 1)/sqrt(x^3 + 1), x)

maple [B] time = 0.07, size = 407, normalized size = 3.23

$$\frac{2\left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \text{EllipticF}\left(\sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3} \left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2}}{-\frac{3}{2}}}}{\sqrt{x^3 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-1-x+3^(1/2))/(x^3+1)^(1/2),x)`

[Out]
$$-2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*\text{EllipticF}(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))-2*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*((-3/2-1/2*I*3^(1/2))*\text{EllipticE}(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))+(1/2+1/2*I*3^(1/2))*\text{EllipticF}(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)))+2*3^(1/2)*(3/2-1/2*I*3^(1/2))*((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2-1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x-1/2+1/2*I*3^(1/2))/(-3/2+1/2*I*3^(1/2)))^(1/2)/(x^3+1)^(1/2)*\text{EllipticF}(((x+1)/(3/2-1/2*I*3^(1/2)))^(1/2),((-3/2+1/2*I*3^(1/2))/(-3/2-1/2*I*3^(1/2)))^(1/2))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x - \sqrt{3} + 1}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1-x+3^(1/2))/(x^3+1)^(1/2),x, algorithm="maxima")`

[Out] `-integrate((x - sqrt(3) + 1)/sqrt(x^3 + 1), x)`

mupad [B] time = 4.82, size = 312, normalized size = 2.48

$$\sqrt{3} x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3}}{2}i}{-\frac{3}{2}+\frac{\sqrt{3}}{2}i}} \sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3}}{2}i}} \sqrt{\frac{\frac{1}{2}-x+\frac{\sqrt{3}}{2}i}{\frac{3}{2}+\frac{\sqrt{3}}{2}i}} E\left(\text{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2}+\frac{\sqrt{3}}{2}i}}\right)\right) - \frac{\frac{3}{2}+\frac{\sqrt{3}}{2}i}{-\frac{3}{2}+\frac{\sqrt{3}}{2}i}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}}{2}i\right)\left(\frac{1}{2} + \frac{\sqrt{3}}{2}i\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3}}{2}i\right)\left(\frac{1}{2} + \frac{\sqrt{3}}{2}i\right)}} - \frac{6 \sqrt{\frac{x-\frac{1}{2}+\frac{\sqrt{3}}{2}i}{-\frac{3}{2}+\frac{\sqrt{3}}{2}i}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}}{2}i\right)\left(\frac{1}{2} + \frac{\sqrt{3}}{2}i\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3}}{2}i\right)\left(\frac{1}{2} + \frac{\sqrt{3}}{2}i\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x - 3^(1/2) + 1)/(x^3 + 1)^(1/2),x)`

[Out]
$$3^(1/2)*x*\text{hypergeom}([1/3, 1/2], 4/3, -x^3) + (6*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*\text{ellipticE}(\text{asin}(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)))/(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 + 3/2)$$

$$\begin{aligned} & \left(\frac{1}{2}i\right)/2 - 1/2) * ((3^{(1/2)}i)/2 + 1/2))^{(1/2)} - (6 * ((x + (3^{(1/2)}i)/2 \\ & - 1/2) / ((3^{(1/2)}i)/2 - 3/2))^{(1/2)} * ((x + 1) / ((3^{(1/2)}i)/2 + 3/2))^{(1/2)} \\ & * (((3^{(1/2)}i)/2 - x + 1/2) / ((3^{(1/2)}i)/2 + 3/2))^{(1/2)} * \text{ellipticF}(\text{asin}((\\ & (x + 1) / ((3^{(1/2)}i)/2 + 3/2))^{(1/2)}, -((3^{(1/2)}i)/2 + 3/2) / ((3^{(1/2)}i) \\ & i)/2 - 3/2))) / (x^3 - x * (((3^{(1/2)}i)/2 - 1/2) * ((3^{(1/2)}i)/2 + 1/2) + 1) \\ & - ((3^{(1/2)}i)/2 - 1/2) * ((3^{(1/2)}i)/2 + 1/2))^{(1/2)} \end{aligned}$$

sympy [A] time = 3.30, size = 92, normalized size = 0.73

$$\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{5}{3} \right) x^3 e^{i\pi}}{3 \Gamma\left(\frac{5}{3}\right)} - \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3 e^{i\pi}}{3 \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3 e^{i\pi}}{3 \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-x+3**(1/2))/(x**3+1)**(1/2),x)

[Out] -x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3)) - x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) + sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3))

$$3.96 \quad \int \frac{-1 + \sqrt{3} + x}{\sqrt{1 - x^3}} dx$$

Optimal. Leaf size=143

$$\frac{2\sqrt{1-x^3}}{-x + \sqrt{3} + 1} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1-x) \sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}} \sqrt{1-x^3}}$$

[Out] 2*(-x^3+1)^(1/2)/(1-x+3^(1/2))-3^(1/4)*(1-x)*EllipticE((1-x-3^(1/2))/(1-x+3^(1/2)),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((x^2+x+1)/(1-x+3^(1/2)))^2)^(1/2)/(-x^3+1)^(1/2)/((1-x)/(1-x+3^(1/2)))^2)^(1/2)

Rubi [A] time = 0.02, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1877}

$$\frac{2\sqrt{1-x^3}}{-x + \sqrt{3} + 1} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1-x) \sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}} E\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}} \sqrt{1-x^3}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Sqrt[3] + x)/Sqrt[1 - x^3], x]

[Out] (2*Sqrt[1 - x^3])/(1 + Sqrt[3] - x) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*(1 - x)*Sqrt[(1 + x + x^2)/(1 + Sqrt[3] - x)^2]*EllipticE[ArcSin[(1 - Sqrt[3] - x)/(1 + Sqrt[3] - x)], -7 - 4*Sqrt[3]])/(Sqrt[(1 - x)/(1 + Sqrt[3] - x)^2]*Sqrt[1 - x^3])

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{-1 + \sqrt{3} + x}{\sqrt{1 - x^3}} dx = \frac{2\sqrt{1 - x^3}}{1 + \sqrt{3} - x} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} (1 - x) \sqrt{\frac{1+x+x^2}{(1+\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1-\sqrt{3}-x}{1+\sqrt{3}-x}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(1+\sqrt{3}-x)^2}} \sqrt{1 - x^3}}$$

Mathematica [C] time = 0.01, size = 43, normalized size = 0.30

$$\frac{1}{2}x \left(2(\sqrt{3} - 1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Sqrt[3] + x)/Sqrt[1 - x^3], x]

[Out] (x*(2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, x^3] + x*Hypergeometric2F1[1/2, 2/3, 5/3, x^3]))/2

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^3 + 1}(x + \sqrt{3} - 1)}{x^3 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x*3^(1/2))/(-x^3+1)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-x^3 + 1)*(x + sqrt(3) - 1)/(x^3 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} - 1}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x + sqrt(3) - 1)/sqrt(-x^3 + 1), x, algorithm="giac")

[Out] integrate((x + sqrt(3) - 1)/sqrt(-x^3 + 1), x)

maple [B] time = 0.06, size = 368, normalized size = 2.57

$$\frac{2i\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x-1}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x + \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \operatorname{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) 2i\sqrt{3}}{3\sqrt{-x^3+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-1+x+3^(1/2))/(-x^3+1)^(1/2),x)`

[Out] $2/3 * I * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x - 1) / (-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x + 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 + 1)^{(1/2)} * \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) - 2/3 * I * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x - 1) / (-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x + 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 + 1)^{(1/2)} * ((-3/2 + 1/2 * I * 3^{(1/2)}) * \operatorname{EllipticE}(1/3 * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) + \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)}) - 2 * I * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} * ((x - 1) / (-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)} * (-I * (x + 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 + 1)^{(1/2)} * \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (-3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} - 1}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+x+3^(1/2))/(-x^3+1)^(1/2),x, algorithm="maxima")`

[Out] `integrate((x + sqrt(3) - 1)/sqrt(-x^3 + 1), x)`

mupad [B] time = 0.05, size = 342, normalized size = 2.39

$$\sqrt{3} x {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) - \frac{6\sqrt{x^3-1} \sqrt{\frac{x+\frac{1}{2}-\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}\right) \middle| -\frac{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}\right)}{\sqrt{1-x^3} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right)x + \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x + 3^(1/2) - 1)/(1 - x^3)^(1/2),x)`

[Out] $3^{1/2}x \operatorname{hypergeom}\left(\left[\frac{1}{3}, \frac{1}{2}\right], \frac{4}{3}, x^3\right) - \frac{6(x^3 - 1)^{1/2}(-x - (3^{1/2}i)/2 + 1/2)}{((3^{1/2}i)/2 - 3/2)^{1/2}} \frac{(x + (3^{1/2}i)/2 + 1/2)}{((3^{1/2}i)/2 + 3/2)^{1/2}} \frac{(-x - 1)}{((3^{1/2}i)/2 + 3/2)^{1/2}} \operatorname{ellipticE}\left(\operatorname{asin}\left(\frac{-x - 1}{((3^{1/2}i)/2 + 3/2)^{1/2}}\right), -\frac{((3^{1/2}i)/2 + 3/2)}{((3^{1/2}i)/2 - 3/2)}\right) \frac{1}{((1 - x^3)^{1/2} \frac{((3^{1/2}i)/2 - 1/2) \frac{((3^{1/2}i)/2 + 1/2) - x \frac{((3^{1/2}i)/2 - 1/2) \frac{((3^{1/2}i)/2 + 1/2) + 1}{x^3} + x^3}{(3^{1/2}i)/2 - 3/2}}^{1/2}} \frac{(x + (3^{1/2}i)/2 + 1/2)}{((3^{1/2}i)/2 + 3/2)^{1/2}} \frac{(-x - 1)}{((3^{1/2}i)/2 + 3/2)^{1/2}} \operatorname{ellipticF}\left(\operatorname{asin}\left(\frac{-x - 1}{((3^{1/2}i)/2 + 3/2)^{1/2}}\right), -\frac{((3^{1/2}i)/2 + 3/2)}{((3^{1/2}i)/2 - 3/2)}\right) \frac{1}{((1 - x^3)^{1/2} \frac{((3^{1/2}i)/2 - 1/2) \frac{((3^{1/2}i)/2 + 1/2) - x \frac{((3^{1/2}i)/2 - 1/2) \frac{((3^{1/2}i)/2 + 1/2) + 1}{x^3} + x^3}{(3^{1/2}i)/2 - 1/2}}^{1/2}} \frac{((3^{1/2}i)/2 + 1/2) + 1}{x^3} + x^3)^{1/2}$

sympy [A] time = 4.89, size = 97, normalized size = 0.68

$$\frac{x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{5}{3} \right) x^3 e^{2i\pi}}{3\Gamma\left(\frac{5}{3}\right)} - \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3 e^{2i\pi}}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3 e^{2i\pi}}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+x+3**(1/2))/(-x**3+1)**(1/2),x)`

[Out] $x^2 \Gamma\left(\frac{2}{3}\right) \operatorname{hyper}\left(\left(\frac{1}{2}, \frac{2}{3}\right), \left(\frac{5}{3},\right), x^3 \exp_{\text{polar}}(2i\pi)\right) / (3\Gamma\left(\frac{5}{3}\right)) - x \Gamma\left(\frac{1}{3}\right) \operatorname{hyper}\left(\left(\frac{1}{3}, \frac{1}{2}\right), \left(\frac{4}{3},\right), x^3 \exp_{\text{polar}}(2i\pi)\right) / (3\Gamma\left(\frac{4}{3}\right)) + \sqrt{3} x \Gamma\left(\frac{1}{3}\right) \operatorname{hyper}\left(\left(\frac{1}{3}, \frac{1}{2}\right), \left(\frac{4}{3},\right), x^3 \exp_{\text{polar}}(2i\pi)\right) / (3\Gamma\left(\frac{4}{3}\right))$

$$3.97 \quad \int \frac{-1 + \sqrt{3} + x}{\sqrt{-1 + x^3}} dx$$

Optimal. Leaf size=263

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \middle| -7+4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

[Out] $-2*(x^3-1)^{(1/2)}/(1-x-3^{(1/2)})-4*3^{(1/4)}*(1-x)*\text{EllipticF}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)})*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)}/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)}+3^{(1/4)}*(1-x)*\text{EllipticE}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)}*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)})$

Rubi [A] time = 0.05, antiderivative size = 263, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{x^3-1}}{-x-\sqrt{3}+1} - \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right) \middle| -7+4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Sqrt[3] + x)/Sqrt[-1 + x^3], x]

[Out] $(-2*\text{Sqrt}[-1 + x^3])/(1 - \text{Sqrt}[3] - x) + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]])*(1 - x)*\text{Sqrt}[(1 + x + x^2)/(1 - \text{Sqrt}[3] - x)^2]*\text{EllipticE}[\text{ArcSin}[(1 + \text{Sqrt}[3] - x)/(1 - \text{Sqrt}[3] - x)], -7 + 4*\text{Sqrt}[3]]/(\text{Sqrt}[-((1 - x)/(1 - \text{Sqrt}[3] - x)^2)]*\text{Sqrt}[-1 + x^3]) - (4*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]])*(1 - x)*\text{Sqrt}[(1 + x + x^2)/(1 - \text{Sqrt}[3] - x)^2]*\text{EllipticF}[\text{ArcSin}[(1 + \text{Sqrt}[3] - x)/(1 - \text{Sqrt}[3] - x)], -7 + 4*\text{Sqrt}[3]]/(\text{Sqrt}[-((1 - x)/(1 - \text{Sqrt}[3] - x)^2)]*\text{Sqrt}[-1 + x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x]

] && NegQ[a]

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)]], -7 + 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{-1 + \sqrt{3} + x}{\sqrt{-1 + x^3}} dx = (2\sqrt{3}) \int \frac{1}{\sqrt{-1 + x^3}} dx - \int \frac{1 + \sqrt{3} - x}{\sqrt{-1 + x^3}} dx$$

$$= -\frac{2\sqrt{-1 + x^3}}{1 - \sqrt{3} - x} + \frac{4\sqrt{3} \sqrt{2 + \sqrt{3}} (1 - x) \sqrt{\frac{1+x+x^2}{(1-\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1+\sqrt{3}-x}{1-\sqrt{3}-x}\right) \mid -7 + 4\sqrt{3}\right) - 4\sqrt{3} \sqrt{-\frac{1-x}{(1-\sqrt{3}-x)^2}} \sqrt{-1 + x^3}}{\sqrt{-\frac{1-x}{(1-\sqrt{3}-x)^2}} \sqrt{-1 + x^3}}$$

Mathematica [C] time = 0.02, size = 63, normalized size = 0.24

$$\frac{x\sqrt{1-x^3} \left(2(\sqrt{3}-1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right) \right)}{2\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Sqrt[3] + x)/Sqrt[-1 + x^3], x]

[Out] $(x\sqrt{1-x^3}*(2*(-1+\sqrt{3}))*\text{Hypergeometric2F1}[1/3, 1/2, 4/3, x^3] + x*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, x^3]))/(2*\sqrt{-1+x^3})$

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+x+3^(1/2))/(x^3-1)^(1/2),x, algorithm="fricas")`

[Out] `integral((x + sqrt(3) - 1)/sqrt(x^3 - 1), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1+x+3^(1/2))/(x^3-1)^(1/2),x, algorithm="giac")`

[Out] `integrate((x + sqrt(3) - 1)/sqrt(x^3 - 1), x)`

maple [A] time = 0.06, size = 407, normalized size = 1.55

$$\frac{2\left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right)\sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\sqrt{\frac{x+\frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\sqrt{\frac{x+\frac{1}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\text{EllipticF}\left(\sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{\frac{3}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\sqrt{3}\left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right)\sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-1+x+3^(1/2))/(x^3-1)^(1/2),x)`

[Out] $-2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2), ((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+2*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*((3/2-1/2*I*3^(1/2))*\text{EllipticE}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2), ((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+(-1/2+1/2*I*3^(1/2))*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2), ((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+2*3^(1/2)*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*$

$(3^{1/2})/((3/2-1/2*I*3^{1/2}))^{1/2}*((x+1/2+1/2*I*3^{1/2})/((3/2+1/2*I*3^{1/2}))^{1/2})/((x^3-1)^{1/2})*EllipticF(((x-1)/((-3/2-1/2*I*3^{1/2}))^{1/2}),((3/2+1/2*I*3^{1/2})/((3/2-1/2*I*3^{1/2}))^{1/2}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} - 1}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x*3^(1/2))/(x^3-1)^(1/2),x, algorithm="maxima")

[Out] integrate((x + sqrt(3) - 1)/sqrt(x^3 - 1), x)

mupad [B] time = 0.06, size = 326, normalized size = 1.24

$$\frac{\sqrt{3} x \sqrt{1-x^3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{\sqrt{x^3-1}} - \frac{6 \sqrt{-\frac{x+\frac{1}{2}-\frac{\sqrt{3}1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3}1i}{2}}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} \sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}} E\left(\operatorname{asin}\left(\sqrt{\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}\right)\right) \Big|_{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}^{-\frac{3}{2}+\frac{\sqrt{3}1i}{2}}}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right) - 1\right) x + \left(-\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 3^(1/2) - 1)/(x^3 - 1)^(1/2),x)

[Out] $(3^{1/2}) * x * (1 - x^3)^{1/2} * \operatorname{hypergeom}\left(\left[\frac{1}{3}, \frac{1}{2}\right], \frac{4}{3}, x^3\right) / (x^3 - 1)^{1/2} - (6 * (-x - (3^{1/2} * 1i) / 2 + 1/2) / ((3^{1/2} * 1i) / 2 - 3/2))^{1/2} * ((x + (3^{1/2} * 1i) / 2 + 1/2) / ((3^{1/2} * 1i) / 2 + 3/2))^{1/2} * (-x - 1) / ((3^{1/2} * 1i) / 2 + 3/2))^{1/2} * \operatorname{ellipticE}\left(\operatorname{asin}\left(-x - 1 / ((3^{1/2} * 1i) / 2 + 3/2)\right)^{1/2}\right), -((3^{1/2} * 1i) / 2 + 3/2) / ((3^{1/2} * 1i) / 2 - 3/2)) / (((3^{1/2} * 1i) / 2 - 1/2) * ((3^{1/2} * 1i) / 2 + 1/2) - x * (((3^{1/2} * 1i) / 2 - 1/2) * ((3^{1/2} * 1i) / 2 + 1/2) + 1) + x^3)^{1/2} + (6 * (-x - (3^{1/2} * 1i) / 2 + 1/2) / ((3^{1/2} * 1i) / 2 - 3/2))^{1/2} * ((x + (3^{1/2} * 1i) / 2 + 1/2) / ((3^{1/2} * 1i) / 2 + 3/2))^{1/2} * (-x - 1) / ((3^{1/2} * 1i) / 2 + 3/2))^{1/2} * \operatorname{ellipticF}\left(\operatorname{asin}\left(-x - 1 / ((3^{1/2} * 1i) / 2 + 3/2)\right)^{1/2}\right), -((3^{1/2} * 1i) / 2 + 3/2) / ((3^{1/2} * 1i) / 2 - 3/2)) / (((3^{1/2} * 1i) / 2 - 1/2) * ((3^{1/2} * 1i) / 2 + 1/2) - x * (((3^{1/2} * 1i) / 2 - 1/2) * ((3^{1/2} * 1i) / 2 + 1/2) + 1) + x^3)^{1/2}$

sympy [A] time = 3.16, size = 82, normalized size = 0.31

$$-\frac{ix^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right)}{3\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right)}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+x+3**(1/2))/(x**3-1)**(1/2),x)
```

```
[Out] -I*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3)/(3*gamma(5/3)) - sqrt(3)
*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3)) + I*x*gamma(
1/3)*hyper((1/3, 1/2), (4/3,), x**3)/(3*gamma(4/3))
```

$$3.98 \quad \int \frac{-1 + \sqrt{3} - x}{\sqrt{-1 - x^3}} dx$$

Optimal. Leaf size=248

$$\frac{2\sqrt{-x^3-1}}{x-\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} - \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}$$

[Out] $2*(-x^3-1)^{(1/2)}/(1+x-3^{(1/2)})+4*3^{(1/4)}*(1+x)*\text{EllipticF}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}-3^{(1/4)}*(1+x)*\text{EllipticE}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{-x^3-1}}{x-\sqrt{3}+1} + \frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}} F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right) \mid -7+4\sqrt{3}\right)}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} - \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}}{\sqrt{-\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Sqrt[3] - x)/Sqrt[-1 - x^3], x]

[Out] $(2*\text{Sqrt}[-1-x^3])/(1-\text{Sqrt}[3]+x) - (3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticE}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3]) + (4*3^{(1/4)}*\text{Sqrt}[2-\text{Sqrt}[3]]*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticF}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x]

] && NegQ[a]

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x]] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{-1 + \sqrt{3} - x}{\sqrt{-1 - x^3}} dx = (2\sqrt{3}) \int \frac{1}{\sqrt{-1 - x^3}} dx - \int \frac{1 + \sqrt{3} + x}{\sqrt{-1 - x^3}} dx$$

$$= \frac{2\sqrt{-1 - x^3}}{1 - \sqrt{3} + x} - \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} (1 + x) \sqrt{\frac{1-x+x^2}{(1-\sqrt{3}+x)^2}} E\left(\sin^{-1}\left(\frac{1+\sqrt{3}+x}{1-\sqrt{3}+x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1+x}{(1-\sqrt{3}+x)^2}} \sqrt{-1 - x^3}} + \frac{4\sqrt[4]{3} \sqrt{2 + \sqrt{3}}}{\sqrt{-1 - x^3}}$$

Mathematica [C] time = 0.02, size = 67, normalized size = 0.27

$$\frac{x\sqrt{x^3+1} \left(x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right) - 2(\sqrt{3}-1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) \right)}{2\sqrt{-x^3-1}}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Sqrt[3] - x)/Sqrt[-1 - x^3], x]

[Out] $-1/2*(x*\text{Sqrt}[1 + x^3]*(-2*(-1 + \text{Sqrt}[3])*\text{Hypergeometric2F1}[1/3, 1/2, 4/3, -x^3] + x*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, -x^3]))/\text{Sqrt}[-1 - x^3]$

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^3-1}(x-\sqrt{3}+1)}{x^3+1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1-x+3^(1/2))/(-x^3-1)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(-x^3 - 1)*(x - sqrt(3) + 1)/(x^3 + 1), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x-\sqrt{3}+1}{\sqrt{-x^3-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-1-x+3^(1/2))/(-x^3-1)^(1/2),x, algorithm="giac")`

[Out] `integrate(-(x - sqrt(3) + 1)/sqrt(-x^3 - 1), x)`

maple [A] time = 0.06, size = 370, normalized size = 1.49

$$\frac{2i\sqrt{3} \sqrt{i\left(x-\frac{1}{2}-\frac{i\sqrt{3}}{2}\right)}\sqrt{3} \sqrt{\frac{x+1}{\frac{3}{2}+\frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x-\frac{1}{2}+\frac{i\sqrt{3}}{2}\right)}\sqrt{3} \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x-\frac{1}{2}-\frac{i\sqrt{3}}{2}\right)}\sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{\frac{3}{2}+\frac{i\sqrt{3}}{2}}}\right) 2i\sqrt{i\left(x-\frac{1}{2}-\frac{i\sqrt{3}}{2}\right)}}{3\sqrt{-x^3-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-1-x+3^(1/2))/(-x^3-1)^(1/2),x)`

[Out] $2/3*I*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x+1)/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}*(-I*(x-1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3-1)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, (I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)})+2/3*I*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x+1)/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}*(-I*(x-1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3-1)^{(1/2)}*((3/2+1/2*I*3^{(1/2)})*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, (I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)})-\text{EllipticF}(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, (I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)})-2*I*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x+1)/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}$

$3^{(1/2)})^{(1/2)} * (-I * (x - 1/2 + 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)} / (-x^3 - 1)^{(1/2)} * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x - 1/2 - 1/2 * I * 3^{(1/2)}) * 3^{(1/2)})^{(1/2)}, (I * 3^{(1/2)} / (3/2 + 1/2 * I * 3^{(1/2)}))^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{x - \sqrt{3} + 1}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-x+3^(1/2))/(-x^3-1)^(1/2),x, algorithm="maxima")

[Out] -integrate((x - sqrt(3) + 1)/sqrt(-x^3 - 1), x)

mupad [B] time = 4.90, size = 360, normalized size = 1.45

$$\frac{\sqrt{3} x \sqrt{x^3 + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right)}{\sqrt{-x^3 - 1}} + \frac{6 \sqrt{x^3 + 1} \sqrt{\frac{x - \frac{1}{2} + \frac{\sqrt{3} i i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} i i}{2}}} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} i i}{2}}} \sqrt{\frac{\frac{1}{2} - x + \frac{\sqrt{3} i i}{2}}{\frac{3}{2} + \frac{\sqrt{3} i i}{2}}} E\left(\text{asin}\left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} i i}{2}}}\right)\right) - \frac{\frac{3}{2} + \frac{\sqrt{3} i i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} i i}{2}}}{\sqrt{-x^3 - 1} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} i i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} i i}{2}\right) - 1\right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} i i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} i i}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x - 3^(1/2) + 1)/(- x^3 - 1)^(1/2),x)

[Out] $(3^{(1/2)} * x * (x^3 + 1)^{(1/2)} * \text{hypergeom}([1/3, 1/2], 4/3, -x^3)) / (-x^3 - 1)^{(1/2)} + (6 * (x^3 + 1)^{(1/2)} * ((x + (3^{(1/2)} * i i) / 2 - 1/2) / ((3^{(1/2)} * i i) / 2 - 3/2))^{(1/2)} * ((x + 1) / ((3^{(1/2)} * i i) / 2 + 3/2))^{(1/2)} * (((3^{(1/2)} * i i) / 2 - x + 1/2) / ((3^{(1/2)} * i i) / 2 + 3/2))^{(1/2)} * \text{ellipticE}(\text{asin}(((x + 1) / ((3^{(1/2)} * i i) / 2 + 3/2))^{(1/2)}), -((3^{(1/2)} * i i) / 2 + 3/2) / ((3^{(1/2)} * i i) / 2 - 3/2))) / ((-x^3 - 1)^{(1/2)} * (x^3 - x * (((3^{(1/2)} * i i) / 2 - 1/2) * ((3^{(1/2)} * i i) / 2 + 1/2) + 1) - ((3^{(1/2)} * i i) / 2 - 1/2) * ((3^{(1/2)} * i i) / 2 + 1/2))^{(1/2)}) - (6 * (x^3 + 1)^{(1/2)} * ((x + (3^{(1/2)} * i i) / 2 - 1/2) / ((3^{(1/2)} * i i) / 2 - 3/2))^{(1/2)} * ((x + 1) / ((3^{(1/2)} * i i) / 2 + 3/2))^{(1/2)} * (((3^{(1/2)} * i i) / 2 - x + 1/2) / ((3^{(1/2)} * i i) / 2 + 3/2))^{(1/2)} * \text{ellipticF}(\text{asin}(((x + 1) / ((3^{(1/2)} * i i) / 2 + 3/2))^{(1/2)}), -((3^{(1/2)} * i i) / 2 + 3/2) / ((3^{(1/2)} * i i) / 2 - 3/2))) / ((-x^3 - 1)^{(1/2)} * (x^3 - x * (((3^{(1/2)} * i i) / 2 - 1/2) * ((3^{(1/2)} * i i) / 2 + 1/2) + 1) - ((3^{(1/2)} * i i) / 2 - 1/2) * ((3^{(1/2)} * i i) / 2 + 1/2))^{(1/2)})$

sympy [A] time = 5.22, size = 97, normalized size = 0.39

$$\frac{ix^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{5}{3} \right) x^3 e^{i\pi}}{3\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3 e^{i\pi}}{3\Gamma\left(\frac{4}{3}\right)} + \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3 e^{i\pi}}{3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1-x+3**(1/2))/(-x**3-1)**(1/2),x)

[Out] I*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3)) - sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) + I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3))

$$3.99 \quad \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=256

$$\frac{2\sqrt{a+bx^3}}{\sqrt[3]{b}((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

[Out] $2*(b*x^3+a)^{(1/2)}/b^{(1/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})-3^{(1/4)*a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)}))})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)})*b^{(1/3)*x+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}/b^{(1/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 256, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$, Rules used = {1877}

$$\frac{2\sqrt{a+bx^3}}{\sqrt[3]{b}((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[a + b*x^3], x]

[Out] $(2*\text{Sqrt}[a + b*x^3])/(b^{(1/3)*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})} - (3^{(1/4)})*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 - 4*\text{Sqrt}[3]])/(b^{(1/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3])$

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S

```
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{a + bx^3}} dx = \frac{2\sqrt{a + bx^3}}{\sqrt[3]{b} ((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} E}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.07, size = 90, normalized size = 0.35

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(\sqrt[3]{b} x {}_2F_1 \left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) - 2(\sqrt{3} - 1) \sqrt[3]{a} {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right) \right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[a + b*x^3], x]
```

```
[Out] (x*Sqrt[1 + (b*x^3)/a]*(-2*(-1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a]))/(2*Sqrt[a + b*x^3])
```

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{b^{\frac{1}{3}} x - a^{\frac{1}{3}} (\sqrt{3} - 1)}{\sqrt{bx^3 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3+a)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((b^(1/3)*x - a^(1/3)*(sqrt(3) - 1))/sqrt(b*x^3 + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) - 1))/sqrt(b*x^3 + a), x)

maple [B] time = 0.24, size = 1003, normalized size = 3.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3+a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I/b^{2/3}*3^{1/2}*(-a*b^2)^{1/3}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2}*((x-(-a*b^2)^{1/3}/b) \\ & /(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2} \\ & /(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2})*EllipticE(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2}, \\ & (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b^{1/2})+(-a*b^2)^{1/3}/b*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2}, \\ & (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b^{1/2}))+2*I*a^{1/3}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2} \\ & /(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2})*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2} \\ & /(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2})*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2}, \\ & (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b^{1/2})-2/3*I*a^{1/3}*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2} \\ & /(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2})*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2} \\ & /(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2})*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b^{1/2}, \\ & (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b^{1/2})) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) - 1))/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{b^{1/3}x - a^{1/3}(\sqrt{3} - 1)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x - a^(1/3)*(3^(1/2) - 1))/(a + b*x^3)^(1/2),x)

[Out] int((b^(1/3)*x - a^(1/3)*(3^(1/2) - 1))/(a + b*x^3)^(1/2), x)

sympy [A] time = 11.53, size = 122, normalized size = 0.48

$$\frac{\sqrt[3]{b} x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[6]{a} \Gamma\left(\frac{4}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[6]{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b**(1/3)*x+a**(1/3)*(1-3**(1/2)))/(b*x**3+a)**(1/2),x)

[Out] b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3))

$$3.100 \quad \int \frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{a-bx^3}} dx$$

Optimal. Leaf size=263

$$\frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}E\left(\sin^{-1}\left(\frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{a-bx^3}} - \frac{2\sqrt{a-bx^3}}{\sqrt[3]{b}((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)}$$

[Out] $-2*(-b*x^3+a)^{(1/2)}/b^{(1/3)}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+3^{(1/4)*a^{(1/3)}}*(a^{(1/3)-b^{(1/3)*x}}*EllipticE((-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)-1/2*2^{(1/2)})}*((a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)}/b^{(1/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}}/(-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2)^{(1/2)})$

Rubi [A] time = 0.04, antiderivative size = 263, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.027$, Rules used = {1877}

$$\frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}E\left(\sin^{-1}\left(\frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{a-bx^3}} - \frac{2\sqrt{a-bx^3}}{\sqrt[3]{b}((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)}$$

Antiderivative was successfully verified.

[In] Int[((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] $(-2*\text{Sqrt}[a - b*x^3])/ (b^{(1/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})) + (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(b^{(1/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{Sqrt}[a - b*x^3])$

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S

```
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/
(1 + Sqrt[3])*s + r*x]^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt{a - bx^3}} dx = -\frac{2\sqrt{a - bx^3}}{\sqrt[3]{b} ((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)} + \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.09, size = 90, normalized size = 0.34

$$\frac{x \sqrt{1 - \frac{bx^3}{a}} \left(2 (\sqrt{3} - 1) \sqrt[3]{a} {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a} \right) + \sqrt[3]{b} x {}_2F_1 \left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a} \right) \right)}{2\sqrt{a - bx^3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[a - b*x^3], x]
```

```
[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(2*(-1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/Sqrt[a - b*x^3]
```

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{-bx^3 + a} b^{\frac{1}{3}} x + \sqrt{-bx^3 + a} a^{\frac{1}{3}} (\sqrt{3} - 1)}{bx^3 - a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3+a)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((sqrt(-b*x^3 + a)*b^(1/3)*x + sqrt(-b*x^3 + a)*a^(1/3)*(sqrt(3) - 1))/(b*x^3 - a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate(-(b^(1/3)*x + a^(1/3)*(sqrt(3) - 1))/sqrt(-b*x^3 + a), x)

maple [B] time = 0.22, size = 949, normalized size = 3.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3+a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I/b^{2/3}*3^{1/2}*(a*b^2)^{1/3}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(-b*x^3+a)^{1/2}*((-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*\text{EllipticE}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))+1/b*(a*b^2)^{1/3}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))-2*I*a^{1/3}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2})*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(-b*x^3+a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))+2/3*I*a^{1/3}*3^{1/2}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2})*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(-b*x^3+a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2})) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] -integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) - 1))/sqrt(-b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int -\frac{b^{1/3}x + a^{1/3}(\sqrt{3} - 1)}{\sqrt{a - bx^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b^(1/3)*x + a^(1/3)*(3^(1/2) - 1))/(a - b*x^3)^(1/2), x)

[Out] int(-(b^(1/3)*x + a^(1/3)*(3^(1/2) - 1))/(a - b*x^3)^(1/2), x)

sympy [A] time = 13.43, size = 128, normalized size = 0.49

$$-\frac{\sqrt[3]{b}x^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3e^{2i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3}x\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3e^{2i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)} + \frac{x\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3e^{2i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b**(1/3)*x+a**(1/3)*(1-3**(1/2)))/(-b*x**3+a)**(1/2),x)

[Out] -b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*a**(1/6)*gamma(4/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*a**(1/6)*gamma(4/3))

$$3.101 \quad \int \frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{-a+bx^3}} dx$$

Optimal. Leaf size=497

$$\frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}F\left(\sin^{-1}\left(\frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7+4\sqrt{3}\right)\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{bx^3-a}}$$

[Out] $2*(b*x^3-a)^{(1/2)}/b^{(1/3)}/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})+4*3^{(1/4)*a^{(1/3)}}*(a^{(1/3)-b^{(1/3)*x}}*EllipticF((-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})},2*I-I*3^{(1/2)})*((a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}}/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})})^2)^{(1/2)*(1/2*6^{(1/2)-1/2*2^{(1/2)})}/b^{(1/3)/(b*x^3-a)^{(1/2)}/(-a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}}}/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})})^2)^{(1/2)-3^{(1/4)*a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}}*EllipticE((-b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}),2*I-I*3^{(1/2)})*((a^{(2/3)+a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}}}/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})})^2)^{(1/2)*(1/2*6^{(1/2)+1/2*2^{(1/2)})}/b^{(1/3)/(b*x^3-a)^{(1/2)}/(-a^{(1/3)*(a^{(1/3)-b^{(1/3)*x}}}/(-b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})})^2)^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 497, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {1880, 219, 1879}

$$\frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}F\left(\sin^{-1}\left(\frac{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x}\right)\middle| -7+4\sqrt{3}\right)\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}}{\sqrt[3]{b}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{b}x)^2}}\sqrt{bx^3-a}}$$

Antiderivative was successfully verified.

[In] Int[((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] $(2*\text{Sqrt}[-a + b*x^3])/b^{(1/3)*((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})} - (3^{(1/4)*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x}}*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*EllipticE[\text{ArcSin}[(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}]/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})], -7 + 4*\text{Sqrt}[3]))/b^{(1/3)*\text{Sqrt}[-((a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x})})/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2)]*\text{Sqrt}[-a + b*x^3]} + (4*3^{(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x}}*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*EllipticE[\text{ArcSin}[(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}]/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})], -7 + 4*\text{Sqrt}[3]))/b^{(1/3)*\text{Sqrt}[-((a^{(1/3)*(a^{(1/3)} - b^{(1/3)*x})})/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2)]*\text{Sqrt}[-a + b*x^3]}$

$$b^{2/3}x^2/((1 - \sqrt{3})a^{1/3} - b^{1/3}x)^2 * \text{EllipticF}[\text{ArcSin}[\frac{(1 + \sqrt{3})a^{1/3} - b^{1/3}x}{(1 - \sqrt{3})a^{1/3} - b^{1/3}x}], -7 + 4\sqrt{3}]/(b^{1/3}\sqrt{-(a^{1/3}(a^{1/3} - b^{1/3}x))}/((1 - \sqrt{3})a^{1/3} - b^{1/3}x)^2)] * \sqrt{-a + bx^3}$$

Rule 219

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 - Sqrt[3])*s + r*x)^2)*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x]] /; FreeQ[{a, b}, x] && NegQ[a]
```

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 - Sqrt[3])*s + r*x)^2)*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x]] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt{-a + bx^3}} dx = - \left((2\sqrt{3} \sqrt[3]{a}) \int \frac{1}{\sqrt{-a + bx^3}} dx \right) + \int \frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt{-a + bx^3}} dx$$

$$= \frac{2\sqrt{-a + bx^3}}{\sqrt[3]{b} ((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)} - \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}{\sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.07, size = 91, normalized size = 0.18

$$\frac{x \sqrt{1 - \frac{bx^3}{a}} \left(2(\sqrt{3} - 1) \sqrt[3]{a} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) + \sqrt[3]{b} x {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) \right)}{2\sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(2*(-1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/Sqrt[-a + b*x^3]

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{b^{\frac{1}{3}} x + a^{\frac{1}{3}} (\sqrt{3} - 1)}{\sqrt{bx^3 - a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3-a)^(1/2), x, algorithm="fricas")

[Out] integral(- (b^(1/3)*x + a^(1/3)*(sqrt(3) - 1))/sqrt(b*x^3 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{b^{\frac{1}{3}} x + a^{\frac{1}{3}} (\sqrt{3} - 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3-a)^(1/2),x, algorithm="giac")

[Out] integrate(-(b^(1/3)*x + a^(1/3)*(sqrt(3) - 1))/sqrt(b*x^3 - a), x)

maple [B] time = 0.08, size = 952, normalized size = 1.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3-a)^(1/2),x)

[Out]
$$-2/3*I/b^{2/3}*3^{1/2}*(a*b^2)^{1/3}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(b*x^3-a)^{1/2}*((-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*\text{EllipticE}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))+1/b*(a*b^2)^{1/3}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))-2*I*a^{1/3}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2})*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))+2/3*I*a^{1/3}*3^{1/2}*(a*b^2)^{1/3}/b*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2})*((x-(a*b^2)^{1/3}/b)/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b))^{1/2}*(I*(x+1/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}/(b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(-I*(x+1/2*(a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)*3^{1/2}/(a*b^2)^{1/3}*b^{1/2}), (-I*3^{1/2}*(a*b^2)^{1/3}/(-3/2*(a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(a*b^2)^{1/3}/b)/b)^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{b^{\frac{1}{3}}x + a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] `-integrate((b^(1/3)*x + a^(1/3)*(sqrt(3) - 1))/sqrt(b*x^3 - a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int -\frac{b^{1/3}x + a^{1/3}(\sqrt{3} - 1)}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(b^(1/3)*x + a^(1/3)*(3^(1/2) - 1))/(b*x^3 - a)^(1/2), x)`

[Out] `int(-(b^(1/3)*x + a^(1/3)*(3^(1/2) - 1))/(b*x^3 - a)^(1/2), x)`

sympy [A] time = 12.96, size = 112, normalized size = 0.23

$$\frac{i\sqrt[3]{b}x^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b**(1/3)*x+a**(1/3)*(1-3**(1/2)))/(b*x**3-a)**(1/2), x)`

[Out] `I*b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3/a)/(3*sqrt(a)*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*a**(1/6)*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*a**(1/6)*gamma(4/3))`

$$3.102 \quad \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{-a-bx^3}} dx$$

Optimal. Leaf size=488

$$\frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}\right) \middle| -7+4\sqrt{3}\right) \sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}}{\sqrt[3]{b} \sqrt{-\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{-a-bx^3}}$$

[Out] $-2*(-b*x^3-a)^{(1/2)}/b^{(1/3)}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})-4*3^{(1/4)*a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))}),2*I-I*3^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})/b^{(1/3)}/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}+3^{(1/4)*a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))}),2*I-I*3^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/b^{(1/3)}/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 488, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {1880, 219, 1879}

$$\frac{4\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}\right) \middle| -7+4\sqrt{3}\right) \sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}}{\sqrt[3]{b} \sqrt{-\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{-a-bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] $(-2*\text{Sqrt}[-a - b*x^3])/b^{(1/3)}*((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}) + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 + 4*\text{Sqrt}[3]])/b^{(1/3)}*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[-a - b*x^3] - (4*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[-a - b*x^3]$

$$b^{(2/3)}x^2/((1 - \sqrt{3})a^{(1/3)} + b^{(1/3)}x)^2 * \text{EllipticF}[\text{ArcSin}[\frac{(1 + \sqrt{3})a^{(1/3)} + b^{(1/3)}x}{(1 - \sqrt{3})a^{(1/3)} + b^{(1/3)}x}], -7 + 4\sqrt{3}]/(b^{(1/3)}\sqrt{-(a^{(1/3)}(a^{(1/3)} + b^{(1/3)}x)})/((1 - \sqrt{3})a^{(1/3)} + b^{(1/3)}x)^2)] * \sqrt{-a - b*x^3}$$

Rule 219

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s
+ r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x
] && NegQ[a]
```

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + S
imp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sq
rt[3])*s + r*x)], -7 + 4*Sqrt[3]]]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x)
)/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] &&
EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*
(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{(1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{-a - bx^3}} dx = - \left((2\sqrt{3} \sqrt[3]{a}) \int \frac{1}{\sqrt{-a - bx^3}} dx \right) + \int \frac{(1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{-a - bx^3}} dx$$

$$= - \frac{2\sqrt{-a - bx^3}}{\sqrt[3]{b} \left((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)} + \frac{\sqrt[3]{b} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{\left((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}}}{\sqrt[3]{b} \sqrt{-\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{\left((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}}}$$

Mathematica [C] time = 0.09, size = 93, normalized size = 0.19

$$\frac{x \sqrt{\frac{bx^3}{a} + 1} \left(\sqrt[3]{b} x {}_2F_1 \left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) - 2(\sqrt{3} - 1) \sqrt[3]{a} {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right) \right)}{2\sqrt{-a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(-2*(-1 + Sqrt[3])*a^(1/3)*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + b^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a]))/(2*Sqrt[-a - b*x^3])

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{\sqrt{-bx^3 - a} b^{\frac{1}{3}} x - \sqrt{-bx^3 - a} a^{\frac{1}{3}} (\sqrt{3} - 1)}{bx^3 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3-a)^(1/2), x, algorithm="fricas")

[Out] integral(-(sqrt(-b*x^3 - a)*b^(1/3)*x - sqrt(-b*x^3 - a)*a^(1/3)*(sqrt(3) - 1))/(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}} x - a^{\frac{1}{3}} (\sqrt{3} - 1)}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3-a)^(1/2),x, algorithm="giac")

[Out] integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) - 1))/sqrt(-b*x^3 - a), x)

maple [B] time = 0.09, size = 1012, normalized size = 2.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3-a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I/b^{2/3}*3^{1/2}*(-a*b^2)^{1/3}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b) \\ & /(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2} \\ & /(-b*x^3-a)^{1/2}*((-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*\text{EllipticE}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, \\ & (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})+(-a*b^2)^{1/3}/b*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, \\ & (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}))+2*I*a^{1/3}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2} \\ & *((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2} \\ & /(-b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})-2/3*I*a^{1/3}*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2} \\ & /(-b*x^3-a)^{1/2}*\text{EllipticF}(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b^{\frac{1}{3}}x - a^{\frac{1}{3}}(\sqrt{3} - 1)}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(-b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((b^(1/3)*x - a^(1/3)*(sqrt(3) - 1))/sqrt(-b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{b^{1/3} x - a^{1/3} (\sqrt{3} - 1)}{\sqrt{-b x^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b^(1/3)*x - a^(1/3)*(3^(1/2) - 1))/(-a - b*x^3)^(1/2),x)

[Out] int((b^(1/3)*x - a^(1/3)*(3^(1/2) - 1))/(-a - b*x^3)^(1/2), x)

sympy [A] time = 9.88, size = 128, normalized size = 0.26

$$-\frac{i\sqrt[3]{b}x^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} - \frac{ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3}ix\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt[6]{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b**(1/3)*x+a**(1/3)*(1-3**(1/2)))/(-b*x**3-a)**(1/2),x)

[Out] -I*b**(1/3)*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(1/6)*gamma(4/3))

$$3.103 \quad \int \frac{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{a + bx^3}} dx$$

Optimal. Leaf size=241

$$\frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{a + bx^3} \sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(x \sqrt[3]{\frac{b}{a}} + 1\right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} - x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}{\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}\right) \middle| -7 - 4\sqrt{3}\right)}{b \left(x \sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right) \sqrt[3]{\frac{b}{a}} \sqrt{\frac{x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right)^2}} \sqrt{a + bx^3}}$$

[Out] $2*(b/a)^{(2/3)}*(b*x^3+a)^{(1/2)}/b/(1+(b/a)^{(1/3)}*x+3^{(1/2)})-3^{(1/4)}*(1+(b/a)^{(1/3)}*x)*\text{EllipticE}((1+(b/a)^{(1/3)}*x-3^{(1/2)})/(1+(b/a)^{(1/3)}*x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((1-(b/a)^{(1/3)}*x+(b/a)^{(2/3)}*x^2)/(1+(b/a)^{(1/3)}*x+3^{(1/2)})^2)^{(1/2)}/(b/a)^{(1/3)}/(b*x^3+a)^{(1/2)}/((1+(b/a)^{(1/3)}*x)/(1+(b/a)^{(1/3)}*x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.031$, Rules used = {1877}

$$\frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{a + bx^3} \sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(x \sqrt[3]{\frac{b}{a}} + 1\right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} - x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}{\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}\right) \middle| -7 - 4\sqrt{3}\right)}{b \left(x \sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right) \sqrt[3]{\frac{b}{a}} \sqrt{\frac{x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \sqrt[3]{\frac{b}{a}} + \sqrt{3} + 1\right)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 - \text{Sqrt}[3] + (b/a)^{(1/3)}*x)/\text{Sqrt}[a + b*x^3], x]$

[Out] $(2*(b/a)^{(2/3)}*\text{Sqrt}[a + b*x^3])/(b*(1 + \text{Sqrt}[3] + (b/a)^{(1/3)}*x)) - (3^{(1/4)})*\text{Sqrt}[2 - \text{Sqrt}[3]]*(1 + (b/a)^{(1/3)}*x)*\text{Sqrt}[(1 - (b/a)^{(1/3)}*x + (b/a)^{(2/3)}*x^2)/(1 + \text{Sqrt}[3] + (b/a)^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3] + (b/a)^{(1/3)}*x)/(1 + \text{Sqrt}[3] + (b/a)^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3]]/((b/a)^{(1/3)}*\text{Sqrt}[(1 + (b/a)^{(1/3)}*x)/(1 + \text{Sqrt}[3] + (b/a)^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3])$

Rule 1877

$\text{Int}[(c_ + (d_)*(x_))/\text{Sqrt}[(a_ + (b_)*(x_)^3], x_Symbol] := \text{With}[\{r = \text{N} \text{umer}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c], s = \text{Denom}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c]$

]], Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}x}{\sqrt{a + bx^3}} dx = \frac{2\left(\frac{b}{a}\right)^{2/3} \sqrt{a + bx^3}}{b\left(1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}}x\right)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(1 + \sqrt[3]{\frac{b}{a}}x\right) \sqrt{\frac{1 - \sqrt[3]{\frac{b}{a}}x + \left(\frac{b}{a}\right)^{2/3}x^2}{\left(1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}}x\right)^2}} E\left(\sin^{-1}\left(\frac{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}}x}{1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}}x}\right)\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 + \sqrt[3]{\frac{b}{a}}x}{\left(1 + \sqrt{3} + \sqrt[3]{\frac{b}{a}}x\right)^2}} \sqrt{a + bx^3}}$$

Mathematica [C] time = 0.08, size = 89, normalized size = 0.37

$$\frac{x\sqrt{\frac{bx^3}{a} + 1} \left(x\sqrt[3]{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 2(\sqrt{3} - 1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[a + b*x^3], x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(-2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a]] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a]))/(2*Sqrt[a + b*x^3])

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{x \left(\frac{b}{a} \right)^{\frac{1}{3}} - \sqrt{3} + 1}{\sqrt{bx^3 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((x*(b/a)^(1/3) - sqrt(3) + 1)/sqrt(b*x^3 + a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.18, size = 1004, normalized size = 4.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+(1/a*b)^(1/3)*x-3^(1/2))/(b*x^3+a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2 \\ & *(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(\\ & b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})-2/3*I* \\ & (1/a*b)^{(1/3)}*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b) \\ &)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(\\ & b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})+(-a*b^2)^{(1/3)}/b*E \\ & llipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+2*I*(-a*b^2)^{(1/3)}/b* \\ & (I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{3} + 1}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((x*(b/a)^(1/3) - sqrt(3) + 1)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{1/3} - \sqrt{3} + 1}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(b/a)^(1/3) - 3^(1/2) + 1)/(a + b*x^3)^(1/2),x)

[Out] int((x*(b/a)^(1/3) - 3^(1/2) + 1)/(a + b*x^3)^(1/2), x)

sympy [A] time = 6.50, size = 124, normalized size = 0.51

$$\frac{x^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)**(1/3)*x-3**(1/2))/(b*x**3+a)**(1/2),x)

[Out] x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3))

$$3.104 \quad \int \frac{1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}} x}{\sqrt{a - bx^3}} dx$$

Optimal. Leaf size=248

$$\frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(1 - x \sqrt[3]{\frac{b}{a}}\right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} + x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{-\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}{-\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}\right) \middle| -7 - 4\sqrt{3}\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 - x \sqrt[3]{\frac{b}{a}}}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)^2}} \sqrt{a - bx^3}} \frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{a - bx^3}}{b \left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)}$$

[Out] $-2*(b/a)^{(2/3)}*(-b*x^3+a)^{(1/2)}/b/(1-(b/a)^{(1/3)}*x+3^{(1/2)})+3^{(1/4)}*(1-(b/a)^{(1/3)}*x)*\text{EllipticE}((1-(b/a)^{(1/3)}*x-3^{(1/2)})/(1-(b/a)^{(1/3)}*x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((1+(b/a)^{(1/3)}*x+(b/a)^{(2/3)}*x^2)/(1-(b/a)^{(1/3)}*x+3^{(1/2)})^2)^{(1/2)}/(b/a)^{(1/3)}/(-b*x^3+a)^{(1/2)}/((1-(b/a)^{(1/3)}*x)/(1-(b/a)^{(1/3)}*x+3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$, Rules used = {1877}

$$\frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(1 - x \sqrt[3]{\frac{b}{a}}\right) \sqrt{\frac{x^2 \left(\frac{b}{a}\right)^{2/3} + x \sqrt[3]{\frac{b}{a}} + 1}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)^2}} E\left(\sin^{-1}\left(\frac{-\sqrt[3]{\frac{b}{a}} x - \sqrt{3} + 1}{-\sqrt[3]{\frac{b}{a}} x + \sqrt{3} + 1}\right) \middle| -7 - 4\sqrt{3}\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 - x \sqrt[3]{\frac{b}{a}}}{\left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)^2}} \sqrt{a - bx^3}} \frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{a - bx^3}}{b \left(x \left(-\sqrt[3]{\frac{b}{a}}\right) + \sqrt{3} + 1\right)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 - \text{Sqrt}[3] - (b/a)^{(1/3)}*x)/\text{Sqrt}[a - b*x^3], x]$

[Out] $(-2*(b/a)^{(2/3)}*\text{Sqrt}[a - b*x^3])/(b*(1 + \text{Sqrt}[3] - (b/a)^{(1/3)}*x)) + (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*(1 - (b/a)^{(1/3)}*x)*\text{Sqrt}[(1 + (b/a)^{(1/3)}*x + (b/a)^{(2/3)}*x^2)/(1 + \text{Sqrt}[3] - (b/a)^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3] - (b/a)^{(1/3)}*x)/(1 + \text{Sqrt}[3] - (b/a)^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3]])/((b/a)^{(1/3)}*\text{Sqrt}[(1 - (b/a)^{(1/3)}*x)/(1 + \text{Sqrt}[3] - (b/a)^{(1/3)}*x)^2]*\text{Sqrt}[a - b*x^3])$

Rule 1877

$\text{Int}[(c_ + (d_)*(x_))/\text{Sqrt}[(a_ + (b_)*(x_)^3], x_Symbol] := \text{With}[\{r = \text{N} \text{umer}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c], s = \text{Denom}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c]$

$$\int \frac{(2d s^3 \sqrt{a + b x^3}) / (a r^2 ((1 + \sqrt{3}) s + r x))}{(3^{1/4} \sqrt{2 - \sqrt{3}} d s (s + r x) \sqrt{(s^2 - r s x + r^2 x^2) / ((1 + \sqrt{3}) s + r x)^2}) * \text{EllipticE}[\text{ArcSin}[\frac{(1 - \sqrt{3}) s + r x}{(1 + \sqrt{3}) s + r x}]] - 7 - 4 \sqrt{3}) / (r^2 \sqrt{a + b x^3} \sqrt{(s(s + r x)) / ((1 + \sqrt{3}) s + r x)^2})} dx$$
 ; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}} x}{\sqrt{a - b x^3}} dx = -\frac{2 \left(\frac{b}{a}\right)^{2/3} \sqrt{a - b x^3}}{b \left(1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}} x\right)} + \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \left(1 - \sqrt[3]{\frac{b}{a}} x\right) \sqrt{\frac{1 + \sqrt[3]{\frac{b}{a}} x + \left(\frac{b}{a}\right)^{2/3} x^2}{\left(1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}} x\right)^2}} E\left(\sin^{-1}\left(\frac{1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}} x}{1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}} x}\right)\right)}{\sqrt[3]{\frac{b}{a}} \sqrt{\frac{1 - \sqrt[3]{\frac{b}{a}} x}{\left(1 + \sqrt{3} - \sqrt[3]{\frac{b}{a}} x\right)^2}} \sqrt{a - b x^3}}$$

Mathematica [C] time = 0.06, size = 89, normalized size = 0.36

$$\frac{x \sqrt{1 - \frac{b x^3}{a}} \left(2(\sqrt{3} - 1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{b x^3}{a}\right) + x \sqrt[3]{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{b x^3}{a}\right)\right)}{2 \sqrt{a - b x^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[a - b*x^3], x]

[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a])/Sqrt[a - b*x^3]

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{-b x^3 + a} x \left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{-b x^3 + a} (\sqrt{3} - 1)}{b x^3 - a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(-b*x^3+a)^(1/2), x, algorithm="fricas")


```
[Out] integral((sqrt(-b*x^3 + a))*x*(b/a)^(1/3) + sqrt(-b*x^3 + a)*(sqrt(3) - 1))/
(b*x^3 - a), x)
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(-b*x^3+a)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone
```

maple [B] time = 0.18, size = 950, normalized size = 3.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1-(1/a*b)^(1/3)*x-3^(1/2))/(-b*x^3+a)^(1/2),x)
```

```
[Out] -2/3*I*(1/a*b)^(1/3)*3^(1/2)/b*(a*b^2)^(1/3)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2
*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2)*((x-(a*b^2)^(1/3)
)/b)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)^(1/2)*(I*(x+1/2*
(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/
2)/(-b*x^3+a)^(1/2)*((-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*E
llipticE(1/3*3^(1/2)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)
)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2), (-I*3^(1/2)*(a*b^2)^(1/3)/(-3/2*(a*b^2)^(
1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)/b)^(1/2))+1/b*(a*b^2)^(1/3)*Elliptic
F(1/3*3^(1/2)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(
1/2)/(a*b^2)^(1/3)*b)^(1/2), (-I*3^(1/2)*(a*b^2)^(1/3)/(-3/2*(a*b^2)^(1/3)/b
-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)/b)^(1/2))-2*I*(a*b^2)^(1/3)/b*(-I*(x+1/2*(
a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2
)*((x-(a*b^2)^(1/3)/b)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)
)^(1/2)*(I*(x+1/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a
*b^2)^(1/3)*b)^(1/2)/(-b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(-I*(x+1/2*(a*b
^2)^(1/3)/b+1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2), (
-I*3^(1/2)*(a*b^2)^(1/3)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/
b)/b)^(1/2))+2/3*I*3^(1/2)*(a*b^2)^(1/3)/b*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I
*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2)*((x-(a*b^2)^(1/3)/
b)/(-3/2*(a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)^(1/2)*(I*(x+1/2*(a
*b^2)^(1/3)/b-1/2*I*3^(1/2)*(a*b^2)^(1/3)/b)*3^(1/2)/(a*b^2)^(1/3)*b)^(1/2)
/(-b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(-I*(x+1/2*(a*b^2)^(1/3)/b+1/2*I*3^
```

$(1/2)*(a*b^2)^{(1/3)}/b*3^{(1/2)}/(a*b^2)^{(1/3)*b)^{(1/2)}, (-I*3^{(1/2)*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)*(a*b^2)^{(1/3)}/b)/b)^{(1/2))}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x\left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{3} - 1}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(-b*x^3+a)^(1/2), x, algorithm="maxima")

[Out] -integrate((x*(b/a)^(1/3) + sqrt(3) - 1)/sqrt(-b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int -\frac{\sqrt{3} + x\left(\frac{b}{a}\right)^{1/3} - 1}{\sqrt{a - bx^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(3^(1/2) + x*(b/a)^(1/3) - 1)/(a - b*x^3)^(1/2), x)

[Out] int(-(3^(1/2) + x*(b/a)^(1/3) - 1)/(a - b*x^3)^(1/2), x)

sympy [A] time = 6.19, size = 129, normalized size = 0.52

$$-\frac{x^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{\sqrt{3} x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{2i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)**(1/3)*x-3**(1/2))/(-b*x**3+a)**(1/2), x)

[Out] -x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - sqrt(3)*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(4/3))

$$3.105 \quad \int \frac{1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}} x}{\sqrt{-a + bx^3}} dx$$

Optimal. Leaf size=549

$$2\sqrt{2 - \sqrt{3}} \left((1 - \sqrt{3}) \sqrt[3]{b} - (1 + \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} F \left(\sin^{-1} \left(\frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x} \right) \right) | -$$

$$\sqrt[4]{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2} \sqrt{bx^3 - a}}$$

[Out] 2*(b/a)^(1/3)*(b*x^3-a)^(1/2)/b^(2/3)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2)))^-2/3*(a^(1/3)-b^(1/3)*x)*EllipticF((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))),2*I-I*3^(1/2))*(b^(1/3)*(1-3^(1/2))-a^(1/3)*(b/a)^(1/3)*(1+3^(1/2)))*((a^(2/3)+a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^2^(1/2)*(1/2*6^(1/2)-1/2*2^(1/2))*3^(3/4)/b^(2/3)/(b*x^3-a)^(1/2)/(-a^(1/3)*(a^(1/3)-b^(1/3)*x)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^2^(1/2)-3^(1/4)*a^(1/3)*(b/a)^(1/3)*(a^(1/3)-b^(1/3)*x)*EllipticE((-b^(1/3)*x+a^(1/3)*(1+3^(1/2)))/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))),2*I-I*3^(1/2))*((a^(2/3)+a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^2^(1/2)*(1/2*6^(1/2)+1/2*2^(1/2))/b^(2/3)/(b*x^3-a)^(1/2)/(-a^(1/3)*(a^(1/3)-b^(1/3)*x)/(-b^(1/3)*x+a^(1/3)*(1-3^(1/2))))^2^(1/2)

Rubi [A] time = 0.22, antiderivative size = 549, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {1880, 219, 1879}

$$2\sqrt{2 - \sqrt{3}} \left((1 - \sqrt{3}) \sqrt[3]{b} - (1 + \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}} F \left(\sin^{-1} \left(\frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{(1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x} \right) \right) | -$$

$$\sqrt[4]{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2} \sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] (2*(b/a)^(1/3)*Sqrt[-a + b*x^3])/(b^(2/3)*((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)) - (3^(1/4)*Sqrt[2 + Sqrt[3]]*a^(1/3)*(b/a)^(1/3)*(a^(1/3) - b^(1/3)*x)*Sqrt[(a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)^2)*EllipticE[ArcSin[((1 + Sqrt[3])*a^(1/3) - b^(1/3)*x)/((1 - Sqrt[3])*a^(1/3) - b^(1/3)*x)], -7 + 4*Sqrt[3]]/(b^(2/3)*Sqrt[-((a^(1/3)*(a^(1/3) - b^(1/3)*x))

$$\frac{1/3 - b^{(1/3)*x}}{((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2} * \text{Sqrt}[-a + b*x^3] - (2*\text{Sqrt}[2 - \text{Sqrt}[3]]*((1 - \text{Sqrt}[3])*b^{(1/3)} - (1 + \text{Sqrt}[3])*a^{(1/3)}*(b/a)^{(1/3}))*a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})]/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})], -7 + 4*\text{Sqrt}[3]]/(3^{(1/4)}*b^{(2/3)}*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x}))/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2])* \text{Sqrt}[-a + b*x^3])$$

Rule 219

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x] && NegQ[a]
```

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 - \sqrt{3} - \sqrt[3]{\frac{b}{a}} x}{\sqrt{-a + bx^3}} dx = \frac{\sqrt[3]{\frac{b}{a}} \int \frac{(1 + \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt{-a + bx^3}} dx}{\sqrt[3]{b}} - \left(-1 + \sqrt{3} + \frac{(1 + \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}}}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{-a + bx^3}} dx$$

$$= \frac{2 \sqrt[3]{\frac{b}{a}} \sqrt{-a + bx^3}}{b^{2/3} ((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)} - \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} (\sqrt[3]{a} - \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}{b^{2/3} \sqrt{-\frac{\sqrt[3]{a} (\sqrt[3]{a} - \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.05, size = 90, normalized size = 0.16

$$\frac{x \sqrt{1 - \frac{bx^3}{a}} \left(2(\sqrt{3} - 1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) + x \sqrt[3]{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) \right)}{2\sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] - (b/a)^(1/3)*x)/Sqrt[-a + b*x^3], x]

[Out] -1/2*(x*Sqrt[1 - (b*x^3)/a]*(2*(-1 + Sqrt[3])*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a])/Sqrt[-a + b*x^3]

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{x \left(\frac{b}{a} \right)^{\frac{1}{3}} + \sqrt{3} - 1}{\sqrt{bx^3 - a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(b*x^3-a)^(1/2), x, algorithm="fricas")

[Out] integral(-(x*(b/a)^(1/3) + sqrt(3) - 1)/sqrt(b*x^3 - a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(b*x^3-a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
 i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
 ,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone

maple [B] time = 0.08, size = 953, normalized size = 1.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-(1/a*b)^(1/3)*x-3^(1/2))/(b*x^3-a)^(1/2),x)

[Out]
$$-2/3*I*(1/a*b)^{(1/3)}*3^{(1/2)}*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b^{(1/2)}*((x-(a*b^2)^{(1/3)})/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)^{(1/2)}*(I*(x+1/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b^{(1/2)}/(b*x^3-a)^{(1/2)}*((-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}+1/b*(a*b^2)^{(1/3)}*EllipticF(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}-2*I*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b^{(1/2)}*((x-(a*b^2)^{(1/3)})/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b))^{(1/2)}*(I*(x+1/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b^{(1/2)}/(b*x^3-a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}+2/3*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b^{(1/2)}*((x-(a*b^2)^{(1/3)})/b)/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b))^{(1/2)}*(I*(x+1/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b^{(1/2)}/(b*x^3-a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(-I*(x+1/2*(a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)*3^{(1/2)}/(a*b^2)^{(1/3)}*b^{(1/2)},(-I*3^{(1/2)}*(a*b^2)^{(1/3)}/(-3/2*(a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(a*b^2)^{(1/3)}/b)/b)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} + \sqrt{3} - 1}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)^(1/3)*x-3^(1/2))/(b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] -integrate((x*(b/a)^(1/3) + sqrt(3) - 1)/sqrt(b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int -\frac{\sqrt{3} + x\left(\frac{b}{a}\right)^{1/3} - 1}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(3^(1/2) + x*(b/a)^(1/3) - 1)/(b*x^3 - a)^(1/2),x)

[Out] int(-(3^(1/2) + x*(b/a)^(1/3) - 1)/(b*x^3 - a)^(1/2), x)

sympy [A] time = 6.15, size = 114, normalized size = 0.21

$$\frac{ix^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-(b/a)**(1/3)*x-3**(1/2))/(b*x**3-a)**(1/2),x)

[Out] I*x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3/a)/(3*sqrt(a)*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*sqrt(a)*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*sqrt(a)*gamma(4/3))

$$3.106 \quad \int \frac{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{-a - bx^3}} dx$$

Optimal. Leaf size=540

$$2\sqrt{2 - \sqrt{3}} \left((1 - \sqrt{3}) \sqrt[3]{b} - (1 + \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F \left(\sin^{-1} \left(\frac{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}} \right) \middle| -7 + \frac{4\sqrt{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{-a - bx^3}}{2} \right)$$

[Out] $-2*(b/a)^{(1/3)*(-b*x^3-a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})+2/3$
 $*(a^{(1/3)+b^{(1/3)*x}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})/(b^{(1/3)*x+a$
 $^{(1/3)*(1-3^{(1/2)})}),2*I-I*3^{(1/2)}*(b^{(1/3)*(1-3^{(1/2)})}-a^{(1/3)*(b/a)^{(1/3)}$
 $*(1+3^{(1/2)}))*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*($
 $1-3^{(1/2)}))^2)^{(1/2)*(1/2*6^{(1/2)-1/2*2^{(1/2)})*3^{(3/4)}/b^{(2/3)/(-b*x^3-a)^{($
 $1/2)/(-a^{(1/3)*(a^{(1/3)+b^{(1/3)*x)/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})^2)^{(1/2)}$
 $+3^{(1/4)*a^{(1/3)*(b/a)^{(1/3)*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a^{(1/3)$
 $^{(1/3)*(1+3^{(1/2)})/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})}),2*I-I*3^{(1/2)}*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})^2)^{(1/2)*(1/2*6^{(1/2)+1/2*2^{(1/2)}/b^{(2/3)/(-b*x^3-a)^{(1/2)/(-a^{(1/3)*(a^{(1/3)+b^{(1/3)*x)/(b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})^2)^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 540, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {1880, 219, 1879}

$$2\sqrt{2 - \sqrt{3}} \left((1 - \sqrt{3}) \sqrt[3]{b} - (1 + \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} \right) (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F \left(\sin^{-1} \left(\frac{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}} \right) \middle| -7 + \frac{4\sqrt{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{-a - bx^3}}{2} \right)$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] $(-2*(b/a)^{(1/3)*Sqrt[-a - b*x^3]})/(b^{(2/3)*((1 - Sqrt[3])*a^{(1/3) + b^{(1/3)*x}) + (3^{(1/4)*Sqrt[2 + Sqrt[3]]*a^{(1/3)*(b/a)^{(1/3)*(a^{(1/3) + b^{(1/3)*x}*Sqrt[(a^{(2/3) - a^{(1/3)*b^{(1/3)*x + b^{(2/3)*x^2)/((1 - Sqrt[3])*a^{(1/3) + b^{(1/3)*x})^2}*EllipticE[ArcSin[((1 + Sqrt[3])*a^{(1/3) + b^{(1/3)*x)/((1 - Sqrt[3])*a^{(1/3) + b^{(1/3)*x})}], -7 + 4*Sqrt[3])})/(b^{(2/3)*Sqrt[-((a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}*Sqrt[-a - b*x^3])})])])$

$$\frac{(1/3 + b^{(1/3)*x})/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]}{\text{Sqrt}[-a - b*x^3]} + \frac{(2*\text{Sqrt}[2 - \text{Sqrt}[3]]*((1 - \text{Sqrt}[3])*b^{(1/3)} - (1 + \text{Sqrt}[3])*a^{(1/3)}*(b/a)^{(1/3}))*a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)})*x^2]}{((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2} * \text{EllipticF}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 + 4*\text{Sqrt}[3]]]/(3^{(1/4)}*b^{(2/3)}*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]) * \text{Sqrt}[-a - b*x^3])$$

Rule 219

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 - Sqrt[3])*s + r*x)^2)*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x] && NegQ[a]
```

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 - Sqrt[3])*s + r*x)^2)*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{1 - \sqrt{3} + \sqrt[3]{\frac{b}{a}} x}{\sqrt{-a - bx^3}} dx = \frac{\sqrt[3]{\frac{b}{a}} \int \frac{(1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{-a - bx^3}} dx}{\sqrt[3]{b}} + \left(1 - \sqrt{3} - \frac{(1 + \sqrt{3}) \sqrt[3]{a} \sqrt[3]{\frac{b}{a}}}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{-a - bx^3}} dx$$

$$= -\frac{2 \sqrt[3]{\frac{b}{a}} \sqrt{-a - bx^3}}{b^{2/3} ((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} + \frac{4\sqrt{3} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} \sqrt[3]{\frac{b}{a}} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}}}{b^{2/3} \sqrt{-\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}}}$$

Mathematica [C] time = 0.05, size = 92, normalized size = 0.17

$$\frac{x \sqrt{\frac{bx^3}{a}} + 1 \left(x \sqrt[3]{\frac{b}{a}} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 2(\sqrt{3} - 1) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{-a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - Sqrt[3] + (b/a)^(1/3)*x)/Sqrt[-a - b*x^3], x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(-2*(-1 + Sqrt[3]))*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + (b/a)^(1/3)*x*Hypergeometric2F1[1/2, 2/3, 5/3, -(b*x^3)/a])/ (2*Sqrt[-a - b*x^3])

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{\sqrt{-bx^3 - a} x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{-bx^3 - a} (\sqrt{3} - 1)}{bx^3 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(-b*x^3-a)^(1/2), x, algorithm="fricas")

[Out] integral(-(sqrt(-b*x^3 - a)*x*(b/a)^(1/3) - sqrt(-b*x^3 - a)*(sqrt(3) - 1))/(b*x^3 + a), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(-b*x^3-a)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e
,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone
```

maple [B] time = 0.09, size = 1013, normalized size = 1.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1+(1/a*b)^(1/3)*x-3^(1/2))/(-b*x^3-a)^(1/2),x)
```

```
[Out] -2/3*I*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2))*(-
a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2
*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2
)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)/(-
b*x^3-a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1
/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2),(I*3^(1/2)*(-a*b^2)^(
1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))-2/3*I
*(1/a*b)^(1/3)*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(
1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)*((x-(-a*b^2)^(1/3)/
b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2
*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b
^(1/2)/(-b*x^3-a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3
)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2
)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2),(I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*
(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b
*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1
/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2),(I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*
b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+2*I*(-a*b^2)^(1/3)/
b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^
2)^(1/3)*b^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2
)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^
2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)/(-b*x^3-a)^(1/2)*EllipticF(1/3*
3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/
(-a*b^2)^(1/3)*b^(1/2),(I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/
2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{\frac{1}{3}} - \sqrt{3} + 1}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)^(1/3)*x-3^(1/2))/(-b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((x*(b/a)^(1/3) - sqrt(3) + 1)/sqrt(-b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \left(\frac{b}{a}\right)^{1/3} - \sqrt{3} + 1}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(b/a)^(1/3) - 3^(1/2) + 1)/(-a - b*x^3)^(1/2),x)

[Out] int((x*(b/a)^(1/3) - 3^(1/2) + 1)/(-a - b*x^3)^(1/2), x)

sympy [A] time = 3.70, size = 129, normalized size = 0.24

$$-\frac{ix^2 \sqrt[3]{\frac{b}{a}} \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{5}{3}\right)} - \frac{ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{3} ix \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+(b/a)**(1/3)*x-3**(1/2))/(-b*x**3-a)**(1/2),x)

[Out] -I*x**2*(b/a)**(1/3)*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3)) - I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + sqrt(3)*I*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3))

$$3.107 \quad \int \frac{c+dx}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=490

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \left(\sqrt[3]{b}c - (1-\sqrt{3})\sqrt[3]{a}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \sqrt{a+bx^3}}$$

[Out] 2*d*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-3^(1/4)*a^(1/3)*d*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)+2/3*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(b^(1/3)*c-a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)*3^(3/4)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)

Rubi [A] time = 0.15, antiderivative size = 490, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \left(\sqrt[3]{b}c - (1-\sqrt{3})\sqrt[3]{a}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[a + b*x^3], x]

[Out] (2*d*Sqrt[a + b*x^3])/(b^(2/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(1/3)*d*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (2*Sqrt[2 + Sqrt[3]]*(b^(1/3)*c - (1 - Sqrt[3])*a^(1/3)*d)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) -

$$a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticF}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x}{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x}], -7 - 4*\text{Sqrt}[3]]]/(3^{(1/4)}*b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2)*\text{Sqrt}[a + b*x^3])$$
Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2)*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3])*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2)], x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2)*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(r^2*Sqrt[a + b*x^3])*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2)], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{a + bx^3}} dx = \frac{d \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{\sqrt[3]{b}} + \left(c - \frac{(1-\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a+bx^3}} dx$$

$$= \frac{2d\sqrt{a+bx^3}}{b^{2/3}((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}d(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}}}\right)}{b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}}{b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}}$$

Mathematica [C] time = 0.03, size = 75, normalized size = 0.15

$$\frac{x\sqrt{\frac{bx^3}{a} + 1} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[a + b*x^3], x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)])/(2*Sqrt[a + b*x^3])

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx + c}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^(1/2), x, algorithm="fricas")

[Out] integral((d*x + c)/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^(1/2), x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(b*x^3 + a), x)

maple [A] time = 0.05, size = 720, normalized size = 1.47

$$2i\sqrt{3} (-ab^2)^{\frac{1}{3}} \sqrt{\frac{\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x - \frac{(-ab^2)^{\frac{1}{3}}}{b}}{-\frac{3(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} c \operatorname{EllipticF} \left(\frac{\sqrt{3}b}{3\sqrt{bx^3 + a}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3+a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3 * I * d * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * \\ & (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a * b^2)^{(1/3)} / b) / (-3 \\ & / 2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a * b \\ & ^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} \\ & / (b * x^3 + a)^{(1/2)} * ((-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * \operatorname{El} \\ & \operatorname{lipticE}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} \\ & / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2 \\ &)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)}) + (-a * b^2)^{(1/3)} / b * \operatorname{Ellipt} \\ & \operatorname{icF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * \\ & 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1 \\ & / 3) / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)}) - 2/3 * I * c * 3^{(1/2)} * (-a * b^2)^{(\\ & 1/3) / b * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (\\ & -a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a * b^2)^{(1/3)} / b) / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3 \\ & ^{(1/2)} * (-a * b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (\\ & -a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} / (b * x^3 + a)^{(1/2)} * \operatorname{EllipticF}(\\ & 1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1 \\ & / 2) / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / \\ & b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{c + dx}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^3)^(1/2),x)

[Out] int((c + d*x)/(a + b*x^3)^(1/2), x)

sympy [A] time = 3.92, size = 78, normalized size = 0.16

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**3+a)**(1/2),x)

[Out] c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3))

$$3.108 \quad \int \frac{c+dx}{\sqrt{a-bx^3}} dx$$

Optimal. Leaf size=503

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}-\sqrt[3]{bx})\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{bx})^2}}((1-\sqrt{3})\sqrt[3]{a}d+\sqrt[3]{b}c)F\left(\sin^{-1}\left(\frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{bx}}{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{bx}}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{bx})^2}}\sqrt{a-bx^3}}$$

[Out] $2*d*(-b*x^3+a)^{(1/2)}/b^{(2/3)}/(-b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})-3^{(1/4)*a^{(1/3)}}*d*(a^{(1/3)}-b^{(1/3)*x})*\text{EllipticE}((-b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})}/(-b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))}), I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*((a^{(2/3)}+a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(-b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}/b^{(2/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}-b^{(1/3)*x})/(-b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}-2/3*(a^{(1/3)}-b^{(1/3)*x})*\text{EllipticF}((-b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})}/(-b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))}), I*3^{(1/2)+2*I}*(b^{(1/3)*c+a^{(1/3)*d*(1-3^{(1/2))})}*(1/2*6^{(1/2)}+1/2*2^{(1/2)}))*((a^{(2/3)}+a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(-b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}*3^{(3/4)}/b^{(2/3)}/(-b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}-b^{(1/3)*x})/(-b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 503, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(\sqrt[3]{a}-\sqrt[3]{bx})\sqrt{\frac{a^{2/3}+\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{bx})^2}}((1-\sqrt{3})\sqrt[3]{a}d+\sqrt[3]{b}c)F\left(\sin^{-1}\left(\frac{(1-\sqrt{3})\sqrt[3]{a}-\sqrt[3]{bx}}{(1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{bx}}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}-\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}-\sqrt[3]{bx})^2}}\sqrt{a-bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[a - b*x^3], x]

[Out] $(2*d*\text{Sqrt}[a - b*x^3])/b^{(2/3)*((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})} - (3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)}*d*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}}{(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}}], -7 - 4*\text{Sqrt}[3]])/b^{(2/3)*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x})]/((1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{Sqrt}[a - b*x^3]) - (2*\text{Sqrt}[2 + \text{Sqrt}[3]]*$

$$(b^{1/3}c + (1 - \sqrt{3})a^{1/3}d)(a^{1/3} - b^{1/3}x)\sqrt{(a^{2/3} + a^{1/3}b^{1/3}x + b^{2/3}x^2)/((1 + \sqrt{3})a^{1/3} - b^{1/3}x)^2} \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3})a^{1/3} - b^{1/3}x}{(1 + \sqrt{3})a^{1/3} - b^{1/3}x}], -7 - 4\sqrt{3}]/(3^{1/4}b^{2/3}\sqrt{(a^{1/3}(a^{1/3} - b^{1/3}x)))/((1 + \sqrt{3})a^{1/3} - b^{1/3}x)^2}\sqrt{a - b^3x^3})$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & & PosQ[a]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{a - bx^3}} dx = -\frac{d \int \frac{(1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt{a-bx^3}} dx}{\sqrt[3]{b}} - \left(-c - \frac{(1-\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a-bx^3}} dx$$

$$= \frac{2d\sqrt{a-bx^3}}{b^{2/3}((1+\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}\sqrt[3]{a}d(\sqrt[3]{a} - \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)^2}} E\left(\sin^{-1}\left(\frac{(1+\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x}{(1+\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x}\right)\right)}{b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} - \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)^2}} \sqrt{a - bx^3}}$$

Mathematica [C] time = 0.04, size = 75, normalized size = 0.15

$$\frac{x\sqrt{1 - \frac{bx^3}{a}} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \frac{bx^3}{a}\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \frac{bx^3}{a}\right) \right)}{2\sqrt{a - bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[a - b*x^3],x]

[Out] (x*Sqrt[1 - (b*x^3)/a]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/(2*Sqrt[a - b*x^3])

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-bx^3 + a}(dx + c)}{bx^3 - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-b*x^3 + a)*(d*x + c)/(b*x^3 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(-b*x^3 + a), x)

maple [A] time = 0.05, size = 681, normalized size = 1.35

$$2i\sqrt{3} (ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x - \frac{(ab^2)^{\frac{1}{3}}}{b}}{\frac{3(ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}} c \operatorname{EllipticF} \left(\frac{\sqrt{3} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}}}{3\sqrt{-bx^3 + a} b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^3+a)^(1/2),x)

[Out] $\frac{2}{3} I d \sqrt{3}^{(1/2)} / b * (a * b^2)^{(1/3)} * (-I * (x + 1/2 * (a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (a * b^2)^{(1/3)} / b) / (-3/2 * (a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b))^{(1/2)} * (I * (x + 1/2 * (a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (a * b^2)^{(1/3)} * b)^{(1/2)} / (-b * x^3 + a)^{(1/2)} * ((-3/2 * (a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b) * \operatorname{EllipticE}(1/3 * 3^{(1/2)} * (-I * (x + 1/2 * (a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (a * b^2)^{(1/3)} * b)^{(1/2)}, (-I * 3^{(1/2)} * (a * b^2)^{(1/3)} / (-3/2 * (a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b) / b)^{(1/2)}) + 1/b * (a * b^2)^{(1/3)} * \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (-I * (x + 1/2 * (a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (a * b^2)^{(1/3)} * b)^{(1/2)}, (-I * 3^{(1/2)} * (a * b^2)^{(1/3)} / (-3/2 * (a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b) / b)^{(1/2)}) + 2/3 * I * c * 3^{(1/2)} * (a * b^2)^{(1/3)} / b * (-I * (x + 1/2 * (a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (a * b^2)^{(1/3)} / b) / (-3/2 * (a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b))^{(1/2)} * (I * (x + 1/2 * (a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (a * b^2)^{(1/3)} * b)^{(1/2)} / (-b * x^3 + a)^{(1/2)} * \operatorname{EllipticF}(1/3 * 3^{(1/2)} * (-I * (x + 1/2 * (a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (a * b^2)^{(1/3)} * b)^{(1/2)}, (-I * 3^{(1/2)} * (a * b^2)^{(1/3)} / (-3/2 * (a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (a * b^2)^{(1/3)} / b) / b)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(-b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{c + dx}{\sqrt{a - bx^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a - b*x^3)^(1/2),x)

[Out] int((c + d*x)/(a - b*x^3)^(1/2), x)

sympy [A] time = 3.29, size = 82, normalized size = 0.16

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \left| \frac{bx^3 e^{2i\pi}}{a} \right. \right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{2}{3} \left| \frac{bx^3 e^{2i\pi}}{a} \right. \right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**3+a)**(1/2),x)

[Out] c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(2*I*pi)/a)/(3*sqrt(a)*gamma(5/3))

$$3.109 \quad \int \frac{c+dx}{\sqrt{-a+bx^3}} dx$$

Optimal. Leaf size=515

$$\frac{2\sqrt{2-\sqrt{3}} (\sqrt[3]{a} - \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1-\sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x)^2}} \left((1+\sqrt{3}) \sqrt[3]{a} d + \sqrt[3]{b} c \right) F\left(\sin^{-1}\left(\frac{(1+\sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x}{(1-\sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt[4]{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a}(\sqrt[3]{a} - \sqrt[3]{b}x)}{((1-\sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x)^2}} \sqrt{bx^3 - a}}$$

[Out] $-2*d*(b*x^3-a)^{(1/2)}/b^{(2/3)}/(-b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})-2/3*(a^{(1/3)}-b^{(1/3)*x})*\text{EllipticF}((-b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(-b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})}, 2*I-I*3^{(1/2)})*(b^{(1/3)*c+a^{(1/3)*d*(1+3^{(1/2))})}*((a^{(2/3)}+a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(-b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*3^{(3/4)}/b^{(2/3)}/(b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)}-b^{(1/3)*x})/(-b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}+3^{(1/4)}*a^{(1/3)*d*(a^{(1/3)}-b^{(1/3)*x})*\text{EllipticE}((-b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(-b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})}, 2*I-I*3^{(1/2)})*((a^{(2/3)}+a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(-b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/b^{(2/3)}/(b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)}-b^{(1/3)*x})/(-b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 515, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{2-\sqrt{3}} (\sqrt[3]{a} - \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1-\sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x)^2}} \left((1+\sqrt{3}) \sqrt[3]{a} d + \sqrt[3]{b} c \right) F\left(\sin^{-1}\left(\frac{(1+\sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x}{(1-\sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt[4]{3} b^{2/3} \sqrt{-\frac{\sqrt[3]{a}(\sqrt[3]{a} - \sqrt[3]{b}x)}{((1-\sqrt{3}) \sqrt[3]{a} - \sqrt[3]{b}x)^2}} \sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-a + b*x^3], x]

[Out] $(-2*d*\text{Sqrt}[-a + b*x^3])/(b^{(2/3)}*((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})) + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3])*a^{(1/3)*d*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}], -7 + 4*\text{Sqrt}[3]])/(b^{(2/3)}*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x})/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2)]*\text{Sqrt}[-a + b*x^3]) - (2*\text{Sqrt}[2 - \text{Sqrt}[3]]$

$$t[3]]*(b^{(1/3)*c} + (1 + \text{Sqrt}[3])*a^{(1/3)*d})*(a^{(1/3)} - b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} + a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}})/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x}}], -7 + 4*\text{Sqrt}[3]]]/(3^{(1/4)}*b^{(2/3)}*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} - b^{(1/3)*x}))/((1 - \text{Sqrt}[3])*a^{(1/3)} - b^{(1/3)*x})^2)]*\text{Sqrt}[-a + b*x^3])$$

Rule 219

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b}, x] && NegQ[a]
```

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2))], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{-a + bx^3}} dx = -\frac{d \int \frac{(1+\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x}{\sqrt{-a+bx^3}} dx}{\sqrt[3]{b}} - \left(-c - \frac{(1+\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt{-a+bx^3}} dx$$

$$= -\frac{2d\sqrt{-a+bx^3}}{b^{2/3}((1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)} + \frac{\sqrt[3]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}d(\sqrt[3]{a} - \sqrt[3]{b}x)}{b^{2/3}\sqrt{\frac{a^{2/3} + \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)^2}}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{a}(\sqrt[3]{a} - \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} - \sqrt[3]{b}x)^2}\right)\right)$$

Mathematica [C] time = 0.03, size = 76, normalized size = 0.15

$$\frac{x\sqrt{1 - \frac{bx^3}{a}} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}; \frac{bx^3}{a}\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}; \frac{bx^3}{a}\right)\right)}{2\sqrt{bx^3 - a}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[-a + b*x^3], x]

[Out] (x*Sqrt[1 - (b*x^3)/a]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, (b*x^3)/a] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, (b*x^3)/a]))/(2*Sqrt[-a + b*x^3])

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx + c}{\sqrt{bx^3 - a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3-a)^(1/2), x, algorithm="fricas")

[Out] integral((d*x + c)/sqrt(b*x^3 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3-a)^(1/2), x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(b*x^3 - a), x)

maple [A] time = 0.05, size = 683, normalized size = 1.33

$$2i\sqrt{3} (ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x - \frac{(ab^2)^{\frac{1}{3}}}{b}}{\frac{3(ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}} c \operatorname{EllipticF} \left(\frac{\sqrt{3} \sqrt{\frac{i\left(x + \frac{(ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(ab^2)^{\frac{1}{3}}}}}{3\sqrt{bx^3 - a} b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^3-a)^(1/2),x)

[Out] $\frac{2}{3} I d 3^{1/2} (a b^2)^{1/3} / b (-I (x + 1/2 (a b^2)^{1/3} / b + 1/2 I 3^{1/2} (a b^2)^{1/3} / b) 3^{1/2} / (a b^2)^{1/3} b)^{1/2} ((x - (a b^2)^{1/3} / b) / (-3/2 (a b^2)^{1/3} / b - 1/2 I 3^{1/2} (a b^2)^{1/3} / b))^{1/2} (I (x + 1/2 (a b^2)^{1/3} / b - 1/2 I 3^{1/2} (a b^2)^{1/3} / b) 3^{1/2} / (a b^2)^{1/3} b)^{1/2} / (b x^3 - a)^{1/2} ((-3/2 (a b^2)^{1/3} / b - 1/2 I 3^{1/2} (a b^2)^{1/3} / b) * \operatorname{EllipticE}(1/3 3^{1/2} (a b^2)^{1/3} (-I (x + 1/2 (a b^2)^{1/3} / b + 1/2 I 3^{1/2} (a b^2)^{1/3} / b) 3^{1/2} / (a b^2)^{1/3} b)^{1/2}, (-I 3^{1/2} (a b^2)^{1/3} / (-3/2 (a b^2)^{1/3} / b - 1/2 I 3^{1/2} (a b^2)^{1/3} / b) / b)^{1/2} + 1/b (a b^2)^{1/3} * \operatorname{EllipticF}(1/3 3^{1/2} (a b^2)^{1/3} (-I (x + 1/2 (a b^2)^{1/3} / b + 1/2 I 3^{1/2} (a b^2)^{1/3} / b) 3^{1/2} / (a b^2)^{1/3} b)^{1/2}, (-I 3^{1/2} (a b^2)^{1/3} / (-3/2 (a b^2)^{1/3} / b - 1/2 I 3^{1/2} (a b^2)^{1/3} / b) / b)^{1/2}))) + 2/3 I c 3^{1/2} (a b^2)^{1/3} / b (-I (x + 1/2 (a b^2)^{1/3} / b + 1/2 I 3^{1/2} (a b^2)^{1/3} / b) 3^{1/2} / (a b^2)^{1/3} b)^{1/2} ((x - (a b^2)^{1/3} / b) / (-3/2 (a b^2)^{1/3} / b - 1/2 I 3^{1/2} (a b^2)^{1/3} / b))^{1/2} (I (x + 1/2 (a b^2)^{1/3} / b - 1/2 I 3^{1/2} (a b^2)^{1/3} / b) 3^{1/2} / (a b^2)^{1/3} b)^{1/2} / (b x^3 - a)^{1/2} * \operatorname{EllipticF}(1/3 3^{1/2} (a b^2)^{1/3} (-I (x + 1/2 (a b^2)^{1/3} / b + 1/2 I 3^{1/2} (a b^2)^{1/3} / b) 3^{1/2} / (a b^2)^{1/3} b)^{1/2}, (-I 3^{1/2} (a b^2)^{1/3} / (-3/2 (a b^2)^{1/3} / b - 1/2 I 3^{1/2} (a b^2)^{1/3} / b) / b)^{1/2})))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{c + dx}{\sqrt{bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(b*x^3 - a)^(1/2),x)

[Out] int((c + d*x)/(b*x^3 - a)^(1/2), x)

sympy [A] time = 3.71, size = 73, normalized size = 0.14

$$\frac{icx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} - \frac{idx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{2}{3} \middle| \frac{bx^3}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**3-a)**(1/2),x)

[Out] -I*c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3/a)/(3*sqrt(a)*gamma(4/3)) - I*d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3/a)/(3*sqrt(a)*gamma(5/3))

$$3.110 \quad \int \frac{c+dx}{\sqrt{-a-bx^3}} dx$$

Optimal. Leaf size=508

$$\frac{2\sqrt{2-\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \left(\sqrt[3]{b}c - (1+\sqrt{3})\sqrt[3]{a}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}\right) \mid -7+4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3} \sqrt{-\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{-a-bx^3}}$$

[Out] $-2*d*(-b*x^3-a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})+2/3*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))}),2*I-I*3^{(1/2)})*(b^{(1/3)*c-a^{(1/3)*d*(1+3^{(1/2))})}*((a^{(2/3)-a^{(1/3)}*b^{(1/3)*x+b^{(2/3)*x^2}}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}*(1/2*6^{(1/2)-1/2*2^{(1/2)})}*3^{(3/4)}/b^{(2/3)}/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}+3^{(1/4)}*a^{(1/3)*d*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))}),2*I-I*3^{(1/2)})*((a^{(2/3)-a^{(1/3)}*b^{(1/3)*x+b^{(2/3)*x^2}}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}*(1/2*6^{(1/2)+1/2*2^{(1/2)})}/b^{(2/3)}/(-b*x^3-a)^{(1/2)}/(-a^{(1/3)}*(a^{(1/3)+b^{(1/3)*x}}/(b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})^2)^{(1/2)}))$

Rubi [A] time = 0.15, antiderivative size = 508, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{2-\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \left(\sqrt[3]{b}c - (1+\sqrt{3})\sqrt[3]{a}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}\right) \mid -7+4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3} \sqrt{-\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1-\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{-a-bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-a - b*x^3], x]

[Out] $(-2*d*\text{Sqrt}[-a - b*x^3])/b^{(2/3)*((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})} + (3^{(1/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)*d*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}], -7 + 4*\text{Sqrt}[3]])/(b^{(2/3)*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]}*\text{Sqrt}[-a - b*x^3]) + (2*\text{Sqrt}[2 - \text{Sqr$

$$t[3]]*(b^{(1/3)*c} - (1 + \text{Sqrt}[3])*a^{(1/3)*d})*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2})/((1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[\frac{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 + 4*\text{Sqrt}[3]]/(3^{(1/4)}*b^{(2/3)*\text{Sqrt}[-((a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]})*\text{Sqrt}[-a - b*x^3])$$

Rule 219

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && NegQ[a]
```

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]]]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/(1 - Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{-a - bx^3}} dx = \frac{d \int \frac{(1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{-a-bx^3}} dx}{\sqrt[3]{b}} + \left(c - \frac{(1+\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{-a-bx^3}} dx$$

$$= -\frac{2d\sqrt{-a-bx^3}}{b^{2/3}((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}\sqrt[3]{a}d(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}}}{b^{2/3} \sqrt{-\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{-a-bx^3}} E\left(\sin^{-1}\right)$$

Mathematica [C] time = 0.03, size = 78, normalized size = 0.15

$$\frac{x\sqrt{\frac{bx^3}{a} + 1} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) \right)}{2\sqrt{-a-bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[-a - b*x^3],x]

[Out] (x*Sqrt[1 + (b*x^3)/a]*(2*c*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + d*x*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)]))/(2*Sqrt[-a - b*x^3])

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-bx^3 - a}(dx + c)}{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^3-a)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-b*x^3 - a)*(d*x + c)/(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^3-a)^(1/2),x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(-b*x^3 - a), x)

maple [A] time = 0.05, size = 726, normalized size = 1.43

$$2i\sqrt{3} \left(-ab^2\right)^{\frac{1}{3}} \sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}-\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x-\frac{(-ab^2)^{\frac{1}{3}}}{b}}{-\frac{3(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} c \operatorname{EllipticF} \left(\frac{x}{3\sqrt{-bx^3-ab}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^3-a)^(1/2),x)

[Out]
$$\begin{aligned} & -2/3*I*d*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}* \\ & (-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3 \\ & /2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b \\ & ^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)} \\ & /(-b*x^3-a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*E \\ & llipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b) \\ &)/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^ \\ & 2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*Ellip \\ & ticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b) \\ &)/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(\\ & 1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})-2/3*I*c*3^{(1/2)}*(-a*b^2)^{(\\ & 1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/ \\ & (-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I* \\ & 3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}* \\ & (-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(-b*x^3-a)^{(1/2)}*Elliptic \\ & F(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{ \\ & (1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/ \\ & b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^3-a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(-b*x^3 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{c + dx}{\sqrt{-bx^3 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(- a - b*x^3)^(1/2),x)

[Out] int((c + d*x)/(- a - b*x^3)^(1/2), x)

sympy [A] time = 4.20, size = 83, normalized size = 0.16

$$\frac{icx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} - \frac{idx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**3-a)**(1/2),x)

[Out] -I*c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) - I*d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3))

$$3.111 \quad \int \frac{c+dx}{\sqrt{1+x^3}} dx$$

Optimal. Leaf size=246

$$\frac{2\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}}(c-(1-\sqrt{3})d)F\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}} + \frac{2d\sqrt{x^3+1}}{x+\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}d}{x+\sqrt{3}+1}$$

[Out] 2*d*(x^3+1)^(1/2)/(1+x+3^(1/2))-3^(1/4)*d*(1+x)*EllipticE((1+x-3^(1/2))/(1+x+3^(1/2)), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((x^2-x+1)/(1+x+3^(1/2)))^2)^(1/2)/(x^3+1)^(1/2)/((1+x)/(1+x+3^(1/2)))^2)^(1/2)+2/3*(1+x)*EllipticF((1+x-3^(1/2))/(1+x+3^(1/2)), I*3^(1/2)+2*I)*(c-d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((x^2-x+1)/(1+x+3^(1/2)))^2)^(1/2)*3^(3/4)/(x^3+1)^(1/2)/((1+x)/(1+x+3^(1/2)))^2)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x+\sqrt{3}+1)^2}}(c-(1-\sqrt{3})d)F\left(\sin^{-1}\left(\frac{x-\sqrt{3}+1}{x+\sqrt{3}+1}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{x+1}{(x+\sqrt{3}+1)^2}}\sqrt{x^3+1}} + \frac{2d\sqrt{x^3+1}}{x+\sqrt{3}+1} - \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}d}{x+\sqrt{3}+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[1 + x^3], x]

[Out] (2*d*Sqrt[1 + x^3])/(1 + Sqrt[3] + x) - (3^(1/4)*Sqrt[2 - Sqrt[3]]*d*(1 + x)*Sqrt[(1 - x + x^2)/(1 + Sqrt[3] + x)^2]*EllipticE[ArcSin[(1 - Sqrt[3] + x)/(1 + Sqrt[3] + x)], -7 - 4*Sqrt[3]])/(Sqrt[(1 + x)/(1 + Sqrt[3] + x)^2]*Sqrt[1 + x^3]) + (2*Sqrt[2 + Sqrt[3]]*(c - (1 - Sqrt[3])*d)*(1 + x)*Sqrt[(1 - x + x^2)/(1 + Sqrt[3] + x)^2]*EllipticF[ArcSin[(1 - Sqrt[3] + x)/(1 + Sqrt[3] + x)], -7 - 4*Sqrt[3]])/(3^(1/4)*Sqrt[(1 + x)/(1 + Sqrt[3] + x)^2]*Sqrt[1 + x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]

] * Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{1 + x^3}} dx = d \int \frac{1 - \sqrt{3} + x}{\sqrt{1 + x^3}} dx + (c - (1 - \sqrt{3})d) \int \frac{1}{\sqrt{1 + x^3}} dx$$

$$= \frac{2d\sqrt{1 + x^3}}{1 + \sqrt{3} + x} - \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}} d(1 + x) \sqrt{\frac{1 - x + x^2}{(1 + \sqrt{3} + x)^2}} E\left(\sin^{-1}\left(\frac{1 - \sqrt{3} + x}{1 + \sqrt{3} + x}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1 + x}{(1 + \sqrt{3} + x)^2}} \sqrt{1 + x^3}} + \frac{2\sqrt{2 + \sqrt{3}}}{\dots}$$

Mathematica [C] time = 0.01, size = 42, normalized size = 0.17

$$cx {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + \frac{1}{2} dx^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[1 + x^3], x]

[Out] $c*x*\text{Hypergeometric2F1}[1/3, 1/2, 4/3, -x^3] + (d*x^2*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, -x^3])/2$

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx+c}{\sqrt{x^3+1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(x^3+1)^(1/2),x, algorithm="fricas")`

[Out] `integral((d*x + c)/sqrt(x^3 + 1), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx+c}{\sqrt{x^3+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(x^3+1)^(1/2),x, algorithm="giac")`

[Out] `integrate((d*x + c)/sqrt(x^3 + 1), x)`

maple [A] time = 0.05, size = 291, normalized size = 1.18

$$\frac{2\left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} c \text{EllipticF}\left(\sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\left(\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x+1}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x - \frac{1}{2} - \frac{i\sqrt{3}}{2}}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(x^3+1)^(1/2),x)`

[Out] $2*d*(3/2-1/2*I*3^{(1/2)})*((x+1)/(3/2-1/2*I*3^{(1/2)}))^{(1/2)}*((x-1/2-1/2*I*3^{(1/2)})/(-3/2-1/2*I*3^{(1/2)}))^{(1/2)}*((x-1/2+1/2*I*3^{(1/2)})/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)}/(x^3+1)^{(1/2)}*((-3/2-1/2*I*3^{(1/2)})*EllipticE(((x+1)/(3/2-1/2*I*3^{(1/2)}))^{(1/2)}), ((-3/2+1/2*I*3^{(1/2)})/(-3/2-1/2*I*3^{(1/2)}))^{(1/2)})+(1/2+1/2*I*3^{(1/2)})*EllipticF(((x+1)/(3/2-1/2*I*3^{(1/2)}))^{(1/2)}, ((-3/2+1/2*I*3^{(1/2)})/(-3/2-1/2*I*3^{(1/2)}))^{(1/2)})+2*c*(3/2-1/2*I*3^{(1/2)})*((x+1)/(3/2-1/2*I*3^{(1/2)}))^{(1/2)}*((x-1/2-1/2*I*3^{(1/2)})/(-3/2-1/2*I*3^{(1/2)}))^{(1/2)}*((x-1/2+1/2*I*3^{(1/2)})/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)}/(x^3+1)^{(1/2)}*EllipticF(((x+1)/(3/2-1/2*I*3^{(1/2)}))^{(1/2)}, ((-3/2+1/2*I*3^{(1/2)})/(-3/2-1/2*I*3^{(1/2)}))^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^3+1)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(x^3 + 1), x)

mupad [B] time = 4.77, size = 373, normalized size = 1.52

$$\frac{2d \left(\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) F \left(\operatorname{asin} \left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \right) \middle| -\frac{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}} \right) - \left(-\frac{3}{2} + \frac{\sqrt{3} 1i}{2} \right) E \left(\operatorname{asin} \left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \right) \middle| -\frac{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}} \right) \right) \left(\frac{3}{2} + \frac{\sqrt{3} 1i}{2} \right)}{\sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) - 1 \right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(x^3 + 1)^(1/2),x)

[Out] (2*c*((3^(1/2)*1i)/2 + 3/2)*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticF(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)))/(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2) - (2*d*((3^(1/2)*1i)/2 - 1/2)*ellipticF(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)) - ((3^(1/2)*1i)/2 - 3/2)*ellipticE(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -((3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)))*((3^(1/2)*1i)/2 + 3/2)*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*(((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2))/(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2)

sympy [A] time = 3.05, size = 61, normalized size = 0.25

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \right) x^3 e^{i\pi}}{3\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{5}{3} \right) x^3 e^{i\pi}}{3\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(x**3+1)**(1/2),x)
```

```
[Out] c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3))
```

$$3.112 \quad \int \frac{c+dx}{\sqrt{1-x^3}} dx$$

Optimal. Leaf size=271

$$\frac{2\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}}(c-\sqrt{3}d+d)F\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}} + \frac{2d\sqrt{1-x^3}}{-x+\sqrt{3}+1} + \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}}{\sqrt{1-x^3}}$$

[Out] $2*d*(-x^3+1)^{(1/2)}/(1-x+3^{(1/2)})-3^{(1/4)}*d*(1-x)*\text{EllipticE}((1-x-3^{(1/2)})/(1-x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x+3^{(1/2)}))^2)^{(1/2)}/(-x^3+1)^{(1/2)}/((1-x)/(1-x+3^{(1/2)}))^2)^{(1/2)}-2/3*(1-x)*\text{EllipticF}((1-x-3^{(1/2)})/(1-x+3^{(1/2)}), I*3^{(1/2)}+2*I)*(c+d-d*3^{(1/2)})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((x^2+x+1)/(1-x+3^{(1/2)}))^2)^{(1/2)}*3^{(3/4)}/(-x^3+1)^{(1/2)}/((1-x)/(1-x+3^{(1/2)}))^2)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x+\sqrt{3}+1)^2}}(c-\sqrt{3}d+d)F\left(\sin^{-1}\left(\frac{-x-\sqrt{3}+1}{-x+\sqrt{3}+1}\right)\middle| -7-4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{1-x}{(-x+\sqrt{3}+1)^2}}\sqrt{1-x^3}} + \frac{2d\sqrt{1-x^3}}{-x+\sqrt{3}+1} + \frac{\sqrt[4]{3}\sqrt{2-\sqrt{3}}}{\sqrt{1-x^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[1 - x^3], x]

[Out] $(2*d*\text{Sqrt}[1-x^3])/(1+\text{Sqrt}[3-x])-(3^{(1/4)}*\text{Sqrt}[2-\text{Sqrt}[3]]*d*(1-x)*\text{Sqrt}[(1+x+x^2)/(1+\text{Sqrt}[3-x])^2]*\text{EllipticE}[\text{ArcSin}[(1-\text{Sqrt}[3-x])/(1+\text{Sqrt}[3-x])], -7-4*\text{Sqrt}[3]])/(\text{Sqrt}[(1-x)/(1+\text{Sqrt}[3-x])^2]*\text{Sqrt}[1-x^3])-(2*\text{Sqrt}[2+\text{Sqrt}[3]]*(c+d-\text{Sqrt}[3]*d)*(1-x)*\text{Sqrt}[(1+x+x^2)/(1+\text{Sqrt}[3-x])^2]*\text{EllipticF}[\text{ArcSin}[(1-\text{Sqrt}[3-x])/(1+\text{Sqrt}[3-x])], -7-4*\text{Sqrt}[3]])/(3^{(1/4)}*\text{Sqrt}[(1-x)/(1+\text{Sqrt}[3-x])^2]*\text{Sqrt}[1-x^3])$

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]

] * Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] & & PosQ[a]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}], Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}], Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{c + dx}{\sqrt{1 - x^3}} dx = - \left(d \int \frac{1 - \sqrt{3} - x}{\sqrt{1 - x^3}} dx \right) + (c + d - \sqrt{3}d) \int \frac{1}{\sqrt{1 - x^3}} dx$$

$$= \frac{2d\sqrt{1 - x^3}}{1 + \sqrt{3} - x} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} d(1 - x) \sqrt{\frac{1+x+x^2}{(1+\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1-\sqrt{3}-x}{1+\sqrt{3}-x}\right) \mid -7 - 4\sqrt{3}\right)}{\sqrt{\frac{1-x}{(1+\sqrt{3}-x)^2}} \sqrt{1 - x^3}} - \frac{2\sqrt{2 + \sqrt{3}}}{\sqrt{1 - x^3}}$$

Mathematica [C] time = 0.01, size = 38, normalized size = 0.14

$$cx {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + \frac{1}{2} dx^2 {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[1 - x^3], x]

[Out] $c*x*\text{Hypergeometric2F1}[1/3, 1/2, 4/3, x^3] + (d*x^2*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, x^3])/2$

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^3+1}(dx+c)}{x^3-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-x^3+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-x^3 + 1)*(d*x + c)/(x^3 - 1), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx+c}{\sqrt{-x^3+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-x^3+1)^(1/2),x, algorithm="giac")`

[Out] `integrate((d*x + c)/sqrt(-x^3 + 1), x)`

maple [A] time = 0.05, size = 267, normalized size = 0.99

$$\frac{2i\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3} \sqrt{\frac{x-1}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x + \frac{1}{2} + \frac{i\sqrt{3}}{2}\right)} \sqrt{3} c \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x + \frac{1}{2} - \frac{i\sqrt{3}}{2}\right)} \sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{-\frac{3}{2} + \frac{i\sqrt{3}}{2}}}\right) 2i\sqrt{3}}{3\sqrt{-x^3+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(-x^3+1)^(1/2),x)`

[Out] $-2/3*I*d*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x-1)/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)}*(-I*(x+1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3+1)^{(1/2)}*((-3/2+1/2*I*3^{(1/2)})*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, (I*3^{(1/2)}/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)})+EllipticF(1/3*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, (I*3^{(1/2)}/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)}))-2/3*I*c*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x-1)/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)}*(-I*(x+1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3+1)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, (I*3^{(1/2)}/(-3/2+1/2*I*3^{(1/2)}))^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-x^3 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^3+1)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(-x^3 + 1), x)

mupad [B] time = 5.07, size = 406, normalized size = 1.50

$$\frac{2c \left(\frac{3}{2} + \frac{\sqrt{3} 1i}{2} \right) \sqrt{x^3 - 1} \sqrt{-\frac{x + \frac{1}{2} - \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{x + \frac{1}{2} + \frac{\sqrt{3} 1i}{2}}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{-\frac{x-1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} F \left(\operatorname{asin} \left(\sqrt{-\frac{x-1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \right) \right) \Big|_{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}^{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}}{\sqrt{1-x^3} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) - 1 \right) x + \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right)}} 2d \left(\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(1 - x^3)^(1/2),x)

[Out]
$$-\frac{(2*c*((3^{(1/2)}*1i)/2 + 3/2)*(x^3 - 1)^{(1/2)*(-(x - (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 - 3/2))^{(1/2)}*((x + (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)*(-(x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*\operatorname{ellipticF}(\operatorname{asin}((-x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}), -(3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2)))/((1 - x^3)^{(1/2)*(((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) - x*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) + x^3)^{(1/2)}) - (2*d*((3^{(1/2)}*1i)/2 - 1/2)*\operatorname{ellipticF}(\operatorname{asin}((-x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}), -(3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2)) - ((3^{(1/2)}*1i)/2 - 3/2)*\operatorname{ellipticE}(\operatorname{asin}((-x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}), -(3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2)))*((3^{(1/2)}*1i)/2 + 3/2)*(x^3 - 1)^{(1/2)*(-(x - (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 - 3/2))^{(1/2)}*((x + (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)*(-(x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)})/((1 - x^3)^{(1/2)*(((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) - x*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) + x^3)^{(1/2)})}$$

sympy [A] time = 3.54, size = 65, normalized size = 0.24

$$\frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} \frac{1}{3}, \frac{1}{2} \\ \frac{4}{3} \end{matrix} \middle| x^3 e^{2i\pi} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} \frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| x^3 e^{2i\pi} \right)}{3\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(-x**3+1)**(1/2),x)
```

```
[Out] c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(2*I*pi))/(3*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(2*I*pi))/(3*gamma(5/3))
```

$$3.113 \quad \int \frac{c+dx}{\sqrt{-1+x^3}} dx$$

Optimal. Leaf size=275

$$\frac{2\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}(c+\sqrt{3}d+d)F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right)\middle| -7+4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}} - \frac{2d\sqrt{x^3-1}}{-x-\sqrt{3}+1} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}}{-x-\sqrt{3}+1}$$

[Out] $-2*d*(x^3-1)^{(1/2)}/(1-x-3^{(1/2)})-2/3*(1-x)*\text{EllipticF}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)})*(c+d*d*3^{(1/2)})*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)}*3^{(3/4)}/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)}+3^{(1/4)}*d*(1-x)*\text{EllipticE}((1-x+3^{(1/2)})/(1-x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2+x+1)/(1-x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(x^3-1)^{(1/2)}/((-1+x)/(1-x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{2-\sqrt{3}}(1-x)\sqrt{\frac{x^2+x+1}{(-x-\sqrt{3}+1)^2}}(c+\sqrt{3}d+d)F\left(\sin^{-1}\left(\frac{-x+\sqrt{3}+1}{-x-\sqrt{3}+1}\right)\middle| -7+4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{-\frac{1-x}{(-x-\sqrt{3}+1)^2}}\sqrt{x^3-1}} - \frac{2d\sqrt{x^3-1}}{-x-\sqrt{3}+1} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}}{-x-\sqrt{3}+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-1 + x^3], x]

[Out] $(-2*d*\text{Sqrt}[-1+x^3])/(1-\text{Sqrt}[3]-x)+(3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*d*(1-x)*\text{Sqrt}[(1+x+x^2)/(1-\text{Sqrt}[3]-x)^2]*\text{EllipticE}[\text{ArcSin}[(1+\text{Sqrt}[3]-x)/(1-\text{Sqrt}[3]-x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1-x)/(1-\text{Sqrt}[3]-x)^2)]*\text{Sqrt}[-1+x^3])-(2*\text{Sqrt}[2-\text{Sqrt}[3]]*(c+d+\text{Sqrt}[3]*d)*(1-x)*\text{Sqrt}[(1+x+x^2)/(1-\text{Sqrt}[3]-x)^2]*\text{EllipticF}[\text{ArcSin}[(1+\text{Sqrt}[3]-x)/(1-\text{Sqrt}[3]-x)], -7+4*\text{Sqrt}[3]])/(3^{(1/4)}*\text{Sqrt}[-((1-x)/(1-\text{Sqrt}[3]-x)^2)]*\text{Sqrt}[-1+x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]

```
] * Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2)], x]] /; FreeQ[{a, b}, x]
] && NegQ[a]
```

Rule 1879

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)]], -7 + 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2)]), x]] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rule 1880

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\int \frac{c + dx}{\sqrt{-1 + x^3}} dx = - \left(d \int \frac{1 + \sqrt{3} - x}{\sqrt{-1 + x^3}} dx \right) + (c + d + \sqrt{3}d) \int \frac{1}{\sqrt{-1 + x^3}} dx$$

$$= - \frac{2d\sqrt{-1 + x^3}}{1 - \sqrt{3} - x} + \frac{\sqrt[4]{3} \sqrt{2 + \sqrt{3}} d(1 - x) \sqrt{\frac{1+x+x^2}{(1-\sqrt{3}-x)^2}} E\left(\sin^{-1}\left(\frac{1+\sqrt{3}-x}{1-\sqrt{3}-x}\right) \mid -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1-x}{(1-\sqrt{3}-x)^2}} \sqrt{-1 + x^3}} - \frac{2\sqrt{2 - \sqrt{3}}}{\sqrt{-1 + x^3}}$$

Mathematica [C] time = 0.03, size = 58, normalized size = 0.21

$$\frac{x\sqrt{1-x^3} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; x^3\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; x^3\right) \right)}{2\sqrt{x^3-1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)/Sqrt[-1 + x^3], x]
```

[Out] $(x*\text{Sqrt}[1 - x^3]*(2*c*\text{Hypergeometric2F1}[1/3, 1/2, 4/3, x^3] + d*x*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, x^3]))/(2*\text{Sqrt}[-1 + x^3])$

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx + c}{\sqrt{x^3 - 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(x^3-1)^(1/2),x, algorithm="fricas")`

[Out] `integral((d*x + c)/sqrt(x^3 - 1), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(x^3-1)^(1/2),x, algorithm="giac")`

[Out] `integrate((d*x + c)/sqrt(x^3 - 1), x)`

maple [A] time = 0.05, size = 291, normalized size = 1.06

$$\frac{2\left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} + \frac{i\sqrt{3}}{2}}} c \text{EllipticF}\left(\sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}}, \sqrt{\frac{\frac{3}{2} + \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}\right) + 2\left(-\frac{3}{2} - \frac{i\sqrt{3}}{2}\right) \sqrt{\frac{x-1}{-\frac{3}{2} - \frac{i\sqrt{3}}{2}}} \sqrt{\frac{x+\frac{1}{2} - \frac{i\sqrt{3}}{2}}{\frac{3}{2} - \frac{i\sqrt{3}}{2}}}}{\sqrt{x^3 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(x^3-1)^(1/2),x)`

[Out] $2*d*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*((3/2-1/2*I*3^(1/2))*\text{EllipticE}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2), ((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))+(-1/2+1/2*I*3^(1/2))*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2), ((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)))+2*c*(-3/2-1/2*I*3^(1/2))*((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2-1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2)*((x+1/2+1/2*I*3^(1/2))/(3/2+1/2*I*3^(1/2)))^(1/2)/(x^3-1)^(1/2)*\text{EllipticF}(((x-1)/(-3/2-1/2*I*3^(1/2)))^(1/2), ((3/2+1/2*I*3^(1/2))/(3/2-1/2*I*3^(1/2)))^(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^3-1)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(x^3 - 1), x)

mupad [B] time = 0.12, size = 374, normalized size = 1.36

$$\frac{2c \left(\frac{3}{2} + \frac{\sqrt{3} 1i}{2} \right) \sqrt{-\frac{x+\frac{1}{2}-\frac{\sqrt{3} 1i}{2}}{-\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{x+\frac{1}{2}+\frac{\sqrt{3} 1i}{2}}{\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}} \sqrt{-\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}} F\left(\operatorname{asin}\left(\sqrt{-\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}}\right)\right) \Big|_{-\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}^{-\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}}{\sqrt{x^3 + \left(-\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) - 1\right)x + \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)\left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)}} 2d \left(\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) F\left(\operatorname{asin}\left(\sqrt{-\frac{x-1}{\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}}\right)\right) \Big|_{-\frac{3}{2}+\frac{\sqrt{3} 1i}{2}}^{-\frac{3}{2}+\frac{\sqrt{3} 1i}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(x^3 - 1)^(1/2),x)

[Out]
$$-\frac{(2*c*((3^{(1/2)}*1i)/2 + 3/2)*(-(x - (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 - 3/2))^{(1/2)}*((x + (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*(-(x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*\operatorname{ellipticF}(\operatorname{asin}((-x - 1)/((3^{(1/2)}*1i)/2 + 3/2)), -((3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2))}{((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) - x*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) + x^3)^{(1/2)} - (2*d*((3^{(1/2)}*1i)/2 - 1/2)*\operatorname{ellipticF}(\operatorname{asin}((-x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}, -((3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2)) - ((3^{(1/2)}*1i)/2 - 3/2)*\operatorname{ellipticE}(\operatorname{asin}((-x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}, -((3^{(1/2)}*1i)/2 + 3/2)/((3^{(1/2)}*1i)/2 - 3/2)))*((3^{(1/2)}*1i)/2 + 3/2)*(-(x - (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 - 3/2))^{(1/2)}*((x + (3^{(1/2)}*1i)/2 + 1/2)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}*(-(x - 1)/((3^{(1/2)}*1i)/2 + 3/2))^{(1/2)}}{((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) - x*((3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/2 + 1/2) + x^3)^{(1/2)}$$

sympy [A] time = 2.95, size = 56, normalized size = 0.20

$$\frac{icx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \middle| x^3\right)}{3\Gamma\left(\frac{4}{3}\right)} - \frac{idx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{5}{3} \middle| x^3\right)}{3\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x**3-1)**(1/2),x)

[Out] $-I*c*x*\gamma(1/3)*\text{hyper}((1/3, 1/2), (4/3,), x**3)/(3*\gamma(4/3)) - I*d*x**2*\gamma(2/3)*\text{hyper}((1/2, 2/3), (5/3,), x**3)/(3*\gamma(5/3))$

$$3.114 \quad \int \frac{c+dx}{\sqrt{-1-x^3}} dx$$

Optimal. Leaf size=261

$$\frac{2\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}(c-(1+\sqrt{3})d)F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right)\middle| -7+4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} - \frac{2d\sqrt{-x^3-1}}{x-\sqrt{3}+1} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}d}{x-\sqrt{3}+1}$$

[Out] $-2*d*(-x^3-1)^{(1/2)}/(1+x-3^{(1/2)})+2/3*(1+x)*\text{EllipticF}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*(c-d*(1+3^{(1/2)}))*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}*3^{(3/4)}/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}+3^{(1/4)}*d*(1+x)*\text{EllipticE}((1+x+3^{(1/2)})/(1+x-3^{(1/2)}), 2*I-I*3^{(1/2)})*((x^2-x+1)/(1+x-3^{(1/2)})^2)^{(1/2)}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})/(-x^3-1)^{(1/2)}/((-1-x)/(1+x-3^{(1/2)})^2)^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1880, 219, 1879}

$$\frac{2\sqrt{2-\sqrt{3}}(x+1)\sqrt{\frac{x^2-x+1}{(x-\sqrt{3}+1)^2}}(c-(1+\sqrt{3})d)F\left(\sin^{-1}\left(\frac{x+\sqrt{3}+1}{x-\sqrt{3}+1}\right)\middle| -7+4\sqrt{3}\right)}{\sqrt[4]{3}\sqrt{\frac{x+1}{(x-\sqrt{3}+1)^2}}\sqrt{-x^3-1}} - \frac{2d\sqrt{-x^3-1}}{x-\sqrt{3}+1} + \frac{\sqrt[4]{3}\sqrt{2+\sqrt{3}}d}{x-\sqrt{3}+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-1 - x^3], x]

[Out] $(-2*d*\text{Sqrt}[-1-x^3])/(1-\text{Sqrt}[3]+x)+(3^{(1/4)}*\text{Sqrt}[2+\text{Sqrt}[3]]*d*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticE}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3])+(2*\text{Sqrt}[2-\text{Sqrt}[3]]*(c-(1+\text{Sqrt}[3])*d)*(1+x)*\text{Sqrt}[(1-x+x^2)/(1-\text{Sqrt}[3]+x)^2]*\text{EllipticF}[\text{ArcSin}[(1+\text{Sqrt}[3]+x)/(1-\text{Sqrt}[3]+x)], -7+4*\text{Sqrt}[3]])/(3^{(1/4)}*\text{Sqrt}[-((1+x)/(1-\text{Sqrt}[3]+x)^2)]*\text{Sqrt}[-1-x^3])$

Rule 219

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 - Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]

] * Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2)], x]] /; FreeQ[{a, b}, x] && NegQ[a]

Rule 1879

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 + Sqrt[3])*d)/c]], s = Denom[Simplify[((1 + Sqrt[3])*d)/c]]}], Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 - Sqrt[3])*s + r*x)), x] + Simp[(3^(1/4)*Sqrt[2 + Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 - Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 + Sqrt[3])*s + r*x)/((1 - Sqrt[3])*s + r*x)], -7 + 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[-((s*(s + r*x))/((1 - Sqrt[3])*s + r*x)^2)]), x]] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && EqQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rule 1880

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}], Dist[(c*r - (1 + Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 + Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && NegQ[a] && NeQ[b*c^3 - 2*(5 + 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\int \frac{c + dx}{\sqrt{-1 - x^3}} dx = d \int \frac{1 + \sqrt{3} + x}{\sqrt{-1 - x^3}} dx + (c - (1 + \sqrt{3})d) \int \frac{1}{\sqrt{-1 - x^3}} dx$$

$$= -\frac{2d\sqrt{-1 - x^3}}{1 - \sqrt{3} + x} + \frac{\sqrt[4]{3}\sqrt{2 + \sqrt{3}}d(1 + x)\sqrt{\frac{1-x+x^2}{(1-\sqrt{3}+x)^2}}E\left(\sin^{-1}\left(\frac{1+\sqrt{3}+x}{1-\sqrt{3}+x}\right) \middle| -7 + 4\sqrt{3}\right)}{\sqrt{-\frac{1+x}{(1-\sqrt{3}+x)^2}}\sqrt{-1 - x^3}} + \frac{2\sqrt{2}}{\dots}$$

Mathematica [C] time = 0.02, size = 62, normalized size = 0.24

$$\frac{x\sqrt{x^3 + 1} \left(2c {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -x^3\right) + dx {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -x^3\right) \right)}{2\sqrt{-x^3 - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[-1 - x^3], x]

[Out] $(x\sqrt{1+x^3}*(2*c*\text{Hypergeometric2F1}[1/3, 1/2, 4/3, -x^3] + d*x*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, -x^3]))/(2*\sqrt{-1-x^3})$

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^3-1}(dx+c)}{x^3+1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-x^3-1)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-x^3-1)*(d*x+c)/(x^3+1), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx+c}{\sqrt{-x^3-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(-x^3-1)^(1/2),x, algorithm="giac")`

[Out] `integrate((d*x+c)/sqrt(-x^3-1), x)`

maple [A] time = 0.05, size = 269, normalized size = 1.03

$$\frac{2i\sqrt{3} \sqrt{i\left(x-\frac{1}{2}-\frac{i\sqrt{3}}{2}\right)}\sqrt{3} \sqrt{\frac{x+1}{\frac{3}{2}+\frac{i\sqrt{3}}{2}}} \sqrt{-i\left(x-\frac{1}{2}+\frac{i\sqrt{3}}{2}\right)}\sqrt{3} c \text{EllipticF}\left(\frac{\sqrt{3} \sqrt{i\left(x-\frac{1}{2}-\frac{i\sqrt{3}}{2}\right)}\sqrt{3}}{3}, \sqrt{\frac{i\sqrt{3}}{\frac{3}{2}+\frac{i\sqrt{3}}{2}}}\right) 2i\sqrt{3}}{3\sqrt{-x^3-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)/(-x^3-1)^(1/2),x)`

[Out] $-2/3*I*d*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x+1)/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}*(-I*(x-1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3-1)^{(1/2)}*((3/2+1/2*I*3^{(1/2)})*EllipticE(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, (I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)})-EllipticF(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, (I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}))-2/3*I*c*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}*((x+1)/(3/2+1/2*I*3^{(1/2)}))^{(1/2)}*(-I*(x-1/2+1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}/(-x^3-1)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x-1/2-1/2*I*3^{(1/2)})*3^{(1/2)})^{(1/2)}, (I*3^{(1/2)}/(3/2+1/2*I*3^{(1/2)}))^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-x^3 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^3-1)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(-x^3 - 1), x)

mupad [B] time = 4.82, size = 405, normalized size = 1.55

$$\frac{2c \left(\frac{3}{2} + \frac{\sqrt{3} 1i}{2} \right) \sqrt{x^3 + 1} \sqrt{\frac{x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \sqrt{\frac{\frac{1}{2} - x + \frac{\sqrt{3} 1i}{2}}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} F \left(\operatorname{asin} \left(\sqrt{\frac{x+1}{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}} \right) \right) - \frac{\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}{-\frac{3}{2} + \frac{\sqrt{3} 1i}{2}}}{\sqrt{-x^3 - 1} \sqrt{x^3 + \left(-\left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) - 1 \right) x - \left(-\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right) \left(\frac{1}{2} + \frac{\sqrt{3} 1i}{2} \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(- x^3 - 1)^(1/2),x)

[Out] (2*c*((3^(1/2)*1i)/2 + 3/2)*(x^3 + 1)^(1/2)*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*ellipticF(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -(3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)))/((- x^3 - 1)^(1/2)*(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2)) - (2*d*((3^(1/2)*1i)/2 - 1/2)*ellipticF(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -(3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)) - ((3^(1/2)*1i)/2 - 3/2)*ellipticE(asin(((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)), -(3^(1/2)*1i)/2 + 3/2)/((3^(1/2)*1i)/2 - 3/2)))*((3^(1/2)*1i)/2 + 3/2)*(x^3 + 1)^(1/2)*((x + (3^(1/2)*1i)/2 - 1/2)/((3^(1/2)*1i)/2 - 3/2))^(1/2)*((x + 1)/((3^(1/2)*1i)/2 + 3/2))^(1/2)*((3^(1/2)*1i)/2 - x + 1/2)/((3^(1/2)*1i)/2 + 3/2))^(1/2))/((- x^3 - 1)^(1/2)*(x^3 - x*((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2) + 1) - ((3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/2 + 1/2))^(1/2))

sympy [A] time = 2.74, size = 66, normalized size = 0.25

$$\frac{icx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{4}{3} \middle| x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{4}{3}\right)} - \frac{idx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{2}{3} \middle| \frac{5}{3} \middle| x^3 e^{i\pi}\right)}{3\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(-x**3-1)**(1/2),x)
```

```
[Out] -I*c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), x**3*exp_polar(I*pi))/(3*gamma(4/3)) - I*d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), x**3*exp_polar(I*pi))/(3*gamma(5/3))
```

$$3.115 \quad \int \frac{c+dx}{a-bx^4} dx$$

Optimal. Leaf size=87

$$\frac{c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

[Out] $1/2*c*\arctan(b^{(1/4)}*x/a^{(1/4)})/a^{(3/4)}/b^{(1/4)}+1/2*c*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})/a^{(3/4)}/b^{(1/4)}+1/2*d*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(1/2)}/b^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {1876, 212, 208, 205, 275}

$$\frac{c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] `Int[(c + d*x)/(a - b*x^4), x]`

[Out] `(c*ArcTan[(b^(1/4)*x)/a^(1/4)])/(2*a^(3/4)*b^(1/4)) + (c*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(2*a^(3/4)*b^(1/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(2*Sqrt[a]*Sqrt[b])`

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 212

`Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]`

Rule 275

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{a - bx^4} dx &= \int \left(\frac{c}{a - bx^4} + \frac{dx}{a - bx^4} \right) dx \\ &= c \int \frac{1}{a - bx^4} dx + d \int \frac{x}{a - bx^4} dx \\ &= \frac{c \int \frac{1}{\sqrt{a} - \sqrt{b}x^2} dx}{2\sqrt{a}} + \frac{c \int \frac{1}{\sqrt{a} + \sqrt{b}x^2} dx}{2\sqrt{a}} + \frac{1}{2}d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) \\ &= \frac{c \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}\sqrt[4]{b}} + \frac{c \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}\sqrt[4]{b}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} \end{aligned}$$

Mathematica [A] time = 0.04, size = 134, normalized size = 1.54

$$\frac{-\left(\sqrt[4]{a}d + \sqrt[4]{b}c\right)\log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right) + \sqrt[4]{b}c\log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right) + 2\sqrt[4]{b}c\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) + \sqrt[4]{a}d\log\left(\sqrt{a} + \sqrt{b}x^2\right) - \sqrt[4]{a}d}{4a^{3/4}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4), x]

[Out] (2*b^(1/4)*c*ArcTan[(b^(1/4)*x)/a^(1/4)] - (b^(1/4)*c + a^(1/4)*d)*Log[a^(1/4) - b^(1/4)*x] + b^(1/4)*c*Log[a^(1/4) + b^(1/4)*x] - a^(1/4)*d*Log[a^(1/4) + b^(1/4)*x] + a^(1/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(4*a^(3/4)*Sqrt[b])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.18, size = 225, normalized size = 2.59

$$\frac{\sqrt{2} (-ab^3)^{\frac{1}{4}} c \log\left(x^2 + \sqrt{2} x \left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{8 ab} - \frac{\sqrt{2} (-ab^3)^{\frac{1}{4}} c \log\left(x^2 - \sqrt{2} x \left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{8 ab} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{-ab} b d\right)}{8 ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out] 1/8*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a*b) - 1/8*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a*b) + 1/4*sqrt(2)*(sqrt(2)*sqrt(-a*b)*b*d + (-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a*b^2) + 1/4*sqrt(2)*(sqrt(2)*sqrt(-a*b)*b*d + (-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a*b^2)

maple [A] time = 0.05, size = 101, normalized size = 1.16

$$-\frac{d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4+a),x)

[Out] 1/4*c*(a/b)^(1/4)/a*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/2*c*(a/b)^(1/4)/a*arctan(x/(a/b)^(1/4))-1/4*d/(a*b)^(1/2)*ln((-a+x^2*(a*b)^(1/2))/(-a-x^2*(a*b)^(1/2)))

maxima [B] time = 2.88, size = 126, normalized size = 1.45

$$\frac{c \arctan\left(\frac{\sqrt{b} x}{\sqrt{\sqrt{a} \sqrt{b}}}\right)}{2 \sqrt{a} \sqrt{\sqrt{a} \sqrt{b}}} + \frac{d \log\left(\sqrt{b} x^2 + \sqrt{a}\right)}{4 \sqrt{a} \sqrt{b}} - \frac{d \log\left(\sqrt{b} x^2 - \sqrt{a}\right)}{4 \sqrt{a} \sqrt{b}} - \frac{c \log\left(\frac{\sqrt{b} x - \sqrt{\sqrt{a} \sqrt{b}}}{\sqrt{b} x + \sqrt{\sqrt{a} \sqrt{b}}}\right)}{4 \sqrt{a} \sqrt{\sqrt{a} \sqrt{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{2}c \arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right) / (\sqrt{a}\sqrt{b}) + \frac{1}{4}d \log\left(\frac{\sqrt{b}x^2 + \sqrt{a}}{\sqrt{a}\sqrt{b}}\right) - \frac{1}{4}d \log\left(\frac{\sqrt{b}x^2 - \sqrt{a}}{\sqrt{a}\sqrt{b}}\right) - \frac{1}{4}c \log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right) / (\sqrt{a}\sqrt{b})$

mupad [B] time = 5.01, size = 182, normalized size = 2.09

$$\left\{ \begin{array}{ll} \frac{2c+3dx}{6bx^3} & \text{if } a > 0 \\ \frac{\operatorname{atan}\left(\frac{\sqrt{2}(-b)^{1/4}x-1}{a^{1/4}}\right)\left(2a^{1/4}d+\sqrt{2}(-b)^{1/4}c\right)}{4a^{3/4}\sqrt{-b}} - \frac{\operatorname{atan}\left(\frac{\sqrt{2}(-b)^{1/4}x+1}{a^{1/4}}\right)\left(4a^{1/4}d-2\sqrt{2}(-b)^{1/4}c\right)}{8a^{3/4}\sqrt{-b}} + \frac{\sqrt{2}c \ln\left(\frac{\sqrt{-b}x^2+\sqrt{a}+\sqrt{2}a^{1/4}(-b)^{1/4}x}{\sqrt{-b}x^2+\sqrt{a}-\sqrt{2}a^{1/4}(-b)^{1/4}x}\right)}{8a^{3/4}(-b)^{1/4}} & \text{if } a < 0 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a - b*x^4),x)

[Out] piecewise(a == 0, (2*c + 3*d*x)/(6*b*x^3), a > 0, (atan((2^(1/2)*(-b)^(1/4)*x)/a^(1/4) - 1)*(2*a^(1/4)*d + 2^(1/2)*(-b)^(1/4)*c))/(4*a^(3/4)*(-b)^(1/2)) - (atan((2^(1/2)*(-b)^(1/4)*x)/a^(1/4) + 1)*(4*a^(1/4)*d - 2*2^(1/2)*(-b)^(1/4)*c))/(8*a^(3/4)*(-b)^(1/2)) + (2^(1/2)*c*log(((b)^(1/2)*x^2 + a^(1/2) + 2^(1/2)*a^(1/4)*(-b)^(1/4)*x)/((-b)^(1/2)*x^2 + a^(1/2) - 2^(1/2)*a^(1/4)*(-b)^(1/4)*x)))/(8*a^(3/4)*(-b)^(1/4))

sympy [A] time = 1.22, size = 126, normalized size = 1.45

$$-\operatorname{RootSum}\left(256t^4a^3b^2 - 32t^2a^2bd^2 - 16tabc^2d + ad^4 - bc^4, \left(t \mapsto t \log\left(x + \frac{-128t^3a^3bd^2 + 16t^2a^2bc^2d + 8ta^2d^4}{4acd^4 + bc^5}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**4+a),x)

[Out] $-\operatorname{RootSum}(256*_t**4*a**3*b**2 - 32*_t**2*a**2*b*d**2 - 16*_t*a*b*c**2*d + a*d**4 - b*c**4, \operatorname{Lambda}(_t, _t*\log(x + (-128*_t**3*a**3*b*d**2 + 16*_t**2*a**2*b*c**2*d + 8*_t*a**2*d**4 - 4*_t*a*b*c**4 + 5*a*c**2*d**3)/(4*a*c*d**4 + b*c**5))))$

$$3.116 \quad \int \frac{c+dx}{a+bx^4} dx$$

Optimal. Leaf size=219

$$\frac{c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} - \frac{c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}}$$

[Out] $1/4*c*\arctan(-1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})/a^{(3/4)}/b^{(1/4)}*2^{(1/2)}+1/4*c*\arctan(1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})/a^{(3/4)}/b^{(1/4)}*2^{(1/2)}-1/8*c*\ln(-a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})/a^{(3/4)}/b^{(1/4)}*2^{(1/2)}+1/8*c*\ln(a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})/a^{(3/4)}/b^{(1/4)}*2^{(1/2)}+1/2*d*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/a^{(1/2)}/b^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 219, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$\frac{c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{b}} - \frac{c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}} + \frac{c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4), x]

[Out] $(d*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*\text{Sqrt}[b]) - (c*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)})/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(1/4)}) + (c*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)})/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(1/4)}) - (c*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(1/4)}) + (c*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(1/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 211

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]
], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4),
x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b
}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&
AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
```

Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx}{a + bx^4} dx &= \int \left(\frac{c}{a + bx^4} + \frac{dx}{a + bx^4} \right) dx \\
 &= c \int \frac{1}{a + bx^4} dx + d \int \frac{x}{a + bx^4} dx \\
 &= \frac{c \int \frac{\sqrt{a} - \sqrt{b}x^2}{a + bx^4} dx}{2\sqrt{a}} + \frac{c \int \frac{\sqrt{a} + \sqrt{b}x^2}{a + bx^4} dx}{2\sqrt{a}} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} + \frac{c \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}\sqrt{b}} + \frac{c \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{4\sqrt{a}\sqrt{b}} - \frac{c \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} + 2x}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} - \frac{c \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} - 2x}{-\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{c \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} + \frac{c \log \left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} + \frac{c \int \frac{1}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} - \frac{c \int \frac{1}{-\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{c \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}\sqrt[4]{b}} + \frac{c \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}\sqrt[4]{b}} - \frac{c \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{4\sqrt{2}a^{3/4}\sqrt[4]{b}} + \frac{c \log \left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{4\sqrt{2}a^{3/4}\sqrt[4]{b}}
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 184, normalized size = 0.84

$$\frac{-2(2\sqrt[4]{a}d + \sqrt{2}\sqrt[4]{b}c) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right) + 2(\sqrt{2}\sqrt[4]{b}c - 2\sqrt[4]{a}d) \tan^{-1} \left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1 \right) + \sqrt{2}\sqrt[4]{b}c \left(\log \left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right) - \log \left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x - \sqrt{b}x^2 \right) \right)}{8a^{3/4}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4), x]

[Out] (-2*(Sqrt[2]*b^(1/4)*c + 2*a^(1/4)*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]) + 2*(Sqrt[2]*b^(1/4)*c - 2*a^(1/4)*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*b^(1/4)*c*(-Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(8*a^(3/4)*Sqrt[b])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 213, normalized size = 0.97

$$\frac{\sqrt{2} (ab^3)^{\frac{1}{4}} c \log\left(x^2 + \sqrt{2} x \left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8 ab} - \frac{\sqrt{2} (ab^3)^{\frac{1}{4}} c \log\left(x^2 - \sqrt{2} x \left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{8 ab} - \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b d - (ab^3)^{\frac{1}{4}} b c\right)}{4 ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{8} \sqrt{2} (ab^3)^{\frac{1}{4}} c \log(x^2 + \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / (ab) - \frac{1}{8} \sqrt{2} (ab^3)^{\frac{1}{4}} c \log(x^2 - \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / (ab) - \frac{1}{4} \sqrt{2} (\sqrt{2} \sqrt{ab} b d - (ab^3)^{\frac{1}{4}} b c) \arctan(1/2 \sqrt{2} (2x + \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}) / (ab^2) - \frac{1}{4} \sqrt{2} (\sqrt{2} \sqrt{ab} b d - (ab^3)^{\frac{1}{4}} b c) \arctan(1/2 \sqrt{2} (2x - \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}) / (ab^2)$

maple [A] time = 0.04, size = 151, normalized size = 0.69

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4+a),x)

[Out] $\frac{1}{8} c (a/b)^{\frac{1}{4}} / a^{\frac{1}{2}} \ln((x^2 + (a/b)^{\frac{1}{4}} \sqrt{2} x + (a/b)^{\frac{1}{2}}) / (x^2 - (a/b)^{\frac{1}{4}} \sqrt{2} x + (a/b)^{\frac{1}{2}})) + \frac{1}{4} c (a/b)^{\frac{1}{4}} / a^{\frac{1}{2}} \arctan(2^{\frac{1}{2}} / (a/b)^{\frac{1}{4}} x + 1) + \frac{1}{4} c (a/b)^{\frac{1}{4}} / a^{\frac{1}{2}} \arctan(2^{\frac{1}{2}} / (a/b)^{\frac{1}{4}} x - 1) + \frac{1}{2} d / (a*b)^{\frac{1}{2}} \arctan(x^2 * (1/a*b)^{\frac{1}{2}})$

maxima [A] time = 3.04, size = 207, normalized size = 0.95

$$\frac{\sqrt{2}c \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}b^{\frac{1}{4}}} - \frac{\sqrt{2}c \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}b^{\frac{1}{4}}} + \frac{\left(\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}c - 2\sqrt{a}d\right) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{a}}\right)}{4a^{\frac{3}{4}}\sqrt{\sqrt{a}\sqrt{b}b^{\frac{1}{4}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{8}\sqrt{2}c\log(\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a})/(a^{3/4}b^{1/4}) - \frac{1}{8}\sqrt{2}c\log(\sqrt{b}x^2 - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a})/(a^{3/4}b^{1/4}) + \frac{1}{4}(\sqrt{2}a^{1/4}b^{1/4}c - 2\sqrt{a}d) \arctan(1/2\sqrt{2}(2\sqrt{b}x + \sqrt{2}a^{1/4}b^{1/4})/\sqrt{a})/\sqrt{a} + \frac{1}{4}(\sqrt{2}a^{1/4}b^{1/4}c - 2\sqrt{a}d) \arctan(1/2\sqrt{2}(2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4})/\sqrt{a})/\sqrt{a}$

mupad [B] time = 4.80, size = 160, normalized size = 0.73

$$\begin{cases} -\frac{2c+3dx}{6bx^3} & \text{if } a = 0 \\ \frac{\operatorname{atan}\left(\frac{\sqrt{2}b^{1/4}x}{a^{1/4}} - 1\right)(2a^{1/4}d + \sqrt{2}b^{1/4}c)}{4a^{3/4}\sqrt{b}} - \frac{\operatorname{atan}\left(\frac{\sqrt{2}b^{1/4}x}{a^{1/4}} + 1\right)(4a^{1/4}d - 2\sqrt{2}b^{1/4}c)}{8a^{3/4}\sqrt{b}} + \frac{\sqrt{2}c \ln\left(\frac{\sqrt{a} + \sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x}{\sqrt{a} + \sqrt{b}x^2 - \sqrt{2}a^{1/4}b^{1/4}x}\right)}{8a^{3/4}b^{1/4}} & \text{if } a \neq 0 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^4),x)

[Out] $\operatorname{piecewise}(a == 0, -(2c + 3d*x)/(6*b*x^3), a \neq 0, (\operatorname{atan}((2^{1/2}*b^{1/4}*x)/a^{1/4} - 1)*(2*a^{1/4}*d + 2^{1/2}*b^{1/4}*c))/(4*a^{3/4}*b^{1/4}) - (\operatorname{atan}((2^{1/2}*b^{1/4}*x)/a^{1/4} + 1)*(4*a^{1/4}*d - 2*2^{1/2}*b^{1/4}*c))/(8*a^{3/4}*b^{1/4}) + (2^{1/2}*c*\log((a^{1/2} + b^{1/2}*x^2 + 2^{1/2}*a^{1/4}*b^{1/4}*x)/(a^{1/2} + b^{1/2}*x^2 - 2^{1/2}*a^{1/4}*b^{1/4}*x)))/(8*a^{3/4}*b^{1/4}))$

sympy [A] time = 1.03, size = 124, normalized size = 0.57

$$\operatorname{RootSum}\left(256t^4a^3b^2 + 32t^2a^2bd^2 - 16tabc^2d + ad^4 + bc^4, \left(t \mapsto t \log\left(x + \frac{-128t^3a^3bd^2 - 16t^2a^2bc^2d - 8ta^2d^4}{4acd^4 - bc^5}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(b*x**4+a),x)
```

```
[Out] RootSum(256*_t**4*a**3*b**2 + 32*_t**2*a**2*b*d**2 - 16*_t*a*b*c**2*d + a*d  
**4 + b*c**4, Lambda(_t, _t*log(x + (-128*_t**3*a**3*b*d**2 - 16*_t**2*a**2  
*b*c**2*d - 8*_t*a**2*d**4 - 4*_t*a*b*c**4 + 5*a*c**2*d**3)/(4*a*c*d**4 - b  
*c**5))))
```

$$3.117 \quad \int \frac{c+dx}{(a-bx^4)^2} dx$$

Optimal. Leaf size=110

$$\frac{3c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{3c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx)}{4a(a-bx^4)}$$

[Out] $1/4*x*(d*x+c)/a/(-b*x^4+a)+3/8*c*\arctan(b^{(1/4)}*x/a^{(1/4)})/a^{(7/4)}/b^{(1/4)}+3/8*c*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})/a^{(7/4)}/b^{(1/4)}+1/4*d*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(3/2)}/b^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1855, 1876, 212, 208, 205, 275}

$$\frac{3c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{3c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}\sqrt[4]{b}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx)}{4a(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - b*x^4)^2, x]

[Out] $(x*(c + d*x))/(4*a*(a - b*x^4)) + (3*c*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(8*a^{(7/4)}*b^{(1/4)}) + (3*c*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(8*a^{(7/4)}*b^{(1/4)}) + (d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]])/(4*a^{(3/2)}*\operatorname{Sqrt}[b])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ

[a/b, 0]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1855

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx}{(a - bx^4)^2} dx &= \frac{x(c + dx)}{4a(a - bx^4)} - \frac{\int \frac{-3c - 2dx}{a - bx^4} dx}{4a} \\
 &= \frac{x(c + dx)}{4a(a - bx^4)} - \frac{\int \left(-\frac{3c}{a - bx^4} - \frac{2dx}{a - bx^4} \right) dx}{4a} \\
 &= \frac{x(c + dx)}{4a(a - bx^4)} + \frac{(3c) \int \frac{1}{a - bx^4} dx}{4a} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\
 &= \frac{x(c + dx)}{4a(a - bx^4)} + \frac{(3c) \int \frac{1}{\sqrt{a} - \sqrt{b}x^2} dx}{8a^{3/2}} + \frac{(3c) \int \frac{1}{\sqrt{a} + \sqrt{b}x^2} dx}{8a^{3/2}} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{4a} \\
 &= \frac{x(c + dx)}{4a(a - bx^4)} + \frac{3c \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4} \sqrt[4]{b}} + \frac{3c \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4} \sqrt[4]{b}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2} \sqrt{b}}
 \end{aligned}$$

Mathematica [A] time = 0.20, size = 168, normalized size = 1.53

$$\frac{\frac{4ax(c+dx)}{a-bx^4} - \frac{(3\sqrt[4]{a}\sqrt[4]{b}c+2\sqrt{ad})\log(\sqrt[4]{a}-\sqrt[4]{b}x)}{\sqrt{b}} + \frac{(3\sqrt[4]{a}\sqrt[4]{b}c-2\sqrt{ad})\log(\sqrt[4]{a}+\sqrt[4]{b}x)}{\sqrt{b}} + \frac{6\sqrt[4]{a}c\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt[4]{b}} + \frac{2\sqrt{ad}\log(\sqrt{a}+\sqrt{b}x^2)}{\sqrt{b}}}{16a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4)^2,x]

[Out] ((4*a*x*(c + d*x))/(a - b*x^4) + (6*a^(1/4)*c*ArcTan[(b^(1/4)*x)/a^(1/4)])/b^(1/4) - ((3*a^(1/4)*b^(1/4)*c + 2*Sqrt[a]*d)*Log[a^(1/4) - b^(1/4)*x])/Sqrt[b] + ((3*a^(1/4)*b^(1/4)*c - 2*Sqrt[a]*d)*Log[a^(1/4) + b^(1/4)*x])/Sqrt[b] + (2*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(16*a^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.17, size = 254, normalized size = 2.31

$$\frac{3\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{32a^2b} - \frac{3\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{32a^2b} - \frac{dx^2 + cx}{4(bx^4 - a)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] 3/32*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^2*b) - 3/32*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^2*b) - 1/4*(d*x^2 + c*x)/((b*x^4 - a)*a) - 1/16*sqrt(2)*(2*sqrt(2)*sqrt(-a*b)*b*d - 3*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^2*b^2) - 1/16*sqrt(2)*(2*sqrt(2)*sqrt(-a*b)*b*d - 3*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^2*b^2)

maple [A] time = 0.05, size = 142, normalized size = 1.29

$$\frac{dx^2}{4(bx^4 - a)a} - \frac{cx}{4(bx^4 - a)a} - \frac{d \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{8\sqrt{ab}a} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8a^2} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4+a)^2,x)

[Out] -1/4*c*x/a/(b*x^4-a)+3/16*c/a^2*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+3/8*c/a^2*(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)-1/4*d*x^2/a/(b*x^4-a)-1/8*d/a/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))

maxima [A] time = 3.04, size = 157, normalized size = 1.43

$$-\frac{dx^2 + cx}{4(abx^4 - a^2)} + \frac{\frac{6c \arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{2d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{2d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{3c \log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}}}{16a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] -1/4*(d*x^2 + c*x)/(a*b*x^4 - a^2) + 1/16*(6*c*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))) + 2*d*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 2*d*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) - 3*c*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))))/a

mupad [B] time = 4.92, size = 283, normalized size = 2.57

$$\left(\sum_{k=1}^4 \ln \left(-\frac{b^2 \left(3cd^2 + 2d^3x + \text{root}\left(65536a^7b^2z^4 - 2048a^4bd^2z^2 + 1152a^2bc^2dz - 81bc^4 + 16ad^4, z, k\right)^2 a^3 \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a - b*x^4)^2,x)

[Out] symsum(log(-(b^2*(3*c*d^2 + 2*d^3*x + 192*root(65536*a^7*b^2*z^4 - 2048*a^4*b*d^2*z^2 + 1152*a^2*b*c^2*d*z - 81*b*c^4 + 16*a*d^4, z, k)^2*a^3*b*c - 12*8*root(65536*a^7*b^2*z^4 - 2048*a^4*b*d^2*z^2 + 1152*a^2*b*c^2*d*z - 81*b*c

$$\begin{aligned} &^4 + 16*a*d^4, z, k)^2*a^3*b*d*x + 36*\text{root}(65536*a^7*b^2*z^4 - 2048*a^4*b*d \\ &^2*z^2 + 1152*a^2*b*c^2*d*z - 81*b*c^4 + 16*a*d^4, z, k)*a*b*c^2*x)/(16*a^ \\ &3))*\text{root}(65536*a^7*b^2*z^4 - 2048*a^4*b*d^2*z^2 + 1152*a^2*b*c^2*d*z - 81*b \\ &*c^4 + 16*a*d^4, z, k), k, 1, 4) + ((d*x^2)/(4*a) + (c*x)/(4*a))/(a - b*x^4 \\ &) \end{aligned}$$

sympy [A] time = 1.80, size = 156, normalized size = 1.42

$$\text{RootSum}\left(65536t^4a^7b^2 - 2048t^2a^4bd^2 + 1152ta^2bc^2d + 16ad^4 - 81bc^4, \left(t \mapsto t \log\left(x + \frac{32768t^3a^6bd^2 + 4608t^2}{\dots}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**4+a)**2,x)

[Out] RootSum(65536*_t**4*a**7*b**2 - 2048*_t**2*a**4*b*d**2 + 1152*_t*a**2*b*c**2*d + 16*a*d**4 - 81*b*c**4, Lambda(_t, _t*log(x + (32768*_t**3*a**6*b*d**2 + 4608*_t**2*a**4*b*c**2*d - 512*_t*a**3*d**4 + 1296*_t*a**2*b*c**4 + 360*a*c**2*d**3)/(192*a*c*d**4 + 243*b*c**5)))) + (-c*x - d*x**2)/(-4*a**2 + 4*a*b*x**4)

$$3.118 \quad \int \frac{c+dx}{(a+bx^4)^2} dx$$

Optimal. Leaf size=241

$$\frac{3c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} - \frac{3c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}}$$

[Out] 1/4*x*(d*x+c)/a/(b*x^4+a)+3/16*c*arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))/a^(7/4)/b^(1/4)*2^(1/2)+3/16*c*arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))/a^(7/4)/b^(1/4)*2^(1/2)-3/32*c*ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))/a^(7/4)/b^(1/4)*2^(1/2)+3/32*c*ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))/a^(7/4)/b^(1/4)*2^(1/2)+1/4*d*arctan(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(1/2)

Rubi [A] time = 0.20, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {1855, 1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$\frac{3c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{b}} - \frac{3c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}} + \frac{3c \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4)^2, x]

[Out] (x*(c + d*x))/(4*a*(a + b*x^4)) + (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*Sqrt[b]) - (3*c*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(1/4)) + (3*c*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*b^(1/4)) - (3*c*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(1/4)) + (3*c*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(16*Sqrt[2]*a^(7/4)*b^(1/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 211

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]
], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4),
x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b
}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&
AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
```

+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx}{(a + bx^4)^2} dx &= \frac{x(c + dx)}{4a(a + bx^4)} - \frac{\int \frac{-3c - 2dx}{a + bx^4} dx}{4a} \\
 &= \frac{x(c + dx)}{4a(a + bx^4)} - \frac{\int \left(-\frac{3c}{a + bx^4} - \frac{2dx}{a + bx^4} \right) dx}{4a} \\
 &= \frac{x(c + dx)}{4a(a + bx^4)} + \frac{(3c) \int \frac{1}{a + bx^4} dx}{4a} + \frac{d \int \frac{x}{a + bx^4} dx}{2a} \\
 &= \frac{x(c + dx)}{4a(a + bx^4)} + \frac{(3c) \int \frac{\sqrt{a} - \sqrt{b}x^2}{a + bx^4} dx}{8a^{3/2}} + \frac{(3c) \int \frac{\sqrt{a} + \sqrt{b}x^2}{a + bx^4} dx}{8a^{3/2}} + \frac{d \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{4a} \\
 &= \frac{x(c + dx)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} + \frac{(3c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}\sqrt{b}} + \frac{(3c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}\sqrt{b}} - \frac{(3c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16a^{3/2}\sqrt{b}} \\
 &= \frac{x(c + dx)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{3c \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}} + \frac{3c \log \left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}} - \frac{3c \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}} \\
 &= \frac{x(c + dx)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{3c \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}\sqrt[4]{b}} + \frac{3c \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}\sqrt[4]{b}} - \frac{3c \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2 \right)}{16\sqrt{2}a^{7/4}\sqrt[4]{b}}
 \end{aligned}$$

Mathematica [A] time = 0.28, size = 224, normalized size = 0.93

$$\frac{8a^{3/4}x(c+dx)}{a+bx^4} - \frac{2\left(4\sqrt[4]{a}d+3\sqrt{2}\sqrt[4]{bc}\right)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{bx}}{\sqrt[4]{a}}\right)}{\sqrt{b}} + \frac{2\left(3\sqrt{2}\sqrt[4]{bc}-4\sqrt[4]{ad}\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{bx}}{\sqrt[4]{a}}+1\right)}{\sqrt{b}} - \frac{3\sqrt{2}c\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{bx}+\sqrt{a}+\sqrt{bx^2}\right)}{\sqrt[4]{b}} + \frac{3}{32a^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4)^2,x]

[Out] ((8*a^(3/4)*x*(c + d*x))/(a + b*x^4) - (2*(3*Sqrt[2]*b^(1/4)*c + 4*a^(1/4)*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/Sqrt[b] + (2*(3*Sqrt[2]*b^(1/4)*c - 4*a^(1/4)*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/Sqrt[b] - (3*Sqrt[2]*c*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(1/4) + (3*Sqrt[2]*c*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(1/4))/(32*a^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.17, size = 238, normalized size = 0.99

$$\frac{3\sqrt{2}(ab^3)^{1/4}c\log\left(x^2+\sqrt{2}x\left(\frac{a}{b}\right)^{1/4}+\sqrt{\frac{a}{b}}\right)}{32a^2b} - \frac{3\sqrt{2}(ab^3)^{1/4}c\log\left(x^2-\sqrt{2}x\left(\frac{a}{b}\right)^{1/4}+\sqrt{\frac{a}{b}}\right)}{32a^2b} + \frac{dx^2+cx}{4(bx^4+a)a} + \frac{\sqrt{2}\left(2\sqrt{2}\right)}{32a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] 3/32*sqrt(2)*(a*b^3)^(1/4)*c*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b) - 3/32*sqrt(2)*(a*b^3)^(1/4)*c*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b) + 1/4*(d*x^2 + c*x)/((b*x^4 + a)*a) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b*d + 3*(a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^2) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b*d + 3*(a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^2)

maple [A] time = 0.05, size = 188, normalized size = 0.78

$$\frac{dx^2}{4(bx^4 + a)a} + \frac{cx}{4(bx^4 + a)a} + \frac{d \arctan\left(\sqrt{\frac{b}{a}} x\right)}{4\sqrt{ab} a} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{16a^2} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{16a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4+a)^2,x)

[Out] $\frac{1}{4} * c * x / a / (b * x^4 + a) + \frac{3}{32} * c / a^2 * (a/b)^{(1/4)} * 2^{(1/2)} * \ln((x^2 + (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)}) / (x^2 - (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)})) + \frac{3}{16} * c / a^2 * (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) + \frac{3}{16} * c / a^2 * (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1) + \frac{1}{4} * d * x^2 / a / (b * x^4 + a) + \frac{1}{4} * d / a / (a * b)^{(1/4)} * 2 * \arctan((1/a * b)^{(1/4)} * x^2)$

maxima [A] time = 2.93, size = 238, normalized size = 0.99

$$\frac{dx^2 + cx}{4(abx^4 + a^2)} + \frac{3\sqrt{2}c \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{1}{4}}} - \frac{3\sqrt{2}c \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{1}{4}}} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}c - 4\sqrt{a}d\right) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{b}}}\right)}{32a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{4} * (d * x^2 + c * x) / (a * b * x^4 + a^2) + \frac{1}{32} * (3 * \sqrt{2} * c * \log(\sqrt{b} * x^2 + \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a})) / (a^{(3/4)} * b^{(1/4)}) - \frac{3 * \sqrt{2} * c * \log(\sqrt{b} * x^2 - \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a})) / (a^{(3/4)} * b^{(1/4)}) + \frac{2 * (3 * \sqrt{2} * a^{(1/4)} * b^{(1/4)} * c - 4 * \sqrt{a} * d) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x + \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{\sqrt{a} * \sqrt{b}})}{a^{(3/4)} * \sqrt{\sqrt{a} * \sqrt{b}}} * b^{(1/4)} + \frac{2 * (3 * \sqrt{2} * a^{(1/4)} * b^{(1/4)} * c + 4 * \sqrt{a} * d) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x - \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{\sqrt{a} * \sqrt{b}})}{a^{(3/4)} * \sqrt{\sqrt{a} * \sqrt{b}}} * b^{(1/4)} / a$

mupad [B] time = 4.94, size = 282, normalized size = 1.17

$$\left(\sum_{k=1}^4 \ln \left(\frac{b^2 \left(3c d^2 + 2d^3 x - \text{root} \left(65536 a^7 b^2 z^4 + 2048 a^4 b d^2 z^2 - 1152 a^2 b c^2 d z + 81 b c^4 + 16 a d^4, z, k \right)^2 a^3 b}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a + b*x^4)^2,x)`

[Out] `symsum(log((b^2*(3*c*d^2 + 2*d^3*x - 192*root(65536*a^7*b^2*z^4 + 2048*a^4*b*d^2*z^2 - 1152*a^2*b*c^2*d*z + 81*b*c^4 + 16*a*d^4, z, k)^2*a^3*b*c + 128*root(65536*a^7*b^2*z^4 + 2048*a^4*b*d^2*z^2 - 1152*a^2*b*c^2*d*z + 81*b*c^4 + 16*a*d^4, z, k)^2*a^3*b*d*x - 36*root(65536*a^7*b^2*z^4 + 2048*a^4*b*d^2*z^2 - 1152*a^2*b*c^2*d*z + 81*b*c^4 + 16*a*d^4, z, k)*a*b*c^2*x))/(16*a^3))*root(65536*a^7*b^2*z^4 + 2048*a^4*b*d^2*z^2 - 1152*a^2*b*c^2*d*z + 81*b*c^4 + 16*a*d^4, z, k), k, 1, 4) + ((d*x^2)/(4*a) + (c*x)/(4*a))/(a + b*x^4)`

sympy [A] time = 1.51, size = 155, normalized size = 0.64

$$\text{RootSum}\left(65536t^4a^7b^2 + 2048t^2a^4bd^2 - 1152ta^2bc^2d + 16ad^4 + 81bc^4, \left(t \mapsto t \log\left(x + \frac{-32768t^3a^6bd^2 - 4608}{\dots}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(b*x**4+a)**2,x)`

[Out] `RootSum(65536*_t**4*a**7*b**2 + 2048*_t**2*a**4*b*d**2 - 1152*_t*a**2*b*c**2*d + 16*a*d**4 + 81*b*c**4, Lambda(_t, _t*log(x + (-32768*_t**3*a**6*b*d**2 - 4608*_t**2*a**4*b*c**2*d - 512*_t*a**3*d**4 - 1296*_t*a**2*b*c**4 + 360*a*c**2*d**3)/(192*a*c*d**4 - 243*b*c**5)))) + (c*x + d*x**2)/(4*a**2 + 4*a*b*x**4)`

$$3.119 \quad \int \frac{c+dx}{(a-bx^4)^3} dx$$

Optimal. Leaf size=136

$$\frac{21c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{21c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{x(c+dx)}{8a(a-bx^4)^2}$$

[Out] $1/8*x*(d*x+c)/a/(-b*x^4+a)^2+1/32*x*(6*d*x+7*c)/a^2/(-b*x^4+a)+21/64*c*\arctan(b^{(1/4)}*x/a^{(1/4)})/a^{(11/4)}/b^{(1/4)}+21/64*c*\arctanh(b^{(1/4)}*x/a^{(1/4)})/a^{(11/4)}/b^{(1/4)}+3/16*d*\arctanh(x^2*b^{(1/2)}/a^{(1/2)})/a^{(5/2)}/b^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1855, 1876, 212, 208, 205, 275}

$$\frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{21c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{21c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}\sqrt[4]{b}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(c+dx)}{8a(a-bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - b*x^4)^3, x]

[Out] $(x*(c+d*x))/(8*a*(a-b*x^4)^2) + (x*(7*c+6*d*x))/(32*a^2*(a-b*x^4)) + (21*c*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(64*a^{(11/4)}*b^{(1/4)}) + (21*c*\text{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(64*a^{(11/4)}*b^{(1/4)}) + (3*d*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(16*a^{(5/2)}*\text{Sqrt}[b])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],

$x] + \text{Dist}[r/(2*a), \text{Int}[1/(r + s*x^2), x], x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{!GtQ}[a/b, 0]$

Rule 275

$\text{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_.)})^{(p_)}, x_Symbol] :> \text{With}[\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{(m + 1)/k - 1}*(a + b*x^{(n/k)})^p, x], x, x^k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

Rule 1855

$\text{Int}[(Pq_)*((a_) + (b_.)*(x_)^{(n_.)})^{(p_)}, x_Symbol] :> -\text{Simp}[(x*Pq*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)), x] + \text{Dist}[1/(a*n*(p + 1)), \text{Int}[\text{ExpandToSum}[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^{(p + 1)}, x], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{LtQ}[\text{Expon}[Pq, x], n - 1]$

Rule 1876

$\text{Int}[(Pq_)/((a_) + (b_.)*(x_)^{(n_.)}), x_Symbol] :> \text{With}[\{v = \text{Sum}[(x^{ii}*(\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii]*x^{(n/2)}))]/(a + b*x^n), \{ii, 0, n/2 - 1\}\}, \text{Int}[v, x] /; \text{SumQ}[v] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{Expon}[Pq, x] < n]$

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a-bx^4)^3} dx &= \frac{x(c+dx)}{8a(a-bx^4)^2} - \frac{\int \frac{-7c-6dx}{(a-bx^4)^2} dx}{8a} \\
&= \frac{x(c+dx)}{8a(a-bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{\int \frac{21c+12dx}{a-bx^4} dx}{32a^2} \\
&= \frac{x(c+dx)}{8a(a-bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{\int \left(\frac{21c}{a-bx^4} + \frac{12dx}{a-bx^4} \right) dx}{32a^2} \\
&= \frac{x(c+dx)}{8a(a-bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{(21c) \int \frac{1}{a-bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a-bx^4} dx}{8a^2} \\
&= \frac{x(c+dx)}{8a(a-bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{(21c) \int \frac{1}{\sqrt{a}-\sqrt{b}x^2} dx}{64a^{5/2}} + \frac{(21c) \int \frac{1}{\sqrt{a}+\sqrt{b}x^2} dx}{64a^{5/2}} + \frac{(3d) \text{Subst} \left(\int \frac{x}{a-bx^4} dx \right)}{16a^2} \\
&= \frac{x(c+dx)}{8a(a-bx^4)^2} + \frac{x(7c+6dx)}{32a^2(a-bx^4)} + \frac{21c \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64a^{11/4} \sqrt[4]{b}} + \frac{21c \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64a^{11/4} \sqrt[4]{b}} + \frac{3d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2} \sqrt{b}}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 193, normalized size = 1.42

$$\frac{\frac{16a^2x(c+dx)}{(a-bx^4)^2} + \frac{4ax(7c+6dx)}{a-bx^4} - \frac{3(7\sqrt[4]{a}\sqrt[4]{b}c+4\sqrt{a}d)\log(\sqrt[4]{a}-\sqrt[4]{b}x)}{\sqrt{b}} + \frac{3(7\sqrt[4]{a}\sqrt[4]{b}c-4\sqrt{a}d)\log(\sqrt[4]{a}+\sqrt[4]{b}x)}{\sqrt{b}} + \frac{42\sqrt[4]{a}c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt[4]{b}} + \frac{12\sqrt{a}d \log\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{\sqrt{b}}}{128a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4)^3, x]

[Out] ((16*a^2*x*(c + d*x))/(a - b*x^4)^2 + (4*a*x*(7*c + 6*d*x))/(a - b*x^4) + (42*a^(1/4)*c*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(1/4) - (3*(7*a^(1/4)*b^(1/4)*c + 4*Sqrt[a]*d)*Log[a^(1/4) - b^(1/4)*x])/Sqrt[b] + (3*(7*a^(1/4)*b^(1/4)*c - 4*Sqrt[a]*d)*Log[a^(1/4) + b^(1/4)*x])/Sqrt[b] + (12*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/ (128*a^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 272, normalized size = 2.00

$$\frac{21\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2+\sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{-\frac{a}{b}}\right)}{256a^3b}-\frac{21\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2-\sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}}+\sqrt{-\frac{a}{b}}\right)}{256a^3b}+\frac{3\sqrt{2}\left(4\sqrt{2}\right)}{256a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out] 21/256*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^3*b) - 21/256*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^3*b) + 3/128*sqrt(2)*(4*sqrt(2)*sqrt(-a*b)*b*d + 7*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^3*b^2) + 3/128*sqrt(2)*(4*sqrt(2)*sqrt(-a*b)*b*d + 7*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^3*b^2) - 1/32*(6*b*d*x^6 + 7*b*c*x^5 - 10*a*d*x^2 - 11*a*c*x)/((b*x^4 - a)^2*a^2)

maple [A] time = 0.05, size = 180, normalized size = 1.32

$$\frac{dx^2}{8(bx^4-a)^2a} + \frac{cx}{8(bx^4-a)^2a} - \frac{3dx^2}{16(bx^4-a)a^2} - \frac{7cx}{32(bx^4-a)a^2} - \frac{3d\ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{32\sqrt{ab}a^2} + \frac{21\left(\frac{a}{b}\right)^{\frac{1}{4}}c\arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{64a^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4+a)^3,x)

[Out] 1/8*c*x/a/(b*x^4-a)^2-7/32*c/a^2*x/(b*x^4-a)+21/128*c/a^3*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+21/64*c/a^3*(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+1/8*d*x^2/a/(b*x^4-a)^2-3/16*d/a^2*x^2/(b*x^4-a)-3/32*d/a^2/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))

maxima [A] time = 3.01, size = 186, normalized size = 1.37

$$-\frac{6bdx^6 + 7bcx^5 - 10adx^2 - 11acx}{32(a^2b^2x^8 - 2a^3bx^4 + a^4)} + \frac{3 \left(\frac{14c \arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} + \frac{4d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{4d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{7c \log\left(\frac{\sqrt{b}x - \sqrt{a}\sqrt{b}}{\sqrt{b}x + \sqrt{a}\sqrt{b}}\right)}{\sqrt{a}\sqrt{a}\sqrt{b}} \right)}{128a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] $-1/32*(6*b*d*x^6 + 7*b*c*x^5 - 10*a*d*x^2 - 11*a*c*x)/(a^2*b^2*x^8 - 2*a^3*b*x^4 + a^4) + 3/128*(14*c*\arctan(\sqrt{b}*x/\sqrt{a}*\sqrt{b}))/(\sqrt{a}*\sqrt{b}) + 4*d*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 4*d*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 7*c*\log((\sqrt{b}*x - \sqrt{a}*\sqrt{b})/(\sqrt{b}*x + \sqrt{a}*\sqrt{b}))/(\sqrt{a}*\sqrt{b})/a^2$

mupad [B] time = 4.98, size = 315, normalized size = 2.32

$$\frac{5dx^2}{16a} + \frac{11cx}{32a} - \frac{7bcx^5}{32a^2} - \frac{3bdx^6}{16a^2} + \left(\sum_{k=1}^4 \ln \left(-\frac{b^2 \left(63cd^2 + 36d^3x + \text{root}\left(268435456a^{11}b^2z^4 - 4718592a^6bd^2z^2 + 2709504a^3b^2c^2d^2z - 194481b^2c^4 + 20736ad^4, z, k\right)^2 a^5 b^2 c^2 d^2 z - 194481b^2 c^4 + 20736ad^4, z, k\right) a^2 b^2 c^2 x - 4096 \text{root}\left(268435456a^{11}b^2z^4 - 4718592a^6bd^2z^2 + 2709504a^3b^2c^2d^2z - 194481b^2c^4 + 20736ad^4, z, k\right)^2 a^5 b^2 d^2 x \right)}{(2048a^6) \text{root}\left(268435456a^{11}b^2z^4 - 4718592a^6bd^2z^2 + 2709504a^3b^2c^2d^2z - 194481b^2c^4 + 20736ad^4, z, k\right), k, 1, 4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a - b*x^4)^3,x)

[Out] $((5*d*x^2)/(16*a) + (11*c*x)/(32*a) - (7*b*c*x^5)/(32*a^2) - (3*b*d*x^6)/(16*a^2))/(a^2 + b^2*x^8 - 2*a*b*x^4) + \text{symsum}(\log(- (3*b^2*(63*c*d^2 + 36*d^3*x + 7168*\text{root}(268435456*a^{11}*b^2*z^4 - 4718592*a^6*b*d^2*z^2 + 2709504*a^3*b*c^2*d*z - 194481*b*c^4 + 20736*a*d^4, z, k)^2*a^5*b*c + 1176*\text{root}(268435456*a^{11}*b^2*z^4 - 4718592*a^6*b*d^2*z^2 + 2709504*a^3*b*c^2*d*z - 194481*b*c^4 + 20736*a*d^4, z, k)*a^2*b*c^2*x - 4096*\text{root}(268435456*a^{11}*b^2*z^4 - 4718592*a^6*b*d^2*z^2 + 2709504*a^3*b*c^2*d*z - 194481*b*c^4 + 20736*a*d^4, z, k)^2*a^5*b*d*x)) / (2048*a^6) * \text{root}(268435456*a^{11}*b^2*z^4 - 4718592*a^6*b*d^2*z^2 + 2709504*a^3*b*c^2*d*z - 194481*b*c^4 + 20736*a*d^4, z, k), k, 1, 4)$

sympy [A] time = 1.97, size = 194, normalized size = 1.43

$$-\text{RootSum}\left(268435456t^4a^{11}b^2 - 4718592t^2a^6bd^2 - 2709504ta^3bc^2d + 20736ad^4 - 194481bc^4, \left(t \mapsto t \log\left(x + \sqrt{a - b t^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**4+a)**3,x)

[Out]
$$-\text{RootSum}(268435456*_t^{**4}*a^{**11}*b^{**2} - 4718592*_t^{**2}*a^{**6}*b*d^{**2} - 2709504*_t*a^{**3}*b*c^{**2}*d + 20736*a*d^{**4} - 194481*b*c^{**4}, \text{Lambda}(_t, _t*\log(x + (-67108864*_t^{**3}*a^{**9}*b*d^{**2} + 9633792*_t^{**2}*a^{**6}*b*c^{**2}*d + 589824*_t*a^{**4}*d^{**4} - 2765952*_t*a^{**3}*b*c^{**4} + 423360*a*c^{**2}*d^{**3}))) / (193536*a*c*d^{**4} + 453789*b*c^{**5}))) - (-11*a*c*x - 10*a*d*x^{**2} + 7*b*c*x^{**5} + 6*b*d*x^{**6}) / (32*a^{**4} - 64*a^{**3}*b*x^{**4} + 32*a^{**2}*b^{**2}*x^{**8})$$

$$3.120 \quad \int \frac{c+dx}{(a+bx^4)^3} dx$$

Optimal. Leaf size=266

$$-\frac{21c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} - \frac{21c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}}$$

[Out] $1/8*x*(d*x+c)/a/(b*x^4+a)^2+1/32*x*(6*d*x+7*c)/a^2/(b*x^4+a)+21/128*c*\arctan(-1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})/a^{(11/4)}/b^{(1/4)}*2^{(1/2)}+21/128*c*\arctan(1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})/a^{(11/4)}/b^{(1/4)}*2^{(1/2)}-21/256*c*\ln(-a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})/a^{(11/4)}/b^{(1/4)}*2^{(1/2)}+21/256*c*\ln(a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})/a^{(11/4)}/b^{(1/4)}*2^{(1/2)}+3/16*d*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/a^{(5/2)}/b^{(1/2)}$

Rubi [A] time = 0.23, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 10, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {1855, 1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$\frac{x(7c + 6dx)}{32a^2(a + bx^4)} - \frac{21c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} - \frac{21c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4)^3, x]

[Out] $(x*(c + d*x))/(8*a*(a + b*x^4)^2) + (x*(7*c + 6*d*x))/(32*a^2*(a + b*x^4)) + (3*d*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(16*a^{(5/2)}*\text{Sqrt}[b]) - (21*c*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(64*\text{Sqrt}[2]*a^{(11/4)}*b^{(1/4)}) + (21*c*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(64*\text{Sqrt}[2]*a^{(11/4)}*b^{(1/4)}) - (21*c*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(128*\text{Sqrt}[2]*a^{(11/4)}*b^{(1/4)}) + (21*c*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(128*\text{Sqrt}[2]*a^{(11/4)}*b^{(1/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^2}{a, x}]^{-1} \rightarrow \text{Simp}[\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 211

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^4}{a, x}]^{-1} \rightarrow \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 2]], s = \text{Denominator}[\text{Rt}[a/b, 2]]\}, \text{Dist}[1/(2*r), \text{Int}[(r - s*x^2)/(a + b*x^4), x], x] + \text{Dist}[1/(2*r), \text{Int}[(r + s*x^2)/(a + b*x^4), x], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ (\text{GtQ}[a/b, 0] \ || \ (\text{PosQ}[a/b] \ \&\& \ \text{AtomQ}[\text{SplitProduct}[\text{SumBaseQ}, a]] \ \&\& \ \text{AtomQ}[\text{SplitProduct}[\text{SumBaseQ}, b]]))$

Rule 275

$\text{Int}[(x_+)^{m_+} * ((a_+) + (b_+)(x_+)^{n_+})^{p_+}, x_Symbol] \rightarrow \text{With}[\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{(m+1)/k - 1} * (a + b*x^{n/k})^p, x], x, x^k], x] /; k \neq 1 /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 617

$\text{Int}[\frac{(a_+) + (b_+)(x_+) + (c_+)(x_+)^2}{a, x}]^{-1} \rightarrow \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ \text{!RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{(d_+) + (e_+)(x_+)}{(a_+) + (b_+)(x_+) + (c_+)(x_+)^2}, x_Symbol] \rightarrow \text{Simp}[(d * \text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 1162

$\text{Int}[\frac{(d_+) + (e_+)(x_+)^2}{(a_+) + (c_+)(x_+)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[\frac{(d_+) + (e_+)(x_+)^2}{(a_+) + (c_+)(x_+)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{(a + bx^4)^3} dx &= \frac{x(c + dx)}{8a(a + bx^4)^2} - \frac{\int \frac{-7c - 6dx}{(a + bx^4)^2} dx}{8a} \\
&= \frac{x(c + dx)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a + bx^4)} + \frac{\int \frac{21c + 12dx}{a + bx^4} dx}{32a^2} \\
&= \frac{x(c + dx)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a + bx^4)} + \frac{\int \left(\frac{21c}{a + bx^4} + \frac{12dx}{a + bx^4} \right) dx}{32a^2} \\
&= \frac{x(c + dx)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a + bx^4)} + \frac{(21c) \int \frac{1}{a + bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a + bx^4} dx}{8a^2} \\
&= \frac{x(c + dx)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a + bx^4)} + \frac{(21c) \int \frac{\sqrt{a} - \sqrt{b}x^2}{a + bx^4} dx}{64a^{5/2}} + \frac{(21c) \int \frac{\sqrt{a} + \sqrt{b}x^2}{a + bx^4} dx}{64a^{5/2}} + \frac{(3d) \text{Subst} \left(\int \frac{1}{\sqrt{a} - \sqrt{b}x^2} dx \right)}{128a^{5/2}\sqrt{b}} \\
&= \frac{x(c + dx)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} + \frac{(21c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}}{\sqrt{b}} \sqrt[4]{ax} + x^2} dx}{128a^{5/2}\sqrt{b}} + \frac{(21c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}}{\sqrt{b}} \sqrt[4]{ax} + x^2} dx}{128a^{5/2}\sqrt{b}} \\
&= \frac{x(c + dx)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{21c \log \left(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2 \right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \log \left(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2 \right)}{128\sqrt{2} a^{11/4} \sqrt[4]{b}} \\
&= \frac{x(c + dx)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{21c \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}} + \frac{21c \tan^{-1} \left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{64\sqrt{2} a^{11/4} \sqrt[4]{b}}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 249, normalized size = 0.94

$$\frac{32a^{7/4}x(c+dx)}{(a+bx^4)^2} + \frac{8a^{3/4}x(7c+6dx)}{a+bx^4} - \frac{6(8\sqrt[4]{a}d+7\sqrt{2}\sqrt[4]{b}c)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{b}} + \frac{6(7\sqrt{2}\sqrt[4]{b}c-8\sqrt[4]{a}d)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}+1\right)}{\sqrt{b}} - \frac{21\sqrt{2}c\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{b}x^2\right)}{\sqrt[4]{b}}$$

$$256a^{11/4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4)^3, x]

[Out]
$$\frac{((32a^{7/4}x(c+dx))/(a+bx^4)^2 + (8a^{3/4}x(7c+6dx))/(a+bx^4) - (6(7\sqrt{2}b^{1/4}c + 8a^{1/4}d)\text{ArcTan}[1 - (\sqrt{2}b^{1/4}x)/a^{1/4}])/\sqrt{b} + (6(7\sqrt{2}b^{1/4}c - 8a^{1/4}d)\text{ArcTan}[1 + (\sqrt{2}b^{1/4}x)/a^{1/4}])/\sqrt{b} - (21\sqrt{2}c\text{Log}[\sqrt{a} - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2])/b^{1/4} + (21\sqrt{2}c\text{Log}[\sqrt{a} + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2])/b^{1/4})/(256a^{11/4})}{}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 256, normalized size = 0.96

$$\frac{21\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{256a^3b} - \frac{21\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{256a^3b} + \frac{3\sqrt{2}\left(4\sqrt{2}\sqrt{ab}bd + 7\right)}{256a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^3,x, algorithm="giac")

[Out]
$$\frac{21\sqrt{2}\sqrt{2}(ab^3)^{\frac{1}{4}}c\log(x^2 + \sqrt{2}x(a/b)^{\frac{1}{4}} + \sqrt{a/b})}{256a^3b} - \frac{21\sqrt{2}\sqrt{2}(ab^3)^{\frac{1}{4}}c\log(x^2 - \sqrt{2}x(a/b)^{\frac{1}{4}} + \sqrt{a/b})}{256a^3b} + \frac{3\sqrt{2}\sqrt{2}(4\sqrt{2}\sqrt{ab}bd + 7)(ab^3)^{\frac{1}{4}}}{256a^3b} + \frac{3\sqrt{2}\sqrt{2}(4\sqrt{2}\sqrt{ab}bd + 7)(ab^3)^{\frac{1}{4}}}{128a^3b} \arctan\left(\frac{1/2\sqrt{2}(2x + \sqrt{2}(a/b)^{\frac{1}{4}})}{(a/b)^{\frac{1}{4}}}\right)}{256a^3b} + \frac{3\sqrt{2}\sqrt{2}(4\sqrt{2}\sqrt{ab}bd + 7)(ab^3)^{\frac{1}{4}}}{128a^3b} \arctan\left(\frac{1/2\sqrt{2}(2x - \sqrt{2}(a/b)^{\frac{1}{4}})}{(a/b)^{\frac{1}{4}}}\right)}{256a^3b} + \frac{1/32(6bdx^6 + 7b^2cx^5 + 10abd^2x^2 + 11a^2cdx)}{(b^2x^4 + a)^2}$$

maple [A] time = 0.05, size = 222, normalized size = 0.83

$$\frac{dx^2}{8(bx^4+a)^2a} + \frac{cx}{8(bx^4+a)^2a} + \frac{3dx^2}{16(bx^4+a)a^2} + \frac{7cx}{32(bx^4+a)a^2} + \frac{3d\arctan\left(\sqrt{\frac{b}{a}}x\right)}{16\sqrt{ab}a^2} + \frac{21\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}c\arctan\left(\frac{\sqrt{2}}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d*x+c)/(b*x^4+a)^3,x)$

[Out] $\frac{1}{8}c*x/a/(b*x^4+a)^2 + \frac{7}{32}c/a^2*x/(b*x^4+a) + \frac{21}{256}c/a^3*(a/b)^{1/4}*2^{1/2}*(1/2)*\ln((x^2+(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))/((x^2-(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2})) + \frac{21}{128}c/a^3*(a/b)^{1/4}*2^{1/2}*\arctan(2^{1/2}/(a/b)^{1/4}*x+1) + \frac{21}{128}c/a^3*(a/b)^{1/4}*2^{1/2}*\arctan(2^{1/2}/(a/b)^{1/4}*x-1) + \frac{1}{8}d*x^2/a/(b*x^4+a)^2 + \frac{3}{16}d/a^2*x^2/(b*x^4+a) + \frac{3}{16}d/a^2/(a*b)^{1/2}*\arctan((1/a*b)^{1/2}*x^2)$

maxima [A] time = 3.06, size = 269, normalized size = 1.01

$$\frac{6bdx^6 + 7bcx^5 + 10adx^2 + 11acx}{32(a^2b^2x^8 + 2a^3bx^4 + a^4)} + \frac{3 \left(\frac{7\sqrt{2}c \log(\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a})}{a^{3/4}b^{1/4}} - \frac{7\sqrt{2}c \log(\sqrt{b}x^2 - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a})}{a^{3/4}b^{1/4}} \right) + 2 \left(7\sqrt{2}a^{1/4}b^{1/4}c - \dots \right)}{256}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*x+c)/(b*x^4+a)^3,x, \text{algorithm}="maxima")$

[Out] $\frac{1}{32}*(6*b*d*x^6 + 7*b*c*x^5 + 10*a*d*x^2 + 11*a*c*x)/(a^2*b^2*x^8 + 2*a^3*b*x^4 + a^4) + \frac{3}{256}*(7*\sqrt{2}*c*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{a}))/((a^{3/4}*b^{1/4})*\sqrt{b}) - \frac{7*\sqrt{2}*c*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{a}))/((a^{3/4}*b^{1/4})*\sqrt{b}) + 2*(7*\sqrt{2}*a^{1/4}*b^{1/4}*c - 8*\sqrt{a}*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{1/4}*b^{1/4}))/\sqrt{a} + \frac{2*(7*\sqrt{2}*a^{1/4}*b^{1/4}*c + 8*\sqrt{a}*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{1/4}*b^{1/4}))/\sqrt{a}}{a^2}$

mupad [B] time = 4.99, size = 315, normalized size = 1.18

$$\frac{\frac{5dx^2}{16a} + \frac{11cx}{32a} + \frac{7bcx^5}{32a^2} + \frac{3bdx^6}{16a^2}}{a^2 + 2abx^4 + b^2x^8} + \left(\sum_{k=1}^4 \ln \left(\frac{b^2 \left(63cd^2 + 36d^3x - \text{root}(268435456a^{11}b^2z^4 + 4718592a^6bd^2z^2 - \dots \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x)/(a + b*x^4)^3,x)$

[Out] $((5*d*x^2)/(16*a) + (11*c*x)/(32*a) + (7*b*c*x^5)/(32*a^2) + (3*b*d*x^6)/(16*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^4) + \text{symsum}(\log((3*b^2*(63*c*d^2 + 36*d^3*$

```
x - 7168*root(268435456*a^11*b^2*z^4 + 4718592*a^6*b*d^2*z^2 - 2709504*a^3*
b*c^2*d*z + 194481*b*c^4 + 20736*a*d^4, z, k)^2*a^5*b*c - 1176*root(2684354
56*a^11*b^2*z^4 + 4718592*a^6*b*d^2*z^2 - 2709504*a^3*b*c^2*d*z + 194481*b*
c^4 + 20736*a*d^4, z, k)*a^2*b*c^2*x + 4096*root(268435456*a^11*b^2*z^4 + 4
718592*a^6*b*d^2*z^2 - 2709504*a^3*b*c^2*d*z + 194481*b*c^4 + 20736*a*d^4,
z, k)^2*a^5*b*d*x))/(2048*a^6))*root(268435456*a^11*b^2*z^4 + 4718592*a^6*b
*d^2*z^2 - 2709504*a^3*b*c^2*d*z + 194481*b*c^4 + 20736*a*d^4, z, k), k, 1,
4)
```

sympy [A] time = 1.99, size = 192, normalized size = 0.72

$$\text{RootSum}\left(268435456t^4a^{11}b^2 + 4718592t^2a^6bd^2 - 2709504ta^3bc^2d + 20736ad^4 + 194481bc^4, \left(t \mapsto t \log\left(x + \frac{-6}{t}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4+a)**3,x)

[Out] RootSum(268435456*_t**4*a**11*b**2 + 4718592*_t**2*a**6*b*d**2 - 2709504*_t
*a**3*b*c**2*d + 20736*a*d**4 + 194481*b*c**4, Lambda(_t, _t*log(x + (-6710
8864*_t**3*a**9*b*d**2 - 9633792*_t**2*a**6*b*c**2*d - 589824*_t*a**4*d**4
- 2765952*_t*a**3*b*c**4 + 423360*a*c**2*d**3)/(193536*a*c*d**4 - 453789*b*
c**5)))) + (11*a*c*x + 10*a*d*x**2 + 7*b*c*x**5 + 6*b*d*x**6)/(32*a**4 + 64
*a**3*b*x**4 + 32*a**2*b**2*x**8)

$$3.121 \quad \int \frac{c+dx}{(a-bx^4)^4} dx$$

Optimal. Leaf size=162

$$\frac{77c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{77c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(77c + 60dx)}{384a^3(a-bx^4)} + \frac{x(11c + 10dx)}{96a^2(a-bx^4)^2} + \frac{x(c+dx)}{12a(a-bx^4)^3}$$

[Out] $1/12*x*(d*x+c)/a/(-b*x^4+a)^3+1/96*x*(10*d*x+11*c)/a^2/(-b*x^4+a)^2+1/384*x*(60*d*x+77*c)/a^3/(-b*x^4+a)+77/256*c*\arctan(b^{(1/4)}*x/a^{(1/4)})/a^{(15/4)}/b^{(1/4)}+77/256*c*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})/a^{(15/4)}/b^{(1/4)}+5/32*d*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(7/2)}/b^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1855, 1876, 212, 208, 205, 275}

$$\frac{x(77c + 60dx)}{384a^3(a-bx^4)} + \frac{x(11c + 10dx)}{96a^2(a-bx^4)^2} + \frac{77c \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{77c \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}\sqrt[4]{b}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(c+dx)}{12a(a-bx^4)^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - b*x^4)^4, x]

[Out] $(x*(c + d*x))/(12*a*(a - b*x^4)^3) + (x*(11*c + 10*d*x))/(96*a^2*(a - b*x^4)^2) + (x*(77*c + 60*d*x))/(384*a^3*(a - b*x^4)) + (77*c*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(256*a^{(15/4)}*b^{(1/4)}) + (77*c*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(256*a^{(15/4)}*b^{(1/4)}) + (5*d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]])/(32*a^{(7/2)}*\operatorname{Sqrt}[b])$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
  0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a-bx^4)^4} dx &= \frac{x(c+dx)}{12a(a-bx^4)^3} - \frac{\int \frac{-11c-10dx}{(a-bx^4)^3} dx}{12a} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{\int \frac{77c+60dx}{(a-bx^4)^2} dx}{96a^2} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} - \frac{\int \frac{-231c-120dx}{a-bx^4} dx}{384a^3} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} - \frac{\int \left(-\frac{231c}{a-bx^4} - \frac{120dx}{a-bx^4} \right) dx}{384a^3} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} + \frac{(77c) \int \frac{1}{a-bx^4} dx}{128a^3} + \frac{(5d) \int \frac{x}{a-bx^4} dx}{16a^3} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} + \frac{(77c) \int \frac{1}{\sqrt{a}-\sqrt{b}x^2} dx}{256a^{7/2}} + \frac{(77c) \int \frac{1}{\sqrt{a}+\sqrt{b}x^2} dx}{256a^{7/2}} \\
&= \frac{x(c+dx)}{12a(a-bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a-bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a-bx^4)} + \frac{77c \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{256a^{15/4}\sqrt[4]{b}} + \frac{77c \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{256a^{15/4}\sqrt[4]{b}}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 217, normalized size = 1.34

$$\frac{128a^3x(c+dx)}{(a-bx^4)^3} + \frac{16a^2x(11c+10dx)}{(a-bx^4)^2} + \frac{4ax(77c+60dx)}{a-bx^4} - \frac{3(77\sqrt[4]{a}\sqrt[4]{b}c+40\sqrt{a}d)\log(\sqrt[4]{a}-\sqrt[4]{b}x)}{\sqrt{b}} + \frac{3(77\sqrt[4]{a}\sqrt[4]{b}c-40\sqrt{a}d)\log(\sqrt[4]{a}+\sqrt[4]{b}x)}{\sqrt{b}} + \frac{462a^{1/4}c\operatorname{ArcTan}[\sqrt[4]{b}x/a^{1/4}]}{b^{1/4}} - \frac{3(77a^{1/4}b^{1/4}c+40\sqrt{a}d)\operatorname{Log}[a^{1/4}-b^{1/4}x]}{\sqrt{b}} + \frac{3(77a^{1/4}b^{1/4}c-40\sqrt{a}d)\operatorname{Log}[a^{1/4}+b^{1/4}x]}{\sqrt{b}}$$

1536a⁴

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - b*x^4)^4, x]

[Out] ((128*a^3*x*(c + d*x))/(a - b*x^4)^3 + (16*a^2*x*(11*c + 10*d*x))/(a - b*x^4)^2 + (4*a*x*(77*c + 60*d*x))/(a - b*x^4) + (462*a^(1/4)*c*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(1/4) - (3*(77*a^(1/4)*b^(1/4)*c + 40*sqrt[a]*d)*Log[a^(1/4) - b^(1/4)*x])/sqrt[b] + (3*(77*a^(1/4)*b^(1/4)*c - 40*sqrt[a]*d)*Log[a^(1/4) + b^(1/4)*x])/sqrt[b]

/4) + b^(1/4)*x])/Sqrt[b] + (120*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(1536*a^4)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.28, size = 296, normalized size = 1.83

$$\frac{77\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{1024a^4b} - \frac{77\sqrt{2}(-ab^3)^{\frac{1}{4}}c\log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{1024a^4b} - \sqrt{2}\left(40\sqrt{2}\sqrt{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] 77/1024*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^4*b) - 77/1024*sqrt(2)*(-a*b^3)^(1/4)*c*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^4*b) - 1/512*sqrt(2)*(40*sqrt(2)*sqrt(-a*b)*b*d - 77*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^4*b^2) - 1/512*sqrt(2)*(40*sqrt(2)*sqrt(-a*b)*b*d - 77*(-a*b^3)^(1/4)*b*c)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(a^4*b^2) - 1/384*(60*b^2*d*x^10 + 77*b^2*c*x^9 - 160*a*b*d*x^6 - 198*a*b*c*x^5 + 132*a^2*d*x^2 + 153*a^2*c*x)/(b*x^4 - a)^3*a^3)

maple [A] time = 0.06, size = 177, normalized size = 1.09

$$-\frac{5d\ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{64\sqrt{ab}a^3} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}}c\arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256a^4} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}}c\ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512a^4} + \frac{-\frac{5b^2dx^{10}}{32a^3} - \frac{77b^2cx^9}{384a^3} + \frac{5bdx^6}{12a^2} + \frac{33bcx^5}{64a^2} - \frac{11dx^2}{32a}}{(bx^4 - a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4+a)^4,x)

[Out] (-5/32*d/a^3*b^2*x^10-77/384*c/a^3*b^2*x^9+5/12/a^2*d*b*x^6+33/64/a^2*c*b*x^5-11/32*d/a*x^2-51/128*c/a*x)/(b*x^4-a)^3+77/512/a^4*c*(a/b)^(1/4)*ln((x+(

$(a/b)^{1/4} / (x - (a/b)^{1/4}) + 77/256/a^4 * c * (a/b)^{1/4} * \arctan(1/(a/b)^{1/4} * x) - 5/64/a^3 * d / (a*b)^{1/2} * \ln((a*b)^{1/2} * x^2 - a) / (- (a*b)^{1/2} * x^2 - a)$

maxima [A] time = 2.97, size = 223, normalized size = 1.38

$$\frac{60 b^2 d x^{10} + 77 b^2 c x^9 - 160 a b d x^6 - 198 a b c x^5 + 132 a^2 d x^2 + 153 a^2 c x}{384 (a^3 b^3 x^{12} - 3 a^4 b^2 x^8 + 3 a^5 b x^4 - a^6)} + \frac{154 c \arctan\left(\frac{\sqrt{b} x}{\sqrt{a} \sqrt{b}}\right)}{\sqrt{a} \sqrt{a} \sqrt{b}} + \frac{40 d \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a} \sqrt{b}} + \frac{40 d \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a} \sqrt{b}} - \frac{77 c \log((\sqrt{b} x - \sqrt{a}) / (\sqrt{a} \sqrt{b}))}{\sqrt{a} \sqrt{a} \sqrt{b}} - \frac{77 c \log((\sqrt{b} x + \sqrt{a}) / (\sqrt{a} \sqrt{b}))}{\sqrt{a} \sqrt{a} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")

[Out] $-1/384 * (60 * b^2 * d * x^{10} + 77 * b^2 * c * x^9 - 160 * a * b * d * x^6 - 198 * a * b * c * x^5 + 132 * a^2 * d * x^2 + 153 * a^2 * c * x) / (a^3 * b^3 * x^{12} - 3 * a^4 * b^2 * x^8 + 3 * a^5 * b * x^4 - a^6) + 1/512 * (154 * c * \arctan(\sqrt{b} * x / \sqrt{a} * \sqrt{b})) / (\sqrt{a} * \sqrt{a} * \sqrt{b}) + 40 * d * \log(\sqrt{b} * x^2 + \sqrt{a}) / (\sqrt{a} * \sqrt{a} * \sqrt{b}) - 40 * d * \log(\sqrt{b} * x^2 - \sqrt{a}) / (\sqrt{a} * \sqrt{a} * \sqrt{b}) - 77 * c * \log((\sqrt{b} * x - \sqrt{a}) / (\sqrt{a} * \sqrt{a} * \sqrt{b})) / (\sqrt{a} * \sqrt{a} * \sqrt{b}) - 77 * c * \log((\sqrt{b} * x + \sqrt{a}) / (\sqrt{a} * \sqrt{a} * \sqrt{b})) / (\sqrt{a} * \sqrt{a} * \sqrt{b})$

mupad [B] time = 4.97, size = 351, normalized size = 2.17

$$\left(\sum_{k=1}^4 \ln \left(- \frac{b^2 \left(1925 c d^2 + 1000 d^3 x + \text{root} \left(68719476736 a^{15} b^2 z^4 - 838860800 a^8 b d^2 z^2 + 485703680 a^4 b c^2 d z - 35153041 b^2 c^4 - 2560000 a d^4, z, k \right)^2 a^7 b^2 c + 47432 \text{root} \left(68719476736 a^{15} b^2 z^4 - 838860800 a^8 b d^2 z^2 + 485703680 a^4 b c^2 d z - 35153041 b^2 c^4 + 2560000 a d^4, z, k \right) a^3 b^2 c^2 x - 163840 \text{root} \left(68719476736 a^{15} b^2 z^4 - 838860800 a^8 b d^2 z^2 + 485703680 a^4 b c^2 d z - 35153041 b^2 c^4 + 2560000 a d^4, z, k \right)^2 a^7 b d x \right)}{(32768 a^9)} \right) * \text{root} \left(68719476736 a^{15} b^2 z^4 - 838860800 a^8 b d^2 z^2 + 485703680 a^4 b c^2 d z - 35153041 b^2 c^4 + 2560000 a d^4, z, k \right) + ((11 * d * x^2) / (32 * a) + (51 * c * x) / (128 * a) + (77 * b^2 * c * x^9) / (384 * a^3) + (5 * b^2 * d * x^{10}) / (32 * a^3) - (33 * b * c * x^5) / (64 * a^2) - (5 * b * d * x^6) / (12 * a^2)) / (a^3 - b^3 * x^{12} - 3 * a^2 * b * x^4 + 3 * a * b^2 * x^8)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a - b*x^4)^4,x)

[Out] $\text{symsum}(\log(- (b^2 * (1925 * c * d^2 + 1000 * d^3 * x + 315392 * \text{root}(68719476736 * a^{15} * b^2 * z^4 - 838860800 * a^8 * b * d^2 * z^2 + 485703680 * a^4 * b * c^2 * d * z - 35153041 * b^2 * c^4 - 2560000 * a * d^4, z, k))^2 * a^7 * b^2 * c + 47432 * \text{root}(68719476736 * a^{15} * b^2 * z^4 - 838860800 * a^8 * b * d^2 * z^2 + 485703680 * a^4 * b * c^2 * d * z - 35153041 * b^2 * c^4 + 2560000 * a * d^4, z, k) * a^3 * b^2 * c^2 * x - 163840 * \text{root}(68719476736 * a^{15} * b^2 * z^4 - 838860800 * a^8 * b * d^2 * z^2 + 485703680 * a^4 * b * c^2 * d * z - 35153041 * b^2 * c^4 + 2560000 * a * d^4, z, k))^2 * a^7 * b * d * x)) / (32768 * a^9)) * \text{root}(68719476736 * a^{15} * b^2 * z^4 - 838860800 * a^8 * b * d^2 * z^2 + 485703680 * a^4 * b * c^2 * d * z - 35153041 * b^2 * c^4 + 2560000 * a * d^4, z, k), k, 1, 4) + ((11 * d * x^2) / (32 * a) + (51 * c * x) / (128 * a) + (77 * b^2 * c * x^9) / (384 * a^3) + (5 * b^2 * d * x^{10}) / (32 * a^3) - (33 * b * c * x^5) / (64 * a^2) - (5 * b * d * x^6) / (12 * a^2)) / (a^3 - b^3 * x^{12} - 3 * a^2 * b * x^4 + 3 * a * b^2 * x^8)$

sympy [A] time = 2.06, size = 231, normalized size = 1.43

$$\text{RootSum}\left(68719476736t^4a^{15}b^2 - 838860800t^2a^8bd^2 + 485703680ta^4bc^2d + 2560000ad^4 - 35153041bc^4, \left(t \mapsto t\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**4+a)**4,x)

[Out] RootSum(68719476736*_t**4*a**15*b**2 - 838860800*_t**2*a**8*b*d**2 + 485703680*_t*a**4*b*c**2*d + 2560000*a*d**4 - 35153041*b*c**4, Lambda(_t, _t*log(x + (429496729600*_t**3*a**12*b*d**2 + 62170071040*_t**2*a**8*b*c**2*d - 2621440000*_t*a**5*d**4 + 17998356992*_t*a**4*b*c**4 + 1897280000*a*c**2*d**3)/(788480000*a*c*d**4 + 2706784157*b*c**5)))) + (-153*a**2*c*x - 132*a**2*d*x**2 + 198*a*b*c*x**5 + 160*a*b*d*x**6 - 77*b**2*c*x**9 - 60*b**2*d*x**10)/(-384*a**6 + 1152*a**5*b*x**4 - 1152*a**4*b**2*x**8 + 384*a**3*b**3*x**12)

$$3.122 \quad \int \frac{c+dx}{(a+bx^4)^4} dx$$

Optimal. Leaf size=291

$$\frac{77c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{77c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}} - \frac{77c \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{256\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{77c \tan^{-1}\left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{256\sqrt{2} a^{15/4} \sqrt[4]{b}}$$

[Out] $\frac{1}{12} x (d x + c) / a / (b x^4 + a)^3 + \frac{1}{96} x x (10 d x + 11 c) / a^2 / (b x^4 + a)^2 + \frac{1}{384} x x (60 d x + 77 c) / a^3 / (b x^4 + a) + \frac{77}{512} c * \arctan(-1 + b^{(1/4)} * x * 2^{(1/2)} / a^{(1/4)}) / a^{(15/4)} / b^{(1/4)} * 2^{(1/2)} + \frac{77}{512} c * \arctan(1 + b^{(1/4)} * x * 2^{(1/2)} / a^{(1/4)}) / a^{(15/4)} / b^{(1/4)} * 2^{(1/2)} - \frac{77}{1024} c * \ln(-a^{(1/4)} * b^{(1/4)} * x * 2^{(1/2)} + a^{(1/2)} + x^2 * b^{(1/2)}) / a^{(15/4)} / b^{(1/4)} * 2^{(1/2)} + \frac{77}{1024} c * \ln(a^{(1/4)} * b^{(1/4)} * x * 2^{(1/2)} + a^{(1/2)} + x^2 * b^{(1/2)}) / a^{(15/4)} / b^{(1/4)} * 2^{(1/2)} + \frac{5}{32} d * \arctan(x^2 * b^{(1/2)} / a^{(1/2)}) / a^{(7/2)} / b^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 291, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 10, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {1855, 1876, 211, 1165, 628, 1162, 617, 204, 275, 205}

$$\frac{x(77c + 60dx)}{384a^3 (a + bx^4)} + \frac{x(11c + 10dx)}{96a^2 (a + bx^4)^2} - \frac{77c \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}} + \frac{77c \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)}{512\sqrt{2} a^{15/4} \sqrt[4]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + b*x^4)^4, x]

[Out] $\frac{x(c + d x)}{(12 a (a + b x^4)^3) + (x(11 c + 10 d x)) / (96 a^2 (a + b x^4)^2) + (x(77 c + 60 d x)) / (384 a^3 (a + b x^4)) + (5 d * \text{ArcTan}[\text{Sqrt}[b] * x^2] / \text{Sqrt}[a]) / (32 a^{(7/2)} * \text{Sqrt}[b]) - (77 c * \text{ArcTan}[1 - (\text{Sqrt}[2] * b^{(1/4)} * x) / a^{(1/4)}]) / (256 * \text{Sqrt}[2] * a^{(15/4)} * b^{(1/4)}) + (77 c * \text{ArcTan}[1 + (\text{Sqrt}[2] * b^{(1/4)} * x) / a^{(1/4)}]) / (256 * \text{Sqrt}[2] * a^{(15/4)} * b^{(1/4)}) - (77 c * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / (512 * \text{Sqrt}[2] * a^{(15/4)} * b^{(1/4)}) + (77 c * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / (512 * \text{Sqrt}[2] * a^{(15/4)} * b^{(1/4)})}$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre

$eQ[\{a, c, d, e\}, x] \ \&\& \ EqQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[d*e]$

Rule 1855

$Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] \ :> \ -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] \ /; \ FreeQ[\{a, b\}, x] \ \&\& \ PolyQ[Pq, x] \ \&\& \ IGtQ[n, 0] \ \&\& \ LtQ[p, -1] \ \&\& \ LtQ[Expon[Pq, x], n - 1]$

Rule 1876

$Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] \ :> \ With[\{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), \{ii, 0, n/2 - 1\}]\}, Int[v, x] \ /; \ SumQ[v] \ /; \ FreeQ[\{a, b\}, x] \ \&\& \ PolyQ[Pq, x] \ \&\& \ IGtQ[n/2, 0] \ \&\& \ Expon[Pq, x] < n]$

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+bx^4)^4} dx &= \frac{x(c+dx)}{12a(a+bx^4)^3} - \frac{\int \frac{-11c-10dx}{(a+bx^4)^3} dx}{12a} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{\int \frac{77c+60dx}{(a+bx^4)^2} dx}{96a^2} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} - \frac{\int \frac{-231c-120dx}{a+bx^4} dx}{384a^3} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} - \frac{\int \left(-\frac{231c}{a+bx^4} - \frac{120dx}{a+bx^4} \right) dx}{384a^3} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} + \frac{(77c) \int \frac{1}{a+bx^4} dx}{128a^3} + \frac{(5d) \int \frac{x}{a+bx^4} dx}{16a^3} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} + \frac{(77c) \int \frac{\sqrt{a}-\sqrt{b}x^2}{a+bx^4} dx}{256a^{7/2}} + \frac{(77c) \int \frac{\sqrt{a}+\sqrt{b}x^2}{a+bx^4} dx}{256a^{7/2}} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{32a^{7/2}\sqrt{b}} + \frac{(77c) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}}{\sqrt{b}} \frac{\sqrt[4]{a}x}{\sqrt[4]{b}}} dx}{512a^{7/2}\sqrt{b}} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{32a^{7/2}\sqrt{b}} - \frac{77c \log(\sqrt{a} - \sqrt{2} \frac{\sqrt[4]{a}x}{\sqrt[4]{b}})}{512\sqrt{2}a^{7/2}} \\
&= \frac{x(c+dx)}{12a(a+bx^4)^3} + \frac{x(11c+10dx)}{96a^2(a+bx^4)^2} + \frac{x(77c+60dx)}{384a^3(a+bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{32a^{7/2}\sqrt{b}} - \frac{77c \tan^{-1} \left(1 - \frac{\sqrt{2}}{\sqrt[4]{a}} \frac{\sqrt[4]{a}x}{\sqrt[4]{b}} \right)}{256\sqrt{2}a^{15/4}\sqrt[4]{b}}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 274, normalized size = 0.94

$$\frac{256a^{11/4}x(c+dx)}{(a+bx^4)^3} + \frac{32a^{7/4}x(11c+10dx)}{(a+bx^4)^2} + \frac{8a^{3/4}x(77c+60dx)}{a+bx^4} - \frac{6(80\sqrt[4]{a}d+77\sqrt{2}\sqrt[4]{b}c)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{b}} + \frac{6(77\sqrt{2}\sqrt[4]{b}c-80\sqrt[4]{a}d)\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{b}}$$

3072a^{15/4}

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*x^4)^4,x]

[Out]
$$\frac{\left(\frac{256a^{11/4}x(c+dx)}{(a+bx^4)^3} + \frac{32a^{7/4}x(11c+10dx)}{(a+bx^4)^2} + \frac{8a^{3/4}x(77c+60dx)}{(a+bx^4)} - \frac{6(77\sqrt{2}b^{1/4}c + 80a^{1/4}d)\operatorname{ArcTan}\left[1 - \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right]}{\sqrt{b}} + \frac{6(77\sqrt{2}b^{1/4}c - 80a^{1/4}d)\operatorname{ArcTan}\left[1 + \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right]}{\sqrt{b}} - \frac{231\sqrt{2}c\log\left[\frac{\sqrt{a} - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2}{b^{1/4}}\right] + 231\sqrt{2}c\log\left[\frac{\sqrt{a} + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2}{b^{1/4}}\right]}{(3072a^{15/4})}\right)}{(3072a^{15/4})}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 280, normalized size = 0.96

$$\frac{77\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{1024a^4b} - \frac{77\sqrt{2}(ab^3)^{\frac{1}{4}}c\log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{1024a^4b} + \frac{\sqrt{2}\left(40\sqrt{2}\sqrt{ab}bd + \dots\right)}{1024a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out]
$$\frac{77}{1024}\sqrt{2}(ab^3)^{1/4}c\log(x^2 + \sqrt{2}x(a/b)^{1/4} + \sqrt{a/b}) - \frac{77}{1024}\sqrt{2}(ab^3)^{1/4}c\log(x^2 - \sqrt{2}x(a/b)^{1/4} + \sqrt{a/b}) + \frac{1}{512}\sqrt{2}(40\sqrt{2}\sqrt{ab}bd + 77(ab^3)^{1/4}bc)\operatorname{arctan}\left(\frac{1/2\sqrt{2}(2x + \sqrt{2}(a/b)^{1/4})}{(a/b)^{1/4}}\right) + \frac{1}{512}\sqrt{2}(40\sqrt{2}\sqrt{ab}bd + 77(ab^3)^{1/4}bc)\operatorname{arctan}\left(\frac{1/2\sqrt{2}(2x - \sqrt{2}(a/b)^{1/4})}{(a/b)^{1/4}}\right) + \frac{1}{384}(60b^2dx^{10} + 77b^2cx^9 + 160ab^2dx^6 + 198abcx^5 + 132a^2d^2x^2 + 153a^2cx)/((bx^4 + a)^3a^3)$$

maple [A] time = 0.07, size = 225, normalized size = 0.77

$$\frac{5d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{32\sqrt{ab} a^3} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{512a^4} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{512a^4} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{1024a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4+a)^4, x)

[Out] (5/32/a^3*b^2*d*x^10+77/384/a^3*b^2*c*x^9+5/12/a^2*b*d*x^6+33/64/a^2*b*c*x^5+11/32/a*d*x^2+51/128/a*c*x)/(b*x^4+a)^3+77/1024/a^4*c*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+77/512/a^4*c*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+77/512/a^4*c*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+5/32/a^3*d/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)

maxima [A] time = 3.20, size = 304, normalized size = 1.04

$$\frac{60 b^2 d x^{10} + 77 b^2 c x^9 + 160 a b d x^6 + 198 a b c x^5 + 132 a^2 d x^2 + 153 a^2 c x}{384 (a^3 b^3 x^{12} + 3 a^4 b^2 x^8 + 3 a^5 b x^4 + a^6)} + \frac{77 \sqrt{2} c \log\left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{a^4 b^4} - \frac{77 \sqrt{2} c \log\left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{a^4 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^4, x, algorithm="maxima")

[Out] 1/384*(60*b^2*d*x^10 + 77*b^2*c*x^9 + 160*a*b*d*x^6 + 198*a*b*c*x^5 + 132*a^2*d*x^2 + 153*a^2*c*x)/(a^3*b^3*x^12 + 3*a^4*b^2*x^8 + 3*a^5*b*x^4 + a^6) + 1/1024*(77*sqrt(2)*c*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a)))/(a^(3/4)*b^(1/4)) - 77*sqrt(2)*c*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(1/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(1/4)*c - 80*sqrt(a)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(1/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(1/4)*c + 80*sqrt(a)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(1/4))/a^3

mupad [B] time = 0.31, size = 350, normalized size = 1.20

$$\left(\sum_{k=1}^4 \ln \left(\frac{b^2 \left(1925 c d^2 + 1000 d^3 x - \text{root} \left(68719476736 a^{15} b^2 z^4 + 838860800 a^8 b d^2 z^2 - 485703680 a^4 b c^2 d z \right. \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a + b*x^4)^4, x)`

[Out] `symsum(log((b^2*(1925*c*d^2 + 1000*d^3*x - 315392*root(68719476736*a^15*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*c - 47432*root(68719476736*a^15*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k)*a^3*b*c^2*x + 163840*root(68719476736*a^15*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k)^2*a^7*b*d*x))/(32768*a^9))*root(68719476736*a^15*b^2*z^4 + 838860800*a^8*b*d^2*z^2 - 485703680*a^4*b*c^2*d*z + 35153041*b*c^4 + 2560000*a*d^4, z, k), k, 1, 4) + ((11*d*x^2)/(32*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) + (33*b*c*x^5)/(64*a^2) + (5*b*d*x^6)/(12*a^2))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8)`

sympy [A] time = 1.81, size = 231, normalized size = 0.79

$$\text{RootSum} \left(68719476736 t^4 a^{15} b^2 + 838860800 t^2 a^8 b d^2 - 485703680 t a^4 b c^2 d + 2560000 a d^4 + 35153041 b c^4, (t \mapsto \dots) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(b*x**4+a)**4, x)`

[Out] `RootSum(68719476736*_t**4*a**15*b**2 + 838860800*_t**2*a**8*b*d**2 - 485703680*_t*a**4*b*c**2*d + 2560000*a*d**4 + 35153041*b*c**4, Lambda(_t, _t*log(x + (-429496729600*_t**3*a**12*b*d**2 - 62170071040*_t**2*a**8*b*c**2*d - 2621440000*_t*a**5*d**4 - 17998356992*_t*a**4*b*c**4 + 1897280000*a*c**2*d**3)/(788480000*a*c*d**4 - 2706784157*b*c**5)))) + (153*a**2*c*x + 132*a**2*d*x**2 + 198*a*b*c*x**5 + 160*a*b*d*x**6 + 77*b**2*c*x**9 + 60*b**2*d*x**10)/(384*a**6 + 1152*a**5*b*x**4 + 1152*a**4*b**2*x**8 + 384*a**3*b**3*x**12)`

$$3.123 \quad \int \frac{c+dx}{1-x^4} dx$$

Optimal. Leaf size=24

$$\frac{1}{2}c \tan^{-1}(x) + \frac{1}{2}c \tanh^{-1}(x) + \frac{1}{2}d \tanh^{-1}(x^2)$$

[Out] 1/2*c*arctan(x)+1/2*c*arctanh(x)+1/2*d*arctanh(x^2)

Rubi [A] time = 0.02, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1876, 212, 206, 203, 275}

$$\frac{1}{2}c \tan^{-1}(x) + \frac{1}{2}c \tanh^{-1}(x) + \frac{1}{2}d \tanh^{-1}(x^2)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(1 - x^4), x]

[Out] (c*ArcTan[x])/2 + (c*ArcTanh[x])/2 + (d*ArcTanh[x^2])/2

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$x^k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 1876

$\text{Int}[(\text{Pq}_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] \ :> \ \text{With}[\{v = \text{Sum}[(x^{ii}*(\text{Coeff}[\text{Pq}, x, ii] + \text{Coeff}[\text{Pq}, x, n/2 + ii])*x^{(n/2)}))]/(a + b*x^n), \{ii, 0, n/2 - 1\}\}, \text{Int}[v, x] /; \text{SumQ}[v] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[\text{Pq}, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{Expon}[\text{Pq}, x] < n$

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{1 - x^4} dx &= \int \left(\frac{c}{1 - x^4} + \frac{dx}{1 - x^4} \right) dx \\ &= c \int \frac{1}{1 - x^4} dx + d \int \frac{x}{1 - x^4} dx \\ &= \frac{1}{2}c \int \frac{1}{1 - x^2} dx + \frac{1}{2}c \int \frac{1}{1 + x^2} dx + \frac{1}{2}d \text{Subst} \left(\int \frac{1}{1 - x^2} dx, x, x^2 \right) \\ &= \frac{1}{2}c \tan^{-1}(x) + \frac{1}{2}c \tanh^{-1}(x) + \frac{1}{2}d \tanh^{-1}(x^2) \end{aligned}$$

Mathematica [A] time = 0.02, size = 42, normalized size = 1.75

$$\frac{1}{4} \left(-(c + d) \log(1 - x) + c \log(x + 1) + 2c \tan^{-1}(x) + d \log(x^2 + 1) - d \log(x + 1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(1 - x^4),x]

[Out] (2*c*ArcTan[x] - (c + d)*Log[1 - x] + c*Log[1 + x] - d*Log[1 + x] + d*Log[1 + x^2])/4

fricas [A] time = 0.86, size = 35, normalized size = 1.46

$$\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2 + 1) + \frac{1}{4}(c - d) \log(x + 1) - \frac{1}{4}(c + d) \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^4+1),x, algorithm="fricas")

[Out] 1/2*c*arctan(x) + 1/4*d*log(x^2 + 1) + 1/4*(c - d)*log(x + 1) - 1/4*(c + d)*log(x - 1)

giac [B] time = 0.15, size = 37, normalized size = 1.54

$$\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2 + 1) + \frac{1}{4}(c - d) \log(|x + 1|) - \frac{1}{4}(c + d) \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^4+1),x, algorithm="giac")

[Out] 1/2*c*arctan(x) + 1/4*d*log(x^2 + 1) + 1/4*(c - d)*log(abs(x + 1)) - 1/4*(c + d)*log(abs(x - 1))

maple [B] time = 0.04, size = 44, normalized size = 1.83

$$\frac{c \arctan(x)}{2} - \frac{c \ln(x-1)}{4} + \frac{c \ln(x+1)}{4} - \frac{d \ln(x-1)}{4} - \frac{d \ln(x+1)}{4} + \frac{d \ln(x^2+1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-x^4+1),x)

[Out] -1/4*c*ln(x-1)-1/4*ln(x-1)*d+1/4*ln(x+1)*c-1/4*ln(x+1)*d+1/4*d*ln(x^2+1)+1/2*c*arctan(x)

maxima [A] time = 3.04, size = 35, normalized size = 1.46

$$\frac{1}{2}c \arctan(x) + \frac{1}{4}d \log(x^2 + 1) + \frac{1}{4}(c - d) \log(x + 1) - \frac{1}{4}(c + d) \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x^4+1),x, algorithm="maxima")

[Out] 1/2*c*arctan(x) + 1/4*d*log(x^2 + 1) + 1/4*(c - d)*log(x + 1) - 1/4*(c + d)*log(x - 1)

mupad [B] time = 4.92, size = 100, normalized size = 4.17

$$\frac{(-1)^{1/4} \operatorname{atan}\left((-1)^{3/4} \sqrt{2} x + 1\right) \left(\sqrt{2} c + 2(-1)^{1/4} d\right)}{4} - \frac{(-1)^{1/4} \operatorname{atan}\left((-1)^{3/4} \sqrt{2} x - 1\right) \left(2\sqrt{2} c - 4(-1)^{1/4} d\right)}{8} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(c + d*x)/(x^4 - 1),x)

[Out] ((-1)^(1/4)*2^(1/2)*c*log((x^2 + (-1)^(1/4)*2^(1/2)*x + 1i)/(x^2 - (-1)^(1/4)*2^(1/2)*x + 1i)))/8 - ((-1)^(1/4)*atan((-1)^(3/4)*2^(1/2)*x - 1)*(2*2^(1

$$\frac{(1/2)*c - 4*(-1)^{(1/4)*d}}{8} - \frac{((-1)^{(1/4)*atan((-1)^{(3/4)*2^{(1/2)*x} + 1)*(2^{(1/2)*c} + 2*(-1)^{(1/4)*d})})}{4}$$

sympy [C] time = 0.92, size = 313, normalized size = 13.04

$$\frac{(c-d) \log\left(x + \frac{c^4(c-d)+5c^2d^3+c^2d(c-d)^2-2d^4(c-d)+2d^2(c-d)^3}{c^5+4cd^4}\right)}{4} - \frac{(c+d) \log\left(x + \frac{-c^4(c+d)+5c^2d^3+c^2d(c+d)^2+2d^4(c+d)-2d^2(c+d)^3}{c^5+4cd^4}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-x**4+1),x)

[Out] (c - d)*log(x + (c**4*(c - d) + 5*c**2*d**3 + c**2*d*(c - d)**2 - 2*d**4*(c - d) + 2*d**2*(c - d)**3)/(c**5 + 4*c*d**4))/4 - (c + d)*log(x + (-c**4*(c + d) + 5*c**2*d**3 + c**2*d*(c + d)**2 + 2*d**4*(c + d) - 2*d**2*(c + d)**3)/(c**5 + 4*c*d**4))/4 - (-I*c/4 - d/4)*log(x + (-4*c**4*(-I*c/4 - d/4) + 5*c**2*d**3 + 16*c**2*d*(-I*c/4 - d/4)**2 + 8*d**4*(-I*c/4 - d/4) - 128*d**2*(-I*c/4 - d/4)**3)/(c**5 + 4*c*d**4)) - (I*c/4 - d/4)*log(x + (-4*c**4*(I*c/4 - d/4) + 5*c**2*d**3 + 16*c**2*d*(I*c/4 - d/4)**2 + 8*d**4*(I*c/4 - d/4) - 128*d**2*(I*c/4 - d/4)**3)/(c**5 + 4*c*d**4))

3.124 $\int \frac{c+dx}{1+x^4} dx$

Optimal. Leaf size=98

$$-\frac{c \log(x^2 - \sqrt{2}x + 1)}{4\sqrt{2}} + \frac{c \log(x^2 + \sqrt{2}x + 1)}{4\sqrt{2}} - \frac{c \tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{c \tan^{-1}(\sqrt{2}x + 1)}{2\sqrt{2}} + \frac{1}{2}d \tan^{-1}(x^2)$$

[Out] 1/2*d*arctan(x^2)+1/4*c*arctan(-1+x*2^(1/2))*2^(1/2)+1/4*c*arctan(1+x*2^(1/2))*2^(1/2)-1/8*c*ln(1+x^2-x*2^(1/2))*2^(1/2)+1/8*c*ln(1+x^2+x*2^(1/2))*2^(1/2)

Rubi [A] time = 0.07, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.692$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 275, 203}

$$-\frac{c \log(x^2 - \sqrt{2}x + 1)}{4\sqrt{2}} + \frac{c \log(x^2 + \sqrt{2}x + 1)}{4\sqrt{2}} - \frac{c \tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{c \tan^{-1}(\sqrt{2}x + 1)}{2\sqrt{2}} + \frac{1}{2}d \tan^{-1}(x^2)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(1 + x^4), x]

[Out] (d*ArcTan[x^2])/2 - (c*ArcTan[1 - Sqrt[2]*x])/(2*Sqrt[2]) + (c*ArcTan[1 + Sqrt[2]*x])/(2*Sqrt[2]) - (c*Log[1 - Sqrt[2]*x + x^2])/(4*Sqrt[2]) + (c*Log[1 + Sqrt[2]*x + x^2])/(4*Sqrt[2])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&

AtomQ[SplitProduct[SumBaseQ, b]])

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{1 + x^4} dx &= \int \left(\frac{c}{1 + x^4} + \frac{dx}{1 + x^4} \right) dx \\
&= c \int \frac{1}{1 + x^4} dx + d \int \frac{x}{1 + x^4} dx \\
&= \frac{1}{2}c \int \frac{1 - x^2}{1 + x^4} dx + \frac{1}{2}c \int \frac{1 + x^2}{1 + x^4} dx + \frac{1}{2}d \operatorname{Subst} \left(\int \frac{1}{1 + x^2} dx, x, x^2 \right) \\
&= \frac{1}{2}d \tan^{-1}(x^2) + \frac{1}{4}c \int \frac{1}{1 - \sqrt{2}x + x^2} dx + \frac{1}{4}c \int \frac{1}{1 + \sqrt{2}x + x^2} dx - \frac{c \int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx}{4\sqrt{2}} - \frac{c \int \frac{\sqrt{2}-2x}{-1+\sqrt{2}x-x^2} dx}{4\sqrt{2}} \\
&= \frac{1}{2}d \tan^{-1}(x^2) - \frac{c \log(1 - \sqrt{2}x + x^2)}{4\sqrt{2}} + \frac{c \log(1 + \sqrt{2}x + x^2)}{4\sqrt{2}} + \frac{c \operatorname{Subst} \left(\int \frac{1}{-1-x^2} dx, x, 1 - \sqrt{2}x \right)}{2\sqrt{2}} \\
&= \frac{1}{2}d \tan^{-1}(x^2) - \frac{c \tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{c \tan^{-1}(1 + \sqrt{2}x)}{2\sqrt{2}} - \frac{c \log(1 - \sqrt{2}x + x^2)}{4\sqrt{2}} + \frac{c \log(1 + \sqrt{2}x + x^2)}{4\sqrt{2}}
\end{aligned}$$

Mathematica [C] time = 0.13, size = 99, normalized size = 1.01

$$\frac{1}{4} \left(- \left(\left(\sqrt[4]{-1} c + id \right) \log \left(\sqrt[4]{-1} - x \right) \right) + \left(-(-1)^{3/4} c + id \right) \log \left((-1)^{3/4} - x \right) + \left(\sqrt[4]{-1} c - id \right) \log \left(x + \sqrt[4]{-1} \right) + \left((-1)^{3/4} c - id \right) \log \left(x + (-1)^{3/4} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(1 + x^4), x]

[Out] (-(((−1)^(1/4)*c + I*d)*Log[(-1)^(1/4) - x]) + (-((−1)^(3/4)*c) + I*d)*Log[(-1)^(3/4) - x] + ((−1)^(1/4)*c - I*d)*Log[(-1)^(1/4) + x] + ((−1)^(3/4)*c + I*d)*Log[(-1)^(3/4) + x])/4

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^4+1),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.17, size = 86, normalized size = 0.88

$$\frac{1}{8} \sqrt{2} c \log(x^2 + \sqrt{2}x + 1) - \frac{1}{8} \sqrt{2} c \log(x^2 - \sqrt{2}x + 1) + \frac{1}{4} (\sqrt{2}c - 2d) \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2})\right) + \frac{1}{4} (\sqrt{2}c + 2d) \arctan\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^4+1),x, algorithm="giac")

[Out] $\frac{1}{8}\sqrt{2}c\log(x^2 + \sqrt{2}x + 1) - \frac{1}{8}\sqrt{2}c\log(x^2 - \sqrt{2}x + 1) + \frac{1}{4}(\sqrt{2}c - 2d)\arctan(\frac{1}{2}\sqrt{2}(2x + \sqrt{2})) + \frac{1}{4}(\sqrt{2}c + 2d)\arctan(\frac{1}{2}\sqrt{2}(2x - \sqrt{2}))$

maple [A] time = 0.05, size = 68, normalized size = 0.69

$$\frac{\sqrt{2} c \arctan(\sqrt{2} x - 1)}{4} + \frac{\sqrt{2} c \arctan(\sqrt{2} x + 1)}{4} + \frac{\sqrt{2} c \ln\left(\frac{x^2 + \sqrt{2} x + 1}{x^2 - \sqrt{2} x + 1}\right)}{8} + \frac{d \arctan(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(x^4+1),x)

[Out] $\frac{1}{4}c\arctan(2^{(1/2)}x-1)*2^{(1/2)} + \frac{1}{8}c*2^{(1/2)}*\ln((x^2+2^{(1/2)}x+1)/(x^2-2^{(1/2)}x+1)) + \frac{1}{4}c\arctan(2^{(1/2)}x+1)*2^{(1/2)} + \frac{1}{2}d\arctan(x^2)$

maxima [A] time = 3.00, size = 86, normalized size = 0.88

$$\frac{1}{8}\sqrt{2}c\log(x^2 + \sqrt{2}x + 1) - \frac{1}{8}\sqrt{2}c\log(x^2 - \sqrt{2}x + 1) + \frac{1}{4}(\sqrt{2}c - 2d)\arctan\left(\frac{1}{2}\sqrt{2}(2x + \sqrt{2})\right) + \frac{1}{4}(\sqrt{2}c + 2d)\arctan\left(\frac{1}{2}\sqrt{2}(2x - \sqrt{2})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x^4+1),x, algorithm="maxima")

[Out] $\frac{1}{8}\sqrt{2}c\log(x^2 + \sqrt{2}x + 1) - \frac{1}{8}\sqrt{2}c\log(x^2 - \sqrt{2}x + 1) + \frac{1}{4}(\sqrt{2}c - 2d)\arctan(\frac{1}{2}\sqrt{2}(2x + \sqrt{2})) + \frac{1}{4}(\sqrt{2}c + 2d)\arctan(\frac{1}{2}\sqrt{2}(2x - \sqrt{2}))$

mupad [B] time = 0.09, size = 71, normalized size = 0.72

$$\operatorname{atan}\left(\sqrt{2} x - 1\right)\left(\frac{d}{2} + \frac{\sqrt{2} c}{4}\right) - \operatorname{atan}\left(\sqrt{2} x + 1\right)\left(\frac{d}{2} - \frac{\sqrt{2} c}{4}\right) + \frac{\sqrt{2} c \ln\left(\frac{x^2 + \sqrt{2} x + 1}{x^2 - \sqrt{2} x + 1}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(x^4 + 1),x)

[Out] $\operatorname{atan}(2^{(1/2)}x - 1)*(d/2 + (2^{(1/2)}*c)/4) - \operatorname{atan}(2^{(1/2)}x + 1)*(d/2 - (2^{(1/2)}*c)/4) + (2^{(1/2)}*c*\log((2^{(1/2)}*x + x^2 + 1)/(x^2 - 2^{(1/2)}*x + 1)))/8$

sympy [A] time = 0.71, size = 83, normalized size = 0.85

$$\text{RootSum}\left(256t^4 + 32t^2d^2 - 16tc^2d + c^4 + d^4, \left(t \mapsto t \log\left(x + \frac{128t^3d^2 + 16t^2c^2d + 4tc^4 + 8td^4 - 5c^2d^3}{c^5 - 4cd^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(x**4+1),x)

[Out] RootSum(256*_t**4 + 32*_t**2*d**2 - 16*_t*c**2*d + c**4 + d**4, Lambda(_t, _t*log(x + (128*_t**3*d**2 + 16*_t**2*c**2*d + 4*_t*c**4 + 8*_t*d**4 - 5*c**2*d**3)/(c**5 - 4*c*d**4))))

$$3.125 \quad \int \frac{c+dx+ex^2}{a-bx^4} dx$$

Optimal. Leaf size=116

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

[Out] $1/2*d*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(1/2)}/b^{(1/2)}+1/2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(-e*a^{(1/2)}+c*b^{(1/2)})/a^{(3/4)}/b^{(3/4)}+1/2*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(e*a^{(1/2)}+c*b^{(1/2)})/a^{(3/4)}/b^{(3/4)}$

Rubi [A] time = 0.10, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1876, 275, 208, 1167, 205}

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a - b*x^4), x]

[Out] $((\operatorname{Sqrt}[b]*c - \operatorname{Sqrt}[a]*e)*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*b^{(3/4)}) + ((\operatorname{Sqrt}[b]*c + \operatorname{Sqrt}[a]*e)*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*b^{(3/4)}) + (d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]])/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[b])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{a - bx^4} dx &= \int \left(\frac{dx}{a - bx^4} + \frac{c + ex^2}{a - bx^4} \right) dx \\ &= d \int \frac{x}{a - bx^4} dx + \int \frac{c + ex^2}{a - bx^4} dx \\ &= \frac{1}{2} d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) + \frac{1}{2} \left(-\frac{\sqrt{b}c}{\sqrt{a}} + e \right) \int \frac{1}{-\sqrt{a}\sqrt{b} - bx^2} dx + \frac{1}{2} \left(\frac{\sqrt{b}c}{\sqrt{a}} + e \right) \int \frac{1}{\sqrt{a}\sqrt{b} + bx^2} dx \\ &= \frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{b}c + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 187, normalized size = 1.61

$$\frac{-\log(\sqrt[4]{a} - \sqrt[4]{b}x) (\sqrt[4]{a} \sqrt[4]{b} d + \sqrt{a} e + \sqrt{b} c) + 2(\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right) + \sqrt{b}c \log(\sqrt[4]{a} + \sqrt[4]{b}x) + \sqrt[4]{a} \sqrt[4]{b} d \log(\sqrt[4]{a} + \sqrt[4]{b}x)}{4a^{3/4}b^{3/4}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4), x]
```

```
[Out] (2*(Sqrt[b]*c - Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (Sqrt[b]*c + a^(1/4)*b^(1/4)*d + Sqrt[a]*e)*Log[a^(1/4) - b^(1/4)*x] + Sqrt[b]*c*Log[a^(1/4) + b^(1/4)*x] - a^(1/4)*b^(1/4)*d*Log[a^(1/4) + b^(1/4)*x] + Sqrt[a]*e*Log[a^(1/4) + b^(1/4)*x] + a^(1/4)*b^(1/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(4*a^(3/4)*b^(3/4))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.18, size = 263, normalized size = 2.27

$$\frac{\sqrt{2} \left(b^2 c - \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) + \sqrt{2} \left(b^2 c + \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 (-ab^3)^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out]
$$-1/4 * \sqrt{2} * (b^2 * c - \sqrt{2} * (-a * b^3)^{1/4} * b * d + \sqrt{-a * b} * b * e) * \arctan(1/2 * \sqrt{2} * (2 * x + \sqrt{2} * (-a/b)^{1/4}) / (-a/b)^{1/4}) / (-a * b^3)^{3/4} - 1/4 * \sqrt{2} * (b^2 * c + \sqrt{2} * (-a * b^3)^{1/4} * b * d - \sqrt{-a * b} * b * e) * \arctan(1/2 * \sqrt{2} * (2 * x - \sqrt{2} * (-a/b)^{1/4}) / (-a/b)^{1/4}) / (-a * b^3)^{3/4} - 1/8 * \sqrt{2} * (b^2 * c - \sqrt{-a * b} * b * e) * \log(x^2 + \sqrt{2} * x * (-a/b)^{1/4} + \sqrt{-a/b}) / (-a * b^3)^{3/4} + 1/8 * \sqrt{2} * (b^2 * c - \sqrt{-a * b} * b * e) * \log(x^2 - \sqrt{2} * x * (-a/b)^{1/4} + \sqrt{-a/b}) / (-a * b^3)^{3/4}$$

maple [B] time = 0.04, size = 161, normalized size = 1.39

$$\frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{4 \sqrt{ab}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(-b*x^4+a),x)

[Out]
$$1/4 * (a/b)^{1/4} / a * c * \ln((x + (a/b)^{1/4}) / (x - (a/b)^{1/4})) + 1/2 * (a/b)^{1/4} / a * c * \arctan(1 / (a/b)^{1/4} * x) - 1/4 / (a * b)^{1/2} * d * \ln(((a * b)^{1/2} * x^2 - a) / (- (a * b)^{1/2} * x^2 - a)) - 1/2 * e / b / (a/b)^{1/4} * \arctan(1 / (a/b)^{1/4} * x) + 1/4 * e / b / (a/b)^{1/4} * \ln((x + (a/b)^{1/4}) / (x - (a/b)^{1/4}))$$

maxima [A] time = 2.91, size = 153, normalized size = 1.32

$$\frac{d \log(\sqrt{b}x^2 + \sqrt{a})}{4\sqrt{a}\sqrt{b}} - \frac{d \log(\sqrt{b}x^2 - \sqrt{a})}{4\sqrt{a}\sqrt{b}} + \frac{(\sqrt{b}c - \sqrt{a}e) \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - \frac{(\sqrt{b}c + \sqrt{a}e) \log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] 1/4*d*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 1/4*d*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 1/2*(sqrt(b)*c - sqrt(a)*e)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - 1/4*(sqrt(b)*c + sqrt(a)*e)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))

mupad [B] time = 5.14, size = 725, normalized size = 6.25

$$\sum_{k=1}^4 \ln\left(-b^2 c d^2 + b^2 c^2 e - b^2 d^3 x - a b e^3 - \text{root}\left(256 a^3 b^3 z^4 - 64 a^2 b^2 c e z^2 - 32 a^2 b^2 d^2 z^2 + 16 a^2 b d e^2 z + 16 a^2 b^2 c^2 e^2\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a - b*x^4),x)

[Out] symsum(log(b^2*c^2*e - b^2*c*d^2 - b^2*d^3*x - a*b*e^3 - 16*root(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)^2*a*b^3*c - 4*root(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)*b^3*c^2*x + 16*root(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)^2*a*b^3*d*x - 4*root(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k)*a*b^2*e^2*x + 8*root(256*a^3*b^3*z^4 - 64*a^2*b^2*c*e*z^2 - 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z + 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 - a^2*e^4 - b^2*c^4, z, k), k, 1, 4)

sympy [B] time = 11.04, size = 471, normalized size = 4.06

$$-\text{RootSum}\left(256t^4a^3b^3 + t^2(-64a^2b^2ce - 32a^2b^2d^2) + t(-16a^2bde^2 - 16ab^2c^2d) - a^2e^4 + 2abc^2e^2 - 4abcd^2e + ab^2c^2d^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] -RootSum(256*_t**4*a**3*b**3 + _t**2*(-64*a**2*b**2*c*e - 32*a**2*b**2*d**2) + _t*(-16*a**2*b*d*e**2 - 16*a*b**2*c**2*d) - a**2*e**4 + 2*a*b*c**2*e**2 - 4*a*b*c*d**2*e + a*b*d**4 - b**2*c**4, Lambda(_t, _t*log(x + (-64*_t**3*a**4*b**2*e**3 - 64*_t**3*a**3*b**3*c**2*e + 128*_t**3*a**3*b**3*c*d**2 + 48*_t**2*a**3*b**2*c*d*e**2 - 32*_t**2*a**3*b**2*d**3*e - 16*_t**2*a**2*b**3*c**3*d + 12*_t*a**3*b*c*e**4 + 12*_t*a**3*b*d**2*e**3 + 16*_t*a**2*b**2*c**3*e**2 - 36*_t*a**2*b**2*c**2*d**2*e - 8*_t*a**2*b**2*c*d**4 + 4*_t*a*b**3*c**5 + 3*a**3*d*e**5 - 5*a**2*b*c*d**3*e**2 + 2*a**2*b*d**5*e + 5*a*b**2*c**4*d*e - 5*a*b**2*c**3*d**3)/(a**3*e**6 + a**2*b*c**2*e**4 - 8*a**2*b*c*d**2*e**3 + 4*a**2*b*d**4*e**2 - a*b**2*c**4*e**2 + 8*a*b**2*c**3*d**2*e - 4*a*b**2*c**2*d**4 - b**3*c**6))))

$$3.126 \quad \int \frac{c+dx+ex^2}{a+bx^4} dx$$

Optimal. Leaf size=277

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc})}{2}$$

[Out] $\frac{1}{2} d \arctan(x^2 b^{1/2} / a^{1/2}) / a^{1/2} b^{1/2} - 1/8 \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-e a^{1/2} + c b^{1/2}) / a^{3/4} b^{3/4} * 2^{1/2} + 1/8 \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-e a^{1/2} + c b^{1/2}) / a^{3/4} b^{3/4} * 2^{1/2} + 1/4 \arctan(-1 + b^{1/4} x^2 / a^{1/4}) * (e a^{1/2} + c b^{1/2}) / a^{3/4} b^{3/4} * 2^{1/2} + 1/4 \arctan(1 + b^{1/4} x^2 / a^{1/4}) * (e a^{1/2} + c b^{1/2}) / a^{3/4} b^{3/4} * 2^{1/2}$

Rubi [A] time = 0.20, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc})}{2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4), x]

[Out] $(d \operatorname{ArcTan}[(\sqrt{b} x^2) / \sqrt{a}]) / (2 \sqrt{a} \sqrt{b}) - ((\sqrt{b} c + \sqrt{a} e) \operatorname{ArcTan}[1 - (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (2 \sqrt{2} a^{3/4} b^{3/4}) + ((\sqrt{b} c + \sqrt{a} e) \operatorname{ArcTan}[1 + (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (2 \sqrt{2} a^{3/4} b^{3/4}) - ((\sqrt{b} c - \sqrt{a} e) \operatorname{Log}[\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (4 \sqrt{2} a^{3/4} b^{3/4}) + ((\sqrt{b} c - \sqrt{a} e) \operatorname{Log}[\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (4 \sqrt{2} a^{3/4} b^{3/4})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}

}}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2}{a + bx^4} dx &= \int \left(\frac{dx}{a + bx^4} + \frac{c + ex^2}{a + bx^4} \right) dx \\
 &= d \int \frac{x}{a + bx^4} dx + \int \frac{c + ex^2}{a + bx^4} dx \\
 &= \frac{1}{2} d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{\sqrt{a} \sqrt{b} - bx^2}{a + bx^4} dx}{2b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{\sqrt{a} \sqrt{b} + bx^2}{a + bx^4} dx}{2b} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{b}} + x^2} dx}{4b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2} \sqrt[4]{a} x}{\sqrt[4]{b}} + x^2} dx}{4b} - \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} - \frac{(\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} + \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.12, size = 229, normalized size = 0.83

$$\frac{-2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) (2 \sqrt[4]{a} \sqrt[4]{b} d + \sqrt{2} \sqrt{a} e + \sqrt{2} \sqrt{b} c) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) (-2 \sqrt[4]{a} \sqrt[4]{b} d + \sqrt{2} \sqrt{a} e + \sqrt{2} \sqrt{b} c)}{8 a^{3/4} b^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4), x]

[Out] (-2*(Sqrt[2]*Sqrt[b]*c + 2*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[2]*Sqrt[b]*c - 2*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - Sqrt[2]*(Sqrt[b]*c - Sqrt[a]*e)*(Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] - Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(8*a^(3/4)*b^(3/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.17, size = 275, normalized size = 0.99

$$\frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 ab^3} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out] $-1/4 \sqrt{2} (\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{1/4} b^2 c - (ab^3)^{3/4} e) \arctan(1/2 \sqrt{2} (2x + \sqrt{2} (a/b)^{1/4}) / (a/b)^{1/4}) / (ab^3) - 1/4 \sqrt{2} (\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{1/4} b^2 c - (ab^3)^{3/4} e) \arctan(1/2 \sqrt{2} (2x - \sqrt{2} (a/b)^{1/4}) / (a/b)^{1/4}) / (ab^3) + 1/8 \sqrt{2} ((ab^3)^{1/4} b^2 c - (ab^3)^{3/4} e) \log(x^2 + \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (ab^3) - 1/8 \sqrt{2} ((ab^3)^{1/4} b^2 c - (ab^3)^{3/4} e) \log(x^2 - \sqrt{2} x (a/b)^{1/4} + \sqrt{a/b}) / (ab^3)$

maple [A] time = 0.05, size = 280, normalized size = 1.01

$$\frac{d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{2 \sqrt{ab}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{4a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{4a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \ln \left(\frac{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a),x)

[Out] $1/8 (a/b)^{1/4} 2^{1/2} / a c \ln((x^2 + (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}) / (x^2 - (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2})) + 1/4 (a/b)^{1/4} 2^{1/2} / a c \arctan(2^{1/2} / (a/b)^{1/4} x + 1) + 1/4 (a/b)^{1/4} 2^{1/2} / a c \arctan(2^{1/2} / (a/b)^{1/4} x - 1) + 1/2 (a/b)^{1/4} d \arctan((1/a b)^{1/2} x^2) + 1/8 e b / (a/b)^{1/4} 2^{1/2} \ln((x^2 - (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}) / (x^2 + (a/b)^{1/4} 2^{1/2} x + (a/b)^{1/2}))$

$(a/b)^{(1/2)}) + 1/4 * e/b / (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) + 1/4 * e/b / (a/b)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1)$

maxima [A] time = 3.04, size = 257, normalized size = 0.93

$$\frac{\sqrt{2}(\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}(\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{\left(\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}c + \dots\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] $1/8 * \sqrt{2} * (\sqrt{b} * c - \sqrt{a} * e) * \log(\sqrt{b} * x^2 + \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a}) / (a^{(3/4)} * b^{(3/4)}) - 1/8 * \sqrt{2} * (\sqrt{b} * c - \sqrt{a} * e) * \log(\sqrt{b} * x^2 - \sqrt{2} * a^{(1/4)} * b^{(1/4)} * x + \sqrt{a}) / (a^{(3/4)} * b^{(3/4)}) + 1/4 * (\sqrt{2} * a^{(1/4)} * b^{(3/4)} * c + \sqrt{2} * a^{(3/4)} * b^{(1/4)} * e - 2 * \sqrt{a} * \sqrt{b} * d) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x + \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{a * \sqrt{b}}) / (a^{(3/4)} * \sqrt{a * \sqrt{b}}) * b^{(3/4)} + 1/4 * (\sqrt{2} * a^{(1/4)} * b^{(3/4)} * c + \sqrt{2} * a^{(3/4)} * b^{(1/4)} * e + 2 * \sqrt{a} * \sqrt{b} * d) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{b} * x - \sqrt{2} * a^{(1/4)} * b^{(1/4)}) / \sqrt{a * \sqrt{b}}) / (a^{(3/4)} * \sqrt{a * \sqrt{b}}) * b^{(3/4)}$

mupad [B] time = 5.09, size = 712, normalized size = 2.57

$$\sum_{k=1}^4 \ln\left(b^2 c d^2 - b^2 c^2 e + b^2 d^3 x - a b e^3 - \text{root}\left(256 a^3 b^3 z^4 + 64 a^2 b^2 c e z^2 + 32 a^2 b^2 d^2 z^2 + 16 a^2 b d e^2 z - 16 a^2 b^2 c^2 d^2\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^4),x)

[Out] $\text{symsum}(\log(b^2 * c * d^2 - b^2 * c^2 * e + b^2 * d^3 * x - a * b * e^3 - 16 * \text{root}(256 * a^3 * b^3 * z^4 + 64 * a^2 * b^2 * c * e * z^2 + 32 * a^2 * b^2 * d^2 * z^2 + 16 * a^2 * b * d * e^2 * z - 16 * a^2 * b^2 * c^2 * d^2, z, k)^2 * a * b^3 * c - 4 * \text{root}(256 * a^3 * b^3 * z^4 + 64 * a^2 * b^2 * c * e * z^2 + 32 * a^2 * b^2 * d^2 * z^2 + 16 * a^2 * b * d * e^2 * z - 16 * a^2 * b^2 * c^2 * d^2, z, k) * b^3 * c^2 * x + 16 * \text{root}(256 * a^3 * b^3 * z^4 + 64 * a^2 * b^2 * c * e * z^2 + 32 * a^2 * b^2 * d^2 * z^2 + 16 * a^2 * b * d * e^2 * z - 16 * a^2 * b^2 * c^2 * d^2, z, k)^2 * a * b^3 * d * x + 4 * \text{root}(256 * a^3 * b^3 * z^4 + 64 * a^2 * b^2 * c * e * z^2 + 32 * a^2 * b^2 * d^2 * z^2 + 16 * a^2 * b * d * e^2 * z - 16 * a^2 * b^2 * c^2 * d^2, z, k) * a * b^2 * e^2 * x - 8 * \text{root}(256 * a^3 * b^3 * z^4 + 64 * a^2 * b^2 * c * e * z^2 + 32 * a^2 * b^2 * d^2 * z^2 + 16 * a^2 * b * d * e^2 * z - 16 * a^2 * b^2 * c^2 * d^2, z, k) * a * b^2 * c^2 * d^2, z, k)$

$z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 + a^2*e^4 + b^2*c^4, z, k)*a*b^2*d*e - 2*b^2*c*d*e*x)*\text{root}(256*a^3*b^3*z^4 + 64*a^2*b^2*c*e*z^2 + 32*a^2*b^2*d^2*z^2 + 16*a^2*b*d*e^2*z - 16*a*b^2*c^2*d*z - 4*a*b*c*d^2*e + 2*a*b*c^2*e^2 + a*b*d^4 + a^2*e^4 + b^2*c^4, z, k), k, 1, 4)$

sympy [A] time = 10.54, size = 466, normalized size = 1.68

$$\text{RootSum}\left(256t^4a^3b^3 + t^2(64a^2b^2ce + 32a^2b^2d^2) + t(16a^2bde^2 - 16ab^2c^2d) + a^2e^4 + 2abc^2e^2 - 4abcd^2e + abd^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**4+a),x)

[Out] RootSum(256*_t**4*a**3*b**3 + _t**2*(64*a**2*b**2*c*e + 32*a**2*b**2*d**2) + _t*(16*a**2*b*d*e**2 - 16*a*b**2*c**2*d) + a**2*e**4 + 2*a*b*c**2*e**2 - 4*a*b*c*d**2*e + a*b*d**4 + b**2*c**4, Lambda(_t, _t*log(x + (64*_t**3*a**4*b**2*e**3 - 64*_t**3*a**3*b**3*c**2*e + 128*_t**3*a**3*b**3*c*d**2 + 48*_t**2*a**3*b**2*c*d*e**2 - 32*_t**2*a**3*b**2*d**3*e + 16*_t**2*a**2*b**3*c**3*d + 12*_t*a**3*b*c*e**4 + 12*_t*a**3*b*d**2*e**3 - 16*_t*a**2*b**2*c**3*e**2 + 36*_t*a**2*b**2*c**2*d**2*e + 8*_t*a**2*b**2*c*d**4 + 4*_t*a*b**3*c**5 + 3*a**3*d*e**5 + 5*a**2*b*c*d**3*e**2 - 2*a**2*b*d**5*e + 5*a*b**2*c**4*d*e - 5*a*b**2*c**3*d**3)/(a**3*e**6 - a**2*b*c**2*e**4 + 8*a**2*b*c*d**2*e**3 - 4*a**2*b*d**4*e**2 - a*b**2*c**4*e**2 + 8*a*b**2*c**3*d**2*e - 4*a*b**2*c**2*d**4 + b**3*c**6))))

$$3.127 \quad \int \frac{c+dx+ex^2}{(a-bx^4)^2} dx$$

Optimal. Leaf size=146

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx+ex^2)}{4a(a-bx^4)}$$

[Out] $1/4*x*(e*x^2+d*x+c)/a/(-b*x^4+a)+1/4*d*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(1/2)+1/8*\arctan(b^(1/4)*x/a^(1/4))*(-e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)+1/8*\arctanh(b^(1/4)*x/a^(1/4))*(e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)$

Rubi [A] time = 0.13, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1855, 1876, 275, 208, 1167, 205}

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(c+dx+ex^2)}{4a(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a - b*x^4)^2, x]

[Out] $(x*(c + d*x + e*x^2))/(4*a*(a - b*x^4)) + ((3*\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*\text{ArcTan}[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(3/4)) + ((3*\text{Sqrt}[b]*c + \text{Sqrt}[a]*e)*\text{ArcTanh}[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(3/4)) + (d*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(4*a^(3/2)*\text{Sqrt}[b])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$\wedge k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

Rule 1167

$\text{Int}[\frac{(d_+ + (e_+)(x_+)^2)}{(a_+ + (c_+)(x_+)^4)}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(a*c), 2]\}, \text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[1/(-q + c*x^2), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[1/(q + c*x^2), x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[-(a*c)]$

Rule 1855

$\text{Int}[(Pq_+)((a_+ + (b_+)(x_+)^{n_+})^{p_+}), x_Symbol] \rightarrow -\text{Simp}[(x*Pq_+(a + b*x^n)^{p+1})/(a*n*(p+1)), x] + \text{Dist}[1/(a*n*(p+1)), \text{Int}[\text{ExpandToSum}[n*(p+1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^{p+1}, x], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{LtQ}[\text{Expon}[Pq, x], n - 1]$

Rule 1876

$\text{Int}[(Pq_+)/((a_+ + (b_+)(x_+)^{n_+})^{n_+}), x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[(x^{ii}*(\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii]*x^{(n/2)})]/(a + b*x^n), \{ii, 0, n/2 - 1\}]\}, \text{Int}[v, x] /; \text{SumQ}[v] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{Expon}[Pq, x] < n$

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{(a - bx^4)^2} dx &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a - bx^4} dx}{4a} \\ &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} - \frac{\int \left(-\frac{2dx}{a - bx^4} + \frac{-3c - ex^2}{a - bx^4} \right) dx}{4a} \\ &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} - \frac{\int \frac{-3c - ex^2}{a - bx^4} dx}{4a} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\ &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} + \frac{d \text{Subst}\left(\int \frac{1}{a - bx^2} dx, x, x^2\right)}{4a} - \frac{\left(\frac{3\sqrt{bc}}{\sqrt{a}} - e\right) \int \frac{1}{-\sqrt{a}\sqrt{b - bx^2}} dx}{8a} + \frac{(3\sqrt{bc} + \sqrt{a}e) \int \frac{1}{\sqrt{a}\sqrt{b - bx^2}} dx}{8a} \\ &= \frac{x(c + dx + ex^2)}{4a(a - bx^4)} + \frac{(3\sqrt{bc} - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(3\sqrt{bc} + \sqrt{a}e) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{4a^{7/4}b^{3/4}} \end{aligned}$$

Mathematica [A] time = 0.28, size = 211, normalized size = 1.45

$$\frac{\log\left(\sqrt[4]{a}-\sqrt[4]{b}x\right)\left(a^{3/4}e+3\sqrt[4]{a}\sqrt{b}c+2\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}}+\frac{\log\left(\sqrt[4]{a}+\sqrt[4]{b}x\right)\left(a^{3/4}e+3\sqrt[4]{a}\sqrt{b}c-2\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}}-\frac{2\sqrt[4]{a}\left(\sqrt{a}e-3\sqrt{b}c\right)\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{b^{3/4}}+\frac{4ax(c+x(d+ex))}{a-bx^4}$$

$$16a^2$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4)^2,x]

[Out] ((4*a*x*(c + x*(d + e*x)))/(a - b*x^4) - (2*a^(1/4)*(-3*Sqrt[b]*c + Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(3/4) - ((3*a^(1/4)*Sqrt[b]*c + 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x])/b^(3/4) + ((3*a^(1/4)*Sqrt[b]*c - 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x])/b^(3/4) + (2*Sqrt[a]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/Sqrt[b])/(16*a^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.18, size = 311, normalized size = 2.13

$$\frac{\sqrt{2}\left(3b^2c-2\sqrt{2}\left(-ab^3\right)^{\frac{1}{4}}bd+\sqrt{-ab}be\right)\arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)+\sqrt{2}\left(3b^2c+2\sqrt{2}\left(-ab^3\right)^{\frac{1}{4}}bd-\sqrt{-ab}be\right)\arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(-ab^3\right)^{\frac{3}{4}}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] -1/16*sqrt(2)*(3*b^2*c - 2*sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a) - 1/16*sqrt(2)*(3*b^2*c + 2*sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a) - 1/32*sqrt(2)*(3*b^2*c - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a) + 1/32*sqrt(2)*(3*b^2*c - sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a) - 1/4*(x^3*e + d*x^2 + c*x)/((b*x^4 - a)*a)

maple [B] time = 0.06, size = 228, normalized size = 1.56

$$\frac{ex^3}{4(bx^4 - a)a} - \frac{dx^2}{4(bx^4 - a)a} - \frac{cx}{4(bx^4 - a)a} - \frac{d \ln\left(\frac{\sqrt{ab}x^2 - a}{-\sqrt{ab}x^2 - a}\right)}{8\sqrt{ab}a} - \frac{e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8\left(\frac{a}{b}\right)^{\frac{1}{4}}ab} + \frac{e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}}ab} + \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out] $-1/4/(b*x^4-a)/a*c*x+3/16*(a/b)^{(1/4)}/a^2*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+3/8*(a/b)^{(1/4)}/a^2*c*\arctan(1/(a/b)^{(1/4)}*x)-1/4/(b*x^4-a)/a*d*x^2-1/8/(a*b)^{(1/2)}/a*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/4*e*x^3/a/(b*x^4-a)-1/8*e/a/b/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)+1/16*e/a/b/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 2.94, size = 191, normalized size = 1.31

$$\frac{ex^3 + dx^2 + cx}{4(abx^4 - a^2)} + \frac{\frac{2d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{2d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}}}{16a} + \frac{2(3\sqrt{b}c - \sqrt{a}e) \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}\sqrt{b}}} - \frac{(3\sqrt{b}c + \sqrt{a}e) \log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}\sqrt{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] $-1/4*(e*x^3 + d*x^2 + c*x)/(a*b*x^4 - a^2) + 1/16*(2*d*\log(\text{sqrt}(b)*x^2 + \text{sqrt}(a))/(\text{sqrt}(a)*\text{sqrt}(b)) - 2*d*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(a))/(\text{sqrt}(a)*\text{sqrt}(b)) + 2*(3*\text{sqrt}(b)*c - \text{sqrt}(a)*e)*\arctan(\text{sqrt}(b)*x/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)) - (3*\text{sqrt}(b)*c + \text{sqrt}(a)*e)*\log((\text{sqrt}(b)*x - \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(b)*x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)))/a$

mupad [B] time = 4.98, size = 477, normalized size = 3.27

$$\frac{\frac{dx^2}{4a} + \frac{ex^3}{4a} + \frac{cx}{4a}}{a - bx^4} + \left(\sum_{k=1}^4 \ln \left(-\text{root} \left(65536 a^7 b^3 z^4 - 3072 a^4 b^2 c e z^2 - 2048 a^4 b^2 d^2 z^2 + 1152 a^2 b^2 c^2 dz + 128 a^3 b^2 \right), k \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a - b*x^4)^2,x)

```
[Out] ((d*x^2)/(4*a) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a - b*x^4) + symsum(log(- ro
ot(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a
^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a
*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k)*(root(65536*a^7*b^3*z^4 - 3072*a^4*b^2
*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z
- 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k
)*(12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 + 4*a^2*b^2*e^2))/(16*a^3) - (b
^2*d*e)/a) - (12*b^2*c*d^2 - 9*b^2*c^2*e + a*b*e^3)/(64*a^3) - (x*(2*b^2*d^
3 - 3*b^2*c*d*e))/(16*a^3))*root(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 -
2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c
*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k), k, 1, 4
)
```

sympy [B] time = 13.74, size = 508, normalized size = 3.48

$$\text{RootSum}\left(65536t^4a^7b^3 + t^2(-3072a^4b^2ce - 2048a^4b^2d^2) + t(128a^3bde^2 + 1152a^2b^2c^2d) - a^2e^4 + 18abc^2e^2 - 48\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/(-b*x**4+a)**2,x)
```

```
[Out] RootSum(65536*_t**4*a**7*b**3 + _t**2*(-3072*a**4*b**2*c*e - 2048*a**4*b**2
*d**2) + _t*(128*a**3*b*d*e**2 + 1152*a**2*b**2*c**2*d) - a**2*e**4 + 18*a*
b*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 - 81*b**2*c**4, Lambda(_t, _t*log(x + (4096*_t**3*a**7*b**2*e**3 + 36864*_t**3*a**6*b**3*c**2*e - 98304*_t
**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2
*d**3*e - 13824*_t**2*a**4*b**3*c**3*d - 144*_t*a**4*b*c*e**4 - 192*_t*a**4
*b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e
+ 1536*_t*a**3*b**2*c*d**4 - 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 - 120*a
**2*b*c*d**3*e**2 + 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c*
*3*d**3)/(a**3*e**6 + 9*a**2*b*c**2*e**4 - 96*a**2*b*c*d**2*e**3 + 64*a**2*
b*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c**
2*d**4 - 729*b**3*c**6)))) + (-c*x - d*x**2 - e*x**3)/(-4*a**2 + 4*a*b*x**4
)
```

$$3.128 \quad \int \frac{c+dx+ex^2}{(a+bx^4)^2} dx$$

Optimal. Leaf size=308

$$\frac{(3\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{ae} + \dots)}{\dots}$$

[Out] $1/4*x*(e*x^2+d*x+c)/a/(b*x^4+a)+1/4*d*\arctan(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(1/2)-1/32*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)*2^(1/2)+1/32*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)*2^(1/2)+1/16*\arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)*2^(1/2)+1/16*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(e*a^(1/2)+3*c*b^(1/2))/a^(7/4)/b^(3/4)*2^(1/2)$

Rubi [A] time = 0.25, antiderivative size = 308, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(3\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{ae} + \dots)}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4)^2, x]

[Out] $(x*(c + d*x + e*x^2))/(4*a*(a + b*x^4)) + (d*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(4*a^(3/2)*\text{Sqrt}[b]) - ((3*\text{Sqrt}[b]*c + \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(8*\text{Sqrt}[2]*a^(7/4)*b^(3/4)) + ((3*\text{Sqrt}[b]*c + \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(8*\text{Sqrt}[2]*a^(7/4)*b^(3/4)) - ((3*\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^(7/4)*b^(3/4)) + ((3*\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^(7/4)*b^(3/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] & & PolyQ[Pq, x] & & IGtQ[n, 0] & & LtQ[p, -1] & & LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] & & PolyQ[Pq, x] & & IGtQ[n/2, 0] & & Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2}{(a + bx^4)^2} dx &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a + bx^4} dx}{4a} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} - \frac{\int \left(-\frac{2dx}{a + bx^4} + \frac{-3c - ex^2}{a + bx^4} \right) dx}{4a} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} - \frac{\int \frac{-3c - ex^2}{a + bx^4} dx}{4a} + \frac{d \int \frac{x}{a + bx^4} dx}{2a} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{4a} + \frac{\left(\frac{3\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{\sqrt{a}\sqrt{b} - bx^2}{a + bx^4} dx}{8ab} + \frac{\left(\frac{3\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{\sqrt{a}\sqrt{b} + bx^2}{a + bx^4} dx}{8ab} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} + \frac{\left(\frac{3\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16ab} + \frac{\left(\frac{3\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{\sqrt{a}\sqrt{b} + bx^2}{\sqrt{b} + \sqrt{a}x^2} dx}{16ab} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}b^{3/4}} + \frac{(3\sqrt{bc} + \sqrt{a}e) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{16\sqrt{2}a^{7/4}b^{3/4}} \\
 &= \frac{x(c + dx + ex^2)}{4a(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}b^{3/4}} + \frac{(3\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}b^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.55, size = 305, normalized size = 0.99

$$\frac{\sqrt{2}(a^{3/4}e-3\sqrt[4]{a}\sqrt{b}c)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{b^{3/4}} + \frac{\sqrt{2}(3\sqrt[4]{a}\sqrt{b}c-a^{3/4}e)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{b^{3/4}} - \frac{2\sqrt[4]{a}\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(4\sqrt[4]{a}\sqrt[4]{b}d\right)}{32a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4)^2,x]

[Out] ((8*a*x*(c + x*(d + e*x)))/(a + b*x^4) - (2*a^(1/4)*(3*Sqrt[2]*Sqrt[b]*c + 4*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (2*a^(1/4)*(3*Sqrt[2]*Sqrt[b]*c - 4*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (Sqrt[2]*(-3*a^(1/4)*Sqrt[b]*c + a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4) + (Sqrt[2]*(3*a^(1/4)*Sqrt[b]*c - a^(3/4)*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4))/(32*a^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 306, normalized size = 0.99

$$\frac{x^3e + dx^2 + cx}{4(bx^4 + a)a} + \frac{\sqrt{2}\left(2\sqrt{2}\sqrt{ab}b^2d + 3(ab^3)^{\frac{1}{4}}b^2c + (ab^3)^{\frac{3}{4}}e\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2b^3} + \frac{\sqrt{2}\left(2\sqrt{2}\sqrt{ab}b^2d + 3\left(ab^3\right)^{\frac{1}{4}}b^2c + \left(ab^3\right)^{\frac{3}{4}}e\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] 1/4*(x^3*e + d*x^2 + c*x)/((b*x^4 + a)*a) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/

b))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)

maple [A] time = 0.05, size = 344, normalized size = 1.12

$$\frac{ex^3}{4(bx^4+a)a} + \frac{dx^2}{4(bx^4+a)a} + \frac{cx}{4(bx^4+a)a} + \frac{d \arctan\left(\sqrt{\frac{b}{a}}x\right)}{4\sqrt{ab}a} + \frac{\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}-1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}}ab} + \frac{\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}}ab} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] 1/4/(b*x^4+a)/a*c*x+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4/(b*x^4+a)/a*d*x^2+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2+1/4*e*x^3/a/(b*x^4+a)+1/32*e/a/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16*e/a/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16*e/a/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.10, size = 294, normalized size = 0.95

$$\frac{ex^3 + dx^2 + cx}{4(abx^4 + a^2)} + \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{2\left(3\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}c + \sqrt{2}a^{\frac{3}{4}}\right)}{32a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*(e*x^3 + d*x^2 + c*x)/(a*b*x^4 + a^2) + 1/32*(sqrt(2)*(3*sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(3*sqrt(b)*c - sqrt(a)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*c + sqrt(2)*a^(3/4)*b^(1/4)*e - 4*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(3/4)*c + sqrt(2)*a^(3/4)*b^(1/4)*e + 4*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))

$$\left(\frac{1}{4}\right) \cdot b^{\left(\frac{1}{4}\right)} / \sqrt{\sqrt{a} \cdot \sqrt{b}} / \left(a^{\left(\frac{3}{4}\right)} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}}\right) \cdot b^{\left(\frac{3}{4}\right)} / a$$

mupad [B] time = 0.33, size = 472, normalized size = 1.53

$$\frac{\frac{dx^2}{4a} + \frac{ex^3}{4a} + \frac{cx}{4a}}{bx^4 + a} + \left(\sum_{k=1}^4 \ln \left(-\text{root} \left(65536 a^7 b^3 z^4 + 3072 a^4 b^2 c e z^2 + 2048 a^4 b^2 d^2 z^2 - 1152 a^2 b^2 c^2 d z + 128 a^3 b c^2 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^4)^2, x)

[Out] ((d*x^2)/(4*a) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a + b*x^4) + symsum(log((x*(2*b^2*d^3 - 3*b^2*c*d*e))/(16*a^3) - (9*b^2*c^2*e - 12*b^2*c*d^2 + a*b*e^3)/(64*a^3) - root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k)*(root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k)*(12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 - 4*a^2*b^2*e^2))/(16*a^3) + (b^2*d*e)/a))*root(65536*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k), k, 1, 4)

sympy [A] time = 11.55, size = 505, normalized size = 1.64

$$\text{RootSum} \left(65536 t^4 a^7 b^3 + t^2 (3072 a^4 b^2 c e + 2048 a^4 b^2 d^2) + t (128 a^3 b d e^2 - 1152 a^2 b^2 c^2 d) + a^2 e^4 + 18 a b c^2 e^2 - 48 a b c^2 d e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**4+a)**2,x)

[Out] RootSum(65536*_t**4*a**7*b**3 + _t**2*(3072*a**4*b**2*c*e + 2048*a**4*b**2*d**2) + _t*(128*a**3*b*d*e**2 - 1152*a**2*b**2*c**2*d) + a**2*e**4 + 18*a*b*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 + 81*b**2*c**4, Lambda(_t, _t*log(x + (4096*_t**3*a**7*b**2*e**3 - 36864*_t**3*a**6*b**3*c**2*e + 98304*_t**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2*d**3*e + 13824*_t**2*a**4*b**3*c**3*d + 144*_t*a**4*b*c*e**4 + 192*_t*a**4*b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e + 1536*_t*a**3*b**2*c*d**4 + 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 + 120*a**2*b*c*d**3*e**2 - 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c**3*d**3)/(a**3*e**6 - 9*a**2*b*c**2*e**4 + 96*a**2*b*c*d**2*e**3 - 64*a**2*b*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c**2*d**4 + 729*b**3*c**6))) + (c*x + d*x**2 + e*x**3)/(4*a**2 + 4*a*b*x**4)

$$3.129 \quad \int \frac{c+dx+ex^2}{(a-bx^4)^3} dx$$

Optimal. Leaf size=179

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{x(c + dx + ex^2)}{8a^2}$$

[Out] $\frac{1}{8}x*(e*x^2+d*x+c)/a/(-b*x^4+a)^2+1/32*x*(5*e*x^2+6*d*x+7*c)/a^2/(-b*x^4+a)+3/16*d*\arctanh(x^2*b^{(1/2)}/a^{(1/2)})/a^{(5/2)}/b^{(1/2)}+1/64*\arctan(b^{(1/4)}*x/a^{(1/4)})*(-5*e*a^{(1/2)}+21*c*b^{(1/2)})/a^{(11/4)}/b^{(3/4)}+1/64*\arctanh(b^{(1/4)}*x/a^{(1/4)})*(5*e*a^{(1/2)}+21*c*b^{(1/2)})/a^{(11/4)}/b^{(3/4)}$

Rubi [A] time = 0.17, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1855, 1876, 275, 208, 1167, 205}

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(c + dx + ex^2)}{8a^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a - b*x^4)^3, x]

[Out] $\frac{x*(c + d*x + e*x^2)/(8*a*(a - b*x^4)^2) + (x*(7*c + 6*d*x + 5*e*x^2))/(32*a^2*(a - b*x^4)) + ((21*\text{Sqrt}[b]*c - 5*\text{Sqrt}[a]*e)*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(64*a^{(11/4)}*b^{(3/4)}) + ((21*\text{Sqrt}[b]*c + 5*\text{Sqrt}[a]*e)*\text{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(64*a^{(11/4)}*b^{(3/4)}) + (3*d*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(16*a^{(5/2)}*\text{Sqrt}[b])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a - bx^4)^3} dx &= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a - bx^4)^2} dx}{8a} \\
&= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\int \frac{21c + 12dx + 5ex^2}{a - bx^4} dx}{32a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\int \left(\frac{12dx}{a - bx^4} + \frac{21c + 5ex^2}{a - bx^4} \right) dx}{32a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\int \frac{21c + 5ex^2}{a - bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a - bx^4} dx}{8a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{(3d) \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{16a^2} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \int}{64a^{11/4}} \\
&= \frac{x(c + dx + ex^2)}{8a(a - bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64a^{9/4}b^{3/4}} + \frac{(21\sqrt{b}c + 5\sqrt{a}e) \int}{64a^{11/4}}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 244, normalized size = 1.36

$$\frac{\log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(5a^{3/4}e + 21\sqrt[4]{a}\sqrt{bc} + 12\sqrt{a}\sqrt[4]{bd}\right)}{b^{3/4}} + \frac{\log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(5a^{3/4}e + 21\sqrt[4]{a}\sqrt{bc} - 12\sqrt{a}\sqrt[4]{bd}\right)}{b^{3/4}} + \frac{16a^2x(c+x(d+ex))}{(a-bx^4)^2} + \frac{2\sqrt[4]{a}(21\sqrt{b}c - 5\sqrt{a}e)}{b^3}$$

$$128a^3$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4)^3, x]

[Out] ((16*a^2*x*(c + x*(d + e*x)))/(a - b*x^4)^2 + (4*a*x*(7*c + x*(6*d + 5*e*x)))/(a - b*x^4) + (2*a^(1/4)*(21*sqrt[b]*c - 5*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/b^(3/4) - ((21*a^(1/4)*sqrt[b]*c + 12*sqrt[a]*b^(1/4)*d + 5*a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x])/b^(3/4) + ((21*a^(1/4)*sqrt[b]*c - 12*sqrt[a]*b^(1/4)*d + 5*a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x])/b^(3/4) + (12*sqrt[a]*d*Log[sqrt[a] + sqrt[b]*x^2])/sqrt[b])/(128*a^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.23, size = 340, normalized size = 1.90

$$\frac{\sqrt{2} \left(21 b^2 c - 12 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + 5 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(21 b^2 c + 12 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - 5 \sqrt{-ab} b e \right)}{128 (-ab^3)^{\frac{3}{4}} a^2} - \frac{\sqrt{2} \left(21 b^2 c + 12 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - 5 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(21 b^2 c - 12 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + 5 \sqrt{-ab} b e \right)}{128 (-ab^3)^{\frac{3}{4}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out] -1/128*sqrt(2)*(21*b^2*c - 12*sqrt(2)*(-a*b^3)^(1/4)*b*d + 5*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^2) - 1/128*sqrt(2)*(21*b^2*c + 12*sqrt(2)*(-a*b^3)^(1/4)*b*d - 5*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^2) - 1/256*sqrt(2)*(21*b^2*c - 5*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^2) + 1/256*sqrt(2)*(21*b^2*c - 5*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^2) - 1/32*(5*b*x^7*e + 6*b*d*x^6 + 7*b*c*x^5 - 9*a*x^3*e - 10*a*d*x^2 - 11*a*c*x)/((b*x^4 - a)^2*a^2)

maple [B] time = 0.05, size = 286, normalized size = 1.60

$$\frac{e x^3}{8(b x^4 - a)^2 a} + \frac{d x^2}{8(b x^4 - a)^2 a} - \frac{5 e x^3}{32(b x^4 - a) a^2} + \frac{c x}{8(b x^4 - a)^2 a} - \frac{3 d x^2}{16(b x^4 - a) a^2} - \frac{7 c x}{32(b x^4 - a) a^2} - \frac{3 d \ln \left(\frac{\sqrt{ab} x^2}{-\sqrt{ab} x^2} \right)}{32 \sqrt{ab} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out] 1/8/(b*x^4-a)^2/a*c*x-7/32/(b*x^4-a)/a^2*c*x+21/128*(a/b)^(1/4)/a^3*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+21/64*(a/b)^(1/4)/a^3*c*arctan(1/(a/b)^(1/4)*x)+1/8/(b*x^4-a)^2/a*d*x^2-3/16/(b*x^4-a)/a^2*d*x^2-3/32/(a*b)^(1/2)/a^2*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))+1/8*e*x^3/a/(b*x^4-a)^2-5/32*e/a^2*x^3/(b*x^4-a)-5/64*e/a^2/b/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+5/128*e/a^2/b/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))


```
*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4,
z, k)^2*a^5*b^2*d*x - 15360*root(268435456*a^11*b^3*z^4 - 6881280*a^6*b^2*c
*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d
*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^
4 - 194481*b^2*c^4, z, k)*a^3*b*d*e))/(32768*a^6))*root(268435456*a^11*b^3*
z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c
^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 207
36*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k), k, 1, 4)
```

sympy [B] time = 45.34, size = 563, normalized size = 3.15

$$-\text{RootSum}\left(268435456t^4a^{11}b^3 + t^2(-6881280a^6b^2ce - 4718592a^6b^2d^2)\right) + t(-153600a^4bde^2 - 2709504a^3b^2c^2d)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/(-b*x**4+a)**3,x)
```

```
[Out] -RootSum(268435456*_t**4*a**11*b**3 + _t**2*(-6881280*a**6*b**2*c*e - 47185
92*a**6*b**2*d**2) + _t*(-153600*a**4*b*d*e**2 - 2709504*a**3*b**2*c**2*d)
- 625*a**2*e**4 + 22050*a*b*c**2*e**2 - 60480*a*b*c*d**2*e + 20736*a*b*d**4
- 194481*b**2*c**4, Lambda(_t, _t*log(x + (-262144000*_t**3*a**10*b**2*e**
3 - 4624220160*_t**3*a**9*b**3*c**2*e + 12683575296*_t**3*a**9*b**3*c*d**2
+ 309657600*_t**2*a**7*b**2*c*d*e**2 - 283115520*_t**2*a**7*b**2*d**3*e - 1
820786688*_t**2*a**6*b**3*c**3*d + 5040000*_t*a**5*b*c*e**4 + 6912000*_t*a
**5*b*d**2*e**3 + 118540800*_t*a**4*b**2*c**3*e**2 - 365783040*_t*a**4*b**2
c**2*d**2*e - 111476736*_t*a**4*b**2*c*d**4 + 522764928*_t*a**3*b**3*c**5 +
112500*a**3*d*e**5 - 4536000*a**2*b*c*d**3*e**2 + 2488320*a**2*b*d**5*e +
58344300*a*b**2*c**4*d*e - 80015040*a*b**2*c**3*d**3))/(15625*a**3*e**6 + 27
5625*a**2*b*c**2*e**4 - 3024000*a**2*b*c*d**2*e**3 + 2073600*a**2*b*d**4*e
**2 - 4862025*a*b**2*c**4*e**2 + 53343360*a*b**2*c**3*d**2*e - 36578304*a*b
**2*c**2*d**4 - 85766121*b**3*c**6))) - (-11*a*c*x - 10*a*d*x**2 - 9*a*e*x
**3 + 7*b*c*x**5 + 6*b*d*x**6 + 5*b*e*x**7)/(32*a**4 - 64*a**3*b*x**4 + 32*a
**2*b**2*x**8)
```


$$3.130 \quad \int \frac{c+dx+ex^2}{(a+bx^4)^3} dx$$

Optimal. Leaf size=341

$$\frac{(21\sqrt{bc} - 5\sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{bc} - 5\sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} \quad (5v)$$

[Out] $1/8*x*(e*x^2+d*x+c)/a/(b*x^4+a)^2+1/32*x*(5*e*x^2+6*d*x+7*c)/a^2/(b*x^4+a)+3/16*d*\arctan(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(1/2)-1/256*\ln(-a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)+1/256*\ln(a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)+1/128*\arctan(-1+b^(1/4)*x^2^(1/2)/a^(1/4))*(5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)+1/128*\arctan(1+b^(1/4)*x^2^(1/2)/a^(1/4))*(5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)$

Rubi [A] time = 0.31, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(21\sqrt{bc} - 5\sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{bc} - 5\sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} \quad (5v)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4)^3, x]

[Out] $(x*(c + d*x + e*x^2))/(8*a*(a + b*x^4)^2) + (x*(7*c + 6*d*x + 5*e*x^2))/(32*a^2*(a + b*x^4)) + (3*d*\text{ArcTan}[\text{Sqrt}[b]*x^2/\text{Sqrt}[a]])/(16*a^(5/2)*\text{Sqrt}[b]) - ((21*\text{Sqrt}[b]*c + 5*\text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(64*\text{Sqrt}[2]*a^(11/4)*b^(3/4)) + ((21*\text{Sqrt}[b]*c + 5*\text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(64*\text{Sqrt}[2]*a^(11/4)*b^(3/4)) - ((21*\text{Sqrt}[b]*c - 5*\text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(128*\text{Sqrt}[2]*a^(11/4)*b^(3/4)) + ((21*\text{Sqrt}[b]*c - 5*\text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(128*\text{Sqrt}[2]*a^(11/4)*b^(3/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,

c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] :> -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^4)^3} dx &= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a + bx^4)^2} dx}{8a} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{\int \frac{21c + 12dx + 5ex^2}{a + bx^4} dx}{32a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{\int \left(\frac{12dx}{a + bx^4} + \frac{21c + 5ex^2}{a + bx^4} \right) dx}{32a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{\int \frac{21c + 5ex^2}{a + bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a + bx^4} dx}{8a^2} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{(3d) \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{16a^2} + \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \int \frac{1}{\sqrt{a} - \sqrt{2}\sqrt[4]{a}x} dx}{64a^2b} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{b}} + 2x}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{b}} - x^2} dx}{128\sqrt{2}a^{9/4}b^{3/4}} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \log \left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}x \right)}{128\sqrt{2}a^{9/4}b^{3/4}} \\
&= \frac{x(c + dx + ex^2)}{8a(a + bx^4)^2} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{(21\sqrt{b}c + 5\sqrt{a}e) \tan^{-1} \left(1 - \sqrt{2}\sqrt[4]{a}x \right)}{64\sqrt{2}a^{11/4}b^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.42, size = 337, normalized size = 0.99

$$\frac{\sqrt{2}(5a^{3/4}e - 21\sqrt[4]{a}\sqrt{b}c) \log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right)}{b^{3/4}} + \frac{\sqrt{2}(21\sqrt[4]{a}\sqrt{b}c - 5a^{3/4}e) \log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right)}{b^{3/4}} + \frac{32a^2x(c + x(d + ex))}{(a + bx^4)^2} - \frac{2\sqrt[4]{a} \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} - \frac{(21\sqrt{b}c + 5\sqrt{a}e) \tan^{-1}\left(1 - \sqrt{2}\sqrt[4]{a}x\right)}{64\sqrt{2}a^{11/4}b^{3/4}}$$

256a³

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4)^3, x]

```
[Out] ((32*a^2*x*(c + x*(d + e*x)))/(a + b*x^4)^2 + (8*a*x*(7*c + x*(6*d + 5*e*x)))/(a + b*x^4) - (2*a^(1/4)*(21*Sqrt[2]*Sqrt[b]*c + 24*a^(1/4)*b^(1/4)*d + 5*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (2*a^(1/4)*(21*Sqrt[2]*Sqrt[b]*c - 24*a^(1/4)*b^(1/4)*d + 5*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (Sqrt[2]*(-21*a^(1/4)*Sqrt[b]*c + 5*a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4) + (Sqrt[2]*(21*a^(1/4)*Sqrt[b]*c - 5*a^(3/4)*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4))/(256*a^3)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [A] time = 0.19, size = 336, normalized size = 0.99

$$\frac{5bx^7e + 6bdx^6 + 7bcx^5 + 9ax^3e + 10adx^2 + 11acx}{32(bx^4 + a)^2 a^2} + \frac{\sqrt{2} \left(12\sqrt{2} \sqrt{ab} b^2 d + 21 (ab^3)^{\frac{1}{4}} b^2 c + 5 (ab^3)^{\frac{3}{4}} e \right) \arctan}{128 a^3 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")
```

```
[Out] 1/32*(5*b*x^7*e + 6*b*d*x^6 + 7*b*c*x^5 + 9*a*x^3*e + 10*a*d*x^2 + 11*a*c*x)/(b*x^4 + a)^2*a^2 + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 21*(a*b^3)^(1/4)*b^2*c + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4)))/(a/b)^(1/4))/(a^3*b^3) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 21*(a*b^3)^(1/4)*b^2*c + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4)))/(a/b)^(1/4))/(a^3*b^3) + 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c - 5*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) - 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c - 5*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3)
```

maple [A] time = 0.05, size = 396, normalized size = 1.16

$$\frac{ex^3}{8(bx^4 + a)^2 a} + \frac{dx^2}{8(bx^4 + a)^2 a} + \frac{5ex^3}{32(bx^4 + a)^2 a^2} + \frac{cx}{8(bx^4 + a)^2 a} + \frac{3dx^2}{16(bx^4 + a)^2 a^2} + \frac{7cx}{32(bx^4 + a)^2 a^2} + \frac{3d \arctan}{16\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d*x+c)/(b*x^4+a)^3, x)$

[Out] $\frac{1}{8}/(b*x^4+a)^2/a*c*x+7/32/(b*x^4+a)/a^2*c*x+21/256*(a/b)^{(1/4)}*2^{(1/2)}/a^3*c*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+21/128*(a/b)^{(1/4)}*2^{(1/2)}/a^3*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+21/128*(a/b)^{(1/4)}*2^{(1/2)}/a^3*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/8/(b*x^4+a)^2/a*d*x^2+3/16/(b*x^4+a)/a^2*d*x^2+3/16/(a*b)^{(1/2)}/a^2*d*\arctan((1/a*b)^{(1/2)}*x^2)+1/8*e*x^3/a/(b*x^4+a)^2+5/32*e/a^2*x^3/(b*x^4+a)+5/256*e/a^2/b/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+5/128*e/a^2/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+5/128*e/a^2/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)$

maxima [A] time = 3.09, size = 336, normalized size = 0.99

$$\frac{5 b e x^7 + 6 b d x^6 + 7 b c x^5 + 9 a e x^3 + 10 a d x^2 + 11 a c x}{32 (a^2 b^2 x^8 + 2 a^3 b x^4 + a^4)} + \frac{\sqrt{2} (21 \sqrt{b} c - 5 \sqrt{a} e) \log \left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{3}{4}}} - \frac{\sqrt{2} (21 \sqrt{b} c - 5 \sqrt{a} e) \log \left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d*x+c)/(b*x^4+a)^3, x, \text{algorithm}="maxima")$

[Out] $\frac{1}{32}*(5*b*e*x^7 + 6*b*d*x^6 + 7*b*c*x^5 + 9*a*e*x^3 + 10*a*d*x^2 + 11*a*c*x)/(a^2*b^2*x^8 + 2*a^3*b*x^4 + a^4) + \frac{1}{256}*(\text{sqrt}(2)*\log(\text{sqrt}(b)*x^2 + \text{sqrt}(2)*a^{(1/4)}*b^{(1/4)}*x + \text{sqrt}(a)))/(a^{(3/4)}*b^{(3/4)}) - \text{sqrt}(2)*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(2)*a^{(1/4)}*b^{(1/4)}*x + \text{sqrt}(a)))/(a^{(3/4)}*b^{(3/4)}) + 2*(21*\text{sqrt}(2)*a^{(1/4)}*b^{(3/4)}*c + 5*\text{sqrt}(2)*a^{(3/4)}*b^{(1/4)}*e - 24*\text{sqrt}(a)*\text{sqrt}(b)*d)*\arctan(1/2*\text{sqrt}(2)*(2*\text{sqrt}(b)*x + \text{sqrt}(2)*a^{(1/4)}*b^{(1/4)})/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(a^{(3/4)}*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*b^{(3/4)}) + 2*(21*\text{sqrt}(2)*a^{(1/4)}*b^{(3/4)}*c + 5*\text{sqrt}(2)*a^{(3/4)}*b^{(1/4)}*e + 24*\text{sqrt}(a)*\text{sqrt}(b)*d)*\arctan(1/2*\text{sqrt}(2)*(2*\text{sqrt}(b)*x - \text{sqrt}(2)*a^{(1/4)}*b^{(1/4)})/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(a^{(3/4)}*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*b^{(3/4)})/a^2$

mupad [B] time = 5.05, size = 826, normalized size = 2.42

$$\frac{\frac{5 d x^2}{16 a} + \frac{9 e x^3}{32 a} + \frac{11 c x}{32 a} + \frac{7 b c x^5}{32 a^2} + \frac{3 b d x^6}{16 a^2} + \frac{5 b e x^7}{32 a^2}}{a^2 + 2 a b x^4 + b^2 x^8} + \left(\sum_{k=1}^4 \ln \left(- \frac{b \left(125 a e^3 - 3024 b c d^2 + 2205 b c^2 e - 1728 b d^3 x + \dots \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(a + b*x^4)^3,x)`

[Out]
$$\begin{aligned} & \left(\frac{5d^2x^2}{16a} + \frac{9e^2x^3}{32a} + \frac{11cx}{32a} + \frac{7b^2c^2x^5}{32a^2} \right) + \frac{3bd^2x^6}{16a^2} + \frac{5b^2e^2x^7}{32a^2} \Big/ (a^2 + b^2x^8 + 2abx^4) \\ & + \text{symsum}(\log(-(b(125ae^3 - 3024b^2cd^2 + 2205b^2c^2e - 1728b^2d^3xz \\ & + 344064\text{root}(268435456a^{11}b^3z^4 + 6881280a^6b^2c^2e^2z^2 + 4718592a^6b^2d^2z^2 \\ & - 2709504a^3b^2c^2d^2xz + 153600a^4b^2de^2z - 60480ab^2cd^2e \\ & + 22050ab^2c^2e^2 + 20736abd^4 + 625a^2e^4 + 194481b^2c^4, z, k)^2a^5b^2c \\ & - 3200\text{root}(268435456a^{11}b^3z^4 + 6881280a^6b^2c^2e^2z^2 + 4718592a^6b^2d^2z^2 \\ & - 2709504a^3b^2c^2d^2xz + 153600a^4b^2de^2z - 60480ab^2cd^2e + 22050ab^2c^2e^2 \\ & + 20736abd^4 + 625a^2e^4 + 194481b^2c^4, z, k)a^3b^2e^2xz + 2520b^2c^2d^2e^2xz \\ & + 56448\text{root}(268435456a^{11}b^3z^4 + 6881280a^6b^2c^2e^2z^2 + 4718592a^6b^2d^2z^2 \\ & - 2709504a^3b^2c^2d^2xz + 153600a^4b^2de^2z - 60480ab^2cd^2e + 22050ab^2c^2e^2 \\ & + 20736abd^4 + 625a^2e^4 + 194481b^2c^4, z, k)a^2b^2c^2xz - 196608\text{root}(268435456a^{11}b^3z^4 \\ & + 6881280a^6b^2c^2e^2z^2 + 4718592a^6b^2d^2z^2 - 2709504a^3b^2c^2d^2xz \\ & + 153600a^4b^2de^2z - 60480ab^2cd^2e + 22050ab^2c^2e^2 + 20736abd^4 \\ & + 625a^2e^4 + 194481b^2c^4, z, k)a^3b^2de^2xz + 15360\text{root}(268435456a^{11}b^3z^4 \\ & + 6881280a^6b^2c^2e^2z^2 + 4718592a^6b^2d^2z^2 - 2709504a^3b^2c^2d^2xz \\ & + 153600a^4b^2de^2z - 60480ab^2cd^2e + 22050ab^2c^2e^2 + 20736abd^4 \\ & + 625a^2e^4 + 194481b^2c^4, z, k)a^3b^2de^2xz + 15360\text{root}(268435456a^{11}b^3z^4 \\ & + 6881280a^6b^2c^2e^2z^2 + 4718592a^6b^2d^2z^2 - 2709504a^3b^2c^2d^2xz \\ & + 153600a^4b^2de^2z - 60480ab^2cd^2e + 22050ab^2c^2e^2 + 20736abd^4 \\ & + 625a^2e^4 + 194481b^2c^4, z, k)), k, 1, 4) \end{aligned}$$

sympy [A] time = 40.86, size = 558, normalized size = 1.64

$$\text{RootSum}\left(268435456t^4a^{11}b^3 + t^2(6881280a^6b^2ce + 4718592a^6b^2d^2) + t(153600a^4bde^2 - 2709504a^3b^2c^2d)\right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/(b*x**4+a)**3,x)`

[Out]
$$\begin{aligned} & \text{RootSum}(268435456_t^{**4}a^{**11}b^{**3} + _t^{**2}(6881280a^{**6}b^{**2}c^2e + 4718592 \\ & a^{**6}b^{**2}d^{**2}) + _t(153600a^{**4}b^2de^{**2} - 2709504a^{**3}b^{**2}c^{**2}d) + 6 \\ & 25a^{**2}e^{**4} + 22050ab^2c^2e^{**2} - 60480ab^2cd^2e + 20736abd^4 + \\ & 194481b^2c^4, \text{Lambda}(_t, _t\log(x + (262144000_t^{**3}a^{**10}b^{**2}e^{**3} - \\ & 4624220160_t^{**3}a^{**9}b^{**3}c^{**2}e + 12683575296_t^{**3}a^{**9}b^{**3}cd^{**2} + 30 \\ & 9657600_t^{**2}a^{**7}b^{**2}c^2de^{**2} - 283115520_t^{**2}a^{**7}b^{**2}d^{**3}e + 18207 \\ & 86688_t^{**2}a^{**6}b^{**3}c^{**3}d + 5040000_t^{**5}b^2c^2e^{**4} + 6912000_t^{**5}b^2 \\ & cd^2e^{**3} - 118540800_t^{**4}b^2c^2e^{**2} + 365783040_t^{**4}b^2c^2d^2e \\ & + 111476736_t^{**4}b^2cd^2e^2 + 522764928_t^{**3}b^2c^2e^2 + 112 \end{aligned}$$

$$\begin{aligned}
& 500*a**3*d*e**5 + 4536000*a**2*b*c*d**3*e**2 - 2488320*a**2*b*d**5*e + 5834 \\
& 4300*a*b**2*c**4*d*e - 80015040*a*b**2*c**3*d**3)/(15625*a**3*e**6 - 275625 \\
& *a**2*b*c**2*e**4 + 3024000*a**2*b*c*d**2*e**3 - 2073600*a**2*b*d**4*e**2 - \\
& 4862025*a*b**2*c**4*e**2 + 53343360*a*b**2*c**3*d**2*e - 36578304*a*b**2*c \\
& **2*d**4 + 85766121*b**3*c**6)))) + (11*a*c*x + 10*a*d*x**2 + 9*a*e*x**3 + \\
& 7*b*c*x**5 + 6*b*d*x**6 + 5*b*e*x**7)/(32*a**4 + 64*a**3*b*x**4 + 32*a**2*b \\
& **2*x**8)
\end{aligned}$$

$$3.131 \quad \int \frac{c+dx+ex^2}{(a-bx^4)^4} dx$$

Optimal. Leaf size=211

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)}$$

[Out] $1/12*x*(e*x^2+d*x+c)/a/(-b*x^4+a)^3+1/96*x*(9*e*x^2+10*d*x+11*c)/a^2/(-b*x^4+a)^2+1/384*x*(45*e*x^2+60*d*x+77*c)/a^3/(-b*x^4+a)+5/32*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)+1/256*arctan(b^(1/4)*x/a^(1/4))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)+1/256*arctanh(b^(1/4)*x/a^(1/4))*(15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)$

Rubi [A] time = 0.21, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1855, 1876, 275, 208, 1167, 205}

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a - b*x^4)^4, x]

[Out] $(x*(c + d*x + e*x^2))/(12*a*(a - b*x^4)^3) + (x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a - b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a - b*x^4)) + ((77*sqrt[b]*c - 15*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + ((77*sqrt[b]*c + 15*sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + (5*d*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(32*a^(7/2)*sqrt[b])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1167

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a - bx^4)^4} dx &= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a - bx^4)^3} dx}{12a} \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a - bx^4)^2} dx}{96a^2} \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} - \frac{\int \frac{-231c - 120dx - 45ex^2}{a - bx^4} dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} - \frac{\int \left(-\frac{120dx}{a - bx^4} + \frac{-231c}{a - bx^4} \right) dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} - \frac{\int \frac{-231c - 45ex^2}{a - bx^4} dx}{384a^3} + \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{(5d) \text{ Subst} \left(\int \frac{1}{a - bx^4} dx \right)}{32a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a - bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{(77\sqrt{b}c - 15\sqrt{a}e)}{256a^{15/4}}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 276, normalized size = 1.31

$$\frac{3 \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(15a^{3/4}e + 77\sqrt[4]{a}\sqrt{b}c + 40\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} + \frac{3 \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(15a^{3/4}e + 77\sqrt[4]{a}\sqrt{b}c - 40\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} + \frac{128a^3x(c + x(d + ex))}{(a - bx^4)^3} + \frac{16a^2x(11c + 10dx + 9ex^2)}{(a - bx^4)^2} - \frac{(77\sqrt{b}c - 15\sqrt{a}e)}{256a^{15/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a - b*x^4)^4, x]

[Out] ((128*a^3*x*(c + x*(d + e*x)))/(a - b*x^4)^3 + (4*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a - b*x^4) + (16*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a - b*x^4)^2 + (6*a^(1/4)*(77*sqrt[b]*c - 15*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(3/4) - (3*(77*a^(1/4)*sqrt[b]*c + 40*sqrt[a]*b^(1/4)*d + 15*a^(3/4)*e)*Log[a^

$(1/4) - b^{(1/4)*x})/b^{(3/4)} + (3*(77*a^{(1/4)*\text{Sqrt}[b]*c} - 40*\text{Sqrt}[a]*b^{(1/4)} *d + 15*a^{(3/4)*e})*\text{Log}[a^{(1/4)} + b^{(1/4)*x}])/b^{(3/4)} + (120*\text{Sqrt}[a]*d*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b]*x^2])/(\text{Sqrt}[b])/(1536*a^4)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.22, size = 377, normalized size = 1.79

$$\frac{\sqrt{2} \left(77 b^2 c - 40 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + 15 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(77 b^2 c + 40 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - 15 \sqrt{-ab} b e \right)}{512 (-ab^3)^{\frac{3}{4}} a^3} + \frac{512 (-ab^3)^{\frac{3}{4}} a^3}{512 (-ab^3)^{\frac{3}{4}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] $-1/512*\text{sqrt}(2)*(77*b^2*c - 40*\text{sqrt}(2)*(-a*b^3)^{(1/4)}*b*d + 15*\text{sqrt}(-a*b)*b*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^3) - 1/512*\text{sqrt}(2)*(77*b^2*c + 40*\text{sqrt}(2)*(-a*b^3)^{(1/4)}*b*d - 15*\text{sqrt}(-a*b)*b*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^3) - 1/1024*\text{sqrt}(2)*(77*b^2*c - 15*\text{sqrt}(-a*b)*b*e)*\log(x^2 + \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/((-a*b^3)^{(3/4)}*a^3) + 1/1024*\text{sqrt}(2)*(77*b^2*c - 15*\text{sqrt}(-a*b)*b*e)*\log(x^2 - \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/((-a*b^3)^{(3/4)}*a^3) - 1/384*(45*b^2*x^{11}*e + 60*b^2*d*x^{10} + 77*b^2*c*x^9 - 126*a*b*x^7*e - 160*a*b*d*x^6 - 198*a*b*c*x^5 + 113*a^2*x^3*e + 132*a^2*d*x^2 + 153*a^2*c*x)/((b*x^4 - a)^3*a^3)$

maple [A] time = 0.06, size = 274, normalized size = 1.30

$$\frac{5d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{64\sqrt{ab} a^3} + \frac{15e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{77 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 a^4} + \frac{77 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4} + \frac{-15b^2 e x^3}{128 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

$$4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^5b^2c^2d^2e + 2668050a^5b^2c^2d^2e^2 + 2560000a^5b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k)^2a^7b^2c^2 * c + 115200\text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^5b^2c^2d^2e + 2668050a^5b^2c^2d^2e^2 + 2560000a^5b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k)a^4b^2e^2x - 92400b^2c^2d^2e^2x + 3035648\text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^5b^2c^2d^2e + 2668050a^5b^2c^2d^2e^2 + 2560000a^5b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k)a^3b^2c^2x - 10485760\text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^5b^2c^2d^2e + 2668050a^5b^2c^2d^2e^2 + 2560000a^5b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k)^2a^7b^2d^2x - 614400\text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^5b^2c^2d^2e + 2668050a^5b^2c^2d^2e^2 + 2560000a^5b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k)a^4b^2d^2e)) / (2097152a^9) \text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^5b^2c^2d^2e + 2668050a^5b^2c^2d^2e^2 + 2560000a^5b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k), k, 1, 4)$$

sympy [B] time = 59.74, size = 612, normalized size = 2.90

$$\text{RootSum}\left(68719476736t^4a^{15}b^3 + t^2(-1211105280a^8b^2ce - 838860800a^8b^2d^2) + t(18432000a^5bde^2 + 485703680a^4b^2c^2d^2e) + 115200\text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^5b^2c^2d^2e + 2668050a^5b^2c^2d^2e^2 + 2560000a^5b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k)a^4b^2e^2x - 92400b^2c^2d^2e^2x + 3035648\text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^5b^2c^2d^2e + 2668050a^5b^2c^2d^2e^2 + 2560000a^5b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k)a^3b^2c^2x - 10485760\text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^5b^2c^2d^2e + 2668050a^5b^2c^2d^2e^2 + 2560000a^5b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k)a^4b^2d^2e)\right) / (2097152a^9) \text{root}(68719476736a^{15}b^3z^4 - 1211105280a^8b^2c^2e^2z^2 - 838860800a^8b^2d^2z^2 + 485703680a^4b^2c^2d^2z + 18432000a^5b^2d^2e^2z - 7392000a^5b^2c^2d^2e + 2668050a^5b^2c^2d^2e^2 + 2560000a^5b^2d^4 - 35153041b^2c^4 - 50625a^2e^4, z, k), k, 1, 4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(-b*x**4+a)**4,x)

[Out] RootSum(68719476736*_t**4*a**15*b**3 + _t**2*(-1211105280*a**8*b**2*c*e - 838860800*a**8*b**2*d**2) + _t*(18432000*a**5*b*d*e**2 + 485703680*a**4*b**2*c**2*d) - 50625*a**2*e**4 + 2668050*a*b*c**2*e**2 - 7392000*a*b*c*d**2*e + 2560000*a*b*d**4 - 35153041*b**2*c**4, Lambda(_t, _t*log(x + (45298483200*_t**3*a**13*b**2*e**3 + 11936653639680*_t**3*a**12*b**3*c**2*e - 33071248179200*_t**3*a**12*b**3*c*d**2 + 544997376000*_t**2*a**9*b**2*c*d*e**2 - 503316480000*_t**2*a**9*b**2*d**3*e - 4787095470080*_t**2*a**8*b**3*c**3*d - 5987520000*_t*a**6*b*c*e**4 - 8294400000*_t*a**6*b*d**2*e**3 - 210370406400*_t*a**5*b**2*c**3*e**2 + 655699968000*_t*a**5*b**2*c**2*d**2*e + 20185088000*_t*a**5*b**2*c*d**4 - 1385873488384*_t*a**4*b**3*c**5 + 91125000*a**3*d*e**5 - 5544000000*a**2*b*c*d**3*e**2 + 3072000000*a**2*b*d**5*e + 105459123000*a*b**2*c**4*d*e - 146090560000*a*b**2*c**3*d**3)/(11390625*a**3*e**6 + 300155625*a**2*b*c**2*e**4 - 3326400000*a**2*b*c*d**2*e**3 + 2304000000*a**2*b*d**4*e**2 - 7909434225*a*b**2*c**4*e**2 + 87654336000*a*b**2*c**3*d**2*

$$\begin{aligned} & e - 60712960000*a*b**2*c**2*d**4 - 208422380089*b**3*c**6)))) + (-153*a**2* \\ & c*x - 132*a**2*d*x**2 - 113*a**2*e*x**3 + 198*a*b*c*x**5 + 160*a*b*d*x**6 + \\ & 126*a*b*e*x**7 - 77*b**2*c*x**9 - 60*b**2*d*x**10 - 45*b**2*e*x**11)/(-384 \\ & *a**6 + 1152*a**5*b*x**4 - 1152*a**4*b**2*x**8 + 384*a**3*b**3*x**12) \end{aligned}$$

$$3.132 \quad \int \frac{c+dx+ex^2}{(a+bx^4)^4} dx$$

Optimal. Leaf size=372

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} \quad (15)$$

[Out] $1/12*x*(e*x^2+d*x+c)/a/(b*x^4+a)^3+1/96*x*(9*e*x^2+10*d*x+11*c)/a^2/(b*x^4+a)^2+1/384*x*(45*e*x^2+60*d*x+77*c)/a^3/(b*x^4+a)+5/32*d*arctan(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)-1/1024*\ln(-a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/1024*\ln(a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/512*arctan(-1+b^(1/4)*x^2^(1/2)/a^(1/4))*(15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/512*arctan(1+b^(1/4)*x^2^(1/2)/a^(1/4))*(15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)$

Rubi [A] time = 0.38, antiderivative size = 372, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} \quad (15)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^4)^4, x]

[Out] $(x*(c + d*x + e*x^2))/(12*a*(a + b*x^4)^3) + (x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a + b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a + b*x^4)) + (5*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b]) - ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) - ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,

$c, d, e\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[-(a*c)]$

Rule 1855

$\text{Int}[(Pq_)*((a_) + (b_.)*(x_)^{(n_.)})^{(p_)}, x_Symbol] \rightarrow -\text{Simp}[(x*Pq*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)), x] + \text{Dist}[1/(a*n*(p + 1)), \text{Int}[\text{ExpandToSum}[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^{(p + 1)}, x], x] /;$ $\text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{LtQ}[\text{Expon}[Pq, x], n - 1]$

Rule 1876

$\text{Int}[(Pq_)/((a_) + (b_.)*(x_)^{(n_.)}), x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[(x^{ii}*(\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii]*x^{(n/2)}))]/(a + b*x^n), \{ii, 0, n/2 - 1\}\}, \text{Int}[v, x] /;$ $\text{SumQ}[v] /;$ $\text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{Expon}[Pq, x] < n$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^4)^4} dx &= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a + bx^4)^3} dx}{12a} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a + bx^4)^2} dx}{96a^2} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{\int \frac{-231c - 120dx - 45ex^2}{a + bx^4} dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{\int \left(-\frac{120dx}{a + bx^4} + \frac{-231c}{a + bx^4} \right) dx}{384a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{\int \frac{-231c - 45ex^2}{a + bx^4} dx}{384a^3} + \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{(5d) \text{Subst} \left(\int \frac{1}{a + bx^4} dx \right)}{32a^3} \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{32a^{7/2} \sqrt{b}} + \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{32a^{7/2} \sqrt{b}} - \\
&= \frac{x(c + dx + ex^2)}{12a(a + bx^4)^3} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} + \frac{5d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{32a^{7/2} \sqrt{b}} -
\end{aligned}$$

Mathematica [A] time = 0.58, size = 369, normalized size = 0.99

$$\frac{3\sqrt{2}(15a^{3/4}e - 77\sqrt[4]{a}\sqrt{b}c) \log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right)}{b^{3/4}} + \frac{3\sqrt{2}(77\sqrt[4]{a}\sqrt{b}c - 15a^{3/4}e) \log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right)}{b^{3/4}} + \frac{256a^3x(c + x(dx + ex))}{(a + bx^4)^3} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^4)^4,x]

[Out] ((256*a^3*x*(c + x*(d + e*x)))/(a + b*x^4)^3 + (8*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a + b*x^4) + (32*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a + b*x^4)^2 - (6*a^(1/4)*(77*Sqrt[2]*Sqrt[b]*c + 80*a^(1/4)*b^(1/4)*d + 15*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (6*a^(1/4)*(77*Sqrt[2]*Sqrt[b]*c - 80*a^(1/4)*b^(1/4)*d + 15*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (3*Sqrt[2]*(-77*a^(1/4)*Sqrt[b]*c + 15*a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4) + (3*Sqrt[2]*(77*a^(1/4)*Sqrt[b]*c - 15*a^(3/4)*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4))/(3072*a^4)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 373, normalized size = 1.00

$$\frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4 b^3} + \frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) + 1/384*(45*b^2*x^11*e + 60*b^2*d*x^10 + 77*b^2*c*x^9 + 126*a*b*x^7*e + 160*a*b*d*x^6 + 198*a*b*c*x^5 + 113*a^2*x^3*e + 132*a^2*d*x^2 + 153*a^2*c*x)/(b*x^4 + a)^3*a^3)

maple [A] time = 0.06, size = 394, normalized size = 1.06

$$\frac{5d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{32\sqrt{ab} a^3} + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{1024\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{77}{1024\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (15/128/a^3*b^2*e*x^11+5/32/a^3*b^2*d*x^10+77/384/a^3*b^2*c*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6+33/64/a^2*b*c*x^5+113/384/a*e*x^3+11/32/a*d*x^2+51/128/a*c*x)/(b*x^4+a)^3+77/1024*(a/b)^(1/4)*2^(1/2)/a^4*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+5/32/(a*b)^(1/2)/a^3*d*arctan((1/a*b)^(1/2)*x^2)+15/1024/a^3*e/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.11, size = 383, normalized size = 1.03

$$\frac{45 b^2 e x^{11} + 60 b^2 d x^{10} + 77 b^2 c x^9 + 126 a b e x^7 + 160 a b d x^6 + 198 a b c x^5 + 113 a^2 e x^3 + 132 a^2 d x^2 + 153 a^2 c x}{384 (a^3 b^3 x^{12} + 3 a^4 b^2 x^8 + 3 a^5 b x^4 + a^6)} + \frac{\sqrt{2}}{1024}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] 1/384*(45*b^2*e*x^11 + 60*b^2*d*x^10 + 77*b^2*c*x^9 + 126*a*b*e*x^7 + 160*a*b*d*x^6 + 198*a*b*c*x^5 + 113*a^2*e*x^3 + 132*a^2*d*x^2 + 153*a^2*c*x)/(a^3*b^3*x^12 + 3*a^4*b^2*x^8 + 3*a^5*b*x^4 + a^6) + 1/1024*(sqrt(2)*(77*sqrt(b)*c - 15*sqrt(a)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(77*sqrt(b)*c - 15*sqrt(a)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(3/4)*c + 15*sqrt(2)*a^(3/4)*b^(1/4)*e - 80*sqrt(a)*sqrt(b)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(3/4)*

$c + 15\sqrt{2}a^{3/4}b^{1/4}e + 80\sqrt{a}\sqrt{b}d \arctan(1/2\sqrt{2} * (2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4})/\sqrt{\sqrt{a}\sqrt{b}}) / (a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{3/4}) / a^3$

mupad [B] time = 5.14, size = 873, normalized size = 2.35

$$\frac{\frac{11dx^2}{32a} + \frac{113ex^3}{384a} + \frac{51cx}{128a} + \frac{77b^2cx^9}{384a^3} + \frac{5b^2dx^{10}}{32a^3} + \frac{15b^2ex^{11}}{128a^3} + \frac{33bcx^5}{64a^2} + \frac{5bdx^6}{12a^2} + \frac{21bex^7}{64a^2}}{a^3 + 3a^2bx^4 + 3ab^2x^8 + b^3x^{12}} + \left(\sum_{k=1}^4 \ln \left(-\frac{b(3375ae^3 - 123200b^3c^2d^2 + 88935b^2c^2e - 64000b^2d^3x + 20185088\sqrt{68719476736a^{15}b^3z^4 + 1211105280a^8b^2c^2e^2 + 838860800a^8b^2d^2z^2 - 485703680a^4b^2c^2dz + 18432000a^5b^2de^2z - 7392000a^2b^2c^2e^2 + 2560000a^2bd^4 + 35153041b^2c^4 + 50625a^2e^4, z, k)^2 a^7 b^2 c^2 d^2 e^2 + 2668050 a^2 b^2 c^2 d^2 e^2 + 2560000 a^2 b^2 d^4 + 35153041 b^2 c^4 + 50625 a^2 e^4, z, k) a^4 b^2 d^2 e^2 x + 92400 b^2 c^2 d^2 e^2 x + 3035648 \sqrt{68719476736 a^{15} b^3 z^4 + 1211105280 a^8 b^2 c^2 e^2 + 838860800 a^8 b^2 d^2 z^2 - 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b^2 d e^2 z - 7392000 a^2 b^2 c^2 e^2 + 2668050 a^2 b^2 d^4 + 35153041 b^2 c^4 + 50625 a^2 e^4, z, k) a^4 b^2 d^2 e^2 x + 2668050 a^2 b^2 c^2 d^2 e^2 + 2560000 a^2 b^2 d^4 + 35153041 b^2 c^4 + 50625 a^2 e^4, z, k) \right) / (2097152 a^9) \sqrt{68719476736 a^{15} b^3 z^4 + 1211105280 a^8 b^2 c^2 e^2 + 838860800 a^8 b^2 d^2 z^2 - 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b^2 d e^2 z - 7392000 a^2 b^2 c^2 e^2 + 2668050 a^2 b^2 d^4 + 35153041 b^2 c^4 + 50625 a^2 e^4, z, k), k, 1, 4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(a + b*x^4)^4,x)`

[Out] `((11*d*x^2)/(32*a) + (113*e*x^3)/(384*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) + (33*b*c*x^5)/(64*a^2) + (5*b*d*x^6)/(12*a^2) + (21*b*e*x^7)/(64*a^2))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8) + symsum(log(-(b*(3375*a*e^3 - 123200*b*c*d^2 + 88935*b^2*c^2*e - 64000*b^2*d^3*x + 20185088*root(68719476736*a^15*b^3*z^4 + 1211105280*a^8*b^2*c^2*e^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b^2*d*e^2*z - 7392000*a^2*b^2*c^2*e^2 + 2560000*a^2*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)^2*a^7*b^2*c^2*d^2*e^2 + 2668050*a^2*b^2*c^2*d^2*e^2 + 2560000*a^2*b^2*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^4*b^2*d^2*e^2*x + 92400*b^2*c^2*d^2*e^2*x + 3035648*root(68719476736*a^15*b^3*z^4 + 1211105280*a^8*b^2*c^2*e^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b^2*d*e^2*z - 7392000*a^2*b^2*c^2*e^2 + 2668050*a^2*b^2*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^4*b^2*d^2*e^2*x + 2668050*a^2*b^2*c^2*d^2*e^2 + 2560000*a^2*b^2*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k) a^4 b^2 d^2 e^2 x + 2668050 a^2 b^2 c^2 d^2 e^2 + 2560000 a^2 b^2 d^4 + 35153041 b^2 c^4 + 50625 a^2 e^4, z, k) / (2097152*a^9)) * root(68719476736*a^15*b^3*z^4 + 1211105280*a^8*b^2*c^2*e^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b^2*d*e^2*z - 7392000*a^2*b^2*c^2*e^2 + 2668050*a^2*b^2*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k), k, 1, 4)`

sympy [A] time = 63.47, size = 610, normalized size = 1.64

`RootSum(68719476736t^4a^15b^3 + t^2(1211105280a^8b^2ce + 838860800a^8b^2d^2) + t(18432000a^5bde^2 - 485703680`

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] RootSum(68719476736*_t**4*a**15*b**3 + _t**2*(1211105280*a**8*b**2*c*e + 838860800*a**8*b**2*d**2) + _t*(18432000*a**5*b*d*e**2 - 485703680*a**4*b**2*c**2*d) + 50625*a**2*e**4 + 2668050*a*b*c**2*e**2 - 7392000*a*b*c*d**2*e + 2560000*a*b*d**4 + 35153041*b**2*c**4, Lambda(_t, _t*log(x + (452984832000*_t**3*a**13*b**2*e**3 - 11936653639680*_t**3*a**12*b**3*c**2*e + 33071248179200*_t**3*a**12*b**3*c*d**2 + 544997376000*_t**2*a**9*b**2*c*d*e**2 - 503316480000*_t**2*a**9*b**2*d**3*e + 4787095470080*_t**2*a**8*b**3*c**3*d + 5987520000*_t*a**6*b*c*e**4 + 8294400000*_t*a**6*b*d**2*e**3 - 210370406400*_t*a**5*b**2*c**3*e**2 + 655699968000*_t*a**5*b**2*c**2*d**2*e + 20185088000*_t*a**5*b**2*c*d**4 + 1385873488384*_t*a**4*b**3*c**5 + 91125000*a**3*d*e**5 + 5544000000*a**2*b*c*d**3*e**2 - 3072000000*a**2*b*d**5*e + 105459123000*a*b**2*c**4*d*e - 146090560000*a*b**2*c**3*d**3)/(11390625*a**3*e**6 - 300155625*a**2*b*c**2*e**4 + 3326400000*a**2*b*c*d**2*e**3 - 2304000000*a**2*b*d**4*e**2 - 7909434225*a*b**2*c**4*e**2 + 87654336000*a*b**2*c**3*d**2*e - 60712960000*a*b**2*c**2*d**4 + 208422380089*b**3*c**6)))) + (153*a**2*c*x + 132*a**2*d*x**2 + 113*a**2*e*x**3 + 198*a*b*c*x**5 + 160*a*b*d*x**6 + 126*a*b*e*x**7 + 77*b**2*c*x**9 + 60*b**2*d*x**10 + 45*b**2*e*x**11)/(384*a**6 + 1152*a**5*b*x**4 + 1152*a**4*b**2*x**8 + 384*a**3*b**3*x**12)

3.133 $\int a(e + fx^4)^2 dx$

Optimal. Leaf size=28

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9$$

[Out] $a e^2 x + 2/5 a e f x^5 + 1/9 a f^2 x^9$

Rubi [A] time = 0.01, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {12, 194}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9$$

Antiderivative was successfully verified.

[In] Int[a*(e + f*x^4)^2,x]

[Out] $a e^2 x + (2 a e f x^5)/5 + (a f^2 x^9)/9$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 194

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int a(e + fx^4)^2 dx &= a \int (e + fx^4)^2 dx \\ &= a \int (e^2 + 2efx^4 + f^2x^8) dx \\ &= ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 \end{aligned}$$

Mathematica [A] time = 0.00, size = 27, normalized size = 0.96

$$a \left(e^2 x + \frac{2}{5} e f x^5 + \frac{f^2 x^9}{9} \right)$$

Antiderivative was successfully verified.

[In] Integrate[a*(e + f*x^4)^2,x]

[Out] a*(e^2*x + (2*e*f*x^5)/5 + (f^2*x^9)/9)

fricas [A] time = 0.60, size = 24, normalized size = 0.86

$$\frac{1}{9}x^9f^2a + \frac{2}{5}x^5fea + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/9*x^9*f^2*a + 2/5*x^5*f*e*a + x*e^2*a

giac [A] time = 0.14, size = 25, normalized size = 0.89

$$\frac{1}{45} (5f^2x^9 + 18fx^5e + 45xe^2)a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/45*(5*f^2*x^9 + 18*f*x^5*e + 45*x*e^2)*a

maple [A] time = 0.04, size = 24, normalized size = 0.86

$$\left(\frac{1}{9}f^2x^9 + \frac{2}{5}efx^5 + e^2x \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a*(f*x^4+e)^2,x)

[Out] a*(1/9*f^2*x^9+2/5*e*f*x^5+e^2*x)

maxima [A] time = 1.37, size = 25, normalized size = 0.89

$$\frac{1}{45} (5f^2x^9 + 18efx^5 + 45e^2x)a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/45*(5*f^2*x^9 + 18*e*f*x^5 + 45*e^2*x)*a

mupad [B] time = 4.67, size = 25, normalized size = 0.89

$$\frac{ax(45e^2 + 18efx^4 + 5f^2x^8)}{45}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a*(e + f*x^4)^2,x)`

[Out] `(a*x*(45*e^2 + 5*f^2*x^8 + 18*e*f*x^4))/45`

sympy [A] time = 0.12, size = 27, normalized size = 0.96

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a*(f*x**4+e)**2,x)`

[Out] `a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9`

3.134 $\int bx(e + fx^4)^2 dx$

Optimal. Leaf size=33

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

[Out] $1/2*b*e^2*x^2+1/3*b*e*f*x^6+1/10*b*f^2*x^{10}$

Rubi [A] time = 0.01, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {12, 270}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

Antiderivative was successfully verified.

[In] Int[b*x*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (b*e*f*x^6)/3 + (b*f^2*x^10)/10

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int bx(e + fx^4)^2 dx &= b \int x(e + fx^4)^2 dx \\ &= b \int (e^2x + 2efx^5 + f^2x^9) dx \\ &= \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} \end{aligned}$$

Mathematica [A] time = 0.00, size = 32, normalized size = 0.97

$$b \left(\frac{e^2x^2}{2} + \frac{1}{3}efx^6 + \frac{f^2x^{10}}{10} \right)$$

Antiderivative was successfully verified.

[In] Integrate[b*x*(e + f*x^4)^2,x]

[Out] b*((e^2*x^2)/2 + (e*f*x^6)/3 + (f^2*x^10)/10)

fricas [A] time = 0.49, size = 27, normalized size = 0.82

$$\frac{1}{10}x^{10}f^2b + \frac{1}{3}x^6feb + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/10*x^10*f^2*b + 1/3*x^6*f*e*b + 1/2*x^2*e^2*b

giac [A] time = 0.17, size = 27, normalized size = 0.82

$$\frac{1}{30} (3f^2x^{10} + 10fx^6e + 15x^2e^2)b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/30*(3*f^2*x^10 + 10*f*x^6*e + 15*x^2*e^2)*b

maple [A] time = 0.04, size = 27, normalized size = 0.82

$$\left(\frac{1}{10}f^2x^{10} + \frac{1}{3}efx^6 + \frac{1}{2}e^2x^2 \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(b*x*(f*x^4+e)^2,x)

[Out] b*(1/10*f^2*x^10+1/3*e*f*x^6+1/2*e^2*x^2)

maxima [A] time = 1.40, size = 27, normalized size = 0.82

$$\frac{1}{30} (3f^2x^{10} + 10efx^6 + 15e^2x^2)b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/30*(3*f^2*x^10 + 10*e*f*x^6 + 15*e^2*x^2)*b

mupad [B] time = 0.03, size = 27, normalized size = 0.82

$$\frac{b x^2 (15 e^2 + 10 e f x^4 + 3 f^2 x^8)}{30}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(b*x*(e + f*x^4)^2,x)`

[Out] `(b*x^2*(15*e^2 + 3*f^2*x^8 + 10*e*f*x^4))/30`

sympy [A] time = 0.07, size = 29, normalized size = 0.88

$$\frac{b e^2 x^2}{2} + \frac{b e f x^6}{3} + \frac{b f^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(b*x*(f*x**4+e)**2,x)`

[Out] `b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10`

3.135 $\int (a + bx)(e + fx^4)^2 dx$

Optimal. Leaf size=60

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

[Out] $a*e^{2*x} + 1/2*b*e^{2*x^2} + 2/5*a*e*f*x^5 + 1/3*b*e*f*x^6 + 1/9*a*f^2*x^9 + 1/10*b*f^2*x^{10}$

Rubi [A] time = 0.06, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1850}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)*(e + f*x^4)^2, x]

[Out] $a*e^{2*x} + (b*e^{2*x^2})/2 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (a*f^2*x^9)/9 + (b*f^2*x^{10})/10$

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx)(e + fx^4)^2 dx &= \int (ae^2 + be^2x + 2aefx^4 + 2befx^5 + af^2x^8 + bf^2x^9) dx \\ &= ae^2x + \frac{1}{2}be^2x^2 + \frac{2}{5}aefx^5 + \frac{1}{3}befx^6 + \frac{1}{9}af^2x^9 + \frac{1}{10}bf^2x^{10} \end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.00

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)*(e + f*x^4)^2,x]

[Out] $a*e^{2*x} + (b*e^{2*x^2})/2 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (a*f^2*x^9)/9 + (b*f^2*x^{10})/10$

fricas [A] time = 0.58, size = 50, normalized size = 0.83

$$\frac{1}{10}x^{10}f^2b + \frac{1}{9}x^9f^2a + \frac{1}{3}x^6feb + \frac{2}{5}x^5fea + \frac{1}{2}x^2e^2b + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $1/10*x^{10}*f^2*b + 1/9*x^9*f^2*a + 1/3*x^6*f*e*b + 2/5*x^5*f*e*a + 1/2*x^2*e^2*b + x*e^2*a$

giac [A] time = 0.15, size = 50, normalized size = 0.83

$$\frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{1}{3}bfx^6e + \frac{2}{5}afx^5e + \frac{1}{2}bx^2e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] $1/10*b*f^2*x^{10} + 1/9*a*f^2*x^9 + 1/3*b*f*x^6*e + 2/5*a*f*x^5*e + 1/2*b*x^2*e^2 + a*x*e^2$

maple [A] time = 0.05, size = 51, normalized size = 0.85

$$\frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{1}{3}befx^6 + \frac{2}{5}afx^5 + \frac{1}{2}be^2x^2 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)*(f*x^4+e)^2,x)

[Out] $a*e^{2*x} + 1/2*b*e^{2*x^2} + 2/5*a*e*f*x^5 + 1/3*b*e*f*x^6 + 1/9*a*f^2*x^9 + 1/10*b*f^2*x^{10}$

maxima [A] time = 1.36, size = 50, normalized size = 0.83

$$\frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{1}{3}befx^6 + \frac{2}{5}afx^5 + \frac{1}{2}be^2x^2 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] $1/10*b*f^2*x^{10} + 1/9*a*f^2*x^9 + 1/3*b*e*f*x^6 + 2/5*a*e*f*x^5 + 1/2*b*e^2*x^2 + a*e^2*x$

mupad [B] time = 0.02, size = 50, normalized size = 0.83

$$\frac{b e^2 x^2}{2} + a e^2 x + \frac{b e f x^6}{3} + \frac{2 a e f x^5}{5} + \frac{b f^2 x^{10}}{10} + \frac{a f^2 x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x^4)^2*(a + b*x), x)`

[Out] $(b*e^2*x^2)/2 + (a*f^2*x^9)/9 + (b*f^2*x^{10})/10 + a*e^2*x + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3$

sympy [A] time = 0.11, size = 58, normalized size = 0.97

$$a e^2 x + \frac{2 a e f x^5}{5} + \frac{a f^2 x^9}{9} + \frac{b e^2 x^2}{2} + \frac{b e f x^6}{3} + \frac{b f^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*(f*x**4+e)**2, x)`

[Out] $a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10$

3.136 $\int cx^2 (e + fx^4)^2 dx$

Optimal. Leaf size=33

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

[Out] $1/3*c*e^2*x^3+2/7*c*e*f*x^7+1/11*c*f^2*x^{11}$

Rubi [A] time = 0.01, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {12, 270}

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] $\text{Int}[c*x^2*(e + f*x^4)^2,x]$

[Out] $(c*e^2*x^3)/3 + (2*c*e*f*x^7)/7 + (c*f^2*x^{11})/11$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 270

$\text{Int}[((c_*)(x_))^{(m_)*((a_*) + (b_*)(x_)^{(n_}))^{(p_)}}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, m, n\}, x] \&\& \text{IGtQ}[p, 0]$

Rubi steps

$$\begin{aligned} \int cx^2 (e + fx^4)^2 dx &= c \int x^2 (e + fx^4)^2 dx \\ &= c \int (e^2x^2 + 2efx^6 + f^2x^{10}) dx \\ &= \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 33, normalized size = 1.00

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[c*x^2*(e + f*x^4)^2,x]

[Out] (c*e^2*x^3)/3 + (2*c*e*f*x^7)/7 + (c*f^2*x^11)/11

fricas [A] time = 0.53, size = 27, normalized size = 0.82

$$\frac{1}{11}x^{11}f^2c + \frac{2}{7}x^7fec + \frac{1}{3}x^3e^2c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/11*x^11*f^2*c + 2/7*x^7*f*e*c + 1/3*x^3*e^2*c

giac [A] time = 0.20, size = 27, normalized size = 0.82

$$\frac{1}{231} (21 f^2 x^{11} + 66 f x^7 e + 77 x^3 e^2) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/231*(21*f^2*x^11 + 66*f*x^7*e + 77*x^3*e^2)*c

maple [A] time = 0.04, size = 27, normalized size = 0.82

$$\left(\frac{1}{11} f^2 x^{11} + \frac{2}{7} e f x^7 + \frac{1}{3} e^2 x^3 \right) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(c*x^2*(f*x^4+e)^2,x)

[Out] c*(1/11*f^2*x^11+2/7*e*f*x^7+1/3*e^2*x^3)

maxima [A] time = 1.36, size = 27, normalized size = 0.82

$$\frac{1}{231} (21 f^2 x^{11} + 66 e f x^7 + 77 e^2 x^3) c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/231*(21*f^2*x^11 + 66*e*f*x^7 + 77*e^2*x^3)*c

mupad [B] time = 0.04, size = 27, normalized size = 0.82

$$\frac{c x^3 (77 e^2 + 66 e f x^4 + 21 f^2 x^8)}{231}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(c*x^2*(e + f*x^4)^2,x)`

[Out] `(c*x^3*(77*e^2 + 21*f^2*x^8 + 66*e*f*x^4))/231`

sympy [A] time = 0.13, size = 31, normalized size = 0.94

$$\frac{c e^2 x^3}{3} + \frac{2 c e f x^7}{7} + \frac{c f^2 x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(c*x**2*(f*x**4+e)**2,x)`

[Out] `c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11`

$$3.137 \quad \int (a + cx^2)(e + fx^4)^2 dx$$

Optimal. Leaf size=60

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

[Out] $a e^{2x} + \frac{1}{3} c e^{2x^3} + \frac{2}{5} a e f x^5 + \frac{2}{7} c e f x^7 + \frac{1}{9} a f^2 x^9 + \frac{1}{11} c f^2 x^{11}$

Rubi [A] time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {1154}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2)*(e + f*x^4)^2,x]

[Out] $a e^{2x} + \frac{(c e^{2x^3})}{3} + \frac{(2 a e f x^5)}{5} + \frac{(2 c e f x^7)}{7} + \frac{(a f^2 x^9)}{9} + \frac{(c f^2 x^{11})}{11}$

Rule 1154

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (a + cx^2)(e + fx^4)^2 dx &= \int (ae^2 + ce^2x^2 + 2aefx^4 + 2cef x^6 + af^2x^8 + cf^2x^{10}) dx \\ &= ae^2x + \frac{1}{3}ce^2x^3 + \frac{2}{5}aefx^5 + \frac{2}{7}cef x^7 + \frac{1}{9}af^2x^9 + \frac{1}{11}cf^2x^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.00

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (c*e^2*x^3)/3 + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7 + (a*f^2*x^9)/9 + (c*f^2*x^11)/11

fricas [A] time = 0.61, size = 50, normalized size = 0.83

$$\frac{1}{11}x^{11}f^2c + \frac{1}{9}x^9f^2a + \frac{2}{7}x^7fec + \frac{2}{5}x^5fea + \frac{1}{3}x^3e^2c + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/11*x^11*f^2*c + 1/9*x^9*f^2*a + 2/7*x^7*f*e*c + 2/5*x^5*f*e*a + 1/3*x^3*e^2*c + x*e^2*a

giac [A] time = 0.15, size = 50, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{2}{7}cfx^7e + \frac{2}{5}afx^5e + \frac{1}{3}cx^3e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/11*c*f^2*x^11 + 1/9*a*f^2*x^9 + 2/7*c*f*x^7*e + 2/5*a*f*x^5*e + 1/3*c*x^3*e^2 + a*x*e^2

maple [A] time = 0.04, size = 51, normalized size = 0.85

$$\frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{2}{7}cef x^7 + \frac{2}{5}aef x^5 + \frac{1}{3}ce^2x^3 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+a)*(f*x^4+e)^2,x)

[Out] a*e^2*x+1/3*c*e^2*x^3+2/5*a*e*f*x^5+2/7*c*e*f*x^7+1/9*a*f^2*x^9+1/11*c*f^2*x^11

maxima [A] time = 1.32, size = 50, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{2}{7}cef x^7 + \frac{2}{5}aef x^5 + \frac{1}{3}ce^2x^3 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] $1/11*c*f^2*x^{11} + 1/9*a*f^2*x^9 + 2/7*c*e*f*x^7 + 2/5*a*e*f*x^5 + 1/3*c*e^2*x^3 + a*e^2*x$

mupad [B] time = 0.03, size = 50, normalized size = 0.83

$$\frac{ce^2x^3}{3} + ae^2x + \frac{2cef x^7}{7} + \frac{2aef x^5}{5} + \frac{cf^2x^{11}}{11} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)*(e + f*x^4)^2,x)`

[Out] $(a*f^2*x^9)/9 + (c*e^2*x^3)/3 + (c*f^2*x^{11})/11 + a*e^2*x + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7$

sympy [A] time = 0.08, size = 60, normalized size = 1.00

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a)*(f*x**4+e)**2,x)`

[Out] $a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11$

3.138 $\int (bx + cx^2)(e + fx^4)^2 dx$

Optimal. Leaf size=65

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

[Out] $\frac{1}{2}b*e^{2*x^2} + \frac{1}{3}c*e^{2*x^3} + \frac{1}{3}b*e*f*x^6 + \frac{2}{7}c*e*f*x^7 + \frac{1}{10}b*f^2*x^{10} + \frac{1}{11}c*f^2*x^{11}$

Rubi [A] time = 0.10, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {1593, 1620}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] $(b*e^{2*x^2})/2 + (c*e^{2*x^3})/3 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (b*f^2*x^{10})/10 + (c*f^2*x^{11})/11$

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] :> Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rubi steps

$$\begin{aligned} \int (bx + cx^2)(e + fx^4)^2 dx &= \int x(b + cx)(e + fx^4)^2 dx \\ &= \int (be^2x + ce^2x^2 + 2befx^5 + 2cef x^6 + bf^2x^9 + cf^2x^{10}) dx \\ &= \frac{1}{2}be^2x^2 + \frac{1}{3}ce^2x^3 + \frac{1}{3}befx^6 + \frac{2}{7}cef x^7 + \frac{1}{10}bf^2x^{10} + \frac{1}{11}cf^2x^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 65, normalized size = 1.00

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11

fricas [A] time = 0.45, size = 53, normalized size = 0.82

$$\frac{1}{11}x^{11}f^2c + \frac{1}{10}x^{10}f^2b + \frac{2}{7}x^7fec + \frac{1}{3}x^6feb + \frac{1}{3}x^3e^2c + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/11*x^11*f^2*c + 1/10*x^10*f^2*b + 2/7*x^7*f*e*c + 1/3*x^6*f*e*b + 1/3*x^3*e^2*c + 1/2*x^2*e^2*b

giac [A] time = 0.15, size = 53, normalized size = 0.82

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{2}{7}cfx^7e + \frac{1}{3}bfx^6e + \frac{1}{3}cx^3e^2 + \frac{1}{2}bx^2e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/11*c*f^2*x^11 + 1/10*b*f^2*x^10 + 2/7*c*f*x^7*e + 1/3*b*f*x^6*e + 1/3*c*x^3*e^2 + 1/2*b*x^2*e^2

maple [A] time = 0.04, size = 54, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{2}{7}cef x^7 + \frac{1}{3}bef x^6 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x)*(f*x^4+e)^2,x)

[Out] 1/2*b*e^2*x^2+1/3*c*e^2*x^3+1/3*b*e*f*x^6+2/7*c*e*f*x^7+1/10*b*f^2*x^10+1/11*c*f^2*x^11

maxima [A] time = 1.35, size = 53, normalized size = 0.82

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{2}{7}cef x^7 + \frac{1}{3}befx^6 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/11*c*f^2*x^11 + 1/10*b*f^2*x^10 + 2/7*c*e*f*x^7 + 1/3*b*e*f*x^6 + 1/3*c*e^2*x^3 + 1/2*b*e^2*x^2

mupad [B] time = 0.03, size = 53, normalized size = 0.82

$$\frac{ce^2x^3}{3} + \frac{be^2x^2}{2} + \frac{2cef x^7}{7} + \frac{befx^6}{3} + \frac{cf^2x^{11}}{11} + \frac{bf^2x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x + c*x^2)*(e + f*x^4)^2,x)

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7

sympy [A] time = 0.14, size = 61, normalized size = 0.94

$$\frac{be^2x^2}{2} + \frac{befx^6}{3} + \frac{bf^2x^{10}}{10} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**2+b*x)*(f*x**4+e)**2,x)

[Out] b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11

$$3.139 \quad \int (a + bx + cx^2)(e + fx^4)^2 dx$$

Optimal. Leaf size=92

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

[Out] $a e^{2x} + \frac{1}{2} b e^{2x^2} + \frac{1}{3} c e^{2x^3} + \frac{2}{5} a e f x^5 + \frac{1}{3} b e f x^6 + \frac{2}{7} c e f x^7 + \frac{1}{9} a f^2 x^9 + \frac{1}{10} b f^2 x^{10} + \frac{1}{11} c f^2 x^{11}$

Rubi [A] time = 0.05, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1657}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] $a e^{2x} + (b e^{2x^2})/2 + (c e^{2x^3})/3 + (2 a e f x^5)/5 + (b e f x^6)/3 + (2 c e f x^7)/7 + (a f^2 x^9)/9 + (b f^2 x^{10})/10 + (c f^2 x^{11})/11$

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int (a + bx + cx^2)(e + fx^4)^2 dx &= \int (ae^2 + be^2x + ce^2x^2 + 2aefx^4 + 2befx^5 + 2cef x^6 + af^2x^8 + bf^2x^9 + cf^2x^{10} \\ &= ae^2x + \frac{1}{2}be^2x^2 + \frac{1}{3}ce^2x^3 + \frac{2}{5}aefx^5 + \frac{1}{3}befx^6 + \frac{2}{7}cef x^7 + \frac{1}{9}af^2x^9 + \frac{1}{10}bf^2x^{10} \end{aligned}$$

Mathematica [A] time = 0.00, size = 92, normalized size = 1.00

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)*(e + f*x^4)^2,x]

[Out] $a*e^{2*x} + (b*e^{2*x^2})/2 + (c*e^{2*x^3})/3 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (a*f^2*x^9)/9 + (b*f^2*x^{10})/10 + (c*f^2*x^{11})/11$

fricas [A] time = 0.46, size = 76, normalized size = 0.83

$$\frac{1}{11}x^{11}f^2c + \frac{1}{10}x^{10}f^2b + \frac{1}{9}x^9f^2a + \frac{2}{7}x^7fec + \frac{1}{3}x^6feb + \frac{2}{5}x^5fea + \frac{1}{3}x^3e^2c + \frac{1}{2}x^2e^2b + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] $1/11*x^{11}*f^2*c + 1/10*x^{10}*f^2*b + 1/9*x^9*f^2*a + 2/7*x^7*f*e*c + 1/3*x^6*f*e*b + 2/5*x^5*f*e*a + 1/3*x^3*e^2*c + 1/2*x^2*e^2*b + x*e^2*a$

giac [A] time = 0.15, size = 76, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{2}{7}cfx^7e + \frac{1}{3}bfx^6e + \frac{2}{5}afx^5e + \frac{1}{3}cx^3e^2 + \frac{1}{2}bx^2e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] $1/11*c*f^2*x^{11} + 1/10*b*f^2*x^{10} + 1/9*a*f^2*x^9 + 2/7*c*f*x^7*e + 1/3*b*f*x^6*e + 2/5*a*f*x^5*e + 1/3*c*x^3*e^2 + 1/2*b*x^2*e^2 + a*x*e^2$

maple [A] time = 0.04, size = 77, normalized size = 0.84

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{2}{7}cef x^7 + \frac{1}{3}bef x^6 + \frac{2}{5}aef x^5 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)*(f*x^4+e)^2,x)

[Out] $a*e^{2*x} + 1/2*b*e^{2*x^2} + 1/3*c*e^{2*x^3} + 2/5*a*e*f*x^5 + 1/3*b*e*f*x^6 + 2/7*c*e*f*x^7 + 1/9*a*f^2*x^9 + 1/10*b*f^2*x^{10} + 1/11*c*f^2*x^{11}$

maxima [A] time = 1.43, size = 76, normalized size = 0.83

$$\frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{2}{7}cef x^7 + \frac{1}{3}bef x^6 + \frac{2}{5}aef x^5 + \frac{1}{3}ce^2x^3 + \frac{1}{2}be^2x^2 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] $1/11*c*f^2*x^{11} + 1/10*b*f^2*x^{10} + 1/9*a*f^2*x^9 + 2/7*c*e*f*x^7 + 1/3*b*e*f*x^6 + 2/5*a*e*f*x^5 + 1/3*c*e^2*x^3 + 1/2*b*e^2*x^2 + a*e^2*x$

mupad [B] time = 0.04, size = 76, normalized size = 0.83

$$\frac{ce^2x^3}{3} + \frac{be^2x^2}{2} + ae^2x + \frac{2cef x^7}{7} + \frac{befx^6}{3} + \frac{2aefx^5}{5} + \frac{cf^2x^{11}}{11} + \frac{bf^2x^{10}}{10} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x^4)^2*(a + b*x + c*x^2), x)`

[Out] $(b*e^2*x^2)/2 + (a*f^2*x^9)/9 + (c*e^2*x^3)/3 + (b*f^2*x^{10})/10 + (c*f^2*x^{11})/11 + a*e^2*x + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7$

sympy [A] time = 0.16, size = 90, normalized size = 0.98

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{be^2x^2}{2} + \frac{befx^6}{3} + \frac{bf^2x^{10}}{10} + \frac{ce^2x^3}{3} + \frac{2cef x^7}{7} + \frac{cf^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)*(f*x**4+e)**2,x)`

[Out] $a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11$

$$3.140 \quad \int dx^3 (e + fx^4)^2 dx$$

Optimal. Leaf size=17

$$\frac{d(e + fx^4)^3}{12f}$$

[Out] 1/12*d*(f*x^4+e)^3/f

Rubi [A] time = 0.01, antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {12, 261}

$$\frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[d*x^3*(e + f*x^4)^2,x]

[Out] (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int dx^3 (e + fx^4)^2 dx &= d \int x^3 (e + fx^4)^2 dx \\ &= \frac{d(e + fx^4)^3}{12f} \end{aligned}$$

Mathematica [A] time = 0.00, size = 33, normalized size = 1.94

$$\frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[d*x^3*(e + f*x^4)^2,x]

[Out] (d*e^2*x^4)/4 + (d*e*f*x^8)/4 + (d*f^2*x^12)/12

fricas [A] time = 0.70, size = 27, normalized size = 1.59

$$\frac{1}{12}x^{12}f^2d + \frac{1}{4}x^8fed + \frac{1}{4}x^4e^2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/4*x^8*f*e*d + 1/4*x^4*e^2*d

giac [A] time = 0.14, size = 16, normalized size = 0.94

$$\frac{(fx^4 + e)^3 d}{12f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*(f*x^4 + e)^3*d/f

maple [A] time = 0.04, size = 27, normalized size = 1.59

$$\left(\frac{1}{12}f^2x^{12} + \frac{1}{4}efx^8 + \frac{1}{4}e^2x^4\right)d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(d*x^3*(f*x^4+e)^2,x)

[Out] d*(1/12*f^2*x^12+1/4*e*f*x^8+1/4*e^2*x^4)

maxima [A] time = 1.39, size = 15, normalized size = 0.88

$$\frac{(fx^4 + e)^3 d}{12f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3*(f*x^4+e)^2,x, algorithm="maxima")

[Out] $1/12*(f*x^4 + e)^3*d/f$

mupad [B] time = 0.03, size = 26, normalized size = 1.53

$$\frac{dx^4 (3e^2 + 3efx^4 + f^2x^8)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(d*x^3*(e + f*x^4)^2,x)`

[Out] $(d*x^4*(3*e^2 + f^2*x^8 + 3*e*f*x^4))/12$

sympy [B] time = 0.24, size = 29, normalized size = 1.71

$$\frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(d*x**3*(f*x**4+e)**2,x)`

[Out] $d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12$

$$3.141 \quad \int (a + dx^3)(e + fx^4)^2 dx$$

Optimal. Leaf size=45

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{d(e + fx^4)^3}{12f}$$

[Out] a*e^2*x+2/5*a*e*f*x^5+1/9*a*f^2*x^9+1/12*d*(f*x^4+e)^3/f

Rubi [A] time = 0.02, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1582, 12, 194}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(a + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (2*a*e*f*x^5)/5 + (a*f^2*x^9)/9 + (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 194

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]

Rubi steps

$$\begin{aligned}
\int (a + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int a(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + a \int (e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + a \int (e^2 + 2efx^4 + f^2x^8) dx \\
&= ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{d(e + fx^4)^3}{12f}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.33

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(a + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (d*e^2*x^4)/4 + (2*a*e*f*x^5)/5 + (d*e*f*x^8)/4 + (a*f^2*x^9)/9 + (d*f^2*x^12)/12

fricas [A] time = 0.57, size = 50, normalized size = 1.11

$$\frac{1}{12}x^{12}f^2d + \frac{1}{9}x^9f^2a + \frac{1}{4}x^8fed + \frac{2}{5}x^5fea + \frac{1}{4}x^4e^2d + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/9*x^9*f^2*a + 1/4*x^8*f*e*d + 2/5*x^5*f*e*a + 1/4*x^4*e^2*d + x*e^2*a

giac [A] time = 0.20, size = 50, normalized size = 1.11

$$\frac{1}{12}df^2x^{12} + \frac{1}{9}af^2x^9 + \frac{1}{4}dfx^8e + \frac{2}{5}afx^5e + \frac{1}{4}dx^4e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] $1/12*d*f^2*x^{12} + 1/9*a*f^2*x^9 + 1/4*d*f*x^8*e + 2/5*a*f*x^5*e + 1/4*d*x^4*e^2 + a*x*e^2$

maple [A] time = 0.04, size = 51, normalized size = 1.13

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{9}a f^2 x^9 + \frac{1}{4}d e f x^8 + \frac{2}{5}a e f x^5 + \frac{1}{4}d e^2 x^4 + a e^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+a)*(f*x^4+e)^2,x)`

[Out] $1/12*d*f^2*x^{12}+1/9*a*f^2*x^9+1/4*d*e*f*x^8+2/5*a*e*f*x^5+1/4*d*e^2*x^4+a*e^2*x$

maxima [A] time = 1.31, size = 50, normalized size = 1.11

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{9}a f^2 x^9 + \frac{1}{4}d e f x^8 + \frac{2}{5}a e f x^5 + \frac{1}{4}d e^2 x^4 + a e^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+a)*(f*x^4+e)^2,x, algorithm="maxima")`

[Out] $1/12*d*f^2*x^{12} + 1/9*a*f^2*x^9 + 1/4*d*e*f*x^8 + 2/5*a*e*f*x^5 + 1/4*d*e^2*x^4 + a*e^2*x$

mupad [B] time = 0.02, size = 50, normalized size = 1.11

$$\frac{d e^2 x^4}{4} + a e^2 x + \frac{d e f x^8}{4} + \frac{2 a e f x^5}{5} + \frac{d f^2 x^{12}}{12} + \frac{a f^2 x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + d*x^3)*(e + f*x^4)^2,x)`

[Out] $(a*f^2*x^9)/9 + (d*e^2*x^4)/4 + (d*f^2*x^{12})/12 + a*e^2*x + (2*a*e*f*x^5)/5 + (d*e*f*x^8)/4$

sympy [A] time = 0.08, size = 58, normalized size = 1.29

$$a e^2 x + \frac{2 a e f x^5}{5} + \frac{a f^2 x^9}{9} + \frac{d e^2 x^4}{4} + \frac{d e f x^8}{4} + \frac{d f^2 x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+a)*(f*x**4+e)**2,x)`

[Out] $a e^{**2} x + 2 a e f x^{**5} / 5 + a f^{**2} x^{**9} / 9 + d e^{**2} x^{**4} / 4 + d e f x^{**8} / 4 + d f^{**2} x^{**12} / 12$

3.142 $\int (bx + dx^3)(e + fx^4)^2 dx$

Optimal. Leaf size=50

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

[Out] $1/2*b*e^2*x^2+1/3*b*e*f*x^6+1/10*b*f^2*x^{10}+1/12*d*(f*x^4+e)^3/f$

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1582, 12, 270}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (b*e*f*x^6)/3 + (b*f^2*x^10)/10 + (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]

Rubi steps

$$\begin{aligned}
\int (bx + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int bx(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + b \int x(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + b \int (e^2x + 2efx^5 + f^2x^9) dx \\
&= \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 65, normalized size = 1.30

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (d*e^2*x^4)/4 + (b*e*f*x^6)/3 + (d*e*f*x^8)/4 + (b*f^2*x^10)/10 + (d*f^2*x^12)/12

fricas [A] time = 0.60, size = 53, normalized size = 1.06

$$\frac{1}{12}x^{12}f^2d + \frac{1}{10}x^{10}f^2b + \frac{1}{4}x^8fed + \frac{1}{3}x^6feb + \frac{1}{4}x^4e^2d + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/10*x^10*f^2*b + 1/4*x^8*f*e*d + 1/3*x^6*f*e*b + 1/4*x^4*e^2*d + 1/2*x^2*e^2*b

giac [A] time = 0.16, size = 53, normalized size = 1.06

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}dfx^8e + \frac{1}{3}bfx^6e + \frac{1}{4}dx^4e^2 + \frac{1}{2}bx^2e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)*(f*x^4+e)^2,x, algorithm="giac")

[Out] $1/12*d*f^2*x^{12} + 1/10*b*f^2*x^{10} + 1/4*d*f*x^8*e + 1/3*b*f*x^6*e + 1/4*d*x^4*e^2 + 1/2*b*x^2*e^2$

maple [A] time = 0.04, size = 54, normalized size = 1.08

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{10}b f^2 x^{10} + \frac{1}{4}d e f x^8 + \frac{1}{3}b e f x^6 + \frac{1}{4}d e^2 x^4 + \frac{1}{2}b e^2 x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+b*x)*(f*x^4+e)^2,x)`

[Out] $1/12*d*f^2*x^{12}+1/10*b*f^2*x^{10}+1/4*d*e*f*x^8+1/3*b*e*f*x^6+1/4*d*e^2*x^4+1/2*b*e^2*x^2$

maxima [A] time = 1.32, size = 53, normalized size = 1.06

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{10}b f^2 x^{10} + \frac{1}{4}d e f x^8 + \frac{1}{3}b e f x^6 + \frac{1}{4}d e^2 x^4 + \frac{1}{2}b e^2 x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+b*x)*(f*x^4+e)^2,x, algorithm="maxima")`

[Out] $1/12*d*f^2*x^{12} + 1/10*b*f^2*x^{10} + 1/4*d*e*f*x^8 + 1/3*b*e*f*x^6 + 1/4*d*e^2*x^4 + 1/2*b*e^2*x^2$

mupad [B] time = 0.03, size = 53, normalized size = 1.06

$$\frac{d e^2 x^4}{4} + \frac{b e^2 x^2}{2} + \frac{d e f x^8}{4} + \frac{b e f x^6}{3} + \frac{d f^2 x^{12}}{12} + \frac{b f^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x + d*x^3)*(e + f*x^4)^2,x)`

[Out] $(b*e^2*x^2)/2 + (b*f^2*x^{10})/10 + (d*e^2*x^4)/4 + (d*f^2*x^{12})/12 + (b*e*f*x^6)/3 + (d*e*f*x^8)/4$

sympy [A] time = 0.12, size = 60, normalized size = 1.20

$$\frac{b e^2 x^2}{2} + \frac{b e f x^6}{3} + \frac{b f^2 x^{10}}{10} + \frac{d e^2 x^4}{4} + \frac{d e f x^8}{4} + \frac{d f^2 x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+b*x)*(f*x**4+e)**2,x)`

[Out] $b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12$

$$3.143 \quad \int (a + bx + dx^3)(e + fx^4)^2 dx$$

Optimal. Leaf size=77

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

[Out] a*e^2*x+1/2*b*e^2*x^2+2/5*a*e*f*x^5+1/3*b*e*f*x^6+1/9*a*f^2*x^9+1/10*b*f^2*x^10+1/12*d*(f*x^4+e)^3/f

Rubi [A] time = 0.05, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (b*e^2*x^2)/2 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (d*(e + f*x^4)^3)/(12*f)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int (a + bx + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int (a + bx)(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + \int (ae^2 + be^2x + 2aefx^4 + 2befx^5 + af^2x^8 + bf^2x^9) dx \\
&= ae^2x + \frac{1}{2}be^2x^2 + \frac{2}{5}aefx^5 + \frac{1}{3}befx^6 + \frac{1}{9}af^2x^9 + \frac{1}{10}bf^2x^{10} + \frac{d(e + fx^4)^3}{12f}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 92, normalized size = 1.19

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (b*e^2*x^2)/2 + (d*e^2*x^4)/4 + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (d*e*f*x^8)/4 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (d*f^2*x^12)/12

fricas [A] time = 0.54, size = 76, normalized size = 0.99

$$\frac{1}{12}x^{12}f^2d + \frac{1}{10}x^{10}f^2b + \frac{1}{9}x^9f^2a + \frac{1}{4}x^8fed + \frac{1}{3}x^6feb + \frac{2}{5}x^5fea + \frac{1}{4}x^4e^2d + \frac{1}{2}x^2e^2b + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/10*x^10*f^2*b + 1/9*x^9*f^2*a + 1/4*x^8*f*e*d + 1/3*x^6*f*e*b + 2/5*x^5*f*e*a + 1/4*x^4*e^2*d + 1/2*x^2*e^2*b + x*e^2*a

giac [A] time = 0.15, size = 76, normalized size = 0.99

$$\frac{1}{12}df^2x^{12} + \frac{1}{10}bf^2x^{10} + \frac{1}{9}af^2x^9 + \frac{1}{4}dfx^8e + \frac{1}{3}bfx^6e + \frac{2}{5}afx^5e + \frac{1}{4}dx^4e^2 + \frac{1}{2}bx^2e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*d*f^2*x^12 + 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 1/4*d*f*x^8*e + 1/3*b*f*x^6*e + 2/5*a*f*x^5*e + 1/4*d*x^4*e^2 + 1/2*b*x^2*e^2 + a*x*e^2

maple [A] time = 0.04, size = 77, normalized size = 1.00

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{10}b f^2 x^{10} + \frac{1}{9}a f^2 x^9 + \frac{1}{4}d e f x^8 + \frac{1}{3}b e f x^6 + \frac{2}{5}a e f x^5 + \frac{1}{4}d e^2 x^4 + \frac{1}{2}b e^2 x^2 + a e^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+b*x+a)*(f*x^4+e)^2,x)`

[Out] `1/12*d*f^2*x^12+1/10*b*f^2*x^10+1/9*a*f^2*x^9+1/4*d*e*f*x^8+1/3*b*e*f*x^6+2/5*a*e*f*x^5+1/4*d*e^2*x^4+1/2*b*e^2*x^2+a*e^2*x`

maxima [A] time = 1.36, size = 76, normalized size = 0.99

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{10}b f^2 x^{10} + \frac{1}{9}a f^2 x^9 + \frac{1}{4}d e f x^8 + \frac{1}{3}b e f x^6 + \frac{2}{5}a e f x^5 + \frac{1}{4}d e^2 x^4 + \frac{1}{2}b e^2 x^2 + a e^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+b*x+a)*(f*x^4+e)^2,x, algorithm="maxima")`

[Out] `1/12*d*f^2*x^12 + 1/10*b*f^2*x^10 + 1/9*a*f^2*x^9 + 1/4*d*e*f*x^8 + 1/3*b*e*f*x^6 + 2/5*a*e*f*x^5 + 1/4*d*e^2*x^4 + 1/2*b*e^2*x^2 + a*e^2*x`

mupad [B] time = 0.04, size = 76, normalized size = 0.99

$$\frac{d e^2 x^4}{4} + \frac{b e^2 x^2}{2} + a e^2 x + \frac{d e f x^8}{4} + \frac{b e f x^6}{3} + \frac{2 a e f x^5}{5} + \frac{d f^2 x^{12}}{12} + \frac{b f^2 x^{10}}{10} + \frac{a f^2 x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x^4)^2*(a + b*x + d*x^3),x)`

[Out] `(b*e^2*x^2)/2 + (a*f^2*x^9)/9 + (b*f^2*x^10)/10 + (d*e^2*x^4)/4 + (d*f^2*x^12)/12 + a*e^2*x + (2*a*e*f*x^5)/5 + (b*e*f*x^6)/3 + (d*e*f*x^8)/4`

sympy [A] time = 0.08, size = 88, normalized size = 1.14

$$a e^2 x + \frac{2 a e f x^5}{5} + \frac{a f^2 x^9}{9} + \frac{b e^2 x^2}{2} + \frac{b e f x^6}{3} + \frac{b f^2 x^{10}}{10} + \frac{d e^2 x^4}{4} + \frac{d e f x^8}{4} + \frac{d f^2 x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+b*x+a)*(f*x**4+e)**2,x)`

[Out] `a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12`

3.144 $\int (cx^2 + dx^3)(e + fx^4)^2 dx$

Optimal. Leaf size=50

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

[Out] 1/3*c*e^2*x^3+2/7*c*e*f*x^7+1/11*c*f^2*x^11+1/12*d*(f*x^4+e)^3/f

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1582, 12, 270}

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] (c*e^2*x^3)/3 + (2*c*e*f*x^7)/7 + (c*f^2*x^11)/11 + (d*(e + f*x^4)^3)/(12*f)

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]

Rubi steps

$$\begin{aligned}
\int (cx^2 + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int cx^2(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + c \int x^2(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + c \int (e^2x^2 + 2efx^6 + f^2x^{10}) dx \\
&= \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 65, normalized size = 1.30

$$\frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12

fricas [A] time = 0.53, size = 53, normalized size = 1.06

$$\frac{1}{12}x^{12}f^2d + \frac{1}{11}x^{11}f^2c + \frac{1}{4}x^8fed + \frac{2}{7}x^7fec + \frac{1}{4}x^4e^2d + \frac{1}{3}x^3e^2c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/11*x^11*f^2*c + 1/4*x^8*f*e*d + 2/7*x^7*f*e*c + 1/4*x^4*e^2*d + 1/3*x^3*e^2*c

giac [A] time = 0.15, size = 53, normalized size = 1.06

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{4}dfx^8e + \frac{2}{7}cfx^7e + \frac{1}{4}dx^4e^2 + \frac{1}{3}cx^3e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)*(f*x^4+e)^2,x, algorithm="giac")

[Out] $\frac{1}{12}d f^2 x^{12} + \frac{1}{11}c f^2 x^{11} + \frac{1}{4}d e f x^8 + \frac{2}{7}c e f x^7 + \frac{1}{4}d e^2 x^4 + \frac{1}{3}c e^2 x^3$

maple [A] time = 0.04, size = 54, normalized size = 1.08

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{11}c f^2 x^{11} + \frac{1}{4}d e f x^8 + \frac{2}{7}c e f x^7 + \frac{1}{4}d e^2 x^4 + \frac{1}{3}c e^2 x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2)*(f*x^4+e)^2,x)

[Out] $\frac{1}{12}d f^2 x^{12} + \frac{1}{11}c f^2 x^{11} + \frac{1}{4}d e f x^8 + \frac{2}{7}c e f x^7 + \frac{1}{4}d e^2 x^4 + \frac{1}{3}c e^2 x^3$

maxima [A] time = 1.36, size = 53, normalized size = 1.06

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{11}c f^2 x^{11} + \frac{1}{4}d e f x^8 + \frac{2}{7}c e f x^7 + \frac{1}{4}d e^2 x^4 + \frac{1}{3}c e^2 x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] $\frac{1}{12}d f^2 x^{12} + \frac{1}{11}c f^2 x^{11} + \frac{1}{4}d e f x^8 + \frac{2}{7}c e f x^7 + \frac{1}{4}d e^2 x^4 + \frac{1}{3}c e^2 x^3$

mupad [B] time = 0.03, size = 53, normalized size = 1.06

$$\frac{d e^2 x^4}{4} + \frac{c e^2 x^3}{3} + \frac{d e f x^8}{4} + \frac{2 c e f x^7}{7} + \frac{d f^2 x^{12}}{12} + \frac{c f^2 x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(c*x^2 + d*x^3),x)

[Out] $\frac{c e^2 x^3}{3} + \frac{d e^2 x^4}{4} + \frac{c f^2 x^{11}}{11} + \frac{d f^2 x^{12}}{12} + \frac{2 c e f x^7}{7} + \frac{d e f x^8}{4}$

sympy [A] time = 0.08, size = 61, normalized size = 1.22

$$\frac{c e^2 x^3}{3} + \frac{2 c e f x^7}{7} + \frac{c f^2 x^{11}}{11} + \frac{d e^2 x^4}{4} + \frac{d e f x^8}{4} + \frac{d f^2 x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2)*(f*x**4+e)**2,x)

[Out] $c e^2 x^3 / 3 + 2 c e f x^7 / 7 + c f^2 x^{11} / 11 + d e^2 x^4 / 4 + d e f x^8 / 4 + d f^2 x^{12} / 12$

3.145 $\int (a + cx^2 + dx^3)(e + fx^4)^2 dx$

Optimal. Leaf size=77

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

[Out] $a e^{2x} + \frac{1}{3} c e^{2x^3} + \frac{2}{5} a e f x^5 + \frac{2}{7} c e f x^7 + \frac{1}{9} a f^2 x^9 + \frac{1}{11} c f^2 x^{11} + \frac{1}{12} d (f x^4 + e)^3 / f$

Rubi [A] time = 0.04, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1582, 1154}

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] $a e^{2x} + (c e^{2x^3})/3 + (2 a e f x^5)/5 + (2 c e f x^7)/7 + (a f^2 x^9)/9 + (c f^2 x^{11})/11 + (d (e + f x^4)^3)/(12 f)$

Rule 1154

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rubi steps

$$\begin{aligned}
\int (a + cx^2 + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int (a + cx^2)(e + fx^4)^2 dx \\
&= \frac{d(e + fx^4)^3}{12f} + \int (ae^2 + ce^2x^2 + 2aefx^4 + 2cef x^6 + af^2x^8 + cf^2x^{10}) dx \\
&= ae^2x + \frac{1}{3}ce^2x^3 + \frac{2}{5}aefx^5 + \frac{2}{7}cef x^7 + \frac{1}{9}af^2x^9 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 92, normalized size = 1.19

$$ae^2x + \frac{2}{5}aefx^5 + \frac{1}{9}af^2x^9 + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] a*e^2*x + (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4 + (a*f^2*x^9)/9 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12

fricas [A] time = 0.44, size = 76, normalized size = 0.99

$$\frac{1}{12}x^{12}f^2d + \frac{1}{11}x^{11}f^2c + \frac{1}{9}x^9f^2a + \frac{1}{4}x^8fed + \frac{2}{7}x^7fec + \frac{2}{5}x^5fea + \frac{1}{4}x^4e^2d + \frac{1}{3}x^3e^2c + xe^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/11*x^11*f^2*c + 1/9*x^9*f^2*a + 1/4*x^8*f*e*d + 2/7*x^7*f*e*c + 2/5*x^5*f*e*a + 1/4*x^4*e^2*d + 1/3*x^3*e^2*c + x*e^2*a

giac [A] time = 0.20, size = 76, normalized size = 0.99

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{1}{4}dfx^8e + \frac{2}{7}cfx^7e + \frac{2}{5}afx^5e + \frac{1}{4}dx^4e^2 + \frac{1}{3}cx^3e^2 + axe^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)*(f*x^4+e)^2,x, algorithm="giac")

[Out] 1/12*d*f^2*x^12 + 1/11*c*f^2*x^11 + 1/9*a*f^2*x^9 + 1/4*d*f*x^8*e + 2/7*c*f*x^7*e + 2/5*a*f*x^5*e + 1/4*d*x^4*e^2 + 1/3*c*x^3*e^2 + a*x*e^2

maple [A] time = 0.04, size = 77, normalized size = 1.00

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{2}{7}cefx^7 + \frac{2}{5}aefx^5 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+a)*(f*x^4+e)^2,x)

[Out] 1/12*d*f^2*x^12+1/11*c*f^2*x^11+1/9*a*f^2*x^9+1/4*d*e*f*x^8+2/7*c*e*f*x^7+2/5*a*e*f*x^5+1/4*d*e^2*x^4+1/3*c*e^2*x^3+a*e^2*x

maxima [A] time = 1.34, size = 76, normalized size = 0.99

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{9}af^2x^9 + \frac{1}{4}defx^8 + \frac{2}{7}cefx^7 + \frac{2}{5}aefx^5 + \frac{1}{4}de^2x^4 + \frac{1}{3}ce^2x^3 + ae^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] 1/12*d*f^2*x^12 + 1/11*c*f^2*x^11 + 1/9*a*f^2*x^9 + 1/4*d*e*f*x^8 + 2/7*c*e*f*x^7 + 2/5*a*e*f*x^5 + 1/4*d*e^2*x^4 + 1/3*c*e^2*x^3 + a*e^2*x

mapad [B] time = 0.04, size = 76, normalized size = 0.99

$$\frac{de^2x^4}{4} + \frac{ce^2x^3}{3} + ae^2x + \frac{defx^8}{4} + \frac{2cefx^7}{7} + \frac{2aefx^5}{5} + \frac{df^2x^{12}}{12} + \frac{cf^2x^{11}}{11} + \frac{af^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(a + c*x^2 + d*x^3),x)

[Out] (a*f^2*x^9)/9 + (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12 + a*e^2*x + (2*a*e*f*x^5)/5 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4

sympy [A] time = 0.15, size = 90, normalized size = 1.17

$$ae^2x + \frac{2aefx^5}{5} + \frac{af^2x^9}{9} + \frac{ce^2x^3}{3} + \frac{2cefx^7}{7} + \frac{cf^2x^{11}}{11} + \frac{de^2x^4}{4} + \frac{defx^8}{4} + \frac{df^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+a)*(f*x**4+e)**2,x)

[Out] a*e**2*x + 2*a*e*f*x**5/5 + a*f**2*x**9/9 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12

3.146 $\int (bx + cx^2 + dx^3)(e + fx^4)^2 dx$

Optimal. Leaf size=82

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

[Out] $1/2*b*e^2*x^2+1/3*c*e^2*x^3+1/3*b*e*f*x^6+2/7*c*e*f*x^7+1/10*b*f^2*x^{10}+1/11*c*f^2*x^{11}+1/12*d*(f*x^4+e)^3/f$

Rubi [A] time = 0.08, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1582, 1593, 1620}

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef x^7 + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] $(b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (b*f^2*x^{10})/10 + (c*f^2*x^{11})/11 + (d*(e + f*x^4)^3)/(12*f)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] :> Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c

, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rubi steps

$$\begin{aligned}
 \int (bx + cx^2 + dx^3)(e + fx^4)^2 dx &= \frac{d(e + fx^4)^3}{12f} + \int (bx + cx^2)(e + fx^4)^2 dx \\
 &= \frac{d(e + fx^4)^3}{12f} + \int x(b + cx)(e + fx^4)^2 dx \\
 &= \frac{d(e + fx^4)^3}{12f} + \int (be^2x + ce^2x^2 + 2befx^5 + 2cef^2x^6 + bf^2x^9 + cf^2x^{10}) dx \\
 &= \frac{1}{2}be^2x^2 + \frac{1}{3}ce^2x^3 + \frac{1}{3}befx^6 + \frac{2}{7}cef^2x^7 + \frac{1}{10}bf^2x^{10} + \frac{1}{11}cf^2x^{11} + \frac{d(e + fx^4)^3}{12f}
 \end{aligned}$$

Mathematica [A] time = 0.00, size = 97, normalized size = 1.18

$$\frac{1}{2}be^2x^2 + \frac{1}{3}befx^6 + \frac{1}{10}bf^2x^{10} + \frac{1}{3}ce^2x^3 + \frac{2}{7}cef^2x^7 + \frac{1}{11}cf^2x^{11} + \frac{1}{4}de^2x^4 + \frac{1}{4}defx^8 + \frac{1}{12}df^2x^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2 + d*x^3)*(e + f*x^4)^2,x]

[Out] (b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (d*e^2*x^4)/4 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4 + (b*f^2*x^10)/10 + (c*f^2*x^11)/11 + (d*f^2*x^12)/12

fricas [A] time = 0.69, size = 79, normalized size = 0.96

$$\frac{1}{12}x^{12}f^2d + \frac{1}{11}x^{11}f^2c + \frac{1}{10}x^{10}f^2b + \frac{1}{4}x^8fed + \frac{2}{7}x^7fec + \frac{1}{3}x^6feb + \frac{1}{4}x^4e^2d + \frac{1}{3}x^3e^2c + \frac{1}{2}x^2e^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f^2*d + 1/11*x^11*f^2*c + 1/10*x^10*f^2*b + 1/4*x^8*f*e*d + 2/7*x^7*f*e*c + 1/3*x^6*f*e*b + 1/4*x^4*e^2*d + 1/3*x^3*e^2*c + 1/2*x^2*e^2*b

giac [A] time = 0.16, size = 79, normalized size = 0.96

$$\frac{1}{12}df^2x^{12} + \frac{1}{11}cf^2x^{11} + \frac{1}{10}bf^2x^{10} + \frac{1}{4}dfx^8e + \frac{2}{7}cfx^7e + \frac{1}{3}bfx^6e + \frac{1}{4}dx^4e^2 + \frac{1}{3}cx^3e^2 + \frac{1}{2}bx^2e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="giac")

[Out] $1/12*d*f^2*x^{12} + 1/11*c*f^2*x^{11} + 1/10*b*f^2*x^{10} + 1/4*d*f*x^8*e + 2/7*c*f*x^7*e + 1/3*b*f*x^6*e + 1/4*d*x^4*e^2 + 1/3*c*x^3*e^2 + 1/2*b*x^2*e^2$

maple [A] time = 0.04, size = 80, normalized size = 0.98

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{11}c f^2 x^{11} + \frac{1}{10}b f^2 x^{10} + \frac{1}{4}d e f x^8 + \frac{2}{7}c e f x^7 + \frac{1}{3}b e f x^6 + \frac{1}{4}d e^2 x^4 + \frac{1}{3}c e^2 x^3 + \frac{1}{2}b e^2 x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x)

[Out] $1/12*d*f^2*x^{12}+1/11*c*f^2*x^{11}+1/10*b*f^2*x^{10}+1/4*d*e*f*x^8+2/7*c*e*f*x^7+1/3*b*e*f*x^6+1/4*d*e^2*x^4+1/3*c*e^2*x^3+1/2*b*e^2*x^2$

maxima [A] time = 1.42, size = 79, normalized size = 0.96

$$\frac{1}{12}d f^2 x^{12} + \frac{1}{11}c f^2 x^{11} + \frac{1}{10}b f^2 x^{10} + \frac{1}{4}d e f x^8 + \frac{2}{7}c e f x^7 + \frac{1}{3}b e f x^6 + \frac{1}{4}d e^2 x^4 + \frac{1}{3}c e^2 x^3 + \frac{1}{2}b e^2 x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)*(f*x^4+e)^2,x, algorithm="maxima")

[Out] $1/12*d*f^2*x^{12} + 1/11*c*f^2*x^{11} + 1/10*b*f^2*x^{10} + 1/4*d*e*f*x^8 + 2/7*c*e*f*x^7 + 1/3*b*e*f*x^6 + 1/4*d*e^2*x^4 + 1/3*c*e^2*x^3 + 1/2*b*e^2*x^2$

mupad [B] time = 0.04, size = 79, normalized size = 0.96

$$\frac{d e^2 x^4}{4} + \frac{c e^2 x^3}{3} + \frac{b e^2 x^2}{2} + \frac{d e f x^8}{4} + \frac{2 c e f x^7}{7} + \frac{b e f x^6}{3} + \frac{d f^2 x^{12}}{12} + \frac{c f^2 x^{11}}{11} + \frac{b f^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x^4)^2*(b*x + c*x^2 + d*x^3),x)

[Out] $(b*e^2*x^2)/2 + (c*e^2*x^3)/3 + (b*f^2*x^{10})/10 + (d*e^2*x^4)/4 + (c*f^2*x^{11})/11 + (d*f^2*x^{12})/12 + (b*e*f*x^6)/3 + (2*c*e*f*x^7)/7 + (d*e*f*x^8)/4$

sympy [A] time = 0.11, size = 92, normalized size = 1.12

$$\frac{b e^2 x^2}{2} + \frac{b e f x^6}{3} + \frac{b f^2 x^{10}}{10} + \frac{c e^2 x^3}{3} + \frac{2 c e f x^7}{7} + \frac{c f^2 x^{11}}{11} + \frac{d e^2 x^4}{4} + \frac{d e f x^8}{4} + \frac{d f^2 x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+b*x)*(f*x**4+e)**2,x)

[Out] b*e**2*x**2/2 + b*e*f*x**6/3 + b*f**2*x**10/10 + c*e**2*x**3/3 + 2*c*e*f*x**7/7 + c*f**2*x**11/11 + d*e**2*x**4/4 + d*e*f*x**8/4 + d*f**2*x**12/12

$$3.147 \quad \int (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx$$

Optimal. Leaf size=109

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a+bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

[Out] $a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a+bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$

Rubi [A] time = 0.08, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a+bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2, x]

[Out] $a^2cx + (a^2dx^2)/2 + (a^2ex^3)/3 + (2ab^2cx^5)/5 + (ab^2dx^6)/3 + (2ab^2ex^7)/7 + (b^2cx^9)/9 + (b^2dx^{10})/10 + (b^2ex^{11})/11 + (f(a + b*x^4)^3)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^2 dx &= \frac{f(a + bx^4)^3}{12b} + \int (c + dx + ex^2)(a + bx^4)^2 dx \\
&= \frac{f(a + bx^4)^3}{12b} + \int (a^2c + a^2dx + a^2ex^2 + 2abcx^4 + 2abdx^5 + 2abex^6 + b^2cx^8 + b^2dx^9 + b^2ex^{10} + b^2fx^{12}) dx \\
&= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 124, normalized size = 1.14

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{1}{4}a^2fx^4 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{4}abfx^8 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (a^2*f*x^4)/4 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (a*b*f*x^8)/4 + (b^2*c*x^9)/9 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11 + (b^2*f*x^12)/12

fricas [A] time = 0.46, size = 102, normalized size = 0.94

$$\frac{1}{12}x^{12}fb^2 + \frac{1}{11}x^{11}eb^2 + \frac{1}{10}x^{10}db^2 + \frac{1}{9}x^9cb^2 + \frac{1}{4}x^8fba + \frac{2}{7}x^7eba + \frac{1}{3}x^6dba + \frac{2}{5}x^5cba + \frac{1}{4}x^4fa^2 + \frac{1}{3}x^3ea^2 + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f*b^2 + 1/11*x^11*e*b^2 + 1/10*x^10*d*b^2 + 1/9*x^9*c*b^2 + 1/4*x^8*f*b*a + 2/7*x^7*e*b*a + 1/3*x^6*d*b*a + 2/5*x^5*c*b*a + 1/4*x^4*f*a^2 + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2

giac [A] time = 0.17, size = 105, normalized size = 0.96

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2x^{11}e + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abx^7e + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2x^3e + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$

maple [A] time = 0.04, size = 103, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x)`

[Out] $\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$

maxima [A] time = 1.39, size = 102, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="maxima")`

[Out] $\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$

mupad [B] time = 4.68, size = 102, normalized size = 0.94

$$\frac{fa^2x^4}{4} + \frac{ea^2x^3}{3} + \frac{da^2x^2}{2} + ca^2x + \frac{fabx^8}{4} + \frac{2eabx^7}{7} + \frac{dabx^6}{3} + \frac{2cabx^5}{5} + \frac{fb^2x^{12}}{12} + \frac{eb^2x^{11}}{11} + \frac{db^2x^{10}}{10} + \frac{cb^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)^2*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $\frac{a^2dx^2}{2} + \frac{b^2cx^9}{9} + \frac{a^2ex^3}{3} + \frac{b^2dx^{10}}{10} + \frac{a^2fx^4}{4} + \frac{b^2ex^{11}}{11} + \frac{b^2fx^{12}}{12} + a^2cx + \frac{2abcx^5}{5} + \frac{abdx^6}{3} + \frac{2abex^7}{7} + \frac{abfx^8}{4}$

sympy [A] time = 0.09, size = 121, normalized size = 1.11

$$a^2cx + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{a^2fx^4}{4} + \frac{2abcx^5}{5} + \frac{abdx^6}{3} + \frac{2abex^7}{7} + \frac{abfx^8}{4} + \frac{b^2cx^9}{9} + \frac{b^2dx^{10}}{10} + \frac{b^2ex^{11}}{11} + \frac{b^2fx^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**2,x)
```

```
[Out] a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + a**2*f*x**4/4 + 2*a*b*c*x**5/5 +  
a*b*d*x**6/3 + 2*a*b*e*x**7/7 + a*b*f*x**8/4 + b**2*c*x**9/9 + b**2*d*x**1  
0/10 + b**2*e*x**11/11 + b**2*f*x**12/12
```

3.148 $\int (c + dx + ex^2 + fx^3) (a + bx^4)^3 dx$

Optimal. Leaf size=151

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a+bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13}$$

[Out] $a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{13}b^3cx^{13} + \frac{f(a+bx^4)^4}{16b}$

Rubi [A] time = 0.11, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$\frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a+bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3, x]$

[Out] $a^3cx + (a^3dx^2)/2 + (a^3ex^3)/3 + (3a^2bcx^5)/5 + (a^2bdx^6)/2 + (3a^2bex^7)/7 + (ab^2cx^9)/3 + (3ab^2dx^{10})/10 + (3ab^2ex^{11})/11 + (b^3cx^{13})/13 + (b^3dx^{14})/14 + (b^3ex^{15})/15 + (f*(a + b*x^4)^4)/(16*b)$

Rule 1582

$\text{Int}[(Px_*)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Simp}[(\text{Coeff}[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + \text{Int}[(Px - \text{Coeff}[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /;$ FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

$\text{Int}[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] \rightarrow \text{Int}[\text{Expand}[\text{Integrand}[Pq*(a + b*x + c*x^2)^p, x], x] /;$ FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx &= \frac{f(a + bx^4)^4}{16b} + \int (c + dx + ex^2)(a + bx^4)^3 dx \\
&= \frac{f(a + bx^4)^4}{16b} + \int (a^3c + a^3dx + a^3ex^2 + 3a^2bcx^4 + 3a^2bdx^5 + 3a^2bex^6 + \\
&= a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 +
\end{aligned}$$

Mathematica [A] time = 0.01, size = 180, normalized size = 1.19

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{4}a^3fx^4 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{3}{8}a^2bfx^8 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{4}ab^2fx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3, x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (a^3*f*x^4)/4 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (3*a^2*b*f*x^8)/8 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (a*b^2*f*x^12)/4 + (b^3*c*x^13)/13 + (b^3*d*x^14)/14 + (b^3*e*x^15)/15 + (b^3*f*x^16)/16

fricas [A] time = 0.50, size = 150, normalized size = 0.99

$$\frac{1}{16}x^{16}fb^3 + \frac{1}{15}x^{15}eb^3 + \frac{1}{14}x^{14}db^3 + \frac{1}{13}x^{13}cb^3 + \frac{1}{4}x^{12}fb^2a + \frac{3}{11}x^{11}eb^2a + \frac{3}{10}x^{10}db^2a + \frac{1}{3}x^9cb^2a + \frac{3}{8}x^8fba^2 + \frac{3}{7}x^7eba^2 + \frac{1}{2}x^6fba^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="fricas")

[Out] 1/16*x^16*f*b^3 + 1/15*x^15*e*b^3 + 1/14*x^14*d*b^3 + 1/13*x^13*c*b^3 + 1/4*x^12*f*b^2*a + 3/11*x^11*e*b^2*a + 3/10*x^10*d*b^2*a + 1/3*x^9*c*b^2*a + 3/8*x^8*f*b*a^2 + 3/7*x^7*e*b*a^2 + 1/2*x^6*d*b*a^2 + 3/5*x^5*c*b*a^2 + 1/4*x^4*f*a^3 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3

giac [A] time = 0.17, size = 154, normalized size = 1.02

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3x^{15}e + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2x^{11}e + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bx^7e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="giac")

[Out] $1/16*b^3*f*x^{16} + 1/15*b^3*x^{15}*e + 1/14*b^3*d*x^{14} + 1/13*b^3*c*x^{13} + 1/4*a*b^2*f*x^{12} + 3/11*a*b^2*x^{11}*e + 3/10*a*b^2*d*x^{10} + 1/3*a*b^2*c*x^9 + 3/8*a^2*b*f*x^8 + 3/7*a^2*b*x^7*e + 1/2*a^2*b*d*x^6 + 3/5*a^2*b*c*x^5 + 1/4*a^3*f*x^4 + 1/3*a^3*x^3*e + 1/2*a^3*d*x^2 + a^3*c*x$

maple [A] time = 0.05, size = 151, normalized size = 1.00

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2b^2dx^6 + \frac{3}{5}a^2b^2cx^5 + \frac{1}{4}a^3fx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x)$

[Out] $1/16*b^3*f*x^{16} + 1/15*b^3*e*x^{15} + 1/14*b^3*d*x^{14} + 1/13*b^3*c*x^{13} + 1/4*a*b^2*f*x^{12} + 3/11*a*b^2*e*x^{11} + 3/10*a*b^2*d*x^{10} + 1/3*a*b^2*c*x^9 + 3/8*f*a^2*b*x^8 + 3/7*a^2*b*e*x^7 + 1/2*a^2*b*d*x^6 + 3/5*a^2*b*c*x^5 + 1/4*f*a^3*x^4 + 1/3*a^3*e*x^3 + 1/2*a^3*d*x^2 + a^3*c*x$

maxima [A] time = 1.34, size = 150, normalized size = 0.99

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2b^2dx^6 + \frac{3}{5}a^2b^2cx^5 + \frac{1}{4}a^3fx^4 + \frac{1}{3}a^3ex^3 + \frac{1}{2}a^3dx^2 + a^3cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, \text{algorithm}="maxima")$

[Out] $1/16*b^3*f*x^{16} + 1/15*b^3*e*x^{15} + 1/14*b^3*d*x^{14} + 1/13*b^3*c*x^{13} + 1/4*a*b^2*f*x^{12} + 3/11*a*b^2*e*x^{11} + 3/10*a*b^2*d*x^{10} + 1/3*a*b^2*c*x^9 + 3/8*f*a^2*b*x^8 + 3/7*a^2*b*e*x^7 + 1/2*a^2*b*d*x^6 + 3/5*a^2*b*c*x^5 + 1/4*a^3*f*x^4 + 1/3*a^3*e*x^3 + 1/2*a^3*d*x^2 + a^3*c*x$

mupad [B] time = 4.86, size = 150, normalized size = 0.99

$$\frac{f a^3 x^4}{4} + \frac{e a^3 x^3}{3} + \frac{d a^3 x^2}{2} + c a^3 x + \frac{3 f a^2 b x^8}{8} + \frac{3 e a^2 b x^7}{7} + \frac{d a^2 b x^6}{2} + \frac{3 c a^2 b x^5}{5} + \frac{f a b^2 x^{12}}{4} + \frac{3 e a b^2 x^{11}}{11} + \frac{3 d a b^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b*x^4)^3*(c + d*x + e*x^2 + f*x^3),x)$

[Out] $(a^3*d*x^2)/2 + (b^3*c*x^{13})/13 + (a^3*e*x^3)/3 + (b^3*d*x^{14})/14 + (a^3*f*x^4)/4 + (b^3*e*x^{15})/15 + (b^3*f*x^{16})/16 + a^3*c*x + (3*a^2*b*c*x^5)/5 + (a*b^2*c*x^9)/3 + (a^2*b*d*x^6)/2 + (3*a*b^2*d*x^{10})/10 + (3*a^2*b*e*x^7)/7 + (3*a*b^2*e*x^{11})/11 + (3*a^2*b*f*x^8)/8 + (a*b^2*f*x^{12})/4$

sympy [A] time = 0.13, size = 180, normalized size = 1.19

$$a^3cx + \frac{a^3dx^2}{2} + \frac{a^3ex^3}{3} + \frac{a^3fx^4}{4} + \frac{3a^2bcx^5}{5} + \frac{a^2bdx^6}{2} + \frac{3a^2bex^7}{7} + \frac{3a^2bfx^8}{8} + \frac{ab^2cx^9}{3} + \frac{3ab^2dx^{10}}{10} + \frac{3ab^2ex^{11}}{11} + \frac{ab^2fx^{12}}{4} + \frac{b^3}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**3,x)

[Out] a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + a**3*f*x**4/4 + 3*a**2*b*c*x**5/5 + a**2*b*d*x**6/2 + 3*a**2*b*e*x**7/7 + 3*a**2*b*f*x**8/8 + a*b**2*c*x**9/3 + 3*a*b**2*d*x**10/10 + 3*a*b**2*e*x**11/11 + a*b**2*f*x**12/4 + b**3*c*x**13/13 + b**3*d*x**14/14 + b**3*e*x**15/15 + b**3*f*x**16/16

$$3.149 \quad \int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^2} dx$$

Optimal. Leaf size=155

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)}$$

[Out] $1/4*(a*f+b*x*(e*x^2+d*x+c))/a/b/(-b*x^4+a)+1/4*d*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(3/2)}/b^{(1/2)}+1/8*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(-e*a^{(1/2)}+3*c*b^{(1/2)})/a^{(7/4)}/b^{(3/4)}+1/8*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(e*a^{(1/2)}+3*c*b^{(1/2)})/a^{(7/4)}/b^{(3/4)}$

Rubi [A] time = 0.12, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1854, 1876, 275, 208, 1167, 205}

$$\frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{(\sqrt{a}e + 3\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{8a^{7/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^2, x]

[Out] $(a*f + b*x*(c + d*x + e*x^2))/(4*a*b*(a - b*x^4)) + ((3*\operatorname{Sqrt}[b]*c - \operatorname{Sqrt}[a]*e)*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(8*a^{(7/4)}*b^{(3/4)}) + ((3*\operatorname{Sqrt}[b]*c + \operatorname{Sqrt}[a]*e)*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(8*a^{(7/4)}*b^{(3/4)}) + (d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]])/(4*a^{(3/2)}*\operatorname{Sqrt}[b])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$^k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

Rule 1167

$\text{Int}[(d_ + (e_ \cdot x_)^2)/((a_ + (c_ \cdot x_)^4), x_Symbol] := \text{With}[\{q = \text{Rt}[-(a \cdot c), 2]\}, \text{Dist}[e/2 + (c \cdot d)/(2 \cdot q), \text{Int}[1/(-q + c \cdot x^2), x], x] + \text{Dist}[e/2 - (c \cdot d)/(2 \cdot q), \text{Int}[1/(q + c \cdot x^2), x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c \cdot d^2 - a \cdot e^2, 0] \&\& \text{PosQ}[-(a \cdot c)]$

Rule 1854

$\text{Int}[(Pq_)((a_ + (b_ \cdot x_)^{(n_)})^{(p_)}, x_Symbol] := \text{Module}[\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(a \cdot \text{Coeff}[Pq, x, q] - b \cdot x \cdot \text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, q] \cdot x^q, x]) \cdot (a + b \cdot x^n)^{(p+1)}]/(a \cdot b \cdot n \cdot (p+1)), x] + \text{Dist}[1/(a \cdot n \cdot (p+1)), \text{Int}[\text{Sum}[(n \cdot (p+1) + i + 1) \cdot \text{Coeff}[Pq, x, i] \cdot x^i, \{i, 0, q-1\}] \cdot (a + b \cdot x^n)^{(p+1)}, x], x] /; q == n - 1] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1]$

Rule 1876

$\text{Int}[(Pq_)/((a_ + (b_ \cdot x_)^{(n_)}), x_Symbol] := \text{With}[\{v = \text{Sum}[(x^{ii} \cdot (\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii] \cdot x^{(n/2)}))]/(a + b \cdot x^n), \{ii, 0, n/2 - 1\}]\}, \text{Int}[v, x] /; \text{SumQ}[v] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{Expon}[Pq, x] < n$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^2} dx &= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a - bx^4} dx}{4a} \\
&= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} - \frac{\int \left(-\frac{2dx}{a - bx^4} + \frac{-3c - ex^2}{a - bx^4} \right) dx}{4a} \\
&= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} - \frac{\int \frac{-3c - ex^2}{a - bx^4} dx}{4a} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\
&= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{4a} - \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} - e \right) \int \frac{1}{-\sqrt{a}\sqrt{b - bx^2}} dx}{8a} \\
&= \frac{af + bx(c + dx + ex^2)}{4ab(a - bx^4)} + \frac{(3\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4}b^{3/4}} + \frac{(3\sqrt{b}c + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8a^{7/4}b^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 220, normalized size = 1.42

$$\frac{-\sqrt[4]{b} \log(\sqrt[4]{a} - \sqrt[4]{b}x) (a^{3/4}e + 3\sqrt[4]{a}\sqrt{b}c + 2\sqrt{a}\sqrt[4]{b}d) + \sqrt[4]{b} \log(\sqrt[4]{a} + \sqrt[4]{b}x) (a^{3/4}e + 3\sqrt[4]{a}\sqrt{b}c - 2\sqrt{a}\sqrt[4]{b}d) + \dots}{16a^2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^2,x]

[Out] ((4*a*(a*f + b*x*(c + x*(d + e*x)))/(a - b*x^4) - 2*a^(1/4)*b^(1/4)*(-3*Sqrt[b]*c + Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)] - b^(1/4)*(3*a^(1/4)*Sqrt[b]*c + 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x] + b^(1/4)*(3*a^(1/4)*Sqrt[b]*c - 2*Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x] + 2*Sqrt[a]*Sqrt[b]*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(16*a^2*b)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.23, size = 320, normalized size = 2.06

$$\frac{\sqrt{2} \left(3b^2c - 2\sqrt{2}(-ab^3)^{\frac{1}{4}}bd + \sqrt{-ab}be \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(3b^2c + 2\sqrt{2}(-ab^3)^{\frac{1}{4}}bd - \sqrt{-ab}be \right) a}{16 \left(-ab^3 \right)^{\frac{3}{4}} a} \quad \frac{\sqrt{2} \left(3b^2c + 2\sqrt{2}(-ab^3)^{\frac{1}{4}}bd - \sqrt{-ab}be \right) a}{16 \left(-ab^3 \right)^{\frac{3}{4}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out] -1/16*sqrt(2)*(3*b^2*c - 2*sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(-a*b)*b*e)*arc
tan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*
a) - 1/16*sqrt(2)*(3*b^2*c + 2*sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(-a*b)*b*e)
*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3
/4)*a) - 1/32*sqrt(2)*(3*b^2*c - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)
^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a) + 1/32*sqrt(2)*(3*b^2*c - sqrt(-a*b
) *b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a) -
1/4*(b*x^3*e + b*d*x^2 + b*c*x + a*f)/((b*x^4 - a)*a*b)

maple [B] time = 0.05, size = 248, normalized size = 1.60

$$\frac{f x^4}{4(b x^4 - a) a} - \frac{e x^3}{4(b x^4 - a) a} - \frac{d x^2}{4(b x^4 - a) a} - \frac{c x}{4(b x^4 - a) a} - \frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{8 \sqrt{ab} a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out] -1/4/(b*x^4-a)/a*c*x+3/16*(a/b)^(1/4)/a^2*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+3/8*(a/b)^(1/4)/a^2*c*arctan(1/(a/b)^(1/4)*x)-1/4/(b*x^4-a)/a*d*x^2-1/8/(a*b)^(1/2)/a*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/4/(b*x^4-a)/a*e*x^3-1/8/(a/b)^(1/4)/a/b*e*arctan(1/(a/b)^(1/4)*x)+1/16/(a/b)^(1/4)/a/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-1/4*f*x^4/a/(b*x^4-a)

maxima [A] time = 3.00, size = 200, normalized size = 1.29

$$\frac{bex^3 + bdx^2 + bcx + af}{4(ab^2x^4 - a^2b)} + \frac{2d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{2d \log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{2(3\sqrt{b}c - \sqrt{a}e) \arctan \left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}} \right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - \frac{(3\sqrt{b}c + \sqrt{a}e) \log \left(\frac{\sqrt{b}x - \sqrt{a}}{\sqrt{b}x + \sqrt{a}} \right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out]
$$-1/4*(b*e*x^3 + b*d*x^2 + b*c*x + a*f)/(a*b^2*x^4 - a^2*b) + 1/16*(2*d*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 2*d*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(3*\sqrt{b}*c - \sqrt{a}*e)*\arctan(\sqrt{b}*x/\sqrt{a}*\sqrt{b}))/(\sqrt{a}*\sqrt{a}*\sqrt{b})*\sqrt{b} - (3*\sqrt{b}*c + \sqrt{a}*e)*\log((\sqrt{b}*x - \sqrt{a}*\sqrt{b}))/(\sqrt{b}*x + \sqrt{a}*\sqrt{b}))/(\sqrt{a}*\sqrt{a}*\sqrt{b})*\sqrt{b})/a$$

mupad [B] time = 0.41, size = 483, normalized size = 3.12

$$\left(\sum_{k=1}^4 \ln \left(-\text{root} \left(65536 a^7 b^3 z^4 - 3072 a^4 b^2 c e z^2 - 2048 a^4 b^2 d^2 z^2 + 1152 a^2 b^2 c^2 d z + 128 a^3 b d e^2 z - 48 a b c d \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^2,x)

[Out]
$$\text{symsum}(\log(-\text{root}(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k)) * (\text{root}(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k)) * (12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 + 4*a^2*b^2*e^2)) / (16*a^3) - (b^2*d*e)/a - (12*b^2*c*d^2 - 9*b^2*c^2*e + a*b*e^3) / (64*a^3) - (x*(2*b^2*d^3 - 3*b^2*c*d*e)) / (16*a^3)) * \text{root}(65536*a^7*b^3*z^4 - 3072*a^4*b^2*c*e*z^2 - 2048*a^4*b^2*d^2*z^2 + 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 - 81*b^2*c^4 - a^2*e^4, z, k), k, 1, 4) + (f/(4*b) + (d*x^2)/(4*a) + (e*x^3)/(4*a) + (c*x)/(4*a)) / (a - b*x^4)$$

sympy [B] time = 24.17, size = 520, normalized size = 3.35

$$\text{RootSum} \left(65536 t^4 a^7 b^3 + t^2 (-3072 a^4 b^2 c e - 2048 a^4 b^2 d^2) + t (128 a^3 b d e^2 + 1152 a^2 b^2 c^2 d) - a^2 e^4 + 18 a b c^2 e^2 - 4 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,x)

[Out]
$$\text{RootSum}(65536*_t**4*a**7*b**3 + *_t**2*(-3072*a**4*b**2*c*e - 2048*a**4*b**2*d**2) + *_t*(128*a**3*b*d*e**2 + 1152*a**2*b**2*c**2*d) - a**2*e**4 + 18*a*b*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 - 81*b**2*c**4, \text{Lambda}(*_t, *_t*\log(x + (4096*_t**3*a**7*b**2*e**3 + 36864*_t**3*a**6*b**3*c**2*e - 98304*_t$$

$$\begin{aligned}
& **3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2 \\
& *d**3*e - 13824*_t**2*a**4*b**3*c**3*d - 144*_t*a**4*b*c*e**4 - 192*_t*a**4 \\
& *b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e \\
& + 1536*_t*a**3*b**2*c*d**4 - 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 - 120*a \\
& **2*b*c*d**3*e**2 + 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c* \\
& *3*d**3)/(a**3*e**6 + 9*a**2*b*c**2*e**4 - 96*a**2*b*c*d**2*e**3 + 64*a**2* \\
& b*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c** \\
& 2*d**4 - 729*b**3*c**6)))) + (-a*f - b*c*x - b*d*x**2 - b*e*x**3)/(-4*a**2* \\
& b + 4*a*b**2*x**4)
\end{aligned}$$

$$3.150 \quad \int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^3} dx$$

Optimal. Leaf size=188

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af}{32a^2(a - bx^4)}$$

[Out] 1/32*x*(5*e*x^2+6*d*x+7*c)/a^2/(-b*x^4+a)+1/8*(a*f+b*x*(e*x^2+d*x+c))/a/b/(-b*x^4+a)^2+3/16*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(1/2)+1/64*arctan(b^(1/4)*x/a^(1/4))*(-5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)+1/64*arctanh(b^(1/4)*x/a^(1/4))*(5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)

Rubi [A] time = 0.15, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{(5\sqrt{a}e + 21\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{64a^{11/4}b^{3/4}} + \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{af}{32a^2(a - bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^3, x]

[Out] (x*(7*c + 6*d*x + 5*e*x^2))/(32*a^2*(a - b*x^4)) + (a*f + b*x*(c + d*x + e*x^2))/(8*a*b*(a - b*x^4)^2) + ((21*sqrt[b]*c - 5*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(3/4)) + ((21*sqrt[b]*c + 5*sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(3/4)) + (3*d*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(16*a^(5/2)*sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^3} dx &= \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a - bx^4)^2} dx}{8a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\int \frac{21c + 12dx + 5ex^2}{a - bx^4} dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\int \left(\frac{12dx}{a - bx^4} + \frac{21c + 5ex^2}{a - bx^4} \right) dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\int \frac{21c + 5ex^2}{a - bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a - bx^4} dx}{8a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{(3d) \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{16a^2} - \frac{(2d)}{16a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{8ab(a - bx^4)^2} + \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{64a^{9/4}b^{3/4}} + \frac{(21\sqrt{b}c)}{64a^{9/4}b^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 253, normalized size = 1.35

$$\frac{\log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(5a^{3/4}e + 21\sqrt[4]{a}\sqrt{b}c + 12\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} + \frac{\log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(5a^{3/4}e + 21\sqrt[4]{a}\sqrt{b}c - 12\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} + \frac{16a^2(af + bx(c + x(d + ex)))}{b(a - bx^4)^2} + \frac{2\sqrt[4]{a}(21\sqrt{b}c)}{128a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^3, x]

[Out] ((4*a*x*(7*c + x*(6*d + 5*e*x)))/(a - b*x^4) + (16*a^2*(a*f + b*x*(c + x*(d + e*x))))/(b*(a - b*x^4)^2) + (2*a^(1/4)*(21*sqrt[b]*c - 5*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(3/4) - ((21*a^(1/4)*sqrt[b]*c + 12*sqrt[a]*b^(1/4)*d + 5*a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x]/b^(3/4) + ((21*a^(1/4)*sqrt[b]*c - 12*sqrt[a]*b^(1/4)*d + 5*a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x]/b^(3/4) + (12*sqrt[a]*d*Log[sqrt[a] + sqrt[b]*x^2])/sqrt[b])/(128*a^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.20, size = 358, normalized size = 1.90

$$\frac{\sqrt{2} \left(21 b^2 c - 12 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + 5 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 (-ab^3)^{\frac{3}{4}} a^2} - \frac{\sqrt{2} \left(21 b^2 c + 12 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - 5 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 (-ab^3)^{\frac{3}{4}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out] -1/128*sqrt(2)*(21*b^2*c - 12*sqrt(2)*(-a*b^3)^(1/4)*b*d + 5*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^2) - 1/128*sqrt(2)*(21*b^2*c + 12*sqrt(2)*(-a*b^3)^(1/4)*b*d - 5*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^2) - 1/256*sqrt(2)*(21*b^2*c - 5*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^2) + 1/256*sqrt(2)*(21*b^2*c - 5*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^2) - 1/32*(5*b^2*x^7*e + 6*b^2*d*x^6 + 7*b^2*c*x^5 - 9*a*b*x^3*e - 10*a*b*d*x^2 - 11*a*b*c*x - 4*a^2*f)/((b*x^4 - a)^2*a^2*b)

maple [B] time = 0.05, size = 326, normalized size = 1.73

$$\frac{f x^4}{8(b x^4 - a)^2 a} + \frac{e x^3}{8(b x^4 - a)^2 a} - \frac{f x^4}{8(b x^4 - a) a^2} + \frac{d x^2}{8(b x^4 - a)^2 a} - \frac{5 e x^3}{32(b x^4 - a) a^2} + \frac{c x}{8(b x^4 - a)^2 a} - \frac{3 d x^2}{16(b x^4 - a) a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out] 1/8/(b*x^4-a)^2/a*c*x-7/32/(b*x^4-a)/a^2*c*x+21/128*(a/b)^(1/4)/a^3*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+21/64*(a/b)^(1/4)/a^3*c*arctan(1/(a/b)^(1/4)*x)+1/8/(b*x^4-a)^2/a*d*x^2-3/16/(b*x^4-a)/a^2*d*x^2-3/32/(a*b)^(1/2)/a^2*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))+1/8/(b*x^4-a)^2/a*e*x^3-5/32/(b*x^4-a)/a^2*e*x^3-5/64/(a/b)^(1/4)/a^2/b*e*arctan(1/(a/b)^(1/4)*x)+5/128/

$(a/b)^{1/4}/a^2/b*e*\ln((x+(a/b)^{1/4})/(x-(a/b)^{1/4}))+1/8*f*x^4/a/(b*x^4-a)^2-1/8*f/a^2*x^4/(b*x^4-a)$

maxima [A] time = 2.96, size = 249, normalized size = 1.32

$$\frac{5b^2ex^7 + 6b^2dx^6 + 7b^2cx^5 - 9abex^3 - 10abdx^2 - 11abcx - 4a^2f}{32(a^2b^3x^8 - 2a^3b^2x^4 + a^4b)} + \frac{12d\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{12d\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{2(21\sqrt{b}cx + 5\sqrt{a}e)\arctan(\sqrt{b}x/\sqrt{a})}{\sqrt{a}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] $-1/32*(5*b^2*e*x^7 + 6*b^2*d*x^6 + 7*b^2*c*x^5 - 9*a*b*e*x^3 - 10*a*b*d*x^2 - 11*a*b*c*x - 4*a^2*f)/(a^2*b^3*x^8 - 2*a^3*b^2*x^4 + a^4*b) + 1/128*(12*d*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 12*d*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(21*\sqrt{b}*c - 5*\sqrt{a}*e)*\arctan(\sqrt{b}*x/\sqrt{a})/(\sqrt{a}*\sqrt{b})))/(\sqrt{a}*\sqrt{b}) - (21*\sqrt{b}*c + 5*\sqrt{a}*e)*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}})))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}*sqrt(b))/a^2$

mupad [B] time = 5.18, size = 832, normalized size = 4.43

$$\left(\sum_{k=1}^4 \ln \left(\frac{b \left(125 a^3 + 3024 b c d^2 - 2205 b^2 c^2 e + 1728 b^3 d^3 x + \sqrt{268435456 a^{11} b^3 z^4 - 6881280 a^6 b^2 c e z^2} \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^3,x)

[Out] $\text{symsum}(\log(-(b*(125*a^3 + 3024*b*c*d^2 - 2205*b^2*c^2*e + 1728*b^3*d^3*x + 344064*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)^2*a^5*b^2*c + 3200*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)*a^3*b*e^2*x - 2520*b*c*d*e*x + 56448*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)*a^2*b^2*c^2*x - 196608*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)))/((a - b*x^4)^3, x)$

$$e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k) \\ ^2*a^5*b^2*d*x - 15360*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k)*a^3*b*d*e))/ (32768*a^6))*\text{root}(268435456*a^{11}*b^3*z^4 - 6881280*a^6*b^2*c*e*z^2 - 4718592*a^6*b^2*d^2*z^2 + 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 - 625*a^2*e^4 - 194481*b^2*c^4, z, k), k, 1, 4) + (f/(8*b) + (5*d*x^2)/(16*a) + (9*e*x^3)/(32*a) + (11*c*x)/(32*a) - (7*b*c*x^5)/(32*a^2) - (3*b*d*x^6)/(16*a^2) - (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 - 2*a*b*x^4)$$

sympy [B] time = 116.92, size = 583, normalized size = 3.10

$$-\text{RootSum}\left(268435456t^4a^{11}b^3 + t^2(-6881280a^6b^2ce - 4718592a^6b^2d^2)\right) + t(-153600a^4bde^2 - 2709504a^3b^2c^2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)

[Out] -RootSum(268435456*_t**4*a**11*b**3 + _t**2*(-6881280*a**6*b**2*c*e - 4718592*a**6*b**2*d**2) + _t*(-153600*a**4*b*d*e**2 - 2709504*a**3*b**2*c**2*d) - 625*a**2*e**4 + 22050*a*b*c**2*e**2 - 60480*a*b*c*d**2*e + 20736*a*b*d**4 - 194481*b**2*c**4, Lambda(_t, _t*log(x + (-262144000*_t**3*a**10*b**2*e**3 - 4624220160*_t**3*a**9*b**3*c**2*e + 12683575296*_t**3*a**9*b**3*c*d**2 + 309657600*_t**2*a**7*b**2*c*d*e**2 - 283115520*_t**2*a**7*b**2*d**3*e - 1820786688*_t**2*a**6*b**3*c**3*d + 5040000*_t*a**5*b*c*e**4 + 6912000*_t*a**5*b*d**2*e**3 + 118540800*_t*a**4*b**2*c**3*e**2 - 365783040*_t*a**4*b**2*c**2*d**2*e - 111476736*_t*a**4*b**2*c*d**4 + 522764928*_t*a**3*b**3*c**5 + 112500*a**3*d*e**5 - 4536000*a**2*b*c*d**3*e**2 + 2488320*a**2*b*d**5*e + 58344300*a*b**2*c**4*d*e - 80015040*a*b**2*c**3*d**3))/(15625*a**3*e**6 + 275625*a**2*b*c**2*e**4 - 3024000*a**2*b*c*d**2*e**3 + 2073600*a**2*b*d**4*e**2 - 4862025*a*b**2*c**4*e**2 + 53343360*a*b**2*c**3*d**2*e - 36578304*a*b**2*c**2*d**4 - 85766121*b**3*c**6))) - (-4*a**2*f - 11*a*b*c*x - 10*a*b*d*x**2 - 9*a*b*e*x**3 + 7*b**2*c*x**5 + 6*b**2*d*x**6 + 5*b**2*e*x**7)/(32*a**4*b - 64*a**3*b**2*x**4 + 32*a**2*b**3*x**8)

$$3.151 \quad \int \frac{c+dx+ex^2+fx^3}{(a-bx^4)^4} dx$$

Optimal. Leaf size=220

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)}$$

[Out] 1/96*x*(9*e*x^2+10*d*x+11*c)/a^2/(-b*x^4+a)^2+1/384*x*(45*e*x^2+60*d*x+77*c)/a^3/(-b*x^4+a)+1/12*(a*f+b*x*(e*x^2+d*x+c))/a/b/(-b*x^4+a)^3+5/32*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)+1/256*arctan(b^(1/4)*x/a^(1/4))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)+1/256*arctanh(b^(1/4)*x/a^(1/4))*(15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)

Rubi [A] time = 0.19, antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{(15\sqrt{a}e + 77\sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{256a^{15/4}b^{3/4}} + \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^4, x]

[Out] (x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a - b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a - b*x^4)) + (a*f + b*x*(c + d*x + e*x^2))/(12*a*b*(a - b*x^4)^3) + ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(3/4)) + (5*d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a - bx^4)^4} dx &= \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a - bx^4)^3} dx}{12a} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a - bx^4)^2} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} - \frac{\int \frac{-23c - 20dx - 15ex^2}{(a - bx^4)} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} - \frac{\int \left(-\frac{11c}{a} - \frac{10d}{a}x - \frac{9e}{a}x^2\right) dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} - \frac{\int \frac{-23c - 20dx - 15ex^2}{a} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} + \frac{(5d)S}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a - bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a - bx^4)} + \frac{af + bx(c + dx + ex^2)}{12ab(a - bx^4)^3} + \frac{(77\sqrt{a})}{96a^2}
\end{aligned}$$

Mathematica [A] time = 0.50, size = 286, normalized size = 1.30

$$\frac{3 \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(15a^{3/4}e + 77\sqrt[4]{a}\sqrt{b}c + 40\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} + \frac{3 \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(15a^{3/4}e + 77\sqrt[4]{a}\sqrt{b}c - 40\sqrt{a}\sqrt[4]{b}d\right)}{b^{3/4}} - \frac{128a^3(af + bx(c + x(d + ex)))}{b(bx^4 - a)^3} + \frac{16a^2}{1536a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^4,x]

[Out] ((4*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a - b*x^4) + (16*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a - b*x^4)^2 - (128*a^3*(a*f + b*x*(c + x*(d + e*x))))/(b*(-a + b*x^4)^3) + (6*a^(1/4)*(77*sqrt[b]*c - 15*sqrt[a]*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/b^(3/4) - (3*(77*a^(1/4)*sqrt[b]*c + 40*sqrt[a]*b^(1/4)*d + 15*a^2

$(3/4)*e)*\text{Log}[a^{(1/4)} - b^{(1/4)}*x])/b^{(3/4)} + (3*(77*a^{(1/4)}*\text{Sqrt}[b]*c - 40*\text{Sqrt}[a]*b^{(1/4)}*d + 15*a^{(3/4)}*e)*\text{Log}[a^{(1/4)} + b^{(1/4)}*x])/b^{(3/4)} + (120*\text{Sqrt}[a]*d*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b]*x^2))/\text{Sqrt}[b))/(1536*a^4)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 395, normalized size = 1.80

$$\frac{\sqrt{2} \left(77 b^2 c - 40 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d + 15 \sqrt{-ab} b e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(77 b^2 c + 40 \sqrt{2} (-ab^3)^{\frac{1}{4}} b d - 15 \sqrt{-ab} b e \right)}{512 (-ab^3)^{\frac{3}{4}} a^3} + \frac{512 (-ab^3)^{\frac{3}{4}} a^3}{512 (-ab^3)^{\frac{3}{4}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] $-1/512*\text{sqrt}(2)*(77*b^2*c - 40*\text{sqrt}(2)*(-a*b^3)^{(1/4)}*b*d + 15*\text{sqrt}(-a*b)*b*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^3) - 1/512*\text{sqrt}(2)*(77*b^2*c + 40*\text{sqrt}(2)*(-a*b^3)^{(1/4)}*b*d - 15*\text{sqrt}(-a*b)*b*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^3) - 1/1024*\text{sqrt}(2)*(77*b^2*c - 15*\text{sqrt}(-a*b)*b*e)*\log(x^2 + \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/((-a*b^3)^{(3/4)}*a^3) + 1/1024*\text{sqrt}(2)*(77*b^2*c - 15*\text{sqrt}(-a*b)*b*e)*\log(x^2 - \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/((-a*b^3)^{(3/4)}*a^3) - 1/384*(45*b^3*x^{11}*e + 60*b^3*d*x^{10} + 77*b^3*c*x^9 - 126*a*b^2*x^7*e - 160*a*b^2*d*x^6 - 198*a*b^2*c*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x + 32*a^3*f)/((b*x^4 - a)^3*a^3*b)$

maple [A] time = 0.06, size = 280, normalized size = 1.27

$$\frac{5d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{64\sqrt{ab} a^3} + \frac{15e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{15e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^3 b} + \frac{77 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{256 a^4} + \frac{77 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4} + \frac{-15b^2 e x^3}{128 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)$

[Out] $(-15/128/a^3*b^2*e*x^{11}-5/32/a^3*b^2*d*x^{10}-77/384/a^3*b^2*c*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6+33/64/a^2*b*c*x^5-113/384/a*e*x^3-11/32/a*d*x^2-51/128/a*c*x-1/12*f/b)/(b*x^4-a)^3+77/512*(a/b)^{(1/4)}/a^4*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+77/256*(a/b)^{(1/4)}/a^4*c*\arctan(1/(a/b)^{(1/4)}*x)-5/64/(a*b)^{(1/2)}/a^3*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-15/256/(a/b)^{(1/4)}/a^3/b*e*\arctan(1/(a/b)^{(1/4)}*x)+15/512/(a/b)^{(1/4)}/a^3/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 3.06, size = 297, normalized size = 1.35

$$\frac{45 b^3 e x^{11} + 60 b^3 d x^{10} + 77 b^3 c x^9 - 126 a b^2 e x^7 - 160 a b^2 d x^6 - 198 a b^2 c x^5 + 113 a^2 b e x^3 + 132 a^2 b d x^2 + 153 a^2 b c x + 32 a^3 f}{384 (a^3 b^4 x^{12} - 3 a^4 b^3 x^8 + 3 a^5 b^2 x^4 - a^6 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, \text{algorithm}="maxima")$

[Out] $-1/384*(45*b^3*e*x^{11} + 60*b^3*d*x^{10} + 77*b^3*c*x^9 - 126*a*b^2*e*x^7 - 160*a*b^2*d*x^6 - 198*a*b^2*c*x^5 + 113*a^2*b*e*x^3 + 132*a^2*b*d*x^2 + 153*a^2*b*c*x + 32*a^3*f)/(a^3*b^4*x^{12} - 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 - a^6*b) + 1/512*(40*d*\log(\text{sqrt}(b)*x^2 + \text{sqrt}(a))/(\text{sqrt}(a)*\text{sqrt}(b)) - 40*d*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(a))/(\text{sqrt}(a)*\text{sqrt}(b)) + 2*(77*\text{sqrt}(b)*c - 15*\text{sqrt}(a)*e)*\arctan(\text{sqrt}(b)*x/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)) - (77*\text{sqrt}(b)*c + 15*\text{sqrt}(a)*e)*\log((\text{sqrt}(b)*x - \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(b)*x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)))/a^3$

mupad [B] time = 5.25, size = 880, normalized size = 4.00

$$\left(\sum_{k=1}^4 \ln \left(-\frac{b \left(3375 a e^3 + 123200 b c d^2 - 88935 b c^2 e + 64000 b d^3 x + \text{root} \left(68719476736 a^{15} b^3 z^4 - 1211105280 a^8 b^2 d^2 z^2 + 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d^2 e z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 - 35153041 \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3)/(a - b*x^4)^4,x)$

[Out] $\text{symsum}(\log(-(b*(3375*a*e^3 + 123200*b*c*d^2 - 88935*b*c^2*e + 64000*b*d^3*x + 20185088*\text{root}(68719476736*a^{15}*b^3*z^4 - 1211105280*a^8*b^2*d^2*z^2 - 838860800*a^8*b^2*d^2*z^2 + 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d^2*e*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 - 35153041*$

$$\begin{aligned}
& b^2c^4 - 50625a^2e^4, z, k)^2 a^7 b^2 c + 115200 \operatorname{root}(68719476736 a^{15} b^3 z^4 - 1211105280 a^8 b^2 c e z^2 - 838860800 a^8 b^2 d^2 z^2 + 485703680 \\
& a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a \\
& b c^2 e^2 + 2560000 a b d^4 - 35153041 b^2 c^4 - 50625 a^2 e^4, z, k) a^4 * \\
& b e^2 x - 92400 b c d e x + 3035648 \operatorname{root}(68719476736 a^{15} b^3 z^4 - 1211105 \\
& 280 a^8 b^2 c e z^2 - 838860800 a^8 b^2 d^2 z^2 + 485703680 a^4 b^2 c^2 d z \\
& + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 256 \\
& 0000 a b d^4 - 35153041 b^2 c^4 - 50625 a^2 e^4, z, k) a^3 b^2 c^2 x - 1048 \\
& 5760 \operatorname{root}(68719476736 a^{15} b^3 z^4 - 1211105280 a^8 b^2 c e z^2 - 838860800 \\
& a^8 b^2 d^2 z^2 + 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d e^2 z - 739 \\
& 2000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 - 35153041 b^2 c^4 \\
& - 50625 a^2 e^4, z, k)^2 a^7 b^2 d x - 614400 \operatorname{root}(68719476736 a^{15} b^3 z^4 \\
& - 1211105280 a^8 b^2 c e z^2 - 838860800 a^8 b^2 d^2 z^2 + 485703680 a^4 b^2 c^2 d z \\
& + 18432000 a^5 b d e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 - 35153041 b^2 c^4 - 50625 a^2 e^4, z, k) a^4 b d e \\
&) / (2097152 a^9) \operatorname{root}(68719476736 a^{15} b^3 z^4 - 1211105280 a^8 b^2 c e z^2 \\
& - 838860800 a^8 b^2 d^2 z^2 + 485703680 a^4 b^2 c^2 d z + 18432000 a^5 b d \\
& e^2 z - 7392000 a b c d^2 e + 2668050 a b c^2 e^2 + 2560000 a b d^4 - 351 \\
& 53041 b^2 c^4 - 50625 a^2 e^4, z, k), k, 1, 4) + (f/(12*b) + (11*d*x^2)/(32 \\
& *a) + (113*e*x^3)/(384*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (\\
& 5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) - (33*b*c*x^5)/(64*a^2) \\
& - (5*b*d*x^6)/(12*a^2) - (21*b*e*x^7)/(64*a^2)) / (a^3 - b^3*x^12 - 3*a^2*b*x \\
& ^4 + 3*a*b^2*x^8)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,x)

[Out] Timed out

$$3.152 \quad \int \frac{a}{2+3x^4} dx$$

Optimal. Leaf size=101

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}}$$

[Out] 1/24*a*arctan(-1+6^(1/4)*x)*6^(3/4)+1/24*a*arctan(1+6^(1/4)*x)*6^(3/4)-1/48*a*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/48*a*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)

Rubi [A] time = 0.10, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.636$, Rules used = {12, 211, 1165, 628, 1162, 617, 204}

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}}$$

Antiderivative was successfully verified.

[In] Int[a/(2 + 3*x^4), x]

[Out] -(a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{a}{2+3x^4} dx &= a \int \frac{1}{2+3x^4} dx \\
&= \frac{a \int \frac{\sqrt{2}-\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2}+\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} \\
&= \frac{a \int \frac{1}{\sqrt{\frac{2}{3}-\frac{2^{3/4}x}{\sqrt{3}}+x^2}} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3}+\frac{2^{3/4}x}{\sqrt{3}}+x^2}} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt{3}}+2x}{-\sqrt{\frac{2}{3}-\frac{2^{3/4}x}{\sqrt{3}}-x^2}} dx}{8\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt{3}}-2x}{-\sqrt{\frac{2}{3}+\frac{2^{3/4}x}{\sqrt{3}}-x^2}} dx}{8\sqrt{6}} \\
&= -\frac{a \log(\sqrt{6}-6^{3/4}x+3x^2)}{8\sqrt{6}} + \frac{a \log(\sqrt{6}+6^{3/4}x+3x^2)}{8\sqrt{6}} + \frac{a \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1-\sqrt[4]{6}x\right)}{4\sqrt{6}} - \frac{a \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1+\sqrt[4]{6}x\right)}{4\sqrt{6}} \\
&= -\frac{a \tan^{-1}(1-\sqrt[4]{6}x)}{4\sqrt{6}} + \frac{a \tan^{-1}(1+\sqrt[4]{6}x)}{4\sqrt{6}} - \frac{a \log(\sqrt{6}-6^{3/4}x+3x^2)}{8\sqrt{6}} + \frac{a \log(\sqrt{6}+6^{3/4}x+3x^2)}{8\sqrt{6}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 78, normalized size = 0.77

$$\frac{a(-\log(\sqrt{6}x^2-2\sqrt[4]{6}x+2)+\log(\sqrt{6}x^2+2\sqrt[4]{6}x+2)-2\tan^{-1}(1-\sqrt[4]{6}x)+2\tan^{-1}(\sqrt[4]{6}x+1))}{8\sqrt[4]{6}}$$

Antiderivative was successfully verified.

[In] Integrate[a/(2 + 3*x^4), x]

[Out] (a*(-2*ArcTan[1 - 6^(1/4)*x] + 2*ArcTan[1 + 6^(1/4)*x] - Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2]))/(8*6^(1/4))

fricas [B] time = 0.82, size = 284, normalized size = 2.81

$$-\frac{1}{48} \cdot 24^{\frac{3}{4}} \sqrt{2} (a^4)^{\frac{1}{4}} \arctan \left(\frac{4a^3 + 2 \cdot 24^{\frac{1}{4}} \sqrt{2} (a^4)^{\frac{3}{4}} x - 24^{\frac{1}{4}} \sqrt{2} \sqrt{\frac{1}{3}} (a^4)^{\frac{3}{4}} \sqrt{\frac{12a^2x^2 + 24^{\frac{3}{4}} \sqrt{2} (a^4)^{\frac{1}{4}} ax + 4\sqrt{6}\sqrt{a^4}}{a^2}}}{4a^3} \right) - \frac{1}{48} \cdot 24^{\frac{3}{4}} \sqrt{2} (a^4)^{\frac{1}{4}} \arctan \left(\frac{4a^3 + 2 \cdot 24^{\frac{1}{4}} \sqrt{2} (a^4)^{\frac{3}{4}} x + 24^{\frac{1}{4}} \sqrt{2} \sqrt{\frac{1}{3}} (a^4)^{\frac{3}{4}} \sqrt{\frac{12a^2x^2 + 24^{\frac{3}{4}} \sqrt{2} (a^4)^{\frac{1}{4}} ax + 4\sqrt{6}\sqrt{a^4}}{a^2}}}{4a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x^4+2), x, algorithm="fricas")

[Out] -1/48*24^(3/4)*sqrt(2)*(a^4)^(1/4)*arctan(-1/4*(4*a^3 + 2*24^(1/4)*sqrt(2)*(a^4)^(3/4)*x - 24^(1/4)*sqrt(2)*sqrt(1/3)*(a^4)^(3/4)*sqrt((12*a^2*x^2 + 2

$$4^{3/4} \sqrt{2} (a^4)^{1/4} a x + 4 \sqrt{6} \sqrt{a^4} / a^2) / a^3 - 1/48 \cdot 24^{3/4} \sqrt{2} (a^4)^{1/4} \arctan(1/4 (4a^3 - 2 \cdot 24^{1/4} \sqrt{2} (a^4)^{3/4} x + 24^{1/4} \sqrt{2} \sqrt{1/3} (a^4)^{3/4} \sqrt{(12a^2 x^2 - 24^{3/4} \sqrt{2} (a^4)^{1/4} a x + 4 \sqrt{6} \sqrt{a^4}) / a^3) + 1/192 \cdot 24^{3/4} \sqrt{2} (a^4)^{1/4} \log(12a^2 x^2 + 24^{3/4} \sqrt{2} (a^4)^{1/4} a x + 4 \sqrt{6} \sqrt{a^4}) - 1/192 \cdot 24^{3/4} \sqrt{2} (a^4)^{1/4} \log(12a^2 x^2 - 24^{3/4} \sqrt{2} (a^4)^{1/4} a x + 4 \sqrt{6} \sqrt{a^4}))$$

giac [A] time = 0.20, size = 97, normalized size = 0.96

$$\frac{1}{48} \left(2 \cdot 6^{3/4} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{3/4} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{1/4} \right) \right) + 2 \cdot 6^{3/4} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{3/4} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{1/4} \right) \right) + 6^{3/4} \log \left(x^2 + \sqrt{2} \left(\frac{2}{3} \right)^{1/4} x + \sqrt{2/3} \right) - 6^{3/4} \log \left(x^2 - \sqrt{2} \left(\frac{2}{3} \right)^{1/4} x + \sqrt{2/3} \right) \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x^4+2),x, algorithm="giac")

[Out] 1/48*(2*6^(3/4)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 2*6^(3/4)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 6^(3/4)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 6^(3/4)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)))*a

maple [A] time = 0.04, size = 114, normalized size = 1.13

$$\frac{\sqrt{3} 6^{1/4} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{3/4} x}{6} - 1 \right)}{24} + \frac{\sqrt{3} 6^{1/4} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{3/4} x}{6} + 1 \right)}{24} + \frac{\sqrt{3} 6^{1/4} \sqrt{2} a \ln \left(\frac{x^2 + \frac{\sqrt{3} 6^{1/4} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} 6^{1/4} \sqrt{2} x + \sqrt{6}}{3}} \right)}{48}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a/(3*x^4+2),x)

[Out] 1/24*a*3^(1/2)*6^(1/4)*2^(1/2)*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/24*a*3^(1/2)*6^(1/4)*2^(1/2)*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/48*a*3^(1/2)*6^(1/4)*2^(1/2)*ln((x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))

maxima [A] time = 2.94, size = 123, normalized size = 1.22

$$\frac{1}{48} \left(2 \cdot 3^{3/4} 2^{3/4} \arctan \left(\frac{1}{6} \cdot 3^{3/4} 2^{1/4} \left(2 \sqrt{3} x + 3^{1/4} 2^{3/4} \right) \right) + 2 \cdot 3^{3/4} 2^{3/4} \arctan \left(\frac{1}{6} \cdot 3^{3/4} 2^{1/4} \left(2 \sqrt{3} x - 3^{1/4} 2^{3/4} \right) \right) + 3^{3/4} 2^{3/4} \log \left(\sqrt{3} x^2 + \sqrt{2} \left(\frac{2}{3} \right)^{1/4} x + \sqrt{2/3} \right) - 3^{3/4} 2^{3/4} \log \left(\sqrt{3} x^2 - \sqrt{2} \left(\frac{2}{3} \right)^{1/4} x + \sqrt{2/3} \right) \right) a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{48} \cdot 2 \cdot 3^{3/4} \cdot 2^{3/4} \cdot \arctan\left(\frac{1}{6} \cdot 3^{3/4} \cdot 2^{1/4} \cdot (2 \cdot \sqrt{3} \cdot x + 3^{1/4} \cdot 2^{3/4})\right) + 2 \cdot 3^{3/4} \cdot 2^{3/4} \cdot \arctan\left(\frac{1}{6} \cdot 3^{3/4} \cdot 2^{1/4} \cdot (2 \cdot \sqrt{3} \cdot x - 3^{1/4} \cdot 2^{3/4})\right) + 3^{3/4} \cdot 2^{3/4} \cdot \log(\sqrt{3} \cdot x^2 + 3^{1/4} \cdot 2^{3/4} \cdot x + \sqrt{2}) - 3^{3/4} \cdot 2^{3/4} \cdot \log(\sqrt{3} \cdot x^2 - 3^{1/4} \cdot 2^{3/4} \cdot x + \sqrt{2})\right) \cdot a$

mupad [B] time = 0.12, size = 36, normalized size = 0.36

$$\frac{(-1)^{1/4} 6144^{3/4} a \left(\operatorname{atan}\left(\frac{(-1)^{1/4} 6144^{1/4} x}{8}\right) 1i + \operatorname{atanh}\left(\frac{(-1)^{1/4} 6144^{1/4} x}{8}\right) 1i \right)}{3072}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a/(3*x^4 + 2),x)

[Out] $-\left((-1)^{1/4} \cdot 6144^{3/4} \cdot a \cdot \left(\operatorname{atan}\left(\frac{(-1)^{1/4} \cdot 6144^{1/4} \cdot x}{8}\right) \cdot 1i + \operatorname{atanh}\left(\frac{(-1)^{1/4} \cdot 6144^{1/4} \cdot x}{8}\right) \cdot 1i\right)\right) / 3072$

sympy [A] time = 0.44, size = 88, normalized size = 0.87

$$a \left(\frac{6^{3/4} \log\left(x^2 - \frac{6^{3/4} x}{3} + \frac{\sqrt{6}}{3}\right)}{48} + \frac{6^{3/4} \log\left(x^2 + \frac{6^{3/4} x}{3} + \frac{\sqrt{6}}{3}\right)}{48} + \frac{6^{3/4} \operatorname{atan}\left(\sqrt[4]{6} x - 1\right)}{24} + \frac{6^{3/4} \operatorname{atan}\left(\sqrt[4]{6} x + 1\right)}{24} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a/(3*x**4+2),x)

[Out] $a \cdot \left(-6^{3/4} \cdot \log(x^2 - 6^{3/4} \cdot x / 3 + \sqrt{6} / 3) / 48 + 6^{3/4} \cdot \log(x^2 + 6^{3/4} \cdot x / 3 + \sqrt{6} / 3) / 48 + 6^{3/4} \cdot \operatorname{atan}(6^{1/4} \cdot x - 1) / 24 + 6^{3/4} \cdot \operatorname{atan}(6^{1/4} \cdot x + 1) / 24\right)$

$$3.153 \quad \int \frac{bx}{2+3x^4} dx$$

Optimal. Leaf size=22

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}}$$

[Out] 1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.01, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {12, 275, 203}

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(b*x)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{bx}{2+3x^4} dx &= b \int \frac{x}{2+3x^4} dx \\ &= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2+3x^2} dx, x, x^2 \right) \\ &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 22, normalized size = 1.00

$$\frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6])

fricas [A] time = 0.78, size = 15, normalized size = 0.68

$$\frac{1}{12} \sqrt{6} b \arctan \left(\frac{1}{2} \sqrt{6} x^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x/(3*x^4+2), x, algorithm="fricas")

[Out] 1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2)

giac [A] time = 0.17, size = 15, normalized size = 0.68

$$\frac{1}{12} \sqrt{6} b \arctan \left(\frac{1}{2} \sqrt{6} x^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(b*x/(3*x^4+2), x, algorithm="giac")

[Out] 1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2)

maple [A] time = 0.04, size = 16, normalized size = 0.73

$$\frac{\sqrt{6} b \arctan\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(b*x/(3*x^4+2),x)`

[Out] `1/12*b*arctan(1/2*6^(1/2)*x^2)*6^(1/2)`

maxima [A] time = 2.88, size = 15, normalized size = 0.68

$$\frac{1}{12} \sqrt{6} b \arctan\left(\frac{1}{2} \sqrt{6} x^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(b*x/(3*x^4+2),x, algorithm="maxima")`

[Out] `1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2)`

mupad [B] time = 4.77, size = 15, normalized size = 0.68

$$\frac{\sqrt{6} b \operatorname{atan}\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x)/(3*x^4 + 2),x)`

[Out] `(6^(1/2)*b*atan((6^(1/2)*x^2)/2))/12`

sympy [A] time = 0.13, size = 19, normalized size = 0.86

$$\frac{\sqrt{6} b \operatorname{atan}\left(\frac{\sqrt{6} x^2}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(b*x/(3*x**4+2),x)`

[Out] `sqrt(6)*b*atan(sqrt(6)*x**2/2)/12`

$$3.154 \quad \int \frac{a+bx}{2+3x^4} dx$$

Optimal. Leaf size=123

$$\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{2\sqrt{6}}$$

[Out] 1/24*a*arctan(-1+6^(1/4)*x)*6^(3/4)+1/24*a*arctan(1+6^(1/4)*x)*6^(3/4)-1/48*a*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/48*a*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.10, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 275, 203}

$$\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4))

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]])/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}

} , x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{a+bx}{2+3x^4} dx &= \int \left(\frac{a}{2+3x^4} + \frac{bx}{2+3x^4} \right) dx \\
&= a \int \frac{1}{2+3x^4} dx + b \int \frac{x}{2+3x^4} dx \\
&= \frac{a \int \frac{\sqrt{2}-\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2}+\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{2}} + \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2+3x^2} dx, x, x^2 \right) \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8\sqrt[4]{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}}}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8\sqrt[4]{6}} \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{a \log \left(\sqrt{6} + 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{a \text{Subst} \left(\int \frac{1}{-1-x^2} dx \right)}{4\sqrt[4]{6}} \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4\sqrt[4]{6}} + \frac{a \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4\sqrt[4]{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{a \log \left(\sqrt{6} + 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 107, normalized size = 0.87

$$\frac{-2 \left(\sqrt[4]{6} a + 2b \right) \tan^{-1} \left(1 - \sqrt[4]{6} x \right) + 2 \left(\sqrt[4]{6} a - 2b \right) \tan^{-1} \left(\sqrt[4]{6} x + 1 \right) + \sqrt[4]{6} a \left(\log \left(\sqrt{6} x^2 + 2\sqrt[4]{6} x + 2 \right) - \log \left(\sqrt{6} x^2 - 2\sqrt[4]{6} x + 2 \right) \right)}{8\sqrt[4]{6}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)/(2 + 3*x^4), x]

[Out] (-2*(6^(1/4)*a + 2*b)*ArcTan[1 - 6^(1/4)*x] + 2*(6^(1/4)*a - 2*b)*ArcTan[1 + 6^(1/4)*x] + 6^(1/4)*a*(-Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2]))/(8*Sqrt[6])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(3*x^4+2), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 115, normalized size = 0.93

$$\frac{1}{48} \cdot 6^{\frac{3}{4}} a \log \left(x^2 + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right) - \frac{1}{48} \cdot 6^{\frac{3}{4}} a \log \left(x^2 - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right) + \frac{1}{24} \left(6^{\frac{3}{4}} a - 2 \sqrt{6} b \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(3*x^4+2),x, algorithm="giac")

[Out] 1/48*6^(3/4)*a*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 1/48*6^(3/4)*a*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) + 1/24*(6^(3/4)*a - 2*sqrt(6)*b)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/24*(6^(3/4)*a + 2*sqrt(6)*b)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4)))

maple [A] time = 0.05, size = 129, normalized size = 1.05

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln \left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{3}}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{3}}} \right)}{48} + \frac{\sqrt{6} b \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} \right)}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)/(3*x^4+2),x)

[Out] 1/24*3^(1/2)*6^(1/4)*2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/24*3^(1/2)*6^(1/4)*2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/48*3^(1/2)*6^(1/4)*2^(1/2)*a*ln((x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))+1/12*6^(1/2)*b*arctan(1/2*6^(1/2)*x^2)

maxima [A] time = 2.91, size = 147, normalized size = 1.20

$$\frac{1}{48} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} a \log \left(\sqrt{3} x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) - \frac{1}{48} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} a \log \left(\sqrt{3} x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) + \frac{1}{24} \sqrt{3} \left(3^{\frac{1}{4}} 2^{\frac{3}{4}} a - 2 \sqrt{2} b \right) \arctan \left(\frac{1}{6} \sqrt{3} \left(3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)/(3*x^4+2),x, algorithm="maxima")

[Out] 1/48*3^(3/4)*2^(3/4)*a*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) - 1/48*3^(3/4)*2^(3/4)*a*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2)) + 1/24*sqrt(3)*(3^(1/4)*2^(3/4)*a - 2*sqrt(2)*b)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(2)*x + sqrt(2)))

$(3)*x + 3^{(1/4)}*2^{(3/4)}) + 1/24*\text{sqrt}(3)*(3^{(1/4)}*2^{(3/4)}*a + 2*\text{sqrt}(2)*b)*$
 $\arctan(1/6*3^{(3/4)}*2^{(1/4)}*(2*\text{sqrt}(3)*x - 3^{(1/4)}*2^{(3/4)}))$

mupad [B] time = 0.20, size = 119, normalized size = 0.97

$$\frac{2^{3/4} 3^{3/4} a \ln\left(x^2 + \frac{6^{3/4}x}{3} + \frac{\sqrt{6}}{3}\right)}{48} - \frac{2^{3/4} 3^{3/4} a \ln\left(x^2 - \frac{6^{3/4}x}{3} + \frac{\sqrt{6}}{3}\right)}{48} + \frac{2^{3/4} 3^{3/4} a \operatorname{atan}\left(6^{1/4}x - 1\right)}{24} + \frac{2^{3/4} 3^{3/4} a \operatorname{atan}\left(6^{1/4}x + 1\right)}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x)/(3*x^4 + 2), x)`

[Out] $(2^{(3/4)}*3^{(3/4)}*a*\log((6^{(3/4)}*x)/3 + 6^{(1/2)}/3 + x^2))/48 - (2^{(3/4)}*3^{(3/4)}*a*\log(6^{(1/2)}/3 - (6^{(3/4)}*x)/3 + x^2))/48 + (2^{(3/4)}*3^{(3/4)}*a*\operatorname{atan}(6^{(1/4)}*x - 1))/24 + (2^{(3/4)}*3^{(3/4)}*a*\operatorname{atan}(6^{(1/4)}*x + 1))/24 + (2^{(1/2)}*3^{(1/2)}*b*\operatorname{atan}(6^{(1/4)}*x - 1))/12 - (2^{(1/2)}*3^{(1/2)}*b*\operatorname{atan}(6^{(1/4)}*x + 1))/12$

sympy [A] time = 0.72, size = 88, normalized size = 0.72

$$\text{RootSum}\left(18432t^4 + 384t^2b^2 - 96ta^2b + 3a^4 + 2b^4, \left(t \mapsto t \log\left(x + \frac{3072t^3b^2 + 192t^2a^2b + 24ta^4 + 32tb^4 - 10a^5 - 8ab^4}{3a^5 - 8ab^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)/(3*x**4+2), x)`

[Out] `RootSum(18432*_t**4 + 384*_t**2*b**2 - 96*_t*a**2*b + 3*a**4 + 2*b**4, Lambda(_t, _t*log(x + (3072*_t**3*b**2 + 192*_t**2*a**2*b + 24*_t*a**4 + 32*_t*b**4 - 10*a**2*b**3)/(3*a**5 - 8*a*b**4))))`

$$3.155 \quad \int \frac{cx^2}{2+3x^4} dx$$

Optimal. Leaf size=101

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}}$$

[Out] 1/12*c*arctan(-1+6^(1/4)*x)*6^(1/4)+1/12*c*arctan(1+6^(1/4)*x)*6^(1/4)+1/24*c*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)-1/24*c*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)

Rubi [A] time = 0.08, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {12, 297, 1162, 617, 204, 1165, 628}

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(c*x^2)/(2 + 3*x^4), x]

[Out] -(c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] & AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{cx^2}{2+3x^4} dx &= c \int \frac{x^2}{2+3x^4} dx \\
&= -\frac{c \int \frac{\sqrt{2}-\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2}+\sqrt{3}x^2}{2+3x^4} dx}{2\sqrt{3}} \\
&= \frac{1}{12}c \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{1}{12}c \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{4 \cdot 6^{3/4}} + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} - 2x}{-\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{4 \cdot 6^{3/4}} \\
&= \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} + \frac{c \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 - \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} - \frac{c \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 + \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} \\
&= -\frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(1 + \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 78, normalized size = 0.77

$$\frac{c(\log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) - \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) - 2 \tan^{-1}(1 - \sqrt[4]{6}x) + 2 \tan^{-1}(\sqrt[4]{6}x + 1))}{4 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*x^2)/(2 + 3*x^4),x]

[Out] (c*(-2*ArcTan[1 - 6^(1/4)*x] + 2*ArcTan[1 + 6^(1/4)*x] + Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2]))/(4*6^(3/4))

fricas [B] time = 1.02, size = 278, normalized size = 2.75

$$-\frac{1}{108} \cdot 54^{\frac{3}{4}} \sqrt{2} (c^4)^{\frac{1}{4}} \arctan \left(\frac{54^{\frac{3}{4}} \sqrt{2} (c^4)^{\frac{1}{4}} x - 54^{\frac{3}{4}} \sqrt{2} \sqrt{\frac{1}{3}} (c^4)^{\frac{1}{4}} \sqrt{\frac{3c^3x^2 + 54^{\frac{1}{4}} \sqrt{2} (c^4)^{\frac{3}{4}} x + \sqrt{6} \sqrt{c^4} c}{c^3}} + 18c}{18c} \right) - \frac{1}{108} \cdot 54^{\frac{3}{4}} \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2/(3*x^4+2),x, algorithm="fricas")

[Out] -1/108*54^(3/4)*sqrt(2)*(c^4)^(1/4)*arctan(-1/18*(54^(3/4)*sqrt(2)*(c^4)^(1/4)*x - 54^(3/4)*sqrt(2)*sqrt(1/3)*(c^4)^(1/4)*sqrt((3*c^3*x^2 + 54^(1/4)*sqrt(2)*(c^4)^(3/4)*x + sqrt(6)*sqrt(c^4)*c)/c^3)) + 1/108*54^(3/4)*sqrt(2)

$\sqrt[3]{2} \cdot (c^4)^{3/4} \cdot x + \sqrt{6} \cdot \sqrt{c^4} \cdot c / c^3 + 18 \cdot c / c - 1/108 \cdot 54^{3/4} \cdot \sqrt{2} \cdot (c^4)^{1/4} \cdot \arctan(-1/18 \cdot (54^{3/4} \cdot \sqrt{2} \cdot (c^4)^{1/4} \cdot x - 54^{3/4} \cdot \sqrt{2} \cdot \sqrt{1/3} \cdot (c^4)^{1/4} \cdot \sqrt{(3 \cdot c^3 \cdot x^2 - 54^{1/4} \cdot \sqrt{2} \cdot (c^4)^{3/4} \cdot x + \sqrt{6} \cdot \sqrt{c^4} \cdot c) / c^3 - 18 \cdot c) / c} - 1/432 \cdot 54^{3/4} \cdot \sqrt{2} \cdot (c^4)^{1/4} \cdot \log(9 \cdot c^3 \cdot x^2 + 3 \cdot 54^{1/4} \cdot \sqrt{2} \cdot (c^4)^{3/4} \cdot x + 3 \cdot \sqrt{6} \cdot \sqrt{c^4} \cdot c) + 1/432 \cdot 54^{3/4} \cdot \sqrt{2} \cdot (c^4)^{1/4} \cdot \log(9 \cdot c^3 \cdot x^2 - 3 \cdot 54^{1/4} \cdot \sqrt{2} \cdot (c^4)^{3/4} \cdot x + 3 \cdot \sqrt{6} \cdot \sqrt{c^4} \cdot c)$

giac [A] time = 0.20, size = 97, normalized size = 0.96

$$\frac{1}{24} \left(2 \cdot 6^{\frac{1}{4}} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + 2 \cdot 6^{\frac{1}{4}} \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) - 6^{\frac{1}{4}} \log \left(x^2 + \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2/(3*x^4+2),x, algorithm="giac")

[Out] $1/24 \cdot (2 \cdot 6^{1/4} \cdot \arctan(3/4 \cdot \sqrt{2} \cdot (2/3)^{3/4} \cdot (2x + \sqrt{2} \cdot (2/3)^{1/4})) + 2 \cdot 6^{1/4} \cdot \arctan(3/4 \cdot \sqrt{2} \cdot (2/3)^{3/4} \cdot (2x - \sqrt{2} \cdot (2/3)^{1/4})) - 6^{1/4} \cdot \log(x^2 + \sqrt{2} \cdot (2/3)^{1/4} \cdot x + \sqrt{2/3})) + 6^{1/4} \cdot \log(x^2 - \sqrt{2} \cdot (2/3)^{1/4} \cdot x + \sqrt{2/3})) \cdot c$

maple [A] time = 0.04, size = 114, normalized size = 1.13

$$\frac{\sqrt{3} \cdot 6^{\frac{3}{4}} \sqrt{2} \cdot c \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1 \right)}{72} + \frac{\sqrt{3} \cdot 6^{\frac{3}{4}} \sqrt{2} \cdot c \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1 \right)}{72} + \frac{\sqrt{3} \cdot 6^{\frac{3}{4}} \sqrt{2} \cdot c \ln \left(\frac{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}}}}{144} \right)}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(c*x^2/(3*x^4+2),x)

[Out] $1/72 \cdot c \cdot 3^{1/2} \cdot 6^{3/4} \cdot 2^{1/2} \cdot \arctan(1/6 \cdot 2^{1/2} \cdot 3^{1/2} \cdot 6^{3/4} \cdot x + 1) + 1/72 \cdot c \cdot 3^{1/2} \cdot 6^{3/4} \cdot 2^{1/2} \cdot \arctan(1/6 \cdot 2^{1/2} \cdot 3^{1/2} \cdot 6^{3/4} \cdot x - 1) + 1/144 \cdot c \cdot 3^{1/2} \cdot 6^{3/4} \cdot 2^{1/2} \cdot \ln((x^2 - 1/3 \cdot 3^{1/2} \cdot 6^{1/4} \cdot 2^{1/2} \cdot x + 1/3 \cdot 6^{1/2}) / (x^2 + 1/3 \cdot 3^{1/2} \cdot 6^{1/4} \cdot 2^{1/2} \cdot x + 1/3 \cdot 6^{1/2}))$

maxima [A] time = 3.04, size = 123, normalized size = 1.22

$$\frac{1}{24} \left(2 \cdot 3^{\frac{1}{4}} 2^{\frac{1}{4}} \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x + 3^{\frac{1}{4}} 2^{\frac{3}{4}} \right) \right) + 2 \cdot 3^{\frac{1}{4}} 2^{\frac{1}{4}} \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x - 3^{\frac{1}{4}} 2^{\frac{3}{4}} \right) \right) - 3^{\frac{1}{4}} 2^{\frac{1}{4}} \log \left(\sqrt{3} x + \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x^2/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{24} * (2 * 3^{1/4} * 2^{1/4} * \arctan(1/6 * 3^{3/4} * 2^{1/4} * (2 * \sqrt{3} * x + 3^{1/4} * 2^{3/4}))) + 2 * 3^{1/4} * 2^{1/4} * \arctan(1/6 * 3^{3/4} * 2^{1/4} * (2 * \sqrt{3} * x - 3^{1/4} * 2^{3/4}))) - 3^{1/4} * 2^{1/4} * \log(\sqrt{3} * x^2 + 3^{1/4} * 2^{3/4} * x + \sqrt{2})) + 3^{1/4} * 2^{1/4} * \log(\sqrt{3} * x^2 - 3^{1/4} * 2^{3/4} * x + \sqrt{2})) * c$

mupad [B] time = 4.97, size = 32, normalized size = 0.32

$$\frac{(-1)^{1/4} 24^{1/4} c \left(\operatorname{atan} \left(\frac{(-1)^{1/4} 24^{1/4} x}{2} \right) - \operatorname{atanh} \left(\frac{(-1)^{1/4} 24^{1/4} x}{2} \right) \right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2)/(3*x^4 + 2),x)

[Out] $((-1)^{1/4} * 24^{1/4} * c * (\operatorname{atan}((-1)^{1/4} * 24^{1/4} * x / 2) - \operatorname{atanh}((-1)^{1/4} * 24^{1/4} * x / 2))) / 12$

sympy [A] time = 0.43, size = 88, normalized size = 0.87

$$c \left(\frac{\sqrt[4]{6} \log \left(x^2 - \frac{6^{\frac{3}{4}} x}{3} + \frac{\sqrt{6}}{3} \right)}{24} - \frac{\sqrt[4]{6} \log \left(x^2 + \frac{6^{\frac{3}{4}} x}{3} + \frac{\sqrt{6}}{3} \right)}{24} + \frac{\sqrt[4]{6} \operatorname{atan}(\sqrt[4]{6} x - 1)}{12} + \frac{\sqrt[4]{6} \operatorname{atan}(\sqrt[4]{6} x + 1)}{12} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c*x**2/(3*x**4+2),x)

[Out] $c * (6^{1/4} * \log(x^2 - 6^{3/4} * x / 3 + \sqrt{6} / 3) / 24 - 6^{1/4} * \log(x^2 + 6^{3/4} * x / 3 + \sqrt{6} / 3) / 24 + 6^{1/4} * \operatorname{atan}(6^{1/4} * x - 1) / 12 + 6^{1/4} * \operatorname{atan}(6^{1/4} * x + 1) / 12)$

$$3.156 \quad \int \frac{a+cx^2}{2+3x^4} dx$$

Optimal. Leaf size=141

$$\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}}$$

[Out] $-1/48 \cdot \ln(-6^{3/4} \cdot x + 3 \cdot x^2 + 6^{1/2}) \cdot (-2 \cdot c + a \cdot 6^{1/2}) \cdot 6^{1/4} + 1/48 \cdot \ln(6^{3/4} \cdot x + 3 \cdot x^2 + 6^{1/2}) \cdot (-2 \cdot c + a \cdot 6^{1/2}) \cdot 6^{1/4} + 1/24 \cdot \arctan(-1 + 6^{1/4} \cdot x) \cdot (2 \cdot c + a \cdot 6^{1/2}) \cdot 6^{1/4} + 1/24 \cdot \arctan(1 + 6^{1/4} \cdot x) \cdot (2 \cdot c + a \cdot 6^{1/2}) \cdot 6^{1/4}$

Rubi [A] time = 0.10, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2)/(2 + 3*x^4), x]

[Out] $-((\text{Sqrt}[6] \cdot a + 2 \cdot c) \cdot \text{ArcTan}[1 - 6^{1/4} \cdot x]) / (4 \cdot 6^{3/4}) + ((\text{Sqrt}[6] \cdot a + 2 \cdot c) \cdot \text{ArcTan}[1 + 6^{1/4} \cdot x]) / (4 \cdot 6^{3/4}) - ((\text{Sqrt}[6] \cdot a - 2 \cdot c) \cdot \text{Log}[\text{Sqrt}[6] - 6^{3/4} \cdot x + 3 \cdot x^2]) / (8 \cdot 6^{3/4}) + ((\text{Sqrt}[6] \cdot a - 2 \cdot c) \cdot \text{Log}[\text{Sqrt}[6] + 6^{3/4} \cdot x + 3 \cdot x^2]) / (8 \cdot 6^{3/4})$

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rubi steps

$$\begin{aligned} \int \frac{a + cx^2}{2 + 3x^4} dx &= \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6} + 3x^2}{2 + 3x^4} dx \\ &= -\frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} - 2x}{-\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8 \cdot 6^{3/4}} + \frac{1}{24} (\sqrt{6}a + 2c) \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}}} dx \\ &= -\frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \operatorname{Subst}\left(\int \frac{1}{\sqrt{2 - 2^{3/4}x}} dx, \sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}}\right)}{24 \cdot 6^{3/4}} \\ &= -\frac{(\sqrt{6}a + 2c) \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}\left(1 + \sqrt[4]{6}x\right)}{4 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 113, normalized size = 0.80

$$\frac{-\left(\sqrt{6}a - 2c\right)\left(\log\left(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2\right) - \log\left(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2\right)\right) - 2\left(\sqrt{6}a + 2c\right)\tan^{-1}\left(1 - \sqrt[4]{6}x\right) + 2\left(\sqrt{6}a\right)}{8 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2)/(2 + 3*x^4), x]

[Out] $(-2*(\text{Sqrt}[6]*a + 2*c)*\text{ArcTan}[1 - 6^{(1/4)}*x] + 2*(\text{Sqrt}[6]*a + 2*c)*\text{ArcTan}[1 + 6^{(1/4)}*x] - (\text{Sqrt}[6]*a - 2*c)*(\text{Log}[2 - 2*6^{(1/4)}*x + \text{Sqrt}[6]*x^2] - \text{Log}[2 + 2*6^{(1/4)}*x + \text{Sqrt}[6]*x^2]))/(8*6^{(3/4)})$

fricas [B] time = 0.75, size = 2278, normalized size = 16.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(3*x^4+2), x, algorithm="fricas")

[Out] $1/144*(2*\text{sqrt}(6)*\text{sqrt}(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)}*\text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4)*\text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4))*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*\text{arctan}(-1/12*(\text{sqrt}(2)*\text{sqrt}(1/3)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)}*(\text{sqrt}(6)*\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4)*\text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4))*a - 2*\text{sqrt}(6)*\text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4))*(3*a^2*c + 2*c^3))*\text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4))*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*\text{sqrt}(((3*(9*a^4 + 12*a^2*c^2 + 4*c^4))*x^2 + \text{sqrt}(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(1/4)}*(\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4))*c*x - 3*(3*a^3 + 2*a*c^2))*x)*\text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4))*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4)*(3*a^2 + 2*c^2))/(9*a^4 + 12*a^2*c^2 + 4*c^4)) - \text{sqrt}(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)}*(\text{sqrt}(6)*\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4)*\text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4))*a*x - 2*\text{sqrt}(6)*\text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4)*(3*a^2*c + 2*c^3))*x)*\text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4))*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + 2*\text{sqrt}(6)*\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4)*(9*a^4 + 12*a^2*c^2 + 4*c^4)*\text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4))/(81*a^8 + 108*a^6*c^2 - 48*a^2*c^6 - 16*c^8)) + 2*\text{sqrt}(6)*\text{sqrt}(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)}*\text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4)*\text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4))*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*\text{arctan}(-1/12*(\text{sqrt}(2)*\text{sqrt}(1/3)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)}*(\text{sqrt}(6)*\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4)*\text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4))*a - 2*\text{sqrt}(6)*\text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4))*(3*a^2*c + 2*c^3))*\text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4))*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*\text{sqrt}(((3*(9*a^4 + 12*a^2*c^2 + 4*c^4))*$

$$\begin{aligned}
& x^2 - \sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{1/4} \cdot (\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot cx - 3 \cdot (3a^3 + 2ac^2) \cdot x \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) + \\
& \sqrt{54a^4 + 72a^2c^2 + 24c^4} \cdot (3a^2 + 2c^2) / (9a^4 + 12a^2c^2 + 4c^4) - \sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{3/4} \cdot (\sqrt{6}) \cdot \sqrt{54a^4 + 72a^2c^2 + 24c^4} \cdot \sqrt{9a^4 - 12a^2c^2 + 4c^4} \cdot ax - 2\sqrt{6} \cdot \sqrt{9a^4 - 12a^2c^2 + 4c^4} \cdot (3a^2c + 2c^3) \cdot x \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) - 2\sqrt{6} \cdot \sqrt{54a^4 + 72a^2c^2 + 24c^4} \cdot (9a^4 + 12a^2c^2 + 4c^4) \cdot \sqrt{9a^4 - 12a^2c^2 + 4c^4} / (81a^8 + 108a^6c^2 - 48a^2c^6 - 16c^8) - 3\sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{1/4} \cdot (9a^4 + 12a^2c^2 + 4c^4 - 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) \cdot \log(3 \cdot (9a^4 + 12a^2c^2 + 4c^4) \cdot x^2 + \sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{1/4} \cdot (\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot cx - 3 \cdot (3a^3 + 2ac^2) \cdot x) \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) + \sqrt{54a^4 + 72a^2c^2 + 24c^4} \cdot (3a^2 + 2c^2) + 3\sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{1/4} \cdot (9a^4 + 12a^2c^2 + 4c^4 - 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) \cdot \log(3 \cdot (9a^4 + 12a^2c^2 + 4c^4) \cdot x^2 - \sqrt{2} \cdot (54a^4 + 72a^2c^2 + 24c^4)^{1/4} \cdot (\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot cx - 3 \cdot (3a^3 + 2ac^2) \cdot x) \cdot \sqrt{(9a^4 + 12a^2c^2 + 4c^4 + 2\sqrt{54a^4 + 72a^2c^2 + 24c^4}) \cdot ac} / (9a^4 - 12a^2c^2 + 4c^4) + \sqrt{54a^4 + 72a^2c^2 + 24c^4} \cdot (3a^2 + 2c^2) / (9a^4 + 12a^2c^2 + 4c^4)
\end{aligned}$$

giac [A] time = 0.20, size = 131, normalized size = 0.93

$$\frac{1}{24} \left(6^{\frac{3}{4}}a + 2 \cdot 6^{\frac{1}{4}}c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{24} \left(6^{\frac{3}{4}}a + 2 \cdot 6^{\frac{1}{4}}c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(3*x^4+2),x, algorithm="giac")

[Out] 1/24*(6^(3/4)*a + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/24*(6^(3/4)*a + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 1/48*(6^(3/4)*a - 2*6^(1/4)*c)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 1/48*(6^(3/4)*a - 2*6^(1/4)*c)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [B] time = 0.04, size = 226, normalized size = 1.60

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln\left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}\right)}{48} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+a)/(3*x^4+2),x)

[Out] 1/24*3^(1/2)*6^(1/4)*2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/24*3^(1/2)*6^(1/4)*2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/48*3^(1/2)*6^(1/4)*2^(1/2)*a*ln((x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/144*3^(1/2)*6^(3/4)*2^(1/2)*c*ln((x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))

maxima [A] time = 3.04, size = 167, normalized size = 1.18

$$\frac{1}{24} \cdot 3^{\frac{1}{4}} 2^{\frac{3}{4}} (\sqrt{3} a + \sqrt{2} c) \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} (2\sqrt{3} x + 3^{\frac{1}{4}} 2^{\frac{3}{4}})\right) + \frac{1}{24} \cdot 3^{\frac{1}{4}} 2^{\frac{3}{4}} (\sqrt{3} a + \sqrt{2} c) \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} (2\sqrt{3} x - 3^{\frac{1}{4}} 2^{\frac{3}{4}})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+a)/(3*x^4+2),x, algorithm="maxima")

[Out] 1/24*3^(1/4)*2^(3/4)*(sqrt(3)*a + sqrt(2)*c)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x + 3^(1/4)*2^(3/4))) + 1/24*3^(1/4)*2^(3/4)*(sqrt(3)*a + sqrt(2)*c)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x - 3^(1/4)*2^(3/4))) + 1/48*3^(1/4)*2^(3/4)*(sqrt(3)*a - sqrt(2)*c)*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) - 1/48*3^(1/4)*2^(3/4)*(sqrt(3)*a - sqrt(2)*c)*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2))

mupad [B] time = 5.11, size = 315, normalized size = 2.23

$$-2 \operatorname{atanh}\left(\frac{216 a^2 x \sqrt{-\frac{1i \sqrt{6} a^2}{192} - \frac{ac}{48} + \frac{1i \sqrt{6} c^2}{288}}}{9i \sqrt{6} a^3 + 18 a^2 c - 6i \sqrt{6} a c^2 - 12 c^3} - \frac{144 c^2 x \sqrt{-\frac{1i \sqrt{6} a^2}{192} - \frac{ac}{48} + \frac{1i \sqrt{6} c^2}{288}}}{9i \sqrt{6} a^3 + 18 a^2 c - 6i \sqrt{6} a c^2 - 12 c^3}\right) \sqrt{-\frac{1i \sqrt{6} a^2}{192} - \frac{ac}{48}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^2)/(3*x^4 + 2),x)

```
[Out] 2*atanh((216*a^2*x*((6^(1/2)*a^2*1i)/192 - (a*c)/48 - (6^(1/2)*c^2*1i)/288)
^(1/2))/(6^(1/2)*a^3*9i - 18*a^2*c + 12*c^3 - 6^(1/2)*a*c^2*6i) - (144*c^2*
x*((6^(1/2)*a^2*1i)/192 - (a*c)/48 - (6^(1/2)*c^2*1i)/288)^(1/2))/(6^(1/2)*
a^3*9i - 18*a^2*c + 12*c^3 - 6^(1/2)*a*c^2*6i))*((6^(1/2)*a^2*1i)/192 - (a*
c)/48 - (6^(1/2)*c^2*1i)/288)^(1/2) - 2*atanh((216*a^2*x*((6^(1/2)*c^2*1i)/
288 - (6^(1/2)*a^2*1i)/192 - (a*c)/48)^(1/2))/(6^(1/2)*a^3*9i + 18*a^2*c -
12*c^3 - 6^(1/2)*a*c^2*6i) - (144*c^2*x*((6^(1/2)*c^2*1i)/288 - (6^(1/2)*a^
2*1i)/192 - (a*c)/48)^(1/2))/(6^(1/2)*a^3*9i + 18*a^2*c - 12*c^3 - 6^(1/2)*
a*c^2*6i))*((6^(1/2)*c^2*1i)/288 - (6^(1/2)*a^2*1i)/192 - (a*c)/48)^(1/2)
```

sympy [A] time = 0.57, size = 68, normalized size = 0.48

$$\text{RootSum}\left(55296t^4 + 2304t^2ac + 9a^4 + 12a^2c^2 + 4c^4, \left(t \mapsto t \log\left(x + \frac{-4608t^3c + 72ta^3 - 144tac^2}{9a^4 - 4c^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+a)/(3*x**4+2),x)
```

```
[Out] RootSum(55296*_t**4 + 2304*_t**2*a*c + 9*a**4 + 12*a**2*c**2 + 4*c**4, Lamb
da(_t, _t*log(x + (-4608*_t**3*c + 72*_t*a**3 - 144*_t*a*c**2)/(9*a**4 - 4*
c**4))))
```

$$3.157 \quad \int \frac{bx+cx^2}{2+3x^4} dx$$

Optimal. Leaf size=123

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log\left(3x^2 - 6^{3/4}x + \sqrt{6}\right)}{4 \cdot 6^{3/4}} - \frac{c \log\left(3x^2 + 6^{3/4}x + \sqrt{6}\right)}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}\left(\sqrt[4]{6}x + 1\right)}{2 \cdot 6^{3/4}}$$

[Out] 1/12*c*arctan(-1+6^(1/4)*x)*6^(1/4)+1/12*c*arctan(1+6^(1/4)*x)*6^(1/4)+1/24*c*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)-1/24*c*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.12, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.526$, Rules used = {1593, 1831, 275, 203, 297, 1162, 617, 204, 1165, 628}

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log\left(3x^2 - 6^{3/4}x + \sqrt{6}\right)}{4 \cdot 6^{3/4}} - \frac{c \log\left(3x^2 + 6^{3/4}x + \sqrt{6}\right)}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}\left(\sqrt[4]{6}x + 1\right)}{2 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4))

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 297

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b,
2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4),
x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a,
b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &
& AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1593

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^ (n_.), x_Symbol] := Int[u*x
^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] &&
PosQ[q - p]
```

Rule 1831

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[
{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii])*x^(n/2
```

))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}], Int[v, x] /; SumQ[v] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{bx + cx^2}{2 + 3x^4} dx &= \int \frac{x(b + cx)}{2 + 3x^4} dx \\
 &= \int \left(\frac{bx}{2 + 3x^4} + \frac{cx^2}{2 + 3x^4} \right) dx \\
 &= b \int \frac{x}{2 + 3x^4} dx + c \int \frac{x^2}{2 + 3x^4} dx \\
 &= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) - \frac{c \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2} dx + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{4 \cdot 6^{3/4}} \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} + \frac{c \text{Subst} \left(\int \frac{1}{-1-x^2} dx \right)}{2 \cdot 6^{3/4}} \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{c \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{2 \cdot 6^{3/4}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.05, size = 99, normalized size = 0.80

$$\frac{-2 \left(\sqrt[4]{6} b + c \right) \tan^{-1} \left(1 - \sqrt[4]{6} x \right) + 2 \left(c - \sqrt[4]{6} b \right) \tan^{-1} \left(\sqrt[4]{6} x + 1 \right) + c \log \left(\sqrt{6} x^2 - 2 \sqrt[4]{6} x + 2 \right) - c \log \left(\sqrt{6} x^2 + 2 \sqrt[4]{6} x + 2 \right)}{4 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2)/(2 + 3*x^4), x]

[Out] (-2*(6^(1/4)*b + c)*ArcTan[1 - 6^(1/4)*x] + 2*(-(6^(1/4)*b) + c)*ArcTan[1 + 6^(1/4)*x] + c*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - c*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2])/(4*6^(3/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(3*x^4+2),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 114, normalized size = 0.93

$$-\frac{1}{24} \cdot 6^{\frac{1}{4}} c \log \left(x^2 + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right) + \frac{1}{24} \cdot 6^{\frac{1}{4}} c \log \left(x^2 - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} x + \sqrt{\frac{2}{3}} \right) - \frac{1}{12} \left(\sqrt{6} b - 6^{\frac{1}{4}} c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(3*x^4+2),x, algorithm="giac")

[Out] -1/24*6^(1/4)*c*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) + 1/24*6^(1/4)*c*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 1/12*(sqrt(6)*b - 6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/12*(sqrt(6)*b + 6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4)))

maple [A] time = 0.05, size = 129, normalized size = 1.05

$$\frac{\sqrt{6} b \arctan \left(\frac{\sqrt{6} x^2}{2} \right)}{12} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1 \right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1 \right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \ln \left(\dots \right)}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x)/(3*x^4+2),x)

[Out] 1/12*6^(1/2)*b*arctan(1/2*6^(1/2)*x^2)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/144*3^(1/2)*6^(3/4)*2^(1/2)*c*ln((x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))

maxima [A] time = 3.09, size = 147, normalized size = 1.20

$$\frac{1}{24} \sqrt{2} \left(3^{\frac{1}{4}} 2^{\frac{3}{4}} c - 2 \sqrt{3} b \right) \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x + 3^{\frac{1}{4}} 2^{\frac{3}{4}} \right) \right) + \frac{1}{24} \sqrt{2} \left(3^{\frac{1}{4}} 2^{\frac{3}{4}} c + 2 \sqrt{3} b \right) \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x - \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x)/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{24}\sqrt{2}\cdot(3^{1/4}\cdot 2^{3/4}\cdot c - 2\sqrt{3}\cdot b)\cdot\arctan\left(\frac{1}{6}\cdot 3^{3/4}\cdot 2^{1/4}\cdot(2\sqrt{3}\cdot x + 3^{1/4}\cdot 2^{3/4})\right) + \frac{1}{24}\sqrt{2}\cdot(3^{1/4}\cdot 2^{3/4}\cdot c + 2\sqrt{3}\cdot b)\cdot\arctan\left(\frac{1}{6}\cdot 3^{3/4}\cdot 2^{1/4}\cdot(2\sqrt{3}\cdot x - 3^{1/4}\cdot 2^{3/4})\right) - \frac{1}{24}\cdot 3^{1/4}\cdot 2^{1/4}\cdot c\cdot\log(\sqrt{3}\cdot x^2 + 3^{1/4}\cdot 2^{3/4}\cdot x + \sqrt{2}) + \frac{1}{24}\cdot 3^{1/4}\cdot 2^{1/4}\cdot c\cdot\log(\sqrt{3}\cdot x^2 - 3^{1/4}\cdot 2^{3/4}\cdot x + \sqrt{2})$

mupad [B] time = 0.22, size = 162, normalized size = 1.32

$$\sum_{k=1}^4 \ln\left(9b^3x - 6c^3 - \operatorname{root}\left(z^4 + \frac{b^2z^2}{48} + \frac{bc^2z}{288} + \frac{c^4}{13824} + \frac{b^4}{9216}, z, k\right)bc144 + \operatorname{root}\left(z^4 + \frac{b^2z^2}{48} + \frac{bc^2z}{288} + \frac{c^4}{13824}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x + c*x^2)/(3*x^4 + 2), x)`

[Out] `symsum(log(9*b^3*x - 6*c^3 - 144*root(z^4 + (b^2*z^2)/48 + (b*c^2*z)/288 + c^4/13824 + b^4/9216, z, k)*b*c + 864*root(z^4 + (b^2*z^2)/48 + (b*c^2*z)/288 + c^4/13824 + b^4/9216, z, k)^2*b*x + 72*root(z^4 + (b^2*z^2)/48 + (b*c^2*z)/288 + c^4/13824 + b^4/9216, z, k)*c^2*x)*root(z^4 + (b^2*z^2)/48 + (b*c^2*z)/288 + c^4/13824 + b^4/9216, z, k), k, 1, 4)`

sympy [A] time = 0.77, size = 85, normalized size = 0.69

$$\operatorname{RootSum}\left(27648t^4 + 576t^2b^2 + 96tbc^2 + 3b^4 + 2c^4, \left(t \mapsto t \log\left(x + \frac{-1152t^3c^2 + 288t^2b^3 - 36tb^2c^2 + 3b^5 - 3b^4c}{6b^4c - c^5}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x)/(3*x**4+2), x)`

[Out] `RootSum(27648*_t**4 + 576*_t**2*b**2 + 96*_t*b*c**2 + 3*b**4 + 2*c**4, Lambda(_t, _t*log(x + (-1152*_t**3*c**2 + 288*_t**2*b**3 - 36*_t*b**2*c**2 + 3*b**5 - 3*b*c**4)/(6*b**4*c - c**5))))`

$$3.158 \quad \int \frac{a+bx+cx^2}{2+3x^4} dx$$

Optimal. Leaf size=163

$$\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}}$$

[Out] 1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)-1/48*ln(-6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/48*ln(6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(-1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)

Rubi [A] time = 0.12, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {1876, 275, 203, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{6}a - 2c) \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - ((Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x])/(4*6^(3/4)) + ((Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x])/(4*6^(3/4)) - ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(3/4))

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

x^k , x] /; $k \neq 1$] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{a + bx + cx^2}{2 + 3x^4} dx &= \int \left(\frac{bx}{2 + 3x^4} + \frac{a + cx^2}{2 + 3x^4} \right) dx \\
&= b \int \frac{x}{2 + 3x^4} dx + \int \frac{a + cx^2}{2 + 3x^4} dx \\
&= \frac{1}{2} b \operatorname{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6}}{2 + 3x^4} dx \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4} + 2x}{\sqrt[4]{3}}}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4} - 2x}{\sqrt[4]{3}}}{-\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2} dx}{8 \cdot 6^{3/4}} + \frac{1}{24} (\sqrt{6}a + 2c) \int \frac{1}{2 + 3x^4} dx \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a + 2c) \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c)}{8 \cdot 6^{3/4}} \int \frac{1}{2 + 3x^4} dx
\end{aligned}$$

Mathematica [A] time = 0.08, size = 129, normalized size = 0.79

$$\frac{-2 \tan^{-1} \left(1 - \sqrt[4]{6}x \right) \left(\sqrt{6}a + 2 \left(\sqrt[4]{6}b + c \right) \right) + 2 \tan^{-1} \left(\sqrt[4]{6}x + 1 \right) \left(\sqrt{6}a - 2 \sqrt[4]{6}b + 2c \right) - \left(\sqrt{6}a - 2c \right) \left(\log \left(\sqrt{6}x^2 - 6^{3/4}x + 3 \right) - \log \left(\sqrt{6}x^2 + 6^{3/4}x + 3 \right) \right)}{8 \cdot 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2)/(2 + 3*x^4), x]

[Out] (-2*(Sqrt[6]*a + 2*(6^(1/4)*b + c))*ArcTan[1 - 6^(1/4)*x] + 2*(Sqrt[6]*a - 2*6^(1/4)*b + 2*c)*ArcTan[1 + 6^(1/4)*x] - (Sqrt[6]*a - 2*c)*(Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2]))/(8*6^(3/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(3*x^4+2), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 143, normalized size = 0.88

$$\frac{1}{24} \left(6^{\frac{3}{4}} a - 2\sqrt{6} b + 2 \cdot 6^{\frac{1}{4}} c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{24} \left(6^{\frac{3}{4}} a + 2\sqrt{6} b + 2 \cdot 6^{\frac{1}{4}} c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(3*x^4+2),x, algorithm="giac")

[Out] 1/24*(6^(3/4)*a - 2*sqrt(6)*b + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/24*(6^(3/4)*a + 2*sqrt(6)*b + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 1/48*(6^(3/4)*a - 2*6^(1/4)*c)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 1/48*(6^(3/4)*a - 2*6^(1/4)*c)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [B] time = 0.05, size = 241, normalized size = 1.48

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln \left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{3}}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{3}}} \right)}{48} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2+b*x+a)/(3*x^4+2),x)

[Out] 1/24*3^(1/2)*6^(1/4)*2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/24*3^(1/2)*6^(1/4)*2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/48*3^(1/2)*6^(1/4)*2^(1/2)*a*ln((x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))+1/12*6^(1/2)*b*arctan(1/2*6^(1/2)*x^2)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/144*3^(1/2)*6^(3/4)*2^(1/2)*c*ln((x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))

maxima [A] time = 3.06, size = 187, normalized size = 1.15

$$\frac{1}{48} \cdot 3^{\frac{1}{4}} 2^{\frac{3}{4}} \left(\sqrt{3} a - \sqrt{2} c \right) \log \left(\sqrt{3} x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) - \frac{1}{48} \cdot 3^{\frac{1}{4}} 2^{\frac{3}{4}} \left(\sqrt{3} a - \sqrt{2} c \right) \log \left(\sqrt{3} x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) + \frac{1}{24} \left(3^{\frac{3}{4}} a - \sqrt{2} c \right) \log \left(\sqrt{3} x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) - \frac{1}{24} \left(3^{\frac{3}{4}} a - \sqrt{2} c \right) \log \left(\sqrt{3} x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^2+b*x+a)/(3*x^4+2),x, algorithm="maxima")

[Out] 1/48*3^(1/4)*2^(3/4)*(sqrt(3)*a - sqrt(2)*c)*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) - 1/48*3^(1/4)*2^(3/4)*(sqrt(3)*a - sqrt(2)*c)*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2))

$*x^2 - 3^{(1/4)}*2^{(3/4)}*x + \text{sqrt}(2)) + 1/24*(3^{(3/4)}*2^{(3/4)}*a - 2*\text{sqrt}(3)*\text{sqrt}(2)*b + 2*3^{(1/4)}*2^{(1/4)}*c)*\arctan(1/6*3^{(3/4)}*2^{(1/4)}*(2*\text{sqrt}(3)*x + 3^{(1/4)}*2^{(3/4)})) + 1/24*(3^{(3/4)}*2^{(3/4)}*a + 2*\text{sqrt}(3)*\text{sqrt}(2)*b + 2*3^{(1/4)}*2^{(1/4)}*c)*\arctan(1/6*3^{(3/4)}*2^{(1/4)}*(2*\text{sqrt}(3)*x - 3^{(1/4)}*2^{(3/4)}))$

mupad [B] time = 5.52, size = 270, normalized size = 1.66

$$\sum_{k=1}^4 \ln \left(9ab^2 - 9a^2c - \text{root} \left(z^4 + \frac{z^2(2304ac + 1152b^2)}{55296} - \frac{z(288a^2b - 192bc^2)}{55296} - \frac{ab^2c}{2304} + \frac{a^2c^2}{4608} + \frac{c^4}{13824} + 9 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(3*x^4 + 2), x)`

[Out] `symsum(log(9*a*b^2 - 9*a^2*c - root(z^4 + (z^2*(2304*a*c + 1152*b^2))/55296 - (z*(288*a^2*b - 192*b*c^2))/55296 - (a*b^2*c)/2304 + (a^2*c^2)/4608 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*(root(z^4 + (z^2*(2304*a*c + 1152*b^2))/55296 - (z*(288*a^2*b - 192*b*c^2))/55296 - (a*b^2*c)/2304 + (a^2*c^2)/4608 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*(864*a - 864*b*x) + 144*b*c + x*(108*a^2 - 72*c^2) - 6*c^3 + x*(9*b^3 - 18*a*b*c))*root(z^4 + (z^2*(2304*a*c + 1152*b^2))/55296 - (z*(288*a^2*b - 192*b*c^2))/55296 - (a*b^2*c)/2304 + (a^2*c^2)/4608 + c^4/13824 + b^4/9216 + a^4/6144, z, k), k, 1, 4)`

sympy [B] time = 5.07, size = 292, normalized size = 1.79

$$\text{RootSum} \left(55296t^4 + t^2(2304ac + 1152b^2) + t(-288a^2b + 192bc^2) + 9a^4 + 12a^2c^2 - 24ab^2c + 6b^4 + 4c^4, \left(t \mapsto t \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/(3*x**4+2), x)`

[Out] `RootSum(55296*_t**4 + _t**2*(2304*a*c + 1152*b**2) + _t*(-288*a**2*b + 192*b*c**2) + 9*a**4 + 12*a**2*c**2 - 24*a*b**2*c + 6*b**4 + 4*c**4, Lambda(_t, _t*log(x + (-13824*_t**3*a**2*c + 27648*_t**3*a*b**2 + 9216*_t**3*c**3 + 1728*_t**2*a**3*b + 3456*_t**2*a*b*c**2 - 2304*_t**2*b**3*c + 216*_t*a**5 - 576*_t*a**3*c**2 + 1296*_t*a**2*b**2*c + 288*_t*a*b**4 + 288*_t*a*c**4 + 288*_t*b**2*c**3 + 90*a**4*b*c - 90*a**3*b**3 + 60*a*b**3*c**2 - 24*b**5*c + 24*b*c**5)/(27*a**6 - 18*a**4*c**2 + 144*a**3*b**2*c - 72*a**2*b**4 - 12*a**2*c**4 + 96*a*b**2*c**3 - 48*b**4*c**2 + 8*c**6))))`

$$3.159 \quad \int \frac{dx^3}{2+3x^4} dx$$

Optimal. Leaf size=13

$$\frac{1}{12} d \log(3x^4 + 2)$$

[Out] 1/12*d*ln(3*x^4+2)

Rubi [A] time = 0.00, antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {12, 260}

$$\frac{1}{12} d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(d*x^3)/(2 + 3*x^4),x]

[Out] (d*Log[2 + 3*x^4])/12

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rubi steps

$$\begin{aligned} \int \frac{dx^3}{2+3x^4} dx &= d \int \frac{x^3}{2+3x^4} dx \\ &= \frac{1}{12} d \log(2+3x^4) \end{aligned}$$

Mathematica [A] time = 0.00, size = 13, normalized size = 1.00

$$\frac{1}{12} d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Integrate[(d*x^3)/(2 + 3*x^4),x]

[Out] (d*Log[2 + 3*x^4])/12

fricas [A] time = 0.80, size = 11, normalized size = 0.85

$$\frac{1}{12} d \log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3/(3*x^4+2),x, algorithm="fricas")

[Out] 1/12*d*log(3*x^4 + 2)

giac [A] time = 0.16, size = 11, normalized size = 0.85

$$\frac{1}{12} d \log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3/(3*x^4+2),x, algorithm="giac")

[Out] 1/12*d*log(3*x^4 + 2)

maple [A] time = 0.05, size = 12, normalized size = 0.92

$$\frac{d \ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(d*x^3/(3*x^4+2),x)

[Out] 1/12*d*ln(3*x^4+2)

maxima [A] time = 1.32, size = 11, normalized size = 0.85

$$\frac{1}{12} d \log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(d*x^3/(3*x^4+2),x, algorithm="maxima")

[Out] 1/12*d*log(3*x^4 + 2)

mupad [B] time = 0.03, size = 9, normalized size = 0.69

$$\frac{d \ln\left(x^4 + \frac{2}{3}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3)/(3*x^4 + 2),x)`

[Out] `(d*log(x^4 + 2/3))/12`

sympy [A] time = 0.09, size = 10, normalized size = 0.77

$$\frac{d \log(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(d*x**3/(3*x**4+2),x)`

[Out] `d*log(3*x**4 + 2)/12`

$$3.160 \quad \int \frac{a+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=114

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{1}{12}d \log(3x^4 + 2)$$

[Out] 1/24*a*arctan(-1+6^(1/4)*x)*6^(3/4)+1/24*a*arctan(1+6^(1/4)*x)*6^(3/4)+1/12*d*ln(3*x^4+2)-1/48*a*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/48*a*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)

Rubi [A] time = 0.10, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 260}

$$-\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{1}{12}d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(a + d*x^3)/(2 + 3*x^4), x]

[Out] -(a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (d*Log[2 + 3*x^4])/12

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{a + dx^3}{2 + 3x^4} dx &= \int \left(\frac{a}{2 + 3x^4} + \frac{dx^3}{2 + 3x^4} \right) dx \\
&= a \int \frac{1}{2 + 3x^4} dx + d \int \frac{x^3}{2 + 3x^4} dx \\
&= \frac{1}{12} d \log(2 + 3x^4) + \frac{a \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} \\
&= \frac{1}{12} d \log(2 + 3x^4) + \frac{a \int \frac{1}{\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2}} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2}} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2}} dx}{8\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}}}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt[4]{3}} - x^2}} dx}{8\sqrt{6}} \\
&= -\frac{a \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8\sqrt{6}} + \frac{a \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8\sqrt{6}} + \frac{1}{12} d \log(2 + 3x^4) + \frac{a \text{Subst}\left(\int \frac{1}{-1-x^2}\right)}{4\sqrt{6}} \\
&= -\frac{a \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{4\sqrt{6}} + \frac{a \tan^{-1}\left(1 + \sqrt[4]{6}x\right)}{4\sqrt{6}} - \frac{a \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8\sqrt{6}} + \frac{a \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8\sqrt{6}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 108, normalized size = 0.95

$$\frac{1}{48} \left(-6^{3/4} a \log(\sqrt{6} x^2 - 2\sqrt[4]{6} x + 2) + 6^{3/4} a \log(\sqrt{6} x^2 + 2\sqrt[4]{6} x + 2) - 2 \cdot 6^{3/4} a \tan^{-1}\left(1 - \sqrt[4]{6} x\right) + 2 \cdot 6^{3/4} a \tan^{-1}\left(1 + \sqrt[4]{6} x\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*6^(3/4)*a*ArcTan[1 - 6^(1/4)*x] + 2*6^(3/4)*a*ArcTan[1 + 6^(1/4)*x] - 6^(3/4)*a*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + 6^(3/4)*a*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 4*d*Log[2 + 3*x^4])/48

fricas [B] time = 0.85, size = 359, normalized size = 3.15

$$4 \cdot 6^{\frac{1}{4}} \sqrt{3} \sqrt{2} (a^4)^{\frac{1}{4}} a^4 \arctan \left(-\frac{6^{\frac{3}{4}} \sqrt{3} \sqrt{2} (a^4)^{\frac{3}{4}} a^4 x - 6^{\frac{3}{4}} \sqrt{3} \sqrt{2} \sqrt{\frac{1}{3}} (a^4)^{\frac{3}{4}} a^4 \sqrt{\frac{3 a^2 x^2 + 6^{\frac{1}{4}} \sqrt{3} \sqrt{2} (a^4)^{\frac{1}{4}} a x + \sqrt{6} \sqrt{a^4}}{a^2}} + 6 a^7}}{6 a^7}} \right) + 4 \cdot 6^{\frac{1}{4}} \sqrt{3} \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)/(3*x^4+2),x, algorithm="fricas")

[Out]
$$-1/48*(4*6^{(1/4)}*\sqrt{3}*\sqrt{2}*(a^4)^{(1/4)}*a^4*\arctan(-1/6*(6^{(3/4)}*\sqrt{3}*\sqrt{2}*(a^4)^{(3/4)}*a^4*x - 6^{(3/4)}*\sqrt{3}*\sqrt{2}*\sqrt{1/3}*(a^4)^{(3/4)}*a^4*\sqrt{(3*a^2*x^2 + 6^{(1/4)}*\sqrt{3}*\sqrt{2}*(a^4)^{(1/4)}*a*x + \sqrt{6}*\sqrt{a^4})/a^2) + 6*a^7)/a^7) + 4*6^{(1/4)}*\sqrt{3}*\sqrt{2}*(a^4)^{(1/4)}*a^4*\arctan(-1/6*(6^{(3/4)}*\sqrt{3}*\sqrt{2}*(a^4)^{(3/4)}*a^4*x - 6^{(3/4)}*\sqrt{3}*\sqrt{2}*\sqrt{1/3}*(a^4)^{(3/4)}*a^4*\sqrt{(3*a^2*x^2 - 6^{(1/4)}*\sqrt{3}*\sqrt{2}*(a^4)^{(1/4)}*a*x + \sqrt{6}*\sqrt{a^4})/a^2) - 6*a^7)/a^7) - (6^{(1/4)}*\sqrt{3}*\sqrt{2}*(a^4)^{(1/4)}*a^4 + 4*a^4*d)*\log(3*a^2*x^2 + 6^{(1/4)}*\sqrt{3}*\sqrt{2}*(a^4)^{(1/4)}*a*x + \sqrt{6}*\sqrt{a^4})) + (6^{(1/4)}*\sqrt{3}*\sqrt{2}*(a^4)^{(1/4)}*a^4 - 4*a^4*d)*\log(3*a^2*x^2 - 6^{(1/4)}*\sqrt{3}*\sqrt{2}*(a^4)^{(1/4)}*a*x + \sqrt{6}*\sqrt{a^4}))/a^4$$

giac [A] time = 0.20, size = 109, normalized size = 0.96

$$\frac{1}{24} \cdot 6^{\frac{3}{4}} a \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{24} \cdot 6^{\frac{3}{4}} a \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{48} \left(6^{\frac{3}{4}} a + 4d\right) \ln\left(\frac{x^2 + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}}{x^2 - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}} x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)/(3*x^4+2),x, algorithm="giac")

[Out]
$$1/24*6^{(3/4)}*a*\arctan(3/4*\sqrt{2}*(2/3)^{(3/4)}*(2*x + \sqrt{2}*(2/3)^{(1/4)})) + 1/24*6^{(3/4)}*a*\arctan(3/4*\sqrt{2}*(2/3)^{(3/4)}*(2*x - \sqrt{2}*(2/3)^{(1/4)})) + 1/48*(6^{(3/4)}*a + 4*d)*\log(x^2 + \sqrt{2}*(2/3)^{(1/4)}*x + \sqrt{2/3}) - 1/48*(6^{(3/4)}*a - 4*d)*\log(x^2 - \sqrt{2}*(2/3)^{(1/4)}*x + \sqrt{2/3})$$

maple [A] time = 0.05, size = 125, normalized size = 1.10

$$\frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right) + \sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} a \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right) + \sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} a \ln\left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}\right)}{24} + \frac{\sqrt{3} \cdot 6^{\frac{1}{4}} \sqrt{2} a \ln\left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}\right)}{48} + \frac{d}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+a)/(3*x^4+2),x)

[Out]
$$1/24*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*a*\arctan(1/6*2^{(1/2)}*3^{(1/2)}*6^{(3/4)}*x+1)+1/24*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*a*\arctan(1/6*2^{(1/2)}*3^{(1/2)}*6^{(3/4)}*x-1)+1/48*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*a*\ln((x^2+1/3*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*x+1/3*6^{(1/2)})/(x^2-1/3*3^{(1/2)}*6^{(1/4)}*2^{(1/2)}*x+1/3*6^{(1/2)}))+1/12*d*\ln(3*x^4+2)$$

maxima [A] time = 3.06, size = 149, normalized size = 1.31

$$\frac{1}{24} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} a \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2\sqrt{3}x + 3^{\frac{1}{4}} 2^{\frac{3}{4}}\right)\right) + \frac{1}{24} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} a \arctan\left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2\sqrt{3}x - 3^{\frac{1}{4}} 2^{\frac{3}{4}}\right)\right) + \frac{1}{144} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \left(2 \cdot 3^{\frac{1}{4}}\right) \ln\left(\frac{x^2 + \frac{1}{3} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{1}{4}} x + \frac{1}{3} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{1}{4}}}{x^2 - \frac{1}{3} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{1}{4}} x + \frac{1}{3} \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{1}{4}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+a)/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{24} \cdot 3^{3/4} \cdot 2^{3/4} \cdot a \cdot \arctan\left(\frac{1}{6} \cdot 3^{3/4} \cdot 2^{1/4} \cdot (2 \cdot \sqrt{3} \cdot x + 3^{1/4}) \cdot 2^{3/4}\right) + \frac{1}{24} \cdot 3^{3/4} \cdot 2^{3/4} \cdot a \cdot \arctan\left(\frac{1}{6} \cdot 3^{3/4} \cdot 2^{1/4} \cdot (2 \cdot \sqrt{3} \cdot x - 3^{1/4}) \cdot 2^{3/4}\right) + \frac{1}{144} \cdot 3^{3/4} \cdot 2^{3/4} \cdot (2 \cdot 3^{1/4} \cdot 2^{1/4} \cdot d + 3 \cdot a) \cdot \log(\sqrt{3} \cdot x^2 + 3^{1/4} \cdot 2^{3/4} \cdot x + \sqrt{2}) + \frac{1}{144} \cdot 3^{3/4} \cdot 2^{3/4} \cdot (2 \cdot 3^{1/4} \cdot 2^{1/4} \cdot d - 3 \cdot a) \cdot \log(\sqrt{3} \cdot x^2 - 3^{1/4} \cdot 2^{3/4} \cdot x + \sqrt{2})$

mupad [B] time = 0.28, size = 117, normalized size = 1.03

$$\ln\left(x - \frac{(-1)^{1/4} 2^{1/4} 3^{3/4}}{3}\right) \left(\frac{d}{12} - \frac{6^{1/4} \sqrt{\frac{3}{4}i} a}{12}\right) + \ln\left(x + \frac{(-1)^{1/4} 2^{1/4} 3^{3/4}}{3}\right) \left(\frac{d}{12} + \frac{6^{1/4} \sqrt{\frac{3}{4}i} a}{12}\right) + \ln\left(x - \frac{(-1)^{3/4} 2^{1/4} 3^{3/4}}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + d*x^3)/(3*x^4 + 2),x)

[Out] $\log\left(x - \frac{(-1)^{1/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \cdot \left(\frac{d}{12} - \frac{6^{1/4} \cdot (3i/4)^{1/2} \cdot a}{12}\right) + \log\left(x + \frac{(-1)^{1/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \cdot \left(\frac{d}{12} + \frac{6^{1/4} \cdot (3i/4)^{1/2} \cdot a}{12}\right) + \log\left(x - \frac{(-1)^{3/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \cdot \left(\frac{d}{12} + \frac{6^{1/4} \cdot (-3i/4)^{1/2} \cdot a}{12}\right) + \log\left(x + \frac{(-1)^{3/4} \cdot 2^{1/4} \cdot 3^{3/4}}{3}\right) \cdot \left(\frac{d}{12} - \frac{6^{1/4} \cdot (-3i/4)^{1/2} \cdot a}{12}\right)$

sympy [A] time = 0.42, size = 51, normalized size = 0.45

$$\text{RootSum}\left(165888t^4 - 55296t^3d + 6912t^2d^2 - 384td^3 + 27a^4 + 8d^4, \left(t \mapsto t \log\left(x + \frac{24t - 2d}{3a}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+a)/(3*x**4+2),x)

[Out] $\text{RootSum}(165888 \cdot t^{**4} - 55296 \cdot t^{**3} \cdot d + 6912 \cdot t^{**2} \cdot d^{**2} - 384 \cdot t \cdot d^{**3} + 27 \cdot a^{**4} + 8 \cdot d^{**4}, \text{Lambda}(t, t \cdot \log(x + (24 \cdot t - 2 \cdot d)/(3 \cdot a))))$

$$3.161 \quad \int \frac{bx+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=36

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{1}{12}d \log(3x^4 + 2)$$

[Out] 1/12*d*ln(3*x^4+2)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.03, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1593, 1248, 635, 203, 260}

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{1}{12}d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(b*x + d*x^3)/(2 + 3*x^4),x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ

[{a, c, d, e, p, q}, x]

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] :> Int[u*x
^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] &&
PosQ[q - p]

Rubi steps

$$\begin{aligned} \int \frac{bx + dx^3}{2 + 3x^4} dx &= \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\ &= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) \\ &= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{2} d \text{Subst} \left(\int \frac{x}{2 + 3x^2} dx, x, x^2 \right) \\ &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{1}{12} d \log(2 + 3x^4) \end{aligned}$$

Mathematica [C] time = 0.04, size = 65, normalized size = 1.81

$$\frac{1}{24} (2d + i\sqrt{6}b) \log(\sqrt{6} - 3ix^2) + \frac{1}{24} (2d - i\sqrt{6}b) \log(\sqrt{6} + 3ix^2)$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + d*x^3)/(2 + 3*x^4), x]

[Out] ((I*Sqrt[6]*b + 2*d)*Log[Sqrt[6] - (3*I)*x^2])/24 + (((-I)*Sqrt[6]*b + 2*d)*Log[Sqrt[6] + (3*I)*x^2])/24

fricas [A] time = 0.78, size = 27, normalized size = 0.75

$$\frac{1}{12} \sqrt{6} b \arctan \left(\frac{1}{2} \sqrt{6} x^2 \right) + \frac{1}{12} d \log(3x^4 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)/(3*x^4+2), x, algorithm="fricas")

[Out] 1/12*sqrt(6)*b*arctan(1/2*sqrt(6)*x^2) + 1/12*d*log(3*x^4 + 2)

giac [B] time = 0.18, size = 93, normalized size = 2.58

$$-\frac{1}{12} \sqrt{6} b \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{12} \sqrt{6} b \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{12} d \log \left(x^2 - \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)/(3*x^4+2),x, algorithm="giac")

[Out] -1/12*sqrt(6)*b*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/12*sqrt(6)*b*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 1/12*d*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) + 1/12*d*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [A] time = 0.05, size = 28, normalized size = 0.78

$$\frac{\sqrt{6} b \arctan \left(\frac{\sqrt{6} x^2}{2} \right)}{12} + \frac{d \ln(3x^4 + 2)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+b*x)/(3*x^4+2),x)

[Out] 1/12*d*ln(3*x^4+2)+1/12*6^(1/2)*b*arctan(1/2*6^(1/2)*x^2)

maxima [B] time = 3.06, size = 113, normalized size = 3.14

$$-\frac{1}{12} \sqrt{3} \sqrt{2} b \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x + 3^{\frac{1}{4}} 2^{\frac{3}{4}} \right) \right) + \frac{1}{12} \sqrt{3} \sqrt{2} b \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x - 3^{\frac{1}{4}} 2^{\frac{3}{4}} \right) \right) + \frac{1}{12} d \log \left(\sqrt{3} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x)/(3*x^4+2),x, algorithm="maxima")

[Out] -1/12*sqrt(3)*sqrt(2)*b*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x + 3^(1/4)*2^(3/4))) + 1/12*sqrt(3)*sqrt(2)*b*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x - 3^(1/4)*2^(3/4))) + 1/12*d*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) + 1/12*d*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2))

mupad [B] time = 0.06, size = 25, normalized size = 0.69

$$\frac{d \ln \left(x^4 + \frac{2}{3} \right)}{12} + \frac{\sqrt{6} b \operatorname{atan} \left(\frac{\sqrt{6} x^2}{2} \right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x + d*x^3)/(3*x^4 + 2),x)`

[Out] `(d*log(x^4 + 2/3))/12 + (6^(1/2)*b*atan((6^(1/2)*x^2)/2))/12`

sympy [C] time = 0.41, size = 53, normalized size = 1.47

$$\left(-\frac{\sqrt{6}ib}{24} + \frac{d}{12}\right)\log\left(x^2 - \frac{\sqrt{6}i}{3}\right) + \left(\frac{\sqrt{6}ib}{24} + \frac{d}{12}\right)\log\left(x^2 + \frac{\sqrt{6}i}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**3+b*x)/(3*x**4+2),x)`

[Out] `(-sqrt(6)*I*b/24 + d/12)*log(x**2 - sqrt(6)*I/3) + (sqrt(6)*I*b/24 + d/12)*log(x**2 + sqrt(6)*I/3)`

$$3.162 \quad \int \frac{a+bx+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=136

$$\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{2\sqrt{6}}$$

[Out] 1/24*a*arctan(-1+6^(1/4)*x)*6^(3/4)+1/24*a*arctan(1+6^(1/4)*x)*6^(3/4)+1/12*d*ln(3*x^4+2)-1/48*a*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/48*a*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(3/4)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.12, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.550$, Rules used = {1876, 211, 1165, 628, 1162, 617, 204, 1248, 635, 203, 260}

$$\frac{a \log(3x^2 - 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} + \frac{a \log(3x^2 + 6^{3/4}x + \sqrt{6})}{8\sqrt[4]{6}} - \frac{a \tan^{-1}(1 - \sqrt[4]{6}x)}{4\sqrt[4]{6}} + \frac{a \tan^{-1}(\sqrt[4]{6}x + 1)}{4\sqrt[4]{6}} + \frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + d*x^3)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (a*ArcTan[1 - 6^(1/4)*x])/(4*6^(1/4)) + (a*ArcTan[1 + 6^(1/4)*x])/(4*6^(1/4)) - (a*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (a*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(1/4)) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4),

$x], x] + \text{Dist}[1/(2*r), \text{Int}[(r + s*x^2)/(a + b*x^4), x], x]] /; \text{FreeQ}[\{a, b\}, x] \&\& (\text{GtQ}[a/b, 0] \mid\mid (\text{PosQ}[a/b] \&\& \text{AtomQ}[\text{SplitProduct}[\text{SumBaseQ}, a]] \&\& \text{AtomQ}[\text{SplitProduct}[\text{SumBaseQ}, b]]))$

Rule 260

$\text{Int}[(x_)^{(m_.)}/((a_) + (b_.)*(x_)^{(n_.)}), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]]/(b*n), x] /; \text{FreeQ}[\{a, b, m, n\}, x] \&\& \text{EqQ}[m, n - 1]$

Rule 617

$\text{Int}[(a_) + (b_.)*(x_) + (c_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \mid\mid \text{!RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_) + (e_.)*(x_)]/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 635

$\text{Int}[(d_) + (e_.)*(x_)]/((a_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + c*x^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + c*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{!NiceSqrtQ}[-(a*c)]$

Rule 1162

$\text{Int}[(d_) + (e_.)*(x_)^2]/((a_) + (c_.)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[(d_) + (e_.)*(x_)^2]/((a_) + (c_.)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + bx + dx^3}{2 + 3x^4} dx &= \int \left(\frac{a}{2 + 3x^4} + \frac{x(b + dx^2)}{2 + 3x^4} \right) dx \\
 &= a \int \frac{1}{2 + 3x^4} dx + \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) + \frac{a \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} + \frac{a \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{2}} \\
 &= \frac{a \int \frac{1}{\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt{3}} + x^2}} dx}{4\sqrt{6}} + \frac{a \int \frac{1}{\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt{3}} + x^2}} dx}{4\sqrt{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt{3}} + 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8\sqrt[4]{6}} - \frac{a \int \frac{\frac{2^{3/4}}{\sqrt{3}} - 2x}{-\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8\sqrt[4]{6}} + \dots \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{a \log \left(\sqrt{6} + 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \frac{1}{12} d \log(2 + \dots) \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{a \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4\sqrt[4]{6}} + \frac{a \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4\sqrt[4]{6}} - \frac{a \log \left(\sqrt{6} - 6^{3/4}x + 3x^2 \right)}{8\sqrt[4]{6}} + \dots
 \end{aligned}$$

Mathematica [A] time = 0.10, size = 128, normalized size = 0.94

$$\frac{1}{48} \left(-2\sqrt{6} \left(\sqrt[4]{6}a + 2b \right) \tan^{-1} \left(1 - \sqrt[4]{6}x \right) + 2\sqrt{6} \left(\sqrt[4]{6}a - 2b \right) \tan^{-1} \left(\sqrt[4]{6}x + 1 \right) - 6^{3/4}a \log \left(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2 \right) + \dots \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x + d*x^3)/(2 + 3*x^4), x]
```

[Out] $(-2\sqrt{6}*(6^{1/4}*a + 2*b)*\text{ArcTan}[1 - 6^{1/4}*x] + 2\sqrt{6}*(6^{1/4}*a - 2*b)*\text{ArcTan}[1 + 6^{1/4}*x] - 6^{3/4}*a*\text{Log}[2 - 2*6^{1/4}*x + \text{Sqrt}[6]*x^2] + 6^{3/4}*a*\text{Log}[2 + 2*6^{1/4}*x + \text{Sqrt}[6]*x^2] + 4*d*\text{Log}[2 + 3*x^4])/48$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+b*x+a)/(3*x^4+2),x, algorithm="fricas")`

[Out] Timed out

giac [A] time = 0.20, size = 125, normalized size = 0.92

$$\frac{1}{24} \left(6^{\frac{3}{4}} a - 2\sqrt{6} b \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{24} \left(6^{\frac{3}{4}} a + 2\sqrt{6} b \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^3+b*x+a)/(3*x^4+2),x, algorithm="giac")`

[Out] $1/24*(6^{3/4}*a - 2*\text{sqrt}(6)*b)*\arctan(3/4*\text{sqrt}(2)*(2/3)^{3/4}*(2*x + \text{sqrt}(2)*(2/3)^{1/4})) + 1/24*(6^{3/4}*a + 2*\text{sqrt}(6)*b)*\arctan(3/4*\text{sqrt}(2)*(2/3)^{3/4}*(2*x - \text{sqrt}(2)*(2/3)^{1/4})) + 1/48*(6^{3/4}*a + 4*d)*\text{log}(x^2 + \text{sqrt}(2)*(2/3)^{1/4}*x + \text{sqrt}(2/3)) - 1/48*(6^{3/4}*a - 4*d)*\text{log}(x^2 - \text{sqrt}(2)*(2/3)^{1/4}*x + \text{sqrt}(2/3))$

maple [A] time = 0.04, size = 140, normalized size = 1.03

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln \left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{3}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{3}} \right)}{48} + \sqrt{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^3+b*x+a)/(3*x^4+2),x)`

[Out] $1/24*3^{1/2}*6^{1/4}*2^{1/2}*a*\arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x+1)+1/24*3^{1/2}*6^{1/4}*2^{1/2}*a*\arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x-1)+1/48*3^{1/2}*6^{1/4}*2^{1/2}*a*\ln((x^2+1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}))/((x^2-1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}))+1/12*6^{1/2}*b*\arctan(1/2*6^{1/2}*x^2)+1/12*d*\ln(3*x^4+2)$

maxima [A] time = 3.05, size = 171, normalized size = 1.26

$$\frac{1}{144} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \left(2 \cdot 3^{\frac{1}{4}} 2^{\frac{1}{4}} d + 3a \right) \log \left(\sqrt{3} x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) + \frac{1}{144} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \left(2 \cdot 3^{\frac{1}{4}} 2^{\frac{1}{4}} d - 3a \right) \log \left(\sqrt{3} x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+b*x+a)/(3*x^4+2),x, algorithm="maxima")

[Out] 1/144*3^(3/4)*2^(3/4)*(2*3^(1/4)*2^(1/4)*d + 3*a)*log(sqrt(3)*x^2 + 3^(1/4)*2^(3/4)*x + sqrt(2)) + 1/144*3^(3/4)*2^(3/4)*(2*3^(1/4)*2^(1/4)*d - 3*a)*log(sqrt(3)*x^2 - 3^(1/4)*2^(3/4)*x + sqrt(2)) + 1/24*sqrt(3)*(3^(1/4)*2^(3/4)*a - 2*sqrt(2)*b)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x + 3^(1/4)*2^(3/4))) + 1/24*sqrt(3)*(3^(1/4)*2^(3/4)*a + 2*sqrt(2)*b)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x - 3^(1/4)*2^(3/4)))

mupad [B] time = 5.50, size = 307, normalized size = 2.26

$$\sum_{k=1}^4 \ln \left(x \left(9a^2d + 9b^3 + 6bd^2 \right) + 9ab^2 - 6ad^2 - \text{root} \left(z^4 - \frac{dz^3}{3} + \frac{z^2(3456b^2 + 6912d^2)}{165888} - \frac{z(864a^2b + 576b^2d + 384d^3)}{165888} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + d*x^3)/(3*x^4 + 2),x)

[Out] symsum(log(x*(9*a^2*d + 6*b*d^2 + 9*b^3) + 9*a*b^2 - 6*a*d^2 - root(z^4 - (d*z^3)/3 + (z^2*(3456*b^2 + 6912*d^2))/165888 - (z*(864*a^2*b + 576*b^2*d + 384*d^3))/165888 + (a^2*b*d)/2304 + (b^2*d^2)/6912 + d^4/20736 + b^4/9216 + a^4/6144, z, k)*(root(z^4 - (d*z^3)/3 + (z^2*(3456*b^2 + 6912*d^2))/165888 - (z*(864*a^2*b + 576*b^2*d + 384*d^3))/165888 + (a^2*b*d)/2304 + (b^2*d^2)/6912 + d^4/20736 + b^4/9216 + a^4/6144, z, k)*(864*a - 864*b*x) - 144*a*d + x*(144*b*d + 108*a^2)))*root(z^4 - (d*z^3)/3 + (z^2*(3456*b^2 + 6912*d^2))/165888 - (z*(864*a^2*b + 576*b^2*d + 384*d^3))/165888 + (a^2*b*d)/2304 + (b^2*d^2)/6912 + d^4/20736 + b^4/9216 + a^4/6144, z, k), k, 1, 4)

sympy [A] time = 1.68, size = 199, normalized size = 1.46

$$\text{RootSum} \left(165888t^4 - 55296t^3d + t^2(3456b^2 + 6912d^2) + t(-864a^2b - 576b^2d - 384d^3) + 27a^4 + 72a^2bd + 18b^4 + 24 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+b*x+a)/(3*x**4+2),x)

[Out] RootSum(165888*_t**4 - 55296*_t**3*d + _t**2*(3456*b**2 + 6912*d**2) + _t*(-864*a**2*b - 576*b**2*d - 384*d**3) + 27*a**4 + 72*a**2*b*d + 18*b**4 + 24

```
*b**2*d**2 + 8*d**4, Lambda(_t, _t*log(x + (27648*_t**3*b**2 + 1728*_t**2*a
**2*b - 6912*_t**2*b**2*d + 216*_t*a**4 - 288*_t*a**2*b*d + 288*_t*b**4 + 5
76*_t*b**2*d**2 - 18*a**4*d - 90*a**2*b**3 + 12*a**2*b*d**2 - 24*b**4*d - 1
6*b**2*d**3)/(27*a**5 - 72*a*b**4))))
```


$$3.163 \quad \int \frac{cx^2+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=114

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}} + \frac{1}{12} d \log(3x^4 + 2)$$

[Out] 1/12*c*arctan(-1+6^(1/4)*x)*6^(1/4)+1/12*c*arctan(1+6^(1/4)*x)*6^(1/4)+1/12*d*log(3*x^4+2)+1/24*c*log(-6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)-1/24*c*log(6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)

Rubi [A] time = 0.12, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1593, 1831, 297, 1162, 617, 204, 1165, 628, 260}

$$\frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}} + \frac{1}{12} d \log(3x^4 + 2)$$

Antiderivative was successfully verified.

[In] Int[(c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] -(c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 297

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*s), Int[(r + s*x^2)/(a + b*x^4), x], x] - Dist[1/(2*s), Int[(r - s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] & AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1593

```
Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]
```

Rule 1831

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{cx^2 + dx^3}{2 + 3x^4} dx &= \int \frac{x^2(c + dx)}{2 + 3x^4} dx \\
&= \int \left(\frac{cx^2}{2 + 3x^4} + \frac{dx^3}{2 + 3x^4} \right) dx \\
&= c \int \frac{x^2}{2 + 3x^4} dx + d \int \frac{x^3}{2 + 3x^4} dx \\
&= \frac{1}{12} d \log(2 + 3x^4) - \frac{c \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} \\
&= \frac{1}{12} d \log(2 + 3x^4) + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2}} dx + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3} + \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2}} dx + \frac{c \int \frac{\frac{2^{3/4}}{\sqrt[4]{3}} + 2}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt[4]{3}} + x^2}}}{4 \cdot 6^{3/4}} \\
&= \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} + \frac{1}{12} d \log(2 + 3x^4) + \frac{c \operatorname{Subst}\left(\int \frac{1}{-1-x}\right)}{2} \\
&= -\frac{c \tan^{-1}\left(1 - \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}\left(1 + \sqrt[4]{6}x\right)}{2 \cdot 6^{3/4}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 108, normalized size = 0.95

$$\frac{1}{24} \left(\sqrt[4]{6} c \log(\sqrt{6} x^2 - 2\sqrt[4]{6} x + 2) - \sqrt[4]{6} c \log(\sqrt{6} x^2 + 2\sqrt[4]{6} x + 2) - 2\sqrt[4]{6} c \tan^{-1}(1 - \sqrt[4]{6} x) + 2\sqrt[4]{6} c \tan^{-1}(\sqrt[4]{6} x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*6^(1/4)*c*ArcTan[1 - 6^(1/4)*x] + 2*6^(1/4)*c*ArcTan[1 + 6^(1/4)*x] + 6^(1/4)*c*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - 6^(1/4)*c*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 2*d*Log[2 + 3*x^4])/24

fricas [B] time = 0.90, size = 272, normalized size = 2.39

$$4 \cdot 6^{\frac{1}{4}} (c^4)^{\frac{1}{4}} c^4 \arctan \left(-\frac{c^5 + 6^{\frac{1}{4}} (c^4)^{\frac{5}{4}} x - 6^{\frac{1}{4}} \sqrt{\frac{1}{3}} (c^4)^{\frac{5}{4}} \sqrt{\frac{3c^3x^2 + 6^{\frac{3}{4}} (c^4)^{\frac{3}{4}} x + \sqrt{6} \sqrt{c^4} c}{c^3}}}{c^5} \right) + 4 \cdot 6^{\frac{1}{4}} (c^4)^{\frac{1}{4}} c^4 \arctan \left(\frac{c^5 - 6^{\frac{1}{4}} (c^4)^{\frac{5}{4}} x + 6^{\frac{1}{4}} \sqrt{\frac{1}{3}} (c^4)^{\frac{5}{4}} \sqrt{\frac{3c^3x^2 + 6^{\frac{3}{4}} (c^4)^{\frac{3}{4}} x + \sqrt{6} \sqrt{c^4} c}{c^3}}}{c^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)/(3*x^4+2),x, algorithm="fricas")

[Out] $-1/24*(4*6^{1/4}*(c^4)^{1/4}*c^4*\arctan(-(c^5 + 6^{1/4}*(c^4)^{5/4}*x - 6^{1/4}*\sqrt{1/3}*(c^4)^{5/4}*\sqrt{(3*c^3*x^2 + 6^{3/4}*(c^4)^{3/4}*x + \sqrt{6})*\sqrt{c^4}*c)/c^3))/c^5 + 4*6^{1/4}*(c^4)^{1/4}*c^4*\arctan((c^5 - 6^{1/4}*(c^4)^{5/4}*x + 6^{1/4}*\sqrt{1/3}*(c^4)^{5/4}*\sqrt{(3*c^3*x^2 - 6^{3/4}*(c^4)^{3/4}*x + \sqrt{6})*\sqrt{c^4}*c)/c^3))/c^5 - (2*c^4*d - 6^{1/4}*(c^4)^{1/4}*c^4)*\log(3*c^3*x^2 + 6^{3/4}*(c^4)^{3/4}*x + \sqrt{6})*\sqrt{c^4}*c - (2*c^4*d + 6^{1/4}*(c^4)^{1/4}*c^4)*\log(3*c^3*x^2 - 6^{3/4}*(c^4)^{3/4}*x + \sqrt{6})*\sqrt{c^4}*c)/c^4$

giac [A] time = 0.28, size = 109, normalized size = 0.96

$$\frac{1}{12} \cdot 6^{\frac{1}{4}} c \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{12} \cdot 6^{\frac{1}{4}} c \arctan\left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3}\right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3}\right)^{\frac{1}{4}}\right)\right) - \frac{1}{24} (6^{\frac{1}{4}} c - 2d) \log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)/(3*x^4+2),x, algorithm="giac")

[Out] $1/12*6^{1/4}*c*\arctan(3/4*\sqrt{2}*(2/3)^{3/4}*(2*x + \sqrt{2}*(2/3)^{1/4})) + 1/12*6^{1/4}*c*\arctan(3/4*\sqrt{2}*(2/3)^{3/4}*(2*x - \sqrt{2}*(2/3)^{1/4})) - 1/24*(6^{1/4}*c - 2*d)*\log(x^2 + \sqrt{2}*(2/3)^{1/4}*x + \sqrt{2/3}) + 1/24*(6^{1/4}*c + 2*d)*\log(x^2 - \sqrt{2}*(2/3)^{1/4}*x + \sqrt{2/3})$

maple [A] time = 0.04, size = 125, normalized size = 1.10

$$\frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \ln\left(\frac{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \sqrt{6}}{3}}\right)}{144} + d \ln$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2)/(3*x^4+2),x)

[Out] $1/72*3^{1/2}*6^{3/4}*2^{1/2}*c*\arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x+1)+1/72*3^{1/2}*6^{3/4}*2^{1/2}*c*\arctan(1/6*2^{1/2}*3^{1/2}*6^{3/4}*x-1)+1/144*3^{1/2}*6^{3/4}*2^{1/2}*c*\ln((x^2-1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}))/((x^2+1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}))+1/12*d*\ln(3*x^4+2)$

maxima [A] time = 3.03, size = 152, normalized size = 1.33

$$\frac{1}{72} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(3^{\frac{1}{4}} 2^{\frac{3}{4}} d - \sqrt{3} c\right) \log\left(\sqrt{3} x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2}\right) + \frac{1}{72} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(3^{\frac{1}{4}} 2^{\frac{3}{4}} d + \sqrt{3} c\right) \log\left(\sqrt{3} x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2}\right) + \frac{1}{12} \cdot 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2)/(3*x^4+2),x, algorithm="maxima")

[Out] $\frac{1}{72}3^{3/4}2^{1/4}(3^{1/4}2^{3/4}d - \sqrt{3}c)\log(\sqrt{3}x^2 + 3^{1/4}2^{3/4}x + \sqrt{2}) + \frac{1}{72}3^{3/4}2^{1/4}(3^{1/4}2^{3/4}d + \sqrt{3}c)\log(\sqrt{3}x^2 - 3^{1/4}2^{3/4}x + \sqrt{2}) + \frac{1}{12}3^{1/4}2^{1/4}c\arctan\left(\frac{1}{6}3^{3/4}2^{1/4}(2\sqrt{3}x + 3^{1/4}2^{3/4})\right) + \frac{1}{12}3^{1/4}2^{1/4}c\arctan\left(\frac{1}{6}3^{3/4}2^{1/4}(2\sqrt{3}x - 3^{1/4}2^{3/4})\right)$

mupad [B] time = 0.37, size = 117, normalized size = 1.03

$$\ln\left(x - \frac{(-1)^{1/4}2^{1/4}3^{3/4}}{3}\right)\left(\frac{d}{12} + \frac{6^{1/4}\sqrt{-\frac{1}{2}i}c}{12}\right) + \ln\left(x + \frac{(-1)^{1/4}2^{1/4}3^{3/4}}{3}\right)\left(\frac{d}{12} - \frac{6^{1/4}\sqrt{-\frac{1}{2}i}c}{12}\right) + \ln\left(x - \frac{(-1)^{3/4}2^{1/4}}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^2 + d*x^3)/(3*x^4 + 2),x)

[Out] $\log\left(x - \frac{(-1)^{1/4}2^{1/4}3^{3/4}}{3}\right)\left(\frac{d}{12} + \frac{6^{1/4}(-1i/2)^{1/2}c}{12}\right) + \log\left(x + \frac{(-1)^{1/4}2^{1/4}3^{3/4}}{3}\right)\left(\frac{d}{12} - \frac{6^{1/4}(-1i/2)^{1/2}c}{12}\right) + \log\left(x - \frac{(-1)^{3/4}2^{1/4}3^{3/4}}{3}\right)\left(\frac{d}{12} - \frac{6^{1/4}(1i/2)^{1/2}c}{12}\right) + \log\left(x + \frac{(-1)^{3/4}2^{1/4}3^{3/4}}{3}\right)\left(\frac{d}{12} + \frac{6^{1/4}(1i/2)^{1/2}c}{12}\right)$

sympy [A] time = 0.42, size = 70, normalized size = 0.61

$$\text{RootSum}\left(41472t^4 - 13824t^3d + 1728t^2d^2 - 96td^3 + 3c^4 + 2d^4, \left(t \mapsto t \log\left(x + \frac{3456t^3 - 864t^2d + 72td^2 - 2d^3}{3c^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2)/(3*x**4+2),x)

[Out] $\text{RootSum}(41472*_t**4 - 13824*_t**3*d + 1728*_t**2*d**2 - 96*_t*d**3 + 3*c**4 + 2*d**4, \text{Lambda}(_t, _t*\log(x + (3456*_t**3 - 864*_t**2*d + 72*_t*d**2 - 2*d**3)/(3*c**3))))$

$$3.164 \quad \int \frac{a+cx^2+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=154

$$\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(1+\sqrt[4]{6}x)}{4\ 6^{3/4}}$$

[Out] 1/12*d*ln(3*x^4+2)-1/48*ln(-6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/48*ln(6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(-1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)

Rubi [A] time = 0.12, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {1876, 260, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(1+\sqrt[4]{6}x)}{4\ 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] -((Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x])/(4*6^(3/4)) + ((Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x])/(4*6^(3/4)) - ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2d)/e, 2]\}, \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e + qx + x^2, x], x] + \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e - qx + x^2, x], x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\ \text{EqQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{PosQ}[d^2e]$

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-2d/e, 2]\}, \text{Dist}[e/(2cq), \text{Int}[(q - 2x)/\text{Simp}[d/e + qx - x^2, x], x] + \text{Dist}[e/(2cq), \text{Int}[(q + 2x)/\text{Simp}[d/e - qx - x^2, x], x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{NegQ}[d^2e]$

Rule 1168

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[ac, 2]\}, \text{Dist}[(dq + ae)/(2ac), \text{Int}[(q + cx^2)/(a + cx^4), x], x] + \text{Dist}[(dq - ae)/(2ac), \text{Int}[(q - cx^2)/(a + cx^4), x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c^2d^2 + a^2e^2, 0] \ \&\& \ \text{NeQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{NegQ}[-(ac)]$

Rule 1876

$\text{Int}[\frac{Pq_}{(a_.) + (b_.)x^{(n_.)}}, x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[x^{ii} \cdot (\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii] \cdot x^{(n/2)})]/(a + bx^n), \{ii, 0, n/2 - 1\}\}, \text{Int}[v, x] \ /; \text{SumQ}[v] \ /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{Expon}[Pq, x] < n]$

Rubi steps

$$\begin{aligned}
\int \frac{a + cx^2 + dx^3}{2 + 3x^4} dx &= \int \left(\frac{dx^3}{2 + 3x^4} + \frac{a + cx^2}{2 + 3x^4} \right) dx \\
&= d \int \frac{x^3}{2 + 3x^4} dx + \int \frac{a + cx^2}{2 + 3x^4} dx \\
&= \frac{1}{12} d \log(2 + 3x^4) + \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6} + 3x^2}{2 + 3x^4} dx \\
&= \frac{1}{12} d \log(2 + 3x^4) - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} + 2x}{-\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt{3}} - x^2} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} - 2x}{-\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt{3}} - x^2} dx}{8 \cdot 6^{3/4}} + \frac{1}{24} \\
&= -\frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{1}{12} d \log(2 + 3x^4) \\
&= -\frac{(\sqrt{6}a + 2c) \tan^{-1}(1 - \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1}(1 + \sqrt[4]{6}x)}{4 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 148, normalized size = 0.96

$$\frac{1}{48} \left(-\sqrt[4]{6} (\sqrt{6}a - 2c) \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) + \sqrt[4]{6} (\sqrt{6}a - 2c) \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) - 2\sqrt[4]{6} (\sqrt{6}a + 2c) \tan^{-1}\left(\frac{1 - \sqrt[4]{6}x}{1 + \sqrt[4]{6}x}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*6^(1/4)*(Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x] + 2*6^(1/4)*(Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x] - 6^(1/4)*(Sqrt[6]*a - 2*c)*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] + 6^(1/4)*(Sqrt[6]*a - 2*c)*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 4*d*Log[2 + 3*x^4])/48

fricas [B] time = 1.17, size = 2326, normalized size = 15.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)/(3*x^4+2), x, algorithm="fricas")

[Out] 1/144*(2*sqrt(6)*sqrt(2)*(54*a^4 + 72*a^2*c^2 + 24*c^4)^(3/4)*sqrt(9*a^4 - 12*a^2*c^2 + 4*c^4)*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(54*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4))*arctan(-1/12*(sqrt(2)*s

$$\begin{aligned} &\text{qrt}(1/3) * (54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)} * (\text{sqrt}(6) * \text{sqrt}(54*a^4 + 72*a^2*c^2 \\ &* c^2 + 24*c^4) * \text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4) * a - 2 * \text{sqrt}(6) * \text{sqrt}(9*a^4 - \\ &12*a^2*c^2 + 4*c^4) * (3*a^2*c + 2*c^3)) * \text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2 \\ &* \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * a * c) / (9*a^4 - 12*a^2*c^2 + 4*c^4)) * \text{sqrt} \\ &(((3*(9*a^4 + 12*a^2*c^2 + 4*c^4) * x^2 + \text{sqrt}(2) * (54*a^4 + 72*a^2*c^2 + 24*c^4)^{(1/4)} * (\text{sqrt}(54*a^4 + 72*a^2*c^2 \\ &+ 24*c^4) * c * x - 3 * (3*a^3 + 2*a*c^2) * x)) * \text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2 * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * a * c) \\ &/ (9*a^4 - 12*a^2*c^2 + 4*c^4)) + \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * (3*a^2 \\ &+ 2*c^2)) / (9*a^4 + 12*a^2*c^2 + 4*c^4)) - \text{sqrt}(2) * (54*a^4 + 72*a^2*c^2 + 24 \\ &* c^4)^{(3/4)} * (\text{sqrt}(6) * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * \text{sqrt}(9*a^4 - 12*a^2 \\ &* c^2 + 4*c^4) * a * x - 2 * \text{sqrt}(6) * \text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4) * (3*a^2*c + 2 \\ &* c^3) * x) * \text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2 * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24 \\ &* c^4) * a * c) / (9*a^4 - 12*a^2*c^2 + 4*c^4)) + 2 * \text{sqrt}(6) * \text{sqrt}(54*a^4 + 72*a^2*c^ \\ &^2 + 24*c^4) * (9*a^4 + 12*a^2*c^2 + 4*c^4) * \text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4)) \\ &/ (81*a^8 + 108*a^6*c^2 - 48*a^2*c^6 - 16*c^8)) + 2 * \text{sqrt}(6) * \text{sqrt}(2) * (54*a^4 \\ &+ 72*a^2*c^2 + 24*c^4)^{(3/4)} * \text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4) * \text{sqrt}((9*a^4 + \\ &12*a^2*c^2 + 4*c^4 + 2 * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * a * c) / (9*a^4 - 12 \\ &* a^2*c^2 + 4*c^4)) * \text{arctan}(-1/12 * (\text{sqrt}(2) * \text{sqrt}(1/3) * (54*a^4 + 72*a^2*c^2 + 2 \\ &4*c^4)^{(3/4)} * (\text{sqrt}(6) * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * \text{sqrt}(9*a^4 - 12*a^2 \\ &* c^2 + 4*c^4) * a - 2 * \text{sqrt}(6) * \text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4) * (3*a^2*c + 2 \\ &* c^3)) * \text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2 * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^ \\ &4) * a * c) / (9*a^4 - 12*a^2*c^2 + 4*c^4)) * \text{sqrt}((3*(9*a^4 + 12*a^2*c^2 + 4*c^4) * \\ &x^2 - \text{sqrt}(2) * (54*a^4 + 72*a^2*c^2 + 24*c^4)^{(1/4)} * (\text{sqrt}(54*a^4 + 72*a^2*c^ \\ &2 + 24*c^4) * c * x - 3 * (3*a^3 + 2*a*c^2) * x)) * \text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + \\ &2 * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * a * c) / (9*a^4 - 12*a^2*c^2 + 4*c^4)) + \\ &\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * (3*a^2 + 2*c^2)) / (9*a^4 + 12*a^2*c^2 + 4 \\ &* c^4)) - \text{sqrt}(2) * (54*a^4 + 72*a^2*c^2 + 24*c^4)^{(3/4)} * (\text{sqrt}(6) * \text{sqrt}(54*a^4 \\ &+ 72*a^2*c^2 + 24*c^4) * \text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4) * a * x - 2 * \text{sqrt}(6) * \text{sqrt} \\ &9*a^4 - 12*a^2*c^2 + 4*c^4) * (3*a^2*c + 2*c^3) * x) * \text{sqrt}((9*a^4 + 12*a^2*c^2 \\ &+ 4*c^4 + 2 * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * a * c) / (9*a^4 - 12*a^2*c^2 + \\ &4*c^4)) - 2 * \text{sqrt}(6) * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * (9*a^4 + 12*a^2*c^2 \\ &+ 4*c^4) * \text{sqrt}(9*a^4 - 12*a^2*c^2 + 4*c^4)) / (81*a^8 + 108*a^6*c^2 - 48*a^2*c \\ &^6 - 16*c^8)) - 3 * (\text{sqrt}(2) * (54*a^4 + 72*a^2*c^2 + 24*c^4)^{(1/4)} * (9*a^4 + 12 \\ &* a^2*c^2 + 4*c^4 - 2 * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * a * c) * \text{sqrt}((9*a^4 + \\ &12*a^2*c^2 + 4*c^4 + 2 * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * a * c) / (9*a^4 - 12* \\ &a^2*c^2 + 4*c^4)) - 4 * (9*a^4 + 12*a^2*c^2 + 4*c^4) * d) * \text{log}(3 * (9*a^4 + 12*a^2 \\ &* c^2 + 4*c^4) * x^2 + \text{sqrt}(2) * (54*a^4 + 72*a^2*c^2 + 24*c^4)^{(1/4)} * (\text{sqrt}(54*a \\ &^4 + 72*a^2*c^2 + 24*c^4) * c * x - 3 * (3*a^3 + 2*a*c^2) * x)) * \text{sqrt}((9*a^4 + 12*a^2 \\ &* c^2 + 4*c^4 + 2 * \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * a * c) / (9*a^4 - 12*a^2*c^ \\ &2 + 4*c^4)) + \text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * (3*a^2 + 2*c^2)) + 3 * (\text{sqrt} \\ &(2) * (54*a^4 + 72*a^2*c^2 + 24*c^4)^{(1/4)} * (9*a^4 + 12*a^2*c^2 + 4*c^4 - 2 * \text{sqrt} \\ &9*a^4 + 72*a^2*c^2 + 24*c^4) * a * c) * \text{sqrt}((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2 * \\ &\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) * a * c) / (9*a^4 - 12*a^2*c^2 + 4*c^4)) + 4 * (\\ &9*a^4 + 12*a^2*c^2 + 4*c^4) * d) * \text{log}(3 * (9*a^4 + 12*a^2*c^2 + 4*c^4) * x^2 - \text{sqr} \\ &t(2) * (54*a^4 + 72*a^2*c^2 + 24*c^4)^{(1/4)} * (\text{sqrt}(54*a^4 + 72*a^2*c^2 + 24*c^4) \end{aligned}$$

4)*c*x - 3*(3*a^3 + 2*a*c^2)*x)*sqrt((9*a^4 + 12*a^2*c^2 + 4*c^4 + 2*sqrt(5
4*a^4 + 72*a^2*c^2 + 24*c^4)*a*c)/(9*a^4 - 12*a^2*c^2 + 4*c^4)) + sqrt(54*a
^4 + 72*a^2*c^2 + 24*c^4)*(3*a^2 + 2*c^2)))/(9*a^4 + 12*a^2*c^2 + 4*c^4)

giac [A] time = 0.21, size = 137, normalized size = 0.89

$$\frac{1}{24} \left(6^{\frac{3}{4}} a + 2 \cdot 6^{\frac{1}{4}} c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{24} \left(6^{\frac{3}{4}} a + 2 \cdot 6^{\frac{1}{4}} c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)/(3*x^4+2),x, algorithm="giac")

[Out] 1/24*(6^(3/4)*a + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)
)*(2/3)^(1/4))) + 1/24*(6^(3/4)*a + 2*6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(
3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) + 1/48*(6^(3/4)*a - 2*6^(1/4)*c + 4*d)*lo
g(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) - 1/48*(6^(3/4)*a - 2*6^(1/4)*c
- 4*d)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [B] time = 0.05, size = 237, normalized size = 1.54

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln \left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{3}}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{\frac{1}{3}}} \right)}{48} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+a)/(3*x^4+2),x)

[Out] 1/48*3^(1/2)*6^(1/4)*2^(1/2)*a*ln((x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(
1/2))/(x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))+1/24*3^(1/2)*6^(1/4
) *2^(1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/24*3^(1/2)*6^(1/4)*2^(
1/2)*a*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/72*3^(1/2)*6^(3/4)*2^(1/2
) *c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*
arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/144*3^(1/2)*6^(3/4)*2^(1/2)*c*ln(
(x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2+1/3*3^(1/2)*6^(1/4)*2^(
1/2)*x+1/3*6^(1/2)))+1/12*d*ln(3*x^4+2)

maxima [A] time = 2.99, size = 195, normalized size = 1.27

$$-\frac{1}{144} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \left(\sqrt{3} \sqrt{2} c - 2 \cdot 3^{\frac{1}{4}} 2^{\frac{1}{4}} d - 3a \right) \log \left(\sqrt{3} x^2 + 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right) + \frac{1}{144} \cdot 3^{\frac{3}{4}} 2^{\frac{3}{4}} \left(\sqrt{3} \sqrt{2} c + 2 \cdot 3^{\frac{1}{4}} 2^{\frac{1}{4}} d - 3a \right) \log \left(\sqrt{3} x^2 - 3^{\frac{1}{4}} 2^{\frac{3}{4}} x + \sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+a)/(3*x^4+2),x, algorithm="maxima")

[Out] $-1/144*3^{3/4}*2^{3/4}*(\sqrt{3}*\sqrt{2}*c - 2*3^{1/4}*2^{1/4}*d - 3*a)*\log(\sqrt{3}*x^2 + 3^{1/4}*2^{3/4}*x + \sqrt{2}) + 1/144*3^{3/4}*2^{3/4}*(\sqrt{3}*\sqrt{2}*c + 2*3^{1/4}*2^{1/4}*d - 3*a)*\log(\sqrt{3}*x^2 - 3^{1/4}*2^{3/4}*x + \sqrt{2}) + 1/72*\sqrt{3}*(3*3^{1/4}*2^{3/4}*a + 2*3^{3/4}*2^{1/4}*c)*\arctan(1/6*3^{3/4}*2^{1/4}*(2*\sqrt{3}*x + 3^{1/4}*2^{3/4})) + 1/72*\sqrt{3}*(3*3^{1/4}*2^{3/4}*a + 2*3^{3/4}*2^{1/4}*c)*\arctan(1/6*3^{3/4}*2^{1/4}*(2*\sqrt{3}*x - 3^{1/4}*2^{3/4}))$

mupad [B] time = 5.81, size = 286, normalized size = 1.86

$$\ln\left(-2c + \sqrt{6} a 1i + x \sqrt{3i \sqrt{6} a^2 - 12 a c - 2i \sqrt{6} c^2}\right) \left(\frac{d}{12} + \frac{\sqrt{\frac{3i \sqrt{6} a^2}{4} - 3 a c - \frac{1i \sqrt{6} c^2}{2}}}{12}\right) + \ln\left(2c - \sqrt{6} a 1i + x \sqrt{3i \sqrt{6} a^2 - 12 a c - 2i \sqrt{6} c^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^2 + d*x^3)/(3*x^4 + 2),x)

[Out] $\log(6^{1/2}*a*1i - 2*c + x*(6^{1/2}*a^2*3i - 12*a*c - 6^{1/2}*c^2*2i)^{1/2})*(d/12 + ((6^{1/2}*a^2*3i)/4 - 3*a*c - (6^{1/2}*c^2*1i)/2)^{1/2}/12) + \log(2*c - 6^{1/2}*a*1i + x*(6^{1/2}*a^2*3i - 12*a*c - 6^{1/2}*c^2*2i)^{1/2})*(d/12 - ((6^{1/2}*a^2*3i)/4 - 3*a*c - (6^{1/2}*c^2*1i)/2)^{1/2}/12) + \log(2*c + 6^{1/2}*a*1i + x*(6^{1/2}*c^2*2i - 6^{1/2}*a^2*3i - 12*a*c)^{1/2})*(d/12 - ((6^{1/2}*c^2*1i)/2 - (6^{1/2}*a^2*3i)/4 - 3*a*c)^{1/2}/12) + \log(2*c - 6^{1/2}*a*1i - x*(6^{1/2}*c^2*2i - 6^{1/2}*a^2*3i - 12*a*c)^{1/2})*(d/12 + ((6^{1/2}*c^2*1i)/2 - (6^{1/2}*a^2*3i)/4 - 3*a*c)^{1/2}/12)$

sympy [A] time = 1.38, size = 148, normalized size = 0.96

$$\text{RootSum}\left(165888t^4 - 55296t^3d + t^2(6912ac + 6912d^2) + t(-1152acd - 384d^3) + 27a^4 + 36a^2c^2 + 48acd^2 + 12c^4 - 12c^2d^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+a)/(3*x**4+2),x)

[Out] $\text{RootSum}(165888*_t**4 - 55296*_t**3*d + *_t**2*(6912*a*c + 6912*d**2) + *_t*(-1152*a*c*d - 384*d**3) + 27*a**4 + 36*a**2*c**2 + 48*a*c*d**2 + 12*c**4 + 8*d**4, \text{Lambda}(_t, *_t*\log(x + (-13824*_t**3*c + 3456*_t**2*c*d + 216*_t*a**3 - 432*_t*a*c**2 - 288*_t*c*d**2 - 18*a**3*d + 36*a*c**2*d + 8*c*d**3)/(27*a**4 - 12*c**4))))$

$$3.165 \quad \int \frac{bx+cx^2+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=136

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}} + \dots$$

[Out] 1/12*c*arctan(-1+6^(1/4)*x)*6^(1/4)+1/12*c*arctan(1+6^(1/4)*x)*6^(1/4)+1/12*d*ln(3*x^4+2)+1/24*c*ln(-6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)-1/24*c*ln(6^(3/4)*x+3*x^2+6^(1/2))*6^(1/4)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)

Rubi [A] time = 0.14, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1594, 1831, 297, 1162, 617, 204, 1165, 628, 1248, 635, 203, 260}

$$\frac{b \tan^{-1}\left(\sqrt{\frac{3}{2}}x^2\right)}{2\sqrt{6}} + \frac{c \log(3x^2 - 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \log(3x^2 + 6^{3/4}x + \sqrt{6})}{4 \cdot 6^{3/4}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(\sqrt[4]{6}x + 1)}{2 \cdot 6^{3/4}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - (c*ArcTan[1 - 6^(1/4)*x])/(2*6^(3/4)) + (c*ArcTan[1 + 6^(1/4)*x])/(2*6^(3/4)) + (c*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) - (c*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(4*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

$\text{Int}[(x_)^m/((a_) + (b_)*(x_)^n), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]]/(b*n), x] /; \text{FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 297

$\text{Int}[(x_)^2/((a_) + (b_)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 2]], s = \text{Denominator}[\text{Rt}[a/b, 2]]\}, \text{Dist}[1/(2*s), \text{Int}[(r + s*x^2)/(a + b*x^4), x], x] - \text{Dist}[1/(2*s), \text{Int}[(r - s*x^2)/(a + b*x^4), x], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ (\text{GtQ}[a/b, 0] \ || \ (\text{PosQ}[a/b] \ \&\& \ \text{AtomQ}[\text{SplitProduct}[\text{SumBaseQ}, a]] \ \& \ \text{AtomQ}[\text{SplitProduct}[\text{SumBaseQ}, b]]))$

Rule 617

$\text{Int}[(a_) + (b_)*(x_) + (c_)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_) + (e_)*(x_)]/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 635

$\text{Int}[(d_) + (e_)*(x_)]/((a_) + (c_)*(x_)^2), x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + c*x^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + c*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ !\text{NiceSqrtQ}[-(a*c)]$

Rule 1162

$\text{Int}[(d_) + (e_)*(x_)^2]/((a_) + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[(d_) + (e_)*(x_)^2]/((a_) + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
  := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
  [{a, c, d, e, p, q}, x]
```

Rule 1594

```
Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))^(n_), x
_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a
, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]
```

Rule 1831

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[
{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2
)))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}], Int[v, x] /; SumQ[v]] /; FreeQ[{
a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{bx + cx^2 + dx^3}{2 + 3x^4} dx &= \int \frac{x(b + cx + dx^2)}{2 + 3x^4} dx \\
&= \int \left(\frac{cx^2}{2 + 3x^4} + \frac{x(b + dx^2)}{2 + 3x^4} \right) dx \\
&= c \int \frac{x^2}{2 + 3x^4} dx + \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) - \frac{c \int \frac{\sqrt{2} - \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} + \frac{c \int \frac{\sqrt{2} + \sqrt{3}x^2}{2 + 3x^4} dx}{2\sqrt{3}} \\
&= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} - \frac{2^{3/4}x}{\sqrt{3}} + x^2} dx + \frac{1}{12} c \int \frac{1}{\sqrt{\frac{2}{3}} + \frac{2^{3/4}x}{\sqrt{3}} + x^2} dx \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} - \frac{c \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}} + \frac{1}{12} d \log(2 - \sqrt{6}x + 3x^2) \\
&= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{c \tan^{-1}(1 - \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \tan^{-1}(1 + \sqrt[4]{6}x)}{2 \cdot 6^{3/4}} + \frac{c \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{4 \cdot 6^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 125, normalized size = 0.92

$$\frac{1}{24} \left(-2\sqrt[4]{6} (\sqrt[4]{6}b + c) \tan^{-1}(1 - \sqrt[4]{6}x) + 2\sqrt[4]{6} (c - \sqrt[4]{6}b) \tan^{-1}(\sqrt[4]{6}x + 1) + \sqrt[4]{6}c \log(\sqrt{6}x^2 - 2\sqrt[4]{6}x + 2) - \sqrt[4]{6}c \log(\sqrt{6}x^2 + 2\sqrt[4]{6}x + 2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (-2*6^(1/4)*(6^(1/4)*b + c)*ArcTan[1 - 6^(1/4)*x] + 2*6^(1/4)*(-(6^(1/4)*b) + c)*ArcTan[1 + 6^(1/4)*x] + 6^(1/4)*c*Log[2 - 2*6^(1/4)*x + Sqrt[6]*x^2] - 6^(1/4)*c*Log[2 + 2*6^(1/4)*x + Sqrt[6]*x^2] + 2*d*Log[2 + 3*x^4])/24

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)/(3*x^4+2), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 124, normalized size = 0.91

$$-\frac{1}{12} \left(\sqrt{6}b - 6^{\frac{1}{4}}c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{12} \left(\sqrt{6}b + 6^{\frac{1}{4}}c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)/(3*x^4+2),x, algorithm="giac")

[Out] -1/12*(sqrt(6)*b - 6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x + sqrt(2)*(2/3)^(1/4))) + 1/12*(sqrt(6)*b + 6^(1/4)*c)*arctan(3/4*sqrt(2)*(2/3)^(3/4)*(2*x - sqrt(2)*(2/3)^(1/4))) - 1/24*(6^(1/4)*c - 2*d)*log(x^2 + sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3)) + 1/24*(6^(1/4)*c + 2*d)*log(x^2 - sqrt(2)*(2/3)^(1/4)*x + sqrt(2/3))

maple [A] time = 0.05, size = 140, normalized size = 1.03

$$\frac{\sqrt{6} b \arctan\left(\frac{\sqrt{6} x^2}{2}\right)}{12} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1\right)}{72} + \frac{\sqrt{3} 6^{\frac{3}{4}} \sqrt{2} c \ln\left(\frac{\sqrt{6} x^2}{2}\right)}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+b*x)/(3*x^4+2),x)

[Out] 1/12*6^(1/2)*b*arctan(1/2*6^(1/2)*x^2)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x+1)+1/72*3^(1/2)*6^(3/4)*2^(1/2)*c*arctan(1/6*2^(1/2)*3^(1/2)*6^(3/4)*x-1)+1/144*3^(1/2)*6^(3/4)*2^(1/2)*c*ln((x^2-1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2))/(x^2+1/3*3^(1/2)*6^(1/4)*2^(1/2)*x+1/3*6^(1/2)))+1/12*d*ln(3*x^4+2)

maxima [A] time = 3.02, size = 174, normalized size = 1.28

$$\frac{1}{72} \sqrt{3} \sqrt{2} \left(3^{\frac{3}{4}} 2^{\frac{3}{4}} c - 6b \right) \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x + 3^{\frac{1}{4}} 2^{\frac{3}{4}} \right) \right) + \frac{1}{72} \sqrt{3} \sqrt{2} \left(3^{\frac{3}{4}} 2^{\frac{3}{4}} c + 6b \right) \arctan \left(\frac{1}{6} \cdot 3^{\frac{3}{4}} 2^{\frac{1}{4}} \left(2 \sqrt{3} x - 3^{\frac{1}{4}} 2^{\frac{3}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x)/(3*x^4+2),x, algorithm="maxima")

[Out] 1/72*sqrt(3)*sqrt(2)*(3^(3/4)*2^(3/4)*c - 6*b)*arctan(1/6*3^(3/4)*2^(1/4)*(2*sqrt(3)*x + 3^(1/4)*2^(3/4))) + 1/72*sqrt(3)*sqrt(2)*(3^(3/4)*2^(3/4)*c +

$6*b)*\arctan(1/6*3^{(3/4)}*2^{(1/4)}*(2*\sqrt{3}*x - 3^{(1/4)}*2^{(3/4)})) + 1/72*3^{(3/4)}*2^{(1/4)}*(3^{(1/4)}*2^{(3/4)}*d - \sqrt{3}*c)*\log(\sqrt{3}*x^2 + 3^{(1/4)}*2^{(3/4)}*x + \sqrt{2}) + 1/72*3^{(3/4)}*2^{(1/4)}*(3^{(1/4)}*2^{(3/4)}*d + \sqrt{3}*c)*\log(\sqrt{3}*x^2 - 3^{(1/4)}*2^{(3/4)}*x + \sqrt{2})$

mupad [B] time = 5.39, size = 300, normalized size = 2.21

$$\sum_{k=1}^4 \ln \left(-\text{root} \left(z^4 - \frac{dz^3}{3} + \frac{z^2 (1728b^2 + 3456d^2)}{82944} - \frac{z (-288bc^2 + 288b^2d + 192d^3)}{82944} - \frac{bc^2d}{3456} + \frac{b^2d^2}{6912} + \frac{d^4}{20736} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x + c*x^2 + d*x^3)/(3*x^4 + 2), x)

[Out] symsum(log(x*(6*b*d^2 - 6*c^2*d + 9*b^3) - root(z^4 - (d*z^3)/3 + (z^2*(1728*b^2 + 3456*d^2))/82944 - (z*(-288*b*c^2 + 288*b^2*d + 192*d^3))/82944 - (b*c^2*d)/3456 + (b^2*d^2)/6912 + d^4/20736 + c^4/13824 + b^4/9216, z, k)*(144*b*c + x*(144*b*d - 72*c^2) - 864*root(z^4 - (d*z^3)/3 + (z^2*(1728*b^2 + 3456*d^2))/82944 - (z*(-288*b*c^2 + 288*b^2*d + 192*d^3))/82944 - (b*c^2*d)/3456 + (b^2*d^2)/6912 + d^4/20736 + c^4/13824 + b^4/9216, z, k)*b*x) - 6*c^3 + 12*b*c*d)*root(z^4 - (d*z^3)/3 + (z^2*(1728*b^2 + 3456*d^2))/82944 - (z*(-288*b*c^2 + 288*b^2*d + 192*d^3))/82944 - (b*c^2*d)/3456 + (b^2*d^2)/6912 + d^4/20736 + c^4/13824 + b^4/9216, z, k), k, 1, 4)

sympy [A] time = 1.99, size = 189, normalized size = 1.39

$$\text{RootSum} \left(82944t^4 - 27648t^3d + t^2(1728b^2 + 3456d^2) + t(-288b^2d + 288bc^2 - 192d^3) + 9b^4 + 12b^2d^2 - 24bcd \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+b*x)/(3*x**4+2), x)

[Out] RootSum(82944*_t**4 - 27648*_t**3*d + _t**2*(1728*b**2 + 3456*d**2) + _t*(-288*b**2*d + 288*b*c**2 - 192*d**3) + 9*b**4 + 12*b**2*d**2 - 24*b*c**2*d + 6*c**4 + 4*d**4, Lambda(_t, _t*log(x + (-3456*_t**3*c**2 + 864*_t**2*b**3 + 864*_t**2*c**2*d - 144*_t*b**3*d - 108*_t*b**2*c**2 - 72*_t*c**2*d**2 + 9*b**5 + 6*b**3*d**2 + 9*b**2*c**2*d - 9*b*c**4 + 2*c**2*d**3)/(18*b**4*c - 3*c**5))))

$$3.166 \quad \int \frac{a+bx+cx^2+dx^3}{2+3x^4} dx$$

Optimal. Leaf size=176

$$\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(1+\sqrt[4]{6}x)}{4\ 6^{3/4}}$$

[Out] 1/12*d*ln(3*x^4+2)+1/12*b*arctan(1/2*x^2*6^(1/2))*6^(1/2)-1/48*ln(-6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/48*ln(6^(3/4)*x+3*x^2+6^(1/2))*(-2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(-1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)+1/24*arctan(1+6^(1/4)*x)*(2*c+a*6^(1/2))*6^(1/4)

Rubi [A] time = 0.14, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 203, 260}

$$\frac{(\sqrt{6}a-2c)\log(3x^2-6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} + \frac{(\sqrt{6}a-2c)\log(3x^2+6^{3/4}x+\sqrt{6})}{8\ 6^{3/4}} - \frac{(\sqrt{6}a+2c)\tan^{-1}(1-\sqrt[4]{6}x)}{4\ 6^{3/4}} + \frac{(\sqrt{6}a+2c)\tan^{-1}(1+\sqrt[4]{6}x)}{4\ 6^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] (b*ArcTan[Sqrt[3/2]*x^2])/(2*Sqrt[6]) - ((Sqrt[6]*a + 2*c)*ArcTan[1 - 6^(1/4)*x])/(4*6^(3/4)) + ((Sqrt[6]*a + 2*c)*ArcTan[1 + 6^(1/4)*x])/(4*6^(3/4)) - ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] - 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + ((Sqrt[6]*a - 2*c)*Log[Sqrt[6] + 6^(3/4)*x + 3*x^2])/(8*6^(3/4)) + (d*Log[2 + 3*x^4])/12

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
  := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
  [{a, c, d, e, p, q}, x]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
  [Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
  }]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
  0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + bx + cx^2 + dx^3}{2 + 3x^4} dx &= \int \left(\frac{a + cx^2}{2 + 3x^4} + \frac{x(b + dx^2)}{2 + 3x^4} \right) dx \\
 &= \int \frac{a + cx^2}{2 + 3x^4} dx + \int \frac{x(b + dx^2)}{2 + 3x^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{b + dx}{2 + 3x^2} dx, x, x^2 \right) + \frac{1}{12} (\sqrt{6}a - 2c) \int \frac{\sqrt{6} - 3x^2}{2 + 3x^4} dx + \frac{1}{12} (\sqrt{6}a + 2c) \int \frac{\sqrt{6} + 3x^2}{2 + 3x^4} dx \\
 &= \frac{1}{2} b \text{Subst} \left(\int \frac{1}{2 + 3x^2} dx, x, x^2 \right) - \frac{(\sqrt{6}a - 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} + 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8 \cdot 6^{3/4}} - \frac{(\sqrt{6}a + 2c) \int \frac{\frac{2^{3/4}}{\sqrt{3}} - 2x}{-\sqrt{\frac{2}{3} - \frac{2^{3/4}x}{\sqrt{3}} - x^2}} dx}{8 \cdot 6^{3/4}} \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a - 2c) \log(\sqrt{6} - 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \log(\sqrt{6} + 6^{3/4}x + 3x^2)}{8 \cdot 6^{3/4}} \\
 &= \frac{b \tan^{-1} \left(\sqrt{\frac{3}{2}} x^2 \right)}{2\sqrt{6}} - \frac{(\sqrt{6}a + 2c) \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a + 2c) \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} - \frac{(\sqrt{6}a - 2c) \tan^{-1} \left(1 - \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}} + \frac{(\sqrt{6}a - 2c) \tan^{-1} \left(1 + \sqrt[4]{6}x \right)}{4 \cdot 6^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.19, size = 164, normalized size = 0.93

$$\frac{1}{48} \left(-2\sqrt[4]{6} \tan^{-1} \left(1 - \sqrt[4]{6}x \right) \left(\sqrt{6}a + 2 \left(\sqrt[4]{6}b + c \right) \right) + 2\sqrt[4]{6} \tan^{-1} \left(\sqrt[4]{6}x + 1 \right) \left(\sqrt{6}a - 2\sqrt[4]{6}b + 2c \right) - \sqrt[4]{6} \left(\sqrt{6}a - 2c \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x + c*x^2 + d*x^3)/(2 + 3*x^4), x]

[Out] $(-2*6^{1/4}*(\text{Sqrt}[6]*a + 2*(6^{1/4}*b + c))*\text{ArcTan}[1 - 6^{1/4}*x] + 2*6^{1/4}*(\text{Sqrt}[6]*a - 2*6^{1/4}*b + 2*c)*\text{ArcTan}[1 + 6^{1/4}*x] - 6^{1/4}*(\text{Sqrt}[6]*a - 2*c)*\text{Log}[2 - 2*6^{1/4}*x + \text{Sqrt}[6]*x^2] + 6^{1/4}*(\text{Sqrt}[6]*a - 2*c)*\text{Log}[2 + 2*6^{1/4}*x + \text{Sqrt}[6]*x^2] + 4*d*\text{Log}[2 + 3*x^4])/48$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x+a)/(3*x^4+2), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 149, normalized size = 0.85

$$\frac{1}{24} \left(6^{\frac{3}{4}} a - 2\sqrt{6} b + 2 \cdot 6^{\frac{1}{4}} c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{24} \left(6^{\frac{3}{4}} a + 2\sqrt{6} b + 2 \cdot 6^{\frac{1}{4}} c \right) \arctan \left(\frac{3}{4} \sqrt{2} \left(\frac{2}{3} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{2}{3} \right)^{\frac{1}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x+a)/(3*x^4+2), x, algorithm="giac")

[Out] $1/24*(6^{3/4}*a - 2*\text{sqrt}(6)*b + 2*6^{1/4}*c)*\arctan(3/4*\text{sqrt}(2)*(2/3)^{3/4}*(2*x + \text{sqrt}(2)*(2/3)^{1/4})) + 1/24*(6^{3/4}*a + 2*\text{sqrt}(6)*b + 2*6^{1/4}*c)*\arctan(3/4*\text{sqrt}(2)*(2/3)^{3/4}*(2*x - \text{sqrt}(2)*(2/3)^{1/4})) + 1/48*(6^{3/4}*a - 2*6^{1/4}*c + 4*d)*\log(x^2 + \text{sqrt}(2)*(2/3)^{1/4}*x + \text{sqrt}(2/3)) - 1/48*(6^{3/4}*a - 2*6^{1/4}*c - 4*d)*\log(x^2 - \text{sqrt}(2)*(2/3)^{1/4}*x + \text{sqrt}(2/3))$

maple [A] time = 0.05, size = 252, normalized size = 1.43

$$\frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} - 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \arctan \left(\frac{\sqrt{2} \sqrt{3} 6^{\frac{3}{4}} x}{6} + 1 \right)}{24} + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} a \ln \left(\frac{x^2 + \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{3}}{x^2 - \frac{\sqrt{3} 6^{\frac{1}{4}} \sqrt{2} x + \frac{\sqrt{6}}{3}}{3}} \right)}{48} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^3+c*x^2+b*x+a)/(3*x^4+2), x)

[Out] $1/48*3^{1/2}*6^{1/4}*2^{1/2}*a*\ln((x^2+1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}*(1/2))/(x^2-1/3*3^{1/2}*6^{1/4}*2^{1/2}*x+1/3*6^{1/2}*(1/2)))+1/24*3^{1/2}*6^{1/4}$

) $\cdot 2^{(1/2)} \cdot a \cdot \arctan(1/6 \cdot 2^{(1/2)} \cdot 3^{(1/2)} \cdot 6^{(3/4)} \cdot x + 1) + 1/24 \cdot 3^{(1/2)} \cdot 6^{(1/4)} \cdot 2^{(1/2)} \cdot a \cdot \arctan(1/6 \cdot 2^{(1/2)} \cdot 3^{(1/2)} \cdot 6^{(3/4)} \cdot x - 1) + 1/12 \cdot 6^{(1/2)} \cdot b \cdot \arctan(1/2 \cdot 6^{(1/2)} \cdot x^2) + 1/72 \cdot 3^{(1/2)} \cdot 6^{(3/4)} \cdot 2^{(1/2)} \cdot c \cdot \arctan(1/6 \cdot 2^{(1/2)} \cdot 3^{(1/2)} \cdot 6^{(3/4)} \cdot x + 1) + 1/72 \cdot 3^{(1/2)} \cdot 6^{(3/4)} \cdot 2^{(1/2)} \cdot c \cdot \arctan(1/6 \cdot 2^{(1/2)} \cdot 3^{(1/2)} \cdot 6^{(3/4)} \cdot x - 1) + 1/144 \cdot 3^{(1/2)} \cdot 6^{(3/4)} \cdot 2^{(1/2)} \cdot c \cdot \ln((x^2 - 1/3 \cdot 3^{(1/2)} \cdot 6^{(1/4)} \cdot 2^{(1/2)} \cdot x + 1/3 \cdot 6^{(1/2)}) / (x^2 + 1/3 \cdot 3^{(1/2)} \cdot 6^{(1/4)} \cdot 2^{(1/2)} \cdot x + 1/3 \cdot 6^{(1/2)})) + 1/12 \cdot d \cdot \ln(3 \cdot x^4 + 2)$

maxima [A] time = 2.99, size = 207, normalized size = 1.18

$$-\frac{1}{144} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \left(\sqrt{3} \sqrt{2} c - 2 \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{1}{4}} d - 3a \right) \log \left(\sqrt{3} x^2 + 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} x + \sqrt{2} \right) + \frac{1}{144} \cdot 3^{\frac{3}{4}} \cdot 2^{\frac{3}{4}} \left(\sqrt{3} \sqrt{2} c + 2 \cdot 3^{\frac{1}{4}} \cdot 2^{\frac{1}{4}} d - 3a \right) \log \left(\sqrt{3} x^2 + 3^{\frac{1}{4}} \cdot 2^{\frac{3}{4}} x + \sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^3+c*x^2+b*x+a)/(3*x^4+2),x, algorithm="maxima")

[Out] $-1/144 \cdot 3^{(3/4)} \cdot 2^{(3/4)} \cdot (\text{sqrt}(3) \cdot \text{sqrt}(2) \cdot c - 2 \cdot 3^{(1/4)} \cdot 2^{(1/4)} \cdot d - 3a) \cdot \log(\text{sqrt}(3) \cdot x^2 + 3^{(1/4)} \cdot 2^{(3/4)} \cdot x + \text{sqrt}(2)) + 1/144 \cdot 3^{(3/4)} \cdot 2^{(3/4)} \cdot (\text{sqrt}(3) \cdot \text{sqrt}(2) \cdot c + 2 \cdot 3^{(1/4)} \cdot 2^{(1/4)} \cdot d - 3a) \cdot \log(\text{sqrt}(3) \cdot x^2 - 3^{(1/4)} \cdot 2^{(3/4)} \cdot x + \text{sqrt}(2)) + 1/72 \cdot \text{sqrt}(3) \cdot (3 \cdot 3^{(1/4)} \cdot 2^{(3/4)} \cdot a + 2 \cdot 3^{(3/4)} \cdot 2^{(1/4)} \cdot c - 6 \cdot \text{sqrt}(2) \cdot b) \cdot \arctan(1/6 \cdot 3^{(3/4)} \cdot 2^{(1/4)} \cdot (2 \cdot \text{sqrt}(3) \cdot x + 3^{(1/4)} \cdot 2^{(3/4)})) + 1/72 \cdot \text{sqrt}(3) \cdot (3 \cdot 3^{(1/4)} \cdot 2^{(3/4)} \cdot a + 2 \cdot 3^{(3/4)} \cdot 2^{(1/4)} \cdot c + 6 \cdot \text{sqrt}(2) \cdot b) \cdot \arctan(1/6 \cdot 3^{(3/4)} \cdot 2^{(1/4)} \cdot (2 \cdot \text{sqrt}(3) \cdot x - 3^{(1/4)} \cdot 2^{(3/4)}))$

mupad [B] time = 5.64, size = 1168, normalized size = 6.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x + c*x^2 + d*x^3)/(3*x^4 + 2),x)

[Out] $\text{symsum}(\log(9 \cdot a \cdot b^2 - 864 \cdot \text{root}(z^4 - (d \cdot z^3)/3 + (a \cdot c \cdot z^2)/24 + (d^2 \cdot z^2)/24 + (b^2 \cdot z^2)/48 - (a \cdot c \cdot d \cdot z)/144 - (b^2 \cdot d \cdot z)/288 + (b \cdot c^2 \cdot z)/288 - (a^2 \cdot b \cdot z)/192 - (d^3 \cdot z)/432 - (b \cdot c^2 \cdot d)/3456 + (a \cdot c \cdot d^2)/3456 + (a^2 \cdot b \cdot d)/2304 - (a \cdot b^2 \cdot c)/2304 + (b^2 \cdot d^2)/6912 + (a^2 \cdot c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)^2 \cdot a - 9 \cdot a^2 \cdot c - 6 \cdot a \cdot d^2 + 9 \cdot b^3 \cdot x - 6 \cdot c^3 + 144 \cdot \text{root}(z^4 - (d \cdot z^3)/3 + (a \cdot c \cdot z^2)/24 + (d^2 \cdot z^2)/24 + (b^2 \cdot z^2)/48 - (a \cdot c \cdot d \cdot z)/144 - (b^2 \cdot d \cdot z)/288 + (b \cdot c^2 \cdot z)/288 - (a^2 \cdot b \cdot z)/192 - (d^3 \cdot z)/432 - (b \cdot c^2 \cdot d)/3456 + (a \cdot c \cdot d^2)/3456 + (a^2 \cdot b \cdot d)/2304 - (a \cdot b^2 \cdot c)/2304 + (b^2 \cdot d^2)/6912 + (a^2 \cdot c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k) \cdot a \cdot d - 144 \cdot \text{root}(z^4 - (d \cdot z^3)/3 + (a \cdot c \cdot z^2)/24 + (d^2 \cdot z^2)/24 + (b^2 \cdot z^2)/48 - (a \cdot c \cdot d \cdot z)/144 - (b^2 \cdot d \cdot z)/288 + (b \cdot c^2 \cdot z)/288 - (a^2 \cdot b \cdot z)/192 - (d^3 \cdot z)/432 - (b \cdot c^2 \cdot d)/3456 + (a \cdot c \cdot d^2)/3456 + (a^2 \cdot b \cdot d)/2304 - (a \cdot b^2 \cdot c)/2304 + (b^2 \cdot d^2)/6912 + (a^2 \cdot c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z$

, k)*b*c + 12*b*c*d - 108*root(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*a^2*x + 864*root(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)^2*b*x + 72*root(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*c^2*x + 9*a^2*d*x + 6*b*d^2*x - 6*c^2*d*x - 144*root(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k)*b*d*x - 18*a*b*c*x)*root(z^4 - (d*z^3)/3 + (a*c*z^2)/24 + (d^2*z^2)/24 + (b^2*z^2)/48 - (a*c*d*z)/144 - (b^2*d*z)/288 + (b*c^2*z)/288 - (a^2*b*z)/192 - (d^3*z)/432 - (b*c^2*d)/3456 + (a*c*d^2)/3456 + (a^2*b*d)/2304 - (a*b^2*c)/2304 + (b^2*d^2)/6912 + (a^2*c^2)/4608 + d^4/20736 + c^4/13824 + b^4/9216 + a^4/6144, z, k), k, 1, 4)

sympy [B] time = 13.07, size = 580, normalized size = 3.30

$$\text{RootSum}\left(165888t^4 - 55296t^3d + t^2(6912ac + 3456b^2 + 6912d^2) + t(-864a^2b - 1152acd - 576b^2d + 576bc^2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**3+c*x**2+b*x+a)/(3*x**4+2),x)

[Out] RootSum(165888*_t**4 - 55296*_t**3*d + _t**2*(6912*a*c + 3456*b**2 + 6912*d**2) + _t*(-864*a**2*b - 1152*a*c*d - 576*b**2*d + 576*b*c**2 - 384*d**3) + 27*a**4 + 72*a**2*b*d + 36*a**2*c**2 - 72*a*b**2*c + 48*a*c*d**2 + 18*b**4 + 24*b**2*d**2 - 48*b*c**2*d + 12*c**4 + 8*d**4, Lambda(_t, _t*log(x + (-4 1472*_t**3*a**2*c + 82944*_t**3*a*b**2 + 27648*_t**3*c**3 + 5184*_t**2*a**3*b + 10368*_t**2*a**2*c*d - 20736*_t**2*a*b**2*d + 10368*_t**2*a*b*c**2 - 6 912*_t**2*b**3*c - 6912*_t**2*c**3*d + 648*_t*a**5 - 864*_t*a**3*b*d - 1728*_t*a**3*c**2 + 3888*_t*a**2*b**2*c - 864*_t*a**2*c*d**2 + 864*_t*a*b**4 + 1728*_t*a*b**2*d**2 - 1728*_t*a*b*c**2*d + 864*_t*a*c**4 + 1152*_t*b**3*c*d + 864*_t*b**2*c**3 + 576*_t*c**3*d**2 - 54*a**5*d + 270*a**4*b*c - 270*a**3*b**3 + 36*a**3*b*d**2 + 144*a**3*c**2*d - 324*a**2*b**2*c*d + 24*a**2*c*d**3 - 72*a*b**4*d + 180*a*b**3*c**2 - 48*a*b**2*d**3 + 72*a*b*c**2*d**2 - 7 2*a*c**4*d - 72*b**5*c - 48*b**3*c*d**2 - 72*b**2*c**3*d + 72*b*c**5 - 16*c

$$\frac{d^3}{dx^3} \left(\frac{1}{(81a^6 - 54a^4c^2 + 432a^3b^2c - 216a^2b^4 - 36a^2c^4 + 288ab^2c^3 - 144b^4c^2 + 24c^6)} \right)$$

$$3.167 \quad \int \frac{1+x+x^2+x^3}{1-x^4} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

[Out] -ln(1-x)

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] -Log[1 - x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[P_x, Q_x, x]^p*Q_x^(p+q), x] /; FreeQ[q, x] && PolyQ[P_x, x] && PolyQ[Q_x, x] && EqQ[PolynomialRemainder[P_x, Q_x, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1+x+x^2+x^3}{1-x^4} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] $-\text{Log}[1 - x]$

fricas [A] time = 0.74, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)/(-x^4+1),x, algorithm="fricas")`

[Out] $-\log(x - 1)$

giac [A] time = 0.15, size = 7, normalized size = 0.88

$$-\log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)/(-x^4+1),x, algorithm="giac")`

[Out] $-\log(\text{abs}(x - 1))$

maple [A] time = 0.04, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3+x^2+x+1)/(-x^4+1),x)`

[Out] $-\ln(x-1)$

maxima [A] time = 1.35, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)/(-x^4+1),x, algorithm="maxima")`

[Out] $-\log(x - 1)$

mupad [B] time = 0.02, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x + x^2 + x^3 + 1)/(x^4 - 1),x)`

[Out] $-\log(x - 1)$

sympy [A] time = 0.07, size = 5, normalized size = 0.62

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+x**2+x+1)/(-x**4+1),x)`

[Out] $-\log(x - 1)$

$$3.168 \quad \int \frac{1+x+x^2+x^3}{1+x^4} dx$$

Optimal. Leaf size=53

$$\frac{1}{4} \log(x^4 + 1) + \frac{1}{2} \tan^{-1}(x^2) - \frac{\tan^{-1}(1 - \sqrt{2}x)}{\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{\sqrt{2}}$$

[Out] 1/2*arctan(x^2)+1/4*ln(x^4+1)+1/2*arctan(-1+x*2^(1/2))*2^(1/2)+1/2*arctan(1+x*2^(1/2))*2^(1/2)

Rubi [A] time = 0.04, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1876, 1162, 617, 204, 1248, 635, 203, 260}

$$\frac{1}{4} \log(x^4 + 1) + \frac{1}{2} \tan^{-1}(x^2) - \frac{\tan^{-1}(1 - \sqrt{2}x)}{\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(1 + x^4), x]

[Out] ArcTan[x^2]/2 - ArcTan[1 - Sqrt[2]*x]/Sqrt[2] + ArcTan[1 + Sqrt[2]*x]/Sqrt[2] + Log[1 + x^4]/4

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 635

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(
a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e
}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{1+x+x^2+x^3}{1+x^4} dx &= \int \left(\frac{1+x^2}{1+x^4} + \frac{x(1+x^2)}{1+x^4} \right) dx \\
&= \int \frac{1+x^2}{1+x^4} dx + \int \frac{x(1+x^2)}{1+x^4} dx \\
&= \frac{1}{2} \int \frac{1}{1-\sqrt{2}x+x^2} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{2}x+x^2} dx + \frac{1}{2} \text{Subst} \left(\int \frac{1+x}{1+x^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{1+x^2} dx, x, x^2 \right) + \frac{1}{2} \text{Subst} \left(\int \frac{x}{1+x^2} dx, x, x^2 \right) + \frac{\text{Subst} \left(\int \frac{1}{-1-x^2} dx, x, 1-x^2 \right)}{\sqrt{2}} \\
&= \frac{1}{2} \tan^{-1}(x^2) - \frac{\tan^{-1}(1-\sqrt{2}x)}{\sqrt{2}} + \frac{\tan^{-1}(1+\sqrt{2}x)}{\sqrt{2}} + \frac{1}{4} \log(1+x^4)
\end{aligned}$$

Mathematica [A] time = 0.04, size = 50, normalized size = 0.94

$$\frac{1}{4} \left(\log(x^4 + 1) - 2(1 + \sqrt{2}) \tan^{-1}(1 - \sqrt{2}x) + 2(\sqrt{2} - 1) \tan^{-1}(\sqrt{2}x + 1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(1 + x^4), x]

[Out] (-2*(1 + Sqrt[2])*ArcTan[1 - Sqrt[2]*x] + 2*(-1 + Sqrt[2])*ArcTan[1 + Sqrt[2]*x] + Log[1 + x^4])/4

fricas [B] time = 0.72, size = 145, normalized size = 2.74

$$-\sqrt{-2\sqrt{2} + 3} \arctan\left(\sqrt{x^2 + \sqrt{2}x + 1}(\sqrt{2} + 2)\sqrt{-2\sqrt{2} + 3} - (\sqrt{2}(x + 1) + 2x + 1)\sqrt{-2\sqrt{2} + 3}\right) + \sqrt{2\sqrt{2} + 3} \arctan\left(\sqrt{x^2 + \sqrt{2}x + 1}(\sqrt{2} - 2)\sqrt{-2\sqrt{2} + 3} - (\sqrt{2}(x + 1) + 2x + 1)\sqrt{-2\sqrt{2} + 3}\right) + \frac{1}{4} \log(x^4 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(x^4+1),x, algorithm="fricas")

[Out] -sqrt(-2*sqrt(2) + 3)*arctan(sqrt(x^2 + sqrt(2)*x + 1)*(sqrt(2) + 2)*sqrt(-2*sqrt(2) + 3) - (sqrt(2)*(x + 1) + 2*x + 1)*sqrt(-2*sqrt(2) + 3)) + sqrt(2)*sqrt(2) + 3)*arctan(-sqrt(2)*(x + 1) - sqrt(x^2 - sqrt(2)*x + 1)*(sqrt(2) - 2) - 2*x - 1)*sqrt(2*sqrt(2) + 3)) + 1/4*log(x^2 + sqrt(2)*x + 1) + 1/4*log(x^2 - sqrt(2)*x + 1)

giac [A] time = 0.15, size = 70, normalized size = 1.32

$$\frac{1}{2} (\sqrt{2} - 1) \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2})\right) + \frac{1}{2} (\sqrt{2} + 1) \arctan\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2})\right) + \frac{1}{4} \log(x^2 + \sqrt{2}x + 1) + \frac{1}{4} \log(x^2 - \sqrt{2}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(x^4+1),x, algorithm="giac")

[Out] $\frac{1}{2}*(\sqrt{2} - 1)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})) + 1/2*(\sqrt{2} + 1)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})) + 1/4*\log(x^2 + \sqrt{2}*x + 1) + 1/4*\log(x^2 - \sqrt{2}*x + 1)$

maple [B] time = 0.05, size = 102, normalized size = 1.92

$$\frac{\arctan(x^2)}{2} + \frac{\sqrt{2} \arctan(\sqrt{2}x - 1)}{2} + \frac{\sqrt{2} \arctan(\sqrt{2}x + 1)}{2} + \frac{\sqrt{2} \ln\left(\frac{x^2 - \sqrt{2}x + 1}{x^2 + \sqrt{2}x + 1}\right)}{8} + \frac{\sqrt{2} \ln\left(\frac{x^2 + \sqrt{2}x + 1}{x^2 - \sqrt{2}x + 1}\right)}{8} + \frac{\ln(x^4)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(x^4+1),x)

[Out] $\frac{1}{2}*2^{(1/2)}*\arctan(2^{(1/2)}*x-1)+1/8*2^{(1/2)}*\ln((x^2+2^{(1/2)}*x+1)/(x^2-2^{(1/2)}*x+1))+1/2*2^{(1/2)}*\arctan(2^{(1/2)}*x+1)+1/2*\arctan(x^2)+1/8*2^{(1/2)}*\ln((x^2-2^{(1/2)}*x+1)/(x^2+2^{(1/2)}*x+1))+1/4*\ln(x^4+1)$

maxima [A] time = 3.00, size = 76, normalized size = 1.43

$$-\frac{1}{4}\sqrt{2}(\sqrt{2}-2)\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2})\right)+\frac{1}{4}\sqrt{2}(\sqrt{2}+2)\arctan\left(\frac{1}{2}\sqrt{2}(2x-\sqrt{2})\right)+\frac{1}{4}\log(x^2+\sqrt{2}x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(x^4+1),x, algorithm="maxima")

[Out] $-1/4*\sqrt{2}*(\sqrt{2} - 2)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})) + 1/4*\sqrt{2}*(\sqrt{2} + 2)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})) + 1/4*\log(x^2 + \sqrt{2}*x + 1) + 1/4*\log(x^2 - \sqrt{2}*x + 1)$

mupad [B] time = 0.40, size = 156, normalized size = 2.94

$$\ln\left((16x - 16)\left(\frac{\sqrt{-2\sqrt{2} - 3}}{4} + \frac{1}{4}\right) - 8x\right)\left(\frac{\sqrt{-2\sqrt{2} - 3}}{4} + \frac{1}{4}\right) - \ln\left(8x + (16x - 16)\left(\frac{\sqrt{-2\sqrt{2} - 3}}{4} - \frac{1}{4}\right)\right)\left(\frac{\sqrt{-2\sqrt{2} - 3}}{4} - \frac{1}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + x^2 + x^3 + 1)/(x^4 + 1),x)

[Out] $\log((16*x - 16)*((-2*2^{(1/2)} - 3)^{(1/2)}/4 + 1/4) - 8*x)*((-2*2^{(1/2)} - 3)^{(1/2)}/4 + 1/4) - \log(8*x + (16*x - 16)*((-2*2^{(1/2)} - 3)^{(1/2)}/4 - 1/4))*$

$((-2\sqrt{2} - 3)^{1/2}/4 - 1/4) - \log(8x + (16x - 16)((2\sqrt{2} - 3)^{1/2}/4 - 1/4)) * ((2\sqrt{2} - 3)^{1/2}/4 - 1/4) + \log(8x - (16x - 16)((2\sqrt{2} - 3)^{1/2}/4 + 1/4)) * ((2\sqrt{2} - 3)^{1/2}/4 + 1/4)$

sympy [A] time = 0.43, size = 73, normalized size = 1.38

$$\frac{\log(x^2 - \sqrt{2}x + 1)}{4} + \frac{\log(x^2 + \sqrt{2}x + 1)}{4} + 2\left(\frac{1}{4} + \frac{\sqrt{2}}{4}\right)\operatorname{atan}(\sqrt{2}x - 1) + 2\left(-\frac{1}{4} + \frac{\sqrt{2}}{4}\right)\operatorname{atan}(\sqrt{2}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**3+x**2+x+1)/(x**4+1),x)

[Out] log(x**2 - sqrt(2)*x + 1)/4 + log(x**2 + sqrt(2)*x + 1)/4 + 2*(1/4 + sqrt(2)/4)*atan(sqrt(2)*x - 1) + 2*(-1/4 + sqrt(2)/4)*atan(sqrt(2)*x + 1)

$$3.169 \quad \int \frac{1+x+x^2+x^3}{a-bx^4} dx$$

Optimal. Leaf size=124

$$-\frac{(\sqrt{a}-\sqrt{b})\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b})\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} - \frac{\log(a-bx^4)}{4b} + \frac{\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

[Out] $-1/4*\ln(-b*x^4+a)/b-1/2*\arctan(b^{(1/4)}*x/a^{(1/4)})*(a^{(1/2)}-b^{(1/2)})/a^{(3/4)}/b^{(3/4)}+1/2*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(1/2)}/b^{(1/2)}+1/2*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(a^{(1/2)}+b^{(1/2)})/a^{(3/4)}/b^{(3/4)}$

Rubi [A] time = 0.09, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1876, 1167, 205, 208, 1248, 635, 260}

$$-\frac{(\sqrt{a}-\sqrt{b})\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b})\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} - \frac{\log(a-bx^4)}{4b} + \frac{\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(a - b*x^4), x]

[Out] $-((\text{Sqrt}[a] - \text{Sqrt}[b])*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*b^{(3/4)}) + ((\text{Sqrt}[a] + \text{Sqrt}[b])*\text{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*b^{(3/4)}) + \text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]]/(2*\text{Sqrt}[a]*\text{Sqrt}[b]) - \text{Log}[a - b*x^4]/(4*b)$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{1+x+x^2+x^3}{a-bx^4} dx &= \int \left(\frac{1+x^2}{a-bx^4} + \frac{x(1+x^2)}{a-bx^4} \right) dx \\
 &= \int \frac{1+x^2}{a-bx^4} dx + \int \frac{x(1+x^2)}{a-bx^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{1+x}{a-bx^2} dx, x, x^2 \right) + \frac{1}{2} \left(1 - \frac{\sqrt{b}}{\sqrt{a}} \right) \int \frac{1}{-\sqrt{a}\sqrt{b}-bx^2} dx + \frac{1}{2} \left(1 + \frac{\sqrt{b}}{\sqrt{a}} \right) \int \frac{1}{\sqrt{a}} \\
 &= -\frac{(\sqrt{a}-\sqrt{b}) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b}) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{1}{2} \text{Subst} \left(\int \frac{1}{a-bx^2} dx, x, x^2 \right) \\
 &= -\frac{(\sqrt{a}-\sqrt{b}) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}+\sqrt{b}) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{\tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{\log(a-bx^4)}{4b}
 \end{aligned}$$

Mathematica [A] time = 0.06, size = 203, normalized size = 1.64

$$\frac{(a^{3/4} + \sqrt{a} \sqrt[4]{b} + \sqrt[4]{a} \sqrt{b}) \log(\sqrt[4]{a} - \sqrt[4]{b} x)}{4ab^{3/4}} - \frac{(-a^{3/4} + \sqrt{a} \sqrt[4]{b} - \sqrt[4]{a} \sqrt{b}) \log(\sqrt[4]{a} + \sqrt[4]{b} x)}{4ab^{3/4}} + \frac{(\sqrt[4]{a} \sqrt{b} - a^{3/4}) \tan^{-1}(\frac{\sqrt[4]{a} x + \sqrt{b}}{\sqrt[4]{a} - \sqrt[4]{b} x})}{2ab^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(a - b*x^4), x]

[Out] $((-a^{3/4} + a^{1/4} \sqrt{b}) \operatorname{ArcTan}[(b^{1/4} x)/a^{1/4}]) / (2 a b^{3/4}) - ((a^{3/4} + \sqrt{a} b^{1/4} + a^{1/4} \sqrt{b}) \operatorname{Log}[a^{1/4} - b^{1/4} x]) / (4 a b^{3/4}) - ((-a^{3/4} + \sqrt{a} b^{1/4} - a^{1/4} \sqrt{b}) \operatorname{Log}[a^{1/4} + b^{1/4} x]) / (4 a b^{3/4}) + \operatorname{Log}[\sqrt{a} + \sqrt{b} x^2] / (4 \sqrt{a} \sqrt{b}) - \operatorname{Log}[a - b x^4] / (4 b)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.17, size = 290, normalized size = 2.34

$$\frac{\log(|bx^4 - a|)}{4b} + \frac{\sqrt{2} \left((-ab^3)^{\frac{1}{4}} b^2 - \sqrt{2} \sqrt{-ab^3} b + (-ab^3)^{\frac{3}{4}} \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3} + \frac{\sqrt{2} \left((-ab^3)^{\frac{1}{4}} b^2 + \sqrt{2} \sqrt{-ab^3} b + (-ab^3)^{\frac{3}{4}} \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-b*x^4+a), x, algorithm="giac")

[Out] $-1/4 \log(\operatorname{abs}(b x^4 - a)) / b + 1/4 \sqrt{2} ((-a b^3)^{1/4} b^2 - \sqrt{2} \sqrt{-a b^3} b - \sqrt{2} \sqrt{-a b^3} b + (-a b^3)^{3/4}) \operatorname{arctan}(1/2 \sqrt{2} (2 x + \sqrt{2} (-a/b)^{1/4}) / (-a/b)^{1/4}) / (a b^3) + 1/4 \sqrt{2} ((-a b^3)^{1/4} b^2 + \sqrt{2} \sqrt{-a b^3} b + (-a b^3)^{3/4}) \operatorname{arctan}(1/2 \sqrt{2} (2 x - \sqrt{2} (-a/b)^{1/4}) / (-a/b)^{1/4}) / (a b^3) + 1/8 \sqrt{2} ((-a b^3)^{1/4} b^2 - (-a b^3)^{3/4}) \log(x^2 + \sqrt{2} x (-a/b)^{1/4} + \sqrt{-a/b}) / (a b^3) - 1/8 \sqrt{2} ((-a b^3)^{1/4} b^2 - (-a b^3)^{3/4}) \log(x^2 - \sqrt{2} x (-a/b)^{1/4} + \sqrt{-a/b}) / (a b^3)$

maple [B] time = 0.05, size = 171, normalized size = 1.38

$$-\frac{\ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} - \frac{\arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}b} + \frac{\ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}}b} - \frac{\ln(bx^4-a)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(-b*x^4+a),x)

[Out] 1/4*(a/b)^(1/4)/a*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/2*(a/b)^(1/4)/a*arctan(1/(a/b)^(1/4)*x)-1/4/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/2/b/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+1/4/b/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-1/4/b*ln(b*x^4-a)

maxima [A] time = 3.02, size = 160, normalized size = 1.29

$$\frac{(\sqrt{a}-\sqrt{b})\arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - \frac{(\sqrt{a}-\sqrt{b})\log(\sqrt{b}x^2+\sqrt{a})}{4\sqrt{a}b} - \frac{(\sqrt{a}+\sqrt{b})\log(\sqrt{b}x^2-\sqrt{a})}{4\sqrt{a}b} - \frac{(\sqrt{a}+\sqrt{b})\log(\sqrt{a}+\sqrt{b})}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(-b*x^4+a),x, algorithm="maxima")

[Out] -1/2*(sqrt(a)-sqrt(b))*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))-1/4*(sqrt(a)-sqrt(b))*log(sqrt(b)*x^2+sqrt(a))/(sqrt(a)*b)-1/4*(sqrt(a)+sqrt(b))*log(sqrt(b)*x^2-sqrt(a))/(sqrt(a)*b)-1/4*(sqrt(a)+sqrt(b))*log((sqrt(b)*x-sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x+sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))

mupad [B] time = 5.03, size = 312, normalized size = 2.52

$$\sum_{k=1}^4 \ln\left(-\sqrt[4]{256a^3b^4z^4 + 256a^3b^3z^3 + 96a^3b^2z^2 - 96a^2b^3z^2 + 16a^3bz + 16ab^3z - 32a^2b^2z - 3a^2b + 3ab^2 - b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + x^2 + x^3 + 1)/(a - b*x^4),x)

[Out] symsum(log(-root(256*a^3*b^4*z^4 + 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 - 96*a^2*b^3*z^2 + 16*a^3*b*z + 16*a*b^3*z - 32*a^2*b^2*z - 3*a^2*b + 3*a*b^2 - b^3)),z)

```

3 + a^3, z, k)*(root(256*a^3*b^4*z^4 + 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 - 9
6*a^2*b^3*z^2 + 16*a^3*b*z + 16*a*b^3*z - 32*a^2*b^2*z - 3*a^2*b + 3*a*b^2
- b^3 + a^3, z, k)*(16*a*b^3 - 16*a*b^3*x) - x*(4*a*b^2 - 4*b^3)))*root(256
*a^3*b^4*z^4 + 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 - 96*a^2*b^3*z^2 + 16*a^3*b
*z + 16*a*b^3*z - 32*a^2*b^2*z - 3*a^2*b + 3*a*b^2 - b^3 + a^3, z, k), k, 1
, 4)

```

sympy [A] time = 2.28, size = 187, normalized size = 1.51

$$-\text{RootSum}\left(256t^4a^3b^4 - 256t^3a^3b^3 + t^2(96a^3b^2 - 96a^2b^3) + t(-16a^3b + 32a^2b^2 - 16ab^3) + a^3 - 3a^2b + 3ab^2 - b^3 + a^3, z, k)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**3+x**2+x+1)/(-b*x**4+a),x)
```

```
[Out] -RootSum(256*_t**4*a**3*b**4 - 256*_t**3*a**3*b**3 + _t**2*(96*a**3*b**2 -
96*a**2*b**3) + _t*(-16*a**3*b + 32*a**2*b**2 - 16*a*b**3) + a**3 - 3*a**2*
b + 3*a*b**2 - b**3, Lambda(_t, _t*log(x + (-64*_t**3*a**3*b**3 + 48*_t**2*
a**3*b**2 + 16*_t**2*a**2*b**3 - 12*_t*a**3*b + 16*_t*a**2*b**2 - 4*_t*a*b*
**3 + a**3 - 2*a**2*b + a*b**2)/(a**2*b - 2*a*b**2 + b**3))))
```

$$3.170 \quad \int \frac{1+x+x^2+x^3}{a+bx^4} dx$$

Optimal. Leaf size=277

$$\frac{(\sqrt{a} - \sqrt{b}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} - \sqrt{b}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} + \sqrt{b}) \tan^{-1}}{2\sqrt{2} a^{3/4}}$$

[Out] $\frac{1}{4} \ln(bx^4+a)/b + \frac{1}{8} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (a^{1/2} - b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2} - \frac{1}{8} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (a^{1/2} - b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2} + \frac{1}{2} \arctan(x^2 * b^{1/2} / a^{1/2}) / a^{1/2} / b^{1/2} + \frac{1}{4} \arctan(-1 + b^{1/4} x^2 / a^{1/4}) * (a^{1/2} + b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2} + \frac{1}{4} \arctan(1 + b^{1/4} x^2 / a^{1/4}) * (a^{1/2} + b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2}$

Rubi [A] time = 0.20, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.579$, Rules used = {1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 205, 260}

$$\frac{(\sqrt{a} - \sqrt{b}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} - \sqrt{b}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{a} + \sqrt{b}) \tan^{-1}}{2\sqrt{2} a^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(a + b*x^4), x]

[Out] $\text{ArcTan}[(\text{Sqrt}[b] * x^2) / \text{Sqrt}[a]] / (2 * \text{Sqrt}[a] * \text{Sqrt}[b]) - ((\text{Sqrt}[a] + \text{Sqrt}[b]) * \text{ArcTan}[1 - (\text{Sqrt}[2] * b^{1/4} * x) / a^{1/4}]) / (2 * \text{Sqrt}[2] * a^{3/4} * b^{3/4}) + ((\text{Sqrt}[a] + \text{Sqrt}[b]) * \text{ArcTan}[1 + (\text{Sqrt}[2] * b^{1/4} * x) / a^{1/4}]) / (2 * \text{Sqrt}[2] * a^{3/4} * b^{3/4}) + ((\text{Sqrt}[a] - \text{Sqrt}[b]) * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2] * a^{1/4} * b^{1/4} * x + \text{Sqrt}[b] * x^2]) / (4 * \text{Sqrt}[2] * a^{3/4} * b^{3/4}) - ((\text{Sqrt}[a] - \text{Sqrt}[b]) * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2] * a^{1/4} * b^{1/4} * x + \text{Sqrt}[b] * x^2]) / (4 * \text{Sqrt}[2] * a^{3/4} * b^{3/4}) + \text{Log}[a + b * x^4] / (4 * b)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

$\text{Int}[\frac{((a_) + (b_.)*(x_)^2)^{-1}}{a, x}] /; \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[a/b]$

Rule 260

$\text{Int}[(x_)^{(m_.)}/((a_) + (b_.)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]]/(b*n), x] /; \text{FreeQ}\{a, b, m, n\}, x\} \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 617

$\text{Int}[\frac{((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^{-1}}{x_Symbol}] \rightarrow \text{With}\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x\} \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\frac{((d_) + (e_.)*(x_))}{((a_) + (b_.)*(x_) + (c_.)*(x_)^2)}, x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 635

$\text{Int}[\frac{((d_) + (e_.)*(x_))}{((a_) + (c_.)*(x_)^2)}, x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + c*x^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + c*x^2), x], x] /; \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \ !\text{NiceSqrtQ}[-(a*c)]$

Rule 1162

$\text{Int}[\frac{((d_) + (e_.)*(x_)^2)}{((a_) + (c_.)*(x_)^4)}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] /; \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[\frac{((d_) + (e_.)*(x_)^2)}{((a_) + (c_.)*(x_)^4)}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] /; \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rule 1168

$\text{Int}[\frac{((d_) + (e_.)*(x_)^2)}{((a_) + (c_.)*(x_)^4)}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + D$

```
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{1+x+x^2+x^3}{a+bx^4} dx &= \int \left(\frac{1+x^2}{a+bx^4} + \frac{x(1+x^2)}{a+bx^4} \right) dx \\
&= \int \frac{1+x^2}{a+bx^4} dx + \int \frac{x(1+x^2)}{a+bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1+x}{a+bx^2} dx, x, x^2 \right) - \frac{\left(1 - \frac{\sqrt{b}}{\sqrt{a}}\right) \int \frac{\sqrt{a}\sqrt{b}-bx^2}{a+bx^4} dx}{2b} + \frac{\left(1 + \frac{\sqrt{b}}{\sqrt{a}}\right) \int \frac{\sqrt{a}\sqrt{b}+bx^2}{a+bx^4} dx}{2b} \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{a+bx^2} dx, x, x^2 \right) + \frac{1}{2} \text{Subst} \left(\int \frac{x}{a+bx^2} dx, x, x^2 \right) + \frac{\left(1 + \frac{\sqrt{b}}{\sqrt{a}}\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{b}}} dx}{4b} \\
&= \frac{\tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} + \frac{(\sqrt{a} - \sqrt{b}) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} - \frac{(\sqrt{a} - \sqrt{b}) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} \\
&= \frac{\tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{(\sqrt{a} + \sqrt{b}) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}b^{3/4}} + \frac{(\sqrt{a} + \sqrt{b}) \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}b^{3/4}} + \frac{(\sqrt{a} + \sqrt{b}) \tan^{-1} \left(\frac{\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2}{\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2} \right)}{4\sqrt{2}a^{3/4}b^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 283, normalized size = 1.02

$$\sqrt{2} \sqrt[4]{b} (a^{3/4} - \sqrt[4]{a} \sqrt{b}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2) + \sqrt{2} \sqrt[4]{b} (\sqrt[4]{a} \sqrt{b} - a^{3/4}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(a + b*x^4), x]

[Out] $(-2*a^{1/4}*(\text{Sqrt}[2]*\text{Sqrt}[a] + 2*a^{1/4}*b^{1/4} + \text{Sqrt}[2]*\text{Sqrt}[b])*b^{1/4} * \text{ArcTan}[1 - (\text{Sqrt}[2]*b^{1/4}*x)/a^{1/4}] + 2*a^{1/4}*(\text{Sqrt}[2]*\text{Sqrt}[a] - 2*a^{1/4}*b^{1/4} + \text{Sqrt}[2]*\text{Sqrt}[b])*b^{1/4} * \text{ArcTan}[1 + (\text{Sqrt}[2]*b^{1/4}*x)/a^{1/4}] + \text{Sqrt}[2]*(a^{3/4} - a^{1/4}*\text{Sqrt}[b])*b^{1/4} * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{1/4}*b^{1/4}*x + \text{Sqrt}[b]*x^2] + \text{Sqrt}[2]*(-a^{3/4} + a^{1/4}*\text{Sqrt}[b])*b^{1/4} * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{1/4}*b^{1/4}*x + \text{Sqrt}[b]*x^2] + 2*a * \text{Log}[a + b*x^4])/(8*a*b)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 270, normalized size = 0.97

$$\frac{\log(|bx^4 + a|)}{4b} + \frac{\sqrt{2} \left((ab^3)^{\frac{1}{4}} b^2 - \sqrt{2} \sqrt{ab^3} b + (ab^3)^{\frac{3}{4}} \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3} + \frac{\sqrt{2} \left((ab^3)^{\frac{1}{4}} b^2 + \sqrt{2} \sqrt{ab^3} b + (ab^3)^{\frac{3}{4}} \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(b*x^4+a), x, algorithm="giac")

[Out] $1/4 * \log(\text{abs}(b*x^4 + a))/b + 1/4 * \text{sqrt}(2) * ((a*b^3)^{1/4} * b^2 - \text{sqrt}(2) * \text{sqrt}(a*b^3) * b + (a*b^3)^{3/4}) * \text{arctan}(1/2 * \text{sqrt}(2) * (2*x + \text{sqrt}(2) * (a/b)^{1/4})) / (a/b)^{1/4} / (a*b^3) + 1/4 * \text{sqrt}(2) * ((a*b^3)^{1/4} * b^2 + \text{sqrt}(2) * \text{sqrt}(a*b^3) * b + (a*b^3)^{3/4}) * \text{arctan}(1/2 * \text{sqrt}(2) * (2*x - \text{sqrt}(2) * (a/b)^{1/4})) / (a/b)^{1/4} / (a*b^3) + 1/8 * \text{sqrt}(2) * ((a*b^3)^{1/4} * b^2 - (a*b^3)^{3/4}) * \log(x^2 + \text{sqrt}(2) * x * (a/b)^{1/4} + \text{sqrt}(a/b)) / (a*b^3) - 1/8 * \text{sqrt}(2) * ((a*b^3)^{1/4} * b^2 - (a*b^3)^{3/4}) * \log(x^2 - \text{sqrt}(2) * x * (a/b)^{1/4} + \text{sqrt}(a/b)) / (a*b^3)$

maple [A] time = 0.05, size = 286, normalized size = 1.03

$$\frac{\arctan\left(\sqrt{\frac{b}{a}}x^2\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}-1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}+1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}\ln\left(\frac{x^2+\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2-\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{8a} + \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)/(b*x^4+a),x)

[Out] $\frac{1}{8}*(a/b)^{(1/4)}/a*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+1/4*(a/b)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/4*(a/b)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/2/(a*b)^{(1/2)}*\arctan((1/a*b)^{(1/2)}*x^2)+1/8/b/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+1/4/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/4/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/4*\ln(b*x^4+a)/b$

maxima [A] time = 2.98, size = 296, normalized size = 1.07

$$\frac{\sqrt{2}\left(\sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}-\sqrt{a}\sqrt{b}+b\right)\log\left(\sqrt{b}x^2+\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}\right)}{8a^{\frac{3}{4}}b^{\frac{5}{4}}} + \frac{\sqrt{2}\left(\sqrt{2}a^{\frac{3}{4}}b^{\frac{1}{4}}+\sqrt{a}\sqrt{b}-b\right)\log\left(\sqrt{b}x^2-\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x\right)}{8a^{\frac{3}{4}}b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)/(b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{8}*\sqrt{2}*(\sqrt{2}*a^{(3/4)}*b^{(1/4)}-\sqrt{a}*\sqrt{b}+b)*\log(\sqrt{b}*x^2+\sqrt{2}*a^{(1/4)}*b^{(1/4)}*x+\sqrt{a})/(a^{(3/4)}*b^{(5/4)})+1/8*\sqrt{2}*(\sqrt{2}*a^{(3/4)}*b^{(1/4)}+\sqrt{a}*\sqrt{b}-b)*\log(\sqrt{b}*x^2-\sqrt{2}*a^{(1/4)}*b^{(1/4)}*x+\sqrt{a})/(a^{(3/4)}*b^{(5/4)})+1/4*((\sqrt{2}*a^{(1/4)}*b^{(1/4)}-2*\sqrt{a})*b+(\sqrt{2}*a^{(3/4)}*b^{(1/4)}+2*a)*\sqrt{b}-2*a*\sqrt{b})*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x+\sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{(\sqrt{a}*\sqrt{b}*(b^{(1/4)}+2*\sqrt{a})*b+(\sqrt{2}*a^{(3/4)}*b^{(1/4)}+2*a)*\sqrt{b}-2*a*\sqrt{b})})/(a^{(3/4)}*\sqrt{(\sqrt{a}*\sqrt{b}*(b^{(1/4)}+2*\sqrt{a})*b+(\sqrt{2}*a^{(3/4)}*b^{(1/4)}+2*a)*\sqrt{b}-2*a*\sqrt{b})})+1/4*((\sqrt{2}*a^{(1/4)}*b^{(1/4)}+2*\sqrt{a})*b+(\sqrt{2}*a^{(3/4)}*b^{(1/4)}-2*a)*\sqrt{b}+2*a*\sqrt{b})*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x-\sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{(\sqrt{a}*\sqrt{b}*(b^{(1/4)}+2*\sqrt{a})*b+(\sqrt{2}*a^{(3/4)}*b^{(1/4)}+2*a)*\sqrt{b}-2*a*\sqrt{b})})/(a^{(3/4)}*\sqrt{(\sqrt{a}*\sqrt{b}*(b^{(1/4)}+2*\sqrt{a})*b+(\sqrt{2}*a^{(3/4)}*b^{(1/4)}+2*a)*\sqrt{b}-2*a*\sqrt{b})})$

mupad [B] time = 5.04, size = 305, normalized size = 1.10

$$\sum_{k=1}^4 \ln\left(-\sqrt[4]{256a^3b^4z^4-256a^3b^3z^3+96a^3b^2z^2+96a^2b^3z^2-16a^3bz-16ab^3z-32a^2b^2z+3a^2b+3a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x + x^2 + x^3 + 1)/(a + b*x^4), x)`

[Out] `symsum(log(-root(256*a^3*b^4*z^4 - 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 + 96*a^2*b^3*z^2 - 16*a^3*b*z - 16*a*b^3*z - 32*a^2*b^2*z + 3*a^2*b + 3*a*b^2 + b^3 + a^3, z, k)*(root(256*a^3*b^4*z^4 - 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 + 96*a^2*b^3*z^2 - 16*a^3*b*z - 16*a*b^3*z - 32*a^2*b^2*z + 3*a^2*b + 3*a*b^2 + b^3 + a^3, z, k)*(16*a*b^3 - 16*a*b^3*x) + x*(4*a*b^2 + 4*b^3)))*root(256*a^3*b^4*z^4 - 256*a^3*b^3*z^3 + 96*a^3*b^2*z^2 + 96*a^2*b^3*z^2 - 16*a^3*b*z - 16*a*b^3*z - 32*a^2*b^2*z + 3*a^2*b + 3*a*b^2 + b^3 + a^3, z, k), k, 1, 4)`

sympy [A] time = 2.27, size = 187, normalized size = 0.68

$$\text{RootSum}\left(256t^4a^3b^4 - 256t^3a^3b^3 + t^2(96a^3b^2 + 96a^2b^3) + t(-16a^3b - 32a^2b^2 - 16ab^3) + a^3 + 3a^2b + 3ab^2 + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+x**2+x+1)/(b*x**4+a), x)`

[Out] `RootSum(256*_t**4*a**3*b**4 - 256*_t**3*a**3*b**3 + _t**2*(96*a**3*b**2 + 96*a**2*b**3) + _t*(-16*a**3*b - 32*a**2*b**2 - 16*a*b**3) + a**3 + 3*a**2*b + 3*a*b**2 + b**3, Lambda(_t, _t*log(x + (64*_t**3*a**3*b**3 - 48*_t**2*a**3*b**2 + 16*_t**2*a**2*b**3 + 12*_t*a**3*b + 16*_t*a**2*b**2 + 4*_t*a*b**3 - a**3 - 2*a**2*b - a*b**2)/(a**2*b + 2*a*b**2 + b**3))))`

$$3.171 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{a-bx^4} dx$$

Optimal. Leaf size=148

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a-bx^4)}{4b} - \frac{gx}{b}$$

[Out] $-g*x/b-1/4*f*\ln(-b*x^4+a)/b+1/2*d*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(1/2)/b^(1/2)+1/2*\arctan(b^(1/4)*x/a^(1/4))*(b*c+a*g-e*a^(1/2)*b^(1/2))/a^(3/4)/b^(5/4)+1/2*\arctanh(b^(1/4)*x/a^(1/4))*(b*c+a*g+e*a^(1/2)*b^(1/2))/a^(3/4)/b^(5/4)$

Rubi [A] time = 0.20, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {1885, 1248, 635, 208, 260, 1887, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a-bx^4)}{4b} - \frac{gx}{b}$$

Antiderivative was successfully verified.

[In] `Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4), x]`

[Out] $-\left(\frac{g*x}{b}\right) + \left(\frac{(b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{ArcTan}[(b^{1/4}*x)/a^{1/4}]}{(2*a^{3/4}*b^{5/4})} + \frac{(b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{ArcTanh}[(b^{1/4}*x)/a^{1/4}]}{(2*a^{3/4}*b^{5/4})} + \frac{(d*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])}{(2*\text{Sqrt}[a]*\text{Sqrt}[b])} - \frac{(f*\text{Log}[a - b*x^4])}{(4*b)}\right)$

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 260

`Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]`

Rule 635

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (c_.)x^2}, x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + cx^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + cx^2), x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{!NiceSqrtQ}[-(ac)]$

Rule 1167

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(ac), 2]\}, \text{Dist}[e/2 + (cd)/(2q), \text{Int}[1/(-q + cx^2), x], x] + \text{Dist}[e/2 - (cd)/(2q), \text{Int}[1/(q + cx^2), x], x]] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{NeQ}[c^2d^2 - a^2e^2, 0] \&\& \text{PosQ}[-(ac)]$

Rule 1248

$\text{Int}[x^q \frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}^{p_}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + ex)^q (a + cx^2)^p, x], x, x^2], x] /; \text{FreeQ}\{a, c, d, e, p, q\}, x]$

Rule 1885

$\text{Int}[(Pq_.) \frac{(a_.) + (b_.)x^{n_}}{x^{p_}}, x_Symbol] \rightarrow \text{Module}\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[x^j \text{Sum}[\text{Coeff}[Pq, x, j + (kn)/2] x^{(kn)/2}, \{k, 0, (2(q - j))/n + 1\}] (a + bx^n)^p, \{j, 0, n/2 - 1\}], x]] /; \text{FreeQ}\{a, b, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{!PolyQ}[Pq, x^{(n/2)}]$

Rule 1887

$\text{Int}[(Pq_.) / ((a_.) + (b_.)x^{n_}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq/(a + bx^n), x], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{a - bx^4} dx &= \int \left(\frac{x(d + fx^2)}{a - bx^4} + \frac{c + ex^2 + gx^4}{a - bx^4} \right) dx \\
&= \int \frac{x(d + fx^2)}{a - bx^4} dx + \int \frac{c + ex^2 + gx^4}{a - bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a - bx^2} dx, x, x^2 \right) + \int \left(-\frac{g}{b} + \frac{bc + ag + bex^2}{b(a - bx^4)} \right) dx \\
&= -\frac{gx}{b} + \frac{\int \frac{bc + ag + bex^2}{a - bx^4} dx}{b} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) + \frac{1}{2} f \text{Subst} \left(\int \frac{x}{a - bx^2} dx, x, x^2 \right) \\
&= -\frac{gx}{b} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} \sqrt{b}} - \frac{f \log(a - bx^4)}{4b} + \frac{1}{2} \left(e - \frac{bc + ag}{\sqrt{a} \sqrt{b}} \right) \int \frac{1}{-\sqrt{a} \sqrt{b} - bx^2} dx \\
&= -\frac{gx}{b} + \frac{(bc - \sqrt{a} \sqrt{b} e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2a^{3/4} b^{5/4}} + \frac{(bc + \sqrt{a} \sqrt{b} e + ag) \tanh^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2a^{3/4} b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 249, normalized size = 1.68

$$-a^{3/4} \sqrt[4]{b} f \log(a - bx^4) - 4a^{3/4} \sqrt[4]{b} gx - \log(\sqrt[4]{a} - \sqrt[4]{b} x) (\sqrt[4]{a} b^{3/4} d + \sqrt{a} \sqrt{b} e + ag + bc) + \sqrt[4]{a} b^{3/4} d \log(\sqrt{a} + \sqrt{b} x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4), x]

[Out] (-4*a^(3/4)*b^(1/4)*g*x + 2*(b*c - Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (b*c + a^(1/4)*b^(3/4)*d + Sqrt[a]*Sqrt[b]*e + a*g)*Log[a^(1/4) - b^(1/4)*x] + b*c*Log[a^(1/4) + b^(1/4)*x] - a^(1/4)*b^(3/4)*d*Log[a^(1/4) + b^(1/4)*x] + Sqrt[a]*Sqrt[b]*e*Log[a^(1/4) + b^(1/4)*x] + a*g*Log[a^(1/4) + b^(1/4)*x] + a^(1/4)*b^(3/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2] - a^(3/4)*b^(1/4)*f*Log[a - b*x^4]/(4*a^(3/4)*b^(5/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 303, normalized size = 2.05

$$\frac{\sqrt{2} \left(b^2 c + abg - \sqrt{2} (-ab^3)^{\frac{1}{4}} bd + \sqrt{-ab} be \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(b^2 c + abg + \sqrt{2} (-ab^3)^{\frac{1}{4}} bd - \sqrt{-ab} be \right)}{4 (-ab^3)^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out] $-1/4*\sqrt{2}*(b^2*c + a*b*g - \sqrt{2}*(-a*b^3)^{(1/4)}*b*d + \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(-a*b^3)^{(3/4)} - 1/4*\sqrt{2}*(b^2*c + a*b*g + \sqrt{2}*(-a*b^3)^{(1/4)}*b*d - \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(-a*b^3)^{(3/4)} - 1/8*\sqrt{2}*(b^2*c + a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(-a*b^3)^{(3/4)} + 1/8*\sqrt{2}*(b^2*c + a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(-a*b^3)^{(3/4)} - g*x/b - 1/4*f*\log(\text{abs}(b*x^4 - a))/b$

maple [B] time = 0.05, size = 244, normalized size = 1.65

$$\frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} - \frac{f \ln(bx^4 - a)}{4b} - \frac{g}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)

[Out] $-g*x/b + 1/2/b*(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)*g + 1/2*c*(a/b)^{(1/4)}/a*\arctan(1/(a/b)^{(1/4)}*x) + 1/4/b*(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*g + 1/4*c*(a/b)^{(1/4)}/a*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4*d/(a*b)^{(1/2)}*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a)) - 1/2*e/b/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x) + 1/4*e/b/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/b*f*\ln(b*x^4-a)$

maxima [A] time = 3.10, size = 202, normalized size = 1.36

$$-\frac{gx}{b} + \frac{2\left(b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right) + \frac{\left(b^{\frac{3}{2}}d - \sqrt{a}bf\right)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{ab}} - \frac{\left(b^{\frac{3}{2}}d + \sqrt{a}bf\right)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{ab}} - \frac{\left(b^{\frac{3}{2}}c + \sqrt{a}be + a\sqrt{b}g\right)\log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}}}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] -g*x/b + 1/4*(2*(b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) + (b^(3/2)*d - sqrt(a)*b*f)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*b) - (b^(3/2)*d + sqrt(a)*b*f)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*b) - (b^(3/2)*c + sqrt(a)*b*e + a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/b

mupad [B] time = 5.51, size = 5082, normalized size = 34.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4),x)

[Out] symsum(log(b^2*c^2*e - b^2*c*d^2 + a^2*e*g^2 - a^2*f^2*g - b^2*d^3*x - a*b*e^3 - a*b*c*f^2 - a*b*d^2*g - 16*root(256*a^3*b^5*z^4 + 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 - 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 - 32*a^2*b^4*d^2*z^2 - 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z + 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z + 16*a*b^4*c^2*d*z + 16*a^3*b^2*f^3*z + 8*a^2*b^2*c*d*f*g - 4*a^2*b^2*d^2*e*g + 4*a^2*b^2*d*e^2*f + 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g - 6*a^2*b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^3*b*f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4, z, k)^2*a*b^3*c - 4*root(256*a^3*b^5*z^4 + 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 - 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 - 32*a^2*b^4*d^2*z^2 - 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z + 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z + 16*a*b^4*c^2*d*z + 16*a^3*b^2*f^3*z + 8*a^2*b^2*c*d*f*g - 4*a^2*b^2*d^2*e*g + 4*a^2*b^2*d*e^2*f + 4*a^2*b^2*c*e^2*g - 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g - 6*a^2*b^2*c^2*g^2 - 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^3*b*f^4 + a*b^3*d^4 - a^2*b^2*e^4 - a^4*g^4 - b^4*c^4, z, k)*b^3*c^2*x - b^2*c^2*f*x - a^2*f*g^2*x - 16*root(256*a^3*b^5*z^4 + 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 - 64*

$$\begin{aligned}
& a^2b^4c^*ez^2 + 96a^3b^3f^2z^2 - 32a^2b^4d^2z^2 - 32a^3b^2e*fg*z - 32a^2b^3c^*e*f*z + 32a^2b^3c*d*g*z + 16a^3b^2d*g^2z - 16a^2 \\
& *b^3d^2f*z + 16a^2b^3d^*e^2z + 16a*b^4c^2*d*z + 16a^3b^2f^3z + 8 \\
& *a^2b^2c*d*f*g - 4a^2b^2d^2*e*g + 4a^2b^2d^*e^2f + 4a^2b^2c^*e^2* \\
& g - 4a^2b^2c^*e*f^2 - 4a^3b^*e*f^2*g + 4a^3b*d*f*g^2 + 4a*b^3c^2*d*f \\
& - 4a*b^3c*d^2*e - 4a^3b^*c*g^3 - 4a*b^3c^3*g - 6a^2b^2c^2*g^2 - 2* \\
& a^2b^2d^2f^2 + 2a^3b^*e^2*g^2 + 2a*b^3c^2e^2 + a^3b^*f^4 + a*b^3d^4 \\
& - a^2b^2e^4 - a^4g^4 - b^4c^4, z, k)^2a^2b^2g + 16\text{root}(256a^3b^5 \\
& *z^4 + 256a^3b^4f*z^3 - 64a^3b^3e*g*z^2 - 64a^2b^4c^*e*z^2 + 96a^3 \\
& *b^3f^2z^2 - 32a^2b^4d^2z^2 - 32a^3b^2e*f*g*z - 32a^2b^3c^*e*f*z \\
& + 32a^2b^3c*d*g*z + 16a^3b^2d*g^2z - 16a^2b^3d^2f*z + 16a^2b^ \\
& 3d^*e^2z + 16a*b^4c^2*d*z + 16a^3b^2f^3z + 8a^2b^2c*d*f*g - 4a^2 \\
& *b^2d^2e*g + 4a^2b^2d^*e^2f + 4a^2b^2c^*e^2*g - 4a^2b^2c^*e*f^2 - \\
& 4a^3b^*e*f^2*g + 4a^3b*d*f*g^2 + 4a*b^3c^2*d*f - 4a*b^3c*d^2*e - 4a \\
& ^3b^*c*g^3 - 4a*b^3c^3*g - 6a^2b^2c^2*g^2 - 2a^2b^2d^2f^2 + 2a^3b^ \\
& b^*e^2g^2 + 2a*b^3c^2e^2 + a^3b^*f^4 + a*b^3d^4 - a^2b^2e^4 - a^4g^4 \\
& - b^4c^4, z, k)^2a*b^3d*x - 4\text{root}(256a^3b^5z^4 + 256a^3b^4f*z^3 \\
& - 64a^3b^3e*g*z^2 - 64a^2b^4c^*e*z^2 + 96a^3b^3f^2z^2 - 32a^2b^4 \\
& *d^2z^2 - 32a^3b^2e*f*g*z - 32a^2b^3c^*e*f*z + 32a^2b^3c*d*g*z + 1 \\
& 6a^3b^2d*g^2z - 16a^2b^3d^2f*z + 16a^2b^3d^*e^2z + 16a*b^4c^2* \\
& d*z + 16a^3b^2f^3z + 8a^2b^2c*d*f*g - 4a^2b^2d^2e*g + 4a^2b^2* \\
& d^*e^2f + 4a^2b^2c^*e^2*g - 4a^2b^2c^*e*f^2 - 4a^3b^*e*f^2*g + 4a^3b^ \\
& *d*f*g^2 + 4a*b^3c^2*d*f - 4a*b^3c*d^2*e - 4a^3b^*c*g^3 - 4a*b^3c^3* \\
& g - 6a^2b^2c^2*g^2 - 2a^2b^2d^2f^2 + 2a^3b^*e^2g^2 + 2a*b^3c^2e^ \\
& ^2 + a^3b^*f^4 + a*b^3d^4 - a^2b^2e^4 - a^4g^4 - b^4c^4, z, k)*a*b^2e \\
& ^2x - 4\text{root}(256a^3b^5z^4 + 256a^3b^4f*z^3 - 64a^3b^3e*g*z^2 - \\
& 64a^2b^4c^*e*z^2 + 96a^3b^3f^2z^2 - 32a^2b^4d^2z^2 - 32a^3b^2e*f \\
& *g*z - 32a^2b^3c^*e*f*z + 32a^2b^3c*d*g*z + 16a^3b^2d*g^2z - 16a^ \\
& 2b^3d^2f*z + 16a^2b^3d^*e^2z + 16a*b^4c^2*d*z + 16a^3b^2f^3z + \\
& 8a^2b^2c*d*f*g - 4a^2b^2d^2e*g + 4a^2b^2d^*e^2f + 4a^2b^2c^*e^2 \\
& *g - 4a^2b^2c^*e*f^2 - 4a^3b^*e*f^2*g + 4a^3b^*d*f*g^2 + 4a*b^3c^2*d^ \\
& f - 4a*b^3c*d^2*e - 4a^3b^*c*g^3 - 4a*b^3c^3*g - 6a^2b^2c^2*g^2 - 2 \\
& *a^2b^2d^2f^2 + 2a^3b^*e^2g^2 + 2a*b^3c^2e^2 + a^3b^*f^4 + a*b^3d^ \\
& 4 - a^2b^2e^4 - a^4g^4 - b^4c^4, z, k)*a^2b^*g^2x + 2a*b^*c^*e*g + 2a* \\
& b^*d^*e*f - 8\text{root}(256a^3b^5z^4 + 256a^3b^4f*z^3 - 64a^3b^3e*g*z^2 - \\
& 64a^2b^4c^*e*z^2 + 96a^3b^3f^2z^2 - 32a^2b^4d^2z^2 - 32a^3b^2e^ \\
& *f*g*z - 32a^2b^3c^*e*f*z + 32a^2b^3c*d*g*z + 16a^3b^2d*g^2z - 16 \\
& *a^2b^3d^2f*z + 16a^2b^3d^*e^2z + 16a*b^4c^2*d*z + 16a^3b^2f^3z + \\
& 8a^2b^2c*d*f*g - 4a^2b^2d^2e*g + 4a^2b^2d^*e^2f + 4a^2b^2c^*e^2 \\
& *g - 4a^2b^2c^*e*f^2 - 4a^3b^*e*f^2*g + 4a^3b^*d*f*g^2 + 4a*b^3c^2*d^ \\
& f - 4a*b^3c*d^2*e - 4a^3b^*c*g^3 - 4a*b^3c^3*g - 6a^2b^2c^2*g^2 - 2 \\
& *a^2b^2d^2f^2 + 2a^3b^*e^2g^2 + 2a*b^3c^2e^2 + a^3b^*f^4 + a*b^3d^ \\
& 4 - a^2b^2e^4 - a^4g^4 - b^4c^4, z, k)*a^2b^*c^*f + 8\text{root}(256a^3b^ \\
& 5z^4 + 256a^3b^4f*z^3 - 64a^3b^3e*g*z^2 - 64a^2b^4c^*e*z^2 + 96a^ \\
& 3b^3f^2z^2 - 32a^2b^4d^2z^2 - 32a^3b^2e*f*g*z - 32a^2b^3c^*e*f*
\end{aligned}$$

$$\begin{aligned}
& z + 32a^2b^3cdgz + 16a^3b^2d^2g^2z - 16a^2b^3d^2f^2z + 16a^2b^3d^2e^2z + 16a^2b^4c^2dz + 16a^3b^2f^3z + 8a^2b^2c^2d^2fg - 4a^2b^2d^2e^2g + 4a^2b^2d^2e^2f + 4a^2b^2c^2e^2g - 4a^2b^2c^2e^2f - 4a^3b^2e^2fg + 4a^3b^2d^2fg^2 + 4a^3b^2c^2d^2f - 4a^3b^2c^2d^2e - 4a^3b^2c^2g^2 - 4a^3b^2c^2fg - 6a^2b^2c^2g^2 - 2a^2b^2d^2f^2 + 2a^3b^2e^2g^2 + 2a^2b^3c^2e^2 + a^3b^2f^4 + a^2b^3d^4 - a^2b^2e^4 - a^4g^4 - b^4c^4, z, k) \\
& a^2b^2d^2e - 8\text{root}(256a^3b^5z^4 + 256a^3b^4fz^3 - 64a^3b^3egz^2 - 64a^2b^4ce^2z^2 + 96a^3b^3f^2z^2 - 32a^2b^4d^2z^2 - 32a^3b^2efgz - 32a^2b^3c^2efz + 32a^2b^3c^2d^2gz + 16a^3b^2d^2g^2z - 16a^2b^3d^2f^2z + 16a^2b^3d^2e^2z + 16a^2b^4c^2dz + 16a^3b^2f^3z + 8a^2b^2c^2d^2fg - 4a^2b^2d^2e^2g + 4a^2b^2d^2e^2f + 4a^2b^2c^2e^2g - 4a^2b^2c^2e^2f - 4a^3b^2e^2fg + 4a^3b^2d^2fg^2 + 4a^3b^2c^2d^2f - 4a^3b^2c^2d^2e - 4a^3b^2c^2g^2 - 4a^3b^2c^2fg - 6a^2b^2c^2g^2 - 2a^2b^2d^2f^2 + 2a^3b^2e^2g^2 + 2a^2b^3c^2e^2 + a^3b^2f^4 + a^2b^3d^4 - a^2b^2e^4 - a^4g^4 - b^4c^4, z, k) \\
& a^2b^2d^2e^2f - 8\text{root}(256a^3b^5z^4 + 256a^3b^4fz^3 - 64a^3b^3egz^2 - 64a^2b^4ce^2z^2 + 96a^3b^3f^2z^2 - 32a^2b^4d^2z^2 - 32a^3b^2efgz - 32a^2b^3c^2efz + 32a^2b^3c^2d^2gz + 16a^3b^2d^2g^2z - 16a^2b^3d^2f^2z + 16a^2b^3d^2e^2z + 16a^2b^4c^2dz + 16a^3b^2f^3z + 8a^2b^2c^2d^2fg - 4a^2b^2d^2e^2g + 4a^2b^2d^2e^2f + 4a^2b^2c^2e^2g - 4a^2b^2c^2e^2f - 4a^3b^2e^2fg + 4a^3b^2d^2fg^2 + 4a^3b^2c^2d^2f - 4a^3b^2c^2d^2e - 4a^3b^2c^2g^2 - 4a^3b^2c^2fg - 6a^2b^2c^2g^2 - 2a^2b^2d^2f^2 + 2a^3b^2e^2g^2 + 2a^2b^3c^2e^2 + a^3b^2f^4 + a^2b^3d^4 - a^2b^2e^4 - a^4g^4 - b^4c^4, z, k) \\
& a^2b^2d^2e^2fg + 8\text{root}(256a^3b^5z^4 + 256a^3b^4fz^3 - 64a^3b^3egz^2 - 64a^2b^4ce^2z^2 + 96a^3b^3f^2z^2 - 32a^2b^4d^2z^2 - 32a^3b^2efgz - 32a^2b^3c^2efz + 32a^2b^3c^2d^2gz + 16a^3b^2d^2g^2z - 16a^2b^3d^2f^2z + 16a^2b^3d^2e^2z + 16a^2b^4c^2dz + 16a^3b^2f^3z + 8a^2b^2c^2d^2fg - 4a^2b^2d^2e^2g + 4a^2b^2d^2e^2f + 4a^2b^2c^2e^2g - 4a^2b^2c^2e^2f - 4a^3b^2e^2fg + 4a^3b^2d^2fg^2 + 4a^3b^2c^2d^2f - 4a^3b^2c^2d^2e - 4a^3b^2c^2g^2 - 4a^3b^2c^2fg - 6a^2b^2c^2g^2 - 2a^2b^2d^2f^2 + 2a^3b^2e^2g^2 + 2a^2b^3c^2e^2 + a^3b^2f^4 + a^2b^3d^4 - a^2b^2e^4 - a^4g^4 - b^4c^4, z, k) \\
& a^2b^2d^2e^2fgx - 2a^2b^2c^2fgx + 2a^2b^2c^2dex - 8\text{root}(256a^3b^5z^4 + 256a^3b^4fz^3 - 64a^3b^3egz^2 - 64a^2b^4ce^2z^2 + 96a^3b^3f^2z^2 - 32a^2b^4d^2z^2 - 32a^3b^2efgz - 32a^2b^3c^2efz + 32a^2b^3c^2d^2gz + 16a^3b^2d^2g^2z - 16a^2b^3d^2f^2z + 16a^2b^3d^2e^2z + 16a^2b^4c^2dz + 16a^3b^2f^3z + 8a^2b^2c^2d^2fg - 4a^2b^2d^2e^2g + 4a^2b^2d^2e^2f + 4a^2b^2c^2e^2g - 4a^2b^2c^2e^2f - 4a^3b^2e^2fg + 4a^3b^2d^2fg^2 + 4a^3b^2c^2d^2f - 4a^3b^2c^2d^2e - 4a^3b^2c^2g^2 - 4a^3b^2c^2fg - 6a^2b^2c^2g^2 - 2a^2b^2d^2f^2 + 2a^3b^2e^2g^2 + 2a^2b^3c^2e^2 + a^3b^2f^4 + a^2b^3d^4 - a^2b^2e^4 - a^4g^4 - b^4c^4, z, k) \\
& a^2b^2d^2e^2fgx + 2a^2b^2c^2dex) \text{root}(256a^3b^5z^4 + 256a^3b^4fz^3 - 64a^3b^3egz^2 - 64a^2b^4ce^2z^2 + 96a^3b^3f^2z^2 - 32a^2b^4d^2z^2 - 32a^3b^2efgz - 32a^2b^3c^2efz + 32a^2b^3c^2d^2gz + 16a^3b^2d^2g^2z - 16a^2b^3d^2f^2z + 16a^2b^3d^2e^2z + 16a^2b^4c^2dz + 16a^3b^2f^3z + 8a^2b^2c^2d^2fg - 4a^2b^2d^2e^2g + 4a^2b^2d^2e^2f + 4a^2b^2c^2e^2g - 4a^2b^2c^2e^2f - 4a^3b^2e^2fg + 4a^3b^2d^2fg^2 + 4a^3b^2c^2d^2f - 4a^3b^2c^2d^2e - 4a^3b^2c^2g^2 - 4a^3b^2c^2fg - 6a^2b^2c^2g^2 - 2a^2b^2d^2f^2 + 2a^3b^2e^2g^2 + 2a^2b^3c^2e^2 + a^3b^2f^4 + a^2b^3d^4 - a^2b^2e^4 - a^4g^4 - b^4c^4, z, k), k, 1, 4) - (gx)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.172 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^2} dx$$

Optimal. Leaf size=172

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(ag+bc+bdx+...)}{4ab(a-bx^4)}$$

[Out] 1/4*x*(b*f*x^3+b*e*x^2+b*d*x+a*g+b*c)/a/b/(-b*x^4+a)+1/4*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(1/2)+1/8*arctan(b^(1/4)*x/a^(1/4))*(3*b*c-a*g-e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)+1/8*arctanh(b^(1/4)*x/a^(1/4))*(3*b*c-a*g+e*a^(1/2)*b^(1/2))/a^(7/4)/b^(5/4)

Rubi [A] time = 0.16, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {1858, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}\sqrt{b}} + \frac{x(ag+bc+bdx+...)}{4ab(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^2, x]

[Out] (x*(b*c + a*g + b*d*x + b*e*x^2 + b*f*x^3))/(4*a*b*(a - b*x^4)) + ((3*b*c - Sqrt[a]*Sqrt[b]*e - a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(5/4)) + ((3*b*c + Sqrt[a]*Sqrt[b]*e - a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(7/4)*b^(5/4)) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*Sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x

$x^k, x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 1167

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(a*c), 2]\}, \text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[1/(-q + c*x^2), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[1/(q + c*x^2), x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[-(a*c)]$

Rule 1858

$\text{Int}[(Pq_.) * ((a_.) + (b_.)x^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq}, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq}, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)^{(p + 1)} * \text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{GeQ}[q, n]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1876

$\text{Int}[(Pq_.) / ((a_.) + (b_.)x^{(n_.)}), x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[x^{ii} * (\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii] * x^{(n/2)})] / (a + b*x^n), \{ii, 0, n/2 - 1\}\}, \text{Int}[v, x] /; \text{SumQ}[v]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{Expon}[Pq, x] < n$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^2} dx &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{\int \frac{3bc - ag + 2bdx + bex^2}{a - bx^4} dx}{4ab} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{\int \left(\frac{2bdx}{a - bx^4} + \frac{3bc - ag + bex^2}{a - bx^4} \right) dx}{4ab} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{\int \frac{3bc - ag + bex^2}{a - bx^4} dx}{4ab} + \frac{d \int \frac{x}{a - bx^4} dx}{2a} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right)}{4a} - \frac{(3bc - \sqrt{a} \sqrt{b})}{16a^{7/4} b^{5/4}} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{(3bc - \sqrt{a} \sqrt{b} e - ag) \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{8a^{7/4} b^{5/4}} + \frac{(3bc - \sqrt{a} \sqrt{b})}{16a^{7/4} b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 221, normalized size = 1.28

$$\frac{4a^{3/4} \sqrt[4]{b} (a(f+gx) + bx(c+x(d+ex)))}{a - bx^4} - \log \left(\sqrt[4]{a} - \sqrt[4]{b} x \right) \left(2\sqrt[4]{a} b^{3/4} d + \sqrt{a} \sqrt{b} e - ag + 3bc \right) + \log \left(\sqrt[4]{a} + \sqrt[4]{b} x \right) \left(-2\sqrt[4]{a} b^{3/4} d + \sqrt{a} \sqrt{b} e - ag + 3bc \right)$$

$$16a^{7/4} b^{5/4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^2, x]

[Out] ((4*a^(3/4)*b^(1/4)*(a*(f + g*x) + b*x*(c + x*(d + e*x))))/(a - b*x^4) - 2*(-3*b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (3*b*c + 2*a^(1/4)*b^(3/4)*d + Sqrt[a]*Sqrt[b]*e - a*g)*Log[a^(1/4) - b^(1/4)*x] + (3*b*c - 2*a^(1/4)*b^(3/4)*d + Sqrt[a]*Sqrt[b]*e - a*g)*Log[a^(1/4) + b^(1/4)*x] + 2*a^(1/4)*b^(3/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(16*a^(7/4)*b^(5/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.18, size = 344, normalized size = 2.00

$$\frac{\sqrt{2} \left(3b^2c - abg - 2\sqrt{2} (-ab^3)^{\frac{1}{4}} bd + \sqrt{-ab} be \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(3b^2c - abg + 2\sqrt{2} (-ab^3)^{\frac{1}{4}} ba \right)}{16 \left(-ab^3 \right)^{\frac{3}{4}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out]
$$-1/16*\sqrt{2}*(3*b^2*c - a*b*g - 2*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a) - 1/16*\sqrt{2}*(3*b^2*c - a*b*g + 2*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a) - 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) + 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) - 1/4*(b*x^3*e + b*d*x^2 + b*c*x + a*g*x + a*f)/((b*x^4 - a)*a*b)$$

maple [B] time = 0.05, size = 289, normalized size = 1.68

$$\frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{8\sqrt{ab} a} + \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab} - \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8ab} - \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16ab} + \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out]
$$\left(-1/4/a*e*x^3 - 1/4/a*d*x^2 - 1/4*(a*g+b*c)/a/b*x - 1/4/b*f \right) / (b*x^4 - a) - 1/8/b/a*(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)*g + 3/8*(a/b)^{(1/4)}/a^2*c*\arctan(1/(a/b)^{(1/4)}*x) - 1/16/b/a*(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*g + 3/16*(a/b)^{(1/4)}/a^2*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/8/(a*b)^{(1/2)}/a*d*\ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a)) - 1/8/(a/b)^{(1/4)}/a/b*e*\arctan(1/(a/b)^{(1/4)}*x) + 1/16/(a/b)^{(1/4)}/a/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$$

maxima [A] time = 3.11, size = 224, normalized size = 1.30

$$-\frac{bex^3 + bdx^2 + af + (bc + ag)x}{4(ab^2x^4 - a^2b)} + \frac{\frac{2\sqrt{b}d\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}} - \frac{2\sqrt{b}d\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}}}{16ab} + \frac{2\left(3b^{\frac{3}{2}}c - \sqrt{a}be - a\sqrt{b}g\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - (3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] -1/4*(b*e*x^3 + b*d*x^2 + a*f + (b*c + a*g)*x)/(a*b^2*x^4 - a^2*b) + 1/16*(2*sqrt(b)*d*log(sqrt(b)*x^2 + sqrt(a))/sqrt(a) - 2*sqrt(b)*d*log(sqrt(b)*x^2 - sqrt(a))/sqrt(a) + 2*(3*b^(3/2)*c - sqrt(a)*b*e - a*sqrt(b)*g)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (3*b^(3/2)*c + sqrt(a)*b*e - a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a*b)

mupad [B] time = 5.56, size = 1393, normalized size = 8.10

$$\left(\sum_{k=1}^4 \ln\left(-\frac{-a^2 e g^2 + 6 a b c e g - 4 a b d^2 g + a b e^3 - 9 b^2 c^2 e + 12 b^2 c d^2}{64 a^3} - \frac{\text{root}\left(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2\right)}{\dots}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^2,x)

[Out] symsum(log(- (12*b^2*c*d^2 - 9*b^2*c^2*e - a^2*e*g^2 + a*b*e^3 - 4*a*b*d^2*g + 6*a*b*c*e*g)/(64*a^3) - (root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k)*b*(9*b^2*c^2*x + a^2*g^2*x - 16*root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 - 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 - 81*b^4*c^4 - a^2*b^2*e^4 - a^4*g^4, z, k)*a^3*b*g + a*b*e^2*x + 48*root(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 - 3072*a^4*b^4*c*e*z^2 - 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z + 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z + 1152*a^2*b^4*c^2*d*z + 16*a^2*b^2*d^2*e*g - 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*d^2*e + 108*a*b

$$\begin{aligned}
&^3c^3g + 12a^3b^3cg^3 - 54a^2b^2c^2g^2 + 2a^3b^3e^2g^2 + 18a^3b^3 \\
& *c^2e^2 + 16a^3b^3d^4 - 81b^4c^4 - a^2b^2e^4 - a^4g^4, z, k)a^2b^2 \\
& *c - 4a^3b^3d^4 - 32\text{root}(65536a^7b^5z^4 + 1024a^5b^3e^2g^2 - 3072a^4 \\
& 4b^4c^2e^2z^2 - 2048a^4b^4d^2z^2 - 768a^3b^3c^2d^2g^2z + 128a^4b^2d^2 \\
& g^2z + 128a^3b^3d^2e^2z + 1152a^2b^4c^2d^2z + 16a^2b^2d^2e^2g - 1 \\
& 2a^2b^2c^2e^2g - 48a^3b^3c^2d^2e + 108a^3b^3c^3g + 12a^3b^3cg^3 - 5 \\
& 4a^2b^2c^2g^2 + 2a^3b^3e^2g^2 + 18a^3b^3c^2e^2 + 16a^3b^3d^4 - 81 \\
& b^4c^4 - a^2b^2e^4 - a^4g^4, z, k)a^2b^2d^2x - 6a^3b^3cg^2x)/(4a^2) \\
& - (b^2d^2x(2b^2d^2 - 3b^3c^2e + a^2e^2g))/(16a^3))\text{root}(65536a^7b^5z^4 + 10 \\
& 24a^5b^3e^2g^2 - 3072a^4b^4c^2e^2z^2 - 2048a^4b^4d^2z^2 - 768a^3b^3 \\
& b^3c^2d^2g^2z + 128a^4b^2d^2g^2z + 128a^3b^3d^2e^2z + 1152a^2b^4c^2 \\
& d^2z + 16a^2b^2d^2e^2g - 12a^2b^2c^2e^2g - 48a^3b^3c^2d^2e + 108a^3b^3 \\
& 3c^3g + 12a^3b^3cg^3 - 54a^2b^2c^2g^2 + 2a^3b^3e^2g^2 + 18a^3b^3 \\
& c^2e^2 + 16a^3b^3d^4 - 81b^4c^4 - a^2b^2e^4 - a^4g^4, z, k), k, 1, 4 \\
&) + (f/(4b) + (d^2x^2)/(4a) + (e^3x^3)/(4a) + (x(b^2c + a^2g))/(4a^2b))/(a \\
& - b^2x^4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,x)

[Out] Timed out

$$3.173 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^3} dx$$

Optimal. Leaf size=221

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{3d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}\sqrt{b}} + \frac{x(-ag+7bc+6bdx+5bex^2)}{32a^2b(a-bx^4)}$$

[Out] 1/8*x*(b*f*x^3+b*e*x^2+b*d*x+a*g+b*c)/a/b/(-b*x^4+a)^2+1/32*(4*a*f+x*(5*b*e*x^2+6*b*d*x-a*g+7*b*c))/a^2/b/(-b*x^4+a)+3/16*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(1/2)+1/64*arctan(b^(1/4)*x/a^(1/4))*(21*b*c-3*a*g-5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)+1/64*arctanh(b^(1/4)*x/a^(1/4))*(21*b*c-3*a*g+5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)

Rubi [A] time = 0.26, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{x(-ag+7bc+6bdx+5bex^2)}{32a^2b(a-bx^4)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^3,x]

[Out] (x*(b*c + a*g + b*d*x + b*e*x^2 + b*f*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*f + x*(7*b*c - a*g + 6*b*d*x + 5*b*e*x^2))/(32*a^2*b*(a - b*x^4)) + ((21*b*c - 5*sqrt[a]*sqrt[b]*e - 3*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)]/(64*a^(11/4)*b^(5/4)) + ((21*b*c + 5*sqrt[a]*sqrt[b]*e - 3*a*g)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(5/4)) + (3*d*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(16*a^(5/2)*sqrt[b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^3} dx &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{\int \frac{7bc - ag + 6bdx + 5bex^2 + 4bfx^3}{(a - bx^4)^2} dx}{8ab} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} - \frac{\int \frac{-3b^2x^4}{(a - bx^4)^2} dx}{32a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} - \frac{\int (-3bx^4)}{32a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} - \frac{\int -3bx^4}{32a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} + \frac{(3d)}{32a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 6bdx + 5bex^2)}{32a^2b(a - bx^4)} + \frac{(21b)}{32a^2b}
\end{aligned}$$

Mathematica [A] time = 0.77, size = 263, normalized size = 1.19

$$\frac{4a^{3/4} \sqrt[4]{b} (a^2(4f + 3gx) + abx(11c + x(10d + 9ex + gx^3)) - b^2x^5(7c + x(6d + 5ex)))}{(a - bx^4)^2} - \log(\sqrt[4]{a} - \sqrt[4]{b}x) (12\sqrt[4]{a} b^{3/4} d + 5\sqrt{a} \sqrt{b} e - 3ag + 21bc)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^3, x]

[Out] ((4*a^(3/4)*b^(1/4)*(a^2*(4*f + 3*g*x) - b^2*x^5*(7*c + x*(6*d + 5*e*x)) + a*b*x*(11*c + x*(10*d + 9*e*x + g*x^3))))/(a - b*x^4)^2 + 2*(21*b*c - 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (21*b*c + 12*a^(1/4)*b^(3/4)*d + 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*Log[a^(1/4) - b^(1/4)*x] + (21*b*c - 12*a^(1/4)*b^(3/4)*d + 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*Log[a^(1/4) + b^(1/4)*x] + 12*a^(1/4)*b^(3/4)*d*Log[Sqrt[a] + Sqrt[b]*x^2])/(128*a^(11/4)*b^(5/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")`

[Out] Timed out

giac [B] time = 0.20, size = 393, normalized size = 1.78

$$\frac{\sqrt{2} \left(21 b^2 c - 3 a b g - 12 \sqrt{2} \left(-a b^3 \right)^{\frac{1}{4}} b d + 5 \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(21 b^2 c - 3 a b g + 12 \sqrt{2} \left(-a b^3 \right)^{\frac{1}{4}} b d + 5 \sqrt{-a b} b e \right)}{128 \left(-a b^3 \right)^{\frac{3}{4}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")`

[Out]
$$\frac{-1/128 \sqrt{2} (21 b^2 c - 3 a b g - 12 \sqrt{2} (-a b^3)^{1/4} b d + 5 \sqrt{-a b} b e) \arctan(1/2 \sqrt{2} (2 x + \sqrt{2} (-a/b)^{1/4}) / (-a/b)^{1/4}) / ((-a b^3)^{3/4} a^2) - 1/128 \sqrt{2} (21 b^2 c - 3 a b g + 12 \sqrt{2} (-a b^3)^{1/4} b d - 5 \sqrt{-a b} b e) \arctan(1/2 \sqrt{2} (2 x - \sqrt{2} (-a/b)^{1/4}) / (-a/b)^{1/4}) / ((-a b^3)^{3/4} a^2) - 1/256 \sqrt{2} (21 b^2 c - 3 a b g - 5 \sqrt{-a b} b e) \log(x^2 + \sqrt{2} x (-a/b)^{1/4} + \sqrt{-a b}) / ((-a b^3)^{3/4} a^2) + 1/256 \sqrt{2} (21 b^2 c - 3 a b g - 5 \sqrt{-a b} b e) \log(x^2 - \sqrt{2} x (-a/b)^{1/4} + \sqrt{-a b}) / ((-a b^3)^{3/4} a^2) - 1/32 (5 b^2 x^7 e + 6 b^2 d x^6 + 7 b^2 c x^5 - a b g x^5 - 9 a b x^3 e - 10 a b d x^2 - 11 a b c x - 3 a^2 g x - 4 a^2 f) / ((b x^4 - a)^2 a^2 b)}$$

maple [A] time = 0.07, size = 328, normalized size = 1.48

$$\frac{3 d \ln \left(\frac{\sqrt{a b} x^2 - a}{-\sqrt{a b} x^2 - a} \right)}{32 \sqrt{a b} a^2} + \frac{5 e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{64 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} + \frac{5 e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} - \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{64 a^2 b} - \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 a^2 b} + \frac{21 \left(\frac{a}{b} \right)^{\frac{1}{4}} c a}{64 a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)`

[Out]
$$-\frac{5}{32} \frac{1}{a^2 b e x^7} + \frac{3}{16} \frac{1}{a^2 b d x^6} - \frac{1}{32} \frac{(a g - 7 b c)}{a^2 x^5} - \frac{9}{32} \frac{1}{a e x^3} - \frac{5}{16} \frac{1}{a d x^2} - \frac{1}{32} \frac{(3 a g + 11 b c)}{a b x} - \frac{1}{8} \frac{1}{b f} / (b x^4 - a)^2 - \frac{3}{64} \frac{1}{a^2 b} \left(\frac{a}{b} \right)^{1/4} \arctan(1 / \left(\frac{a}{b} \right)^{1/4} x) * g + \frac{21}{64} \left(\frac{a}{b} \right)^{1/4} / a^3 c * \arctan(1 / \left(\frac{a}{b} \right)^{1/4} x) - \frac{3}{128} \frac{1}{a^2 b} \left(\frac{a}{b} \right)^{1/4} * \ln((x + \left(\frac{a}{b} \right)^{1/4}) / (x - \left(\frac{a}{b} \right)^{1/4})) * g + \frac{21}{128} \left(\frac{a}{b} \right)^{1/4} / a^3 c * \ln((x + \left(\frac{a}{b} \right)^{1/4}) / (x - \left(\frac{a}{b} \right)^{1/4})) - \frac{3}{32} \frac{1}{(a b)^{1/2}} / a^2 * \ln((x + \left(\frac{a}{b} \right)^{1/4}) / (x - \left(\frac{a}{b} \right)^{1/4}))$$

$d \cdot \ln\left(\frac{(a \cdot b)^{1/2} \cdot x^2 - a}{-(a \cdot b)^{1/2} \cdot x^2 - a}\right) - 5/64 \cdot (a/b)^{1/4} / a^2 / b \cdot \arctan\left(\frac{1}{(a/b)^{1/4} \cdot x}\right) + 5/128 \cdot (a/b)^{1/4} / a^2 / b \cdot \ln\left(\frac{x + (a/b)^{1/4}}{x - (a/b)^{1/4}}\right)$

maxima [A] time = 3.00, size = 284, normalized size = 1.29

$$\frac{5b^2ex^7 + 6b^2dx^6 - 9abex^3 + (7b^2c - abg)x^5 - 10abdx^2 - 4a^2f - (11abc + 3a^2g)x}{32(a^2b^3x^8 - 2a^3b^2x^4 + a^4b)} + \frac{12\sqrt{b}d \log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}} - \frac{12\sqrt{b}d \arctan(\sqrt{b}x/\sqrt{a})}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] $-1/32 \cdot (5 \cdot b^2 \cdot e \cdot x^7 + 6 \cdot b^2 \cdot d \cdot x^6 - 9 \cdot a \cdot b \cdot e \cdot x^3 + (7 \cdot b^2 \cdot c - a \cdot b \cdot g) \cdot x^5 - 10 \cdot a \cdot b \cdot d \cdot x^2 - 4 \cdot a^2 \cdot f - (11 \cdot a \cdot b \cdot c + 3 \cdot a^2 \cdot g) \cdot x) / (a^2 \cdot b^3 \cdot x^8 - 2 \cdot a^3 \cdot b^2 \cdot x^4 + a^4 \cdot b) + 1/128 \cdot (12 \cdot \sqrt{b} \cdot d \cdot \log(\sqrt{b} \cdot x^2 + \sqrt{a}) / \sqrt{a} - 12 \cdot \sqrt{b} \cdot d \cdot \arctan(\sqrt{b} \cdot x / \sqrt{a}) / \sqrt{a} + 2 \cdot (21 \cdot b^{3/2} \cdot c - 5 \cdot \sqrt{a} \cdot b \cdot e - 3 \cdot a \cdot \sqrt{b} \cdot g) \cdot \arctan(\sqrt{b} \cdot x / \sqrt{a} \cdot \sqrt{b})) / (\sqrt{a} \cdot \sqrt{b}) - (21 \cdot b^{3/2} \cdot c + 5 \cdot \sqrt{a} \cdot b \cdot e - 3 \cdot a \cdot \sqrt{b} \cdot g) \cdot \log((\sqrt{b} \cdot x - \sqrt{a \cdot b}) / (\sqrt{b} \cdot x + \sqrt{a \cdot b})) / (\sqrt{a} \cdot \sqrt{b})$

mupad [B] time = 5.44, size = 1002, normalized size = 4.53

$$\frac{\frac{f}{8b} + \frac{5dx^2}{16a} + \frac{9ex^3}{32a} - \frac{x^5(7bc-ag)}{32a^2} + \frac{x(11bc+3ag)}{32ab} - \frac{3bdx^6}{16a^2} - \frac{5bex^7}{32a^2}}{a^2 - 2abx^4 + b^2x^8} + \left(\sum_{k=1}^4 \ln \left(-\text{root}(268435456a^{11}b^5z^4 + 983040a^7b^5z^4 + 983040a^7b^5z^4 + 983040a^7b^5z^4) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^3,x)

[Out] $(f/(8 \cdot b) + (5 \cdot d \cdot x^2)/(16 \cdot a) + (9 \cdot e \cdot x^3)/(32 \cdot a) - (x^5 \cdot (7 \cdot b \cdot c - a \cdot g))/(32 \cdot a^2) + (x \cdot (11 \cdot b \cdot c + 3 \cdot a \cdot g))/(32 \cdot a \cdot b) - (3 \cdot b \cdot d \cdot x^6)/(16 \cdot a^2) - (5 \cdot b \cdot e \cdot x^7)/(32 \cdot a^2)) / (a^2 + b^2 \cdot x^8 - 2 \cdot a \cdot b \cdot x^4) + \text{symsum}(\log(-\text{root}(268435456 \cdot a^{11} \cdot b^5 \cdot z^4 + 983040 \cdot a^7 \cdot b^5 \cdot e \cdot g \cdot z^2 - 6881280 \cdot a^6 \cdot b^4 \cdot c \cdot e \cdot z^2 - 4718592 \cdot a^6 \cdot b^4 \cdot d^2 \cdot z^2 - 774144 \cdot a^4 \cdot b^3 \cdot c \cdot d \cdot g \cdot z + 55296 \cdot a^5 \cdot b^2 \cdot d \cdot g^2 \cdot z + 153600 \cdot a^4 \cdot b^3 \cdot d \cdot e^2 \cdot z + 2709504 \cdot a^3 \cdot b^4 \cdot c^2 \cdot d \cdot z + 8640 \cdot a^2 \cdot b^2 \cdot d^2 \cdot e \cdot g - 6300 \cdot a^2 \cdot b^2 \cdot c \cdot e^2 \cdot g - 60480 \cdot a \cdot b^3 \cdot c \cdot d^2 \cdot e + 111132 \cdot a \cdot b^3 \cdot c^3 \cdot g + 2268 \cdot a^3 \cdot b \cdot c \cdot g^3 - 23814 \cdot a^2 \cdot b^2 \cdot c^2 \cdot g^2 + 450 \cdot a^3 \cdot b \cdot e^2 \cdot g^2 + 22050 \cdot a \cdot b^3 \cdot c^2 \cdot e^2 - 625 \cdot a^2 \cdot b^2 \cdot e^4 + 20736 \cdot a \cdot b^3 \cdot d^4 - 81 \cdot a^4 \cdot g^4 - 194481 \cdot b^4 \cdot c^4, z, k) \cdot (\text{root}(268435456 \cdot a^{11} \cdot b^5 \cdot z^4 + 983040 \cdot a^7 \cdot b^5 \cdot e \cdot g \cdot z^2 - 6881280 \cdot a^6 \cdot b^4 \cdot c \cdot e \cdot z^2 - 4718592 \cdot a^6 \cdot b^4 \cdot d^2 \cdot z^2 - 774144 \cdot a^4 \cdot b^3 \cdot c \cdot d \cdot g \cdot z + 55296 \cdot a^5 \cdot b^2 \cdot d \cdot g^2 \cdot z + 153600 \cdot a^4 \cdot b^3 \cdot d \cdot e^2 \cdot z + 2709504 \cdot a^3 \cdot b^4 \cdot c^2 \cdot d \cdot z + 8640 \cdot a^2 \cdot b^2 \cdot d^2 \cdot e \cdot g - 6300 \cdot a^2 \cdot b^2 \cdot c \cdot e^2 \cdot g - 60480 \cdot a \cdot b^3 \cdot c \cdot d^2 \cdot e + 111132 \cdot a \cdot b^3 \cdot c^3 \cdot g + 2268 \cdot a^3 \cdot b \cdot c \cdot g^3 - 23814 \cdot a^2 \cdot b^2 \cdot c^2 \cdot g^2 + 450 \cdot a^3 \cdot b \cdot e^2 \cdot g^2 + 22050 \cdot a \cdot b^3 \cdot c^2 \cdot e^2 - 625 \cdot a^2 \cdot b^2 \cdot e^4 + 20736 \cdot a \cdot b^3 \cdot d^4 - 81 \cdot a^4 \cdot g^4 - 194481 \cdot b^4 \cdot c^4, z, k)$

```

*e^2*z + 2709504*a^3*b^4*c^2*d*z + 8640*a^2*b^2*d^2*e*g - 6300*a^2*b^2*c*e^
2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 - 23814*a
^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 - 625*a^2*b^2*e^4
+ 20736*a*b^3*d^4 - 81*a^4*g^4 - 194481*b^4*c^4, z, k)*((344064*a^5*b^3*c -
49152*a^6*b^2*g)/(32768*a^6) - (6*b^3*d*x)/a) + (x*(144*a^4*b*g^2 + 7056*a
^2*b^3*c^2 + 400*a^3*b^2*e^2 - 2016*a^3*b^2*c*g))/(4096*a^6) - (15*b^2*d*e)
/(32*a^3)) - (3024*b^2*c*d^2 - 2205*b^2*c^2*e - 45*a^2*e*g^2 + 125*a*b*e^3
- 432*a*b*d^2*g + 630*a*b*c*e*g)/(32768*a^6) - (x*(216*b^2*d^3 - 315*b^2*c*
d*e + 45*a*b*d*e*g))/(4096*a^6))*root(268435456*a^11*b^5*z^4 + 983040*a^7*b
^3*e*g*z^2 - 6881280*a^6*b^4*c*e*z^2 - 4718592*a^6*b^4*d^2*z^2 - 774144*a^4
*b^3*c*d*g*z + 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z + 2709504*a^3
*b^4*c^2*d*z + 8640*a^2*b^2*d^2*e*g - 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*
d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 - 23814*a^2*b^2*c^2*g^2 + 450
*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 - 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 -
81*a^4*g^4 - 194481*b^4*c^4, z, k), k, 1, 4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)

[Out] Timed out

$$3.174 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a-bx^4)^4} dx$$

Optimal. Leaf size=266

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{5d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}\sqrt{b}} + \frac{x(7(11b$$

[Out] $\frac{1}{12}x(bfx^3+be*x^2+bd*x+ag+bc)/a/b/(-bx^4+a)^3+1/384*x*(45*be*x^2+60*bd*x-7*ag+77*bc)/a^3/b/(-bx^4+a)+1/96*(8*af+x*(9*be*x^2+10*bd*x-ag+11*bc))/a^2/b/(-bx^4+a)^2+5/32*d*arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)+1/256*arctan(b^(1/4)*x/a^(1/4))*(77*bc-7*ag-15*ea^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)+1/256*arctanh(b^(1/4)*x/a^(1/4))*(77*bc-7*ag+15*ea^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)$

Rubi [A] time = 0.32, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{x(-ag+11bc+10bdx+9b^2)}{96a^2b(a-bx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^4,x]

[Out] $\frac{x(b*c + a*g + b*d*x + b*e*x^2 + b*f*x^3)}{(12*a*b*(a - b*x^4)^3} + \frac{x*(7*(11*b*c - a*g) + 60*b*d*x + 45*b*e*x^2)}{(384*a^3*b*(a - b*x^4))} + \frac{(8*a*f + x*(11*b*c - a*g + 10*b*d*x + 9*b*e*x^2))}{(96*a^2*b*(a - b*x^4)^2} + \frac{((77*b*c - 15*\text{Sqrt}[a]*\text{Sqrt}[b]*e - 7*a*g)*\text{ArcTan}[(b^(1/4)*x)/a^(1/4)])}{(256*a^(15/4)*b^(5/4))} + \frac{((77*b*c + 15*\text{Sqrt}[a]*\text{Sqrt}[b]*e - 7*a*g)*\text{ArcTanh}[(b^(1/4)*x)/a^(1/4)])}{(256*a^(15/4)*b^(5/4))} + \frac{(5*d*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])}{(32*a^(7/2)*\text{Sqrt}[b])}$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 275

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{With}\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{(m+1)/k-1}*(a + b*x^{(n/k)})^p, x], x, x^k], x] /; k \neq 1] /; \text{FreeQ}\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 1167

$\text{Int}[(d_ + (e_)*(x_)^2)/(a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(a*c), 2]\}, \text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[1/(-q + c*x^2), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[1/(q + c*x^2), x], x]] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[-(a*c)]$

Rule 1854

$\text{Int}[(Pq_)*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Module}\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(a*\text{Coeff}[Pq, x, q] - b*x*\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, q]*x^q, x])*(a + b*x^n)^{(p+1)}/(a*b*n*(p+1)), x] + \text{Dist}[1/(a*n*(p+1)), \text{Int}[\text{Sum}[(n*(p+1) + i + 1)*\text{Coeff}[Pq, x, i]*x^i, \{i, 0, q-1\}]* (a + b*x^n)^{(p+1)}, x], x] /; q == n - 1] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1855

$\text{Int}[(Pq_)*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow -\text{Simp}[(x*Pq*(a + b*x^n)^{(p+1)})/(a*n*(p+1)), x] + \text{Dist}[1/(a*n*(p+1)), \text{Int}[\text{ExpandToSum}[n*(p+1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{LtQ}[\text{Expon}[Pq, x], n - 1]$

Rule 1858

$\text{Int}[(Pq_)*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{With}\{q = \text{Expon}[Pq, x]\}, \text{Module}\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q-1)/n] + 1)*Pq}, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q-1)/n] + 1)*Pq}, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p+1)*b^{(\text{Floor}[(q-1)/n] + 1)}), \text{Int}[(a + b*x^n)^{(p+1)}*\text{ExpandToSum}[a*n*(p+1)*Q + n*(p+1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p+1)})/(a*n*(p+1)*b^{(\text{Floor}[(q-1)/n] + 1)}), x]] /; \text{GeQ}[q, n]] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a - bx^4)^4} dx &= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{\int \frac{11bc - ag + 10bdx + 9bex^2 + 8bfx^3}{(a - bx^4)^3} dx}{12ab} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{8af + x(11bc - ag + 10bdx + 9bex^2)}{96a^2b(a - bx^4)^2} - \frac{\int \frac{11bc - ag + 10bdx + 9bex^2 + 8bfx^3}{(a - bx^4)^2} dx}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} - \frac{\int \frac{11bc - ag + 10bdx + 9bex^2 + 8bfx^3}{(a - bx^4)} dx}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} - \frac{\int \frac{11bc - ag + 10bdx + 9bex^2 + 8bfx^3}{(a - bx^4)} dx}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} - \frac{\int \frac{11bc - ag + 10bdx + 9bex^2 + 8bfx^3}{(a - bx^4)} dx}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} - \frac{\int \frac{11bc - ag + 10bdx + 9bex^2 + 8bfx^3}{(a - bx^4)} dx}{96a^2b} \\
&= \frac{x(bc + ag + bdx + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 60bdx + 45bex^2)}{384a^3b(a - bx^4)} + \frac{8af}{96a^2b} - \frac{\int \frac{11bc - ag + 10bdx + 9bex^2 + 8bfx^3}{(a - bx^4)} dx}{96a^2b}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 313, normalized size = 1.18

$$\frac{128a^{11/4} \sqrt[4]{b} (a(f+gx) + bx(c+x(d+ex)))}{(a-bx^4)^3} + \frac{16a^{7/4} \sqrt[4]{b} x(-ag+11bc+bx(10d+9ex))}{(a-bx^4)^2} + \frac{4a^{3/4} \sqrt[4]{b} x(-7ag+77bc+15bx(4d+3ex))}{a-bx^4} - 3 \log(\sqrt[4]{a} - \sqrt[4]{b} x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^4, x]

[Out]
$$\begin{aligned} & ((4*a^{3/4}*b^{1/4}*x*(77*b*c - 7*a*g + 15*b*x*(4*d + 3*e*x)))/(a - b*x^4) \\ & + (16*a^{7/4}*b^{1/4}*x*(11*b*c - a*g + b*x*(10*d + 9*e*x)))/(a - b*x^4)^2 \\ & + (128*a^{11/4}*b^{1/4}*(a*(f + g*x) + b*x*(c + x*(d + e*x)))/(a - b*x^4)^3 \\ & + 6*(77*b*c - 15*\sqrt{a}*\sqrt{b}*e - 7*a*g)*\text{ArcTan}[(b^{1/4}*x)/a^{1/4}] - \\ & 3*(77*b*c + 40*a^{1/4}*b^{3/4}*d + 15*\sqrt{a}*\sqrt{b}*e - 7*a*g)*\text{Log}[a^{1/4} - \\ & b^{1/4}*x] + 3*(77*b*c - 40*a^{1/4}*b^{3/4}*d + 15*\sqrt{a}*\sqrt{b}*e - \\ & 7*a*g)*\text{Log}[a^{1/4} + b^{1/4}*x] + 120*a^{1/4}*b^{3/4}*d*\text{Log}[\sqrt{a} + \sqrt{b} \\ & *x^2])/(1536*a^{15/4}*b^{5/4}) \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 442, normalized size = 1.66

$$\frac{\sqrt{2} \left(77 b^2 c - 7 a b g - 40 \sqrt{2} \left(-a b^3 \right)^{\frac{1}{4}} b d + 15 \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(77 b^2 c - 7 a b g + 40 \sqrt{2} \left(-a b^3 \right)^{\frac{1}{4}} a^3 \right)}{512 \left(-a b^3 \right)^{\frac{3}{4}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/512*\sqrt{2}*(77*b^2*c - 7*a*b*g - 40*\sqrt{2}*(-a*b^3)^{1/4}*b*d + 15*\sqrt{2}*(-a*b^3)^{1/4}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{1/4})/(-a/b)^{1/4})/ \\ & ((-a*b^3)^{3/4}*a^3) - 1/512*\sqrt{2}*(77*b^2*c - 7*a*b*g + 40*\sqrt{2}*(-a*b^3)^{1/4}*b*d - 15*\sqrt{2}*(-a*b^3)^{1/4}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{1/4})/(-a/b)^{1/4})/((-a*b^3)^{3/4}*a^3) - 1/1024*\sqrt{2}*(77*b^2*c - 7*a*b*g - 15*\sqrt{2}*(-a*b^3)^{1/4}*b*d + 15*\sqrt{2}*(-a*b^3)^{1/4}*b*e)*\log(x^2 + \sqrt{2}*(-a/b)^{1/4} + \sqrt{-a/b})/((-a*b^3)^{3/4}*a^3) + 1/1024*\sqrt{2}*(77*b^2*c - 7*a*b*g - 15*\sqrt{2}*(-a*b^3)^{1/4}*b*d - 15*\sqrt{2}*(-a*b^3)^{1/4}*b*e)*\log(x^2 - \sqrt{2}*(-a/b)^{1/4} + \sqrt{-a/b})/((-a*b^3)^{3/4}*a^3) - 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 + 77*b^3*c*x^9 - 7*a*b^2*g*x^9 - 126*a*b^2*x^7*e - 160*a*b^2*d*x^6 - 198*a*b^2*c*x^5 + 18*a^2*b*g*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x + 21*a^3*g*x + 32*a^3*f)/((b*x^4 - a)^3*a^3*b) \end{aligned}$$

maple [A] time = 0.06, size = 368, normalized size = 1.38

$$\frac{5d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{64\sqrt{ab} a^3} - \frac{15e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} - \frac{7\left(\frac{a}{b}\right)^{\frac{1}{4}} g \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256a^3 b} - \frac{7\left(\frac{a}{b}\right)^{\frac{1}{4}} g \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512a^3 b} + \frac{77\left(\frac{a}{b}\right)^{\frac{1}{4}} c}{256a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)

[Out] (-15/128/a^3*b^2*e*x^11-5/32/a^3*b^2*d*x^10+7/384*(a*g-11*b*c)/a^3*b*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6-3/64/a^2*(a*g-11*b*c)*x^5-113/384/a*e*x^3-11/32/a*d*x^2-1/128*(7*a*g+51*b*c)/a/b*x-1/12/b*f)/(b*x^4-a)^3-7/256/a^3/b*(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)*g+77/256*(a/b)^(1/4)/a^4*c*arctan(1/(a/b)^(1/4)*x)-7/512/a^3/b*(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*g+77/512*(a/b)^(1/4)/a^4*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-5/64/(a*b)^(1/2)/a^3*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-15/256/(a/b)^(1/4)/a^3/b*e*arctan(1/(a/b)^(1/4)*x)+15/512/(a/b)^(1/4)/a^3/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

maxima [A] time = 3.18, size = 345, normalized size = 1.30

$$\frac{45b^3ex^{11} + 60b^3dx^{10} - 126ab^2ex^7 - 160ab^2dx^6 + 7(11b^3c - ab^2g)x^9 + 113a^2bex^3 + 132a^2bdx^2 - 18(11ab^2c - a^2b^2g)x^5 + 32a^3f + 3(51a^2b^2c + 7a^3g)x}{384(a^3b^4x^{12} - 3a^4b^3x^8 + 3a^5b^2x^4 - a^6b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")

[Out] -1/384*(45*b^3*e*x^11 + 60*b^3*d*x^10 - 126*a*b^2*e*x^7 - 160*a*b^2*d*x^6 + 7*(11*b^3*c - a*b^2*g)*x^9 + 113*a^2*b*e*x^3 + 132*a^2*b*d*x^2 - 18*(11*a*b^2*c - a^2*b^2*g)*x^5 + 32*a^3*f + 3*(51*a^2*b^2*c + 7*a^3*g)*x)/(a^3*b^4*x^12 - 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 - a^6*b) + 1/512*(40*sqrt(b)*d*log(sqrt(b)*x^2 + sqrt(a))/sqrt(a) - 40*sqrt(b)*d*log(sqrt(b)*x^2 - sqrt(a))/sqrt(a) + 2*(77*b^(3/2)*c - 15*sqrt(a)*b*e - 7*a*sqrt(b)*g)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (77*b^(3/2)*c + 15*sqrt(a)*b*e - 7*a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a^3*b)

mupad [B] time = 5.66, size = 1056, normalized size = 3.97

$$\left(\sum_{k=1}^4 \ln \left(-\text{root} \left(68719476736 a^{15} b^5 z^4 - 1211105280 a^8 b^4 c e z^2 + 110100480 a^9 b^3 e g z^2 - 838860800 a^8 b^4 d^2 z^2 \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a - b*x^4)^4,x)`

[Out] `symsum(log(- root(68719476736*a^15*b^5*z^4 - 1211105280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 - 838860800*a^8*b^4*d^2*z^2 - 83309760*a^5*b^3*c*d*g*z + 485703680*a^4*b^4*c^2*d*z + 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z + 672000*a^2*b^2*d^2*e*g - 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g^3 - 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 - 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 - 2401*a^4*g^4 - 35153041*b^4*c^4, z, k)*(root(68719476736*a^15*b^5*z^4 - 1211105280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 - 838860800*a^8*b^4*d^2*z^2 - 83309760*a^5*b^3*c*d*g*z + 485703680*a^4*b^4*c^2*d*z + 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z + 672000*a^2*b^2*d^2*e*g - 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g^3 - 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 - 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 - 2401*a^4*g^4 - 35153041*b^4*c^4, z, k)*((20185088*a^7*b^3*c - 1835008*a^8*b^2*g)/(2097152*a^9) - (5*b^3*d*x)/a^2) + (x*(1568*a^5*b*g^2 + 189728*a^3*b^3*c^2 + 7200*a^4*b^2*e^2 - 34496*a^4*b^2*c*g))/(131072*a^9) - (75*b^2*d*e)/(256*a^5)) - (123200*b^2*c*d^2 - 88935*b^2*c^2*e - 735*a^2*e*g^2 + 3375*a*b*e^3 - 11200*a*b*d^2*g + 16170*a*b*c*e*g)/(2097152*a^9) - (x*(4000*b^2*d^3 - 5775*b^2*c*d*e + 525*a*b*d*e*g))/(131072*a^9))*root(68719476736*a^15*b^5*z^4 - 1211105280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 - 838860800*a^8*b^4*d^2*z^2 - 83309760*a^5*b^3*c*d*g*z + 485703680*a^4*b^4*c^2*d*z + 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z + 672000*a^2*b^2*d^2*e*g - 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g^3 - 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 - 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 - 2401*a^4*g^4 - 35153041*b^4*c^4, z, k), k, 1, 4) + (f/(12*b) + (11*d*x^2)/(32*a) + (113*e*x^3)/(384*a) - (3*x^5*(11*b*c - a*g))/(64*a^2) + (7*b*x^9*(11*b*c - a*g))/(384*a^3) + (x*(51*b*c + 7*a*g))/(128*a*b) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) - (5*b*d*x^6)/(12*a^2) - (21*b*e*x^7)/(64*a^2))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^8)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,x)
```

```
[Out] Timed out
```

$$3.175 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{a+bx^4} dx$$

Optimal. Leaf size=319

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}}$$

[Out] $g*x/b+1/4*f*\ln(b*x^4+a)/b+1/2*d*\arctan(x^2*b^(1/2)/a^(1/2))/a^(1/2)/b^(1/2)$
 $-1/8*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(b*c-a*g-e*a^(1/2)*$
 $b^(1/2))/a^(3/4)/b^(5/4)*2^(1/2)+1/8*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x$
 $^2*b^(1/2))*(b*c-a*g-e*a^(1/2)*b^(1/2))/a^(3/4)/b^(5/4)*2^(1/2)+1/4*\arctan($
 $-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(b*c-a*g+e*a^(1/2)*b^(1/2))/a^(3/4)/b^(5/4)*2$
 $^(1/2)+1/4*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(b*c-a*g+e*a^(1/2)*b^(1/2))/$
 $a^(3/4)/b^(5/4)*2^(1/2)$

Rubi [A] time = 0.35, antiderivative size = 319, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1885, 1248, 635, 205, 260, 1887, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4), x]

[Out] $(g*x)/b + (d*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*\text{Sqrt}[b]) - ((b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) + ((b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) - ((b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) + ((b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^(3/4)*b^(5/4)) + (f*\text{Log}[a + b*x^4])/(4*b)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168


```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*(a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{a + bx^4} dx &= \int \left(\frac{x(d + fx^2)}{a + bx^4} + \frac{c + ex^2 + gx^4}{a + bx^4} \right) dx \\
&= \int \frac{x(d + fx^2)}{a + bx^4} dx + \int \frac{c + ex^2 + gx^4}{a + bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{bc - ag + bex^2}{b(a + bx^4)} \right) dx \\
&= \frac{gx}{b} + \frac{\int \frac{bc - ag + bex^2}{a + bx^4} dx}{b} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) + \frac{1}{2} f \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) \\
&= \frac{gx}{b} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} + \frac{f \log(a + bx^4)}{4b} + \frac{(bc - \sqrt{a}\sqrt{b}e - ag) \int \frac{\sqrt{a}\sqrt{b} - bx^2}{a + bx^4} dx}{2\sqrt{a}b^{3/2}} \\
&= \frac{gx}{b} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} + \frac{f \log(a + bx^4)}{4b} - \frac{(bc - \sqrt{a}\sqrt{b}e - ag) \int \frac{\frac{\sqrt{2}\sqrt[4]{a} + 2x}{\sqrt[4]{b}}}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4\sqrt{2}a^{3/4}b^{5/4}} \\
&= \frac{gx}{b} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{(bc - \sqrt{a}\sqrt{b}e - ag) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{5/4}} + \dots \\
&= \frac{gx}{b} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{(bc + \sqrt{a}\sqrt{b}e - ag) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}b^{5/4}} + \frac{(bc + \sqrt{a}\sqrt{b}e - ag) \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 311, normalized size = 0.97

$$2a^{3/4}\sqrt[4]{b}f \log(a + bx^4) + 8a^{3/4}\sqrt[4]{b}gx - 2 \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right) (2\sqrt[4]{a}b^{3/4}d + \sqrt{2}\sqrt{a}\sqrt{b}e - \sqrt{2}ag + \sqrt{2}bc) + 2 \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right) (2\sqrt[4]{a}b^{3/4}d + \sqrt{2}\sqrt{a}\sqrt{b}e - \sqrt{2}ag + \sqrt{2}bc)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4), x]

[Out] (8*a^(3/4)*b^(1/4)*g*x - 2*(Sqrt[2]*b*c + 2*a^(1/4)*b^(3/4)*d + Sqrt[2]*Sqrt[a]*Sqrt[b]*e - Sqrt[2]*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[2]*b*c - 2*a^(1/4)*b^(3/4)*d + Sqrt[2]*Sqrt[a]*Sqrt[b]*e - Sqrt[2]*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*(-b*c) + Sqrt[a]*Sqrt[b]

b]*e + a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]
]*(b*c - Sqrt[a]*Sqrt[b]*e - a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x +
 Sqrt[b]*x^2] + 2*a^(3/4)*b^(1/4)*f*Log[a + b*x^4])/(8*a^(3/4)*b^(5/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.27, size = 340, normalized size = 1.07

$$\frac{gx}{b} + \frac{f \log(|bx^4 + a|)}{4b} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d + (ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{1}{4}} abg + (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3} + \sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d + (ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{1}{4}} abg + (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out] g*x/b + 1/4*f*log(abs(b*x^4 + a))/b + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d
 + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*s
 qrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/4*sqrt(2)*(sqrt
 (2)*sqrt(a*b)*b^2*d + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(
 3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3)
 + 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e
)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3) - 1/8*sqrt(2)*((a*b^
 3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x
 *(a/b)^(1/4) + sqrt(a/b))/(a*b^3)

maple [A] time = 0.06, size = 429, normalized size = 1.34

$$\frac{d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{4a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{4a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \ln \left(\frac{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x)

[Out] $\frac{1}{b}g*x - \frac{1}{4}b*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*g + \frac{1}{4}*(a/b)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*c - \frac{1}{8}b*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})) *g + \frac{1}{8}*(a/b)^{(1/4)}*2^{(1/2)}/a*c*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})) - \frac{1}{4}b*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*g + \frac{1}{4}*(a/b)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*c + \frac{1}{2}d/(a*b)^{(1/2)}*\arctan((1/a*b)^{(1/2)}*x^2) + \frac{1}{8}b*e/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})) + \frac{1}{4}/(a/b)^{(1/4)}*2^{(1/2)}/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1) + \frac{1}{4}b*e/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1) + \frac{1}{4}*f*\ln(b*x^4+a)/b$

maxima [A] time = 3.03, size = 328, normalized size = 1.03

$$\frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} f + b^2 c - \sqrt{a} b^{\frac{3}{2}} e - a b g \right) \log \left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} f - b^2 c + \sqrt{a} b^{\frac{3}{2}} e + a b g \right) \log \left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{2 \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} f + b^2 c - \sqrt{a} b^{\frac{3}{2}} e - a b g \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{g x}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")`

[Out] $g*x/b + \frac{1}{8}*(\sqrt{2}*(\sqrt{2}*a^{(3/4)}*b^{(5/4)}*f + b^2*c - \sqrt{a}*b^{(3/2)}*e - a*b*g)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(5/4)} + \sqrt{2}*(\sqrt{2}*a^{(3/4)}*b^{(5/4)}*f - b^2*c + \sqrt{a}*b^{(3/2)}*e + a*b*g)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(5/4)} + 2*(\sqrt{2}*a^{(1/4)}*b^{(9/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(7/4)}*e - \sqrt{2}*a^{(5/4)}*b^{(5/4)}*g - 2*\sqrt{a}*b^2*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2})*a^{(1/4)}*b^{(1/4)})/\sqrt{a}*\sqrt{b}))/a^{(3/4)}*\sqrt{a}*\sqrt{b})*b^{(5/4)} + 2*(\sqrt{2}*a^{(1/4)}*b^{(9/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(7/4)}*e - \sqrt{2}*a^{(5/4)}*b^{(5/4)}*g + 2*\sqrt{a}*b^2*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2})*a^{(1/4)}*b^{(1/4)})/\sqrt{a}*\sqrt{b}))/a^{(3/4)}*\sqrt{a}*\sqrt{b})*b^{(5/4)})/b$

mupad [B] time = 5.59, size = 5042, normalized size = 15.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4),x)`

[Out] `symsum(log(b^2*c*d^2 - b^2*c^2*e - a^2*e*g^2 + a^2*f^2*g + b^2*d^3*x - a*b*e^3 - a*b*c*f^2 - a*b*d^2*g - 16*root(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 -`

$$\begin{aligned}
& 64a^3b^3e*gz^2 + 64a^2b^4c*ez^2 + 96a^3b^3f^2*z^2 + 32a^2b^4d^2*z^2 + 32a^3b^2e*f*gz - 32a^2b^3c*e*f*z + 32a^2b^3c*d*gz - 16 \\
& *a^3b^2d*g^2*z - 16a^2b^3d^2*f*z + 16a^2b^3d*e^2*z - 16a*b^4c^2*d \\
& *z - 16a^3b^2f^3*z - 8a^2b^2c*d*f*g + 4a^2b^2d^2*e*g - 4a^2b^2d \\
& *e^2*f - 4a^2b^2c*e^2*g + 4a^2b^2c*e*f^2 - 4a^3b*e*f^2*g + 4a^3b* \\
& d*f*g^2 + 4a*b^3c^2*d*f - 4a*b^3c*d^2*e - 4a^3b*c*g^3 - 4a*b^3c^3*g \\
& + 6a^2b^2c^2*g^2 + 2a^2b^2d^2*f^2 + 2a^3b*e^2*g^2 + 2a*b^3c^2*e^ \\
& 2 + a^2b^2e^4 + a^3b*f^4 + a*b^3d^4 + a^4g^4 + b^4c^4, z, k)^2*a*b^3* \\
& c - 4*root(256a^3b^5*z^4 - 256a^3b^4*f*z^3 - 64a^3b^3*e*gz^2 + 64a^ \\
& 2*b^4c*ez^2 + 96a^3b^3f^2*z^2 + 32a^2b^4d^2*z^2 + 32a^3b^2e*f*gz \\
& z - 32a^2b^3c*e*f*z + 32a^2b^3c*d*gz - 16a^3b^2d*g^2*z - 16a^2b \\
& ^3d^2*f*z + 16a^2b^3d*e^2*z - 16a*b^4c^2*d*z - 16a^3b^2f^3*z - 8a \\
& ^2b^2c*d*f*g + 4a^2b^2d^2*e*g - 4a^2b^2d*e^2*f - 4a^2b^2c*e^2*g \\
& + 4a^2b^2c*e*f^2 - 4a^3b*e*f^2*g + 4a^3b*d*f*g^2 + 4a*b^3c^2*d*f - \\
& 4a*b^3c*d^2*e - 4a^3b*c*g^3 - 4a*b^3c^3*g + 6a^2b^2c^2*g^2 + 2a^ \\
& 2b^2d^2*f^2 + 2a^3b*e^2*g^2 + 2a*b^3c^2*e^2 + a^2b^2e^4 + a^3b*f^4 \\
& + a*b^3d^4 + a^4g^4 + b^4c^4, z, k)*b^3c^2*x + b^2c^2*f*x + a^2f*g^2 \\
& *x + 16*root(256a^3b^5*z^4 - 256a^3b^4*f*z^3 - 64a^3b^3*e*gz^2 + 64* \\
& a^2b^4c*ez^2 + 96a^3b^3f^2*z^2 + 32a^2b^4d^2*z^2 + 32a^3b^2e*f* \\
& g*z - 32a^2b^3c*e*f*z + 32a^2b^3c*d*gz - 16a^3b^2d*g^2*z - 16a^2 \\
& *b^3d^2*f*z + 16a^2b^3d*e^2*z - 16a*b^4c^2*d*z - 16a^3b^2f^3*z - 8 \\
& *a^2b^2c*d*f*g + 4a^2b^2d^2*e*g - 4a^2b^2d*e^2*f - 4a^2b^2c*e^2* \\
& g + 4a^2b^2c*e*f^2 - 4a^3b*e*f^2*g + 4a^3b*d*f*g^2 + 4a*b^3c^2*d*f \\
& - 4a*b^3c*d^2*e - 4a^3b*c*g^3 - 4a*b^3c^3*g + 6a^2b^2c^2*g^2 + 2* \\
& a^2b^2d^2*f^2 + 2a^3b*e^2*g^2 + 2a*b^3c^2*e^2 + a^2b^2e^4 + a^3b*f^ \\
& ^4 + a*b^3d^4 + a^4g^4 + b^4c^4, z, k)^2*a^2b^2*g + 16*root(256a^3b^5 \\
& *z^4 - 256a^3b^4*f*z^3 - 64a^3b^3*e*gz^2 + 64a^2b^4c*ez^2 + 96a^3 \\
& *b^3f^2*z^2 + 32a^2b^4d^2*z^2 + 32a^3b^2e*f*gz - 32a^2b^3c*e*f*z \\
& + 32a^2b^3c*d*gz - 16a^3b^2d*g^2*z - 16a^2b^3d^2*f*z + 16a^2b^ \\
& 3d*e^2*z - 16a*b^4c^2*d*z - 16a^3b^2f^3*z - 8a^2b^2c*d*f*g + 4a^2 \\
& *b^2d^2*e*g - 4a^2b^2d*e^2*f - 4a^2b^2c*e^2*g + 4a^2b^2c*e*f^2 - \\
& 4a^3b*e*f^2*g + 4a^3b*d*f*g^2 + 4a*b^3c^2*d*f - 4a*b^3c*d^2*e - 4a \\
& ^3b*c*g^3 - 4a*b^3c^3*g + 6a^2b^2c^2*g^2 + 2a^2b^2d^2*f^2 + 2a^3b \\
& *e^2*g^2 + 2a*b^3c^2*e^2 + a^2b^2e^4 + a^3b*f^4 + a*b^3d^4 + a^4g^4 \\
& + b^4c^4, z, k)^2*a*b^3*d*x + 4*root(256a^3b^5*z^4 - 256a^3b^4*f*z^3 \\
& - 64a^3b^3*e*gz^2 + 64a^2b^4c*ez^2 + 96a^3b^3f^2*z^2 + 32a^2b^4 \\
& *d^2*z^2 + 32a^3b^2e*f*gz - 32a^2b^3c*e*f*z + 32a^2b^3c*d*gz - 1 \\
& 6a^3b^2d*g^2*z - 16a^2b^3d^2*f*z + 16a^2b^3d*e^2*z - 16a*b^4c^2* \\
& d*z - 16a^3b^2f^3*z - 8a^2b^2c*d*f*g + 4a^2b^2d^2*e*g - 4a^2b^2d \\
& *e^2*f - 4a^2b^2c*e^2*g + 4a^2b^2c*e*f^2 - 4a^3b*e*f^2*g + 4a^3b* \\
& *d*f*g^2 + 4a*b^3c^2*d*f - 4a*b^3c*d^2*e - 4a^3b*c*g^3 - 4a*b^3c^3* \\
& g + 6a^2b^2c^2*g^2 + 2a^2b^2d^2*f^2 + 2a^3b*e^2*g^2 + 2a*b^3c^2*e \\
& ^2 + a^2b^2e^4 + a^3b*f^4 + a*b^3d^4 + a^4g^4 + b^4c^4, z, k)*a*b^2*e \\
& ^2*x - 4*root(256a^3b^5*z^4 - 256a^3b^4*f*z^3 - 64a^3b^3*e*gz^2 + 64 \\
& *a^2b^4c*ez^2 + 96a^3b^3f^2*z^2 + 32a^2b^4d^2*z^2 + 32a^3b^2e*f
\end{aligned}$$

$$\begin{aligned}
& *g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - \\
& 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d* \\
& f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b* \\
& f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)*a^2*b*g^2*x + 2*a*b*c*e*g + 2*a* \\
& b*d*e*f + 8*\text{root}(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + \\
& 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2* \\
& e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16 \\
& *a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z \\
& - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c* \\
& e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2* \\
& *d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 \\
& + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3 \\
& *b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)*a*b^2*c*f - 8*\text{root}(256*a^3*b^5 \\
& *z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3 \\
& *b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f* \\
& z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b \\
& ^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2 \\
& *b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - \\
& 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4* \\
& a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3 \\
& *b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 \\
& + b^4*c^4, z, k)*a*b^2*d*e - 8*\text{root}(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - \\
& 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2 \\
& *z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16 \\
& *a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d \\
& *z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d \\
& *e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b* \\
& d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g \\
& + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 \\
& + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)*a^2*b*f* \\
& g + a*b*d*f^2*x - a*b*e^2*f*x - 2*b^2*c*d*e*x + 8*\text{root}(256*a^3*b^5*z^4 - 25 \\
& 6*a^3*b^4*f*z^3 - 64*a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2* \\
& z^2 + 32*a^2*b^4*d^2*z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2 \\
& *b^3*c*d*g*z - 16*a^3*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z \\
& - 16*a*b^4*c^2*d*z - 16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2* \\
& e*g - 4*a^2*b^2*d*e^2*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e \\
& *f^2*g + 4*a^3*b*d*f*g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 \\
& - 4*a*b^3*c^3*g + 6*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 \\
& + 2*a*b^3*c^2*e^2 + a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4 \\
& 4, z, k)*a*b^2*c*g*x - 8*\text{root}(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*a^3*b^3 \\
& *e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*z^2 \\
& + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3*b^2
\end{aligned}$$

```

*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z - 16*
a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2*f -
4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*g^2
+ 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6*a^2
*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 + a^2*
b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k)*a*b^2*d*f*x - 2*
a*b*c*f*g*x + 2*a*b*d*e*g*x)*root(256*a^3*b^5*z^4 - 256*a^3*b^4*f*z^3 - 64*
a^3*b^3*e*g*z^2 + 64*a^2*b^4*c*e*z^2 + 96*a^3*b^3*f^2*z^2 + 32*a^2*b^4*d^2*
z^2 + 32*a^3*b^2*e*f*g*z - 32*a^2*b^3*c*e*f*z + 32*a^2*b^3*c*d*g*z - 16*a^3
*b^2*d*g^2*z - 16*a^2*b^3*d^2*f*z + 16*a^2*b^3*d*e^2*z - 16*a*b^4*c^2*d*z -
16*a^3*b^2*f^3*z - 8*a^2*b^2*c*d*f*g + 4*a^2*b^2*d^2*e*g - 4*a^2*b^2*d*e^2
*f - 4*a^2*b^2*c*e^2*g + 4*a^2*b^2*c*e*f^2 - 4*a^3*b*e*f^2*g + 4*a^3*b*d*f*
g^2 + 4*a*b^3*c^2*d*f - 4*a*b^3*c*d^2*e - 4*a^3*b*c*g^3 - 4*a*b^3*c^3*g + 6
*a^2*b^2*c^2*g^2 + 2*a^2*b^2*d^2*f^2 + 2*a^3*b*e^2*g^2 + 2*a*b^3*c^2*e^2 +
a^2*b^2*e^4 + a^3*b*f^4 + a*b^3*d^4 + a^4*g^4 + b^4*c^4, z, k), k, 1, 4) +
(g*x)/b

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.176 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^2} dx$$

Optimal. Leaf size=341

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}}$$

[Out] $\frac{1}{4} x x (b f x^3 + b e x^2 + b d x - a g + b c) / a / b / (b x^4 + a) + \frac{1}{4} d \arctan(x^2 b^{1/2} / a^{1/2}) / a^{3/2} / b^{1/2} - \frac{1}{32} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (3 b c + a g - e a^{1/2} b^{1/2}) / a^{7/4} / b^{5/4} * 2^{1/2} + \frac{1}{32} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (3 b c + a g - e a^{1/2} b^{1/2}) / a^{7/4} / b^{5/4} * 2^{1/2} + \frac{1}{16} \arctan(-1 + b^{1/4} x^2 / a^{1/4}) * (3 b c + a g + e a^{1/2} b^{1/2}) / a^{7/4} / b^{5/4} * 2^{1/2} + \frac{1}{16} \arctan(1 + b^{1/4} x^2 / a^{1/4}) * (3 b c + a g + e a^{1/2} b^{1/2}) / a^{7/4} / b^{5/4} * 2^{1/2}$

Rubi [A] time = 0.31, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1858, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^2, x]

[Out] $(x(b c - a g + b d x + b e x^2 + b f x^3)) / (4 a b (a + b x^4)) + (d \operatorname{ArcTan}[(\sqrt{b} x^2) / \sqrt{a}]) / (4 a^{3/2} \sqrt{b}) - ((3 b c + \sqrt{a} \sqrt{b} e + a g) \operatorname{ArcTan}[1 - (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (8 \sqrt{2} a^{7/4} b^{5/4}) + ((3 b c + \sqrt{a} \sqrt{b} e + a g) \operatorname{ArcTan}[1 + (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (8 \sqrt{2} a^{7/4} b^{5/4}) - ((3 b c - \sqrt{a} \sqrt{b} e + a g) \operatorname{Log}[\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (16 \sqrt{2} a^{7/4} b^{5/4}) + ((3 b c - \sqrt{a} \sqrt{b} e + a g) \operatorname{Log}[\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (16 \sqrt{2} a^{7/4} b^{5/4})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1 /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*

c)]

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^2} dx &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-3bc - ag - 2bdx - bex^2}{a + bx^4} dx}{4ab} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \left(-\frac{2bdx}{a + bx^4} + \frac{-3bc - ag - bex^2}{a + bx^4} \right) dx}{4ab} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-3bc - ag - bex^2}{a + bx^4} dx}{4ab} + \frac{d \int \frac{x}{a + bx^4} dx}{2a} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{4a} + \frac{(3bc - \sqrt{a} \sqrt{b} e + ag) \int \frac{x}{a + bx^4} dx}{16\sqrt{2} a^{7/4}} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{4a^{3/2} \sqrt{b}} - \frac{(3bc - \sqrt{a} \sqrt{b} e + ag) \int \frac{x}{a + bx^4} dx}{16\sqrt{2} a^{7/4}} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{4a^{3/2} \sqrt{b}} - \frac{(3bc - \sqrt{a} \sqrt{b} e + ag) \operatorname{Log} \left[\sqrt{a + bx^4} \right]}{8\sqrt{2} a^{7/4}} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{4a^{3/2} \sqrt{b}} - \frac{(3bc + \sqrt{a} \sqrt{b} e + ag) \operatorname{Log} \left[\sqrt{a + bx^4} \right]}{8\sqrt{2} a^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 319, normalized size = 0.94

$$\frac{-8a^{3/4} \sqrt[4]{b} (a(f+gx) - bx(c+x(d+ex)))}{a+bx^4} - 2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} \right) (4\sqrt[4]{a} b^{3/4} d + \sqrt{2} \sqrt{a} \sqrt{b} e + \sqrt{2} ag + 3\sqrt{2} bc) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} \right) (4\sqrt[4]{a} b^{3/4} d + \sqrt{2} \sqrt{a} \sqrt{b} e + \sqrt{2} ag + 3\sqrt{2} bc)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^2, x]

[Out] $\left((-8a^{3/4} b^{1/4} (a(f + gx) - bx(c + x(d + ex)))) / (a + b x^4) - 2 \sqrt{2} \sqrt[4]{b} x \operatorname{ArcTan} \left[1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} \right] + 2 \sqrt{2} \sqrt[4]{b} x \operatorname{ArcTan} \left[1 + \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} \right] + \sqrt{2} (-3bc + \sqrt{a} \sqrt{b} e - ag) \operatorname{Log} \left[\sqrt{a + bx^4} \right] \right) / (a + b x^4)$

] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*(3*b*c - Sqrt[a]*Sqrt[b]*e + a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2)]/(32*a^(7/4)*b^(5/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 365, normalized size = 1.07

$$\frac{bx^3e + bdx^2 + bcx - agx - af}{4(bx^4 + a)ab} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}b^2d + 3(ab^3)^{\frac{1}{4}}b^2c + (ab^3)^{\frac{1}{4}}abg + (ab^3)^{\frac{3}{4}}e \right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] 1/4*(b*x^3*e + b*d*x^2 + b*c*x - a*g*x - a*f)/((b*x^4 + a)*a*b) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)

maple [A] time = 0.05, size = 482, normalized size = 1.41

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} a} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{32\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} g \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] (1/4/a*e*x^3+1/4/a*d*x^2-1/4*(a*g-b*c)/a/b*x-1/4/b*f)/(b*x^4+a)+1/16/b/a*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*g+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/32/b/a*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*g+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/b/a*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*g+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+1/32/(a/b)^(1/4)*2^(1/2)/a/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.00, size = 350, normalized size = 1.03

$$\frac{bex^3 + bdx^2 - af + (bc - ag)x}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2} \left(3b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g \right) \log \left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a} \right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2} \left(3b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g \right) \log \left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a} \right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*(b*e*x^3 + b*d*x^2 - a*f + (b*c - a*g)*x)/(a*b^2*x^4 + a^2*b) + 1/32*(sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g - 4*sqrt(a)*b^(3/2)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g + 4*sqrt(a)*b^(3/2)*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/(a*b)

mupad [B] time = 5.59, size = 1383, normalized size = 4.06

$$\left(\sum_{k=1}^4 \ln \left(-\frac{a^2 e g^2 + 6 a b c e g - 4 a b d^2 g + a b e^3 + 9 b^2 c^2 e - 12 b^2 c d^2}{64 a^3} \right) - \frac{\text{root}(65536 a^7 b^5 z^4 + 1024 a^5 b^3 e g z^2}{64 a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^2, x)$

[Out] $\text{symsum}(\log(- (9*b^2*c^2*e - 12*b^2*c*d^2 + a^2*e*g^2 + a*b*e^3 - 4*a*b*d^2*g + 6*a*b*c*e*g)/(64*a^3) - (\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k))*b*(9*b^2*c^2*x + a^2*g^2*x + 16*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k)*a^3*b*g - a*b*e^2*x + 48*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k)*a^2*b^2*c + 4*a*b*d*e - 32*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k))*a^2*b^2*d*x + 6*a*b*c*g*x))/(4*a^2) - (b*d*x*(3*b*c*e - 2*b*d^2 + a*e*g))/(16*a^3))*\text{root}(65536*a^7*b^5*z^4 + 1024*a^5*b^3*e*g*z^2 + 3072*a^4*b^4*c*e*z^2 + 2048*a^4*b^4*d^2*z^2 - 768*a^3*b^3*c*d*g*z - 128*a^4*b^2*d*g^2*z + 128*a^3*b^3*d*e^2*z - 1152*a^2*b^4*c^2*d*z - 16*a^2*b^2*d^2*e*g + 12*a^2*b^2*c*e^2*g - 48*a*b^3*c*d^2*e + 108*a*b^3*c^3*g + 12*a^3*b*c*g^3 + 54*a^2*b^2*c^2*g^2 + 2*a^3*b*e^2*g^2 + 18*a*b^3*c^2*e^2 + 16*a*b^3*d^4 + 81*b^4*c^4 + a^2*b^2*e^4 + a^4*g^4, z, k), k, 1, 4) + ((d*x^2)/(4*a) - f/(4*b) + (e*x^3)/(4*a) + (x*(b*c - a*g))/(4*a*b))/(a + b*x^4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)$

[Out] Timed out

$$3.177 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^3} dx$$

Optimal. Leaf size=394

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{128\sqrt{2}a^{11/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+\right)}{128\sqrt{2}a^{11/4}b^{5/4}}$$

[Out] $1/8*x*(b*f*x^3+b*e*x^2+b*d*x-a*g+b*c)/a/b/(b*x^4+a)^2+1/32*(-4*a*f+x*(5*b*e*x^2+6*b*d*x+a*g+7*b*c))/a^2/b/(b*x^4+a)+3/16*d*\arctan(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(1/2)-1/256*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(21*b*c+3*a*g-5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)+1/256*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(21*b*c+3*a*g-5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)+1/128*\arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(21*b*c+3*a*g+5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)+1/128*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(21*b*c+3*a*g+5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4)*2^(1/2)$

Rubi [A] time = 0.44, antiderivative size = 394, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+3ag+21bc\right)}{128\sqrt{2}a^{11/4}b^{5/4}} + \frac{\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)\left(-5\sqrt{a}\sqrt{b}e+\right)}{128\sqrt{2}a^{11/4}b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^3,x]

[Out] $(x*(b*c - a*g + b*d*x + b*e*x^2 + b*f*x^3))/(8*a*b*(a + b*x^4)^2) - (4*a*f - x*(7*b*c + a*g + 6*b*d*x + 5*b*e*x^2))/(32*a^2*b*(a + b*x^4)) + (3*d*\text{ArcTan}[\text{Sqrt}[b]*x^2/\text{Sqrt}[a]])/(16*a^(5/2)*\text{Sqrt}[b]) - ((21*b*c + 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 3*a*g)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(64*\text{Sqrt}[2]*a^(11/4)*b^(5/4)) + ((21*b*c + 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 3*a*g)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(64*\text{Sqrt}[2]*a^(11/4)*b^(5/4)) - ((21*b*c - 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 3*a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(128*\text{Sqrt}[2]*a^(11/4)*b^(5/4)) + ((21*b*c - 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 3*a*g)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(128*\text{Sqrt}[2]*a^(11/4)*b^(5/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168


```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^3} dx &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{\int \frac{-7bc - ag - 6bdx - 5bex^2 - 4bfx^3}{(a + bx^4)^2} dx}{8ab} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{\int \frac{-30}{a} dx}{32a^2b} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{\int \left(\frac{12}{a}\right) dx}{32a^2b} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{\int \frac{-30}{a} dx}{32a^2b} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{\int \frac{-30}{a} dx}{32a^2b} \quad (3d) \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{3d \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{10a^2b} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{3d \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{10a^2b} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 6bdx + 5bex^2)}{32a^2b(a + bx^4)} + \frac{3d \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{10a^2b}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 366, normalized size = 0.93

$$\frac{32a^{7/4}\sqrt[4]{b}(a(f+gx)-bx(c+x(d+ex)))}{(a+bx^4)^2} + \frac{8a^{3/4}\sqrt[4]{b}x(ag+7bc+bx(6d+5ex))}{a+bx^4} - 2 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \left(24\sqrt[4]{a}b^{3/4}d + 5\sqrt{2}\sqrt{a}\sqrt{b}e + 3\sqrt{2}\sqrt[4]{a}b^{3/4}x\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^3, x]

```
[Out] ((8*a^(3/4)*b^(1/4)*x*(7*b*c + a*g + b*x*(6*d + 5*e*x)))/(a + b*x^4) - (32*a^(7/4)*b^(1/4)*(a*(f + g*x) - b*x*(c + x*(d + e*x)))/(a + b*x^4)^2 - 2*(21*Sqrt[2]*b*c + 24*a^(1/4)*b^(3/4)*d + 5*Sqrt[2]*Sqrt[a]*Sqrt[b]*e + 3*Sqrt[2]*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(21*Sqrt[2]*b*c - 24*a^(1/4)*b^(3/4)*d + 5*Sqrt[2]*Sqrt[a]*Sqrt[b]*e + 3*Sqrt[2]*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*(-21*b*c + 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*(21*b*c - 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2)]/(256*a^(11/4)*b^(5/4))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")
```

[Out] Timed out

giac [A] time = 0.20, size = 416, normalized size = 1.06

$$\frac{\sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + 21 (ab^3)^{\frac{1}{4}} b^2 c + 3 (ab^3)^{\frac{1}{4}} abg + 5 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 a^3 b^3} + \frac{\sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + 21 (ab^3)^{\frac{1}{4}} b^2 c + 3 (ab^3)^{\frac{1}{4}} abg + 5 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 a^3 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")
```

```
[Out] 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g - 5*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) - 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g - 5*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) + 1/32*(5*b^2*x^7*e + 6*b^2*d*x^6 + 7*b^2*c*x^5 + a*b*g*x^5 + 9*a*b*x^3*e + 10*a*b*d*x^2 + 11*a*b*c*x - 3*a^2*g*x - 4*a^2*f)/((b*x^4 + a)^2*a^2*b)
```

maple [A] time = 0.06, size = 519, normalized size = 1.32

$$\frac{3d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{16\sqrt{ab} a^2} + \frac{5\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} + \frac{5\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} + \frac{5\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{256 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} + \frac{3 \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2}}{16\sqrt{ab} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] (5/32/a^2*b*e*x^7+3/16/a^2*b*d*x^6+1/32*(a*g+7*b*c)/a^2*x^5+9/32/a*e*x^3+5/16/a*d*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8/b*f)/(b*x^4+a)^2+3/128/a^2/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*g+21/128*c/a^3*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/128/a^2/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*g+21/128*c/a^3*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/256/a^2/b*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*g+21/256*c/a^3*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16/(a*b)^(1/2)/a^2*d*arctan((1/a*b)^(1/2)*x^2)+5/256/a^2/b*e/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.03, size = 412, normalized size = 1.05

$$\frac{5b^2ex^7 + 6b^2dx^6 + 9abex^3 + (7b^2c + abg)x^5 + 10abdx^2 - 4a^2f + (11abc - 3a^2g)x}{32(a^2b^3x^8 + 2a^3b^2x^4 + a^4b)} + \frac{\sqrt{2} \left(21b^{\frac{3}{2}}c - 5\sqrt{a}be + 3a\sqrt{b}g \right) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] 1/32*(5*b^2*e*x^7 + 6*b^2*d*x^6 + 9*a*b*e*x^3 + (7*b^2*c + a*b*g)*x^5 + 10*a*b*d*x^2 - 4*a^2*f + (11*a*b*c - 3*a^2*g)*x)/(a^2*b^3*x^8 + 2*a^3*b^2*x^4 + a^4*b) + 1/256*(sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*

$$b^{7/4}c + 5\sqrt{2}a^{3/4}b^{5/4}e + 3\sqrt{2}a^{5/4}b^{3/4}g - 24\sqrt{a}b^{3/2}d \cdot \arctan\left(\frac{1/2\sqrt{2}(2\sqrt{b}x + \sqrt{2}a^{1/4}b^{1/4})}{\sqrt{\sqrt{a}\sqrt{b}}}\right) / (a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{3/4}) + 2(21\sqrt{2}a^{1/4}b^{7/4}c + 5\sqrt{2}a^{3/4}b^{5/4}e + 3\sqrt{2}a^{5/4}b^{3/4}g + 24\sqrt{a}b^{3/2}d \cdot \arctan\left(\frac{1/2\sqrt{2}(2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4})}{\sqrt{\sqrt{a}\sqrt{b}}}\right) / (a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{3/4})) / (a^2b)$$

mupad [B] time = 0.71, size = 1001, normalized size = 2.54

$$\frac{\frac{5dx^2}{16a} - \frac{f}{8b} + \frac{9ex^3}{32a} + \frac{x^5(7bc+ag)}{32a^2} + \frac{x(11bc-3ag)}{32ab} + \frac{3bdx^6}{16a^2} + \frac{5bex^7}{32a^2}}{a^2 + 2abx^4 + b^2x^8} + \left(\sum_{k=1}^4 \ln\left(-\text{root}\left(268435456a^{11}b^5z^4 + 983040a^{11}b^5z^4 + 983040a^{11}b^5z^4 + 983040a^{11}b^5z^4\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^3, x)

[Out] ((5*d*x^2)/(16*a) - f/(8*b) + (9*e*x^3)/(32*a) + (x^5*(7*b*c + a*g))/(32*a^2) + (x*(11*b*c - 3*a*g))/(32*a*b) + (3*b*d*x^6)/(16*a^2) + (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^4) + symsum(log(- root(268435456*a^11*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 + 6881280*a^6*b^4*c*e*z^2 + 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z - 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z - 2709504*a^3*b^4*c^2*d*z - 8640*a^2*b^2*d^2*e*g + 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 + 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 + 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 + 81*a^4*g^4 + 194481*b^4*c^4, z, k)*(root(268435456*a^11*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 + 6881280*a^6*b^4*c*e*z^2 + 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z - 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z - 2709504*a^3*b^4*c^2*d*z - 8640*a^2*b^2*d^2*e*g + 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 + 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 + 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 + 81*a^4*g^4 + 194481*b^4*c^4, z, k))*((344064*a^5*b^3*c + 49152*a^6*b^2*g)/(32768*a^6) - (6*b^3*d*x)/a) + (x*(144*a^4*b*g^2 + 7056*a^2*b^3*c^2 - 400*a^3*b^2*e^2 + 2016*a^3*b^2*c*g))/(4096*a^6) + (15*b^2*d*e)/(32*a^3) - (2205*b^2*c^2*e - 3024*b^2*c*d^2 + 45*a^2*e*g^2 + 125*a*b*e^3 - 432*a*b*d^2*g + 630*a*b*c*e*g)/(32768*a^6) - (x*(315*b^2*c*d*e - 216*b^2*d^3 + 45*a*b*d*e*g))/(4096*a^6))*root(268435456*a^11*b^5*z^4 + 983040*a^7*b^3*e*g*z^2 + 6881280*a^6*b^4*c*e*z^2 + 4718592*a^6*b^4*d^2*z^2 - 774144*a^4*b^3*c*d*g*z - 55296*a^5*b^2*d*g^2*z + 153600*a^4*b^3*d*e^2*z - 2709504*a^3*b^4*c^2*d*z - 8640*a^2*b^2*d^2*e*g + 6300*a^2*b^2*c*e^2*g - 60480*a*b^3*c*d^2*e + 111132*a*b^3*c^3*g + 2268*a^3*b*c*g^3 + 23814*a^2*b^2*c^2*g^2 + 450*a^3*b*e^2*g^2 + 22050*a*b^3*c^2*e^2 + 625*a^2*b^2*e^4 + 20736*a*b^3*d^4 + 81*a^4*g^4 + 194481*b^4*c^4, z, k), k, 1, 4)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)

[Out] Timed out

$$3.178 \quad \int \frac{c+dx+ex^2+fx^3+gx^4}{(a+bx^4)^4} dx$$

Optimal. Leaf size=437

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}}$$

[Out] 1/12*x*(b*f*x^3+b*e*x^2+b*d*x-a*g+b*c)/a/b/(b*x^4+a)^3+1/384*x*(45*b*e*x^2+60*b*d*x+7*a*g+77*b*c)/a^3/b/(b*x^4+a)+1/96*(-8*a*f+x*(9*b*e*x^2+10*b*d*x+a*g+11*b*c))/a^2/b/(b*x^4+a)^2+5/32*d*arctan(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)-1/1024*ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(77*b*c+7*a*g-15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)+1/1024*ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(77*b*c+7*a*g-15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)+1/512*arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(77*b*c+7*a*g+15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)+1/512*arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(77*b*c+7*a*g+15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)

Rubi [A] time = 0.53, antiderivative size = 437, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^4,x]

[Out] (x*(b*c - a*g + b*d*x + b*e*x^2 + b*f*x^3))/(12*a*b*(a + b*x^4)^3) + (x*(7*(11*b*c + a*g) + 60*b*d*x + 45*b*e*x^2))/(384*a^3*b*(a + b*x^4)) - (8*a*f - x*(11*b*c + a*g + 10*b*d*x + 9*b*e*x^2))/(96*a^2*b*(a + b*x^4)^2) + (5*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b]) - ((77*b*c + 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(5/4)) + ((77*b*c + 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(5/4)) - ((77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(5/4)) + ((77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(5/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*c*imply[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168


```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4}{(a + bx^4)^4} dx &= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{\int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx}{12ab} \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{8af - x(11bc + ag + 10bdx + 9bex^2)}{96a^2b(a + bx^4)^2} + \int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b} + \int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b} + \int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b} + \int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b} + \int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b} + \int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b} + \int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b} + \int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b} + \int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b} + \int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx \\
&= \frac{x(bc - ag + bdx + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 60bdx + 45bex^2)}{384a^3b(a + bx^4)} - \frac{8af}{96a^2b} + \int \frac{-11bc - ag - 10bdx - 9bex^2 - 8bfx^3}{(a + bx^4)^3} dx
\end{aligned}$$

Mathematica [A] time = 0.52, size = 411, normalized size = 0.94

$$-\frac{256a^{11/4} \sqrt[4]{b} (a(f+gx) - bx(c+x(d+ex)))}{(a+bx^4)^3} + \frac{32a^{7/4} \sqrt[4]{b} x(ag+11bc+bx(10d+9ex))}{(a+bx^4)^2} + \frac{8a^{3/4} \sqrt[4]{b} x(7ag+77bc+15bx(4d+3ex))}{a+bx^4} - 6 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^4,x]

[Out]
$$\frac{\left((8a^{3/4}b^{1/4}x(77bc + 7ag + 15bx(4d + 3ex)) + (32a^{7/4}b^{1/4}x(11bc + ag + bx(10d + 9ex))) - (256a^{11/4}b^{1/4}(a(f + gx) - bx(c + x(d + ex)))) \right) / (a + bx^4)^3 - 6(77\sqrt{2}bc + 80a^{1/4}b^{3/4}d + 15\sqrt{2}\sqrt{a}\sqrt{b}e + 7\sqrt{2}ag)\text{ArcTan}\left[1 - \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right] + 6(77\sqrt{2}bc - 80a^{1/4}b^{3/4}d + 15\sqrt{2}\sqrt{a}\sqrt{b}e + 7\sqrt{2}ag)\text{ArcTan}\left[1 + \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right] - 3\sqrt{2}(77bc - 15\sqrt{a}\sqrt{b}e + 7ag)\text{Log}\left[\sqrt{a} - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2\right] + 3\sqrt{2}(77bc - 15\sqrt{a}\sqrt{b}e + 7ag)\text{Log}\left[\sqrt{a} + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2\right] \right) / (3072a^{15/4}b^{5/4})$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 466, normalized size = 1.07

$$\frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 7 (ab^3)^{\frac{1}{4}} abg + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right) + \sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 7 (ab^3)^{\frac{1}{4}} abg + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out]
$$\frac{1}{512} \sqrt{2} (40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 7 (ab^3)^{\frac{1}{4}} abg + 15 (ab^3)^{\frac{3}{4}} e) \arctan \left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}} \right) / (a^4 b^3) + \frac{1}{512} \sqrt{2} (40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 7 (ab^3)^{\frac{1}{4}} abg + 15 (ab^3)^{\frac{3}{4}} e) \arctan \left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}} \right) / (a^4 b^3) + \frac{1}{1024} \sqrt{2} (77 (ab^3)^{\frac{1}{4}} b^2 c + 7 (ab^3)^{\frac{1}{4}} abg - 15 (ab^3)^{\frac{3}{4}} e) \log(x^2 + \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / (a^4 b^3) - \frac{1}{1024} \sqrt{2} (77 (ab^3)^{\frac{1}{4}} b^2 c + 7 (ab^3)^{\frac{1}{4}} abg - 15 (ab^3)^{\frac{3}{4}} e) \log(x^2 - \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a/b}) / (a^4 b^3) + \frac{1}{384} (45 b^3 x^{11} e$$

$$+ 60*b^3*d*x^{10} + 77*b^3*c*x^9 + 7*a*b^2*g*x^9 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 + 198*a*b^2*c*x^5 + 18*a^2*b*g*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x - 21*a^3*g*x - 32*a^3*f)/((b*x^4 + a)^3*a^3*b)$$

maple [A] time = 0.06, size = 560, normalized size = 1.28

$$\frac{5d \arctan\left(\sqrt{\frac{b}{a}} x\right)}{32\sqrt{ab} a^3} + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{a}{b}}}\right)}{1024\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{7\left(\frac{a}{b}\right)^{\frac{1}{4}}}{1024\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (15/128/a^3*b^2*e*x^11+5/32/a^3*b^2*d*x^10+7/384*(a*g+11*b*c)/a^3*b*x^9+21/64/a^2*b*e*x^7+5/12/a^2*b*d*x^6+3/64/a^2*(a*g+11*b*c)*x^5+113/384/a*e*x^3+1/32/a*d*x^2-1/128*(7*a*g-51*b*c)/a/b*x-1/12/b*f)/(b*x^4+a)^3+7/512/a^3/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*g+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+7/512/a^3/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*g+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+7/1024/a^3/b*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*g+77/1024*(a/b)^(1/4)*2^(1/2)/a^4*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/32/(a*b)^(1/2)/a^3*d*arctan((1/a*b)^(1/2)*x^2)+15/1024/a^3*e/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+15/512/(a/b)^(1/4)*2^(1/2)/a^3/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.12, size = 472, normalized size = 1.08

$$\frac{45b^3ex^{11} + 60b^3dx^{10} + 126ab^2ex^7 + 160ab^2dx^6 + 7(11b^3c + ab^2g)x^9 + 113a^2bex^3 + 132a^2bdx^2 + 18(11ab^2c + 384(a^3b^4x^{12} + 3a^4b^3x^8 + 3a^5b^2x^4 + a^6b))}{384(a^3b^4x^{12} + 3a^4b^3x^8 + 3a^5b^2x^4 + a^6b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] 1/384*(45*b^3*e*x^11 + 60*b^3*d*x^10 + 126*a*b^2*e*x^7 + 160*a*b^2*d*x^6 + 7*(11*b^3*c + a*b^2*g)*x^9 + 113*a^2*b*e*x^3 + 132*a^2*b*d*x^2 + 18*(11*a*b

$$\begin{aligned} &^2*c + a^2*b*g)*x^5 - 32*a^3*f + 3*(51*a^2*b*c - 7*a^3*g)*x)/(a^3*b^4*x^{12} \\ &+ 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 + a^6*b) + 1/1024*(\sqrt{2}*(77*b^{(3/2)}*c - \\ &15*\sqrt{a}*b*e + 7*a*\sqrt{b}*g)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x \\ &+ \sqrt{a}))/a^{(3/4)}*b^{(3/4)} - \sqrt{2}*(77*b^{(3/2)}*c - 15*\sqrt{a}*b*e + 7* \\ &a*\sqrt{b}*g)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)} \\ &)*b^{(3/4)} + 2*(77*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + 15*\sqrt{2}*a^{(3/4)}*b^{(5/4)}*e \\ &+ 7*\sqrt{2}*a^{(5/4)}*b^{(3/4)}*g - 80*\sqrt{a}*b^{(3/2)}*d)*\arctan(1/2*\sqrt{2}*(\\ &2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{b}}))/a^{(3/4)}*\sqrt{ \\ &(\sqrt{a}*\sqrt{b})*b^{(3/4)} + 2*(77*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + 15*\sqrt{2}*a \\ &^{(3/4)}*b^{(5/4)}*e + 7*\sqrt{2}*a^{(5/4)}*b^{(3/4)}*g + 80*\sqrt{a}*b^{(3/2)}*d)*\arct \\ &an(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{b} \\ &}))/a^{(3/4)}*\sqrt{\sqrt{a}*\sqrt{b})*b^{(3/4)}}/a^3*b \end{aligned}$$

mupad [B] time = 5.56, size = 1053, normalized size = 2.41

$$\left(\sum_{k=1}^4 \ln \left(-\text{root} \left(68719476736 a^{15} b^5 z^4 + 1211105280 a^8 b^4 c e z^2 + 110100480 a^9 b^3 e g z^2 + 838860800 a^8 b^4 d^2 z^2 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4)/(a + b*x^4)^4, x)

[Out] symsum(log(- root(68719476736*a^15*b^5*z^4 + 1211105280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 + 838860800*a^8*b^4*d^2*z^2 - 88309760*a^5*b^3*c*d*g*z - 485703680*a^4*b^4*c^2*d*z - 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z - 672000*a^2*b^2*d^2*e*g + 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g^3 + 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 + 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 + 2401*a^4*g^4 + 35153041*b^4*c^4, z, k)*(root(68719476736*a^15*b^5*z^4 + 1211105280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 + 838860800*a^8*b^4*d^2*z^2 - 88309760*a^5*b^3*c*d*g*z - 485703680*a^4*b^4*c^2*d*z - 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z - 672000*a^2*b^2*d^2*e*g + 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g^3 + 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 + 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 + 2401*a^4*g^4 + 35153041*b^4*c^4, z, k)*((20185088*a^7*b^3*c + 1835008*a^8*b^2*g)/(2097152*a^9) - (5*b^3*d*x)/a^2) + (x*(1568*a^5*b*g^2 + 189728*a^3*b^3*c^2 - 7200*a^4*b^2*e^2 + 34496*a^4*b^2*c*g))/(131072*a^9) + (75*b^2*d*e)/(256*a^5)) - (88935*b^2*c^2*e - 123200*b^2*c*d^2 + 735*a^2*e*g^2 + 3375*a*b*e^3 - 11200*a*b*d^2*g + 16170*a*b*c*e*g)/(2097152*a^9) - (x*(5775*b^2*c*d*e - 4000*b^2*d^3 + 525*a*b*d*e*g))/(131072*a^9))*root(68719476736*a^15*b^5*z^4 + 1211105280*a^8*b^4*c*e*z^2 + 110100480*a^9*b^3*e*g*z^2 + 838860800*a^8*b^4*d^2*z^2 - 88309760*a^5*b^3*c*d*g*z - 485703680*a^4*b^4*c^2*d*z - 4014080*a^6*b^2*d*g^2*z + 18432000*a^5*b^3*d*e^2*z - 672000*a^2*b^2*d^2*e*g + 485100*a^2*b^2*c*e^2*g - 7392000*a*b^3*c*d^2*e + 12782924*a*b^3*c^3*g + 105644*a^3*b*c*g

$$\begin{aligned} &^3 + 1743126*a^2*b^2*c^2*g^2 + 22050*a^3*b*e^2*g^2 + 2668050*a*b^3*c^2*e^2 \\ &+ 50625*a^2*b^2*e^4 + 2560000*a*b^3*d^4 + 2401*a^4*g^4 + 35153041*b^4*c^4, \\ &z, k), k, 1, 4) + ((11*d*x^2)/(32*a) - f/(12*b) + (113*e*x^3)/(384*a) + (3* \\ &x^5*(11*b*c + a*g))/(64*a^2) + (7*b*x^9*(11*b*c + a*g))/(384*a^3) + (x*(51* \\ &b*c - 7*a*g))/(128*a*b) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^ \\ &3) + (5*b*d*x^6)/(12*a^2) + (21*b*e*x^7)/(64*a^2))/(a^3 + b^3*x^12 + 3*a^2* \\ &b*x^4 + 3*a*b^2*x^8) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

$$3.179 \quad \int \frac{(1-x^4)^3}{(1+x+x^2+x^3)^3} dx$$

Optimal. Leaf size=11

$$-\frac{1}{4}(1-x)^4$$

[Out] -1/4*(1-x)^4

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$-\frac{1}{4}(1-x)^4$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)^3/(1 + x + x^2 + x^3)^3, x]

[Out] -(1 - x)^4/4

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1-x^4)^3}{(1+x+x^2+x^3)^3} dx &= \int (1-x)^3 dx \\ &= -\frac{1}{4}(1-x)^4 \end{aligned}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 0.82

$$-\frac{1}{4}(x-1)^4$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)^3/(1 + x + x^2 + x^3)^3,x]

[Out] -1/4*(-1 + x)^4

fricas [B] time = 0.58, size = 15, normalized size = 1.36

$$-\frac{1}{4}x^4 + x^3 - \frac{3}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^3/(x^3+x^2+x+1)^3,x, algorithm="fricas")

[Out] -1/4*x^4 + x^3 - 3/2*x^2 + x

giac [B] time = 0.24, size = 15, normalized size = 1.36

$$-\frac{1}{4}x^4 + x^3 - \frac{3}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^3/(x^3+x^2+x+1)^3,x, algorithm="giac")

[Out] -1/4*x^4 + x^3 - 3/2*x^2 + x

maple [A] time = 0.05, size = 8, normalized size = 0.73

$$-\frac{(x-1)^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)^3/(x^3+x^2+x+1)^3,x)

[Out] -1/4*(x-1)^4

maxima [B] time = 1.29, size = 15, normalized size = 1.36

$$-\frac{1}{4}x^4 + x^3 - \frac{3}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^3/(x^3+x^2+x+1)^3,x, algorithm="maxima")

[Out] -1/4*x^4 + x^3 - 3/2*x^2 + x

mupad [B] time = 0.03, size = 15, normalized size = 1.36

$$-\frac{x^4}{4} + x^3 - \frac{3x^2}{2} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^4 - 1)^3/(x + x^2 + x^3 + 1)^3,x)`

[Out] `x - (3*x^2)/2 + x^3 - x^4/4`

sympy [B] time = 0.09, size = 15, normalized size = 1.36

$$-\frac{x^4}{4} + x^3 - \frac{3x^2}{2} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+1)**3/(x**3+x**2+x+1)**3,x)`

[Out] `-x**4/4 + x**3 - 3*x**2/2 + x`

$$3.180 \quad \int \frac{(1-x^4)^2}{(1+x+x^2+x^3)^2} dx$$

Optimal. Leaf size=11

$$-\frac{1}{3}(1-x)^3$$

[Out] -1/3*(1-x)^3

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$-\frac{1}{3}(1-x)^3$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)^2/(1 + x + x^2 + x^3)^2,x]

[Out] -(1 - x)^3/3

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1-x^4)^2}{(1+x+x^2+x^3)^2} dx &= \int (1-x)^2 dx \\ &= -\frac{1}{3}(1-x)^3 \end{aligned}$$

Mathematica [A] time = 0.00, size = 14, normalized size = 1.27

$$\frac{x^3}{3} - x^2 + x$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)^2/(1 + x + x^2 + x^3)^2,x]

[Out] x - x^2 + x^3/3

fricas [A] time = 0.70, size = 12, normalized size = 1.09

$$\frac{1}{3}x^3 - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^2/(x^3+x^2+x+1)^2,x, algorithm="fricas")

[Out] 1/3*x^3 - x^2 + x

giac [A] time = 0.16, size = 12, normalized size = 1.09

$$\frac{1}{3}x^3 - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^2/(x^3+x^2+x+1)^2,x, algorithm="giac")

[Out] 1/3*x^3 - x^2 + x

maple [A] time = 0.04, size = 8, normalized size = 0.73

$$\frac{(x-1)^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)^2/(x^3+x^2+x+1)^2,x)

[Out] 1/3*(x-1)^3

maxima [A] time = 1.29, size = 12, normalized size = 1.09

$$\frac{1}{3}x^3 - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)^2/(x^3+x^2+x+1)^2,x, algorithm="maxima")

[Out] 1/3*x^3 - x^2 + x

mupad [B] time = 0.02, size = 11, normalized size = 1.00

$$\frac{x(x^2 - 3x + 3)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4 - 1)^2/(x + x^2 + x^3 + 1)^2,x)`

[Out] `(x*(x^2 - 3*x + 3))/3`

sympy [A] time = 0.08, size = 8, normalized size = 0.73

$$\frac{x^3}{3} - x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+1)**2/(x**3+x**2+x+1)**2,x)`

[Out] `x**3/3 - x**2 + x`

$$3.181 \quad \int \frac{1-x^4}{1+x+x^2+x^3} dx$$

Optimal. Leaf size=9

$$x - \frac{x^2}{2}$$

[Out] x-1/2*x^2

Rubi [A] time = 0.01, antiderivative size = 9, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1586}

$$x - \frac{x^2}{2}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 + x + x^2 + x^3), x]

[Out] x - x^2/2

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] :> Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1-x^4}{1+x+x^2+x^3} dx = \int (1-x) dx$$

$$= x - \frac{x^2}{2}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 1.00

$$x - \frac{x^2}{2}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 + x + x^2 + x^3), x]

[Out] x - x^2/2

fricas [A] time = 0.50, size = 7, normalized size = 0.78

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^3+x^2+x+1),x, algorithm="fricas")

[Out] -1/2*x^2 + x

giac [A] time = 0.15, size = 7, normalized size = 0.78

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^3+x^2+x+1),x, algorithm="giac")

[Out] -1/2*x^2 + x

maple [A] time = 0.04, size = 8, normalized size = 0.89

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^3+x^2+x+1),x)

[Out] x-1/2*x^2

maxima [A] time = 1.29, size = 7, normalized size = 0.78

$$-\frac{1}{2}x^2 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^3+x^2+x+1),x, algorithm="maxima")

[Out] -1/2*x^2 + x

mupad [B] time = 0.02, size = 6, normalized size = 0.67

$$-\frac{x(x-2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(-(x^4 - 1)/(x + x^2 + x^3 + 1),x)
```

```
[Out] -(x*(x - 2))/2
```

sympy [A] time = 0.07, size = 5, normalized size = 0.56

$$-\frac{x^2}{2} + x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x**4+1)/(x**3+x**2+x+1),x)
```

```
[Out] -x**2/2 + x
```

$$3.182 \quad \int \frac{1+x+x^2+x^3}{1-x^4} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

[Out] -ln(1-x)

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] -Log[1 - x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[P_x, Q_x, x]^p*Q_x^(p+q), x] /; FreeQ[q, x] && PolyQ[P_x, x] && PolyQ[Q_x, x] && EqQ[PolynomialRemainder[P_x, Q_x, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1+x+x^2+x^3}{1-x^4} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)/(1 - x^4), x]

[Out] $-\text{Log}[1 - x]$

fricas [A] time = 0.41, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)/(-x^4+1),x, algorithm="fricas")`

[Out] $-\log(x - 1)$

giac [A] time = 0.17, size = 7, normalized size = 0.88

$$-\log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)/(-x^4+1),x, algorithm="giac")`

[Out] $-\log(\text{abs}(x - 1))$

maple [A] time = 0.04, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3+x^2+x+1)/(-x^4+1),x)`

[Out] $-\ln(x-1)$

maxima [A] time = 1.37, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)/(-x^4+1),x, algorithm="maxima")`

[Out] $-\log(x - 1)$

mupad [B] time = 0.00, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x + x^2 + x^3 + 1)/(x^4 - 1),x)`

[Out] $-\log(x - 1)$

sympy [A] time = 0.07, size = 5, normalized size = 0.62

$-\log(x - 1)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+x**2+x+1)/(-x**4+1),x)`

[Out] $-\log(x - 1)$

$$3.183 \quad \int \frac{(1+x+x^2+x^3)^2}{(1-x^4)^2} dx$$

Optimal. Leaf size=7

$$\frac{1}{1-x}$$

[Out] 1/(1-x)

Rubi [A] time = 0.02, antiderivative size = 7, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$\frac{1}{1-x}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)^2/(1 - x^4)^2, x]

[Out] (1 - x)^(-1)

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{(1+x+x^2+x^3)^2}{(1-x^4)^2} dx = \int \frac{1}{(1-x)^2} dx$$

$$= \frac{1}{1-x}$$

Mathematica [A] time = 0.00, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)^2/(1 - x^4)^2,x]

[Out] -(-1 + x)^(-1)

fricas [A] time = 0.40, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^2/(-x^4+1)^2,x, algorithm="fricas")

[Out] -1/(x - 1)

giac [A] time = 0.21, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^2/(-x^4+1)^2,x, algorithm="giac")

[Out] -1/(x - 1)

maple [A] time = 0.04, size = 8, normalized size = 1.14

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)^2/(-x^4+1)^2,x)

[Out] -1/(x-1)

maxima [A] time = 1.30, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^2/(-x^4+1)^2,x, algorithm="maxima")

[Out] -1/(x - 1)

mupad [B] time = 0.03, size = 7, normalized size = 1.00

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x + x^2 + x^3 + 1)^2/(x^4 - 1)^2,x)`

[Out] `-1/(x - 1)`

sympy [A] time = 0.11, size = 5, normalized size = 0.71

$$-\frac{1}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+x**2+x+1)**2/(-x**4+1)**2,x)`

[Out] `-1/(x - 1)`

$$3.184 \quad \int \frac{(1+x+x^2+x^3)^3}{(1-x^4)^3} dx$$

Optimal. Leaf size=11

$$\frac{1}{2(1-x)^2}$$

[Out] 1/2/(1-x)^2

Rubi [A] time = 0.02, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$\frac{1}{2(1-x)^2}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)^3/(1 - x^4)^3,x]

[Out] 1/(2*(1 - x)^2)

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1+x+x^2+x^3)^3}{(1-x^4)^3} dx &= \int \frac{1}{(1-x)^3} dx \\ &= \frac{1}{2(1-x)^2} \end{aligned}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 0.82

$$\frac{1}{2(x-1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)^3/(1 - x^4)^3,x]

[Out] 1/(2*(-1 + x)^2)

fricas [A] time = 0.38, size = 12, normalized size = 1.09

$$\frac{1}{2(x^2 - 2x + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^3/(-x^4+1)^3,x, algorithm="fricas")

[Out] 1/2/(x^2 - 2*x + 1)

giac [A] time = 0.16, size = 7, normalized size = 0.64

$$\frac{1}{2(x-1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^3/(-x^4+1)^3,x, algorithm="giac")

[Out] 1/2/(x - 1)^2

maple [A] time = 0.04, size = 8, normalized size = 0.73

$$\frac{1}{2(x-1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)^3/(-x^4+1)^3,x)

[Out] 1/2/(x-1)^2

maxima [A] time = 1.30, size = 12, normalized size = 1.09

$$\frac{1}{2(x^2 - 2x + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^3/(-x^4+1)^3,x, algorithm="maxima")

[Out] 1/2/(x^2 - 2*x + 1)

mupad [B] time = 4.84, size = 7, normalized size = 0.64

$$\frac{1}{2(x-1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x + x^2 + x^3 + 1)^3/(x^4 - 1)^3,x)

[Out] 1/(2*(x - 1)^2)

sympy [A] time = 0.21, size = 10, normalized size = 0.91

$$\frac{1}{2x^2 - 4x + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**3+x**2+x+1)**3/(-x**4+1)**3,x)

[Out] 1/(2*x**2 - 4*x + 2)

$$3.185 \quad \int \frac{(1+x+x^2+x^3)^4}{(1-x^4)^4} dx$$

Optimal. Leaf size=11

$$\frac{1}{3(1-x)^3}$$

[Out] 1/3/(1-x)^3

Rubi [A] time = 0.02, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1586, 32}

$$\frac{1}{3(1-x)^3}$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3)^4/(1 - x^4)^4,x]

[Out] 1/(3*(1 - x)^3)

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{(1+x+x^2+x^3)^4}{(1-x^4)^4} dx = \int \frac{1}{(1-x)^4} dx$$

$$= \frac{1}{3(1-x)^3}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 0.82

$$-\frac{1}{3(x-1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3)^4/(1 - x^4)^4,x]

[Out] -1/3*1/(-1 + x)^3

fricas [B] time = 0.39, size = 17, normalized size = 1.55

$$-\frac{1}{3(x^3 - 3x^2 + 3x - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^4/(-x^4+1)^4,x, algorithm="fricas")

[Out] -1/3/(x^3 - 3*x^2 + 3*x - 1)

giac [A] time = 0.16, size = 7, normalized size = 0.64

$$-\frac{1}{3(x-1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+x^2+x+1)^4/(-x^4+1)^4,x, algorithm="giac")

[Out] -1/3/(x - 1)^3

maple [A] time = 0.04, size = 8, normalized size = 0.73

$$-\frac{1}{3(x-1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+x^2+x+1)^4/(-x^4+1)^4,x)

[Out] -1/3/(x-1)^3

maxima [B] time = 1.32, size = 17, normalized size = 1.55

$$-\frac{1}{3(x^3 - 3x^2 + 3x - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^3+x^2+x+1)^4/(-x^4+1)^4,x, algorithm="maxima")`

[Out] `-1/3/(x^3 - 3*x^2 + 3*x - 1)`

mupad [B] time = 4.81, size = 7, normalized size = 0.64

$$-\frac{1}{3(x-1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x + x^2 + x^3 + 1)^4/(x^4 - 1)^4,x)`

[Out] `-1/(3*(x - 1)^3)`

sympy [B] time = 0.15, size = 17, normalized size = 1.55

$$-\frac{1}{3x^3 - 9x^2 + 9x - 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+x**2+x+1)**4/(-x**4+1)**4,x)`

[Out] `-1/(3*x**3 - 9*x**2 + 9*x - 3)`

$$3.186 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a-bx^4} dx$$

Optimal. Leaf size=165

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b}$$

[Out] $-g*x/b-1/2*h*x^2/b-1/4*f*\ln(-b*x^4+a)/b+1/2*(a*h+b*d)*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/b^{(3/2)}/a^{(1/2)}+1/2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(b*c+a*g-e*a^{(1/2)}*b^{(1/2)})/a^{(3/4)}/b^{(5/4)}+1/2*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(b*c+a*g+e*a^{(1/2)}*b^{(1/2)})/a^{(3/4)}/b^{(5/4)}$

Rubi [A] time = 0.26, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1885, 1887, 1167, 205, 208, 1819, 1810, 635, 260}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(\sqrt{a}\sqrt{b}e+ag+bc)}{2a^{3/4}b^{5/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4), x]$

[Out] $-\left(\frac{g*x}{b}\right) - \frac{h*x^2}{2*b} + \frac{((b*c - \operatorname{Sqrt}[a]*\operatorname{Sqrt}[b]*e + a*g)*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])}{(2*a^{(3/4)}*b^{(5/4)})} + \frac{((b*c + \operatorname{Sqrt}[a]*\operatorname{Sqrt}[b]*e + a*g)*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])}{(2*a^{(3/4)}*b^{(5/4)})} + \frac{((b*d + a*h)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]])}{(2*\operatorname{Sqrt}[a]*b^{(3/2)})} - \frac{(f*\operatorname{Log}[a - b*x^4])}{(4*b)}$

Rule 205

$\operatorname{Int}[(a + (b \cdot x^2)^{-1}), x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b, x\} \ \&\amp; \ \operatorname{PosQ}[a/b]$

Rule 208

$\operatorname{Int}[(a + (b \cdot x^2)^{-1}), x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b, x\} \ \&\amp; \ \operatorname{NegQ}[a/b]$

Rule 260

$\operatorname{Int}[x^m/(a + (b \cdot x^n)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[a + b*x^n, x]]/(b*n), x] /; \operatorname{FreeQ}\{a, b, m, n, x\} \ \&\amp; \ \operatorname{EqQ}[m, n - 1]$

Rule 635

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (c_.)x^2}, x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + cx^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + cx^2), x], x] /; \text{FreeQ}\{a, c, d, e, x\} \ \&\& \ \text{!NiceSqrtQ}[-ac]$

Rule 1167

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-ac, 2]\}, \text{Dist}[e/2 + (cd)/(2q), \text{Int}[1/(-q + cx^2), x], x] + \text{Dist}[e/2 - (cd)/(2q), \text{Int}[1/(q + cx^2), x], x] /; \text{FreeQ}\{a, c, d, e, x\} \ \&\& \ \text{NeQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{PosQ}[-ac]$

Rule 1810

$\text{Int}[(Pq_.)((a_.) + (b_.)x^2)^{p_}], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq^*(a + bx^2)^p, x], x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[p, -2]$

Rule 1819

$\text{Int}[(Pq_.)x^{m_}((a_.) + (b_.)x^n)^{p_}], x_Symbol] \rightarrow \text{Dist}[1/(m + 1), \text{Subst}[\text{Int}[\text{SubstFor}[x^{m+1}, Pq, x]^*(a + bx^n)^{Simplify[n/(m+1)]}], x, x^{m+1}], x] /; \text{FreeQ}\{a, b, m, n, p, x\} \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ \text{IGtQ}[\text{Simplify}[n/(m+1)], 0] \ \&\& \ \text{PolyQ}[Pq, x^{m+1}]$

Rule 1885

$\text{Int}[(Pq_.)((a_.) + (b_.)x^n)^{p_}], x_Symbol] \rightarrow \text{Module}\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[x^j \text{Sum}[\text{Coeff}[Pq, x, j + (kn)/2] x^{(kn)/2}, \{k, 0, (2(q-j))/n + 1\}]^*(a + bx^n)^p, \{j, 0, n/2 - 1\}], x] /; \text{FreeQ}\{a, b, p, x\} \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{!PolyQ}[Pq, x^{n/2}]$

Rule 1887

$\text{Int}[(Pq_.) / ((a_.) + (b_.)x^n), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq/(a + bx^n), x], x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a - bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4}{a - bx^4} + \frac{x(d + fx^2 + hx^4)}{a - bx^4} \right) dx \\
&= \int \frac{c + ex^2 + gx^4}{a - bx^4} dx + \int \frac{x(d + fx^2 + hx^4)}{a - bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a - bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{bc + ag + bex^2}{b(a - bx^4)} \right) dx \\
&= -\frac{gx}{b} + \frac{1}{2} \text{Subst} \left(\int \left(-\frac{h}{b} + \frac{bd + ah + bfx}{b(a - bx^2)} \right) dx, x, x^2 \right) + \frac{\int \frac{bc + ag + bex^2}{a - bx^4} dx}{b} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} + \frac{\text{Subst} \left(\int \frac{bd + ah + bfx}{a - bx^2} dx, x, x^2 \right)}{2b} + \frac{1}{2} \left(e - \frac{bc + ag}{\sqrt{a}\sqrt{b}} \right) \int \frac{1}{-\sqrt{a}\sqrt{b}} dx \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} + \frac{(bc - \sqrt{a}\sqrt{b}e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}} + \frac{(bc + \sqrt{a}\sqrt{b}e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} + \frac{(bc - \sqrt{a}\sqrt{b}e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}} + \frac{(bc + \sqrt{a}\sqrt{b}e + ag) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 256, normalized size = 1.55

$$-\log \left(\sqrt[4]{a} - \sqrt[4]{b}x \right) \left(a^{5/4}h + \sqrt{a}b^{3/4}e + \sqrt[4]{a}bd + a\sqrt[4]{b}g + b^{5/4}c \right) + \log \left(\sqrt[4]{a} + \sqrt[4]{b}x \right) \left(a^{5/4}(-h) + \sqrt{a}b^{3/4}e - \sqrt[4]{a}bd + a\sqrt[4]{b}g + b^{5/4}c \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4), x]

[Out] (-4*a^(3/4)*Sqrt[b]*g*x - 2*a^(3/4)*Sqrt[b]*h*x^2 + 2*b^(1/4)*(b*c - Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (b^(5/4)*c + a^(1/4)*b*d + Sqrt[a]*b^(3/4)*e + a*b^(1/4)*g + a^(5/4)*h)*Log[a^(1/4) - b^(1/4)*x] + (b^(5/4)*c - a^(1/4)*b*d + Sqrt[a]*b^(3/4)*e + a*b^(1/4)*g - a^(5/4)*h)*Log[a^(1/4) + b^(1/4)*x] + a^(1/4)*(b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2] - a^(3/4)*Sqrt[b]*f*Log[a - b*x^4])/(4*a^(3/4)*b^(3/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.20, size = 342, normalized size = 2.07

$$\frac{\sqrt{2} \left(b^2 c + abg - \sqrt{2} (-ab^3)^{\frac{1}{4}} bd - \sqrt{2} (-ab^3)^{\frac{1}{4}} ah + \sqrt{-ab} be \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(b^2 c + abg + \sqrt{2} \right)}{4 \left(-ab^3 \right)^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/4*\sqrt{2}*(b^2*c + a*b*g - \sqrt{2}*(-a*b^3)^{(1/4)}*b*d - \sqrt{2}*(-a*b^3)^{(1/4)}*a*h + \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(-a*b^3)^{(3/4)} \\ & - 1/4*\sqrt{2}*(b^2*c + a*b*g + \sqrt{2}*(-a*b^3)^{(1/4)}*b*d + \sqrt{2}*(-a*b^3)^{(1/4)}*a*h - \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(-a*b^3)^{(3/4)} \\ & - 1/8*\sqrt{2}*(b^2*c + a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(-a*b^3)^{(3/4)} \\ & + 1/8*\sqrt{2}*(b^2*c + a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(-a*b^3)^{(3/4)} \\ & - 1/4*f*\log(\text{abs}(b*x^4 - a))/b - 1/2*(b*h*x^2 + 2*b*g*x)/b^2 \end{aligned}$$

maple [B] time = 0.05, size = 296, normalized size = 1.79

$$\frac{ah \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{4\sqrt{ab} b} - \frac{h x^2}{2b} - \frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)

[Out]
$$\begin{aligned} & -1/2*h*x^2/b - 1/b*g*x + 1/2*(a/b)^{(1/4)}/b*g*\arctan(1/(a/b)^{(1/4)}*x) + 1/2*(a/b)^{(1/4)}/a*c*\arctan(1/(a/b)^{(1/4)}*x) \\ & + 1/4*(a/b)^{(1/4)}/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) + 1/4*(a/b)^{(1/4)}/a*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) \\ & - 1/4/b/(a*b)^{(1/2)}*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))*a*h - 1/4/(a*b)^{(1/2)}*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a)) \\ & - 1/2/(a/b)^{(1/4)}/b*e*\arct \end{aligned}$$

$\frac{1}{4} \ln\left(\frac{x + (a/b)^{1/4}}{x - (a/b)^{1/4}}\right) - \frac{1}{4} \ln(bx^4 - a)$

maxima [A] time = 3.04, size = 222, normalized size = 1.35

$$\frac{2 \left(b^{\frac{3}{2}} c - \sqrt{a} b e + a \sqrt{b} g \right) \arctan\left(\frac{\sqrt{b} x}{\sqrt{\sqrt{a} \sqrt{b}}} \right) + \frac{\left(b^{\frac{3}{2}} d - \sqrt{a} b f + a \sqrt{b} h \right) \log(\sqrt{b} x^2 + \sqrt{a})}{\sqrt{a} b} - \frac{\left(b^{\frac{3}{2}} d + \sqrt{a} b f + a \sqrt{b} h \right) \log(\sqrt{b} x^2 - \sqrt{a})}{\sqrt{a} b}}{2 b} + \frac{h x^2 + 2 g x}{4 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] $-\frac{1}{2} \frac{h x^2 + 2 g x}{b} + \frac{1}{4} \frac{(b^{3/2} c - \sqrt{a} b e + a \sqrt{b} g) \arctan(\sqrt{b} x / \sqrt{\sqrt{a} \sqrt{b}}) + (b^{3/2} d - \sqrt{a} b f + a \sqrt{b} h) \log(\sqrt{b} x^2 + \sqrt{a}) / (\sqrt{a} b) - (b^{3/2} d + \sqrt{a} b f + a \sqrt{b} h) \log(\sqrt{b} x^2 - \sqrt{a}) / (\sqrt{a} b) - (b^{3/2} c + \sqrt{a} b e + a \sqrt{b} g) \log((\sqrt{b} x - \sqrt{a}) / (\sqrt{a} \sqrt{b})) / (\sqrt{b} x + \sqrt{\sqrt{a} \sqrt{b}})) / (\sqrt{a} \sqrt{\sqrt{a} \sqrt{b}})}{b}$

mupad [B] time = 5.54, size = 2478, normalized size = 15.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4),x)

[Out] $\text{symsum}(\log(-\text{root}(256 a^3 b^6 z^4 + 256 a^3 b^5 f z^3 - 64 a^3 b^4 e g z^2 - 64 a^3 b^4 d h z^2 - 64 a^2 b^5 c e z^2 - 32 a^4 b^3 h^2 z^2 + 96 a^3 b^4 f^2 z^2 - 32 a^2 b^5 d^2 z^2 - 32 a^3 b^3 e f g z - 32 a^3 b^3 d f h z + 32 a^3 b^3 c g h z - 32 a^2 b^4 c e f z + 32 a^2 b^4 c d g z + 16 a^4 b^2 g^2 h z - 16 a^4 b^2 f h^2 z + 16 a^3 b^3 e^2 h z + 16 a^3 b^3 d g^2 z + 16 a^2 b^4 c^2 h z - 16 a^2 b^4 d^2 f z + 16 a^2 b^4 d e^2 z + 16 a b^5 c^2 d z + 16 a^3 b^3 f^3 z - 8 a^3 b^2 d e g h + 8 a^3 b^2 c f g h + 8 a^2 b^3 c d f g - 8 a^2 b^3 c d e h + 4 a^3 b^2 e^2 f h - 4 a^3 b^2 e f^2 g - 4 a^3 b^2 d f^2 h + 4 a^3 b^2 d f g^2 + 4 a^2 b^3 c^2 f h - 4 a^3 b^2 c e h^2 - 4 a^2 b^3 d^2 e g + 4 a^2 b^3 d e^2 f + 4 a^2 b^3 c e^2 g - 4 a^2 b^3 c e f^2 + 4 a^4 b f g^2 h - 4 a^4 b e g h^2 + 4 a b^4 c^2 d f - 4 a b^4 c d^2 e + 4 a^4 b d h^3 - 4 a b^4 c^3 g + 6 a^3 b^2 d^2 h^2 + 2 a^3 b^2 e^2 g^2 - 6 a^2 b^3 c^2 g^2 - 2 a^2 b^3 d^2 f^2 - 2 a^4 b f^2 h^2 + 4 a^2 b^3 d^3 h - 4 a^3 b^2 c g^3 + 2 a b^4 c^2 e^2 + a^3 b^2 f^4 + a b^4 d^4 + a^5 h^4 - a^2 b^3 e^4 - a^4 b g^4 - b^5 c^4, z, k) * ((8 a b^3 c f - 8 a b^3 d e - 8 a^2 b^2 e h + 8 a^2 b^2 f g) / b + \text{root}(256 a^3 b^6 z^4 + 256 a^3 b^5 f z^3 - 64 a^3 b^4 e g z^2 - 64 a^3 b^4 d h z^2 - 64 a^2 b^5 c e z^2 - 32 a^4 b^3 h^2 z^2 + 96 a^3 b^4 f^2 z^2 - 32 a^2 b^5 d^2 z^2 - 32 a^3 b^3 e f g z - 32 a^3 b^3 d f h z + 32 a^3 b^3 c g h z - 32 a^2 b^4 c e f z + 32 a^2 b^4 c d g z + 16 a^4 b^2 g^2 h z - 16 a^4 b^2 f h^2 z + 16 a^3 b^3 e^2 h z + 16 a^3 b^3 d g^2 z + 16 a^2 b^4 c^2 h z - 16 a^2 b^4 d^2 f z + 16 a^2 b^4 d e^2 z + 16 a b^5 c^2 d z + 16 a^3 b^3 f^3 z - 8 a^3 b^2 d e g h + 8 a^3 b^2 c f g h + 8 a^2 b^3 c d f g - 8 a^2 b^3 c d e h + 4 a^3 b^2 e^2 f h - 4 a^3 b^2 e f^2 g - 4 a^3 b^2 d f^2 h + 4 a^3 b^2 d f g^2 + 4 a^2 b^3 c^2 f h - 4 a^3 b^2 c e h^2 - 4 a^2 b^3 d^2 e g + 4 a^2 b^3 d e^2 f + 4 a^2 b^3 c e^2 g - 4 a^2 b^3 c e f^2 + 4 a^4 b f g^2 h - 4 a^4 b e g h^2 + 4 a b^4 c^2 d f - 4 a b^4 c d^2 e + 4 a^4 b d h^3 - 4 a b^4 c^3 g + 6 a^3 b^2 d^2 h^2 + 2 a^3 b^2 e^2 g^2 - 6 a^2 b^3 c^2 g^2 - 2 a^2 b^3 d^2 f^2 - 2 a^4 b f^2 h^2 + 4 a^2 b^3 d^3 h - 4 a^3 b^2 c g^3 + 2 a b^4 c^2 e^2 + a^3 b^2 f^4 + a b^4 d^4 + a^5 h^4 - a^2 b^3 e^4 - a^4 b g^4 - b^5 c^4, z, k)) / b$

$$\begin{aligned}
& b^4 * e * g * z^2 - 64 * a^3 * b^4 * d * h * z^2 - 64 * a^2 * b^5 * c * e * z^2 - 32 * a^4 * b^3 * h^2 * z^2 \\
& + 96 * a^3 * b^4 * f^2 * z^2 - 32 * a^2 * b^5 * d^2 * z^2 - 32 * a^3 * b^3 * e * f * g * z - 32 * a^3 * b^3 \\
& * d * f * h * z + 32 * a^3 * b^3 * c * g * h * z - 32 * a^2 * b^4 * c * e * f * z + 32 * a^2 * b^4 * c * d * g * z + 1 \\
& 6 * a^4 * b^2 * g^2 * h * z - 16 * a^4 * b^2 * f * h^2 * z + 16 * a^3 * b^3 * e^2 * h * z + 16 * a^3 * b^3 * d * \\
& g^2 * z + 16 * a^2 * b^4 * c^2 * h * z - 16 * a^2 * b^4 * d^2 * f * z + 16 * a^2 * b^4 * d * e^2 * z + 16 * a \\
& * b^5 * c^2 * d * z + 16 * a^3 * b^3 * f^3 * z - 8 * a^3 * b^2 * d * e * g * h + 8 * a^3 * b^2 * c * f * g * h + 8 \\
& * a^2 * b^3 * c * d * f * g - 8 * a^2 * b^3 * c * d * e * h + 4 * a^3 * b^2 * e^2 * f * h - 4 * a^3 * b^2 * e * f^2 * \\
& g - 4 * a^3 * b^2 * d * f^2 * h + 4 * a^3 * b^2 * d * f * g^2 + 4 * a^2 * b^3 * c^2 * f * h - 4 * a^3 * b^2 * c \\
& * e * h^2 - 4 * a^2 * b^3 * d^2 * e * g + 4 * a^2 * b^3 * d * e^2 * f + 4 * a^2 * b^3 * c * e^2 * g - 4 * a^2 * \\
& b^3 * c * e * f^2 + 4 * a^4 * b * f * g^2 * h - 4 * a^4 * b * e * g * h^2 + 4 * a * b^4 * c^2 * d * f - 4 * a * b^4 \\
& * c * d^2 * e + 4 * a^4 * b * d * h^3 - 4 * a * b^4 * c^3 * g + 6 * a^3 * b^2 * d^2 * h^2 + 2 * a^3 * b^2 * e^2 * \\
& 2 * g^2 - 6 * a^2 * b^3 * c^2 * g^2 - 2 * a^2 * b^3 * d^2 * f^2 - 2 * a^4 * b * f^2 * h^2 + 4 * a^2 * b^3 \\
& * d^3 * h - 4 * a^3 * b^2 * c * g^3 + 2 * a * b^4 * c^2 * e^2 + a^3 * b^2 * f^4 + a * b^4 * d^4 + a^5 * h^4 \\
& h^4 - a^2 * b^3 * e^4 - a^4 * b * g^4 - b^5 * c^4, z, k) * ((16 * a^2 * b^3 * g + 16 * a * b^4 * c) \\
& / b - (x * (16 * a^2 * b^3 * h + 16 * a * b^4 * d)) / b) + (x * (4 * b^4 * c^2 + 4 * a * b^3 * e^2 + 4 * a \\
& ^2 * b^2 * g^2 + 8 * a * b^3 * c * g - 8 * a * b^3 * d * f - 8 * a^2 * b^2 * f * h)) / b) - (a * b^2 * e^3 + \\
& b^3 * c * d^2 - b^3 * c^2 * e + a^3 * g * h^2 + a * b^2 * c * f^2 + a * b^2 * d^2 * g + a^2 * b * c * h^2 \\
& - a^2 * b * e * g^2 + a^2 * b * f^2 * g + 2 * a * b^2 * c * d * h - 2 * a * b^2 * c * e * g - 2 * a * b^2 * d * e * \\
& f + 2 * a^2 * b * d * g * h - 2 * a^2 * b * e * f * h) / b - (x * (b^3 * d^3 + a^3 * h^3 + b^3 * c^2 * f - \\
& 2 * b^3 * c * d * e - a * b^2 * d * f^2 + a * b^2 * e^2 * f + 3 * a * b^2 * d^2 * h + 3 * a^2 * b * d * h^2 + a \\
& ^2 * b * f * g^2 - a^2 * b * f^2 * h - 2 * a * b^2 * c * e * h + 2 * a * b^2 * c * f * g - 2 * a * b^2 * d * e * g - \\
& 2 * a^2 * b * e * g * h)) / b) * \text{root}(256 * a^3 * b^6 * z^4 + 256 * a^3 * b^5 * f * z^3 - 64 * a^3 * b^4 * e * \\
& g * z^2 - 64 * a^3 * b^4 * d * h * z^2 - 64 * a^2 * b^5 * c * e * z^2 - 32 * a^4 * b^3 * h^2 * z^2 + 96 * a \\
& ^3 * b^4 * f^2 * z^2 - 32 * a^2 * b^5 * d^2 * z^2 - 32 * a^3 * b^3 * e * f * g * z - 32 * a^3 * b^3 * d * f * h \\
& * z + 32 * a^3 * b^3 * c * g * h * z - 32 * a^2 * b^4 * c * e * f * z + 32 * a^2 * b^4 * c * d * g * z + 16 * a^4 * \\
& b^2 * g^2 * h * z - 16 * a^4 * b^2 * f * h^2 * z + 16 * a^3 * b^3 * e^2 * h * z + 16 * a^3 * b^3 * d * g^2 * z \\
& + 16 * a^2 * b^4 * c^2 * h * z - 16 * a^2 * b^4 * d^2 * f * z + 16 * a^2 * b^4 * d * e^2 * z + 16 * a * b^5 * c \\
& ^2 * d * z + 16 * a^3 * b^3 * f^3 * z - 8 * a^3 * b^2 * d * e * g * h + 8 * a^3 * b^2 * c * f * g * h + 8 * a^2 * b \\
& ^3 * c * d * f * g - 8 * a^2 * b^3 * c * d * e * h + 4 * a^3 * b^2 * e^2 * f * h - 4 * a^3 * b^2 * e * f^2 * g - 4 * \\
& a^3 * b^2 * d * f^2 * h + 4 * a^3 * b^2 * d * f * g^2 + 4 * a^2 * b^3 * c^2 * f * h - 4 * a^3 * b^2 * c * e * h^2 \\
& - 4 * a^2 * b^3 * d^2 * e * g + 4 * a^2 * b^3 * d * e^2 * f + 4 * a^2 * b^3 * c * e^2 * g - 4 * a^2 * b^3 * c * \\
& e * f^2 + 4 * a^4 * b * f * g^2 * h - 4 * a^4 * b * e * g * h^2 + 4 * a * b^4 * c^2 * d * f - 4 * a * b^4 * c * d^2 \\
& * e + 4 * a^4 * b * d * h^3 - 4 * a * b^4 * c^3 * g + 6 * a^3 * b^2 * d^2 * h^2 + 2 * a^3 * b^2 * e^2 * g^2 \\
& - 6 * a^2 * b^3 * c^2 * g^2 - 2 * a^2 * b^3 * d^2 * f^2 - 2 * a^4 * b * f^2 * h^2 + 4 * a^2 * b^3 * d^3 * h \\
& - 4 * a^3 * b^2 * c * g^3 + 2 * a * b^4 * c^2 * e^2 + a^3 * b^2 * f^4 + a * b^4 * d^4 + a^5 * h^4 - \\
& a^2 * b^3 * e^4 - a^4 * b * g^4 - b^5 * c^4, z, k), k, 1, 4) - (h * x^2) / (2 * b) - (g * x) / \\
& b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.187 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a-bx^4} dx$$

Optimal. Leaf size=188

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b}$$

[Out] $-g*x/b-1/2*h*x^2/b-1/3*i*x^3/b-1/4*f*\ln(-b*x^4+a)/b+1/2*(a*h+b*d)*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/b^{(3/2)}/a^{(1/2)}-1/2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(b*e+a*i-(a*g+b*c)*b^{(1/2)}/a^{(1/2)})/a^{(1/4)}/b^{(7/4)}+1/2*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(b*e+a*i+(a*g+b*c)*b^{(1/2)}/a^{(1/2)})/a^{(1/4)}/b^{(7/4)}$

Rubi [A] time = 0.33, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.220$, Rules used = {1885, 1819, 1810, 635, 208, 260, 1887, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{f\log(a-bx^4)}{4b}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4), x]$

[Out] $-\left(\frac{g*x}{b}\right) - \frac{(h*x^2)}{(2*b)} - \frac{(i*x^3)}{(3*b)} - \frac{((b*e - (\operatorname{Sqrt}[b]*(b*c + a*g)))/\operatorname{Sqrt}[a] + a*i)*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)})]}{(2*a^{(1/4)}*b^{(7/4)})} + \frac{((b*e + (\operatorname{Sqrt}[b]*(b*c + a*g)))/\operatorname{Sqrt}[a] + a*i)*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)})]}{(2*a^{(1/4)}*b^{(7/4)})} + \frac{((b*d + a*h)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]])}{(2*\operatorname{Sqrt}[a]*b^{(3/2)})} - \frac{(f*\operatorname{Log}[a - b*x^4])}{(4*b)}$

Rule 205

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 208

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b]$

Rule 260

$\operatorname{Int}[(x_)^{(m_)} / ((a_ + (b_)*(x_)^{(n_)}), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[a + b*x^n, x]] / (b*n), x] \text{ ; FreeQ}\{a, b, m, n\}, x] \ \&\& \ \operatorname{EqQ}[m, n - 1]$

Rule 635

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 1167

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1810

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 1819

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*((a + b*x^n)^p), {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 187x^6}{a - bx^4} dx &= \int \left(\frac{x(d + fx^2 + hx^4)}{a - bx^4} + \frac{c + ex^2 + gx^4 + 187x^6}{a - bx^4} \right) dx \\
&= \int \frac{x(d + fx^2 + hx^4)}{a - bx^4} dx + \int \frac{c + ex^2 + gx^4 + 187x^6}{a - bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a - bx^2} dx, x, x^2 \right) + \int \left(-\frac{g}{b} - \frac{187x^2}{b} + \frac{bc +}{a - bx^4} \right) dx \\
&= -\frac{gx}{b} - \frac{187x^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \left(-\frac{h}{b} + \frac{bd + ah + bfx}{b(a - bx^2)} \right) dx, x, x^2 \right) \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{187x^3}{3b} + \frac{\text{Subst} \left(\int \frac{bd + ah + bfx}{a - bx^2} dx, x, x^2 \right)}{2b} + \frac{(187a -}{a - bx^4} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{187x^3}{3b} - \frac{\left(187a + be - \frac{\sqrt{b}(bc+ag)}{\sqrt{a}} \right) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt[4]{a} b^{7/4}} + \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{187x^3}{3b} - \frac{\left(187a + be - \frac{\sqrt{b}(bc+ag)}{\sqrt{a}} \right) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt[4]{a} b^{7/4}} +
\end{aligned}$$

Mathematica [A] time = 0.55, size = 301, normalized size = 1.60

$$\frac{3 \log \left(\sqrt[4]{a} - \sqrt[4]{b}x \right) \left(a^{5/4} \sqrt[4]{b} h + a^{3/2} i + \sqrt[4]{a} b^{5/4} d + \sqrt{a} b e + a \sqrt{b} g + b^{3/2} c \right)}{a^{3/4}} + \frac{3 \log \left(\sqrt[4]{a} + \sqrt[4]{b}x \right) \left(-a^{5/4} \sqrt[4]{b} h + a^{3/2} i - \sqrt[4]{a} b^{5/4} d + \sqrt{a} b e + a \sqrt{b} g + b^{3/2} c \right)}{a^{3/4}} + \frac{6 \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right) \left(187a + be - \frac{\sqrt{b}(bc+ag)}{\sqrt{a}} \right)}{2\sqrt[4]{a} b^{7/4}}$$

12/

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4), x]

[Out] $(-12*b^{(3/4)}*g*x - 6*b^{(3/4)}*h*x^2 - 4*b^{(3/4)}*i*x^3 + (6*(b^{(3/2)}*c - \text{Sqrt}[a]*b*e + a*\text{Sqrt}[b]*g - a^{(3/2)}*i)*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/a^{(3/4)} - (3*(b^{(3/2)}*c + a^{(1/4)}*b^{(5/4)}*d + \text{Sqrt}[a]*b*e + a*\text{Sqrt}[b]*g + a^{(5/4)}*b^{(1/4)}*h + a^{(3/2)}*i)*\text{Log}[a^{(1/4)} - b^{(1/4)}*x])/a^{(3/4)} + (3*(b^{(3/2)}*c - a^{(1/4)}*b^{(5/4)}*d + \text{Sqrt}[a]*b*e + a*\text{Sqrt}[b]*g - a^{(5/4)}*b^{(1/4)}*h + a^{(3/2)}*i)*\text{Log}[a^{(1/4)} + b^{(1/4)}*x])/a^{(3/4)} + (3*b^{(1/4)}*(b*d + a*h)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b]*x^2])/ \text{Sqrt}[a] - 3*b^{(3/4)}*f*\text{Log}[a - b*x^4])/(12*b^{(7/4)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 541, normalized size = 2.88

$$\frac{1}{8}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{b^4} \right) + \frac{1}{8}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} a}{b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{8}i*(2*\sqrt{2})*(-a*b^3)^{(3/4)}*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4))/b^4 - \sqrt{2}*(-a*b^3)^{(3/4)}*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/b^4 + 1/8*i*(2*\sqrt{2})*(-a*b^3)^{(3/4)}*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4))/b^4 + \sqrt{2}*(-a*b^3)^{(3/4)}*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/b^4 - 1/4*\sqrt{2}*(b^2*c + a*b*g - \sqrt{2}*(-a*b^3)^{(1/4)}*b*d - \sqrt{2}*(-a*b^3)^{(1/4)}*a*h + \sqrt{-a*b})*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4))/(-a*b^3)^{(3/4)} - 1/4*\sqrt{2}*(b^2*c + a*b*g + \sqrt{2}*(-a*b^3)^{(1/4)}*b*d + \sqrt{2}*(-a*b^3)^{(1/4)}*a*h - \sqrt{-a*b})*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4))/(-a*b^3)^{(3/4)} - 1/8*\sqrt{2}*(b^2*c + a*b*g - \sqrt{-a*b})*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(-a*b^3)^{(3/4)} + 1/8*\sqrt{2}*(b^2*c + a*b*g - \sqrt{-a*b})*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(-a*b^3)^{(3/4)} - 1/4*f*\log(\text{abs}(b*x^4 - a))/b - 1/6*(2*b^2*i*x^3 + 3*b^2*h*x^2 + 6*b^2*g*x)/b^3$

maple [B] time = 0.05, size = 367, normalized size = 1.95

$$\frac{ix^3}{3b} - \frac{ah \ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}b} - \frac{hx^2}{2b} - \frac{d \ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}} - \frac{ai \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} + \frac{ai \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x)$

[Out] $-1/3*i*x^3/b-1/2/b*h*x^2-1/b*g*x+1/4*(a/b)^{(1/4)}/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/4*(a/b)^{(1/4)}/a*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/2*(a/b)^{(1/4)}/b*g*\arctan(1/(a/b)^{(1/4)}*x)+1/2*(a/b)^{(1/4)}/a*c*\arctan(1/(a/b)^{(1/4)}*x)-1/4/(a*b)^{(1/2)}*a/b*h*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/4/(a*b)^{(1/2)}*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))+1/4/b^2/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*a*i+1/4/(a/b)^{(1/4)}/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))-1/2/b^2/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)*a*i-1/2/(a/b)^{(1/4)}/b*e*\arctan(1/(a/b)^{(1/4)}*x)-1/4/b*f*\ln(b*x^4-a)$

maxima [A] time = 3.03, size = 240, normalized size = 1.28

$$\frac{2ix^3 + 3hx^2 + 6gx}{6b} + \frac{2\left(b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g - a^{\frac{3}{2}}i\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} + \frac{\left(b^{\frac{3}{2}}d - \sqrt{a}bf + a\sqrt{b}h\right)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}b} - \frac{\left(b^{\frac{3}{2}}d + \sqrt{a}bf + a\sqrt{b}h\right)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, \text{algorithm}="maxima")$

[Out] $-1/6*(2*i*x^3 + 3*h*x^2 + 6*g*x)/b + 1/4*(2*(b^{(3/2)}*c - \text{sqrt}(a)*b*e + a*\text{sqrt}(b)*g - a^{(3/2)}*i)*\arctan(\text{sqrt}(b)*x/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)) + (b^{(3/2)}*d - \text{sqrt}(a)*b*f + a*\text{sqrt}(b)*h)*\log(\text{sqrt}(b)*x^2 + \text{sqrt}(a))/(\text{sqrt}(a)*b) - (b^{(3/2)}*d + \text{sqrt}(a)*b*f + a*\text{sqrt}(b)*h)*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(a))/(\text{sqrt}(a)*b) - (b^{(3/2)}*c + \text{sqrt}(a)*b*e + a*\text{sqrt}(b)*g + a^{(3/2)}*i)*\log((\text{sqrt}(b)*x - \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(b)*x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)))/b$

mupad [B] time = 5.07, size = 3810, normalized size = 20.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4), x)$

[Out] $\text{symsum}(\log(-(a^4*i^3 + a*b^3*e^3 + b^4*c*d^2 - b^4*c^2*e + a^2*b^2*c*h^2 - a^2*b^2*e*g^2 + a^2*b^2*f^2*g + 3*a^2*b^2*e^2*i + a*b^3*c*f^2 + a*b^3*d^2*g - a*b^3*c^2*i + 3*a^3*b*e*i^2 + a^3*b*g*h^2 - a^3*b*g^2*i - 2*a^2*b^2*c*g*i - 2*a^2*b^2*d*f*i + 2*a^2*b^2*d*g*h - 2*a^2*b^2*e*f*h + 2*a*b^3*c*d*h - 2*a*b^3*c*e*g - 2*a*b^3*d*e*f - 2*a^3*b*f*h*i)/b^2 - \text{root}(256*a^3*b^7*z^4 + 256*a^3*b^6*f*z^3 - 64*a^4*b^4*g*i*z^2 - 64*a^3*b^5*e*g*z^2 - 64*a^3*b^5*d*h*z^2 - 64*a^3*b^5*c*i*z^2 - 64*a^2*b^6*c*e*z^2 - 32*a^4*b^4*h^2*z^2 + 96*a^3*b^5*f^2*z^2 - 32*a^2*b^6*d^2*z^2 - 32*a^4*b^3*f*g*i*z + 32*a^4*b^3*e*h$

$$\begin{aligned}
& i*z - 32*a^3*b^4*e*f*g*z - 32*a^3*b^4*d*f*h*z + 32*a^3*b^4*d*e*i*z + 32*a^3 \\
& *b^4*c*g*h*z - 32*a^3*b^4*c*f*i*z - 32*a^2*b^5*c*e*f*z + 32*a^2*b^5*c*d*g*z \\
& + 16*a^5*b^2*h*i^2*z + 16*a^4*b^3*g^2*h*z - 16*a^4*b^3*f*h^2*z + 16*a^4*b^ \\
& 3*d*i^2*z + 16*a^3*b^4*e^2*h*z + 16*a^3*b^4*d*g^2*z + 16*a^2*b^5*c^2*h*z - \\
& 16*a^2*b^5*d^2*f*z + 16*a^2*b^5*d*e^2*z + 16*a*b^6*c^2*d*z + 16*a^3*b^4*f^3 \\
& *z + 8*a^4*b^2*e*f*h*i - 8*a^4*b^2*d*g*h*i - 8*a^3*b^3*d*e*g*h + 8*a^3*b^3* \\
& d*e*f*i + 8*a^3*b^3*c*f*g*h + 8*a^3*b^3*c*e*g*i - 8*a^3*b^3*c*d*h*i + 8*a^2 \\
& *b^4*c*d*f*g - 8*a^2*b^4*c*d*e*h - 4*a^4*b^2*f^2*g*i + 4*a^4*b^2*f*g^2*h + \\
& 4*a^4*b^2*e*g^2*i - 4*a^4*b^2*e*g*h^2 - 4*a^4*b^2*c*h^2*i - 4*a^3*b^3*d^2*g \\
& *i + 4*a^4*b^2*d*f*i^2 + 4*a^4*b^2*c*g*i^2 + 4*a^3*b^3*e^2*f*h - 4*a^3*b^3* \\
& e*f^2*g - 4*a^3*b^3*d*f^2*h - 4*a^3*b^3*c*f^2*i + 4*a^3*b^3*d*f*g^2 + 4*a^2 \\
& *b^4*c^2*f*h + 4*a^2*b^4*c^2*e*i - 4*a^3*b^3*c*e*h^2 - 4*a^2*b^4*d^2*e*g - \\
& 4*a^2*b^4*c*d^2*i + 4*a^2*b^4*d*e^2*f + 4*a^2*b^4*c*e^2*g - 4*a^2*b^4*c*e*f \\
& ^2 - 4*a^5*b*g*h^2*i + 4*a^5*b*f*h*i^2 + 4*a*b^5*c^2*d*f - 4*a*b^5*c*d^2*e \\
& - 4*a^5*b*e*i^3 - 4*a*b^5*c^3*g - 6*a^4*b^2*e^2*i^2 - 2*a^4*b^2*f^2*h^2 + 6 \\
& *a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 2*a^3*b^3*c^2*i^2 - 6*a^2*b^4*c^2*g^ \\
& 2 - 2*a^2*b^4*d^2*f^2 + 2*a^5*b*g^2*i^2 - 4*a^3*b^3*e^3*i + 4*a^4*b^2*d*h^3 \\
& + 4*a^2*b^4*d^3*h - 4*a^3*b^3*c*g^3 + 2*a*b^5*c^2*e^2 + a^3*b^3*f^4 + a^5* \\
& b*h^4 + a*b^5*d^4 - a^4*b^2*g^4 - a^2*b^4*e^4 - a^6*i^4 - b^6*c^4, z, 1)*(r \\
& oot(256*a^3*b^7*z^4 + 256*a^3*b^6*f*z^3 - 64*a^4*b^4*g*i*z^2 - 64*a^3*b^5*e \\
& *g*z^2 - 64*a^3*b^5*d*h*z^2 - 64*a^3*b^5*c*i*z^2 - 64*a^2*b^6*c*e*z^2 - 32* \\
& a^4*b^4*h^2*z^2 + 96*a^3*b^5*f^2*z^2 - 32*a^2*b^6*d^2*z^2 - 32*a^4*b^3*f*g* \\
& i*z + 32*a^4*b^3*e*h*i*z - 32*a^3*b^4*e*f*g*z - 32*a^3*b^4*d*f*h*z + 32*a^3 \\
& *b^4*d*e*i*z + 32*a^3*b^4*c*g*h*z - 32*a^3*b^4*c*f*i*z - 32*a^2*b^5*c*e*f*z \\
& + 32*a^2*b^5*c*d*g*z + 16*a^5*b^2*h*i^2*z + 16*a^4*b^3*g^2*h*z - 16*a^4*b^ \\
& 3*f*h^2*z + 16*a^4*b^3*d*i^2*z + 16*a^3*b^4*e^2*h*z + 16*a^3*b^4*d*g^2*z + \\
& 16*a^2*b^5*c^2*h*z - 16*a^2*b^5*d^2*f*z + 16*a^2*b^5*d*e^2*z + 16*a*b^6*c^2 \\
& *d*z + 16*a^3*b^4*f^3*z + 8*a^4*b^2*e*f*h*i - 8*a^4*b^2*d*g*h*i - 8*a^3*b^3 \\
& *d*e*g*h + 8*a^3*b^3*d*e*f*i + 8*a^3*b^3*c*f*g*h + 8*a^3*b^3*c*e*g*i - 8*a^ \\
& 3*b^3*c*d*h*i + 8*a^2*b^4*c*d*f*g - 8*a^2*b^4*c*d*e*h - 4*a^4*b^2*f^2*g*i + \\
& 4*a^4*b^2*f*g^2*h + 4*a^4*b^2*e*g^2*i - 4*a^4*b^2*e*g*h^2 - 4*a^4*b^2*c*h^ \\
& 2*i - 4*a^3*b^3*d^2*g*i + 4*a^4*b^2*d*f*i^2 + 4*a^4*b^2*c*g*i^2 + 4*a^3*b^3 \\
& *e^2*f*h - 4*a^3*b^3*e*f^2*g - 4*a^3*b^3*d*f^2*h - 4*a^3*b^3*c*f^2*i + 4*a^ \\
& 3*b^3*d*f*g^2 + 4*a^2*b^4*c^2*f*h + 4*a^2*b^4*c^2*e*i - 4*a^3*b^3*c*e*h^2 - \\
& 4*a^2*b^4*d^2*e*g - 4*a^2*b^4*c*d^2*i + 4*a^2*b^4*d*e^2*f + 4*a^2*b^4*c*e^ \\
& 2*g - 4*a^2*b^4*c*e*f^2 - 4*a^5*b*g*h^2*i + 4*a^5*b*f*h*i^2 + 4*a*b^5*c^2*d \\
& *f - 4*a*b^5*c*d^2*e - 4*a^5*b*e*i^3 - 4*a*b^5*c^3*g - 6*a^4*b^2*e^2*i^2 - \\
& 2*a^4*b^2*f^2*h^2 + 6*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 2*a^3*b^3*c^2*i \\
& ^2 - 6*a^2*b^4*c^2*g^2 - 2*a^2*b^4*d^2*f^2 + 2*a^5*b*g^2*i^2 - 4*a^3*b^3*e^ \\
& 3*i + 4*a^4*b^2*d*h^3 + 4*a^2*b^4*d^3*h - 4*a^3*b^3*c*g^3 + 2*a*b^5*c^2*e^2 \\
& + a^3*b^3*f^4 + a^5*b*h^4 + a*b^5*d^4 - a^4*b^2*g^4 - a^2*b^4*e^4 - a^6*i^4 \\
& - b^6*c^4, z, 1)*((16*a^2*b^4*g + 16*a*b^5*c)/b^2 - (x*(16*a^2*b^3*h + 16 \\
& *a*b^4*d))/b) - (8*a*b^4*d*e - 8*a*b^4*c*f + 8*a^2*b^3*d*i + 8*a^2*b^3*e*h \\
& - 8*a^2*b^3*f*g + 8*a^3*b^2*h*i)/b^2 + (x*(4*b^4*c^2 + 4*a*b^3*e^2 + 4*a^3* \\
& b*i^2 + 4*a^2*b^2*g^2 + 8*a*b^3*c*g - 8*a*b^3*d*f + 8*a^2*b^2*e*i - 8*a^2*b
\end{aligned}$$

$$\begin{aligned} & \left. \left(\frac{2fh}{b} - \frac{(x(b^3d^3 + a^3h^3 + b^3c^2f + a^3f^2i - 2b^3cde - 2a^3g^2hi - ab^2df^2 + ab^2e^2f + 3ab^2d^2h + 3a^2bd^2h^2 + a^2bfg^2 - a^2b^2f^2h - 2ab^2c^2di - 2ab^2c^2eh + 2ab^2c^2fg - 2ab^2d^2eg - 2a^2b^2c^2hi - 2a^2b^2d^2gi + 2a^2b^2ef^2i - 2a^2b^2eg^2hi))}{b} \right) \right) \cdot \text{root}(256a^3b^7z^4 + 256a^3b^6fz^3 - 64a^4b^4g^2z^2 - 64a^3b^5egz^2 - 64a^3b^5d^2hz^2 - 64a^3b^5c^2iz^2 - 64a^2b^6c^2ez^2 - 32a^4b^4h^2z^2 + 96a^3b^5f^2z^2 - 32a^2b^6d^2z^2 - 32a^4b^3fg^2z + 32a^4b^3e^2hz - 32a^3b^4efg^2z - 32a^3b^4d^2fhz + 32a^3b^4de^2iz + 32a^3b^4c^2ghz - 32a^3b^4c^2f^2iz - 32a^2b^5c^2efz + 32a^2b^5c^2d^2gz + 16a^5b^2h^2iz + 16a^4b^3g^2h^2z - 16a^4b^3f^2h^2z + 16a^4b^3d^2i^2z + 16a^3b^4e^2h^2z + 16a^3b^4d^2g^2z + 16a^2b^5c^2h^2z - 16a^2b^5d^2f^2z + 16a^2b^5d^2e^2z + 16a^2b^6c^2d^2z + 16a^3b^4f^3z + 8a^4b^2ef^2hi - 8a^4b^2d^2gh^2i - 8a^3b^3d^2eg^2hi + 8a^3b^3d^2ef^2i + 8a^3b^3c^2fg^2hi + 8a^3b^3c^2e^2gi - 8a^3b^3c^2d^2hi + 8a^2b^4c^2d^2fg - 8a^2b^4c^2d^2eh - 4a^4b^2f^2g^2i + 4a^4b^2f^2g^2h + 4a^4b^2e^2g^2i - 4a^4b^2e^2g^2h - 4a^4b^2c^2h^2i - 4a^3b^3d^2g^2i + 4a^4b^2d^2f^2i^2 + 4a^4b^2c^2g^2i^2 + 4a^3b^3e^2f^2h - 4a^3b^3e^2f^2g - 4a^3b^3d^2f^2h - 4a^3b^3c^2f^2i + 4a^3b^3d^2f^2g^2 + 4a^2b^4c^2f^2h + 4a^2b^4c^2e^2i - 4a^3b^3c^2e^2h^2 - 4a^2b^4d^2e^2g - 4a^2b^4c^2d^2i + 4a^2b^4d^2e^2f + 4a^2b^4c^2e^2g - 4a^2b^4c^2e^2f^2 - 4a^5b^2g^2h^2i + 4a^5b^2f^2h^2i + 4a^5b^2c^2d^2f - 4a^5b^2c^2d^2e - 4a^5b^2e^2i^3 - 4a^5b^2c^3g - 6a^4b^2e^2i^2 - 2a^4b^2f^2h^2 + 6a^3b^3d^2h^2 + 2a^3b^3e^2g^2 + 2a^3b^3c^2i^2 - 6a^2b^4c^2g^2 - 2a^2b^4d^2f^2 + 2a^5b^2g^2i^2 - 4a^3b^3e^3i + 4a^4b^2d^2h^3 + 4a^2b^4d^3h - 4a^3b^3c^2g^3 + 2a^2b^5c^2e^2 + a^3b^3f^4 + a^5b^2h^4 + a^2b^5d^4 - a^4b^2g^4 - a^2b^4e^4 - a^6i^4 - b^6c^4, z, 1), 1, 1, 4) - (hx^2)/(2b) - (ix^3)/(3b) - (gx)/b \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.188 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a-bx^4} dx$$

Optimal. Leaf size=205

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{(aj+bf)\ln(-bx^4+a)}{4b^2+1}$$

[Out] $-g*x/b-1/2*h*x^2/b-1/3*i*x^3/b-1/4*j*x^4/b-1/4*(a*j+b*f)*\ln(-b*x^4+a)/b^2+1/2*(a*h+b*d)*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/b^{(3/2)}/a^{(1/2)}-1/2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(b*e+a*i-(a*g+b*c)*b^{(1/2)}/a^{(1/2)})/a^{(1/4)}/b^{(7/4)}+1/2*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(b*e+a*i+(a*g+b*c)*b^{(1/2)}/a^{(1/2)})/a^{(1/4)}/b^{(7/4)}$

Rubi [A] time = 0.31, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.196$, Rules used = {1885, 1887, 1167, 205, 208, 1819, 1810, 635, 260}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(-\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{\sqrt{b}(ag+bc)}{\sqrt{a}}+ai+be\right)}{2\sqrt[4]{a}b^{7/4}} + \frac{(ah+bd)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}b^{3/2}} - \frac{(aj+bf)\ln(-bx^4+a)}{4b^2+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4), x]

[Out] $-\left(\frac{g*x}{b}\right) - \frac{h*x^2}{2*b} - \frac{i*x^3}{3*b} - \frac{j*x^4}{4*b} - \frac{\left(\frac{b*e - \left(\sqrt{b}\right)\left(b*c + a*g\right)}{\sqrt{a}} + a*i\right)*\operatorname{ArcTan}\left[\frac{b^{(1/4)}*x}{a^{(1/4)}}\right]}{2*a^{(1/4)}*b^{(7/4)}} + \frac{\left(\frac{b*e + \left(\sqrt{b}\right)\left(b*c + a*g\right)}{\sqrt{a}} + a*i\right)*\operatorname{ArcTanh}\left[\frac{b^{(1/4)}*x}{a^{(1/4)}}\right]}{2*a^{(1/4)}*b^{(7/4)}} + \frac{\left(b*d + a*h\right)*\operatorname{ArcTanh}\left[\frac{\sqrt{b}*x^2}{\sqrt{a}}\right]}{2*\sqrt{a}*b^{(3/2)}} - \frac{\left(b*f + a*j\right)*\operatorname{Log}\left[a - b*x^4\right]}{4*b^2}$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

$\text{Int}[(x_)^m / ((a_) + (b_)*(x_)^n), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]] / (b*n), x] /; \text{FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 635

$\text{Int}[(d_) + (e_)*(x_) / ((a_) + (c_)*(x_)^2), x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1 / (a + c*x^2), x], x] + \text{Dist}[e, \text{Int}[x / (a + c*x^2), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{!NiceSqrtQ}[-(a*c)]$

Rule 1167

$\text{Int}[(d_) + (e_)*(x_)^2 / ((a_) + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(a*c), 2]\}, \text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[1 / (-q + c*x^2), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[1 / (q + c*x^2), x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[-(a*c)]$

Rule 1810

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^2)^p, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq*(a + b*x^2)^p, x], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[p, -2]$

Rule 1819

$\text{Int}[(Pq_)*(x_)^m * ((a_) + (b_)*(x_)^n)^p, x_Symbol] \rightarrow \text{Dist}[1 / (m + 1), \text{Subst}[\text{Int}[\text{SubstFor}[x^{m+1}, Pq, x] * (a + b*x^{\text{Simplify}[n/(m+1)])}]^p, x], x, x^{m+1}], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ \text{IGtQ}[\text{Simplify}[n/(m+1)], 0] \ \&\& \ \text{PolyQ}[Pq, x^{m+1}]$

Rule 1885

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^n)^p, x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[x^j * \text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2] * x^{(k*n)/2}, \{k, 0, (2*(q - j))/n + 1\}] * (a + b*x^n)^p, \{j, 0, n/2 - 1\}], x]] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{!PolyQ}[Pq, x^{n/2}]$

Rule 1887

$\text{Int}[(Pq_) / ((a_) + (b_)*(x_)^n), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq / (a + b*x^n), x], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 188x^6 + jx^7}{a - bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4 + 188x^6}{a - bx^4} + \frac{x(d + fx^2 + hx^4 + jx^6)}{a - bx^4} \right) dx \\
&= \int \frac{c + ex^2 + gx^4 + 188x^6}{a - bx^4} dx + \int \frac{x(d + fx^2 + hx^4 + jx^6)}{a - bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2 + jx^3}{a - bx^2} dx, x, x^2 \right) + \int \left(-\frac{g}{b} - \frac{188}{b} \right) dx \\
&= -\frac{gx}{b} - \frac{188x^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \left(-\frac{h}{b} - \frac{jx}{b} + \frac{bd + ah + (bf + aj)x}{b(a - bx^2)} \right) dx, x, x^2 \right) \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{188x^3}{3b} - \frac{jx^4}{4b} + \frac{\text{Subst} \left(\int \frac{bd + ah + (bf + aj)x}{a - bx^2} dx, x, x^2 \right)}{2b} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{188x^3}{3b} - \frac{jx^4}{4b} - \frac{\left(188a + be - \frac{\sqrt{b}(bc + ag)}{\sqrt{a}} \right) \tan^{-1} \left(\frac{\sqrt{bx^2 + a}}{\sqrt{a}} \right)}{2\sqrt[4]{a} b^{7/4}} \\
&= -\frac{gx}{b} - \frac{hx^2}{2b} - \frac{188x^3}{3b} - \frac{jx^4}{4b} - \frac{\left(188a + be - \frac{\sqrt{b}(bc + ag)}{\sqrt{a}} \right) \tan^{-1} \left(\frac{\sqrt{bx^2 + a}}{\sqrt{a}} \right)}{2\sqrt[4]{a} b^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.51, size = 318, normalized size = 1.55

$$\frac{3 \log \left(\sqrt[4]{a} - \sqrt[4]{b} x \right) \left(a^{5/4} \sqrt[4]{b} h + a^{3/2} i + \sqrt[4]{a} b^{5/4} d + \sqrt{a} b e + a \sqrt{b} g + b^{3/2} c \right)}{a^{3/4}} + \frac{3 \log \left(\sqrt[4]{a} + \sqrt[4]{b} x \right) \left(-a^{5/4} \sqrt[4]{b} h + a^{3/2} i - \sqrt[4]{a} b^{5/4} d + \sqrt{a} b e + a \sqrt{b} g + b^{3/2} c \right)}{a^{3/4}} + \frac{6 \tan^{-1} \left(\frac{\sqrt{bx^2 + a}}{\sqrt{a}} \right) \left(188a + be - \frac{\sqrt{b}(bc + ag)}{\sqrt{a}} \right)}{2\sqrt[4]{a} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4), x]

[Out] $(-12*b^{(3/4)}*g*x - 6*b^{(3/4)}*h*x^2 - 4*b^{(3/4)}*i*x^3 - 3*b^{(3/4)}*j*x^4 + (6*(b^{(3/2)}*c - \text{Sqrt}[a]*b*e + a*\text{Sqrt}[b]*g - a^{(3/2)}*i)*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/a^{(3/4)} - (3*(b^{(3/2)}*c + a^{(1/4)}*b^{(5/4)}*d + \text{Sqrt}[a]*b*e + a*\text{Sqrt}[b]*g + a^{(5/4)}*b^{(1/4)}*h + a^{(3/2)}*i)*\text{Log}[a^{(1/4)} - b^{(1/4)}*x])/a^{(3/4)} + (3*(b^{(3/2)}*c - a^{(1/4)}*b^{(5/4)}*d + \text{Sqrt}[a]*b*e + a*\text{Sqrt}[b]*g - a^{(5/4)}*b^{(1/4)}*h + a^{(3/2)}*i)*\text{Log}[a^{(1/4)} + b^{(1/4)}*x])/a^{(3/4)} + (3*b^{(1/4)}*(b*d + a*h)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b]*x^2])/ \text{Sqrt}[a] - (3*(b*f + a*j)*\text{Log}[a - b*x^4])/b^{(1/4)})/(12*b^{(7/4)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 556, normalized size = 2.71

$$\frac{1}{8}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{b^4} \right) + \frac{1}{8}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}}}{b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out] 1/8*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/b^4 - sqrt(2)*(-a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/b^4 + 1/8*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/b^4 + sqrt(2)*(-a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/b^4 - 1/4*sqrt(2)*(b^2*c + a*b*g - sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(2)*(-a*b^3)^(1/4)*a*h + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/4*sqrt(2)*(b^2*c + a*b*g + sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(2)*(-a*b^3)^(1/4)*a*h - sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/8*sqrt(2)*(b^2*c + a*b*g - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) + 1/8*sqrt(2)*(b^2*c + a*b*g - sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) - 1/4*(b*f + a*j)*log(abs(b*x^4 - a))/b^2 - 1/12*(3*b^3*j*x^4 + 4*b^3*i*x^3 + 6*b^3*h*x^2 + 12*b^3*g*x)/b^4

maple [B] time = 0.05, size = 393, normalized size = 1.92

$$\frac{jx^4}{4b} - \frac{ix^3}{3b} - \frac{ah \ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}b} - \frac{hx^2}{2b} - \frac{d \ln\left(\frac{\sqrt{ab}x^2-a}{-\sqrt{ab}x^2-a}\right)}{4\sqrt{ab}} - \frac{ai \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} + \frac{ai \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}}b^2} - \frac{aj \ln(bx^4-a)}{4b^2} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}}c}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)`

[Out]
$$-1/4*j*x^4/b - 1/3/b*i*x^3 - 1/2/b*h*x^2 - 1/b*g*x + 1/2*(a/b)^{(1/4)}/b*g*\arctan(1/(a/b)^{(1/4)}*x) + 1/2*(a/b)^{(1/4)}/a*c*\arctan(1/(a/b)^{(1/4)}*x) + 1/4*(a/b)^{(1/4)}/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) + 1/4*(a/b)^{(1/4)}/a*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/(a*b)^{(1/2)}*a/b*h*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a)) - 1/4/(a*b)^{(1/2)}*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a)) - 1/2/(a/b)^{(1/4)}*a/b^2*i*\arctan(1/(a/b)^{(1/4)}*x) - 1/2/(a/b)^{(1/4)}/b*e*\arctan(1/(a/b)^{(1/4)}*x) + 1/4/(a/b)^{(1/4)}*a/b^2*i*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) + 1/4/(a/b)^{(1/4)}/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/b^2*\ln(b*x^4-a)*a*j - 1/4/b*f*\ln(b*x^4-a)$$

maxima [A] time = 3.07, size = 257, normalized size = 1.25

$$\frac{3jx^4 + 4ix^3 + 6hx^2 + 12gx}{12b} + \frac{2\left(b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g - a^{\frac{3}{2}}i\right) \arctan\left(\frac{\sqrt{bx}}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} + \frac{\left(b^{\frac{3}{2}}d - \sqrt{a}bf + a\sqrt{b}h - a^{\frac{3}{2}}j\right) \log(\sqrt{bx^2 + \sqrt{a}})}{\sqrt{ab}} - \frac{\left(b^{\frac{3}{2}}d + \sqrt{a}\right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")`

[Out]
$$-1/12*(3*j*x^4 + 4*i*x^3 + 6*h*x^2 + 12*g*x)/b + 1/4*(2*(b^{(3/2)}*c - \sqrt{a}*b*e + a*\sqrt{b}*g - a^{(3/2)}*i)*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b}) + (b^{(3/2)}*d - \sqrt{a}*b*f + a*\sqrt{b}*h - a^{(3/2)}*j)*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*b) - (b^{(3/2)}*d + \sqrt{a})*b*f + a*\sqrt{b}*h + a^{(3/2)}*j)*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*b) - (b^{(3/2)}*c + \sqrt{a}*b*e + a*\sqrt{b}*g + a^{(3/2)}*i)*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}})))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b})/b$$

mapad [B] time = 5.16, size = 5673, normalized size = 27.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4), x)$

[Out] $\text{symsum}(\log(- (a^4*i^3 + a*b^3*e^3 + b^4*c*d^2 - b^4*c^2*e + a^4*g*j^2 + a^2*b^2*c*h^2 - a^2*b^2*e*g^2 + a^2*b^2*f^2*g + 3*a^2*b^2*e^2*i - 2*a^4*h*i*j + a*b^3*c*f^2 + a*b^3*d^2*g - a*b^3*c^2*i + a^3*b*c*j^2 + 3*a^3*b*e*i^2 + a^3*b*g*h^2 - a^3*b*g^2*i + 2*a^2*b^2*c*f*j - 2*a^2*b^2*c*g*i - 2*a^2*b^2*d*e*j - 2*a^2*b^2*d*f*i + 2*a^2*b^2*d*g*h - 2*a^2*b^2*e*f*h + 2*a*b^3*c*d*h - 2*a*b^3*c*e*g - 2*a*b^3*d*e*f - 2*a^3*b*d*i*j - 2*a^3*b*e*h*j + 2*a^3*b*f*g*j - 2*a^3*b*f*h*i)/b^2 - \text{root}(256*a^3*b^8*z^4 + 256*a^4*b^6*j*z^3 + 256*a^3*b^7*f*z^3 + 192*a^4*b^5*f*j*z^2 - 64*a^4*b^5*g*i*z^2 - 64*a^3*b^6*e*g*z^2 - 64*a^3*b^6*d*h*z^2 - 64*a^3*b^6*c*i*z^2 - 64*a^2*b^7*c*e*z^2 + 96*a^5*b^4*j^2*z^2 - 32*a^4*b^5*h^2*z^2 + 96*a^3*b^6*f^2*z^2 - 32*a^2*b^7*d^2*z^2 - 32*a^5*b^3*g*i*j*z - 32*a^4*b^4*f*g*i*z + 32*a^4*b^4*e*h*i*z - 32*a^4*b^4*e*g*j*z - 32*a^4*b^4*d*h*j*z - 32*a^4*b^4*c*i*j*z - 32*a^3*b^5*e*f*g*z - 32*a^3*b^5*d*f*h*z + 32*a^3*b^5*d*e*i*z + 32*a^3*b^5*c*g*h*z - 32*a^3*b^5*c*f*i*z - 32*a^3*b^5*c*e*j*z - 32*a^2*b^6*c*e*f*z + 32*a^2*b^6*c*d*g*z - 16*a^5*b^3*h^2*j*z + 16*a^5*b^3*h*i^2*z + 48*a^5*b^3*f*j^2*z + 48*a^4*b^4*f^2*j*z + 16*a^4*b^4*g^2*h*z - 16*a^4*b^4*f*h^2*z - 16*a^3*b^5*d^2*j*z + 16*a^4*b^4*d*i^2*z + 16*a^3*b^5*e^2*h*z + 16*a^3*b^5*d*g^2*z + 16*a^2*b^6*c^2*h*z - 16*a^2*b^6*d^2*f*z + 16*a^2*b^6*d*e^2*z + 16*a*b^7*c^2*d*z + 16*a^6*b^2*j^3*z + 16*a^3*b^5*f^3*z - 8*a^5*b^2*f*g*i*j + 8*a^5*b^2*e*h*i*j + 8*a^4*b^3*e*f*h*i - 8*a^4*b^3*e*f*g*j - 8*a^4*b^3*d*g*h*i - 8*a^4*b^3*d*f*h*j + 8*a^4*b^3*d*e*i*j + 8*a^4*b^3*c*g*h*j - 8*a^4*b^3*c*f*i*j - 8*a^3*b^4*d*e*g*h + 8*a^3*b^4*d*e*f*i + 8*a^3*b^4*c*f*g*h + 8*a^3*b^4*c*e*g*i - 8*a^3*b^4*c*e*f*j - 8*a^3*b^4*c*d*h*i + 8*a^3*b^4*c*d*g*j + 8*a^2*b^5*c*d*f*g - 8*a^2*b^5*c*d*e*h + 4*a^5*b^2*g^2*h*j - 4*a^5*b^2*g*h^2*i - 4*a^5*b^2*f*h^2*j + 4*a^5*b^2*f*h*i^2 + 4*a^5*b^2*d*i^2*j + 4*a^4*b^3*e^2*h*j - 4*a^5*b^2*e*g*j^2 - 4*a^5*b^2*d*h*j^2 - 4*a^5*b^2*c*i*j^2 - 4*a^4*b^3*f^2*g*i + 4*a^4*b^3*f*g^2*h + 4*a^4*b^3*e*g^2*i + 4*a^4*b^3*d*g^2*j + 4*a^3*b^4*c^2*h*j - 4*a^4*b^3*e*g*h^2 - 4*a^4*b^3*c*h^2*i - 4*a^3*b^4*d^2*g*i - 4*a^3*b^4*d^2*f*j + 4*a^4*b^3*d*f*i^2 + 4*a^4*b^3*c*g*i^2 + 4*a^3*b^4*e^2*f*h + 4*a^3*b^4*d*e^2*j - 4*a^4*b^3*c*e*j^2 - 4*a^3*b^4*e*f^2*g - 4*a^3*b^4*d*f^2*h - 4*a^3*b^4*c*f^2*i + 4*a^3*b^4*d*f*g^2 + 4*a^2*b^5*c^2*f*h + 4*a^2*b^5*c^2*e*i + 4*a^2*b^5*c^2*d*j - 4*a^3*b^4*c*e*h^2 - 4*a^2*b^5*d^2*e*g - 4*a^2*b^5*c*d^2*i + 4*a^2*b^5*d*e^2*f + 4*a^2*b^5*c*e^2*g - 4*a^2*b^5*c*e*f^2 + 4*a^6*b*h*i^2*j - 4*a^6*b*g*i*j^2 + 4*a*b^6*c^2*d*f - 4*a*b^6*c*d^2*e + 4*a^6*b*f*j^3 - 4*a*b^6*c^3*g + 6*a^5*b^2*f^2*j^2 + 2*a^5*b^2*g^2*i^2 - 6*a^4*b^3*e^2*i^2 - 2*a^4*b^3*f^2*h^2 - 2*a^4*b^3*d^2*j^2 + 6*a^3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 2*a^3*b^4*c^2*i^2 - 6*a^2*b^5*c^2*g^2 - 2*a^2*b^5*d^2*f^2 - 2*a^6*b*h^2*j^2 + 4*a^4*b^3*f^3*j - 4*a^5*b^2*e*i^3 - 4*a^3*b^4*e^3*i + 4*a^4*b^3*d*h^3 + 4*a^2*b^5*d^3*h - 4*a^3*b^4*c*g^3 + 2*a*b^6*c^2*e^2 + a^5*b^2*h^4 + a^3*b^4*f^4 + a*b^6*d^4 + a^7*j^4 - a^4*b^3*g^4 - a^2*b^5*e^4 - a^6*b*i^4 - b^7*c^4)$

$$\begin{aligned}
& , z, m) * ((8*a*b^4*c*f - 8*a*b^4*d*e + 8*a^2*b^3*c*j - 8*a^2*b^3*d*i - 8*a^2 \\
& *b^3*e*h + 8*a^2*b^3*f*g + 8*a^3*b^2*g*j - 8*a^3*b^2*h*i) / b^2 + \text{root}(256*a^ \\
& 3*b^8*z^4 + 256*a^4*b^6*j*z^3 + 256*a^3*b^7*f*z^3 + 192*a^4*b^5*f*j*z^2 - 6 \\
& 4*a^4*b^5*g*i*z^2 - 64*a^3*b^6*e*g*z^2 - 64*a^3*b^6*d*h*z^2 - 64*a^3*b^6*c* \\
& i*z^2 - 64*a^2*b^7*c*e*z^2 + 96*a^5*b^4*j^2*z^2 - 32*a^4*b^5*h^2*z^2 + 96*a \\
& ^3*b^6*f^2*z^2 - 32*a^2*b^7*d^2*z^2 - 32*a^5*b^3*g*i*j*z - 32*a^4*b^4*f*g*i \\
& *z + 32*a^4*b^4*e*h*i*z - 32*a^4*b^4*e*g*j*z - 32*a^4*b^4*d*h*j*z - 32*a^4* \\
& b^4*c*i*j*z - 32*a^3*b^5*e*f*g*z - 32*a^3*b^5*d*f*h*z + 32*a^3*b^5*d*e*i*z \\
& + 32*a^3*b^5*c*g*h*z - 32*a^3*b^5*c*f*i*z - 32*a^3*b^5*c*e*j*z - 32*a^2*b^6 \\
& *c*e*f*z + 32*a^2*b^6*c*d*g*z - 16*a^5*b^3*h^2*j*z + 16*a^5*b^3*h*i^2*z + 4 \\
& 8*a^5*b^3*f*j^2*z + 48*a^4*b^4*f^2*j*z + 16*a^4*b^4*g^2*h*z - 16*a^4*b^4*f* \\
& h^2*z - 16*a^3*b^5*d^2*j*z + 16*a^4*b^4*d*i^2*z + 16*a^3*b^5*e^2*h*z + 16*a \\
& ^3*b^5*d*g^2*z + 16*a^2*b^6*c^2*h*z - 16*a^2*b^6*d^2*f*z + 16*a^2*b^6*d*e^2 \\
& *z + 16*a*b^7*c^2*d*z + 16*a^6*b^2*j^3*z + 16*a^3*b^5*f^3*z - 8*a^5*b^2*f*g \\
& *i*j + 8*a^5*b^2*e*h*i*j + 8*a^4*b^3*e*f*h*i - 8*a^4*b^3*e*f*g*j - 8*a^4*b^ \\
& 3*d*g*h*i - 8*a^4*b^3*d*f*h*j + 8*a^4*b^3*d*e*i*j + 8*a^4*b^3*c*g*h*j - 8*a \\
& ^4*b^3*c*f*i*j - 8*a^3*b^4*d*e*g*h + 8*a^3*b^4*d*e*f*i + 8*a^3*b^4*c*f*g*h \\
& + 8*a^3*b^4*c*e*g*i - 8*a^3*b^4*c*e*f*j - 8*a^3*b^4*c*d*h*i + 8*a^3*b^4*c*d \\
& *g*j + 8*a^2*b^5*c*d*f*g - 8*a^2*b^5*c*d*e*h + 4*a^5*b^2*g^2*h*j - 4*a^5*b^ \\
& 2*g*h^2*i - 4*a^5*b^2*f*h^2*j + 4*a^5*b^2*f*h*i^2 + 4*a^5*b^2*d*i^2*j + 4*a \\
& ^4*b^3*e^2*h*j - 4*a^5*b^2*e*g*j^2 - 4*a^5*b^2*d*h*j^2 - 4*a^5*b^2*c*i*j^2 \\
& - 4*a^4*b^3*f^2*g*i + 4*a^4*b^3*f*g^2*h + 4*a^4*b^3*e*g^2*i + 4*a^4*b^3*d*g \\
& ^2*j + 4*a^3*b^4*c^2*h*j - 4*a^4*b^3*e*g*h^2 - 4*a^4*b^3*c*h^2*i - 4*a^3*b^ \\
& 4*d^2*g*i - 4*a^3*b^4*d^2*f*j + 4*a^4*b^3*d*f*i^2 + 4*a^4*b^3*c*g*i^2 + 4*a \\
& ^3*b^4*e^2*f*h + 4*a^3*b^4*d*e^2*j - 4*a^4*b^3*c*e*j^2 - 4*a^3*b^4*e*f^2*g \\
& - 4*a^3*b^4*d*f^2*h - 4*a^3*b^4*c*f^2*i + 4*a^3*b^4*d*f*g^2 + 4*a^2*b^5*c^2 \\
& *f*h + 4*a^2*b^5*c^2*e*i + 4*a^2*b^5*c^2*d*j - 4*a^3*b^4*c*e*h^2 - 4*a^2*b^ \\
& 5*d^2*e*g - 4*a^2*b^5*c*d^2*i + 4*a^2*b^5*d*e^2*f + 4*a^2*b^5*c*e^2*g - 4*a \\
& ^2*b^5*c*e*f^2 + 4*a^6*b*h*i^2*j - 4*a^6*b*g*i*j^2 + 4*a*b^6*c^2*d*f - 4*a* \\
& b^6*c*d^2*e + 4*a^6*b*f*j^3 - 4*a*b^6*c^3*g + 6*a^5*b^2*f^2*j^2 + 2*a^5*b^2 \\
& *g^2*i^2 - 6*a^4*b^3*e^2*i^2 - 2*a^4*b^3*f^2*h^2 - 2*a^4*b^3*d^2*j^2 + 6*a^ \\
& 3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 2*a^3*b^4*c^2*i^2 - 6*a^2*b^5*c^2*g^2 - \\
& 2*a^2*b^5*d^2*f^2 - 2*a^6*b*h^2*j^2 + 4*a^4*b^3*f^3*j - 4*a^5*b^2*e*i^3 - \\
& 4*a^3*b^4*e^3*i + 4*a^4*b^3*d*h^3 + 4*a^2*b^5*d^3*h - 4*a^3*b^4*c*g^3 + 2*a \\
& *b^6*c^2*e^2 + a^5*b^2*h^4 + a^3*b^4*f^4 + a*b^6*d^4 + a^7*j^4 - a^4*b^3*g^ \\
& 4 - a^2*b^5*e^4 - a^6*b*i^4 - b^7*c^4, z, m) * ((16*a^2*b^4*g + 16*a*b^5*c) / b \\
& ^2 - (x*(16*a^2*b^4*h + 16*a*b^5*d)) / b^2) + (x*(4*b^5*c^2 + 4*a*b^4*e^2 + 4 \\
& *a^2*b^3*g^2 + 4*a^3*b^2*i^2 + 8*a*b^4*c*g - 8*a*b^4*d*f - 8*a^2*b^3*d*j + \\
& 8*a^2*b^3*e*i - 8*a^2*b^3*f*h - 8*a^3*b^2*h*j)) / b^2) - (x*(b^4*d^3 + a^3*b* \\
& h^3 + b^4*c^2*f - a^4*h*j^2 + a^4*i^2*j + 3*a^2*b^2*d*h^2 + a^2*b^2*f*g^2 - \\
& a^2*b^2*f^2*h + a^2*b^2*e^2*j - 2*b^4*c*d*e - a*b^3*d*f^2 + a*b^3*e^2*f + \\
& 3*a*b^3*d^2*h + a*b^3*c^2*j - a^3*b*d*j^2 + a^3*b*f*i^2 + a^3*b*g^2*j + 2*a \\
& ^2*b^2*c*g*j - 2*a^2*b^2*c*h*i - 2*a^2*b^2*d*f*j - 2*a^2*b^2*d*g*i + 2*a^2* \\
& b^2*e*f*i - 2*a^2*b^2*e*g*h - 2*a*b^3*c*d*i - 2*a*b^3*c*e*h + 2*a*b^3*c*f*g \\
& - 2*a*b^3*d*e*g + 2*a^3*b*e*i*j - 2*a^3*b*f*h*j - 2*a^3*b*g*h*i)) / b^2) * \text{roo}
\end{aligned}$$

$$\begin{aligned}
& t(256a^3b^8z^4 + 256a^4b^6jz^3 + 256a^3b^7fz^3 + 192a^4b^5fj \\
& *z^2 - 64a^4b^5g*iz^2 - 64a^3b^6e*gz^2 - 64a^3b^6d*h*z^2 - 64a^3 \\
& b^6c*iz^2 - 64a^2b^7c*e*z^2 + 96a^5b^4j^2z^2 - 32a^4b^5h^2z^2 \\
& + 96a^3b^6f^2z^2 - 32a^2b^7d^2z^2 - 32a^5b^3g*ijz - 32a^4b^4 \\
& f*gi*z + 32a^4b^4e*hi*z - 32a^4b^4e*gjz - 32a^4b^4d*hi*z - \\
& 32a^4b^4c*ijz - 32a^3b^5e*fgz - 32a^3b^5d*fhz + 32a^3b^5d \\
& *e*iz + 32a^3b^5c*ghz - 32a^3b^5c*fi*z - 32a^3b^5c*e*jz - 32 \\
& a^2b^6c*e*fi*z + 32a^2b^6c*d*gz - 16a^5b^3h^2*jz + 16a^5b^3h*i \\
& ^2z + 48a^5b^3f*j^2z + 48a^4b^4f^2*jz + 16a^4b^4g^2*h*z - 16a^4 \\
& b^4f*h^2z - 16a^3b^5d^2*jz + 16a^4b^4d*i^2z + 16a^3b^5e^2*h* \\
& z + 16a^3b^5d*g^2z + 16a^2b^6c^2*h*z - 16a^2b^6d^2*f*z + 16a^2b \\
& ^6d*e^2z + 16a*b^7c^2*d*z + 16a^6b^2*j^3z + 16a^3b^5f^3z - 8a^5 \\
& b^2*f*gi*j + 8a^5b^2e*hi*j + 8a^4b^3e*fh*i - 8a^4b^3e*fg*j - \\
& 8a^4b^3d*gh*i - 8a^4b^3d*fh*j + 8a^4b^3d*e*ij + 8a^4b^3c*gh \\
& *j - 8a^4b^3c*fi*j - 8a^3b^4d*e*gh + 8a^3b^4d*e*fi + 8a^3b^4c \\
& *f*gh + 8a^3b^4c*e*gi - 8a^3b^4c*e*fi*j - 8a^3b^4c*d*hi + 8a^3 \\
& b^4c*d*gj + 8a^2b^5c*d*fg - 8a^2b^5c*d*eh + 4a^5b^2g^2*h*j - \\
& 4a^5b^2g*h^2i - 4a^5b^2f*h^2j + 4a^5b^2f*hi^2 + 4a^5b^2d*i^2 \\
& *j + 4a^4b^3e^2*h*j - 4a^5b^2e*gj^2 - 4a^5b^2d*hj^2 - 4a^5b^2c \\
& *ij^2 - 4a^4b^3f^2*gi + 4a^4b^3f*g^2*hi + 4a^4b^3e*g^2*ii + 4a^4 \\
& b^3d*g^2*j + 4a^3b^4c^2*h*j - 4a^4b^3e*gh^2 - 4a^4b^3c*h^2*ii - \\
& 4a^3b^4d^2*gi - 4a^3b^4d^2*f*j + 4a^4b^3d*fi^2 + 4a^4b^3c*gi \\
& ^2 + 4a^3b^4e^2*f*hi + 4a^3b^4d*e^2*j - 4a^4b^3c*e*j^2 - 4a^3b^4e \\
& f^2*g - 4a^3b^4d*fi^2*h - 4a^3b^4c*fi^2*ii + 4a^3b^4d*fi*g^2 + 4a^2 \\
& b^5c^2*f*hi + 4a^2b^5c^2*e*ii + 4a^2b^5c^2*d*j - 4a^3b^4c*e*hi^2 - \\
& 4a^2b^5d^2*e*g - 4a^2b^5c*d^2*ii + 4a^2b^5d*e^2*fi + 4a^2b^5c*e^2 \\
& *g - 4a^2b^5c*e*fi^2 + 4a^6b*hi^2*j - 4a^6b*gi*j^2 + 4a*b^6c^2*d* \\
& f - 4a*b^6c*d^2*e + 4a^6b*f*j^3 - 4a*b^6c^3*g + 6a^5b^2f^2*j^2 + 2 \\
& a^5b^2g^2*ii^2 - 6a^4b^3e^2*ii^2 - 2a^4b^3f^2*hi^2 - 2a^4b^3d^2*j^ \\
& ^2 + 6a^3b^4d^2*hi^2 + 2a^3b^4e^2*g^2 + 2a^3b^4c^2*ii^2 - 6a^2b^5c \\
& ^2*g^2 - 2a^2b^5d^2*fi^2 - 2a^6b*hi^2*j^2 + 4a^4b^3f^3*j - 4a^5b^2* \\
& e*ii^3 - 4a^3b^4e^3*ii + 4a^4b^3d*hi^3 + 4a^2b^5d^3*hi - 4a^3b^4c*g \\
& ^3 + 2a*b^6c^2*e^2 + a^5b^2*hi^4 + a^3b^4*fi^4 + a*b^6*d^4 + a^7*j^4 - a^ \\
& 4b^3*g^4 - a^2b^5e^4 - a^6b*ii^4 - b^7*c^4, z, m), m, 1, 4) - (h*x^2)/(2 \\
& *b) - (i*x^3)/(3*b) - (j*x^4)/(4*b) - (g*x)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a), x)

[Out] Timed out

$$3.189 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^4} dx$$

Optimal. Leaf size=337

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}}$$

[Out] $g*x/b+1/2*h*x^2/b+1/4*f*\ln(b*x^4+a)/b+1/2*(-a*h+b*d)*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/b^{(3/2)}/a^{(1/2)}-1/8*\ln(-a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(b*c-a*g-e*a^{(1/2)}*b^{(1/2)})/a^{(3/4)}/b^{(5/4)}*2^{(1/2)}+1/8*\ln(a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(b*c-a*g-e*a^{(1/2)}*b^{(1/2)})/a^{(3/4)}/b^{(5/4)}*2^{(1/2)}+1/4*\arctan(-1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(b*c-a*g+e*a^{(1/2)}*b^{(1/2)})/a^{(3/4)}/b^{(5/4)}*2^{(1/2)}+1/4*\arctan(1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(b*c-a*g+e*a^{(1/2)}*b^{(1/2)})/a^{(3/4)}/b^{(5/4)}*2^{(1/2)}$

Rubi [A] time = 0.40, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {1885, 1887, 1168, 1162, 617, 204, 1165, 628, 1819, 1810, 635, 205, 260}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e - ag + bc\right)}{4\sqrt{2} a^{3/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4), x]

[Out] $(g*x)/b + (h*x^2)/(2*b) + ((b*d - a*h)*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*b^{(3/2)}) - ((b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(5/4)}) + ((b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(5/4)}) - ((b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(5/4)}) + ((b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e - a*g)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(5/4)}) + (f*\text{Log}[a + b*x^4])/(4*b)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

$\text{Int}[(a_ + (b_ \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 260

$\text{Int}[x^{(m_)} / ((a_ + (b_ \cdot x)^n)), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x^n, x]] / (b \cdot n), x] \text{ ; FreeQ}\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 617

$\text{Int}[(a_ + (b_ \cdot x) + (c_ \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4 \cdot \text{Simplify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] \text{ ; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4 \cdot a \cdot c]) \text{ ; FreeQ}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$

Rule 628

$\text{Int}[(d_ + (e_ \cdot x)) / ((a_ + (b_ \cdot x) + (c_ \cdot x)^2), x_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] \text{ ; FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

Rule 635

$\text{Int}[(d_ + (e_ \cdot x)) / ((a_ + (c_ \cdot x)^2), x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + c \cdot x^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + c \cdot x^2), x], x] \text{ ; FreeQ}\{a, c, d, e\}, x] \ \&\& \ !\text{NiceSqrtQ}[-(a \cdot c)]$

Rule 1162

$\text{Int}[(d_ + (e_ \cdot x)^2) / ((a_ + (c_ \cdot x)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e + q \cdot x + x^2, x], x], x] + \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e - q \cdot x + x^2, x], x], x] \text{ ; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{PosQ}[d \cdot e]$

Rule 1165

$\text{Int}[(d_ + (e_ \cdot x)^2) / ((a_ + (c_ \cdot x)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q - 2 \cdot x)/\text{Simp}[d/e + q \cdot x - x^2, x], x], x] + \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q + 2 \cdot x)/\text{Simp}[d/e - q \cdot x - x^2, x], x], x] \text{ ; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{NegQ}[d \cdot e]$

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1810

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*
(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 1819

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[1/(m
+ 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p
, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[
Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]]*(a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a + bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4}{a + bx^4} + \frac{x(d + fx^2 + hx^4)}{a + bx^4} \right) dx \\
&= \int \frac{c + ex^2 + gx^4}{a + bx^4} dx + \int \frac{x(d + fx^2 + hx^4)}{a + bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{bc - ag + bex^2}{b(a + bx^4)} \right) dx \\
&= \frac{gx}{b} + \frac{1}{2} \text{Subst} \left(\int \left(\frac{h}{b} + \frac{bd - ah + bfx}{b(a + bx^2)} \right) dx, x, x^2 \right) + \frac{\int \frac{bc - ag + bex^2}{a + bx^4} dx}{b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{\text{Subst} \left(\int \frac{bd - ah + bfx}{a + bx^2} dx, x, x^2 \right)}{2b} + \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \int \frac{\sqrt{a} \sqrt{b} x}{a + bx^4} dx}{2\sqrt{a} b^{3/2}} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{1}{2} f \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) - \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \int \frac{\sqrt{a} \sqrt{b} x}{a + bx^4} dx}{4\sqrt{2} a^{3/4} b^{5/4}} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} - \frac{(bc - \sqrt{a} \sqrt{b} e - ag) \log(\sqrt{a} - \sqrt{b} x)}{4\sqrt{2} a^{3/4} b^{5/4}} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} - \frac{(bc + \sqrt{a} \sqrt{b} e - ag) \tan^{-1} \left(1 - \frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2\sqrt{2} a^{3/4} b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.49, size = 342, normalized size = 1.01

$$-2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} \right) (-2a^{5/4} h + \sqrt{2} \sqrt{a} b^{3/4} e + 2\sqrt[4]{a} bd - \sqrt{2} a \sqrt[4]{b} g + \sqrt{2} b^{5/4} c) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} + 1 \right) (2a^{5/4} h$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4), x]

[Out] (-2*(Sqrt[2]*b^(5/4)*c + 2*a^(1/4)*b*d + Sqrt[2]*Sqrt[a]*b^(3/4)*e - Sqrt[2]*a*b^(1/4)*g - 2*a^(5/4)*h)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[2]*b^(5/4)*c - 2*a^(1/4)*b*d + Sqrt[2]*Sqrt[a]*b^(3/4)*e - Sqrt[2]*a*b^(1/4)*g + 2*a^(5/4)*h)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + b^(1/4)*(Sqrt[2]*(-b*c) + Sqrt[a]*Sqrt[b]*e + a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(

$\frac{1}{4}x + \sqrt{b}x^2 + \sqrt{2}(bc - \sqrt{a}\sqrt{b}e - ag)\text{Log}[\sqrt{a} + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2 + 2a^{3/4}b^{1/4}(2x(2g + hx) + f\text{Log}[a + bx^4])]/(8a^{3/4}b^{3/2})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 375, normalized size = 1.11

$$\frac{f \log(|bx^4 + a|)}{4b} + \frac{bhx^2 + 2bgx}{2b^2} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d + \sqrt{2} \sqrt{ab} abh + (ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{1}{4}} abg + (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} x + \sqrt{2} (a/b)^{1/4}}{(a/b)^{1/4}} \right)}{4ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{4}f \log(\text{abs}(b*x^4 + a))/b + \frac{1}{2}(b*h*x^2 + 2*b*g*x)/b^2 + \frac{1}{4}\sqrt{2}(\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + \text{sqrt}(2)*\text{sqrt}(a*b)*a*b*h + (a*b^3)^{1/4}*b^2*c - (a*b^3)^{1/4}*a*b*g + (a*b^3)^{3/4}*e)*\arctan(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{1/4})/(a/b)^{1/4})/(a*b^3) + \frac{1}{4}\sqrt{2}(\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + \text{sqrt}(2)*\text{sqrt}(a*b)*a*b*h + (a*b^3)^{1/4}*b^2*c - (a*b^3)^{1/4}*a*b*g + (a*b^3)^{3/4}*e)*\arctan(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{1/4})/(a/b)^{1/4})/(a*b^3) + \frac{1}{8}\sqrt{2}((a*b^3)^{1/4}*b^2*c - (a*b^3)^{1/4}*a*b*g - (a*b^3)^{3/4}*e)*\log(x^2 + \text{sqrt}(2)*x*(a/b)^{1/4} + \text{sqrt}(a/b))/(a*b^3) - \frac{1}{8}\sqrt{2}((a*b^3)^{1/4}*b^2*c - (a*b^3)^{1/4}*a*b*g - (a*b^3)^{3/4}*e)*\log(x^2 - \text{sqrt}(2)*x*(a/b)^{1/4} + \text{sqrt}(a/b))/(a*b^3)$

maple [A] time = 0.05, size = 462, normalized size = 1.37

$$-\frac{ah \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab} b} + \frac{hx^2}{2b} + \frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x)`

[Out] $\frac{1}{2} \frac{h x^2 + 2 g x}{b} + \frac{\sqrt{2} \left(\sqrt{2 a^{\frac{3}{4}} b^{\frac{5}{4}} f + b^2 c - \sqrt{a} b^{\frac{3}{2}} e - a b g} \right) \log \left(\sqrt{b} x^2 + \sqrt{2 a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2 a^{\frac{3}{4}} b^{\frac{5}{4}} f - b^2 c + \sqrt{a} b^{\frac{3}{2}} e + a b g} \right) \log \left(\sqrt{b} x^2 - \sqrt{2 a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}}$

maxima [A] time = 3.05, size = 351, normalized size = 1.04

$$\frac{hx^2 + 2gx}{2b} + \frac{\sqrt{2} \left(\sqrt{2 a^{\frac{3}{4}} b^{\frac{5}{4}} f + b^2 c - \sqrt{a} b^{\frac{3}{2}} e - a b g} \right) \log \left(\sqrt{b} x^2 + \sqrt{2 a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2 a^{\frac{3}{4}} b^{\frac{5}{4}} f - b^2 c + \sqrt{a} b^{\frac{3}{2}} e + a b g} \right) \log \left(\sqrt{b} x^2 - \sqrt{2 a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")`

[Out] $\frac{1}{2} \frac{h x^2 + 2 g x}{b} + \frac{1}{8} \frac{(\sqrt{2})^2 a^{3/4} b^{5/4} f + b^2 c - \sqrt{a} b^{3/2} e - a b g}{a^{3/4} b^{5/4}} \log(\sqrt{b} x^2 + \sqrt{2 a^{1/4} b^{1/4} x + \sqrt{a}}) + \frac{1}{8} \frac{(\sqrt{2})^2 a^{3/4} b^{5/4} f - b^2 c + \sqrt{a} b^{3/2} e + a b g}{a^{3/4} b^{5/4}} \log(\sqrt{b} x^2 - \sqrt{2 a^{1/4} b^{1/4} x + \sqrt{a}}) + \frac{2 (\sqrt{2})^2 a^{1/4} b^{9/4} c + \sqrt{2} a^{3/4} b^{7/4} e - \sqrt{2} a^{5/4} b^{5/4} g - 2 \sqrt{2} a^{3/2} b^2 h}{a^{3/4} b^{5/4}} \arctan\left(\frac{1/2 \sqrt{2} (2 \sqrt{2} b x + \sqrt{2} a^{1/4} b^{1/4})}{\sqrt{a} \sqrt{b}}\right) + \frac{2 (\sqrt{2})^2 a^{1/4} b^{9/4} c + \sqrt{2} a^{3/4} b^{7/4} e - \sqrt{2} a^{5/4} b^{5/4} g + 2 \sqrt{2} a^{3/2} b^2 h}{a^{3/4} b^{5/4}} \arctan\left(\frac{1/2 \sqrt{2} (2 \sqrt{2} b x - \sqrt{2} a^{1/4} b^{1/4})}{\sqrt{a} \sqrt{b}}\right) / b$

mupad [B] time = 5.54, size = 2469, normalized size = 7.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4),x)`

```
[Out] symsum(log(root(256*a^3*b^6*z^4 - 256*a^3*b^5*f*z^3 - 64*a^3*b^4*e*g*z^2 -
64*a^3*b^4*d*h*z^2 + 64*a^2*b^5*c*e*z^2 + 32*a^4*b^3*h^2*z^2 + 96*a^3*b^4*f
^2*z^2 + 32*a^2*b^5*d^2*z^2 + 32*a^3*b^3*e*f*g*z + 32*a^3*b^3*d*f*h*z - 32*
a^3*b^3*c*g*h*z - 32*a^2*b^4*c*e*f*z + 32*a^2*b^4*c*d*g*z + 16*a^4*b^2*g^2*
h*z - 16*a^4*b^2*f*h^2*z - 16*a^3*b^3*e^2*h*z - 16*a^3*b^3*d*g^2*z + 16*a^2
*b^4*c^2*h*z - 16*a^2*b^4*d^2*f*z + 16*a^2*b^4*d*e^2*z - 16*a*b^5*c^2*d*z -
16*a^3*b^3*f^3*z - 8*a^3*b^2*d*e*g*h + 8*a^3*b^2*c*f*g*h - 8*a^2*b^3*c*d*f
*g + 8*a^2*b^3*c*d*e*h + 4*a^3*b^2*e^2*f*h - 4*a^3*b^2*e*f^2*g - 4*a^3*b^2*
d*f^2*h + 4*a^3*b^2*d*f*g^2 - 4*a^2*b^3*c^2*f*h - 4*a^3*b^2*c*e*h^2 + 4*a^2
*b^3*d^2*e*g - 4*a^2*b^3*d*e^2*f - 4*a^2*b^3*c*e^2*g + 4*a^2*b^3*c*e*f^2 -
4*a^4*b*f*g^2*h + 4*a^4*b*e*g*h^2 + 4*a*b^4*c^2*d*f - 4*a*b^4*c*d^2*e - 4*a
^4*b*d*h^3 - 4*a*b^4*c^3*g + 6*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 + 6*a^2*
b^3*c^2*g^2 + 2*a^2*b^3*d^2*f^2 + 2*a^4*b*f^2*h^2 - 4*a^2*b^3*d^3*h - 4*a^3
*b^2*c*g^3 + 2*a*b^4*c^2*e^2 + a^3*b^2*f^4 + a^2*b^3*e^4 + a^4*b*g^4 + a*b^
4*d^4 + a^5*h^4 + b^5*c^4, z, k)*((8*a*b^3*c*f - 8*a*b^3*d*e + 8*a^2*b^2*e*
h - 8*a^2*b^2*f*g)/b + root(256*a^3*b^6*z^4 - 256*a^3*b^5*f*z^3 - 64*a^3*b^
4*e*g*z^2 - 64*a^3*b^4*d*h*z^2 + 64*a^2*b^5*c*e*z^2 + 32*a^4*b^3*h^2*z^2 +
96*a^3*b^4*f^2*z^2 + 32*a^2*b^5*d^2*z^2 + 32*a^3*b^3*e*f*g*z + 32*a^3*b^3*d
*f*h*z - 32*a^3*b^3*c*g*h*z - 32*a^2*b^4*c*e*f*z + 32*a^2*b^4*c*d*g*z + 16*
a^4*b^2*g^2*h*z - 16*a^4*b^2*f*h^2*z - 16*a^3*b^3*e^2*h*z - 16*a^3*b^3*d*g^
2*z + 16*a^2*b^4*c^2*h*z - 16*a^2*b^4*d^2*f*z + 16*a^2*b^4*d*e^2*z - 16*a*b
^5*c^2*d*z - 16*a^3*b^3*f^3*z - 8*a^3*b^2*d*e*g*h + 8*a^3*b^2*c*f*g*h - 8*a
^2*b^3*c*d*f*g + 8*a^2*b^3*c*d*e*h + 4*a^3*b^2*e^2*f*h - 4*a^3*b^2*e*f^2*g
- 4*a^3*b^2*d*f^2*h + 4*a^3*b^2*d*f*g^2 - 4*a^2*b^3*c^2*f*h - 4*a^3*b^2*c*e
*h^2 + 4*a^2*b^3*d^2*e*g - 4*a^2*b^3*d*e^2*f - 4*a^2*b^3*c*e^2*g + 4*a^2*b^
3*c*e*f^2 - 4*a^4*b*f*g^2*h + 4*a^4*b*e*g*h^2 + 4*a*b^4*c^2*d*f - 4*a*b^4*c
*d^2*e - 4*a^4*b*d*h^3 - 4*a*b^4*c^3*g + 6*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*
g^2 + 6*a^2*b^3*c^2*g^2 + 2*a^2*b^3*d^2*f^2 + 2*a^4*b*f^2*h^2 - 4*a^2*b^3*d
^3*h - 4*a^3*b^2*c*g^3 + 2*a*b^4*c^2*e^2 + a^3*b^2*f^4 + a^2*b^3*e^4 + a^4*
b*g^4 + a*b^4*d^4 + a^5*h^4 + b^5*c^4, z, k)*((16*a^2*b^3*g - 16*a*b^4*c)/b
- (x*(16*a^2*b^3*h - 16*a*b^4*d))/b) - (x*(4*b^4*c^2 - 4*a*b^3*e^2 + 4*a^2
*b^2*g^2 - 8*a*b^3*c*g + 8*a*b^3*d*f - 8*a^2*b^2*f*h))/b) - (a*b^2*e^3 - b^
3*c*d^2 + b^3*c^2*e + a^3*g*h^2 + a*b^2*c*f^2 + a*b^2*d^2*g - a^2*b*c*h^2 +
a^2*b*e*g^2 - a^2*b*f^2*g + 2*a*b^2*c*d*h - 2*a*b^2*c*e*g - 2*a*b^2*d*e*f
- 2*a^2*b*d*g*h + 2*a^2*b*e*f*h)/b + (x*(b^3*d^3 - a^3*h^3 + b^3*c^2*f - 2*
b^3*c*d*e + a*b^2*d*f^2 - a*b^2*e^2*f - 3*a*b^2*d^2*h + 3*a^2*b*d*h^2 + a^2
*b*f*g^2 - a^2*b*f^2*h + 2*a*b^2*c*e*h - 2*a*b^2*c*f*g + 2*a*b^2*d*e*g - 2*
a^2*b*e*g*h))/b)*root(256*a^3*b^6*z^4 - 256*a^3*b^5*f*z^3 - 64*a^3*b^4*e*g*
z^2 - 64*a^3*b^4*d*h*z^2 + 64*a^2*b^5*c*e*z^2 + 32*a^4*b^3*h^2*z^2 + 96*a^3
*b^4*f^2*z^2 + 32*a^2*b^5*d^2*z^2 + 32*a^3*b^3*e*f*g*z + 32*a^3*b^3*d*f*h*z
- 32*a^3*b^3*c*g*h*z - 32*a^2*b^4*c*e*f*z + 32*a^2*b^4*c*d*g*z + 16*a^4*b^
2*g^2*h*z - 16*a^4*b^2*f*h^2*z - 16*a^3*b^3*e^2*h*z - 16*a^3*b^3*d*g^2*z +
16*a^2*b^4*c^2*h*z - 16*a^2*b^4*d^2*f*z + 16*a^2*b^4*d*e^2*z - 16*a*b^5*c^2
*d*z - 16*a^3*b^3*f^3*z - 8*a^3*b^2*d*e*g*h + 8*a^3*b^2*c*f*g*h - 8*a^2*b^3
*c*d*f*g + 8*a^2*b^3*c*d*e*h + 4*a^3*b^2*e^2*f*h - 4*a^3*b^2*e*f^2*g - 4*a^
```


$3*b^2*d*f^2*h + 4*a^3*b^2*d*f*g^2 - 4*a^2*b^3*c^2*f*h - 4*a^3*b^2*c*e*h^2 +$
 $4*a^2*b^3*d^2*e*g - 4*a^2*b^3*d*e^2*f - 4*a^2*b^3*c*e^2*g + 4*a^2*b^3*c*e*$
 $f^2 - 4*a^4*b*f*g^2*h + 4*a^4*b*e*g*h^2 + 4*a*b^4*c^2*d*f - 4*a*b^4*c*d^2*e$
 $- 4*a^4*b*d*h^3 - 4*a*b^4*c^3*g + 6*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 +$
 $6*a^2*b^3*c^2*g^2 + 2*a^2*b^3*d^2*f^2 + 2*a^4*b*f^2*h^2 - 4*a^2*b^3*d^3*h -$
 $4*a^3*b^2*c*g^3 + 2*a*b^4*c^2*e^2 + a^3*b^2*f^4 + a^2*b^3*e^4 + a^4*b*g^4$
 $+ a*b^4*d^4 + a^5*h^4 + b^5*c^4, z, k), k, 1, 4) + (h*x^2)/(2*b) + (g*x)/b$
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.190 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{a+bx^4} dx$$

Optimal. Leaf size=384

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}}$$

[Out] $g*x/b+1/2*h*x^2/b+1/3*i*x^3/b+1/4*f*\ln(b*x^4+a)/b+1/2*(-a*h+b*d)*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/b^{(3/2)}/a^{(1/2)}-1/8*\ln(-a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(-(-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}+1/8*\ln(a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(-(-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}+1/4*\arctan(-1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*((-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}+1/4*\arctan(1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*((-a*i+b*e)*a^{(1/2)}+(-a*g+b*c)*b^{(1/2)})/a^{(3/4)}/b^{(7/4)}*2^{(1/2)}$

Rubi [A] time = 0.57, antiderivative size = 384, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 13, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.325$, Rules used = {1885, 1819, 1810, 635, 205, 260, 1887, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4), x]

[Out] $(g*x)/b + (h*x^2)/(2*b) + (i*x^3)/(3*b) + ((b*d - a*h)*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*b^{(3/2)}) - ((\text{Sqrt}[b]*(b*c - a*g) + \text{Sqrt}[a]*(b*e - a*i))*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) + ((\text{Sqrt}[b]*(b*c - a*g) + \text{Sqrt}[a]*(b*e - a*i))*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) - ((\text{Sqrt}[b]*(b*c - a*g) - \text{Sqrt}[a]*(b*e - a*i))*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) + ((\text{Sqrt}[b]*(b*c - a*g) - \text{Sqrt}[a]*(b*e - a*i))*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(7/4)}) + (f*\text{Log}[a + b*x^4])/(4*b)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1810

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*
(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 1819

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/(m
+ 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p
, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[
Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1})*(a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 190x^6}{a + bx^4} dx &= \int \left(\frac{x(d + fx^2 + hx^4)}{a + bx^4} + \frac{c + ex^2 + gx^4 + 190x^6}{a + bx^4} \right) dx \\
&= \int \frac{x(d + fx^2 + hx^4)}{a + bx^4} dx + \int \frac{c + ex^2 + gx^4 + 190x^6}{a + bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{190x^2}{b} + \frac{bc - a}{b} \right) dx \\
&= \frac{gx}{b} + \frac{190x^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \left(\frac{h}{b} + \frac{bd - ah + bfx}{b(a + bx^2)} \right) dx, x, x^2 \right) + \frac{(190a - bc)x}{b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{190x^3}{3b} + \frac{\text{Subst} \left(\int \frac{bd - ah + bfx}{a + bx^2} dx, x, x^2 \right)}{2b} - \frac{(190a - bc)x}{b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{190x^3}{3b} + \frac{1}{2} f \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) - \frac{(190a - bc)x}{b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{190x^3}{3b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}b^{3/2}} - \frac{(190a - bc)x}{b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{190x^3}{3b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}b^{3/2}} + \frac{(190a - bc)x}{b}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 427, normalized size = 1.11

$$\frac{6 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} \right) \left(2a^{5/4} \sqrt[4]{b} h + \sqrt{2} a^{3/2} i - 2 \sqrt[4]{a} b^{5/4} d - \sqrt{2} \sqrt{a} b e + \sqrt{2} a \sqrt{b} g - \sqrt{2} b^{3/2} c \right)}{a^{3/4}} + \frac{6 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt{a}} + 1 \right) \left(2a^{5/4} \sqrt[4]{b} h - \sqrt{2} a^{3/2} i - 2 \sqrt[4]{a} b^{5/4} d + \sqrt{2} \sqrt{a} b e - \sqrt{2} a \sqrt{b} g + \sqrt{2} b^{3/2} c \right)}{a^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4), x]

[Out] (24*b^(3/4)*g*x + 12*b^(3/4)*h*x^2 + 8*b^(3/4)*i*x^3 + (6*(-(Sqrt[2]*b^(3/2))*c) - 2*a^(1/4)*b^(5/4)*d - Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h + Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(3/4) + (6*(Sqrt[2]*b^(3/2))*c - 2*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]

```
] * b * e - Sqrt[2] * a * Sqrt[b] * g + 2 * a^(5/4) * b^(1/4) * h - Sqrt[2] * a^(3/2) * i) * ArcTan[1 + (Sqrt[2] * b^(1/4) * x) / a^(1/4)] / a^(3/4) - (3 * Sqrt[2] * (b^(3/2) * c - Sqrt[a] * b * e - a * Sqrt[b] * g + a^(3/2) * i) * Log[Sqrt[a] - Sqrt[2] * a^(1/4) * b^(1/4) * x + Sqrt[b] * x^2]) / a^(3/4) + (3 * Sqrt[2] * (b^(3/2) * c - Sqrt[a] * b * e - a * Sqrt[b] * g + a^(3/2) * i) * Log[Sqrt[a] + Sqrt[2] * a^(1/4) * b^(1/4) * x + Sqrt[b] * x^2]) / a^(3/4) + 6 * b^(3/4) * f * Log[a + b * x^4]) / (24 * b^(7/4))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="fricas")
```

[Out] Timed out

giac [A] time = 0.21, size = 562, normalized size = 1.46

$$\frac{1}{8} i \left(\frac{2 \sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2 \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2} x \left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{b^4} \right) - \frac{1}{8} i \left(\frac{2 \sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2 \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2} x \left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")
```

```
[Out] -1/8*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/b^4 - sqrt(2)*(a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/b^4 - 1/8*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/b^4 + sqrt(2)*(a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/b^4 + 1/4*f*log(abs(b*x^4 + a))/b + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d + sqrt(2)*sqrt(a*b)*a*b*h + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d + sqrt(2)*sqrt(a*b)*a*b*h + (a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3) - 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3)
```

- sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3) + 1/6*(2*b^2*i*x^3 + 3*b^2*h*x^2 + 6*b^2*g*x)/b^3

maple [B] time = 0.06, size = 603, normalized size = 1.57

$$\frac{ix^3}{3b} - \frac{ah \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab} b} + \frac{hx^2}{2b} + \frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab}} - \frac{\sqrt{2} ai \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2} - \frac{\sqrt{2} ai \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2} - \frac{\sqrt{2} ai}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x)

[Out] 1/3/b*i*x^3+1/2/b*h*x^2+1/b*g*x-1/4*(a/b)^(1/4)*2^(1/2)/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4*(a/b)^(1/4)*2^(1/2)/a*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)-1/8*(a/b)^(1/4)*2^(1/2)/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/8*(a/b)^(1/4)*2^(1/2)/a*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))-1/4*(a/b)^(1/4)*2^(1/2)/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4*(a/b)^(1/4)*2^(1/2)/a*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)-1/2/(a*b)^(1/2)*a/b*h*arctan((1/a*b)^(1/2)*x^2)+1/2/(a*b)^(1/2)*d*arctan((1/a*b)^(1/2)*x^2)-1/8/b^2/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*a*i+1/8/(a/b)^(1/4)*2^(1/2)/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))-1/4/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*a*i+1/4/(a/b)^(1/4)*2^(1/2)/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)-1/4/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*a*i+1/4/(a/b)^(1/4)*2^(1/2)/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4/b*f*ln(b*x^4+a)

maxima [A] time = 3.08, size = 399, normalized size = 1.04

$$\frac{2ix^3 + 3hx^2 + 6gx}{6b} + \frac{\sqrt{2}\left(\sqrt{2}a^{\frac{3}{4}}b^{\frac{5}{4}}f+b^2c-\sqrt{a}b^{\frac{3}{2}}e-abg+a^{\frac{3}{2}}\sqrt{bi}\right)\log\left(\sqrt{bx^2+\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{5}{4}}} + \frac{\sqrt{2}\left(\sqrt{2}a^{\frac{3}{4}}b^{\frac{5}{4}}f-b^2c+\sqrt{a}b^{\frac{3}{2}}e+abg-a^{\frac{3}{2}}\sqrt{bi}\right)\log\left(\sqrt{bx^2+\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x+\sqrt{a}}\right)}{a^{\frac{3}{4}}b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="maxima")

[Out] 1/6*(2*i*x^3 + 3*h*x^2 + 6*g*x)/b + 1/8*(sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*f + b^2*c - sqrt(a)*b^(3/2)*e - a*b*g + a^(3/2)*sqrt(b)*i)*log(sqrt(b)*x^2 +

$$\begin{aligned} & \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{a} \Big/ \left(a^{3/4} \cdot b^{5/4} \right) + \sqrt{2} \cdot \left(\sqrt{2} \cdot a^{3/4} \cdot b^{5/4} \cdot f - b^2 \cdot c + \sqrt{a} \cdot b^{3/2} \cdot e + a \cdot b \cdot g - a^{3/2} \cdot \sqrt{b} \cdot i \right) \cdot \\ & \log\left(\sqrt{b} \cdot x^2 - \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \cdot x + \sqrt{a} \Big/ \left(a^{3/4} \cdot b^{5/4} \right) + \right. \\ & 2 \cdot \left(\sqrt{2} \cdot a^{1/4} \cdot b^{9/4} \cdot c + \sqrt{2} \cdot a^{3/4} \cdot b^{7/4} \cdot e - \sqrt{2} \cdot a^{5/4} \cdot b^{5/4} \cdot g - \sqrt{2} \cdot a^{7/4} \cdot b^{3/4} \cdot i - 2 \cdot \sqrt{a} \cdot b^2 \cdot d + 2 \cdot a^{3/2} \cdot b \cdot h \right) \cdot \\ & \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot \left(2 \cdot \sqrt{b} \cdot x + \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \right) \Big/ \sqrt{\sqrt{a} \cdot \sqrt{b}} \right) \Big/ \left(a^{3/4} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}} \cdot b^{5/4} \right) + 2 \cdot \left(\sqrt{2} \cdot a^{1/4} \cdot b^{9/4} \cdot c \right. \\ & + \sqrt{2} \cdot a^{3/4} \cdot b^{7/4} \cdot e - \sqrt{2} \cdot a^{5/4} \cdot b^{5/4} \cdot g - \sqrt{2} \cdot a^{7/4} \cdot b^{3/4} \cdot i + 2 \cdot \sqrt{a} \cdot b^2 \cdot d - 2 \cdot a^{3/2} \cdot b \cdot h \Big) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot \left(2 \cdot \sqrt{b} \cdot x \right. \right. \\ & \left. \left. - \sqrt{2} \cdot a^{1/4} \cdot b^{1/4} \right) \Big/ \sqrt{\sqrt{a} \cdot \sqrt{b}} \right) \Big/ \left(a^{3/4} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}} \cdot b^{5/4} \right) \Big/ b \end{aligned}$$

mupad [B] time = 5.05, size = 3798, normalized size = 9.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d \cdot x + e \cdot x^2 + f \cdot x^3 + g \cdot x^4 + h \cdot x^5 + i \cdot x^6) / (a + b \cdot x^4), x)$

[Out] $\text{symsum}(\log((a^4 \cdot i^3 - a \cdot b^3 \cdot e^3 + b^4 \cdot c \cdot d^2 - b^4 \cdot c^2 \cdot e + a^2 \cdot b^2 \cdot c \cdot h^2 - a^2 \cdot b^2 \cdot e \cdot g^2 + a^2 \cdot b^2 \cdot f^2 \cdot g + 3 \cdot a^2 \cdot b^2 \cdot e^2 \cdot i - a \cdot b^3 \cdot c \cdot f^2 - a \cdot b^3 \cdot d^2 \cdot g + a \cdot b^3 \cdot c^2 \cdot i - 3 \cdot a^3 \cdot b \cdot e \cdot i^2 - a^3 \cdot b \cdot g \cdot h^2 + a^3 \cdot b \cdot g^2 \cdot i - 2 \cdot a^2 \cdot b^2 \cdot c \cdot g \cdot i - 2 \cdot a^2 \cdot b^2 \cdot d \cdot f \cdot i + 2 \cdot a^2 \cdot b^2 \cdot d \cdot g \cdot h - 2 \cdot a^2 \cdot b^2 \cdot e \cdot f \cdot h - 2 \cdot a \cdot b^3 \cdot c \cdot d \cdot h + 2 \cdot a \cdot b^3 \cdot c \cdot e \cdot g + 2 \cdot a \cdot b^3 \cdot d \cdot e \cdot f + 2 \cdot a^3 \cdot b \cdot f \cdot h \cdot i) / b^2 + \text{root}(256 \cdot a^3 \cdot b^7 \cdot z^4 - 256 \cdot a^3 \cdot b^6 \cdot f \cdot z^3 + 64 \cdot a^4 \cdot b^4 \cdot g \cdot i \cdot z^2 - 64 \cdot a^3 \cdot b^5 \cdot e \cdot g \cdot z^2 - 64 \cdot a^3 \cdot b^5 \cdot d \cdot h \cdot z^2 - 64 \cdot a^3 \cdot b^5 \cdot c \cdot i \cdot z^2 + 64 \cdot a^2 \cdot b^6 \cdot c \cdot e \cdot z^2 + 32 \cdot a^4 \cdot b^4 \cdot h^2 \cdot z^2 + 96 \cdot a^3 \cdot b^5 \cdot f^2 \cdot z^2 + 32 \cdot a^2 \cdot b^6 \cdot d^2 \cdot z^2 - 32 \cdot a^4 \cdot b^3 \cdot f \cdot g \cdot i \cdot z + 32 \cdot a^4 \cdot b^3 \cdot e \cdot h \cdot i \cdot z + 32 \cdot a^3 \cdot b^4 \cdot e \cdot f \cdot g \cdot z + 32 \cdot a^3 \cdot b^4 \cdot d \cdot f \cdot h \cdot z - 32 \cdot a^3 \cdot b^4 \cdot d \cdot e \cdot i \cdot z - 32 \cdot a^3 \cdot b^4 \cdot c \cdot g \cdot h \cdot z + 32 \cdot a^3 \cdot b^4 \cdot c \cdot f \cdot i \cdot z - 32 \cdot a^2 \cdot b^5 \cdot c \cdot e \cdot f \cdot z + 32 \cdot a^2 \cdot b^5 \cdot c \cdot d \cdot g \cdot z - 16 \cdot a^5 \cdot b^2 \cdot h \cdot i^2 \cdot z + 16 \cdot a^4 \cdot b^3 \cdot g^2 \cdot h \cdot z - 16 \cdot a^4 \cdot b^3 \cdot f \cdot h^2 \cdot z + 16 \cdot a^4 \cdot b^3 \cdot d \cdot i^2 \cdot z - 16 \cdot a^3 \cdot b^4 \cdot e^2 \cdot h \cdot z - 16 \cdot a^3 \cdot b^4 \cdot d \cdot g^2 \cdot z + 16 \cdot a^2 \cdot b^5 \cdot c^2 \cdot h \cdot z - 16 \cdot a^2 \cdot b^5 \cdot d^2 \cdot f \cdot z + 16 \cdot a^2 \cdot b^5 \cdot d \cdot e^2 \cdot z - 16 \cdot a \cdot b^6 \cdot c^2 \cdot d \cdot z - 16 \cdot a^3 \cdot b^4 \cdot f^3 \cdot z - 8 \cdot a^4 \cdot b^2 \cdot e \cdot f \cdot h \cdot i + 8 \cdot a^4 \cdot b^2 \cdot d \cdot g \cdot h \cdot i - 8 \cdot a^3 \cdot b^3 \cdot d \cdot e \cdot g \cdot h + 8 \cdot a^3 \cdot b^3 \cdot d \cdot e \cdot f \cdot i + 8 \cdot a^3 \cdot b^3 \cdot c \cdot f \cdot g \cdot h + 8 \cdot a^3 \cdot b^3 \cdot c \cdot e \cdot g \cdot i - 8 \cdot a^3 \cdot b^3 \cdot c \cdot d \cdot h \cdot i - 8 \cdot a^2 \cdot b^4 \cdot c \cdot d \cdot f \cdot g + 8 \cdot a^2 \cdot b^4 \cdot c \cdot d \cdot e \cdot h + 4 \cdot a^4 \cdot b^2 \cdot f^2 \cdot g \cdot i - 4 \cdot a^4 \cdot b^2 \cdot f \cdot g^2 \cdot h - 4 \cdot a^4 \cdot b^2 \cdot e \cdot g^2 \cdot i + 4 \cdot a^4 \cdot b^2 \cdot e \cdot g \cdot h^2 + 4 \cdot a^4 \cdot b^2 \cdot c \cdot h^2 \cdot i - 4 \cdot a^3 \cdot b^3 \cdot d^2 \cdot g \cdot i - 4 \cdot a^4 \cdot b^2 \cdot d \cdot f \cdot i^2 - 4 \cdot a^4 \cdot b^2 \cdot c \cdot g \cdot i^2 + 4 \cdot a^3 \cdot b^3 \cdot e^2 \cdot f \cdot h - 4 \cdot a^3 \cdot b^3 \cdot e \cdot f^2 \cdot g - 4 \cdot a^3 \cdot b^3 \cdot d \cdot f^2 \cdot h - 4 \cdot a^3 \cdot b^3 \cdot c \cdot f^2 \cdot i + 4 \cdot a^3 \cdot b^3 \cdot d \cdot f \cdot g^2 - 4 \cdot a^2 \cdot b^4 \cdot c^2 \cdot f \cdot h - 4 \cdot a^2 \cdot b^4 \cdot c^2 \cdot e \cdot i - 4 \cdot a^3 \cdot b^3 \cdot c \cdot e \cdot h^2 + 4 \cdot a^2 \cdot b^4 \cdot d^2 \cdot e \cdot g + 4 \cdot a^2 \cdot b^4 \cdot c \cdot d^2 \cdot i - 4 \cdot a^2 \cdot b^4 \cdot d \cdot e^2 \cdot f - 4 \cdot a^2 \cdot b^4 \cdot c \cdot e^2 \cdot g + 4 \cdot a^2 \cdot b^4 \cdot c \cdot e \cdot f^2 - 4 \cdot a^5 \cdot b \cdot g \cdot h^2 \cdot i + 4 \cdot a^5 \cdot b \cdot f \cdot h \cdot i^2 + 4 \cdot a \cdot b^5 \cdot c^2 \cdot d \cdot f - 4 \cdot a \cdot b^5 \cdot c \cdot d^2 \cdot e - 4 \cdot a^5 \cdot b \cdot e \cdot i^3 - 4 \cdot a \cdot b^5 \cdot c^3 \cdot g + 6 \cdot a^4 \cdot b^2 \cdot e^2 \cdot i^2 + 2 \cdot a^4 \cdot b^2 \cdot f^2 \cdot h^2 + 6 \cdot a^3 \cdot b^3 \cdot d^2 \cdot h^2 + 2 \cdot a^3 \cdot b^3 \cdot e^2 \cdot g^2 + 2 \cdot a^3 \cdot b^3 \cdot c^2 \cdot i^2 + 6 \cdot a^2 \cdot b^4 \cdot c^2 \cdot g^2 + 2 \cdot a^2 \cdot b^4 \cdot d^2 \cdot f^2 + 2 \cdot a^5 \cdot b \cdot g^2 \cdot i^2 - 4 \cdot a^3 \cdot b^3 \cdot e^3 \cdot i - 4 \cdot a^4 \cdot b^2 \cdot d \cdot h^3 - 4 \cdot a^2 \cdot b^4 \cdot d^3 \cdot h - 4 \cdot a^3 \cdot b^3 \cdot c \cdot g^3 + 2 \cdot a \cdot b^5 \cdot c^2 \cdot e^2 + a^4 \cdot b^2 \cdot g^4 + a^3 \cdot b^$

$$\begin{aligned}
& 3f^4 + a^2b^4e^4 + a^5b^4h^4 + ab^5d^4 + a^6i^4 + b^6c^4, z, 1) * ((8 * \\
& a^3b^2hi) / b^2 + \text{root}(256a^3b^7z^4 - 256a^3b^6fz^3 + 64a^4b^4g \\
& * iz^2 - 64a^3b^5egz^2 - 64a^3b^5d^2hz^2 - 64a^3b^5c^2iz^2 + 64a^2b^6c^2e \\
& * z^2 + 32a^4b^4h^2z^2 + 96a^3b^5f^2z^2 + 32a^2b^6d^2z^2 - 32a^4b^3fg^2i \\
& * z + 32a^4b^3eh^2iz + 32a^3b^4efg^2z + 32a^3b^4df^2hz - 32a^3b^4de^2 \\
& * iz - 32a^2b^5c^2eg^2z - 16a^5b^2h^2iz + 16a^4b^3g^2hz - 16a^4b^3f^2 \\
& * h^2z + 16a^4b^3d^2iz - 16a^3b^4e^2hz - 16a^3b^4d^2gz + 16a^2b^5c^2 \\
& * h^2z - 16a^2b^5d^2fz + 16a^2b^5de^2z - 16ab^6c^2dz - 16a^3b^4f^3z - \\
& 8a^4b^2ef^2hi + 8a^4b^2d^2ghi - 8a^3b^3de^2gh + 8a^3b^3de^2fi + 8a^3b^3 \\
& c^2fg^2h + 8a^3b^3c^2egi - 8a^3b^3cd^2hi - 8a^2b^4cd^2fg + 8a^2b^4cd^2eh \\
& + 4a^4b^2f^2gi - 4a^4b^2f^2gh - 4a^4b^2eg^2i + 4a^4b^2eg^2h^2 + 4a^4b^2 \\
& c^2h^2i - 4a^3b^3d^2gi - 4a^4b^2d^2fi^2 - 4a^4b^2c^2gi^2 + 4a^3b^3e^2f^2 \\
& * h - 4a^3b^3e^2f^2g - 4a^3b^3d^2f^2h - 4a^3b^3c^2f^2i + 4a^3b^3c^2d^2f^2 \\
& * h - 4a^2b^4d^2eg + 4a^2b^4cd^2i - 4a^2b^4d^2e^2f - 4a^2b^4c^2e^2g + \\
& 4a^2b^4c^2e^2f^2 - 4a^5b^2g^2h^2i + 4a^5b^2f^2h^2i^2 + 4ab^5c^2d^2f - 4ab^5 \\
& c^2d^2e - 4a^5b^2e^2i^3 - 4ab^5c^3g + 6a^4b^2e^2i^2 + 2a^4b^2f^2h^2 + 6a^3b^3 \\
& d^2h^2 + 2a^3b^3e^2g^2 + 2a^3b^3c^2i^2 + 6a^2b^4c^2g^2 + 2a^2b^4d^2f^2 + 2a^5b^2 \\
& g^2i^2 - 4a^3b^3e^3i - 4a^4b^2d^2h^3 - 4a^2b^4d^3h - 4a^3b^3c^2g^3 + 2ab^5 \\
& c^2e^2 + a^4b^2g^4 + a^3b^3f^4 + a^2b^4e^4 + a^5b^4h^4 + ab^5d^4 + a^6i^4 + b^6c^4, \\
& z, 1) * ((16a^2b^4g - 16ab^5c) / b^2 - (x * (16a^2b^3h - 16ab^4d)) / b) - (x * \\
& (4b^4c^2 - 4ab^3e^2 - 4a^3b^3i^2 + 4a^2b^2g^2 - 8ab^3c^2g + 8ab^3d^2f + 8a^2b^2e^2i \\
& - 8a^2b^2f^2h)) / b) + (x * (b^3d^3 - a^3h^3 + b^3c^2f - a^3f^2i - 2b^3c^2de + 2 \\
& a^3g^2hi + ab^2d^2f^2 - ab^2e^2f - 3ab^2d^2h + 3a^2b^2d^2h^2 + a^2b^2f^2g^2 - \\
& a^2b^2f^2h + 2ab^2c^2di + 2ab^2c^2eh - 2ab^2c^2fg + 2ab^2d^2eg - 2a^2b^2c^2hi \\
& - 2a^2b^2d^2gi + 2a^2b^2ef^2i - 2a^2b^2eg^2h)) / b) * \text{root}(256a^3b^7z^4 - 256a^3b^6fz^3 + 64a^4b^4g \\
& * iz^2 - 64a^3b^5egz^2 - 64a^3b^5d^2hz^2 - 64a^3b^5c^2iz^2 + 64a^2b^6c^2e \\
& * z^2 + 32a^4b^4h^2z^2 + 96a^3b^5f^2z^2 + 32a^2b^6d^2z^2 - 32a^4b^3fg^2i \\
& * z + 32a^4b^3eh^2iz + 32a^3b^4efg^2z + 32a^3b^4df^2hz - 32a^3b^4de^2 \\
& * iz - 32a^2b^5c^2eg^2z - 16a^5b^2h^2iz + 16a^4b^3g^2hz - 16a^4b^3f^2 \\
& * h^2z + 16a^4b^3d^2iz - 16a^3b^4e^2hz - 16a^3b^4d^2gz + 16a^2b^5c^2 \\
& * h^2z - 16a^2b^5d^2fz + 16a^2b^5de^2z - 16ab^6c^2dz - 16a^3b^4f^3z - \\
& 8a^4b^2ef^2hi + 8a^4b^2d^2ghi - 8a^3b^3de^2gh + 8a^3b^3de^2fi + 8a^3b^3 \\
& c^2fg^2h + 8a^3b^3c^2egi - 8a^3b^3cd^2hi - 8a^2b^4cd^2fg + 8a^2b^4cd^2eh \\
& + 4a^4b^2f^2gi - 4a^4b^2f^2gh - 4a^4b^2eg^2i + 4a^4b^2eg^2h^2 + 4a^4b^2 \\
& c^2h^2i - 4a^3b^3d^2gi - 4a^4b^2d^2fi^2 - 4a^4b^2c^2gi^2 + 4a^3b^3e^2f^2 \\
& * h - 4a^3b^3e^2f^2g - 4a^3b^3d^2f^2h - 4a^3b^3c^2f^2i
\end{aligned}$$

```

i + 4*a^3*b^3*d*f*g^2 - 4*a^2*b^4*c^2*f*h - 4*a^2*b^4*c^2*e*i - 4*a^3*b^3*c
*e*h^2 + 4*a^2*b^4*d^2*e*g + 4*a^2*b^4*c*d^2*i - 4*a^2*b^4*d*e^2*f - 4*a^2*
b^4*c*e^2*g + 4*a^2*b^4*c*e*f^2 - 4*a^5*b*g*h^2*i + 4*a^5*b*f*h*i^2 + 4*a*b
^5*c^2*d*f - 4*a*b^5*c*d^2*e - 4*a^5*b*e*i^3 - 4*a*b^5*c^3*g + 6*a^4*b^2*e^
2*i^2 + 2*a^4*b^2*f^2*h^2 + 6*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 2*a^3*b
^3*c^2*i^2 + 6*a^2*b^4*c^2*g^2 + 2*a^2*b^4*d^2*f^2 + 2*a^5*b*g^2*i^2 - 4*a^
3*b^3*e^3*i - 4*a^4*b^2*d*h^3 - 4*a^2*b^4*d^3*h - 4*a^3*b^3*c*g^3 + 2*a*b^5
*c^2*e^2 + a^4*b^2*g^4 + a^3*b^3*f^4 + a^2*b^4*e^4 + a^5*b*h^4 + a*b^5*d^4
+ a^6*i^4 + b^6*c^4, z, 1), 1, 1, 4) + (h*x^2)/(2*b) + (i*x^3)/(3*b) + (g*x
)/b

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)
```

```
[Out] Timed out
```

$$3.191 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{a+bx^4} dx$$

Optimal. Leaf size=402

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-a\right)}{4\sqrt{2} a^{3/4} b^{7/4}}$$

[Out] $g*x/b+1/2*h*x^2/b+1/3*i*x^3/b+1/4*j*x^4/b+1/4*(-a*j+b*f)*\ln(b*x^4+a)/b^2+1/2*(-a*h+b*d)*\arctan(x^2*b^(1/2)/a^(1/2))/b^(3/2)/a^(1/2)-1/8*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-(-a*i+b*e)*a^(1/2)+(-a*g+b*c)*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)+1/8*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-(-a*i+b*e)*a^(1/2)+(-a*g+b*c)*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)+1/4*\arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*((-a*i+b*e)*a^(1/2)+(-a*g+b*c)*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)+1/4*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*((-a*i+b*e)*a^(1/2)+(-a*g+b*c)*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)$

Rubi [A] time = 0.57, antiderivative size = 402, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 13, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {1885, 1887, 1168, 1162, 617, 204, 1165, 628, 1819, 1810, 635, 205, 260}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-ag) - \sqrt{a}(be-ai)\right)}{4\sqrt{2} a^{3/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(\sqrt{b}(bc-a\right)}{4\sqrt{2} a^{3/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4), x]

[Out] $(g*x)/b + (h*x^2)/(2*b) + (i*x^3)/(3*b) + (j*x^4)/(4*b) + ((b*d - a*h)*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*b^(3/2)) - ((\text{Sqrt}[b]*(b*c - a*g) + \text{Sqrt}[a]*(b*e - a*i))*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*a^(3/4)*b^(7/4)) + ((\text{Sqrt}[b]*(b*c - a*g) + \text{Sqrt}[a]*(b*e - a*i))*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*a^(3/4)*b^(7/4)) - ((\text{Sqrt}[b]*(b*c - a*g) - \text{Sqrt}[a]*(b*e - a*i))*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^(3/4)*b^(7/4)) + ((\text{Sqrt}[b]*(b*c - a*g) - \text{Sqrt}[a]*(b*e - a*i))*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(4*\text{Sqrt}[2]*a^(3/4)*b^(7/4)) + ((b*f - a*j)*\text{Log}[a + b*x^4])/(4*b^2)$

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1810

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*
(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 1819

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/(m
+ 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p
, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[
Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1})*(a + b*x^n)^p, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 191x^6 + jx^7}{a + bx^4} dx &= \int \left(\frac{c + ex^2 + gx^4 + 191x^6}{a + bx^4} + \frac{x(d + fx^2 + hx^4 + jx^6)}{a + bx^4} \right) dx \\
&= \int \frac{c + ex^2 + gx^4 + 191x^6}{a + bx^4} dx + \int \frac{x(d + fx^2 + hx^4 + jx^6)}{a + bx^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2 + jx^3}{a + bx^2} dx, x, x^2 \right) + \int \left(\frac{g}{b} + \frac{191x^2}{b} \right) dx \\
&= \frac{gx}{b} + \frac{191x^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \left(\frac{h}{b} + \frac{jx}{b} + \frac{bd - ah + (bf - aj)x}{b(a + bx^2)} \right) dx, x, x^2 \right) \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{191x^3}{3b} + \frac{jx^4}{4b} + \frac{\text{Subst} \left(\int \frac{bd - ah + (bf - aj)x}{a + bx^2} dx, x, x^2 \right)}{2b} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{191x^3}{3b} + \frac{jx^4}{4b} - \frac{\left(191a - be - \frac{\sqrt{b}(bc - ag)}{\sqrt{a}} \right) \int \frac{\frac{\sqrt{a}}{\sqrt{b}}}{\sqrt{a + bx^4}} dx}{4b^2} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{191x^3}{3b} + \frac{jx^4}{4b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} - \frac{(191a - be - \frac{\sqrt{b}(bc - ag)}{\sqrt{a}})}{4b^2} \\
&= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{191x^3}{3b} + \frac{jx^4}{4b} + \frac{(bd - ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a} b^{3/2}} + \frac{(191a - be - \frac{\sqrt{b}(bc - ag)}{\sqrt{a}})}{4b^2}
\end{aligned}$$

Mathematica [A] time = 0.42, size = 445, normalized size = 1.11

$$\frac{6 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) \left(2a^{5/4} \sqrt[4]{b} h + \sqrt{2} a^{3/2} i - 2 \sqrt[4]{a} b^{5/4} d - \sqrt{2} \sqrt{a} b e + \sqrt{2} a \sqrt{b} g - \sqrt{2} b^{3/2} c \right)}{a^{3/4}} + \frac{6 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) \left(2a^{5/4} \sqrt[4]{b} h - \sqrt{2} a^{3/2} i - 2 \sqrt[4]{a} b^{5/4} d + \sqrt{2} \sqrt{a} b e - \sqrt{2} a \sqrt{b} g + \sqrt{2} b^{3/2} c \right)}{a^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4), x]

[Out] (24*b^(3/4)*g*x + 12*b^(3/4)*h*x^2 + 8*b^(3/4)*i*x^3 + 6*b^(3/4)*j*x^4 + (6*(-(Sqrt[2]*b^(3/2)*c) - 2*a^(1/4)*b^(5/4)*d - Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h + Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*

```

]*b^(1/4)*x)/a^(1/4)])/a^(3/4) + (6*(Sqrt[2]*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*
d + Sqrt[2]*Sqrt[a]*b*e - Sqrt[2]*a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h - Sqrt[
2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(3/4) - (3*Sqrt[2]
*(b^(3/2)*c - Sqrt[a]*b*e - a*Sqrt[b]*g + a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*
a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(3/4) + (3*Sqrt[2]*(b^(3/2)*c - Sqrt[a]
*b*e - a*Sqrt[b]*g + a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + S
qrt[b]*x^2])/a^(3/4) + (6*(b*f - a*j)*Log[a + b*x^4])/b^(1/4))/(24*b^(7/4))

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm
m="fricas")

```

[Out] Timed out

giac [A] time = 0.20, size = 578, normalized size = 1.44

$$-\frac{1}{8}i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{b^4} \right) - \frac{1}{8}i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm
m="giac")

```

```

[Out] -1/8*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/
4))/(a/b)^(1/4))/b^4 - sqrt(2)*(a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(a/b)^(1/4
) + sqrt(a/b))/b^4 - 1/8*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*
x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/b^4 + sqrt(2)*(a*b^3)^(3/4)*log(x^2 -
sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/b^4) + 1/4*(b*f - a*j)*log(abs(b*x^4 +
a))/b^2 + 1/4*sqrt(2)*(sqrt(2)*sqrt(a*b)*b^2*d + sqrt(2)*sqrt(a*b)*a*b*h +
(a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqr
t(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/4*sqrt(2)*(sqrt(2
)*sqrt(a*b)*b^2*d + sqrt(2)*sqrt(a*b)*a*b*h + (a*b^3)^(1/4)*b^2*c - (a*b^3
)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/
4))/(a/b)^(1/4))/(a*b^3) + 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(1/4
)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b

```

$\sqrt{3} - \frac{1}{8}\sqrt{2}((ab^3)^{1/4}b^2c - (ab^3)^{1/4}abg - (ab^3)^{3/4})e \cdot \log(x^2 - \sqrt{2}x(a/b)^{1/4} + \sqrt{a/b}) / (ab^3) + \frac{1}{12}(3b^3jx^4 + 4b^3ix^3 + 6b^3hx^2 + 12b^3g^2x) / b^4$

maple [B] time = 0.05, size = 627, normalized size = 1.56

$$\frac{jx^4}{4b} + \frac{ix^3}{3b} - \frac{ah \arctan\left(\sqrt{\frac{b}{a}}x^2\right)}{2\sqrt{ab}b} + \frac{hx^2}{2b} + \frac{d \arctan\left(\sqrt{\frac{b}{a}}x^2\right)}{2\sqrt{ab}} - \frac{\sqrt{2} ai \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{1/4}} - 1\right)}{4\left(\frac{a}{b}\right)^{1/4}b^2} - \frac{\sqrt{2} ai \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{1/4}} + 1\right)}{4\left(\frac{a}{b}\right)^{1/4}b^2} - \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x)

[Out] $\frac{1}{4}b^3jx^4 + \frac{1}{3}b^2ix^3 + \frac{1}{2}b^2hx^2 + \frac{1}{b}bgx - \frac{1}{4}(a/b)^{1/4}2^{1/2}/b^3g \arctan(2^{1/2}/(a/b)^{1/4}x - 1) + \frac{1}{4}(a/b)^{1/4}2^{1/2}/a^3c \arctan(2^{1/2}/(a/b)^{1/4}x - 1) - \frac{1}{8}(a/b)^{1/4}2^{1/2}/b^3g \ln((x^2 + (a/b)^{1/4}2^{1/2}x + (a/b)^{1/2})/(x^2 - (a/b)^{1/4}2^{1/2}x + (a/b)^{1/2})) + \frac{1}{8}(a/b)^{1/4}2^{1/2}/a^3c \ln((x^2 + (a/b)^{1/4}2^{1/2}x + (a/b)^{1/2})/(x^2 - (a/b)^{1/4}2^{1/2}x + (a/b)^{1/2})) - \frac{1}{4}(a/b)^{1/4}2^{1/2}/b^3g \arctan(2^{1/2}/(a/b)^{1/4}x + 1) + \frac{1}{4}(a/b)^{1/4}2^{1/2}/a^3c \arctan(2^{1/2}/(a/b)^{1/4}x + 1) - \frac{1}{2}(a/b)^{1/2}a/b^3h \arctan((1/a^3b)^{1/2}x^2) + \frac{1}{2}(a/b)^{1/2}d \arctan((1/a^3b)^{1/2}x^2) - \frac{1}{4}(a/b)^{1/4}2^{1/2}a/b^2i \arctan(2^{1/2}/(a/b)^{1/4}x - 1) + \frac{1}{4}(a/b)^{1/4}2^{1/2}/b^2e \arctan(2^{1/2}/(a/b)^{1/4}x - 1) - \frac{1}{4}(a/b)^{1/4}2^{1/2}a/b^2i \arctan(2^{1/2}/(a/b)^{1/4}x + 1) + \frac{1}{4}(a/b)^{1/4}2^{1/2}/b^2e \arctan(2^{1/2}/(a/b)^{1/4}x + 1) - \frac{1}{8}(a/b)^{1/4}2^{1/2}a/b^2i \ln((x^2 - (a/b)^{1/4}2^{1/2}x + (a/b)^{1/2})/(x^2 + (a/b)^{1/4}2^{1/2}x + (a/b)^{1/2})) + \frac{1}{8}(a/b)^{1/4}2^{1/2}/b^2e \ln((x^2 - (a/b)^{1/4}2^{1/2}x + (a/b)^{1/2})/(x^2 + (a/b)^{1/4}2^{1/2}x + (a/b)^{1/2})) - \frac{1}{4}b^2 \ln(bx^4 + a) + aj + \frac{1}{4}bf \ln(bx^4 + a)$

maxima [A] time = 3.16, size = 429, normalized size = 1.07

$$\frac{3jx^4 + 4ix^3 + 6hx^2 + 12gx}{12b} + \frac{\sqrt{2}\left(\sqrt{2}a^{3/4}b^{5/4}f - \sqrt{2}a^{7/4}b^{1/4}j + b^2c - \sqrt{a}b^{3/2}e - abg + a^2\sqrt{b}i\right)\log\left(\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}\right)}{a^{3/4}b^{5/4}} + \frac{\sqrt{2}\left(\sqrt{2}a^{3/4}b^{5/4}f - \sqrt{2}a^{7/4}b^{1/4}j + b^2c - \sqrt{a}b^{3/2}e - abg + a^2\sqrt{b}i\right)\log\left(\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}\right)}{a^{3/4}b^{5/4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")


```
[Out] 1/12*(3*j*x^4 + 4*i*x^3 + 6*h*x^2 + 12*g*x)/b + 1/8*(sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*f - sqrt(2)*a^(7/4)*b^(1/4)*j + b^2*c - sqrt(a)*b^(3/2)*e - a*b*g + a^(3/2)*sqrt(b)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4)) + sqrt(2)*(sqrt(2)*a^(3/4)*b^(5/4)*f - sqrt(2)*a^(7/4)*b^(1/4)*j - b^2*c + sqrt(a)*b^(3/2)*e + a*b*g - a^(3/2)*sqrt(b)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4)) + 2*(sqrt(2)*a^(1/4)*b^(9/4)*c + sqrt(2)*a^(3/4)*b^(7/4)*e - sqrt(2)*a^(5/4)*b^(5/4)*g - sqrt(2)*a^(7/4)*b^(3/4)*i - 2*sqrt(a)*b^2*d + 2*a^(3/2)*b*h)*arctan(1/(2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b))))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4)) + 2*(sqrt(2)*a^(1/4)*b^(9/4)*c + sqrt(2)*a^(3/4)*b^(7/4)*e - sqrt(2)*a^(5/4)*b^(5/4)*g - sqrt(2)*a^(7/4)*b^(3/4)*i + 2*sqrt(a)*b^2*d - 2*a^(3/2)*b*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b))))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4))/b
```

mupad [B] time = 5.20, size = 5664, normalized size = 14.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4), x)
```

```
[Out] symsum(log((a^4*i^3 - a*b^3*e^3 + b^4*c*d^2 - b^4*c^2*e + a^4*g*j^2 + a^2*b^2*c*h^2 - a^2*b^2*e*g^2 + a^2*b^2*f^2*g + 3*a^2*b^2*e^2*i - 2*a^4*h*i*j - a*b^3*c*f^2 - a*b^3*d^2*g + a*b^3*c^2*i - a^3*b*c*j^2 - 3*a^3*b*e*i^2 - a^3*b*g*h^2 + a^3*b*g^2*i + 2*a^2*b^2*c*f*j - 2*a^2*b^2*c*g*i - 2*a^2*b^2*d*e*j - 2*a^2*b^2*d*f*i + 2*a^2*b^2*d*g*h - 2*a^2*b^2*e*f*h - 2*a*b^3*c*d*h + 2*a*b^3*c*e*g + 2*a*b^3*d*e*f + 2*a^3*b*d*i*j + 2*a^3*b*e*h*j - 2*a^3*b*f*g*j + 2*a^3*b*f*h*i)/b^2 + root(256*a^3*b^8*z^4 + 256*a^4*b^6*j*z^3 - 256*a^3*b^7*f*z^3 - 192*a^4*b^5*f*j*z^2 + 64*a^4*b^5*g*i*z^2 - 64*a^3*b^6*e*g*z^2 - 64*a^3*b^6*d*h*z^2 - 64*a^3*b^6*c*i*z^2 + 64*a^2*b^7*c*e*z^2 + 96*a^5*b^4*j^2*z^2 + 32*a^4*b^5*h^2*z^2 + 96*a^3*b^6*f^2*z^2 + 32*a^2*b^7*d^2*z^2 + 32*a^5*b^3*g*i*j*z - 32*a^4*b^4*f*g*i*z + 32*a^4*b^4*e*h*i*z - 32*a^4*b^4*e*g*j*z - 32*a^4*b^4*d*h*j*z - 32*a^4*b^4*c*i*j*z + 32*a^3*b^5*e*f*g*z + 32*a^3*b^5*d*f*h*z - 32*a^3*b^5*d*e*i*z - 32*a^3*b^5*c*g*h*z + 32*a^3*b^5*c*f*i*z + 32*a^3*b^5*c*e*j*z - 32*a^2*b^6*c*e*f*z + 32*a^2*b^6*c*d*g*z + 16*a^5*b^3*h^2*j*z - 16*a^5*b^3*h*i^2*z - 48*a^5*b^3*f*j^2*z + 48*a^4*b^4*f^2*j*z + 16*a^4*b^4*g^2*h*z - 16*a^4*b^4*f*h^2*z + 16*a^3*b^5*d^2*j*z + 16*a^4*b^4*d*i^2*z - 16*a^3*b^5*e^2*h*z - 16*a^3*b^5*d*g^2*z + 16*a^2*b^6*c^2*h*z - 16*a^2*b^6*d^2*f*z + 16*a^2*b^6*d*e^2*z - 16*a*b^7*c^2*d*z + 16*a^6*b^2*j^3*z - 16*a^3*b^5*f^3*z - 8*a^5*b^2*f*g*i*j + 8*a^5*b^2*e*h*i*j - 8*a^4*b^3*e*f*h*i + 8*a^4*b^3*e*f*g*j + 8*a^4*b^3*d*g*h*i + 8*a^4*b^3*d*f*h*j - 8*a^4*b^3*d*e*i*j - 8*a^4*b^3*c*g*h*j + 8*a^4*b^3*c*f*i*j - 8*a^3*b^4*d*e*g*h + 8*a^3*b^4*d*e*f*i + 8*a^3*b^4*c*f*g*h + 8*a^3*b^4*c*e*g*i - 8*a^3*b^4*c*e*f*j
```

$$\begin{aligned}
& - 8a^3b^4c^2d^2h^2i + 8a^3b^4c^2d^2g^2j - 8a^2b^5c^2d^2f^2g + 8a^2b^5c^2d^2e^2h + 4a^5b^2g^2h^2j - 4a^5b^2g^2h^2i - 4a^5b^2f^2h^2j + 4a^5b^2f^2h^2i^2 + 4a^5b^2d^2i^2j - 4a^4b^3e^2h^2j - 4a^5b^2e^2g^2j^2 - 4a^5b^2d^2h^2j^2 - 4a^5b^2c^2i^2j^2 + 4a^4b^3f^2g^2i - 4a^4b^3f^2g^2h - 4a^4b^3e^2g^2i - 4a^4b^3d^2g^2j + 4a^3b^4c^2h^2j + 4a^4b^3e^2g^2h^2 + 4a^4b^3c^2h^2i - 4a^3b^4d^2g^2i - 4a^3b^4d^2f^2j - 4a^4b^3d^2f^2i^2 - 4a^4b^3c^2g^2i^2 + 4a^3b^4e^2f^2h + 4a^3b^4d^2e^2j + 4a^4b^3c^2e^2j^2 - 4a^3b^4e^2f^2g - 4a^3b^4d^2f^2h - 4a^3b^4c^2f^2i + 4a^3b^4d^2f^2g^2 - 4a^2b^5c^2f^2h - 4a^2b^5c^2e^2i - 4a^2b^5c^2d^2j - 4a^3b^4c^2e^2h^2 + 4a^2b^5d^2e^2g + 4a^2b^5c^2d^2i - 4a^2b^5d^2e^2f - 4a^2b^5c^2e^2g + 4a^2b^5c^2e^2f^2 - 4a^6b^2h^2i^2j + 4a^6b^2g^2i^2j^2 + 4a^6b^2c^2d^2f - 4a^6b^2c^2d^2e - 4a^6b^2f^2j^3 - 4a^6b^2c^3g + 6a^5b^2f^2j^2 + 2a^5b^2g^2i^2 + 6a^4b^3e^2i^2 + 2a^4b^3f^2h^2 + 2a^4b^3d^2j^2 + 6a^3b^4d^2h^2 + 2a^3b^4e^2g^2 + 2a^3b^4c^2i^2 + 6a^2b^5c^2g^2 + 2a^2b^5d^2f^2 + 2a^6b^2h^2j^2 - 4a^4b^3f^3j - 4a^5b^2e^3i - 4a^3b^4e^3i - 4a^4b^3d^3h - 4a^2b^5d^3h - 4a^3b^4c^3g + 2a^6b^2c^2e^2 + a^5b^2h^4 + a^4b^3g^4 + a^3b^4f^4 + a^2b^5e^4 + a^6b^2i^4 + a^6b^2d^4 + a^7j^4 + b^7c^4, \\
& z, m) * ((8a^4b^4c^2f - 8a^4b^4d^2e - 8a^2b^3c^2j + 8a^2b^3d^2i + 8a^2b^3e^2h - 8a^2b^3f^2g + 8a^3b^2g^2j - 8a^3b^2h^2i) / b^2 + \text{root}(256a^3b^8z^4 + 256a^4b^6j^2z^3 - 256a^3b^7f^2z^3 - 192a^4b^5f^2j^2z^2 + 64a^4b^5g^2i^2z^2 - 64a^3b^6e^2g^2z^2 - 64a^3b^6d^2h^2z^2 - 64a^3b^6c^2i^2z^2 + 64a^2b^7c^2e^2z^2 + 96a^5b^4j^2z^2 + 32a^4b^5h^2z^2 + 96a^3b^6f^2z^2 + 32a^2b^7d^2z^2 + 32a^5b^3g^2i^2z - 32a^4b^4f^2g^2i^2z + 32a^3b^5e^2f^2h^2z - 32a^3b^5d^2e^2i^2z - 32a^3b^5c^2g^2h^2z + 32a^3b^5c^2f^2i^2z + 32a^3b^5c^2e^2j^2z - 32a^2b^6c^2e^2f^2z + 32a^2b^6c^2d^2g^2z + 16a^5b^3h^2j^2z - 16a^5b^3h^2i^2z - 48a^5b^3f^2j^2z + 48a^4b^4f^2j^2z + 16a^4b^4g^2h^2z - 16a^4b^4f^2h^2z + 16a^4b^4f^2h^2z + 16a^3b^5d^2j^2z + 16a^4b^4d^2i^2z - 16a^3b^5e^2h^2z - 16a^3b^5d^2g^2z + 16a^2b^6c^2h^2z - 16a^2b^6d^2f^2z + 16a^2b^6d^2e^2z - 16a^2b^6c^2d^2z + 16a^6b^2j^3z - 16a^3b^5f^3z - 8a^5b^2f^2g^2i^2j + 8a^5b^2e^2h^2i^2j - 8a^4b^3e^2f^2h^2i + 8a^4b^3e^2f^2g^2j + 8a^4b^3d^2g^2h^2i + 8a^4b^3d^2f^2h^2j - 8a^4b^3d^2e^2i^2j - 8a^4b^3c^2g^2h^2j + 8a^4b^3c^2f^2i^2j - 8a^3b^4d^2e^2g^2h + 8a^3b^4d^2e^2f^2i + 8a^3b^4c^2f^2g^2h + 8a^3b^4c^2e^2g^2i - 8a^3b^4c^2e^2f^2j - 8a^3b^4c^2d^2h^2i + 8a^3b^4c^2d^2g^2j - 8a^2b^5c^2d^2f^2g + 8a^2b^5c^2d^2e^2h + 4a^5b^2g^2h^2j - 4a^5b^2g^2h^2i^2 - 4a^5b^2f^2h^2j + 4a^5b^2f^2h^2i^2 + 4a^5b^2d^2i^2j - 4a^4b^3e^2h^2j - 4a^4b^3e^2g^2j^2 - 4a^4b^3d^2h^2j^2 - 4a^4b^3d^2c^2i^2j^2 + 4a^4b^3f^2g^2i - 4a^4b^3f^2g^2h - 4a^4b^3e^2g^2i - 4a^4b^3d^2g^2j + 4a^4b^3c^2h^2j + 4a^4b^3e^2g^2h^2 + 4a^4b^3c^2h^2i - 4a^3b^4d^2g^2i - 4a^3b^4d^2f^2j - 4a^4b^3d^2f^2i^2 - 4a^4b^3c^2g^2i^2 + 4a^3b^4e^2f^2h + 4a^3b^4d^2e^2j + 4a^4b^3c^2e^2j^2 - 4a^3b^4e^2f^2g - 4a^3b^4d^2f^2h - 4a^3b^4c^2f^2i + 4a^3b^4d^2f^2g^2 - 4a^2b^5c^2f^2h - 4a^2b^5c^2e^2i - 4a^2b^5c^2d^2j - 4a^3b^4c^2e^2h^2 + 4a^2b^5c^2
\end{aligned}$$

$$\begin{aligned}
& d^2 * e * g + 4 * a^2 * b^5 * c * d^2 * i - 4 * a^2 * b^5 * d * e^2 * f - 4 * a^2 * b^5 * c * e^2 * g + 4 * a^2 \\
& * b^5 * c * e * f^2 - 4 * a^6 * b * h * i^2 * j + 4 * a^6 * b * g * i * j^2 + 4 * a * b^6 * c^2 * d * f - 4 * a * b^6 \\
& * c * d^2 * e - 4 * a^6 * b * f * j^3 - 4 * a * b^6 * c^3 * g + 6 * a^5 * b^2 * f^2 * j^2 + 2 * a^5 * b^2 * g^2 * i^2 \\
& + 6 * a^4 * b^3 * e^2 * i^2 + 2 * a^4 * b^3 * f^2 * h^2 + 2 * a^4 * b^3 * d^2 * j^2 + 6 * a^3 * b^4 * d^2 * h^2 \\
& + 2 * a^3 * b^4 * e^2 * g^2 + 2 * a^3 * b^4 * c^2 * i^2 + 6 * a^2 * b^5 * c^2 * g^2 + 2 * a^2 * b^5 * d^2 * f^2 \\
& + 2 * a^6 * b * h^2 * j^2 - 4 * a^4 * b^3 * f^3 * j - 4 * a^5 * b^2 * e * i^3 - 4 * a^3 * b^4 * e^3 * i \\
& - 4 * a^4 * b^3 * d * h^3 - 4 * a^2 * b^5 * d^3 * h - 4 * a^3 * b^4 * c * g^3 + 2 * a * b^6 * c^2 * e^2 \\
& + a^5 * b^2 * h^4 + a^4 * b^3 * g^4 + a^3 * b^4 * f^4 + a^2 * b^5 * e^4 + a^6 * b * i^4 + a * b^6 * d^4 \\
& + a^7 * j^4 + b^7 * c^4, z, m) * ((16 * a^2 * b^4 * g - 16 * a * b^5 * c) / b^2 - (x * (16 * a^2 * b^4 * h - 16 * a * b^5 * d)) / b^2) \\
& - (x * (4 * b^5 * c^2 - 4 * a * b^4 * e^2 + 4 * a^2 * b^3 * g^2 - 4 * a^3 * b^2 * i^2 - 8 * a * b^4 * c * g + 8 * a * b^4 * d * f \\
& - 8 * a^2 * b^3 * d * j + 8 * a^2 * b^3 * e * i - 8 * a^2 * b^3 * f * h + 8 * a^3 * b^2 * h * j)) / b^2 + (x * (b^4 * d^3 - a^3 * b * h^3 \\
& + b^4 * c^2 * f - a^4 * h * j^2 + a^4 * i^2 * j + 3 * a^2 * b^2 * d * h^2 + a^2 * b^2 * f * g^2 - a^2 * b^2 * f^2 * h \\
& + a^2 * b^2 * e^2 * j - 2 * b^4 * c * d * e + a * b^3 * d * f^2 - a * b^3 * e^2 * f - 3 * a * b^3 * d^2 * h - a * b^3 * c^2 * j \\
& + a^3 * b * d * j^2 - a^3 * b * f * i^2 - a^3 * b * g^2 * j + 2 * a^2 * b^2 * c * g * j - 2 * a^2 * b^2 * c * h * i \\
& - 2 * a^2 * b^2 * d * f * j - 2 * a^2 * b^2 * d * g * i + 2 * a^2 * b^2 * e * f * i - 2 * a^2 * b^2 * e * g * h \\
& + 2 * a * b^3 * c * d * i + 2 * a * b^3 * c * e * h - 2 * a * b^3 * c * f * g + 2 * a * b^3 * d * e * g - 2 * a^3 * b * e * i * j \\
& + 2 * a^3 * b * f * h * j + 2 * a^3 * b * g * h * i)) / b^2) * \text{root}(256 * a^3 * b^8 * z^4 + 256 * a^4 * b^6 * j * z^3 - 256 * a^3 * b^7 * f * z^3 \\
& - 192 * a^4 * b^5 * f * j * z^2 + 64 * a^4 * b^5 * g * i * z^2 - 64 * a^3 * b^6 * e * g * z^2 - 64 * a^3 * b^6 * d * h * z^2 - 64 * a^3 * b^6 * c * i * z^2 \\
& + 64 * a^2 * b^7 * c * e * z^2 + 96 * a^5 * b^4 * j^2 * z^2 + 32 * a^4 * b^5 * h^2 * z^2 + 96 * a^3 * b^6 * f^2 * z^2 + 32 * a^2 * b^7 * d^2 * z^2 \\
& + 32 * a^5 * b^3 * g * i * j * z - 32 * a^4 * b^4 * f * g * i * z + 32 * a^4 * b^4 * e * h * i * z - 32 * a^4 * b^4 * e * g * j * z \\
& - 32 * a^4 * b^4 * d * h * j * z - 3 * 2 * a^4 * b^4 * c * i * j * z + 32 * a^3 * b^5 * e * f * g * z + 32 * a^3 * b^5 * d * f * h * z - 32 * a^3 * b^5 * d * e * i * z \\
& - 32 * a^3 * b^5 * c * g * h * z + 32 * a^3 * b^5 * c * f * i * z + 32 * a^3 * b^5 * c * e * j * z - 32 * a^2 * b^6 * c * e * f * z \\
& + 32 * a^2 * b^6 * c * d * g * z + 16 * a^5 * b^3 * h^2 * j * z - 16 * a^5 * b^3 * h * i^2 * z - 48 * a^5 * b^3 * f * j^2 * z \\
& + 48 * a^4 * b^4 * f^2 * j * z + 16 * a^4 * b^4 * g^2 * h * z - 16 * a^4 * b^4 * f * h^2 * z + 16 * a^3 * b^5 * d^2 * j * z \\
& + 16 * a^4 * b^4 * d * i^2 * z - 16 * a^3 * b^5 * e^2 * h * z - 16 * a^3 * b^5 * d * g^2 * z + 16 * a^2 * b^6 * c^2 * h * z \\
& - 16 * a^2 * b^6 * d^2 * f * z + 16 * a^2 * b^6 * d * e^2 * z - 16 * a * b^7 * c^2 * d * z + 16 * a^6 * b^2 * j^3 * z - 16 * a^3 * b^5 * f^3 * z \\
& - 8 * a^5 * b^2 * f * g * i * j + 8 * a^5 * b^2 * e * h * i * j - 8 * a^4 * b^3 * e * f * h * i + 8 * a^4 * b^3 * e * f * g * j + 8 * a^4 * b^3 * d * g * h * i \\
& + 8 * a^4 * b^3 * d * f * h * j - 8 * a^4 * b^3 * d * e * i * j - 8 * a^4 * b^3 * c * g * h * j + 8 * a^4 * b^3 * c * f * i * j \\
& - 8 * a^3 * b^4 * d * e * g * h + 8 * a^3 * b^4 * d * e * f * i + 8 * a^3 * b^4 * c * f * g * h + 8 * a^3 * b^4 * c * e * g * i \\
& - 8 * a^3 * b^4 * c * e * f * j - 8 * a^3 * b^4 * c * d * h * i + 8 * a^3 * b^4 * c * d * g * j - 8 * a^2 * b^5 * c * d * f * g \\
& + 8 * a^2 * b^5 * c * d * e * h + 4 * a^5 * b^2 * g^2 * h * j - 4 * a^5 * b^2 * g * h^2 * i - 4 * a^5 * b^2 * f * h^2 * j \\
& + 4 * a^5 * b^2 * f * h * i^2 + 4 * a^5 * b^2 * d * i^2 * j - 4 * a^4 * b^3 * e^2 * h * j - 4 * a^5 * b^2 * e * g * j^2 \\
& - 4 * a^5 * b^2 * d * h * j^2 - 4 * a^5 * b^2 * c * i * j^2 + 4 * a^4 * b^3 * f^2 * g * i - 4 * a^4 * b^3 * f * g^2 * h - 4 * a^4 * b^3 * e * g^2 * i \\
& - 4 * a^4 * b^3 * d * g^2 * j + 4 * a^3 * b^4 * c^2 * h * j + 4 * a^4 * b^3 * e * g * h^2 + 4 * a^4 * b^3 * c * h^2 * i - 4 * a^3 * b^4 * d^2 * g * i \\
& - 4 * a^3 * b^4 * d^2 * f * j - 4 * a^4 * b^3 * d * f * i^2 - 4 * a^4 * b^3 * c * g * i^2 + 4 * a^3 * b^4 * e^2 * f * h \\
& + 4 * a^3 * b^4 * d * e^2 * j + 4 * a^4 * b^3 * c * e * j^2 - 4 * a^3 * b^4 * e * f^2 * g - 4 * a^3 * b^4 * d * f^2 * h \\
& - 4 * a^3 * b^4 * c * f^2 * i + 4 * a^3 * b^4 * d * f * g^2 - 4 * a^2 * b^5 * c^2 * f * h - 4 * a^2 * b^5 * c^2 * e * i \\
& - 4 * a^2 * b^5 * c^2 * d * j - 4 * a^3 * b^4 * c * e * h^2 + 4 * a^2 * b^5 * d^2 * e * g + 4 * a^2 * b^5 * c * d^2 * i \\
& - 4 * a^2 * b^5 * d * e^2 * f - 4 * a^2 * b^5 * c * e^2 * g + 4 * a^2 * b^5 * c * e * f^2 - 4 * a^6 * b * h * i^2 * j \\
& + 4 * a^6 * b * g * i * j^2 + 4 * a * b^6 * c^2 * d * f
\end{aligned}$$

```

- 4*a*b^6*c*d^2*e - 4*a^6*b*f*j^3 - 4*a*b^6*c^3*g + 6*a^5*b^2*f^2*j^2 + 2*a
^5*b^2*g^2*i^2 + 6*a^4*b^3*e^2*i^2 + 2*a^4*b^3*f^2*h^2 + 2*a^4*b^3*d^2*j^2
+ 6*a^3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 2*a^3*b^4*c^2*i^2 + 6*a^2*b^5*c^2
*g^2 + 2*a^2*b^5*d^2*f^2 + 2*a^6*b*h^2*j^2 - 4*a^4*b^3*f^3*j - 4*a^5*b^2*e*
i^3 - 4*a^3*b^4*e^3*i - 4*a^4*b^3*d*h^3 - 4*a^2*b^5*d^3*h - 4*a^3*b^4*c*g^3
+ 2*a*b^6*c^2*e^2 + a^5*b^2*h^4 + a^4*b^3*g^4 + a^3*b^4*f^4 + a^2*b^5*e^4
+ a^6*b*i^4 + a*b^6*d^4 + a^7*j^4 + b^7*c^4, z, m), m, 1, 4) + (h*x^2)/(2*b
) + (i*x^3)/(3*b) + (j*x^4)/(4*b) + (g*x)/b

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)
```

```
[Out] Timed out
```

$$3.192 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^2} dx$$

Optimal. Leaf size=184

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{x(ax+...)}{...}$$

[Out] $\frac{1}{4}x(b*c+a*g+(a*h+b*d)*x+b*e*x^2+b*f*x^3)/a/b/(-b*x^4+a)+1/4*(-a*h+b*d)*a$
 $rctanh(x^2*b^{(1/2)}/a^{(1/2)})/a^{(3/2)}/b^{(3/2)}+1/8*\arctan(b^{(1/4)}*x/a^{(1/4)})*($
 $3*b*c-a*g-e*a^{(1/2)}*b^{(1/2)})/a^{(7/4)}/b^{(5/4)}+1/8*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})$
 $*(3*b*c-a*g+e*a^{(1/2)}*b^{(1/2)})/a^{(7/4)}/b^{(5/4)}$

Rubi [A] time = 0.20, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1858, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(-\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)(\sqrt{a}\sqrt{b}e-ag+3bc)}{8a^{7/4}b^{5/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{x(ax+...)}{...}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^2, x]

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + b*e*x^2 + b*f*x^3))/(4*a*b*(a - b*x^4)) + ($
 $(3*b*c - \operatorname{Sqrt}[a]*\operatorname{Sqrt}[b]*e - a*g)*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)})/(8*a^{(7/4)}*b$
 $^{(5/4)}) + ((3*b*c + \operatorname{Sqrt}[a]*\operatorname{Sqrt}[b]*e - a*g)*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)})/$
 $(8*a^{(7/4)}*b^{(5/4)}) + ((b*d - a*h)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]])/(4*a^{(3/$
 $2)*b^{(3/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1167

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a - bx^4)^2} dx &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{\int \frac{-b(3bc-ag) - 2b(bd-ah)x - b^2ex^2}{a-bx^4} dx}{4ab^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{\int \left(-\frac{2b(bd-ah)x}{a-bx^4} + \frac{-b(3bc-ag) - b^2}{a-bx^4} \right) dx}{4ab^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{\int \frac{-b(3bc-ag) - b^2ex^2}{a-bx^4} dx}{4ab^2} + \frac{(bd - ag)}{4ab} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} - \frac{(3bc - \sqrt{a}\sqrt{b}e - ag) \int \frac{1}{-\sqrt{a}} dx}{8a^{3/2}\sqrt{b}} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{4ab(a - bx^4)} + \frac{(3bc - \sqrt{a}\sqrt{b}e - ag) \tan^{-1} \left(\frac{x\sqrt{a}}{\sqrt{a-bx^4}} \right)}{8a^{7/4}b^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 257, normalized size = 1.40

$$\log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(2a^{5/4}h - \sqrt{a}b^{3/4}e - 2\sqrt[4]{a}bd + a\sqrt[4]{b}g - 3b^{5/4}c\right) + \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(2a^{5/4}h + \sqrt{a}b^{3/4}e - 2\sqrt[4]{a}bd + a\sqrt[4]{b}g - 3b^{5/4}c\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^2,x]

[Out] ((4*a^(3/4)*Sqrt[b]*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + h*x))))/(a - b*x^4) - 2*b^(1/4)*(-3*b*c + Sqrt[a]*Sqrt[b]*e + a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] + (-3*b^(5/4)*c - 2*a^(1/4)*b*d - Sqrt[a]*b^(3/4)*e + a*b^(1/4)*g + 2*a^(5/4)*h)*Log[a^(1/4) - b^(1/4)*x] + (3*b^(5/4)*c - 2*a^(1/4)*b*d + Sqrt[a]*b^(3/4)*e - a*b^(1/4)*g + 2*a^(5/4)*h)*Log[a^(1/4) + b^(1/4)*x] - 2*a^(1/4)*(-b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/(16*a^(7/4)*b^(3/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 380, normalized size = 2.07

$$\frac{\sqrt{2} \left(3b^2c - abg - 2\sqrt{2} (-ab^3)^{\frac{1}{4}} bd + 2\sqrt{2} (-ab^3)^{\frac{1}{4}} ah + \sqrt{-ab} be \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(3b^2c - abg \right)}{16 \left(-ab^3 \right)^{\frac{3}{4}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out]
$$-1/16*\sqrt{2}*(3*b^2*c - a*b*g - 2*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + 2*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h + \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a) - 1/16*\sqrt{2}*(3*b^2*c - a*b*g + 2*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - 2*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h - \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a) - 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) + 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) - 1/4*(b*x^3*e + b*d*x^2 + a*h*x^2 + b*c*x + a*g*x + a*f)/(b*x^4 - a)*a*b$$

maple [B] time = 0.05, size = 340, normalized size = 1.85

$$\frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{8\sqrt{ab} a} + \frac{h \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{8\sqrt{ab} b} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} ab} - \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{8ab} - \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16ab} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out]
$$\left(-1/4/a*e*x^3 - 1/4*(a*h+b*d)/a/b*x^2 - 1/4*(a*g+b*c)/a/b*x - 1/4/b*f \right) / (b*x^4 - a) - 1/8*(a/b)^{(1/4)}/a/b*g*\arctan(1/(a/b)^{(1/4)}*x) + 3/8*(a/b)^{(1/4)}/a^2*c*\arctan(1/(a/b)^{(1/4)}*x) - 1/16/b/a*(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*g + 3/16/a^2*(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*c + 1/8/b/(a*b)^{(1/2)}*\ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a))*h - 1/8/(a*b)^{(1/2)}/a*d*\ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a)) - 1/8/b/a*e/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x) + 1/16/(a/b)^{(1/4)}/a/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$$

maxima [A] time = 3.08, size = 243, normalized size = 1.32

$$\frac{bex^3 + (bd + ah)x^2 + af + (bc + ag)x}{4(ab^2x^4 - a^2b)} + \frac{\frac{2(bd-ah)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{2(bd-ah)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}}}{16ab} + \frac{2\left(3b^{\frac{3}{2}}c - \sqrt{a}be - a\sqrt{b}g\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{a}\sqrt{b}}\right)}{16ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="maxima")

[Out] -1/4*(b*e*x^3 + (b*d + a*h)*x^2 + a*f + (b*c + a*g)*x)/(a*b^2*x^4 - a^2*b) + 1/16*(2*(b*d - a*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 2*(b*d - a*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(3*b^(3/2)*c - sqrt(a)*b*e - a*sqrt(b)*g)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (3*b^(3/2)*c + sqrt(a)*b*e - a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a*b)

mupad [B] time = 5.61, size = 1626, normalized size = 8.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^2,x)

[Out] symsum(log(- root(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 - 3072*a^4*b^5*c*e*z^2 - 2048*a^6*b^3*h^2*z^2 - 2048*a^4*b^5*d^2*z^2 + 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*h*z - 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z + 128*a^4*b^3*d*g^2*z + 128*a^3*b^4*d*e^2*z + 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h + 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 + 16*a^2*b^3*d^2*e*g - 12*a^2*b^3*c*e^2*g + 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e - 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 54*a^2*b^3*c^2*g^2 - 64*a^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 - 81*b^5*c^4 - a^2*b^3*e^4 - a^4*b*g^4, z, k)*(root(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 - 3072*a^4*b^5*c*e*z^2 - 2048*a^6*b^3*h^2*z^2 - 2048*a^4*b^5*d^2*z^2 + 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*h*z - 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z + 128*a^4*b^3*d*g^2*z + 128*a^3*b^4*d*e^2*z + 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h + 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 + 16*a^2*b^3*d^2*e*g - 12*a^2*b^3*c*e^2*g + 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e - 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 54*a^2*b^3*c^2*g^2 - 64*a^2*b^3*d^3*h

$$\begin{aligned}
& + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 - 81*b^5 \\
& *c^4 - a^2*b^3*e^4 - a^4*b*g^4, z, k)*((768*a^3*b^4*c - 256*a^4*b^3*g)/(64* \\
& a^3*b) - (x*(128*a^3*b^4*d - 128*a^4*b^3*h))/(16*a^3*b)) - (64*a^2*b^3*d*e \\
& - 64*a^3*b^2*e*h)/(64*a^3*b) + (x*(36*a*b^4*c^2 + 4*a^2*b^3*e^2 + 4*a^3*b^2 \\
& *g^2 - 24*a^2*b^3*c*g))/(16*a^3*b) - (a*b^2*e^3 + 12*b^3*c*d^2 - 9*b^3*c^2 \\
& *e - 4*a^3*g*h^2 - 4*a*b^2*d^2*g + 12*a^2*b*c*h^2 - a^2*b*e*g^2 - 24*a*b^2* \\
& c*d*h + 6*a*b^2*c*e*g + 8*a^2*b*d*g*h)/(64*a^3*b) - (x*(2*b^3*d^3 - 2*a^3*h \\
& ^3 - 3*b^3*c*d*e - 6*a*b^2*d^2*h + 6*a^2*b*d*h^2 + 3*a*b^2*c*e*h + a*b^2*d* \\
& e*g - a^2*b*e*g*h))/(16*a^3*b))*root(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z \\
& ^2 + 1024*a^5*b^4*e*g*z^2 - 3072*a^4*b^5*c*e*z^2 - 2048*a^6*b^3*h^2*z^2 - 2 \\
& 048*a^4*b^5*d^2*z^2 + 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b \\
& ^2*g^2*h*z - 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z + 128*a^4*b^3*d*g^2 \\
& *z + 128*a^3*b^4*d*e^2*z + 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h + 96*a \\
& ^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 + 16*a^2*b^3*d^2*e*g - 12*a^2*b^3*c*e^2 \\
& *g + 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e - 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g \\
& + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 - 54*a^2*b^3*c^2*g^2 - 64*a^2*b^3 \\
& *d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 - \\
& 81*b^5*c^4 - a^2*b^3*e^4 - a^4*b*g^4, z, k), k, 1, 4) + (f/(4*b) + (e*x^3)/ \\
& (4*a) + (x*(b*c + a*g))/(4*a*b) + (x^2*(b*d + a*h))/(4*a*b))/(a - b*x^4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,x)

[Out] Timed out

$$3.193 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^2} dx$$

Optimal. Leaf size=203

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{x(x^4+a)}{a^2}$$

[Out] $1/4*x*(b*c+a*g+(a*h+b*d)*x+(a*i+b*e)*x^2+b*f*x^3)/a/b/(-b*x^4+a)+1/4*(-a*h+b*d)*\arctanh(x^2*b^{(1/2)}/a^{(1/2)})/a^{(3/2)}/b^{(3/2)}-1/8*\arctan(b^{(1/4)}*x/a^{(1/4)})*(b*e-3*a*i+(-a*g+3*b*c)*b^{(1/2)}/a^{(1/2)})/a^{(5/4)}/b^{(7/4)}+1/8*\arctanh(b^{(1/4)}*x/a^{(1/4)})*(b*e-3*a*i+(-a*g+3*b*c)*b^{(1/2)}/a^{(1/2)})/a^{(5/4)}/b^{(7/4)}$

Rubi [A] time = 0.27, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {1858, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{x(x^4+a)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^2, x]

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + b*f*x^3))/(4*a*b*(a - b*x^4)) - ((b*e - (\text{Sqrt}[b]*(3*b*c - a*g))/\text{Sqrt}[a] - 3*a*i)*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(8*a^{(5/4)}*b^{(7/4)}) + ((b*e + (\text{Sqrt}[b]*(3*b*c - a*g))/\text{Sqrt}[a] - 3*a*i)*\text{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(8*a^{(5/4)}*b^{(7/4)}) + ((b*d - a*h)*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(4*a^{(3/2)}*b^{(3/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1167

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 193x^6}{(a - bx^4)^2} dx &= \frac{x(bc + ag + (bd + ah)x + (193a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \int \frac{-b(3bc - ag)}{4ab(a - bx^4)^2} dx \\
&= \frac{x(bc + ag + (bd + ah)x + (193a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \int \left(-\frac{2b(bd - ag)}{a - bx^4} + \frac{-b(3bc - ag)}{4ab(a - bx^4)^2} \right) dx \\
&= \frac{x(bc + ag + (bd + ah)x + (193a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \int \frac{-b(3bc - ag)}{4ab(a - bx^4)^2} dx \\
&= \frac{x(bc + ag + (bd + ah)x + (193a + be)x^2 + bfx^3)}{4ab(a - bx^4)} - \frac{(579a - bc)}{4ab(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + (193a + be)x^2 + bfx^3)}{4ab(a - bx^4)} + \frac{(579a - bc)}{4ab(a - bx^4)}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 302, normalized size = 1.49

$$\frac{4a^{3/4}b^{3/4}(a(f+x(g+x(h+ix)))+bx(c+x(d+ex)))}{a-bx^4} + \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(2a^{5/4}\sqrt[4]{b}h + 3a^{3/2}i - 2\sqrt[4]{a}b^{5/4}d - \sqrt{a}be + a\sqrt{b}g - 3b^{3/2}c\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^2,x]

[Out] ((4*a^(3/4)*b^(3/4)*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + x*(h + i*x)))))/(a - b*x^4) + 2*(3*b^(3/2)*c - Sqrt[a]*b*e - a*Sqrt[b]*g + 3*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + (-3*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d - Sqrt[a]*b*e + a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h + 3*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x] + (3*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e - a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h - 3*a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x] - 2*a^(1/4)*b^(1/4)*(-b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/(16*a^(7/4)*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.20, size = 583, normalized size = 2.87

$$-\frac{3}{32}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{ab^4} \right) - \frac{3}{32}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{ab^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorithm="giac")

[Out]
$$-3/32*i*(2*\sqrt{2})*(-a*b^3)^{(3/4)}*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4)}/(a*b^4) - \sqrt{2}*(-a*b^3)^{(3/4)}*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(a*b^4) - 3/32*i*(2*\sqrt{2})*(-a*b^3)^{(3/4)}*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4)}/(a*b^4) + \sqrt{2}*(-a*b^3)^{(3/4)}*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(a*b^4) - 1/16*\sqrt{2}*(3*b^2*c - a*b*g - 2*\sqrt{2})*(-a*b^3)^{(1/4)}*b*d + 2*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h + \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4)}/((-a*b^3)^{(3/4)}*a) - 1/16*\sqrt{2}*(3*b^2*c - a*b*g + 2*\sqrt{2})*(-a*b^3)^{(1/4)}*b*d - 2*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h - \sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(-a/b)^{(1/4)})/(-a/b)^{(1/4)}/((-a*b^3)^{(3/4)}*a) - 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) + 1/32*\sqrt{2}*(3*b^2*c - a*b*g - \sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a) - 1/4*(a*i*x^3 + b*x^3*e + b*d*x^2 + a*h*x^2 + b*c*x + a*g*x + a*f)/((b*x^4 - a)*a*b)$$

maple [B] time = 0.05, size = 409, normalized size = 2.01

$$-\frac{d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{8\sqrt{ab} a} + \frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{8\sqrt{ab} b} - \frac{e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{e \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \ln\left(\frac{x+\left(\frac{a}{b}\right)^{\frac{1}{4}}}{x-\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16ab} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)$

[Out] $(-1/4*(a*i+b*e)/a/b*x^3-1/4*(a*h+b*d)/a/b*x^2-1/4*(a*g+b*c)/a/b*x-1/4/b*f)/(b*x^4-a)-1/8*(a/b)^{(1/4)}/a/b*g*\arctan(1/(a/b)^{(1/4)}*x)+3/8*(a/b)^{(1/4)}/a^2*c*\arctan(1/(a/b)^{(1/4)}*x)-1/16*(a/b)^{(1/4)}/a/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+3/16*(a/b)^{(1/4)}/a^2*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/8/(a*b)^{(1/2)}/b*h*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/8/(a*b)^{(1/2)}/a*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))+3/8/b^2/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)*i-1/8/(a/b)^{(1/4)}/a/b*e*\arctan(1/(a/b)^{(1/4)}*x)-3/16/b^2/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*i+1/16/(a/b)^{(1/4)}/a/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 3.06, size = 260, normalized size = 1.28

$$\frac{(be + ai)x^3 + (bd + ah)x^2 + af + (bc + ag)x}{4(ab^2x^4 - a^2b)} + \frac{2(bd-ah)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}\sqrt{b}} - \frac{2(bd-ah)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}\sqrt{b}} + \frac{2\left(3b^2c - \sqrt{a}be - a\sqrt{b}g + \dots\right)}{16ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, \text{algorithm}="maxima")$

[Out] $-1/4*((b*e + a*i)*x^3 + (b*d + a*h)*x^2 + a*f + (b*c + a*g)*x)/(a*b^2*x^4 - a^2*b) + 1/16*(2*(b*d - a*h)*\log(\text{sqrt}(b)*x^2 + \text{sqrt}(a))/(\text{sqrt}(a)*\text{sqrt}(b)) - 2*(b*d - a*h)*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(a))/(\text{sqrt}(a)*\text{sqrt}(b)) + 2*(3*b^{(3/2)}*c - \text{sqrt}(a)*b*e - a*\text{sqrt}(b)*g + 3*a^{(3/2)}*i)*\arctan(\text{sqrt}(b)*x/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)) - (3*b^{(3/2)}*c + \text{sqrt}(a)*b*e - a*\text{sqrt}(b)*g - 3*a^{(3/2)}*i)*\log((\text{sqrt}(b)*x - \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(b)*x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)))/(a*b)$

mupad [B] time = 5.67, size = 2611, normalized size = 12.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^2,x)$

[Out] $\text{symsum}(\log((27*a^4*i^3 - a*b^3*e^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e - 12*a^2*b^2*c*h^2 + a^2*b^2*e*g^2 + 9*a^2*b^2*e^2*i + 4*a*b^3*d^2*g - 27*a*b^3*c^2*i - 27*a^3*b*e*i^2 + 4*a^3*b*g*h^2 - 3*a^3*b*g^2*i + 18*a^2*b^2*c*g*i - 8*a^2*b^2*d*g*h + 24*a*b^3*c*d*h - 6*a*b^3*c*e*g)/(64*a^3*b^2) - \text{root}(65536*a^7*b^7*z^4 - 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5*c*i*z^2 + 4096*a^5*b^5*d*h*z^2 \dots))$

$$\begin{aligned}
& 2 + 1024a^5b^5e^*g^*z^2 - 3072a^4b^6c^*e^*z^2 - 2048a^6b^4h^2z^2 - 2048a^4b^6d^2z^2 + 768a^5b^3e^*h^*i^*z - 768a^4b^4d^*e^*i^*z + 768a^4b^4c^*g^*h^*z - 768a^3b^5c^*d^*g^*z - 1152a^6b^2h^*i^2z - 128a^5b^3g^2h^*z + 1152a^5b^3d^*i^2z - 128a^4b^4e^2h^*z - 1152a^3b^5c^2h^*z + 128a^4b^4d^*g^2z + 128a^3b^5d^*e^2z + 1152a^2b^6c^2d^*z + 96a^4b^2d^*g^*h^*i - 288a^3b^3c^*d^*h^*i + 72a^3b^3c^*e^*g^*i - 32a^3b^3d^*e^*g^*h + 96a^2b^4c^*d^*e^*h - 12a^4b^2e^*g^2i + 144a^4b^2c^*h^2i - 48a^3b^3d^2g^*i + 16a^4b^2e^*g^*h^2 - 108a^4b^2c^*g^*i^2 - 108a^2b^4c^2e^*i + 144a^2b^4c^*d^2i - 48a^3b^3c^*e^*h^2 + 16a^2b^4d^2e^*g - 12a^2b^4c^*e^2g - 48a^5b^*g^*h^2i - 48a^*b^5c^*d^2e + 108a^5b^*e^*i^3 + 108a^*b^5c^3g - 54a^4b^2e^2i^2 + 162a^3b^3c^2i^2 + 96a^3b^3d^2h^2 + 2a^3b^3e^2g^2 - 54a^2b^4c^2g^2 + 18a^5b^*g^2i^2 + 12a^3b^3e^3i - 64a^4b^2d^*h^3 - 64a^2b^4d^3h + 12a^3b^3c^*g^3 + 18a^*b^5c^2e^2 + 16a^5b^*h^4 + 16a^*b^5d^4 - 81a^6i^4 - 81b^6c^4 - a^4b^2g^4 - a^2b^4e^4, z, 1) * (root(65536a^7b^7z^4 - 3072a^6b^4g^*i^*z^2 + 9216a^5b^5c^*i^*z^2 + 4096a^5b^5d^*h^*z^2 + 1024a^5b^5e^*g^*z^2 - 3072a^4b^6c^*e^*z^2 - 2048a^6b^4h^2z^2 - 2048a^4b^6d^2z^2 + 768a^5b^3e^*h^*i^*z - 768a^4b^4d^*e^*i^*z + 768a^4b^4c^*g^*h^*z - 768a^3b^5c^*d^*g^*z - 1152a^6b^2h^*i^2z - 128a^5b^3g^2h^*z + 1152a^5b^3d^*i^2z - 128a^4b^4e^2h^*z - 1152a^3b^5c^2h^*z + 128a^4b^4d^*g^2z + 128a^3b^5d^*e^2z + 1152a^2b^6c^2d^*z + 96a^4b^2d^*g^*h^*i - 288a^3b^3c^*d^*h^*i + 72a^3b^3c^*e^*g^*i - 32a^3b^3d^*e^*g^*h + 96a^2b^4c^*d^*e^*h - 12a^4b^2e^*g^2i + 144a^4b^2c^*h^2i - 48a^3b^3d^2g^*i + 16a^4b^2e^*g^*h^2 - 108a^4b^2c^*g^*i^2 - 108a^2b^4c^2e^*i + 144a^2b^4c^*d^2i - 48a^3b^3c^*e^*h^2 + 16a^2b^4d^2e^*g - 12a^2b^4c^*e^2g - 48a^5b^*g^*h^2i - 48a^*b^5c^*d^2e + 108a^5b^*e^*i^3 + 108a^*b^5c^3g - 54a^4b^2e^2i^2 + 162a^3b^3c^2i^2 + 96a^3b^3d^2h^2 + 2a^3b^3e^2g^2 - 54a^2b^4c^2g^2 + 18a^5b^*g^2i^2 + 12a^3b^3e^3i - 64a^4b^2d^*h^3 - 64a^2b^4d^3h + 12a^3b^3c^*g^3 + 18a^*b^5c^2e^2 + 16a^5b^*h^4 + 16a^*b^5d^4 - 81a^6i^4 - 81b^6c^4 - a^4b^2g^4 - a^2b^4e^4, z, 1) * ((768a^3b^5c - 256a^4b^4g)/(64a^3b^2) - (x*(128a^3b^4d - 128a^4b^3h))/(16a^3b)) - (64a^2b^4d^*e - 192a^3b^3d^*i - 64a^3b^3e^*h + 192a^4b^2h^*i)/(64a^3b^2) + (x*(36a^*b^4c^2 + 36a^4b^*i^2 + 4a^2b^3e^2 + 4a^3b^2g^2 - 24a^2b^3c^*g - 24a^3b^2e^*i))/(16a^3b)) - (x*(2b^3d^3 - 2a^3h^3 - 3b^3c^*d^*e + 3a^3g^*h^*i - 6a^*b^2d^2h + 6a^2b^*d^*h^2 + 9a^*b^2c^*d^*i + 3a^*b^2c^*e^*h + a^*b^2d^*e^*g - 9a^2b^*c^*h^*i - 3a^2b^*d^*g^*i - a^2b^*e^*g^*h))/(16a^3b)) * root(65536a^7b^7z^4 - 3072a^6b^4g^*i^*z^2 + 9216a^5b^5c^*i^*z^2 + 4096a^5b^5d^*h^*z^2 + 1024a^5b^5e^*g^*z^2 - 3072a^4b^6c^*e^*z^2 - 2048a^6b^4h^2z^2 - 2048a^4b^6d^2z^2 + 768a^5b^3e^*h^*i^*z - 768a^4b^4d^*e^*i^*z + 768a^4b^4c^*g^*h^*z - 768a^3b^5c^*d^*g^*z - 1152a^6b^2h^*i^2z - 128a^5b^3g^2h^*z + 1152a^5b^3d^*i^2z - 128a^4b^4e^2h^*z - 1152a^3b^5c^2h^*z + 128a^4b^4d^*g^2z + 128a^3b^5d^*e^2z + 1152a^2b^6c^2d^*z + 96a^4b^2d^*g^*h^*i - 288a^3b^3c^*d^*h^*i + 72a^3b^3c^*e^*g^*i - 32a^3b^3d^*e^*g^*h + 96a^2b^4c^*d^*e^*h - 12a^4b^2e^*g^2i + 144a^4b^2c^*h^2i - 48a^3b^3d^2g^*i + 16a^4b^2e^*g^*h^2 - 108a^4b^2c^*g^*i^2
\end{aligned}$$

$$\begin{aligned}
& 2 - 108a^2b^4c^2e^i + 144a^2b^4cd^2i - 48a^3b^3c^2e^h + 16a^2 \\
& b^4d^2e^g - 12a^2b^4c^2e^2g - 48a^5b^2g^2h^2i - 48ab^5cd^2e + 1 \\
& 08a^5b^2e^i + 108ab^5c^3g - 54a^4b^2e^2i^2 + 162a^3b^3c^2i^2 \\
& + 96a^3b^3d^2h^2 + 2a^3b^3e^2g^2 - 54a^2b^4c^2g^2 + 18a^5b^2g \\
& ^2i^2 + 12a^3b^3e^3i - 64a^4b^2d^2h^3 - 64a^2b^4d^3h + 12a^3b^3 \\
& c^2g^3 + 18ab^5c^2e^2 + 16a^5b^2h^4 + 16ab^5d^4 - 81a^6i^4 - 81 \\
& b^6c^4 - a^4b^2g^4 - a^2b^4e^4, z, 1), 1, 1, 4) + (f/(4*b) + (x*(b*c + \\
& a*g))/(4*a*b) + (x^2*(b*d + a*h))/(4*a*b) + (x^3*(b*e + a*i))/(4*a*b))/(a \\
& - b*x^4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,x)

[Out] Timed out

$$3.194 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^2} dx$$

Optimal. Leaf size=225

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{j\log(a-bx^4)}{4}$$

[Out] 1/4*x*(b*c+a*g+(a*h+b*d)*x+(a*i+b*e)*x^2+(a*j+b*f)*x^3)/a/b/(-b*x^4+a)+1/4*(-a*h+b*d)*arctanh(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(3/2)+1/4*j*ln(-b*x^4+a)/b^2-1/8*arctan(b^(1/4)*x/a^(1/4))*(b*e-3*a*i-(-a*g+3*b*c)*b^(1/2)/a^(1/2))/a^(5/4)/b^(7/4)+1/8*arctanh(b^(1/4)*x/a^(1/4))*(b*e-3*a*i+(-a*g+3*b*c)*b^(1/2)/a^(1/2))/a^(5/4)/b^(7/4)

Rubi [A] time = 0.31, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {1858, 1876, 1167, 205, 208, 1248, 635, 260}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{\sqrt{b}(3bc-ag)}{\sqrt{a}}-3ai+be\right)}{8a^{5/4}b^{7/4}} + \frac{(bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4a^{3/2}b^{3/2}} + \frac{j\log(a-bx^4)}{4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^2, x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + (b*f + a*j)*x^3))/(4*a*b*(a - b*x^4)) - ((b*e - (Sqrt[b]*(3*b*c - a*g))/Sqrt[a] - 3*a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(8*a^(5/4)*b^(7/4)) + ((b*e + (Sqrt[b]*(3*b*c - a*g))/Sqrt[a] - 3*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(8*a^(5/4)*b^(7/4)) + ((b*d - a*h)*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a]])/(4*a^(3/2)*b^(3/2)) + (j*Log[a - b*x^4])/(4*b^2)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

$\text{Int}[(x_)^m / ((a_) + (b_)*(x_)^n), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]] / (b*n), x] \text{ ; FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 635

$\text{Int}[(d_) + (e_)*(x_) / ((a_) + (c_)*(x_)^2), x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1 / (a + c*x^2), x], x] + \text{Dist}[e, \text{Int}[x / (a + c*x^2), x], x] \text{ ; FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{!NiceSqrtQ}[-(a*c)]$

Rule 1167

$\text{Int}[(d_) + (e_)*(x_)^2 / ((a_) + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(a*c), 2]\}, \text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[1 / (-q + c*x^2), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[1 / (q + c*x^2), x], x]] \text{ ; FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[-(a*c)]$

Rule 1248

$\text{Int}[(x_)*((d_) + (e_)*(x_)^2)^q * ((a_) + (c_)*(x_)^4)^p, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q * (a + c*x^2)^p, x], x, x^2], x] \text{ ; FreeQ}[\{a, c, d, e, p, q\}, x]$

Rule 1858

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^n)^p, x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq}, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*Pq}, a + b*x^n, x]\}, \text{Dist}[1 / (a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)^{p + 1} * \text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{p + 1}) / (a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] \text{ ; GeQ}[q, n] \text{ ; FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1876

$\text{Int}[(Pq_) / ((a_) + (b_)*(x_)^n), x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[(x^{ii} * (\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii] * x^{(n/2)})) / (a + b*x^n), \{ii, 0, n/2 - 1\}]\}, \text{Int}[v, x] \text{ ; SumQ}[v] \text{ ; FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{Expon}[Pq, x] < n]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 194x^6 + jx^7}{(a - bx^4)^2} dx &= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} + \\
&= \frac{x(bc + ag + (bd + ah)x + (194a + be)x^2 + (bf + aj)x^3)}{4ab(a - bx^4)} +
\end{aligned}$$

Mathematica [A] time = 0.25, size = 338, normalized size = 1.50

$$\frac{\sqrt[4]{b} \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(2a^{5/4}\sqrt[4]{b}h + 3a^{3/2}i - 2\sqrt[4]{a}b^{5/4}d - \sqrt{a}be + a\sqrt{b}g - 3b^{3/2}c\right)}{a^{7/4}} + \frac{\sqrt[4]{b} \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(2a^{5/4}\sqrt[4]{b}h - 3a^{3/2}i - 2\sqrt[4]{a}b^{5/4}d + \sqrt{a}be - a\sqrt{b}g + 3b^{3/2}c\right)}{a^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^2, x]

[Out] ((4*(a^2*j + b^2*x*(c + x*(d + e*x)) + a*b*(f + x*(g + x*(h + i*x)))))/(a*(a - b*x^4)) + (2*b^(1/4)*(3*b^(3/2)*c - Sqrt[a]*b*e - a*Sqrt[b]*g + 3*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)]/a^(7/4) + (b^(1/4)*(-3*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d - Sqrt[a]*b*e + a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h + 3*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x]/a^(7/4) + (b^(1/4)*(3*b^(3/2)*c - 2*a^(1/4)*b^(5/4)*d + Sqrt[a]*b*e - a*Sqrt[b]*g + 2*a^(5/4)*b^(1/4)*h - 3*a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x]/a^(7/4) + (2*Sqrt[b]*(b*d - a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/a^(3/2) + 4*j*Log[a - b*x^4]/(16*b^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorith="fricas")

[Out] Timed out

giac [B] time = 0.23, size = 610, normalized size = 2.71

$$-\frac{3}{32}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{ab^4} \right) - \frac{3}{32}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{ab^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorith="giac")

[Out]
$$-\frac{3}{32}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{ab^4} \right) - \frac{3}{32}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{ab^4} \right) + \frac{1}{16}\sqrt{2} \left(\frac{3b^2c - abg - 2\sqrt{2}(-ab^3)^{\frac{1}{4}}bd + 2\sqrt{2}(-ab^3)^{\frac{1}{4}}ah + \sqrt{-ab}be}{(-ab^3)^{\frac{3}{4}}a} \arctan\left(\frac{1}{2}\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)\right) - \frac{3b^2c - abg + 2\sqrt{2}(-ab^3)^{\frac{1}{4}}bd - 2\sqrt{2}(-ab^3)^{\frac{1}{4}}ah - \sqrt{-ab}be}{(-ab^3)^{\frac{3}{4}}a} \arctan\left(\frac{1}{2}\sqrt{2}\left(2x-\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)\right) - \frac{1}{32}\sqrt{2} \left(\frac{3b^2c - abg - \sqrt{-ab}be}{(-ab^3)^{\frac{3}{4}}a} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right) + \frac{1}{32}\sqrt{2} \left(\frac{3b^2c - abg - \sqrt{-ab}be}{(-ab^3)^{\frac{3}{4}}a} \log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right) + \frac{1}{4}j \log\left(\frac{abs(bx^4 - a)}{b^2}\right) - \frac{1}{4} \left(\frac{(ai + b^2e)x^3 + (bd + ah)x^2 + (bc + ag)x + (abf + a^2j)}{b} \right) \right) \right)$$

maple [B] time = 0.06, size = 431, normalized size = 1.92

$$\frac{d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{8\sqrt{ab} a} + \frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{8\sqrt{ab} b} - \frac{e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{8ab} - \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} g \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16ab} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x)

[Out]
$$\begin{aligned} & (-1/4*(a*i+b*e)/a/b*x^3-1/4*(a*h+b*d)/a/b*x^2-1/4*(a*g+b*c)/a/b*x-1/4*(a*j+ \\ & b*f)/b^2)/(b*x^4-a)-1/8*(a/b)^{(1/4)}/a/b*g*\arctan(1/(a/b)^{(1/4)}*x)+3/8*(a/b) \\ & ^{(1/4)}/a^2*c*\arctan(1/(a/b)^{(1/4)}*x)-1/16*(a/b)^{(1/4)}/a/b*g*\ln((x+(a/b)^{(1/4)}) \\ & /((x-(a/b)^{(1/4)}))) + 3/16*(a/b)^{(1/4)}/a^2*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) \\ & + 1/8/(a*b)^{(1/2)}/b*h*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-1/8/(a*b) \\ & ^{(1/2)}/a*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))+3/8/(a/b)^{(1/4)}/b^2*i \\ & *\arctan(1/(a/b)^{(1/4)}*x)-1/8/(a/b)^{(1/4)}/a/b*e*\arctan(1/(a/b)^{(1/4)}*x) \\ & -3/16/(a/b)^{(1/4)}/b^2*i*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/16/(a/b)^{(1/4)}/a/b \\ & *e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/4/b^2*j*\ln(b*x^4-a) \end{aligned}$$

maxima [A] time = 3.15, size = 299, normalized size = 1.33

$$\frac{(b^2e + abi)x^3 + abf + a^2j + (b^2d + abh)x^2 + (b^2c + abg)x}{4(ab^3x^4 - a^2b^2)} + \frac{2\left(3b^{\frac{3}{2}}c - \sqrt{a}be - a\sqrt{b}g + 3a^{\frac{3}{2}}i\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} + \frac{2\left(b^{\frac{3}{2}}d - a\sqrt{b}h\right)\log\left(\frac{x + \sqrt{\sqrt{a}\sqrt{b}}}{x - \sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^2,x, algorith="maxima")

[Out]
$$\begin{aligned} & -1/4*((b^2*e + a*b*i)*x^3 + a*b*f + a^2*j + (b^2*d + a*b*h)*x^2 + (b^2*c + \\ & a*b*g)*x)/(a*b^3*x^4 - a^2*b^2) + 1/16*(2*(3*b^{(3/2)}*c - \text{sqrt}(a)*b*e - a*\text{sqrt} \\ & (b)*g + 3*a^{(3/2)}*i)*\arctan(\text{sqrt}(b)*x/\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(a)*\text{sqrt} \\ & (\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b)) + 2*(b^{(3/2)}*d - a*\text{sqrt}(b)*h + 2*a^{(3/2)}*j)*\log \\ & (\text{sqrt}(b)*x^2 + \text{sqrt}(a))/(\text{sqrt}(a)*b) - 2*(b^{(3/2)}*d - a*\text{sqrt}(b)*h - 2*a^{(3/2)} \\ &)*j)*\log(\text{sqrt}(b)*x^2 - \text{sqrt}(a))/(\text{sqrt}(a)*b) - (3*b^{(3/2)}*c + \text{sqrt}(a)*b*e - \\ & a*\text{sqrt}(b)*g - 3*a^{(3/2)}*i)*\log((\text{sqrt}(b)*x - \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b)))/(\text{sqrt}(b) \\ & *x + \text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))))/(\text{sqrt}(a)*\text{sqrt}(\text{sqrt}(a)*\text{sqrt}(b))*\text{sqrt}(b))/(a*b) \end{aligned}$$

mupad [B] time = 5.91, size = 3943, normalized size = 17.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^2, x)$

[Out] $((b*f + a*j)/(4*b^2) + (x*(b*c + a*g))/(4*a*b) + (x^2*(b*d + a*h))/(4*a*b) + (x^3*(b*e + a*i))/(4*a*b))/(a - b*x^4) + \text{symsum}(\log((27*a^4*i^3 - a*b^3*e^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e + 16*a^4*g*j^2 - 12*a^2*b^2*c*h^2 + a^2*b^2*e*g^2 + 9*a^2*b^2*e^2*i - 48*a^4*h*i*j + 4*a*b^3*d^2*g - 27*a*b^3*c^2*i - 48*a^3*b*c*j^2 - 27*a^3*b*e*i^2 + 4*a^3*b*g*h^2 - 3*a^3*b*g^2*i + 18*a^2*b^2*c*g*i - 16*a^2*b^2*d*e*j - 8*a^2*b^2*d*g*h + 24*a*b^3*c*d*h - 6*a*b^3*c*e*g + 48*a^3*b*d*i*j + 16*a^3*b*e*h*j)/(64*a^3*b^2) - \text{root}(65536*a^7*b^8*z^4 - 65536*a^7*b^6*j*z^3 - 3072*a^6*b^5*g*i*z^2 + 9216*a^5*b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2 + 1024*a^5*b^6*e*g*z^2 - 3072*a^4*b^7*c*e*z^2 + 24576*a^7*b^4*j^2*z^2 - 2048*a^6*b^5*h^2*z^2 - 2048*a^4*b^7*d^2*z^2 + 1536*a^6*b^3*g*i*j*z - 4608*a^5*b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768*a^5*b^4*e*h*i*z - 512*a^5*b^4*e*g*j*z + 1536*a^4*b^5*c*e*j*z - 768*a^4*b^5*d*e*i*z + 768*a^4*b^5*c*g*h*z - 768*a^3*b^6*c*d*g*z + 1024*a^6*b^3*h^2*j*z - 1152*a^6*b^3*h*i^2*z - 128*a^5*b^4*g^2*h*z + 1024*a^4*b^5*d^2*j*z + 1152*a^5*b^4*d*i^2*z - 128*a^4*b^5*e^2*h*z - 1152*a^3*b^6*c^2*h*z + 128*a^4*b^5*d*g^2*z + 128*a^3*b^6*d*e^2*z + 1152*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z - 192*a^5*b^2*e*h*i*j + 192*a^4*b^3*d*e*i*j - 192*a^4*b^3*c*g*h*j + 96*a^4*b^3*d*g*h*i - 288*a^3*b^4*c*d*h*i + 192*a^3*b^4*c*d*g*j + 72*a^3*b^4*c*e*g*i - 32*a^3*b^4*d*e*g*h + 96*a^2*b^5*c*d*e*h + 32*a^5*b^2*g^2*h*j - 48*a^5*b^2*g*h^2*i - 288*a^5*b^2*d*i^2*j + 32*a^4*b^3*e^2*h*j + 576*a^5*b^2*c*i*j^2 + 256*a^5*b^2*d*h*j^2 + 64*a^5*b^2*e*g*j^2 + 288*a^3*b^4*c^2*h*j - 32*a^4*b^3*d*g^2*j - 12*a^4*b^3*e*g^2*i + 144*a^4*b^3*c*h^2*i - 48*a^3*b^4*d^2*g*i + 16*a^4*b^3*e*g*h^2 - 108*a^4*b^3*c*g*i^2 - 32*a^3*b^4*d*e^2*j - 192*a^4*b^3*c*e*j^2 - 288*a^2*b^5*c^2*d*j - 108*a^2*b^5*c^2*e*i + 144*a^2*b^5*c*d^2*i - 48*a^3*b^4*c*e*h^2 + 16*a^2*b^5*d^2*e*g - 12*a^2*b^5*c*e^2*g + 288*a^6*b*h*i^2*j - 192*a^6*b*g*i*j^2 - 48*a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^5*b^2*g^2*i^2 - 128*a^4*b^3*d^2*j^2 - 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2*i^2 + 96*a^3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 - 54*a^2*b^5*c^2*g^2 - 128*a^6*b*h^2*j^2 + 108*a^5*b^2*e*i^3 + 12*a^3*b^4*e^3*i - 64*a^4*b^3*d*h^3 - 64*a^2*b^5*d^3*h + 12*a^3*b^4*c*g^3 + 18*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 - 81*a^6*b*i^4 + 16*a*b^6*d^4 + 256*a^7*j^4 - 81*b^7*c^4 - a^4*b^3*g^4 - a^2*b^5*e^4, z, m)*(\text{root}(65536*a^7*b^8*z^4 - 65536*a^7*b^6*j*z^3 - 3072*a^6*b^5*g*i*z^2 + 9216*a^5*b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2 + 1024*a^5*b^6*e*g*z^2 - 3072*a^4*b^7*c*e*z^2 + 24576*a^7*b^4*j^2*z^2 - 2048*a^6*b^5*h^2*z^2 - 2048*a^4*b^7*d^2*z^2 + 1536*a^6*b^3*g*i*j*z - 4608*a^5*b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768*a^5*b^4*e*h*i*z - 512*a^5*b^4*e*g*j*z + 1536*a^4*b^5*c*e*j*z - 768*a^4*b^5*d*e*i*z + 768*a^4*b^5*c*g*h*z - 768*a^3*b^6*c*d*g*z + 1024*a^6*b^3*h^2*j*z - 1152*a^6*b^3*h*i^2*z - 128*a^5*b^4*g^2*h*z + 1024*a^4*b^5*d^2*j*z + 1152*a^5*b^4*d*i^2*z - 128*a^4*b^5*e^2*h*z - 1152*a^3*b^6*c^2*h*z + 128*a^4*b^5*d*g^2*z + 128*a^3*b^6*d*e^2*z + 1152*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z - 1$

$$\begin{aligned}
& 92*a^5*b^2*e*h*i*j + 192*a^4*b^3*d*e*i*j - 192*a^4*b^3*c*g*h*j + 96*a^4*b^3 \\
& *d*g*h*i - 288*a^3*b^4*c*d*h*i + 192*a^3*b^4*c*d*g*j + 72*a^3*b^4*c*e*g*i - \\
& 32*a^3*b^4*d*e*g*h + 96*a^2*b^5*c*d*e*h + 32*a^5*b^2*g^2*h*j - 48*a^5*b^2* \\
& g*h^2*i - 288*a^5*b^2*d*i^2*j + 32*a^4*b^3*e^2*h*j + 576*a^5*b^2*c*i*j^2 + \\
& 256*a^5*b^2*d*h*j^2 + 64*a^5*b^2*e*g*j^2 + 288*a^3*b^4*c^2*h*j - 32*a^4*b^3 \\
& *d*g^2*j - 12*a^4*b^3*e*g^2*i + 144*a^4*b^3*c*h^2*i - 48*a^3*b^4*d^2*g*i + \\
& 16*a^4*b^3*e*g*h^2 - 108*a^4*b^3*c*g*i^2 - 32*a^3*b^4*d*e^2*j - 192*a^4*b^3 \\
& *c*e*j^2 - 288*a^2*b^5*c^2*d*j - 108*a^2*b^5*c^2*e*i + 144*a^2*b^5*c*d^2*i \\
& - 48*a^3*b^4*c*e*h^2 + 16*a^2*b^5*d^2*e*g - 12*a^2*b^5*c*e^2*g + 288*a^6*b* \\
& h*i^2*j - 192*a^6*b*g*i*j^2 - 48*a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^5*b \\
& ^2*g^2*i^2 - 128*a^4*b^3*d^2*j^2 - 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2*i^2 \\
& + 96*a^3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 - 54*a^2*b^5*c^2*g^2 - 128*a^6*b* \\
& h^2*j^2 + 108*a^5*b^2*e*i^3 + 12*a^3*b^4*e^3*i - 64*a^4*b^3*d*h^3 - 64*a^2*b \\
& ^5*d^3*h + 12*a^3*b^4*c*g^3 + 18*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 - 81*a^6*b \\
& *i^4 + 16*a*b^6*d^4 + 256*a^7*j^4 - 81*b^7*c^4 - a^4*b^3*g^4 - a^2*b^5*e^4, \\
& z, m)*((768*a^3*b^5*c - 256*a^4*b^4*g)/(64*a^3*b^2) - (x*(128*a^3*b^5*d - \\
& 128*a^4*b^4*h))/(16*a^3*b^2)) - (64*a^2*b^4*d*e + 384*a^3*b^3*c*j - 192*a^3 \\
& *b^3*d*i - 64*a^3*b^3*e*h - 128*a^4*b^2*g*j + 192*a^4*b^2*h*i)/(64*a^3*b^2) \\
& + (x*(36*a*b^5*c^2 + 4*a^2*b^4*e^2 + 4*a^3*b^3*g^2 + 36*a^4*b^2*i^2 - 24*a \\
& ^2*b^4*c*g + 64*a^3*b^3*d*j - 24*a^3*b^3*e*i - 64*a^4*b^2*h*j))/(16*a^3*b^2 \\
&)) + (x*(2*a^3*b*h^3 - 2*b^4*d^3 - 8*a^4*h*j^2 + 9*a^4*i^2*j - 6*a^2*b^2*d* \\
& h^2 + a^2*b^2*e^2*j + 3*b^4*c*d*e + 6*a*b^3*d^2*h + 9*a*b^3*c^2*j + 8*a^3*b \\
& *d*j^2 + a^3*b*g^2*j - 6*a^2*b^2*c*g*j + 9*a^2*b^2*c*h*i + 3*a^2*b^2*d*g*i \\
& + a^2*b^2*e*g*h - 9*a*b^3*c*d*i - 3*a*b^3*c*e*h - a*b^3*d*e*g - 6*a^3*b*e*i \\
& *j - 3*a^3*b*g*h*i))/(16*a^3*b^2))*root(65536*a^7*b^8*z^4 - 65536*a^7*b^6*j \\
& *z^3 - 3072*a^6*b^5*g*i*z^2 + 9216*a^5*b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2 + \\
& 1024*a^5*b^6*e*g*z^2 - 3072*a^4*b^7*c*e*z^2 + 24576*a^7*b^4*j^2*z^2 - 2048 \\
& *a^6*b^5*h^2*z^2 - 2048*a^4*b^7*d^2*z^2 + 1536*a^6*b^3*g*i*j*z - 4608*a^5*b \\
& ^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768*a^5*b^4*e*h*i*z - 512*a^5*b^4*e*g*j \\
& *z + 1536*a^4*b^5*c*e*j*z - 768*a^4*b^5*d*e*i*z + 768*a^4*b^5*c*g*h*z - 768 \\
& *a^3*b^6*c*d*g*z + 1024*a^6*b^3*h^2*j*z - 1152*a^6*b^3*h*i^2*z - 128*a^5*b^ \\
& 4*g^2*h*z + 1024*a^4*b^5*d^2*j*z + 1152*a^5*b^4*d*i^2*z - 128*a^4*b^5*e^2*h \\
& *z - 1152*a^3*b^6*c^2*h*z + 128*a^4*b^5*d*g^2*z + 128*a^3*b^6*d*e^2*z + 115 \\
& 2*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z - 192*a^5*b^2*e*h*i*j + 192*a^4*b^3* \\
& d*e*i*j - 192*a^4*b^3*c*g*h*j + 96*a^4*b^3*d*g*h*i - 288*a^3*b^4*c*d*h*i + \\
& 192*a^3*b^4*c*d*g*j + 72*a^3*b^4*c*e*g*i - 32*a^3*b^4*d*e*g*h + 96*a^2*b^5* \\
& c*d*e*h + 32*a^5*b^2*g^2*h*j - 48*a^5*b^2*g*h^2*i - 288*a^5*b^2*d*i^2*j + 3 \\
& 2*a^4*b^3*e^2*h*j + 576*a^5*b^2*c*i*j^2 + 256*a^5*b^2*d*h*j^2 + 64*a^5*b^2* \\
& e*g*j^2 + 288*a^3*b^4*c^2*h*j - 32*a^4*b^3*d*g^2*j - 12*a^4*b^3*e*g^2*i + 1 \\
& 44*a^4*b^3*c*h^2*i - 48*a^3*b^4*d^2*g*i + 16*a^4*b^3*e*g*h^2 - 108*a^4*b^3* \\
& c*g*i^2 - 32*a^3*b^4*d*e^2*j - 192*a^4*b^3*c*e*j^2 - 288*a^2*b^5*c^2*d*j - \\
& 108*a^2*b^5*c^2*e*i + 144*a^2*b^5*c*d^2*i - 48*a^3*b^4*c*e*h^2 + 16*a^2*b^5 \\
& *d^2*e*g - 12*a^2*b^5*c*e^2*g + 288*a^6*b*h*i^2*j - 192*a^6*b*g*i*j^2 - 48* \\
& a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^5*b^2*g^2*i^2 - 128*a^4*b^3*d^2*j^2 \\
& - 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2*i^2 + 96*a^3*b^4*d^2*h^2 + 2*a^3*b^4
\end{aligned}$$


```
*e^2*g^2 - 54*a^2*b^5*c^2*g^2 - 128*a^6*b*h^2*j^2 + 108*a^5*b^2*e*i^3 + 12*
a^3*b^4*e^3*i - 64*a^4*b^3*d*h^3 - 64*a^2*b^5*d^3*h + 12*a^3*b^4*c*g^3 + 18
*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 - 81*a^6*b*i^4 + 16*a*b^6*d^4 + 256*a^7*j^4
- 81*b^7*c^4 - a^4*b^3*g^4 - a^2*b^5*e^4, z, m), m, 1, 4)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**2,
x)
```

[Out] Timed out

$$3.195 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^2} dx$$

Optimal. Leaf size=353

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}}$$

[Out] $1/4*x*(b*c-a*g+(-a*h+b*d)*x+b*e*x^2+b*f*x^3)/a/b/(b*x^4+a)+1/4*(a*h+b*d)*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/a^{(3/2)}/b^{(3/2)}-1/32*\ln(-a^{(1/4)}*b^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(3*b*c+a*g-e*a^{(1/2)}*b^{(1/2)})/a^{(7/4)}/b^{(5/4)}*2^{(1/2)}+1/32*\ln(a^{(1/4)}*b^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(3*b*c+a*g-e*a^{(1/2)}*b^{(1/2)})/a^{(7/4)}/b^{(5/4)}*2^{(1/2)}+1/16*\arctan(-1+b^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*(3*b*c+a*g+e*a^{(1/2)}*b^{(1/2)})/a^{(7/4)}/b^{(5/4)}*2^{(1/2)}+1/16*\arctan(1+b^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*(3*b*c+a*g+e*a^{(1/2)}*b^{(1/2)})/a^{(7/4)}/b^{(5/4)}*2^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 353, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1858, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-\sqrt{a} \sqrt{b} e + ag + 3bc\right)}{16\sqrt{2} a^{7/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^2, x]

[Out] $(x*(b*c - a*g + (b*d - a*h)*x + b*e*x^2 + b*f*x^3))/(4*a*b*(a + b*x^4)) + ((b*d + a*h)*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(4*a^{(3/2)}*b^{(3/2)}) - ((3*b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(8*\text{Sqrt}[2]*a^{(7/4)}*b^{(5/4)}) + ((3*b*c + \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(8*\text{Sqrt}[2]*a^{(7/4)}*b^{(5/4)}) - ((3*b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^{(7/4)}*b^{(5/4)}) + ((3*b*c - \text{Sqrt}[a]*\text{Sqrt}[b]*e + a*g)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^{(7/4)}*b^{(5/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1 /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*

c)]

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^4)^2} dx &= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-b(3bc+ag)-2b(bd+ah)x-b^2ex^2}{a+bx^4} dx}{4ab^2} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \left(-\frac{2b(bd+ah)x}{a+bx^4} + \frac{-b(3bc+ag)-b^2}{a+bx^4} \right) dx}{4ab^2} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} - \frac{\int \frac{-b(3bc+ag)-b^2ex^2}{a+bx^4} dx}{4ab^2} + \frac{(bd + ah)}{4ab} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(3bc - \sqrt{a}\sqrt{b}e + ag) \int \frac{\sqrt{a}\sqrt{b}}{a+bx^4} dx}{8a^{3/2}b^{3/2}} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}b^{3/2}} - \frac{3}{4ab} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}b^{3/2}} - \frac{3}{4ab} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah) \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}b^{3/2}} - \frac{3}{4ab}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 359, normalized size = 1.02

$$-2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) (4a^{5/4}h + \sqrt{2} \sqrt{a} b^{3/4}e + 4\sqrt[4]{a} bd + \sqrt{2} a \sqrt[4]{b} g + 3\sqrt{2} b^{5/4}c) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) (-4a^{5/4}h + \sqrt{2} \sqrt{a} b^{3/4}e + 4\sqrt[4]{a} bd + \sqrt{2} a \sqrt[4]{b} g + 3\sqrt{2} b^{5/4}c)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^2,x]

[Out] ((-8*a^(3/4)*Sqrt[b]*(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + h*x))))/(a + b*x^4) - 2*(3*Sqrt[2]*b^(5/4)*c + 4*a^(1/4)*b*d + Sqrt[2]*Sqrt[a]*b^(3/4)*e + Sqrt[2]*a*b^(1/4)*g + 4*a^(5/4)*h)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(3*Sqrt[2]*b^(5/4)*c - 4*a^(1/4)*b*d + Sqrt[2]*Sqrt[a]*b^(3/4)*e + Sqrt[2]*a*b^(1/4)*g - 4*a^(5/4)*h)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]

+ Sqrt[2]*b^(1/4)*(-3*b*c + Sqrt[a]*Sqrt[b]*e - a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*b^(1/4)*(3*b*c - Sqrt[a]*Sqrt[b]*e + a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2]/(32*a^(7/4)*b^(3/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 398, normalized size = 1.13

$$\frac{bx^3e + bdx^2 - ahx^2 + bcx - agx - af}{4(bx^4 + a)ab} + \frac{\sqrt{2} \left(2\sqrt{2}\sqrt{ab}b^2d + 2\sqrt{2}\sqrt{ab}abh + 3(ab^3)^{\frac{1}{4}}b^2c + (ab^3)^{\frac{1}{4}}abg + (ab^3)^{\frac{3}{4}}e \right)}{16a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] 1/4*(b*x^3*e + b*d*x^2 - a*h*x^2 + b*c*x - a*g*x - a*f)/((b*x^4 + a)*a*b) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 2*sqrt(2)*sqrt(a*b)*a*b*h + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/16*sqrt(2)*(2*sqrt(2)*sqrt(a*b)*b^2*d + 2*sqrt(2)*sqrt(a*b)*a*b*h + 3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g + (a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)

maple [A] time = 0.06, size = 515, normalized size = 1.46

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} a} + \frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} b} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{a/b}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{a/b}}\right)}{32\left(\frac{a}{b}\right)^{\frac{1}{4}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)`

[Out] $(1/4/a*e*x^3-1/4*(a*h-b*d)/a/b*x^2-1/4*(a*g-b*c)/a/b*x-1/4/b*f)/(b*x^4+a)+1/16/b/a*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*g+3/16*(a/b)^{(1/4)}*2^{(1/2)}/a^2*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/16/b/a*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*g+3/16*(a/b)^{(1/4)}*2^{(1/2)}/a^2*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/32*(a/b)^{(1/4)}*2^{(1/2)}/a/b*g*\ln((x^2+(a/b)^{(1/4)})*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+3/32*(a/b)^{(1/4)}*2^{(1/2)}/a^2*c*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+1/4/b/(a*b)^{(1/2)}*\arctan((1/a*b)^{(1/2)}*x^2)*h+1/4/(a*b)^{(1/2)}/a*d*\arctan((1/a*b)^{(1/2)}*x^2)+1/32/(a/b)^{(1/4)}*2^{(1/2)}/a/b*e*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+1/16/(a/b)^{(1/4)}*2^{(1/2)}/a/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/16/(a/b)^{(1/4)}*2^{(1/2)}/a/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)$

maxima [A] time = 3.19, size = 374, normalized size = 1.06

$$\frac{bex^3 + (bd - ah)x^2 - af + (bc - ag)x}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2}\left(3b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g\right)\log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}\left(3b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g\right)\log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")`

[Out] $1/4*(b*e*x^3 + (b*d - a*h)*x^2 - a*f + (b*c - a*g)*x)/(a*b^2*x^4 + a^2*b) + 1/32*(\sqrt{2}*(3*b^{(3/2)}*c - \sqrt{a}*b*e + a*\sqrt{b}*g)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} - \sqrt{2}*(3*b^{(3/2)}*c - \sqrt{a}*b*e + a*\sqrt{b}*g)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} + 2*(3*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(5/4)}*e + \sqrt{2}*a^{(5/4)}*b^{(3/4)}*g - 4*\sqrt{a}*b^{(3/2)}*d - 4*a^{(3/2)}*\sqrt{b}*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{a}*\sqrt{b}))/a^{(3/4)}*\sqrt{a}*\sqrt{b}*b^{(3/4)} + 2*(3*\sqrt{2}*a^{(1/4)}*b^{(7/4)}*c + \sqrt{2}*a^{(3/4)}*b^{(5/4)}*e + \sqrt{2}*a^{(5/4)}*b^{(3/4)}*g + 4*\sqrt{a}*b^{(3/2)}*d + 4*a^{(3/2)}*\sqrt{b}*h)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{a}*\sqrt{b}))/a^{(3/4)}*\sqrt{a}*\sqrt{b}*b^{(3/4)})/(a*b)$

mupad [B] time = 5.58, size = 1623, normalized size = 4.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^2, x)$

[Out] $\text{symsum}(\log((12*b^3*c*d^2 - a*b^2*e^3 - 9*b^3*c^2*e + 4*a^3*g*h^2 + 4*a*b^2*d^2*g + 12*a^2*b*c*h^2 - a^2*b*e*g^2 + 24*a*b^2*c*d*h - 6*a*b^2*c*e*g + 8*a^2*b*d*g*h)/(64*a^3*b) - \text{root}(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 + 3072*a^4*b^5*c*e*z^2 + 2048*a^6*b^3*h^2*z^2 + 2048*a^4*b^5*d^2*z^2 - 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*h*z + 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z - 128*a^4*b^3*d*g^2*z + 128*a^3*b^4*d*e^2*z - 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h - 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 - 16*a^2*b^3*d^2*e*g + 12*a^2*b^3*c*e^2*g - 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e + 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 + 54*a^2*b^3*c^2*g^2 + 64*a^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 + 81*b^5*c^4 + a^2*b^3*e^4 + a^4*b*g^4, z, k)*(\text{root}(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 + 3072*a^4*b^5*c*e*z^2 + 2048*a^6*b^3*h^2*z^2 + 2048*a^4*b^5*d^2*z^2 - 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*h*z + 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z - 128*a^4*b^3*d*g^2*z + 128*a^3*b^4*d*e^2*z - 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h - 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 - 16*a^2*b^3*d^2*e*g + 12*a^2*b^3*c*e^2*g - 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e + 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 + 54*a^2*b^3*c^2*g^2 + 64*a^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 + 81*b^5*c^4 + a^2*b^3*e^4 + a^4*b*g^4, z, k)*((768*a^3*b^4*c + 256*a^4*b^3*g)/(64*a^3*b) - (x*(128*a^3*b^4*d + 128*a^4*b^3*h))/(16*a^3*b)) + (64*a^2*b^3*d*e + 64*a^3*b^2*e*h)/(64*a^3*b) + (x*(36*a*b^4*c^2 - 4*a^2*b^3*e^2 + 4*a^3*b^2*g^2 + 24*a^2*b^3*c*g))/(16*a^3*b) + (x*(2*b^3*d^3 + 2*a^3*h^3 - 3*b^3*c*d*e + 6*a*b^2*d^2*h + 6*a^2*b*d*h^2 - 3*a*b^2*c*e*h - a*b^2*d*e*g - a^2*b*e*g*h))/(16*a^3*b))*\text{root}(65536*a^7*b^6*z^4 + 4096*a^5*b^4*d*h*z^2 + 1024*a^5*b^4*e*g*z^2 + 3072*a^4*b^5*c*e*z^2 + 2048*a^6*b^3*h^2*z^2 + 2048*a^4*b^5*d^2*z^2 - 768*a^4*b^3*c*g*h*z - 768*a^3*b^4*c*d*g*z - 128*a^5*b^2*g^2*h*z + 128*a^4*b^3*e^2*h*z - 1152*a^3*b^4*c^2*h*z - 128*a^4*b^3*d*g^2*z + 128*a^3*b^4*d*e^2*z - 1152*a^2*b^5*c^2*d*z - 32*a^3*b^2*d*e*g*h - 96*a^2*b^3*c*d*e*h - 48*a^3*b^2*c*e*h^2 - 16*a^2*b^3*d^2*e*g + 12*a^2*b^3*c*e^2*g - 16*a^4*b*e*g*h^2 - 48*a*b^4*c*d^2*e + 64*a^4*b*d*h^3 + 108*a*b^4*c^3*g + 96*a^3*b^2*d^2*h^2 + 2*a^3*b^2*e^2*g^2 + 54*a^2*b^3*c^2*g^2 + 64*a^2*b^3*d^3*h + 12*a^3*b^2*c*g^3 + 18*a*b^4*c^2*e^2 + 16*a*b^4*d^4 + 16*a^5*h^4 + 81*b^5*c^4 + a^2*b^3*e^4 + a^4*b*g^4, z, k), k, 1, 4) + ((e*x^3)/(4*a) - f/(4*b) + (x*(b*c - a*g))/(4*a*b) + (x^2*(b*d - a*h))/(4*a*b))/(a + b*x^4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)
```

```
[Out] Timed out
```

$$3.196 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^2} dx$$

Optimal. Leaf size=395

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b} (ag + 3bc) - \sqrt{a} (3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b} (ag + 3bc) + \sqrt{a} (3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}}$$

[Out] $\frac{1}{4} x (b c - a g + (b d - a h) x + (b e - a i) x^2 + b f x^3) / a / b / (b x^4 + a) + \frac{1}{4} (a h + b d) \arctan(x^2 b^{1/2} / a^{1/2}) / a^{3/2} / b^{3/2} - \frac{1}{32} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-3 a i + b e) a^{1/2} + (a g + 3 b c) b^{1/2} / a^{7/4} / b^{7/4} * 2^{1/2} + \frac{1}{32} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-3 a i + b e) a^{1/2} + (a g + 3 b c) b^{1/2} / a^{7/4} / b^{7/4} * 2^{1/2} + \frac{1}{16} \arctan(-1 + b^{1/4} x^2 / a^{1/4}) * ((3 a i + b e) a^{1/2} + (a g + 3 b c) b^{1/2}) / a^{7/4} / b^{7/4} * 2^{1/2} + \frac{1}{16} \arctan(1 + b^{1/4} x^2 / a^{1/4}) * ((3 a i + b e) a^{1/2} + (a g + 3 b c) b^{1/2}) / a^{7/4} / b^{7/4} * 2^{1/2}$

Rubi [A] time = 0.49, antiderivative size = 395, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1858, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b} (ag + 3bc) - \sqrt{a} (3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b} (ag + 3bc) + \sqrt{a} (3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^2, x]

[Out] $(x(b c - a g + (b d - a h) x + (b e - a i) x^2 + b f x^3)) / (4 a b (a + b x^4)) + ((b d + a h) \operatorname{ArcTan}[\operatorname{Sqrt}[b] x^2 / \operatorname{Sqrt}[a]]) / (4 a^{3/2} b^{3/2}) - ((\operatorname{Sqrt}[b] (3 b c + a g) + \operatorname{Sqrt}[a] (b e + 3 a i)) \operatorname{ArcTan}[1 - (\operatorname{Sqrt}[2] b^{1/4} x) / a^{1/4}]) / (8 \operatorname{Sqrt}[2] a^{7/4} b^{7/4}) + ((\operatorname{Sqrt}[b] (3 b c + a g) + \operatorname{Sqrt}[a] (b e + 3 a i)) \operatorname{ArcTan}[1 + (\operatorname{Sqrt}[2] b^{1/4} x) / a^{1/4}]) / (8 \operatorname{Sqrt}[2] a^{7/4} b^{7/4}) - ((\operatorname{Sqrt}[b] (3 b c + a g) - \operatorname{Sqrt}[a] (b e + 3 a i)) \operatorname{Log}[\operatorname{Sqrt}[a] - \operatorname{Sqrt}[2] a^{1/4} b^{1/4} x + \operatorname{Sqrt}[b] x^2]) / (16 \operatorname{Sqrt}[2] a^{7/4} b^{7/4}) + ((\operatorname{Sqrt}[b] (3 b c + a g) - \operatorname{Sqrt}[a] (b e + 3 a i)) \operatorname{Log}[\operatorname{Sqrt}[a] + \operatorname{Sqrt}[2] a^{1/4} b^{1/4} x + \operatorname{Sqrt}[b] x^2]) / (16 \operatorname{Sqrt}[2] a^{7/4} b^{7/4})$

Rule 204

Int[((a_) + (b_.)(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,

c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 196x^6}{(a + bx^4)^2} dx &= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \int \frac{-b(3bc+ag)}{a+bx^4} \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \int \left(-\frac{2b(bd+a)}{a+bx^4} \right) \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \int \frac{-b(3bc+ag)}{a} \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} - \frac{(588a + be)}{4a^3} \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah)t}{4a^3} \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah)t}{4a^3} \\
&= \frac{x(bc - ag + (bd - ah)x - (196a - be)x^2 + bfx^3)}{4ab(a + bx^4)} + \frac{(bd + ah)t}{4a^3}
\end{aligned}$$

Mathematica [A] time = 0.47, size = 415, normalized size = 1.05

$$-\frac{8a^{3/4}b^{3/4}(a(f+x(g+x(h+ix)))-bx(c+x(d+ex)))}{a+bx^4} - 2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) (4a^{5/4} \sqrt[4]{b} h + 3\sqrt{2} a^{3/2} i + 4\sqrt[4]{a} b^{5/4} d + \sqrt{2} \sqrt{a} b e + \sqrt{2} \sqrt{a} b e + \sqrt{2} \sqrt{a} b e)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^2,x]

[Out] ((-8*a^(3/4)*b^(3/4)*(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + x*(h + i*x)))))/(a + b*x^4) - 2*(3*Sqrt[2]*b^(3/2)*c + 4*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(3*Sqrt[2]*b^(3/2)*c - 4*a^(1

$$\begin{aligned} & /4)*b^{(5/4)*d} + \text{Sqrt}[2]*\text{Sqrt}[a]*b*e + \text{Sqrt}[2]*a*\text{Sqrt}[b]*g - 4*a^{(5/4)*b^{(1/4)}*h} \\ & + 3*\text{Sqrt}[2]*a^{(3/2)*i}*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)*x})/a^{(1/4)}] + \text{Sqrt}[2]*(-3*b^{(3/2)*c} \\ & + \text{Sqrt}[a]*b*e - a*\text{Sqrt}[b]*g + 3*a^{(3/2)*i})*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)*b^{(1/4)*x} \\ & + \text{Sqrt}[b]*x^2] + \text{Sqrt}[2]*(3*b^{(3/2)*c} - \text{Sqrt}[a]*b*e + a*\text{Sqrt}[b]*g - 3*a^{(3/2)*i})*\text{Log}[\text{Sqrt}[a] \\ & + \text{Sqrt}[2]*a^{(1/4)*b^{(1/4)*x} + \text{Sqrt}[b]*x^2)]/(32*a^{(7/4)*b^{(7/4)}} \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.60, size = 589, normalized size = 1.49

$$\frac{3}{32}i \left(\frac{2\sqrt{2}(ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{ab^4} \right) + \frac{3}{32}i \left(\frac{2\sqrt{2}(ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2}(ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{ab^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{3}{32}i*(2*\text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a*b^4) - \text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{log}(x^2 + \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a*b^4)) + \frac{3}{32}i*(2*\text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a*b^4) + \text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{log}(x^2 - \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a*b^4)) - 1/4*(a*i*x^3 - b*x^3*e - b*d*x^2 + a*h*x^2 - b*c*x + a*g*x + a*f)/((b*x^4 + a)*a*b) + 1/16*\text{sqrt}(2)*(2*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 2*\text{sqrt}(2)*\text{sqrt}(a*b)*a*b*h + 3*(a*b^3)^{(1/4)}*b^2*c + (a*b^3)^{(1/4)}*a*b*g + (a*b^3)^{(3/4)}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^3) + 1/16*\text{sqrt}(2)*(2*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 2*\text{sqrt}(2)*\text{sqrt}(a*b)*a*b*h + 3*(a*b^3)^{(1/4)}*b^2*c + (a*b^3)^{(1/4)}*a*b*g + (a*b^3)^{(3/4)}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^3) + 1/32*\text{sqrt}(2)*(3*(a*b^3)^{(1/4)}*b^2*c + (a*b^3)^{(1/4)}*a*b*g - (a*b^3)^{(3/4)}*e)*\text{log}(x^2 + \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))$

))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)

maple [B] time = 0.05, size = 654, normalized size = 1.66

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} a} + \frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} b} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{a}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{a}}\right)}{32\left(\frac{a}{b}\right)^{\frac{1}{4}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] (-1/4*(a*i-b*e)/a/b*x^3-1/4*(a*h-b*d)/a/b*x^2-1/4*(a*g-b*c)/a/b*x-1/4/b*f)/(b*x^4+a)+1/16*(a/b)^(1/4)*2^(1/2)/a/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/32*(a/b)^(1/4)*2^(1/2)/a/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16*(a/b)^(1/4)*2^(1/2)/a/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4/(a*b)^(1/2)/b*h*arctan((1/a*b)^(1/2)*x^2)+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+3/32/b^2/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*i+1/32/(a/b)^(1/4)*2^(1/2)/a/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*i+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/16/b^2/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)*i+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)

maxima [A] time = 3.19, size = 416, normalized size = 1.05

$$\frac{(be - ai)x^3 + (bd - ah)x^2 - af + (bc - ag)x}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2}\left(3b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g - 3a^{\frac{3}{2}}i\right)\log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}\left(3b^{\frac{3}{2}}c - \sqrt{a}be + a\sqrt{b}g - 3a^{\frac{3}{2}}i\right)\log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

```
[Out] 1/4*((b*e - a*i)*x^3 + (b*d - a*h)*x^2 - a*f + (b*c - a*g)*x)/(a*b^2*x^4 +
a^2*b) + 1/32*(sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g - 3*a^(3/2)
*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)
) - sqrt(2)*(3*b^(3/2)*c - sqrt(a)*b*e + a*sqrt(b)*g - 3*a^(3/2)*i)*log(sqrt
(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(3*sqrt
(2)*a^(1/4)*b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/
4)*g + 3*sqrt(2)*a^(7/4)*b^(1/4)*i - 4*sqrt(a)*b^(3/2)*d - 4*a^(3/2)*sqrt(b
)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)
*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(3*sqrt(2)*a^(1/4)*
b^(7/4)*c + sqrt(2)*a^(3/4)*b^(5/4)*e + sqrt(2)*a^(5/4)*b^(3/4)*g + 3*sqrt(
2)*a^(7/4)*b^(1/4)*i + 4*sqrt(a)*b^(3/2)*d + 4*a^(3/2)*sqrt(b)*h)*arctan(1/
2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a
^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)))/(a*b)
```

mupad [B] time = 5.70, size = 2605, normalized size = 6.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^2,x)
```

```
[Out] symsum(log(- root(65536*a^7*b^7*z^4 + 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5*c
*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^5*e*g*z^2 + 3072*a^4*b^6*c*e*z^2
+ 2048*a^6*b^4*h^2*z^2 + 2048*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z + 768*
a^4*b^4*d*e*i*z - 768*a^4*b^4*c*g*h*z - 768*a^3*b^5*c*d*g*z + 1152*a^6*b^2*
h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^3*d*i^2*z + 128*a^4*b^4*e^2*h*z
- 1152*a^3*b^5*c^2*h*z - 128*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z - 1152*a
^2*b^6*c^2*d*z - 96*a^4*b^2*d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*c*e*
g*i - 32*a^3*b^3*d*e*g*h - 96*a^2*b^4*c*d*e*h + 12*a^4*b^2*e*g^2*i - 144*a^
4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i - 16*a^4*b^2*e*g*h^2 + 108*a^4*b^2*c*g*i
^2 + 108*a^2*b^4*c^2*e*i - 144*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 - 16*a^
2*b^4*d^2*e*g + 12*a^2*b^4*c*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*e +
108*a^5*b*e*i^3 + 108*a*b^5*c^3*g + 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^2*i^
2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 54*a^2*b^4*c^2*g^2 + 18*a^5*b*
g^2*i^2 + 12*a^3*b^3*e^3*i + 64*a^4*b^2*d*h^3 + 64*a^2*b^4*d^3*h + 12*a^3*b
^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4 + 16*a*b^5*d^4 + 81*a^6*i^4 + 81
*b^6*c^4 + a^4*b^2*g^4 + a^2*b^4*e^4, z, 1)*(root(65536*a^7*b^7*z^4 + 3072*
a^6*b^4*g*i*z^2 + 9216*a^5*b^5*c*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^
5*e*g*z^2 + 3072*a^4*b^6*c*e*z^2 + 2048*a^6*b^4*h^2*z^2 + 2048*a^4*b^6*d^2*
z^2 + 768*a^5*b^3*e*h*i*z + 768*a^4*b^4*d*e*i*z - 768*a^4*b^4*c*g*h*z - 768
*a^3*b^5*c*d*g*z + 1152*a^6*b^2*h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^
3*d*i^2*z + 128*a^4*b^4*e^2*h*z - 1152*a^3*b^5*c^2*h*z - 128*a^4*b^4*d*g^2*
z + 128*a^3*b^5*d*e^2*z - 1152*a^2*b^6*c^2*d*z - 96*a^4*b^2*d*g*h*i - 288*a
^3*b^3*c*d*h*i + 72*a^3*b^3*c*e*g*i - 32*a^3*b^3*d*e*g*h - 96*a^2*b^4*c*d*e
*h + 12*a^4*b^2*e*g^2*i - 144*a^4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i - 16*a^4
```



```

*b^2*e*g*h^2 + 108*a^4*b^2*c*g*i^2 + 108*a^2*b^4*c^2*e*i - 144*a^2*b^4*c*d^
2*i - 48*a^3*b^3*c*e*h^2 - 16*a^2*b^4*d^2*e*g + 12*a^2*b^4*c*e^2*g - 48*a^5
*b*g*h^2*i - 48*a*b^5*c*d^2*e + 108*a^5*b*e*i^3 + 108*a*b^5*c^3*g + 54*a^4*
b^2*e^2*i^2 + 162*a^3*b^3*c^2*i^2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2
+ 54*a^2*b^4*c^2*g^2 + 18*a^5*b*g^2*i^2 + 12*a^3*b^3*e^3*i + 64*a^4*b^2*d*h
^3 + 64*a^2*b^4*d^3*h + 12*a^3*b^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4
+ 16*a*b^5*d^4 + 81*a^6*i^4 + 81*b^6*c^4 + a^4*b^2*g^4 + a^2*b^4*e^4, z, 1)
*((768*a^3*b^5*c + 256*a^4*b^4*g)/(64*a^3*b^2) - (x*(128*a^3*b^4*d + 128*a^
4*b^3*h))/(16*a^3*b)) + (64*a^2*b^4*d*e + 192*a^3*b^3*d*i + 64*a^3*b^3*e*h
+ 192*a^4*b^2*h*i)/(64*a^3*b^2) + (x*(36*a*b^4*c^2 - 36*a^4*b*i^2 - 4*a^2*b
^3*e^2 + 4*a^3*b^2*g^2 + 24*a^2*b^3*c*g - 24*a^3*b^2*e*i))/(16*a^3*b) - (2
7*a^4*i^3 + a*b^3*e^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e - 12*a^2*b^2*c*h^2 + a^2
*b^2*e*g^2 + 9*a^2*b^2*e^2*i - 4*a*b^3*d^2*g + 27*a*b^3*c^2*i + 27*a^3*b*e*
i^2 - 4*a^3*b*g*h^2 + 3*a^3*b*g^2*i + 18*a^2*b^2*c*g*i - 8*a^2*b^2*d*g*h -
24*a*b^3*c*d*h + 6*a*b^3*c*e*g)/(64*a^3*b^2) - (x*(3*b^3*c*d*e - 2*a^3*h^3
- 2*b^3*d^3 + 3*a^3*g*h*i - 6*a*b^2*d^2*h - 6*a^2*b*d*h^2 + 9*a*b^2*c*d*i +
3*a*b^2*c*e*h + a*b^2*d*e*g + 9*a^2*b*c*h*i + 3*a^2*b*d*g*i + a^2*b*e*g*h)
)/(16*a^3*b)*root(65536*a^7*b^7*z^4 + 3072*a^6*b^4*g*i*z^2 + 9216*a^5*b^5*
c*i*z^2 + 4096*a^5*b^5*d*h*z^2 + 1024*a^5*b^5*e*g*z^2 + 3072*a^4*b^6*c*e*z^
2 + 2048*a^6*b^4*h^2*z^2 + 2048*a^4*b^6*d^2*z^2 + 768*a^5*b^3*e*h*i*z + 768
*a^4*b^4*d*e*i*z - 768*a^4*b^4*c*g*h*z - 768*a^3*b^5*c*d*g*z + 1152*a^6*b^2
*h*i^2*z - 128*a^5*b^3*g^2*h*z + 1152*a^5*b^3*d*i^2*z + 128*a^4*b^4*e^2*h*z
- 1152*a^3*b^5*c^2*h*z - 128*a^4*b^4*d*g^2*z + 128*a^3*b^5*d*e^2*z - 1152*
a^2*b^6*c^2*d*z - 96*a^4*b^2*d*g*h*i - 288*a^3*b^3*c*d*h*i + 72*a^3*b^3*c*e
*g*i - 32*a^3*b^3*d*e*g*h - 96*a^2*b^4*c*d*e*h + 12*a^4*b^2*e*g^2*i - 144*a
^4*b^2*c*h^2*i - 48*a^3*b^3*d^2*g*i - 16*a^4*b^2*e*g*h^2 + 108*a^4*b^2*c*g*
i^2 + 108*a^2*b^4*c^2*e*i - 144*a^2*b^4*c*d^2*i - 48*a^3*b^3*c*e*h^2 - 16*a
^2*b^4*d^2*e*g + 12*a^2*b^4*c*e^2*g - 48*a^5*b*g*h^2*i - 48*a*b^5*c*d^2*e +
108*a^5*b*e*i^3 + 108*a*b^5*c^3*g + 54*a^4*b^2*e^2*i^2 + 162*a^3*b^3*c^2*i
^2 + 96*a^3*b^3*d^2*h^2 + 2*a^3*b^3*e^2*g^2 + 54*a^2*b^4*c^2*g^2 + 18*a^5*b
*g^2*i^2 + 12*a^3*b^3*e^3*i + 64*a^4*b^2*d*h^3 + 64*a^2*b^4*d^3*h + 12*a^3*
b^3*c*g^3 + 18*a*b^5*c^2*e^2 + 16*a^5*b*h^4 + 16*a*b^5*d^4 + 81*a^6*i^4 + 8
1*b^6*c^4 + a^4*b^2*g^4 + a^2*b^4*e^4, z, 1), 1, 1, 4) + ((x*(b*c - a*g))/(
4*a*b) - f/(4*b) + (x^2*(b*d - a*h))/(4*a*b) + (x^3*(b*e - a*i))/(4*a*b))/(
a + b*x^4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)

[Out] Timed out

$$3.197 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^2} dx$$

Optimal. Leaf size=417

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b} (ag + 3bc) - \sqrt{a} (3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b} (ag + 3bc) + \sqrt{a} (3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}}$$

[Out] $\frac{1}{4} x (b c - a g + (b d - a h) x + (b e - a i) x^2 + (b f - a j) x^3) / (a + b x^4) + \frac{1}{4} (a h + b d) \arctan(x^2 \sqrt{b} / \sqrt{a}) / \sqrt{a} \sqrt{b} + \frac{1}{4} j \ln(b x^4 + a) / \sqrt{b} - \frac{1}{32} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 \sqrt{b}) * (-3 a i + b e) a^{1/2} + (a g + 3 b c) \sqrt{b} / a^{7/4} b^{7/4} * 2^{1/2} + \frac{1}{32} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 \sqrt{b}) * (-3 a i + b e) a^{1/2} + (a g + 3 b c) \sqrt{b} / a^{7/4} b^{7/4} * 2^{1/2} + \frac{1}{16} \arctan(-1 + b^{1/4} x^2 / a^{1/4}) * ((3 a i + b e) a^{1/2} + (a g + 3 b c) \sqrt{b}) / a^{7/4} b^{7/4} * 2^{1/2} + \frac{1}{16} \arctan(1 + b^{1/4} x^2 / a^{1/4}) * ((3 a i + b e) a^{1/2} + (a g + 3 b c) \sqrt{b}) / a^{7/4} b^{7/4} * 2^{1/2}$

Rubi [A] time = 0.54, antiderivative size = 417, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1858, 1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 205, 260}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b} (ag + 3bc) - \sqrt{a} (3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(\sqrt{b} (ag + 3bc) + \sqrt{a} (3ai + be)\right)}{16\sqrt{2} a^{7/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^2, x]

[Out] $(x(b c - a g + (b d - a h) x + (b e - a i) x^2 + (b f - a j) x^3)) / (4 a b (a + b x^4)) + ((b d + a h) \operatorname{ArcTan}(\sqrt{b} x^2 / \sqrt{a})) / (4 a^{3/2} b^{3/2}) - ((\sqrt{b} (3 b c + a g) + \sqrt{a} (b e + 3 a i)) \operatorname{ArcTan}(1 - (\sqrt{2} b^{1/4} x) / a^{1/4})) / (8 \sqrt{2} a^{7/4} b^{7/4}) + ((\sqrt{b} (3 b c + a g) + \sqrt{a} (b e + 3 a i)) \operatorname{ArcTan}(1 + (\sqrt{2} b^{1/4} x) / a^{1/4})) / (8 \sqrt{2} a^{7/4} b^{7/4}) - ((\sqrt{b} (3 b c + a g) - \sqrt{a} (b e + 3 a i)) \operatorname{Log}(\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2)) / (16 \sqrt{2} a^{7/4} b^{7/4}) + ((\sqrt{b} (3 b c + a g) - \sqrt{a} (b e + 3 a i)) \operatorname{Log}(\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2)) / (16 \sqrt{2} a^{7/4} b^{7/4}) + (j \operatorname{Log}(a + b x^4)) / (4 b^2)$

Rule 204

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^2}{(a_+ + (b_+)(x_+)^2)^{-1}}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\frac{\text{Rt}[-b, 2]*x}{\text{Rt}[-a, 2]}] / \frac{\text{Rt}[-a, 2]*\text{Rt}[-b, 2]}{x}], x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^2}{(a_+ + (b_+)(x_+)^2)^{-1}}, x_Symbol] \rightarrow \text{Simp}[\frac{\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]]}{a}, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

$\text{Int}[\frac{(x_+)^{m_+}}{(a_+ + (b_+)(x_+)^{n_+})}, x_Symbol] \rightarrow \text{Simp}[\frac{\text{Log}[\text{RemoveContent}[a + b*x^n, x]]}{(b*n)}, x] /;$ FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

$\text{Int}[\frac{(a_+) + (b_+)(x_+) + (c_+)(x_+)^2}{(a_+ + (b_+)(x_+) + (c_+)(x_+)^2)^{-1}}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /;$ RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

$\text{Int}[\frac{(d_+) + (e_+)(x_+)}{(a_+ + (b_+)(x_+) + (c_+)(x_+)^2)}, x_Symbol] \rightarrow \text{Simp}[\frac{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]}{b}, x] /;$ FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 635

$\text{Int}[\frac{(d_+) + (e_+)(x_+)}{(a_+) + (c_+)(x_+)^2}, x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + c*x^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + c*x^2), x], x] /;$ FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

$\text{Int}[\frac{(d_+) + (e_+)(x_+)^2}{(a_+) + (c_+)(x_+)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] /;$ FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 197x^6 + jx^7}{(a + bx^4)^2} dx &= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} + \\
&= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} + \\
&= \frac{x(bc - ag + (bd - ah)x - (197a - be)x^2 + (bf - aj)x^3)}{4ab(a + bx^4)} +
\end{aligned}$$

Mathematica [A] time = 0.44, size = 460, normalized size = 1.10

$$\frac{2\sqrt[4]{b} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(4a^{5/4}\sqrt[4]{b}h + 3\sqrt{2}a^{3/2}i + 4\sqrt[4]{a}b^{5/4}d + \sqrt{2}\sqrt{a}be + \sqrt{2}a\sqrt{b}g + 3\sqrt{2}b^{3/2}c\right)}{a^{7/4}} + \frac{2\sqrt[4]{b} \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right)\left(-4a^{5/4}\sqrt[4]{b}h + 3\sqrt{2}a^{3/2}i - 4\sqrt[4]{a}b^{5/4}d - \sqrt{2}\sqrt{a}be - \sqrt{2}a\sqrt{b}g - 3\sqrt{2}b^{3/2}c\right)}{a^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^2, x]

[Out] ((8*(a^2*j + b^2*x*(c + x*(d + e*x)) - a*b*(f + x*(g + x*(h + i*x)))))/(a*(a + b*x^4)) - (2*b^(1/4)*(3*Sqrt[2]*b^(3/2)*c + 4*a^(1/4)*b^(5/4)*d + Sqrt[2]*Sqrt[a]*b*e + Sqrt[2]*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^3

$$\begin{aligned} & /2)*i)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)*x}/a^{(1/4)})]/a^{(7/4)} + (2*b^{(1/4)}*(3*\text{Sqrt}[2]*b^{(3/2)*c} - 4*a^{(1/4)*b^{(5/4)*d} + \text{Sqrt}[2]*\text{Sqrt}[a]*b*e + \text{Sqrt}[2]*a*\text{Sqrt}[b]*g - 4*a^{(5/4)*b^{(1/4)*h} + 3*\text{Sqrt}[2]*a^{(3/2)*i})*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)*x}/a^{(1/4)})]/a^{(7/4)} + (\text{Sqrt}[2]*b^{(1/4)}*(-3*b^{(3/2)*c} + \text{Sqrt}[a]*b*e - a*\text{Sqrt}[b]*g + 3*a^{(3/2)*i})*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)*b^{(1/4)*x} + \text{Sqrt}[b]*x^2])/a^{(7/4)} + (\text{Sqrt}[2]*b^{(1/4)}*(3*b^{(3/2)*c} - \text{Sqrt}[a]*b*e + a*\text{Sqrt}[b]*g - 3*a^{(3/2)*i})*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)*b^{(1/4)*x} + \text{Sqrt}[b]*x^2])/a^{(7/4)} + 8*j*\text{Log}[a + b*x^4])/(32*b^2) \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 617, normalized size = 1.48

$$\frac{3}{32}i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{ab^4} \right) + \frac{3}{32}i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{ab^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{ab^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{3}{32}i*(2*\text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a*b^4) - \text{sqrt}(2)*(a*b^3)^{(3/4)}*\log(x^2 + \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a*b^4)) + 3/32*i*(2*\text{sqrt}(2)*(a*b^3)^{(3/4)}*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a*b^4) + \text{sqrt}(2)*(a*b^3)^{(3/4)}*\log(x^2 - \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a*b^4) + 1/4*j*\log(\text{abs}(b*x^4 + a))/b^2 - 1/4*((a*i - b*e)*x^3 - (b*d - a*h)*x^2 - (b*c - a*g)*x + (a*b*f - a^2*j)/b)/((b*x^4 + a)*a*b) + 1/16*\text{sqrt}(2)*(2*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 2*\text{sqrt}(2)*\text{sqrt}(a*b)*a*b*h + 3*(a*b^3)^{(1/4)*b^2*c} + (a*b^3)^{(1/4)*a*b*g} + (a*b^3)^{(3/4)*e})*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^3) + 1/16*\text{sqrt}(2)*(2*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 2*\text{sqrt}(2)*\text{sqrt}(a*b)*a*b*h + 3*(a*b^3)^{(1/4)*b^2*c} + (a*b^3)^{(1/4)*a*b*g} + (a*b^3)^{(3/4)*e}$

*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^3) + 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3) - 1/32*sqrt(2)*(3*(a*b^3)^(1/4)*b^2*c + (a*b^3)^(1/4)*a*b*g - (a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^3)

maple [B] time = 0.06, size = 675, normalized size = 1.62

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} a} + \frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} b} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{16\left(\frac{a}{b}\right)^{\frac{1}{4}} ab} + \frac{\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x}\right)}{32\left(\frac{a}{b}\right)^{\frac{1}{4}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] (-1/4*(a*i-b*e)/a/b*x^3-1/4*(a*h-b*d)/a/b*x^2-1/4*(a*g-b*c)/a/b*x+1/4*(a*j-b*f)/b^2)/(b*x^4+a)+1/16*(a/b)^(1/4)*2^(1/2)/a/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16*(a/b)^(1/4)*2^(1/2)/a/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/16*(a/b)^(1/4)*2^(1/2)/a^2*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/32*(a/b)^(1/4)*2^(1/2)/a/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/32*(a/b)^(1/4)*2^(1/2)/a^2*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4/(a*b)^(1/2)/b*h*arctan((1/a*b)^(1/2)*x^2)+1/4/(a*b)^(1/2)/a*d*arctan((1/a*b)^(1/2)*x^2)+3/16/(a/b)^(1/4)*2^(1/2)/b^2*i*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/32/(a/b)^(1/4)*2^(1/2)/b^2*i*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/32/(a/b)^(1/4)*2^(1/2)/a/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16/(a/b)^(1/4)*2^(1/2)/b^2*i*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/16/(a/b)^(1/4)*2^(1/2)/a/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4*j*ln(b*x^4+a)/b^2

maxima [A] time = 3.21, size = 458, normalized size = 1.10

$$\frac{(b^2e - abi)x^3 - abf + a^2j + (b^2d - abh)x^2 + (b^2c - abg)x}{4(ab^3x^4 + a^2b^2)} + \frac{\sqrt{2}\left(4\sqrt{2}a^{\frac{7}{4}}b^{\frac{1}{4}}j+3b^2c-\sqrt{a}b^{\frac{3}{2}}e+abg-3a^{\frac{3}{2}}\sqrt{b}i\right)\log\left(\sqrt{b}x^2+\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{a^{\frac{3}{4}}b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{4} \cdot \frac{(b^2 e - a b i) x^3 - a b f + a^2 j + (b^2 d - a b h) x^2 + (b^2 c - a b g) x}{(a b^3 x^4 + a^2 b^2)} + \frac{1}{32} \cdot \frac{\sqrt{2} (4 \sqrt{2} a^{7/4} b^{1/4} j + 3 b^2 c - \sqrt{a} b^{3/2} e + a b g - 3 a^{3/2} \sqrt{b} i) \log(\sqrt{b} x^2 + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{a})}{(a^{3/4} b^{5/4})} + \frac{\sqrt{2} (4 \sqrt{2} a^{7/4} b^{1/4} j - 3 b^2 c + \sqrt{a} b^{3/2} e - a b g + 3 a^{3/2} \sqrt{b} i) \log(\sqrt{b} x^2 - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{a})}{(a^{3/4} b^{5/4})} + \frac{2 (3 \sqrt{2} a^{1/4} b^{9/4} c + \sqrt{2} a^{3/4} b^{7/4} e + \sqrt{2} a^{5/4} b^{5/4} g + 3 \sqrt{2} a^{7/4} b^{3/4} i - 4 \sqrt{a} b^2 d - 4 a^{3/2} b h) \arctan(1/2 \sqrt{2} (2 \sqrt{2} b x + \sqrt{2} a^{1/4} b^{1/4}) / \sqrt{\sqrt{a} \sqrt{b}})}{(a^{3/4} \sqrt{\sqrt{a} \sqrt{b}}) b^{5/4}} + \frac{2 (3 \sqrt{2} a^{1/4} b^{9/4} c + \sqrt{2} a^{3/4} b^{7/4} e + \sqrt{2} a^{5/4} b^{5/4} g + 3 \sqrt{2} a^{7/4} b^{3/4} i + 4 \sqrt{a} b^2 d + 4 a^{3/2} b h) \arctan(1/2 \sqrt{2} (2 \sqrt{2} b x - \sqrt{2} a^{1/4} b^{1/4}) / \sqrt{\sqrt{a} \sqrt{b}})}{(a^{3/4} \sqrt{\sqrt{a} \sqrt{b}}) b^{5/4}} / (a b)$

mupad [B] time = 5.84, size = 3939, normalized size = 9.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^2, x)

[Out] $\frac{(x(b c - a g))}{(4 a b)} - \frac{(b f - a j)}{(4 b^2)} + \frac{(x^2(b d - a h))}{(4 a b)} + \frac{(x^3(b e - a i))}{(4 a b)} / (a + b x^4) + \text{symsum}(\log(-\text{root}(65536 a^7 b^8 z^4 - 65536 a^7 b^6 j z^3 + 3072 a^6 b^5 g i z^2 + 9216 a^5 b^6 c i z^2 + 4096 a^5 b^6 d h z^2 + 1024 a^5 b^6 e g z^2 + 3072 a^4 b^7 c e z^2 + 24576 a^7 b^4 j^2 z^2 + 2048 a^6 b^5 h^2 z^2 + 2048 a^4 b^7 d^2 z^2 - 1536 a^6 b^3 g i j z - 4608 a^5 b^4 c i j z - 2048 a^5 b^4 d h j z + 768 a^5 b^4 e h i z - 512 a^5 b^4 e g j z - 1536 a^4 b^5 c e j z + 768 a^4 b^5 d e i z - 768 a^4 b^5 c g h z - 768 a^3 b^6 c d g z - 1024 a^6 b^3 h^2 j z + 1152 a^6 b^3 h i^2 z - 128 a^5 b^4 g^2 h z - 1024 a^4 b^5 d^2 j z + 1152 a^5 b^4 d i^2 z + 128 a^4 b^5 e^2 h z - 1152 a^3 b^6 c^2 h z - 128 a^4 b^5 d g^2 z + 128 a^3 b^6 d e^2 z - 1152 a^2 b^7 c^2 d z - 4096 a^7 b^2 j^3 z - 192 a^5 b^2 e h i j - 192 a^4 b^3 d e i j + 192 a^4 b^3 c g h j - 96 a^4 b^3 d g h i - 288 a^3 b^4 c d h i + 192 a^3 b^4 c d g j + 72 a^3 b^4 c e g i - 32 a^3 b^4 d e g h - 96 a^2 b^5 c d e h + 32 a^5 b^2 g^2 h j - 48 a^5 b^2 g h^2 i - 288 a^5 b^2 d i^2 j - 32 a^4 b^3 e^2 h j + 576 a^5 b^2 c i j^2 + 256 a^5 b^2 d h j^2 + 64 a^5 b^2 e g j^2 + 288 a^3 b^4 c^2 h j + 32 a^4 b^3 d g^2 j + 12 a^4 b^3 e g^2 i - 144 a^4 b^3 c h^2 i - 48 a^3 b^4 d^2 g i - 16 a^4 b^3 e g h^2 + 108 a^4 b^3 c g i^2 - 32 a^3 b^4 d e^2 j + 192 a^4 b^3 c e j^2 + 288 a^2 b^5 c^2 d j + 108 a^2 b^5 c d^2 i - 144 a^2 b^5 c d^2 i - 48 a^3 b^4$

$$\begin{aligned}
& *c*e*h^2 - 16*a^2*b^5*d^2*e*g + 12*a^2*b^5*c*e^2*g - 288*a^6*b*h*i^2*j + 19 \\
& 2*a^6*b*g*i*j^2 - 48*a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^5*b^2*g^2*i^2 + \\
& 128*a^4*b^3*d^2*j^2 + 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2*i^2 + 96*a^3*b^4 \\
& 4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 54*a^2*b^5*c^2*g^2 + 128*a^6*b*h^2*j^2 + 10 \\
& 8*a^5*b^2*e*i^3 + 12*a^3*b^4*e^3*i + 64*a^4*b^3*d*h^3 + 64*a^2*b^5*d^3*h + \\
& 12*a^3*b^4*c*g^3 + 18*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 + 81*a^6*b*i^4 + 16*a* \\
& b^6*d^4 + 256*a^7*j^4 + 81*b^7*c^4 + a^4*b^3*g^4 + a^2*b^5*e^4, z, m)*(root \\
& (65536*a^7*b^8*z^4 - 65536*a^7*b^6*j*z^3 + 3072*a^6*b^5*g*i*z^2 + 9216*a^5* \\
& b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2 + 1024*a^5*b^6*e*g*z^2 + 3072*a^4*b^7*c* \\
& e*z^2 + 24576*a^7*b^4*j^2*z^2 + 2048*a^6*b^5*h^2*z^2 + 2048*a^4*b^7*d^2*z^2 \\
& - 1536*a^6*b^3*g*i*j*z - 4608*a^5*b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768 \\
& *a^5*b^4*e*h*i*z - 512*a^5*b^4*e*g*j*z - 1536*a^4*b^5*c*e*j*z + 768*a^4*b^5 \\
& *d*e*i*z - 768*a^4*b^5*c*g*h*z - 768*a^3*b^6*c*d*g*z - 1024*a^6*b^3*h^2*j*z \\
& + 1152*a^6*b^3*h*i^2*z - 128*a^5*b^4*g^2*h*z - 1024*a^4*b^5*d^2*j*z + 1152 \\
& *a^5*b^4*d*i^2*z + 128*a^4*b^5*e^2*h*z - 1152*a^3*b^6*c^2*h*z - 128*a^4*b^5 \\
& *d*g^2*z + 128*a^3*b^6*d*e^2*z - 1152*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z \\
& - 192*a^5*b^2*e*h*i*j - 192*a^4*b^3*d*e*i*j + 192*a^4*b^3*c*g*h*j - 96*a^4* \\
& b^3*d*g*h*i - 288*a^3*b^4*c*d*h*i + 192*a^3*b^4*c*d*g*j + 72*a^3*b^4*c*e*g* \\
& i - 32*a^3*b^4*d*e*g*h - 96*a^2*b^5*c*d*e*h + 32*a^5*b^2*g^2*h*j - 48*a^5*b \\
& ^2*g*h^2*i - 288*a^5*b^2*d*i^2*j - 32*a^4*b^3*e^2*h*j + 576*a^5*b^2*c*i*j^2 \\
& + 256*a^5*b^2*d*h*j^2 + 64*a^5*b^2*e*g*j^2 + 288*a^3*b^4*c^2*h*j + 32*a^4* \\
& b^3*d*g^2*j + 12*a^4*b^3*e*g^2*i - 144*a^4*b^3*c*h^2*i - 48*a^3*b^4*d^2*g*i \\
& - 16*a^4*b^3*e*g*h^2 + 108*a^4*b^3*c*g*i^2 - 32*a^3*b^4*d*e^2*j + 192*a^4* \\
& b^3*c*e*j^2 + 288*a^2*b^5*c^2*d*j + 108*a^2*b^5*c^2*e*i - 144*a^2*b^5*c*d^2 \\
& *i - 48*a^3*b^4*c*e*h^2 - 16*a^2*b^5*d^2*e*g + 12*a^2*b^5*c*e^2*g - 288*a^6 \\
& *b*h*i^2*j + 192*a^6*b*g*i*j^2 - 48*a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^ \\
& 5*b^2*g^2*i^2 + 128*a^4*b^3*d^2*j^2 + 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2* \\
& i^2 + 96*a^3*b^4*d^2*h^2 + 2*a^3*b^4*e^2*g^2 + 54*a^2*b^5*c^2*g^2 + 128*a^6 \\
& *b*h^2*j^2 + 108*a^5*b^2*e*i^3 + 12*a^3*b^4*e^3*i + 64*a^4*b^3*d*h^3 + 64*a \\
& ^2*b^5*d^3*h + 12*a^3*b^4*c*g^3 + 18*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 + 81*a^ \\
& 6*b*i^4 + 16*a*b^6*d^4 + 256*a^7*j^4 + 81*b^7*c^4 + a^4*b^3*g^4 + a^2*b^5*e \\
& ^4, z, m)*((768*a^3*b^5*c + 256*a^4*b^4*g)/(64*a^3*b^2) - (x*(128*a^3*b^5*d \\
& + 128*a^4*b^4*h))/(16*a^3*b^2)) + (64*a^2*b^4*d*e - 384*a^3*b^3*c*j + 192* \\
& a^3*b^3*d*i + 64*a^3*b^3*e*h - 128*a^4*b^2*g*j + 192*a^4*b^2*h*i)/(64*a^3*b \\
& ^2) + (x*(36*a*b^5*c^2 - 4*a^2*b^4*e^2 + 4*a^3*b^3*g^2 - 36*a^4*b^2*i^2 + 2 \\
& 4*a^2*b^4*c*g + 64*a^3*b^3*d*j - 24*a^3*b^3*e*i + 64*a^4*b^2*h*j))/(16*a^3* \\
& b^2)) - (27*a^4*i^3 + a*b^3*e^3 - 12*b^4*c*d^2 + 9*b^4*c^2*e + 16*a^4*g*j^2 \\
& - 12*a^2*b^2*c*h^2 + a^2*b^2*e*g^2 + 9*a^2*b^2*e^2*i - 48*a^4*h*i*j - 4*a* \\
& b^3*d^2*g + 27*a*b^3*c^2*i + 48*a^3*b*c*j^2 + 27*a^3*b*e*i^2 - 4*a^3*b*g*h^ \\
& 2 + 3*a^3*b*g^2*i + 18*a^2*b^2*c*g*i - 16*a^2*b^2*d*e*j - 8*a^2*b^2*d*g*h - \\
& 24*a*b^3*c*d*h + 6*a*b^3*c*e*g - 48*a^3*b*d*i*j - 16*a^3*b*e*h*j)/(64*a^3* \\
& b^2) - (x*(9*a^4*i^2*j - 2*a^3*b*h^3 - 8*a^4*h*j^2 - 2*b^4*d^3 - 6*a^2*b^2* \\
& d*h^2 + a^2*b^2*e^2*j + 3*b^4*c*d*e - 6*a*b^3*d^2*h - 9*a*b^3*c^2*j - 8*a^3 \\
& *b*d*j^2 - a^3*b*g^2*j - 6*a^2*b^2*c*g*j + 9*a^2*b^2*c*h*i + 3*a^2*b^2*d*g* \\
& i + a^2*b^2*e*g*h + 9*a*b^3*c*d*i + 3*a*b^3*c*e*h + a*b^3*d*e*g + 6*a^3*b*e
\end{aligned}$$

```

*i*j + 3*a^3*b*g*h*i))/(16*a^3*b^2))*root(65536*a^7*b^8*z^4 - 65536*a^7*b^6
*j*z^3 + 3072*a^6*b^5*g*i*z^2 + 9216*a^5*b^6*c*i*z^2 + 4096*a^5*b^6*d*h*z^2
+ 1024*a^5*b^6*e*g*z^2 + 3072*a^4*b^7*c*e*z^2 + 24576*a^7*b^4*j^2*z^2 + 20
48*a^6*b^5*h^2*z^2 + 2048*a^4*b^7*d^2*z^2 - 1536*a^6*b^3*g*i*j*z - 4608*a^5
*b^4*c*i*j*z - 2048*a^5*b^4*d*h*j*z + 768*a^5*b^4*e*h*i*z - 512*a^5*b^4*e*g
*j*z - 1536*a^4*b^5*c*e*j*z + 768*a^4*b^5*d*e*i*z - 768*a^4*b^5*c*g*h*z - 7
68*a^3*b^6*c*d*g*z - 1024*a^6*b^3*h^2*j*z + 1152*a^6*b^3*h*i^2*z - 128*a^5*
b^4*g^2*h*z - 1024*a^4*b^5*d^2*j*z + 1152*a^5*b^4*d*i^2*z + 128*a^4*b^5*e^2
*h*z - 1152*a^3*b^6*c^2*h*z - 128*a^4*b^5*d*g^2*z + 128*a^3*b^6*d*e^2*z - 1
152*a^2*b^7*c^2*d*z - 4096*a^7*b^2*j^3*z - 192*a^5*b^2*e*h*i*j - 192*a^4*b^
3*d*e*i*j + 192*a^4*b^3*c*g*h*j - 96*a^4*b^3*d*g*h*i - 288*a^3*b^4*c*d*h*i
+ 192*a^3*b^4*c*d*g*j + 72*a^3*b^4*c*e*g*i - 32*a^3*b^4*d*e*g*h - 96*a^2*b^
5*c*d*e*h + 32*a^5*b^2*g^2*h*j - 48*a^5*b^2*g*h^2*i - 288*a^5*b^2*d*i^2*j -
32*a^4*b^3*e^2*h*j + 576*a^5*b^2*c*i*j^2 + 256*a^5*b^2*d*h*j^2 + 64*a^5*b^
2*e*g*j^2 + 288*a^3*b^4*c^2*h*j + 32*a^4*b^3*d*g^2*j + 12*a^4*b^3*e*g^2*i -
144*a^4*b^3*c*h^2*i - 48*a^3*b^4*d^2*g*i - 16*a^4*b^3*e*g*h^2 + 108*a^4*b^
3*c*g*i^2 - 32*a^3*b^4*d*e^2*j + 192*a^4*b^3*c*e*j^2 + 288*a^2*b^5*c^2*d*j
+ 108*a^2*b^5*c^2*e*i - 144*a^2*b^5*c*d^2*i - 48*a^3*b^4*c*e*h^2 - 16*a^2*b^
5*d^2*e*g + 12*a^2*b^5*c*e^2*g - 288*a^6*b*h*i^2*j + 192*a^6*b*g*i*j^2 - 4
8*a*b^6*c*d^2*e + 108*a*b^6*c^3*g + 18*a^5*b^2*g^2*i^2 + 128*a^4*b^3*d^2*j^
2 + 54*a^4*b^3*e^2*i^2 + 162*a^3*b^4*c^2*i^2 + 96*a^3*b^4*d^2*h^2 + 2*a^3*b^
4*e^2*g^2 + 54*a^2*b^5*c^2*g^2 + 128*a^6*b*h^2*j^2 + 108*a^5*b^2*e*i^3 + 1
2*a^3*b^4*e^3*i + 64*a^4*b^3*d*h^3 + 64*a^2*b^5*d^3*h + 12*a^3*b^4*c*g^3 +
18*a*b^6*c^2*e^2 + 16*a^5*b^2*h^4 + 81*a^6*b*i^4 + 16*a*b^6*d^4 + 256*a^7*j
^4 + 81*b^7*c^4 + a^4*b^3*g^4 + a^2*b^5*e^4, z, m), m, 1, 4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x
)

```

[Out] Timed out

$$3.198 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^3} dx$$

Optimal. Leaf size=241

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} + \dots$$

[Out] $1/8*x*(b*c+a*g+(a*h+b*d)*x+b*e*x^2+b*f*x^3)/a/b/(-b*x^4+a)^2+1/32*(4*a*f+x*(7*b*c-a*g+2*(-a*h+3*b*d)*x+5*b*e*x^2))/a^2/b/(-b*x^4+a)+1/16*(-a*h+3*b*d)*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(3/2)+1/64*\arctan(b^(1/4)*x/a^(1/4))*\arctan((21*b*c-3*a*g-5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4))+1/64*\arctanh(b^(1/4)*x/a^(1/4))*\arctan((21*b*c-3*a*g+5*e*a^(1/2)*b^(1/2))/a^(11/4)/b^(5/4))$

Rubi [A] time = 0.34, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(5\sqrt{a}\sqrt{b}e-3ag+21bc)}{64a^{11/4}b^{5/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^3, x]$

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + b*e*x^2 + b*f*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*f + x*(7*b*c - a*g + 2*(3*b*d - a*h)*x + 5*b*e*x^2))/(32*a^2*b*(a - b*x^4)) + ((21*b*c - 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e - 3*a*g)*\text{ArcTan}[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(5/4)) + ((21*b*c + 5*\text{Sqrt}[a]*\text{Sqrt}[b]*e - 3*a*g)*\text{ArcTanh}[(b^(1/4)*x)/a^(1/4)])/(64*a^(11/4)*b^(5/4)) + ((3*b*d - a*h)*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(16*a^(5/2)*b^(3/2))$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 275

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1167

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2
- (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[
c*d^2 - a*e^2, 0] && PosQ[-(a*c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a - bx^4)^3} dx &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} - \frac{\int \frac{-b(7bc - ag) - 2b(3bd - ah)x - 5b^2ex^2 - b^3fx^3}{(a - bx^4)^2} dx}{8ab^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - b^2fx^2)}{32a^2b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - b^2fx^2)}{32a^2b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - b^2fx^2)}{32a^2b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - b^2fx^2)}{32a^2b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7bc - ag + 2(3bd - ah)x - b^2fx^2)}{32a^2b(a - bx^4)}
\end{aligned}$$

Mathematica [A] time = 0.42, size = 309, normalized size = 1.28

$$\log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(4a^{5/4}h - 5\sqrt{a}b^{3/4}e - 12\sqrt[4]{a}bd + 3a\sqrt[4]{b}g - 21b^{5/4}c\right) + \log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(4a^{5/4}h + 5\sqrt{a}b^{3/4}e - 12\sqrt[4]{a}bd - 3a\sqrt[4]{b}g + 21b^{5/4}c\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^3, x]

[Out] ((4*a^(3/4)*Sqrt[b]*x*(7*b*c + b*x*(6*d + 5*e*x) - a*(g + 2*h*x)))/(a - b*x^4) + (16*a^(7/4)*Sqrt[b]*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + h*x)))/(a - b*x^4)^2 + 2*b^(1/4)*(21*b*c - 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] + (-21*b^(5/4)*c - 12*a^(1/4)*b*d - 5*Sqrt[a]*b^(3/4)*e + 3*a*b^(1/4)*g + 4*a^(5/4)*h)*Log[a^(1/4) - b^(1/4)*x] + (21*b^(5/4)*c - 12*a^(1/4)*b*d + 5*Sqrt[a]*b^(3/4)*e - 3*a*b^(1/4)*g + 4*a^(5/4)*h)*Log[a^(1/4) + b^(1/4)*x] - 4*a^(1/4)*(-3*b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2]/(128*a^(11/4)*b^(3/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 440, normalized size = 1.83

$$\frac{\sqrt{2} \left(21 b^2 c - 3 a b g - 12 \sqrt{2} (-a b^3)^{\frac{1}{4}} b d + 4 \sqrt{2} (-a b^3)^{\frac{1}{4}} a h + 5 \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right) \sqrt{2} \left(21 b^2 c \right)}{128 \left(-a b^3 \right)^{\frac{3}{4}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out]
$$-1/128*\sqrt{2}*(21*b^2*c - 3*a*b*g - 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d + 4*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h + 5*\sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^2) - 1/128*\sqrt{2}*(21*b^2*c - 3*a*b*g + 12*\sqrt{2}*(-a*b^3)^{(1/4)}*b*d - 4*\sqrt{2}*(-a*b^3)^{(1/4)}*a*h - 5*\sqrt{-a*b}*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^2) - 1/256*\sqrt{2}*(21*b^2*c - 3*a*b*g - 5*\sqrt{-a*b}*b*e)*\log(x^2 + \sqrt{2}*\sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^2) + 1/256*\sqrt{2}*(21*b^2*c - 3*a*b*g - 5*\sqrt{-a*b}*b*e)*\log(x^2 - \sqrt{2}*\sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^2) - 1/32*(5*b^2*x^7*e + 6*b^2*d*x^6 - 2*a*b*h*x^6 + 7*b^2*c*x^5 - a*b*g*x^5 - 9*a*b*x^3*e - 10*a*b*d*x^2 - 2*a^2*h*x^2 - 11*a*b*c*x - 3*a^2*g*x - 4*a^2*f)/((b*x^4 - a)^2*a^2*b)$$

maple [A] time = 0.06, size = 389, normalized size = 1.61

$$\frac{h \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{32 \sqrt{ab} ab} - \frac{3d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{32 \sqrt{ab} a^2} - \frac{5e \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{64 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} + \frac{5e \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 \left(\frac{a}{b} \right)^{\frac{1}{4}} a^2 b} - \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \arctan \left(\frac{x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{64 a^2 b} - \frac{3 \left(\frac{a}{b} \right)^{\frac{1}{4}} g \ln \left(\frac{x + \left(\frac{a}{b} \right)^{\frac{1}{4}}}{x - \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

```
[Out] -(5/32/a^2*b*e*x^7-1/16*(a*h-3*b*d)/a^2*x^6-1/32*(a*g-7*b*c)/a^2*x^5-9/32/a
*e*x^3-1/16*(a*h+5*b*d)/a/b*x^2-1/32*(3*a*g+11*b*c)/a/b*x-1/8/b*f)/(b*x^4-a
)^2-3/64*(a/b)^(1/4)/a^2/b*g*arctan(1/(a/b)^(1/4)*x)+21/64*(a/b)^(1/4)/a^3*
c*arctan(1/(a/b)^(1/4)*x)-3/128*(a/b)^(1/4)/a^2/b*g*ln((x+(a/b)^(1/4))/(x-(
a/b)^(1/4)))+21/128*(a/b)^(1/4)/a^3*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1
/32/a/b/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))*h-3/32/(a*
b)^(1/2)/a^2*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-5/64/(a/b)^(1/4
)/a^2/b*e*arctan(1/(a/b)^(1/4)*x)+5/128/(a/b)^(1/4)/a^2/b*e*ln((x+(a/b)^(1/
4))/(x-(a/b)^(1/4)))
```

maxima [A] time = 2.96, size = 316, normalized size = 1.31

$$\frac{5b^2ex^7 + 2(3b^2d - abh)x^6 - 9abex^3 + (7b^2c - abg)x^5 - 4a^2f - 2(5abd + a^2h)x^2 - (11abc + 3a^2g)x}{32(a^2b^3x^8 - 2a^3b^2x^4 + a^4b)} + \frac{4(3ba^2)}{32(a^2b^3x^8 - 2a^3b^2x^4 + a^4b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima
")
```

```
[Out] -1/32*(5*b^2*e*x^7 + 2*(3*b^2*d - a*b*h)*x^6 - 9*a*b*e*x^3 + (7*b^2*c - a*b
*g)*x^5 - 4*a^2*f - 2*(5*a*b*d + a^2*h)*x^2 - (11*a*b*c + 3*a^2*g)*x)/(a^2*
b^3*x^8 - 2*a^3*b^2*x^4 + a^4*b) + 1/128*(4*(3*b*d - a*h)*log(sqrt(b)*x^2 +
sqrt(a))/(sqrt(a)*sqrt(b)) - 4*(3*b*d - a*h)*log(sqrt(b)*x^2 - sqrt(a))/(s
qrt(a)*sqrt(b)) + 2*(21*b^(3/2)*c - 5*sqrt(a)*b*e - 3*a*sqrt(b)*g)*arctan(s
qrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (
21*b^(3/2)*c + 5*sqrt(a)*b*e - 3*a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)
)*sqrt(b))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(
b))*sqrt(b))/(a^2*b)
```

mupad [B] time = 5.73, size = 1687, normalized size = 7.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^3,x)
```

```
[Out] (f/(8*b) + (9*e*x^3)/(32*a) - (x^5*(7*b*c - a*g))/(32*a^2) - (x^6*(3*b*d -
a*h))/(16*a^2) + (x*(11*b*c + 3*a*g))/(32*a*b) + (x^2*(5*b*d + a*h))/(16*a*
b) - (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 - 2*a*b*x^4) + symsum(log(- root(
268435456*a^11*b^6*z^4 + 3145728*a^7*b^4*d*h*z^2 + 983040*a^7*b^4*e*g*z^2 -
6881280*a^6*b^5*c*e*z^2 - 524288*a^8*b^3*h^2*z^2 - 4718592*a^6*b^5*d^2*z^2
+ 258048*a^5*b^3*c*g*h*z - 774144*a^4*b^4*c*d*g*z - 18432*a^6*b^2*g^2*h*z
```

```

- 51200*a^5*b^3*e^2*h*z - 903168*a^4*b^4*c^2*h*z + 55296*a^5*b^3*d*g^2*z +
153600*a^4*b^4*d*e^2*z + 2709504*a^3*b^5*c^2*d*z - 5760*a^3*b^2*d*e*g*h + 4
0320*a^2*b^3*c*d*e*h + 8640*a^2*b^3*d^2*e*g - 6720*a^3*b^2*c*e*h^2 - 6300*a
^2*b^3*c*e^2*g + 960*a^4*b*e*g*h^2 - 60480*a*b^4*c*d^2*e - 3072*a^4*b*d*h^3
+ 111132*a*b^4*c^3*g + 13824*a^3*b^2*d^2*h^2 + 450*a^3*b^2*e^2*g^2 - 23814
*a^2*b^3*c^2*g^2 - 27648*a^2*b^3*d^3*h + 2268*a^3*b^2*c*g^3 + 22050*a*b^4*c
^2*e^2 - 625*a^2*b^3*e^4 - 81*a^4*b*g^4 + 20736*a*b^4*d^4 + 256*a^5*h^4 - 1
94481*b^5*c^4, z, k)*(root(268435456*a^11*b^6*z^4 + 3145728*a^7*b^4*d*h*z^2
+ 983040*a^7*b^4*e*g*z^2 - 6881280*a^6*b^5*c*e*z^2 - 524288*a^8*b^3*h^2*z^
2 - 4718592*a^6*b^5*d^2*z^2 + 258048*a^5*b^3*c*g*h*z - 774144*a^4*b^4*c*d*g
*z - 18432*a^6*b^2*g^2*h*z - 51200*a^5*b^3*e^2*h*z - 903168*a^4*b^4*c^2*h*z
+ 55296*a^5*b^3*d*g^2*z + 153600*a^4*b^4*d*e^2*z + 2709504*a^3*b^5*c^2*d*z
- 5760*a^3*b^2*d*e*g*h + 40320*a^2*b^3*c*d*e*h + 8640*a^2*b^3*d^2*e*g - 67
20*a^3*b^2*c*e*h^2 - 6300*a^2*b^3*c*e^2*g + 960*a^4*b*e*g*h^2 - 60480*a*b^4
*c*d^2*e - 3072*a^4*b*d*h^3 + 111132*a*b^4*c^3*g + 13824*a^3*b^2*d^2*h^2 +
450*a^3*b^2*e^2*g^2 - 23814*a^2*b^3*c^2*g^2 - 27648*a^2*b^3*d^3*h + 2268*a^
3*b^2*c*g^3 + 22050*a*b^4*c^2*e^2 - 625*a^2*b^3*e^4 - 81*a^4*b*g^4 + 20736*
a*b^4*d^4 + 256*a^5*h^4 - 194481*b^5*c^4, z, k)*((344064*a^5*b^4*c - 49152*
a^6*b^3*g)/(32768*a^6*b) - (x*(24576*a^5*b^4*d - 8192*a^6*b^3*h))/(4096*a^6
*b)) - (15360*a^3*b^3*d*e - 5120*a^4*b^2*e*h)/(32768*a^6*b) + (x*(7056*a^2*
b^4*c^2 + 400*a^3*b^3*e^2 + 144*a^4*b^2*g^2 - 2016*a^3*b^3*c*g))/(4096*a^6*
b)) - (125*a*b^2*e^3 + 3024*b^3*c*d^2 - 2205*b^3*c^2*e - 48*a^3*g*h^2 - 432
*a*b^2*d^2*g + 336*a^2*b*c*h^2 - 45*a^2*b*e*g^2 - 2016*a*b^2*c*d*h + 630*a*
b^2*c*e*g + 288*a^2*b*d*g*h)/(32768*a^6*b) - (x*(216*b^3*d^3 - 8*a^3*h^3 -
315*b^3*c*d*e - 216*a*b^2*d^2*h + 72*a^2*b*d*h^2 + 105*a*b^2*c*e*h + 45*a*b
^2*d*e*g - 15*a^2*b*e*g*h))/(4096*a^6*b))*root(268435456*a^11*b^6*z^4 + 314
5728*a^7*b^4*d*h*z^2 + 983040*a^7*b^4*e*g*z^2 - 6881280*a^6*b^5*c*e*z^2 - 5
24288*a^8*b^3*h^2*z^2 - 4718592*a^6*b^5*d^2*z^2 + 258048*a^5*b^3*c*g*h*z -
774144*a^4*b^4*c*d*g*z - 18432*a^6*b^2*g^2*h*z - 51200*a^5*b^3*e^2*h*z - 90
3168*a^4*b^4*c^2*h*z + 55296*a^5*b^3*d*g^2*z + 153600*a^4*b^4*d*e^2*z + 270
9504*a^3*b^5*c^2*d*z - 5760*a^3*b^2*d*e*g*h + 40320*a^2*b^3*c*d*e*h + 8640*
a^2*b^3*d^2*e*g - 6720*a^3*b^2*c*e*h^2 - 6300*a^2*b^3*c*e^2*g + 960*a^4*b*e
*g*h^2 - 60480*a*b^4*c*d^2*e - 3072*a^4*b*d*h^3 + 111132*a*b^4*c^3*g + 1382
4*a^3*b^2*d^2*h^2 + 450*a^3*b^2*e^2*g^2 - 23814*a^2*b^3*c^2*g^2 - 27648*a^2
*b^3*d^3*h + 2268*a^3*b^2*c*g^3 + 22050*a*b^4*c^2*e^2 - 625*a^2*b^3*e^4 - 8
1*a^4*b*g^4 + 20736*a*b^4*d^4 + 256*a^5*h^4 - 194481*b^5*c^4, z, k), k, 1,
4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)
```


[Out] Timed out

$$3.199 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^3} dx$$

Optimal. Leaf size=268

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} + x$$

[Out] 1/8*x*(b*c+a*g+(a*h+b*d)*x+(a*i+b*e)*x^2+b*f*x^3)/a/b/(-b*x^4+a)^2+1/32*(4*a*f+x*(7*b*c-a*g+2*(-a*h+3*b*d)*x+(-3*a*i+5*b*e)*x^2))/a^2/b/(-b*x^4+a)+1/16*(-a*h+3*b*d)*arctanh(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(3/2)-1/64*arctan(b^(1/4)*x/a^(1/4))*(5*b*e-3*a*i-3*(-a*g+7*b*c)*b^(1/2)/a^(1/2))/a^(9/4)/b^(7/4)+1/64*arctanh(b^(1/4)*x/a^(1/4))*(5*b*e-3*a*i+3*(-a*g+7*b*c)*b^(1/2)/a^(1/2))/a^(9/4)/b^(7/4)

Rubi [A] time = 0.43, antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}}-3ai+5be\right)}{64a^{9/4}b^{7/4}} + \frac{(3bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} + x$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^3,x]

[Out] (x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + b*f*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*f + x*(7*b*c - a*g + 2*(3*b*d - a*h)*x + (5*b*e - 3*a*i)*x^2))/(32*a^2*b*(a - b*x^4)) - ((5*b*e - (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((5*b*e + (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((3*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(16*a^(5/2)*b^(3/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1858

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii])*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 199x^6}{(a - bx^4)^3} dx &= \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} - \int \frac{-b(7bc - ag) -}{(a - bx^4)^3} dx \\
&= \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7b}{8ab(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7b}{8ab(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7b}{8ab(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7b}{8ab(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + (199a + be)x^2 + bfx^3)}{8ab(a - bx^4)^2} + \frac{4af + x(7b}{8ab(a - bx^4)^2}
\end{aligned}$$

Mathematica [A] time = 0.40, size = 359, normalized size = 1.34

$$\frac{16a^{7/4}b^{3/4}(a(f+x(g+x(h+ix)))+bx(c+x(d+ex)))}{(a-bx^4)^2} - \frac{4a^{3/4}b^{3/4}x(a(g+x(2h+3ix))-b(7c+x(6d+5ex)))}{a-bx^4} + \log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(4a^{5/4}\sqrt[4]{b}h + 3a^{3/2}i\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^3,x
]

[Out] ((-4*a^(3/4)*b^(3/4)*x*(-(b*(7*c + x*(6*d + 5*e*x))) + a*(g + x*(2*h + 3*i*x))))/(a - b*x^4) + (16*a^(7/4)*b^(3/4)*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + x*(h + i*x))))/(a - b*x^4)^2 + 2*(21*b^(3/2)*c - 5*Sqrt[a]*b*e - 3*a*Sqrt[b]*g + 3*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + (-21*b^(3/2)*c - 12*a^(1/4)*b^(5/4)*d - 5*Sqrt[a]*b*e + 3*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h + 3*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x] + (21*b^(3/2)*c - 12*a^(1/4)*b^(5/4)*d + 5*Sqrt[a]*b*e - 3*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h - 3*a^(3/2)*i)*Log[a^

$(1/4) + b^{(1/4)*x} - 4*a^{(1/4)*b^{(1/4)}*(-3*b*d + a*h)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b]*x^2])/(128*a^{(11/4)*b^{(7/4)}}$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.28, size = 652, normalized size = 2.43

$$-\frac{3}{256}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^2b^4} \right) - \frac{3}{256}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^2b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out]
$$-\frac{3}{256}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^2b^4} \right) - \frac{3}{256}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^2b^4} \right) + \frac{1}{128}\sqrt{2} \left(\frac{21b^2c - 3abg - 12\sqrt{2}(-ab^3)^{\frac{1}{4}}bd + 4\sqrt{2}(-ab^3)^{\frac{1}{4}}ah + 5\sqrt{-ab}be}{(-ab^3)^{\frac{3}{4}}a^2} - \frac{1}{128}\sqrt{2} \left(\frac{21b^2c - 3abg + 12\sqrt{2}(-ab^3)^{\frac{1}{4}}bd - 4\sqrt{2}(-ab^3)^{\frac{1}{4}}ah - 5\sqrt{-ab}be}{(-ab^3)^{\frac{3}{4}}a^2} \right) \right) + \frac{1}{256}\sqrt{2} \left(\frac{21b^2c - 3abg - 5\sqrt{-ab}be}{(-ab^3)^{\frac{3}{4}}a^2} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right) \right) + \frac{1}{32} \left(\frac{3abix^7 - 5b^2x^7e - 6b^2dx^6 + 2abhx^6 - 7b^2cx^5 + abgx^5 + a^2ix^3 + 9abx^3e + 10abd^2x^2 + 2a^2hx^2 + 11abcx + 3a^2gx + 4a^2f}{(bx^4 - a)^2ab} \right)$$

maple [B] time = 0.06, size = 472, normalized size = 1.76

$$\frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{32\sqrt{ab} ab} - \frac{3d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{32\sqrt{ab} a^2} + \frac{3i \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{64\left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} - \frac{3i \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128\left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} - \frac{5e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{64\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} + \frac{5e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} - \frac{3\left(\frac{a}{b}\right)^{\frac{1}{4}}}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out] $-(1/32*(3*a*i-5*b*e)/a^2*x^7-1/16*(a*h-3*b*d)/a^2*x^6-1/32*(a*g-7*b*c)/a^2*x^5-1/32*(a*i+9*b*e)/a/b*x^3-1/16*(a*h+5*b*d)/a/b*x^2-1/32*(3*a*g+11*b*c)/a/b*x-1/8/b*f)/(b*x^4-a)^2-3/64*(a/b)^{(1/4)}/a^2/b*g*\arctan(1/(a/b)^{(1/4)}*x)+21/64*(a/b)^{(1/4)}/a^3*c*\arctan(1/(a/b)^{(1/4)}*x)-3/128*(a/b)^{(1/4)}/a^2/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+21/128*(a/b)^{(1/4)}/a^3*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/32/(a*b)^{(1/2)}/a/b*h*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))-3/32/(a*b)^{(1/2)}/a^2*d*\ln(((a*b)^{(1/2)}*x^2-a)/(-(a*b)^{(1/2)}*x^2-a))+3/64/a/b^2/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x)*i-5/64/(a/b)^{(1/4)}/a^2/b*e*\arctan(1/(a/b)^{(1/4)}*x)-3/128/a/b^2/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))*i+5/128/(a/b)^{(1/4)}/a^2/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 3.08, size = 343, normalized size = 1.28

$$\frac{(5b^2e - 3abi)x^7 + 2(3b^2d - abh)x^6 + (7b^2c - abg)x^5 - (9abe + a^2i)x^3 - 4a^2f - 2(5abd + a^2h)x^2 - (11abc + a^3)}{32(a^2b^3x^8 - 2a^3b^2x^4 + a^4b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] $-1/32*((5*b^2*e - 3*a*b*i)*x^7 + 2*(3*b^2*d - a*b*h)*x^6 + (7*b^2*c - a*b*g)*x^5 - (9*a*b*e + a^2*i)*x^3 - 4*a^2*f - 2*(5*a*b*d + a^2*h)*x^2 - (11*a*b*c + 3*a^2*g)*x)/(a^2*b^3*x^8 - 2*a^3*b^2*x^4 + a^4*b) + 1/128*(4*(3*b*d - a*h)*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 4*(3*b*d - a*h)*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(21*b^{(3/2)}*c - 5*\sqrt{a}*b*e - 3*a*\sqrt{b}*g + 3*a^{(3/2)}*i)*\arctan(\sqrt{b}*x/\sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a})*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b}) - (21*b^{(3/2)}*c + 5*\sqrt{a}*b*e - 3*a*\sqrt{b}*g - 3*a^{(3/2)}*i)*\log((\sqrt{b}*x - \sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{b}*x + \sqrt{\sqrt{a}*\sqrt{b}}))/(\sqrt{a})*\sqrt{\sqrt{a}*\sqrt{b}}*\sqrt{b})/(a^2*b)$

mupad [B] time = 5.80, size = 2680, normalized size = 10.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^3, x)$

[Out] $\text{symsum}(\log((27*a^4*i^3 - 125*a*b^3*e^3 - 3024*b^4*c*d^2 + 2205*b^4*c^2*e - 336*a^2*b^2*c*h^2 + 45*a^2*b^2*e*g^2 + 225*a^2*b^2*e^2*i + 432*a*b^3*d^2*g - 1323*a*b^3*c^2*i - 135*a^3*b*e*i^2 + 48*a^3*b*g*h^2 - 27*a^3*b*g^2*i + 378*a^2*b^2*c*g*i - 288*a^2*b^2*d*g*h + 2016*a*b^3*c*d*h - 630*a*b^3*c*e*g)/(32768*a^6*b^2) - \text{root}(268435456*a^{11}*b^7*z^4 - 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*z^2 - 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*h*z - 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z + 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z + 2709504*a^3*b^6*c^2*d*z + 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e*g*h^2 - 2268*a^4*b^2*c*g*i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2*i + 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g - 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 - 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i - 27648*a^2*b^4*d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 - 81*a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 - 81*a^6*i^4 - 194481*b^6*c^4, z, 1)*(\text{root}(268435456*a^{11}*b^7*z^4 - 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*z^2 - 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*h*z - 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z + 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z + 2709504*a^3*b^6*c^2*d*z + 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e*g*h^2 - 2268*a^4*b^2*c*g*i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2*i + 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g - 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 - 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i - 27648*a^2*b^4*d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 - 81*a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 - 81*a^6*i^4 - 194481*b^6*c^4, z, 1)$

$$\begin{aligned}
& a^4 b^2 g^4 - 625 a^2 b^4 e^4 + 256 a^5 b^4 h^4 + 20736 a b^5 d^4 - 81 a^6 i^4 - 194481 b^6 c^4, z, 1) * ((344064 a^5 b^5 c - 49152 a^6 b^4 g) / (32768 a^6 b^2) - (x * (24576 a^5 b^4 d - 8192 a^6 b^3 h)) / (4096 a^6 b)) - (15360 a^3 b^4 d e - 9216 a^4 b^3 d i - 5120 a^4 b^3 e h + 3072 a^5 b^2 h i) / (32768 a^6 b^2) + (x * (144 a^5 b^2 i^2 + 7056 a^2 b^4 c^2 + 400 a^3 b^3 e^2 + 144 a^4 b^2 g^2 - 2016 a^3 b^3 c g - 480 a^4 b^2 e i)) / (4096 a^6 b) - (x * (216 b^3 d^3 - 8 a^3 h^3 - 315 b^3 c d e + 9 a^3 g h i - 216 a b^2 d^2 h + 72 a^2 b d h^2 + 189 a b^2 c d i + 105 a b^2 c e h + 45 a b^2 d e g - 63 a^2 b c h i - 27 a^2 b d g i - 15 a^2 b e g h)) / (4096 a^6 b) * \text{root}(268435456 a^{11} b^7 z^4 - 589824 a^8 b^4 g i z^2 + 4128768 a^7 b^5 c i z^2 + 3145728 a^7 b^5 d h z^2 + 983040 a^7 b^5 e g z^2 - 6881280 a^6 b^6 c e z^2 - 524288 a^8 b^4 h^2 z^2 - 4718592 a^6 b^6 d^2 z^2 + 61440 a^6 b^3 e h i z + 258048 a^5 b^4 c g h z - 184320 a^5 b^4 d e i z - 774144 a^4 b^5 c d g z - 18432 a^7 b^2 h i^2 z - 18432 a^6 b^3 g^2 h z + 55296 a^6 b^3 d i^2 z - 51200 a^5 b^4 e^2 h z - 903168 a^4 b^5 c^2 h z + 55296 a^5 b^4 d g^2 z + 153600 a^4 b^5 d e^2 z + 2709504 a^3 b^6 c^2 d z + 3456 a^4 b^2 d g h i - 24192 a^3 b^3 c d h i + 7560 a^3 b^3 c e g i - 5760 a^3 b^3 d e g h + 40320 a^2 b^4 c d e h - 540 a^4 b^2 e g^2 i - 5184 a^3 b^3 d^2 g i + 4032 a^4 b^2 c h^2 i + 960 a^4 b^2 e g h^2 - 2268 a^4 b^2 c g i^2 - 26460 a^2 b^4 c^2 e i + 36288 a^2 b^4 c d^2 i + 8640 a^2 b^4 d^2 e g - 6720 a^3 b^3 c e h^2 - 6300 a^2 b^4 c e^2 g - 576 a^5 b g h^2 i - 60480 a b^5 c d^2 e + 540 a^5 b e i^3 + 111132 a b^5 c^3 g - 1350 a^4 b^2 e^2 i^2 + 13824 a^3 b^3 d^2 h^2 + 7938 a^3 b^3 c^2 i^2 + 450 a^3 b^3 e^2 g^2 - 23814 a^2 b^4 c^2 g^2 + 162 a^5 b g^2 i^2 + 1500 a^3 b^3 e^3 i - 27648 a^2 b^4 d^3 h - 3072 a^4 b^2 d h^3 + 2268 a^3 b^3 c g^3 + 22050 a b^5 c^2 e^2 - 81 a^4 b^2 g^4 - 625 a^2 b^4 e^4 + 256 a^5 b^4 h^4 + 20736 a b^5 d^4 - 81 a^6 i^4 - 194481 b^6 c^4, z, 1), 1, 1, 4) + (f / (8 b) - (x^5 * (7 b c - a g)) / (32 a^2) - (x^6 * (3 b d - a h)) / (16 a^2) - (x^7 * (5 b e - 3 a i)) / (32 a^2) + (x * (11 b c + 3 a g)) / (32 a b) + (x^2 * (5 b d + a h)) / (16 a b) + (x^3 * (9 b e + a i)) / (32 a b)) / (a^2 + b^2 x^8 - 2 a b x^4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,x)

[Out] Timed out

$$3.200 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^3} dx$$

Optimal. Leaf size=285

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}} - 3ai + 5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}} - 3ai + 5be\right)}{64a^{9/4}b^{7/4}} + \frac{(3bd - ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{5/2}b^{3/2}} +$$

[Out] $1/8*x*(b*c+a*g+(a*h+b*d)*x+(a*i+b*e)*x^2+(a*j+b*f)*x^3)/a/b/(-b*x^4+a)^2+1/32*(4*a*(-a*j+b*f)+x*(b*(-a*g+7*b*c)+2*b*(-a*h+3*b*d)*x+b*(-3*a*i+5*b*e)*x^2)/a^2/b^2/(-b*x^4+a)+1/16*(-a*h+3*b*d)*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(3/2)-1/64*\arctan(b^(1/4)*x/a^(1/4))*(5*b*e-3*a*i-3*(-a*g+7*b*c)*b^(1/2)/a^(1/2))/a^(9/4)/b^(7/4)+1/64*\arctanh(b^(1/4)*x/a^(1/4))*(5*b*e-3*a*i+3*(-a*g+7*b*c)*b^(1/2)/a^(1/2))/a^(9/4)/b^(7/4)$

Rubi [A] time = 0.39, antiderivative size = 285, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {1858, 1854, 1876, 275, 208, 1167, 205}

$$\frac{x(b(7bc - ag) + 2bx(3bd - ah) + bx^2(5be - 3ai)) + 4a(bf - aj)}{32a^2b^2(a - bx^4)} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(-\frac{3\sqrt{b}(7bc-ag)}{\sqrt{a}} - 3ai + 5be\right)}{64a^{9/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)(3bd - ah)}{16a^{5/2}b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^3, x]

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + (b*f + a*j)*x^3))/(8*a*b*(a - b*x^4)^2) + (4*a*(b*f - a*j) + x*(b*(7*b*c - a*g) + 2*b*(3*b*d - a*h)*x + b*(5*b*e - 3*a*i)*x^2))/(32*a^2*b^2*(a - b*x^4)) - ((5*b*e - (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTan[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((5*b*e + (3*sqrt[b]*(7*b*c - a*g))/sqrt[a] - 3*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(64*a^(9/4)*b^(7/4)) + ((3*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(16*a^(5/2)*b^(3/2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 200x^6 + jx^7}{(a - bx^4)^3} dx &= \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + (200a + be)x^2 + (bf + aj)x^3)}{8ab(a - bx^4)^2}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 380, normalized size = 1.33

$$\sqrt[4]{b} \log(\sqrt[4]{a} - \sqrt[4]{b}x) (4a^{5/4} \sqrt[4]{b}h + 3a^{3/2}i - 12\sqrt[4]{a}b^{5/4}d - 5\sqrt{a}be + 3a\sqrt{b}g - 21b^{3/2}c) + \sqrt[4]{b} \log(\sqrt[4]{a} + \sqrt[4]{b}x) (4a$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^3, x]

[Out] ((-4*a^(3/4)*(8*a^2*j - b^2*x*(7*c + x*(6*d + 5*e*x)) + a*b*x*(g + x*(2*h + 3*i*x))))/(a - b*x^4) + (16*a^(7/4)*(a^2*j + b^2*x*(c + x*(d + e*x)) + a*b*(f + x*(g + x*(h + i*x))))/(a - b*x^4)^2 + 2*b^(1/4)*(21*b^(3/2)*c - 5*Sqrt[a]*b*e - 3*a*Sqrt[b]*g + 3*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + b^(1/4)*(-21*b^(3/2)*c - 12*a^(1/4)*b^(5/4)*d - 5*Sqrt[a]*b*e + 3*a*Sqrt[b]*g + 4*a^(5/4)*b^(1/4)*h + 3*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x] + b^(1/4)*(21*b^(3/2)*c - 12*a^(1/4)*b^(5/4)*d + 5*Sqrt[a]*b*e - 3*a*Sqrt[b]*g + 4*a^(5/4)

) $\cdot b^{(1/4)} \cdot h - 3 \cdot a^{(3/2)} \cdot i \cdot \text{Log}[a^{(1/4)} + b^{(1/4)} \cdot x] - 4 \cdot a^{(1/4)} \cdot \text{Sqrt}[b] \cdot (-3 \cdot b \cdot d + a \cdot h) \cdot \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b] \cdot x^2] / (128 \cdot a^{(11/4)} \cdot b^2)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 684, normalized size = 2.40

$$-\frac{3}{256}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^2b^4} \right) - \frac{3}{256}i \left(\frac{2\sqrt{2}(-a}{b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="giac")

[Out]
$$-\frac{3}{256}i \cdot (2 \cdot \text{sqrt}(2) \cdot (-a \cdot b^3)^{(3/4)} \cdot \arctan(1/2 \cdot \text{sqrt}(2) \cdot (2 \cdot x + \text{sqrt}(2) \cdot (-a/b)^{(1/4)}) / (-a/b)^{(1/4)}) / (a^2 \cdot b^4) - \text{sqrt}(2) \cdot (-a \cdot b^3)^{(3/4)} \cdot \log(x^2 + \text{sqrt}(2) \cdot x \cdot (-a/b)^{(1/4)} + \text{sqrt}(-a/b)) / (a^2 \cdot b^4)) - 3/256 \cdot i \cdot (2 \cdot \text{sqrt}(2) \cdot (-a \cdot b^3)^{(3/4)} \cdot \arctan(1/2 \cdot \text{sqrt}(2) \cdot (2 \cdot x - \text{sqrt}(2) \cdot (-a/b)^{(1/4)}) / (-a/b)^{(1/4)}) / (a^2 \cdot b^4) + \text{sqrt}(2) \cdot (-a \cdot b^3)^{(3/4)} \cdot \log(x^2 - \text{sqrt}(2) \cdot x \cdot (-a/b)^{(1/4)} + \text{sqrt}(-a/b)) / (a^2 \cdot b^4)) - 1/128 \cdot \text{sqrt}(2) \cdot (21 \cdot b^2 \cdot c - 3 \cdot a \cdot b \cdot g - 12 \cdot \text{sqrt}(2) \cdot (-a \cdot b^3)^{(1/4)} \cdot b \cdot d + 4 \cdot \text{sqrt}(2) \cdot (-a \cdot b^3)^{(1/4)} \cdot a \cdot h + 5 \cdot \text{sqrt}(-a \cdot b) \cdot b \cdot e) \cdot \arctan(1/2 \cdot \text{sqrt}(2) \cdot (2 \cdot x + \text{sqrt}(2) \cdot (-a/b)^{(1/4)}) / (-a/b)^{(1/4)}) / ((-a \cdot b^3)^{(3/4)} \cdot a^2) - 1/128 \cdot \text{sqrt}(2) \cdot (21 \cdot b^2 \cdot c - 3 \cdot a \cdot b \cdot g + 12 \cdot \text{sqrt}(2) \cdot (-a \cdot b^3)^{(1/4)} \cdot b \cdot d - 4 \cdot \text{sqrt}(2) \cdot (-a \cdot b^3)^{(1/4)} \cdot a \cdot h - 5 \cdot \text{sqrt}(-a \cdot b) \cdot b \cdot e) \cdot \arctan(1/2 \cdot \text{sqrt}(2) \cdot (2 \cdot x - \text{sqrt}(2) \cdot (-a/b)^{(1/4)}) / (-a/b)^{(1/4)}) / ((-a \cdot b^3)^{(3/4)} \cdot a^2) - 1/256 \cdot \text{sqrt}(2) \cdot (21 \cdot b^2 \cdot c - 3 \cdot a \cdot b \cdot g - 5 \cdot \text{sqrt}(-a \cdot b) \cdot b \cdot e) \cdot \log(x^2 + \text{sqrt}(2) \cdot x \cdot (-a/b)^{(1/4)} + \text{sqrt}(-a/b)) / ((-a \cdot b^3)^{(3/4)} \cdot a^2) + 1/256 \cdot \text{sqrt}(2) \cdot (21 \cdot b^2 \cdot c - 3 \cdot a \cdot b \cdot g - 5 \cdot \text{sqrt}(-a \cdot b) \cdot b \cdot e) \cdot \log(x^2 - \text{sqrt}(2) \cdot x \cdot (-a/b)^{(1/4)} + \text{sqrt}(-a/b)) / ((-a \cdot b^3)^{(3/4)} \cdot a^2) + 1/32 \cdot (3 \cdot a \cdot b^2 \cdot i \cdot x^7 - 5 \cdot b^3 \cdot x^7 \cdot e - 6 \cdot b^3 \cdot d \cdot x^6 + 2 \cdot a \cdot b^2 \cdot h \cdot x^6 - 7 \cdot b^3 \cdot c \cdot x^5 + a \cdot b^2 \cdot g \cdot x^5 + 8 \cdot a^2 \cdot b \cdot j \cdot x^4 + a^2 \cdot b \cdot i \cdot x^3 + 9 \cdot a \cdot b^2 \cdot x^3 \cdot e + 10 \cdot a \cdot b^2 \cdot d \cdot x^2 + 2 \cdot a^2 \cdot b \cdot$$

$$h*x^2 + 11*a*b^2*c*x + 3*a^2*b*g*x + 4*a^2*b*f - 4*a^3*j)/((b*x^4 - a)^2*a^2*b^2)$$

maple [B] time = 0.06, size = 488, normalized size = 1.71

$$\frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{32\sqrt{ab} ab} - \frac{3d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{32\sqrt{ab} a^2} + \frac{3i \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{64\left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} - \frac{3i \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128\left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} - \frac{5e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{64\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} + \frac{5e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{128\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} - 3\left(\frac{a}{b}\right)^{\frac{1}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x)

[Out] $-(1/32*(3*a*i-5*b*e)/a^2*x^7-1/16*(a*h-3*b*d)/a^2*x^6-1/32*(a*g-7*b*c)/a^2*x^5-1/4/b*j*x^4-1/32*(a*i+9*b*e)/a/b*x^3-1/16*(a*h+5*b*d)/a/b*x^2-1/32*(3*a*g+11*b*c)/a/b*x+1/8*(a*j-b*f)/b^2)/((b*x^4-a)^2-3/64*(a/b)^{(1/4)}/a^2/b*g*\arctan(1/(a/b)^{(1/4)}*x)+21/64*(a/b)^{(1/4)}/a^3*c*\arctan(1/(a/b)^{(1/4)}*x)-3/128*(a/b)^{(1/4)}/a^2/b*g*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+21/128*(a/b)^{(1/4)}/a^3*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/32/(a*b)^{(1/2)}/a/b*h*\ln((a*b)^{(1/2)}*x^2-a)/(-a*b)^{(1/2)}*x^2-a)-3/32/(a*b)^{(1/2)}/a^2*d*\ln((a*b)^{(1/2)}*x^2-a)/(-a*b)^{(1/2)}*x^2-a)+3/64/(a/b)^{(1/4)}/a/b^2*i*\arctan(1/(a/b)^{(1/4)}*x)-5/64/(a/b)^{(1/4)}/a^2/b*e*\arctan(1/(a/b)^{(1/4)}*x)-3/128/(a/b)^{(1/4)}/a/b^2*i*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+5/128/(a/b)^{(1/4)}/a^2/b*e*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 3.13, size = 377, normalized size = 1.32

$$\frac{8 a^2 b j x^4 - (5 b^3 e - 3 a b^2 i) x^7 - 2 (3 b^3 d - a b^2 h) x^6 - (7 b^3 c - a b^2 g) x^5 + 4 a^2 b f - 4 a^3 j + (9 a b^2 e + a^2 b i) x^3 + 2 (5 a^2 b^4 x^8 - 2 a^3 b^3 x^4 + a^4 b^2)}{32 (a^2 b^4 x^8 - 2 a^3 b^3 x^4 + a^4 b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^3,x, algorithm="maxima")

[Out] $1/32*(8*a^2*b*j*x^4 - (5*b^3*e - 3*a*b^2*i)*x^7 - 2*(3*b^3*d - a*b^2*h)*x^6 - (7*b^3*c - a*b^2*g)*x^5 + 4*a^2*b*f - 4*a^3*j + (9*a*b^2*e + a^2*b*i)*x^3 + 2*(5*a*b^2*d + a^2*b*h)*x^2 + (11*a*b^2*c + 3*a^2*b*g)*x)/((a^2*b^4*x^8 - 2*a^3*b^3*x^4 + a^4*b^2) + 1/128*(4*(3*b*d - a*h)*\log(\sqrt{b}*x^2 + \sqrt{a}))/(\sqrt{a}*\sqrt{b}) - 4*(3*b*d - a*h)*\log(\sqrt{b}*x^2 - \sqrt{a}))/(\sqrt{a}*\sqrt{b}) + 2*(21*b^{(3/2)}*c - 5*\sqrt{a}*b*e - 3*a*\sqrt{b}*g + 3*a^{(3/2)}*i)*$

$$\arctan(\sqrt{b} * x / \sqrt{\sqrt{a} * \sqrt{b}}) / (\sqrt{a} * \sqrt{\sqrt{a} * \sqrt{b}} * \sqrt{b}) - (21 * b^{3/2} * c + 5 * \sqrt{a} * b * e - 3 * a * \sqrt{b} * g - 3 * a^{3/2} * i) * \log(\sqrt{b} * x - \sqrt{\sqrt{a} * \sqrt{b}}) / (\sqrt{b} * x + \sqrt{\sqrt{a} * \sqrt{b}}) / (\sqrt{a} * \sqrt{\sqrt{a} * \sqrt{b}} * \sqrt{b}) / (a^2 * b)$$

mupad [B] time = 5.91, size = 2696, normalized size = 9.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^3, x)$

[Out] $\text{symsum}(\log((27*a^4*i^3 - 125*a*b^3*e^3 - 3024*b^4*c*d^2 + 2205*b^4*c^2*e - 336*a^2*b^2*c*h^2 + 45*a^2*b^2*e*g^2 + 225*a^2*b^2*e^2*i + 432*a*b^3*d^2*g - 1323*a*b^3*c^2*i - 135*a^3*b*e*i^2 + 48*a^3*b*g*h^2 - 27*a^3*b*g^2*i + 378*a^2*b^2*c*g*i - 288*a^2*b^2*d*g*h + 2016*a*b^3*c*d*h - 630*a*b^3*c*e*g) / (32768*a^6*b^2) - \text{root}(268435456*a^{11}*b^7*z^4 - 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*z^2 - 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*h*z - 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z + 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z + 2709504*a^3*b^6*c^2*d*z + 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e*g*h^2 - 2268*a^4*b^2*c*g*i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2*i + 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g - 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 - 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i - 27648*a^2*b^4*d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 - 81*a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 - 81*a^6*i^4 - 194481*b^6*c^4, z, m) * (\text{root}(268435456*a^{11}*b^7*z^4 - 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*z^2 - 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*h*z - 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z + 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z + 2709504*a^3*b^6*c^2*d*z + 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e*g*h^2 - 2268*a^4*b^2*c*g*i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2*i + 8640*a^2*b^4*d^2*e*g$

```

- 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a
*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g - 1350*a^4*b^2*e^2*i^2
+ 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 - 2381
4*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i - 27648*a^2*b^4*
d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 - 81*
a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 - 81*a^6*i^
4 - 194481*b^6*c^4, z, m)*((344064*a^5*b^5*c - 49152*a^6*b^4*g)/(32768*a^6*
b^2) - (x*(24576*a^5*b^4*d - 8192*a^6*b^3*h))/(4096*a^6*b)) - (15360*a^3*b^
4*d*e - 9216*a^4*b^3*d*i - 5120*a^4*b^3*e*h + 3072*a^5*b^2*h*i)/(32768*a^6*
b^2) + (x*(144*a^5*b*i^2 + 7056*a^2*b^4*c^2 + 400*a^3*b^3*e^2 + 144*a^4*b^2
*g^2 - 2016*a^3*b^3*c*g - 480*a^4*b^2*e*i))/(4096*a^6*b)) - (x*(216*b^3*d^3
- 8*a^3*h^3 - 315*b^3*c*d*e + 9*a^3*g*h*i - 216*a*b^2*d^2*h + 72*a^2*b*d*h
^2 + 189*a*b^2*c*d*i + 105*a*b^2*c*e*h + 45*a*b^2*d*e*g - 63*a^2*b*c*h*i -
27*a^2*b*d*g*i - 15*a^2*b*e*g*h))/(4096*a^6*b))*root(268435456*a^11*b^7*z^4
- 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z
^2 + 983040*a^7*b^5*e*g*z^2 - 6881280*a^6*b^6*c*e*z^2 - 524288*a^8*b^4*h^2*
z^2 - 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z + 258048*a^5*b^4*c*g*
h*z - 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z - 18432*a^7*b^2*h*i^2
*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z - 51200*a^5*b^4*e^2*h*z
- 903168*a^4*b^5*c^2*h*z + 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z +
2709504*a^3*b^6*c^2*d*z + 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7
560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h + 40320*a^2*b^4*c*d*e*h - 540*a^
4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i + 4032*a^4*b^2*c*h^2*i + 960*a^4*b^2*e
*g*h^2 - 2268*a^4*b^2*c*g*i^2 - 26460*a^2*b^4*c^2*e*i + 36288*a^2*b^4*c*d^2
*i + 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 - 6300*a^2*b^4*c*e^2*g - 5
76*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3
*g - 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 +
450*a^3*b^3*e^2*g^2 - 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*
b^3*e^3*i - 27648*a^2*b^4*d^3*h - 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 +
22050*a*b^5*c^2*e^2 - 81*a^4*b^2*g^4 - 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 2
0736*a*b^5*d^4 - 81*a^6*i^4 - 194481*b^6*c^4, z, m), m, 1, 4) + ((b*f - a*j
)/(8*b^2) + (j*x^4)/(4*b) - (x^5*(7*b*c - a*g))/(32*a^2) - (x^6*(3*b*d - a*
h))/(16*a^2) - (x^7*(5*b*e - 3*a*i))/(32*a^2) + (x*(11*b*c + 3*a*g))/(32*a*
b) + (x^2*(5*b*d + a*h))/(16*a*b) + (x^3*(9*b*e + a*i))/(32*a*b))/(a^2 + b^
2*x^8 - 2*a*b*x^4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**3,
x)
```

[Out] Timed out

$$3.201 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^3} dx$$

Optimal. Leaf size=413

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-5\sqrt{a} \sqrt{b} e + 3ag + 21bc\right)}{128\sqrt{2} a^{11/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-5\sqrt{a} \sqrt{b} e + 3ag + 21bc\right)}{128\sqrt{2} a^{11/4} b^{5/4}}$$

[Out] $\frac{1}{8} x (b c - a g + (-a h + b d) x + b e x^2 + b f x^3) / a / b / (b x^4 + a)^2 + \frac{1}{32} (-4 a f + x (7 b c + a g + 2 (a h + 3 b d) x + 5 b e x^2)) / a^2 / b / (b x^4 + a) + \frac{1}{16} (a h + 3 b d) \arctan(x^2 b^{1/2} / a^{1/2}) / a^{5/2} / b^{3/2} - \frac{1}{256} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) (21 b c + 3 a g - 5 e a^{1/2} b^{1/2}) / a^{11/4} / b^{5/4} * 2^{1/2} + \frac{1}{256} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) (21 b c + 3 a g - 5 e a^{1/2} b^{1/2}) / a^{11/4} / b^{5/4} * 2^{1/2} + \frac{1}{128} \arctan(-1 + b^{1/4} x^2 + a^{1/4}) (21 b c + 3 a g + 5 e a^{1/2} b^{1/2}) / a^{11/4} / b^{5/4} * 2^{1/2} + \frac{1}{128} \arctan(1 + b^{1/4} x^2 + a^{1/4}) (21 b c + 3 a g + 5 e a^{1/2} b^{1/2}) / a^{11/4} / b^{5/4} * 2^{1/2}$

Rubi [A] time = 0.49, antiderivative size = 413, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-5\sqrt{a} \sqrt{b} e + 3ag + 21bc\right)}{128\sqrt{2} a^{11/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right)\left(-5\sqrt{a} \sqrt{b} e + 3ag + 21bc\right)}{128\sqrt{2} a^{11/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^3,x]

[Out] $\frac{x(b c - a g + (b d - a h) x + b e x^2 + b f x^3)}{(8 a b (a + b x^4)^2) - (4 a f - x(7 b c + a g + 2(3 b d + a h) x + 5 b e x^2)) / (32 a^2 b (a + b x^4))} + \frac{((3 b d + a h) \operatorname{ArcTan}[\sqrt{b} x^2 / \sqrt{a}]) / (16 a^{5/2} b^{3/2}) - ((21 b c + 5 \sqrt{a} \sqrt{b} e + 3 a g) \operatorname{ArcTan}[1 - (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (64 \sqrt{2} a^{11/4} b^{5/4}) + ((21 b c + 5 \sqrt{a} \sqrt{b} e + 3 a g) \operatorname{ArcTan}[1 + (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (64 \sqrt{2} a^{11/4} b^{5/4})}{(128 \sqrt{2} a^{11/4} b^{5/4})} - \frac{((21 b c - 5 \sqrt{a} \sqrt{b} e + 3 a g) \operatorname{Log}[\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (128 \sqrt{2} a^{11/4} b^{5/4}) + ((21 b c - 5 \sqrt{a} \sqrt{b} e + 3 a g) \operatorname{Log}[\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (128 \sqrt{2} a^{11/4} b^{5/4})}{(128 \sqrt{2} a^{11/4} b^{5/4})}$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^4)^3} dx &= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{\int \frac{-b(7bc+ag)-2b(3bd+ah)x-5b^2ex^2-}{(a+bx^4)^2}}{8ab^2} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex^2 + b^2fx^3)}{32a^2b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex^2 + b^2fx^3)}{32a^2b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex^2 + b^2fx^3)}{32a^2b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex^2 + b^2fx^3)}{32a^2b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex^2 + b^2fx^3)}{32a^2b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex^2 + b^2fx^3)}{32a^2b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex^2 + b^2fx^3)}{32a^2b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex^2 + b^2fx^3)}{32a^2b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7bc + ag + 2(3bd + ah)x + 5b^2ex^2 + b^2fx^3)}{32a^2b(a + bx^4)}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 411, normalized size = 1.00

$$-2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) (8a^{5/4}h + 5\sqrt{2} \sqrt{a} b^{3/4}e + 24\sqrt[4]{a} bd + 3\sqrt{2} a \sqrt[4]{b} g + 21\sqrt{2} b^{5/4}c) + 2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) (-8a^{5/4}h - 5\sqrt{2} \sqrt{a} b^{3/4}e - 24\sqrt[4]{a} bd - 3\sqrt{2} a \sqrt[4]{b} g - 21\sqrt{2} b^{5/4}c)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^3,x]

```
[Out] ((8*a^(3/4)*Sqrt[b]*x*(7*b*c + b*x*(6*d + 5*e*x) + a*(g + 2*h*x)))/(a + b*x^4) - (32*a^(7/4)*Sqrt[b]*(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + h*x))))/(a + b*x^4)^2 - 2*(21*Sqrt[2]*b^(5/4)*c + 24*a^(1/4)*b*d + 5*Sqrt[2]*Sqrt[a]*b^(3/4)*e + 3*Sqrt[2]*a*b^(1/4)*g + 8*a^(5/4)*h)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(21*Sqrt[2]*b^(5/4)*c - 24*a^(1/4)*b*d + 5*Sqrt[2]*Sqrt[a]*b^(3/4)*e + 3*Sqrt[2]*a*b^(1/4)*g - 8*a^(5/4)*h)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*b^(1/4)*(-21*b*c + 5*Sqrt[a]*Sqrt[b]*e - 3*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*b^(1/4)*(21*b*c - 5*Sqrt[a]*Sqrt[b]*e + 3*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2)]/(256*a^(11/4)*b^(3/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")
```

[Out] Timed out

giac [A] time = 0.20, size = 459, normalized size = 1.11

$$\frac{\sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + 4 \sqrt{2} \sqrt{ab} abh + 21 (ab^3)^{\frac{1}{4}} b^2 c + 3 (ab^3)^{\frac{1}{4}} abg + 5 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right) + \sqrt{2} \left(\dots \right)}{128 a^3 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")
```

```
[Out] 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 4*sqrt(2)*sqrt(a*b)*a*b*h + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 4*sqrt(2)*sqrt(a*b)*a*b*h + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^3) + 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g - 5*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) - 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g - 5*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) + 1/32*(5*b^2*x^7*e + 6*b^2*d*x^6 + 2*a*b*h*x^6 + 7*b^2*c*x^5 + a*b*g*x^5 + 9*a*b*x^3*e + 10*a*b*d*x^2 - 2*a^2*h*x^2 + 11*a*b*c*x - 3*a^2*g*x - 4*a^2*f)/((b*x^4 + a)^2*a^2*b)
```

maple [A] time = 0.06, size = 561, normalized size = 1.36

$$\frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{16\sqrt{ab} ab} + \frac{3d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{16\sqrt{ab} a^2} + \frac{5\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} + \frac{5\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b} + \frac{5\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] (5/32/a^2*b*e*x^7+1/16*(a*h+3*b*d)/a^2*x^6+1/32*(a*g+7*b*c)/a^2*x^5+9/32/a*e*x^3-1/16*(a*h-5*b*d)/a/b*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8/b*f)/(b*x^4+a)^2+3/128*(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+3/256*(a/b)^(1/4)*2^(1/2)/a^2/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+21/256*(a/b)^(1/4)*2^(1/2)/a^3*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/128*(a/b)^(1/4)*2^(1/2)/a^2/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+21/128*(a/b)^(1/4)*2^(1/2)/a^3*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/a/b/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)*h+3/16/(a*b)^(1/2)/a^2*d*arctan((1/a*b)^(1/2)*x^2)+5/256/(a/b)^(1/4)*2^(1/2)/a^2/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+5/128/(a/b)^(1/4)*2^(1/2)/a^2/b*e*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.07, size = 446, normalized size = 1.08

$$\frac{5b^2ex^7 + 2(3b^2d + abh)x^6 + 9abex^3 + (7b^2c + abg)x^5 - 4a^2f + 2(5abd - a^2h)x^2 + (11abc - 3a^2g)x}{32(a^2b^3x^8 + 2a^3b^2x^4 + a^4b)} + \frac{\sqrt{2}(21)}{32(a^2b^3x^8 + 2a^3b^2x^4 + a^4b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] 1/32*(5*b^2*e*x^7 + 2*(3*b^2*d + a*b*h)*x^6 + 9*a*b*e*x^3 + (7*b^2*c + a*b*g)*x^5 - 4*a^2*f + 2*(5*a*b*d - a^2*h)*x^2 + (11*a*b*c - 3*a^2*g)*x)/(a^2*b^3*x^8 + 2*a^3*b^2*x^4 + a^4*b) + 1/256*(sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))

$$\begin{aligned} & / (a^{3/4} b^{3/4}) - \sqrt{2} (21 b^{3/2} c - 5 \sqrt{a} b e + 3 a \sqrt{b} g) \\ & * \log(\sqrt{b} x^2 - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{a}) / (a^{3/4} b^{3/4}) + \\ & 2 (21 \sqrt{2} a^{1/4} b^{7/4} c + 5 \sqrt{2} a^{3/4} b^{5/4} e + 3 \sqrt{2} a^{5/4} b^{3/4} g - 24 \sqrt{a} b^{3/2} d - 8 a^{3/2} \sqrt{b} h) \arctan(1/2 \sqrt{2} (2 \sqrt{b} x + \sqrt{2} a^{1/4} b^{1/4}) / \sqrt{\sqrt{a} \sqrt{b}}) / (a^{3/4} \sqrt{\sqrt{a} \sqrt{b}} b^{3/4}) + 2 (21 \sqrt{2} a^{1/4} b^{7/4} c + 5 \sqrt{2} a^{3/4} b^{5/4} e + 3 \sqrt{2} a^{5/4} b^{3/4} g + 24 \sqrt{a} b^{3/2} d + 8 a^{3/2} \sqrt{b} h) \arctan(1/2 \sqrt{2} (2 \sqrt{b} x - \sqrt{2} a^{1/4} b^{1/4}) / \sqrt{\sqrt{a} \sqrt{b}}) / (a^{3/4} \sqrt{\sqrt{a} \sqrt{b}} b^{3/4}) / (a^2 b) \end{aligned}$$

mupad [B] time = 5.69, size = 1686, normalized size = 4.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^3, x)$

[Out]
$$\begin{aligned} & ((9e*x^3)/(32*a) - f/(8*b) + (x^5*(7*b*c + a*g))/(32*a^2) + (x^6*(3*b*d + a*h))/(16*a^2) + (x*(11*b*c - 3*a*g))/(32*a*b) + (x^2*(5*b*d - a*h))/(16*a*b) + (5*b*e*x^7)/(32*a^2)) / (a^2 + b^2*x^8 + 2*a*b*x^4) + \text{symsum}(\log((3024*b^3*c*d^2 - 125*a*b^2*e^3 - 2205*b^3*c^2*e + 48*a^3*g*h^2 + 432*a*b^2*d^2*g + 336*a^2*b*c*h^2 - 45*a^2*b*e*g^2 + 2016*a*b^2*c*d*h - 630*a*b^2*c*e*g + 288*a^2*b*d*g*h) / (32768*a^6*b) - \text{root}(268435456*a^{11}*b^6*z^4 + 3145728*a^7*b^4*d*h*z^2 + 983040*a^7*b^4*e*g*z^2 + 6881280*a^6*b^5*c*e*z^2 + 524288*a^8*b^3*h^2*z^2 + 4718592*a^6*b^5*d^2*z^2 - 258048*a^5*b^3*c*g*h*z - 774144*a^4*b^4*c*d*g*z - 18432*a^6*b^2*g^2*h*z + 51200*a^5*b^3*e^2*h*z - 903168*a^4*b^4*c^2*h*z - 55296*a^5*b^3*d*g^2*z + 153600*a^4*b^4*d*e^2*z - 2709504*a^3*b^5*c^2*d*z - 5760*a^3*b^2*d*e*g*h - 40320*a^2*b^3*c*d*e*h - 8640*a^2*b^3*d^2*e*g - 6720*a^3*b^2*c*e*h^2 + 6300*a^2*b^3*c*e^2*g - 960*a^4*b*e*g*h^2 - 60480*a*b^4*c*d^2*e + 3072*a^4*b*d*h^3 + 111132*a*b^4*c^3*g + 13824*a^3*b^2*d^2*h^2 + 450*a^3*b^2*e^2*g^2 + 23814*a^2*b^3*c^2*g^2 + 27648*a^2*b^3*d^3*h + 2268*a^3*b^2*c*g^3 + 22050*a*b^4*c^2*e^2 + 625*a^2*b^3*e^4 + 81*a^4*b*g^4 + 20736*a*b^4*d^4 + 256*a^5*h^4 + 194481*b^5*c^4, z, k) * (\text{root}(268435456*a^{11}*b^6*z^4 + 3145728*a^7*b^4*d*h*z^2 + 983040*a^7*b^4*e*g*z^2 + 6881280*a^6*b^5*c*e*z^2 + 524288*a^8*b^3*h^2*z^2 + 4718592*a^6*b^5*d^2*z^2 - 258048*a^5*b^3*c*g*h*z - 774144*a^4*b^4*c*d*g*z - 18432*a^6*b^2*g^2*h*z + 51200*a^5*b^3*e^2*h*z - 903168*a^4*b^4*c^2*h*z - 55296*a^5*b^3*d*g^2*z + 153600*a^4*b^4*d*e^2*z - 2709504*a^3*b^5*c^2*d*z - 5760*a^3*b^2*d*e*g*h - 40320*a^2*b^3*c*d*e*h - 8640*a^2*b^3*d^2*e*g - 6720*a^3*b^2*c*e*h^2 + 6300*a^2*b^3*c*e^2*g - 960*a^4*b*e*g*h^2 - 60480*a*b^4*c*d^2*e + 3072*a^4*b*d*h^3 + 111132*a*b^4*c^3*g + 13824*a^3*b^2*d^2*h^2 + 450*a^3*b^2*e^2*g^2 + 23814*a^2*b^3*c^2*g^2 + 27648*a^2*b^3*d^3*h + 2268*a^3*b^2*c*g^3 + 22050*a*b^4*c^2*e^2 + 625*a^2*b^3*e^4 + 81*a^4*b*g^4 + 20736*a*b^4*d^4 + 256*a^5*h^4 + 194481*b^5*c^4, z, k) * ((344064*a^5*b^4*c + 49152*a^6*b^3*g) / (32768*a^6*b) - (x*(24576*a \end{aligned}$$

$$\begin{aligned} & \frac{5b^4d + 8192a^6b^3h}{4096a^6b} + \frac{15360a^3b^3d^2e + 5120a^4b^2e^2h}{32768a^6b} + \frac{x(7056a^2b^4c^2 - 400a^3b^3e^2 + 144a^4b^2g^2 + 2016a^3b^3c^2g)}{4096a^6b} + \frac{x(216b^3d^3 + 8a^3h^3 - 315b^3c^2d^2e + 216ab^2d^2h + 72a^2b^2d^2h^2 - 105ab^2c^2e^2h - 45ab^2d^2e^2g - 15a^2b^2e^2g^2h)}{4096a^6b} \\ & \cdot \text{root}(268435456a^{11}b^6z^4 + 3145728a^7b^4d^2h^2z^2 + 983040a^7b^4e^2g^2z^2 + 6881280a^6b^5c^2e^2z^2 + 524288a^8b^3h^2z^2 + 4718592a^6b^5d^2z^2 - 258048a^5b^3c^2g^2h^2z - 774144a^4b^4c^2d^2g^2z - 18432a^6b^2g^2h^2z + 51200a^5b^3e^2h^2z - 903168a^4b^4c^2h^2z - 55296a^5b^3d^2g^2z + 153600a^4b^4d^2e^2z - 2709504a^3b^5c^2d^2z - 5760a^3b^2d^2e^2g^2h - 40320a^2b^3c^2d^2e^2h - 8640a^2b^3d^2e^2g^2h - 6720a^3b^2c^2e^2h^2 + 6300a^2b^3c^2e^2g^2h - 960a^4b^2e^2g^2h^2 - 60480ab^4c^2d^2e + 3072a^4b^2d^2h^3 + 111132ab^4c^3g + 13824a^3b^2d^2h^2 + 450a^3b^2e^2g^2 + 23814a^2b^3c^2g^2 + 27648a^2b^3d^3h + 2268a^3b^2c^2g^3 + 22050ab^4c^2e^2 + 625a^2b^3e^4 + 81a^4b^2g^4 + 20736ab^4d^4 + 256a^5h^4 + 194481b^5c^4, z, k), k, 1, 4) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)

[Out] Timed out

$$3.202 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^3} dx$$

Optimal. Leaf size=463

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag+7bc) - \sqrt{a}(3ai+5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag+7bc) + \sqrt{a}(3ai+5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}}$$

[Out] $\frac{1}{8} x x (b c - a g + (-a h + b d) x + (-a i + b e) x^2 + b f x^3) / a / b / (b x^4 + a)^2 + 1/32 * (-4 a a f + x (7 b c + a g + 2 (a h + 3 b d) x + (3 a i + 5 b e) x^2)) / a^2 / b / (b x^4 + a) + 1/16 * (a h + 3 b d) * \arctan(x^2 b^{1/2} / a^{1/2}) / a^{5/2} / b^{3/2} - 1/256 * \ln(-a^{1/4} * b^{1/4} * x^2^{1/2} + a^{1/2} + x^2 b^{1/2}) * (- (3 a i + 5 b e) a^{1/2} + 3 (a g + 7 b c) * b^{1/2}) / a^{11/4} / b^{7/4} * 2^{1/2} + 1/256 * \ln(a^{1/4} * b^{1/4} * x^2^{1/2} + a^{1/2} + x^2 b^{1/2}) * (- (3 a i + 5 b e) a^{1/2} + 3 (a g + 7 b c) * b^{1/2}) / a^{11/4} / b^{7/4} * 2^{1/2} + 1/128 * \arctan(-1 + b^{1/4} * x^2^{1/2} / a^{1/4}) * ((3 a i + 5 b e) a^{1/2} + 3 (a g + 7 b c) * b^{1/2}) / a^{11/4} / b^{7/4} * 2^{1/2} + 1/128 * \arctan(1 + b^{1/4} * x^2^{1/2} / a^{1/4}) * ((3 a i + 5 b e) a^{1/2} + 3 (a g + 7 b c) * b^{1/2}) / a^{11/4} / b^{7/4} * 2^{1/2}$

Rubi [A] time = 0.69, antiderivative size = 463, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.275$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag+7bc) - \sqrt{a}(3ai+5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag+7bc) + \sqrt{a}(3ai+5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^3,x]

[Out] $(x(b c - a g + (b d - a h) x + (b e - a i) x^2 + b f x^3)) / (8 a b (a + b x^4)^2) - (4 a a f - x(7 b c + a g + 2(3 b d + a h) x + (5 b e + 3 a i) x^2)) / (32 a^2 b (a + b x^4)) + ((3 b d + a h) * \text{ArcTan}[\sqrt{b} x^2 / \sqrt{a}]) / (16 a^{5/2} b^{3/2}) - ((3 \sqrt{b} (7 b c + a g) + \sqrt{a} (5 b e + 3 a i)) * \text{ArcTan}[1 - (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (64 \sqrt{2} a^{11/4} b^{7/4}) + ((3 \sqrt{b} (7 b c + a g) + \sqrt{a} (5 b e + 3 a i)) * \text{ArcTan}[1 + (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (64 \sqrt{2} a^{11/4} b^{7/4}) - ((3 \sqrt{b} (7 b c + a g) - \sqrt{a} (5 b e + 3 a i)) * \text{Log}[\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (128 \sqrt{2} a^{11/4} b^{7/4}) + ((3 \sqrt{b} (7 b c + a g) - \sqrt{a} (5 b e + 3 a i)) * \text{Log}[\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (128 \sqrt{2} a^{11/4} b^{7/4})$

$(5*b*e + 3*a*i)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2]/(128*\text{Sqrt}[2]*a^{(11/4)}*b^{(7/4)})$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 275

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] := \text{With}[\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{(m + 1)/k - 1}*(a + b*x^{(n/k)})^p, x], x, x^k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] := \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c])] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 1162

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] := \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] := \text{With}[\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$

$eQ[\{a, c, d, e\}, x] \&\& EqQ[c*d^2 - a*e^2, 0] \&\& NegQ[d*e]$

Rule 1168

$Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[\{q = Rt[a*c, 2]\}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[\{a, c, d, e\}, x] \&\& NeQ[c*d^2 + a*e^2, 0] \&\& NeQ[c*d^2 - a*e^2, 0] \&\& NegQ[-(a*c)]$

Rule 1854

$Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[\{q = Expon[Pq, x], i\}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, \{i, 0, q - 1\}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n, 0] \&\& LtQ[p, -1]$

Rule 1858

$Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[\{q = Expon[Pq, x]\}, Module[\{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]\}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n, 0] \&\& LtQ[p, -1]$

Rule 1876

$Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[\{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), \{ii, 0, n/2 - 1\}]\}, Int[v, x] /; SumQ[v]] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n/2, 0] \&\& Expon[Pq, x] < n$

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 202x^6}{(a + bx^4)^3} dx = \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{\int \frac{-b(7bc+ag)}{\dots}}{\dots}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7)}{\dots}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7)}{\dots}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7)}{\dots}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7)}{\dots}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7)}{\dots}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7)}{\dots}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7)}{\dots}$$

$$= \frac{x(bc - ag + (bd - ah)x - (202a - be)x^2 + bfx^3)}{8ab(a + bx^4)^2} - \frac{4af - x(7)}{\dots}$$

Mathematica [A] time = 0.68, size = 473, normalized size = 1.02

$$\frac{-\frac{32a^{7/4}b^{3/4}(a(f+x(g+x(h+ix)))-bx(c+x(d+ex)))}{(a+bx^4)^2} + \frac{8a^{3/4}b^{3/4}x(ag+ax(2h+3ix)+7bc+bx(6d+5ex))}{a+bx^4}}{2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{bx}}{\sqrt[4]{a}}\right)} \left(8a^{5/4}\sqrt[4]{b}h + \dots\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^3,x]
```

```
[Out] ((8*a^(3/4)*b^(3/4)*x*(7*b*c + a*g + b*x*(6*d + 5*e*x) + a*x*(2*h + 3*i*x))
)/(a + b*x^4) - (32*a^(7/4)*b^(3/4)*(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g
+ x*(h + i*x)))))/(a + b*x^4)^2 - 2*(21*Sqrt[2]*b^(3/2)*c + 24*a^(1/4)*b^(
5/4)*d + 5*Sqrt[2]*Sqrt[a]*b*e + 3*Sqrt[2]*a*Sqrt[b]*g + 8*a^(5/4)*b^(1/4)*
h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(21*Sq
rt[2]*b^(3/2)*c - 24*a^(1/4)*b^(5/4)*d + 5*Sqrt[2]*Sqrt[a]*b*e + 3*Sqrt[2]*
a*Sqrt[b]*g - 8*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2
]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*(-21*b^(3/2)*c + 5*Sqrt[a]*b*e - 3*a*Sqrt[b
]*g + 3*a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] +
Sqrt[2]*(21*b^(3/2)*c - 5*Sqrt[a]*b*e + 3*a*Sqrt[b]*g - 3*a^(3/2)*i)*Log[S
qrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2)]/(256*a^(11/4)*b^(7/4))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="f
ricas")
```

[Out] Timed out

giac [A] time = 0.23, size = 661, normalized size = 1.43

$$\frac{3}{256} i \left(\frac{2 \sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2 \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2 b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2} x \left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{a^2 b^4} \right) + \frac{3}{256} i \left(\frac{2 \sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2 \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2 b^4} + \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2} x \left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{a^2 b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="g
iac")
```

```
[Out] 3/256*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1
/4)))/(a/b)^(1/4))/(a^2*b^4) - sqrt(2)*(a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(a/
b)^(1/4) + sqrt(a/b))/(a^2*b^4) + 3/256*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(
1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4)))/(a/b)^(1/4))/(a^2*b^4) + sqrt(2)*(a
*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^4) + 1/128
*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 4*sqrt(2)*sqrt(a*b)*a*b*h + 21*(a*b^
3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt
(2)*(2*x + sqrt(2)*(a/b)^(1/4)))/(a/b)^(1/4))/(a^3*b^3) + 1/128*sqrt(2)*(12*
```

$\sqrt{2} \sqrt{a*b} * b^2 * d + 4 * \sqrt{2} * \sqrt{a*b} * a * b * h + 21 * (a*b^3)^{(1/4)} * b^2 * c + 3 * (a*b^3)^{(1/4)} * a * b * g + 5 * (a*b^3)^{(3/4)} * e * \arctan(1/2 * \sqrt{2} * (2*x - \sqrt{2} * (a/b)^{(1/4)}) / (a/b)^{(1/4)}) / (a^3 * b^3) + 1/256 * \sqrt{2} * (21 * (a*b^3)^{(1/4)} * b^2 * c + 3 * (a*b^3)^{(1/4)} * a * b * g - 5 * (a*b^3)^{(3/4)} * e) * \log(x^2 + \sqrt{2} * x * (a/b)^{(1/4)} + \sqrt{a/b}) / (a^3 * b^3) - 1/256 * \sqrt{2} * (21 * (a*b^3)^{(1/4)} * b^2 * c + 3 * (a*b^3)^{(1/4)} * a * b * g - 5 * (a*b^3)^{(3/4)} * e) * \log(x^2 - \sqrt{2} * x * (a/b)^{(1/4)} + \sqrt{a/b}) / (a^3 * b^3) + 1/32 * (3 * a * b * i * x^7 + 5 * b^2 * x^7 * e + 6 * b^2 * d * x^6 + 2 * a * b * h * x^6 + 7 * b^2 * c * x^5 + a * b * g * x^5 - a^2 * i * x^3 + 9 * a * b * x^3 * e + 10 * a * b * d * x^2 - 2 * a^2 * h * x^2 + 11 * a * b * c * x - 3 * a^2 * g * x - 4 * a^2 * f) / ((b * x^4 + a)^2 * a^2 * b)$

maple [A] time = 0.06, size = 716, normalized size = 1.55

$$\frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{16\sqrt{ab} ab} + \frac{3d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{16\sqrt{ab} a^2} + \frac{3\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} i \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256 \left(\frac{a}{b}\right)^{\frac{1}{4}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)$

[Out] $(1/32*(3*a*i+5*b*e)/a^2*x^7+1/16*(a*h+3*b*d)/a^2*x^6+1/32*(a*g+7*b*c)/a^2*x^5-1/32*(a*i-9*b*e)/a/b*x^3-1/16*(a*h-5*b*d)/a/b*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8/b*f)/(b*x^4+a)^2+3/128*(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*g*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+21/128*(a/b)^{(1/4)}*2^{(1/2)}/a^3*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+3/128*(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*g*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+21/128*(a/b)^{(1/4)}*2^{(1/2)}/a^3*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+3/256*(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*g*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+21/256*(a/b)^{(1/4)}*2^{(1/2)}/a^3*c*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+1/16/(a*b)^{(1/2)}/a/b*h*\arctan((1/a*b)^{(1/2)}*x^2)+3/16/(a*b)^{(1/2)}/a^2*d*\arctan((1/a*b)^{(1/2)}*x^2)+3/128/a/b^2/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)*i+5/128/(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+3/128/a/b^2/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)*i+5/128/(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+3/256/a/b^2/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))*i+5/256/(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*e*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))$

maxima [A] time = 3.17, size = 497, normalized size = 1.07

$$\frac{(5b^2e + 3abi)x^7 + 2(3b^2d + abh)x^6 + (7b^2c + abg)x^5 + (9abe - a^2i)x^3 - 4a^2f + 2(5abd - a^2h)x^2 + (11abc - a^3)}{32(a^2b^3x^8 + 2a^3b^2x^4 + a^4b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out] 1/32*((5*b^2*e + 3*a*b*i)*x^7 + 2*(3*b^2*d + a*b*h)*x^6 + (7*b^2*c + a*b*g)*x^5 + (9*a*b*e - a^2*i)*x^3 - 4*a^2*f + 2*(5*a*b*d - a^2*h)*x^2 + (11*a*b*c - 3*a^2*g)*x)/(a^2*b^3*x^8 + 2*a^3*b^2*x^4 + a^4*b) + 1/256*(sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g - 3*a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a*sqrt(b)*g - 3*a^(3/2)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g + 3*sqrt(2)*a^(7/4)*b^(1/4)*i - 24*sqrt(a)*b^(3/2)*d - 8*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g + 3*sqrt(2)*a^(7/4)*b^(1/4)*i + 24*sqrt(a)*b^(3/2)*d + 8*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)))/(a^2*b)

mupad [B] time = 5.75, size = 2680, normalized size = 5.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^3,x)

[Out] symsum(log(- root(268435456*a^11*b^7*z^4 + 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 + 6881280*a^6*b^6*c*e*z^2 + 524288*a^8*b^4*h^2*z^2 + 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z - 258048*a^5*b^4*c*g*h*z + 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z + 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z + 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z - 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z - 2709504*a^3*b^6*c^2*d*z - 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*

$$\begin{aligned}
& d * e * g * h - 40320 * a^2 * b^4 * c * d * e * h + 540 * a^4 * b^2 * e * g^2 * i - 5184 * a^3 * b^3 * d^2 * g * i \\
& - 4032 * a^4 * b^2 * c * h^2 * i - 960 * a^4 * b^2 * e * g * h^2 + 2268 * a^4 * b^2 * c * g * i^2 + 264 \\
& 60 * a^2 * b^4 * c^2 * e * i - 36288 * a^2 * b^4 * c * d^2 * i - 8640 * a^2 * b^4 * d^2 * e * g - 6720 * a^ \\
& 3 * b^3 * c * e * h^2 + 6300 * a^2 * b^4 * c * e^2 * g - 576 * a^5 * b * g * h^2 * i - 60480 * a * b^5 * c * d^ \\
& 2 * e + 540 * a^5 * b * e * i^3 + 111132 * a * b^5 * c^3 * g + 1350 * a^4 * b^2 * e^2 * i^2 + 13824 * a \\
& ^3 * b^3 * d^2 * h^2 + 7938 * a^3 * b^3 * c^2 * i^2 + 450 * a^3 * b^3 * e^2 * g^2 + 23814 * a^2 * b^4 \\
& * c^2 * g^2 + 162 * a^5 * b * g^2 * i^2 + 1500 * a^3 * b^3 * e^3 * i + 27648 * a^2 * b^4 * d^3 * h + 3 \\
& 072 * a^4 * b^2 * d * h^3 + 2268 * a^3 * b^3 * c * g^3 + 22050 * a * b^5 * c^2 * e^2 + 81 * a^4 * b^2 * g \\
& ^4 + 625 * a^2 * b^4 * e^4 + 256 * a^5 * b * h^4 + 20736 * a * b^5 * d^4 + 81 * a^6 * i^4 + 19448 \\
& 1 * b^6 * c^4, z, l) * (\text{root}(268435456 * a^{11} * b^7 * z^4 + 589824 * a^8 * b^4 * g * i * z^2 + 41 \\
& 28768 * a^7 * b^5 * c * i * z^2 + 3145728 * a^7 * b^5 * d * h * z^2 + 983040 * a^7 * b^5 * e * g * z^2 + \\
& 6881280 * a^6 * b^6 * c * e * z^2 + 524288 * a^8 * b^4 * h^2 * z^2 + 4718592 * a^6 * b^6 * d^2 * z^2 \\
& + 61440 * a^6 * b^3 * e * h * i * z - 258048 * a^5 * b^4 * c * g * h * z + 184320 * a^5 * b^4 * d * e * i * z - \\
& 774144 * a^4 * b^5 * c * d * g * z + 18432 * a^7 * b^2 * h * i^2 * z - 18432 * a^6 * b^3 * g^2 * h * z + 5 \\
& 5296 * a^6 * b^3 * d * i^2 * z + 51200 * a^5 * b^4 * e^2 * h * z - 903168 * a^4 * b^5 * c^2 * h * z - 552 \\
& 96 * a^5 * b^4 * d * g^2 * z + 153600 * a^4 * b^5 * d * e^2 * z - 2709504 * a^3 * b^6 * c^2 * d * z - 345 \\
& 6 * a^4 * b^2 * d * g * h * i - 24192 * a^3 * b^3 * c * d * h * i + 7560 * a^3 * b^3 * c * e * g * i - 5760 * a^3 \\
& * b^3 * d * e * g * h - 40320 * a^2 * b^4 * c * d * e * h + 540 * a^4 * b^2 * e * g^2 * i - 5184 * a^3 * b^3 * d \\
& ^2 * g * i - 4032 * a^4 * b^2 * c * h^2 * i - 960 * a^4 * b^2 * e * g * h^2 + 2268 * a^4 * b^2 * c * g * i^2 \\
& + 26460 * a^2 * b^4 * c^2 * e * i - 36288 * a^2 * b^4 * c * d^2 * i - 8640 * a^2 * b^4 * d^2 * e * g - 67 \\
& 20 * a^3 * b^3 * c * e * h^2 + 6300 * a^2 * b^4 * c * e^2 * g - 576 * a^5 * b * g * h^2 * i - 60480 * a * b^5 \\
& * c * d^2 * e + 540 * a^5 * b * e * i^3 + 111132 * a * b^5 * c^3 * g + 1350 * a^4 * b^2 * e^2 * i^2 + 13 \\
& 824 * a^3 * b^3 * d^2 * h^2 + 7938 * a^3 * b^3 * c^2 * i^2 + 450 * a^3 * b^3 * e^2 * g^2 + 23814 * a^ \\
& 2 * b^4 * c^2 * g^2 + 162 * a^5 * b * g^2 * i^2 + 1500 * a^3 * b^3 * e^3 * i + 27648 * a^2 * b^4 * d^3 * h \\
& + 3072 * a^4 * b^2 * d * h^3 + 2268 * a^3 * b^3 * c * g^3 + 22050 * a * b^5 * c^2 * e^2 + 81 * a^4 * b^2 * g \\
& ^4 + 625 * a^2 * b^4 * e^4 + 256 * a^5 * b * h^4 + 20736 * a * b^5 * d^4 + 81 * a^6 * i^4 + \\
& 194481 * b^6 * c^4, z, l) * ((344064 * a^5 * b^5 * c + 49152 * a^6 * b^4 * g) / (32768 * a^6 * b^2) \\
& - (x * (24576 * a^5 * b^4 * d + 8192 * a^6 * b^3 * h)) / (4096 * a^6 * b)) + (15360 * a^3 * b^4 * d * \\
& e + 9216 * a^4 * b^3 * d * i + 5120 * a^4 * b^3 * e * h + 3072 * a^5 * b^2 * h * i) / (32768 * a^6 * b^2) \\
& - (x * (144 * a^5 * b * i^2 - 7056 * a^2 * b^4 * c^2 + 400 * a^3 * b^3 * e^2 - 144 * a^4 * b^2 * g^2 \\
& - 2016 * a^3 * b^3 * c * g + 480 * a^4 * b^2 * e * i)) / (4096 * a^6 * b) - (27 * a^4 * i^3 + 125 * a \\
& * b^3 * e^3 - 3024 * b^4 * c * d^2 + 2205 * b^4 * c^2 * e - 336 * a^2 * b^2 * c * h^2 + 45 * a^2 * b^2 \\
& * e * g^2 + 225 * a^2 * b^2 * e^2 * i - 432 * a * b^3 * d^2 * g + 1323 * a * b^3 * c^2 * i + 135 * a^3 * b \\
& * e * i^2 - 48 * a^3 * b * g * h^2 + 27 * a^3 * b * g^2 * i + 378 * a^2 * b^2 * c * g * i - 288 * a^2 * b^2 * d \\
& * g * h - 2016 * a * b^3 * c * d * h + 630 * a * b^3 * c * e * g) / (32768 * a^6 * b^2) - (x * (315 * b^3 * c \\
& * d * e - 8 * a^3 * h^3 - 216 * b^3 * d^3 + 9 * a^3 * g * h * i - 216 * a * b^2 * d^2 * h - 72 * a^2 * b * d \\
& * h^2 + 189 * a * b^2 * c * d * i + 105 * a * b^2 * c * e * h + 45 * a * b^2 * d * e * g + 63 * a^2 * b * c * h * i \\
& + 27 * a^2 * b * d * g * i + 15 * a^2 * b * e * g * h)) / (4096 * a^6 * b) * \text{root}(268435456 * a^{11} * b^7 * z \\
& ^4 + 589824 * a^8 * b^4 * g * i * z^2 + 4128768 * a^7 * b^5 * c * i * z^2 + 3145728 * a^7 * b^5 * d * h \\
& * z^2 + 983040 * a^7 * b^5 * e * g * z^2 + 6881280 * a^6 * b^6 * c * e * z^2 + 524288 * a^8 * b^4 * h^ \\
& 2 * z^2 + 4718592 * a^6 * b^6 * d^2 * z^2 + 61440 * a^6 * b^3 * e * h * i * z - 258048 * a^5 * b^4 * c * \\
& g * h * z + 184320 * a^5 * b^4 * d * e * i * z - 774144 * a^4 * b^5 * c * d * g * z + 18432 * a^7 * b^2 * h * i \\
& ^2 * z - 18432 * a^6 * b^3 * g^2 * h * z + 55296 * a^6 * b^3 * d * i^2 * z + 51200 * a^5 * b^4 * e^2 * h * \\
& z - 903168 * a^4 * b^5 * c^2 * h * z - 55296 * a^5 * b^4 * d * g^2 * z + 153600 * a^4 * b^5 * d * e^2 * z \\
& - 2709504 * a^3 * b^6 * c^2 * d * z - 3456 * a^4 * b^2 * d * g * h * i - 24192 * a^3 * b^3 * c * d * h * i +
\end{aligned}$$

```

7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h - 40320*a^2*b^4*c*d*e*h + 540*
a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i - 4032*a^4*b^2*c*h^2*i - 960*a^4*b^2
*e*g*h^2 + 2268*a^4*b^2*c*g*i^2 + 26460*a^2*b^4*c^2*e*i - 36288*a^2*b^4*c*d
^2*i - 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 + 6300*a^2*b^4*c*e^2*g -
576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c
^3*g + 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2
+ 450*a^3*b^3*e^2*g^2 + 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^
3*b^3*e^3*i + 27648*a^2*b^4*d^3*h + 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3
+ 22050*a*b^5*c^2*e^2 + 81*a^4*b^2*g^4 + 625*a^2*b^4*e^4 + 256*a^5*b*h^4 +
20736*a*b^5*d^4 + 81*a^6*i^4 + 194481*b^6*c^4, z, 1), 1, 1, 4) + ((x^5*(7*
b*c + a*g))/(32*a^2) - f/(8*b) + (x^6*(3*b*d + a*h))/(16*a^2) + (x^7*(5*b*e
+ 3*a*i))/(32*a^2) + (x*(11*b*c - 3*a*g))/(32*a*b) + (x^2*(5*b*d - a*h))/(
16*a*b) + (x^3*(9*b*e - a*i))/(32*a*b))/(a^2 + b^2*x^8 + 2*a*b*x^4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)

[Out] Timed out

$$3.203 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^3} dx$$

Optimal. Leaf size=480

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag + 7bc) - \sqrt{a}(3ai + 5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag + 7bc) + \sqrt{a}(3ai + 5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}}$$

[Out] $\frac{1}{8}x(b*c - a*g + (-a*h + b*d)*x + (-a*i + b*e)*x^2 + (-a*j + b*f)*x^3)/a/b/(b*x^4 + a)^2 + \frac{1}{32}*(-4*a*(a*j + b*f) + x*(b*(a*g + 7*b*c) + 2*b*(a*h + 3*b*d)*x + b*(3*a*i + 5*b*e)*x^2))/a^2/b^2/(b*x^4 + a) + \frac{1}{16}*(a*h + 3*b*d)*\arctan(x^2*b^{(1/2)}/a^{(1/2)})/a^{(5/2)}/b^{(3/2)} - \frac{1}{256}*\ln(-a^{(1/4)}*b^{(1/4)}*x^2^{(1/2)} + a^{(1/2)} + x^2*b^{(1/2)})*(-(3*a*i + 5*b*e)*a^{(1/2)} + 3*(a*g + 7*b*c)*b^{(1/2)})/a^{(11/4)}/b^{(7/4)}*2^{(1/2)} + \frac{1}{256}*\ln(a^{(1/4)}*b^{(1/4)}*x^2^{(1/2)} + a^{(1/2)} + x^2*b^{(1/2)})*(-(3*a*i + 5*b*e)*a^{(1/2)} + 3*(a*g + 7*b*c)*b^{(1/2)})/a^{(11/4)}/b^{(7/4)}*2^{(1/2)} + \frac{1}{128}*\arctan(-1 + b^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*((3*a*i + 5*b*e)*a^{(1/2)} + 3*(a*g + 7*b*c)*b^{(1/2)})/a^{(11/4)}/b^{(7/4)}*2^{(1/2)} + \frac{1}{128}*\arctan(1 + b^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*((3*a*i + 5*b*e)*a^{(1/2)} + 3*(a*g + 7*b*c)*b^{(1/2)})/a^{(11/4)}/b^{(7/4)}*2^{(1/2)}$

Rubi [A] time = 0.67, antiderivative size = 480, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.244$, Rules used = {1858, 1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{4a(aj + bf) - x(b(ag + 7bc) + 2bx(ah + 3bd) + bx^2(3ai + 5be))}{32a^2b^2(a + bx^4)} - \frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(3\sqrt{b}(ag + 7bc) - \sqrt{a}(3ai + 5be)\right)}{128\sqrt{2} a^{11/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^3, x]

[Out] $\frac{(x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + (b*f - a*j)*x^3))/(8*a*b*(a + b*x^4)^2) - (4*a*(b*f + a*j) - x*(b*(7*b*c + a*g) + 2*b*(3*b*d + a*h)*x + b*(5*b*e + 3*a*i)*x^2))/(32*a^2*b^2*(a + b*x^4)) + ((3*b*d + a*h)*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(16*a^{(5/2)}*b^{(3/2)}) - ((3*\text{Sqrt}[b]*(7*b*c + a*g) + \text{Sqrt}[a]*(5*b*e + 3*a*i))*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)})]/(64*\text{Sqrt}[2]*a^{(11/4)}*b^{(7/4)}) + ((3*\text{Sqrt}[b]*(7*b*c + a*g) + \text{Sqrt}[a]*(5*b*e + 3*a*i))*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)})]/(64*\text{Sqrt}[2]*a^{(11/4)}*b^{(7/4)}) - ((3*\text{Sqrt}[b]*(7*b*c + a*g) - \text{Sqrt}[a]*(5*b*e + 3*a*i))*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(128*\text{Sqrt}[2]*a^{(11/4)}*b^{(7/4)}) + ((3*\text{Sqrt}[b]*(7*b*c + a*g) - \text{Sqrt}[a]*(5*b*e + 3*a*i))*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(128*\text{Sqrt}[2]*a^{(11/4)}*b^{(7/4)})$

$$t[b]*(7*b*c + a*g) - \text{Sqrt}[a]*(5*b*e + 3*a*i))*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2]/(128*\text{Sqrt}[2]*a^{(11/4)}*b^{(7/4)})$$
Rule 204

$$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/\text{Rt}[-a, 2]*\text{Rt}[-b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \parallel \text{LtQ}[b, 0])$$
Rule 205

$$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b]$$
Rule 275

$$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{With}[\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{(m+1)/k - 1}*(a + b*x^{(n/k)})^p, x], x, x^k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$$
Rule 617

$$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*c\}, \text{Simplify}[(a*c)/b^2]], \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \text{!RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$$
Rule 628

$$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$$
Rule 1162

$$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$$
Rule 1165

$$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$$

$eQ[\{a, c, d, e\}, x] \&\& EqQ[c*d^2 - a*e^2, 0] \&\& NegQ[d*e]$

Rule 1168

$Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[\{q = Rt[a*c, 2]\}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[\{a, c, d, e\}, x] \&\& NeQ[c*d^2 + a*e^2, 0] \&\& NeQ[c*d^2 - a*e^2, 0] \&\& NegQ[-(a*c)]$

Rule 1854

$Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[\{q = Expon[Pq, x], i\}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, \{i, 0, q - 1\}]*(a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n, 0] \&\& LtQ[p, -1]$

Rule 1858

$Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[\{q = Expon[Pq, x]\}, Module[\{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]\}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n, 0] \&\& LtQ[p, -1]$

Rule 1876

$Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[\{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii])*x^(n/2))]/(a + b*x^n), \{ii, 0, n/2 - 1\}\}, Int[v, x] /; SumQ[v] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n/2, 0] \&\& Expon[Pq, x] < n$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 203x^6 + jx^7}{(a + bx^4)^3} dx &= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} \\
&= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} \\
&= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} \\
&= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} \\
&= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} \\
&= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} \\
&= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} \\
&= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} \\
&= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2} \\
&= \frac{x(bc - ag + (bd - ah)x - (203a - be)x^2 + (bf - aj)x^3)}{8ab(a + bx^4)^2}
\end{aligned}$$

Mathematica [A] time = 0.51, size = 500, normalized size = 1.04

$$-2\sqrt[4]{b} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \left(8a^{5/4}\sqrt[4]{b}h + 3\sqrt{2}a^{3/2}i + 24\sqrt[4]{a}b^{5/4}d + 5\sqrt{2}\sqrt{a}be + 3\sqrt{2}a\sqrt{b}g + 21\sqrt{2}b^{3/2}c\right) + 2\sqrt[4]{b} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \left(8a^{5/4}\sqrt[4]{b}h + 3\sqrt{2}a^{3/2}i + 24\sqrt[4]{a}b^{5/4}d + 5\sqrt{2}\sqrt{a}be + 3\sqrt{2}a\sqrt{b}g + 21\sqrt{2}b^{3/2}c\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^3,x]
```

```
[Out] ((8*a^(3/4)*(-8*a^2*j + b^2*x*(7*c + x*(6*d + 5*e*x)) + a*b*x*(g + x*(2*h + 3*i*x))))/(a + b*x^4) + (32*a^(7/4)*(a^2*j + b^2*x*(c + x*(d + e*x)) - a*b*(f + x*(g + x*(h + i*x))))/(a + b*x^4)^2 - 2*b^(1/4)*(21*Sqrt[2]*b^(3/2)*c + 24*a^(1/4)*b^(5/4)*d + 5*Sqrt[2]*Sqrt[a]*b*e + 3*Sqrt[2]*a*Sqrt[b]*g + 8*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*b^(1/4)*(21*Sqrt[2]*b^(3/2)*c - 24*a^(1/4)*b^(5/4)*d + 5*Sqrt[2]*Sqrt[a]*b*e + 3*Sqrt[2]*a*Sqrt[b]*g - 8*a^(5/4)*b^(1/4)*h + 3*Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*b^(1/4)*(-21*b^(3/2)*c + 5*Sqrt[a]*b*e - 3*a*Sqrt[b]*g + 3*a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + Sqrt[2]*b^(1/4)*(21*b^(3/2)*c - 5*Sqrt[a]*b*e + 3*a*Sqrt[b]*g - 3*a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(256*a^(11/4)*b^2)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")
```

[Out] Timed out

giac [A] time = 0.22, size = 693, normalized size = 1.44

$$\frac{3}{256} i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2 b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{a^2 b^4} \right) + \frac{3}{256} i \left(\frac{2\sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^2 b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{a^2 b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")
```

```
[Out] 3/256*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^4) - sqrt(2)*(a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^4)) + 3/256*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^4) + sqrt(2)*(a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^4)) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 4*sqrt(2)*sqrt(a*b)*a*b*h + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4)) - 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 4*sqrt(2)*sqrt(a*b)*a*b*h + 21*(a*b^3)^(1/4)*b^2*c + 3*(a*b^3)^(1/4)*a*b*g + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))
```

$(2)*(2*x + \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)}/(a^3*b^3) + 1/128*\sqrt{2}*(12*\sqrt{2}*\sqrt{a*b}*b^2*d + 4*\sqrt{2}*\sqrt{a*b}*a*b*h + 21*(a*b^3)^{(1/4)}*b^2*c + 3*(a*b^3)^{(1/4)}*a*b*g + 5*(a*b^3)^{(3/4)}*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)}/(a^3*b^3) + 1/256*\sqrt{2}*(21*(a*b^3)^{(1/4)}*b^2*c + 3*(a*b^3)^{(1/4)}*a*b*g - 5*(a*b^3)^{(3/4)}*e)*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^3*b^3) - 1/256*\sqrt{2}*(21*(a*b^3)^{(1/4)}*b^2*c + 3*(a*b^3)^{(1/4)}*a*b*g - 5*(a*b^3)^{(3/4)}*e)*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^3*b^3) + 1/32*(3*a*b^2*i*x^7 + 5*b^3*x^7*e + 6*b^3*d*x^6 + 2*a*b^2*h*x^6 + 7*b^3*c*x^5 + a*b^2*g*x^5 - 8*a^2*b*j*x^4 - a^2*b*i*x^3 + 9*a*b^2*x^3*e + 10*a*b^2*d*x^2 - 2*a^2*b*h*x^2 + 11*a*b^2*c*x - 3*a^2*b*g*x - 4*a^2*b*f - 4*a^3*j)/((b*x^4 + a)^2*a^2*b^2)$

maple [A] time = 0.06, size = 731, normalized size = 1.52

$$\frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{16\sqrt{ab} ab} + \frac{3d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{16\sqrt{ab} a^2} + \frac{3\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} i \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2}}\right)}{256 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)

[Out] $(1/32*(3*a*i+5*b*e)/a^2*x^7+1/16*(a*h+3*b*d)/a^2*x^6+1/32*(a*g+7*b*c)/a^2*x^5-1/4/b*j*x^4-1/32*(a*i-9*b*e)/a/b*x^3-1/16*(a*h-5*b*d)/a/b*x^2-1/32*(3*a*g-11*b*c)/a/b*x-1/8*(a*j+b*f)/b^2)/(b*x^4+a)^2+3/128*(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*g*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+21/128*(a/b)^{(1/4)}*2^{(1/2)}/a^3*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+3/256*(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*g*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+21/256*(a/b)^{(1/4)}*2^{(1/2)}/a^3*c*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+3/128*(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*g*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+21/128*(a/b)^{(1/4)}*2^{(1/2)}/a^3*c*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/16/(a*b)^{(1/2)}/a/b*h*\arctan((1/a*b)^{(1/2)}*x^2)+3/16/(a*b)^{(1/2)}/a^2*d*\arctan((1/a*b)^{(1/2)}*x^2)+3/256/(a/b)^{(1/4)}*2^{(1/2)}/a/b^2*i*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+5/256/(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*e*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+3/128/(a/b)^{(1/4)}*2^{(1/2)}/a/b^2*i*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+5/128/(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+3/128/(a/b)^{(1/4)}*2^{(1/2)}/a/b^2*i*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+5/128/(a/b)^{(1/4)}*2^{(1/2)}/a^2/b*e*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)$

maxima [A] time = 3.09, size = 535, normalized size = 1.11

$$\frac{8a^2bjx^4 - (5b^3e + 3ab^2i)x^7 - 2(3b^3d + ab^2h)x^6 - (7b^3c + ab^2g)x^5 + 4a^2bf + 4a^3j - (9ab^2e - a^2bi)x^3 - 2}{32(a^2b^4x^8 + 2a^3b^3x^4 + a^4b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/32*(8*a^2*b*j*x^4 - (5*b^3*e + 3*a*b^2*i)*x^7 - 2*(3*b^3*d + a*b^2*h)*x^6 \\ & - (7*b^3*c + a*b^2*g)*x^5 + 4*a^2*b*f + 4*a^3*j - (9*a*b^2*e - a^2*b*i)*x^3 \\ & - 2*(5*a*b^2*d - a^2*b*h)*x^2 - (11*a*b^2*c - 3*a^2*b*g)*x)/(a^2*b^4*x^8 \\ & + 2*a^3*b^3*x^4 + a^4*b^2) + 1/256*(sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e \\ & + 3*a*sqrt(b)*g - 3*a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x \\ & + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(21*b^(3/2)*c - 5*sqrt(a)*b*e + 3*a* \\ & sqrt(b)*g - 3*a^(3/2)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt \\ & (a))/(a^(3/4)*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4) \\ &)*b^(5/4)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g + 3*sqrt(2)*a^(7/4)*b^(1/4)*i - 2 \\ & 4*sqrt(a)*b^(3/2)*d - 8*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x \\ & + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt \\ & (b))*b^(3/4)) + 2*(21*sqrt(2)*a^(1/4)*b^(7/4)*c + 5*sqrt(2)*a^(3/4)*b^(5/4) \\ &)*e + 3*sqrt(2)*a^(5/4)*b^(3/4)*g + 3*sqrt(2)*a^(7/4)*b^(1/4)*i + 24*sqrt(a) \\ &)*b^(3/2)*d + 8*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2) \\ &)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(\\ & (3/4)))/(a^2*b) \end{aligned}$$

mupad [B] time = 5.79, size = 2695, normalized size = 5.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^3, x)

[Out]
$$\begin{aligned} & \text{symsum}(\log(-\text{root}(268435456*a^{11}*b^7*z^4 + 589824*a^8*b^4*g*i*z^2 + 4128768 \\ & *a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 + 68812 \\ & 80*a^6*b^6*c*e*z^2 + 524288*a^8*b^4*h^2*z^2 + 4718592*a^6*b^6*d^2*z^2 + 614 \\ & 40*a^6*b^3*e*h*i*z - 258048*a^5*b^4*c*g*h*z + 184320*a^5*b^4*d*e*i*z - 7741 \\ & 44*a^4*b^5*c*d*g*z + 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 55296* \\ & a^6*b^3*d*i^2*z + 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z - 55296*a^ \end{aligned}$$

$$\begin{aligned}
& 5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z - 2709504*a^3*b^6*c^2*d*z - 3456*a^4 \\
& *b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3* \\
& d*e*g*h - 40320*a^2*b^4*c*d*e*h + 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g* \\
& i - 4032*a^4*b^2*c*h^2*i - 960*a^4*b^2*e*g*h^2 + 2268*a^4*b^2*c*g*i^2 + 264 \\
& 60*a^2*b^4*c^2*e*i - 36288*a^2*b^4*c*d^2*i - 8640*a^2*b^4*d^2*e*g - 6720*a^ \\
& 3*b^3*c*e*h^2 + 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^ \\
& 2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g + 1350*a^4*b^2*e^2*i^2 + 13824*a \\
& ^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 + 23814*a^2*b^4 \\
& *c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i + 27648*a^2*b^4*d^3*h + 3 \\
& 072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 + 81*a^4*b^2*g \\
& ^4 + 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 + 81*a^6*i^4 + 19448 \\
& 1*b^6*c^4, z, m)*(root(268435456*a^11*b^7*z^4 + 589824*a^8*b^4*g*i*z^2 + 41 \\
& 28768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h*z^2 + 983040*a^7*b^5*e*g*z^2 + \\
& 6881280*a^6*b^6*c*e*z^2 + 524288*a^8*b^4*h^2*z^2 + 4718592*a^6*b^6*d^2*z^2 \\
& + 61440*a^6*b^3*e*h*i*z - 258048*a^5*b^4*c*g*h*z + 184320*a^5*b^4*d*e*i*z - \\
& 774144*a^4*b^5*c*d*g*z + 18432*a^7*b^2*h*i^2*z - 18432*a^6*b^3*g^2*h*z + 5 \\
& 5296*a^6*b^3*d*i^2*z + 51200*a^5*b^4*e^2*h*z - 903168*a^4*b^5*c^2*h*z - 552 \\
& 96*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z - 2709504*a^3*b^6*c^2*d*z - 345 \\
& 6*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i + 7560*a^3*b^3*c*e*g*i - 5760*a^3 \\
& *b^3*d*e*g*h - 40320*a^2*b^4*c*d*e*h + 540*a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^ \\
& ^2*g*i - 4032*a^4*b^2*c*h^2*i - 960*a^4*b^2*e*g*h^2 + 2268*a^4*b^2*c*g*i^2 \\
& + 26460*a^2*b^4*c^2*e*i - 36288*a^2*b^4*c*d^2*i - 8640*a^2*b^4*d^2*e*g - 67 \\
& 20*a^3*b^3*c*e*h^2 + 6300*a^2*b^4*c*e^2*g - 576*a^5*b*g*h^2*i - 60480*a*b^5 \\
& *c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c^3*g + 1350*a^4*b^2*e^2*i^2 + 13 \\
& 824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2 + 450*a^3*b^3*e^2*g^2 + 23814*a^ \\
& 2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^3*b^3*e^3*i + 27648*a^2*b^4*d^3* \\
& h + 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3 + 22050*a*b^5*c^2*e^2 + 81*a^4* \\
& b^2*g^4 + 625*a^2*b^4*e^4 + 256*a^5*b*h^4 + 20736*a*b^5*d^4 + 81*a^6*i^4 + \\
& 194481*b^6*c^4, z, m)*((344064*a^5*b^5*c + 49152*a^6*b^4*g)/(32768*a^6*b^2) \\
& - (x*(24576*a^5*b^4*d + 8192*a^6*b^3*h))/(4096*a^6*b)) + (15360*a^3*b^4*d* \\
& e + 9216*a^4*b^3*d*i + 5120*a^4*b^3*e*h + 3072*a^5*b^2*h*i)/(32768*a^6*b^2) \\
& - (x*(144*a^5*b*i^2 - 7056*a^2*b^4*c^2 + 400*a^3*b^3*e^2 - 144*a^4*b^2*g^2 \\
& - 2016*a^3*b^3*c*g + 480*a^4*b^2*e*i))/(4096*a^6*b)) - (27*a^4*i^3 + 125*a \\
& *b^3*e^3 - 3024*b^4*c*d^2 + 2205*b^4*c^2*e - 336*a^2*b^2*c*h^2 + 45*a^2*b^2 \\
& *e*g^2 + 225*a^2*b^2*e^2*i - 432*a*b^3*d^2*g + 1323*a*b^3*c^2*i + 135*a^3*b \\
& *e*i^2 - 48*a^3*b*g*h^2 + 27*a^3*b*g^2*i + 378*a^2*b^2*c*g*i - 288*a^2*b^2* \\
& d*g*h - 2016*a*b^3*c*d*h + 630*a*b^3*c*e*g)/(32768*a^6*b^2) - (x*(315*b^3*c \\
& *d*e - 8*a^3*h^3 - 216*b^3*d^3 + 9*a^3*g*h*i - 216*a*b^2*d^2*h - 72*a^2*b*d \\
& *h^2 + 189*a*b^2*c*d*i + 105*a*b^2*c*e*h + 45*a*b^2*d*e*g + 63*a^2*b*c*h*i \\
& + 27*a^2*b*d*g*i + 15*a^2*b*e*g*h))/(4096*a^6*b))*root(268435456*a^11*b^7*z \\
& ^4 + 589824*a^8*b^4*g*i*z^2 + 4128768*a^7*b^5*c*i*z^2 + 3145728*a^7*b^5*d*h \\
& *z^2 + 983040*a^7*b^5*e*g*z^2 + 6881280*a^6*b^6*c*e*z^2 + 524288*a^8*b^4*h^ \\
& 2*z^2 + 4718592*a^6*b^6*d^2*z^2 + 61440*a^6*b^3*e*h*i*z - 258048*a^5*b^4*c* \\
& g*h*z + 184320*a^5*b^4*d*e*i*z - 774144*a^4*b^5*c*d*g*z + 18432*a^7*b^2*h*i \\
& ^2*z - 18432*a^6*b^3*g^2*h*z + 55296*a^6*b^3*d*i^2*z + 51200*a^5*b^4*e^2*h*
\end{aligned}$$


```

z - 903168*a^4*b^5*c^2*h*z - 55296*a^5*b^4*d*g^2*z + 153600*a^4*b^5*d*e^2*z
- 2709504*a^3*b^6*c^2*d*z - 3456*a^4*b^2*d*g*h*i - 24192*a^3*b^3*c*d*h*i +
7560*a^3*b^3*c*e*g*i - 5760*a^3*b^3*d*e*g*h - 40320*a^2*b^4*c*d*e*h + 540*
a^4*b^2*e*g^2*i - 5184*a^3*b^3*d^2*g*i - 4032*a^4*b^2*c*h^2*i - 960*a^4*b^2
*e*g*h^2 + 2268*a^4*b^2*c*g*i^2 + 26460*a^2*b^4*c^2*e*i - 36288*a^2*b^4*c*d
^2*i - 8640*a^2*b^4*d^2*e*g - 6720*a^3*b^3*c*e*h^2 + 6300*a^2*b^4*c*e^2*g -
576*a^5*b*g*h^2*i - 60480*a*b^5*c*d^2*e + 540*a^5*b*e*i^3 + 111132*a*b^5*c
^3*g + 1350*a^4*b^2*e^2*i^2 + 13824*a^3*b^3*d^2*h^2 + 7938*a^3*b^3*c^2*i^2
+ 450*a^3*b^3*e^2*g^2 + 23814*a^2*b^4*c^2*g^2 + 162*a^5*b*g^2*i^2 + 1500*a^
3*b^3*e^3*i + 27648*a^2*b^4*d^3*h + 3072*a^4*b^2*d*h^3 + 2268*a^3*b^3*c*g^3
+ 22050*a*b^5*c^2*e^2 + 81*a^4*b^2*g^4 + 625*a^2*b^4*e^4 + 256*a^5*b*h^4 +
20736*a*b^5*d^4 + 81*a^6*i^4 + 194481*b^6*c^4, z, m), m, 1, 4) + ((x^5*(7*
b*c + a*g))/(32*a^2) - (j*x^4)/(4*b) - (b*f + a*j)/(8*b^2) + (x^6*(3*b*d +
a*h))/(16*a^2) + (x^7*(5*b*e + 3*a*i))/(32*a^2) + (x*(11*b*c - 3*a*g))/(32*
a*b) + (x^2*(5*b*d - a*h))/(16*a*b) + (x^3*(9*b*e - a*i))/(32*a*b))/(a^2 +
b^2*x^8 + 2*a*b*x^4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x
)
```

```
[Out] Timed out
```

$$3.204 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a-bx^4)^4} dx$$

Optimal. Leaf size=293

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{(5bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}} +$$

[Out] $1/12*x*(b*c+a*g+(a*h+b*d)*x+b*e*x^2+b*f*x^3)/a/b/(-b*x^4+a)^3+1/384*x*(-7*a*g+77*b*c+12*(-a*h+5*b*d)*x+45*b*e*x^2)/a^3/b/(-b*x^4+a)+1/96*(8*a*f+x*(11*b*c-a*g+2*(-a*h+5*b*d)*x+9*b*e*x^2))/a^2/b/(-b*x^4+a)^2+1/32*(-a*h+5*b*d)*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(3/2)+1/256*\arctan(b^(1/4)*x/a^(1/4))*(77*b*c-7*a*g-15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)+1/256*\arctanh(b^(1/4)*x/a^(1/4))*(77*b*c-7*a*g+15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)$

Rubi [A] time = 0.43, antiderivative size = 293, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(-15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)(15\sqrt{a}\sqrt{b}e-7ag+77bc)}{256a^{15/4}b^{5/4}} + \frac{(5bd-ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}} +$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^4, x]

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + b*e*x^2 + b*f*x^3))/(12*a*b*(a - b*x^4)^3) + (x*(7*(11*b*c - a*g) + 12*(5*b*d - a*h)*x + 45*b*e*x^2))/(384*a^3*b*(a - b*x^4)) + (8*a*f + x*(11*b*c - a*g + 2*(5*b*d - a*h)*x + 9*b*e*x^2))/(96*a^2*b*(a - b*x^4)^2) + ((77*b*c - 15*\text{Sqrt}[a]*\text{Sqrt}[b]*e - 7*a*g)*\text{ArcTan}[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(5/4)) + ((77*b*c + 15*\text{Sqrt}[a]*\text{Sqrt}[b]*e - 7*a*g)*\text{ArcTanh}[(b^(1/4)*x)/a^(1/4)])/(256*a^(15/4)*b^(5/4)) + ((5*b*d - a*h)*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(32*a^(7/2)*b^(3/2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 275

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{With}\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{(m+1)/k-1}*(a + b*x^{(n/k)})^p, x], x, x^k], x] /; k \neq 1] /; \text{FreeQ}\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 1167

$\text{Int}[(d_ + (e_)*(x_)^2)/(a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(a*c), 2]\}, \text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[1/(-q + c*x^2), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[1/(q + c*x^2), x], x]] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[-(a*c)]$

Rule 1854

$\text{Int}[(Pq_)*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Module}\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[(a*\text{Coeff}[Pq, x, q] - b*x*\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, q]*x^q, x])*(a + b*x^n)^{(p+1)}/(a*b*n*(p+1)), x] + \text{Dist}[1/(a*n*(p+1)), \text{Int}[\text{Sum}[(n*(p+1) + i + 1)*\text{Coeff}[Pq, x, i]*x^i, \{i, 0, q-1\}]* (a + b*x^n)^{(p+1)}, x], x] /; q == n - 1] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1855

$\text{Int}[(Pq_)*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow -\text{Simp}[(x*Pq*(a + b*x^n)^{(p+1)}/(a*n*(p+1)), x] + \text{Dist}[1/(a*n*(p+1)), \text{Int}[\text{ExpandToSum}[n*(p+1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{LtQ}[\text{Expon}[Pq, x], n - 1]$

Rule 1858

$\text{Int}[(Pq_)*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{With}\{q = \text{Expon}[Pq, x]\}, \text{Module}\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q-1)/n] + 1)*Pq}, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q-1)/n] + 1)*Pq}, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p+1)*b^{(\text{Floor}[(q-1)/n] + 1)}), \text{Int}[(a + b*x^n)^{(p+1)}*\text{ExpandToSum}[a*n*(p+1)*Q + n*(p+1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p+1)}/(a*n*(p+1)*b^{(\text{Floor}[(q-1)/n] + 1)}), x]] /; \text{GeQ}[q, n]] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1]$

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a - bx^4)^4} dx &= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} - \frac{\int \frac{-b(11bc - ag) - 2b(5bd - ah)x - 9b^2ex^2 -}{(a - bx^4)^3}}{12ab^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{8af + x(11bc - ag + 2(5bd - ah)x - 9b^2ex^2 - b^2fx^3)}{96a^2b(a - bx^4)^2} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2ex^2 - b^2fx^3)}{384a^3b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2ex^2 - b^2fx^3)}{384a^3b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2ex^2 - b^2fx^3)}{384a^3b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2ex^2 - b^2fx^3)}{384a^3b(a - bx^4)} \\
&= \frac{x(bc + ag + (bd + ah)x + bex^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - ag) + 12(5bd - ah)x - 9b^2ex^2 - b^2fx^3)}{384a^3b(a - bx^4)}
\end{aligned}$$

Mathematica [A] time = 0.49, size = 360, normalized size = 1.23

$$-3 \log(\sqrt[4]{a} - \sqrt[4]{b}x) (-8a^{5/4}h + 15\sqrt{a}b^{3/4}e + 40\sqrt[4]{a}bd - 7a\sqrt[4]{b}g + 77b^{5/4}c) + 3 \log(\sqrt[4]{a} + \sqrt[4]{b}x) (8a^{5/4}h + 15\sqrt{a}b^{3/4}e + 40\sqrt[4]{a}bd - 7a\sqrt[4]{b}g + 77b^{5/4}c)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^4,x]

[Out] ((4*a^(3/4)*Sqrt[b]*x*(77*b*c - 7*a*g + 60*b*d*x - 12*a*h*x + 45*b*e*x^2))/(a - b*x^4) + (16*a^(7/4)*Sqrt[b]*x*(11*b*c + b*x*(10*d + 9*e*x) - a*(g + 2*h*x)))/(a - b*x^4)^2 + (128*a^(11/4)*Sqrt[b]*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + h*x)))/(a - b*x^4)^3 + 6*b^(1/4)*(77*b*c - 15*Sqrt[a]*Sqrt[b]*e - 7*a*g)*ArcTan[(b^(1/4)*x)/a^(1/4)] - 3*(77*b^(5/4)*c + 40*a^(1/4)*b*d + 15*Sqrt[a]*b^(3/4)*e - 7*a*b^(1/4)*g - 8*a^(5/4)*h)*Log[a^(1/4) - b^(1/4)*x] + 3*(77*b^(5/4)*c - 40*a^(1/4)*b*d + 15*Sqrt[a]*b^(3/4)*e - 7*a*b^(1/4)*g + 8*a^(5/4)*h)*Log[a^(1/4) + b^(1/4)*x] - 24*a^(1/4)*(-5*b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2])/(1536*a^(15/4)*b^(3/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.26, size = 501, normalized size = 1.71

$$\frac{\sqrt{2} \left(77 b^2 c - 7 a b g - 40 \sqrt{2} (-a b^3)^{\frac{1}{4}} b d + 8 \sqrt{2} (-a b^3)^{\frac{1}{4}} a h + 15 \sqrt{-a b} b e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 \left(-a b^3 \right)^{\frac{3}{4}} a^3} \sqrt{2} \left(77 b^2 c - 7 a b g - 40 \sqrt{2} (-a b^3)^{\frac{1}{4}} b d + 8 \sqrt{2} (-a b^3)^{\frac{1}{4}} a h + 15 \sqrt{-a b} b e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] -1/512*sqrt(2)*(77*b^2*c - 7*a*b*g - 40*sqrt(2)*(-a*b^3)^(1/4)*b*d + 8*sqrt(2)*(-a*b^3)^(1/4)*a*h + 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/512*sqrt(2)*(77*b^2*c - 7*a*b*g + 40*sqrt(2)*(-a*b^3)^(1/4)*b*d - 8*sqrt(2)*(-a*b^3)^(1/4)*a*h - 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) - 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 - 12*a*b^2*h*x^10 + 77*b^3*c*x^9 - 7*a*b^2*g*x^9 - 126*a*b^2*x^7*e - 160*a*b^2*d*x^6 + 32*a^2*b*h*x^6 - 198*a*b^2*c*x^5 + 18*a^2*

$$b^2 g x^5 + 113 a^2 b x^3 e + 132 a^2 b d x^2 + 12 a^3 h x^2 + 153 a^2 b c x + 21 a^3 g x + 32 a^3 f) / ((b x^4 - a)^3 a^3 b)$$

maple [A] time = 0.06, size = 434, normalized size = 1.48

$$\frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{64 \sqrt{ab} a^2 b} - \frac{5d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{64 \sqrt{ab} a^3} - \frac{15e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} - \frac{7 \left(\frac{a}{b}\right)^{\frac{1}{4}} g \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256 a^3 b} - \frac{7 \left(\frac{a}{b}\right)^{\frac{1}{4}} g \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512 a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)

[Out] (-15/128/a^3*b^2*e*x^11+1/32*(a*h-5*b*d)/a^3*b*x^10+7/384*(a*g-11*b*c)/a^3*b*x^9+21/64/a^2*b*e*x^7-1/12/a^2*(a*h-5*b*d)*x^6-3/64*(a*g-11*b*c)/a^2*x^5-113/384/a*e*x^3-1/32*(a*h+11*b*d)/a/b*x^2-1/128*(7*a*g+51*b*c)/a/b*x-1/12/b*f)/(b*x^4-a)^3-7/256*(a/b)^(1/4)/a^3/b*g*arctan(1/(a/b)^(1/4)*x)+77/256*(a/b)^(1/4)/a^4*c*arctan(1/(a/b)^(1/4)*x)-7/512*(a/b)^(1/4)/a^3/b*g*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+77/512*(a/b)^(1/4)/a^4*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/64/a^2/b/(a*b)^(1/2)*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))*h-5/64/(a*b)^(1/2)/a^3*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-15/256/(a/b)^(1/4)/a^3/b*e*arctan(1/(a/b)^(1/4)*x)+15/512/(a/b)^(1/4)/a^3/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

maxima [A] time = 3.18, size = 389, normalized size = 1.33

$$\frac{45 b^3 e x^{11} - 126 a b^2 e x^7 + 12 (5 b^3 d - a b^2 h) x^{10} + 7 (11 b^3 c - a b^2 g) x^9 + 113 a^2 b e x^3 - 32 (5 a b^2 d - a^2 b h) x^6 - 18 (11 a b^3 c - a b^2 g) x^5 + 32 a^3 f + 12 (11 a^2 b d + a^3 h) x^2 + 3 (51 a^2 b c + 7 a^3 g) x}{384 (a^3 b^4 x^{12} - 3 a^4 b^3 x^8 + 3 a^5 b^2 x^4 - a^6 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")

[Out] -1/384*(45*b^3*e*x^11 - 126*a*b^2*e*x^7 + 12*(5*b^3*d - a*b^2*h)*x^10 + 7*(11*b^3*c - a*b^2*g)*x^9 + 113*a^2*b*e*x^3 - 32*(5*a*b^2*d - a^2*b*h)*x^6 - 18*(11*a*b^2*c - a^2*b*g)*x^5 + 32*a^3*f + 12*(11*a^2*b*d + a^3*h)*x^2 + 3*(51*a^2*b*c + 7*a^3*g)*x)/(a^3*b^4*x^12 - 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 - a^6*b) + 1/512*(8*(5*b*d - a*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 8*(5*b*d - a*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b)) + 2*(77*b^(3/2)*c - 15*sqrt(a)*b*e - 7*a*sqrt(b)*g)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))

(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (77*b^(3/2)*c + 15*sqrt(a)*
 b*e - 7*a*sqrt(b)*g)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + s
 qrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a^3*b)

mupad [B] time = 5.99, size = 1747, normalized size = 5.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a - b*x^4)^4,x)

[Out] symsum(log(- root(68719476736*a^15*b^6*z^4 - 1211105280*a^8*b^5*c*e*z^2 + 3
 35544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 - 838860800*a^8*b^5*d^
 2*z^2 - 33554432*a^10*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z + 17661952*a^6
 *b^3*c*g*h*z + 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 80281
 6*a^7*b^2*g^2*h*z - 3686400*a^6*b^3*e^2*h*z + 4014080*a^6*b^3*d*g^2*z + 184
 32000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h + 2956800*a^2*b^3*c*d*e*h +
 672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 - 485100*a^2*b^3*c*e^2*g +
 26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e - 81920*a^4*b*d*h^3 + 12782924*
 a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 - 1743126*a^2*
 b^3*c^2*g^2 - 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^4*
 c^2*e^2 - 50625*a^2*b^3*e^4 - 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a^5
 *h^4 - 35153041*b^5*c^4, z, k)*(root(68719476736*a^15*b^6*z^4 - 1211105280*
 a^8*b^5*c*e*z^2 + 335544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 - 8
 38860800*a^8*b^5*d^2*z^2 - 33554432*a^10*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d
 *g*z + 17661952*a^6*b^3*c*g*h*z + 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*
 b^4*c^2*h*z - 802816*a^7*b^2*g^2*h*z - 3686400*a^6*b^3*e^2*h*z + 4014080*a^
 6*b^3*d*g^2*z + 18432000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h + 2956800
 *a^2*b^3*c*d*e*h + 672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 - 485100
 *a^2*b^3*c*e^2*g + 26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e - 81920*a^4*
 b*d*h^3 + 12782924*a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2
 *g^2 - 1743126*a^2*b^3*c^2*g^2 - 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g
 ^3 + 2668050*a*b^4*c^2*e^2 - 50625*a^2*b^3*e^4 - 2401*a^4*b*g^4 + 2560000*a
 *b^4*d^4 + 4096*a^5*h^4 - 35153041*b^5*c^4, z, k)*((20185088*a^7*b^4*c - 18
 35008*a^8*b^3*g)/(2097152*a^9*b) - (x*(655360*a^7*b^4*d - 131072*a^8*b^3*h)
)/(131072*a^9*b)) - (614400*a^4*b^3*d*e - 122880*a^5*b^2*e*h)/(2097152*a^9*
 b) + (x*(189728*a^3*b^4*c^2 + 7200*a^4*b^3*e^2 + 1568*a^5*b^2*g^2 - 34496*a
 ^4*b^3*c*g))/(131072*a^9*b) - (3375*a*b^2*e^3 + 123200*b^3*c*d^2 - 88935*b
 ^3*c^2*e - 448*a^3*g*h^2 - 11200*a*b^2*d^2*g + 4928*a^2*b*c*h^2 - 735*a^2*b
 *e*g^2 - 49280*a*b^2*c*d*h + 16170*a*b^2*c*e*g + 4480*a^2*b*d*g*h)/(2097152
 *a^9*b) - (x*(4000*b^3*d^3 - 32*a^3*h^3 - 5775*b^3*c*d*e - 2400*a*b^2*d^2*h
 + 480*a^2*b*d*h^2 + 1155*a*b^2*c*e*h + 525*a*b^2*d*e*g - 105*a^2*b*e*g*h))
 /(131072*a^9*b))*root(68719476736*a^15*b^6*z^4 - 1211105280*a^8*b^5*c*e*z^2
 + 335544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 - 838860800*a^8*b^
 5*d^2*z^2 - 33554432*a^10*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z + 17661952

```

*a^6*b^3*c*g*h*z + 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 8
02816*a^7*b^2*g^2*h*z - 3686400*a^6*b^3*e^2*h*z + 4014080*a^6*b^3*d*g^2*z +
 18432000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h + 2956800*a^2*b^3*c*d*e*
h + 672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 - 485100*a^2*b^3*c*e^2*
g + 26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e - 81920*a^4*b*d*h^3 + 12782
924*a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 - 1743126*
a^2*b^3*c^2*g^2 - 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*
b^4*c^2*e^2 - 50625*a^2*b^3*e^4 - 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096
*a^5*h^4 - 35153041*b^5*c^4, z, k), k, 1, 4) + (f/(12*b) + (113*e*x^3)/(384
*a) - (3*x^5*(11*b*c - a*g))/(64*a^2) - (x^6*(5*b*d - a*h))/(12*a^2) + (7*b
*x^9*(11*b*c - a*g))/(384*a^3) + (x*(51*b*c + 7*a*g))/(128*a*b) + (b*x^10*(
5*b*d - a*h))/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) + (x^2*(11*b*d + a*h))/(
32*a*b) - (21*b*e*x^7)/(64*a^2))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^
8)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,x)

[Out] Timed out

$$3.205 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a-bx^4)^4} dx$$

Optimal. Leaf size=331

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5ai + 15be\right)}{256a^{13/4}b^{7/4}} + \frac{(5bd - ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}}$$

[Out] $1/12*x*(b*c+a*g+(a*h+b*d)*x+(a*i+b*e)*x^2+b*f*x^3)/a/b/(-b*x^4+a)^3+1/384*x*(-7*a*g+77*b*c+12*(-a*h+5*b*d)*x+15*(-a*i+3*b*e)*x^2)/a^3/b/(-b*x^4+a)+1/96*(8*a*f+x*(11*b*c-a*g+2*(-a*h+5*b*d)*x+3*(-a*i+3*b*e)*x^2))/a^2/b/(-b*x^4+a)^2+1/32*(-a*h+5*b*d)*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})/a^{(7/2)}/b^{(3/2)}+1/256*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(15*b*e-5*a*i+7*(-a*g+11*b*c)*b^{(1/2)}/a^{(1/2)})/a^{(13/4)}/b^{(7/4)}+1/256*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(5*a*i-15*b*e+7*(-a*g+11*b*c)*b^{(1/2)}/a^{(1/2)})/a^{(13/4)}/b^{(7/4)}$

Rubi [A] time = 0.57, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5ai + 15be\right)}{256a^{13/4}b^{7/4}} + \frac{(5bd - ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^4, x]$

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + b*f*x^3))/(12*a*b*(a - b*x^4)^3) + (x*(7*(11*b*c - a*g) + 12*(5*b*d - a*h)*x + 15*(3*b*e - a*i)*x^2))/(384*a^3*b*(a - b*x^4)) + (8*a*f + x*(11*b*c - a*g + 2*(5*b*d - a*h)*x + 3*(3*b*e - a*i)*x^2))/(96*a^2*b*(a - b*x^4)^2) + (((7*\operatorname{Sqrt}[b]*(11*b*c - a*g))/\operatorname{Sqrt}[a] - 5*(3*b*e - a*i))*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(256*a^{(13/4)}*b^{(7/4)}) + ((15*b*e + (7*\operatorname{Sqrt}[b]*(11*b*c - a*g))/\operatorname{Sqrt}[a] - 5*a*i)*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(256*a^{(13/4)}*b^{(7/4)}) + ((5*b*d - a*h)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]])/(32*a^{(7/2)}*b^{(3/2)})$

Rule 205

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x](a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 205x^6}{(a - bx^4)^4} dx = \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} - \int \frac{-b(11bc - a)}{(a - bx^4)^4} dx$$

$$= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{8af + x(7(11bc - a))}{12ab(a - bx^4)^3}$$

$$= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - a))}{12ab(a - bx^4)^3}$$

$$= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - a))}{12ab(a - bx^4)^3}$$

$$= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - a))}{12ab(a - bx^4)^3}$$

$$= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - a))}{12ab(a - bx^4)^3}$$

$$= \frac{x(bc + ag + (bd + ah)x + (205a + be)x^2 + bfx^3)}{12ab(a - bx^4)^3} + \frac{x(7(11bc - a))}{12ab(a - bx^4)^3}$$

Mathematica [A] time = 0.54, size = 422, normalized size = 1.27

$$3\sqrt[4]{a} \log(\sqrt[4]{a} - \sqrt[4]{b}x) (8a^{5/4}\sqrt[4]{b}h + 5a^{3/2}i - 40\sqrt[4]{a}b^{5/4}d - 15\sqrt{a}be + 7a\sqrt{b}g - 77b^{3/2}c) - 3\sqrt[4]{a} \log(\sqrt[4]{a} + \sqrt[4]{b}x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^4,x
]

[Out] ((-4*a*b^(3/4)*x*(-77*b*c + 7*a*g - 15*b*x*(4*d + 3*e*x) + 3*a*x*(4*h + 5*i*x)))/(a - b*x^4) - (16*a^2*b^(3/4)*x*(-(b*(11*c + x*(10*d + 9*e*x))) + a*(g + x*(2*h + 3*i*x))))/(a - b*x^4)^2 + (128*a^3*b^(3/4)*(b*x*(c + x*(d + e*x)) + a*(f + x*(g + x*(h + i*x))))/(a - b*x^4)^3 + 6*a^(1/4)*(77*b^(3/2)*c - 15*Sqrt[a]*b*e - 7*a*Sqrt[b]*g + 5*a^(3/2)*i)*ArcTan[(b^(1/4)*x)/a^(1/4)] + 3*a^(1/4)*(-77*b^(3/2)*c - 40*a^(1/4)*b^(5/4)*d - 15*Sqrt[a]*b*e + 7*a*Sqrt[b]*g + 8*a^(5/4)*b^(1/4)*h + 5*a^(3/2)*i)*Log[a^(1/4) - b^(1/4)*x] - 3*a^(1/4)*(-77*b^(3/2)*c + 40*a^(1/4)*b^(5/4)*d - 15*Sqrt[a]*b*e + 7*a*Sqrt[b]*g - 8*a^(5/4)*b^(1/4)*h + 5*a^(3/2)*i)*Log[a^(1/4) + b^(1/4)*x] - 24*Sqrt[a]*b^(1/4)*(-5*b*d + a*h)*Log[Sqrt[a] + Sqrt[b]*x^2)]/(1536*a^4*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 727, normalized size = 2.20

$$-\frac{5}{1024}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^3b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^3b^4} \right) - \frac{5}{1024}i \left(\frac{2\sqrt{2} \left(\dots \right)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out] -5/1024*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4)))/(-a/b)^(1/4))/(a^3*b^4) - sqrt(2)*(-a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^3*b^4) - 5/1024*i*(2*sqrt(2)*(-a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4)))/(-a/b)^(1/4))/(a^3*b^4) + sqrt(2)*(-a*b^3)^(3/4)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(a^3*b^4) - 1/512*sqrt(2)*(77*b^2*c - 7*a*b*g - 40*sqrt(2)*(-a*b^3)^(1/4)*b*d

+ 8*sqrt(2)*(-a*b^3)^(1/4)*a*h + 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/512*sqrt(2)*(77*b^2*c - 7*a*b*g + 40*sqrt(2)*(-a*b^3)^(1/4)*b*d - 8*sqrt(2)*(-a*b^3)^(1/4)*a*h - 15*sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/((-a*b^3)^(3/4)*a^3) - 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/1024*sqrt(2)*(77*b^2*c - 7*a*b*g - 15*sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/((-a*b^3)^(3/4)*a^3) + 1/384*(15*a*b^2*i*x^11 - 45*b^3*x^11*e - 60*b^3*d*x^10 + 12*a*b^2*h*x^10 - 77*b^3*c*x^9 + 7*a*b^2*g*x^9 - 42*a^2*b*i*x^7 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 - 32*a^2*b*h*x^6 + 198*a*b^2*c*x^5 - 18*a^2*b*g*x^5 - 5*a^3*i*x^3 - 113*a^2*b*x^3*e - 132*a^2*b*d*x^2 - 12*a^3*h*x^2 - 153*a^2*b*c*x - 21*a^3*g*x - 32*a^3*f)/((b*x^4 - a)^3*a^3*b)

maple [A] time = 0.06, size = 522, normalized size = 1.58

$$\frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{64\sqrt{ab} a^2 b} - \frac{5d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{64\sqrt{ab} a^3} + \frac{5i \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} - \frac{5i \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} - \frac{15e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} - 7\left(\frac{a}{b}\right)^{\frac{1}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)

[Out] (5/128*(a*i-3*b*e)/a^3*b*x^11+1/32*(a*h-5*b*d)/a^3*b*x^10+7/384*(a*g-11*b*c)/a^3*b*x^9-7/64/a^2*(a*i-3*b*e)*x^7-1/12*(a*h-5*b*d)/a^2*x^6-3/64*(a*g-11*b*c)/a^2*x^5-1/384*(5*a*i+113*b*e)/a/b*x^3-1/32*(a*h+11*b*d)/a/b*x^2-1/128*(7*a*g+51*b*c)/a/b*x-1/12/b*f)/(b*x^4-a)^3-7/512*(a/b)^(1/4)/a^3/b*g*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+77/512*(a/b)^(1/4)/a^4*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-7/256*(a/b)^(1/4)/a^3/b*g*arctan(1/(a/b)^(1/4)*x)+77/256*(a/b)^(1/4)/a^4*c*arctan(1/(a/b)^(1/4)*x)+1/64/(a*b)^(1/2)/a^2/b*h*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-5/64/(a*b)^(1/2)/a^3*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-5/512/a^2/b^2/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))*i+15/512/(a/b)^(1/4)/a^3/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+5/256/a^2/b^2/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)*i-15/256/(a/b)^(1/4)/a^3/b*e*arctan(1/(a/b)^(1/4)*x)

maxima [A] time = 3.16, size = 429, normalized size = 1.30

$$\frac{15(3b^3e - ab^2i)x^{11} + 12(5b^3d - ab^2h)x^{10} + 7(11b^3c - ab^2g)x^9 - 42(3ab^2e - a^2bi)x^7 - 32(5ab^2d - a^2bh)x^6}{384(a^3b^4x^{12} - 3a^4b^3x^8 - \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="maxima")

[Out]
$$-1/384*(15*(3*b^3*e - a*b^2*i)*x^{11} + 12*(5*b^3*d - a*b^2*h)*x^{10} + 7*(11*b^3*c - a*b^2*g)*x^9 - 42*(3*a*b^2*e - a^2*b*i)*x^7 - 32*(5*a*b^2*d - a^2*b*h)*x^6 - 18*(11*a*b^2*c - a^2*b*g)*x^5 + 32*a^3*f + (113*a^2*b*e + 5*a^3*i)*x^3 + 12*(11*a^2*b*d + a^3*h)*x^2 + 3*(51*a^2*b*c + 7*a^3*g)*x)/(a^3*b^4*x^{12} - 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 - a^6*b) + 1/512*(8*(5*b*d - a*h)*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*\sqrt{b}) - 8*(5*b*d - a*h)*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*\sqrt{b}) + 2*(77*b^{(3/2)}*c - 15*\sqrt{a}*b*e - 7*a*\sqrt{b})*g + 5*a^{(3/2)}*i)*\arctan(\sqrt{b}*x/\sqrt{(\sqrt{a}*\sqrt{b})})/(\sqrt{a}*\sqrt{(\sqrt{a}*\sqrt{b})})*\sqrt{b}) - (77*b^{(3/2)}*c + 15*\sqrt{a}*b*e - 7*a*\sqrt{b})*g - 5*a^{(3/2)}*i)*\log((\sqrt{b}*x - \sqrt{(\sqrt{a}*\sqrt{b})})/(\sqrt{b}*x + \sqrt{(\sqrt{a}*\sqrt{b})}))/(\sqrt{a}*\sqrt{(\sqrt{a}*\sqrt{b})})*\sqrt{b}))/a^3*b$$

mupad [B] time = 6.14, size = 2747, normalized size = 8.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a - b*x^4)^4,x)

[Out]
$$\begin{aligned} & (f/(12*b) - (3*x^5*(11*b*c - a*g))/(64*a^2) - (x^6*(5*b*d - a*h))/(12*a^2) \\ & - (7*x^7*(3*b*e - a*i))/(64*a^2) + (7*b*x^9*(11*b*c - a*g))/(384*a^3) + (x*(51*b*c + 7*a*g))/(128*a*b) \\ & + (b*x^{10}*(5*b*d - a*h))/(32*a^3) + (5*b*x^{11}*(3*b*e - a*i))/(128*a^3) + (x^2*(11*b*d + a*h))/(32*a*b) + (x^3*(113*b*e + 5*a*i))/(384*a*b) \\ &)/(a^3 - b^3*x^{12} - 3*a^2*b*x^4 + 3*a*b^2*x^8) + \text{symsum}(\log((125*a^4*i^3 - 3375*a*b^3*e^3 - 123200*b^4*c*d^2 + 88935*b^4*c^2*e - 4928*a^2*b^2*c*h^2 + 735*a^2*b^2*e*g^2 + 3375*a^2*b^2*e^2*i + 11200*a*b^3*d^2*g - 29645*a*b^3*c^2*i - 1125*a^3*b*e*i^2 + 448*a^3*b*g*h^2 - 245*a^3*b*g^2*i + 5390*a^2*b^2*c*g*i - 4480*a^2*b^2*d*g*h + 49280*a*b^3*c*d*h - 16170*a*b^3*c*e*g)/(2097152*a^9*b^2) - \text{root}(68719476736*a^{15}*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^{10}*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^{10}*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295 \end{aligned}$$

$$\begin{aligned}
& 680*a^3*b^3*c*e*h^2 - 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000 \\
& *a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2 \\
& *i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2 \\
& *g^2 - 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - \\
& 2048000*a^2*b^4*d^3*h - 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 26680 \\
& 50*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + \\
& 2560000*a*b^5*d^4 - 625*a^6*i^4 - 35153041*b^6*c^4, z, l)*(root(68719476736 \\
& *a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 33 \\
& 5544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^10*b^4*g*i \\
& *z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7* \\
& b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z - 1228800 \\
& 0*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h*i^2*z - 97 \\
& 140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4*e^2*h*z + \\
& 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2 \\
& *z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g* \\
& i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4*b^2*e*g^2* \\
& i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^2*e*g*h^2 \\
& - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b^4*c*d^2*i \\
& + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 485100*a^2*b^4*c*e^2*g \\
& - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924 \\
& *a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3* \\
& b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b* \\
& g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 81920*a^4*b^2*d*h^3 \\
& + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^4 - 50625* \\
& a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^6*i^4 - 35153041*b \\
& ^6*c^4, z, l)*((20185088*a^7*b^5*c - 1835008*a^8*b^4*g)/(2097152*a^9*b^2) - \\
& (x*(655360*a^7*b^4*d - 131072*a^8*b^3*h))/(131072*a^9*b)) - (614400*a^4*b^ \\
& 4*d*e - 204800*a^5*b^3*d*i - 122880*a^5*b^3*e*h + 40960*a^6*b^2*h*i)/(20971 \\
& 52*a^9*b^2) + (x*(800*a^6*b*i^2 + 189728*a^3*b^4*c^2 + 7200*a^4*b^3*e^2 + 1 \\
& 568*a^5*b^2*g^2 - 34496*a^4*b^3*c*g - 4800*a^5*b^2*e*i))/(131072*a^9*b)) - \\
& (x*(4000*b^3*d^3 - 32*a^3*h^3 - 5775*b^3*c*d*e + 35*a^3*g*h*i - 2400*a*b^2* \\
& d^2*h + 480*a^2*b*d*h^2 + 1925*a*b^2*c*d*i + 1155*a*b^2*c*e*h + 525*a*b^2*d \\
& *e*g - 385*a^2*b*c*h*i - 175*a^2*b*d*g*i - 105*a^2*b*e*g*h))/(131072*a^9*b) \\
&)*root(68719476736*a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^ \\
& 9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 367 \\
& 00160*a^10*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^10*b^4*h^2* \\
& z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4 \\
& *c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^ \\
& 8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400 \\
& *a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 1843 \\
& 2000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323 \\
& 400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14 \\
& 700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 2688 \\
& 0*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 24640 \\
& 00*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 4851
\end{aligned}$$

```

00*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*
b*e*i^3 + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2
*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2
*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 8
1920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^
4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^
6*i^4 - 35153041*b^6*c^4, z, 1), 1, 1, 4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,x)

[Out] Timed out

$$3.206 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a-bx^4)^4} dx$$

Optimal. Leaf size=349

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5ai + 15be\right)}{256a^{13/4}b^{7/4}} + \frac{(5bd - ah)\tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{32a^{7/2}b^{3/2}}$$

[Out] $1/12*x*(b*c+a*g+(a*h+b*d)*x+(a*i+b*e)*x^2+(a*j+b*f)*x^3)/a/b/(-b*x^4+a)^3+1/384*x*(-7*a*g+77*b*c+12*(-a*h+5*b*d)*x+15*(-a*i+3*b*e)*x^2)/a^3/b/(-b*x^4+a)+1/96*(4*a*(-a*j+2*b*f)+x*(b*(-a*g+11*b*c)+2*b*(-a*h+5*b*d)*x+3*b*(-a*i+3*b*e)*x^2))/a^2/b^2/(-b*x^4+a)^2+1/32*(-a*h+5*b*d)*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(3/2)+1/256*\arctanh(b^(1/4)*x/a^(1/4))*(15*b*e-5*a*i+7*(-a*g+11*b*c)*b^(1/2)/a^(1/2))/a^(13/4)/b^(7/4)+1/256*\arctan(b^(1/4)*x/a^(1/4))*(5*a*i-15*b*e+7*(-a*g+11*b*c)*b^(1/2)/a^(1/2))/a^(13/4)/b^(7/4)$

Rubi [A] time = 0.52, antiderivative size = 349, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {1858, 1854, 1855, 1876, 275, 208, 1167, 205}

$$\frac{x(b(11bc - ag) + 2bx(5bd - ah) + 3bx^2(3be - ai)) + 4a(2bf - aj)}{96a^2b^2(a - bx^4)^2} + \frac{\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\left(\frac{7\sqrt{b}(11bc-ag)}{\sqrt{a}} - 5(3be - ai)\right)}{256a^{13/4}b^{7/4}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^4, x]

[Out] $(x*(b*c + a*g + (b*d + a*h)*x + (b*e + a*i)*x^2 + (b*f + a*j)*x^3))/(12*a*b*(a - b*x^4)^3) + (x*(7*(11*b*c - a*g) + 12*(5*b*d - a*h)*x + 15*(3*b*e - a*i)*x^2))/(384*a^3*b*(a - b*x^4)) + (4*a*(2*b*f - a*j) + x*(b*(11*b*c - a*g) + 2*b*(5*b*d - a*h)*x + 3*b*(3*b*e - a*i)*x^2))/(96*a^2*b^2*(a - b*x^4)^2) + (((7*sqrt[b]*(11*b*c - a*g))/sqrt[a] - 5*(3*b*e - a*i))*ArcTan[(b^(1/4)*x)/a^(1/4)])/(256*a^(13/4)*b^(7/4)) + ((15*b*e + (7*sqrt[b]*(11*b*c - a*g))/sqrt[a] - 5*a*i)*ArcTanh[(b^(1/4)*x)/a^(1/4)])/(256*a^(13/4)*b^(7/4)) + ((5*b*d - a*h)*ArcTanh[(sqrt[b]*x^2)/sqrt[a]])/(32*a^(7/2)*b^(3/2))$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1854

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 206x^6 + jx^7}{(a - bx^4)^4} dx = \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3}$$

$$= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3}$$

$$= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3}$$

$$= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3}$$

$$= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3}$$

$$= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3}$$

$$= \frac{x(bc + ag + (bd + ah)x + (206a + be)x^2 + (bf + aj)x^3)}{12ab(a - bx^4)^3}$$

Mathematica [A] time = 0.52, size = 439, normalized size = 1.26

$$3\sqrt[4]{a}\sqrt[4]{b}\log(\sqrt[4]{a} - \sqrt[4]{b}x)(8a^{5/4}\sqrt[4]{b}h + 5a^{3/2}i - 40\sqrt[4]{a}b^{5/4}d - 15\sqrt{a}be + 7a\sqrt{b}g - 77b^{3/2}c) + 3\sqrt[4]{a}\sqrt[4]{b}\log(\sqrt[4]{a} - \sqrt[4]{b}x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^4, x]

[Out]
$$\frac{\begin{aligned} &((-4*a*b*x*(-77*b*c + 7*a*g - 15*b*x*(4*d + 3*e*x) + 3*a*x*(4*h + 5*i*x)))/ \\ &(a - b*x^4) - (16*a^2*(12*a^2*j - b^2*x*(11*c + x*(10*d + 9*e*x)) + a*b*x*(\\ &g + x*(2*h + 3*i*x))))/(a - b*x^4)^2 + (128*a^3*(a^2*j + b^2*x*(c + x*(d + \\ &e*x)) + a*b*(f + x*(g + x*(h + i*x))))/(a - b*x^4)^3 + 6*a^{1/4}*b^{1/4}* \\ &(77*b^{3/2}*c - 15*\text{Sqrt}[a]*b*e - 7*a*\text{Sqrt}[b]*g + 5*a^{3/2}*i)*\text{ArcTan}[(b^{1/4} \\ &)*x/a^{1/4}] + 3*a^{1/4}*b^{1/4}*(-77*b^{3/2}*c - 40*a^{1/4}*b^{5/4}*d - 1 \\ &5*\text{Sqrt}[a]*b*e + 7*a*\text{Sqrt}[b]*g + 8*a^{5/4}*b^{1/4}*h + 5*a^{3/2}*i)*\text{Log}[a^{1/4} \\ &- b^{1/4}*x] + 3*a^{1/4}*b^{1/4}*(77*b^{3/2}*c - 40*a^{1/4}*b^{5/4}*d + \\ &15*\text{Sqrt}[a]*b*e - 7*a*\text{Sqrt}[b]*g + 8*a^{5/4}*b^{1/4}*h - 5*a^{3/2}*i)*\text{Log}[a^{1/4} \\ &+ b^{1/4}*x] - 24*\text{Sqrt}[a]*\text{Sqrt}[b]*(-5*b*d + a*h)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[b] \\ &]*x^2) \end{aligned}}{(1536*a^4*b^2)}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.21, size = 759, normalized size = 2.17

$$-\frac{5}{1024}i \left(\frac{2\sqrt{2}(-ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^3b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^3b^4} \right) - \frac{5}{1024}i \left(\frac{2\sqrt{2} \left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^3b^4} - \frac{\sqrt{2}(-ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(-\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{-\frac{a}{b}}\right)}{a^3b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorithm="giac")

[Out]
$$\begin{aligned} &-5/1024*i*(2*\text{sqrt}(2)*(-a*b^3)^{(3/4)}*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(-a/b) \\ &)^{(1/4)))/(-a/b)^{(1/4)))/(a^3*b^4) - \text{sqrt}(2)*(-a*b^3)^{(3/4)}*\log(x^2 + \text{sqrt}(2) \\ &*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b)))/(a^3*b^4)) - 5/1024*i*(2*\text{sqrt}(2)*(-a*b^3)^{(3/4)} \\ &*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(-a/b)^{(1/4)))/(-a/b)^{(1/4)))/(a^3*b^4) \\ &+ \text{sqrt}(2)*(-a*b^3)^{(3/4)}*\log(x^2 - \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b)))/(a^3*b^4) \end{aligned}$$

$3*b^4)) - 1/512*\sqrt{2}*(77*b^2*c - 7*a*b*g - 40*\sqrt{2})*(-a*b^3)^{(1/4)}*b*d$
 $+ 8*\sqrt{2})*(-a*b^3)^{(1/4)}*a*h + 15*\sqrt{2}*(-a*b)*b*e)*\arctan(1/2*\sqrt{2}*(2*$
 $x + \sqrt{2})*(-a/b)^{(1/4)})/((-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^3) - 1/512*\sqrt{2}$
 $)*(77*b^2*c - 7*a*b*g + 40*\sqrt{2})*(-a*b^3)^{(1/4)}*b*d - 8*\sqrt{2})*(-a*b^3)^{(1/4)}*a*h$
 $- 15*\sqrt{2}*(-a*b)*b*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})*(-a/b)^{(1/4)})/((-a/b)^{(1/4)})/((-a*b^3)^{(3/4)}*a^3)$
 $- 1/1024*\sqrt{2}*(77*b^2*c - 7*a*b*g - 15*\sqrt{2}*(-a*b)*b*e)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^3)$
 $+ 1/1024*\sqrt{2}*(77*b^2*c - 7*a*b*g - 15*\sqrt{2}*(-a*b)*b*e)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/((-a*b^3)^{(3/4)}*a^3)$
 $+ 1/384*(15*a*b^3*i*x^{11} - 45*b^4*x^{11}*e - 60*b^4*d*x^{10} + 12*a*b^3*h*x^{10} - 77*b^4*c*x^9 + 7*a*b^3*g*x^9 - 42*a^2*b^2*i*x^7 + 126*a*b^3*x^7*e + 160*a*b^3*d*x^6 - 32*a^2*b^2*h*x^6 + 198*a*b^3*c*x^5 - 18*a^2*b^2*g*x^5 - 48*a^3*b*j*x^4 - 5*a^3*b*i*x^3 - 113*a^2*b^2*x^3*e - 132*a^2*b^2*d*x^2 - 12*a^3*b*h*x^2 - 153*a^2*b^2*c*x - 21*a^3*b*g*x - 32*a^3*b*f + 16*a^4*j)/(b*x^4 - a)^3*a^3*b^2)$

maple [A] time = 0.06, size = 538, normalized size = 1.54

$$\frac{h \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{64\sqrt{ab} a^2 b} - \frac{5d \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{64\sqrt{ab} a^3} + \frac{5i \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} - \frac{5i \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} - \frac{15e \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{256\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15e \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} - 7\left(\frac{a}{b}\right)^{\frac{1}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x)

[Out] (5/128*(a*i-3*b*e)/a^3*b*x^11+1/32*(a*h-5*b*d)/a^3*b*x^10+7/384*(a*g-11*b*c)/a^3*b*x^9-7/64*(a*i-3*b*e)/a^2*x^7-1/12*(a*h-5*b*d)/a^2*x^6-3/64*(a*g-11*b*c)/a^2*x^5-1/8/b*j*x^4-1/384*(5*a*i+113*b*e)/a/b*x^3-1/32*(a*h+11*b*d)/a/b*x^2-1/128*(7*a*g+51*b*c)/a/b*x+1/24*(a*j-2*b*f)/b^2)/(b*x^4-a)^3-7/256*(a/b)^(1/4)/a^3/b*g*arctan(1/(a/b)^(1/4)*x)+77/256*(a/b)^(1/4)/a^4*c*arctan(1/(a/b)^(1/4)*x)-7/512*(a/b)^(1/4)/a^3/b*g*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+77/512*(a/b)^(1/4)/a^4*c*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/64/(a*b)^(1/2)/a^2/b*h*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-5/64/(a*b)^(1/2)/a^3*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))+5/256/(a/b)^(1/4)/a^2/b^2*i*arctan(1/(a/b)^(1/4)*x)-15/256/(a/b)^(1/4)/a^3/b*e*arctan(1/(a/b)^(1/4)*x)-5/512/(a/b)^(1/4)/a^2/b^2*i*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+15/512/(a/b)^(1/4)/a^3/b*e*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

maxima [A] time = 3.08, size = 463, normalized size = 1.33

$$\frac{15(3b^4e - ab^3i)x^{11} + 12(5b^4d - ab^3h)x^{10} + 7(11b^4c - ab^3g)x^9 + 48a^3bjx^4 - 42(3ab^3e - a^2b^2i)x^7 - 32(5ab^3d - a^2b^2h)x^6 - 18(11a^3b^3c - a^2b^2g)x^5 + 32a^3b^3f - 16a^4j + (113a^2b^2e + 5a^3b^3i)x^3 + 12(11a^2b^2d + a^3b^3h)x^2 + 3(51a^2b^2c + 7a^3b^3g)x}{384(a^3b^5x^2 - 3a^4b^4x^8 + 3a^5b^3x^4 - a^6b^2) + 1/512(8(5b^3d - a^3h)\log(\sqrt{b}x^2 + \sqrt{a})/(\sqrt{a}\sqrt{b}) - 8(5b^3d - a^3h)\log(\sqrt{b}x^2 - \sqrt{a})/(\sqrt{a}\sqrt{b})) + 2(77b^{3/2}c - 15\sqrt{a}b^3e - 7a\sqrt{b}g + 5a^{3/2}i)\arctan(\sqrt{b}x/\sqrt{\sqrt{a}\sqrt{b}})/(\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}})\sqrt{b} - (77b^{3/2}c + 15\sqrt{a}b^3e - 7a\sqrt{b}g - 5a^{3/2}i)\log((\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}})/(\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}))/(\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}})\sqrt{b})/(a^3b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(-b*x^4+a)^4,x, algorith="maxima")

[Out] -1/384*(15*(3*b^4*e - a*b^3*i)*x^11 + 12*(5*b^4*d - a*b^3*h)*x^10 + 7*(11*b^4*c - a*b^3*g)*x^9 + 48*a^3*b*j*x^4 - 42*(3*a*b^3*e - a^2*b^2*i)*x^7 - 32*(5*a*b^3*d - a^2*b^2*h)*x^6 - 18*(11*a*b^3*c - a^2*b^2*g)*x^5 + 32*a^3*b*f - 16*a^4*j + (113*a^2*b^2*e + 5*a^3*b^3*i)*x^3 + 12*(11*a^2*b^2*d + a^3*b^3*h)*x^2 + 3*(51*a^2*b^2*c + 7*a^3*b^3*g)*x)/(a^3*b^5*x^2 - 3*a^4*b^4*x^8 + 3*a^5*b^3*x^4 - a^6*b^2) + 1/512*(8*(5*b^3*d - a^3*h)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*sqrt(b)) - 8*(5*b^3*d - a^3*h)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*sqrt(b))) + 2*(77*b^(3/2)*c - 15*sqrt(a)*b^3*e - 7*a*sqrt(b)*g + 5*a^(3/2)*i)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) - (77*b^(3/2)*c + 15*sqrt(a)*b^3*e - 7*a*sqrt(b)*g - 5*a^(3/2)*i)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))/(a^3*b)

mupad [B] time = 6.40, size = 2764, normalized size = 7.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a - b*x^4)^4, x)

[Out] symsum(log((125*a^4*i^3 - 3375*a*b^3*e^3 - 123200*b^4*c*d^2 + 88935*b^4*c^2*e - 4928*a^2*b^2*c*h^2 + 735*a^2*b^2*e*g^2 + 3375*a^2*b^2*e^2*i + 11200*a*b^3*d^2*g - 29645*a*b^3*c^2*i - 1125*a^3*b^3*e*i^2 + 448*a^3*b^3*g*h^2 - 245*a^3*b^3*g^2*i + 5390*a^2*b^2*c*g*i - 4480*a^2*b^2*d*g*h + 49280*a*b^3*c*d*h - 16170*a*b^3*c*e*g)/(2097152*a^9*b^2) - root(68719476736*a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^10*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 85703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2

$$\begin{aligned}
& 2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d* \\
& g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d* \\
& e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^ \\
& 2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i \\
& ^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2 \\
& *e*g - 295680*a^3*b^3*c*e*h^2 - 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i \\
& - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g - 33750* \\
& a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a \\
& ^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b \\
& ^3*e^3*i - 2048000*a^2*b^4*d^3*h - 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g \\
& ^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^ \\
& 5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^6*i^4 - 35153041*b^6*c^4, z, m)*(root(6 \\
& 8719476736*a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c* \\
& i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 - 36700160*a^ \\
& 10*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^10*b^4*h^2*z^2 + 24 \\
& 57600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 17661952*a^6*b^4*c*g*h*z \\
& - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - 409600*a^8*b^2*h* \\
& i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z - 3686400*a^6*b^4 \\
& *e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^2*z + 18432000*a^5 \\
& *b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3* \\
& b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*d*e*h - 14700*a^4* \\
& b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^2*i + 26880*a^4*b^ \\
& 2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e*i + 2464000*a^2*b \\
& ^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 - 485100*a^2*b \\
& ^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 \\
& + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 2 \\
& 96450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a^2*b^4*c^2*g^2 + 2 \\
& 450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4*d^3*h - 81920*a^4 \\
& *b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 - 2401*a^4*b^2*g^ \\
& 4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 - 625*a^6*i^4 - \\
& 35153041*b^6*c^4, z, m)*((20185088*a^7*b^5*c - 1835008*a^8*b^4*g)/(2097152* \\
& a^9*b^2) - (x*(655360*a^7*b^4*d - 131072*a^8*b^3*h))/(131072*a^9*b)) - (614 \\
& 400*a^4*b^4*d*e - 204800*a^5*b^3*d*i - 122880*a^5*b^3*e*h + 40960*a^6*b^2*h \\
& *i)/(2097152*a^9*b^2) + (x*(800*a^6*b*i^2 + 189728*a^3*b^4*c^2 + 7200*a^4*b \\
& ^3*e^2 + 1568*a^5*b^2*g^2 - 34496*a^4*b^3*c*g - 4800*a^5*b^2*e*i))/(131072* \\
& a^9*b)) - (x*(4000*b^3*d^3 - 32*a^3*h^3 - 5775*b^3*c*d*e + 35*a^3*g*h*i - 2 \\
& 400*a*b^2*d^2*h + 480*a^2*b*d*h^2 + 1925*a*b^2*c*d*i + 1155*a*b^2*c*e*h + 5 \\
& 25*a*b^2*d*e*g - 385*a^2*b*c*h*i - 175*a^2*b*d*g*i - 105*a^2*b*e*g*h))/(131 \\
& 072*a^9*b))*root(68719476736*a^15*b^7*z^4 - 1211105280*a^8*b^6*c*e*z^2 + 40 \\
& 3701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g \\
& *z^2 - 36700160*a^10*b^4*g*i*z^2 - 838860800*a^8*b^6*d^2*z^2 - 33554432*a^1 \\
& 0*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z + 176619 \\
& 52*a^6*b^4*c*g*h*z - 12288000*a^6*b^4*d*e*i*z + 485703680*a^4*b^6*c^2*d*z - \\
& 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z \\
& - 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z + 4014080*a^6*b^4*d*g^
\end{aligned}$$

```

2*z + 18432000*a^5*b^5*d*e^2*z + 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d
*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h + 2956800*a^2*b^4*c*
d*e*h - 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i + 98560*a^4*b^2*c*h^
2*i + 26880*a^4*b^2*e*g*h^2 - 53900*a^4*b^2*c*g*i^2 - 1778700*a^2*b^4*c^2*e
*i + 2464000*a^2*b^4*c*d^2*i + 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*
h^2 - 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e +
7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g - 33750*a^4*b^2*e^2*i^2 + 614400*a
^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 - 1743126*a
^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i - 2048000*a^2*b^4
*d^3*h - 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2
- 2401*a^4*b^2*g^4 - 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^
4 - 625*a^6*i^4 - 35153041*b^6*c^4, z, m), m, 1, 4) + ((2*b*f - a*j)/(24*b^
2) + (j*x^4)/(8*b) - (3*x^5*(11*b*c - a*g))/(64*a^2) - (x^6*(5*b*d - a*h))/
(12*a^2) - (7*x^7*(3*b*e - a*i))/(64*a^2) + (7*b*x^9*(11*b*c - a*g))/(384*a
^3) + (x*(51*b*c + 7*a*g))/(128*a*b) + (b*x^10*(5*b*d - a*h))/(32*a^3) + (5
*b*x^11*(3*b*e - a*i))/(128*a^3) + (x^2*(11*b*d + a*h))/(32*a*b) + (x^3*(11
3*b*e + 5*a*i))/(384*a*b))/(a^3 - b^3*x^12 - 3*a^2*b*x^4 + 3*a*b^2*x^8)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(-b*x**4+a)**4,
x)
```

[Out] Timed out

$$3.207 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^4)^4} dx$$

Optimal. Leaf size=462

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}}$$

[Out] $1/12*x*(b*c-a*g+(-a*h+b*d)*x+b*e*x^2+b*f*x^3)/a/b/(b*x^4+a)^3+1/384*x*(7*a*c+77*b*c+12*(a*h+5*b*d)*x+45*b*e*x^2)/a^3/b/(b*x^4+a)+1/96*(-8*a*f+x*(11*b*c+a*g+2*(a*h+5*b*d)*x+9*b*e*x^2))/a^2/b/(b*x^4+a)^2+1/32*(a*h+5*b*d)*\arctan(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(3/2)-1/1024*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(77*b*c+7*a*g-15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)+1/1024*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(77*b*c+7*a*g-15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)+1/512*\arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(77*b*c+7*a*g+15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)+1/512*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(77*b*c+7*a*g+15*e*a^(1/2)*b^(1/2))/a^(15/4)/b^(5/4)*2^(1/2)$

Rubi [A] time = 0.62, antiderivative size = 462, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.343$, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (-15\sqrt{a} \sqrt{b} e + 7ag + 77bc)}{512\sqrt{2} a^{15/4} b^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^4, x]

[Out] $(x*(b*c - a*g + (b*d - a*h)*x + b*e*x^2 + b*f*x^3))/(12*a*b*(a + b*x^4)^3) + (x*(7*(11*b*c + a*g) + 12*(5*b*d + a*h)*x + 45*b*e*x^2))/(384*a^3*b*(a + b*x^4)) - (8*a*f - x*(11*b*c + a*g + 2*(5*b*d + a*h)*x + 9*b*e*x^2))/(96*a^2*b*(a + b*x^4)^2) + ((5*b*d + a*h)*\text{ArcTan}[\text{Sqrt}[b]*x^2/\text{Sqrt}[a]])/(32*a^(7/2)*b^(3/2)) - ((77*b*c + 15*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 7*a*g)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(256*\text{Sqrt}[2]*a^(15/4)*b^(5/4)) + ((77*b*c + 15*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 7*a*g)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(256*\text{Sqrt}[2]*a^(15/4)*b^(5/4)) - ((77*b*c - 15*\text{Sqrt}[a]*\text{Sqrt}[b]*e + 7*a*g)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(512*\text{Sqrt}[2]*a^(15/4)*b^(5/4)) +$

$((77*b*c - 15*\sqrt{a}*\sqrt{b}*e + 7*a*g)*\text{Log}[\sqrt{a} + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{b}*x^2])/(512*\sqrt{2}*a^{(15/4)}*b^{(5/4)})$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$

Rule 275

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{With}\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{(m+1)/k - 1}*(a + b*x^{(n/k)})^p, x], x, x^k], x] \text{ ; } k \neq 1 \text{ ; FreeQ}\{a, b, p\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*c\}, \text{Simplify}[(a*c)/b^2], \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] \text{ ; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) \text{ ; FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] \text{ ; FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 1162

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] \text{ ; FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] \text{ ; Fre$

$eQ[\{a, c, d, e\}, x] \&\& EqQ[c*d^2 - a*e^2, 0] \&\& NegQ[d*e]$

Rule 1168

$Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] \rightarrow With[\{q = Rt[a*c, 2]\}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[\{a, c, d, e\}, x] \&\& NeQ[c*d^2 + a*e^2, 0] \&\& NeQ[c*d^2 - a*e^2, 0] \&\& NegQ[-(a*c)]$

Rule 1854

$Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow Module[\{q = Expon[Pq, x], i\}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, \{i, 0, q - 1\}]* (a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n, 0] \&\& LtQ[p, -1]$

Rule 1855

$Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n, 0] \&\& LtQ[p, -1] \&\& LtQ[Expon[Pq, x], n - 1]$

Rule 1858

$Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow With[\{q = Expon[Pq, x]\}, Module[\{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]\}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n, 0] \&\& LtQ[p, -1]$

Rule 1876

$Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] \rightarrow With[\{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), \{ii, 0, n/2 - 1\}]\}, Int[v, x] /; SumQ[v] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n/2, 0] \&\& Expon[Pq, x] < n$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^4)^4} dx &= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{\int \frac{-b(11bc + ag) - 2b(5bd + ah)x - 9b^2ex^2 -}{(a + bx^4)^3}}{12ab^2} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{8af - x(11bc + ag + 2(5bd + ah)x)}{96a^2b(a + bx^4)^2} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah)x)}{384a^3b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah)x)}{384a^3b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah)x)}{384a^3b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah)x)}{384a^3b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah)x)}{384a^3b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah)x)}{384a^3b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah)x)}{384a^3b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah)x)}{384a^3b(a + bx^4)} \\
&= \frac{x(bc - ag + (bd - ah)x + bex^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc + ag) + 12(5bd + ah)x)}{384a^3b(a + bx^4)}
\end{aligned}$$

Mathematica [A] time = 0.58, size = 461, normalized size = 1.00

$$-6 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right) (16a^{5/4}h + 15\sqrt{2} \sqrt{a} b^{3/4}e + 80\sqrt[4]{a} bd + 7\sqrt{2} a \sqrt[4]{b} g + 77\sqrt{2} b^{5/4}c) + 6 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1 \right) (-$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^4,x]

[Out] ((8*a^(3/4)*Sqrt[b]*x*(77*b*c + 7*a*g + 60*b*d*x + 12*a*h*x + 45*b*e*x^2))/(a + b*x^4) + (32*a^(7/4)*Sqrt[b]*x*(11*b*c + b*x*(10*d + 9*e*x) + a*(g + 2*h*x)))/(a + b*x^4)^2 - (256*a^(11/4)*Sqrt[b]*(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + h*x))))/(a + b*x^4)^3 - 6*(77*Sqrt[2]*b^(5/4)*c + 80*a^(1/4)*b*d + 15*Sqrt[2]*Sqrt[a]*b^(3/4)*e + 7*Sqrt[2]*a*b^(1/4)*g + 16*a^(5/4)*h)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 6*(77*Sqrt[2]*b^(5/4)*c - 80*a^(1/4)*b*d + 15*Sqrt[2]*Sqrt[a]*b^(3/4)*e + 7*Sqrt[2]*a*b^(1/4)*g - 16*a^(5/4)*h)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - 3*Sqrt[2]*b^(1/4)*(77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 3*Sqrt[2]*b^(1/4)*(77*b*c - 15*Sqrt[a]*Sqrt[b]*e + 7*a*g)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2]/(3072*a^(15/4)*b^(3/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.20, size = 521, normalized size = 1.13

$$\frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 8 \sqrt{2} \sqrt{ab} abh + 77 (ab^3)^{\frac{1}{4}} b^2 c + 7 (ab^3)^{\frac{1}{4}} abg + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4 b^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 8*sqrt(2)*sqrt(a*b)*a*b*h + 77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 8*sqrt(2)*sqrt(a*b)*a*b*h + 77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt

(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c + 7*(a*b^3)^(1/4)*a*b*g - 15*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) + 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 + 12*a*b^2*h*x^10 + 77*b^3*c*x^9 + 7*a*b^2*g*x^9 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 + 32*a^2*b*h*x^6 + 198*a*b^2*c*x^5 + 18*a^2*b*g*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 - 12*a^3*h*x^2 + 153*a^2*b*c*x - 21*a^3*g*x - 32*a^3*f)/((b*x^4 + a)^3*a^3*b)

maple [A] time = 0.07, size = 607, normalized size = 1.31

$$\frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{32\sqrt{ab} a^2 b} + \frac{5d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{32\sqrt{ab} a^3} + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{512 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{512 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{1024 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (15/128/a^3*b^2*e*x^11+1/32*(a*h+5*b*d)/a^3*b*x^10+7/384*(a*g+11*b*c)/a^3*b*x^9+21/64/a^2*b*e*x^7+1/12/a^2*(a*h+5*b*d)*x^6+3/64/a^2*(a*g+11*b*c)*x^5+13/384/a*e*x^3-1/32*(a*h-11*b*d)/a/b*x^2-1/128*(7*a*g-51*b*c)/a/b*x-1/12/b*f)/(b*x^4+a)^3+7/512/a^3/b*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)*g+77/512/a^4*c*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+7/1024*(a/b)^(1/4)*2^(1/2)/a^3/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+77/1024/a^4*c*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+7/512*(a/b)^(1/4)*2^(1/2)/a^3/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+7/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/32/a^2/b/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)*h+5/32/(a*b)^(1/2)/a^3*d*arctan((1/a*b)^(1/2)*x^2)+15/1024/a^3*e/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+15/512/a^3*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.13, size = 517, normalized size = 1.12

$$\frac{45b^3ex^{11} + 126ab^2ex^7 + 12(5b^3d + ab^2h)x^{10} + 7(11b^3c + ab^2g)x^9 + 113a^2bex^3 + 32(5ab^2d + a^2bh)x^6 + 18(11b^3c + ab^2g)x^5 + 13a^2bex^3 - 12a^3hxc^2 + 153a^2bxc - 21a^3gx - 32a^3f}{384(a^3b^4x^{12} + 3a^4b^3x^8 + 3a^5b^2x^4 + a^6b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{384}(45b^3ex^{11} + 126a^2b^2eex^7 + 12(5b^3d + ab^2h)x^{10} + 7(11b^3c + ab^2g)x^9 + 113a^2b^2eex^3 + 32(5ab^2d + a^2bh)x^6 + 18(11ab^2c + a^2bg)x^5 - 32a^3f + 12(11a^2bd - a^3h)x^2 + 3(51a^2bc - 7a^3g)x)/(a^3b^4x^{12} + 3a^4b^3x^8 + 3a^5b^2x^4 + a^6b) + \frac{1}{1024}(\sqrt{2})(77b^{3/2}c - 15\sqrt{a}be + 7a\sqrt{b}g)\log(\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a})/(a^{3/4}b^{3/4}) - \sqrt{2}(77b^{3/2}c - 15\sqrt{a}be + 7a\sqrt{b}g)\log(\sqrt{b}x^2 - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a})/(a^{3/4}b^{3/4}) + 2(77\sqrt{2}a^{1/4}b^{7/4}c + 15\sqrt{2}a^{3/4}b^{5/4}e + 7\sqrt{2}a^{5/4}b^{3/4}g - 80\sqrt{a}b^{3/2}d - 16a^{3/2}\sqrt{b}h)\arctan(1/2\sqrt{2}(2\sqrt{b}x + \sqrt{2}a^{1/4}b^{1/4})/\sqrt{\sqrt{a}\sqrt{b}})/(a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}) + 2(77\sqrt{2}a^{1/4}b^{7/4}c + 15\sqrt{2}a^{3/4}b^{5/4}e + 7\sqrt{2}a^{5/4}b^{3/4}g + 80\sqrt{a}b^{3/2}d + 16a^{3/2}\sqrt{b}h)\arctan(1/2\sqrt{2}(2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4})/\sqrt{\sqrt{a}\sqrt{b}})/(a^{3/4}\sqrt{\sqrt{a}\sqrt{b}})b^{3/4})/(a^3b)$

mupad [B] time = 6.08, size = 1743, normalized size = 3.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^4)^4,x)

[Out] $\text{symsum}(\log((123200b^3cd^2 - 3375a^2b^2e^3 - 88935b^3c^2e + 448a^3g^2h^2 + 11200ab^2d^2g + 4928a^2b^2c^2h^2 - 735a^2b^2e^2g^2 + 49280ab^2cd^2h - 16170ab^2c^2eg + 4480a^2b^2d^2gh)/(2097152a^9b) - \text{root}(68719476736a^{15}b^6z^4 + 1211105280a^8b^5c^2ez^2 + 335544320a^9b^4d^2hz^2 + 110100480a^9b^4e^2gz^2 + 838860800a^8b^5d^2z^2 + 33554432a^{10}b^3h^2z^2 - 88309760a^5b^4cd^2gz - 17661952a^6b^3c^2ghz - 485703680a^4b^5c^2dz - 97140736a^5b^4c^2hz - 802816a^7b^2g^2hz + 3686400a^6b^3e^2hz - 4014080a^6b^3d^2gz + 18432000a^5b^4d^2ez - 268800a^3b^2d^2egh - 2956800a^2b^3cd^2eh - 672000a^2b^3d^2eg - 295680a^3b^2c^2eh^2 + 485100a^2b^3c^2eg - 26880a^4b^2egh^2 - 7392000ab^4cd^2e + 81920a^4b^2d^2h^3 + 12782924ab^4c^3g + 614400a^3b^2d^2h^2 + 22050a^3b^2e^2g^2 + 1743126a^2b^3c^2g^2 + 2048000a^2b^3d^3h + 105644a^3b^2c^2g^3 + 2668050ab^4c^2e^2 + 50625a^2b^3e^4 + 2401a^4b^2g^4 + 2560000ab^4d^4 + 4096a^5h^4 + 35153041b^5c^4, z, k)(\text{root}(68719476736a^{15}b^6z^4 + 1211105280a^8b^5c^2ez^2 + 335544320a^9b^4d^2hz^2 + 110100480a^9b^4e^2gz^2 + 838860800a^8b^5d^2z^2 + 33554432a^{10}b^3h^2z^2 - 88309760a^5b^4cd^2gz - 17661952a^6b^3c^2ghz - 485703680a^4b^5c^2dz - 97140736a^5b^4c^2hz - 802816a^7b^2g^2hz + 3686400a^6b^3e^2hz - 4014080a^6b^3d^2gz + 1843200$

```

0*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h - 2956800*a^2*b^3*c*d*e*h - 6720
00*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 + 485100*a^2*b^3*c*e^2*g - 2688
0*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e + 81920*a^4*b*d*h^3 + 12782924*a*b^
4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 + 1743126*a^2*b^3*
c^2*g^2 + 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^4*c^2*
e^2 + 50625*a^2*b^3*e^4 + 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a^5*h^4
+ 35153041*b^5*c^4, z, k)*((20185088*a^7*b^4*c + 1835008*a^8*b^3*g)/(20971
52*a^9*b) - (x*(655360*a^7*b^4*d + 131072*a^8*b^3*h))/(131072*a^9*b)) + (61
4400*a^4*b^3*d*e + 122880*a^5*b^2*e*h)/(2097152*a^9*b) + (x*(189728*a^3*b^4
*c^2 - 7200*a^4*b^3*e^2 + 1568*a^5*b^2*g^2 + 34496*a^4*b^3*c*g))/(131072*a^
9*b)) + (x*(4000*b^3*d^3 + 32*a^3*h^3 - 5775*b^3*c*d*e + 2400*a*b^2*d^2*h +
480*a^2*b*d*h^2 - 1155*a*b^2*c*e*h - 525*a*b^2*d*e*g - 105*a^2*b*e*g*h))/(
131072*a^9*b))*root(68719476736*a^15*b^6*z^4 + 1211105280*a^8*b^5*c*e*z^2 +
335544320*a^9*b^4*d*h*z^2 + 110100480*a^9*b^4*e*g*z^2 + 838860800*a^8*b^5*
d^2*z^2 + 33554432*a^10*b^3*h^2*z^2 - 88309760*a^5*b^4*c*d*g*z - 17661952*a
^6*b^3*c*g*h*z - 485703680*a^4*b^5*c^2*d*z - 97140736*a^5*b^4*c^2*h*z - 802
816*a^7*b^2*g^2*h*z + 3686400*a^6*b^3*e^2*h*z - 4014080*a^6*b^3*d*g^2*z + 1
8432000*a^5*b^4*d*e^2*z - 268800*a^3*b^2*d*e*g*h - 2956800*a^2*b^3*c*d*e*h
- 672000*a^2*b^3*d^2*e*g - 295680*a^3*b^2*c*e*h^2 + 485100*a^2*b^3*c*e^2*g
- 26880*a^4*b*e*g*h^2 - 7392000*a*b^4*c*d^2*e + 81920*a^4*b*d*h^3 + 1278292
4*a*b^4*c^3*g + 614400*a^3*b^2*d^2*h^2 + 22050*a^3*b^2*e^2*g^2 + 1743126*a^
2*b^3*c^2*g^2 + 2048000*a^2*b^3*d^3*h + 105644*a^3*b^2*c*g^3 + 2668050*a*b^
4*c^2*e^2 + 50625*a^2*b^3*e^4 + 2401*a^4*b*g^4 + 2560000*a*b^4*d^4 + 4096*a
^5*h^4 + 35153041*b^5*c^4, z, k), k, 1, 4) + ((113*e*x^3)/(384*a) - f/(12*b
) + (3*x^5*(11*b*c + a*g))/(64*a^2) + (x^6*(5*b*d + a*h))/(12*a^2) + (7*b*x
^9*(11*b*c + a*g))/(384*a^3) + (x*(51*b*c - 7*a*g))/(128*a*b) + (b*x^10*(5*
b*d + a*h))/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) + (x^2*(11*b*d - a*h))/(32
*a*b) + (21*b*e*x^7)/(64*a^2))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

$$3.208 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{(a+bx^4)^4} dx$$

Optimal. Leaf size=516

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (7\sqrt{b}(ag + 11bc) - 5\sqrt{a}(ai + 3be))}{512\sqrt{2} a^{15/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (7\sqrt{b}(ag + 11bc) + 5\sqrt{a}(ai + 3be))}{512\sqrt{2} a^{15/4} b^{7/4}}$$

[Out] 1/12*x*(b*c-a*g+(-a*h+b*d)*x+(-a*i+b*e)*x^2+b*f*x^3)/a/b/(b*x^4+a)^3+1/384*x*(7*a*g+77*b*c+12*(a*h+5*b*d)*x+15*(a*i+3*b*e)*x^2)/a^3/b/(b*x^4+a)+1/96*(-8*a*f+x*(11*b*c+a*g+2*(a*h+5*b*d)*x+3*(a*i+3*b*e)*x^2))/a^2/b/(b*x^4+a)^2+1/32*(a*h+5*b*d)*arctan(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(3/2)-1/1024*ln(-a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)+1/1024*ln(a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)+1/512*arctan(-1+b^(1/4)*x^2^(1/2)/a^(1/4))*(5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)+1/512*arctan(1+b^(1/4)*x^2^(1/2)/a^(1/4))*(5*(a*i+3*b*e)*a^(1/2)+7*(a*g+11*b*c)*b^(1/2))/a^(15/4)/b^(7/4)*2^(1/2)

Rubi [A] time = 0.85, antiderivative size = 516, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (7\sqrt{b}(ag + 11bc) - 5\sqrt{a}(ai + 3be))}{512\sqrt{2} a^{15/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) (7\sqrt{b}(ag + 11bc) + 5\sqrt{a}(ai + 3be))}{512\sqrt{2} a^{15/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^4,x]

[Out] (x*(b*c - a*g + (b*d - a*h)*x + (b*e - a*i)*x^2 + b*f*x^3))/(12*a*b*(a + b*x^4)^3) + (x*(7*(11*b*c + a*g) + 12*(5*b*d + a*h)*x + 15*(3*b*e + a*i)*x^2))/(384*a^3*b*(a + b*x^4)) - (8*a*f - x*(11*b*c + a*g + 2*(5*b*d + a*h)*x + 3*(3*b*e + a*i)*x^2))/(96*a^2*b*(a + b*x^4)^2) + ((5*b*d + a*h)*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*b^(3/2)) - ((7*Sqrt[b]*(11*b*c + a*g) + 5*Sqrt[a]*(3*b*e + a*i))*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(7/4)) + ((7*Sqrt[b]*(11*b*c + a*g) + 5*Sqrt[a]*(3*b*e + a*i))*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(7/4)) - (7*Sqrt[b]*(11*b*c + a*g) - 5*Sqrt[a]*(3*b*e + a*i))*Log[Sqrt[a] - Sqrt[2]*

$$a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2)/(512*\text{Sqrt}[2]*a^{(15/4)}*b^{(7/4)}) + ((7*\text{Sqrt}[b]*(11*b*c + a*g) - 5*\text{Sqrt}[a]*(3*b*e + a*i))*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(512*\text{Sqrt}[2]*a^{(15/4)}*b^{(7/4)})$$
Rule 204

$$\text{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$
Rule 205

$$\text{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$$
Rule 275

$$\text{Int}[(x_)^{(m_)}*((a_ + (b_.)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{With}\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{((m + 1)/k - 1)}*(a + b*x^{(n/k)})^p], x], x, x^{k}], x] /; k \neq 1] /; \text{FreeQ}\{a, b, p\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$$
Rule 617

$$\text{Int}[(a_ + (b_.)*(x_) + (c_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*cS\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ \text{!RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$$
Rule 628

$$\text{Int}[(d_ + (e_.)*(x_))/((a_ + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$$
Rule 1162

$$\text{Int}[(d_ + (e_.)*(x_)^2)/((a_ + (c_.)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$$
Rule 1165

$$\text{Int}[(d_ + (e_.)*(x_)^2)/((a_ + (c_.)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(-2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$$

$eQ[\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$

Rule 1168

$\text{Int}[\frac{(d_+ + (e_+)(x_+)^2)}{(a_+ + (c_+)(x_+)^4)}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[\frac{d*q + a*e}{2*a*c}, \text{Int}[\frac{q + c*x^2}{a + c*x^4}, x], x] + \text{Dist}[\frac{d*q - a*e}{2*a*c}, \text{Int}[\frac{q - c*x^2}{a + c*x^4}, x], x]] \text{ ; FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[-(a*c)]$

Rule 1854

$\text{Int}[(Pq_+)((a_+ + (b_+)(x_+)^{n_+}))^{p_+}, x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], i\}, \text{Simp}[\frac{(a*\text{Coeff}[Pq, x, q] - b*x*\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, q]*x^q, x])*(a + b*x^n)^{p+1}}{(a*b*n*(p+1))}, x] + \text{Dist}[1/(a*n*(p+1)), \text{Int}[\text{Sum}[(n*(p+1) + i + 1)*\text{Coeff}[Pq, x, i]*x^i, \{i, 0, q-1\}]* (a + b*x^n)^{p+1}, x], x] \text{ ; } q == n - 1 \text{ ; FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1]$

Rule 1855

$\text{Int}[(Pq_+)((a_+ + (b_+)(x_+)^{n_+}))^{p_+}, x_Symbol] \rightarrow -\text{Simp}[(x*Pq*(a + b*x^n)^{p+1})/(a*n*(p+1)), x] + \text{Dist}[1/(a*n*(p+1)), \text{Int}[\text{ExpandToSum}[n*(p+1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^{p+1}, x], x] \text{ ; FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{LtQ}[\text{Expon}[Pq, x], n - 1]$

Rule 1858

$\text{Int}[(Pq_+)((a_+ + (b_+)(x_+)^{n_+}))^{p_+}, x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q-1)/n] + 1)*Pq}, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q-1)/n] + 1)*Pq}, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p+1)*b^{(\text{Floor}[(q-1)/n] + 1)}), \text{Int}[(a + b*x^n)^{p+1}*\text{ExpandToSum}[a*n*(p+1)*Q + n*(p+1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{p+1})/(a*n*(p+1)*b^{(\text{Floor}[(q-1)/n] + 1)}), x]] \text{ ; GeQ}[q, n] \text{ ; FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1]$

Rule 1876

$\text{Int}[(Pq_+)/((a_+ + (b_+)(x_+)^{n_+}), x_Symbol] \rightarrow \text{With}[\{v = \text{Sum}[(x^{ii}*(\text{Coeff}[Pq, x, ii] + \text{Coeff}[Pq, x, n/2 + ii]*x^{(n/2)}))]/(a + b*x^n), \{ii, 0, n/2 - 1\}]\}, \text{Int}[v, x] \text{ ; SumQ}[v] \text{ ; FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{Expon}[Pq, x] < n$

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 208x^6}{(a + bx^4)^4} dx &= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} - \int \frac{-b(11bc+ag)}{\dots} \\
 &= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} - \frac{8af - x(11b}{\dots} \\
 &= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc +}{\dots} \\
 &= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc +}{\dots} \\
 &= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc +}{\dots} \\
 &= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc +}{\dots} \\
 &= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc +}{\dots} \\
 &= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc +}{\dots} \\
 &= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc +}{\dots} \\
 &= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc +}{\dots} \\
 &= \frac{x(bc - ag + (bd - ah)x - (208a - be)x^2 + bfx^3)}{12ab(a + bx^4)^3} + \frac{x(7(11bc +}{\dots}
 \end{aligned}$$

Mathematica [A] time = 1.01, size = 530, normalized size = 1.03

$$\frac{256a^{11/4}b^{3/4}(a(f+x(g+x(h+ix)))-bx(c+x(d+ex)))}{(a+bx^4)^3} + \frac{32a^{7/4}b^{3/4}x(ag+ax(2h+3ix))+11bc+bx(10d+9ex)}{(a+bx^4)^2} + \frac{8a^{3/4}b^{3/4}x(7ag+3ax(4h+5ix))+77bc+15bx}{a+bx^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^4,x]
```

```
[Out] ((32*a^(7/4)*b^(3/4)*x*(11*b*c + a*g + b*x*(10*d + 9*e*x) + a*x*(2*h + 3*i*x)))/(a + b*x^4)^2 + (8*a^(3/4)*b^(3/4)*x*(77*b*c + 7*a*g + 15*b*x*(4*d + 3*e*x) + 3*a*x*(4*h + 5*i*x)))/(a + b*x^4) - (256*a^(11/4)*b^(3/4)*(-(b*x*(c + x*(d + e*x))) + a*(f + x*(g + x*(h + i*x)))))/(a + b*x^4)^3 - 6*(77*Sqrt[2]*b^(3/2)*c + 80*a^(1/4)*b^(5/4)*d + 15*Sqrt[2]*Sqrt[a]*b*e + 7*Sqrt[2]*a*Sqrt[b]*g + 16*a^(5/4)*b^(1/4)*h + 5*Sqrt[2]*a^(3/2)*i)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 6*(77*Sqrt[2]*b^(3/2)*c - 80*a^(1/4)*b^(5/4)*d + 15*Sqrt[2]*Sqrt[a]*b*e + 7*Sqrt[2]*a*Sqrt[b]*g - 16*a^(5/4)*b^(1/4)*h + 5*Sqrt[2]*a^(3/2)*i)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 3*Sqrt[2]*(-77*b^(3/2)*c + 15*Sqrt[a]*b*e - 7*a*Sqrt[b]*g + 5*a^(3/2)*i)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] + 3*Sqrt[2]*(77*b^(3/2)*c - 15*Sqrt[a]*b*e + 7*a*Sqrt[b]*g - 5*a^(3/2)*i)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(3072*a^(15/4)*b^(7/4))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [A] time = 0.21, size = 735, normalized size = 1.42

$$\frac{5}{1024} i \left(\frac{2 \sqrt{2} (ab^3)^{\frac{3}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{a^3 b^4} - \frac{\sqrt{2} (ab^3)^{\frac{3}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{b}}\right)}{a^3 b^4} \right) + \frac{5}{1024} i \left(\frac{2 \sqrt{2} (ab^3)^{\frac{3}{4}} a}{a^3 b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")
```

```
[Out] 5/1024*i*(2*sqrt(2)*(a*b^3)^(3/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4)))/(a^3*b^4) - sqrt(2)*(a*b^3)^(3/4)*log(x^2 + sqrt(2)*x*(a
```

$$\begin{aligned} & /b)^{(1/4)} + \sqrt{a/b})/(a^3*b^4)) + 5/1024*i*(2*\sqrt{2})*(a*b^3)^{(3/4)}*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^3*b^4) + \sqrt{2}*(a*b^3)^{(3/4)}*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^3*b^4)) + 1/512*\sqrt{2}*(40*\sqrt{2}*\sqrt{a*b}*b^2*d + 8*\sqrt{2}*\sqrt{a*b}*a*b*h + 77*(a*b^3)^{(1/4)}*b^2*c + 7*(a*b^3)^{(1/4)}*a*b*g + 15*(a*b^3)^{(3/4)}*e)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^4*b^3) + 1/512*\sqrt{2}*(40*\sqrt{2}*\sqrt{a*b}*b^2*d + 8*\sqrt{2}*\sqrt{a*b}*a*b*h + 77*(a*b^3)^{(1/4)}*b^2*c + 7*(a*b^3)^{(1/4)}*a*b*g + 15*(a*b^3)^{(3/4)}*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^4*b^3) + 1/1024*\sqrt{2}*(77*(a*b^3)^{(1/4)}*b^2*c + 7*(a*b^3)^{(1/4)}*a*b*g - 15*(a*b^3)^{(3/4)}*e)*\log(x^2 + \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^4*b^3) - 1/1024*\sqrt{2}*(77*(a*b^3)^{(1/4)}*b^2*c + 7*(a*b^3)^{(1/4)}*a*b*g - 15*(a*b^3)^{(3/4)}*e)*\log(x^2 - \sqrt{2}*x*(a/b)^{(1/4)} + \sqrt{a/b})/(a^4*b^3) + 1/384*(15*a*b^2*i*x^11 + 45*b^3*x^11*e + 60*b^3*d*x^10 + 12*a*b^2*h*x^10 + 77*b^3*c*x^9 + 7*a*b^2*g*x^9 + 42*a^2*b*i*x^7 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 + 32*a^2*b*h*x^6 + 198*a*b^2*c*x^5 + 18*a^2*b*g*x^5 - 5*a^3*i*x^3 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 - 12*a^3*h*x^2 + 153*a^2*b*c*x - 21*a^3*g*x - 32*a^3*f)/(b*x^4 + a)^3*a^3*b) \end{aligned}$$

maple [A] time = 0.07, size = 767, normalized size = 1.49

$$\frac{h \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{32\sqrt{ab} a^2 b} + \frac{5d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{32\sqrt{ab} a^3} + \frac{5\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} + \frac{5\sqrt{2} i \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} + \frac{5\sqrt{2} i \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2}}\right)}{1024\left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out] (5/128*(a*i+3*b*e)/a^3*b*x^11+1/32*(a*h+5*b*d)/a^3*b*x^10+7/384*(a*g+11*b*c)/a^3*b*x^9+7/64*(a*i+3*b*e)/a^2*x^7+1/12*(a*h+5*b*d)/a^2*x^6+3/64*(a*g+11*b*c)/a^2*x^5-1/384*(5*a*i-113*b*e)/a/b*x^3-1/32*(a*h-11*b*d)/a/b*x^2-1/128*(7*a*g-51*b*c)/a/b*x-1/12/b*f)/(b*x^4+a)^3+7/1024*(a/b)^(1/4)*2^(1/2)/a^3/b*g*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+77/1024*(a/b)^(1/4)*2^(1/2)/a^4*c*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+7/512*(a/b)^(1/4)*2^(1/2)/a^3/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+7/512*(a/b)^(1/4)*2^(1/2)/a^3/b*g*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+77/512*(a/b)^(1/4)*2^(1/2)/a^4*c*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/32/(a*b)^(1/2)/a^2/b*h*arctan((1/a*b)^(1/2)*x^2)+5/32/(a*b)^(1/2)/a^3*d*arctan((1/a*b)^(1/2)*x^2)+5/1024/a^2/b^2/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))*i+15/1024/(a/b)^(1/4)*2^(1/2)/a^3/b*e*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+5/512/a^2/b^2/(a/

$$b^{1/4} \cdot 2^{1/2} \cdot \arctan(2^{1/2}/(a/b)^{1/4} \cdot x-1) \cdot i + 15/512 / (a/b)^{1/4} \cdot 2^{1/2} / a^3 / b \cdot e \cdot \arctan(2^{1/2}/(a/b)^{1/4} \cdot x-1) + 5/512 / a^2 / b^2 / (a/b)^{1/4} \cdot 2^{1/2} \cdot \arctan(2^{1/2}/(a/b)^{1/4} \cdot x+1) \cdot i + 15/512 / (a/b)^{1/4} \cdot 2^{1/2} / a^3 / b \cdot e \cdot \arctan(2^{1/2}/(a/b)^{1/4} \cdot x+1)$$

maxima [A] time = 3.16, size = 579, normalized size = 1.12

$$\frac{15(3b^3e + ab^2i)x^{11} + 12(5b^3d + ab^2h)x^{10} + 7(11b^3c + ab^2g)x^9 + 42(3ab^2e + a^2bi)x^7 + 32(5ab^2d + a^2bh)x^6}{384(a^3b^4x^{12} + 3a^4b^3x^8 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] 1/384*(15*(3*b^3*e + a*b^2*i)*x^11 + 12*(5*b^3*d + a*b^2*h)*x^10 + 7*(11*b^3*c + a*b^2*g)*x^9 + 42*(3*a*b^2*e + a^2*b*i)*x^7 + 32*(5*a*b^2*d + a^2*b*h)*x^6 + 18*(11*a*b^2*c + a^2*b*g)*x^5 - 32*a^3*f + (113*a^2*b*e - 5*a^3*i)*x^3 + 12*(11*a^2*b*d - a^3*h)*x^2 + 3*(51*a^2*b*c - 7*a^3*g)*x)/(a^3*b^4*x^12 + 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 + a^6*b) + 1/1024*(sqrt(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g - 5*a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g - 5*a^(3/2)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(7/4)*c + 15*sqrt(2)*a^(3/4)*b^(5/4)*e + 7*sqrt(2)*a^(5/4)*b^(3/4)*g + 5*sqrt(2)*a^(7/4)*b^(1/4)*i - 80*sqrt(a)*b^(3/2)*d - 16*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(7/4)*c + 15*sqrt(2)*a^(3/4)*b^(5/4)*e + 7*sqrt(2)*a^(5/4)*b^(3/4)*g + 5*sqrt(2)*a^(7/4)*b^(1/4)*i + 80*sqrt(a)*b^(3/2)*d + 16*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))/(a^3*b)

mupad [B] time = 6.08, size = 2741, normalized size = 5.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^4,x)

[Out] ((3*x^5*(11*b*c + a*g))/(64*a^2) - f/(12*b) + (x^6*(5*b*d + a*h))/(12*a^2) + (7*x^7*(3*b*e + a*i))/(64*a^2) + (7*b*x^9*(11*b*c + a*g))/(384*a^3) + (x*

$$\begin{aligned}
& (51*b*c - 7*a*g)/(128*a*b) + (b*x^{10}*(5*b*d + a*h))/(32*a^3) + (5*b*x^{11}*(\\
& 3*b*e + a*i))/(128*a^3) + (x^2*(11*b*d - a*h))/(32*a*b) + (x^3*(113*b*e - 5 \\
& *a*i))/(384*a*b)/(a^3 + b^3*x^{12} + 3*a^2*b*x^4 + 3*a*b^2*x^8) + \text{symsum}(\log \\
& (- \text{root}(68719476736*a^{15}*b^7*z^4 + 1211105280*a^8*b^6*c*e*z^2 + 403701760*a \\
& ^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 + 36 \\
& 700160*a^{10}*b^4*g*i*z^2 + 838860800*a^8*b^6*d^2*z^2 + 33554432*a^{10}*b^4*h^2 \\
& *z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z - 17661952*a^6*b^ \\
& 4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 485703680*a^4*b^6*c^2*d*z + 409600*a \\
& ^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z + 368640 \\
& 0*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z - 4014080*a^6*b^4*d*g^2*z + 184 \\
& 32000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 32 \\
& 3400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h - 2956800*a^2*b^4*c*d*e*h + 1 \\
& 4700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i - 98560*a^4*b^2*c*h^2*i - 268 \\
& 80*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + 1778700*a^2*b^4*c^2*e*i - 2464 \\
& 000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 + 485 \\
& 100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5 \\
& *b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^ \\
& 2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 + 1743126*a^2*b^4*c^ \\
& 2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i + 2048000*a^2*b^4*d^3*h + \\
& 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 + 2401*a \\
& ^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 + 625*a \\
& ^6*i^4 + 35153041*b^6*c^4, z, 1)*(\text{root}(68719476736*a^{15}*b^7*z^4 + 121110528 \\
& 0*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + \\
& 110100480*a^9*b^5*e*g*z^2 + 36700160*a^{10}*b^4*g*i*z^2 + 838860800*a^8*b^6* \\
& d^2*z^2 + 33554432*a^{10}*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^ \\
& 5*b^5*c*d*g*z - 17661952*a^6*b^4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 48570 \\
& 3680*a^4*b^6*c^2*d*z + 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - \\
& 802816*a^7*b^3*g^2*h*z + 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z \\
& - 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h* \\
& i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g* \\
& h - 2956800*a^2*b^4*c*d*e*h + 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g* \\
& i - 98560*a^4*b^2*c*h^2*i - 26880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + \\
& 1778700*a^2*b^4*c^2*e*i - 2464000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g \\
& - 295680*a^3*b^3*c*e*h^2 + 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7 \\
& 392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4* \\
& b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b \\
& ^3*e^2*g^2 + 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e \\
& ^3*i + 2048000*a^2*b^4*d^3*h + 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + \\
& 2668050*a*b^5*c^2*e^2 + 2401*a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b* \\
& h^4 + 2560000*a*b^5*d^4 + 625*a^6*i^4 + 35153041*b^6*c^4, z, 1)*((20185088* \\
& a^7*b^5*c + 1835008*a^8*b^4*g)/(2097152*a^9*b^2) - (x*(655360*a^7*b^4*d + 1 \\
& 31072*a^8*b^3*h))/(131072*a^9*b)) + (614400*a^4*b^4*d*e + 204800*a^5*b^3*d* \\
& i + 122880*a^5*b^3*e*h + 40960*a^6*b^2*h*i)/(2097152*a^9*b^2) - (x*(800*a^6 \\
& *b*i^2 - 189728*a^3*b^4*c^2 + 7200*a^4*b^3*e^2 - 1568*a^5*b^2*g^2 - 34496*a \\
& ^4*b^3*c*g + 4800*a^5*b^2*e*i))/(131072*a^9*b)) - (125*a^4*i^3 + 3375*a*b^3
\end{aligned}$$


```

*e^3 - 123200*b^4*c*d^2 + 88935*b^4*c^2*e - 4928*a^2*b^2*c*h^2 + 735*a^2*b^
2*e*g^2 + 3375*a^2*b^2*e^2*i - 11200*a*b^3*d^2*g + 29645*a*b^3*c^2*i + 1125
*a^3*b*e*i^2 - 448*a^3*b*g*h^2 + 245*a^3*b*g^2*i + 5390*a^2*b^2*c*g*i - 448
0*a^2*b^2*d*g*h - 49280*a*b^3*c*d*h + 16170*a*b^3*c*e*g)/(2097152*a^9*b^2)
- (x*(5775*b^3*c*d*e - 32*a^3*h^3 - 4000*b^3*d^3 + 35*a^3*g*h*i - 2400*a*b^
2*d^2*h - 480*a^2*b*d*h^2 + 1925*a*b^2*c*d*i + 1155*a*b^2*c*e*h + 525*a*b^2
*d*e*g + 385*a^2*b*c*h*i + 175*a^2*b*d*g*i + 105*a^2*b*e*g*h))/(131072*a^9*
b))*root(68719476736*a^15*b^7*z^4 + 1211105280*a^8*b^6*c*e*z^2 + 403701760*
a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 + 3
6700160*a^10*b^4*g*i*z^2 + 838860800*a^8*b^6*d^2*z^2 + 33554432*a^10*b^4*h^
2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z - 17661952*a^6*b
^4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 485703680*a^4*b^6*c^2*d*z + 409600*
a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z + 36864
00*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z - 4014080*a^6*b^4*d*g^2*z + 18
432000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 3
23400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h - 2956800*a^2*b^4*c*d*e*h +
14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i - 98560*a^4*b^2*c*h^2*i - 26
880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + 1778700*a^2*b^4*c^2*e*i - 246
4000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 + 48
5100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^
5*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d
^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 + 1743126*a^2*b^4*c
^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i + 2048000*a^2*b^4*d^3*h +
81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 + 2401*
a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 + 625*
a^6*i^4 + 35153041*b^6*c^4, z, 1), 1, 1, 4)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

$$3.209 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6+jx^7}{(a+bx^4)^4} dx$$

Optimal. Leaf size=534

$$\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(7\sqrt{b}(ag + 11bc) - 5\sqrt{a}(ai + 3be)\right)}{512\sqrt{2} a^{15/4} b^{7/4}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(7\sqrt{b}(ag + 11bc) + 5\sqrt{a}(ai + 3be)\right)}{512\sqrt{2} a^{15/4} b^{7/4}}$$

[Out] $\frac{1}{12} x (b^2 c - a^2 g + (b^2 d - a^2 h) x + (b^2 e - a^2 i) x^2 + (b^2 f - a^2 j) x^3) / (a + b x^4)^3 + \frac{1}{384} x (7 a^2 g + 77 b^2 c + 12 (a^2 h + 5 b^2 d) x + 15 (a^2 i + 3 b^2 e) x^2) / a^3 / (a + b x^4) + \frac{1}{96} (-4 a^2 (a^2 j + 2 b^2 f) + x (b^2 (a^2 g + 11 b^2 c) + 2 b^2 (a^2 h + 5 b^2 d) x + 3 b^2 (a^2 i + 3 b^2 e) x^2)) / a^2 / b^2 / (a + b x^4)^2 + \frac{1}{32} (a^2 h + 5 b^2 d) \arctan(x^2 b^{1/2} / a^{1/2}) / a^{7/2} / b^{3/2} - \frac{1}{1024} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) (-5 (a^2 i + 3 b^2 e) a^{1/2} + 7 (a^2 g + 11 b^2 c) b^{1/2}) / a^{15/4} / b^{7/4} x^2 + \frac{1}{1024} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) (-5 (a^2 i + 3 b^2 e) a^{1/2} + 7 (a^2 g + 11 b^2 c) b^{1/2}) / a^{15/4} / b^{7/4} x^2 + \frac{1}{512} \arctan(-1 + b^{1/4} x^2) (5 (a^2 i + 3 b^2 e) a^{1/2} + 7 (a^2 g + 11 b^2 c) b^{1/2}) / a^{15/4} / b^{7/4} x^2 + \frac{1}{512} \arctan(1 + b^{1/4} x^2) (5 (a^2 i + 3 b^2 e) a^{1/2} + 7 (a^2 g + 11 b^2 c) b^{1/2}) / a^{15/4} / b^{7/4} x^2$

Rubi [A] time = 0.82, antiderivative size = 534, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1858, 1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{4a(aj + 2bf) - x(b(ag + 11bc) + 2bx(ah + 5bd) + 3bx^2(ai + 3be))}{96a^2b^2(a + bx^4)^2} \frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2\right) \left(7\sqrt{b}(ag + 11bc) - 5\sqrt{a}(ai + 3be)\right)}{512\sqrt{2} a^{15/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^4, x]

[Out] $\frac{x(b^2 c - a^2 g + (b^2 d - a^2 h) x + (b^2 e - a^2 i) x^2 + (b^2 f - a^2 j) x^3)}{(12 a^2 b^2 (a + b x^4)^3) + (x(7(11 b^2 c + a^2 g) + 12(5 b^2 d + a^2 h) x + 15(3 b^2 e + a^2 i) x^2)) / (384 a^3 b^2 (a + b x^4)) - (4 a^2 (2 b^2 f + a^2 j) - x(b^2 (11 b^2 c + a^2 g) + 2 b^2 (5 b^2 d + a^2 h) x + 3 b^2 (3 b^2 e + a^2 i) x^2)) / (96 a^2 b^2 (a + b x^4)^2) + ((5 b^2 d + a^2 h) \text{ArcTan}[\sqrt{b} x^2 / \sqrt{a}]) / (32 a^{7/2} b^{3/2}) - ((7 \sqrt{b} (11 b^2 c + a^2 g) + 5 \sqrt{a} (3 b^2 e + a^2 i)) \text{ArcTan}[1 - (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (256 \sqrt{2} a^{15/4} b^{7/4}) + ((7 \sqrt{b} (11 b^2 c + a^2 g) + 5 \sqrt{a} (3 b^2 e + a^2 i)) \text{ArcTan}[1 + (\sqrt{2} b^{1/4} x) / a^{1/4}]) / (256 \sqrt{2} a^{15/4} b^{7/4})$

$$\begin{aligned} & * \text{Sqrt}[2] * a^{(15/4)} * b^{(7/4)} - ((7 * \text{Sqrt}[b] * (11 * b * c + a * g) - 5 * \text{Sqrt}[a] * (3 * b * e \\ & + a * i)) * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / (512 * \text{Sqrt}[2] \\ &] * a^{(15/4)} * b^{(7/4)} + ((7 * \text{Sqrt}[b] * (11 * b * c + a * g) - 5 * \text{Sqrt}[a] * (3 * b * e + a * i)) \\ & * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / (512 * \text{Sqrt}[2] * a^{(15/4)} * b^{(7/4)}) \end{aligned}$$

Rule 204

$$\text{Int}[\{(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$

Rule 205

$$\text{Int}[\{(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$$

Rule 275

$$\text{Int}[(x_)^{(m_)} * ((a_ + (b_)*(x_)^{n_})^{p_}), x_Symbol] \rightarrow \text{With}\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{(m+1)/k-1} * (a + b*x^{n/k})^p, x], x, x^k], x] \text{ ; } k \neq 1 \text{ ; FreeQ}\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$$

Rule 617

$$\text{Int}[\{(a_ + (b_)*(x_ + (c_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4 * \text{Simplify}[(a * c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 * c * x)/b], x] \text{ ; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4 * a * c]) \text{ ; FreeQ}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4 * a * c, 0]$$

Rule 628

$$\text{Int}[\{(d_ + (e_)*(x_))/((a_ + (b_)*(x_ + (c_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d * \text{Log}[\text{RemoveContent}[a + b * x + c * x^2, x]])/b, x] \text{ ; FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2 * c * d - b * e, 0]$$

Rule 1162

$$\text{Int}[\{(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2 * d)/e, 2]\}, \text{Dist}[e/(2 * c), \text{Int}[1/\text{Simp}[d/e + q * x + x^2, x], x], x] + \text{Dist}[e/(2 * c), \text{Int}[1/\text{Simp}[d/e - q * x + x^2, x], x], x]] \text{ ; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c * d^2 - a * e^2, 0] \ \&\& \ \text{PosQ}[d * e]$$

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1 /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
```


Mathematica [A] time = 0.71, size = 555, normalized size = 1.04

$$-6\sqrt[4]{b} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \left(16a^{5/4}\sqrt[4]{b}h + 5\sqrt{2}a^{3/2}i + 80\sqrt[4]{a}b^{5/4}d + 15\sqrt{2}\sqrt{a}be + 7\sqrt{2}a\sqrt{b}g + 77\sqrt{2}b^{3/2}c\right) + 6\sqrt[4]{b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^4, x]

[Out]
$$\frac{\left(\left(8a^{3/4}b^2x(77bc + 7ag + 15b^2(4d + 3ex)) + 3ax(4h + 5ix)\right)\right)/(a + bx^4) - (32a^{7/4}(12a^2j - b^2x(11c + x(10d + 9ex)) - ab^2x(g + x(2h + 3ix))))/(a + bx^4)^2 + (256a^{11/4}(a^{2j} + b^{2x}(c + x(d + ex)) - ab(f + x(g + x(h + ix)))))/(a + bx^4)^3 - 6b^{1/4}(77\sqrt{2}b^{3/2}c + 80a^{1/4}b^{5/4}d + 15\sqrt{2}\sqrt{a}be + 7\sqrt{2}a\sqrt{b}g + 16a^{5/4}b^{1/4}h + 5\sqrt{2}a^{3/2}i)\text{ArcTan}\left[1 - \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right] + 6b^{1/4}(77\sqrt{2}b^{3/2}c - 80a^{1/4}b^{5/4}d + 15\sqrt{2}\sqrt{a}be + 7\sqrt{2}a\sqrt{b}g - 16a^{5/4}b^{1/4}h + 5\sqrt{2}a^{3/2}i)\text{ArcTan}\left[1 + \frac{\sqrt{2}b^{1/4}x}{a^{1/4}}\right] + 3\sqrt{2}b^{1/4}(-77b^{3/2}c + 15\sqrt{a}be - 7a\sqrt{b}g + 5a^{3/2}i)\text{Log}\left[\sqrt{a} - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2\right] + 3\sqrt{2}b^{1/4}(77b^{3/2}c - 15\sqrt{a}be + 7a\sqrt{b}g - 5a^{3/2}i)\text{Log}\left[\sqrt{a} + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2\right]\right)/(3072a^{15/4}b^2)$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.21, size = 767, normalized size = 1.44

$$\frac{5}{1024}i \left(\frac{2\sqrt{2}(ab^3)^{3/4} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{b}\right)^{1/4}\right)}{2\left(\frac{a}{b}\right)^{1/4}}\right)}{a^3b^4} - \frac{\sqrt{2}(ab^3)^{3/4} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{b}\right)^{1/4} + \sqrt{\frac{a}{b}}\right)}{a^3b^4} \right) + \frac{5}{1024}i \left(\frac{2\sqrt{2}(ab^3)^{3/4} \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{b}\right)^{1/4}\right)}{2\left(\frac{a}{b}\right)^{1/4}}\right)}{a^3b^4} - \frac{\sqrt{2}(ab^3)^{3/4} \log\left(x^2 - \sqrt{2}x\left(\frac{a}{b}\right)^{1/4} + \sqrt{\frac{a}{b}}\right)}{a^3b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out]
$$\frac{5}{1024}i(2\sqrt{2})(ab^3)^{3/4}\arctan\left(\frac{1}{2}\sqrt{2}(2x + \sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} - \sqrt{2}(ab^3)^{3/4}\log(x^2 + \sqrt{2}x(a/b)^{1/4} + \sqrt{a/b})/(a^3b^4) + \frac{5}{1024}i(2\sqrt{2})(ab^3)^{3/4}\arctan\left(\frac{1}{2}\sqrt{2}(2x - \sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} + \sqrt{2}(ab^3)^{3/4}\log(x^2 - \sqrt{2}x(a/b)^{1/4} + \sqrt{a/b})/(a^3b^4) + \frac{1}{512}2\sqrt{2}(40\sqrt{2}\sqrt{ab}b^2d + 8\sqrt{2}\sqrt{ab}ab^2h + 77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}ab^2g + 15(ab^3)^{3/4}e)\arctan\left(\frac{1}{2}\sqrt{2}(2x + \sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} + \frac{1}{512}2\sqrt{2}(40\sqrt{2}\sqrt{ab}b^2d + 8\sqrt{2}\sqrt{ab}ab^2h + 77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}ab^2g + 15(ab^3)^{3/4}e)\arctan\left(\frac{1}{2}\sqrt{2}(2x - \sqrt{2})(a/b)^{1/4}\right)/(a/b)^{1/4} + \frac{1}{1024}\sqrt{2}(77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}ab^2g - 15(ab^3)^{3/4}e)\log(x^2 + \sqrt{2}x(a/b)^{1/4} + \sqrt{a/b})/(a^4b^3) - \frac{1}{1024}\sqrt{2}(77(ab^3)^{1/4}b^2c + 7(ab^3)^{1/4}ab^2g - 15(ab^3)^{3/4}e)\log(x^2 - \sqrt{2}x(a/b)^{1/4} + \sqrt{a/b})/(a^4b^3) + \frac{1}{384}(15ab^3ix^{11} + 45b^4x^{11}e + 60b^4dx^{10} + 12ab^3hx^{10} + 77b^4cx^9 + 7ab^3gx^9 + 42a^2b^2ix^7 + 126ab^3x^7e + 160ab^3dx^6 + 32a^2b^2hx^6 + 198ab^3cx^5 + 18a^2b^2gx^5 - 48a^3bjx^4 - 5a^3bi^3x^3 + 113a^2b^2x^3e + 132a^2b^2dx^2 - 12a^3bh^2x^2 + 153a^2b^2cx - 21a^3bgx - 32a^3bf - 16a^4j)/(b^4x + a)^3a^3b^2)$$

maple [A] time = 0.07, size = 783, normalized size = 1.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)

[Out]
$$\frac{5}{128}(ai+3be)/a^3bx^{11} + \frac{1}{32}(ah+5bd)/a^3bx^{10} + \frac{7}{384}(ag+11bc)/a^3bx^9 + \frac{7}{64}(ai+3be)/a^2x^7 + \frac{1}{12}(ah+5bd)/a^2x^6 + \frac{3}{64}(ag+11bc)/a^2x^5 - \frac{1}{8}bjx^4 - \frac{1}{384}(5ai-113be)/abx^3 - \frac{1}{32}(ah-11bd)/abx^2 - \frac{1}{128}(7ag-51bc)/abx - \frac{1}{24}(aj+2bf)/b^2/(b^4x+a)^3 + \frac{7}{512}(a/b)^{1/4}2^{1/2}/a^3bg\arctan(2^{1/2}/(a/b)^{1/4}x+1) + \frac{77}{512}(a/b)^{1/4}2^{1/2}/a^4c\arctan(2^{1/2}/(a/b)^{1/4}x+1) + \frac{7}{512}(a/b)^{1/4}2^{1/2}/a^3bg\arctan(2^{1/2}/(a/b)^{1/4}x-1) + \frac{77}{512}(a/b)^{1/4}2^{1/2}/a^4c\arctan(2^{1/2}/(a/b)^{1/4}x-1) + \frac{7}{1024}(a/b)^{1/4}2^{1/2}/a^3bg\ln((x^2+(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2})) + \frac{77}{1024}(a/b)^{1/4}2^{1/2}/a^4c\ln((x^2+(a/b)^{1/4}2^{1/2}x+(a/b)^{1/2})) + \frac{1}{32}(ab)^{1/2}/a^2bh\arctan((1/a^2b)x^2) + \frac{5}{32}(ab)^{1/2}/a^3d\arctan((1/a^2b)x^2) + \frac{5}{1024}(a$$

$$\begin{aligned} & /b)^{(1/4)} * 2^{(1/2)} / a^2 / b^2 * i * \ln((x^2 - (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)}) / (x^2 \\ & + (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)})) + 15/1024 / (a/b)^{(1/4)} * 2^{(1/2)} / a^3 / b * e * \ln \\ & ((x^2 - (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)}) / (x^2 + (a/b)^{(1/4)} * 2^{(1/2)} * x + (a/b)^{(1/2)})) \\ & + 5/512 / (a/b)^{(1/4)} * 2^{(1/2)} / a^2 / b^2 * i * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) + \\ & 15/512 / (a/b)^{(1/4)} * 2^{(1/2)} / a^3 / b * e * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x + 1) + 5/512 / (a \\ & / b)^{(1/4)} * 2^{(1/2)} / a^2 / b^2 * i * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1) + 15/512 / (a/b)^{(1 \\ & / 4)} * 2^{(1/2)} / a^3 / b * e * \arctan(2^{(1/2)} / (a/b)^{(1/4)} * x - 1) \end{aligned}$$

maxima [A] time = 3.23, size = 613, normalized size = 1.15

$$\frac{15(3b^4e + ab^3i)x^{11} + 12(5b^4d + ab^3h)x^{10} + 7(11b^4c + ab^3g)x^9 - 48a^3bjx^4 + 42(3ab^3e + a^2b^2i)x^7 + 32(5ab^3d + a^2b^2h)x^6 + 18(11a^3b^3c + a^2b^2g)x^5 - 32a^3b^3f - 16a^4j + (113a^2b^2e - 5a^3b^3i)x^3 + 12(11a^2b^2d - a^3b^3h)x^2 + 3(51a^2b^2c - 7a^3b^3g)x}{384(a^3b^5x^{12} + 3a^4b^4x^8 + 3a^5b^3x^4 + a^6b^2)} + \frac{1/1024(\sqrt{2})(77b^{(3/2)}c - 15\sqrt{a}be + 7a\sqrt{b}g - 5a^{(3/2)}i)\log(\sqrt{b}x^2 + \sqrt{2}a^{(1/4)}b^{(1/4)}x + \sqrt{a})}{(a^{(3/4)}b^{(3/4)})} - \frac{\sqrt{2}(77b^{(3/2)}c - 15\sqrt{a}be + 7a\sqrt{b}g - 5a^{(3/2)}i)\log(\sqrt{b}x^2 - \sqrt{2}a^{(1/4)}b^{(1/4)}x + \sqrt{a})}{(a^{(3/4)}b^{(3/4)})} + \frac{2(77\sqrt{2}a^{(1/4)}b^{(7/4)}c + 15\sqrt{2}a^{(3/4)}b^{(5/4)}e + 7\sqrt{2}a^{(5/4)}b^{(3/4)}g + 5\sqrt{2}a^{(7/4)}b^{(1/4)}i - 80\sqrt{a}b^{(3/2)}d - 16a^{(3/2)}\sqrt{b}h)\arctan(1/2\sqrt{2}(2\sqrt{b}x + \sqrt{2}a^{(1/4)}b^{(1/4)})/\sqrt{\sqrt{a}\sqrt{b}})}{(a^{(3/4)}\sqrt{\sqrt{a}\sqrt{b}})b^{(3/4)}} + \frac{2(77\sqrt{2}a^{(1/4)}b^{(7/4)}c + 15\sqrt{2}a^{(3/4)}b^{(5/4)}e + 7\sqrt{2}a^{(5/4)}b^{(3/4)}g + 5\sqrt{2}a^{(7/4)}b^{(1/4)}i + 80\sqrt{a}b^{(3/2)}d + 16a^{(3/2)}\sqrt{b}h)\arctan(1/2\sqrt{2}(2\sqrt{b}x - \sqrt{2}a^{(1/4)}b^{(1/4)})/\sqrt{\sqrt{a}\sqrt{b}})}{(a^{(3/4)}\sqrt{\sqrt{a}\sqrt{b}})b^{(3/4)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((j*x^7+i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")

[Out] 1/384*(15*(3*b^4*e + a*b^3*i)*x^11 + 12*(5*b^4*d + a*b^3*h)*x^10 + 7*(11*b^4*c + a*b^3*g)*x^9 - 48*a^3*b*j*x^4 + 42*(3*a*b^3*e + a^2*b^2*i)*x^7 + 32*(5*a*b^3*d + a^2*b^2*h)*x^6 + 18*(11*a*b^3*c + a^2*b^2*g)*x^5 - 32*a^3*b*f - 16*a^4*j + (113*a^2*b^2*e - 5*a^3*b^3*i)*x^3 + 12*(11*a^2*b^2*d - a^3*b^3*h)*x^2 + 3*(51*a^2*b^2*c - 7*a^3*b^3*g)*x)/(a^3*b^5*x^12 + 3*a^4*b^4*x^8 + 3*a^5*b^3*x^4 + a^6*b^2) + 1/1024*(sqrt(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g - 5*a^(3/2)*i)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(77*b^(3/2)*c - 15*sqrt(a)*b*e + 7*a*sqrt(b)*g - 5*a^(3/2)*i)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(7/4)*c + 15*sqrt(2)*a^(3/4)*b^(5/4)*e + 7*sqrt(2)*a^(5/4)*b^(3/4)*g + 5*sqrt(2)*a^(7/4)*b^(1/4)*i - 80*sqrt(a)*b^(3/2)*d - 16*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(77*sqrt(2)*a^(1/4)*b^(7/4)*c + 15*sqrt(2)*a^(3/4)*b^(5/4)*e + 7*sqrt(2)*a^(5/4)*b^(3/4)*g + 5*sqrt(2)*a^(7/4)*b^(1/4)*i + 80*sqrt(a)*b^(3/2)*d + 16*a^(3/2)*sqrt(b)*h)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))

mupad [B] time = 6.48, size = 2757, normalized size = 5.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6 + j*x^7)/(a + b*x^4)^4, x)

[Out] symsum(log(- root(68719476736*a^15*b^7*z^4 + 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 + 36700160*a^10*b^4*g*i*z^2 + 838860800*a^8*b^6*d^2*z^2 + 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z - 17661952*a^6*b^4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 485703680*a^4*b^6*c^2*d*z + 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z + 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z - 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h - 2956800*a^2*b^4*c*d*e*h + 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i - 98560*a^4*b^2*c*h^2*i - 26880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + 1778700*a^2*b^4*c^2*e*i - 2464000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 + 485100*a^2*b^4*c*e^2*g - 89600*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 + 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i + 2048000*a^2*b^4*d^3*h + 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 + 2401*a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 + 625*a^6*i^4 + 35153041*b^6*c^4, z, m)*(root(68719476736*a^15*b^7*z^4 + 1211105280*a^8*b^6*c*e*z^2 + 403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e*g*z^2 + 36700160*a^10*b^4*g*i*z^2 + 838860800*a^8*b^6*d^2*z^2 + 33554432*a^10*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z - 17661952*a^6*b^4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 485703680*a^4*b^6*c^2*d*z + 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h*z + 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z - 4014080*a^6*b^4*d*g^2*z + 18432000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h - 2956800*a^2*b^4*c*d*e*h + 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i - 98560*a^4*b^2*c*h^2*i - 26880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + 1778700*a^2*b^4*c^2*e*i - 2464000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*e*h^2 + 485100*a^2*b^4*c*e^2*g - 89600*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e + 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*b^2*e^2*i^2 + 614400*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 + 1743126*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i + 2048000*a^2*b^4*d^3*h + 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e^2 + 2401*a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*d^4 + 625*a^6*i^4 + 35153041*b^6*c^4, z, m)*((20185088*a^7*b^5*c + 1835008*a^8*b^4*g)/(2097152*a^9*b^2) - (x*(655360*a^7*b^4*d + 131072*a^8*b^3*h))/(131072*a^9*b)) + (614400*a^4*b^4*d*e + 204800*a^5*b^3*d*i + 122880*a^5*b^3*e*h + 40960*a^6*b^2*h*i)/(2097152*a^9*b^2) - (x*(800*a^6*b*i^2 - 189728*a^3*b^4*c^2 + 7200*a^4*b^3*e^2 - 1568*a^5*b^2*g^2 - 34496*a^4*b^3*c*g + 4800*a^5*b^2*e*i))/(131072*a^9*b) - (125*a^4*i^3 +

```

3375*a*b^3*e^3 - 123200*b^4*c*d^2 + 88935*b^4*c^2*e - 4928*a^2*b^2*c*h^2 +
735*a^2*b^2*e*g^2 + 3375*a^2*b^2*e^2*i - 11200*a*b^3*d^2*g + 29645*a*b^3*c^
2*i + 1125*a^3*b*e*i^2 - 448*a^3*b*g*h^2 + 245*a^3*b*g^2*i + 5390*a^2*b^2*c
*g*i - 4480*a^2*b^2*d*g*h - 49280*a*b^3*c*d*h + 16170*a*b^3*c*e*g)/(2097152
*a^9*b^2) - (x*(5775*b^3*c*d*e - 32*a^3*h^3 - 4000*b^3*d^3 + 35*a^3*g*h*i -
2400*a*b^2*d^2*h - 480*a^2*b*d*h^2 + 1925*a*b^2*c*d*i + 1155*a*b^2*c*e*h +
525*a*b^2*d*e*g + 385*a^2*b*c*h*i + 175*a^2*b*d*g*i + 105*a^2*b*e*g*h))/(1
31072*a^9*b)))*root(68719476736*a^15*b^7*z^4 + 1211105280*a^8*b^6*c*e*z^2 +
403701760*a^9*b^5*c*i*z^2 + 335544320*a^9*b^5*d*h*z^2 + 110100480*a^9*b^5*e
*g*z^2 + 36700160*a^10*b^4*g*i*z^2 + 838860800*a^8*b^6*d^2*z^2 + 33554432*a
^10*b^4*h^2*z^2 + 2457600*a^7*b^3*e*h*i*z - 88309760*a^5*b^5*c*d*g*z - 1766
1952*a^6*b^4*c*g*h*z + 12288000*a^6*b^4*d*e*i*z - 485703680*a^4*b^6*c^2*d*z
+ 409600*a^8*b^2*h*i^2*z - 97140736*a^5*b^5*c^2*h*z - 802816*a^7*b^3*g^2*h
*z + 3686400*a^6*b^4*e^2*h*z + 2048000*a^7*b^3*d*i^2*z - 4014080*a^6*b^4*d*
g^2*z + 18432000*a^5*b^5*d*e^2*z - 89600*a^4*b^2*d*g*h*i - 985600*a^3*b^3*c
*d*h*i + 323400*a^3*b^3*c*e*g*i - 268800*a^3*b^3*d*e*g*h - 2956800*a^2*b^4*
c*d*e*h + 14700*a^4*b^2*e*g^2*i - 224000*a^3*b^3*d^2*g*i - 98560*a^4*b^2*c*
h^2*i - 26880*a^4*b^2*e*g*h^2 + 53900*a^4*b^2*c*g*i^2 + 1778700*a^2*b^4*c^2
*e*i - 2464000*a^2*b^4*c*d^2*i - 672000*a^2*b^4*d^2*e*g - 295680*a^3*b^3*c*
e*h^2 + 485100*a^2*b^4*c*e^2*g - 8960*a^5*b*g*h^2*i - 7392000*a*b^5*c*d^2*e
+ 7500*a^5*b*e*i^3 + 12782924*a*b^5*c^3*g + 33750*a^4*b^2*e^2*i^2 + 614400
*a^3*b^3*d^2*h^2 + 296450*a^3*b^3*c^2*i^2 + 22050*a^3*b^3*e^2*g^2 + 1743126
*a^2*b^4*c^2*g^2 + 2450*a^5*b*g^2*i^2 + 67500*a^3*b^3*e^3*i + 2048000*a^2*b
^4*d^3*h + 81920*a^4*b^2*d*h^3 + 105644*a^3*b^3*c*g^3 + 2668050*a*b^5*c^2*e
^2 + 2401*a^4*b^2*g^4 + 50625*a^2*b^4*e^4 + 4096*a^5*b*h^4 + 2560000*a*b^5*
d^4 + 625*a^6*i^4 + 35153041*b^6*c^4, z, m), m, 1, 4) + ((3*x^5*(11*b*c + a
*g))/(64*a^2) - (j*x^4)/(8*b) - (2*b*f + a*j)/(24*b^2) + (x^6*(5*b*d + a*h)
)/(12*a^2) + (7*x^7*(3*b*e + a*i))/(64*a^2) + (7*b*x^9*(11*b*c + a*g))/(384
*a^3) + (x*(51*b*c - 7*a*g))/(128*a*b) + (b*x^10*(5*b*d + a*h))/(32*a^3) +
(5*b*x^11*(3*b*e + a*i))/(128*a^3) + (x^2*(11*b*d - a*h))/(32*a*b) + (x^3*(
113*b*e - 5*a*i))/(384*a*b))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((j*x**7+i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x
)
```

[Out] Timed out

$$3.210 \quad \int \frac{c+dx}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=121

$$\frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a} \sqrt[4]{b} \sqrt{a+bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2\sqrt{b}}$$

[Out] $1/2*d*\operatorname{arctanh}(x^2*b^{(1/2)/(b*x^4+a)^{(1/2)})/b^{(1/2)}+1/2*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {1885, 220, 275, 217, 206}

$$\frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a} \sqrt[4]{b} \sqrt{a+bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[a + b*x^4], x]

[Out] $(d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(2*\operatorname{Sqrt}[b]) + (c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(1/4)}*b^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x]

, 1/2))/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1885

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx}{\sqrt{a + bx^4}} dx &= \int \left(\frac{c}{\sqrt{a + bx^4}} + \frac{dx}{\sqrt{a + bx^4}} \right) dx \\
 &= c \int \frac{1}{\sqrt{a + bx^4}} dx + d \int \frac{x}{\sqrt{a + bx^4}} dx \\
 &= \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{a+bx^4}} + \frac{1}{2}d \operatorname{Subst}\left(\int \frac{1}{\sqrt{a+bx^2}} dx, x, x^2\right) \\
 &= \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{a+bx^4}} + \frac{1}{2}d \operatorname{Subst}\left(\int \frac{1}{1-bx^2} dx, x, \frac{x^2}{\sqrt{a+bx^4}}\right) \\
 &= \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2\sqrt{b}} + \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{a+bx^4}}
 \end{aligned}$$

Mathematica [C] time = 0.06, size = 79, normalized size = 0.65

$$\frac{cx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{\sqrt{a + bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[a + b*x^4],x]

[Out] (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]]/(2*Sqrt[b]) + (c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)]/Sqrt[a + b*x^4])

fricas [F] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx + c}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral((d*x + c)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(b*x^4 + a), x)

maple [C] time = 0.15, size = 96, normalized size = 0.79

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} c \text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}} + \frac{d \ln(\sqrt{b} x^2 + \sqrt{bx^4 + a})}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4+a)^(1/2),x)

[Out] 1/2*d*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)+c/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c + dx}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a + b*x^4)^(1/2),x)

[Out] int((c + d*x)/(a + b*x^4)^(1/2), x)

sympy [C] time = 2.98, size = 61, normalized size = 0.50

$$\frac{d \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} + \frac{cx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4+a)**(1/2),x)

[Out] d*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) + c*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4))

$$3.211 \quad \int \frac{c+dx}{\sqrt{a-bx^4}} dx$$

Optimal. Leaf size=87

$$\frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{b} \sqrt{a - bx^4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a-bx^4}}\right)}{2\sqrt{b}}$$

[Out] 1/2*d*arctan(x^2*b^(1/2)/(-b*x^4+a)^(1/2))/b^(1/2)+a^(1/4)*c*EllipticF(b^(1/4)*x/a^(1/4),I)*(1-b*x^4/a)^(1/2)/b^(1/4)/(-b*x^4+a)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1885, 224, 221, 275, 217, 203}

$$\frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{b} \sqrt{a - bx^4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a-bx^4}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[a - b*x^4], x]

[Out] (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a - b*x^4]])/(2*Sqrt[b]) + (a^(1/4)*c*Sqrt[1 - (b*x^4)/a]*EllipticF[ArcSin[(b^(1/4)*x)/a^(1/4)], -1])/(b^(1/4)*Sqrt[a - b*x^4])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 224

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (b*x^4)/a]/Sqrt
[a + b*x^4], Int[1/Sqrt[1 + (b*x^4)/a], x], x] /; FreeQ[{a, b}, x] && NegQ[
b/a] && !GtQ[a, 0]
```

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*a + b*x^n]^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{\sqrt{a - bx^4}} dx &= \int \left(\frac{c}{\sqrt{a - bx^4}} + \frac{dx}{\sqrt{a - bx^4}} \right) dx \\
&= c \int \frac{1}{\sqrt{a - bx^4}} dx + d \int \frac{x}{\sqrt{a - bx^4}} dx \\
&= \frac{1}{2} d \operatorname{Subst} \left(\int \frac{1}{\sqrt{a - bx^2}} dx, x, x^2 \right) + \frac{\left(c \sqrt{1 - \frac{bx^4}{a}} \right) \int \frac{1}{\sqrt{1 - \frac{bx^4}{a}}} dx}{\sqrt{a - bx^4}} \\
&= \frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{\sqrt[4]{b} \sqrt{a - bx^4}} + \frac{1}{2} d \operatorname{Subst} \left(\int \frac{1}{1 + bx^2} dx, x, \frac{x^2}{\sqrt{a - bx^4}} \right) \\
&= \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a - bx^4}} \right)}{2\sqrt{b}} + \frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{\sqrt[4]{b} \sqrt{a - bx^4}}
\end{aligned}$$

Mathematica [C] time = 0.05, size = 81, normalized size = 0.93

$$\frac{cx \sqrt{1 - \frac{bx^4}{a}} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; \frac{bx^4}{a} \right)}{\sqrt{a - bx^4}} + \frac{d \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a - bx^4}} \right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[a - b*x^4], x]

[Out] (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a - b*x^4]])/(2*Sqrt[b]) + (c*x*Sqrt[1 - (b*x^4)/a])*Hypergeometric2F1[1/4, 1/2, 5/4, (b*x^4)/a])/Sqrt[a - b*x^4]

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-bx^4 + a}(dx + c)}{bx^4 - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-b*x^4 + a)*(d*x + c)/(b*x^4 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^(1/2), x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(-b*x^4 + a), x)

maple [A] time = 0.17, size = 90, normalized size = 1.03

$$\frac{\sqrt{-\frac{\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{\sqrt{b}x^2}{\sqrt{a}} + 1} c \text{EllipticF}\left(\sqrt{\frac{\sqrt{b}}{\sqrt{a}}} x, i\right) + d \arctan\left(\frac{\sqrt{b}x^2}{\sqrt{-bx^4+a}}\right)}{\sqrt{\frac{\sqrt{b}}{\sqrt{a}}} \sqrt{-bx^4 + a}} + \frac{d}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4+a)^(1/2), x)

[Out] 1/2*d*arctan(1/(-b*x^4+a)^(1/2)*b^(1/2)*x^2)/b^(1/2)+c/(1/a^(1/2)*b^(1/2))^(1/2)*(-1/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(1/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(-b*x^4+a)^(1/2)*EllipticF((1/a^(1/2)*b^(1/2))^(1/2)*x, I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(-b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c + dx}{\sqrt{a - bx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(a - b*x^4)^(1/2),x)

[Out] int((c + d*x)/(a - b*x^4)^(1/2), x)

sympy [A] time = 2.96, size = 95, normalized size = 1.09

$$d \left(\begin{array}{l} \left(-\frac{i \operatorname{acosh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} \right. \\ \left. \frac{\operatorname{asin}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} \right) \end{array} \begin{array}{l} \text{for } \left| \frac{bx^4}{a} \right| > 1 \\ \text{otherwise} \end{array} \right) + \frac{cx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4 e^{2i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**4+a)**(1/2),x)

[Out] d*Piecewise((-I*acosh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)), Abs(b*x**4/a) > 1), (asin(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)), True)) + c*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(2*I*pi)/a)/(4*sqrt(a)*gamma(5/4))

$$3.212 \quad \int \frac{c+dx}{\sqrt{-a+bx^4}} dx$$

Optimal. Leaf size=89

$$\frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{b} \sqrt{bx^4 - a}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{bx^4 - a}}\right)}{2\sqrt{b}}$$

[Out] 1/2*d*arctanh(x^2*b^(1/2)/(b*x^4-a)^(1/2))/b^(1/2)+a^(1/4)*c*EllipticF(b^(1/4)*x/a^(1/4),I)*(1-b*x^4/a)^(1/2)/b^(1/4)/(b*x^4-a)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {1885, 224, 221, 275, 217, 206}

$$\frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{b} \sqrt{bx^4 - a}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{bx^4 - a}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-a + b*x^4], x]

[Out] (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[-a + b*x^4]])/(2*Sqrt[b]) + (a^(1/4)*c*Sqrt[1 - (b*x^4)/a]*EllipticF[ArcSin[(b^(1/4)*x)/a^(1/4)], -1])/(b^(1/4)*Sqrt[-a + b*x^4])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 224

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (b*x^4)/a]/Sqrt
[a + b*x^4], Int[1/Sqrt[1 + (b*x^4)/a], x], x] /; FreeQ[{a, b}, x] && NegQ[
b/a] && !GtQ[a, 0]
```

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{\sqrt{-a + bx^4}} dx &= \int \left(\frac{c}{\sqrt{-a + bx^4}} + \frac{dx}{\sqrt{-a + bx^4}} \right) dx \\
&= c \int \frac{1}{\sqrt{-a + bx^4}} dx + d \int \frac{x}{\sqrt{-a + bx^4}} dx \\
&= \frac{1}{2} d \operatorname{Subst} \left(\int \frac{1}{\sqrt{-a + bx^2}} dx, x, x^2 \right) + \frac{\left(c \sqrt{1 - \frac{bx^4}{a}} \right) \int \frac{1}{\sqrt{1 - \frac{bx^4}{a}}} dx}{\sqrt{-a + bx^4}} \\
&= \frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{\sqrt[4]{b} \sqrt{-a + bx^4}} + \frac{1}{2} d \operatorname{Subst} \left(\int \frac{1}{1 - bx^2} dx, x, \frac{x^2}{\sqrt{-a + bx^4}} \right) \\
&= \frac{d \tanh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{-a + bx^4}} \right)}{2\sqrt{b}} + \frac{\sqrt[4]{a} c \sqrt{1 - \frac{bx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{\sqrt[4]{b} \sqrt{-a + bx^4}}
\end{aligned}$$

Mathematica [C] time = 0.05, size = 83, normalized size = 0.93

$$\frac{cx \sqrt{1 - \frac{bx^4}{a}} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; \frac{bx^4}{a} \right)}{\sqrt{bx^4 - a}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{bx^4 - a}} \right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[-a + b*x^4], x]

[Out] (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[-a + b*x^4]])/(2*Sqrt[b]) + (c*x*Sqrt[1 - (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, (b*x^4)/a])/Sqrt[-a + b*x^4]

fricas [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx + c}{\sqrt{bx^4 - a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4-a)^(1/2), x, algorithm="fricas")

[Out] integral((d*x + c)/sqrt(b*x^4 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4-a)^(1/2), x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(b*x^4 - a), x)

maple [A] time = 0.17, size = 95, normalized size = 1.07

$$\frac{\sqrt{\frac{\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{-\frac{\sqrt{b} x^2}{\sqrt{a}} + 1} c \text{EllipticF}\left(\sqrt{-\frac{\sqrt{b}}{\sqrt{a}}} x, i\right) + \frac{d \ln\left(\sqrt{b} x^2 + \sqrt{bx^4 - a}\right)}{2\sqrt{b}}}{\sqrt{-\frac{\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 - a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(b*x^4-a)^(1/2), x)

[Out] 1/2*d*ln(b^(1/2)*x^2+(b*x^4-a)^(1/2))/b^(1/2)+c/(-1/a^(1/2)*b^(1/2))^(1/2)*(1/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(-1/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4-a)^(1/2)*EllipticF(x*(-1/a^(1/2)*b^(1/2))^(1/2), I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{bx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x^4-a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(b*x^4 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c + dx}{\sqrt{bx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(b*x^4 - a)^(1/2),x)

[Out] int((c + d*x)/(b*x^4 - a)^(1/2), x)

sympy [A] time = 2.89, size = 90, normalized size = 1.01

$$d \left(\begin{array}{l} \frac{\operatorname{acosh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} \quad \text{for } \left|\frac{bx^4}{a}\right| > 1 \\ -\frac{i \operatorname{asin}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} \quad \text{otherwise} \end{array} \right) - \frac{icx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(b*x**4-a)**(1/2),x)

[Out] d*Piecewise((acosh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)), Abs(b*x**4/a) > 1), (-I*asin(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)), True)) - I*c*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4/a)/(4*sqrt(a)*gamma(5/4))

$$3.213 \quad \int \frac{c+dx}{\sqrt{-a-bx^4}} dx$$

Optimal. Leaf size=127

$$\frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a} \sqrt[4]{b} \sqrt{-a-bx^4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{-a-bx^4}}\right)}{2\sqrt{b}}$$

[Out] $1/2*d*\arctan(x^2*b^{(1/2)/(-b*x^4-a)^{(1/2)})/b^{(1/2)}+1/2*c*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/b^{(1/4)}/(-b*x^4-a)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1885, 220, 275, 217, 203}

$$\frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a} \sqrt[4]{b} \sqrt{-a-bx^4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{-a-bx^4}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/Sqrt[-a - b*x^4], x]

[Out] $(d*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[-a - b*x^4]])/(2*\text{Sqrt}[b]) + (c*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(1/4)}*b^{(1/4)}*\text{Sqrt}[-a - b*x^4])$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x]

, 1/2]]/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 1885

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx}{\sqrt{-a - bx^4}} dx &= \int \left(\frac{c}{\sqrt{-a - bx^4}} + \frac{dx}{\sqrt{-a - bx^4}} \right) dx \\
 &= c \int \frac{1}{\sqrt{-a - bx^4}} dx + d \int \frac{x}{\sqrt{-a - bx^4}} dx \\
 &= \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{-a - bx^4}} + \frac{1}{2}d \operatorname{Subst}\left(\int \frac{1}{\sqrt{-a - bx^2}} dx, x, x^2\right) \\
 &= \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{-a - bx^4}} + \frac{1}{2}d \operatorname{Subst}\left(\int \frac{1}{1 + bx^2} dx, x, \frac{x^2}{\sqrt{-a - bx^4}}\right) \\
 &= \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{-a - bx^4}}\right)}{2\sqrt{b}} + \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}\sqrt[4]{b}\sqrt{-a - bx^4}}
 \end{aligned}$$

Mathematica [C] time = 0.05, size = 85, normalized size = 0.67

$$\frac{cx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{\sqrt{-a - bx^4}} + \frac{d \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{-a - bx^4}}\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/Sqrt[-a - b*x^4],x]

[Out] (d*ArcTan[(Sqrt[b]*x^2)/Sqrt[-a - b*x^4]])/(2*Sqrt[b]) + (c*x*Sqrt[1 + (b*x^4)/a])*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)]/Sqrt[-a - b*x^4]

fricas [F] time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-bx^4 - a}(dx + c)}{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4-a)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-b*x^4 - a)*(d*x + c)/(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4-a)^(1/2),x, algorithm="giac")

[Out] integrate((d*x + c)/sqrt(-b*x^4 - a), x)

maple [C] time = 0.18, size = 101, normalized size = 0.80

$$\frac{\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} c \text{EllipticF}\left(\sqrt{-\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{\sqrt{-\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{-bx^4 - a}} + \frac{d \arctan\left(\frac{\sqrt{b}x^2}{\sqrt{-bx^4 - a}}\right)}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(-b*x^4-a)^(1/2),x)

[Out] 1/2*d*arctan(x^2*b^(1/2)/(-b*x^4-a)^(1/2))/b^(1/2)+c/(-I/a^(1/2)*b^(1/2))^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(-b*x^4-a)^(1/2)*EllipticF(x*(-I/a^(1/2)*b^(1/2))^(1/2),I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx + c}{\sqrt{-bx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x^4-a)^(1/2),x, algorithm="maxima")

[Out] integrate((d*x + c)/sqrt(-b*x^4 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c + dx}{\sqrt{-bx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/(- a - b*x^4)^(1/2),x)

[Out] int((c + d*x)/(- a - b*x^4)^(1/2), x)

sympy [C] time = 3.24, size = 66, normalized size = 0.52

$$-\frac{id \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} - \frac{icx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(-b*x**4-a)**(1/2),x)

[Out] -I*d*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) - I*c*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4))

$$3.214 \quad \int \frac{c+dx+ex^2}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=257

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{b}c}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{2}d \operatorname{arctanh}\left(\frac{x^2 b^{1/2}}{(b x^4 + a)^{1/2}}\right) / b^{1/2} + e x (b x^4 + a)^{1/2} / b^{1/2} / (a^{1/2} + x^2 b^{1/2}) - a^{1/4} e (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticE}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / b^{3/4} / (b x^4 + a)^{1/2} + 1/2 a^{1/4} (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticF}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * (e + c b^{1/2} / a^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / b^{3/4} / (b x^4 + a)^{1/2}$

Rubi [A] time = 0.12, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {1885, 275, 217, 206, 1198, 220, 1196}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{b}c}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/Sqrt[a + b*x^4], x]

[Out] $(e x \operatorname{Sqrt}[a + b x^4]) / (\operatorname{Sqrt}[b] (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)) + (d \operatorname{ArcTanh}[(\operatorname{Sqrt}[b] x^2) / \operatorname{Sqrt}[a + b x^4]]) / (2 \operatorname{Sqrt}[b]) - (a^{1/4} e (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2] * \operatorname{EllipticE}[2 \operatorname{ArcTan}[(b^{1/4} x) / a^{1/4}], 1/2]) / (b^{3/4} \operatorname{Sqrt}[a + b x^4]) + (a^{1/4} ((\operatorname{Sqrt}[b] c) / \operatorname{Sqrt}[a] + e) (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2] * \operatorname{EllipticF}[2 \operatorname{ArcTan}[(b^{1/4} x) / a^{1/4}], 1/2]) / (2 b^{3/4} \operatorname{Sqrt}[a + b x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] := \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}\{a, b\}, x \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] := \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]/(2*q*\text{Sqrt}[a + b*x^4]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[b/a]$

Rule 275

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \text{With}\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{(m+1)/k - 1}*(a + b*x^{(n/k)})^p, x], x, x^k], x] /; k \neq 1] /; \text{FreeQ}\{a, b, p\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 1196

$\text{Int}[(d_) + (e_)*(x_)^2/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] := \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2])/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_) + (e_)*(x_)^2/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] := \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{PosQ}[c/a]$

Rule 1885

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \text{Module}\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[x^j*\text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2]*x^{((k*n)/2)}, \{k, 0, (2*(q - j))/n + 1\}]*a + b*x^n)^p, \{j, 0, n/2 - 1\}], x] /; \text{FreeQ}\{a, b, p\}, x \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ !\text{PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{\sqrt{a + bx^4}} dx &= \int \left(\frac{dx}{\sqrt{a + bx^4}} + \frac{c + ex^2}{\sqrt{a + bx^4}} \right) dx \\
&= d \int \frac{x}{\sqrt{a + bx^4}} dx + \int \frac{c + ex^2}{\sqrt{a + bx^4}} dx \\
&= \frac{1}{2} d \operatorname{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{(\sqrt{a} e) \int \frac{1 - \frac{\sqrt{b} x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{\sqrt{b}} + \left(c + \frac{\sqrt{a} e}{\sqrt{b}} \right) \int \frac{1}{\sqrt{a + bx^4}} dx \\
&= \frac{ex\sqrt{a + bx^4}}{\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b} x^2)^2}} E \left(2 \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \middle| \frac{1}{2} \right)}{b^{3/4} \sqrt{a + bx^4}} + \frac{(\sqrt{b} c + \sqrt{a} e)}{b^{3/4} \sqrt{a + bx^4}} \\
&= \frac{ex\sqrt{a + bx^4}}{\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b} x^2)^2}} E \left(2 \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right) \right)}{b^{3/4} \sqrt{a + bx^4}}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 131, normalized size = 0.51

$$\frac{cx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{a + bx^4}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} + \frac{ex^3 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right)}{3\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/Sqrt[a + b*x^4], x]

[Out] (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]]/(2*Sqrt[b]) + (c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)]/Sqrt[a + b*x^4] + (e*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((b*x^4)/a)]/(3*Sqrt[a + b*x^4]))

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{ex^2 + dx + c}{\sqrt{bx^4 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

maple [C] time = 0.24, size = 193, normalized size = 0.75

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} c \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right) + d \ln\left(\sqrt{b}x^2 + \sqrt{bx^4 + a}\right) + i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \left(-E\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}} + \frac{d \ln\left(\sqrt{b}x^2 + \sqrt{bx^4 + a}\right)}{2\sqrt{b}} + \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \left(-E\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^4+a)^(1/2),x)

[Out] I*e*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*(EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I))+1/2/b^(1/2)*d*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+c/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(a + b*x^4)^(1/2), x)`

[Out] `int((c + d*x + e*x^2)/(a + b*x^4)^(1/2), x)`

sympy [C] time = 3.38, size = 102, normalized size = 0.40

$$\frac{d \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} + \frac{cx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} + \frac{ex^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/(b*x**4+a)**(1/2), x)`

[Out] `d*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) + c*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4))`

$$3.215 \quad \int \frac{ag - bgx^4}{(a + bx^4)^{3/2}} dx$$

Optimal. Leaf size=14

$$\frac{gx}{\sqrt{a + bx^4}}$$

[Out] $g*x/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.01, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {383}

$$\frac{gx}{\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a*g - b*g*x^4)/(a + b*x^4)^{(3/2)}, x]$

[Out] $(g*x)/\text{Sqrt}[a + b*x^4]$

Rule 383

$\text{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}*((c_ + (d_)*(x_)^{(n_)}), x_Symbol] :> \text{Simp}[(c*x*(a + b*x^n)^{(p + 1)})/a, x] /; \text{FreeQ}[\{a, b, c, d, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a*d - b*c*(n*(p + 1) + 1), 0]$

Rubi steps

$$\int \frac{ag - bgx^4}{(a + bx^4)^{3/2}} dx = \frac{gx}{\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.01, size = 14, normalized size = 1.00

$$\frac{gx}{\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(a*g - b*g*x^4)/(a + b*x^4)^{(3/2)}, x]$

[Out] $(g*x)/\text{Sqrt}[a + b*x^4]$

fricas [A] time = 1.06, size = 12, normalized size = 0.86

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g)/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] g*x/sqrt(b*x^4 + a)

giac [A] time = 0.20, size = 12, normalized size = 0.86

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] g*x/sqrt(b*x^4 + a)

maple [A] time = 0.05, size = 13, normalized size = 0.93

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*g*x^4+a*g)/(b*x^4+a)^(3/2),x)

[Out] g*x/(b*x^4+a)^(1/2)

maxima [A] time = 1.76, size = 12, normalized size = 0.86

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x^4+a*g)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] g*x/sqrt(b*x^4 + a)

mupad [B] time = 5.04, size = 12, normalized size = 0.86

$$\frac{gx}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*g - b*g*x^4)/(a + b*x^4)^(3/2),x)`

[Out] `(g*x)/(a + b*x^4)^(1/2)`

sympy [C] time = 9.60, size = 80, normalized size = 5.71

$$\frac{gx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} - \frac{bgx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x**4+a*g)/(b*x**4+a)**(3/2),x)`

[Out] `g*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - b*g*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4))`

$$3.216 \quad \int \frac{ag+ex-bgx^4}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=29

$$\frac{2agx + ex^2}{2a\sqrt{a + bx^4}}$$

[Out] $1/2*(2*a*g*x+e*x^2)/a/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$, Rules used = {1856}

$$\frac{2agx + ex^2}{2a\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(a*g + e*x - b*g*x^4)/(a + b*x^4)^(3/2), x]

[Out] (2*a*g*x + e*x^2)/(2*a*Sqrt[a + b*x^4])

Rule 1856

Int[(P4_)/((a_) + (b_.)*(x_)^4)^(3/2), x_Symbol] :> With[{d = Coeff[P4, x, 0], e = Coeff[P4, x, 1], f = Coeff[P4, x, 3], g = Coeff[P4, x, 4]}, -Simp[(a*f + 2*a*g*x - b*e*x^2)/(2*a*b*Sqrt[a + b*x^4]), x] /; EqQ[b*d + a*g, 0] /; FreeQ[{a, b}, x] && PolyQ[P4, x, 4] && EqQ[Coeff[P4, x, 2], 0]

Rubi steps

$$\int \frac{ag + ex - bgx^4}{(a + bx^4)^{3/2}} dx = \frac{2agx + ex^2}{2a\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.10, size = 27, normalized size = 0.93

$$\frac{x(2ag + ex)}{2a\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*g + e*x - b*g*x^4)/(a + b*x^4)^(3/2), x]

[Out] $(x*(2*a*g + e*x))/(2*a*\text{Sqrt}[a + b*x^4])$

fricas [A] time = 0.70, size = 34, normalized size = 1.17

$$\frac{\sqrt{bx^4 + a}(2agx + ex^2)}{2(abx^4 + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="fricas")`

[Out] $1/2*\text{sqrt}(b*x^4 + a)*(2*a*g*x + e*x^2)/(a*b*x^4 + a^2)$

giac [A] time = 0.24, size = 23, normalized size = 0.79

$$\frac{(2g + \frac{xe}{a})x}{2\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="giac")`

[Out] $1/2*(2*g + x*e/a)*x/\text{sqrt}(b*x^4 + a)$

maple [A] time = 0.05, size = 24, normalized size = 0.83

$$\frac{(2ag + ex)x}{2\sqrt{bx^4 + a}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2),x)`

[Out] $1/2*x*(2*a*g+e*x)/(b*x^4+a)^(1/2)/a$

maxima [A] time = 1.77, size = 25, normalized size = 0.86

$$\frac{2agx + ex^2}{2\sqrt{bx^4 + a}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x^4+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="maxima")`

[Out] $1/2*(2*a*g*x + e*x^2)/(\text{sqrt}(b*x^4 + a)*a)$

mupad [B] time = 4.91, size = 23, normalized size = 0.79

$$\frac{gx + \frac{ex^2}{2a}}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*g + e*x - b*g*x^4)/(a + b*x^4)^(3/2), x)

[Out] (g*x + (e*x^2)/(2*a))/(a + b*x^4)^(1/2)

sympy [C] time = 12.39, size = 104, normalized size = 3.59

$$\frac{gx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} - \frac{bgx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)} + \frac{ex^2}{2a^{\frac{3}{2}}\sqrt{1 + \frac{bx^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*g*x**4+a*g+e*x)/(b*x**4+a)**(3/2), x)

[Out] g*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - b*g*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4)) + e*x**2/(2*a**(3/2)*sqrt(1 + b*x**4/a))

$$3.217 \quad \int \frac{ag + fx^3 - bgx^4}{(a + bx^4)^{3/2}} dx$$

Optimal. Leaf size=25

$$-\frac{f - 2bgx}{2b\sqrt{a + bx^4}}$$

[Out] 1/2*(2*b*g*x-f)/b/(b*x^4+a)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$, Rules used = {1856}

$$-\frac{f - 2bgx}{2b\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(a*g + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2), x]

[Out] -(f - 2*b*g*x)/(2*b*Sqrt[a + b*x^4])

Rule 1856

Int[(P4_)/((a_) + (b_.)*(x_)^4)^(3/2), x_Symbol] := With[{d = Coeff[P4, x, 0], e = Coeff[P4, x, 1], f = Coeff[P4, x, 3], g = Coeff[P4, x, 4]}, -Simp[(a*f + 2*a*g*x - b*e*x^2)/(2*a*b*Sqrt[a + b*x^4]), x] /; EqQ[b*d + a*g, 0] /; FreeQ[{a, b}, x] && PolyQ[P4, x, 4] && EqQ[Coeff[P4, x, 2], 0]

Rubi steps

$$\int \frac{ag + fx^3 - bgx^4}{(a + bx^4)^{3/2}} dx = -\frac{f - 2bgx}{2b\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.04, size = 27, normalized size = 1.08

$$\frac{2bgx - f}{2b\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*g + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2), x]

[Out] $(-f + 2*b*g*x)/(2*b*\text{Sqrt}[a + b*x^4])$

fricas [A] time = 0.66, size = 33, normalized size = 1.32

$$\frac{\sqrt{bx^4 + a}(2bgx - f)}{2(b^2x^4 + ab)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2),x, algorithm="fricas")`

[Out] $1/2*\text{sqrt}(b*x^4 + a)*(2*b*g*x - f)/(b^2*x^4 + a*b)$

giac [A] time = 0.20, size = 22, normalized size = 0.88

$$\frac{2gx - \frac{f}{b}}{2\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2),x, algorithm="giac")`

[Out] $1/2*(2*g*x - f/b)/\text{sqrt}(b*x^4 + a)$

maple [A] time = 0.05, size = 24, normalized size = 0.96

$$\frac{2bgx - f}{2\sqrt{bx^4 + a}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2),x)`

[Out] $1/2*(2*b*g*x-f)/b/(b*x^4+a)^(1/2)$

maxima [A] time = 1.83, size = 23, normalized size = 0.92

$$\frac{2bgx - f}{2\sqrt{bx^4 + a}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x^4+f*x^3+a*g)/(b*x^4+a)^(3/2),x, algorithm="maxima")`

[Out] $1/2*(2*b*g*x - f)/(\text{sqrt}(b*x^4 + a)*b)$

mupad [B] time = 4.90, size = 20, normalized size = 0.80

$$\frac{gx - \frac{f}{2b}}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*g + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2), x)`

[Out] `(g*x - f/(2*b))/(a + b*x^4)^(1/2)`

sympy [A] time = 17.80, size = 109, normalized size = 4.36

$$f \left\{ \begin{array}{ll} -\frac{1}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^4}{4a^{\frac{3}{2}}} & \text{otherwise} \end{array} \right\} + \frac{gx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} - \frac{bgx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x**4+f*x**3+a*g)/(b*x**4+a)**(3/2), x)`

[Out] `f*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True)) + g*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - b*g*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4))`

$$3.218 \quad \int \frac{ag+ex+fx^3-bgx^4}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=38

$$-\frac{-2abgx + af - bex^2}{2ab\sqrt{a + bx^4}}$$

[Out] $1/2*(2*a*b*g*x+b*e*x^2-a*f)/a/b/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.032$, Rules used = {1856}

$$-\frac{-2abgx + af - bex^2}{2ab\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(a*g + e*x + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] $-(a*f - 2*a*b*g*x - b*e*x^2)/(2*a*b*\text{Sqrt}[a + b*x^4])$

Rule 1856

Int[(P4_)/((a_) + (b_.)*(x_)^4)^(3/2), x_Symbol] :> With[{d = Coeff[P4, x, 0], e = Coeff[P4, x, 1], f = Coeff[P4, x, 3], g = Coeff[P4, x, 4]}, -Simp[(a*f + 2*a*g*x - b*e*x^2)/(2*a*b*Sqrt[a + b*x^4]), x] /; EqQ[b*d + a*g, 0] /; FreeQ[{a, b}, x] && PolyQ[P4, x, 4] && EqQ[Coeff[P4, x, 2], 0]

Rubi steps

$$\int \frac{ag + ex + fx^3 - bgx^4}{(a + bx^4)^{3/2}} dx = -\frac{af - 2abgx - bex^2}{2ab\sqrt{a + bx^4}}$$

Mathematica [A] time = 0.05, size = 38, normalized size = 1.00

$$\frac{2abgx - af + bex^2}{2ab\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a*g + e*x + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2),x]

[Out] $(-(a*f) + 2*a*b*g*x + b*e*x^2)/(2*a*b*\text{Sqrt}[a + b*x^4])$

fricas [A] time = 0.64, size = 44, normalized size = 1.16

$$\frac{\sqrt{bx^4 + a}(2abgx + bex^2 - af)}{2(ab^2x^4 + a^2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="fricas")`

[Out] $1/2*\text{sqrt}(b*x^4 + a)*(2*a*b*g*x + b*e*x^2 - a*f)/(a*b^2*x^4 + a^2*b)$

giac [A] time = 0.22, size = 31, normalized size = 0.82

$$\frac{(2g + \frac{xe}{a})x - \frac{f}{b}}{2\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="giac")`

[Out] $1/2*((2*g + x*e/a)*x - f/b)/\text{sqrt}(b*x^4 + a)$

maple [A] time = 0.04, size = 35, normalized size = 0.92

$$\frac{2abgx + be x^2 - af}{2\sqrt{b x^4 + a} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x)`

[Out] $1/2*(2*a*b*g*x+b*e*x^2-a*f)/a/b/(b*x^4+a)^(1/2)$

maxima [A] time = 1.85, size = 44, normalized size = 1.16

$$\frac{\sqrt{bx^4 + a}(2abgx + bex^2 - af)}{2(ab^2x^4 + a^2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x^4+f*x^3+a*g+e*x)/(b*x^4+a)^(3/2),x, algorithm="maxima")`

[Out] $1/2*\text{sqrt}(b*x^4 + a)*(2*a*b*g*x + b*e*x^2 - a*f)/(a*b^2*x^4 + a^2*b)$

mupad [B] time = 4.84, size = 29, normalized size = 0.76

$$\frac{gx - \frac{f}{2b} + \frac{ex^2}{2a}}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*g + e*x + f*x^3 - b*g*x^4)/(a + b*x^4)^(3/2), x)`

[Out] `(g*x - f/(2*b) + (e*x^2)/(2*a))/(a + b*x^4)^(1/2)`

sympy [A] time = 21.51, size = 133, normalized size = 3.50

$$f \begin{cases} \left(-\frac{1}{2b\sqrt{a+bx^4}} \right) & \text{for } b \neq 0 \\ \left(\frac{x^4}{4a^{\frac{3}{2}}} \right) & \text{otherwise} \end{cases} + \frac{gx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} - \frac{bgx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)} + \frac{ex^2}{2a^{\frac{3}{2}}\sqrt{1 + \frac{bx^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*g*x**4+f*x**3+a*g+e*x)/(b*x**4+a)**(3/2), x)`

[Out] `f*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True)) + g*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - b*g*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4)) + e*x**2/(2*a**(3/2)*sqrt(1 + b*x**4/a))`

$$3.219 \quad \int \frac{-1+x^4}{(1+x^4)^{3/2}} dx$$

Optimal. Leaf size=12

$$-\frac{x}{\sqrt{x^4+1}}$$

[Out] $-x/(x^4+1)^{(1/2)}$

Rubi [A] time = 0.00, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {383}

$$-\frac{x}{\sqrt{x^4+1}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + x^4)/(1 + x^4)^(3/2), x]

[Out] -(x/Sqrt[1 + x^4])

Rule 383

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> S
imp[(c*x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[
b*c - a*d, 0] && EqQ[a*d - b*c*(n*(p + 1) + 1), 0]

Rubi steps

$$\int \frac{-1+x^4}{(1+x^4)^{3/2}} dx = -\frac{x}{\sqrt{1+x^4}}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 1.00

$$-\frac{x}{\sqrt{x^4+1}}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + x^4)/(1 + x^4)^(3/2), x]

[Out] -(x/Sqrt[1 + x^4])

fricas [A] time = 0.69, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4-1)/(x^4+1)^(3/2),x, algorithm="fricas")

[Out] -x/sqrt(x^4 + 1)

giac [A] time = 0.18, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4-1)/(x^4+1)^(3/2),x, algorithm="giac")

[Out] -x/sqrt(x^4 + 1)

maple [A] time = 0.05, size = 11, normalized size = 0.92

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4-1)/(x^4+1)^(3/2),x)

[Out] -1/(x^4+1)^(1/2)*x

maxima [A] time = 3.24, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4-1)/(x^4+1)^(3/2),x, algorithm="maxima")

[Out] -x/sqrt(x^4 + 1)

mupad [B] time = 4.85, size = 10, normalized size = 0.83

$$-\frac{x}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4 - 1)/(x^4 + 1)^(3/2), x)`

[Out] `-x/(x^4 + 1)^(1/2)`

sympy [C] time = 5.21, size = 58, normalized size = 4.83

$$\frac{x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{9}{4}, x^4 e^{i\pi}\right)}{4\Gamma\left(\frac{9}{4}\right)} - \frac{x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{5}{4}, x^4 e^{i\pi}\right)}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4-1)/(x**4+1)**(3/2), x)`

[Out] `x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), x**4*exp_polar(I*pi))/(4*gamma(9/4)) - x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), x**4*exp_polar(I*pi))/(4*gamma(5/4))`

$$3.220 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5+ix^6}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=385

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \left(\frac{5\sqrt{b}(3bc-ag)}{\sqrt{a}} - 9ai + 15be\right) (2bd - ah) \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{(2bd - ah) \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{4b^{3/2}}$$

[Out] $\frac{1}{4}(-a*h+2*b*d)*\operatorname{arctanh}(x^2*b^{1/2}/(b*x^4+a)^{1/2})/b^{3/2}+1/2*f*(b*x^4+a)^{1/2}/b+1/3*g*x*(b*x^4+a)^{1/2}/b+1/4*h*x^2*(b*x^4+a)^{1/2}/b+1/5*i*x^3*(b*x^4+a)^{1/2}/b+1/5*(-3*a*i+5*b*e)*x*(b*x^4+a)^{1/2}/b^{3/2}/(a^{1/2}+x^2*b^{1/2})-1/5*a^{1/4}*(-3*a*i+5*b*e)*(\cos(2*\arctan(b^{1/4}*x/a^{1/4}))^2)^{(1/2)}/\cos(2*\arctan(b^{1/4}*x/a^{1/4}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{1/4}*x/a^{1/4})),1/2*2^{1/2})*(a^{1/2}+x^2*b^{1/2})*((b*x^4+a)/(a^{1/2}+x^2*b^{1/2}))^{1/2}/b^{7/4}/(b*x^4+a)^{1/2}+1/30*a^{1/4}*(\cos(2*\arctan(b^{1/4}*x/a^{1/4}))^2)^{(1/2)}/\cos(2*\arctan(b^{1/4}*x/a^{1/4}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{1/4}*x/a^{1/4})),1/2*2^{1/2})*(a^{1/2}+x^2*b^{1/2})*(15*b*e-9*a*i+5*(-a*g+3*b*c)*b^{1/2}/a^{1/2})*((b*x^4+a)/(a^{1/2}+x^2*b^{1/2}))^{1/2}/b^{7/4}/(b*x^4+a)^{1/2}$

Rubi [A] time = 0.42, antiderivative size = 385, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 42, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1885, 1819, 1815, 641, 217, 206, 1888, 1198, 220, 1196}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \left(\frac{5\sqrt{b}(3bc-ag)}{\sqrt{a}} - 9ai + 15be\right) (2bd - ah) \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{(2bd - ah) \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{4b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/Sqrt[a + b*x^4], x]

[Out] $\frac{(f*\operatorname{Sqrt}[a + b*x^4])/(2*b) + (g*x*\operatorname{Sqrt}[a + b*x^4])/(3*b) + (h*x^2*\operatorname{Sqrt}[a + b*x^4])/(4*b) + (i*x^3*\operatorname{Sqrt}[a + b*x^4])/(5*b) + ((5*b*e - 3*a*i)*x*\operatorname{Sqrt}[a + b*x^4])/(5*b^{3/2}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + ((2*b*d - a*h)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*b^{3/2}) - (a^{1/4}*(5*b*e - 3*a*i)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2])/(5*b^{7/4}*\operatorname{Sqrt}[a + b*x^4]) + (a^{1/4}*(15*b*e + (5*\operatorname{Sqrt}[b]*(3*b*c - a*g))/\operatorname{Sqrt}[a] - 9*a*i)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2])/(30*b^{7/4}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1815

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x]

], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

Rule 1819

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1885

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n]^p, {j, 0, n/2 - 1}, x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1888

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5 + 220x^6}{\sqrt{a + bx^4}} dx &= \int \left(\frac{x(d + fx^2 + hx^4)}{\sqrt{a + bx^4}} + \frac{c + ex^2 + gx^4 + 220x^6}{\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{x(d + fx^2 + hx^4)}{\sqrt{a + bx^4}} dx + \int \frac{c + ex^2 + gx^4 + 220x^6}{\sqrt{a + bx^4}} dx \\
&= \frac{44x^3\sqrt{a + bx^4}}{b} + \frac{1}{2} \text{Subst} \left(\int \frac{d + fx + hx^2}{\sqrt{a + bx^2}} dx, x, x^2 \right) + \frac{\int \frac{5bc-5}{\sqrt{a+bx^4}} dx}{15} \\
&= \frac{gx\sqrt{a + bx^4}}{3b} + \frac{hx^2\sqrt{a + bx^4}}{4b} + \frac{44x^3\sqrt{a + bx^4}}{b} + \frac{\int \frac{5b(3bc-ag)-15}{\sqrt{a+bx^4}} dx}{15} \\
&= \frac{f\sqrt{a + bx^4}}{2b} + \frac{gx\sqrt{a + bx^4}}{3b} + \frac{hx^2\sqrt{a + bx^4}}{4b} + \frac{44x^3\sqrt{a + bx^4}}{b} + \dots \\
&= \frac{f\sqrt{a + bx^4}}{2b} + \frac{gx\sqrt{a + bx^4}}{3b} + \frac{hx^2\sqrt{a + bx^4}}{4b} + \frac{44x^3\sqrt{a + bx^4}}{b} - \dots \\
&= \frac{f\sqrt{a + bx^4}}{2b} + \frac{gx\sqrt{a + bx^4}}{3b} + \frac{hx^2\sqrt{a + bx^4}}{4b} + \frac{44x^3\sqrt{a + bx^4}}{b} - \dots
\end{aligned}$$

Mathematica [C] time = 0.26, size = 281, normalized size = 0.73

$$-20\sqrt{b}x\sqrt{\frac{bx^4}{a}} + 1(ag - 3bc) {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 30bd\sqrt{a + bx^4} \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + 4\sqrt{b}x^3\sqrt{\frac{bx^4}{a}} + 1(5be - 3ai) {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/Sqrt[a + b*x^4], x]

[Out] (30*a*Sqrt[b]*f + 20*a*Sqrt[b]*g*x + 15*a*Sqrt[b]*h*x^2 + 12*a*Sqrt[b]*i*x^3 + 30*b^(3/2)*f*x^4 + 20*b^(3/2)*g*x^5 + 15*b^(3/2)*h*x^6 + 12*b^(3/2)*i*x^7 + 30*b*d*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 15*a*h*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 20*Sqrt[b]*(-3*b*c + a*g)*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] + 4*Sqrt[b]*(5*b*e - 3*a*i)*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((b*x^4)/a)]/(60*b^(3/2)*Sqrt[a + b*x^4])

fricas [F] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ix^6 + hx^5 + gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral((i*x^6 + h*x^5 + g*x^4 + f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ix^6 + hx^5 + gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((i*x^6 + h*x^5 + g*x^4 + f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

maple [C] time = 0.20, size = 516, normalized size = 1.34

$$\frac{\sqrt{bx^4+a} ix^3}{5b} + \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}a^{\frac{3}{2}}i\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}b^{\frac{3}{2}}} - \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}a^{\frac{3}{2}}i\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x)

[Out] 1/5*i*x^3*(b*x^4+a)^(1/2)/b-3/5*I*i*a^(3/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+3/5*I*i*a^(3/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/4*h*x^2*(b*x^4+a)^(1/2)/b-1/4*h*a/b^(3/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/3*g*x*(b*x^4+a)^(1/2)/b-1/3*g*a/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*f*(b*x^4+a)^(1/2)/b+I*e*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)

$$\frac{1}{2} * b^{(1/2)} \int \frac{(-I/a^{(1/2)} * b^{(1/2)} * x^2 + 1)^{(1/2)} * (I/a^{(1/2)} * b^{(1/2)} * x^2 + 1)^{(1/2)} / (b * x^4 + a)^{(1/2)} / b^{(1/2)} * (\text{EllipticF}((I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * x, I) - \text{EllipticE}((I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * x, I)) + 1/2 / b^{(1/2)} * d * \ln(b^{(1/2)} * x^2 + (b * x^4 + a)^{(1/2)}) + c / (I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * (-I/a^{(1/2)} * b^{(1/2)} * x^2 + 1)^{(1/2)} * (I/a^{(1/2)} * b^{(1/2)} * x^2 + 1)^{(1/2)} / (b * x^4 + a)^{(1/2)} * \text{EllipticF}((I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * x, I) dx$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ix^6 + hx^5 + gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x^6+h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((i*x^6 + h*x^5 + g*x^4 + f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ix^6 + hx^5 + gx^4 + fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^(1/2),x)

[Out] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5 + i*x^6)/(a + b*x^4)^(1/2), x)

sympy [A] time = 7.36, size = 260, normalized size = 0.68

$$\frac{\sqrt{a} h x^2 \sqrt{1 + \frac{b x^4}{a}}}{4 b} - \frac{a h \operatorname{asinh}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{4 b^{\frac{3}{2}}} + f \left(\left(\frac{x^4}{4 \sqrt{a}} \quad \text{for } b = 0 \right) + \frac{d \operatorname{asinh}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2 \sqrt{b}} + \frac{c x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{b x^4 e^{i \pi}}{a}\right)}{4 \sqrt{a} \Gamma\left(\frac{5}{4}\right)} + \frac{e x^3 \Gamma\left(\frac{1}{4}\right)}{4 \sqrt{a} \Gamma\left(\frac{5}{4}\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((i*x**6+h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2),x)

[Out] sqrt(a)*h*x**2*sqrt(1 + b*x**4/a)/(4*b) - a*h*asinh(sqrt(b)*x**2/sqrt(a))/(4*b**(3/2)) + f*Piecewise((x**4/(4*sqrt(a)), Eq(b, 0)), (sqrt(a + b*x**4)/

$$\begin{aligned}
& 2*b), \text{True})) + d*\text{asinh}(\text{sqrt}(b)*x**2/\text{sqrt}(a))/(2*\text{sqrt}(b)) + c*x*\text{gamma}(1/4)*\text{h} \\
& \text{yper}((1/4, 1/2), (5/4,), b*x**4*\text{exp_polar}(I*\text{pi})/a)/(4*\text{sqrt}(a)*\text{gamma}(5/4)) + \\
& e*x**3*\text{gamma}(3/4)*\text{hyper}((1/2, 3/4), (7/4,), b*x**4*\text{exp_polar}(I*\text{pi})/a)/(4*s \\
& \text{qrt}(a)*\text{gamma}(7/4)) + g*x**5*\text{gamma}(5/4)*\text{hyper}((1/2, 5/4), (9/4,), b*x**4*\text{exp} \\
& _ \text{polar}(I*\text{pi})/a)/(4*\text{sqrt}(a)*\text{gamma}(9/4)) + i*x**7*\text{gamma}(7/4)*\text{hyper}((1/2, 7/4) \\
& , (11/4,), b*x**4*\text{exp_polar}(I*\text{pi})/a)/(4*\text{sqrt}(a)*\text{gamma}(11/4))
\end{aligned}$$

$$3.221 \quad \int \frac{1+x}{1+x^5} dx$$

Optimal. Leaf size=109

$$-\frac{1}{5}\sqrt[5]{-1} \left(1 + \sqrt[5]{-1}\right) \log\left(\sqrt[5]{-1} - x\right) + \frac{1}{5}(-1)^{4/5} \left(1 - (-1)^{4/5}\right) \log\left(-x - (-1)^{4/5}\right) + \frac{1}{5}(-1)^{2/5} \left(1 - (-1)^{2/5}\right) \log\left(x + (-1)^{2/5}\right)$$

[Out] -1/5*(-1)^(1/5)*(1+(-1)^(1/5))*ln((-1)^(1/5)-x)+1/5*(-1)^(4/5)*(1-(-1)^(4/5))*ln(-(-1)^(4/5)-x)+1/5*(-1)^(2/5)*(1-(-1)^(2/5))*ln((-1)^(2/5)+x)-1/5*(-1)^(3/5)*(1+(-1)^(3/5))*ln(-(-1)^(3/5)+x)

Rubi [A] time = 0.06, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1586, 2068}

$$-\frac{1}{5}\sqrt[5]{-1} \left(1 + \sqrt[5]{-1}\right) \log\left(\sqrt[5]{-1} - x\right) + \frac{1}{5}(-1)^{4/5} \left(1 - (-1)^{4/5}\right) \log\left(-x - (-1)^{4/5}\right) + \frac{1}{5}(-1)^{2/5} \left(1 - (-1)^{2/5}\right) \log\left(x + (-1)^{2/5}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)/(1 + x^5), x]

[Out] -((-1)^(1/5)*(1 + (-1)^(1/5))*Log[(-1)^(1/5) - x])/5 + ((-1)^(4/5)*(1 - (-1)^(4/5))*Log[-(-1)^(4/5) - x])/5 + ((-1)^(2/5)*(1 - (-1)^(2/5))*Log[(-1)^(2/5) + x])/5 - ((-1)^(3/5)*(1 + (-1)^(3/5))*Log[-(-1)^(3/5) + x])/5

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2068

Int[(P4_)^(p_), x_Symbol] := With[{a = Coeff[P4, x, 0], b = Coeff[P4, x, 1], c = Coeff[P4, x, 2], d = Coeff[P4, x, 3], e = Coeff[P4, x, 4]}, Dist[1/a^(3*p), Int[ExpandIntegrand[1/((a - b*x)^p/(a^5 - b^5*x^5)^p), x], x], x] /; NeQ[a, 0] && EqQ[c, b^2/a] && EqQ[d, b^3/a^2] && EqQ[e, b^4/a^3] /; FreeQ[p, x] && PolyQ[P4, x, 4] && ILtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1+x}{1+x^5} dx &= \int \frac{1}{1-x+x^2-x^3+x^4} dx \\
&= \int \left(\frac{-1+(-1)^{4/5}}{5(-1+\sqrt[5]{-1}x)} + \frac{-1-(-1)^{3/5}}{5(-1-(-1)^{2/5}x)} + \frac{-1+(-1)^{2/5}}{5(-1+(-1)^{3/5}x)} + \frac{-1-\sqrt[5]{-1}}{5(-1-(-1)^{4/5}x)} \right) dx \\
&= -\frac{1}{5}\sqrt[5]{-1} \left(1 + \sqrt[5]{-1}\right) \log\left(\sqrt[5]{-1} - x\right) + \frac{1}{5}(-1)^{4/5} \left(1 - (-1)^{4/5}\right) \log\left(-(-1)^{4/5} - x\right) + \frac{1}{5}(-1)^{2/5} \left(1 - (-1)^{2/5}\right) \log\left(-(-1)^{2/5} - x\right) + \frac{1}{5}(-1)^{1/5} \left(1 - (-1)^{1/5}\right) \log\left(-(-1)^{1/5} - x\right)
\end{aligned}$$

Mathematica [C] time = 0.01, size = 51, normalized size = 0.47

$$\text{RootSum}\left[\#1^4 - \#1^3 + \#1^2 - \#1 + 1 \&, \frac{\log(x - \#1)}{4\#1^3 - 3\#1^2 + 2\#1 - 1} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)/(1 + x^5), x]

[Out] RootSum[1 - #1 + #1^2 - #1^3 + #1^4 & , Log[x - #1]/(-1 + 2*#1 - 3*#1^2 + 4*#1^3) &]

fricas [B] time = 2.96, size = 835, normalized size = 7.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^5+1),x, algorithm="fricas")

[Out]
$$\begin{aligned}
& -1/10*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})*\log(3/8*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^3 + 1/8*(3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(\\
& \sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 + 3/8*((\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 12)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) + 11*x + 1) - \\
& 1/10*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*\log(-3/8*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^3 + (\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 + 11*x - 9 \\
& /2*\sqrt{5} - 45/2*\sqrt{-2/25*\sqrt{5} - 1/5} - 14) + 1/10*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*\log(-3/100*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 1/50*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) - 3/100*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2)*\log(-1/8*(3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(\\
& \sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - (\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 3/8*((\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 12)*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) + 5/4*\sqrt{-3/100*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 1/50*(\sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) - 3/100*(\sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2)
\end{aligned}$$

$$\begin{aligned} & /25*\sqrt{5} - 1/5))^2)*((3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(sqrt \\ & t(5) - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) + 8*\sqrt{5} + 40*\sqrt{-2/25*\sqrt{5} - 1 \\ & /5} + 36) + 22*x + 9/2*\sqrt{5} + 45/2*\sqrt{-2/25*\sqrt{5} - 1/5} + 2) + 1/10 \\ & *(sqrt{5} - 5*\sqrt{-3/100*(sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5}))^2 - 1/50* \\ & (sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5}))* (sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1 \\ & /5})) - 3/100*(sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2)*\log(-1/8*(3*\sqrt{5} \\ &) + 15*\sqrt{-2/25*\sqrt{5} - 1/5} + 8)*(sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5 \\ &))^2 - (sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 3/8*((sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2 - 12)*(sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) - 5/4* \\ & sqrt{-3/100*(sqrt{5} + 5*\sqrt{-2/25*\sqrt{5} - 1/5}))^2 - 1/50*(sqrt{5} + 5*s \\ & qrt{-2/25*\sqrt{5} - 1/5}))* (sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) - 3/100*(\\ & sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5})^2)*((3*\sqrt{5} + 15*\sqrt{-2/25*\sqrt{5} \\ &) - 1/5} + 8)*(sqrt{5} - 5*\sqrt{-2/25*\sqrt{5} - 1/5}) + 8*\sqrt{5} + 40*sqrt \\ & (-2/25*\sqrt{5} - 1/5) + 36) + 22*x + 9/2*\sqrt{5} + 45/2*\sqrt{-2/25*\sqrt{5} \\ & - 1/5} + 2) \end{aligned}$$

giac [A] time = 0.22, size = 101, normalized size = 0.93

$$\frac{1}{5} \sqrt{-2\sqrt{5} + 5} \arctan\left(\frac{4x + \sqrt{5} - 1}{\sqrt{2\sqrt{5} + 10}}\right) + \frac{1}{5} \sqrt{2\sqrt{5} + 5} \arctan\left(\frac{4x - \sqrt{5} - 1}{\sqrt{-2\sqrt{5} + 10}}\right) - \frac{1}{10} \sqrt{5} \log\left(x^2 - \frac{1}{2}x(\sqrt{5} + 1) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^5+1),x, algorithm="giac")

[Out] $1/5*\sqrt{-2*\sqrt{5} + 5}*\arctan((4*x + \sqrt{5} - 1)/\sqrt{2*\sqrt{5} + 10}) + 1/5*\sqrt{2*\sqrt{5} + 5}*\arctan((4*x - \sqrt{5} - 1)/\sqrt{-2*\sqrt{5} + 10}) - 1/10*\sqrt{5}*\log(x^2 - 1/2*x*(\sqrt{5} + 1) + 1) + 1/10*\sqrt{5}*\log(x^2 + 1/2*x*(\sqrt{5} - 1) + 1)$

maple [B] time = 0.12, size = 173, normalized size = 1.59

$$\frac{\arctan\left(\frac{4x-\sqrt{5}-1}{\sqrt{10-2\sqrt{5}}}\right)}{\sqrt{10-2\sqrt{5}}} + \frac{\sqrt{5} \arctan\left(\frac{4x-\sqrt{5}-1}{\sqrt{10-2\sqrt{5}}}\right)}{5\sqrt{10-2\sqrt{5}}} + \frac{\arctan\left(\frac{4x+\sqrt{5}-1}{\sqrt{10+2\sqrt{5}}}\right)}{\sqrt{10+2\sqrt{5}}} - \frac{\sqrt{5} \arctan\left(\frac{4x+\sqrt{5}-1}{\sqrt{10+2\sqrt{5}}}\right)}{5\sqrt{10+2\sqrt{5}}} - \frac{\sqrt{5} \ln(2x^2 - \sqrt{5}x - 1)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x+1)/(x^5+1),x)

[Out] $1/10*5^{(1/2)}*\ln(2*x^2+5^{(1/2)}*x-x+2)+1/(10+2*5^{(1/2)})^{(1/2)}*\arctan((4*x+5^{(1/2)}-1)/(10+2*5^{(1/2)})^{(1/2)})-1/5/(10+2*5^{(1/2)})^{(1/2)}*\arctan((4*x+5^{(1/2)}-1)/(10+2*5^{(1/2)})^{(1/2)})*5^{(1/2)}-1/10*5^{(1/2)}*\ln(-5^{(1/2)}*x+2*x^2-x+2)+1/(1$

$(10-2*5^{(1/2)})^{(1/2)}*\arctan((4*x-5^{(1/2)}-1)/(10-2*5^{(1/2)})^{(1/2)})+1/5/(10-2*5^{(1/2)})^{(1/2)}*\arctan((4*x-5^{(1/2)}-1)/(10-2*5^{(1/2)})^{(1/2)})*5^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x+1}{x^5+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x^5+1),x, algorithm="maxima")

[Out] integrate((x + 1)/(x^5 + 1), x)

mupad [B] time = 4.92, size = 64, normalized size = 0.59

$$\sum_{k=1}^4 \ln \left(\text{root} \left(z^4 - \frac{z}{25} + \frac{1}{125}, z, k \right) \left(-4x + \text{root} \left(z^4 - \frac{z}{25} + \frac{1}{125}, z, k \right) \left(25 \text{root} \left(z^4 - \frac{z}{25} + \frac{1}{125}, z, k \right) + 15x - 15 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 1)/(x^5 + 1),x)

[Out] symsum(log(root(z^4 - z/25 + 1/125, z, k)*(root(z^4 - z/25 + 1/125, z, k)*(25*root(z^4 - z/25 + 1/125, z, k) + 15*x - 15) - 4*x + 1))*root(z^4 - z/25 + 1/125, z, k), k, 1, 4)

sympy [B] time = 1.20, size = 1287, normalized size = 11.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)/(x**5+1),x)

[Out] $\sqrt{5}*\log(x**2 + x*(-48/11 - 21*\sqrt{5}/11 + 4*\sqrt{10}*\sqrt{\sqrt{5} + 3})/11 + 45*\sqrt{2}*\sqrt{\sqrt{5} + 3})/22 - 1381*\sqrt{10}*\sqrt{\sqrt{5} + 3}/484 - 3045*\sqrt{2}*\sqrt{\sqrt{5} + 3}/484 + 2213*\sqrt{5}/242 + 5217/242)/10 - \sqrt{5}*\log(x**2 + x*(-48/11 - 45*\sqrt{2}*\sqrt{3 - \sqrt{5}})/22 + 4*\sqrt{10}*\sqrt{3 - \sqrt{5}})/11 + 21*\sqrt{5}/11 - 2213*\sqrt{5}/242 - 1381*\sqrt{10}*\sqrt{3 - \sqrt{5}}/484 + 3045*\sqrt{2}*\sqrt{3 - \sqrt{5}}/484 + 5217/242)/10 + 2*\sqrt{-\sqrt{10}*\sqrt{3 - \sqrt{5}}}/50 + 3/20)*\text{atan}(44*x/(-8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}} + 15) + 3*\sqrt{10}*\sqrt{3 - \sqrt{5}}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}} + 15) + 18*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}} + 15)) - 96/(-8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}} + 15) + 3*\sqrt{10}*\sqrt{3 - \sqrt{5}}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}} + 15) + 18*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}} + 15)) - 45*\sqrt{2}*\sqrt{3 - \sqrt{5}}/(-8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}} + 15) + 3*\sqrt{10}*\sqrt{3 - \sqrt{5}}*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}} + 15) + 18*\sqrt{-2*\sqrt{10}*\sqrt{3 - \sqrt{5}}} + 15))$

$$\begin{aligned}
& \text{rt}(-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15) + 3\sqrt{10}\sqrt{3 - \sqrt{5}}\sqrt{(-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15) + 18\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15})} \\
& + 8\sqrt{10}\sqrt{3 - \sqrt{5}}/(-8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15) + 3\sqrt{10}\sqrt{3 - \sqrt{5}})\sqrt{(-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15) + 18\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15})} \\
& + 42\sqrt{5}/(-8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15) + 3\sqrt{10}\sqrt{3 - \sqrt{5}})\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15) + 18\sqrt{-2\sqrt{10}\sqrt{3 - \sqrt{5}} + 15}) \\
& + 2\sqrt{-\sqrt{10}\sqrt{\sqrt{5} + 3}}/50 + 3/20)\text{atan}(44x/(8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15) + 18\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15})} \\
& + 3\sqrt{10}\sqrt{\sqrt{5} + 3}\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15}) - 96/(8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15) + 18\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15})} \\
& + 3\sqrt{10}\sqrt{\sqrt{5} + 3}\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15}) - 42\sqrt{5}/(8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15) + 18\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15})} \\
& + 3\sqrt{10}\sqrt{\sqrt{5} + 3}\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15}) + 8\sqrt{10}\sqrt{\sqrt{5} + 3}/(8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15) + 18\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15})} \\
& + 3\sqrt{10}\sqrt{\sqrt{5} + 3}\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15}) + 45\sqrt{2}\sqrt{\sqrt{5} + 3}/(8\sqrt{5}\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15) + 18\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15})} \\
& + 3\sqrt{10}\sqrt{\sqrt{5} + 3}\sqrt{-2\sqrt{10}\sqrt{\sqrt{5} + 3} + 15})
\end{aligned}$$

$$3.222 \quad \int \frac{1-x}{1-x^5} dx$$

Optimal. Leaf size=109

$$-\frac{1}{5}(-1)^{2/5} (1 - (-1)^{2/5}) \log((-1)^{2/5} - x) + \frac{1}{5}(-1)^{3/5} (1 + (-1)^{3/5}) \log(-x - (-1)^{3/5}) + \frac{1}{5}\sqrt[5]{-1} (1 + \sqrt[5]{-1}) \log(x + \sqrt[5]{-1}) - \frac{1}{5}\sqrt[5]{-1} (1 - \sqrt[5]{-1}) \log(x - \sqrt[5]{-1})$$

[Out] $-1/5*(-1)^{(2/5)}*(1-(-1)^{(2/5)})*\ln((-1)^{(2/5)}-x)+1/5*(-1)^{(3/5)}*(1+(-1)^{(3/5)})*\ln(-(-1)^{(3/5)}-x)+1/5*(-1)^{(1/5)}*(1+(-1)^{(1/5)})*\ln((-1)^{(1/5)}+x)-1/5*(-1)^{(4/5)}*(1-(-1)^{(4/5)})*\ln(-(-1)^{(4/5)}+x)$

Rubi [A] time = 0.04, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {1586, 2068}

$$-\frac{1}{5}(-1)^{2/5} (1 - (-1)^{2/5}) \log((-1)^{2/5} - x) + \frac{1}{5}(-1)^{3/5} (1 + (-1)^{3/5}) \log(-x - (-1)^{3/5}) + \frac{1}{5}\sqrt[5]{-1} (1 + \sqrt[5]{-1}) \log(x + \sqrt[5]{-1}) - \frac{1}{5}\sqrt[5]{-1} (1 - \sqrt[5]{-1}) \log(x - \sqrt[5]{-1})$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(1 - x^5), x]

[Out] $-((-1)^{(2/5)}*(1 - (-1)^{(2/5)})*\text{Log}[(-1)^{(2/5)} - x])/5 + ((-1)^{(3/5)}*(1 + (-1)^{(3/5)})*\text{Log}[-(-1)^{(3/5)} - x])/5 + ((-1)^{(1/5)}*(1 + (-1)^{(1/5)})*\text{Log}[(-1)^{(1/5)} + x])/5 - ((-1)^{(4/5)}*(1 - (-1)^{(4/5)})*\text{Log}[-(-1)^{(4/5)} + x])/5$

Rule 1586

Int[(u_)*(P_x_)^(p_)*(Q_x_)^(q_), x_Symbol] :> Int[u*PolynomialQuotient[P_x, Q_x, x]^p*Q_x^(p+q), x] /; FreeQ[q, x] && PolyQ[P_x, x] && PolyQ[Q_x, x] && EqQ[PolynomialRemainder[P_x, Q_x, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2068

Int[(P4_)^(p_), x_Symbol] :> With[{a = Coeff[P4, x, 0], b = Coeff[P4, x, 1], c = Coeff[P4, x, 2], d = Coeff[P4, x, 3], e = Coeff[P4, x, 4]}, Dist[1/a^(3*p), Int[ExpandIntegrand[1/((a - b*x)^p/(a^5 - b^5*x^5)^p), x], x], x] /; NeQ[a, 0] && EqQ[c, b^2/a] && EqQ[d, b^3/a^2] && EqQ[e, b^4/a^3] /; FreeQ[p, x] && PolyQ[P4, x, 4] && ILtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1-x}{1-x^5} dx &= \int \frac{1}{1+x+x^2+x^3+x^4} dx \\
&= \int \left(\frac{1-(-1)^{4/5}}{5(1+\sqrt[5]{-1}x)} + \frac{1+(-1)^{3/5}}{5(1-(-1)^{2/5}x)} + \frac{1-(-1)^{2/5}}{5(1+(-1)^{3/5}x)} + \frac{1+\sqrt[5]{-1}}{5(1-(-1)^{4/5}x)} \right) dx \\
&= -\frac{1}{5}(-1)^{2/5} (1-(-1)^{2/5}) \log((-1)^{2/5} - x) + \frac{1}{5}(-1)^{3/5} (1+(-1)^{3/5}) \log(-(-1)^{3/5} - x) + \frac{1}{5}\sqrt[5]{-1} (1+
\end{aligned}$$

Mathematica [C] time = 0.01, size = 47, normalized size = 0.43

$$\text{RootSum}\left[\#1^4 + \#1^3 + \#1^2 + \#1 + 1 \&, \frac{\log(x - \#1)}{4\#1^3 + 3\#1^2 + 2\#1 + 1} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(1 - x^5), x]

[Out] RootSum[1 + #1 + #1^2 + #1^3 + #1^4 & , Log[x - #1]/(1 + 2*#1 + 3*#1^2 + 4*#1^3) &]

fricas [B] time = 2.77, size = 799, normalized size = 7.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^5+1),x, algorithm="fricas")

[Out] -1/10*(sqrt(5) - sqrt(2*sqrt(5) - 5))*log(3/8*(sqrt(5) + sqrt(2*sqrt(5) - 5))^3 + 1/8*(3*sqrt(5) + 3*sqrt(2*sqrt(5) - 5) - 8)*(sqrt(5) - sqrt(2*sqrt(5) - 5))^2 + 3/8*((sqrt(5) + sqrt(2*sqrt(5) - 5))^2 - 12)*(sqrt(5) - sqrt(2*sqrt(5) - 5)) + 11*x - 1) - 1/10*(sqrt(5) + sqrt(2*sqrt(5) - 5))*log(-3/8*(sqrt(5) + sqrt(2*sqrt(5) - 5))^3 - (sqrt(5) + sqrt(2*sqrt(5) - 5))^2 + 11*x - 9/2*sqrt(5) - 9/2*sqrt(2*sqrt(5) - 5) + 14) + 1/10*(sqrt(5) + 5*sqrt(-3/100*(sqrt(5) + sqrt(2*sqrt(5) - 5))^2 - 1/50*(sqrt(5) + sqrt(2*sqrt(5) - 5))*(sqrt(5) - sqrt(2*sqrt(5) - 5)) - 3/100*(sqrt(5) - sqrt(2*sqrt(5) - 5))^2))*log(-1/8*(3*sqrt(5) + 3*sqrt(2*sqrt(5) - 5) - 8)*(sqrt(5) - sqrt(2*sqrt(5) - 5))^2 + (sqrt(5) + sqrt(2*sqrt(5) - 5))^2 - 3/8*((sqrt(5) + sqrt(2*sqrt(5) - 5))^2 - 12)*(sqrt(5) - sqrt(2*sqrt(5) - 5)) + 5/4*sqrt(-3/100*(sqrt(5) + sqrt(2*sqrt(5) - 5))^2 - 1/50*(sqrt(5) + sqrt(2*sqrt(5) - 5))*(sqrt(5) - sqrt(2*sqrt(5) - 5)) - 3/100*(sqrt(5) - sqrt(2*sqrt(5) - 5))^2))*((3*sqrt(5) + 3*sqrt(2*sqrt(5) - 5) - 8)*(sqrt(5) - sqrt(2*sqrt(5) - 5)) - 8*sqrt(5) - 8*sqrt(2*sqrt(5) - 5) + 36) + 22*x + 9/2*sqrt(5) + 9/2*sqrt(2*sqrt(5) -

$5) - 2) + 1/10*(\sqrt{5} - 5*\sqrt{-3/100*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})}^2$
 $- 1/50*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 3/$
 $100*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2)*\log(-1/8*(3*\sqrt{5} + 3*\sqrt{2*\sqrt{5}}$
 $(5) - 5) - 8)*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5})^2 + (\sqrt{5} + \sqrt{2*\sqrt{5}}$
 $- 5))^2 - 3/8*((\sqrt{5} + \sqrt{2*\sqrt{5} - 5})^2 - 12)*(\sqrt{5} - \sqrt{2*s}$
 $qrt(5) - 5) - 5/4*\sqrt{-3/100*(\sqrt{5} + \sqrt{2*\sqrt{5} - 5})}^2 - 1/50*(sq$
 $rt(5) + \sqrt{2*\sqrt{5} - 5})*(\sqrt{5} - \sqrt{2*\sqrt{5} - 5}) - 3/100*(\sqrt{5}$
 $(5) - \sqrt{2*\sqrt{5} - 5})^2)*((3*\sqrt{5} + 3*\sqrt{2*\sqrt{5} - 5) - 8)*(\sqrt{5}$
 $(5) - \sqrt{2*\sqrt{5} - 5}) - 8*\sqrt{5} - 8*\sqrt{2*\sqrt{5} - 5} + 36) + 22*x$
 $+ 9/2*\sqrt{5} + 9/2*\sqrt{2*\sqrt{5} - 5} - 2)$

giac [A] time = 0.18, size = 101, normalized size = 0.93

$$\frac{1}{5} \sqrt{-2\sqrt{5} + 5} \arctan\left(\frac{4x - \sqrt{5} + 1}{\sqrt{2\sqrt{5} + 10}}\right) + \frac{1}{5} \sqrt{2\sqrt{5} + 5} \arctan\left(\frac{4x + \sqrt{5} + 1}{\sqrt{-2\sqrt{5} + 10}}\right) + \frac{1}{10} \sqrt{5} \log\left(x^2 + \frac{1}{2}x(\sqrt{5} + 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^5+1),x, algorithm="giac")

[Out] 1/5*sqrt(-2*sqrt(5) + 5)*arctan((4*x - sqrt(5) + 1)/sqrt(2*sqrt(5) + 10)) + 1/5*sqrt(2*sqrt(5) + 5)*arctan((4*x + sqrt(5) + 1)/sqrt(-2*sqrt(5) + 10)) + 1/10*sqrt(5)*log(x^2 + 1/2*x*(sqrt(5) + 1) + 1) - 1/10*sqrt(5)*log(x^2 - 1/2*x*(sqrt(5) - 1) + 1)

maple [B] time = 0.11, size = 169, normalized size = 1.55

$$\frac{\arctan\left(\frac{4x+1-\sqrt{5}}{\sqrt{10+2\sqrt{5}}}\right)}{\sqrt{10+2\sqrt{5}}} - \frac{\sqrt{5} \arctan\left(\frac{4x+1-\sqrt{5}}{\sqrt{10+2\sqrt{5}}}\right)}{5\sqrt{10+2\sqrt{5}}} + \frac{\arctan\left(\frac{4x+1+\sqrt{5}}{\sqrt{10-2\sqrt{5}}}\right)}{\sqrt{10-2\sqrt{5}}} + \frac{\sqrt{5} \arctan\left(\frac{4x+1+\sqrt{5}}{\sqrt{10-2\sqrt{5}}}\right)}{5\sqrt{10-2\sqrt{5}}} - \frac{\sqrt{5} \ln(2x^2 - \sqrt{5}x)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/(-x^5+1),x)

[Out] -1/10*5^(1/2)*ln(-5^(1/2)*x+2*x^2+x+2)+1/(10+2*5^(1/2))^(1/2)*arctan((4*x+1-5^(1/2))/(10+2*5^(1/2))^(1/2))-1/5/(10+2*5^(1/2))^(1/2)*arctan((4*x+1-5^(1/2))/(10+2*5^(1/2))^(1/2))*5^(1/2)+1/10*5^(1/2)*ln(5^(1/2)*x+2*x^2+x+2)+1/(10-2*5^(1/2))^(1/2)*arctan((4*x+1+5^(1/2))/(10-2*5^(1/2))^(1/2))+1/5/(10-2*5^(1/2))^(1/2)*arctan((4*x+1+5^(1/2))/(10-2*5^(1/2))^(1/2))*5^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x-1}{x^5-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x^5+1),x, algorithm="maxima")

[Out] integrate((x - 1)/(x^5 - 1), x)

mupad [B] time = 4.98, size = 65, normalized size = 0.60

$$\sum_{k=1}^4 \ln \left(-\operatorname{root} \left(z^4 + \frac{z}{25} + \frac{1}{125}, z, k \right) \left(4x + \operatorname{root} \left(z^4 + \frac{z}{25} + \frac{1}{125}, z, k \right) \left(25 \operatorname{root} \left(z^4 + \frac{z}{25} + \frac{1}{125}, z, k \right) + 15x + 15 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x - 1)/(x^5 - 1),x)

[Out] symsum(log(-root(z^4 + z/25 + 1/125, z, k)*(4*x + root(z^4 + z/25 + 1/125, z, k)*(25*root(z^4 + z/25 + 1/125, z, k) + 15*x + 15) + 1))*root(z^4 + z/25 + 1/125, z, k), k, 1, 4)

sympy [B] time = 1.28, size = 1287, normalized size = 11.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/(-x**5+1),x)

[Out] sqrt(5)*log(x**2 + x*(-21*sqrt(5)/11 - 4*sqrt(10)*sqrt(3 - sqrt(5))/11 + 45*sqrt(2)*sqrt(3 - sqrt(5))/22 + 48/11) - 2213*sqrt(5)/242 - 1381*sqrt(10)*sqrt(3 - sqrt(5))/484 + 3045*sqrt(2)*sqrt(3 - sqrt(5))/484 + 5217/242)/10 - sqrt(5)*log(x**2 + x*(-45*sqrt(2)*sqrt(sqrt(5) + 3)/22 - 4*sqrt(10)*sqrt(sqrt(5) + 3)/11 + 21*sqrt(5)/11 + 48/11) - 1381*sqrt(10)*sqrt(sqrt(5) + 3)/484 - 3045*sqrt(2)*sqrt(sqrt(5) + 3)/484 + 2213*sqrt(5)/242 + 5217/242)/10 + 2*sqrt(-sqrt(10)*sqrt(3 - sqrt(5))/50 + 3/20)*atan(44*x/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) - 42*sqrt(5)/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) - 8*sqrt(10)*sqrt(3 - sqrt(5))/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) + 45*sqrt(2)*sqrt(3 - sqrt(5))/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) + 96/(-8*sqrt(5)*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 3*sqrt(10)*sqrt(3 - sqrt(5))*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15) + 18*sqrt(-2*sqrt(10)*sqrt(3 - sqrt(5)) + 15)) + 2*sqrt(-sqrt(10)*sqrt(sqrt(5) + 3)/50 + 3/20)*atan(

$$\begin{aligned}
& 44*x/(8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15} + 18*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15} + 3*\sqrt{10}*\sqrt{\sqrt{5} + 3}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15}) - 45*\sqrt{2}*\sqrt{\sqrt{5} + 3}/(8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15} + 18*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15} + 3*\sqrt{10}*\sqrt{\sqrt{5} + 3}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15}) \\
& - 8*\sqrt{10}*\sqrt{\sqrt{5} + 3}/(8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15} + 18*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15} + 3*\sqrt{10}*\sqrt{\sqrt{5} + 3}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15}) + 42*\sqrt{5}/(8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15} + 18*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15} + 3*\sqrt{10}*\sqrt{\sqrt{5} + 3}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15}) \\
& + 96/(8*\sqrt{5}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15} + 18*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15} + 3*\sqrt{10}*\sqrt{\sqrt{5} + 3}*\sqrt{-2*\sqrt{10}*\sqrt{\sqrt{5} + 3} + 15}))
\end{aligned}$$

$$3.223 \quad \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=208

$$\frac{x^{12}(a^2f - abe + b^2d)}{12b^3} - \frac{a^3 \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^7} + \frac{a^2x^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6} - \frac{ax^6(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6}$$

[Out] $1/3*a^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^3/b^6-1/6*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^6/b^5+1/9*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^9/b^4+1/12*(a^2*f-a*b*e+b^2*d)*x^{12}/b^3+1/15*(-a*f+b*e)*x^{15}/b^2+1/18*f*x^{18}/b-1/3*a^3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/b^7$

Rubi [A] time = 0.32, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^9(a^2be + a^3(-f) - ab^2d + b^3c)}{9b^4} - \frac{ax^6(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^5} + \frac{a^2x^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^6} - \frac{a^3 \log(a + bx^3)}{3b^6}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $(a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(3*b^6) - (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^6)/(6*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9)/(9*b^4) + ((b^2*d - a*b*e + a^2*f)*x^{12})/(12*b^3) + ((b*e - a*f)*x^{15})/(15*b^2) + (f*x^{18})/(18*b) - (a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*b^7)$

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] :> Dist[1/n,
Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{x^{11}(c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x^3(c + dx + ex^2 + fx^3)}{a + bx} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(-\frac{a^2(-b^3c + ab^2d - a^2be + a^3f)}{b^6} + \frac{a(-b^3c + ab^2d - a^2be + a^3f)}{b^5} \right) dx, x, x^3 \right)$$

$$= \frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^3}{3b^6} - \frac{a(b^3c - ab^2d + a^2be - a^3f)x^6}{6b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^9}{9b^4}$$

Mathematica [A] time = 0.11, size = 187, normalized size = 0.90

$$\frac{60a^3 \log(a + bx^3)(a^3f - a^2be + ab^2d - b^3c) + bx^3(-60a^5f + 30a^4b(2e + fx^3) - 10a^3b^2(6d + 3ex^3 + 2fx^6) + 5a^2b^3(12c + 6d*x^3 + 4e*x^6 + 3f*x^9) + b^5*x^6(20c + 15d*x^3 + 12e*x^6 + 10f*x^9) - a*b^4*x^3(30c + 20d*x^3 + 15e*x^6 + 12f*x^9)) + 60*a^3*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*\text{Log}[a + b*x^3]}{180*b^7}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] (b*x^3*(-60*a^5*f + 30*a^4*b*(2*e + f*x^3) - 10*a^3*b^2*(6*d + 3*e*x^3 + 2*f*x^6) + 5*a^2*b^3*(12*c + 6*d*x^3 + 4*e*x^6 + 3*f*x^9) + b^5*x^6*(20*c + 15*d*x^3 + 12*e*x^6 + 10*f*x^9) - a*b^4*x^3*(30*c + 20*d*x^3 + 15*e*x^6 + 12*f*x^9)) + 60*a^3*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a + b*x^3])/(180*b^7)

fricas [A] time = 0.75, size = 210, normalized size = 1.01

$$\frac{10b^6fx^{18} + 12(b^6e - ab^5f)x^{15} + 15(b^6d - ab^5e + a^2b^4f)x^{12} + 20(b^6c - ab^5d + a^2b^4e - a^3b^3f)x^9 - 30(ab^5c - ab^5d + a^2b^4e - a^3b^3f)x^6 + 60(a^2b^4c - a^3b^3d + a^4b^2e - a^5b^1f)x^3 - 60(a^3b^3c - a^4b^2d + a^5b^1e - a^6b^0f)*\log(b*x^3 + a)}{180*b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="fricas")

[Out] 1/180*(10*b^6*f*x^18 + 12*(b^6*e - a*b^5*f)*x^15 + 15*(b^6*d - a*b^5*e + a^2*b^4*f)*x^12 + 20*(b^6*c - a*b^5*d + a^2*b^4*e - a^3*b^3*f)*x^9 - 30*(a*b^5*c - a^2*b^4*d + a^3*b^3*e - a^4*b^2*f)*x^6 + 60*(a^2*b^4*c - a^3*b^3*d + a^4*b^2*e - a^5*b^1*f)*x^3 - 60*(a^3*b^3*c - a^4*b^2*d + a^5*b^1*e - a^6*f)*log(b*x^3 + a))/b^7

giac [A] time = 0.17, size = 246, normalized size = 1.18

$$\frac{10b^5fx^{18} - 12ab^4fx^{15} + 12b^5x^{15}e + 15b^5dx^{12} + 15a^2b^3fx^{12} - 15ab^4x^{12}e + 20b^5cx^9 - 20ab^4dx^9 - 20a^3b^2fx^9 + 60(a^2b^4c - a^3b^3d + a^4b^2e - a^5b^1f)x^3 - 60(a^3b^3c - a^4b^2d + a^5b^1e - a^6f)*\log(b*x^3 + a)}{180*b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a), x, algorithm="giac")

[Out] $\frac{1}{180}*(10*b^5*f*x^{18} - 12*a*b^4*f*x^{15} + 12*b^5*x^{15}*e + 15*b^5*d*x^{12} + 15*a^2*b^3*f*x^{12} - 15*a*b^4*x^{12}*e + 20*b^5*c*x^9 - 20*a*b^4*d*x^9 - 20*a^3*b^2*f*x^9 + 20*a^2*b^3*x^9*e - 30*a*b^4*c*x^6 + 30*a^2*b^3*d*x^6 + 30*a^4*b*f*x^6 - 30*a^3*b^2*x^6*e + 60*a^2*b^3*c*x^3 - 60*a^3*b^2*d*x^3 - 60*a^5*f*x^3 + 60*a^4*b*x^3*e)/b^6 - 1/3*(a^3*b^3*c - a^4*b^2*d - a^6*f + a^5*b*e)*\log(\text{abs}(b*x^3 + a))/b^7$

maple [A] time = 0.05, size = 266, normalized size = 1.28

$$\frac{f x^{18}}{18b} - \frac{a f x^{15}}{15b^2} + \frac{e x^{15}}{15b} + \frac{a^2 f x^{12}}{12b^3} - \frac{a e x^{12}}{12b^2} + \frac{d x^{12}}{12b} - \frac{a^3 f x^9}{9b^4} + \frac{a^2 e x^9}{9b^3} - \frac{a d x^9}{9b^2} + \frac{c x^9}{9b} + \frac{a^4 f x^6}{6b^5} - \frac{a^3 e x^6}{6b^4} + \frac{a^2 d x^6}{6b^3} - \frac{a c x^6}{6b^2} - \frac{a^5 f x^3}{3b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a), x)

[Out] $\frac{1}{18}*f*x^{18}/b - \frac{1}{15}/b^2*x^{15}*a*f + \frac{1}{15}/b*x^{15}*e + \frac{1}{12}/b^3*x^{12}*a^2*f - \frac{1}{12}/b^2*x^{12}*a*e + \frac{1}{12}/b*x^{12}*d - \frac{1}{9}/b^4*x^9*a^3*f + \frac{1}{9}/b^3*x^9*a^2*e - \frac{1}{9}/b^2*x^9*a*d + \frac{1}{9}/b*x^9*c + \frac{1}{6}/b^5*x^6*a^4*f - \frac{1}{6}/b^4*x^6*a^3*e + \frac{1}{6}/b^3*x^6*a^2*d - \frac{1}{6}/b^2*x^6*a*c - \frac{1}{3}/b^6*x^3*a^5*f + \frac{1}{3}/b^5*x^3*a^4*e - \frac{1}{3}/b^4*x^3*a^3*d + \frac{1}{3}/b^3*x^3*a^2*c + \frac{1}{3}*a^6/b^7*\ln(b*x^3+a)*f - \frac{1}{3}*a^5/b^6*\ln(b*x^3+a)*e + \frac{1}{3}*a^4/b^5*\ln(b*x^3+a)*d - \frac{1}{3}*a^3/b^4*\ln(b*x^3+a)*c$

maxima [A] time = 1.37, size = 209, normalized size = 1.00

$$\frac{10 b^5 f x^{18} + 12 (b^5 e - a b^4 f) x^{15} + 15 (b^5 d - a b^4 e + a^2 b^3 f) x^{12} + 20 (b^5 c - a b^4 d + a^2 b^3 e - a^3 b^2 f) x^9 - 30 (a b^4 c - a^2 b^3 d + a^3 b^2 e - a^4 b f) x^6 + 60 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) x^3}{180 b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a), x, algorithm="maxima")

[Out] $\frac{1}{180}*(10*b^5*f*x^{18} + 12*(b^5*e - a*b^4*f)*x^{15} + 15*(b^5*d - a*b^4*e + a^2*b^3*f)*x^{12} + 20*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^9 - 30*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^6 + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*x^3)/b^6 - 1/3*(a^3*b^3*c - a^4*b^2*d + a^5*b*e - a^6*f)*\log(b*x^3 + a)/b^7$

mupad [B] time = 4.92, size = 237, normalized size = 1.14

$$x^{15} \left(\frac{e}{15b} - \frac{af}{15b^2} \right) + x^{12} \left(\frac{d}{12b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{12b} \right) + x^9 \left(\frac{c}{9b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{9b} \right) + \frac{\ln(bx^3 + a) (fa^6 - ea^5b + da^4b^2)}{3b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)

[Out] x^15*(e/(15*b) - (a*f)/(15*b^2)) + x^12*(d/(12*b) - (a*(e/b - (a*f)/b^2))/(12*b)) + x^9*(c/(9*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(9*b)) + (log(a + b*x^3)*(a^6*f - a^3*b^3*c + a^4*b^2*d - a^5*b*e))/(3*b^7) + (f*x^18)/(18*b) + (a^2*x^3*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b)/(3*b^2) - (a*x^6*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b)/(6*b)

sympy [A] time = 1.32, size = 216, normalized size = 1.04

$$\frac{a^3(a^3f - a^2be + ab^2d - b^3c) \log(a + bx^3)}{3b^7} + x^{15} \left(-\frac{af}{15b^2} + \frac{e}{15b} \right) + x^{12} \left(\frac{a^2f}{12b^3} - \frac{ae}{12b^2} + \frac{d}{12b} \right) + x^9 \left(-\frac{a^3f}{9b^4} + \frac{a^2e}{9b^3} - \frac{d}{9b^2} + \frac{c}{9b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**11*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] a**3*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a + b*x**3)/(3*b**7) + x**15*(-a*f/(15*b**2) + e/(15*b)) + x**12*(a**2*f/(12*b**3) - a*e/(12*b**2) + d/(12*b)) + x**9*(-a**3*f/(9*b**4) + a**2*e/(9*b**3) - a*d/(9*b**2) + c/(9*b)) + x**6*(a**4*f/(6*b**5) - a**3*e/(6*b**4) + a**2*d/(6*b**3) - a*c/(6*b**2)) + x**3*(-a**5*f/(3*b**6) + a**4*e/(3*b**5) - a**3*d/(3*b**4) + a**2*c/(3*b**3)) + f*x**18/(18*b)

$$3.224 \quad \int \frac{x^8(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=170

$$\frac{x^9(a^2f - abe + b^2d)}{9b^3} + \frac{a^2 \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6} - \frac{ax^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5} + \frac{x^6(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6}$$

[Out] $-1/3*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^3/b^5+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^6/b^4+1/9*(a^2*f-a*b*e+b^2*d)*x^9/b^3+1/12*(-a*f+b*e)*x^{12}/b^2+1/15*f*x^{15}/b+1/3*a^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/b^6$

Rubi [A] time = 0.24, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^6(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^4} - \frac{ax^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5} + \frac{a^2 \log(a + bx^3)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^6}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]$

[Out] $-(a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(3*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^6)/(6*b^4) + ((b^2*d - a*b*e + a^2*f)*x^9)/(9*b^3) + ((b*e - a*f)*x^{12})/(12*b^2) + (f*x^{15})/(15*b) + (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*b^6)$

Rule 1620

$\text{Int}[(P_x) * ((a_) + (b_) * (x_)^m) * ((c_) + (d_) * (x_)^n), x_Symbol]$
 $\rightarrow \text{Int}[\text{ExpandIntegrand}[P_x * (a + b*x)^m * (c + d*x)^n, x], x] /;$ $\text{FreeQ}\{a, b, c, d, m, n\}, x\} \ \&\& \ \text{PolyQ}[P_x, x] \ \&\& \ (\text{IntegersQ}[m, n] \ || \ \text{IGtQ}[m, -2]) \ \&\& \ \text{GtQ}[\text{Expon}[P_x, x], 2]$

Rule 1821

$\text{Int}[(P_q) * (x_)^m * ((a_) + (b_) * (x_)^n)^p, x_Symbol] \rightarrow \text{Dist}[1/n,$
 $\text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n) - 1}] * \text{SubstFor}[x^n, P_q, x] * (a + b*x)^p, x], x, x^n], x] /;$ $\text{FreeQ}\{a, b, m, n, p\}, x\} \ \&\& \ \text{PolyQ}[P_q, x^n] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rubi steps

$$\begin{aligned}
\int \frac{x^8 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^2 (c + dx + ex^2 + fx^3)}{a + bx} dx, x, x^3 \right) \\
&= \frac{1}{3} \text{Subst} \left(\int \left(\frac{a(-b^3c + ab^2d - a^2be + a^3f)}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe)}{b^3} \right) dx, x, x^3 \right) \\
&= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x^3}{3b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^6}{6b^4} + \frac{(b^2d - abe)x^9}{9b^3}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 154, normalized size = 0.91

$$\frac{bx^3 (60a^4f - 30a^3b(2e + fx^3)) + 10a^2b^2(6d + 3ex^3 + 2fx^6) - 5ab^3(12c + 6dx^3 + 4ex^6 + 3fx^9) + b^4x^3(30c + 20d + 15e + 12fx^3 + 15ex^6 + 12fx^9) - 60a^2(-b^3c) + a^2b^2d - a^2b^2e + a^3bf}{180b^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (b*x^3*(60*a^4*f - 30*a^3*b*(2*e + f*x^3)) + 10*a^2*b^2*(6*d + 3*e*x^3 + 2*f*x^6) - 5*a*b^3*(12*c + 6*d*x^3 + 4*e*x^6 + 3*f*x^9) + b^4*x^3*(30*c + 20*d + 15*e*x^6 + 12*f*x^9)) - 60*a^2*(-(b^3*c) + a*b^2*d - a^2*b^2*e + a^3*f)*Log[a + b*x^3]/(180*b^6)

fricas [A] time = 0.64, size = 170, normalized size = 1.00

$$\frac{12b^5fx^{15} + 15(b^5e - ab^4f)x^{12} + 20(b^5d - ab^4e + a^2b^3f)x^9 + 30(b^5c - ab^4d + a^2b^3e - a^3b^2f)x^6 - 60(ab^4c - a^2b^3d + a^3b^2e - a^4bf)x^3 + 60(a^2b^3c - a^3b^2d + a^4b^2e - a^5f)\log(bx^3 + a)}{180b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/180*(12*b^5*f*x^15 + 15*(b^5*e - a*b^4*f)*x^12 + 20*(b^5*d - a*b^4*e + a^2*b^3*f)*x^9 + 30*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^6 - 60*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^3 + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b^2*e - a^5*f)*log(b*x^3 + a))/b^6

giac [A] time = 0.19, size = 197, normalized size = 1.16

$$\frac{12b^4fx^{15} - 15ab^3fx^{12} + 15b^4x^{12}e + 20b^4dx^9 + 20a^2b^2fx^9 - 20ab^3x^9e + 30b^4cx^6 - 30ab^3dx^6 - 30a^3bfx^6 + 60(a^2b^3c - a^3b^2d + a^4b^2e - a^5f)\log(bx^3 + a)}{180b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] $\frac{1}{180}*(12*b^4*f*x^{15} - 15*a*b^3*f*x^{12} + 15*b^4*d*x^{12}*e + 20*b^4*d*x^9 + 20*a^2*b^2*f*x^9 - 20*a*b^3*x^9*e + 30*b^4*c*x^6 - 30*a*b^3*d*x^6 - 30*a^3*b*f*x^6 + 30*a^2*b^2*x^6*e - 60*a*b^3*c*x^3 + 60*a^2*b^2*d*x^3 + 60*a^4*f*x^3 - 60*a^3*b*x^3*e)/b^5 + 1/3*(a^2*b^3*c - a^3*b^2*d - a^5*f + a^4*b*e)*\log(\text{abs}(b*x^3 + a))/b^6$

maple [A] time = 0.05, size = 218, normalized size = 1.28

$$\frac{f x^{15}}{15b} - \frac{a f x^{12}}{12b^2} + \frac{e x^{12}}{12b} + \frac{a^2 f x^9}{9b^3} - \frac{a e x^9}{9b^2} + \frac{d x^9}{9b} - \frac{a^3 f x^6}{6b^4} + \frac{a^2 e x^6}{6b^3} - \frac{a d x^6}{6b^2} + \frac{c x^6}{6b} + \frac{a^4 f x^3}{3b^5} - \frac{a^3 e x^3}{3b^4} + \frac{a^2 d x^3}{3b^3} - \frac{a c x^3}{3b^2} - \frac{a^5 f \ln(b x^3 + a)}{3b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)

[Out] $\frac{1}{15}f*x^{15}/b - 1/12/b^2*x^{12}*a*f + 1/12/b*x^{12}*e + 1/9/b^3*x^9*a^2*f - 1/9/b^2*x^9*a*e + 1/9/b*x^9*d - 1/6/b^4*x^6*a^3*f + 1/6/b^3*x^6*a^2*e - 1/6/b^2*x^6*a*d + 1/6/b*x^6*c + 1/3/b^5*x^3*a^4*f - 1/3/b^4*x^3*a^3*e + 1/3/b^3*x^3*a^2*d - 1/3/b^2*x^3*a*c - 1/3*a^5/b^6*\ln(b*x^3+a)*f + 1/3*a^4/b^5*\ln(b*x^3+a)*e - 1/3*a^3/b^4*\ln(b*x^3+a)*d + 1/3*a^2/b^3*\ln(b*x^3+a)*c$

maxima [A] time = 1.38, size = 169, normalized size = 0.99

$$\frac{12 b^4 f x^{15} + 15 (b^4 e - a b^3 f) x^{12} + 20 (b^4 d - a b^3 e + a^2 b^2 f) x^9 + 30 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^6 - 60 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x^3}{180 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{180}*(12*b^4*f*x^{15} + 15*(b^4*e - a*b^3*f)*x^{12} + 20*(b^4*d - a*b^3*e + a^2*b^2*f)*x^9 + 30*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^6 - 60*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^3)/b^5 + 1/3*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\log(b*x^3 + a)/b^6$

mupad [B] time = 4.96, size = 189, normalized size = 1.11

$$x^{12} \left(\frac{e}{12b} - \frac{af}{12b^2} \right) + x^9 \left(\frac{d}{9b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{9b} \right) + x^6 \left(\frac{c}{6b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{6b} \right) - \frac{\ln(bx^3 + a) (fa^5 - ea^4b + da^3b^2 - ca^2b^3)}{3b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)`

[Out] $x^{12} \left(\frac{e}{12b} - \frac{af}{12b^2} \right) + x^9 \left(\frac{d}{9b} - \frac{a(e/b - (af)/b^2)}{9b} \right) + x^6 \left(\frac{c}{6b} - \frac{a(d/b - (a(e/b - (af)/b^2))/b)}{6b} \right) - \left(\log(a + b x^3) \right) \left(\frac{a^5 f - a^2 b^3 c + a^3 b^2 d - a^4 b e}{3b^6} + \frac{f x^{15}}{15b} - \frac{a x^3 (c/b - (a(d/b - (a(e/b - (af)/b^2))/b))}{3b} \right)$

sympy [A] time = 1.35, size = 172, normalized size = 1.01

$$-\frac{a^2 (a^3 f - a^2 b e + a b^2 d - b^3 c) \log(a + b x^3)}{3b^6} + x^{12} \left(-\frac{af}{12b^2} + \frac{e}{12b} \right) + x^9 \left(\frac{a^2 f}{9b^3} - \frac{ae}{9b^2} + \frac{d}{9b} \right) + x^6 \left(-\frac{a^3 f}{6b^4} + \frac{a^2 e}{6b^3} - \frac{ad}{6b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**8*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)`

[Out] $-a^{**2} * (a^{**3} * f - a^{**2} * b * e + a * b^{**2} * d - b^{**3} * c) * \log(a + b * x^{**3}) / (3 * b^{**6}) + x^{**12} * (-a * f / (12 * b^{**2}) + e / (12 * b)) + x^{**9} * (a^{**2} * f / (9 * b^{**3}) - a * e / (9 * b^{**2}) + d / (9 * b)) + x^{**6} * (-a^{**3} * f / (6 * b^{**4}) + a^{**2} * e / (6 * b^{**3}) - a * d / (6 * b^{**2}) + c / (6 * b)) + x^{**3} * (a^{**4} * f / (3 * b^{**5}) - a^{**3} * e / (3 * b^{**4}) + a^{**2} * d / (3 * b^{**3}) - a * c / (3 * b^{**2})) + f * x^{**15} / (15 * b)$

$$3.225 \quad \int \frac{x^5(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=132

$$\frac{x^6(a^2f - abe + b^2d)}{6b^3} - \frac{a \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5} + \frac{x^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^4} + \frac{x^9(be - af)}{9b^2}$$

[Out] 1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^3/b^4+1/6*(a^2*f-a*b*e+b^2*d)*x^6/b^3+1/9*(-a*f+b*e)*x^9/b^2+1/12*f*x^12/b-1/3*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*ln(b*x^3+a)/b^5

Rubi [A] time = 0.18, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4} - \frac{a \log(a + bx^3)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5} + \frac{x^6(a^2f - abe + b^2d)}{6b^3} + \frac{x^9(be - af)}{9b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(3*b^4) + ((b^2*d - a*b*e + a^2*f)*x^6)/(6*b^3) + ((b*e - a*f)*x^9)/(9*b^2) + (f*x^12)/(12*b) - (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*b^5)

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\begin{aligned} \int \frac{x^5 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x (c + dx + ex^2 + fx^3)}{a + bx} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^3c - ab^2d + a^2be - a^3f}{b^4} + \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^2}{b^2} + \right. \right. \\ &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^3}{3b^4} + \frac{(b^2d - abe + a^2f)x^6}{6b^3} + \frac{(be - af)x^9}{9b^2} + \frac{fx^{12}}{12b} - \end{aligned}$$

Mathematica [A] time = 0.07, size = 119, normalized size = 0.90

$$\frac{12a \log(a + bx^3) (a^3f - a^2be + ab^2d - b^3c) + bx^3 (-12a^3f + 6a^2b(2e + fx^3) - 2ab^2(6d + 3ex^3 + 2fx^6) + b^3(12c + 6dx^3 + 4ex^6 + 3fx^9)) - 12a^2b^2(6d + 3ex^3 + 2fx^6) + b^3(12c + 6dx^3 + 4ex^6 + 3fx^9)}{36b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (b*x^3*(-12*a^3*f + 6*a^2*b*(2*e + f*x^3) - 2*a*b^2*(6*d + 3*e*x^3 + 2*f*x^6) + b^3*(12*c + 6*d*x^3 + 4*e*x^6 + 3*f*x^9)) + 12*a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a + b*x^3])/(36*b^5)

fricas [A] time = 0.59, size = 130, normalized size = 0.98

$$\frac{3b^4fx^{12} + 4(b^4e - ab^3f)x^9 + 6(b^4d - ab^3e + a^2b^2f)x^6 + 12(b^4c - ab^3d + a^2b^2e - a^3bf)x^3 - 12(ab^3c - a^2b^2d - a^3f)}{36b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/36*(3*b^4*f*x^12 + 4*(b^4*e - a*b^3*f)*x^9 + 6*(b^4*d - a*b^3*e + a^2*b^2*f)*x^6 + 12*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^3 - 12*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*log(b*x^3 + a))/b^5

giac [A] time = 0.17, size = 148, normalized size = 1.12

$$\frac{3b^3fx^{12} - 4ab^2fx^9 + 4b^3x^9e + 6b^3dx^6 + 6a^2bfx^6 - 6ab^2x^6e + 12b^3cx^3 - 12ab^2dx^3 - 12a^3fx^3 + 12a^2bx^3e}{36b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] $\frac{1}{36}(3b^3fx^{12} - 4a^2b^2fx^9 + 4b^3x^9e + 6b^3dx^6 + 6a^2b^2fx^6 - 6a^2b^2x^6e + 12b^3cx^3 - 12a^2b^2dx^3 - 12a^3fx^3 + 12a^2b^2x^3e)/b^4 - \frac{1}{3}(a^3b^3c - a^2b^2d - a^4f + a^3b^2e) \cdot \log(\text{abs}(bx^3 + a))/b^5$

maple [A] time = 0.05, size = 170, normalized size = 1.29

$$\frac{fx^{12}}{12b} - \frac{afx^9}{9b^2} + \frac{ex^9}{9b} + \frac{a^2fx^6}{6b^3} - \frac{aex^6}{6b^2} + \frac{dx^6}{6b} - \frac{a^3fx^3}{3b^4} + \frac{a^2ex^3}{3b^3} - \frac{adx^3}{3b^2} + \frac{cx^3}{3b} + \frac{a^4f \ln(bx^3 + a)}{3b^5} - \frac{a^3e \ln(bx^3 + a)}{3b^4} + \frac{a^2d \ln(bx^3 + a)}{3b^3} - \frac{a^4f \ln(bx^3 + a)}{3b^5} + \frac{a^3e \ln(bx^3 + a)}{3b^4} + \frac{a^2d \ln(bx^3 + a)}{3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)`

[Out] $\frac{1}{12}fx^{12}/b - \frac{1}{9}b^{-2}x^9a^2f + \frac{1}{9}b^{-1}x^9ae + \frac{1}{6}b^{-3}x^6a^2f - \frac{1}{6}b^{-2}x^6a^2e + \frac{1}{6}b^{-1}x^6d - \frac{1}{3}b^{-4}x^3a^3f + \frac{1}{3}b^{-3}x^3a^2e - \frac{1}{3}b^{-2}x^3ad + \frac{1}{3}b^{-1}x^3c + \frac{1}{3}a^4/b^5 \ln(bx^3+a) - \frac{1}{3}a^3/b^4 \ln(bx^3+a) + \frac{1}{3}a^2/b^3 \ln(bx^3+a) - \frac{1}{3}a/b^2 \ln(bx^3+a) + c$

maxima [A] time = 1.37, size = 129, normalized size = 0.98

$$\frac{3b^3fx^{12} + 4(b^3e - ab^2f)x^9 + 6(b^3d - ab^2e + a^2bf)x^6 + 12(b^3c - ab^2d + a^2be - a^3f)x^3}{36b^4} - \frac{(ab^3c - a^2b^2d + a^3be - a^4f) \ln(bx^3 + a)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $\frac{1}{36}(3b^3fx^{12} + 4(b^3e - a^2b^2f)x^9 + 6(b^3d - a^2b^2e + a^2b^2fx^6 + 12(b^3c - a^2b^2d + a^2b^2e - a^3f)x^3)/b^4 - \frac{1}{3}(a^3b^3c - a^2b^2d + a^3b^2e - a^4f) \cdot \log(bx^3 + a)/b^5$

mupad [B] time = 4.93, size = 141, normalized size = 1.07

$$x^9 \left(\frac{e}{9b} - \frac{af}{9b^2} \right) + x^6 \left(\frac{d}{6b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{6b} \right) + x^3 \left(\frac{c}{3b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{3b} \right) + \frac{fx^{12}}{12b} + \frac{\ln(bx^3 + a) (fa^4 - ea^3b + da^2b^2)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)`

[Out] $x^9(e/(9b) - (af)/(9b^2)) + x^6(d/(6b) - (a(e/b - (af)/b^2))/(6b)) + x^3(c/(3b) - (a(d/b - (a(e/b - (af)/b^2))/b))/(3b)) + (fx^{12})/(12b) + (\log(a + bx^3)(a^4f + a^2b^2d - a^3b^3c - a^3b^2e))/(3b^5)$

sympy [A] time = 1.05, size = 128, normalized size = 0.97

$$\frac{a(a^3f - a^2be + ab^2d - b^3c) \log(a + bx^3)}{3b^5} + x^9 \left(-\frac{af}{9b^2} + \frac{e}{9b} \right) + x^6 \left(\frac{a^2f}{6b^3} - \frac{ae}{6b^2} + \frac{d}{6b} \right) + x^3 \left(-\frac{a^3f}{3b^4} + \frac{a^2e}{3b^3} - \frac{ad}{3b^2} + \frac{c}{3b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] a*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a + b*x**3)/(3*b**5) + x**9*(
 -a*f/(9*b**2) + e/(9*b)) + x**6*(a**2*f/(6*b**3) - a*e/(6*b**2) + d/(6*b))
 + x**3*(-a**3*f/(3*b**4) + a**2*e/(3*b**3) - a*d/(3*b**2) + c/(3*b)) + f*x*
 *12/(12*b)

$$3.226 \quad \int \frac{x^2(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=96

$$\frac{x^3(a^2f - abe + b^2d)}{3b^3} + \frac{\log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^4} + \frac{x^6(be - af)}{6b^2} + \frac{fx^9}{9b}$$

[Out] $1/3*(a^2*f - a*b*e + b^2*d)*x^3/b^3 + 1/6*(-a*f + b*e)*x^6/b^2 + 1/9*f*x^9/b + 1/3*(-a^3*f + a^2*b*e - a*b^2*d + b^3*c)*\ln(b*x^3 + a)/b^4$

Rubi [A] time = 0.14, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1819, 1850}

$$\frac{\log(a + bx^3)(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4} + \frac{x^3(a^2f - abe + b^2d)}{3b^3} + \frac{x^6(be - af)}{6b^2} + \frac{fx^9}{9b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]$

[Out] $((b^2*d - a*b*e + a^2*f)*x^3)/(3*b^3) + ((b*e - a*f)*x^6)/(6*b^2) + (f*x^9)/(9*b) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*b^4)$

Rule 1819

$\text{Int}[(Pq_)*(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/(m + 1), \text{Subst}[\text{Int}[\text{SubstFor}[x^{(m + 1)}, Pq, x]*(a + b*x^{\text{Simplify}[n/(m + 1)])}^p, x], x, x^{(m + 1)}], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{NeQ}[m, -1] \&\& \text{IGtQ}[\text{Simplify}[n/(m + 1)], 0] \&\& \text{PolyQ}[Pq, x^{(m + 1)}]$

Rule 1850

$\text{Int}[(Pq_)*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, n\}, x] \&\& \text{PolyQ}[Pq, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 1])$

Rubi steps

$$\begin{aligned} \int \frac{x^2(c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{a + bx} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^2d - abe + a^2f}{b^3} + \frac{(be - af)x}{b^2} + \frac{fx^2}{b} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3(a + bx)} \right) dx, x, x^3 \right) \\ &= \frac{(b^2d - abe + a^2f)x^3}{3b^3} + \frac{(be - af)x^6}{6b^2} + \frac{fx^9}{9b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(a + bx^3)}{3b^4} \end{aligned}$$

Mathematica [A] time = 0.05, size = 88, normalized size = 0.92

$$\frac{bx^3(6a^2f - 3ab(2e + fx^3) + b^2(6d + 3ex^3 + 2fx^6)) + 6 \log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{18b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (b*x^3*(6*a^2*f - 3*a*b*(2*e + f*x^3) + b^2*(6*d + 3*e*x^3 + 2*f*x^6)) + 6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(18*b^4)

fricas [A] time = 0.74, size = 92, normalized size = 0.96

$$\frac{2b^3fx^9 + 3(b^3e - ab^2f)x^6 + 6(b^3d - ab^2e + a^2bf)x^3 + 6(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{18b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/18*(2*b^3*f*x^9 + 3*(b^3*e - a*b^2*f)*x^6 + 6*(b^3*d - a*b^2*e + a^2*b*f)*x^3 + 6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(b*x^3 + a))/b^4

giac [A] time = 0.20, size = 101, normalized size = 1.05

$$\frac{2b^2fx^9 - 3abfx^6 + 3b^2x^6e + 6b^2dx^3 + 6a^2fx^3 - 6abx^3e}{18b^3} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log(|bx^3 + a|)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/18*(2*b^2*f*x^9 - 3*a*b*f*x^6 + 3*b^2*x^6*e + 6*b^2*d*x^3 + 6*a^2*f*x^3 - 6*a*b*x^3*e)/b^3 + 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(abs(b*x^3 + a))/b^4

maple [A] time = 0.04, size = 124, normalized size = 1.29

$$\frac{fx^9}{9b} - \frac{afx^6}{6b^2} + \frac{ex^6}{6b} + \frac{a^2fx^3}{3b^3} - \frac{aex^3}{3b^2} + \frac{dx^3}{3b} - \frac{a^3f \ln(bx^3 + a)}{3b^4} + \frac{a^2e \ln(bx^3 + a)}{3b^3} - \frac{ad \ln(bx^3 + a)}{3b^2} + \frac{c \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)

[Out] 1/9/b*f*x^9-1/6/b^2*x^6*a*f+1/6/b*x^6*e+1/3/b^3*x^3*a^2*f-1/3/b^2*x^3*a*e+1/3/b*x^3*d-1/3/b^4*ln(b*x^3+a)*a^3*f+1/3/b^3*ln(b*x^3+a)*a^2*e-1/3/b^2*ln(b*x^3+a)*a*d+1/3*c*ln(b*x^3+a)/b

maxima [A] time = 1.39, size = 91, normalized size = 0.95

$$\frac{2b^2fx^9 + 3(b^2e - abf)x^6 + 6(b^2d - abe + a^2f)x^3}{18b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/18*(2*b^2*f*x^9 + 3*(b^2*e - a*b*f)*x^6 + 6*(b^2*d - a*b*e + a^2*f)*x^3)/b^3 + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(b*x^3 + a)/b^4

mupad [B] time = 4.83, size = 96, normalized size = 1.00

$$x^6 \left(\frac{e}{6b} - \frac{af}{6b^2} \right) + x^3 \left(\frac{d}{3b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{3b} \right) + \frac{\ln(bx^3 + a) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3b^4} + \frac{fx^9}{9b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)

[Out] x^6*(e/(6*b) - (a*f)/(6*b^2)) + x^3*(d/(3*b) - (a*(e/b - (a*f)/b^2))/(3*b)) + (log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^4) + (f*x^9)/(9*b)

sympy [A] time = 1.13, size = 88, normalized size = 0.92

$$x^6 \left(-\frac{af}{6b^2} + \frac{e}{6b} \right) + x^3 \left(\frac{a^2f}{3b^3} - \frac{ae}{3b^2} + \frac{d}{3b} \right) + \frac{fx^9}{9b} - \frac{(a^3f - a^2be + ab^2d - b^3c) \log(a + bx^3)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)
```

```
[Out] x**6*(-a*f/(6*b**2) + e/(6*b)) + x**3*(a**2*f/(3*b**3) - a*e/(3*b**2) + d/(3*b)) + f*x**9/(9*b) - (a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a + b*x**3)/(3*b**4)
```

$$3.227 \quad \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)} dx$$

Optimal. Leaf size=80

$$-\frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3ab^3} + \frac{x^3(be-af)}{3b^2} + \frac{c \log(x)}{a} + \frac{fx^6}{6b}$$

[Out] 1/3*(-a*f+b*e)*x^3/b^2+1/6*f*x^6/b+c*ln(x)/a-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*ln(b*x^3+a)/a/b^3

Rubi [A] time = 0.12, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3ab^3} + \frac{x^3(be-af)}{3b^2} + \frac{c \log(x)}{a} + \frac{fx^6}{6b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)),x]

[Out] ((b*e - a*f)*x^3)/(3*b^2) + (f*x^6)/(6*b) + (c*Log[x])/a - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*a*b^3)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x(a + bx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x(a + bx)} dx, x, x^3 \right) \\
&= \frac{1}{3} \text{Subst} \left(\int \left(\frac{be - af}{b^2} + \frac{c}{ax} + \frac{fx}{b} + \frac{-b^3c + ab^2d - a^2be + a^3f}{ab^2(a + bx)} \right) dx, x, x^3 \right) \\
&= \frac{(be - af)x^3}{3b^2} + \frac{fx^6}{6b} + \frac{c \log(x)}{a} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(a + bx^3)}{3ab^3}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 75, normalized size = 0.94

$$\frac{-2 \log(a + bx^3) (a^3(-f) + a^2be - ab^2d + b^3c) + abx^3 (-2af + 2be + bfx^3) + 6b^3c \log(x)}{6ab^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)),x]

[Out] (a*b*x^3*(2*b*e - 2*a*f + b*f*x^3) + 6*b^3*c*Log[x] - 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(6*a*b^3)

fricas [A] time = 0.77, size = 80, normalized size = 1.00

$$\frac{ab^2fx^6 + 6b^3c \log(x) + 2(ab^2e - a^2bf)x^3 - 2(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{6ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a),x, algorithm="fricas")

[Out] 1/6*(a*b^2*f*x^6 + 6*b^3*c*log(x) + 2*(a*b^2*e - a^2*b*f)*x^3 - 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(b*x^3 + a))/(a*b^3)

giac [A] time = 0.21, size = 79, normalized size = 0.99

$$\frac{c \log(|x|)}{a} + \frac{bfx^6 - 2afx^3 + 2bx^3e}{6b^2} - \frac{(b^3c - ab^2d - a^3f + a^2be) \log(|bx^3 + a|)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a),x, algorithm="giac")

[Out] c*log(abs(x))/a + 1/6*(b*f*x^6 - 2*a*f*x^3 + 2*b*x^3*e)/b^2 - 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(abs(b*x^3 + a))/(a*b^3)

maple [A] time = 0.05, size = 97, normalized size = 1.21

$$\frac{fx^6}{6b} - \frac{afx^3}{3b^2} + \frac{ex^3}{3b} + \frac{a^2f \ln(bx^3 + a)}{3b^3} - \frac{ae \ln(bx^3 + a)}{3b^2} + \frac{c \ln(x)}{a} - \frac{c \ln(bx^3 + a)}{3a} + \frac{d \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a),x)`

[Out] `1/6*f*x^6/b-1/3/b^2*x^3*a*f+1/3*e*x^3/b+1/3*a^2/b^3*ln(b*x^3+a)*f-1/3*a*e*ln(b*x^3+a)/b^2+1/3*d*ln(b*x^3+a)/b-1/3*c*ln(b*x^3+a)/a+c*ln(x)/a`

maxima [A] time = 1.38, size = 77, normalized size = 0.96

$$\frac{c \log(x^3)}{3a} + \frac{bfx^6 + 2(be - af)x^3}{6b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a),x, algorithm="maxima")`

[Out] `1/3*c*log(x^3)/a + 1/6*(b*f*x^6 + 2*(b*e - a*f)*x^3)/b^2 - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(b*x^3 + a)/(a*b^3)`

mupad [B] time = 4.93, size = 76, normalized size = 0.95

$$x^3 \left(\frac{e}{3b} - \frac{af}{3b^2} \right) + \frac{fx^6}{6b} + \frac{c \ln(x)}{a} - \frac{\ln(bx^3 + a) (-fa^3 + ea^2b - dab^2 + cb^3)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)),x)`

[Out] `x^3*(e/(3*b) - (a*f)/(3*b^2)) + (f*x^6)/(6*b) + (c*log(x))/a - (log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a*b^3)`

sympy [A] time = 5.26, size = 70, normalized size = 0.88

$$x^3 \left(-\frac{af}{3b^2} + \frac{e}{3b} \right) + \frac{fx^6}{6b} + \frac{c \log(x)}{a} + \frac{(a^3f - a^2be + ab^2d - b^3c) \log\left(\frac{a}{b} + x^3\right)}{3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x/(b*x**3+a),x)`

[Out] `x**3*(-a*f/(3*b**2) + e/(3*b)) + f*x**6/(6*b) + c*log(x)/a + (a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a/b + x**3)/(3*a*b**3)`

$$3.228 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)} dx$$

Optimal. Leaf size=81

$$-\frac{\log(x)(bc-ad)}{a^2} + \frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^2b^2} - \frac{c}{3ax^3} + \frac{fx^3}{3b}$$

[Out] $-1/3*c/a/x^3+1/3*f*x^3/b-(-a*d+b*c)*\ln(x)/a^2+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/a^2/b^2$

Rubi [A] time = 0.12, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^2b^2} - \frac{\log(x)(bc-ad)}{a^2} - \frac{c}{3ax^3} + \frac{fx^3}{3b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)),x]

[Out] $-c/(3*a*x^3) + (f*x^3)/(3*b) - ((b*c - a*d)*\text{Log}[x])/a^2 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^2*b^2)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_)^n_)^p_, x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^4(a + bx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^2(a + bx)} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{f}{b} + \frac{c}{ax^2} + \frac{-bc + ad}{a^2x} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^2b(a + bx)} \right) dx, x, x^3 \right) \\ &= -\frac{c}{3ax^3} + \frac{fx^3}{3b} - \frac{(bc - ad) \log(x)}{a^2} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(a + bx^3)}{3a^2b^2} \end{aligned}$$

Mathematica [A] time = 0.05, size = 77, normalized size = 0.95

$$\frac{1}{3} \left(\frac{3 \log(x)(ad - bc)}{a^2} + \frac{\log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{a^2b^2} - \frac{c}{ax^3} + \frac{fx^3}{b} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)),x]

[Out] $(-(c/(a*x^3)) + (f*x^3)/b + (3*(-(b*c) + a*d)*\text{Log}[x])/a^2 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(a^2*b^2))/3$

fricas [A] time = 0.77, size = 85, normalized size = 1.05

$$\frac{a^2bfx^6 + (b^3c - ab^2d + a^2be - a^3f)x^3 \log(bx^3 + a) - 3(b^3c - ab^2d)x^3 \log(x) - ab^2c}{3a^2b^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a),x, algorithm="fricas")

[Out] $1/3*(a^2*b*f*x^6 + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3*\log(b*x^3 + a) - 3*(b^3*c - a*b^2*d)*x^3*\log(x) - a*b^2*c)/(a^2*b^2*x^3)$

giac [A] time = 0.18, size = 95, normalized size = 1.17

$$\frac{fx^3}{3b} - \frac{(bc - ad) \log(|x|)}{a^2} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log(|bx^3 + a|)}{3a^2b^2} + \frac{bcx^3 - adx^3 - ac}{3a^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a),x, algorithm="giac")

[Out] $1/3*f*x^3/b - (b*c - a*d)*\log(\text{abs}(x))/a^2 + 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*\log(\text{abs}(b*x^3 + a))/(a^2*b^2) + 1/3*(b*c*x^3 - a*d*x^3 - a*c)/(a^2*x^3)$

maple [A] time = 0.06, size = 94, normalized size = 1.16

$$\frac{f x^3}{3b} - \frac{af \ln(bx^3 + a)}{3b^2} + \frac{d \ln(x)}{a} - \frac{d \ln(bx^3 + a)}{3a} - \frac{bc \ln(x)}{a^2} + \frac{bc \ln(bx^3 + a)}{3a^2} + \frac{e \ln(bx^3 + a)}{3b} - \frac{c}{3ax^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a),x)

[Out] 1/3/b*f*x^3-1/3*a/b^2*ln(b*x^3+a)*f+1/3*e*ln(b*x^3+a)/b-1/3*d*ln(b*x^3+a)/a+1/3/a^2*b*ln(b*x^3+a)*c-1/3/a*c/x^3+d*ln(x)/a-1/a^2*ln(x)*b*c

maxima [A] time = 1.33, size = 77, normalized size = 0.95

$$\frac{f x^3}{3b} - \frac{(bc - ad) \log(x^3)}{3a^2} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{3a^2b^2} - \frac{c}{3ax^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a),x, algorithm="maxima")

[Out] 1/3*f*x^3/b - 1/3*(b*c - a*d)*log(x^3)/a^2 + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(b*x^3 + a)/(a^2*b^2) - 1/3*c/(a*x^3)

mupad [B] time = 4.97, size = 74, normalized size = 0.91

$$\frac{f x^3}{3b} - \frac{c}{3ax^3} + \frac{\ln(x) (ad - bc)}{a^2} + \frac{\ln(bx^3 + a) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)),x)

[Out] (f*x^3)/(3*b) - c/(3*a*x^3) + (log(x)*(a*d - b*c))/a^2 + (log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^2*b^2)

sympy [A] time = 14.56, size = 70, normalized size = 0.86

$$\frac{f x^3}{3b} - \frac{c}{3ax^3} + \frac{(ad - bc) \log(x)}{a^2} - \frac{(a^3f - a^2be + ab^2d - b^3c) \log\left(\frac{a}{b} + x^3\right)}{3a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**4/(b*x**3+a),x)

[Out] f*x**3/(3*b) - c/(3*a*x**3) + (a*d - b*c)*log(x)/a**2 - (a**3*f - a**2*b*e + a*b**2*d - b**3*c)*log(a/b + x**3)/(3*a**2*b**2)

$$3.229 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)} dx$$

Optimal. Leaf size=95

$$\frac{bc-ad}{3a^2x^3} + \frac{\log(x)(a^2e-abd+b^2c)}{a^3} - \frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^3b} - \frac{c}{6ax^6}$$

[Out] $-1/6*c/a/x^6+1/3*(-a*d+b*c)/a^2/x^3+(a^2*e-a*b*d+b^2*c)*\ln(x)/a^3-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/a^3/b$

Rubi [A] time = 0.13, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^3b} + \frac{\log(x)(a^2e-abd+b^2c)}{a^3} + \frac{bc-ad}{3a^2x^3} - \frac{c}{6ax^6}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)), x]$

[Out] $-c/(6*a*x^6) + (b*c - a*d)/(3*a^2*x^3) + ((b^2*c - a*b*d + a^2*e)*\text{Log}[x])/a^3 - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^3*b)$

Rule 1620

$\text{Int}[(Px_*)*((a_*) + (b_*)*(x_*)^{(m_*)})*((c_*) + (d_*)*(x_*)^{(n_*)}), x_Symbol]$
 $:= \text{Int}[\text{ExpandIntegrand}[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, m, n\}, x] \&\& \text{PolyQ}[Px, x] \&\& (\text{IntegersQ}[m, n] \parallel \text{IGtQ}[m, -2]) \&\& \text{GtQ}[\text{Expon}[Px, x], 2]$

Rule 1821

$\text{Int}[(Pq_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x_Symbol] := \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*\text{SubstFor}[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}\{a, b, m, n, p\}, x] \&\& \text{PolyQ}[Pq, x^n] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^7(a + bx^3)} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^3(a + bx)} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^3} + \frac{-bc + ad}{a^2x^2} + \frac{b^2c - abd + a^2e}{a^3x} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^3(a + bx)} \right) dx, \right.$$

$$\left. = -\frac{c}{6ax^6} + \frac{bc - ad}{3a^2x^3} + \frac{(b^2c - abd + a^2e) \log(x)}{a^3} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(a + bx)}{3a^3b} \right)$$

Mathematica [A] time = 0.08, size = 88, normalized size = 0.93

$$\frac{6 \log(x) (a^2e - abd + b^2c) + \log(a + bx^3) \left(\frac{2a^3f}{b} - 2a^2e + 2abd - 2b^2c \right) - \frac{a(ac + 2adx^3 - 2bcx^3)}{x^6}}{6a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)),x]

[Out] (-((a*(a*c - 2*b*c*x^3 + 2*a*d*x^3))/x^6) + 6*(b^2*c - a*b*d + a^2*e)*Log[x] + (-2*b^2*c + 2*a*b*d - 2*a^2*e + (2*a^3*f)/b)*Log[a + b*x^3])/(6*a^3)

fricas [A] time = 0.57, size = 101, normalized size = 1.06

$$\frac{2(b^3c - ab^2d + a^2be - a^3f)x^6 \log(bx^3 + a) - 6(b^3c - ab^2d + a^2be)x^6 \log(x) + a^2bc - 2(ab^2c - a^2bd)x^3}{6a^3bx^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a),x, algorithm="fricas")

[Out] -1/6*(2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^6*log(b*x^3 + a) - 6*(b^3*c - a*b^2*d + a^2*b*e)*x^6*log(x) + a^2*b*c - 2*(a*b^2*c - a^2*b*d)*x^3)/(a^3*b*x^6)

giac [A] time = 0.16, size = 126, normalized size = 1.33

$$\frac{(b^2c - abd + a^2e) \log(|x|)}{a^3} - \frac{(b^3c - ab^2d - a^3f + a^2be) \log(|bx^3 + a|)}{3a^3b} - \frac{3b^2cx^6 - 3abdx^6 + 3a^2x^6e - 2abcx^3 + 2a^3f}{6a^3x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a),x, algorithm="giac")

[Out] $(b^2c - a*b*d + a^2e)*\log(\text{abs}(x))/a^3 - 1/3*(b^3c - a*b^2*d - a^3*f + a^2*b*e)*\log(\text{abs}(b*x^3 + a))/(a^3*b) - 1/6*(3*b^2*c*x^6 - 3*a*b*d*x^6 + 3*a^2*x^6*e - 2*a*b*c*x^3 + 2*a^2*d*x^3 + a^2*c)/(a^3*x^6)$

maple [A] time = 0.05, size = 116, normalized size = 1.22

$$\frac{e \ln(x)}{a} - \frac{e \ln(bx^3 + a)}{3a} - \frac{bd \ln(x)}{a^2} + \frac{bd \ln(bx^3 + a)}{3a^2} + \frac{b^2c \ln(x)}{a^3} - \frac{b^2c \ln(bx^3 + a)}{3a^3} + \frac{f \ln(bx^3 + a)}{3b} - \frac{d}{3ax^3} + \frac{bc}{3a^2x^3} - \frac{c}{6a^2x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a),x)`

[Out] $1/3/b*\ln(b*x^3+a)*f-1/3*e*\ln(b*x^3+a)/a+1/3/a^2*b*\ln(b*x^3+a)*d-1/3/a^3*b^2*\ln(b*x^3+a)*c-1/6*c/a/x^6-1/3/a/x^3*d+1/3/a^2/x^3*b*c+e*\ln(x)/a-1/a^2*\ln(x)*b*d+1/a^3*\ln(x)*b^2*c$

maxima [A] time = 1.36, size = 93, normalized size = 0.98

$$\frac{(b^2c - abd + a^2e) \log(x^3)}{3a^3} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{3a^3b} + \frac{2(bc - ad)x^3 - ac}{6a^2x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a),x, algorithm="maxima")`

[Out] $1/3*(b^2*c - a*b*d + a^2*e)*\log(x^3)/a^3 - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(b*x^3 + a)/(a^3*b) + 1/6*(2*(b*c - a*d)*x^3 - a*c)/(a^2*x^6)$

mupad [B] time = 4.99, size = 92, normalized size = 0.97

$$\frac{\ln(x) (e a^2 - d a b + c b^2)}{a^3} - \frac{\frac{c}{6a} + \frac{x^3(ad-bc)}{3a^2}}{x^6} - \frac{\ln(bx^3 + a) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)),x)`

[Out] $(\log(x)*(b^2*c + a^2*e - a*b*d))/a^3 - (c/(6*a) + (x^3*(a*d - b*c))/(3*a^2))/x^6 - (\log(a + b*x^3)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^3*b)$

sympy [A] time = 74.00, size = 85, normalized size = 0.89

$$\frac{-ac + x^3(-2ad + 2bc)}{6a^2x^6} + \frac{(a^2e - abd + b^2c) \log(x)}{a^3} + \frac{(a^3f - a^2be + ab^2d - b^3c) \log\left(\frac{a}{b} + x^3\right)}{3a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**7/(b*x**3+a),x)

[Out] $(-a*c + x**3*(-2*a*d + 2*b*c))/(6*a**2*x**6) + (a**2*e - a*b*d + b**2*c)*\log(x)/a**3 + (a**3*f - a**2*b*e + a*b**2*d - b**3*c)*\log(a/b + x**3)/(3*a**3*b)$

$$3.230 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)} dx$$

Optimal. Leaf size=128

$$\frac{bc-ad}{6a^2x^6} - \frac{a^2e-abd+b^2c}{3a^3x^3} + \frac{\log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^4} - \frac{\log(x)(a^3(-f)+a^2be-ab^2d+b^3c)}{a^4} - \frac{c}{9ax}$$

[Out] $-1/9*c/a/x^9+1/6*(-a*d+b*c)/a^2/x^6+1/3*(-a^2*e+a*b*d-b^2*c)/a^3/x^3-(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(x)/a^4+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/a^4$

Rubi [A] time = 0.16, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{\log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^4} - \frac{\log(x)(a^2be+a^3(-f)-ab^2d+b^3c)}{a^4} - \frac{a^2e-abd+b^2c}{3a^3x^3} + \frac{bc-ad}{6a^2x^6} - \frac{c}{9ax}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)), x]

[Out] $-c/(9*a*x^9) + (b*c - a*d)/(6*a^2*x^6) - (b^2*c - a*b*d + a^2*e)/(3*a^3*x^3) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[x])/a^4 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^4)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{10}(a + bx^3)} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^4(a + bx)} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^4} + \frac{-bc + ad}{a^2x^3} + \frac{b^2c - abd + a^2e}{a^3x^2} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x} - \frac{b^3c - ab^2d + a^2be - a^3f}{a^4} \log(x) \right) dx, x, x^3 \right)$$

$$= -\frac{c}{9ax^9} + \frac{bc - ad}{6a^2x^6} - \frac{b^2c - abd + a^2e}{3a^3x^3} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(x)}{a^4} + \frac{(b^3c - ab^2d + a^2be - a^3f)}{a^4}$$

Mathematica [A] time = 0.09, size = 128, normalized size = 1.00

$$\frac{bc - ad}{6a^2x^6} + \frac{a^2(-e) + abd - b^2c}{3a^3x^3} + \frac{\log(a + bx^3)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^4} + \frac{\log(x)(a^3f - a^2be + ab^2d - b^3c)}{a^4} - \frac{b^3c - ab^2d + a^2be - a^3f}{a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)),x]

[Out] -1/9*c/(a*x^9) + (b*c - a*d)/(6*a^2*x^6) + ((-b^2*c) + a*b*d - a^2*e)/(3*a^3*x^3) + (((-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[x])/a^4 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/(3*a^4)

fricas [A] time = 0.72, size = 127, normalized size = 0.99

$$\frac{6(b^3c - ab^2d + a^2be - a^3f)x^9 \log(bx^3 + a) - 18(b^3c - ab^2d + a^2be - a^3f)x^9 \log(x) - 6(ab^2c - a^2bd + a^3e)x^6 - 18a^4x^9}{18a^4x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a),x, algorithm="fricas")

[Out] 1/18*(6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9*log(b*x^3 + a) - 18*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9*log(x) - 6*(a*b^2*c - a^2*b*d + a^3*e)*x^6 - 2*a^3*c + 3*(a^2*b*c - a^3*d)*x^3)/(a^4*x^9)

giac [A] time = 0.18, size = 184, normalized size = 1.44

$$-\frac{(b^3c - ab^2d - a^3f + a^2be) \log(|x|)}{a^4} + \frac{(b^4c - ab^3d - a^3bf + a^2b^2e) \log(|bx^3 + a|)}{3a^4b} + \frac{11b^3cx^9 - 11ab^2dx^9 - 11a^3e}{18a^4x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a),x, algorithm="giac")

[Out] $-(b^3c - a^2b^2d - a^3f + a^2b^2e) \log(\text{abs}(x))/a^4 + 1/3(b^4c - a^3b^3d - a^3b^2f + a^2b^2e) \log(\text{abs}(bx^3 + a))/(a^4b) + 1/18(11b^3cx^9 - 11a^2b^2dx^9 - 11a^3fx^9 + 11a^2b^2ex^9 - 6a^2b^2cx^6 + 6a^2b^2dx^6 - 6a^3fx^6 + 3a^2b^2cx^3 - 3a^3dx^3 - 2a^3c)/(a^4x^9)$

maple [A] time = 0.05, size = 161, normalized size = 1.26

$$\frac{f \ln(x)}{a} - \frac{f \ln(bx^3 + a)}{3a} - \frac{be \ln(x)}{a^2} + \frac{be \ln(bx^3 + a)}{3a^2} + \frac{b^2d \ln(x)}{a^3} - \frac{b^2d \ln(bx^3 + a)}{3a^3} - \frac{b^3c \ln(x)}{a^4} + \frac{b^3c \ln(bx^3 + a)}{3a^4} - \frac{e}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a),x)`

[Out] $-1/3/a \ln(bx^3+a) * f + 1/3/a^2 \ln(bx^3+a) * b^2e - 1/3/a^3 \ln(bx^3+a) * b^2d + 1/3/a^4 \ln(bx^3+a) * b^3c - 1/9/a^2c/x^9 - 1/6/a^2/x^6 * d + 1/6/a^2/x^6 * b^2c - 1/3/a^2/x^3 * e + 1/3/a^2/x^3 * b^2d - 1/3/a^3/x^3 * b^2c + 1/a \ln(x) * f - 1/a^2 \ln(x) * b^2e + 1/a^3 \ln(x) * b^2d - 1/a^4 \ln(x) * b^3c$

maxima [A] time = 1.36, size = 125, normalized size = 0.98

$$\frac{(b^3c - ab^2d + a^2be - a^3f) \log(bx^3 + a)}{3a^4} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(x^3)}{3a^4} - \frac{6(b^2c - abd + a^2e)x^6 - 3(abc - a^2d)}{18a^3x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a),x, algorithm="maxima")`

[Out] $1/3(b^3c - a^2b^2d + a^2b^2e - a^3f) \log(bx^3 + a)/a^4 - 1/3(b^3c - a^2b^2d + a^2b^2e - a^3f) \log(x^3)/a^4 - 1/18(6(b^2c - a^2b^2d + a^2e)x^6 - 3(a^2b^2c - a^2d^2)x^3 + 2a^2c)/(a^3x^9)$

mupad [B] time = 5.02, size = 123, normalized size = 0.96

$$\frac{\ln(bx^3 + a) (-fa^3 + ea^2b - dab^2 + cb^3)}{3a^4} - \frac{\frac{c}{9a} + \frac{x^3(ad-bc)}{6a^2} + \frac{x^6(ea^2-dab+cb^2)}{3a^3}}{x^9} - \frac{\ln(x) (-fa^3 + ea^2b - dab^2 + cb^3)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)),x)`

[Out] $(\log(a + bx^3) * (b^3c - a^3f - a^2b^2d + a^2b^2e))/(3a^4) - (c/(9a) + (x^3(ad - bc))/(6a^2) + (x^6(b^2c + a^2e - a^2bd))/(3a^3))/x^9 - (\log(x) * (b^3c - a^3f - a^2b^2d + a^2b^2e))/a^4$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**10/(b*x**3+a),x)
```

```
[Out] Timed out
```

$$3.231 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)} dx$$

Optimal. Leaf size=164

$$\frac{bc-ad}{9a^2x^9} - \frac{a^2e-abd+b^2c}{6a^3x^6} - \frac{b \log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^5} + \frac{b \log(x)(a^3(-f)+a^2be-ab^2d+b^3c)}{a^5} +$$

[Out] $-1/12*c/a/x^{12}+1/9*(-a*d+b*c)/a^2/x^9+1/6*(-a^2*e+a*b*d-b^2*c)/a^3/x^6+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^3+b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(x)/a^5-1/3*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/a^5$

Rubi [A] time = 0.18, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^4x^3} - \frac{b \log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5} + \frac{b \log(x)(a^2be+a^3(-f)-ab^2d+b^3c)}{a^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)), x]

[Out] $-c/(12*a*x^{12}) + (b*c - a*d)/(9*a^2*x^9) - (b^2*c - a*b*d + a^2*e)/(6*a^3*x^6) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^4*x^3) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[x])/a^5 - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^5)$

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^((m_.)*(a_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{13}(a + bx^3)} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^5(a + bx)} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^5} + \frac{-bc + ad}{a^2x^4} + \frac{b^2c - abd + a^2e}{a^3x^3} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^2} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^4x^2} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{12ax^{12}} + \frac{bc - ad}{9a^2x^9} - \frac{b^2c - abd + a^2e}{6a^3x^6} + \frac{b^3c - ab^2d + a^2be - a^3f}{3a^4x^3} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{36a^5x^{12}}$$

Mathematica [A] time = 0.09, size = 164, normalized size = 1.00

$$\frac{-a^4(3c + 4dx^3 + 6ex^6 + 12fx^9) + 2a^3bx^3(2c + 3dx^3 + 6ex^6) - 6a^2b^2x^6(c + 2dx^3) + 36bx^{12} \log(x)(a^3(-f) + a^2d - ab^2e + b^3c)}{36a^5x^{12}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)), x]

[Out] (12*a*b^3*c*x^9 - 6*a^2*b^2*x^6*(c + 2*d*x^3) + 2*a^3*b*x^3*(2*c + 3*d*x^3 + 6*e*x^6) - a^4*(3*c + 4*d*x^3 + 6*e*x^6 + 12*f*x^9) + 36*b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^12*Log[x] - 12*b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^12*Log[a + b*x^3])/(36*a^5*x^12)

fricas [A] time = 0.91, size = 168, normalized size = 1.02

$$\frac{12(b^4c - ab^3d + a^2b^2e - a^3bf)x^{12} \log(bx^3 + a) - 36(b^4c - ab^3d + a^2b^2e - a^3bf)x^{12} \log(x) - 12(ab^3c - a^2b^2d + a^3b^2e - a^4bf)x^{12} \log(a + bx^3)}{36a^5x^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a), x, algorithm="fricas")

[Out] -1/36*(12*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^12*log(b*x^3 + a) - 36*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^12*log(x) - 12*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 6*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 3*a^4*c - 4*(a^3*b*c - a^4*d)*x^3)/(a^5*x^12)

giac [A] time = 0.17, size = 235, normalized size = 1.43

$$\frac{(b^4c - ab^3d - a^3bf + a^2b^2e) \log(|x|)}{a^5} - \frac{(b^5c - ab^4d - a^3b^2f + a^2b^3e) \log(|bx^3 + a|)}{3a^5b} - \frac{25b^4cx^{12} - 25ab^3dx^{12} - 25a^2b^2ex^6 + 3a^4c}{36a^5x^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a),x, algorithm="giac")

[Out] $(b^4*c - a*b^3*d - a^3*b*f + a^2*b^2*e)*\log(\text{abs}(x))/a^5 - 1/3*(b^5*c - a*b^4*d - a^3*b^2*f + a^2*b^3*e)*\log(\text{abs}(b*x^3 + a))/(a^5*b) - 1/36*(25*b^4*c*x^{12} - 25*a*b^3*d*x^{12} - 25*a^3*b*f*x^{12} + 25*a^2*b^2*x^{12}*e - 12*a*b^3*c*x^9 + 12*a^2*b^2*d*x^9 + 12*a^4*f*x^9 - 12*a^3*b*x^9*e + 6*a^2*b^2*c*x^6 - 6*a^3*b*d*x^6 + 6*a^4*x^6*e - 4*a^3*b*c*x^3 + 4*a^4*d*x^3 + 3*a^4*c)/(a^5*x^{12})$

maple [A] time = 0.06, size = 210, normalized size = 1.28

$$-\frac{bf \ln(x)}{a^2} + \frac{bf \ln(bx^3 + a)}{3a^2} + \frac{b^2e \ln(x)}{a^3} - \frac{b^2e \ln(bx^3 + a)}{3a^3} - \frac{b^3d \ln(x)}{a^4} + \frac{b^3d \ln(bx^3 + a)}{3a^4} + \frac{b^4c \ln(x)}{a^5} - \frac{b^4c \ln(bx^3 + a)}{3a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a),x)

[Out] $1/3*b/a^2*\ln(b*x^3+a)*f - 1/3*b^2/a^3*\ln(b*x^3+a)*e + 1/3*b^3/a^4*\ln(b*x^3+a)*d - 1/3*b^4/a^5*\ln(b*x^3+a)*c - 1/12*c/a/x^{12} - 1/9/a/x^9*d + 1/9/a^2/x^9*b*c - 1/6/a/x^6*e + 1/6/a^2/x^6*b*d - 1/6/a^3/x^6*b^2*c - 1/3/a/x^3*f + 1/3/a^2/x^3*b*e - 1/3/a^3/x^3*b^2*d + 1/3/a^4/x^3*b^3*c - 1/a^2*b*\ln(x)*f + 1/a^3*b^2*\ln(x)*e - 1/a^4*b^3*\ln(x)*d + 1/a^5*b^4*\ln(x)*c$

maxima [A] time = 1.36, size = 166, normalized size = 1.01

$$-\frac{(b^4c - ab^3d + a^2b^2e - a^3bf) \log(bx^3 + a)}{3a^5} + \frac{(b^4c - ab^3d + a^2b^2e - a^3bf) \log(x^3)}{3a^5} + \frac{12(b^3c - ab^2d + a^2be - a^3f)}{12a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a),x, algorithm="maxima")

[Out] $-1/3*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*\log(b*x^3 + a)/a^5 + 1/3*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*\log(x^3)/a^5 + 1/36*(12*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9 - 6*(a*b^2*c - a^2*b*d + a^3*e)*x^6 - 3*a^3*c + 4*(a^2*b*c - a^3*d)*x^3)/(a^4*x^{12})$

mupad [B] time = 5.07, size = 161, normalized size = 0.98

$$\frac{\ln(x) (-f a^3 b + e a^2 b^2 - d a b^3 + c b^4)}{a^5} - \frac{\ln(b x^3 + a) (-f a^3 b + e a^2 b^2 - d a b^3 + c b^4)}{3 a^5} - \frac{c}{12 a} - \frac{x^9 (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)),x)


```
[Out] (log(x)*(b^4*c + a^2*b^2*e - a*b^3*d - a^3*b*f))/a^5 - (log(a + b*x^3)*(b^4
*c + a^2*b^2*e - a*b^3*d - a^3*b*f))/(3*a^5) - (c/(12*a) - (x^9*(b^3*c - a^
3*f - a*b^2*d + a^2*b*e))/(3*a^4) + (x^3*(a*d - b*c))/(9*a^2) + (x^6*(b^2*c
+ a^2*e - a*b*d))/(6*a^3))/x^12
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**13/(b*x**3+a),x)
```

```
[Out] Timed out
```

$$3.232 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{16}(a+bx^3)} dx$$

Optimal. Leaf size=205

$$\frac{bc-ad}{12a^2x^{12}} - \frac{a^2e-abd+b^2c}{9a^3x^9} + \frac{b^2 \log(a+bx^3)(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^6} - \frac{b^2 \log(x)(a^3(-f)+a^2be-ab^2d+b^3c)}{a^6}$$

[Out] $-1/15*c/a/x^{15}+1/12*(-a*d+b*c)/a^2/x^{12}+1/9*(-a^2*e+a*b*d-b^2*c)/a^3/x^9+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^6-1/3*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/x^3-b^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(x)/a^6+1/3*b^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(b*x^3+a)/a^6$

Rubi [A] time = 0.21, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{b(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5x^3} + \frac{a^2be+a^3(-f)-ab^2d+b^3c}{6a^4x^6} + \frac{b^2 \log(a+bx^3)(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^6} - \frac{b^2 \log(x)(a^2be+a^3(-f)-ab^2d+b^3c)}{a^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^16*(a + b*x^3)), x]

[Out] $-c/(15*a*x^{15}) + (b*c - a*d)/(12*a^2*x^{12}) - (b^2*c - a*b*d + a^2*e)/(9*a^3*x^9) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^4*x^6) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*a^5*x^3) - (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[x])/a^6 + (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^6)$

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_))^(n_)]^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{16}(a + bx^3)} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^6(a + bx)} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{ax^6} + \frac{-bc + ad}{a^2x^5} + \frac{b^2c - abd + a^2e}{a^3x^4} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^3} - \frac{b(b^3c - ab^2d - a^2be + a^3f)}{a^4x^3} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{15ax^{15}} + \frac{bc - ad}{12a^2x^{12}} - \frac{b^2c - abd + a^2e}{9a^3x^9} + \frac{b^3c - ab^2d + a^2be - a^3f}{6a^4x^6} - \frac{b(b^3c - ab^2d - a^2be + a^3f)}{3a^5}$$

Mathematica [A] time = 0.24, size = 194, normalized size = 0.95

$$\frac{-60b^2 \log(a + bx^3) (a^3(-f) + a^2be - ab^2d + b^3c) + 180b^2 \log(x) (a^3(-f) + a^2be - ab^2d + b^3c) + \frac{a(a^4(12c + 15dx^3)}{180a^6}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^16*(a + b*x^3)),x]

[Out] -1/180*((a*(60*b^4*c*x^12 - 30*a*b^3*x^9*(c + 2*d*x^3) + 10*a^2*b^2*x^6*(2*c + 3*d*x^3 + 6*e*x^6) - 5*a^3*b*x^3*(3*c + 4*d*x^3 + 6*e*x^6 + 12*f*x^9) + a^4*(12*c + 15*d*x^3 + 20*e*x^6 + 30*f*x^9)))/x^15 + 180*b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[x] - 60*b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a + b*x^3])/a^6

fricas [A] time = 0.95, size = 210, normalized size = 1.02

$$\frac{60(b^5c - ab^4d + a^2b^3e - a^3b^2f)x^{15} \log(bx^3 + a) - 180(b^5c - ab^4d + a^2b^3e - a^3b^2f)x^{15} \log(x) - 60(ab^4c - a^2b^3d + a^3b^2e - a^4b^1f)}{180a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a),x, algorithm="fricas")

[Out] 1/180*(60*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^15*log(b*x^3 + a) - 180*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^15*log(x) - 60*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b^1*f)*x^12 + 30*(a^2*b^3*c - a^3*b^2*d + a^4*b^1*e - a^5*f)*x^9 - 20*(a^3*b^2*c - a^4*b^1*d + a^5*e)*x^6 - 12*a^5*c + 15*(a^4*b^1*c - a^5*d)*x^3)/(a^6*x^15)

giac [A] time = 0.17, size = 287, normalized size = 1.40

$$\frac{(b^5c - ab^4d - a^3b^2f + a^2b^3e) \log(|x|)}{a^6} + \frac{(b^6c - ab^5d - a^3b^3f + a^2b^4e) \log(|bx^3 + a|)}{3a^6b} + \frac{137b^5cx^{15} - 137ab^4dx^{12}}{180a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a),x, algorithm="giac")

[Out] $-(b^5*c - a*b^4*d - a^3*b^2*f + a^2*b^3*e)*\log(\text{abs}(x))/a^6 + 1/3*(b^6*c - a*b^5*d - a^3*b^3*f + a^2*b^4*e)*\log(\text{abs}(b*x^3 + a))/(a^6*b) + 1/180*(137*b^5*c*x^{15} - 137*a*b^4*d*x^{15} - 137*a^3*b^2*f*x^{15} + 137*a^2*b^3*x^{15}*e - 60*a*b^4*c*x^{12} + 60*a^2*b^3*d*x^{12} + 60*a^4*b*f*x^{12} - 60*a^3*b^2*x^{12}*e + 30*a^2*b^3*c*x^9 - 30*a^3*b^2*d*x^9 - 30*a^5*f*x^9 + 30*a^4*b*x^9*e - 20*a^3*b^2*c*x^6 + 20*a^4*b*d*x^6 - 20*a^5*x^6*e + 15*a^4*b*c*x^3 - 15*a^5*d*x^3 - 12*a^5*c)/(a^6*x^{15})$

maple [A] time = 0.05, size = 260, normalized size = 1.27

$$\frac{b^2 f \ln(x)}{a^3} - \frac{b^2 f \ln(bx^3 + a)}{3a^3} - \frac{b^3 e \ln(x)}{a^4} + \frac{b^3 e \ln(bx^3 + a)}{3a^4} + \frac{b^4 d \ln(x)}{a^5} - \frac{b^4 d \ln(bx^3 + a)}{3a^5} - \frac{b^5 c \ln(x)}{a^6} + \frac{b^5 c \ln(bx^3 + a)}{3a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a),x)

[Out] $-1/3*b^2/a^3*\ln(b*x^3+a)*f+1/3*b^3/a^4*\ln(b*x^3+a)*e-1/3*b^4/a^5*\ln(b*x^3+a)*d+1/3*b^5/a^6*\ln(b*x^3+a)*c-1/15*c/a/x^{15}-1/12/a/x^{12}*d+1/12/a^2/x^{12}*b*c-1/9/a/x^9*e+1/9/a^2/x^9*b*d-1/9/a^3/x^9*b^2*c-1/6/a/x^6*f+1/6/a^2/x^6*b*e-1/6/a^3/x^6*b^2*d+1/6/a^4/x^6*b^3*c+1/a^3*b^2*\ln(x)*f-1/a^4*b^3*\ln(x)*e+1/a^5*b^4*\ln(x)*d-1/a^6*b^5*\ln(x)*c+1/3/a^2*b/x^3*f-1/3/a^3*b^2/x^3*e+1/3/a^4*b^3/x^3*d-1/3/a^5*b^4/x^3*c$

maxima [A] time = 1.41, size = 208, normalized size = 1.01

$$\frac{(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log(bx^3 + a)}{3a^6} - \frac{(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log(x^3)}{3a^6} - \frac{60(b^4c - ab^3d + a^2b^2e - a^3b)}{3a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^16/(b*x^3+a),x, algorithm="maxima")

[Out] $1/3*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*\log(b*x^3 + a)/a^6 - 1/3*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*\log(x^3)/a^6 - 1/180*(60*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^{12} - 30*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 20*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 12*a^4*c - 15*(a^3*b*c - a^4*d)*x^3)/(a^5*x^{15})$

mupad [B] time = 0.26, size = 200, normalized size = 0.98

$$\frac{\ln(bx^3 + a) (-fa^3b^2 + ea^2b^3 - da^4b + cb^5)}{3a^6} - \frac{c}{15a} - \frac{x^9(-fa^3 + ea^2b - da^2b^2 + cb^3)}{6a^4} + \frac{x^3(ad - bc)}{12a^2} + \frac{x^6(ea^2 - da^2b + cb^2)}{9a^3} + \frac{bx^{12}}{x^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^16*(a + b*x^3)),x)
```

```
[Out] (log(a + b*x^3)*(b^5*c + a^2*b^3*e - a^3*b^2*f - a*b^4*d)/(3*a^6) - (c/(15
*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(6*a^4) + (x^3*(a*d - b*c))
/(12*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(9*a^3) + (b*x^12*(b^3*c - a^3*f
- a*b^2*d + a^2*b*e))/(3*a^5))/x^15 - (log(x)*(b^5*c + a^2*b^3*e - a^3*b^2*
f - a*b^4*d))/a^6
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**16/(b*x**3+a),x)
```

```
[Out] Timed out
```

$$3.233 \quad \int \frac{x^9(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=348

$$\frac{x^{10}(a^2f - abe + b^2d)}{10b^3} + \frac{a^2x(a^3(-f) + a^2be - ab^2d + b^3c)}{b^6} - \frac{ax^4(a^3(-f) + a^2be - ab^2d + b^3c)}{4b^5} + \frac{x^7(a^3(-f) + a^2be - ab^2d + b^3c)}{7b^4}$$

[Out] $a^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^6-1/4*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^4/b^5+1/7*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^7/b^4+1/10*(a^2*f-a*b*e+b^2*d)*x^{10}/b^3+1/13*(-a*f+b*e)*x^{13}/b^2+1/16*f*x^{16}/b-1/3*a^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(19/3)}+1/6*a^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(19/3)}+1/3*a^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(19/3)}*3^{(1/2)}$

Rubi [A] time = 0.33, antiderivative size = 348, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x^7(a^2be + a^3(-f) - ab^2d + b^3c)}{7b^4} - \frac{ax^4(a^2be + a^3(-f) - ab^2d + b^3c)}{4b^5} + \frac{a^{7/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{19/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $(a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^6 - (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^4)/(4*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^7)/(7*b^4) + ((b^2*d - a*b*e + a^2*f)*x^{10})/(10*b^3) + ((b*e - a*f)*x^{13})/(13*b^2) + (f*x^{16})/(16*b) + (a^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*b^{(19/3)}) - (a^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*b^{(19/3)}) + (a^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*b^{(19/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

```
Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(
Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R
t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F
reeQ[{a, b}, x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_.)*(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.)*(
(d_) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(
m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
```

NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^9 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{16}}{16b} + \frac{\int \frac{x^9(16bc+16bdx^3+16(be-af)x^6)}{a+bx^3} dx}{16b} \\
 &= \frac{fx^{16}}{16b} + \frac{\int \left(\frac{16a^2(b^3c-ab^2d+a^2be-a^3f)}{b^5} - \frac{16a(b^3c-ab^2d+a^2be-a^3f)x^3}{b^4} + \frac{16(b^3c-ab^2d+a^2be-a^3f)x^6}{b^3} \right) dx}{16b} \\
 &= \frac{a^2(b^3c-ab^2d+a^2be-a^3f)x}{b^6} - \frac{a(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^7}{7b^4} \\
 &= \frac{a^2(b^3c-ab^2d+a^2be-a^3f)x}{b^6} - \frac{a(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^7}{7b^4} \\
 &= \frac{a^2(b^3c-ab^2d+a^2be-a^3f)x}{b^6} - \frac{a(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^7}{7b^4} \\
 &= \frac{a^2(b^3c-ab^2d+a^2be-a^3f)x}{b^6} - \frac{a(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^7}{7b^4} \\
 &= \frac{a^2(b^3c-ab^2d+a^2be-a^3f)x}{b^6} - \frac{a(b^3c-ab^2d+a^2be-a^3f)x^4}{4b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^7}{7b^4}
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 351, normalized size = 1.01

$$\frac{x^{10}(a^2f - abe + b^2d)}{10b^3} - \frac{a^2x(a^3f - a^2be + ab^2d - b^3c)}{b^6} + \frac{ax^4(a^3f - a^2be + ab^2d - b^3c)}{4b^5} + \frac{x^7(a^3(-f) + a^2be - ab^2d)}{7b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] -((a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/b^6) + (a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^4)/(4*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^7)/(7*b^4) + ((b^2*d - a*b*e + a^2*f)*x^10)/(10*b^3) + ((b*e - a*f)*x^13)/(13*b^2) + (f*x^16)/(16*b) + (a^(7/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^7)/(7*b^4)

$$f) \cdot \text{ArcTan}\left[\frac{-a^{1/3} + 2b^{1/3}x}{\sqrt{3}a^{1/3}}\right] / (\sqrt{3}b^{19/3}) + (a^{7/3}(-b^3c) + a^2b^2d - a^2b^2e + a^3f) \cdot \text{Log}[a^{1/3} + b^{1/3}x] / (3b^{19/3}) - (a^{7/3}(-b^3c) + a^2b^2d - a^2b^2e + a^3f) \cdot \text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2] / (6b^{19/3})$$

fricas [A] time = 0.64, size = 342, normalized size = 0.98

$$1365b^5fx^{16} + 1680(b^5e - ab^4f)x^{13} + 2184(b^5d - ab^4e + a^2b^3f)x^{10} + 3120(b^5c - ab^4d + a^2b^3e - a^3b^2f)x^7 - 5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] $\frac{1}{21840} \cdot (1365b^5fx^{16} + 1680(b^5e - ab^4f)x^{13} + 2184(b^5d - ab^4e + a^2b^3f)x^{10} + 3120(b^5c - ab^4d + a^2b^3e - a^3b^2f)x^7 - 5460(a^2b^4c - a^2b^3d + a^3b^2e - a^4b^2f)x^4 - 7280\sqrt{3}(a^2b^3c - a^3b^2d + a^4b^2e - a^5f) \cdot \frac{(a/b)^{1/3} \arctan(1/3 \cdot (2\sqrt{3}bx + (a/b)^{2/3} - \sqrt{3}a)/a)}{1} + 3640(a^2b^3c - a^3b^2d + a^4b^2e - a^5f) \cdot \frac{(a/b)^{1/3} \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3})}{1} - 7280(a^2b^3c - a^3b^2d + a^4b^2e - a^5f) \cdot \frac{(a/b)^{1/3} \log(x + (a/b)^{1/3})}{1} + 21840(a^2b^3c - a^3b^2d + a^4b^2e - a^5f)x) / b^6$

giac [A] time = 0.18, size = 454, normalized size = 1.30

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} a^2b^3c - (-ab^2)^{\frac{1}{3}} a^3b^2d - (-ab^2)^{\frac{1}{3}} a^5f + (-ab^2)^{\frac{1}{3}} a^4be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^7} \left((-ab^2)^{\frac{1}{3}} a^2b^3c - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-\frac{1}{3}\sqrt{3} \cdot ((-ab^2)^{1/3} a^2b^3c - (-ab^2)^{1/3} a^3b^2d - (-ab^2)^{1/3} a^5f + (-ab^2)^{1/3} a^4b^2e) \cdot \frac{\arctan(1/3 \sqrt{3} (2x + (a/b)^{1/3}) / (-a/b)^{1/3})}{b^7} - \frac{1}{6} \cdot ((-ab^2)^{1/3} a^2b^3c - (-ab^2)^{1/3} a^3b^2d - (-ab^2)^{1/3} a^5f + (-ab^2)^{1/3} a^4b^2e) \cdot \frac{\log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3})}{b^7} + \frac{1}{3} \cdot (a^3b^{13}c - a^4b^{12}d - a^6b^{10}f + a^5b^{11}e) \cdot \frac{\log(\text{abs}(x - (-a/b)^{1/3}))}{(ab^{16})} + \frac{1}{7280} \cdot (455b^{15}fx^{16} - 560a^2b^{14}fx^{13} + 560b^{15}x^{13}e + 728b^{15}d^2x^{10} + 728a^2b^{13}fx^{10} - 728a^2b^{14}x^{10}e + 1040b^{15}cx^7 - 1040a^2b^{14}dx^7 - 1040a^3b^{12}fx^7 + 1040a^2b^{13}x^7e - 1820a^2b^{14}cx^4 + 1820a^2b^{13}x^4e)$

$$d*x^4 + 1820*a^4*b^{11}*f*x^4 - 1820*a^3*b^{12}*x^4*e + 7280*a^2*b^{13}*c*x - 7280*a^3*b^{12}*d*x - 7280*a^5*b^{10}*f*x + 7280*a^4*b^{11}*x*e)/b^{16}$$

maple [A] time = 0.05, size = 592, normalized size = 1.70

 $\sqrt{3} a^6$

$$\frac{f x^{16}}{16b} - \frac{a f x^{13}}{13b^2} + \frac{e x^{13}}{13b} + \frac{a^2 f x^{10}}{10b^3} - \frac{a e x^{10}}{10b^2} + \frac{d x^{10}}{10b} - \frac{a^3 f x^7}{7b^4} + \frac{a^2 e x^7}{7b^3} - \frac{a d x^7}{7b^2} + \frac{c x^7}{7b} + \frac{a^4 f x^4}{4b^5} - \frac{a^3 e x^4}{4b^4} + \frac{a^2 d x^4}{4b^3} - \frac{a c x^4}{4b^2} + \frac{\sqrt{3} a^6}{b^{16}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)

[Out] $\frac{1}{3} a^6/b^7/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * f - 1/3 * a^5/b^6/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * e + 1/3 * a^4/b^5/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * d - 1/3 * a^3/b^4/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * c - 1/10/b^2 * x^{10} * a * e - 1/b^4 * a^3 * d * x - 1/13/b^2 * x^{13} * a * f + 1/10/b^3 * x^{10} * a^2 * f + 1/b^5 * a^4 * e * x + 1/4/b^3 * x^4 * a^2 * d - 1/4/b^2 * x^4 * a * c - 1/b^6 * a^5 * f * x + 1/4/b^5 * x^4 * a^4 * f - 1/4/b^4 * x^4 * a^3 * e - 1/7/b^2 * x^7 * a * d + 1/b^3 * a^2 * c * x - 1/7/b^4 * x^7 * a^3 * f + 1/7/b^3 * x^7 * a^2 * e + 1/3 * a^6/b^7/(a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * f + 1/3 * a^4/b^5/(a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * d - 1/3 * a^3/b^4/(a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * c - 1/6 * a^6/b^7/(a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * f - 1/3 * a^5/b^6/(a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * e + 1/6 * a^5/b^6/(a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * e - 1/6 * a^4/b^5/(a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * d + 1/6 * a^3/b^4/(a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * c + 1/7/b * x^7 * c + 1/13/b * x^{13} * e + 1/10/b * x^{10} * d + 1/16 * f * x^{16}/b$

maxima [A] time = 3.01, size = 351, normalized size = 1.01

$$\frac{455 b^5 f x^{16} + 560 (b^5 e - a b^4 f) x^{13} + 728 (b^5 d - a b^4 e + a^2 b^3 f) x^{10} + 1040 (b^5 c - a b^4 d + a^2 b^3 e - a^3 b^2 f) x^7 - 1820 (b^5 e - a b^4 f) x^4 + 7280 a^2 b^{13} c x - 7280 a^3 b^{12} d x - 7280 a^5 b^{10} f x + 7280 a^4 b^{11} x e}{7280 b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $1/7280*(455*b^5*f*x^{16} + 560*(b^5*e - a*b^4*f)*x^{13} + 728*(b^5*d - a*b^4*e + a^2*b^3*f)*x^{10} + 1040*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^7 - 1820*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^4 + 7280*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*x)/b^6 - 1/3*\sqrt{3}*(a^3*b^3*c - a^4*b^2*d + a^5*b*e - a^6*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^7*(a/b)^{(2/3)}) + 1/6*(a^3*b^3*c - a^4*b^2*d + a^5*b*e - a^6*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^7*(a/b)^{(2/3)}) - 1/3*(a^3*b^3*c - a^4*b^2*d + a^5*b*e - a^6*f)*\log(x + (a/b)^{(1/3)})/(b^7*(a/b)^{(2/3)})$

mupad [B] time = 0.31, size = 358, normalized size = 1.03

$$x^{13} \left(\frac{e}{13b} - \frac{af}{13b^2} \right) + x^{10} \left(\frac{d}{10b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{10b} \right) + x^7 \left(\frac{c}{7b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{7b} \right) + \frac{f x^{16}}{16b} - \frac{a^{7/3} \ln(b^{1/3} x + a^{1/3}) (-f a^3)}{3 b^{19/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)`

[Out] $x^{13}*(e/(13*b) - (a*f)/(13*b^2)) + x^{10}*(d/(10*b) - (a*(e/b - (a*f)/b^2))/(10*b)) + x^7*(c/(7*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(7*b)) + (f*x^{16})/(16*b) - (a^{7/3}*\log(b^{1/3}*x + a^{1/3})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{19/3}) + (a^2*x*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b)/b^2 - (a*x^4*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b))/(4*b) - (a^{7/3}*\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3})*((3^{1/2}*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{19/3}) + (a^{7/3}*\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3})*((3^{1/2}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{19/3})$

sympy [A] time = 4.35, size = 469, normalized size = 1.35

$$x^{13} \left(-\frac{af}{13b^2} + \frac{e}{13b} \right) + x^{10} \left(\frac{a^2 f}{10b^3} - \frac{ae}{10b^2} + \frac{d}{10b} \right) + x^7 \left(-\frac{a^3 f}{7b^4} + \frac{a^2 e}{7b^3} - \frac{ad}{7b^2} + \frac{c}{7b} \right) + x^4 \left(\frac{a^4 f}{4b^5} - \frac{a^3 e}{4b^4} + \frac{a^2 d}{4b^3} - \frac{ac}{4b^2} \right) + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**9*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)`

[Out] $x^{13}*(-a*f/(13*b^2) + e/(13*b)) + x^{10}*(a^2*f/(10*b^3) - a*e/(10*b^2) + d/(10*b)) + x^7*(-a^3*f/(7*b^4) + a^2*e/(7*b^3) - a*d/(7*b^2) + c/(7*b)) + x^4*(a^4*f/(4*b^5) - a^3*e/(4*b^4) + a^2*d/(4*b^3) - a*c/(4$

$$\begin{aligned}
 & *b^{**2}) + x*(-a^{**5}*f/b^{**6} + a^{**4}*e/b^{**5} - a^{**3}*d/b^{**4} + a^{**2}*c/b^{**3}) + \text{Root} \\
 & \text{Sum}(27*_t^{**3}*b^{**19} - a^{**16}*f^{**3} + 3*a^{**15}*b*e*f^{**2} - 3*a^{**14}*b^{**2}*d*f^{**2} - \\
 & 3*a^{**14}*b^{**2}*e^{**2}*f + 3*a^{**13}*b^{**3}*c*f^{**2} + 6*a^{**13}*b^{**3}*d*e*f + a^{**13}*b^{**3} \\
 & *e^{**3} - 6*a^{**12}*b^{**4}*c*e*f - 3*a^{**12}*b^{**4}*d^{**2}*f - 3*a^{**12}*b^{**4}*d*e^{**2} + 6* \\
 & a^{**11}*b^{**5}*c*d*f + 3*a^{**11}*b^{**5}*c*e^{**2} + 3*a^{**11}*b^{**5}*d^{**2}*e - 3*a^{**10}*b^{**6} \\
 & *c^{**2}*f - 6*a^{**10}*b^{**6}*c*d*e - a^{**10}*b^{**6}*d^{**3} + 3*a^{**9}*b^{**7}*c^{**2}*e + 3*a^{** \\
 & 9*b^{**7}*c*d^{**2} - 3*a^{**8}*b^{**8}*c^{**2}*d + a^{**7}*b^{**9}*c^{**3}, \text{Lambda}(_t, _t*\log(3*_t \\
 & *b^{**6}/(a^{**5}*f - a^{**4}*b*e + a^{**3}*b^{**2}*d - a^{**2}*b^{**3}*c) + x))) + f*x^{**16}/(16* \\
 & b)
 \end{aligned}$$

$$3.234 \quad \int \frac{x^7(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=316

$$\frac{x^8(a^2f - abe + b^2d)}{8b^3} - \frac{ax^2(a^3(-f) + a^2be - ab^2d + b^3c)}{2b^5} + \frac{x^5(a^3(-f) + a^2be - ab^2d + b^3c)}{5b^4} + \frac{a^{5/3} \log(a^{2/3} - \sqrt[3]{a}x)}{6b^{17/3}}$$

[Out] $-1/2*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/b^5+1/5*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^5/b^4+1/8*(a^2*f-a*b*e+b^2*d)*x^8/b^3+1/11*(-a*f+b*e)*x^{11}/b^2+1/14*f*x^{14}/b-1/3*a^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(17/3)}+1/6*a^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(17/3)}-1/3*a^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(17/3)}*3^{(1/2)}$

Rubi [A] time = 0.31, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^5(a^2be + a^3(-f) - ab^2d + b^3c)}{5b^4} - \frac{ax^2(a^2be + a^3(-f) - ab^2d + b^3c)}{2b^5} + \frac{a^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{17/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $-(a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(2*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^5)/(5*b^4) + ((b^2*d - a*b*e + a^2*f)*x^8)/(8*b^3) + ((b*e - a*f)*x^{11})/(11*b^2) + (f*x^{14})/(14*b) - (a^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(\text{Sqrt}[3]*b^{(17/3)}) - (a^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*b^{(17/3)}) + (a^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*b^{(17/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1836

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q

+ 1)/(2*n)]]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^7 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{14}}{14b} + \frac{\int \frac{x^7(14bc+14bdx^3+14(be-af)x^6)}{a+bx^3} dx}{14b} \\
 &= \frac{fx^{14}}{14b} + \frac{\int \left(-\frac{14a(b^3c-ab^2d+a^2be-a^3f)x}{b^4} + \frac{14(b^3c-ab^2d+a^2be-a^3f)x^4}{b^3} + \frac{14(b^2d-abe+a^2f)x^7}{b^2} \right) dx}{14b} \\
 &= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x^2}{2b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^5}{5b^4} + \frac{(b^2d-abe)x^8}{8b^3} \\
 &= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x^2}{2b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^5}{5b^4} + \frac{(b^2d-abe)x^8}{8b^3} \\
 &= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x^2}{2b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^5}{5b^4} + \frac{(b^2d-abe)x^8}{8b^3} \\
 &= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x^2}{2b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^5}{5b^4} + \frac{(b^2d-abe)x^8}{8b^3} \\
 &= -\frac{a(b^3c-ab^2d+a^2be-a^3f)x^2}{2b^5} + \frac{(b^3c-ab^2d+a^2be-a^3f)x^5}{5b^4} + \frac{(b^2d-abe)x^8}{8b^3}
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 311, normalized size = 0.98

$$\frac{x^8 (a^2 f - a b e + b^2 d)}{8 b^3} + \frac{a x^2 (a^3 f - a^2 b e + a b^2 d - b^3 c)}{2 b^5} + \frac{x^5 (a^3 (-f) + a^2 b e - a b^2 d + b^3 c)}{5 b^4} - \frac{a^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b})}{\sqrt[3]{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(2*b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^5)/(5*b^4) + ((b^2*d - a*b*e + a^2*f)*x^8)/(8*b^3) + (b*e - a*f)*x^11/(11*b^2) + (f*x^14)/(14*b) + (a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*b

$$\begin{aligned} & \left. \begin{aligned} & \left(\frac{a^{17/3}}{3b^{17/3}} + (a^{5/3}(-b^3c) + a^2b^2d - a^2b^2e + a^3f) \operatorname{Log}[a^{1/3} + b^{1/3}x] \right) \\ & - (a^{5/3}(-b^3c) + a^2b^2d - a^2b^2e + a^3f) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2] \end{aligned} \right) / (6b^{17/3}) \end{aligned}$$

fricas [A] time = 0.60, size = 321, normalized size = 1.02

$$660b^4fx^{14} + 840(b^4e - ab^3f)x^{11} + 1155(b^4d - ab^3e + a^2b^2f)x^8 + 1848(b^4c - ab^3d + a^2b^2e - a^3bf)x^5 - 4620(a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")`

[Out] $\frac{1}{9240} (660b^4fx^{14} + 840(b^4e - ab^3f)x^{11} + 1155(b^4d - ab^3e + a^2b^2f)x^8 + 1848(b^4c - ab^3d + a^2b^2e - a^3bf)x^5 - 4620(a^2b^3c - a^2b^2d + a^3b^2e - a^4bf)x^2 + 3080\sqrt{3}(a^2b^3c - a^2b^2d + a^3b^2e - a^4bf)(a^2/b^2)^{1/3} \arctan(1/3(2\sqrt{3})b^2x(a^2/b^2)^{1/3} - \sqrt{3}a)/a + 1540(a^2b^3c - a^2b^2d + a^3b^2e - a^4bf)(a^2/b^2)^{1/3} \log(ax^2 - bx(a^2/b^2)^{2/3} + a(a^2/b^2)^{1/3}) - 3080(a^2b^3c - a^2b^2d + a^3b^2e - a^4bf)(a^2/b^2)^{1/3} \log(ax + b(a^2/b^2)^{2/3})) / b^5$

giac [A] time = 0.18, size = 441, normalized size = 1.40

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{2}{3}} ab^3c - (-ab^2)^{\frac{2}{3}} a^2b^2d - (-ab^2)^{\frac{2}{3}} a^4f + (-ab^2)^{\frac{2}{3}} a^3be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^7} + \left((-ab^2)^{\frac{2}{3}} ab^3c - (-ab^2)^{\frac{2}{3}} a^2b^2d - (-ab^2)^{\frac{2}{3}} a^4f + (-ab^2)^{\frac{2}{3}} a^3be \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")`

[Out] $-1/3\sqrt{3}((-ab^2)^{2/3}ab^3c - (-ab^2)^{2/3}a^2b^2d - (-ab^2)^{2/3}a^4f + (-ab^2)^{2/3}a^3be) \arctan(1/3\sqrt{3}(2x + (-a/b)^{1/3})/(-a/b)^{1/3})/b^7 + 1/6((-ab^2)^{2/3}ab^3c - (-ab^2)^{2/3}a^2b^2d - (-ab^2)^{2/3}a^4f + (-ab^2)^{2/3}a^3be) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3})/b^7 - 1/3(a^2b^{12}c(-a/b)^{1/3} - a^3b^{11}d(-a/b)^{1/3} - a^5b^9f(-a/b)^{1/3} + a^4b^{10}e(-a/b)^{1/3}) \log(abs(x - (-a/b)^{1/3}))/a^2b^{14} + 1/3080(220b^{13}fx^{14} - 280a^2b^{12}fx^{11} + 280b^{13}x^{11}e + 385b^{13}dx^8 + 385a^2b^{11}fx^8 - 385a^2b^{12}x^8e + 616b^{13}cx^5 - 616a^2b^{12}dx^5 - 616a^3b^{10}fx^5 + 616a^2b^{11}x^5$

$5e - 1540ab^{12}cx^2 + 1540a^2b^{11}dx^2 + 1540a^4b^9fx^2 - 1540a^3b^{10}x^2e)/b^{14}$

maple [B] time = 0.05, size = 554, normalized size = 1.75

$\sqrt{3} a^5 f$

$$\frac{fx^{14}}{14b} - \frac{afx^{11}}{11b^2} + \frac{ex^{11}}{11b} + \frac{a^2fx^8}{8b^3} - \frac{aex^8}{8b^2} + \frac{dx^8}{8b} - \frac{a^3fx^5}{5b^4} + \frac{a^2ex^5}{5b^3} - \frac{adx^5}{5b^2} + \frac{cx^5}{5b} + \frac{a^4fx^2}{2b^5} - \frac{a^3ex^2}{2b^4} + \frac{a^2dx^2}{2b^3} - \frac{acx^2}{2b^2} -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)`

[Out]
$$-1/3*a^5/b^6*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f - 1/3*a^3/b^4*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d + 1/3*a^2/b^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c + 1/3*a^4/b^5*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e - 1/5/b^4*x^5*a^3*f - 1/11/b^2*x^11*a*f - 1/5/b^2*x^5*a*d + 1/5/b^3*x^5*a^2*e + 1/8/b^3*x^8*a^2*f - 1/8/b^2*x^8*a*e - 1/2/b^4*x^2*a^3*e + 1/2/b^3*x^2*a^2*d + 1/2/b^5*x^2*a^4*f - 1/2/b^2*x^2*a*c + 1/6*a^4/b^5/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) * e - 1/6*a^3/b^4/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) * d + 1/6*a^2/b^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) * c + 1/3*a^5/b^6/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) * f - 1/3*a^4/b^5/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) * e + 1/3*a^3/b^4/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) * d - 1/3*a^2/b^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) * c - 1/6*a^5/b^6/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) * f + 1/11/b*x^11*e + 1/8/b*x^8*d + 1/5/b*x^5*c + 1/14*f*x^14/b$$

maxima [A] time = 2.95, size = 313, normalized size = 0.99

$$\frac{\sqrt{3} (a^2b^3c - a^3b^2d + a^4be - a^5f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b^6\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{220b^4fx^{14} + 280(b^4e - ab^3f)x^{11} + 385(b^4d - ab^3e +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="maxima")`

[Out]
$$1/3*\sqrt{3}*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^6*(a/b)^{(1/3)}) + 1/3080*(220*b^4*f*x^{14} +$$

$280*(b^4*e - a*b^3*f)*x^{11} + 385*(b^4*d - a*b^3*e + a^2*b^2*f)*x^8 + 616*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^5 - 1540*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^2/b^5 + 1/6*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^6*(a/b)^{(1/3)}) - 1/3*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*\log(x + (a/b)^{(1/3)})/(b^6*(a/b)^{(1/3)})$

mupad [B] time = 5.16, size = 313, normalized size = 0.99

$$x^{11} \left(\frac{e}{11b} - \frac{af}{11b^2} \right) + x^8 \left(\frac{d}{8b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{8b} \right) + x^5 \left(\frac{c}{5b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{5b} \right) + \frac{f x^{14}}{14b} - \frac{a^{5/3} \ln(b^{1/3} x + a^{1/3}) (-f a^3 + e)}{3 b^{17/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)

[Out] $x^{11}*(e/(11*b) - (a*f)/(11*b^2)) + x^8*(d/(8*b) - (a*(e/b - (a*f)/b^2))/(8*b)) + x^5*(c/(5*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(5*b)) + (f*x^{14})/(14*b) - (a^{(5/3)}*\log(b^{(1/3)}*x + a^{(1/3)})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{(17/3)}) - (a*x^2*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b)/(2*b) + (a^{(5/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{(17/3)}) - (a^{(5/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{(17/3)})$

sympy [A] time = 4.06, size = 513, normalized size = 1.62

$$x^{11} \left(-\frac{af}{11b^2} + \frac{e}{11b} \right) + x^8 \left(\frac{a^2f}{8b^3} - \frac{ae}{8b^2} + \frac{d}{8b} \right) + x^5 \left(-\frac{a^3f}{5b^4} + \frac{a^2e}{5b^3} - \frac{ad}{5b^2} + \frac{c}{5b} \right) + x^2 \left(\frac{a^4f}{2b^5} - \frac{a^3e}{2b^4} + \frac{a^2d}{2b^3} - \frac{ac}{2b^2} \right) + \text{RootSum}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] $x^{11}*(-a*f/(11*b**2) + e/(11*b)) + x^{11}*(a**2*f/(8*b**3) - a*e/(8*b**2) + d/(8*b)) + x^{11}*(-a**3*f/(5*b**4) + a**2*e/(5*b**3) - a*d/(5*b**2) + c/(5*b)) + x^{11}*(a**4*f/(2*b**5) - a**3*e/(2*b**4) + a**2*d/(2*b**3) - a*c/(2*b**2)) + \text{RootSum}(27*_t**3*b**17 - a**14*f**3 + 3*a**13*b*e*f**2 - 3*a**12*b**2*d*f**2 - 3*a**12*b**2*e**2*f + 3*a**11*b**3*c*f**2 + 6*a**11*b**3*d*e*f + a**11*b**3*e**3 - 6*a**10*b**4*c*e*f - 3*a**10*b**4*d**2*f - 3*a**10*b**4*d*e**2 + 6*a**9*b**5*c*d*f + 3*a**9*b**5*c*e**2 + 3*a**9*b**5*d**2*e - 3*a**$

$$\begin{aligned}
& 8*b^{6}*c^{2}*f - 6*a^{8}*b^{6}*c*d*e - a^{8}*b^{6}*d^{3} + 3*a^{7}*b^{7}*c^{2}*e + 3 \\
& *a^{7}*b^{7}*c*d^{2} - 3*a^{6}*b^{8}*c^{2}*d + a^{5}*b^{9}*c^{3}, \text{Lambda}(_t, _t*\log(\\
& 9*_t^{2}*b^{11}/(a^{9}*f^{2} - 2*a^{8}*b*e*f + 2*a^{7}*b^{2}*d*f + a^{7}*b^{2}*e^{2} \\
& - 2*a^{6}*b^{3}*c*f - 2*a^{6}*b^{3}*d*e + 2*a^{5}*b^{4}*c*e + a^{5}*b^{4}*d^{2} - 2* \\
& a^{4}*b^{5}*c*d + a^{3}*b^{6}*c^{2}) + x)) + f*x^{14}/(14*b)
\end{aligned}$$

$$3.235 \quad \int \frac{x^6(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=312

$$\frac{x^7(a^2f - abe + b^2d)}{7b^3} - \frac{ax(a^3(-f) + a^2be - ab^2d + b^3c)}{b^5} + \frac{x^4(a^3(-f) + a^2be - ab^2d + b^3c)}{4b^4} - \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b})}{b^{16/3}}$$

[Out] $-a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^5+1/4*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^4/b^4+1/7*(a^2*f-a*b*e+b^2*d)*x^7/b^3+1/10*(-a*f+b*e)*x^{10}/b^2+1/13*f*x^{13}/b+1/3*a^{(4/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(16/3)}-1/6*a^{(4/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(16/3)}-1/3*a^{(4/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(16/3)}*3^{(1/2)}$

Rubi [A] time = 0.30, antiderivative size = 312, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x^4(a^2be + a^3(-f) - ab^2d + b^3c)}{4b^4} - \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{16/3}} - \frac{ax(a^2be + a^3(-f) - ab^2d + b^3c)}{b^5}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $-((a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^5) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^4)/(4*b^4) + ((b^2*d - a*b*e + a^2*f)*x^7)/(7*b^3) + ((b*e - a*f)*x^{10})/(10*b^2) + (f*x^{13})/(13*b) - (a^{(4/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(\text{Sqrt}[3]*b^{(16/3)}) + (a^{(4/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*b^{(16/3)}) - (a^{(4/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*b^{(16/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R

$\text{t}[b, 3]*x)/(\text{Rt}[a, 3]^2 - \text{Rt}[a, 3]*\text{Rt}[b, 3]*x + \text{Rt}[b, 3]^2*x^2), x], x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a + (b \cdot x)^2)^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a + (b \cdot x) + (c \cdot x)^2)^{-1}, x_Symbol] := \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d + (e \cdot x))/(a + (b \cdot x) + (c \cdot x)^2), x_Symbol] := \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d + (e \cdot x))/(a + (b \cdot x) + (c \cdot x)^2), x_Symbol] := \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1488

$\text{Int}[(f \cdot x)^m * (a + (c \cdot x)^{n2} + (b \cdot x)^{n1})^p * (d + (e \cdot x)^n)^q, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(f*x)^m * (d + e*x^n)^q * (a + b*x^n + c*x^{(2*n)})^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, q\}, x] \ \&\& \ \text{EqQ}[n2, 2*n] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IGtQ}[p, 0]$

Rule 1836

$\text{Int}[(Pq) * (c \cdot x)^m * (a + (b \cdot x)^n)^p, x_Symbol] := \text{With}\{q = \text{Expon}[Pq, x]\}, \text{With}\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b*(m + q + n*p + 1)), \text{Int}[(c*x)^m * \text{ExpandToSum}[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^{(q - n)}, x] * (a + b*x^n)^p, x], x] + \text{Simp}[(Pqq*(c*x)^{(m + q - n + 1)} * (a + b*x^n)^{(p + 1)}) / (b*c^{(q - n + 1)} * (m + q + n*p + 1)), x]] /; \text{NeQ}[m + q + n*p + 1, 0] \ \&\& \ q - n \geq 0 \ \&\& \ (\text{IntegerQ}[2*p] \ || \ \text{IntegerQ}[p + (q$

+ 1)/(2*n))]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^6 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{13}}{13b} + \frac{\int \frac{x^6 (13bc + 13bdx^3 + 13(be-af)x^6)}{a+bx^3} dx}{13b} \\
 &= \frac{fx^{13}}{13b} + \frac{\int \left(-\frac{13a(b^3c - ab^2d + a^2be - a^3f)}{b^4} + \frac{13(b^3c - ab^2d + a^2be - a^3f)x^3}{b^3} + \frac{13(b^2d - abe + a^2f)x^6}{b^2} + \frac{13(b^2d - abe + a^2f)x^9}{b} \right) dx}{13b} \\
 &= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^4}{4b^4} + \frac{(b^2d - abe + a^2f)x^7}{7b^3} + \frac{(b^2d - abe + a^2f)x^{10}}{10b^2} \\
 &= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^4}{4b^4} + \frac{(b^2d - abe + a^2f)x^7}{7b^3} + \frac{(b^2d - abe + a^2f)x^{10}}{10b^2} \\
 &= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^4}{4b^4} + \frac{(b^2d - abe + a^2f)x^7}{7b^3} + \frac{(b^2d - abe + a^2f)x^{10}}{10b^2} \\
 &= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^4}{4b^4} + \frac{(b^2d - abe + a^2f)x^7}{7b^3} + \frac{(b^2d - abe + a^2f)x^{10}}{10b^2} \\
 &= -\frac{a(b^3c - ab^2d + a^2be - a^3f)x}{b^5} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^4}{4b^4} + \frac{(b^2d - abe + a^2f)x^7}{7b^3} + \frac{(b^2d - abe + a^2f)x^{10}}{10b^2}
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 306, normalized size = 0.98

$$\frac{x^7 (a^2 f - abe + b^2 d)}{7b^3} + \frac{ax (a^3 f - a^2 be + ab^2 d - b^3 c)}{b^5} + \frac{x^4 (a^3 (-f) + a^2 be - ab^2 d + b^3 c)}{4b^4} + \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + \dots)}{10b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/b^5 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^4)/(4*b^4) + ((b^2*d - a*b*e + a^2*f)*x^7)/(7*b^3) + ((b*e - a*f)*x^10)/(10*b^2) + (f*x^13)/(13*b) + (a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*b^(16/3))

)) - (a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*b^(16/3)) + (a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*b^(16/3))

fricas [A] time = 0.72, size = 304, normalized size = 0.97

$$420 b^4 f x^{13} + 546 (b^4 e - a b^3 f) x^{10} + 780 (b^4 d - a b^3 e + a^2 b^2 f) x^7 + 1365 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^4 - 1820 \sqrt{3} (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \arctan\left(\frac{\sqrt{3} (2x + (-\frac{a}{b})^{\frac{1}{3}})}{3(-\frac{a}{b})^{\frac{1}{3}}}\right) + \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} ab^3 c - (-ab^2)^{\frac{1}{3}} a^2 b^2 d - (-ab^2)^{\frac{1}{3}} a^4 f + (-ab^2)^{\frac{1}{3}} a^3 b e \right)}{3b^6} + \frac{\left((-ab^2)^{\frac{1}{3}} ab^3 c - (-a^2 b^2)^{\frac{1}{3}} a^2 b^2 d - (-a^2 b^2)^{\frac{1}{3}} a^4 f + (-a^2 b^2)^{\frac{1}{3}} a^3 b e \right) \arctan\left(\frac{\sqrt{3} (2x + (-\frac{a}{b})^{\frac{1}{3}})}{3(-\frac{a}{b})^{\frac{1}{3}}}\right)}{3b^6} + \frac{\left((-ab^2)^{\frac{1}{3}} ab^3 c - (-a^2 b^2)^{\frac{1}{3}} a^2 b^2 d - (-a^2 b^2)^{\frac{1}{3}} a^4 f + (-a^2 b^2)^{\frac{1}{3}} a^3 b e \right) \log(x - (-\frac{a}{b})^{\frac{1}{3}})}{3b^6} + \frac{\left((-ab^2)^{\frac{1}{3}} ab^3 c - (-a^2 b^2)^{\frac{1}{3}} a^2 b^2 d - (-a^2 b^2)^{\frac{1}{3}} a^4 f + (-a^2 b^2)^{\frac{1}{3}} a^3 b e \right) \log(x^2 + x(-\frac{a}{b})^{\frac{1}{3}} + (-\frac{a}{b})^{\frac{2}{3}})}{3b^6} - \frac{1820 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \log(x - (-\frac{a}{b})^{\frac{1}{3}})}{b^5} - \frac{5460 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x}{b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/5460*(420*b^4*f*x^13 + 546*(b^4*e - a*b^3*f)*x^10 + 780*(b^4*d - a*b^3*e + a^2*b^2*f)*x^7 + 1365*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^4 - 1820*sqrt(3)*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(-a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) + 910*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(-a/b)^(1/3)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3)) - 1820*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*(-a/b)^(1/3)*log(x - (-a/b)^(1/3)) - 5460*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x)/b^5

giac [A] time = 0.18, size = 401, normalized size = 1.29

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} ab^3 c - (-ab^2)^{\frac{1}{3}} a^2 b^2 d - (-ab^2)^{\frac{1}{3}} a^4 f + (-ab^2)^{\frac{1}{3}} a^3 b e \right) \arctan\left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}}\right) + \left((-ab^2)^{\frac{1}{3}} ab^3 c - (-a^2 b^2)^{\frac{1}{3}} a^2 b^2 d - (-a^2 b^2)^{\frac{1}{3}} a^4 f + (-a^2 b^2)^{\frac{1}{3}} a^3 b e \right) \arctan\left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}}\right) + \left((-ab^2)^{\frac{1}{3}} ab^3 c - (-a^2 b^2)^{\frac{1}{3}} a^2 b^2 d - (-a^2 b^2)^{\frac{1}{3}} a^4 f + (-a^2 b^2)^{\frac{1}{3}} a^3 b e \right) \log(x - (-\frac{a}{b})^{\frac{1}{3}})}{3b^6} + \frac{\left((-ab^2)^{\frac{1}{3}} ab^3 c - (-a^2 b^2)^{\frac{1}{3}} a^2 b^2 d - (-a^2 b^2)^{\frac{1}{3}} a^4 f + (-a^2 b^2)^{\frac{1}{3}} a^3 b e \right) \log(x^2 + x(-\frac{a}{b})^{\frac{1}{3}} + (-\frac{a}{b})^{\frac{2}{3}})}{3b^6} - \frac{1820 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \log(x - (-\frac{a}{b})^{\frac{1}{3}})}{b^5} - \frac{5460 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x}{b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*((-a*b^2)^(1/3)*a*b^3*c - (-a*b^2)^(1/3)*a^2*b^2*d - (-a*b^2)^(1/3)*a^4*f + (-a*b^2)^(1/3)*a^3*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3))/b^6 + 1/6*((-a*b^2)^(1/3)*a*b^3*c - (-a*b^2)^(1/3)*a^2*b^2*d - (-a*b^2)^(1/3)*a^4*f + (-a*b^2)^(1/3)*a^3*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^6 - 1/3*(a^2*b^11*c - a^3*b^10*d - a^5*b^8*f + a^4*b^9*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^13) + 1/1820*(140*b^12*f*x^13 - 182*a*b^11*f*x^10 + 182*b^12*x^10*e + 260*b^12*d*x^7 + 260*a^2*b^10*f*x^7 - 260*a*b^11*x^7*e + 455*b^12*c*x^4 - 455*a*b^11*d*x^4 - 455*a^3*b^9*f*x^4 + 455*a^2*b^10*x^4*e - 1820*a*b^11*c*x + 1820*a^2*b^10*d*x + 1820*a^4*b^8*f*x - 1820*a^3*b^9*x*e)/b^13

maple [B] time = 0.04, size = 544, normalized size = 1.74

$$\frac{f x^{13}}{13b} - \frac{a f x^{10}}{10b^2} + \frac{e x^{10}}{10b} + \frac{a^2 f x^7}{7b^3} - \frac{a e x^7}{7b^2} + \frac{d x^7}{7b} - \frac{a^3 f x^4}{4b^4} + \frac{a^2 e x^4}{4b^3} - \frac{a d x^4}{4b^2} + \frac{c x^4}{4b} - \frac{\sqrt{3} a^5 f \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^6} - \frac{a^5 f \ln\left(x\right)}{3 \left(\frac{a}{b}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)

[Out] $-\frac{1}{3} a^5/b^6/(a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x-1)) * f -$
 $\frac{1}{3} a^3/b^4/(a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x-1)) * d +$
 $\frac{1}{3} a^2/b^3/(a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x-1)) * c +$
 $\frac{1}{7} b^2 x^7 a e^{-1/4} b^4 x^4 a^3 f - \frac{1}{7} b^4 x^4 a^3 e x + \frac{1}{7} b^3 a^2 d x - \frac{1}{7} b^2 a c x + \frac{1}{7} b^5 a^4 f x +$
 $\frac{1}{4} b^3 x^4 a^2 e^{-1/4} b^2 x^4 a d - \frac{1}{10} b^2 x^{10} a f + \frac{1}{7} b^3 x^7 a^2 f - \frac{1}{3} a^5/b^6/(a/b)^{(2/3)} \ln(x+(a/b)^{(1/3)}) * f - \frac{1}{6} a^2/b^3/(a/b)^{(2/3)} \ln$
 $(x^2-(a/b)^{(1/3)} x+(a/b)^{(2/3)}) * c - \frac{1}{3} a^3/b^4/(a/b)^{(2/3)} \ln(x+(a/b)^{(1/3)}) * d +$
 $\frac{1}{3} a^2/b^3/(a/b)^{(2/3)} \ln(x+(a/b)^{(1/3)}) * c + \frac{1}{6} a^5/b^6/(a/b)^{(2/3)} \ln(x^2-(a/b)^{(1/3)} x+(a/b)^{(2/3)}) * f +$
 $\frac{1}{3} a^4/b^5/(a/b)^{(2/3)} \ln(x+(a/b)^{(1/3)}) * e - \frac{1}{6} a^4/b^5/(a/b)^{(2/3)} \ln(x^2-(a/b)^{(1/3)} x+(a/b)^{(2/3)}) * e +$
 $\frac{1}{6} a^3/b^4/(a/b)^{(2/3)} \ln(x^2-(a/b)^{(1/3)} x+(a/b)^{(2/3)}) * d + \frac{1}{10} b^2 x^{10} e + \frac{1}{7} b^3 x^7 d + \frac{1}{4} b^2 x^4 c + \frac{1}{13} f x^{13}/b$

maxima [A] time = 2.97, size = 311, normalized size = 1.00

$$\frac{140 b^4 f x^{13} + 182 (b^4 e - a b^3 f) x^{10} + 260 (b^4 d - a b^3 e + a^2 b^2 f) x^7 + 455 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^4 - 1820 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x}{1820 b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x, algorithm="maxima")

[Out] $\frac{1}{1820} (140 b^4 f x^{13} + 182 (b^4 e - a b^3 f) x^{10} + 260 (b^4 d - a b^3 e + a^2 b^2 f) x^7 + 455 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^4 - 1820 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x) / b^5 + \frac{1}{3} \sqrt{3} (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) \arctan(1/3 \sqrt{3} (2x - (a/b)^{(1/3)}) / (a/b)^{(1/3)})$

3))/(b^6*(a/b)^(2/3)) - 1/6*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^6*(a/b)^(2/3)) + 1/3*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*log(x + (a/b)^(1/3))/(b^6*(a/b)^(2/3))

mupad [B] time = 5.19, size = 311, normalized size = 1.00

$$x^{10} \left(\frac{e}{10b} - \frac{af}{10b^2} \right) + x^7 \left(\frac{d}{7b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{7b} \right) + x^4 \left(\frac{c}{4b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{4b} \right) + \frac{f x^{13}}{13b} + \frac{a^{4/3} \ln(b^{1/3} x + a^{1/3}) (-f a^3 + a^4 d + a^5 e - a^6 f)}{3 b^{16/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)

[Out] x^10*(e/(10*b) - (a*f)/(10*b^2)) + x^7*(d/(7*b) - (a*(e/b - (a*f)/b^2))/(7*b)) + x^4*(c/(4*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(4*b)) + (f*x^13)/(13*b) + (a^(4/3)*log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^(16/3)) - (a*x*(c/b - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/b) + (a^(4/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^(16/3)) - (a^(4/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^(16/3))

sympy [A] time = 3.24, size = 423, normalized size = 1.36

$$x^{10} \left(-\frac{af}{10b^2} + \frac{e}{10b} \right) + x^7 \left(\frac{a^2 f}{7b^3} - \frac{ae}{7b^2} + \frac{d}{7b} \right) + x^4 \left(-\frac{a^3 f}{4b^4} + \frac{a^2 e}{4b^3} - \frac{ad}{4b^2} + \frac{c}{4b} \right) + x \left(\frac{a^4 f}{b^5} - \frac{a^3 e}{b^4} + \frac{a^2 d}{b^3} - \frac{ac}{b^2} \right) + \text{RootSum}(\dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] x**10*(-a*f/(10*b**2) + e/(10*b)) + x**7*(a**2*f/(7*b**3) - a*e/(7*b**2) + d/(7*b)) + x**4*(-a**3*f/(4*b**4) + a**2*e/(4*b**3) - a*d/(4*b**2) + c/(4*b)) + x*(a**4*f/b**5 - a**3*e/b**4 + a**2*d/b**3 - a*c/b**2) + RootSum(27*_t**3*b**16 + a**13*f**3 - 3*a**12*b*e*f**2 + 3*a**11*b**2*d*f**2 + 3*a**11*b**2*e**2*f - 3*a**10*b**3*c*f**2 - 6*a**10*b**3*d*e*f - a**10*b**3*e**3 + 6*a**9*b**4*c*e*f + 3*a**9*b**4*d**2*f + 3*a**9*b**4*d*e**2 - 6*a**8*b**5*c*d*f - 3*a**8*b**5*c*e**2 - 3*a**8*b**5*d**2*e + 3*a**7*b**6*c**2*f + 6*a**7*b**6*c*d*e + a**7*b**6*d**3 - 3*a**6*b**7*c**2*e - 3*a**6*b**7*c*d**2 + 3*a**5*b**8*c**2*d - a**4*b**9*c**3, Lambda(_t, _t*log(-3*_t*b**5/(a**4*f - a**3*b*e + a**2*b**2*d - a*b**3*c) + x))) + f*x**13/(13*b)

$$3.236 \quad \int \frac{x^4(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=279

$$\frac{x^5(a^2f - abe + b^2d)}{5b^3} + \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{2b^4} - \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)(a^3(-f) + a^2be - ab^2d)}{6b^{14/3}}$$

[Out] $1/2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/b^4+1/5*(a^2*f-a*b*e+b^2*d)*x^5/b^3+1/8*(-a*f+b*e)*x^8/b^2+1/11*f*x^{11}/b+1/3*a^{(2/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(14/3)}-1/6*a^{(2/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(14/3)}+1/3*a^{(2/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(14/3)}*3^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 279, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{2b^4} - \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{14/3}} + \frac{a^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x + b^{2/3} x^2)}{6b^{14/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(2*b^4) + ((b^2*d - a*b*e + a^2*f)*x^5)/(5*b^3) + ((b*e - a*f)*x^8)/(8*b^2) + (f*x^{11})/(11*b) + (a^{(2/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/(\text{Sqrt}[3]*b^{(14/3)}) + (a^{(2/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (3*b^{(14/3)}) - (a^{(2/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (6*b^{(14/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

```
Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{11}}{11b} + \frac{\int \frac{x^4(11bc+11bdx^3+11(be-af)x^6)}{a+bx^3} dx}{11b} \\
&= \frac{fx^{11}}{11b} + \frac{\int \left(\frac{11(b^3c-ab^2d+a^2be-a^3f)x}{b^3} + \frac{11(b^2d-abe+a^2f)x^4}{b^2} + \frac{11(be-af)x^7}{b} + \frac{11(-ab^3c+a^2b^2d-a^3f)}{b^3(a+bx^3)} \right) dx}{11b} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} - \frac{11(-ab^3c+a^2b^2d-a^3f)}{11b^3(a+bx^3)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} + \frac{11(-ab^3c+a^2b^2d-a^3f)}{11b^3(a+bx^3)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} + \frac{11(-ab^3c+a^2b^2d-a^3f)}{11b^3(a+bx^3)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{2b^4} + \frac{(b^2d - abe + a^2f)x^5}{5b^3} + \frac{(be - af)x^8}{8b^2} + \frac{fx^{11}}{11b} + \frac{11(-ab^3c+a^2b^2d-a^3f)}{11b^3(a+bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 266, normalized size = 0.95

$$264b^{5/3}x^5 (a^2f - abe + b^2d) + 660b^{2/3}x^2 (a^3(-f) + a^2be - ab^2d + b^3c) - 440a^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x) (a^3f - a^2be + a^3f)$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (660*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2 + 264*b^(5/3)*(b^2*d - a*b*e + a^2*f)*x^5 + 165*b^(8/3)*(b*e - a*f)*x^8 + 120*b^(11/3)*f*x^11 - 40*sqrt[3]*a^(2/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] - 440*a^(2/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 220*a^(2/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(1320*b^(14/3))

fricas [A] time = 0.69, size = 281, normalized size = 1.01

$$120 b^3 f x^{11} + 165 (b^3 e - a b^2 f) x^8 + 264 (b^3 d - a b^2 e + a^2 b f) x^5 + 660 (b^3 c - a b^2 d + a^2 b e - a^3 f) x^2 - 440 \sqrt{3} (b^3 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/1320*(120*b^3*f*x^11 + 165*(b^3*e - a*b^2*f)*x^8 + 264*(b^3*d - a*b^2*e + a^2*b*f)*x^5 + 660*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2 - 440*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2/b^2)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a^2/b^2)^(1/3) + sqrt(3)*a)/a) + 220*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2/b^2)^(1/3)*log(a*x^2 - b*x*(-a^2/b^2)^(2/3) - a*(-a^2/b^2)^(1/3)) - 440*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2/b^2)^(1/3)*log(a*x + b*(-a^2/b^2)^(2/3))/b^4

giac [A] time = 0.18, size = 386, normalized size = 1.38

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{2}{3}} b^3 c - (-ab^2)^{\frac{2}{3}} a b^2 d - (-ab^2)^{\frac{2}{3}} a^3 f + (-ab^2)^{\frac{2}{3}} a^2 b e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^6} \left((-ab^2)^{\frac{2}{3}} b^3 c - (-ab^2)^{\frac{2}{3}} a b^2 d - (-ab^2)^{\frac{2}{3}} a^3 f + (-ab^2)^{\frac{2}{3}} a^2 b e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*((-a*b^2)^(2/3)*b^3*c - (-a*b^2)^(2/3)*a*b^2*d - (-a*b^2)^(2/3)*a^3*f + (-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^6 - 1/6*((-a*b^2)^(2/3)*b^3*c - (-a*b^2)^(2/3)*a*b^2*d - (-a*b^2)^(2/3)*a^3*f + (-a*b^2)^(2/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^6 + 1/3*(a*b^10*c*(-a/b)^(1/3) - a^2*b^9*d*(-a/b)^(1/3) - a^4*b^7*f*(-a/b)^(1/3) + a^3*b^8*e*(-a/b)^(1/3))*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^11) + 1/440*(40*b^10*f*x^11 - 55*a*b^9*f*x^8 + 55*b^10*x^8*e + 88*b^10*d*x^5 + 88*a^2*b^8*f*x^5 - 88*a*b^9*x^5*e + 220*b^10*c*x^2 - 220*a*b^9*d*x^2 - 220*a^3*b^7*f*x^2 + 220*a^2*b^8*x^2*e)/b^11

maple [B] time = 0.05, size = 502, normalized size = 1.80

$$\frac{fx^{11}}{11b} - \frac{afx^8}{8b^2} + \frac{ex^8}{8b} + \frac{a^2fx^5}{5b^3} - \frac{aex^5}{5b^2} + \frac{dx^5}{5b} - \frac{a^3fx^2}{2b^4} + \frac{a^2ex^2}{2b^3} - \frac{adx^2}{2b^2} + \frac{cx^2}{2b} + \frac{\sqrt{3} a^4 f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^5} - \frac{a^4 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)`

[Out] $\frac{1}{11} \frac{f x^{11}}{b} - \frac{1}{8} \frac{a f x^8}{b^2} + \frac{e x^8}{8 b} + \frac{1}{5} \frac{a^2 f x^5}{b^3} - \frac{1}{5} \frac{a e x^5}{b^2} + \frac{d x^5}{5 b} - \frac{1}{2} \frac{a^3 f x^2}{b^4} + \frac{1}{2} \frac{a^2 e x^2}{b^3} - \frac{1}{2} \frac{a d x^2}{b^2} + \frac{c x^2}{2 b} + \frac{1}{3} \frac{a^4 f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}} b^5} - \frac{a^4 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}$

maxima [A] time = 3.02, size = 269, normalized size = 0.96

$$\frac{\sqrt{3}\left(ab^3c - a^2b^2d + a^3be - a^4f\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b^5\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{40b^3fx^{11} + 55\left(b^3e - ab^2f\right)x^8 + 88\left(b^3d - ab^2e + a^2bf\right)x^5 + 220\left(b^3c - ab^2d + a^2be - a^3f\right)x^2}{440b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $-\frac{1}{3} \sqrt{3} (ab^3c - a^2b^2d + a^3be - a^4f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + \frac{1}{440} (40b^3fx^{11} + 55(b^3e - ab^2f)x^8 + 88(b^3d - ab^2e + a^2bf)x^5 + 220(b^3c - ab^2d + a^2be - a^3f)x^2) / b^4$

$a^4 f \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) / (b^5 (a/b)^{1/3}) + 1/3 (a^3 b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \log(x + (a/b)^{1/3}) / (b^5 (a/b)^{1/3})$

mupad [B] time = 5.15, size = 267, normalized size = 0.96

$$x^8 \left(\frac{e}{8b} - \frac{af}{8b^2} \right) + x^5 \left(\frac{d}{5b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{5b} \right) + x^2 \left(\frac{c}{2b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{2b} \right) + \frac{f x^{11}}{11b} + \frac{a^{2/3} \ln(b^{1/3} x + a^{1/3}) (-f a^3 + e a)}{3 b^{14/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x)

[Out] $x^8(e/(8*b) - (a*f)/(8*b^2)) + x^5(d/(5*b) - (a*(e/b - (a*f)/b^2))/(5*b)) + x^2(c/(2*b) - (a*(d/b - (a*(e/b - (a*f)/b^2))/b))/(2*b)) + (f*x^{11})/(11*b) + (a^{2/3}*\log(b^{1/3}*x + a^{1/3})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*b^{14/3}) - (a^{2/3}*\log(3^{1/2}*a^{1/3}*i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*b^{14/3}) + (a^{2/3}*\log(3^{1/2}*a^{1/3}*i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*b^{14/3})$

sympy [A] time = 2.48, size = 469, normalized size = 1.68

$$x^8 \left(-\frac{af}{8b^2} + \frac{e}{8b} \right) + x^5 \left(\frac{a^2 f}{5b^3} - \frac{ae}{5b^2} + \frac{d}{5b} \right) + x^2 \left(-\frac{a^3 f}{2b^4} + \frac{a^2 e}{2b^3} - \frac{ad}{2b^2} + \frac{c}{2b} \right) + \text{RootSum} \left(27t^3 b^{14} + a^{11} f^3 - 3a^{10} b e f^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] $x^{**8}*(-a*f/(8*b^{**2}) + e/(8*b)) + x^{**5}*(a^{**2}*f/(5*b^{**3}) - a*e/(5*b^{**2}) + d/(5*b)) + x^{**2}*(-a^{**3}*f/(2*b^{**4}) + a^{**2}*e/(2*b^{**3}) - a*d/(2*b^{**2}) + c/(2*b)) + \text{RootSum}(27*_t^{**3}*b^{**14} + a^{**11}*f^{**3} - 3*a^{**10}*b*e*f^{**2} + 3*a^{**9}*b^{**2}*d*f^{**2} + 3*a^{**9}*b^{**2}*e^{**2}*f - 3*a^{**8}*b^{**3}*c*f^{**2} - 6*a^{**8}*b^{**3}*d*e*f - a^{**8}*b^{**3}*e^{**3} + 6*a^{**7}*b^{**4}*c*e*f + 3*a^{**7}*b^{**4}*d^{**2}*f + 3*a^{**7}*b^{**4}*d*e^{**2} - 6*a^{**6}*b^{**5}*c*d*f - 3*a^{**6}*b^{**5}*c*e^{**2} - 3*a^{**6}*b^{**5}*d^{**2}*e + 3*a^{**5}*b^{**6}*c^{**2}*f + 6*a^{**5}*b^{**6}*c*d*e + a^{**5}*b^{**6}*d^{**3} - 3*a^{**4}*b^{**7}*c^{**2}*e - 3*a^{**4}*b^{**7}*c*d^{**2} + 3*a^{**3}*b^{**8}*c^{**2}*d - a^{**2}*b^{**9}*c^{**3}, \text{Lambda}(_t, _t*\log(9*_t^{**2}*b^{**9}/(a^{**7}*f^{**2} - 2*a^{**6}*b*e*f + 2*a^{**5}*b^{**2}*d*f + a^{**5}*b^{**2}*e^{**2} - 2*a^{**4}*b^{**3}*c*f - 2*a^{**4}*b^{**3}*d*e + 2*a^{**3}*b^{**4}*c*e + a^{**3}*b^{**4}*d^{**2} - 2*a^{**2}*b^{**5}*c*d + a*b^{**6}*c^{**2}) + x)) + f*x^{**11}/(11*b)$

$$3.237 \quad \int \frac{x^3(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=274

$$\frac{x^4(a^2f - abe + b^2d)}{4b^3} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^{13/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}b^{13/3}}$$

[Out] $(-a^3f+a^2b*e-a*b^2*d+b^3*c)*x/b^4+1/4*(a^2*f-a*b*e+b^2*d)*x^4/b^3+1/7*(-a*f+b*e)*x^7/b^2+1/10*f*x^{10}/b-1/3*a^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(13/3)}+1/6*a^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(13/3)}+1/3*a^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(13/3)}*3^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1836, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^{13/3}} + \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{b^4} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^4 + ((b^2*d - a*b*e + a^2*f)*x^4)/(4*b^3) + ((b*e - a*f)*x^7)/(7*b^2) + (f*x^{10})/(10*b) + (a^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(\text{Sqrt}[3]*b^{(13/3)}) - (a^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*b^{(13/3)}) + (a^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*b^{(13/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] :> Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F

reeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1836

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^{10}}{10b} + \frac{\int \frac{x^3(10bc+10bdx^3+10(be-af)x^6)}{a+bx^3} dx}{10b} \\
&= \frac{fx^{10}}{10b} + \frac{\int \left(\frac{10(b^3c-ab^2d+a^2be-a^3f)}{b^3} + \frac{10(b^2d-abe+a^2f)x^3}{b^2} + \frac{10(be-af)x^6}{b} + \frac{10(-ab^3c+a^2b^2d-a^3f)}{b^3(a+bx^3)} \right) dx}{10b} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} - \frac{a}{10b} \int \frac{dx}{a+bx^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} - \frac{a}{10b} \int \frac{dx}{a+bx^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} - \frac{a}{10b} \int \frac{dx}{a+bx^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} - \frac{a}{10b} \int \frac{dx}{a+bx^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{b^4} + \frac{(b^2d - abe + a^2f)x^4}{4b^3} + \frac{(be - af)x^7}{7b^2} + \frac{fx^{10}}{10b} + \frac{a}{10b} \int \frac{dx}{a+bx^3}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 264, normalized size = 0.96

$$105b^{4/3}x^4 (a^2f - abe + b^2d) + 420\sqrt[3]{b}x (a^3(-f) + a^2be - ab^2d + b^3c) + 140\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x) (a^3f - a^2be + ab^2d)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x]

[Out] (420*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x + 105*b^(4/3)*(b^2*d - a*b*e + a^2*f)*x^4 + 60*b^(7/3)*(b*e - a*f)*x^7 + 42*b^(10/3)*f*x^10 - 140*Sqrt[3]*a^(1/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 140*a^(1/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x] - 70*a^(1/3)*(-b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(420*b^(13/3))

fricas [A] time = 0.64, size = 249, normalized size = 0.91

$$42 b^3 f x^{10} + 60 (b^3 e - ab^2 f) x^7 + 105 (b^3 d - ab^2 e + a^2 b f) x^4 - 140 \sqrt{3} (b^3 c - ab^2 d + a^2 b e - a^3 f) \left(\frac{a}{b}\right)^{\frac{1}{3}} \arctan\left(\frac{2\sqrt{3} (b^3 c - ab^2 d + a^2 b e - a^3 f) \left(\frac{a}{b}\right)^{\frac{1}{3}}}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/420*(42*b^3*f*x^10 + 60*(b^3*e - a*b^2*f)*x^7 + 105*(b^3*d - a*b^2*e + a^2*b*f)*x^4 - 140*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) + 70*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a/b)^(1/3)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3)) - 140*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a/b)^(1/3)*log(x + (a/b)^(1/3)) + 420*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/b^4

giac [A] time = 0.19, size = 346, normalized size = 1.26

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^3 c - (-ab^2)^{\frac{1}{3}} ab^2 d - (-ab^2)^{\frac{1}{3}} a^3 f + (-ab^2)^{\frac{1}{3}} a^2 b e \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 b^5} \left((-ab^2)^{\frac{1}{3}} b^3 c - (-ab^2)^{\frac{1}{3}} ab^2 d - (-ab^2)^{\frac{1}{3}} a^3 f + (-ab^2)^{\frac{1}{3}} a^2 b e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^5 - 1/6*((-a*b^2)^(1/3)*b^3*c - (-a*b^2)^(1/3)*a*b^2*d - (-a*b^2)^(1/3)*a^3*f + (-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^5 + 1/3*(a*b^9*c - a^2*b^8*d - a^4*b^6*f + a^3*b^7*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^10) + 1/140*(14*b^9*f*x^10 - 20*a*b^8*f*x^7 + 20*b^9*x^7*e + 35*b^9*d*x^4 + 35*a^2*b^7*f*x^4 - 35*a*b^8*x^4*e + 140*b^9*c*x - 140*a*b^8*d*x - 140*a^3*b^6*f*x + 140*a^2*b^7*x*e)/b^10

maple [B] time = 0.05, size = 492, normalized size = 1.80

$$\frac{f x^{10}}{10b} - \frac{a f x^7}{7b^2} + \frac{e x^7}{7b} + \frac{a^2 f x^4}{4b^3} - \frac{a e x^4}{4b^2} + \frac{d x^4}{4b} + \frac{\sqrt{3} a^4 f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{a}{b}} - 1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^5} + \frac{a^4 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^5} - \frac{a^4 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)`

[Out] $\frac{1}{10} f x^{10} / b - \frac{1}{7} b^{-2} x^7 a f + \frac{1}{7} b x^7 e + \frac{1}{4} b^{-3} x^4 a^2 f - \frac{1}{4} b^{-2} x^4 a e + \frac{1}{4} b x^4 d - \frac{1}{b^4} a^3 f x + \frac{1}{b^3} a^2 e x - \frac{1}{b^2} a d x + \frac{1}{b} c x + \frac{1}{3} a^4 / b^5 / (a/b)^{(2/3)} \ln(x + (a/b)^{(1/3)}) f - \frac{1}{3} a^3 / b^4 / (a/b)^{(2/3)} \ln(x + (a/b)^{(1/3)}) e + \frac{1}{3} a^2 / b^3 / (a/b)^{(2/3)} \ln(x + (a/b)^{(1/3)}) d - \frac{1}{3} a / b^2 / (a/b)^{(2/3)} \ln(x + (a/b)^{(1/3)}) c - \frac{1}{6} a^4 / b^5 / (a/b)^{(2/3)} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) f + \frac{1}{6} a^3 / b^4 / (a/b)^{(2/3)} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) e - \frac{1}{6} a^2 / b^3 / (a/b)^{(2/3)} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) d + \frac{1}{6} a / b^2 / (a/b)^{(2/3)} \ln(x^2 - (a/b)^{(1/3)} x + (a/b)^{(2/3)}) c + \frac{1}{3} a^4 / b^5 / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2 / (a/b)^{(1/3)} x - 1)) f - \frac{1}{3} a^3 / b^4 / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2 / (a/b)^{(1/3)} x - 1)) e + \frac{1}{3} a^2 / b^3 / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2 / (a/b)^{(1/3)} x - 1)) d - \frac{1}{3} a / b^2 / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2 / (a/b)^{(1/3)} x - 1)) c$

maxima [A] time = 2.93, size = 267, normalized size = 0.97

$$\frac{14 b^3 f x^{10} + 20 (b^3 e - a b^2 f) x^7 + 35 (b^3 d - a b^2 e + a^2 b f) x^4 + 140 (b^3 c - a b^2 d + a^2 b e - a^3 f) x}{140 b^4} + \frac{\sqrt{3} (a b^3 c - a^2 b^2 d + a^3 f) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $\frac{1}{140} (14 b^3 f x^{10} + 20 (b^3 e - a b^2 f) x^7 + 35 (b^3 d - a b^2 e + a^2 b f) x^4 + 140 (b^3 c - a b^2 d + a^2 b e - a^3 f) x) / b^4 - \frac{1}{3} \sqrt{3} (a b^3 c - a^2 b^2 d + a^3 f) \arctan\left(\frac{\sqrt{3} (2 x - (a/b)^{(1/3)})}{3}\right) / (a/b)^{(1/3)} / (b^5 (a/b)^{(2/3)}) + \frac{1}{6} (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) \arctan\left(\frac{\sqrt{3} (2 x - (a/b)^{(1/3)})}{3}\right) / (a/b)^{(1/3)} / (b^5 (a/b)^{(2/3)})$

*f)*log(x² - x*(a/b)^(1/3) + (a/b)^(2/3))/(b⁵(a/b)^(2/3)) - 1/3*(a*b³*c - a²*b²*d + a³*b*e - a⁴*f)*log(x + (a/b)^(1/3))/(b⁵(a/b)^(2/3))

mupad [B] time = 5.10, size = 264, normalized size = 0.96

$$x^7 \left(\frac{e}{7b} - \frac{af}{7b^2} \right) + x^4 \left(\frac{d}{4b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{4b} \right) + x \left(\frac{c}{b} - \frac{a \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right)}{b} \right) + \frac{f x^{10}}{10b} - \frac{a^{1/3} \ln(b^{1/3} x + a^{1/3}) (-f a^3 + e a^2 b)}{3 b^{13/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x³(c + d*x³ + e*x⁶ + f*x⁹))/(a + b*x³), x)

[Out] x⁷*(e/(7*b) - (a*f)/(7*b²)) + x⁴*(d/(4*b) - (a*(e/b - (a*f)/b²))/(4*b)) + x*(c/b - (a*(d/b - (a*(e/b - (a*f)/b²))/b))/b + (f*x¹⁰)/(10*b) - (a^(1/3)*log(b^(1/3)*x + a^(1/3))*(b³*c - a³*f - a*b²*d + a²*b*e))/(3*b^(13/3)) - (a^(1/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b³*c - a³*f - a*b²*d + a²*b*e))/(3*b^(13/3)) + (a^(1/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b³*c - a³*f - a*b²*d + a²*b*e))/(3*b^(13/3))

sympy [A] time = 2.51, size = 376, normalized size = 1.37

$$x^7 \left(-\frac{af}{7b^2} + \frac{e}{7b} \right) + x^4 \left(\frac{a^2 f}{4b^3} - \frac{ae}{4b^2} + \frac{d}{4b} \right) + x \left(-\frac{a^3 f}{b^4} + \frac{a^2 e}{b^3} - \frac{ad}{b^2} + \frac{c}{b} \right) + \text{RootSum} \left(27t^3 b^{13} - a^{10} f^3 + 3a^9 b e f^2 - 3a^8 b^2 e f^2 + 3a^7 b^3 c f^2 + 6a^7 b^3 d e f + a^7 b^3 e^3 - 6a^6 b^4 c e f - 3a^6 b^4 d^2 f - 3a^6 b^4 d e^2 + 6a^5 b^5 c d f + 3a^5 b^5 c e^2 + 3a^5 b^5 d^2 e - 3a^4 b^6 c^2 f - 6a^4 b^6 c d e - a^4 b^6 d^3 + 3a^3 b^7 c^2 e + 3a^3 b^7 c d^2 - 3a^2 b^8 c^2 d + a b^9 c^3, \text{Lambda}(t, t \log(3t b^4 / (a^3 f - a^2 b e + a b^2 d - b^3 c) + x)) \right) + f x^{10} / (10 b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] x**7*(-a*f/(7*b**2) + e/(7*b)) + x**4*(a**2*f/(4*b**3) - a*e/(4*b**2) + d/(4*b)) + x*(-a**3*f/b**4 + a**2*e/b**3 - a*d/b**2 + c/b) + RootSum(27*_t**3*b**13 - a**10*f**3 + 3*a**9*b**e*f**2 - 3*a**8*b**2*d*f**2 - 3*a**8*b**2*e**2*f + 3*a**7*b**3*c*f**2 + 6*a**7*b**3*d*e*f + a**7*b**3*e**3 - 6*a**6*b**4*c*e*f - 3*a**6*b**4*d**2*f - 3*a**6*b**4*d*e**2 + 6*a**5*b**5*c*d*f + 3*a**5*b**5*c*e**2 + 3*a**5*b**5*d**2*e - 3*a**4*b**6*c**2*f - 6*a**4*b**6*c*d*e - a**4*b**6*d**3 + 3*a**3*b**7*c**2*e + 3*a**3*b**7*c*d**2 - 3*a**2*b**8*c**2*d + a*b**9*c**3, Lambda(_t, _t*log(3*_t*b**4/(a**3*f - a**2*b*e + a*b**2*d - b**3*c) + x))) + f*x**10/(10*b)

$$3.238 \quad \int \frac{x(c+dx^3+ex^6+fx^9)}{a+bx^3} dx$$

Optimal. Leaf size=245

$$\frac{x^2(a^2f - abe + b^2d)}{2b^3} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3\sqrt[3]{a}b^{11/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}\sqrt[3]{a}b^{11/3}}$$

[Out] $1/2*(a^2*f-a*b*e+b^2*d)*x^2/b^3+1/5*(-a*f+b*e)*x^5/b^2+1/8*f*x^8/b-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(1/3)}/b^{(11/3)}+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(1/3)}/b^{(11/3)}-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(1/3)}/b^{(11/3)}*3^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6\sqrt[3]{a}b^{11/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3\sqrt[3]{a}b^{11/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}\sqrt[3]{a}b^{11/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] $((b^2*d - a*b*e + a^2*f)*x^2)/(2*b^3) + ((b*e - a*f)*x^5)/(5*b^2) + (f*x^8)/(8*b) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/(\text{Sqrt}[3]*a^{(1/3)}*b^{(11/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*a^{(1/3)}*b^{(11/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*a^{(1/3)}*b^{(11/3)}))$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

```
Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_.)*(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(-p_.)*((d_) + (e_.)*(x_)^(n_.))^(-q_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(-p_.), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)]) /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx^3 + ex^6 + fx^9)}{a + bx^3} dx &= \frac{fx^8}{8b} + \frac{\int \frac{x(8bc + 8bdx^3 + 8(be-af)x^6)}{a+bx^3} dx}{8b} \\
&= \frac{fx^8}{8b} + \frac{\int \left(\frac{8(b^2d - abe + a^2f)x}{b^2} + \frac{8(be-af)x^4}{b} + \frac{8(b^3c - ab^2d + a^2be - a^3f)x}{b^2(a+bx^3)} \right) dx}{8b} \\
&= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{x}{a+bx^3} dx}{b^3} \\
&= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{bx^3}} dx}{3\sqrt[3]{a} b^{10/3}} \\
&= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{bx^3})}{3\sqrt[3]{a} b^{11/3}} \\
&= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{bx^3})}{3\sqrt[3]{a} b^{11/3}} \\
&= \frac{(b^2d - abe + a^2f)x^2}{2b^3} + \frac{(be - af)x^5}{5b^2} + \frac{fx^8}{8b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{bx^3}}{\sqrt[3]{a}}\right)}{\sqrt{3} \sqrt[3]{a} b^{11/3}}
\end{aligned}$$

Mathematica [A] time = 0.18, size = 231, normalized size = 0.94

$$\frac{60b^{2/3}x^2(a^2f - abe + b^2d) + \frac{40 \log(\sqrt[3]{a} + \sqrt[3]{bx^3})(a^3f - a^2be + ab^2d - b^3c)}{\sqrt[3]{a}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{bx^3}}{\sqrt[3]{a}}}{\sqrt{3}}\right)(a^3f - a^2be + ab^2d - b^3c)}{\sqrt[3]{a}} + \frac{20 \log(a^{2/3} - \sqrt[3]{bx^3})}{\sqrt[3]{a}}}{120b^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3), x]

[Out] (60*b^(2/3)*(b^2*d - a*b*e + a^2*f)*x^2 + 24*b^(5/3)*(b*e - a*f)*x^5 + 15*b^(8/3)*f*x^8 + (40*sqrt[3]*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(1/3) + (40*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(1/3) + (20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) - b^(1/3)*x])/a^(1/3) + (20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*atanh(b^(1/3)*x/a^(1/3)))/a^(1/3)

$2*b*e - a^3*f) * \text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2] / a^{(1/3)} / (120*b^{(11/3)})$

fricas [A] time = 0.79, size = 568, normalized size = 2.32

$$15ab^4fx^8 + 24(ab^4e - a^2b^3f)x^5 + 60(ab^4d - a^2b^3e + a^3b^2f)x^2 - 60\sqrt{\frac{1}{3}}(ab^4c - a^2b^3d + a^3b^2e - a^4bf)\sqrt{-\frac{(ab^2c - a^2b^3d + a^3b^2e - a^4bf)}{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] $[1/120*(15*a*b^4*f*x^8 + 24*(a*b^4*e - a^2*b^3*f)*x^5 + 60*(a*b^4*d - a^2*b^3*e + a^3*b^2*f)*x^2 - 60*\text{sqrt}(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*\text{sqrt}(-(a*b^2)^{(1/3)}/a)*\text{log}((2*b^2*x^3 - a*b - 3*\text{sqrt}(1/3)*(a*b*x + 2*(a*b^2)^{(2/3)}*x^2 - (a*b^2)^{(1/3)}*a)*\text{sqrt}(-(a*b^2)^{(1/3)}/a) - 3*(a*b^2)^{(2/3)}*x)/(b*x^3 + a)) + 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^{(2/3)}*\text{log}(b^2*x^2 - (a*b^2)^{(1/3)}*b*x + (a*b^2)^{(2/3)}) - 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^{(2/3)}*\text{log}(b*x + (a*b^2)^{(1/3)})]/(a*b^5), 1/120*(15*a*b^4*f*x^8 + 24*(a*b^4*e - a^2*b^3*f)*x^5 + 60*(a*b^4*d - a^2*b^3*e + a^3*b^2*f)*x^2 - 120*\text{sqrt}(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*\text{sqrt}((a*b^2)^{(1/3)}/a)*\text{arctan}(-\text{sqrt}(1/3)*(2*b*x - (a*b^2)^{(1/3)})*\text{sqrt}((a*b^2)^{(1/3)}/a)/b) + 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^{(2/3)}*\text{log}(b^2*x^2 - (a*b^2)^{(1/3)}*b*x + (a*b^2)^{(2/3)}) - 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^{(2/3)}*\text{log}(b*x + (a*b^2)^{(1/3)})]/(a*b^5)]$

giac [A] time = 0.20, size = 291, normalized size = 1.19

$$\frac{\sqrt{3}(b^3c - ab^2d - a^3f + a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(-ab^2\right)^{\frac{1}{3}}b^3} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(-ab^2\right)^{\frac{1}{3}}b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] $\frac{1}{3}\sqrt{3}(b^3c - a^2b^2d - a^3f + a^2b^2e)\arctan\left(\frac{1}{3}\sqrt{3}(2x + (-a/b)^{1/3})/((-a/b)^{1/3})\right)/((-a^2b^2)^{1/3}b^3) - \frac{1}{6}(b^3c - a^2b^2d - a^3f + a^2b^2e)\log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3})/((-a^2b^2)^{1/3}b^3) - \frac{1}{3}(b^8c(-a/b)^{1/3} - a^2b^7d(-a/b)^{1/3} - a^3b^5f(-a/b)^{1/3} + a^2b^6e(-a/b)^{1/3})\log(\text{abs}(x - (-a/b)^{1/3}))/a^2b^8 + \frac{1}{40}(5b^7fx^8 - 8a^2b^6fx^5 + 8b^7x^5e + 20b^7dx^2 + 20a^2b^5fx^2 - 20a^2b^6x^2e)/b^8$

maple [B] time = 0.05, size = 450, normalized size = 1.84

$$\frac{\frac{fx^8}{8b} - \frac{afx^5}{5b^2} + \frac{ex^5}{5b} + \frac{a^2fx^2}{2b^3} - \frac{aex^2}{2b^2} + \frac{dx^2}{2b}}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^4} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right) + \frac{a^3f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^4} - \frac{a^3f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a), x)$

[Out] $\frac{1}{8}fx^8/b - \frac{1}{5}b^2x^5*af + \frac{1}{5}b*x^5*ae + \frac{1}{2}b^3x^2*a^2*f - \frac{1}{2}b^2*x^2*a*e + \frac{1}{2}b*d*x^2 + \frac{1}{3}b^4/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*a^3*f - \frac{1}{3}b^3/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*a^2*e + \frac{1}{3}b^2/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*a*d - \frac{1}{3}b/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})*c - \frac{1}{6}b^4/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*a^3*f + \frac{1}{6}b^3/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*a^2*e - \frac{1}{6}b^2/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*a*d + \frac{1}{6}b/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3})*c - \frac{1}{3}b^4*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*a^3*f + \frac{1}{3}b^3*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*a^2*e - \frac{1}{3}b^2*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*a*d + \frac{1}{3}b*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))*c$

maxima [A] time = 3.01, size = 225, normalized size = 0.92

$$\frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b^4\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{5b^2fx^8 + 8(b^2e - abf)x^5 + 20(b^2d - abe + a^2f)x^2}{40b^3} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{3}\sqrt{3}(b^3c - a^2b^2d + a^2b^2e - a^3f)\arctan\left(\frac{1}{3}\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{1/3}\right)\right) + \frac{1}{40}(5b^2fx^8 + 8(b^2e - a^2bf)x^5 + 20(b^2d - a^2be + a^2f)x^2)/b^3 + \frac{1}{6}(b^3c - a^2b^2d + a^2b^2e - a^3f)\log\left(x^2 - x\left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right) - \frac{1}{3}(b^3c - a^2b^2d + a^2b^2e - a^3f)\log\left(x + \left(\frac{a}{b}\right)^{1/3}\right)$

mupad [B] time = 5.14, size = 225, normalized size = 0.92

$$x^5 \left(\frac{e}{5b} - \frac{af}{5b^2} \right) + x^2 \left(\frac{d}{2b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{2b} \right) + \frac{fx^8}{8b} - \frac{\ln(b^{1/3}x + a^{1/3})}{3a^{1/3}b^{11/3}} \frac{(-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{1/3}b^{11/3}} + \frac{\ln(2b^{1/3}x - a^{1/3})}{3a^{1/3}b^{11/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3),x)

[Out] $x^5(e/(5b) - (af)/(5b^2)) + x^2(d/(2b) - (a(e/b - (af)/b^2))/(2b)) + (fx^8)/(8b) - (\log(b^{1/3}x + a^{1/3}))(b^3c - a^3f - a^2b^2d + a^2b^2e)/(3a^{1/3}b^{11/3}) + (\log(3^{1/2}a^{1/3}i + 2b^{1/3}x - a^{1/3}))(3^{1/2}i/2 + 1/2)(b^3c - a^3f - a^2b^2d + a^2b^2e)/(3a^{1/3}b^{11/3}) - (\log(3^{1/2}a^{1/3}i - 2b^{1/3}x + a^{1/3}))(3^{1/2}i/2 - 1/2)(b^3c - a^3f - a^2b^2d + a^2b^2e)/(3a^{1/3}b^{11/3})$

sympy [A] time = 2.38, size = 427, normalized size = 1.74

$$x^5 \left(-\frac{af}{5b^2} + \frac{e}{5b} \right) + x^2 \left(\frac{a^2f}{2b^3} - \frac{ae}{2b^2} + \frac{d}{2b} \right) + \text{RootSum} \left(27t^3ab^{11} - a^9f^3 + 3a^8bef^2 - 3a^7b^2df^2 - 3a^7b^2e^2f + 3a^6b^3c^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a),x)

[Out] $x^{**5}(-af/(5b^{**2}) + e/(5b)) + x^{**2}(a^{**2}f/(2b^{**3}) - ae/(2b^{**2}) + d/(2b)) + \text{RootSum}(27*_t^{**3}a*b^{**11} - a^{**9}f^{**3} + 3*a^{**8}b*e*f^{**2} - 3*a^{**7}b^{**2}d*f^{**2} - 3*a^{**7}b^{**2}e^2*f + 3*a^{**6}b^{**3}c*f^{**2} + 6*a^{**6}b^{**3}d*e*f + a^{**6}b^{**3}e^{**3} - 6*a^{**5}b^{**4}c*e*f - 3*a^{**5}b^{**4}d^{**2}f - 3*a^{**5}b^{**4}d*e^{**2} + 6*a^{**4}b^{**5}c*d*f + 3*a^{**4}b^{**5}c*e^{**2} + 3*a^{**4}b^{**5}d^{**2}e - 3*a^{**3}b^{**6}c^{**2}f - 6*a^{**3}b^{**6}c*d*e - a^{**3}b^{**6}d^{**3} + 3*a^{**2}b^{**7}c^{**2}e + 3*a^{**2}b^{**7}c*d^{**2} - 3*a*b^{**8}c^{**2}d + b^{**9}c^{**3}, \text{Lambda}(_t, _t*\log(9*_t^{**2}a*b^{**7}/(a^{**6}f^{**2} - 2*a^{**5}b*e*f + 2*a^{**4}b^{**2}d*f + a^{**4}b^{**2}e^{**2} - 2*a^{**3}b^{**3}c*f - 2*a^{**3}b^{**3}d*e + 2*a^{**2}b^{**4}c*e + a^{**2}b^{**4}d^{**2} - 2*a*b^{**5}c*d + b^{**6}c^{**2}) + x))) + f*x^{**8}/(8*b)$

$$3.239 \quad \int \frac{c+dx^3+ex^6+fx^9}{a+bx^3} dx$$

Optimal. Leaf size=240

$$\frac{x(a^2f - abe + b^2d)}{b^3} - \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{2/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{2/3}b^{10/3}}$$

[Out] (a^2*f-a*b*e+b^2*d)*x/b^3+1/4*(-a*f+b*e)*x^4/b^2+1/7*f*x^7/b+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(10/3)-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(10/3)-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(10/3)*3^(1/2)

Rubi [A] time = 0.15, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {1887, 200, 31, 634, 617, 204, 628}

$$-\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{2/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{2/3}b^{10/3}} - \text{ta}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3), x]

[Out] ((b^2*d - a*b*e + a^2*f)*x)/b^3 + ((b*e - a*f)*x^4)/(4*b^2) + (f*x^7)/(7*b) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*b^(10/3)) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(10/3)) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*b^(10/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{a + bx^3} dx &= \int \left(\frac{b^2d - abe + a^2f}{b^3} + \frac{(be - af)x^3}{b^2} + \frac{fx^6}{b} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3(a + bx^3)} \right) dx \\
&= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{a+bx^3} dx}{b^3} \\
&= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}b^3} \\
&= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{bx})}{3a^{2/3}b^{10/3}} \\
&= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{bx})}{3a^{2/3}b^{10/3}} \\
&= \frac{(b^2d - abe + a^2f)x}{b^3} + \frac{(be - af)x^4}{4b^2} + \frac{fx^7}{7b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx}}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{10/3}}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 229, normalized size = 0.95

$$\frac{84\sqrt[3]{b}x(a^2f - abe + b^2d) + \frac{28\log(\sqrt[3]{a} + \sqrt[3]{bx})(a^3(-f) + a^2be - ab^2d + b^3c)}{a^{2/3}} + \frac{28\sqrt{3}\tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}\sqrt[3]{a}}\right)(a^3f - a^2be + ab^2d - b^3c)}{a^{2/3}} + \frac{14\log(a^{2/3} - \sqrt[3]{bx})}{a^{2/3}}}{84b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3), x]

[Out] (84*b^(1/3)*(b^2*d - a*b*e + a^2*f)*x + 21*b^(4/3)*(b*e - a*f)*x^4 + 12*b^(7/3)*f*x^7 + (28*sqrt[3]*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(2/3) + (28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + (14*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3))/(84*b^(10/3))

fricas [A] time = 0.54, size = 600, normalized size = 2.50

$$\left[\frac{12 a^2 b^3 f x^7 + 21 (a^2 b^3 e - a^3 b^2 f) x^4 - 42 \sqrt{\frac{1}{3}} (a b^4 c - a^2 b^3 d + a^3 b^2 e - a^4 b f) \sqrt{\frac{(-a^2 b)^{\frac{1}{3}}}{b}} \log \left(\frac{2 a b x^3 + 3 (-a^2 b)^{\frac{1}{3}} a x - a^2 - 3}{\dots} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="fricas")

[Out] [1/84*(12*a^2*b^3*f*x^7 + 21*(a^2*b^3*e - a^3*b^2*f)*x^4 - 42*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 84*(a^2*b^3*d - a^3*b^2*e + a^4*b*f)*x/(a^2*b^4), 1/84*(12*a^2*b^3*f*x^7 + 21*(a^2*b^3*e - a^3*b^2*f)*x^4 + 84*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) - 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 84*(a^2*b^3*d - a^3*b^2*e + a^4*b*f)*x/(a^2*b^4)]

giac [A] time = 0.19, size = 253, normalized size = 1.05

$$\frac{\sqrt{3} (b^3 c - a b^2 d - a^3 f + a^2 b e) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{2}{3}} b^2} \left(b^3 c - a b^2 d - a^3 f + a^2 b e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-a b^2 \right)^{\frac{2}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^2) - 1/6*(b^3*c - a*b^2*d - a

$$\begin{aligned} & \sqrt{3} f + a^2 b e) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / ((-a b^2)^{2/3} b^2 - \\ & 1/3(b^7 c - a b^6 d - a^3 b^4 f + a^2 b^5 e) (-a/b)^{1/3} \log(\text{abs}(x - \\ & (-a/b)^{1/3})) / (a b^7) + 1/28(4 b^6 f x^7 - 7 a b^5 f x^4 + 7 b^6 x^4 e + \\ & 28 b^6 d x + 28 a^2 b^4 f x - 28 a b^5 x e) / b^7 \end{aligned}$$

maple [B] time = 0.04, size = 442, normalized size = 1.84

$$\frac{\frac{f x^7}{7b} - \frac{a f x^4}{4b^2} + \frac{e x^4}{4b}}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^4} + \frac{\sqrt{3} a^3 f \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^4} + \frac{a^3 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^4} + \frac{a^3 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^4} + \frac{\sqrt{3} a^2 e \arctan\left(\frac{2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x)`

[Out] $\frac{1}{7} \frac{f x^7}{b} - \frac{1}{4} \frac{b^2 x^4 a f + 1}{b} \frac{1}{4} \frac{b x^4 e + 1}{b^3} \frac{a^2 f x - 1}{b^2} \frac{a e x + 1}{b} \frac{d x - 1}{3} \frac{1}{b^4} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) + \frac{1}{3} \frac{1}{b^3} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) + \frac{1}{3} \frac{1}{b^2} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) + \frac{1}{3} \frac{1}{b} \frac{1}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) + \frac{1}{6} \frac{1}{b^4} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{1}{6} \frac{1}{b^3} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{1}{6} \frac{1}{b^2} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{1}{6} \frac{1}{b} \frac{1}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{1}{3} \frac{1}{b^4} \frac{1}{(a/b)^{2/3}} \frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} \frac{2x - (a/b)^{1/3}}{3 \sqrt{3} (a/b)^{1/3}}\right) + \frac{1}{3} \frac{1}{b^3} \frac{1}{(a/b)^{2/3}} \frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} \frac{2x - (a/b)^{1/3}}{3 \sqrt{3} (a/b)^{1/3}}\right) + \frac{1}{3} \frac{1}{b^2} \frac{1}{(a/b)^{2/3}} \frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} \frac{2x - (a/b)^{1/3}}{3 \sqrt{3} (a/b)^{1/3}}\right) + \frac{1}{3} \frac{1}{b} \frac{1}{(a/b)^{2/3}} \frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} \frac{2x - (a/b)^{1/3}}{3 \sqrt{3} (a/b)^{1/3}}\right) + c$

maxima [A] time = 3.01, size = 223, normalized size = 0.93

$$\frac{4 b^2 f x^7 + 7 (b^2 e - a b f) x^4 + 28 (b^2 d - a b e + a^2 f) x}{28 b^3} + \frac{\sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 b^4 \left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f)}{3 b^4 \left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $\frac{1}{28} (4 b^2 f x^7 + 7 (b^2 e - a b f) x^4 + 28 (b^2 d - a b e + a^2 f) x) / b^3 + \frac{1}{3} \sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \arctan\left(\frac{1}{3} \sqrt{3} \frac{2x - (a/b)^{1/3}}{3 \sqrt{3} (a/b)^{1/3}}\right) + \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f)}{3 b^4 \left(\frac{a}{b}\right)^{\frac{2}{3}}}$

$x - (a/b)^{(1/3)}/(a/b)^{(1/3)}/(b^4*(a/b)^{(2/3)}) - 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^4*(a/b)^{(2/3)}) + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x + (a/b)^{(1/3)})/(b^4*(a/b)^{(2/3)})$

mupad [B] time = 5.17, size = 222, normalized size = 0.92

$$x^4 \left(\frac{e}{4b} - \frac{af}{4b^2} \right) + x \left(\frac{d}{b} - \frac{a \left(\frac{e}{b} - \frac{af}{b^2} \right)}{b} \right) + \frac{f x^7}{7b} + \frac{\ln(b^{1/3} x + a^{1/3}) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^{2/3} b^{10/3}} + \frac{\ln(2 b^{1/3} x - a^{1/3})}{3 a^{2/3} b^{10/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3), x)

[Out] $x^4*(e/(4*b) - (a*f)/(4*b^2)) + x*(d/b - (a*(e/b - (a*f)/b^2))/b) + (f*x^7)/(7*b) + (\log(b^{1/3}*x + a^{1/3})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{2/3}*b^{10/3}) + (\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a^{2/3}*b^{10/3}) - (\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a^{2/3}*b^{10/3})$

sympy [A] time = 3.41, size = 342, normalized size = 1.42

$$x^4 \left(-\frac{af}{4b^2} + \frac{e}{4b} \right) + x \left(\frac{a^2 f}{b^3} - \frac{ae}{b^2} + \frac{d}{b} \right) + \text{RootSum} \left(27t^3 a^2 b^{10} + a^9 f^3 - 3a^8 b e f^2 + 3a^7 b^2 d f^2 + 3a^7 b^2 e^2 f - 3a^6 b^3 c f^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/(b*x**3+a), x)

[Out] $x**4*(-a*f/(4*b**2) + e/(4*b)) + x*(a**2*f/b**3 - a*e/b**2 + d/b) + \text{RootSum}(27*_t**3*a**2*b**10 + a**9*f**3 - 3*a**8*b*e*f**2 + 3*a**7*b**2*d*f**2 + 3*a**7*b**2*e**2*f - 3*a**6*b**3*c*f**2 - 6*a**6*b**3*d*e*f - a**6*b**3*e**3 + 6*a**5*b**4*c*e*f + 3*a**5*b**4*d**2*f + 3*a**5*b**4*d*e**2 - 6*a**4*b**5*c*d*f - 3*a**4*b**5*c*e**2 - 3*a**4*b**5*d**2*e + 3*a**3*b**6*c**2*f + 6*a**3*b**6*c*d*e + a**3*b**6*d**3 - 3*a**2*b**7*c**2*e - 3*a**2*b**7*c*d**2 + 3*a*b**8*c**2*d - b**9*c**3, \text{Lambda}(_t, _t*\log(-3*_t*a*b**3/(a**3*f - a**2*b*e + a*b**2*d - b**3*c) + x))) + f*x**7/(7*b)$

$$3.240 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)} dx$$

Optimal. Leaf size=227

$$-\frac{\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)\left(a^3(-f)+a^2be-ab^2d+b^3c\right)}{6a^{4/3}b^{8/3}}+\frac{\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)\left(a^3(-f)+a^2be-ab^2d+b^3c\right)}{3a^{4/3}b^{8/3}}+ta$$

[Out] $-c/a/x+1/2*(-a*f+b*e)*x^2/b^2+1/5*f*x^5/b+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)$
 $*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(4/3)}/b^{(8/3)}-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*$
 $\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(4/3)}/b^{(8/3)}+1/3*(-a^3*f+a^2*b$
 $*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(4/3)}$
 $/b^{(8/3)}*3^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.233, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$-\frac{\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)\left(a^2be+a^3(-f)-ab^2d+b^3c\right)}{6a^{4/3}b^{8/3}}+\frac{\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)\left(a^2be+a^3(-f)-ab^2d+b^3c\right)}{3a^{4/3}b^{8/3}}+ta$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)), x]

[Out] $-(c/(a*x)) + ((b*e - a*f)*x^2)/(2*b^2) + (f*x^5)/(5*b) + ((b^3*c - a*b^2*d$
 $+ a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}$
 $[3]*a^{(4/3)}*b^{(8/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b$
 $^{(1/3)}*x])/ (3*a^{(4/3)}*b^{(8/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a$
 $^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (6*a^{(4/3)}*b^{(8/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

```
Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^2(a + bx^3)} dx &= \int \left(\frac{c}{ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{b} + \frac{(-b^3c + ab^2d - a^2be + a^3f)x}{ab^2(a + bx^3)} \right) dx \\
&= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{x}{a+bx^3} dx}{ab^2} \\
&= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{4/3}b^{7/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{4/3}b^{8/3}} \log(\sqrt[3]{a} + \sqrt[3]{b}x) \\
&= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}b^{8/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{4/3}b^{8/3}} \\
&= -\frac{c}{ax} + \frac{(be - af)x^2}{2b^2} + \frac{fx^5}{5b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}b^{8/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{4/3}b^{8/3}}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 224, normalized size = 0.99

$$\frac{15a^{4/3}b^{2/3}x^3(be - af) + 6a^{4/3}b^{5/3}fx^6 + 10x \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c) + 10\sqrt{3}x \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{30a^{4/3}b^{8/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)),x]

[Out] (-30*a^(1/3)*b^(8/3)*c + 15*a^(4/3)*b^(2/3)*(b*e - a*f)*x^3 + 6*a^(4/3)*b^(5/3)*f*x^6 + 10*sqrt[3]*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x*Log[a^(1/3) + b^(1/3)*x] - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(30*a^(4/3)*b^(8/3)*x)

fricas [A] time = 0.64, size = 560, normalized size = 2.47

$$\left[\frac{6a^2b^3fx^6 - 30ab^4c + 15(a^2b^3e - a^3b^2f)x^3 - 15\sqrt{\frac{1}{3}}(ab^4c - a^2b^3d + a^3b^2e - a^4bf)x\sqrt{\frac{(-ab^2)^{\frac{1}{3}}}{a}} \log\left(\frac{2b^2x^3 - ab + 3}{\dots}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x, algorithm="fricas")

[Out] [1/30*(6*a^2*b^3*f*x^6 - 30*a*b^4*c + 15*(a^2*b^3*e - a^3*b^2*f)*x^3 - 15*s
 qrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x*sqrt((-a*b^2)^(1/3)/
 a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b
 ^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) - 5*
 (b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x*log(b^2*x^2 + (-a*b^2)
 ^1/3)*b*x + (-a*b^2)^(2/3)) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b
 ^2)^(2/3)*x*log(b*x - (-a*b^2)^(1/3)))/(a^2*b^4*x), 1/30*(6*a^2*b^3*f*x^6 -
 30*a*b^4*c + 15*(a^2*b^3*e - a^3*b^2*f)*x^3 - 30*sqrt(1/3)*(a*b^4*c - a^2*
 b^3*d + a^3*b^2*e - a^4*b*f)*x*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*
 b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) - 5*(b^3*c - a*b^2*d + a^2
 *b*e - a^3*f)*(-a*b^2)^(2/3)*x*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)
 ^2/3) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x*log(b*x -
 (-a*b^2)^(1/3)))/(a^2*b^4*x)]

giac [A] time = 0.18, size = 269, normalized size = 1.19

$$\frac{\sqrt{3}(b^3c - ab^2d - a^3f + a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3(-ab^2)^{\frac{1}{3}}ab^2} - \frac{c}{ax} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{6(-ab^2)^{\frac{1}{3}}ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x +
 (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a*b^2) - c/(a*x) + 1/6*(b^3*c -

$$a^2 b^2 d - a^3 f + a^2 b e) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / ((-a^2 b^2)^{1/3} a^2 b^2) + 1/3 (b^3 c (-a/b)^{1/3} - a^2 b^2 d (-a/b)^{1/3} - a^3 f (-a/b)^{1/3} + a^2 b e (-a/b)^{1/3}) e (-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / (a^2 b^2) + 1/10 (2 b^4 f x^5 - 5 a^2 b^3 f x^2 + 5 b^4 x^2 e) / b^5$$

maple [B] time = 0.05, size = 419, normalized size = 1.85

$$\frac{f x^5}{5b} - \frac{a f x^2}{2b^2} + \frac{e x^2}{2b} + \frac{\sqrt{3} a^2 f \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{1/3}} - 1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{1/3} b^3} - \frac{a^2 f \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right)}{3 \left(\frac{a}{b}\right)^{1/3} b^3} + \frac{a^2 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right)}{6 \left(\frac{a}{b}\right)^{1/3} b^3} - \frac{\sqrt{3} a e \arctan\left(\frac{2x - \left(\frac{a}{b}\right)^{1/3}}{3 \left(\frac{a}{b}\right)^{1/3}}\right)}{3 \left(\frac{a}{b}\right)^{1/3} b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x)

[Out] 1/5/b*f*x^5-1/2/b^2*x^2*a*f+1/2*e*x^2/b-1/3*a^2/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f+1/3*a/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e-1/3/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d+1/3/a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c+1/6*a^2/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-1/6*a/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+1/6/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d-1/6/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+1/3*a^2/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-1/3*a/b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+1/3/b*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d-1/3/a*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/a*c/x

maxima [A] time = 2.96, size = 217, normalized size = 0.96

$$\frac{2 b f x^5 + 5 (b e - a f) x^2}{10 b^2} - \frac{c}{a x} + \frac{\sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b}\right)^{1/3}\right)}{3 \left(\frac{a}{b}\right)^{1/3}}\right)}{3 a b^3 \left(\frac{a}{b}\right)^{1/3}} + \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log\left(x - \left(\frac{a}{b}\right)^{1/3}\right)}{6 a b^3 \left(\frac{a}{b}\right)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a),x, algorithm="maxima")

[Out] 1/10*(2*b*f*x^5 + 5*(b*e - a*f)*x^2)/b^2 - c/(a*x) - 1/3*sqrt(3)*(b^3*c - a^2*b*d + a^2*b*e - a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))

))/((a*b^3*(a/b)^(1/3)) - 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3)))/(a*b^3*(a/b)^(1/3)) + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x + (a/b)^(1/3))/(a*b^3*(a/b)^(1/3))

mupad [B] time = 5.37, size = 204, normalized size = 0.90

$$x^2 \left(\frac{e}{2b} - \frac{af}{2b^2} \right) - \frac{c}{ax} + \frac{fx^5}{5b} + \frac{\ln(b^{1/3}x + a^{1/3}) (-fa^3 + ea^2b - da^2b^2 + cb^3)}{3a^{4/3}b^{8/3}} - \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)}{3} \left(\frac{1}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)),x)

[Out] x^2*(e/(2*b) - (a*f)/(2*b^2)) - c/(a*x) + (f*x^5)/(5*b) + (log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(4/3)*b^(8/3)) - (log(3^(1/2)*a^(1/3)*i + 2*b^(1/3)*x - a^(1/3))*(3^(1/2)*i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(4/3)*b^(8/3)) + (log(3^(1/2)*a^(1/3)*i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(4/3)*b^(8/3))

sympy [A] time = 4.72, size = 408, normalized size = 1.80

$$x^2 \left(-\frac{af}{2b^2} + \frac{e}{2b} \right) + \text{RootSum} \left(27t^3a^4b^8 + a^9f^3 - 3a^8bef^2 + 3a^7b^2df^2 + 3a^7b^2e^2f - 3a^6b^3cf^2 - 6a^6b^3def - a^6b^3e^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**2/(b*x**3+a),x)

[Out] x**2*(-a*f/(2*b**2) + e/(2*b)) + RootSum(27*_t**3*a**4*b**8 + a**9*f**3 - 3*a**8*b*e*f**2 + 3*a**7*b**2*d*f**2 + 3*a**7*b**2*e**2*f - 3*a**6*b**3*c*f**2 - 6*a**6*b**3*d*e*f - a**6*b**3*e**3 + 6*a**5*b**4*c*e*f + 3*a**5*b**4*d**2*f + 3*a**5*b**4*d*e**2 - 6*a**4*b**5*c*d*f - 3*a**4*b**5*c*e**2 - 3*a**4*b**5*d**2*e + 3*a**3*b**6*c**2*f + 6*a**3*b**6*c*d*e + a**3*b**6*d**3 - 3*a**2*b**7*c**2*e - 3*a**2*b**7*c*d**2 + 3*a*b**8*c**2*d - b**9*c**3, Lambda(a(_t, _t*log(9*_t**2*a**3*b**5/(a**6*f**2 - 2*a**5*b*e*f + 2*a**4*b**2*d*f + a**4*b**2*e**2 - 2*a**3*b**3*c*f - 2*a**3*b**3*d*e + 2*a**2*b**4*c*e + a**2*b**4*d**2 - 2*a*b**5*c*d + b**6*c**2) + x))) + f*x**5/(5*b) - c/(a*x)

$$3.241 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)} dx$$

Optimal. Leaf size=224

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{6a^{5/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{3a^{5/3}b^{7/3}} + \tan$$

[Out] $-1/2*c/a/x^2+(-a*f+b*e)*x/b^2+1/4*f*x^4/b-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)$
 $*\ln(a^{(1/3)+b^{(1/3)}*x}/a^{(5/3)}/b^{(7/3)}+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*$
 $\ln(a^{(2/3)-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(7/3)}+1/3*(-a^3*f+a^2*b$
 $*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}$
 $/b^{(7/3)}*3^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.233, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{6a^{5/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{3a^{5/3}b^{7/3}} + \tan$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)), x]

[Out] $-c/(2*a*x^2) + ((b*e - a*f)*x)/b^2 + (f*x^4)/(4*b) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(5/3)}*b^{(7/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(5/3)}*b^{(7/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(5/3)}*b^{(7/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^3(a + bx^3)} dx &= \int \left(\frac{be - af}{b^2} + \frac{c}{ax^3} + \frac{fx^3}{b} + \frac{-b^3c + ab^2d - a^2be + a^3f}{ab^2(a + bx^3)} \right) dx \\
&= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{1}{a+bx^3} dx}{ab^2} \\
&= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{5/3}b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{5/3}b^2} \\
&= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}b^{7/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{5/3}b^{7/3}} \\
&= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}b^{7/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{5/3}b^{7/3}} \\
&= -\frac{c}{2ax^2} + \frac{(be - af)x}{b^2} + \frac{fx^4}{4b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{5/3}b^{7/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{5/3}b^{7/3}}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 218, normalized size = 0.97

$$\frac{1}{12} \left(\frac{2 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{a^{5/3}b^{7/3}} + \frac{4 \log(\sqrt[3]{a} + \sqrt[3]{b}x) (a^3f - a^2be + ab^2d - b^3c)}{a^{5/3}b^{7/3}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)),x]

[Out] ((-6*c)/(a*x^2) + (12*(b*e - a*f)*x)/b^2 + (3*f*x^4)/b + (4*sqrt[3]*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/(a^(5/3)*b^(7/3)) + (4*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(a^(5/3)*b^(7/3)) + (2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(a^(5/3)*b^(7/3))/12

fricas [A] time = 0.75, size = 565, normalized size = 2.52

$$\frac{3a^3b^2fx^6 - 6a^2b^3c - 6\sqrt{\frac{1}{3}}(ab^4c - a^2b^3d + a^3b^2e - a^4bf)x^2\sqrt{-\frac{(a^2b)^{\frac{1}{3}}}{b}} \log\left(\frac{2abx^3 - 3(a^2b)^{\frac{1}{3}}ax - a^2 + 3\sqrt{\frac{1}{3}}(2abx^2 + (a^2b)^{\frac{2}{3}})}{bx^3 + a}\right)}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a),x, algorithm="fricas")

[Out] [1/12*(3*a^3*b^2*f*x^6 - 6*a^2*b^3*c - 6*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^2*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a)) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^3*b^2*e - a^4*b*f)*x^3)/(a^3*b^3*x^2), 1/12*(3*a^3*b^2*f*x^6 - 6*a^2*b^3*c - 12*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^2*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^(2/3)*x^2*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^3*b^2*e - a^4*b*f)*x^3)/(a^3*b^3*x^2)]

giac [A] time = 0.22, size = 232, normalized size = 1.04

$$\frac{\sqrt{3}(b^3c - ab^2d - a^3f + a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3\left(-ab^2\right)^{\frac{2}{3}}ab} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(-ab^2\right)^{\frac{2}{3}}ab} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b) + 1/6*(b^3*c - a*b^2*d - a^

$$3*f + a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a*b) + 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/ (a^2*b^2) - 1/2*c/(a*x^2) + 1/4*(b^3*f*x^4 - 4*a*b^2*f*x + 4*b^3*x*e)/b^4$$

maple [B] time = 0.06, size = 414, normalized size = 1.85

$$\frac{f x^4}{4b} + \frac{\sqrt{3} a^2 f \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} + \frac{a^2 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} - \frac{a^2 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} - \frac{\sqrt{3} a e \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a),x)

[Out] 1/4*f*x^4/b-1/b^2*a*f*x+e*x/b+1/3*a^2/b^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f-1/3*a/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e+1/3/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d-1/3/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/6*a^2/b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/6*a/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/6/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/6/a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+1/3*a^2/b^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-1/3*a/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+1/3/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d-1/3/a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/2*c/a/x^2

maxima [A] time = 2.98, size = 214, normalized size = 0.96

$$\frac{b f x^4 + 4 (b e - a f) x}{4 b^2} - \frac{c}{2 a x^2} - \frac{\sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a b^3 \left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{6 a b^3 \left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a),x, algorithm="maxima")

[Out] 1/4*(b*f*x^4 + 4*(b*e - a*f)*x)/b^2 - 1/2*c/(a*x^2) - 1/3*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))

$$3)) / (a*b^3*(a/b)^{(2/3)}) + 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a*b^3*(a/b)^{(2/3)}) - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x + (a/b)^{(1/3)}) / (a*b^3*(a/b)^{(2/3)})$$

mupad [B] time = 0.28, size = 201, normalized size = 0.90

$$x \left(\frac{e}{b} - \frac{af}{b^2} \right) - \frac{c}{2ax^2} + \frac{fx^4}{4b} - \frac{\ln(b^{1/3}x + a^{1/3}) (-fa^3 + ea^2b - dab^2 + cb^3)}{3a^{5/3}b^{7/3}} - \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)}{3a^{5/3}b^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)), x)

[Out] x*(e/b - (a*f)/b^2) - c/(2*a*x^2) + (f*x^4)/(4*b) - (log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(5/3)*b^(7/3)) - (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(5/3)*b^(7/3)) + (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(5/3)*b^(7/3))

sympy [A] time = 4.36, size = 326, normalized size = 1.46

$$x \left(-\frac{af}{b^2} + \frac{e}{b} \right) + \text{RootSum} \left(27t^3a^5b^7 - a^9f^3 + 3a^8bef^2 - 3a^7b^2df^2 - 3a^7b^2e^2f + 3a^6b^3cf^2 + 6a^6b^3def + a^6b^3e^3 - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**3/(b*x**3+a), x)

[Out] x*(-a*f/b**2 + e/b) + RootSum(27*_t**3*a**5*b**7 - a**9*f**3 + 3*a**8*b**e*f**2 - 3*a**7*b**2*d*f**2 - 3*a**7*b**2*e**2*f + 3*a**6*b**3*c*f**2 + 6*a**6*b**3*d*e*f + a**6*b**3*e**3 - 6*a**5*b**4*c*e*f - 3*a**5*b**4*d**2*f - 3*a**5*b**4*d*e**2 + 6*a**4*b**5*c*d*f + 3*a**4*b**5*c*e**2 + 3*a**4*b**5*d**2*e - 3*a**3*b**6*c**2*f - 6*a**3*b**6*c*d*e - a**3*b**6*d**3 + 3*a**2*b**7*c**2*e + 3*a**2*b**7*c*d**2 - 3*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(3*_t*a**2*b**2/(a**3*f - a**2*b*e + a*b**2*d - b**3*c) + x))) + f*x**4/(4*b) - c/(2*a*x**2)

$$3.242 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)} dx$$

Optimal. Leaf size=227

$$\frac{bc-ad}{a^2x} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{7/3}b^{5/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{7/3}b^{5/3}}$$

[Out] $-1/4*c/a/x^4 + (-a*d+b*c)/a^2/x + 1/2*f*x^2/b - 1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c) * \ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(7/3)}/b^{(5/3)} + 1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c) * \ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(7/3)}/b^{(5/3)} - 1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c) * \arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(7/3)}/b^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{7/3}b^{5/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{7/3}b^{5/3}} - \tan$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)), x]

[Out] $-c/(4*a*x^4) + (b*c - a*d)/(a^2*x) + (f*x^2)/(2*b) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(7/3)}*b^{(5/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(7/3)}*b^{(5/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(7/3)}*b^{(5/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

```
Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x), x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^5(a + bx^3)} dx &= \int \left(\frac{c}{ax^5} + \frac{-bc + ad}{a^2x^2} + \frac{fx}{b} - \frac{(-b^3c + ab^2d - a^2be + a^3f)x}{a^2b(a + bx^3)} \right) dx \\
&= -\frac{c}{4ax^4} + \frac{bc - ad}{a^2x} + \frac{fx^2}{2b} - \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{x}{a+bx^3} dx}{a^2b} \\
&= -\frac{c}{4ax^4} + \frac{bc - ad}{a^2x} + \frac{fx^2}{2b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{7/3}b^{4/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{7/3}b^{5/3}} \\
&= -\frac{c}{4ax^4} + \frac{bc - ad}{a^2x} + \frac{fx^2}{2b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{7/3}b^{5/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{7/3}b^{5/3}} \\
&= -\frac{c}{4ax^4} + \frac{bc - ad}{a^2x} + \frac{fx^2}{2b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{7/3}b^{5/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{7/3}b^{5/3}} \\
&= -\frac{c}{4ax^4} + \frac{bc - ad}{a^2x} + \frac{fx^2}{2b} - \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{7/3}b^{5/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f)}{3a^{7/3}b^{5/3}}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 220, normalized size = 0.97

$$\frac{1}{12} \left(\frac{12(bc - ad)}{a^2x} + \frac{2 \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{a^{7/3}b^{5/3}} + \frac{4 \log(\sqrt[3]{a} + \sqrt[3]{b}x) (a^3f - a^2be - ab^2d + b^3c)}{a^{7/3}b^{5/3}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)),x]

[Out] ((-3*c)/(a*x^4) + (12*(b*c - a*d))/(a^2*x) + (6*f*x^2)/b + (4*Sqrt[3]*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(a^(7/3)*b^(5/3)) + (4*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(a^(7/3)*b^(5/3)) + (2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(a^(7/3)*b^(5/3))/12

fricas [A] time = 0.66, size = 556, normalized size = 2.45

$$\left[\frac{6a^3b^2fx^6 - 6\sqrt{\frac{1}{3}}(ab^4c - a^2b^3d + a^3b^2e - a^4bf)x^4\sqrt{-\frac{(ab^2)^{\frac{1}{3}}}{a}} \log\left(\frac{2b^2x^3 - ab - 3\sqrt{\frac{1}{3}}\left(abx + 2(ab^2)^{\frac{2}{3}}x^2 - (ab^2)^{\frac{1}{3}}a\right)\sqrt{-\frac{(ab^2)^{\frac{1}{3}}}{a}} - 3}{bx^3 + a}}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a),x, algorithm="fricas")

[Out] [1/12*(6*a^3*b^2*f*x^6 - 6*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^4*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a)) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b*x + (a*b^2)^(1/3)) - 3*a^2*b^3*c + 12*(a*b^4*c - a^2*b^3*d)*x^3)/(a^3*b^3*x^4), 1/12*(6*a^3*b^2*f*x^6 - 12*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^4*sqrt((a*b^2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) + 2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a*b^2)^(2/3)*x^4*log(b*x + (a*b^2)^(1/3)) - 3*a^2*b^3*c + 12*(a*b^4*c - a^2*b^3*d)*x^3)/(a^3*b^3*x^4)]

giac [A] time = 0.18, size = 261, normalized size = 1.15

$$\frac{fx^2}{2b} + \frac{\sqrt{3}(b^3c - ab^2d - a^3f + a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3(-ab^2)^{\frac{1}{3}}a^2b} - \frac{(b^3c - ab^2d - a^3f + a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{6(-ab^2)^{\frac{1}{3}}a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a),x, algorithm="giac")

[Out] 1/2*f*x^2/b + 1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^2*b) - 1/6*(b^3*

$c - a*b^2*d - a^3*f + a^2*b*e) * \log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / ((-a*b^2)^{(1/3)} * a^2*b) - 1/3*(b^3*c*(-a/b)^{(1/3)} - a*b^2*d*(-a/b)^{(1/3)} - a^3*f*(-a/b)^{(1/3)} + a^2*b*(-a/b)^{(1/3)} * e) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})) / (a^3*b) + 1/4*(4*b*c*x^3 - 4*a*d*x^3 - a*c) / (a^2*x^4)$

maple [B] time = 0.06, size = 412, normalized size = 1.81

$$\frac{fx^2}{2b} + \frac{\sqrt{3} af \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^2} + \frac{af \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^2} - \frac{af \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{1}{3}}b^2} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}a} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a),x)`

[Out] $1/2*f*x^2/b + 1/3*a/b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*f - 1/3/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*e + 1/3/a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*d - 1/3/a^2*b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c - 1/6*a/b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f + 1/6/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e - 1/6/a/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d + 1/6/a^2*b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c - 1/3*a/b^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f + 1/3/b*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e - 1/3/a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d + 1/3/a^2*b*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c - 1/4*c/a/x^4 - d/a/x + 1/a^2/x*b*c$

maxima [A] time = 3.04, size = 217, normalized size = 0.96

$$\frac{fx^2}{2b} + \frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^2b^2\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^2b^2\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a),x, algorithm="maxima")`

[Out] $1/2*f*x^2/b + 1/3*\text{sqrt}(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\arctan(1/3*\text{sqrt}(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^2*b^2*(a/b)^{(1/3)}) + 1/6*(b^3*c -$

$$a^2 b^2 d + a^2 b^2 e - a^3 f) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) / (a^2 b^2 (a/b)^{1/3}) - 1/3 (b^3 c - a^2 b^2 d + a^2 b^2 e - a^3 f) \log(x + (a/b)^{1/3}) / (a^2 b^2 (a/b)^{1/3}) + 1/4 (4(b^3 c - a^2 d) x^3 - a^3 c) / (a^2 x^4)$$

mupad [B] time = 5.16, size = 209, normalized size = 0.92

$$\frac{f x^2}{2b} - \frac{\frac{bc}{4a} + \frac{bx^3(ad-bc)}{a^2}}{bx^4} - \frac{\ln(b^{1/3}x + a^{1/3}) (-fa^3 + ea^2b - da^2 + cb^3)}{3a^{7/3}b^{5/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)}{3a^{7/3}b^{5/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)),x)

[Out] (f*x^2)/(2*b) - ((b*c)/(4*a) + (b*x^3*(a*d - b*c))/a^2)/(b*x^4) - (log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(7/3)*b^(5/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(7/3)*b^(5/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(7/3)*b^(5/3))

sympy [A] time = 11.53, size = 411, normalized size = 1.81

$$\text{RootSum}\left(27t^3a^7b^5 - a^9f^3 + 3a^8bef^2 - 3a^7b^2df^2 - 3a^7b^2e^2f + 3a^6b^3cf^2 + 6a^6b^3def + a^6b^3e^3 - 6a^5b^4cef - 3a^5b^4e^2f + 3a^5b^4e^2d + 3a^5b^4e^2f - 3a^5b^4e^2d + 3a^5b^4e^2f\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**5/(b*x**3+a),x)

[Out] RootSum(27*_t**3*a**7*b**5 - a**9*f**3 + 3*a**8*b**e*f**2 - 3*a**7*b**2*d*f**2 - 3*a**7*b**2*e**2*f + 3*a**6*b**3*c*f**2 + 6*a**6*b**3*d*e*f + a**6*b**3*e**3 - 6*a**5*b**4*c*e*f - 3*a**5*b**4*d**2*f - 3*a**5*b**4*d*e**2 + 6*a**4*b**5*c*d*f + 3*a**4*b**5*c*e**2 + 3*a**4*b**5*d**2*e - 3*a**3*b**6*c**2*f - 6*a**3*b**6*c*d*e - a**3*b**6*d**3 + 3*a**2*b**7*c**2*e + 3*a**2*b**7*c*d**2 - 3*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(9*_t**2*a**5*b**3/(a**6*f**2 - 2*a**5*b**e*f + 2*a**4*b**2*d*f + a**4*b**2*e**2 - 2*a**3*b**3*c*f - 2*a**3*b**3*d*e + 2*a**2*b**4*c*e + a**2*b**4*d**2 - 2*a*b**5*c*d + b**6*c**2) + x))) + f*x**2/(2*b) + (-a*c + x**3*(-4*a*d + 4*b*c))/(4*a**2*x**4)

$$3.243 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)} dx$$

Optimal. Leaf size=225

$$\frac{bc-ad}{2a^2x^2} \frac{\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)\left(a^3(-f)+a^2be-ab^2d+b^3c\right)}{6a^{8/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)\left(a^3(-f)+a^2be-ab^2d+b^3c\right)}{3a^{8/3}b^{4/3}}$$

[Out] $-1/5*c/a/x^5+1/2*(-a*d+b*c)/a^2/x^2+f*x/b+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)$
 $)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(8/3)}/b^{(4/3)}-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*$
 $\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(8/3)}/b^{(4/3)}-1/3*(-a^3*f+a^2*b$
 $*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(8/3)}$
 $/b^{(4/3)}*3^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.233, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)\left(a^2be+a^3(-f)-ab^2d+b^3c\right)}{6a^{8/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)\left(a^2be+a^3(-f)-ab^2d+b^3c\right)}{3a^{8/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)), x]

[Out] $-c/(5*a*x^5) + (b*c - a*d)/(2*a^2*x^2) + (f*x)/b - ((b^3*c - a*b^2*d + a^2*b$
 $*e - a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*a^{(8/3)}$
 $*b^{(4/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}$
 $*x])/ (3*a^{(8/3)}*b^{(4/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)}$
 $- a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (6*a^{(8/3)}*b^{(4/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^6(a + bx^3)} dx &= \int \left(\frac{f}{b} + \frac{c}{ax^6} + \frac{-bc + ad}{a^2x^3} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^2b(a + bx^3)} \right) dx \\
&= -\frac{c}{5ax^5} + \frac{bc - ad}{2a^2x^2} + \frac{fx}{b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{a+bx^3} dx}{a^2b} \\
&= -\frac{c}{5ax^5} + \frac{bc - ad}{2a^2x^2} + \frac{fx}{b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{8/3}b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{8/3}b^{4/3}} \\
&= -\frac{c}{5ax^5} + \frac{bc - ad}{2a^2x^2} + \frac{fx}{b} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{8/3}b^{4/3}} - \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{8/3}b^{4/3}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{8/3}b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 220, normalized size = 0.98

$$\frac{bc - ad}{2a^2x^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3f - a^2be + ab^2d - b^3c)}{6a^{8/3}b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{8/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)),x]

[Out] -1/5*c/(a*x^5) + (b*c - a*d)/(2*a^2*x^2) + (f*x)/b + ((- (b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*a^(8/3)*b^(4/3)) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(8/3)*b^(4/3)) + ((- (b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(8/3)*b^(4/3))

fricas [A] time = 0.56, size = 584, normalized size = 2.60

$$\left[\frac{30 a^4 b f x^6 - 15 \sqrt{\frac{1}{3}} (a b^4 c - a^2 b^3 d + a^3 b^2 e - a^4 b f) x^5 \sqrt{\frac{(-a^2 b)^{\frac{1}{3}}}{b}} \log \left(\frac{2 a b x^3 + 3 (-a^2 b)^{\frac{1}{3}} a x - a^2 - 3 \sqrt{\frac{1}{3}} \left(2 a b x^2 + (-a^2 b)^{\frac{2}{3}} x + (-a^2 b)^{\frac{1}{3}} a \right) \sqrt{\frac{(-a^2 b)^{\frac{1}{3}}}{b}}}{b x^3 + a} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a),x, algorithm="fricas")

[Out] [1/30*(30*a^4*b*f*x^6 - 15*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^5*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x + (-a^2*b)^(2/3)) - 6*a^3*b^2*c + 15*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^5), 1/30*(30*a^4*b*f*x^6 + 30*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^5*sqrt((-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b)/a^2) - 5*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 10*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a^2*b)^(2/3)*x^5*log(a*b*x + (-a^2*b)^(2/3)) - 6*a^3*b^2*c + 15*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^5)]

giac [A] time = 0.48, size = 220, normalized size = 0.98

$$\frac{f x}{b} - \frac{\sqrt{3} (b^3 c - a b^2 d - a^3 f + a^2 b e) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 (-a b^2)^{\frac{2}{3}} a^2} - \frac{(b^3 c - a b^2 d - a^3 f + a^2 b e) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 (-a b^2)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a),x, algorithm="giac")

[Out] f*x/b - 1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2) - 1/6*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2)

$$2*d - a^3*f + a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2) - 1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/ (a^3*b) + 1/10*(5*b*c*x^3 - 5*a*d*x^3 - 2*a*c)/(a^2*x^5)$$

maple [B] time = 0.05, size = 410, normalized size = 1.82

$$\frac{\sqrt{3} a f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} + \frac{a f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + a f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} a} + \frac{d \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a), x)`

[Out] $\frac{1}{b}f*x - \frac{1}{3}a/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f + \frac{1}{3}b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e - \frac{1}{3}a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d + \frac{1}{3}a^2*b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c + \frac{1}{6}a/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f - \frac{1}{6}b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e + \frac{1}{6}a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d - \frac{1}{6}a^2*b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c - \frac{1}{3}a/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f + \frac{1}{3}b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e - \frac{1}{3}a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d + \frac{1}{3}a^2*b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c - \frac{1}{5}a*c/x^5 - \frac{1}{2}d/a/x^2 + \frac{1}{2}a^2/x^2*b*c$

maxima [A] time = 3.08, size = 214, normalized size = 0.95

$$\frac{f x}{b} + \frac{\sqrt{3}\left(b^3 c - a b^2 d + a^2 b e - a^3 f\right) \arctan\left(\frac{\sqrt{3}\left(2 x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a^2 b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(b^3 c - a b^2 d + a^2 b e - a^3 f\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 a^2 b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{d \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a), x, algorithm="maxima")`

[Out] $f*x/b + \frac{1}{3}*\sqrt{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^2*b^2*(a/b)^{(2/3)}) - \frac{1}{6}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*b^2*(a/b)^{(2/3)}) + \frac{d*\ln(x - (a/b)^{(1/3)})}{3*(a/b)^{(2/3)}*b^2}$

$^{2/3}) + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x + (a/b)^{1/3})/(a^2 * b^2*(a/b)^{2/3}) + 1/10*(5*(b*c - a*d)*x^3 - 2*a*c)/(a^2*x^5)$

mupad [B] time = 5.09, size = 207, normalized size = 0.92

$$\frac{f x}{b} - \frac{\frac{bc}{5a} + \frac{bx^3(ad-bc)}{2a^2}}{bx^5} + \frac{\ln(b^{1/3}x + a^{1/3})(-fa^3 + ea^2b - dab^2 + cb^3)}{3a^{8/3}b^{4/3}} + \frac{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3}i)\left(-\frac{1}{2} + \frac{1}{2}i\right)}{3a^{8/3}b^{4/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)),x)

[Out] (f*x)/b - ((b*c)/(5*a) + (b*x^3*(a*d - b*c))/(2*a^2))/(b*x^5) + (log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(8/3)*b^(4/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(8/3)*b^(4/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(8/3)*b^(4/3))

sympy [A] time = 19.68, size = 328, normalized size = 1.46

$$\text{RootSum}\left(27t^3a^8b^4 + a^9f^3 - 3a^8bef^2 + 3a^7b^2df^2 + 3a^7b^2e^2f - 3a^6b^3cf^2 - 6a^6b^3def - a^6b^3e^3 + 6a^5b^4cef + 3a^5b^4e^2f - 3a^5b^4e^2d - 3a^5b^4e^2c - 3a^5b^4e^2e - 3a^5b^4e^2f - 3a^5b^4e^2g - 3a^5b^4e^2h - 3a^5b^4e^2i - 3a^5b^4e^2j - 3a^5b^4e^2k - 3a^5b^4e^2l - 3a^5b^4e^2m - 3a^5b^4e^2n - 3a^5b^4e^2o - 3a^5b^4e^2p - 3a^5b^4e^2q - 3a^5b^4e^2r - 3a^5b^4e^2s - 3a^5b^4e^2t - 3a^5b^4e^2u - 3a^5b^4e^2v - 3a^5b^4e^2w - 3a^5b^4e^2x - 3a^5b^4e^2y - 3a^5b^4e^2z\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**6/(b*x**3+a),x)

[Out] RootSum(27*_t**3*a**8*b**4 + a**9*f**3 - 3*a**8*b*e*f**2 + 3*a**7*b**2*d*f**2 + 3*a**7*b**2*e**2*f - 3*a**6*b**3*c*f**2 - 6*a**6*b**3*d*e*f - a**6*b**3*e**3 + 6*a**5*b**4*c*e*f + 3*a**5*b**4*d**2*f + 3*a**5*b**4*d*e**2 - 6*a**4*b**5*c*d*f - 3*a**4*b**5*c*e**2 - 3*a**4*b**5*d**2*e + 3*a**3*b**6*c**2*f + 6*a**3*b**6*c*d*e + a**3*b**6*d**3 - 3*a**2*b**7*c**2*e - 3*a**2*b**7*c*d**2 + 3*a*b**8*c**2*d - b**9*c**3, Lambda(_t, _t*log(-3*_t*a**3*b/(a**3*f - a**2*b*e + a*b**2*d - b**3*c) + x))) + f*x/b + (-2*a*c + x**3*(-5*a*d + 5*b*c))/(10*a**2*x**5)

$$3.244 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)} dx$$

Optimal. Leaf size=242

$$\frac{bc-ad}{4a^2x^4} - \frac{a^2e-abd+b^2c}{a^3x} - \frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{6a^{10/3}b^{2/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^3(-f) + a^2be - ab^2d + b^3c\right)}{3a^{10/3}b^{2/3}}$$

[Out] $-1/7*c/a/x^7+1/4*(-a*d+b*c)/a^2/x^4+(-a^2*e+a*b*d-b^2*c)/a^3/x+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(10/3)}/b^{(2/3)}-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(10/3)}/b^{(2/3)}+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(10/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$-\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{6a^{10/3}b^{2/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^2be + a^3(-f) - ab^2d + b^3c\right)}{3a^{10/3}b^{2/3}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)), x]

[Out] $-c/(7*a*x^7) + (b*c - a*d)/(4*a^2*x^4) - (b^2*c - a*b*d + a^2*e)/(a^3*x) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(10/3)}*b^{(2/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(10/3)}*b^{(2/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(10/3)}*b^{(2/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

```
Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^8(a + bx^3)} dx &= \int \left(\frac{c}{ax^8} + \frac{-bc + ad}{a^2x^5} + \frac{b^2c - abd + a^2e}{a^3x^2} + \frac{(-b^3c + ab^2d - a^2be + a^3f)x}{a^3(a + bx^3)} \right) dx \\
&= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{x}{a+bx^3} dx}{a^3} \\
&= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{10/3}\sqrt[3]{b}} \\
&= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{10/3}b^{2/3}} \\
&= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{10/3}b^{2/3}} \\
&= -\frac{c}{7ax^7} + \frac{bc - ad}{4a^2x^4} - \frac{b^2c - abd + a^2e}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{10/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 231, normalized size = 0.95

$$\frac{\frac{21a^{4/3}(bc-ad)}{x^4} - \frac{12a^{7/3}c}{x^7} - \frac{84\sqrt[3]{a}(a^2e-abd+b^2c)}{x} + \frac{28 \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)(a^3(-f)+a^2be-ab^2d+b^3c)}{b^{2/3}}}{84a^{10/3}} + \frac{28\sqrt{3} \tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f)+a^2be-ab^2d+b^3c)}{b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)),x]

[Out] ((-12*a^(7/3)*c)/x^7 + (21*a^(4/3)*(b*c - a*d))/x^4 - (84*a^(1/3)*(b^2*c - a*b*d + a^2*e))/x + (28*sqrt[3]*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + (28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + (14*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3))/(84*a^(10/3))

fricas [A] time = 0.83, size = 610, normalized size = 2.52

$$\frac{42 \sqrt{\frac{1}{3}} (ab^4c - a^2b^3d + a^3b^2e - a^4bf)x^7 \sqrt{\frac{(-ab^2)^{\frac{1}{3}}}{a}} \log \left(\frac{2b^2x^3 - ab + 3 \sqrt{\frac{1}{3}} \left(abx + 2(-ab^2)^{\frac{2}{3}}x^2 + (-ab^2)^{\frac{1}{3}}a \right) \sqrt{\frac{(-ab^2)^{\frac{1}{3}}}{a}} - 3(-ab^2)^{\frac{2}{3}}x}{bx^3 + a}} \right)}{bx^3 + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a),x, algorithm="fricas")

[Out] [-1/84*(42*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^7*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x^7*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x^7*log(b*x - (-a*b^2)^(1/3)) + 84*(a*b^4*c - a^2*b^3*d + a^3*b^2*e)*x^6 + 12*a^3*b^2*c - 21*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^7), -1/84*(84*sqrt(1/3)*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^7*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) + 14*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x^7*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 28*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(-a*b^2)^(2/3)*x^7*log(b*x - (-a*b^2)^(1/3)) + 84*(a*b^4*c - a^2*b^3*d + a^3*b^2*e)*x^6 + 12*a^3*b^2*c - 21*(a^2*b^3*c - a^3*b^2*d)*x^3)/(a^4*b^2*x^7)]

giac [A] time = 0.21, size = 275, normalized size = 1.14

$$\frac{\sqrt{3} (b^3c - ab^2d - a^3f + a^2be) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{1}{3}} a^3} + \frac{(b^3c - ab^2d - a^3f + a^2be) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-ab^2 \right)^{\frac{1}{3}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^3) + 1/6*(b^3*c - a*b^2*d - a

$$\begin{aligned} & \left(f a^3 + a^2 b e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{1/3} + \left(-\frac{a}{b} \right)^{2/3} \right) / \left(\left(-a b^2 \right)^{1/3} a^3 \right. \\ & \left. + \frac{1}{3} \left(b^3 c \left(-\frac{a}{b} \right)^{1/3} - a b^2 d \left(-\frac{a}{b} \right)^{1/3} - a^3 f \left(-\frac{a}{b} \right)^{1/3} + a^2 b \left(-\frac{a}{b} \right)^{1/3} e \right) \left(-\frac{a}{b} \right)^{1/3} \log \left(\operatorname{abs} \left(x - \left(-\frac{a}{b} \right)^{1/3} \right) \right) / a^4 \right. \\ & \left. - \frac{1}{28} \left(28 b^2 c x^6 - 28 a b^2 d x^6 + 28 a^2 e x^6 - 7 a^3 b c x^3 + 7 a^2 d x^3 + 4 a^2 c \right) / \left(a^3 x^7 \right) \right) \end{aligned}$$

maple [B] time = 0.05, size = 440, normalized size = 1.82

$$\frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{1/3}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{1/3} a} + \frac{e \ln \left(x + \left(\frac{a}{b} \right)^{1/3} \right)}{3 \left(\frac{a}{b} \right)^{1/3} a} + \frac{e \ln \left(x^2 - \left(\frac{a}{b} \right)^{1/3} x + \left(\frac{a}{b} \right)^{2/3} \right)}{6 \left(\frac{a}{b} \right)^{1/3} a} + \frac{\sqrt{3} b d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{1/3}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{1/3} a^2} + \frac{b d \ln \left(x + \left(\frac{a}{b} \right)^{1/3} \right)}{3 \left(\frac{a}{b} \right)^{1/3} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a),x)

[Out]
$$\begin{aligned} & -\frac{1}{3} \frac{b}{a} \left(\frac{a}{b} \right)^{1/3} \ln \left(x + \left(\frac{a}{b} \right)^{1/3} \right) * f + \frac{1}{3} \frac{a}{a} \left(\frac{a}{b} \right)^{1/3} \ln \left(x + \left(\frac{a}{b} \right)^{1/3} \right) * \\ & e - \frac{1}{3} \frac{a^2 b}{a^2} \left(\frac{a}{b} \right)^{1/3} \ln \left(x + \left(\frac{a}{b} \right)^{1/3} \right) * d + \frac{1}{3} \frac{a^3 b^2}{a^3} \left(\frac{a}{b} \right)^{1/3} \ln \left(x + \left(\frac{a}{b} \right)^{1/3} \right) * \\ & c + \frac{1}{6} \frac{b}{a} \left(\frac{a}{b} \right)^{1/3} \ln \left(x^2 - \left(\frac{a}{b} \right)^{1/3} x + \left(\frac{a}{b} \right)^{2/3} \right) * f - \frac{1}{6} \frac{a}{a} \left(\frac{a}{b} \right)^{1/3} \ln \left(x^2 - \left(\frac{a}{b} \right)^{1/3} x + \left(\frac{a}{b} \right)^{2/3} \right) * \\ & e + \frac{1}{6} \frac{a^2 b}{a^2} \left(\frac{a}{b} \right)^{1/3} \ln \left(x^2 - \left(\frac{a}{b} \right)^{1/3} x + \left(\frac{a}{b} \right)^{2/3} \right) * d - \frac{1}{6} \frac{a^3 b^2}{a^3} \left(\frac{a}{b} \right)^{1/3} \ln \left(x^2 - \left(\frac{a}{b} \right)^{1/3} x + \left(\frac{a}{b} \right)^{2/3} \right) * \\ & c + \frac{1}{3} \frac{3^{1/2}}{3} \frac{b}{a} \left(\frac{a}{b} \right)^{1/3} * \arctan \left(\frac{1}{3} \frac{3^{1/2}}{3} \left(\frac{2}{\left(\frac{a}{b} \right)^{1/3}} x - 1 \right) \right) * f - \frac{1}{3} \frac{a^3 3^{1/2}}{a^3} \left(\frac{a}{b} \right)^{1/3} * \arctan \left(\frac{1}{3} \frac{3^{1/2}}{3} \left(\frac{2}{\left(\frac{a}{b} \right)^{1/3}} x - 1 \right) \right) * e + \\ & \frac{1}{3} \frac{a^2 3^{1/2}}{a^2} \frac{b}{a} \left(\frac{a}{b} \right)^{1/3} * \arctan \left(\frac{1}{3} \frac{3^{1/2}}{3} \left(\frac{2}{\left(\frac{a}{b} \right)^{1/3}} x - 1 \right) \right) * d - \frac{1}{3} \frac{a^3 3^{1/2}}{a^3} \frac{b^2}{a} \left(\frac{a}{b} \right)^{1/3} * \arctan \left(\frac{1}{3} \frac{3^{1/2}}{3} \left(\frac{2}{\left(\frac{a}{b} \right)^{1/3}} x - 1 \right) \right) * c - \frac{1}{7} \frac{c}{a} x^7 - \\ & \frac{1}{4} \frac{d}{a} x^4 + \frac{1}{4} \frac{b^2 c}{a^2} x^4 - \frac{e}{a} x + \frac{1}{a^2} x b d - \frac{1}{a^3} x b^2 c \end{aligned}$$

maxima [A] time = 3.07, size = 234, normalized size = 0.97

$$\frac{\sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{1/3} \right)}{3 \left(\frac{a}{b} \right)^{1/3}} \right)}{3 a^3 b \left(\frac{a}{b} \right)^{1/3}} + \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log \left(x^2 - x \left(\frac{a}{b} \right)^{1/3} + \left(\frac{a}{b} \right)^{2/3} \right)}{6 a^3 b \left(\frac{a}{b} \right)^{1/3}} + \frac{b^3 c}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -\frac{1}{3} \sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) * \arctan \left(\frac{1}{3} \sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{1/3} \right) / \left(\frac{a}{b} \right)^{1/3} \right) / \left(a^3 b \left(\frac{a}{b} \right)^{1/3} \right) - \frac{1}{6} (b^3 c - a b^2 d + a^2 b e - a^3 f) \log \left(x^2 - x \left(\frac{a}{b} \right)^{1/3} + \left(\frac{a}{b} \right)^{2/3} \right) / \left(a^3 b \left(\frac{a}{b} \right)^{1/3} \right) + \frac{b^3 c}{a^3} \end{aligned}$$

$$3.245 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)} dx$$

Optimal. Leaf size=244

$$\frac{bc-ad}{5a^2x^5} - \frac{a^2e-abd+b^2c}{2a^3x^2} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{11/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}a^{11/3}\sqrt[3]{b}}$$

[Out] $-1/8*c/a/x^8+1/5*(-a*d+b*c)/a^2/x^5+1/2*(-a^2*e+a*b*d-b^2*c)/a^3/x^2-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(11/3)}/b^{(1/3)}+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(11/3)}/b^{(1/3)}+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(11/3)}/b^{(1/3)}*3^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{11/3}\sqrt[3]{b}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^{11/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}a^{11/3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)), x]

[Out] $-c/(8*a*x^8) + (b*c - a*d)/(5*a^2*x^5) - (b^2*c - a*b*d + a^2*e)/(2*a^3*x^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(11/3)}*b^{(1/3)}) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(11/3)}*b^{(1/3)}) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(11/3)}*b^{(1/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F

reeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^9(a + bx^3)} dx &= \int \left(\frac{c}{ax^9} + \frac{-bc + ad}{a^2x^6} + \frac{b^2c - abd + a^2e}{a^3x^3} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^3(a + bx^3)} \right) dx \\
&= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} + \frac{(-b^3c + ab^2d - a^2be + a^3f) \int \frac{1}{a+bx^3} dx}{a^3} \\
&= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{11/3}} \\
&= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{11/3}\sqrt[3]{b}} \\
&= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{11/3}\sqrt[3]{b}} + \\
&= -\frac{c}{8ax^8} + \frac{bc - ad}{5a^2x^5} - \frac{b^2c - abd + a^2e}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{11/3}\sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 231, normalized size = 0.95

$$\frac{\frac{24a^{5/3}(bc-ad)}{x^5} - \frac{15a^{8/3}c}{x^8} - \frac{60a^{2/3}(a^2e-abd+b^2c)}{x^2} + \frac{40 \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3f - a^2be + ab^2d - b^3c)}{\sqrt[3]{b}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt[3]{b}}}{120a^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)),x]

[Out] ((-15*a^(8/3)*c)/x^8 + (24*a^(5/3)*(b*c - a*d))/x^5 - (60*a^(2/3)*(b^2*c - a*b*d + a^2*e))/x^2 + (40*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)]/b^(1/3) + (40*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(1/3) + (20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3))/(120*a^(11/3))

fricas [A] time = 0.71, size = 595, normalized size = 2.44

$$\frac{60 \sqrt{\frac{1}{3}} (ab^4c - a^2b^3d + a^3b^2e - a^4bf) x^8 \sqrt{-\frac{(a^2b)^{\frac{1}{3}}}{b}} \log \left(\frac{2abx^3 - 3(a^2b)^{\frac{1}{3}}ax - a^2 + 3\sqrt{\frac{1}{3}} \left(2abx^2 + (a^2b)^{\frac{2}{3}}x - (a^2b)^{\frac{1}{3}}a \right) \sqrt{-\frac{(a^2b)^{\frac{1}{3}}}{b}}}{bx^3 + a} \right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a),x, algorithm="fricas")

[Out] $[-1/120*(60*\sqrt{1/3}*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^8*\sqrt{-(a^2*b)^{(1/3)}/b}*\log((2*a*b*x^3 - 3*(a^2*b)^{(1/3)}*a*x - a^2 + 3*\sqrt{1/3}*(2*a*b*x^2 + (a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\sqrt{-(a^2*b)^{(1/3)}/b}))/((b*x^3 + a)) - 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^{(2/3)}*x^8*\log(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) + 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^{(2/3)}*x^8*\log(a*b*x + (a^2*b)^{(2/3)}) + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b*e)*x^6 + 15*a^4*b*c - 24*(a^3*b^2*c - a^4*b*d)*x^3)/(a^5*b*x^8), -1/120*(120*\sqrt{1/3}*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^8*\sqrt{((a^2*b)^{(1/3)}/b)*\arctan(\sqrt{1/3}*(2*(a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\sqrt{((a^2*b)^{(1/3)}/b)/a^2} - 20*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^{(2/3)}*x^8*\log(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) + 40*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*(a^2*b)^{(2/3)}*x^8*\log(a*b*x + (a^2*b)^{(2/3)}) + 60*(a^2*b^3*c - a^3*b^2*d + a^4*b*e)*x^6 + 15*a^4*b*c - 24*(a^3*b^2*c - a^4*b*d)*x^3)/(a^5*b*x^8)]$

giac [A] time = 0.20, size = 297, normalized size = 1.22

$$\frac{(b^3c - ab^2d - a^3f + a^2be) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log \left(\left| x - \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right| \right) \sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^3c - (-ab^2)^{\frac{1}{3}} ab^2d - (-ab^2)^{\frac{1}{3}} a^3f + (-ab^2)^{\frac{1}{3}} \right)}{3a^4} \quad \frac{3a^4b}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a),x, algorithm="giac")

[Out] $1/3*(b^3*c - a*b^2*d - a^3*f + a^2*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^4 - 1/3*\sqrt{3}*((-a*b^2)^{(1/3)}*b^3*c - (-a*b^2)^{(1/3)}*a*b^2*d - (-a$

$$*b^2)^{(1/3)}*a^3*f + (-a*b^2)^{(1/3)}*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)))/(-a/b)^{(1/3)})/(a^4*b) - 1/6*((-a*b^2)^{(1/3)}*b^3*c - (-a*b^2)^{(1/3)}*a*b^2*d - (-a*b^2)^{(1/3)}*a^3*f + (-a*b^2)^{(1/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^4*b) - 1/40*(20*b^2*c*x^6 - 20*a*b*d*x^6 + 20*a^2*x^6*e - 8*a*b*c*x^3 + 8*a^2*d*x^3 + 5*a^2*c)/(a^3*x^8)$$

maple [B] time = 0.06, size = 441, normalized size = 1.81

$$\frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\frac{1}{3}} - 1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} + \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} + \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} a} + \frac{\sqrt{3} b d \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\frac{1}{3}} - 1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} + \frac{b d \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a), x)

[Out] 1/3/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f-1/3/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e+1/3/a^2*b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d-1/3/a^3*b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/6/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/6/a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/6/a^2*b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/6/a^3*b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+1/3/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-1/3/a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+1/3/a^2*b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d-1/3/a^3*b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-1/8*c/a/x^8-1/5/a/x^5*d+1/5/a^2/x^5*b*c-1/2/a/x^2*e+1/2/a^2/x^2*b*d-1/2/a^3/x^2*b^2*c

maxima [A] time = 3.01, size = 234, normalized size = 0.96

$$\frac{\sqrt{3} (b^3 c - a b^2 d + a^2 b e - a^3 f) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a^3 b \left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^3 c - a b^2 d + a^2 b e - a^3 f) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 a^3 b \left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{b^3 c}{3 a^3 b \left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a), x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a^3*b*(a/b)^{2/3}) + 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^3*b*(a/b)^{2/3}) - 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x + (a/b)^{1/3})/(a^3*b*(a/b)^{2/3}) - 1/40*(20*(b^2*c - a*b*d + a^2*e)*x^6 - 8*(a*b*c - a^2*d)*x^3 + 5*a^2*c)/(a^3*x^8)$

mupad [B] time = 5.13, size = 220, normalized size = 0.90

$$\frac{\frac{c}{8a} + \frac{x^3(ad-bc)}{5a^2} + \frac{x^6(ea^2-dab+cb^2)}{2a^3}}{x^8} \frac{\ln(b^{1/3}x + a^{1/3})}{3a^{11/3}b^{1/3}} \frac{(-fa^3 + ea^2b - dab^2 + cb^3)}{\ln(2b^{1/3}x - a^{1/3} + \sqrt{3}a^{1/3})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)),x)`

[Out] $(\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a^{11/3}*b^{1/3}) - (\log(b^{1/3}*x + a^{1/3}))*((b^3*c - a^3*f - a*b^2*d + a^2*b*e)/(3*a^{11/3}*b^{1/3}) - (\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{11/3}*b^{1/3}) - (c/(8*a) + (x^3*(a*d - b*c))/(5*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(2*a^3))/x^8$

sympy [A] time = 88.52, size = 348, normalized size = 1.43

$$\text{RootSum}\left(27t^3a^{11}b - a^9f^3 + 3a^8bef^2 - 3a^7b^2df^2 - 3a^7b^2e^2f + 3a^6b^3cf^2 + 6a^6b^3def + a^6b^3e^3 - 6a^5b^4cef - 3a^5b^4e^2f + 3a^5b^4e^2c + 3a^5b^4e^2d - 3a^5b^4e^2e + 3a^5b^4e^2f - 3a^5b^4e^2g + 3a^5b^4e^2h - 3a^5b^4e^2i - 3a^5b^4e^2j - 3a^5b^4e^2k - 3a^5b^4e^2l - 3a^5b^4e^2m - 3a^5b^4e^2n - 3a^5b^4e^2o - 3a^5b^4e^2p - 3a^5b^4e^2q - 3a^5b^4e^2r - 3a^5b^4e^2s - 3a^5b^4e^2t - 3a^5b^4e^2u - 3a^5b^4e^2v - 3a^5b^4e^2w - 3a^5b^4e^2x - 3a^5b^4e^2y - 3a^5b^4e^2z\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**9/(b*x**3+a),x)`

[Out] `RootSum(27*_t**3*a**11*b - a**9*f**3 + 3*a**8*b*e*f**2 - 3*a**7*b**2*d*f**2 - 3*a**7*b**2*e**2*f + 3*a**6*b**3*c*f**2 + 6*a**6*b**3*d*e*f + a**6*b**3*e**3 - 6*a**5*b**4*c*e*f - 3*a**5*b**4*d**2*f - 3*a**5*b**4*d*e**2 + 6*a**4*b**5*c*d*f + 3*a**4*b**5*c*e**2 + 3*a**4*b**5*d**2*e - 3*a**3*b**6*c**2*f - 6*a**3*b**6*c*d*e - a**3*b**6*d**3 + 3*a**2*b**7*c**2*e + 3*a**2*b**7*c*d**2 - 3*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(3*_t*a**4/(a**3*f - a**2*b*e + a*b**2*d - b**3*c) + x))) + (-5*a**2*c + x**6*(-20*a**2*e + 20*a*b*d - 20*b**2*c) + x**3*(-8*a**2*d + 8*a*b*c))/(40*a**3*x**8)`

$$3.246 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)} dx$$

Optimal. Leaf size=277

$$\frac{bc-ad}{7a^2x^7} - \frac{a^2e-abd+b^2c}{4a^3x^4} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^{13/3}} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(a^3(-f) + a^2be - ab^2d + b^3c)}{\sqrt{3}a^{13/3}}$$

[Out] $-1/10*c/a/x^{10}+1/7*(-a*d+b*c)/a^2/x^7+1/4*(-a^2*e+a*b*d-b^2*c)/a^3/x^4+(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x-1/3*b^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(13/3)}+1/6*b^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(13/3)}-1/3*b^{(1/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(13/3)}*3^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{13/3}} + \frac{a^2be + a^3(-f) - ab^2d + b^3c}{a^4x} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt{3}a^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)), x]

[Out] $-c/(10*a*x^{10}) + (b*c - a*d)/(7*a^2*x^7) - (b^2*c - a*b*d + a^2*e)/(4*a^3*x^4) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(a^4*x) - (b^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/(\text{Sqrt}[3]*a^{(13/3)}) - (b^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (3*a^{(13/3)}) + (b^{(1/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (6*a^{(13/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

```
Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{11}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{11}} + \frac{-bc + ad}{a^2x^8} + \frac{b^2c - abd + a^2e}{a^3x^5} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^2} - \frac{b(-b^3c + ab^2d + a^2be - a^3f)}{a^4} \right) dx \\
&= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^4} \\
&= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{(b^{2/3}(b^3c - ab^2d + a^2be - a^3f))}{a^4} \\
&= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{\sqrt[3]{b}(b^3c - ab^2d + a^2be - a^3f)}{a^4} \\
&= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{\sqrt[3]{b}(b^3c - ab^2d + a^2be - a^3f)}{a^4} \\
&= -\frac{c}{10ax^{10}} + \frac{bc - ad}{7a^2x^7} - \frac{b^2c - abd + a^2e}{4a^3x^4} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^4x} - \frac{\sqrt[3]{b}(b^3c - ab^2d + a^2be - a^3f)}{a^4}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 266, normalized size = 0.96

$$\frac{60a^{7/3}(bc-ad)}{x^7} - \frac{42a^{10/3}c}{x^{10}} - \frac{105a^{4/3}(a^2e-abd+b^2c)}{x^4} + \frac{420\sqrt[3]{a}(a^3(-f)+a^2be-ab^2d+b^3c)}{x} + 140\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3f - a^2be + ab^2d)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)),x]

[Out] ((-42*a^(10/3)*c)/x^10 + (60*a^(7/3)*(b*c - a*d))/x^7 - (105*a^(4/3)*(b^2*c - a*b*d + a^2*e))/x^4 + (420*a^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/x - 140*sqrt[3]*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 140*b^(1/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 70*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(420*a^(13/3))

fricas [A] time = 0.74, size = 262, normalized size = 0.95

$$140\sqrt{3}(b^3c - ab^2d + a^2be - a^3f)x^{10}\left(\frac{b}{a}\right)^{\frac{1}{3}} \arctan\left(\frac{2}{3}\sqrt{3}x\left(\frac{b}{a}\right)^{\frac{1}{3}} - \frac{1}{3}\sqrt{3}\right) + 70(b^3c - ab^2d + a^2be - a^3f)x^{10}\left(\frac{b}{a}\right)^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x, algorithm="fricas")

[Out] $\frac{1}{420} \cdot (140 \sqrt{3}) \cdot (b^3 c - a b^2 d + a^2 b e - a^3 f) \cdot x^{10} \cdot (b/a)^{1/3} \cdot \arctan\left(\frac{2/3 \sqrt{3} x (b/a)^{1/3} - 1/3 \sqrt{3}}{1}\right) + 70 \cdot (b^3 c - a b^2 d + a^2 b e - a^3 f) \cdot x^{10} \cdot (b/a)^{1/3} \cdot \log(b x^2 - a x (b/a)^{2/3} + a (b/a)^{1/3}) - 140 \cdot (b^3 c - a b^2 d + a^2 b e - a^3 f) \cdot x^{10} \cdot (b/a)^{1/3} \cdot \log(b x + a (b/a)^{2/3}) + 420 \cdot (b^3 c - a b^2 d + a^2 b e - a^3 f) \cdot x^9 - 105 \cdot (a b^2 c - a^2 b d + a^3 e) \cdot x^6 - 42 a^3 c + 60 \cdot (a^2 b c - a^3 d) \cdot x^3 / (a^4 x^{10})$

giac [A] time = 0.19, size = 376, normalized size = 1.36

$$\frac{\left(b^4 c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a b^3 d \left(-\frac{a}{b}\right)^{\frac{1}{3}} - a^3 b f \left(-\frac{a}{b}\right)^{\frac{1}{3}} + a^2 b^2 \left(-\frac{a}{b}\right)^{\frac{1}{3}} e\right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) \sqrt{3} \left(\left(-a b^2\right)^{\frac{2}{3}} b^3 c - \left(-a b^2\right)^{\frac{2}{3}}\right)}{3 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x, algorithm="giac")

[Out] $-\frac{1}{3} \cdot (b^4 c \cdot (-a/b)^{1/3} - a b^3 d \cdot (-a/b)^{1/3} - a^3 b f \cdot (-a/b)^{1/3} + a^2 b^2 \cdot (-a/b)^{1/3} e) \cdot (-a/b)^{1/3} \cdot \log(\text{abs}(x - (-a/b)^{1/3})) / a^5 - \frac{1}{3} \cdot \sqrt{3} \cdot ((-a b^2)^{2/3} \cdot b^3 c - (-a b^2)^{2/3} \cdot a b^2 d - (-a b^2)^{2/3} \cdot a^3 f + (-a b^2)^{2/3} \cdot a^2 b e) \cdot \arctan(1/3 \sqrt{3} \cdot (2 x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / (a^5 b) + \frac{1}{6} \cdot ((-a b^2)^{2/3} \cdot b^3 c - (-a b^2)^{2/3} \cdot a b^2 d - (-a b^2)^{2/3} \cdot a^3 f + (-a b^2)^{2/3} \cdot a^2 b e) \cdot \log(x^2 + x \cdot (-a/b)^{1/3} + (-a/b)^{2/3}) / (a^5 b) + \frac{1}{140} \cdot (140 b^3 c x^9 - 140 a b^2 d x^9 - 140 a^3 f x^9 + 140 a^2 b e x^9 - 35 a b^2 c x^6 + 35 a^2 b d x^6 - 35 a^3 e x^6 + 20 a^2 b c x^3 - 20 a^3 d x^3 - 14 a^3 c) / (a^4 x^{10})$

maple [B] time = 0.06, size = 491, normalized size = 1.77

$$\frac{\sqrt{3} f \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{\sqrt{3} b e \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} + \frac{b e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x)

```
[Out] 1/3/a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f-1/3/a^2*b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))
)*e+1/3/a^3*b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d-1/3/a^4*b^3/(a/b)^(1/3)*ln
(x+(a/b)^(1/3))*c-1/6/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/6
/a^2*b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/6/a^3*b^2/(a/b)^(1
/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/6/a^4*b^3/(a/b)^(1/3)*ln(x^2-(a/b
)^(1/3)*x+(a/b)^(2/3))*c-1/3/a*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a
/b)^(1/3)*x-1))*f+1/3/a^2*b*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)
^(1/3)*x-1))*e-1/3/a^3*b^2*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)
^(1/3)*x-1))*d+1/3/a^4*b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)
^(1/3)*x-1))*c-1/10*c/a/x^10-1/7/a/x^7*d+1/7/a^2/x^7*b*c-1/4/a/x^4*e+1/4/a^2/
x^4*b*d-1/4/a^3/x^4*b^2*c-1/a/x*f+1/a^2/x*b*e-1/a^3/x*b^2*d+1/a^4/x*b^3*c
```

maxima [A] time = 3.05, size = 260, normalized size = 0.94

$$\frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^4\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^4\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a),x, algorithm="maxima")
```

```
[Out] 1/3*sqrt(3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*arctan(1/3*sqrt(3)*(2*x - (
a/b)^(1/3))/(a/b)^(1/3))/(a^4*(a/b)^(1/3)) + 1/6*(b^3*c - a*b^2*d + a^2*b*e
- a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^4*(a/b)^(1/3)) - 1/3*(b
^3*c - a*b^2*d + a^2*b*e - a^3*f)*log(x + (a/b)^(1/3))/(a^4*(a/b)^(1/3)) +
1/140*(140*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9 - 35*(a*b^2*c - a^2*b*d
+ a^3*e)*x^6 - 14*a^3*c + 20*(a^2*b*c - a^3*d)*x^3)/(a^4*x^10)
```

mupad [B] time = 5.33, size = 253, normalized size = 0.91

$$\frac{\frac{c}{10a} - \frac{x^9(-fa^3+ea^2b-dab^2+cb^3)}{a^4}}{x^{10}} + \frac{x^3(ad-bc)}{7a^2} + \frac{x^6(ea^2-dab+cb^2)}{4a^3} - \frac{b^{1/3} \ln(b^{1/3}x + a^{1/3})}{3a^{13/3}} (-fa^3 + ea^2b - dab^2 + cb^3)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)),x)
```

```
[Out] (b^(1/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 +
1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(13/3)) - (b^(1/3)*log(b^(1/
3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(13/3)) - (c/(10*
a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/a^4 + (x^3*(a*d - b*c))/(7*a
^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(4*a^3))/x^10 - (b^(1/3)*log(3^(1/2)*a^
```

$$\frac{(1/3)*i - 2*b^{(1/3)*x} + a^{(1/3)}*((3^{(1/2)}*i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e)}{3*a^{(13/3)}}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**11/(b*x**3+a),x)

[Out] Timed out

$$3.247 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)} dx$$

Optimal. Leaf size=280

$$\frac{bc-ad}{8a^2x^8} - \frac{a^2e-abd+b^2c}{5a^3x^5} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{14/3}} + \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{14/3}}$$

[Out] $-1/11*c/a/x^{11}+1/8*(-a*d+b*c)/a^2/x^8+1/5*(-a^2*e+a*b*d-b^2*c)/a^3/x^5+1/2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^2+1/3*b^{(2/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(14/3)}-1/6*b^{(2/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(14/3)}-1/3*b^{(2/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(14/3)}*3^{(1/2)}$

Rubi [A] time = 0.20, antiderivative size = 280, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{2a^4x^2} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{14/3}} + \frac{b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{14/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)),x]

[Out] $-c/(11*a*x^{11}) + (b*c - a*d)/(8*a^2*x^8) - (b^2*c - a*b*d + a^2*e)/(5*a^3*x^5) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(2*a^4*x^2) - (b^{(2/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(14/3)}) + (b^{(2/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(14/3)}) - (b^{(2/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(14/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F

reeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{12}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{12}} + \frac{-bc + ad}{a^2x^9} + \frac{b^2c - abd + a^2e}{a^3x^6} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^3} - \frac{b(-b^3c + ab^2d + a^2be - a^3f)}{a^4(a + bx^3)} \right) dx \\
&= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^4(a + bx^3)} \\
&= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^4(a + bx^3)} \\
&= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b^{2/3}(b^3c - ab^2d + a^2be - a^3f)}{a^4(a + bx^3)} \\
&= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} + \frac{b^{2/3}(b^3c - ab^2d + a^2be - a^3f)}{a^4(a + bx^3)} \\
&= -\frac{c}{11ax^{11}} + \frac{bc - ad}{8a^2x^8} - \frac{b^2c - abd + a^2e}{5a^3x^5} + \frac{b^3c - ab^2d + a^2be - a^3f}{2a^4x^2} - \frac{b^{2/3}(b^3c - ab^2d + a^2be - a^3f)}{a^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 266, normalized size = 0.95

$$\frac{165a^{8/3}(bc-ad)}{x^8} - \frac{120a^{11/3}c}{x^{11}} - \frac{264a^{5/3}(a^2e-abd+b^2c)}{x^5} + 440b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^3(-f) + a^2be - ab^2d + b^3c) - 440\sqrt{3}b^{2/3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)),x]

[Out] ((-120*a^(11/3)*c)/x^11 + (165*a^(8/3)*(b*c - a*d))/x^8 - (264*a^(5/3)*(b^2*c - a*b*d + a^2*e))/x^5 + (660*a^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/x^2 - 440*sqrt[3]*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 440*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 220*b^(2/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(1320*a^(14/3))

fricas [A] time = 0.77, size = 295, normalized size = 1.05

$$440 \sqrt{3} (b^3c - ab^2d + a^2be - a^3f) x^{11} \left(-\frac{b^2}{a^2} \right)^{\frac{1}{3}} \arctan \left(\frac{2 \sqrt{3} ax \left(-\frac{b^2}{a^2} \right)^{\frac{2}{3}} - \sqrt{3} b}{3b} \right) - 220 (b^3c - ab^2d + a^2be - a^3f) x^{11} \left(-\frac{b^2}{a^2} \right)^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a),x, algorithm="fricas")

[Out]
$$-1/1320*(440*\sqrt{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^{11}*(-b^2/a^2)^{(1/3)}*\arctan(1/3*(2*\sqrt{3}*a*x*(-b^2/a^2)^{(2/3)} - \sqrt{3}*b)/b) - 220*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^{11}*(-b^2/a^2)^{(1/3)}*\log(b^2*x^2 + a*b*x*(-b^2/a^2)^{(1/3)} + a^2*(-b^2/a^2)^{(2/3)}) + 440*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^{11}*(-b^2/a^2)^{(1/3)}*\log(b*x - a*(-b^2/a^2)^{(1/3)}) - 660*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9 + 264*(a*b^2*c - a^2*b*d + a^3*e)*x^6 + 120*a^3*c - 165*(a^2*b*c - a^3*d)*x^3)/(a^4*x^{11})$$

giac [A] time = 0.19, size = 338, normalized size = 1.21

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^3 c - (-ab^2)^{\frac{1}{3}} ab^2 d - (-ab^2)^{\frac{1}{3}} a^3 f + (-ab^2)^{\frac{1}{3}} a^2 b e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a^5} (b^4 c - ab^3 d - a^3 b f + \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a),x, algorithm="giac")

[Out]
$$1/3*\sqrt{3}*((-a*b^2)^{(1/3)}*b^3*c - (-a*b^2)^{(1/3)}*a*b^2*d - (-a*b^2)^{(1/3)}*a^3*f + (-a*b^2)^{(1/3)}*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/a^5 - 1/3*(b^4*c - a*b^3*d - a^3*b*f + a^2*b^2*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^5 + 1/6*((-a*b^2)^{(1/3)}*b^3*c - (-a*b^2)^{(1/3)}*a*b^2*d - (-a*b^2)^{(1/3)}*a^3*f + (-a*b^2)^{(1/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/a^5 + 1/440*(220*b^3*c*x^9 - 220*a*b^2*d*x^9 - 220*a^3*f*x^9 + 220*a^2*b*x^9*e - 88*a*b^2*c*x^6 + 88*a^2*b*d*x^6 - 88*a^3*x^6*e + 55*a^2*b*c*x^3 - 55*a^3*d*x^3 - 40*a^3*c)/(a^4*x^{11})$$

maple [B] time = 0.05, size = 493, normalized size = 1.76

$$\frac{\sqrt{3} f \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{f \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{f \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{\sqrt{3} b e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2} + \frac{b e \ln \left(\dots \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a),x)

[Out]
$$-1/3/a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f+1/3/a^2*b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e-1/3/a^3*b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d+1/3/a^4*b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c+1/6/a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-1/6/a^2*b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e+1/6/a^3*b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d-1/6/a^4*b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c-1/3/a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f+1/3/a^2*b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e-1/3/a^3*b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+1/3/a^4*b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/11/a*c/x^{11}-1/8/a/x^8*d+1/8/a^2/x^8*b*c-1/5/a/x^5*e+1/5/a^2/x^5*b*d-1/5/a^3/x^5*b^2*c-1/2/a/x^2*f+1/2/a^2/x^2*b*e-1/2/a^3/x^2*b^2*d+1/2/a^4/x^2*b^3*c$$

maxima [A] time = 2.97, size = 260, normalized size = 0.93

$$\frac{\sqrt{3}(b^3c - ab^2d + a^2be - a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (b^3c - ab^2d + a^2be - a^3f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3a^4\left(\frac{a}{b}\right)^{\frac{2}{3}} + 6a^4\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a),x, algorithm="maxima")

[Out]
$$1/3*\sqrt{3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^4*(a/b)^{(2/3)}) - 1/6*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^4*(a/b)^{(2/3)}) + 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\log(x + (a/b)^{(1/3)})/(a^4*(a/b)^{(2/3)}) + 1/440*(220*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^9 - 88*(a*b^2*c - a^2*b*d + a^3*e)*x^6 - 40*a^3*c + 55*(a^2*b*c - a^3*d)*x^3)/(a^4*x^{11})$$

mupad [B] time = 5.15, size = 253, normalized size = 0.90

$$\frac{b^{2/3} \ln(b^{1/3} x + a^{1/3}) (-f a^3 + e a^2 b - d a b^2 + c b^3)}{3 a^{14/3}} - \frac{c}{11 a} - \frac{x^9 (-f a^3 + e a^2 b - d a b^2 + c b^3)}{2 a^4} + \frac{x^3 (a d - b c)}{8 a^2} + \frac{x^6 (e a^2 - d a b + c b^2)}{5 a^3} + \frac{\dots}{x^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)),x)

[Out]
$$(b^{(2/3)}*\log(b^{(1/3)}*x + a^{(1/3)})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(14/3)}) - (c/(11*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(2*a^4) + (x^3*(a*d - b*c))/(8*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(5*a^3))/x^{11} + (b^{(2/3)}*\log(3^{(1/2)}*a^{(1/3)}*i + 2*b^{(1/3)}*x - a^{(1/3)}))*((3^{(1/2)}*i)/2 - 1$$

$$\frac{1}{2} * (b^3 * c - a^3 * f - a * b^2 * d + a^2 * b * e) / (3 * a^{14/3}) - (b^{2/3} * \log(3^{1/2}) * a^{1/3} * 1i - 2 * b^{1/3} * x + a^{1/3}) * ((3^{1/2} * 1i) / 2 + 1/2) * (b^3 * c - a^3 * f - a * b^2 * d + a^2 * b * e) / (3 * a^{14/3})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**12/(b*x**3+a),x)

[Out] Timed out

$$3.248 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)} dx$$

Optimal. Leaf size=313

$$\frac{bc-ad}{10a^2x^{10}} - \frac{a^2e-abd+b^2c}{7a^3x^7} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{16/3}} + \frac{b^{4/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{16/3}}$$

[Out] $-1/13*c/a/x^{13}+1/10*(-a*d+b*c)/a^2/x^{10}+1/7*(-a^2*e+a*b*d-b^2*c)/a^3/x^7+1/4*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^4-b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/x+1/3*b^{(4/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(16/3)}-1/6*b^{(4/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(16/3)}+1/3*b^{(4/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(16/3)}*3^{(1/2)}$

Rubi [A] time = 0.24, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{4a^4x^4} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^2be + a^3(-f) - ab^2d + b^3c)}{6a^{16/3}} - \frac{b(a^2be + a^3(-f) - ab^2d + b^3c)}{a^5x}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)), x]

[Out] $-c/(13*a*x^{13}) + (b*c - a*d)/(10*a^2*x^{10}) - (b^2*c - a*b*d + a^2*e)/(7*a^3*x^7) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(4*a^4*x^4) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a^5*x) + (b^{(4/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*a^{(16/3)}) + (b^{(4/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*a^{(16/3)}) - (b^{(4/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*a^{(16/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{14}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{14}} + \frac{-bc + ad}{a^2x^{11}} + \frac{b^2c - abd + a^2e}{a^3x^8} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^5} - \frac{b(-b^3c + ab^2d - a^2be + a^3f)}{a^5x^2} \right) dx \\
&= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^5x} \\
&= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^5x} \\
&= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^5x} \\
&= -\frac{c}{13ax^{13}} + \frac{bc - ad}{10a^2x^{10}} - \frac{b^2c - abd + a^2e}{7a^3x^7} + \frac{b^3c - ab^2d + a^2be - a^3f}{4a^4x^4} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{a^5x}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 308, normalized size = 0.98

$$\frac{bc - ad}{10a^2x^{10}} - \frac{a^2e - abd + b^2c}{7a^3x^7} + \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^3f - a^2be + ab^2d - b^3c)}{6a^{16/3}} + \frac{b^{4/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^3f - a^2be + ab^2d - b^3c)}{6a^{16/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)),x]

[Out] -1/13*c/(a*x^13) + (b*c - a*d)/(10*a^2*x^10) - (b^2*c - a*b*d + a^2*e)/(7*a^3*x^7) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(4*a^4*x^4) + (b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a^5*x) + (b^(4/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]]/(Sqrt[3]*a^(16/3)) + (b^(4/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(16/3)) + (b^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(16/3))

fricas [A] time = 0.79, size = 317, normalized size = 1.01

$$1820 \sqrt{3} (b^4c - ab^3d + a^2b^2e - a^3bf) x^{13} \left(-\frac{b}{a} \right)^{\frac{1}{3}} \arctan \left(\frac{2}{3} \sqrt{3} x \left(-\frac{b}{a} \right)^{\frac{1}{3}} + \frac{1}{3} \sqrt{3} \right) - 910 (b^4c - ab^3d + a^2b^2e - a^3bf)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a),x, algorithm="fricas")

[Out]
$$-1/5460*(1820*\sqrt{3}*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^{13}*(-b/a)^{(1/3)}*\arctan(2/3*\sqrt{3}*x*(-b/a)^{(1/3)} + 1/3*\sqrt{3}) - 910*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^{13}*(-b/a)^{(1/3)}*\log(b*x^2 - a*x*(-b/a)^{(2/3)} - a*(-b/a)^{(1/3)}) + 1820*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^{13}*(-b/a)^{(1/3)}*\log(b*x + a*(-b/a)^{(2/3)}) + 5460*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^{12} - 1365*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 780*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 420*a^4*c - 546*(a^3*b*c - a^4*d)*x^3)/(a^5*x^{13})$$

giac [A] time = 0.18, size = 419, normalized size = 1.34

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{2}{3}} b^3 c - (-ab^2)^{\frac{2}{3}} ab^2 d - (-ab^2)^{\frac{2}{3}} a^3 f + (-ab^2)^{\frac{2}{3}} a^2 b e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a^6} + \frac{\left(b^5 c \left(-\frac{a}{b} \right)^{\frac{1}{3}} - ab^4 d \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a),x, algorithm="giac")

[Out]
$$1/3*\sqrt{3}*((-a*b^2)^{(2/3)}*b^3*c - (-a*b^2)^{(2/3)}*a*b^2*d - (-a*b^2)^{(2/3)}*a^3*f + (-a*b^2)^{(2/3)}*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/a^6 + 1/3*(b^5*c*(-a/b)^{(1/3)} - a*b^4*d*(-a/b)^{(1/3)} - a^3*b^2*f*(-a/b)^{(1/3)} + a^2*b^3*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^6 - 1/6*((-a*b^2)^{(2/3)}*b^3*c - (-a*b^2)^{(2/3)}*a*b^2*d - (-a*b^2)^{(2/3)}*a^3*f + (-a*b^2)^{(2/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/a^6 - 1/1820*(1820*b^4*c*x^{12} - 1820*a*b^3*d*x^{12} - 1820*a^3*b*f*x^{12} + 1820*a^2*b^2*x^{12}*e - 455*a*b^3*c*x^9 + 455*a^2*b^2*d*x^9 + 455*a^4*f*x^9 - 455*a^3*b*x^9*e + 260*a^2*b^2*c*x^6 - 260*a^3*b*d*x^6 + 260*a^4*x^6*e - 182*a^3*b*c*x^3 + 182*a^4*d*x^3 + 140*a^4*c)/(a^5*x^{13})$$

maple [B] time = 0.05, size = 546, normalized size = 1.74

$$\frac{\sqrt{3} b f \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a^2} - \frac{b f \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a^2} + \frac{b f \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{1}{3}} a^2} - \frac{\sqrt{3} b^2 e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a^3} + b^2 e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a),x)

[Out] $\frac{1}{3} \frac{1}{a^2 b^3} \sqrt[3]{\frac{1}{2}} \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \sqrt[3]{\frac{1}{2}} \frac{2}{(a/b)^{1/3}} (x-1)\right) f - \frac{1}{3} \frac{1}{a^3 b^2} \sqrt[3]{\frac{1}{2}} \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \sqrt[3]{\frac{1}{2}} \frac{2}{(a/b)^{1/3}} (x-1)\right) e + \frac{1}{3} \frac{1}{a^4 b^3} \sqrt[3]{\frac{1}{2}} \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \sqrt[3]{\frac{1}{2}} \frac{2}{(a/b)^{1/3}} (x-1)\right) d - \frac{1}{3} \frac{1}{a^5 b^4} \sqrt[3]{\frac{1}{2}} \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} \sqrt[3]{\frac{1}{2}} \frac{2}{(a/b)^{1/3}} (x-1)\right) c - \frac{1}{7} \frac{1}{a^3 x^7} b^2 c + \frac{1}{a^4 b^3 x} d - \frac{1}{a^5 b^4 x} c + \frac{1}{a^2 b x} f - \frac{1}{a^3 b^2 x} e + \frac{1}{4} \frac{1}{a^2 x^4} b^2 e - \frac{1}{4} \frac{1}{a^3 x^4} b^2 d + \frac{1}{4} \frac{1}{a^4 x^4} b^3 c + \frac{1}{10} \frac{1}{a^2 x^{10}} b^2 c + \frac{1}{7} \frac{1}{a^2 x^7} b^2 d - \frac{1}{13} \frac{1}{a x^{13}} c - \frac{1}{7} \frac{1}{a x^7} e - \frac{1}{10} \frac{1}{a x^{10}} d + \frac{1}{6} \frac{1}{a^4 b^3} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) d - \frac{1}{6} \frac{1}{a^5 b^4} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) c - \frac{1}{3} \frac{1}{a^2 b} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) f + \frac{1}{3} \frac{1}{a^3 b^2} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) e - \frac{1}{3} \frac{1}{a^4 b^3} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) d + \frac{1}{3} \frac{1}{a^5 b^4} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) c + \frac{1}{6} \frac{1}{a^2 b} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) f - \frac{1}{6} \frac{1}{a^3 b^2} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) e - \frac{1}{4} \frac{1}{a x^4} f$

maxima [A] time = 2.99, size = 307, normalized size = 0.98

$$\frac{\sqrt{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right) (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3 a^5 \left(\frac{a}{b}\right)^{\frac{1}{3}} \quad 6 a^5 \left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a),x, algorithm="maxima")

[Out] $-\frac{1}{3} \sqrt{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \arctan\left(\frac{1}{3} \sqrt{3} (2x - \left(\frac{a}{b}\right)^{\frac{1}{3}})\right) \frac{1}{(a/b)^{1/3}} - \frac{1}{6} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \frac{\log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{(a/b)^{1/3}} + \frac{1}{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \frac{\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{(a/b)^{1/3}} - \frac{1}{1820} (1820 (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) x^{12} - 45 (a b^3 c - a^2 b^2 d + a^3 b e - a^4 f) x^9 + 260 (a^2 b^2 c - a^3 b d + a^4 e) x^6 + 140 a^4 c - 182 (a^3 b c - a^4 d) x^3) / (a^5 x^{13})$

mupad [B] time = 5.23, size = 286, normalized size = 0.91

$$\frac{b^{4/3} \ln\left(b^{1/3} x + a^{1/3}\right) \left(-f a^3 + e a^2 b - d a b^2 + c b^3\right)}{3 a^{16/3}} - \frac{c}{13 a} - \frac{x^9 \left(-f a^3 + e a^2 b - d a b^2 + c b^3\right)}{4 a^4} + \frac{x^3 (a d - b c)}{10 a^2} + \frac{x^6 \left(e a^2 - d a b + c b^2\right)}{7 a^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)),x)

```
[Out] (b^(4/3)*log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a
^(16/3)) - (c/(13*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(4*a^4) +
(x^3*(a*d - b*c))/(10*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(7*a^3) + (b*x^1
2*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/a^5)/x^13 - (b^(4/3)*log(3^(1/2)*a^(
1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*
b^2*d + a^2*b*e))/(3*a^(16/3)) + (b^(4/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3
)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/
(3*a^(16/3))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**14/(b*x**3+a),x)
```

```
[Out] Timed out
```

$$3.249 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{15}(a+bx^3)} dx$$

Optimal. Leaf size=315

$$\frac{bc-ad}{11a^2x^{11}} - \frac{a^2e-abd+b^2c}{8a^3x^8} + \frac{b^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{17/3}} - \frac{b^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{17/3}}$$

[Out] $-1/14*c/a/x^{14}+1/11*(-a*d+b*c)/a^2/x^{11}+1/8*(-a^2*e+a*b*d-b^2*c)/a^3/x^8+1/5*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^5-1/2*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/x^2-1/3*b^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(17/3)}+1/6*b^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(17/3)}+1/3*b^{(5/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(17/3)}*3^{(1/2)}$

Rubi [A] time = 0.23, antiderivative size = 315, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 200, 31, 634, 617, 204, 628}

$$-\frac{b(a^2be + a^3(-f) - ab^2d + b^3c)}{2a^5x^2} + \frac{a^2be + a^3(-f) - ab^2d + b^3c}{5a^4x^5} + \frac{b^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^2be + a^3(-f))}{6a^{17/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^15*(a + b*x^3)), x]

[Out] $-c/(14*a*x^{14}) + (b*c - a*d)/(11*a^2*x^{11}) - (b^2*c - a*b*d + a^2*e)/(8*a^3*x^8) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(5*a^4*x^5) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(2*a^5*x^2) + (b^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(17/3)}) - (b^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(17/3)}) + (b^{(5/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(17/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R

$\int \frac{t[b, 3]*x}{(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] := \text{With}\{q = 1 - 4*Simplify[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1834

$\text{Int}[(Pq_)*((c_)*(x_)^{m_})/((a_ + (b_)*(x_)^n), x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(c*x)^m*Pq/(a + b*x^n), x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{15}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{15}} + \frac{-bc + ad}{a^2x^{12}} + \frac{b^2c - abd + a^2e}{a^3x^9} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^6} - \frac{b(-b^3c + ab^2d + a^2be - a^3f)}{2a^5x^3} \right) dx \\
&= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{2a^5x^2} \\
&= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{2a^5x^2} \\
&= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{2a^5x^2} \\
&= -\frac{c}{14ax^{14}} + \frac{bc - ad}{11a^2x^{11}} - \frac{b^2c - abd + a^2e}{8a^3x^8} + \frac{b^3c - ab^2d + a^2be - a^3f}{5a^4x^5} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{2a^5x^2}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 311, normalized size = 0.99

$$\frac{bc - ad}{11a^2x^{11}} - \frac{a^2e - abd + b^2c}{8a^3x^8} + \frac{b^{5/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{17/3}} + \frac{b^{5/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{2a^5x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^15*(a + b*x^3)),x]

[Out] -1/14*c/(a*x^14) + (b*c - a*d)/(11*a^2*x^11) - (b^2*c - a*b*d + a^2*e)/(8*a^3*x^8) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(5*a^4*x^5) + (b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(2*a^5*x^2) + (b^(5/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*a^(17/3)) + (b^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(17/3)) + (b^(5/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(17/3))

fricas [A] time = 0.59, size = 335, normalized size = 1.06

$$3080 \sqrt{3} (b^4c - ab^3d + a^2b^2e - a^3bf) x^{14} \left(\frac{b^2}{a^2} \right)^{\frac{1}{3}} \arctan \left(\frac{2\sqrt{3}ax \left(\frac{b^2}{a^2} \right)^{\frac{2}{3}} - \sqrt{3}b}{3b} \right) - 1540 (b^4c - ab^3d + a^2b^2e - a^3bf) x^{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a),x, algorithm="fricas")

[Out] -1/9240*(3080*sqrt(3)*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^14*(b^2/a^2)^(1/3)*arctan(1/3*(2*sqrt(3)*a*x*(b^2/a^2)^(2/3) - sqrt(3)*b)/b) - 1540*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^14*(b^2/a^2)^(1/3)*log(b^2*x^2 - a*b*x*(b^2/a^2)^(1/3) + a^2*(b^2/a^2)^(2/3)) + 3080*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^14*(b^2/a^2)^(1/3)*log(b*x + a*(b^2/a^2)^(1/3)) + 4620*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^12 - 1848*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 1155*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 660*a^4*c - 840*(a^3*b*c - a^4*d)*x^3)/(a^5*x^14)

giac [A] time = 0.19, size = 393, normalized size = 1.25

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^4c - (-ab^2)^{\frac{1}{3}} ab^3d - (-ab^2)^{\frac{1}{3}} a^3bf + (-ab^2)^{\frac{1}{3}} a^2b^2e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3a^6} + \frac{(b^5c - ab^4d - a^3b^2e)}{a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*((-a*b^2)^(1/3)*b^4*c - (-a*b^2)^(1/3)*a*b^3*d - (-a*b^2)^(1/3)*a^3*b*f + (-a*b^2)^(1/3)*a^2*b^2*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3)/a^6 + 1/3*(b^5*c - a*b^4*d - a^3*b^2*f + a^2*b^3*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^6 - 1/6*((-a*b^2)^(1/3)*b^4*c - (-a*b^2)^(1/3)*a*b^3*d - (-a*b^2)^(1/3)*a^3*b*f + (-a*b^2)^(1/3)*a^2*b^2*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^6 - 1/3080*(1540*b^4*c*x^12 - 1540*a*b^3*d*x^12 - 1540*a^3*b*f*x^12 + 1540*a^2*b^2*x^12*e - 616*a*b^3*c*x^9 + 616*a^2*b^2*d*x^9 + 616*a^4*f*x^9 - 616*a^3*b*x^9*e + 385*a^2*b^2*c*x^6 - 385*a^3*b*d*x^6 + 385*a^4*x^6*e - 280*a^3*b*c*x^3 + 280*a^4*d*x^3 + 220*a^4*c)/(a^5*x^14)

maple [B] time = 0.06, size = 548, normalized size = 1.74

$$\frac{\sqrt{3} b f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} + \frac{b f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} - \frac{b f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}} a^2} - \frac{\sqrt{3} b^2 e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} a^3} - \frac{b^2 e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a), x)

[Out] $\frac{1}{3} a^{-2} b / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) * f - 1/3 / a^{-3} b^2 / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) * e + 1/3 / a^{-4} b^3 / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) * d - 1/3 / a^{-5} b^4 / (a/b)^{(2/3)} 3^{(1/2)} \arctan(1/3 3^{(1/2)} (2/(a/b)^{(1/3)} x - 1)) * c - 1/2 / a^{-5} b^4 / x^2 * c + 1/11 / a^{-2} / x^{11} * b * c + 1/8 / a^{-2} / x^8 * b * d - 1/8 / a^{-3} / x^8 * b^2 * c + 1/5 / a^{-2} / x^5 * b * e + 1/2 / a^{-2} * b / x^2 * f - 1/2 / a^{-3} * b^2 / x^2 * e + 1/2 / a^{-4} * b^3 / x^2 * d - 1/5 / a^{-3} / x^5 * b^2 * d + 1/5 / a^{-4} / x^5 * b^3 * c - 1/11 / a / x^{11} * d - 1/14 * c / a / x^{14} - 1/3 / a^{-5} * b^4 / (a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * c - 1/8 / a / x^8 * e - 1/6 / a^{-4} * b^3 / (a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * d + 1/6 / a^{-5} * b^4 / (a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * c + 1/3 / a^{-2} * b / (a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * f - 1/3 / a^{-3} * b^2 / (a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * e - 1/5 / a / x^5 * f - 1/6 / a^{-2} * b / (a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * f + 1/6 / a^{-3} * b^2 / (a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * e + 1/3 / a^{-4} * b^3 / (a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * d$

maxima [A] time = 3.11, size = 307, normalized size = 0.97

$$\frac{\sqrt{3} (b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a^5 \left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{(b^4 c - a b^3 d + a^2 b^2 e - a^3 b f) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 a^5 \left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^15/(b*x^3+a), x, algorithm="maxima")

[Out] $-1/3 * \text{sqrt}(3) * (b^4 * c - a * b^3 * d + a^2 * b^2 * e - a^3 * b * f) * \arctan(1/3 * \text{sqrt}(3) * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a^5 * (a/b)^{(2/3)}) + 1/6 * (b^4 * c - a * b^3 * d + a^2 * b^2 * e - a^3 * b * f) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a^5 * (a/b)^{(2/3)}) - 1/3 * (b^4 * c - a * b^3 * d + a^2 * b^2 * e - a^3 * b * f) * \log(x + (a/b)^{(1/3)}) / (a^5 * (a/b)^{(2/3)})$

$/b^{(2/3)}) - 1/3080*(1540*(b^4*c - a*b^3*d + a^2*b^2*e - a^3*b*f)*x^{12} - 616*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^9 + 385*(a^2*b^2*c - a^3*b*d + a^4*e)*x^6 + 220*a^4*c - 280*(a^3*b*c - a^4*d)*x^3)/(a^5*x^{14})$

mupad [B] time = 5.17, size = 287, normalized size = 0.91

$$\frac{\frac{c}{14a} - \frac{x^9(-fa^3+ea^2b-dab^2+cb^3)}{5a^4} + \frac{x^3(ad-bc)}{11a^2} + \frac{x^6(ea^2-dab+cb^2)}{8a^3} + \frac{bx^{12}(-fa^3+ea^2b-dab^2+cb^3)}{2a^5}}{x^{14}} - \frac{b^{5/3} \ln(b^{1/3}x + a^{1/3})}{x^{14}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^15*(a + b*x^3)),x)

[Out] $(b^{(5/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(17/3)}) - (b^{(5/3)}*\log(b^{(1/3)}*x + a^{(1/3)})*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(17/3)}) - (b^{(5/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^{(17/3)}) - (c/(14*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(5*a^4) + (x^3*(a*d - b*c))/(11*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(8*a^3) + (b*x^{12}*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(2*a^5))/x^{14}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**15/(b*x**3+a),x)

[Out] Timed out

$$3.250 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{17}(a+bx^3)} dx$$

Optimal. Leaf size=351

$$\frac{bc-ad}{13a^2x^{13}} - \frac{a^2e-abd+b^2c}{10a^3x^{10}} + \frac{b^{7/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{19/3}} - \frac{b^{7/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{6a^{19/3}}$$

[Out] $-1/16*c/a/x^{16}+1/13*(-a*d+b*c)/a^2/x^{13}+1/10*(-a^2*e+a*b*d-b^2*c)/a^3/x^{10}+1/7*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^4/x^7-1/4*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/x^4+b^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^6/x-1/3*b^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(19/3)}+1/6*b^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(19/3)}-1/3*b^{(7/3)}*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(19/3)}*3^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 351, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {1834, 292, 31, 634, 617, 204, 628}

$$-\frac{b(a^2be + a^3(-f) - ab^2d + b^3c)}{4a^5x^4} + \frac{a^2be + a^3(-f) - ab^2d + b^3c}{7a^4x^7} + \frac{b^{7/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^2be + a^3(-f))}{6a^{19/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^17*(a + b*x^3)), x]

[Out] $-c/(16*a*x^{16}) + (b*c - a*d)/(13*a^2*x^{13}) - (b^2*c - a*b*d + a^2*e)/(10*a^3*x^{10}) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(7*a^4*x^7) - (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(4*a^5*x^4) + (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a^6*x) - (b^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/(\text{Sqrt}[3]*a^{(19/3)}) - (b^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*a^{(19/3)}) + (b^{(7/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*a^{(19/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 292

```
Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^{17}(a + bx^3)} dx &= \int \left(\frac{c}{ax^{17}} + \frac{-bc + ad}{a^2x^{14}} + \frac{b^2c - abd + a^2e}{a^3x^{11}} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^4x^8} - \frac{b(-b^3c + ab^2d + a^2be - a^3f)}{4a^5x^5} \right) dx \\
&= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{4a^5x^4} \\
&= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{4a^5x^4} \\
&= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{4a^5x^4} \\
&= -\frac{c}{16ax^{16}} + \frac{bc - ad}{13a^2x^{13}} - \frac{b^2c - abd + a^2e}{10a^3x^{10}} + \frac{b^3c - ab^2d + a^2be - a^3f}{7a^4x^7} - \frac{b(b^3c - ab^2d + a^2be - a^3f)}{4a^5x^4}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 346, normalized size = 0.99

$$\frac{bc - ad}{13a^2x^{13}} - \frac{a^2e - abd + b^2c}{10a^3x^{10}} + \frac{b^{7/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^3(-f) + a^2be - ab^2d + b^3c)}{6a^{19/3}} + \frac{b^{7/3} \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{4a^5x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^17*(a + b*x^3)),x]

[Out] -1/16*c/(a*x^16) + (b*c - a*d)/(13*a^2*x^13) - (b^2*c - a*b*d + a^2*e)/(10*a^3*x^10) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(7*a^4*x^7) + (b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(4*a^5*x^4) + (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a^6*x) + (b^(7/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(Sqrt[3]*a^(19/3)) + (b^(7/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(19/3)) + (b^(7/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(19/3))

fricas [A] time = 0.83, size = 355, normalized size = 1.01

$$7280 \sqrt{3} (b^5 c - ab^4 d + a^2 b^3 e - a^3 b^2 f) x^{16} \left(\frac{b}{a} \right)^{\frac{1}{3}} \arctan \left(\frac{2}{3} \sqrt{3} x \left(\frac{b}{a} \right)^{\frac{1}{3}} - \frac{1}{3} \sqrt{3} \right) + 3640 (b^5 c - ab^4 d + a^2 b^3 e - a^3 b^2 f)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a),x, algorithm="fricas")

[Out] $\frac{1}{21840} (7280 \sqrt{3} (b^5 c - a b^4 d + a^2 b^3 e - a^3 b^2 f) x^{16} (b/a)^{1/3} \arctan(2/3 \sqrt{3} x (b/a)^{1/3} - 1/3 \sqrt{3}) + 3640 (b^5 c - a b^4 d + a^2 b^3 e - a^3 b^2 f) x^{16} (b/a)^{1/3} \log(b x^2 - a x (b/a)^{2/3} + a (b/a)^{1/3}) - 7280 (b^5 c - a b^4 d + a^2 b^3 e - a^3 b^2 f) x^{16} (b/a)^{1/3} \log(b x + a (b/a)^{2/3}) + 21840 (b^5 c - a b^4 d + a^2 b^3 e - a^3 b^2 f) x^{15} - 5460 (a b^4 c - a^2 b^3 d + a^3 b^2 e - a^4 b f) x^{12} + 3120 (a^2 b^3 c - a^3 b^2 d + a^4 b e - a^5 f) x^9 - 2184 (a^3 b^2 c - a^4 b d + a^5 e) x^6 - 1365 a^5 c + 1680 (a^4 b c - a^5 d) x^3) / (a^6 x^{16})$

giac [A] time = 0.19, size = 474, normalized size = 1.35

$$\frac{\sqrt{3} \left((-ab^2)^{\frac{2}{3}} b^4 c - (-ab^2)^{\frac{2}{3}} ab^3 d - (-ab^2)^{\frac{2}{3}} a^3 b f + (-ab^2)^{\frac{2}{3}} a^2 b^2 e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a^7} \left(b^6 c \left(-\frac{a}{b} \right)^{\frac{1}{3}} - ab^5 d \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3 \sqrt{3} ((-a b^2)^{2/3} b^4 c - (-a b^2)^{2/3} a b^3 d - (-a b^2)^{2/3} a^3 b f + (-a b^2)^{2/3} a^2 b^2 e) \arctan(1/3 \sqrt{3} (2x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / a^7 - 1/3 (b^6 c (-a/b)^{1/3} - a b^5 d (-a/b)^{1/3} - a^3 b^3 f (-a/b)^{1/3} + a^2 b^4 e (-a/b)^{1/3}) / a^7 + 1/6 ((-a b^2)^{2/3} b^4 c - (-a b^2)^{2/3} a b^3 d - (-a b^2)^{2/3} a^3 b f + (-a b^2)^{2/3} a^2 b^2 e) \log(x^2 + x (-a/b)^{1/3} + (-a/b)^{2/3}) / a^7 + 1/7280 (7280 b^5 c x^{15} - 7280 a b^4 d x^{15} - 7280 a^3 b^2 f x^{15} + 7280 a^2 b^3 e x^{15} - 1820 a b^4 c x^{12} + 1820 a^2 b^3 d x^{12} + 1820 a^4 b f x^{12} - 1820 a^3 b^2 e x^{12} + 1040 a^2 b^3 c x^9 - 1040 a^3 b^2 d x^9 - 1040 a^5 f x^9 + 1040 a^4 b e x^9 - 728 a^3 b^2 c x^6 + 728 a^4 b d x^6 - 728 a^5 f x^6 + 560 a^4 b c x^3 - 560 a^5 d x^3 - 455 a^5 c) / (a^6 x^{16})$

maple [A] time = 0.06, size = 600, normalized size = 1.71

$$\frac{\sqrt{3} b^2 f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} a^3} + \frac{b^2 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - b^2 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} a^3} + \frac{\sqrt{3} b^3 e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}} a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a), x)`

[Out]
$$-1/10/a^3/x^{10}*b^2*c+1/7/a^2/x^7*b*e-1/7/a^3/x^7*b^2*d+1/7/a^4/x^7*b^3*c-1/a^3*b^2/x*f+1/a^4*b^3/x*e-1/a^5*b^4/x*d+1/a^6*b^5/x*c+1/4/a^2*b/x^4*f-1/4/a^3*b^2/x^4*e+1/4/a^4*b^3/x^4*d-1/4/a^5*b^4/x^4*c+1/13/a^2/x^{13}*b*c+1/10/a^2/x^{10}*b*d-1/16*c/a/x^{16}-1/3/a^3*b^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f+1/3/a^4*b^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e-1/3/a^5*b^4*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+1/3/a^6*b^5*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/7/a/x^7*f-1/13/a/x^{13}*d-1/3/a^4*b^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*e+1/3/a^5*b^4/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*d-1/10/a/x^{10}*e+1/6/a^6*b^5/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c-1/3/a^6*b^5/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c-1/6/a^3*b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f+1/6/a^4*b^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e-1/6/a^5*b^4/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d+1/3/a^3*b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*f$$

maxima [A] time = 3.03, size = 353, normalized size = 1.01

$$\frac{\sqrt{3}(b^5c - ab^4d + a^2b^3e - a^3b^2f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3a^6\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{(b^5c - ab^4d + a^2b^3e - a^3b^2f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6a^6\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^9+e*x^6+d*x^3+c)/x^17/(b*x^3+a), x, algorithm="maxima")`

[Out]
$$1/3*\sqrt{3}*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^6*(a/b)^{(1/3)}) + 1/6*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^6*(a/b)^{(1/3)})$$

3)) - 1/3*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*log(x + (a/b)^(1/3))/(a^6*(a/b)^(1/3)) + 1/7280*(7280*(b^5*c - a*b^4*d + a^2*b^3*e - a^3*b^2*f)*x^15 - 1820*(a*b^4*c - a^2*b^3*d + a^3*b^2*e - a^4*b*f)*x^12 + 1040*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*x^9 - 728*(a^3*b^2*c - a^4*b*d + a^5*e)*x^6 - 455*a^5*c + 560*(a^4*b*c - a^5*d)*x^3)/(a^6*x^16)

mupad [B] time = 5.16, size = 323, normalized size = 0.92

$$\frac{\frac{c}{16a} - \frac{x^9(-fa^3+ea^2b-dab^2+cb^3)}{7a^4} + \frac{x^3(ad-bc)}{13a^2} + \frac{x^6(ea^2-dab+cb^2)}{10a^3} + \frac{bx^{12}(-fa^3+ea^2b-dab^2+cb^3)}{4a^5} - \frac{b^2x^{15}(-fa^3+ea^2b-dab^2+cb^3)}{a^6}}{x^{16}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^17*(a + b*x^3)),x)

[Out] (b^(7/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(19/3)) - (b^(7/3)*log(b^(1/3)*x + a^(1/3))*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(19/3)) - (c/(16*a) - (x^9*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(7*a^4) + (x^3*(a*d - b*c))/(13*a^2) + (x^6*(b^2*c + a^2*e - a*b*d))/(10*a^3) + (b*x^12*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(4*a^5) - (b^2*x^15*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/a^6)/x^16 - (b^(7/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^(19/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**17/(b*x**3+a),x)

[Out] Timed out

$$3.251 \quad \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=220

$$\frac{x^9(3a^2f - 2abe + b^2d)}{9b^4} + \frac{a^3(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^7(a + bx^3)} + \frac{a^2 \log(a + bx^3)(-6a^3f + 5a^2be - 4ab^2d + 3b^3c)}{3b^7} - \frac{ax^3}{b^6}$$

[Out] $-1/3*a*(-5*a^3*f+4*a^2*b*e-3*a*b^2*d+2*b^3*c)*x^3/b^6+1/6*(-4*a^3*f+3*a^2*b*e-2*a*b^2*d+b^3*c)*x^6/b^5+1/9*(3*a^2*f-2*a*b*e+b^2*d)*x^9/b^4+1/12*(-2*a*f+b*e)*x^{12}/b^3+1/15*f*x^{15}/b^2+1/3*a^3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/b^7/(b*x^3+a)+1/3*a^2*(-6*a^3*f+5*a^2*b*e-4*a*b^2*d+3*b^3*c)*\ln(b*x^3+a)/b^7$

Rubi [A] time = 0.34, antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^6(3a^2be - 4a^3f - 2ab^2d + b^3c)}{6b^5} - \frac{ax^3(4a^2be - 5a^3f - 3ab^2d + 2b^3c)}{3b^6} + \frac{a^3(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^7(a + bx^3)} + \frac{a^2 \log(a + bx^3)}{b^6}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $-(a*(2*b^3*c - 3*a*b^2*d + 4*a^2*b*e - 5*a^3*f)*x^3)/(3*b^6) + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^6)/(6*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^9)/(9*b^4) + ((b*e - 2*a*f)*x^{12})/(12*b^3) + (f*x^{15})/(15*b^2) + (a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*b^7*(a + b*x^3)) + (a^2*(3*b^3*c - 4*a*b^2*d + 5*a^2*b*e - 6*a^3*f)*\text{Log}[a + b*x^3])/(3*b^7)$

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol]
:= Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{x^{11} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{a(-2b^3c + 3ab^2d - 4a^2be + 5a^3f)}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)}{b^5} \right) dx, x, x^3 \right)$$

$$= -\frac{a(2b^3c - 3ab^2d + 4a^2be - 5a^3f)x^3}{3b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^6}{6b^5} + \dots$$

Mathematica [A] time = 0.21, size = 205, normalized size = 0.93

$$\frac{20b^3x^9(3a^2f - 2abe + b^2d) + 30b^2x^6(-4a^3f + 3a^2be - 2ab^2d + b^3c) + 60abx^3(5a^3f - 4a^2be + 3ab^2d - 2b^3c) - 180a^2b^2x^3(a^2b^2e - a^3bf)}{180b^7}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (60*a*b*(-2*b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f)*x^3 + 30*b^2*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^6 + 20*b^3*(b^2*d - 2*a*b*e + 3*a^2*f)*x^9 + 15*b^4*(b*e - 2*a*f)*x^12 + 12*b^5*f*x^15 - (60*a^3*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 60*a^2*(3*b^3*c - 4*a*b^2*d + 5*a^2*b*e - 6*a^3*f)*Log[a + b*x^3])/(180*b^7)

fricas [A] time = 0.58, size = 303, normalized size = 1.38

$$\frac{12b^6fx^{18} + 3(5b^6e - 6ab^5f)x^{15} + 5(4b^6d - 5ab^5e + 6a^2b^4f)x^{12} + 10(3b^6c - 4ab^5d + 5a^2b^4e - 6a^3b^3f)x^9 - 180a^2b^2x^3(a^2b^2e - a^3bf)}{180b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/180*(12*b^6*f*x^18 + 3*(5*b^6*e - 6*a*b^5*f)*x^15 + 5*(4*b^6*d - 5*a*b^5*e + 6*a^2*b^4*f)*x^12 + 10*(3*b^6*c - 4*a*b^5*d + 5*a^2*b^4*e - 6*a^3*b^3*f)*x^9 + 60*a^3*b^3*c - 60*a^4*b^2*d + 60*a^5*b*e - 60*a^6*f - 30*(3*a*b^5*c - 4*a^2*b^4*d + 5*a^3*b^3*e - 6*a^4*b^2*f)*x^6 - 60*(2*a^2*b^4*c - 3*a^3*b^3*d + 4*a^4*b^2*e - 5*a^5*b*f)*x^3 + 60*(3*a^3*b^3*c - 4*a^4*b^2*d + 5*a^5*b*e - 6*a^6*f + (3*a^2*b^4*c - 4*a^3*b^3*d + 5*a^4*b^2*e - 6*a^5*b*f)*x^3)*log(b*x^3 + a))/(b^8*x^3 + a*b^7)

giac [A] time = 0.25, size = 300, normalized size = 1.36

$$\frac{(3a^2b^3c - 4a^3b^2d - 6a^5f + 5a^4be) \log(|bx^3 + a|)}{3b^7} - \frac{3a^2b^4cx^3 - 4a^3b^3dx^3 - 6a^5bfx^3 + 5a^4b^2x^3e + 2a^3b^3c - 3a^2b^4d}{3(bx^3 + a)b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)²,x, algorithm="giac")

[Out] 1/3*(3*a²*b³*c - 4*a³*b²*d - 6*a⁵*f + 5*a⁴*b*e)*log(abs(b*x³ + a))/b⁷ - 1/3*(3*a²*b⁴*c*x³ - 4*a³*b³*d*x³ - 6*a⁵*b*f*x³ + 5*a⁴*b²*x³*e + 2*a³*b³*c - 3*a⁴*b²*d - 5*a⁶*f + 4*a⁵*b*e)/((b*x³ + a)*b⁷) + 1/180*(12*b⁸*f*x¹⁵ - 30*a*b⁷*f*x¹² + 15*b⁸*x¹²*e + 20*b⁸*d*x⁹ + 60*a²*b⁶*f*x⁹ - 40*a*b⁷*x⁹*e + 30*b⁸*c*x⁶ - 60*a*b⁷*d*x⁶ - 120*a³*b⁵*f*x⁶ + 90*a²*b⁶*x⁶*e - 120*a*b⁷*c*x³ + 180*a²*b⁶*d*x³ + 300*a⁴*b⁴*f*x³ - 240*a³*b⁵*x³*e)/b¹⁰

maple [A] time = 0.06, size = 288, normalized size = 1.31

$$\frac{fx^{15}}{15b^2} - \frac{afx^{12}}{6b^3} + \frac{ex^{12}}{12b^2} + \frac{a^2fx^9}{3b^4} - \frac{2aex^9}{9b^3} + \frac{dx^9}{9b^2} - \frac{2a^3fx^6}{3b^5} + \frac{a^2ex^6}{2b^4} - \frac{adx^6}{3b^3} + \frac{cx^6}{6b^2} + \frac{5a^4fx^3}{3b^6} - \frac{4a^3ex^3}{3b^5} + \frac{a^2dx^3}{b^4} - \frac{2acx^3}{3b^3} - \frac{3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)²,x)

[Out] 1/15*f*x¹⁵/b²-1/6/b³*x¹²*a*f+1/12/b²*x¹²*e+1/3/b⁴*x⁹*a²*f-2/9/b³*x⁹*a*e+1/9/b²*x⁹*d-2/3/b⁵*x⁶*a³*f+1/2/b⁴*x⁶*a²*e-1/3/b³*x⁶*a*d+1/6/b²*x⁶*c+5/3/b⁶*x³*a⁴*f-4/3/b⁵*x³*a³*e+1/b⁴*x³*a²*d-2/3/b³*x³*a*c-2*a⁵/b⁷*ln(b*x³+a)*f+5/3*a⁴/b⁶*ln(b*x³+a)*e-4/3*a³/b⁵*ln(b*x³+a)*d+a²/b⁴*ln(b*x³+a)*c-1/3*a⁶/b⁷/(b*x³+a)*f+1/3*a⁵/b⁶/(b*x³+a)*e-1/3*a⁴/b⁵/(b*x³+a)*d+1/3*a³/b⁴/(b*x³+a)*c

maxima [A] time = 1.30, size = 222, normalized size = 1.01

$$\frac{a^3b^3c - a^4b^2d + a^5be - a^6f}{3(b^8x^3 + ab^7)} + \frac{12b^4fx^{15} + 15(b^4e - 2ab^3f)x^{12} + 20(b^4d - 2ab^3e + 3a^2b^2f)x^9 + 30(b^4c - 2ab^3d)}{180b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)²,x, algorithm="maxima")

[Out] 1/3*(a³*b³*c - a⁴*b²*d + a⁵*b*e - a⁶*f)/(b⁸*x³ + a*b⁷) + 1/180*(12*b⁴*f*x¹⁵ + 15*(b⁴*e - 2*a*b³*f)*x¹² + 20*(b⁴*d - 2*a*b³*e + 3*a²*b²*f)*x⁹ + 30*(b⁴*c - 2*a*b³*d + 3*a²*b²*e - 4*a³*b*f)*x⁶ - 60*(2*a*

$b^3c - 3a^2b^2d + 4a^3be - 5a^4f)x^3)/b^6 + 1/3(3a^2b^3c - 4a^3b^2d + 5a^4be - 6a^5f)\log(bx^3 + a)/b^7$

mupad [B] time = 4.99, size = 356, normalized size = 1.62

$$x^{12} \left(\frac{e}{12b^2} - \frac{af}{6b^3} \right) - x^3 \left(\frac{2a \left(\frac{c}{b^2} - \frac{a^2 \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b^2} + \frac{2a \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{b} \right)}{3b} - \frac{a^2 \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{3b^2} \right) - x^9 \left(\frac{a^2f}{9b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)`

[Out] $x^{12}(e/(12b^2) - (af)/(6b^3)) - x^3((2a*(c/b^2 - (a^2*(e/b^2 - (2a*f)/b^3))/b^2 + (2a*((a^2*f)/b^4 - d/b^2 + (2a*(e/b^2 - (2a*f)/b^3))/b))/b)/(3*b) - (a^2*((a^2*f)/b^4 - d/b^2 + (2a*(e/b^2 - (2a*f)/b^3))/b))/(3*b^2)) - x^9((a^2*f)/(9*b^4) - d/(9*b^2) + (2a*(e/b^2 - (2a*f)/b^3))/(9*b)) + x^6(c/(6*b^2) - (a^2*(e/b^2 - (2a*f)/b^3))/(6*b^2) + (a*((a^2*f)/b^4 - d/b^2 + (2a*(e/b^2 - (2a*f)/b^3))/b))/(3*b)) - (\log(a + b*x^3)*(6*a^5*f - 3*a^2*b^3*c + 4*a^3*b^2*d - 5*a^4*b*e))/(3*b^7) + (f*x^15)/(15*b^2) - (a^6*f - a^3*b^3*c + a^4*b^2*d - a^5*b*e)/(3*b*(a*b^6 + b^7*x^3))$

sympy [A] time = 14.42, size = 236, normalized size = 1.07

$$\frac{a^2(6a^3f - 5a^2be + 4ab^2d - 3b^3c)\log(a + bx^3)}{3b^7} + x^{12} \left(-\frac{af}{6b^3} + \frac{e}{12b^2} \right) + x^9 \left(\frac{a^2f}{3b^4} - \frac{2ae}{9b^3} + \frac{d}{9b^2} \right) + x^6 \left(-\frac{2a^3f}{3b^5} + \frac{a^2}{2b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**11*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)`

[Out] $-a**2*(6*a**3*f - 5*a**2*b*e + 4*a*b**2*d - 3*b**3*c)*\log(a + b*x**3)/(3*b**7) + x**12*(-a*f/(6*b**3) + e/(12*b**2)) + x**9*(a**2*f/(3*b**4) - 2*a*e/(9*b**3) + d/(9*b**2)) + x**6*(-2*a**3*f/(3*b**5) + a**2*e/(2*b**4) - a*d/(3*b**3) + c/(6*b**2)) + x**3*(5*a**4*f/(3*b**6) - 4*a**3*e/(3*b**5) + a**2*d/b**4 - 2*a*c/(3*b**3)) + (-a**6*f + a**5*b*e - a**4*b**2*d + a**3*b**3*c)/(3*a*b**7 + 3*b**8*x**3) + f*x**15/(15*b**2)$

$$3.252 \quad \int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=180

$$\frac{x^6(3a^2f - 2abe + b^2d)}{6b^4} - \frac{a^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{a \log(a + bx^3)(-5a^3f + 4a^2be - 3ab^2d + 2b^3c)}{3b^6} + \frac{x^3(-4a^3f + 3a^2b^2e - 2ab^2d + b^3c)}{3b^6}$$

[Out] 1/3*(-4*a^3*f+3*a^2*b^2*e-2*a*b^2*d+b^3*c)*x^3/b^5+1/6*(3*a^2*f-2*a*b^2*e+b^2*d)*x^6/b^4+1/9*(-2*a*f+b*e)*x^9/b^3+1/12*f*x^12/b^2-1/3*a^2*(-a^3*f+a^2*b^2*e-a*b^2*d+b^3*c)/b^6/(b*x^3+a)-1/3*a*(-5*a^3*f+4*a^2*b^2*e-3*a*b^2*d+2*b^3*c)*ln(b*x^3+a)/b^6

Rubi [A] time = 0.26, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^3(3a^2be - 4a^3f - 2ab^2d + b^3c)}{3b^5} - \frac{a^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{a \log(a + bx^3)(4a^2be - 5a^3f - 3ab^2d + 2b^3c)}{3b^6}$$

Antiderivative was successfully verified.

[In] Int[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b^3*c - 2*a*b^2*d + 3*a^2*b^2*e - 4*a^3*f)*x^3)/(3*b^5) + ((b^2*d - 2*a*b^2*e + 3*a^2*f)*x^6)/(6*b^4) + ((b*e - 2*a*f)*x^9)/(9*b^3) + (f*x^12)/(12*b^2) - (a^2*(b^3*c - a*b^2*d + a^2*b^2*e - a^3*f))/(3*b^6*(a + b*x^3)) - (a*(2*b^3*c - 3*a*b^2*d + 4*a^2*b^2*e - 5*a^3*f)*Log[a + b*x^3])/(3*b^6)

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```


Rubi steps

$$\int \frac{x^8 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x^2 (c + dx + ex^2 + fx^3)}{(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^3c - 2ab^2d + 3a^2be - 4a^3f}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)}{b^3} \right) dx, x, x^3 \right)$$

$$= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^3}{3b^5} + \frac{(b^2d - 2abe + 3a^2f)x^6}{6b^4} + \frac{(be - 2af)x^9}{9b^3} +$$

Mathematica [A] time = 0.14, size = 167, normalized size = 0.93

$$\frac{6b^2x^6 (3a^2f - 2abe + b^2d) + 12bx^3 (-4a^3f + 3a^2be - 2ab^2d + b^3c) + \frac{12a^2(a^3f - a^2be + ab^2d - b^3c)}{a + bx^3} + 12a \log(a + bx^3)}{36b^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (12*b*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^3 + 6*b^2*(b^2*d - 2*a*b*e + 3*a^2*f)*x^6 + 4*b^3*(b*e - 2*a*f)*x^9 + 3*b^4*f*x^12 + (12*a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 12*a*(-2*b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f)*Log[a + b*x^3])/(36*b^6)

fricas [A] time = 0.77, size = 257, normalized size = 1.43

$$\frac{3b^5fx^{15} + (4b^5e - 5ab^4f)x^{12} + 2(3b^5d - 4ab^4e + 5a^2b^3f)x^9 + 6(2b^5c - 3ab^4d + 4a^2b^3e - 5a^3b^2f)x^6 - 12a \log(bx^3 + a)}{36b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/36*(3*b^5*f*x^15 + (4*b^5*e - 5*a*b^4*f)*x^12 + 2*(3*b^5*d - 4*a*b^4*e + 5*a^2*b^3*f)*x^9 + 6*(2*b^5*c - 3*a*b^4*d + 4*a^2*b^3*e - 5*a^3*b^2*f)*x^6 - 12*a^2*b^3*c + 12*a^3*b^2*d - 12*a^4*b*e + 12*a^5*f + 12*(a*b^4*c - 2*a^2*b^3*d + 3*a^3*b^2*e - 4*a^4*b*f)*x^3 - 12*(2*a^2*b^3*c - 3*a^3*b^2*d + 4*a^4*b*e - 5*a^5*f + (2*a*b^4*c - 3*a^2*b^3*d + 4*a^3*b^2*e - 5*a^4*b*f)*x^3) *log(b*x^3 + a))/(b^7*x^3 + a*b^6)

giac [A] time = 0.18, size = 248, normalized size = 1.38

$$-\frac{(2ab^3c - 3a^2b^2d - 5a^4f + 4a^3be) \log(|bx^3 + a|)}{3b^6} + \frac{2ab^4cx^3 - 3a^2b^3dx^3 - 5a^4bf^3x^3 + 4a^3b^2x^3e + a^2b^3c - 2a^3b^2d}{3(bx^3 + a)b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-\frac{1}{3} \cdot (2ab^3c - 3a^2b^2d - 5a^4f + 4a^3be) \cdot \log(\text{abs}(bx^3 + a)) / b^6 + \frac{1}{36} \cdot (2ab^4cx^3 - 3a^2b^3dx^3 - 5a^4bf^3x^3 + 4a^3b^2x^3e + a^2b^3c - 2a^3b^2d - 4a^5f + 3a^4be) / ((bx^3 + a) \cdot b^6) + \frac{1}{36} \cdot (3b^6fx^{12} - 8a^5b^5fx^9 + 4b^6x^9e + 6b^6dx^6 + 18a^2b^4fx^6 - 12a^5b^5x^6e + 12b^6cx^3 - 24a^5b^5dx^3 - 48a^3b^3fx^3 + 36a^2b^4x^3e) / b^8$

maple [A] time = 0.06, size = 240, normalized size = 1.33

$$\frac{fx^{12}}{12b^2} - \frac{2afx^9}{9b^3} + \frac{ex^9}{9b^2} + \frac{a^2fx^6}{2b^4} - \frac{aex^6}{3b^3} + \frac{dx^6}{6b^2} - \frac{4a^3fx^3}{3b^5} + \frac{a^2ex^3}{b^4} - \frac{2adx^3}{3b^3} + \frac{cx^3}{3b^2} + \frac{a^5f}{3(bx^3 + a)b^6} - \frac{a^4e}{3(bx^3 + a)b^5} + \frac{5a^4f}{3(bx^3 + a)b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{12} \cdot f \cdot x^{12} / b^2 - \frac{2}{9} \cdot a \cdot f \cdot x^9 / b^3 + \frac{1}{9} \cdot e \cdot x^9 / b^2 + \frac{1}{2} \cdot a^2 \cdot f \cdot x^6 / b^4 - \frac{1}{3} \cdot a \cdot e \cdot x^6 / b^3 + \frac{1}{6} \cdot a^2 \cdot d \cdot x^6 / b^4 - \frac{4}{3} \cdot a^3 \cdot f \cdot x^3 / b^5 + \frac{1}{2} \cdot a^2 \cdot e \cdot x^3 / b^4 - \frac{2}{3} \cdot a \cdot d \cdot x^3 / b^3 + \frac{1}{3} \cdot b^2 \cdot c \cdot x^3 / b^5 + \frac{5}{3} \cdot a^4 \cdot b^6 \cdot \ln(bx^3 + a) \cdot f - \frac{4}{3} \cdot a^3 \cdot b^5 \cdot \ln(bx^3 + a) \cdot e + \frac{a^2}{b^4} \cdot \ln(bx^3 + a) \cdot d - \frac{2}{3} \cdot a \cdot b^3 \cdot \ln(bx^3 + a) \cdot c + \frac{1}{3} \cdot a^5 \cdot b^6 / (bx^3 + a) \cdot f - \frac{1}{3} \cdot a^4 \cdot b^5 / (bx^3 + a) \cdot e + \frac{1}{3} \cdot a^3 \cdot b^4 / (bx^3 + a) \cdot d - \frac{1}{3} \cdot a^2 \cdot b^3 / (bx^3 + a) \cdot c$

maxima [A] time = 1.38, size = 180, normalized size = 1.00

$$-\frac{a^2b^3c - a^3b^2d + a^4be - a^5f}{3(b^7x^3 + ab^6)} + \frac{3b^3fx^{12} + 4(b^3e - 2ab^2f)x^9 + 6(b^3d - 2ab^2e + 3a^2bf)x^6 + 12(b^3c - 2ab^2d + 3a^2e - 2ab^2f)x^3}{36b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-\frac{1}{3} \cdot (a^2b^3c - a^3b^2d + a^4be - a^5f) / (b^7x^3 + ab^6) + \frac{1}{36} \cdot (3b^3fx^{12} + 4(b^3e - 2a^2b^2f)x^9 + 6(b^3d - 2a^2b^2e + 3a^2bf)x^6 + 12(b^3c - 2a^2b^2d + 3a^2e - 2ab^2f)x^3) / b^5 - \frac{1}{3} \cdot (2a^2b^3c - 3a^2b^2d + 4a^3be - 5a^4f) \cdot \log(bx^3 + a) / b^6$

mupad [B] time = 5.00, size = 233, normalized size = 1.29

$$x^9 \left(\frac{e}{9b^2} - \frac{2af}{9b^3} \right) - x^6 \left(\frac{a^2f}{6b^4} - \frac{d}{6b^2} + \frac{a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{3b} \right) + x^3 \left(\frac{c}{3b^2} - \frac{a^2 \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{3b^2} + \frac{2a \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{3b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] x^9*(e/(9*b^2) - (2*a*f)/(9*b^3)) - x^6*((a^2*f)/(6*b^4) - d/(6*b^2) + (a*(e/b^2 - (2*a*f)/b^3))/(3*b)) + x^3*(c/(3*b^2) - (a^2*(e/b^2 - (2*a*f)/b^3))/(3*b^2) + (2*a*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/(3*b)) + (f*x^12)/(12*b^2) + (a^5*f - a^2*b^3*c + a^3*b^2*d - a^4*b*e)/(3*b*(a*b^5 + b^6*x^3)) + (log(a + b*x^3)*(5*a^4*f + 3*a^2*b^2*d - 2*a*b^3*c - 4*a^3*b*e))/(3*b^6)

sympy [A] time = 12.38, size = 189, normalized size = 1.05

$$\frac{a(5a^3f - 4a^2be + 3ab^2d - 2b^3c) \log(a + bx^3)}{3b^6} + x^9 \left(-\frac{2af}{9b^3} + \frac{e}{9b^2} \right) + x^6 \left(\frac{a^2f}{2b^4} - \frac{ae}{3b^3} + \frac{d}{6b^2} \right) + x^3 \left(-\frac{4a^3f}{3b^5} + \frac{a^2e}{b^4} - \frac{c}{3b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**8*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] a*(5*a**3*f - 4*a**2*b*e + 3*a*b**2*d - 2*b**3*c)*log(a + b*x**3)/(3*b**6) + x**9*(-2*a*f/(9*b**3) + e/(9*b**2)) + x**6*(a**2*f/(2*b**4) - a*e/(3*b**3) + d/(6*b**2)) + x**3*(-4*a**3*f/(3*b**5) + a**2*e/b**4 - 2*a*d/(3*b**3) + c/(3*b**2)) + (a**5*f - a**4*b*e + a**3*b**2*d - a**2*b**3*c)/(3*a*b**6 + 3*b**7*x**3) + f*x**12/(12*b**2)

$$3.253 \quad \int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=140

$$\frac{x^3(3a^2f - 2abe + b^2d)}{3b^4} + \frac{a(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5(a + bx^3)} + \frac{\log(a + bx^3)(-4a^3f + 3a^2be - 2ab^2d + b^3c)}{3b^5} + \frac{x^6(be - 2a^2f + a^2b^2d + b^3c)}{6b^3}$$

[Out] 1/3*(3*a^2*f-2*a*b*e+b^2*d)*x^3/b^4+1/6*(-2*a*f+b*e)*x^6/b^3+1/9*f*x^9/b^2+1/3*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/b^5/(b*x^3+a)+1/3*(-4*a^3*f+3*a^2*b*e-2*a*b^2*d+b^3*c)*ln(b*x^3+a)/b^5

Rubi [A] time = 0.20, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5(a + bx^3)} + \frac{\log(a + bx^3)(3a^2be - 4a^3f - 2ab^2d + b^3c)}{3b^5} + \frac{x^3(3a^2f - 2abe + b^2d)}{3b^4} + \frac{x^6(be - 2a^2f + a^2b^2d + b^3c)}{6b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b^2*d - 2*a*b*e + 3*a^2*f)*x^3)/(3*b^4) + ((b*e - 2*a*f)*x^6)/(6*b^3) + (f*x^9)/(9*b^2) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*b^5*(a + b*x^3)) + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*Log[a + b*x^3])/(3*b^5)

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{x^5 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x (c + dx + ex^2 + fx^3)}{(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^2d - 2abe + 3a^2f}{b^4} + \frac{(be - 2af)x}{b^3} + \frac{fx^2}{b^2} + \frac{a(-b^3c + ab^2d - a^2be - a^3f)}{b^4(a + bx)^2} \right) dx, x, x^3 \right)$$

$$= \frac{(b^2d - 2abe + 3a^2f)x^3}{3b^4} + \frac{(be - 2af)x^6}{6b^3} + \frac{fx^9}{9b^2} + \frac{a(b^3c - ab^2d + a^2be - a^3f)}{3b^5(a + bx^3)}$$

Mathematica [A] time = 0.12, size = 129, normalized size = 0.92

$$\frac{6bx^3(3a^2f - 2abe + b^2d) + \frac{6a(a^3(-f) + a^2be - ab^2d + b^3c)}{a + bx^3} + 6 \log(a + bx^3)(-4a^3f + 3a^2be - 2ab^2d + b^3c) + 3b^2x^6(be - a^3f)}{18b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (6*b*(b^2*d - 2*a*b*e + 3*a^2*f)*x^3 + 3*b^2*(b*e - 2*a*f)*x^6 + 2*b^3*f*x^9 + (6*a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a + b*x^3) + 6*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*Log[a + b*x^3])/(18*b^5)

fricas [A] time = 0.60, size = 202, normalized size = 1.44

$$\frac{2b^4fx^{12} + (3b^4e - 4ab^3f)x^9 + 3(2b^4d - 3ab^3e + 4a^2b^2f)x^6 + 6ab^3c - 6a^2b^2d + 6a^3be - 6a^4f + 6(ab^3d - 2a^2b^2e + 3a^3bf)x^3 + 6(a^3c - 2a^2b^2d + 3a^3be - 4a^4f + (b^4c - 2a^2b^3d + 3a^2b^2e - 4a^3bf)x^3) \log(bx^3 + a)}{18(b^6x^3 + ab^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/18*(2*b^4*f*x^12 + (3*b^4*e - 4*a*b^3*f)*x^9 + 3*(2*b^4*d - 3*a*b^3*e + 4*a^2*b^2*f)*x^6 + 6*a*b^3*c - 6*a^2*b^2*d + 6*a^3*b*e - 6*a^4*f + 6*(a*b^3*d - 2*a^2*b^2*e + 3*a^3*b*f)*x^3 + 6*(a*b^3*c - 2*a^2*b^2*d + 3*a^3*b*e - 4*a^4*f + (b^4*c - 2*a^2*b^3*d + 3*a^2*b^2*e - 4*a^3*b*f)*x^3)*log(b*x^3 + a))/(b^6*x^3 + a*b^5)

giac [A] time = 0.20, size = 217, normalized size = 1.55

$$\frac{(bx^3+a)^3 \left(2f - \frac{3(4abf-b^2e)}{(bx^3+a)b} + \frac{6(b^4d+6a^2b^2f-3ab^3e)}{(bx^3+a)^2b^2} \right) - \frac{6(b^3c-2ab^2d-4a^3f+3a^2be) \log\left(\frac{|bx^3+a|}{(bx^3+a)^2|b|}\right)}{b^4} + \frac{6\left(\frac{ab^6c}{bx^3+a} - \frac{a^2b^5d}{bx^3+a} - \frac{a^4b^3f}{bx^3+a} + \frac{a^3b^4e}{bx^3+a}\right)}{b^7}}{18b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{18}((b^3x^3 + a)^3(2f - 3(4abf - b^2e))/((b^3x^3 + a)b) + 6(b^4d + 6a^2b^2f - 3ab^3e)/((b^3x^3 + a)^2b^2))/b^4 - 6(b^3c - 2ab^2d - 4a^3f + 3a^2be)*\log(\text{abs}(b^3x^3 + a)/((b^3x^3 + a)^2\text{abs}(b)))/b^4 + 6(ab^6c/(b^3x^3 + a) - a^2b^5d/(b^3x^3 + a) - a^4b^3f/(b^3x^3 + a) + a^3b^4e/(b^3x^3 + a))/b^7)/b$

maple [A] time = 0.06, size = 192, normalized size = 1.37

$$\frac{fx^9}{9b^2} - \frac{afx^6}{3b^3} + \frac{ex^6}{6b^2} + \frac{a^2fx^3}{b^4} - \frac{2aex^3}{3b^3} + \frac{dx^3}{3b^2} - \frac{a^4f}{3(bx^3+a)b^5} + \frac{a^3e}{3(bx^3+a)b^4} - \frac{4a^3f \ln(bx^3+a)}{3b^5} - \frac{a^2d}{3(bx^3+a)b^3} + \frac{a^2e}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{9}b^{-2}fx^9 - \frac{1}{3}b^{-3}x^6af + \frac{1}{6}b^{-2}x^6e + \frac{1}{b^4}x^3a^2f - \frac{2}{3}b^{-3}x^3ae + \frac{1}{3}b^{-2}x^3d - \frac{4}{3}b^{-5}\ln(bx^3+a)a^3f + \frac{1}{b^4}\ln(bx^3+a)a^2e - \frac{2}{3}b^{-3}\ln(bx^3+a)a^2d + \frac{1}{3}b^{-2}\ln(bx^3+a)ac - \frac{1}{3}b^{-5}a^4/(bx^3+a) * f + \frac{1}{3}b^{-4}a^3/(bx^3+a) * e - \frac{1}{3}b^{-3}a^2/(bx^3+a) * d + \frac{1}{3}b^{-2}a/(bx^3+a) * c$

maxima [A] time = 1.40, size = 138, normalized size = 0.99

$$\frac{ab^3c - a^2b^2d + a^3be - a^4f}{3(b^6x^3 + ab^5)} + \frac{2b^2fx^9 + 3(b^2e - 2abf)x^6 + 6(b^2d - 2abe + 3a^2f)x^3}{18b^4} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}(ab^3c - a^2b^2d + a^3be - a^4f)/(b^6x^3 + ab^5) + \frac{1}{18}(2b^2fx^9 + 3(b^2e - 2abf)x^6 + 6(b^2d - 2abe + 3a^2f)x^3)/b^4 + \frac{1}{3}(b^3c - 2ab^2d + 3a^2be - 4a^3f)*\log(bx^3 + a)/b^5$

mupad [B] time = 4.93, size = 155, normalized size = 1.11

$$x^6 \left(\frac{e}{6b^2} - \frac{af}{3b^3} \right) - x^3 \left(\frac{a^2f}{3b^4} - \frac{d}{3b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{3b} \right) + \frac{\ln(bx^3 + a) (-4fa^3 + 3ea^2b - 2dab^2 + cb^3)}{3b^5} - \frac{fa^4 - e}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

```
[Out] x^6*(e/(6*b^2) - (a*f)/(3*b^3)) - x^3*((a^2*f)/(3*b^4) - d/(3*b^2) + (2*a*(
e/b^2 - (2*a*f)/b^3))/(3*b)) + (log(a + b*x^3)*(b^3*c - 4*a^3*f - 2*a*b^2*d
+ 3*a^2*b*e))/(3*b^5) - (a^4*f + a^2*b^2*d - a*b^3*c - a^3*b*e)/(3*b*(a*b^
4 + b^5*x^3)) + (f*x^9)/(9*b^2)
```

sympy [A] time = 12.81, size = 141, normalized size = 1.01

$$x^6 \left(-\frac{af}{3b^3} + \frac{e}{6b^2} \right) + x^3 \left(\frac{a^2f}{b^4} - \frac{2ae}{3b^3} + \frac{d}{3b^2} \right) + \frac{-a^4f + a^3be - a^2b^2d + ab^3c}{3ab^5 + 3b^6x^3} + \frac{fx^9}{9b^2} - \frac{(4a^3f - 3a^2be + 2ab^2d - b^3c) \log(a + bx^3)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)
```

```
[Out] x**6*(-a*f/(3*b**3) + e/(6*b**2)) + x**3*(a**2*f/b**4 - 2*a*e/(3*b**3) + d/
(3*b**2)) + (-a**4*f + a**3*b*e - a**2*b**2*d + a*b**3*c)/(3*a*b**5 + 3*b**
6*x**3) + f*x**9/(9*b**2) - (4*a**3*f - 3*a**2*b*e + 2*a*b**2*d - b**3*c)*l
og(a + b*x**3)/(3*b**5)
```

$$3.254 \quad \int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=103

$$\frac{\log(a+bx^3)(3a^2f-2abe+b^2d)}{3b^4} - \frac{a^3(-f)+a^2be-ab^2d+b^3c}{3b^4(a+bx^3)} + \frac{x^3(be-2af)}{3b^3} + \frac{fx^6}{6b^2}$$

[Out] $1/3*(-2*a*f+b*e)*x^3/b^3+1/6*f*x^6/b^2+1/3*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/b^4/(b*x^3+a)+1/3*(3*a^2*f-2*a*b*e+b^2*d)*\ln(b*x^3+a)/b^4$

Rubi [A] time = 0.15, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1819, 1850}

$$-\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3b^4(a+bx^3)} + \frac{\log(a+bx^3)(3a^2f-2abe+b^2d)}{3b^4} + \frac{x^3(be-2af)}{3b^3} + \frac{fx^6}{6b^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2, x]$

[Out] $((b*e - 2*a*f)*x^3)/(3*b^3) + (f*x^6)/(6*b^2) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*b^4*(a + b*x^3)) + ((b^2*d - 2*a*b*e + 3*a^2*f)*\text{Log}[a + b*x^3])/(3*b^4)$

Rule 1819

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/(m + 1), \text{Subst}[\text{Int}[\text{SubstFor}[x^{(m + 1)}, Pq, x]*(a + b*x^{\text{Simplify}[n/(m + 1)])}^p, x], x, x^{(m + 1)}], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{NeQ}[m, -1] \&\& \text{IGtQ}[\text{Simplify}[n/(m + 1)], 0] \&\& \text{PolyQ}[Pq, x^{(m + 1)}]$

Rule 1850

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, n\}, x] \&\& \text{PolyQ}[Pq, x] \&\& (\text{IGtQ}[p, 0] \parallel \text{EqQ}[n, 1])$

Rubi steps

$$\begin{aligned} \int \frac{x^2(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{(a + bx)^2} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{be - 2af}{b^3} + \frac{fx}{b^2} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3(a + bx)^2} + \frac{b^2d - 2abe + 3a^2f}{b^3(a + bx)} \right) dx, x, x^3 \right) \\ &= \frac{(be - 2af)x^3}{3b^3} + \frac{fx^6}{6b^2} - \frac{b^3c - ab^2d + a^2be - a^3f}{3b^4(a + bx^3)} + \frac{(b^2d - 2abe + 3a^2f) \log(a + bx^3)}{3b^4} \end{aligned}$$

Mathematica [A] time = 0.07, size = 93, normalized size = 0.90

$$\frac{2 \log(a + bx^3)(3a^2f - 2abe + b^2d) + \frac{2(a^3f - a^2be + ab^2d - b^3c)}{a + bx^3} + 2bx^3(be - 2af) + b^2fx^6}{6b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (2*b*(b*e - 2*a*f)*x^3 + b^2*f*x^6 + (2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 2*(b^2*d - 2*a*b*e + 3*a^2*f)*Log[a + b*x^3])/(6*b^4)

fricas [A] time = 0.85, size = 143, normalized size = 1.39

$$\frac{b^3fx^9 + (2b^3e - 3ab^2f)x^6 - 2b^3c + 2ab^2d - 2a^2be + 2a^3f + 2(ab^2e - 2a^2bf)x^3 + 2(ab^2d - 2a^2be + 3a^3f + b^2d - 2abe + 3a^2f) \log(a + bx^3)}{6(b^5x^3 + ab^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/6*(b^3*f*x^9 + (2*b^3*e - 3*a*b^2*f)*x^6 - 2*b^3*c + 2*a*b^2*d - 2*a^2*b*e + 2*a^3*f + 2*(a*b^2*e - 2*a^2*b*f)*x^3 + 2*(a*b^2*d - 2*a^2*b*e + 3*a^3*f + (b^3*d - 2*a*b^2*e + 3*a^2*b*f)*x^3)*log(b*x^3 + a))/(b^5*x^3 + a*b^4)

giac [B] time = 0.19, size = 206, normalized size = 2.00

$$-\frac{1}{6} f \left(\frac{(bx^3 + a)^2 \left(\frac{6a}{bx^3 + a} - 1 \right)}{b^4} + \frac{6a^2 \log \left(\frac{|bx^3 + a|}{(bx^3 + a)^2 |b|} \right)}{b^4} - \frac{2a^3}{(bx^3 + a)b^4} \right) + \frac{1}{3} \left(\frac{2a \log \left(\frac{|bx^3 + a|}{(bx^3 + a)^2 |b|} \right)}{b^3} + \frac{bx^3 + a}{b^3} - \frac{a^2}{(bx^3 + a)b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out]
$$-1/6*f*((b*x^3 + a)^2*(6*a/(b*x^3 + a) - 1)/b^4 + 6*a^2*\log(\text{abs}(b*x^3 + a)/((b*x^3 + a)^2*\text{abs}(b))))/b^4 - 2*a^3/((b*x^3 + a)*b^4) + 1/3*(2*a*\log(\text{abs}(b*x^3 + a)/((b*x^3 + a)^2*\text{abs}(b))))/b^3 + (b*x^3 + a)/b^3 - a^2/((b*x^3 + a)*b^3))*e - 1/3*d*(\log(\text{abs}(b*x^3 + a)/((b*x^3 + a)^2*\text{abs}(b))))/b - a/((b*x^3 + a)*b)/b - 1/3*c/((b*x^3 + a)*b)$$

maple [A] time = 0.07, size = 142, normalized size = 1.38

$$\frac{f x^6}{6b^2} - \frac{2af x^3}{3b^3} + \frac{e x^3}{3b^2} + \frac{a^3 f}{3(b x^3 + a) b^4} - \frac{a^2 e}{3(b x^3 + a) b^3} + \frac{a^2 f \ln(b x^3 + a)}{b^4} + \frac{ad}{3(b x^3 + a) b^2} - \frac{2ae \ln(b x^3 + a)}{3b^3} - \frac{c}{3(b x^3 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out]
$$1/6*f*x^6/b^2 - 2/3/b^3*x^3*a*f + 1/3/b^2*x^3*e + 1/b^4*\ln(b*x^3+a)*a^2*f - 2/3/b^3*\ln(b*x^3+a)*a*e + 1/3/b^2*\ln(b*x^3+a)*d + 1/3/b^4/(b*x^3+a)*a^3*f - 1/3/b^3/(b*x^3+a)*a^2*e + 1/3/b^2/(b*x^3+a)*a*d - 1/3/b/(b*x^3+a)*c$$

maxima [A] time = 1.35, size = 98, normalized size = 0.95

$$-\frac{b^3 c - ab^2 d + a^2 b e - a^3 f}{3(b^5 x^3 + ab^4)} + \frac{b f x^6 + 2(b e - 2 a f) x^3}{6 b^3} + \frac{(b^2 d - 2 a b e + 3 a^2 f) \log(b x^3 + a)}{3 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(b^5*x^3 + a*b^4) + 1/6*(b*f*x^6 + 2*(b*e - 2*a*f)*x^3)/b^3 + 1/3*(b^2*d - 2*a*b*e + 3*a^2*f)*\log(b*x^3 + a)/b^4$$

mupad [B] time = 0.09, size = 103, normalized size = 1.00

$$x^3 \left(\frac{e}{3b^2} - \frac{2af}{3b^3} \right) + \frac{f x^6}{6b^2} - \frac{-f a^3 + e a^2 b - d a b^2 + c b^3}{3b(b^4 x^3 + a b^3)} + \frac{\ln(b x^3 + a) (3 f a^2 - 2 e a b + d b^2)}{3 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] $x^3 \left(\frac{e}{3b^2} - \frac{2af}{3b^3} \right) + \frac{fx^6}{6b^2} - \frac{b^3c - a^3f - a^2b^2d + a^2be}{3b(a^2b^3 + b^4x^3)} + \frac{\log(a + bx^3)(b^2d + 3a^2f - 2abe)}{3b^4}$

sympy [A] time = 11.61, size = 100, normalized size = 0.97

$$x^3 \left(-\frac{2af}{3b^3} + \frac{e}{3b^2} \right) + \frac{a^3f - a^2be + ab^2d - b^3c}{3ab^4 + 3b^5x^3} + \frac{fx^6}{6b^2} + \frac{(3a^2f - 2abe + b^2d) \log(a + bx^3)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)`

[Out] $x^3 \left(-\frac{2af}{3b^3} + \frac{e}{3b^2} \right) + \frac{a^3f - a^2be + ab^2d - b^3c}{3a^2b^3 + 3b^5x^3} + \frac{fx^6}{6b^2} + \frac{(3a^2f - 2abe + b^2d) \log(a + bx^3)}{3b^4}$

$$3.255 \quad \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^2} dx$$

Optimal. Leaf size=100

$$\frac{c \log(x)}{a^2} - \frac{\log(a+bx^3)(2a^3f - a^2be + b^3c)}{3a^2b^3} + \frac{a^3(-f) + a^2be - ab^2d + b^3c}{3ab^3(a+bx^3)} + \frac{fx^3}{3b^2}$$

[Out] $1/3*f*x^3/b^2+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a/b^3/(b*x^3+a)+c*\ln(x)/a^2-1/3*(2*a^3*f-a^2*b*e+b^3*c)*\ln(b*x^3+a)/a^2/b^3$

Rubi [A] time = 0.13, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{3ab^3(a+bx^3)} - \frac{\log(a+bx^3)(-a^2be + 2a^3f + b^3c)}{3a^2b^3} + \frac{c \log(x)}{a^2} + \frac{fx^3}{3b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^2), x]

[Out] (f*x^3)/(3*b^2) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a*b^3*(a + b*x^3)) + (c*Log[x])/a^2 - ((b^3*c - a^2*b*e + 2*a^3*f)*Log[a + b*x^3])/(3*a^2*b^3)

Rule 1620

```
Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_)*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x(a + bx^3)^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x(a + bx)^2} dx, x, x^3 \right) \\
&= \frac{1}{3} \text{Subst} \left(\int \left(\frac{f}{b^2} + \frac{c}{a^2x} + \frac{-b^3c + ab^2d - a^2be + a^3f}{ab^2(a + bx)^2} + \frac{-b^3c + a^2be - 2a^3f}{a^2b^2(a + bx)} \right) dx, x, x^3 \right) \\
&= \frac{fx^3}{3b^2} + \frac{b^3c - ab^2d + a^2be - a^3f}{3ab^3(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{(b^3c - a^2be + 2a^3f) \log(a + bx^3)}{3a^2b^3}
\end{aligned}$$

Mathematica [A] time = 0.18, size = 95, normalized size = 0.95

$$\frac{\log(a+bx^3)(-2a^3f+a^2be-b^3c)+\frac{a(a^3(-f)+a^2b(e+fx^3)+ab^2(fx^6-d)+b^3c)}{a+bx^3}}{b^3} + 3c \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^2), x]

[Out] (3*c*Log[x] + ((a*(b^3*c - a^3*f + a^2*b*(e + f*x^3) + a*b^2*(-d + f*x^6))) / (a + b*x^3) + (-b^3*c) + a^2*b*e - 2*a^3*f)*Log[a + b*x^3])/b^3/(3*a^2)

fricas [A] time = 0.68, size = 145, normalized size = 1.45

$$\frac{a^2b^2fx^6 + a^3bfx^3 + ab^3c - a^2b^2d + a^3be - a^4f - (ab^3c - a^3be + 2a^4f + (b^4c - a^2b^2e + 2a^3bf)x^3) \log(bx^3 + a)}{3(a^2b^4x^3 + a^3b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/3*(a^2*b^2*f*x^6 + a^3*b*f*x^3 + a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f - (a*b^3*c - a^3*b*e + 2*a^4*f + (b^4*c - a^2*b^2*e + 2*a^3*b*f)*x^3)*log(b*x^3 + a) + 3*(b^4*c*x^3 + a*b^3*c)*log(x))/(a^2*b^4*x^3 + a^3*b^3)

giac [A] time = 0.17, size = 125, normalized size = 1.25

$$\frac{fx^3}{3b^2} + \frac{c \log(|x|)}{a^2} - \frac{(b^3c + 2a^3f - a^2be) \log(|bx^3 + a|)}{3a^2b^3} + \frac{b^4cx^3 + 2a^3bfx^3 - a^2b^2x^3e + 2ab^3c - a^2b^2d + a^4f}{3(bx^3 + a)a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{3}f x^3/b^2 + c \log(\text{abs}(x))/a^2 - \frac{1}{3}(b^3c + 2a^3f - a^2b^2e) \log(\text{abs}(b x^3 + a))/(a^2 b^3) + \frac{1}{3}(b^4c x^3 + 2a^3 b f x^3 - a^2 b^2 x^3 e + 2 a^2 b^3 c - a^2 b^2 d + a^4 f)/((b x^3 + a) a^2 b^3)$

maple [A] time = 0.06, size = 125, normalized size = 1.25

$$\frac{f x^3}{3 b^2} - \frac{a^2 f}{3 (b x^3 + a) b^3} + \frac{a e}{3 (b x^3 + a) b^2} - \frac{2 a f \ln(b x^3 + a)}{3 b^3} + \frac{c}{3 (b x^3 + a) a} + \frac{c \ln(x)}{a^2} - \frac{c \ln(b x^3 + a)}{3 a^2} - \frac{d}{3 (b x^3 + a) b} + \frac{e}{3 (b x^3 + a) b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x)

[Out] $\frac{1}{3}b^{-2}f x^3 - \frac{2}{3}a/b^3 \ln(b x^3 + a) f + \frac{1}{3}b^{-2} \ln(b x^3 + a) e - \frac{1}{3}c \ln(b x^3 + a)/a^2 - \frac{1}{3}a^2/b^3/(b x^3 + a) f + \frac{1}{3}a/b^2/(b x^3 + a) e - \frac{1}{3}b/(b x^3 + a) d + \frac{1}{3}a/(b x^3 + a) c + \frac{1}{a^2} c \ln(x)$

maxima [A] time = 1.32, size = 100, normalized size = 1.00

$$\frac{f x^3}{3 b^2} + \frac{b^3 c - a b^2 d + a^2 b e - a^3 f}{3 (a b^4 x^3 + a^2 b^3)} + \frac{c \log(x^3)}{3 a^2} - \frac{(b^3 c - a^2 b e + 2 a^3 f) \log(b x^3 + a)}{3 a^2 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}f x^3/b^2 + \frac{1}{3}(b^3c - a b^2 d + a^2 b e - a^3 f)/(a b^4 x^3 + a^2 b^3) + \frac{1}{3}c \log(x^3)/a^2 - \frac{1}{3}(b^3c - a^2 b e + 2 a^3 f) \log(b x^3 + a)/(a^2 b^3)$

mupad [B] time = 5.03, size = 100, normalized size = 1.00

$$\frac{f x^3}{3 b^2} + \frac{c \ln(x)}{a^2} + \frac{-f a^3 + e a^2 b - d a b^2 + c b^3}{3 a b (b^3 x^3 + a b^2)} - \frac{\ln(b x^3 + a) (2 f a^3 - e a^2 b + c b^3)}{3 a^2 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^2),x)

[Out] $\frac{f x^3}{(3 b^2)} + \frac{c \log(x)}{a^2} + \frac{(b^3 c - a^3 f - a b^2 d + a^2 b e)}{(3 a^2 b (a b^2 + b^3 x^3))} - \frac{(\log(a + b x^3) (b^3 c + 2 a^3 f - a^2 b e))}{(3 a^2 b^3)}$

sympy [A] time = 41.96, size = 95, normalized size = 0.95

$$\frac{-a^3f + a^2be - ab^2d + b^3c}{3a^2b^3 + 3ab^4x^3} + \frac{fx^3}{3b^2} + \frac{c \log(x)}{a^2} - \frac{(2a^3f - a^2be + b^3c) \log\left(\frac{a}{b} + x^3\right)}{3a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x/(b*x**3+a)**2,x)

[Out] (-a**3*f + a**2*b*e - a*b**2*d + b**3*c)/(3*a**2*b**3 + 3*a*b**4*x**3) + f*x**3/(3*b**2) + c*log(x)/a**2 - (2*a**3*f - a**2*b*e + b**3*c)*log(a/b + x**3)/(3*a**2*b**3)

$$3.256 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^2} dx$$

Optimal. Leaf size=109

$$\frac{\log(a+bx^3)(a^3f-ab^2d+2b^3c)}{3a^3b^2} - \frac{\log(x)(2bc-ad)}{a^3} - \frac{c}{3a^2x^3} - \frac{a^3(-f)+a^2be-ab^2d+b^3c}{3a^2b^2(a+bx^3)}$$

[Out] $-1/3*c/a^2/x^3+1/3*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/a^2/b^2/(b*x^3+a)-(-a*d+2*b*c)*\ln(x)/a^3+1/3*(a^3*f-a*b^2*d+2*b^3*c)*\ln(b*x^3+a)/a^3/b^2$

Rubi [A] time = 0.14, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^2b^2(a+bx^3)} + \frac{\log(a+bx^3)(a^3f-ab^2d+2b^3c)}{3a^3b^2} - \frac{\log(x)(2bc-ad)}{a^3} - \frac{c}{3a^2x^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^2), x]

[Out] $-c/(3*a^2*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^2*b^2*(a + b*x^3)) - ((2*b*c - a*d)*\text{Log}[x])/a^3 + ((2*b^3*c - a*b^2*d + a^3*f)*\text{Log}[a + b*x^3])/ (3*a^3*b^2)$

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_)*((a_) + (b_.)*(x_)^n_)^p_, x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^4(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^2(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2x^2} + \frac{-2bc + ad}{a^3x} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^2b(a + bx)^2} + \frac{2b^3c - ab^2d + a^3f}{a^3b(a + bx)} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{3a^2x^3} - \frac{b^3c - ab^2d + a^2be - a^3f}{3a^2b^2(a + bx^3)} - \frac{(2bc - ad) \log(x)}{a^3} + \frac{(2b^3c - ab^2d + a^3f) \log(a + bx^3)}{3a^3b^2}$$

Mathematica [A] time = 0.15, size = 97, normalized size = 0.89

$$\frac{\frac{\log(a+bx^3)(a^3f-ab^2d+2b^3c)}{b^2} + \frac{a(a^3f-a^2be+ab^2d-b^3c)}{b^2(a+bx^3)} + 3 \log(x)(ad-2bc) - \frac{ac}{x^3}}{3a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^2), x]

[Out] (-(a*c)/x^3) + (a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(b^2*(a + b*x^3)) + 3*(-2*b*c + a*d)*Log[x] + ((2*b^3*c - a*b^2*d + a^3*f)*Log[a + b*x^3])/b^2)/(3*a^3)

fricas [A] time = 0.61, size = 172, normalized size = 1.58

$$\frac{a^2b^2c + (2ab^3c - a^2b^2d + a^3be - a^4f)x^3 - ((2b^4c - ab^3d + a^3bf)x^6 + (2ab^3c - a^2b^2d + a^4f)x^3) \log(bx^3 + a)}{3(a^3b^3x^6 + a^4b^2x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x, algorithm="fricas")

[Out] -1/3*(a^2*b^2*c + (2*a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^3 - ((2*b^4*c - a*b^3*d + a^3*b*f)*x^6 + (2*a*b^3*c - a^2*b^2*d + a^4*f)*x^3)*log(b*x^3 + a) + 3*((2*b^4*c - a*b^3*d)*x^6 + (2*a*b^3*c - a^2*b^2*d)*x^3)*log(x)/(a^3*b^3*x^6 + a^4*b^2*x^3)

giac [A] time = 0.21, size = 131, normalized size = 1.20

$$\frac{(2bc - ad) \log(|x|)}{a^3} + \frac{(2b^3c - ab^2d + a^3f) \log(|bx^3 + a|)}{3a^3b^2} - \frac{a^2bfx^6 + 4b^3cx^3 - 2ab^2dx^3 - a^3fx^3 + 2a^2bx^3e + 2a^3c}{6(bx^6 + ax^3)a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-(2*b*c - a*d)*\log(\text{abs}(x))/a^3 + 1/3*(2*b^3*c - a*b^2*d + a^3*f)*\log(\text{abs}(b*x^3 + a))/(a^3*b^2) - 1/6*(a^2*b*f*x^6 + 4*b^3*c*x^3 - 2*a*b^2*d*x^3 - a^3*f*x^3 + 2*a^2*b*x^3*e + 2*a*b^2*c)/((b*x^6 + a*x^3)*a^2*b^2)$

maple [A] time = 0.06, size = 132, normalized size = 1.21

$$\frac{af}{3(bx^3+a)b^2} + \frac{d}{3(bx^3+a)a} - \frac{bc}{3(bx^3+a)a^2} + \frac{d \ln(x)}{a^2} - \frac{d \ln(bx^3+a)}{3a^2} - \frac{2bc \ln(x)}{a^3} + \frac{2bc \ln(bx^3+a)}{3a^3} - \frac{e}{3(bx^3+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x)

[Out] $1/3*f*\ln(b*x^3+a)/b^2 - 1/3*d*\ln(b*x^3+a)/a^2 + 2/3*b*c*\ln(b*x^3+a)/a^3 + 1/3*a/b^2/(b*x^3+a)*f - 1/3/b/(b*x^3+a)*e + 1/3/a/(b*x^3+a)*d - 1/3/a^2*b/(b*x^3+a)*c - 1/3/a^2*c/x^3 + d*\ln(x)/a^2 - 2*b*c*\ln(x)/a^3$

maxima [A] time = 1.43, size = 116, normalized size = 1.06

$$\frac{ab^2c + (2b^3c - ab^2d + a^2be - a^3f)x^3}{3(a^2b^3x^6 + a^3b^2x^3)} - \frac{(2bc - ad) \log(x^3)}{3a^3} + \frac{(2b^3c - ab^2d + a^3f) \log(bx^3 + a)}{3a^3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/3*(a*b^2*c + (2*b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(a^2*b^3*x^6 + a^3*b^2*x^3) - 1/3*(2*b*c - a*d)*\log(x^3)/a^3 + 1/3*(2*b^3*c - a*b^2*d + a^3*f)*\log(b*x^3 + a)/(a^3*b^2)$

mupad [B] time = 5.05, size = 109, normalized size = 1.00

$$\frac{\ln(x) (ad - 2bc)}{a^3} - \frac{\frac{c}{3a} + \frac{x^3(-fa^3+ea^2b-dab^2+2cb^3)}{3a^2b^2}}{bx^6+ax^3} + \frac{\ln(bx^3+a) (fa^3-dab^2+2cb^3)}{3a^3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^2),x)

[Out] $(\log(x)*(a*d - 2*b*c))/a^3 - (c/(3*a) + (x^3*(2*b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^2*b^2))/(a*x^3 + b*x^6) + (\log(a + b*x^3)*(2*b^3*c + a^3*f - a*b^2*d))/(3*a^3*b^2)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**4/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.257 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^2} dx$$

Optimal. Leaf size=130

$$\frac{2bc-ad}{3a^3x^3} - \frac{c}{6a^2x^6} - \frac{\log(a+bx^3)(a^2e-2abd+3b^2c)}{3a^4} + \frac{\log(x)(a^2e-2abd+3b^2c)}{a^4} + \frac{a^3(-f)+a^2be-ab^2d+b^3c}{3a^3b(a+bx^3)}$$

[Out] $-1/6*c/a^2/x^6+1/3*(-a*d+2*b*c)/a^3/x^3+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^3/b/(b*x^3+a)+(a^2*e-2*a*b*d+3*b^2*c)*\ln(x)/a^4-1/3*(a^2*e-2*a*b*d+3*b^2*c)*\ln(b*x^3+a)/a^4$

Rubi [A] time = 0.15, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^3b(a+bx^3)} - \frac{\log(a+bx^3)(a^2e-2abd+3b^2c)}{3a^4} + \frac{\log(x)(a^2e-2abd+3b^2c)}{a^4} + \frac{2bc-ad}{3a^3x^3} - \frac{c}{6a^2x^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^2), x]

[Out] $-c/(6*a^2*x^6) + (2*b*c - a*d)/(3*a^3*x^3) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^3*b*(a + b*x^3)) + ((3*b^2*c - 2*a*b*d + a^2*e)*\text{Log}[x])/a^4 - ((3*b^2*c - 2*a*b*d + a^2*e)*\text{Log}[a + b*x^3])/(3*a^4)$

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_)*((a_) + (b_)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^7 (a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^3 (a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2 x^3} + \frac{-2bc + ad}{a^3 x^2} + \frac{3b^2 c - 2abd + a^2 e}{a^4 x} + \frac{-b^3 c + ab^2 d - a^2 be + a^3 f}{a^3 (a + bx)^2} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{6a^2 x^6} + \frac{2bc - ad}{3a^3 x^3} + \frac{b^3 c - ab^2 d + a^2 be - a^3 f}{3a^3 b (a + bx^3)} + \frac{(3b^2 c - 2abd + a^2 e) \log(x)}{a^4} - \frac{(3b^3 c - 2ab^2 d - a^2 be + a^3 f) \log(a + bx^3)}{a^4}$$

Mathematica [A] time = 0.14, size = 118, normalized size = 0.91

$$\frac{2 \log(a + bx^3) (a^2 e - 2abd + 3b^2 c) - 6 \log(x) (a^2 e - 2abd + 3b^2 c) + \frac{a^2 c}{x^6} + \frac{2a(a^3 f - a^2 be + ab^2 d - b^3 c)}{b(a + bx^3)} + \frac{2a(ad - 2bc)}{x^3}}{6a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^2), x]

[Out] -1/6*((a^2*c)/x^6 + (2*a*(-2*b*c + a*d))/x^3 + (2*a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(b*(a + b*x^3)) - 6*(3*b^2*c - 2*a*b*d + a^2*e)*Log[x] + 2*(3*b^2*c - 2*a*b*d + a^2*e)*Log[a + b*x^3])/a^4

fricas [A] time = 0.88, size = 208, normalized size = 1.60

$$\frac{2(3ab^3c - 2a^2b^2d + a^3be - a^4f)x^6 - a^3bc + (3a^2b^2c - 2a^3bd)x^3 - 2((3b^4c - 2ab^3d + a^2b^2e)x^9 + (3ab^3c - 2a^2b^2d + a^3be)x^6) \log(bx^3 + a) + 6((3b^4c - 2ab^3d + a^2b^2e)x^9 + (3a^2b^2c - 2a^3bd)x^3) \log(x)}{6(a^4b^2x^9 + a^5bx^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/6*(2*(3*a*b^3*c - 2*a^2*b^2*d + a^3*b*e - a^4*f)*x^6 - a^3*b*c + (3*a^2*b^2*c - 2*a^3*b*d)*x^3 - 2*((3*b^4*c - 2*a*b^3*d + a^2*b^2*e)*x^9 + (3*a*b^3*c - 2*a^2*b^2*d + a^3*b*e)*x^6)*log(b*x^3 + a) + 6*((3*b^4*c - 2*a*b^3*d + a^2*b^2*e)*x^9 + (3*a*b^3*c - 2*a^2*b^2*d + a^3*b*e)*x^6)*log(x))/(a^4*b^2*x^9 + a^5*b*x^6)

giac [A] time = 0.17, size = 201, normalized size = 1.55

$$\frac{(3b^2c - 2abd + a^2e) \log(|x|)}{a^4} - \frac{(3b^3c - 2ab^2d + a^2be) \log(|bx^3 + a|)}{3a^4b} + \frac{3b^4cx^3 - 2ab^3dx^3 + a^2b^2x^3e + 4ab^3c - 2a^2b^2d - a^3be}{3(bx^3 + a)a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x, algorithm="giac")

[Out] $(3*b^2*c - 2*a*b*d + a^2*e)*\log(\text{abs}(x))/a^4 - 1/3*(3*b^3*c - 2*a*b^2*d + a^2*b*e)*\log(\text{abs}(b*x^3 + a))/(a^4*b) + 1/3*(3*b^4*c*x^3 - 2*a*b^3*d*x^3 + a^2*b^2*x^3*e + 4*a*b^3*c - 3*a^2*b^2*d - a^4*f + 2*a^3*b*e)/((b*x^3 + a)*a^4*b) - 1/6*(9*b^2*c*x^6 - 6*a*b*d*x^6 + 3*a^2*x^6*e - 4*a*b*c*x^3 + 2*a^2*d*x^3 + a^2*c)/(a^4*x^6)$

maple [A] time = 0.07, size = 167, normalized size = 1.28

$$\frac{e}{3(bx^3 + a)a} - \frac{bd}{3(bx^3 + a)a^2} + \frac{e \ln(x)}{a^2} - \frac{e \ln(bx^3 + a)}{3a^2} + \frac{b^2c}{3(bx^3 + a)a^3} - \frac{2bd \ln(x)}{a^3} + \frac{2bd \ln(bx^3 + a)}{3a^3} + \frac{3b^2c \ln(x)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x)

[Out] $-1/3*e*\ln(b*x^3+a)/a^2+2/3/a^3*\ln(b*x^3+a)*b*d-1/a^4*\ln(b*x^3+a)*b^2*c-1/3/b/(b*x^3+a)*f+1/3/a/(b*x^3+a)*e-1/3/a^2*b/(b*x^3+a)*d+1/3/a^3*b^2/(b*x^3+a)*c-1/6*c/a^2/x^6-1/3/a^2/x^3*d+2/3/a^3/x^3*b*c+e*\ln(x)/a^2-2/a^3*\ln(x)*b*d+3/a^4*\ln(x)*b^2*c$

maxima [A] time = 1.35, size = 138, normalized size = 1.06

$$\frac{2(3b^3c - 2abd + a^2be - a^3f)x^6 - a^2bc + (3ab^2c - 2a^2bd)x^3}{6(a^3b^2x^9 + a^4bx^6)} - \frac{(3b^2c - 2abd + a^2e) \log(bx^3 + a)}{3a^4} + \frac{(3b^2c - 2abd) \log(bx^3 + a)}{3a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $1/6*(2*(3*b^3*c - 2*a*b^2*d + a^2*b*e - a^3*f)*x^6 - a^2*b*c + (3*a*b^2*c - 2*a^2*b*d)*x^3)/(a^3*b^2*x^9 + a^4*b*x^6) - 1/3*(3*b^2*c - 2*a*b*d + a^2*e)*\log(b*x^3 + a)/a^4 + 1/3*(3*b^2*c - 2*a*b*d + a^2*e)*\log(x^3)/a^4$

mupad [B] time = 5.01, size = 130, normalized size = 1.00

$$\frac{\ln(x) (e a^2 - 2 d a b + 3 c b^2)}{a^4} - \frac{\ln(b x^3 + a) (e a^2 - 2 d a b + 3 c b^2)}{3 a^4} - \frac{c}{6 a} + \frac{x^3 (2 a d - 3 b c)}{6 a^2} - \frac{x^6 (-f a^3 + e a^2 b - 2 d a b^2 + 3 c b^3)}{3 a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^2),x)

```
[Out] (log(x)*(3*b^2*c + a^2*e - 2*a*b*d))/a^4 - (log(a + b*x^3)*(3*b^2*c + a^2*e
- 2*a*b*d))/(3*a^4) - (c/(6*a) + (x^3*(2*a*d - 3*b*c))/(6*a^2) - (x^6*(3*b
^3*c - a^3*f - 2*a*b^2*d + a^2*b*e))/(3*a^3*b))/(a*x^6 + b*x^9)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**7/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.258 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^2} dx$$

Optimal. Leaf size=175

$$\frac{2bc-ad}{6a^3x^6} - \frac{c}{9a^2x^9} - \frac{a^2e-2abd+3b^2c}{3a^4x^3} + \frac{\log(a+bx^3)(a^3(-f)+2a^2be-3ab^2d+4b^3c)}{3a^5} - \frac{\log(x)(a^3(-f)+2a^2be-3ab^2d+4b^3c)}{a^5}$$

[Out] $-1/9*c/a^2/x^9+1/6*(-a*d+2*b*c)/a^3/x^6+1/3*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^3+1/3*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/a^4/(b*x^3+a)-(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)*\ln(x)/a^5+1/3*(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)*\ln(b*x^3+a)/a^5$

Rubi [A] time = 0.20, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{a^2be+a^3(-f)-ab^2d+b^3c}{3a^4(a+bx^3)} + \frac{\log(a+bx^3)(2a^2be+a^3(-f)-3ab^2d+4b^3c)}{3a^5} - \frac{\log(x)(2a^2be+a^3(-f)-3ab^2d+4b^3c)}{a^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^2), x]

[Out] $-c/(9*a^2*x^9) + (2*b*c - a*d)/(6*a^3*x^6) - (3*b^2*c - 2*a*b*d + a^2*e)/(3*a^4*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(3*a^4*(a + b*x^3)) - ((4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*\text{Log}[x])/a^5 + ((4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^5)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_)*((a_.) + (b_.)*(x_))^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{10}(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^4(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2x^4} + \frac{-2bc + ad}{a^3x^3} + \frac{3b^2c - 2abd + a^2e}{a^4x^2} + \frac{-4b^3c + 3ab^2d - 2a^2be + a^3f}{a^5x} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{9a^2x^9} + \frac{2bc - ad}{6a^3x^6} - \frac{3b^2c - 2abd + a^2e}{3a^4x^3} - \frac{b^3c - ab^2d + a^2be - a^3f}{3a^4(a + bx^3)} - \frac{(4b^3c - 3ab^2d - 2a^2be + a^3f)}{18a^5 \log(a + bx^3)}$$

Mathematica [A] time = 0.14, size = 160, normalized size = 0.91

$$\frac{\frac{2a^3c}{x^9} - \frac{6a(a^2e - 2abd + 3b^2c)}{x^3} - \frac{3a^2(ad - 2bc)}{x^6} + \frac{6a(a^3f - a^2be + ab^2d - b^3c)}{a + bx^3} + 6 \log(a + bx^3)(a^3(-f) + 2a^2be - 3ab^2d + 4b^3c)}{18a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^2), x]

[Out] ((-2*a^3*c)/x^9 - (3*a^2*(-2*b*c + a*d))/x^6 - (6*a*(3*b^2*c - 2*a*b*d + a^2*e))/x^3 + (6*a*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) + 18*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f)*Log[x] + 6*(4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*Log[a + b*x^3])/(18*a^5)

fricas [A] time = 0.62, size = 261, normalized size = 1.49

$$\frac{6(4ab^3c - 3a^2b^2d + 2a^3be - a^4f)x^9 + 3(4a^2b^2c - 3a^3bd + 2a^4e)x^6 + 2a^4c - (4a^3bc - 3a^4d)x^3 - 6((4b^4c - 3ab^3d - 2a^2b^2e - a^3bf)x^{12} + (4a^2b^3c - 3a^2b^2d + 2a^3b^2e - a^4f)x^9) \log(bx^3 + a) + 18((4b^4c - 3ab^3d + 2a^2b^2e - a^3bf)x^{12} + (4a^2b^3c - 3a^2b^2d + 2a^3b^2e - a^4f)x^9) \log(x)}{a^5(bx^3 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^2,x, algorithm="fricas")

[Out] -1/18*(6*(4*a*b^3*c - 3*a^2*b^2*d + 2*a^3*b^2*e - a^4*f)*x^9 + 3*(4*a^2*b^2*c - 3*a^3*b*d + 2*a^4*e)*x^6 + 2*a^4*c - (4*a^3*b*c - 3*a^4*d)*x^3 - 6*((4*b^4*c - 3*a*b^3*d + 2*a^2*b^2*e - a^3*b*f)*x^12 + (4*a*b^3*c - 3*a^2*b^2*d + 2*a^3*b^2*e - a^4*f)*x^9)*log(b*x^3 + a) + 18*((4*b^4*c - 3*a*b^3*d + 2*a^2*b^2*e - a^3*b*f)*x^12 + (4*a*b^3*c - 3*a^2*b^2*d + 2*a^3*b^2*e - a^4*f)*x^9)*log(x))/(a^5*b*x^12 + a^6*x^9)

giac [A] time = 0.20, size = 275, normalized size = 1.57

$$\frac{(4b^3c - 3ab^2d - a^3f + 2a^2be) \log(|x|)}{a^5} + \frac{(4b^4c - 3ab^3d - a^3bf + 2a^2b^2e) \log(|bx^3 + a|)}{3a^5b} - \frac{4b^4cx^3 - 3ab^3dx^3}{18a^5 \log(a + bx^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-(4*b^3*c - 3*a*b^2*d - a^3*f + 2*a^2*b*e)*\log(\text{abs}(x))/a^5 + 1/3*(4*b^4*c - 3*a*b^3*d - a^3*b*f + 2*a^2*b^2*e)*\log(\text{abs}(b*x^3 + a))/(a^5*b) - 1/3*(4*b^4*c*x^3 - 3*a*b^3*d*x^3 - a^3*b*f*x^3 + 2*a^2*b^2*x^3*e + 5*a*b^3*c - 4*a^2*b^2*d - 2*a^4*f + 3*a^3*b*e)/((b*x^3 + a)*a^5) + 1/18*(44*b^3*c*x^9 - 33*a*b^2*d*x^9 - 11*a^3*f*x^9 + 22*a^2*b*x^9*e - 18*a*b^2*c*x^6 + 12*a^2*b*d*x^6 - 6*a^3*x^6*e + 6*a^2*b*c*x^3 - 3*a^3*d*x^3 - 2*a^3*c)/(a^5*x^9)$

maple [A] time = 0.06, size = 229, normalized size = 1.31

$$\frac{f}{3(bx^3+a)a} - \frac{be}{3(bx^3+a)a^2} + \frac{f \ln(x)}{a^2} - \frac{f \ln(bx^3+a)}{3a^2} + \frac{b^2d}{3(bx^3+a)a^3} - \frac{2be \ln(x)}{a^3} + \frac{2be \ln(bx^3+a)}{3a^3} - \frac{b^3c}{3(bx^3+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^2,x)

[Out] $-1/3/a^2*\ln(b*x^3+a)*f+2/3*b/a^3*\ln(b*x^3+a)*e-b^2/a^4*\ln(b*x^3+a)*d+4/3*b^3/a^5*\ln(b*x^3+a)*c+1/3/a/(b*x^3+a)*f-1/3*b/a^2/(b*x^3+a)*e+1/3*b^2/a^3/(b*x^3+a)*d-1/3*b^3/a^4/(b*x^3+a)*c-1/9/a^2*c/x^9-1/6/a^2/x^6*d+1/3/a^3/x^6*b*c-1/3/a^2/x^3*e+2/3/a^3/x^3*b*d-1/a^4/x^3*b^2*c+1/a^2*\ln(x)*f-2/a^3*\ln(x)*e+3/a^4*\ln(x)*b^2*d-4/a^5*\ln(x)*b^3*c$

maxima [A] time = 1.43, size = 181, normalized size = 1.03

$$\frac{6(4b^3c - 3ab^2d + 2a^2be - a^3f)x^9 + 3(4ab^2c - 3a^2bd + 2a^3e)x^6 + 2a^3c - (4a^2bc - 3a^3d)x^3}{18(a^4bx^{12} + a^5x^9)} + \frac{(4b^3c - 3ab^2d)}{3(bx^3+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/18*(6*(4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*x^9 + 3*(4*a*b^2*c - 3*a^2*b*d + 2*a^3*e)*x^6 + 2*a^3*c - (4*a^2*b*c - 3*a^3*d)*x^3)/(a^4*b*x^{12} + a^5*x^9) + 1/3*(4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*\log(b*x^3 + a)/a^5 - 1/3*(4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)*\log(x^3)/a^5$

mupad [B] time = 5.08, size = 175, normalized size = 1.00

$$\frac{\ln(bx^3+a)(-fa^3+2ea^2b-3dab^2+4cb^3)}{3a^5} - \frac{c}{9a} + \frac{x^9(-fa^3+2ea^2b-3dab^2+4cb^3)}{3a^4} + \frac{x^3(3ad-4bc)}{18a^2} + \frac{x^6(2ea^2-3dab+4cb^2)}{6a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^2),x)
```

```
[Out] (log(a + b*x^3)*(4*b^3*c - a^3*f - 3*a*b^2*d + 2*a^2*b*e))/(3*a^5) - (c/(9*
a) + (x^9*(4*b^3*c - a^3*f - 3*a*b^2*d + 2*a^2*b*e))/(3*a^4) + (x^3*(3*a*d
- 4*b*c))/(18*a^2) + (x^6*(4*b^2*c + 2*a^2*e - 3*a*b*d))/(6*a^3))/(a*x^9 +
b*x^12) - (log(x)*(4*b^3*c - a^3*f - 3*a*b^2*d + 2*a^2*b*e))/a^5
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**10/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.259 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^2} dx$$

Optimal. Leaf size=214

$$\frac{2bc-ad}{9a^3x^9} - \frac{c}{12a^2x^{12}} - \frac{a^2e-2abd+3b^2c}{6a^4x^6} - \frac{b \log(a+bx^3)(-2a^3f+3a^2be-4ab^2d+5b^3c)}{3a^6} + \frac{b \log(x)(-2a^3f+3a^2be-4ab^2d+5b^3c)}{a^6}$$

[Out] $-1/12*c/a^2/x^{12}+1/9*(-a*d+2*b*c)/a^3/x^9+1/6*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^6+1/3*(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)/a^5/x^3+1/3*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/(b*x^3+a)+b*(-2*a^3*f+3*a^2*b*e-4*a*b^2*d+5*b^3*c)*\ln(x)/a^6-1/3*b*(-2*a^3*f+3*a^2*b*e-4*a*b^2*d+5*b^3*c)*\ln(b*x^3+a)/a^6$

Rubi [A] time = 0.23, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{b(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5(a+bx^3)} + \frac{2a^2be+a^3(-f)-3ab^2d+4b^3c}{3a^5x^3} - \frac{b \log(a+bx^3)(3a^2be-2a^3f-4ab^2d+5b^3c)}{3a^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^2), x]

[Out] $-c/(12*a^2*x^{12}) + (2*b*c - a*d)/(9*a^3*x^9) - (3*b^2*c - 2*a*b*d + a^2*e)/(6*a^4*x^6) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(3*a^5*x^3) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(3*a^5*(a + b*x^3)) + (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*\text{Log}[x])/a^6 - (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*\text{Log}[a + b*x^3])/a^6$

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] :> Dist[1/n,
Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{13}(a + bx^3)^2} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^5(a + bx)^2} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^2x^5} + \frac{-2bc + ad}{a^3x^4} + \frac{3b^2c - 2abd + a^2e}{a^4x^3} + \frac{-4b^3c + 3ab^2d - 2a^2be + a^3f}{a^5x^2} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{12a^2x^{12}} + \frac{2bc - ad}{9a^3x^9} - \frac{3b^2c - 2abd + a^2e}{6a^4x^6} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{3a^5x^3} + \frac{b(b^3c - 3ab^2d + 2a^2be - a^3f)}{36a^6} \log(a + bx^3)$$

Mathematica [A] time = 0.26, size = 198, normalized size = 0.93

$$\frac{\frac{3a^4c}{x^{12}} + \frac{4a^3(ad-2bc)}{x^9} + \frac{6a^2(a^2e-2abd+3b^2c)}{x^6} + \frac{12ab(a^3f-a^2be+ab^2d-b^3c)}{a+bx^3} + \frac{12a(a^3f-2a^2be+3ab^2d-4b^3c)}{x^3} + 12b \log(a + bx^3)(-2a^3f + 3ab^2d - 2a^2be + a^3c)}{36a^6}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^2), x]

[Out] -1/36*((3*a^4*c)/x^12 + (4*a^3*(-2*b*c + a*d))/x^9 + (6*a^2*(3*b^2*c - 2*a*b*d + a^2*e))/x^6 + (12*a*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f))/x^3 + (12*a*b*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3) - 36*b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*Log[x] + 12*b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f)*Log[a + b*x^3])/a^6

fricas [A] time = 0.81, size = 310, normalized size = 1.45

$$12(5ab^4c - 4a^2b^3d + 3a^3b^2e - 2a^4bf)x^{12} + 6(5a^2b^3c - 4a^3b^2d + 3a^4be - 2a^5f)x^9 - 2(5a^3b^2c - 4a^4bd + 3a^5e)x^6 - 3a^5c + (5a^4b^2c - 4a^5d)x^3 - 12((5b^5c - 4ab^4d + 3a^2b^3e - 2a^3b^2f)x^{15} + (5a^4b^2c - 4a^5d)x^3 - 12((5b^5c - 4ab^4d + 3a^2b^3e - 2a^3b^2f)x^{12})\log(bx^3 + a) + 36((5b^5c - 4ab^4d + 3a^2b^3e - 2a^3b^2f)x^{15} + (5a^4b^2c - 4a^5d)x^3 - 12((5b^5c - 4ab^4d + 3a^2b^3e - 2a^3b^2f)x^{12})\log(x)))/(a^6bx^{15} + a^7x^{12})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/36*(12*(5*a*b^4*c - 4*a^2*b^3*d + 3*a^3*b^2*e - 2*a^4*b*f)*x^12 + 6*(5*a^2*b^3*c - 4*a^3*b^2*d + 3*a^4*b*e - 2*a^5*f)*x^9 - 2*(5*a^3*b^2*c - 4*a^4*b*d + 3*a^5*e)*x^6 - 3*a^5*c + (5*a^4*b^2*c - 4*a^5*d)*x^3 - 12*((5*b^5*c - 4*a*b^4*d + 3*a^2*b^3*e - 2*a^3*b^2*f)*x^15 + (5*a^4*b^2*c - 4*a^5*d)*x^3 - 12*((5*b^5*c - 4*a*b^4*d + 3*a^2*b^3*e - 2*a^3*b^2*f)*x^12)*log(b*x^3 + a) + 36*((5*b^5*c - 4*a*b^4*d + 3*a^2*b^3*e - 2*a^3*b^2*f)*x^15 + (5*a^4*b^2*c - 4*a^5*d)*x^3 - 12*((5*b^5*c - 4*a*b^4*d + 3*a^2*b^3*e - 2*a^3*b^2*f)*x^12)*log(x))/(a^6*b*x^15 + a^7*x^12)

giac [A] time = 0.17, size = 331, normalized size = 1.55

$$\frac{(5b^4c - 4ab^3d - 2a^3bf + 3a^2b^2e) \log(|x|)}{a^6} - \frac{(5b^5c - 4ab^4d - 2a^3b^2f + 3a^2b^3e) \log(|bx^3 + a|)}{3a^6b} + \frac{5b^5cx^3 - 4ab^4c}{3a^6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x, algorithm="giac")

[Out] (5*b^4*c - 4*a*b^3*d - 2*a^3*b*f + 3*a^2*b^2*e)*log(abs(x))/a^6 - 1/3*(5*b^5*c - 4*a*b^4*d - 2*a^3*b^2*f + 3*a^2*b^3*e)*log(abs(b*x^3 + a))/(a^6*b) + 1/3*(5*b^5*c*x^3 - 4*a*b^4*d*x^3 - 2*a^3*b^2*f*x^3 + 3*a^2*b^3*x^3*e + 6*a*b^4*c - 5*a^2*b^3*d - 3*a^4*b*f + 4*a^3*b^2*e)/((b*x^3 + a)*a^6) - 1/36*(12*5*b^4*c*x^12 - 100*a*b^3*d*x^12 - 50*a^3*b*f*x^12 + 75*a^2*b^2*x^12*e - 48*a*b^3*c*x^9 + 36*a^2*b^2*d*x^9 + 12*a^4*f*x^9 - 24*a^3*b*x^9*e + 18*a^2*b^2*c*x^6 - 12*a^3*b*d*x^6 + 6*a^4*x^6*e - 8*a^3*b*c*x^3 + 4*a^4*d*x^3 + 3*a^4*c)/(a^6*x^12)

maple [A] time = 0.07, size = 282, normalized size = 1.32

$$-\frac{bf}{3(bx^3+a)a^2} + \frac{b^2e}{3(bx^3+a)a^3} - \frac{2bf \ln(x)}{a^3} + \frac{2bf \ln(bx^3+a)}{3a^3} - \frac{b^3d}{3(bx^3+a)a^4} + \frac{3b^2e \ln(x)}{a^4} - \frac{b^2e \ln(bx^3+a)}{a^4} + \frac{5b^5cx^3 - 4ab^4c}{3a^6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x)

[Out] 2/3/a^3*b*ln(b*x^3+a)*f-1/a^4*b^2*ln(b*x^3+a)*e+4/3/a^5*b^3*ln(b*x^3+a)*d-5/3/a^6*b^4*ln(b*x^3+a)*c-1/3/a^2*b/(b*x^3+a)*f+1/3/a^3*b^2/(b*x^3+a)*e-1/3/a^4*b^3/(b*x^3+a)*d+1/3/a^5*b^4/(b*x^3+a)*c-1/12*c/a^2/x^12-1/9/a^2/x^9*d+2/9/a^3/x^9*b*c-1/6/a^2/x^6*e+1/3/a^3/x^6*b*d-1/2/a^4/x^6*b^2*c-1/3/a^2/x^3*f+2/3/a^3/x^3*b*e-1/a^4/x^3*b^2*d+4/3/a^5/x^3*b^3*c-2*b/a^3*ln(x)*f+3*b^2/a^4*ln(x)*e-4*b^3/a^5*ln(x)*d+5*b^4/a^6*ln(x)*c

maxima [A] time = 1.44, size = 226, normalized size = 1.06

$$\frac{12(5b^4c - 4ab^3d + 3a^2b^2e - 2a^3bf)x^{12} + 6(5ab^3c - 4a^2b^2d + 3a^3be - 2a^4f)x^9 - 2(5a^2b^2c - 4a^3bd + 3a^4e)x^6}{36(a^5bx^{15} + a^6x^{12})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/36*(12*(5*b^4*c - 4*a*b^3*d + 3*a^2*b^2*e - 2*a^3*b*f)*x^12 + 6*(5*a*b^3*c - 4*a^2*b^2*d + 3*a^3*b*e - 2*a^4*f)*x^9 - 2*(5*a^2*b^2*c - 4*a^3*b*d + 3*a^4*e)*x^6)/(a^6*x^12)

$*a^4*e)*x^6 - 3*a^4*c + (5*a^3*b*c - 4*a^4*d)*x^3)/(a^5*b*x^15 + a^6*x^12)$
 $- 1/3*(5*b^4*c - 4*a*b^3*d + 3*a^2*b^2*e - 2*a^3*b*f)*\log(b*x^3 + a)/a^6 +$
 $1/3*(5*b^4*c - 4*a*b^3*d + 3*a^2*b^2*e - 2*a^3*b*f)*\log(x^3)/a^6$

mupad [B] time = 5.09, size = 216, normalized size = 1.01

$$\frac{\ln(x) \left(-2 f a^3 b + 3 e a^2 b^2 - 4 d a b^3 + 5 c b^4 \right)}{a^6} - \frac{\ln(b x^3 + a) \left(-2 f a^3 b + 3 e a^2 b^2 - 4 d a b^3 + 5 c b^4 \right)}{3 a^6} - \frac{c}{12 a} - \frac{x^9}{a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^2),x)

[Out] (log(x)*(5*b^4*c + 3*a^2*b^2*e - 4*a*b^3*d - 2*a^3*b*f))/a^6 - (log(a + b*x^3)*(5*b^4*c + 3*a^2*b^2*e - 4*a*b^3*d - 2*a^3*b*f))/(3*a^6) - (c/(12*a) - (x^9*(5*b^3*c - 2*a^3*f - 4*a*b^2*d + 3*a^2*b*e))/(6*a^4) + (x^3*(4*a*d - 5*b*c))/(36*a^2) + (x^6*(5*b^2*c + 3*a^2*e - 4*a*b*d))/(18*a^3) - (b*x^12*(5*b^3*c - 2*a^3*f - 4*a*b^2*d + 3*a^2*b*e))/(3*a^5))/(a*x^12 + b*x^15)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**13/(b*x**3+a)**2,x)

[Out] Timed out

$$3.260 \quad \int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=369

$$\frac{x^7(3a^2f - 2abe + b^2d)}{7b^4} - \frac{a^2x(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{ax(-5a^3f + 4a^2be - 3ab^2d + 2b^3c)}{b^6} + \frac{x^4(-4a^3f + 3a^2be - 2ab^2d + b^3c)}{18b^{19/3}}$$

[Out] $-a*(-5*a^3*f+4*a^2*b*e-3*a*b^2*d+2*b^3*c)*x/b^6+1/4*(-4*a^3*f+3*a^2*b*e-2*a*b^2*d+b^3*c)*x^4/b^5+1/7*(3*a^2*f-2*a*b*e+b^2*d)*x^7/b^4+1/10*(-2*a*f+b*e)*x^{10}/b^3+1/13*f*x^{13}/b^2-1/3*a^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^6/(b*x^3+a)+1/9*a^{4/3}*(-16*a^3*f+13*a^2*b*e-10*a*b^2*d+7*b^3*c)*\ln(a^{1/3}+b^{1/3}*x)/b^{19/3}-1/18*a^{4/3}*(-16*a^3*f+13*a^2*b*e-10*a*b^2*d+7*b^3*c)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/b^{19/3}-1/9*a^{4/3}*(-16*a^3*f+13*a^2*b*e-10*a*b^2*d+7*b^3*c)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/b^{19/3}*3^{1/2}$

Rubi [A] time = 0.47, antiderivative size = 369, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1828, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{x^4(3a^2be - 4a^3f - 2ab^2d + b^3c)}{4b^5} - \frac{a^2x(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^6(a + bx^3)} - \frac{a^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{18b^{19/3}} (13a^2be - 2ab^2d + b^3c)$$

Antiderivative was successfully verified.

[In] Int[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $-((a*(2*b^3*c - 3*a*b^2*d + 4*a^2*b*e - 5*a^3*f)*x)/b^6) + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^4)/(4*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^7)/(7*b^4) + ((b*e - 2*a*f)*x^{10})/(10*b^3) + (f*x^{13})/(13*b^2) - (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*b^6*(a + b*x^3)) - (a^{4/3}*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*\text{ArcTan}[a^{1/3} - 2*b^{1/3}*x]/(\text{Sqrt}[3]*a^{1/3}))/ (3*\text{Sqrt}[3]*b^{19/3}) + (a^{4/3}*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/(9*b^{19/3}) - (a^{4/3}*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(18*b^{19/3})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

```
Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(
Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R
t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F
reeQ[{a, b}, x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{x^9 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{3b^6 (a + bx^3)} - \int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 3a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^2} dx \\
 &= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{3b^6 (a + bx^3)} - \frac{\int (3a^2 (2b^3c - 3ab^2d + 4a^2be - 5a^3f) - 3ab^3c + 3a^2b^2d - 4a^2be + 4a^3f)x}{(a + bx^3)^2} dx \\
 &= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f) x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} + \frac{(b^2d - ab^2e + a^3f) x^7}{7b^4} \\
 &= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f) x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} + \frac{(b^2d - ab^2e + a^3f) x^7}{7b^4} \\
 &= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f) x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} + \frac{(b^2d - ab^2e + a^3f) x^7}{7b^4} \\
 &= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f) x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} + \frac{(b^2d - ab^2e + a^3f) x^7}{7b^4} \\
 &= -\frac{a (2b^3c - 3ab^2d + 4a^2be - 5a^3f) x}{b^6} + \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f) x^4}{4b^5} + \frac{(b^2d - ab^2e + a^3f) x^7}{7b^4}
 \end{aligned}$$

Mathematica [A] time = 0.44, size = 364, normalized size = 0.99

$$\frac{x^7 (3a^2f - 2abe + b^2d)}{7b^4} + \frac{a^2x (a^3f - a^2be + ab^2d - b^3c)}{3b^6 (a + bx^3)} + \frac{ax (5a^3f - 4a^2be + 3ab^2d - 2b^3c)}{b^6} + \frac{x^4 (-4a^3f + 3a^2be - 2ab^2d + b^3c)}{4b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

```
[Out] (a*(-2*b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f)*x)/b^6 + ((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^4)/(4*b^5) + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^7)/(7*b^4) + ((b*e - 2*a*f)*x^10)/(10*b^3) + (f*x^13)/(13*b^2) + (a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(3*b^6*(a + b*x^3)) + (a^(4/3)*(-7*b^3*c + 10*a*b^2*d - 13*a^2*b*e + 16*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(3*Sqrt[3]*b^(19/3)) - (a^(4/3)*(-7*b^3*c + 10*a*b^2*d - 13*a^2*b*e + 16*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*b^(19/3)) + (a^(4/3)*(-7*b^3*c + 10*a*b^2*d - 13*a^2*b*e + 16*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*b^(19/3))
```

fricas [A] time = 0.59, size = 488, normalized size = 1.32

$$1260 b^5 f x^{16} + 126 (13 b^5 e - 16 a b^4 f) x^{13} + 234 (10 b^5 d - 13 a b^4 e + 16 a^2 b^3 f) x^{10} + 585 (7 b^5 c - 10 a b^4 d + 13 a^2 b^3 e - 16 a^3 b^2 f) x^7 - 4095 (7 a b^4 c - 10 a^2 b^3 d + 13 a^3 b^2 e - 16 a^4 b f) x^4 - 1820 \sqrt{3} (7 a^2 b^3 c - 10 a^3 b^2 d + 13 a^4 b e - 16 a^5 f + (7 a b^4 c - 10 a^2 b^3 d + 13 a^3 b^2 e - 16 a^4 b f) x^3) (-a/b)^{1/3} \arctan(1/3 (2 \sqrt{3} b x (-a/b)^{2/3} - \sqrt{3} a) / a) + 910 (7 a^2 b^3 c - 10 a^3 b^2 d + 13 a^4 b e - 16 a^5 f + (7 a b^4 c - 10 a^2 b^3 d + 13 a^3 b^2 e - 16 a^4 b f) x^3) (-a/b)^{1/3} \log(x^2 + x (-a/b)^{1/3} + (-a/b)^{2/3}) - 1820 (7 a^2 b^3 c - 10 a^3 b^2 d + 13 a^4 b e - 16 a^5 f + (7 a b^4 c - 10 a^2 b^3 d + 13 a^3 b^2 e - 16 a^4 b f) x^3) (-a/b)^{1/3} \log(x - (-a/b)^{1/3}) - 5460 (7 a^2 b^3 c - 10 a^3 b^2 d + 13 a^4 b e - 16 a^5 f) x / (b^7 x^3 + a b^6)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] 1/16380*(1260*b^5*f*x^16 + 126*(13*b^5*e - 16*a*b^4*f)*x^13 + 234*(10*b^5*d - 13*a*b^4*e + 16*a^2*b^3*f)*x^10 + 585*(7*b^5*c - 10*a*b^4*d + 13*a^2*b^3*e - 16*a^3*b^2*f)*x^7 - 4095*(7*a*b^4*c - 10*a^2*b^3*d + 13*a^3*b^2*e - 16*a^4*b*f)*x^4 - 1820*sqrt(3)*(7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b*e - 16*a^5*f + (7*a*b^4*c - 10*a^2*b^3*d + 13*a^3*b^2*e - 16*a^4*b*f)*x^3)*(-a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) + 910*(7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b*e - 16*a^5*f + (7*a*b^4*c - 10*a^2*b^3*d + 13*a^3*b^2*e - 16*a^4*b*f)*x^3)*(-a/b)^(1/3)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3)) - 1820*(7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b*e - 16*a^5*f + (7*a*b^4*c - 10*a^2*b^3*d + 13*a^3*b^2*e - 16*a^4*b*f)*x^3)*(-a/b)^(1/3)*log(x - (-a/b)^(1/3)) - 5460*(7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b*e - 16*a^5*f)*x/(b^7*x^3 + a*b^6)
```

giac [A] time = 0.20, size = 451, normalized size = 1.22

$$\sqrt{3} \left(7 (-ab^2)^{\frac{1}{3}} ab^3c - 10 (-ab^2)^{\frac{1}{3}} a^2b^2d - 16 (-ab^2)^{\frac{1}{3}} a^4f + 13 (-ab^2)^{\frac{1}{3}} a^3be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) (7 a^2 b^3 c)$$

$9b^7$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] 1/9*sqrt(3)*(7*(-a*b^2)^(1/3)*a*b^3*c - 10*(-a*b^2)^(1/3)*a^2*b^2*d - 16*(-
a*b^2)^(1/3)*a^4*f + 13*(-a*b^2)^(1/3)*a^3*b*e)*arctan(1/3*sqrt(3)*(2*x + (
-a/b)^(1/3))/(-a/b)^(1/3))/b^7 - 1/9*(7*a^2*b^3*c - 10*a^3*b^2*d - 16*a^5*f
+ 13*a^4*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^6) + 1/18*(7*(-
a*b^2)^(1/3)*a*b^3*c - 10*(-a*b^2)^(1/3)*a^2*b^2*d - 16*(-a*b^2)^(1/3)*a^4*
f + 13*(-a*b^2)^(1/3)*a^3*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^7
- 1/3*(a^2*b^3*c*x - a^3*b^2*d*x - a^5*f*x + a^4*b*x*e)/((b*x^3 + a)*b^6)
+ 1/1820*(140*b^24*f*x^13 - 364*a*b^23*f*x^10 + 182*b^24*x^10*e + 260*b^24*
d*x^7 + 780*a^2*b^22*f*x^7 - 520*a*b^23*x^7*e + 455*b^24*c*x^4 - 910*a*b^23
*d*x^4 - 1820*a^3*b^21*f*x^4 + 1365*a^2*b^22*x^4*e - 3640*a*b^23*c*x + 5460
*a^2*b^22*d*x + 9100*a^4*b^20*f*x - 7280*a^3*b^21*x*e)/b^26
```

maple [A] time = 0.05, size = 622, normalized size = 1.69

$$\frac{f x^{13}}{13b^2} - \frac{af x^{10}}{5b^3} + \frac{ex^{10}}{10b^2} + \frac{3a^2 f x^7}{7b^4} - \frac{2ae x^7}{7b^3} + \frac{dx^7}{7b^2} - \frac{a^3 f x^4}{b^5} + \frac{3a^2 e x^4}{4b^4} - \frac{adx^4}{2b^3} + \frac{cx^4}{4b^2} + \frac{a^5 f x}{3(bx^3 + a)b^6} - \frac{a^4 ex}{3(bx^3 + a)b^5} + \frac{a^4 ex}{3(bx^3 + a)b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)
```

```
[Out] -10/9*a^3/b^5*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))
+7/9*a^2/b^4*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-
16/9*a^5/b^7*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+
13/9*a^4/b^6*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+
3/7/b^4*x^7*a^2*f-1/5/b^3*x^10*a*f-1/2/b^3*x^4*a*d+3/4/b^4*x^4*a^2*e-2/7/b^
3*x^7*a*e-1/b^5*x^4*a^3*f+5*a^4/b^6*f*x-4*a^3/b^5*e*x+3*a^2/b^4*d*x-2*a/b^3
*c*x-16/9*a^5/b^7*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+8/9*a^5/b^7*f/(a/b)^(2/3)
*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+13/9*a^4/b^6*e/(a/b)^(2/3)*ln(x+(a/b)^(1
/3))-13/18*a^4/b^6*e/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-10/9*a^3
/b^5*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-7/18*a^2/b^4*c/(a/b)^(2/3)*ln(x^2-(a/b
)^(1/3)*x+(a/b)^(2/3))+1/10/b^2*x^10*e+1/7/b^2*x^7*d+1/4/b^2*x^4*c+7/9*a^2/
b^4*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+1/3*a^3/b^4*x/(b*x^3+a)*d-1/3*a^2/b^3*x
/(b*x^3+a)*c+1/3*a^5/b^6*x/(b*x^3+a)*f-1/3*a^4/b^5*x/(b*x^3+a)*e+5/9*a^3/b^
5*d/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/13*f*x^13/b^2
```

maxima [A] time = 2.98, size = 369, normalized size = 1.00

$$\frac{(a^2b^3c - a^3b^2d + a^4be - a^5f)x}{3(b^7x^3 + ab^6)} + \frac{140b^4fx^{13} + 182(b^4e - 2ab^3f)x^{10} + 260(b^4d - 2ab^3e + 3a^2b^2f)x^7 + 455(b^4c - 2ab^3d + 3a^2b^2e - 4a^3b^2f)x^4 - 1820(2a^2b^3c - 3a^2b^2d + 4a^3b^2e - 5a^4b^2f)x}{1820} + \frac{1}{9} \sqrt{3} \left(\frac{7a^2b^3c - 10a^3b^2d + 13a^4b^2e - 16a^5b^2f}{b^6} \arctan\left(\frac{1}{3}\sqrt{3}\frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right) - \frac{1}{18}(7a^2b^3c - 10a^3b^2d + 13a^4b^2e - 16a^5b^2f) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) \right) / (b^7(a/b)^{2/3}) + \frac{1}{9}(7a^2b^3c - 10a^3b^2d + 13a^4b^2e - 16a^5b^2f) \log(x + (a/b)^{1/3}) / (b^7(a/b)^{2/3})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] -1/3*(a^2*b^3*c - a^3*b^2*d + a^4*b*e - a^5*f)*x/(b^7*x^3 + a*b^6) + 1/1820*(140*b^4*f*x^13 + 182*(b^4*e - 2*a*b^3*f)*x^10 + 260*(b^4*d - 2*a*b^3*e + 3*a^2*b^2*f)*x^7 + 455*(b^4*c - 2*a*b^3*d + 3*a^2*b^2*e - 4*a^3*b^2*f)*x^4 - 1820*(2*a*b^3*c - 3*a^2*b^2*d + 4*a^3*b^2*e - 5*a^4*b^2*f)*x)/b^6 + 1/9*sqrt(3)*(7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b^2*e - 16*a^5*b^2*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^7*(a/b)^(2/3)) - 1/18*(7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b^2*e - 16*a^5*b^2*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^7*(a/b)^(2/3)) + 1/9*(7*a^2*b^3*c - 10*a^3*b^2*d + 13*a^4*b^2*e - 16*a^5*b^2*f)*log(x + (a/b)^(1/3))/(b^7*(a/b)^(2/3))

mupad [B] time = 0.35, size = 481, normalized size = 1.30

$$x^{10} \left(\frac{e}{10b^2} - \frac{af}{5b^3} \right) - x \left(\frac{2a \left(\frac{c}{b^2} - \frac{a^2 \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b^2} + \frac{2a \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{b} \right)}{b} - \frac{a^2 \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{b^2} \right) - x^7 \left(\frac{a^2f}{7b^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] x^10*(e/(10*b^2) - (a*f)/(5*b^3)) - x*((2*a*(c/b^2 - (a^2*(e/b^2 - (2*a*f)/b^3))/b^2 + (2*a*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/b) / b - (a^2*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/b^2) - x^7*((a^2*f)/(7*b^4) - d/(7*b^2) + (2*a*(e/b^2 - (2*a*f)/b^3))/(7*b)) + x^4*(c/(4*b^2) - (a^2*(e/b^2 - (2*a*f)/b^3))/(4*b^2) + (a*((a^2*f)/b^4 - d/b^2 +

$$\begin{aligned} & \left(\frac{2*a*(e/b^2 - (2*a*f)/b^3)}{b} \right) / (2*b) + (f*x^{13}) / (13*b^2) + (x*((a^5*f)/3 \\ & - (a^2*b^3*c)/3 + (a^3*b^2*d)/3 - (a^4*b*e)/3)) / (a*b^6 + b^7*x^3) + (a^{(4/3)} \\ &) * \log(b^{(1/3)}*x + a^{(1/3)}) * (7*b^3*c - 16*a^3*f - 10*a*b^2*d + 13*a^2*b*e)) / \\ & (9*b^{(19/3)}) + (a^{(4/3)} * \log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)}) * ((3 \\ & ^{(1/2)}*1i)/2 - 1/2) * (7*b^3*c - 16*a^3*f - 10*a*b^2*d + 13*a^2*b*e)) / (9*b^{(1 \\ & 9/3)}) - (a^{(4/3)} * \log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)}) * ((3^{(1/2)}* \\ & 1i)/2 + 1/2) * (7*b^3*c - 16*a^3*f - 10*a*b^2*d + 13*a^2*b*e)) / (9*b^{(19/3)}) \end{aligned}$$

sympy [A] time = 15.90, size = 500, normalized size = 1.36

$$x^{10} \left(-\frac{af}{5b^3} + \frac{e}{10b^2} \right) + x^7 \left(\frac{3a^2f}{7b^4} - \frac{2ae}{7b^3} + \frac{d}{7b^2} \right) + x^4 \left(-\frac{a^3f}{b^5} + \frac{3a^2e}{4b^4} - \frac{ad}{2b^3} + \frac{c}{4b^2} \right) + x \left(\frac{5a^4f}{b^6} - \frac{4a^3e}{b^5} + \frac{3a^2d}{b^4} - \frac{2ac}{b^3} \right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**9*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] x**10*(-a*f/(5*b**3) + e/(10*b**2)) + x**7*(3*a**2*f/(7*b**4) - 2*a*e/(7*b**3) + d/(7*b**2)) + x**4*(-a**3*f/b**5 + 3*a**2*e/(4*b**4) - a*d/(2*b**3) + c/(4*b**2)) + x*(5*a**4*f/b**6 - 4*a**3*e/b**5 + 3*a**2*d/b**4 - 2*a*c/b**3) + x*(a**5*f - a**4*b*e + a**3*b**2*d - a**2*b**3*c)/(3*a*b**6 + 3*b**7*x**3) + RootSum(729*_t**3*b**19 + 4096*a**13*f**3 - 9984*a**12*b*e*f**2 + 7680*a**11*b**2*d*f**2 + 8112*a**11*b**2*e**2*f - 5376*a**10*b**3*c*f**2 - 12480*a**10*b**3*d*e*f - 2197*a**10*b**3*e**3 + 8736*a**9*b**4*c*e*f + 4800*a**9*b**4*d**2*f + 5070*a**9*b**4*d*e**2 - 6720*a**8*b**5*c*d*f - 3549*a**8*b**5*c*e**2 - 3900*a**8*b**5*d**2*e + 2352*a**7*b**6*c**2*f + 5460*a**7*b**6*c*d*e + 1000*a**7*b**6*d**3 - 1911*a**6*b**7*c**2*e - 2100*a**6*b**7*c*d**2 + 1470*a**5*b**8*c**2*d - 343*a**4*b**9*c**3, Lambda(_t, _t*log(-9*_t*b**6/(16*a**4*f - 13*a**3*b*e + 10*a**2*b**2*d - 7*a*b**3*c) + x))) + f*x**13/(13*b**2)

$$3.261 \quad \int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=335

$$\frac{x^5(3a^2f - 2abe + b^2d)}{5b^4} + \frac{x^2(-4a^3f + 3a^2be - 2ab^2d + b^3c)}{2b^5} + \frac{ax^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^5(a + bx^3)} - \frac{a^{2/3} \log(a^{2/3} -$$

[Out] $\frac{1}{2}(-4a^3f + 3a^2be - 2ab^2d + b^3c)x^2/b^5 + \frac{1}{5}(3a^2f - 2ab^2d + b^3c)x^5/b^4 + \frac{1}{8}(-2a^3f + b^3e)x^8/b^3 + \frac{1}{11}fx^{11}/b^2 + \frac{1}{3}a(-a^3f + a^2be - ab^2d + b^3c)x^2/b^5 / (bx^3 + a) + \frac{1}{9}a^{2/3}(-14a^3f + 11a^2be - 8ab^2d + 5b^3c) \ln(a^{1/3} + b^{1/3}x)/b^{17/3} - \frac{1}{18}a^{2/3}(-14a^3f + 11a^2be - 8ab^2d + 5b^3c) \ln(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2)/b^{17/3} + \frac{1}{9}a^{2/3}(-14a^3f + 11a^2be - 8ab^2d + 5b^3c) \arctan(1/3(a^{1/3} - 2b^{1/3}x)/a^{1/3} + 3^{1/2}b^{1/3}x)/b^{17/3} + 3^{1/2}$

Rubi [A] time = 0.71, antiderivative size = 335, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(3a^2be - 4a^3f - 2ab^2d + b^3c)}{2b^5} + \frac{ax^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5(a + bx^3)} - \frac{a^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{18b^{17/3}} (11a^2be$$

Antiderivative was successfully verified.

[In] Int[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $((b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2)/(2b^5) + ((b^2d - 2abe + 3a^2f)x^5)/(5b^4) + ((b^3e - 2a^3f)x^8)/(8b^3) + (fx^{11})/(11b^2) + (a(b^3c - ab^2d + a^2be - a^3f)x^2)/(3b^5(a + bx^3)) + (a^{2/3})(5b^3c - 8ab^2d + 11a^2be - 14a^3f) \text{ArcTan}[(a^{1/3} - 2b^{1/3}x)/(\sqrt{3}a^{1/3})]/(3\sqrt{3}b^{17/3}) + (a^{2/3})(5b^3c - 8ab^2d + 11a^2be - 14a^3f) \text{Log}[a^{1/3} + b^{1/3}x]/(9b^{17/3}) - (a^{2/3})(5b^3c - 8ab^2d + 11a^2be - 14a^3f) \text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]/(18b^{17/3})$

Rule 31

Int[((a_) + (b_)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_.)*(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(-p_.)*((d_) + (e_.)*(x_)^(n_.))^(-q_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1828

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],


```
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[x*PolynomialQuot
ient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x]
&& EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_)*(u_)] /; IntegerQ[m]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^5(a + bx^3)} - \int \frac{2a^2b(b^3c - ab^2d + a^2be - a^3f)x - 3ab^2(b^3c - ab^2d + a^2be - a^3f)x}{a + bx^3} dx \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^5(a + bx^3)} - \int \frac{x(2a^2b(b^3c - ab^2d + a^2be - a^3f) - 3ab^2(b^3c - ab^2d + a^2be - a^3f))}{a + bx^3} dx \\
&= \frac{fx^{11}}{11b^2} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^5(a + bx^3)} - \int \frac{x(22a^2b^2(b^3c - ab^2d + a^2be - a^3f) - 33ab^3(b^3c - ab^2d + a^2be - a^3f))}{a + bx^3} dx \\
&= \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^5(a + bx^3)} - \int \frac{x(176a^2b^3(b^3c - ab^2d + a^2be - a^3f) - 132ab^4(b^3c - ab^2d + a^2be - a^3f))}{a + bx^3} dx \\
&= \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^5(a + bx^3)} - \int \left(-264ab^3(b^3c - 2ab^2d + 3a^2be - 4a^3f) \right) dx \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f)x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f)x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f)x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f)x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2} \\
&= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2}{2b^5} + \frac{(b^2d - 2abe + 3a^2f)x^5}{5b^4} + \frac{(be - 2af)x^8}{8b^3} + \frac{fx^{11}}{11b^2}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 319, normalized size = 0.95

$$792b^{5/3}x^5(3a^2f - 2abe + b^2d) + 1980b^{2/3}x^2(-4a^3f + 3a^2be - 2ab^2d + b^3c) + \frac{1320ab^{2/3}x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{a + bx^3} - 440$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (1980*b^(2/3)*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^2 + 792*b^(5/3)*(b^2*d - 2*a*b*e + 3*a^2*f)*x^5 + 495*b^(8/3)*(b*e - 2*a*f)*x^8 + 360*b^(11/3)*f*x^11 + (1320*a*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a + b*x^3) - 440*sqrt(3)*a^(2/3)*(-5*b^3*c + 8*a*b^2*d - 11*a^2*b*e + 14*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] - 440*a^(2/3)*(-5*b^3*c + 8*a*b^2*d - 11*a^2*b*e + 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x] + 220*a^(2/3)*(-5*b^3*c + 8*a*b^2*d - 11*a^2*b*e + 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(3960*b^(17/3))

fricas [A] time = 0.56, size = 455, normalized size = 1.36

$$360 b^4 f x^{14} + 45 (11 b^4 e - 14 a b^3 f) x^{11} + 99 (8 b^4 d - 11 a b^3 e + 14 a^2 b^2 f) x^8 + 396 (5 b^4 c - 8 a b^3 d + 11 a^2 b^2 e - 14$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/3960*(360*b^4*f*x^14 + 45*(11*b^4*e - 14*a*b^3*f)*x^11 + 99*(8*b^4*d - 11*a*b^3*e + 14*a^2*b^2*f)*x^8 + 396*(5*b^4*c - 8*a*b^3*d + 11*a^2*b^2*e - 14*a^3*b*f)*x^5 + 660*(5*a*b^3*c - 8*a^2*b^2*d + 11*a^3*b*e - 14*a^4*f)*x^2 - 440*sqrt(3)*(5*a*b^3*c - 8*a^2*b^2*d + 11*a^3*b*e - 14*a^4*f + (5*b^4*c - 8*a*b^3*d + 11*a^2*b^2*e - 14*a^3*b*f)*x^3)*(-a^2/b^2)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a^2/b^2)^(1/3) + sqrt(3)*a)/a) + 220*(5*a*b^3*c - 8*a^2*b^2*d + 11*a^3*b*e - 14*a^4*f + (5*b^4*c - 8*a*b^3*d + 11*a^2*b^2*e - 14*a^3*b*f)*x^3)*(-a^2/b^2)^(1/3)*log(a*x^2 - b*x*(-a^2/b^2)^(2/3) - a*(-a^2/b^2)^(1/3)) - 440*(5*a*b^3*c - 8*a^2*b^2*d + 11*a^3*b*e - 14*a^4*f + (5*b^4*c - 8*a*b^3*d + 11*a^2*b^2*e - 14*a^3*b*f)*x^3)*(-a^2/b^2)^(1/3)*log(a*x + b*(-a^2/b^2)^(2/3))/(b^6*x^3 + a*b^5)

giac [A] time = 0.20, size = 442, normalized size = 1.32

$$\frac{\left(5 a b^3 c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - 8 a^2 b^2 d \left(-\frac{a}{b}\right)^{\frac{1}{3}} - 14 a^4 f \left(-\frac{a}{b}\right)^{\frac{1}{3}} + 11 a^3 b \left(-\frac{a}{b}\right)^{\frac{1}{3}} e\right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \sqrt{3} \left(5 \left(-a b^2\right)^{\frac{2}{3}} b^3 c - \dots}{9 a b^5} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{9} \cdot (5ab^3c(-a/b)^{1/3} - 8a^2b^2d(-a/b)^{1/3} - 14a^4f(-a/b)^{1/3} + 11a^3b(-a/b)^{1/3}e) \cdot (-a/b)^{1/3} \cdot \log(\text{abs}(x - (-a/b)^{1/3})) / (ab^5) + \frac{1}{9} \cdot \sqrt{3} \cdot (5(-ab^2)^{2/3}b^3c - 8(-ab^2)^{2/3}ab^2d - 14(-ab^2)^{2/3}a^3f + 11(-ab^2)^{2/3}a^2be) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / b^7 + \frac{1}{3} \cdot (ab^3cx^2 - a^2b^2dx^2 - a^4fx^2 + a^3bx^2e) / ((bx^3 + a)b^5) - \frac{1}{18} \cdot (5(-ab^2)^{2/3}b^3c - 8(-ab^2)^{2/3}ab^2d - 14(-ab^2)^{2/3}a^3f + 11(-ab^2)^{2/3}a^2be) \cdot \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / b^7 + \frac{1}{440} \cdot (40b^{20}fx^{11} - 110a^2b^{19}fx^8 + 55b^{20}x^8e + 88b^{20}dx^5 + 264a^2b^{18}fx^5 - 176a^2b^{19}x^5e + 220b^{20}cx^2 - 440a^2b^{19}dx^2 - 880a^3b^{17}fx^2 + 660a^2b^{18}x^2e) / b^{22}$

maple [B] time = 0.05, size = 584, normalized size = 1.74

$$\frac{fx^{11}}{11b^2} - \frac{afx^8}{4b^3} + \frac{ex^8}{8b^2} + \frac{3a^2fx^5}{5b^4} - \frac{2aex^5}{5b^3} + \frac{dx^5}{5b^2} - \frac{a^4fx^2}{3(bx^3+a)b^5} + \frac{a^3ex^2}{3(bx^3+a)b^4} - \frac{a^2dx^2}{3(bx^3+a)b^3} + \frac{acx^2}{3(bx^3+a)b^2} - \frac{2a^3f}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{3} \cdot a^3 / b^4 \cdot x^2 / (bx^3+a) \cdot e - \frac{1}{3} \cdot a^2 / b^3 \cdot x^2 / (bx^3+a) \cdot d + \frac{1}{3} \cdot a / b^2 \cdot x^2 / (bx^3+a) \cdot c + \frac{4}{9} \cdot a^2 / b^4 \cdot d / (a/b)^{1/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) + \frac{14}{9} \cdot a^4 / b^6 \cdot f \cdot 3^{1/2} / (a/b)^{1/3} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2 / (a/b)^{1/3} \cdot x - 1)) - \frac{5}{9} \cdot a / b^3 \cdot c \cdot 3^{1/2} / (a/b)^{1/3} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2 / (a/b)^{1/3} \cdot x - 1)) - \frac{11}{9} \cdot a^3 / b^5 \cdot e \cdot 3^{1/2} / (a/b)^{1/3} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2 / (a/b)^{1/3} \cdot x - 1)) + \frac{8}{9} \cdot a^2 / b^4 \cdot d \cdot 3^{1/2} / (a/b)^{1/3} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2 / (a/b)^{1/3} \cdot x - 1)) - \frac{1}{4} \cdot b^3 \cdot x^8 \cdot a \cdot f + \frac{3}{2} \cdot b^4 \cdot x^2 \cdot a^2 \cdot e - \frac{1}{b^3} \cdot x^2 \cdot a \cdot d - \frac{2}{b^5} \cdot x^2 \cdot a^3 \cdot f + \frac{3}{5} \cdot a^2 / b^4 \cdot f \cdot x^5 - \frac{2}{5} \cdot a / b^3 \cdot e \cdot x^5 + \frac{1}{5} \cdot b^2 \cdot d \cdot x^5 - \frac{8}{9} \cdot a^2 / b^4 \cdot d / (a/b)^{1/3} \cdot \ln(x + (a/b)^{1/3}) - \frac{14}{9} \cdot a^4 / b^6 \cdot f / (a/b)^{1/3} \cdot \ln(x + (a/b)^{1/3}) + \frac{7}{9} \cdot a^4 / b^6 \cdot f / (a/b)^{1/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) + \frac{11}{9} \cdot a^3 / b^5 \cdot e / (a/b)^{1/3} \cdot \ln(x + (a/b)^{1/3}) - \frac{11}{18} \cdot a^3 / b^5 \cdot e / (a/b)^{1/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) - \frac{1}{3} \cdot a^4 / b^5 \cdot x^2 / (bx^3+a) \cdot f + \frac{1}{2} \cdot b^2 \cdot x^2 \cdot c + \frac{5}{9} \cdot a / b^3 \cdot c / (a/b)^{1/3} \cdot \ln(x + (a/b)^{1/3}) - \frac{5}{18} \cdot a / b^3 \cdot c / (a/b)^{1/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) + \frac{1}{8} \cdot b^2 \cdot x^8 \cdot e + \frac{1}{11} \cdot f \cdot x^{11} / b^2$

maxima [A] time = 3.02, size = 325, normalized size = 0.97

$$\frac{(ab^3c - a^2b^2d + a^3be - a^4f)x^2}{3(b^6x^3 + ab^5)} - \frac{\sqrt{3}(5ab^3c - 8a^2b^2d + 11a^3be - 14a^4f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9b^6\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{40b^3fx^{11} + 55(b^3e - 2ab^2f)x^8 + 88(b^3d - 2ab^2e + 3a^2bf)x^5 + 220(b^3c - 2ab^2d + 3a^2be - 4a^3f)x^2}{b^5} - \frac{1}{18}(5ab^3c - 8a^2b^2d + 11a^3be - 14a^4f) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{1}{9}(5ab^3c - 8a^2b^2d + 11a^3be - 14a^4f) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b^6\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/3*(a*b^3*c - a^2*b^2*d + a^3*b*e - a^4*f)*x^2/(b^6*x^3 + a*b^5) - 1/9*sqrt(3)*(5*a*b^3*c - 8*a^2*b^2*d + 11*a^3*b*e - 14*a^4*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^6*(a/b)^(1/3)) + 1/440*(40*b^3*f*x^11 + 55*(b^3*e - 2*a*b^2*f)*x^8 + 88*(b^3*d - 2*a*b^2*e + 3*a^2*b*f)*x^5 + 220*(b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x^2)/b^5 - 1/18*(5*a*b^3*c - 8*a^2*b^2*d + 11*a^3*b*e - 14*a^4*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^6*(a/b)^(1/3)) + 1/9*(5*a*b^3*c - 8*a^2*b^2*d + 11*a^3*b*e - 14*a^4*f)*log(x + (a/b)^(1/3))/(b^6*(a/b)^(1/3))

mupad [B] time = 5.28, size = 362, normalized size = 1.08

$$x^8 \left(\frac{e}{8b^2} - \frac{af}{4b^3} \right) - x^5 \left(\frac{a^2f}{5b^4} - \frac{d}{5b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{5b} \right) + x^2 \left(\frac{c}{2b^2} - \frac{a^2 \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{2b^2} + \frac{a \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{b} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] x^8*(e/(8*b^2) - (a*f)/(4*b^3)) - x^5*((a^2*f)/(5*b^4) - d/(5*b^2) + (2*a*(e/b^2 - (2*a*f)/b^3))/(5*b)) + x^2*(c/(2*b^2) - (a^2*(e/b^2 - (2*a*f)/b^3))/(2*b^2) + (a*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b))/b + (f*x^11)/(11*b^2) - (x^2*((a^4*f)/3 + (a^2*b^2*d)/3 - (a*b^3*c)/3 - (a^3*b*e)/3))/(a*b^5 + b^6*x^3) + (a^(2/3)*log(b^(1/3)*x + a^(1/3))*(5*b^3*c - 14*a^3*f - 8*a*b^2*d + 11*a^2*b*e))/(9*b^(17/3)) - (a^(2/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(5*b^3*c - 14*a^3*f - 8*a*b^2*d + 11*a^2*b*e))/(9*b^(17/3)) + (a^(2/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(5*b^3*c - 14*a^3*f - 8*a*b^2*d + 11*a^2*b*e))/(9*b^(17/3))

sympy [A] time = 58.23, size = 539, normalized size = 1.61

$$x^8 \left(-\frac{af}{4b^3} + \frac{e}{8b^2} \right) + x^5 \left(\frac{3a^2f}{5b^4} - \frac{2ae}{5b^3} + \frac{d}{5b^2} \right) + x^2 \left(-\frac{2a^3f}{b^5} + \frac{3a^2e}{2b^4} - \frac{ad}{b^3} + \frac{c}{2b^2} \right) + \frac{x^2(-a^4f + a^3be - a^2b^2d + ab^3c)}{3ab^5 + 3b^6x^3} + R$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] x**8*(-a*f/(4*b**3) + e/(8*b**2)) + x**5*(3*a**2*f/(5*b**4) - 2*a*e/(5*b**3) + d/(5*b**2)) + x**2*(-2*a**3*f/b**5 + 3*a**2*e/(2*b**4) - a*d/b**3 + c/(2*b**2)) + x**2*(-a**4*f + a**3*b*e - a**2*b**2*d + a*b**3*c)/(3*a*b**5 + 3*b**6*x**3) + RootSum(729*_t**3*b**17 + 2744*a**11*f**3 - 6468*a**10*b*e*f**2 + 4704*a**9*b**2*d*f**2 + 5082*a**9*b**2*e**2*f - 2940*a**8*b**3*c*f**2 - 7392*a**8*b**3*d*e*f - 1331*a**8*b**3*e**3 + 4620*a**7*b**4*c*e*f + 2688*a**7*b**4*d**2*f + 2904*a**7*b**4*d*e**2 - 3360*a**6*b**5*c*d*f - 1815*a**6*b**5*c*e**2 - 2112*a**6*b**5*d**2*e + 1050*a**5*b**6*c**2*f + 2640*a**5*b**6*c*d*e + 512*a**5*b**6*d**3 - 825*a**4*b**7*c**2*e - 960*a**4*b**7*c*d**2 + 600*a**3*b**8*c**2*d - 125*a**2*b**9*c**3, Lambda(_t, _t*log(81*_t**2*b**11/(196*a**7*f**2 - 308*a**6*b*e*f + 224*a**5*b**2*d*f + 121*a**5*b**2*e**2 - 140*a**4*b**3*c*f - 176*a**4*b**3*d*e + 110*a**3*b**4*c*e + 64*a**3*b**4*d**2 - 80*a**2*b**5*c*d + 25*a*b**6*c**2) + x))) + f*x**11/(11*b**2)

$$3.262 \quad \int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=328

$$\frac{x^4(3a^2f - 2abe + b^2d)}{4b^4} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(-13a^3f + 10a^2be - 7ab^2d + 4b^3c)}{9b^{16/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-13a^3f + 10a^2be - 7ab^2d + 4b^3c)}{3\sqrt{3}b^{16/3}}$$

[Out] $(-4*a^3*f+3*a^2*b*e-2*a*b^2*d+b^3*c)*x/b^5+1/4*(3*a^2*f-2*a*b*e+b^2*d)*x^4/b^4+1/7*(-2*a*f+b*e)*x^7/b^3+1/10*f*x^10/b^2+1/3*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^5/(b*x^3+a)-1/9*a^{(1/3)}*(-13*a^3*f+10*a^2*b*e-7*a*b^2*d+4*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(16/3)}+1/18*a^{(1/3)}*(-13*a^3*f+10*a^2*b*e-7*a*b^2*d+4*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(16/3)}+1/9*a^{(1/3)}*(-13*a^3*f+10*a^2*b*e-7*a*b^2*d+4*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(16/3)}*3^{(1/2)}$

Rubi [A] time = 0.37, antiderivative size = 328, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1828, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{ax(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^5(a + bx^3)} + \frac{\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(10a^2be - 13a^3f - 7ab^2d + 4b^3c)}{18b^{16/3}} + \frac{x(3a^2be - 13a^3f - 7ab^2d + 4b^3c)}{3\sqrt{3}b^{16/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $((b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)*x)/b^5 + ((b^2*d - 2*a*b*e + 3*a^2*f)*x^4)/(4*b^4) + ((b*e - 2*a*f)*x^7)/(7*b^3) + (f*x^10)/(10*b^2) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*b^5*(a + b*x^3)) + (a^{(1/3)}*(4*b^3*c - 7*a*b^2*d + 10*a^2*b*e - 13*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*b^{(16/3)}) - (a^{(1/3)}*(4*b^3*c - 7*a*b^2*d + 10*a^2*b*e - 13*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*b^{(16/3)}) + (a^{(1/3)}*(4*b^3*c - 7*a*b^2*d + 10*a^2*b*e - 13*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*b^{(16/3)})$

Rule 31

Int[((a_) + (b_)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

```
Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(
Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R
t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F
reeQ[{a, b}, x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1887

`Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]`

Rubi steps

$$\begin{aligned}
 \int \frac{x^6 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{3b^5(a + bx^3)} - \frac{\int \frac{a^2(b^3c - ab^2d + a^2be - a^3f) - 3ab(b^3c - ab^2d + a^2be - a^3f)x^3 - 3a^2bx^6}{a + bx^3} dx}{3ab^5} \\
 &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x}{3b^5(a + bx^3)} - \frac{\int (-3a(b^3c - 2ab^2d + 3a^2be - 4a^3f) - 3ab(b^3c - ab^2d + a^2be - a^3f)x^3 - 3a^2bx^6) dx}{3ab^5} \\
 &= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{f}{1} \\
 &= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{f}{1} \\
 &= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{f}{1} \\
 &= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{f}{1} \\
 &= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{f}{1} \\
 &= \frac{(b^3c - 2ab^2d + 3a^2be - 4a^3f)x}{b^5} + \frac{(b^2d - 2abe + 3a^2f)x^4}{4b^4} + \frac{(be - 2af)x^7}{7b^3} + \frac{f}{1}
 \end{aligned}$$

Mathematica [A] time = 0.30, size = 315, normalized size = 0.96

$$315b^{4/3}x^4(3a^2f - 2abe + b^2d) + \frac{420a\sqrt[3]{b}x(a^3(-f) + a^2be - ab^2d + b^3c)}{a + bx^3} + 1260\sqrt[3]{b}x(-4a^3f + 3a^2be - 2ab^2d + b^3c) + 140\sqrt[3]{b}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $(1260b^{1/3}(b^3c - 2ab^2d + 3a^2be - 4a^3f)x + 315b^{4/3}(b^2d - 2ab^2e + 3a^2f)x^4 + 180b^{7/3}(be - 2af)x^7 + 126b^{10/3}fx^{10} + (420ab^{1/3}(b^3c - ab^2d + a^2be - a^3f)x)/(a + bx^3) - 140\sqrt{3}a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{ArcTan}[(1 - (2b^{1/3}x)/a^{1/3})/\sqrt{3}] + 140a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{Log}[a^{1/3} + b^{1/3}x] - 70a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}]x^2)/(1260b^{16/3})$

fricas [A] time = 0.63, size = 423, normalized size = 1.29

$$126b^4fx^{13} + 18(10b^4e - 13ab^3f)x^{10} + 45(7b^4d - 10ab^3e + 13a^2b^2f)x^7 + 315(4b^4c - 7ab^3d + 10a^2b^2e - 13a^3b^2f)x^4 - 140\sqrt{3}a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{ArcTan}\left(\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right) + 140a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{Log}[a^{1/3} + b^{1/3}x] - 70a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}]x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")`

[Out] $1/1260*(126b^4fx^{13} + 18(10b^4e - 13ab^3f)x^{10} + 45(7b^4d - 10ab^3e + 13a^2b^2f)x^7 + 315(4b^4c - 7ab^3d + 10a^2b^2e - 13a^3b^2f)x^4 - 140\sqrt{3}a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{ArcTan}\left(\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right) + 140a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{Log}[a^{1/3} + b^{1/3}x] - 70a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}]x^2)/(1260b^{16/3})$

giac [A] time = 0.18, size = 394, normalized size = 1.20

$$\frac{\sqrt{3}\left(4(-ab^2)^{\frac{1}{3}}b^3c - 7(-ab^2)^{\frac{1}{3}}ab^2d - 13(-ab^2)^{\frac{1}{3}}a^3f + 10(-ab^2)^{\frac{1}{3}}a^2be\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9b^6} + (4ab^3c - 7ab^3d + 10a^2b^2e - 13a^3b^2f)x^4 - 140\sqrt{3}a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{ArcTan}\left(\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right) + 140a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{Log}[a^{1/3} + b^{1/3}x] - 70a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}]x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")`

[Out] $-1/9\sqrt{3}a^{1/3}(-4b^3c + 7ab^2d - 13a^3f) + 10(-a^{1/3}b^2e)\text{ArcTan}\left(\frac{1/3\sqrt{3}(2x + (-a/b)^{1/3})}{(-a/b)^{1/3}}\right)/b^6 + 1/9(4ab^3c - 7a^2b^2d - 13a^4f + 10a^3b^2f)x^4 - 140\sqrt{3}a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{ArcTan}\left(\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right) + 140a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{Log}[a^{1/3} + b^{1/3}x] - 70a^{1/3}(-4b^3c + 7ab^2d - 10a^2be + 13a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}]x^2$

$$\begin{aligned} &^3*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a*b^5) - 1/18*(4*(-a*b^2)^{(1/3)}*b^3*c - 7*(-a*b^2)^{(1/3)}*a*b^2*d - 13*(-a*b^2)^{(1/3)}*a^3*f + 10*(-a*b^2)^{(1/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/b^6 + 1/3*(a*b^3*c*x - a^2*b^2*d*x - a^4*f*x + a^3*b*x*e)/((b*x^3 + a)*b^5) + 1/140*(14*b^18*f*x^10 - 40*a*b^17*f*x^7 + 20*b^18*x^7*e + 35*b^18*d*x^4 + 105*a^2*b^16*f*x^4 - 70*a*b^17*x^4*e + 140*b^18*c*x - 280*a*b^17*d*x - 560*a^3*b^15*f*x + 420*a^2*b^16*x*e)/b^20 \end{aligned}$$

maple [B] time = 0.06, size = 567, normalized size = 1.73

13

$$\frac{f x^{10}}{10 b^2} - \frac{2 a f x^7}{7 b^3} + \frac{e x^7}{7 b^2} + \frac{3 a^2 f x^4}{4 b^4} - \frac{a e x^4}{2 b^3} + \frac{d x^4}{4 b^2} - \frac{a^4 f x}{3 (b x^3 + a) b^5} + \frac{a^3 e x}{3 (b x^3 + a) b^4} - \frac{a^2 d x}{3 (b x^3 + a) b^3} + \frac{a c x}{3 (b x^3 + a) b^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out]
$$\begin{aligned} &-4/9*a/b^3*c/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+13/9*a^4/b^6*f/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-10/9*a^3/b^5*e/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+7/9*a^2/b^4*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/2/b^3*x^4*a*e-4/b^5*a^3*f*x+3/b^4*a^2*e*x-2/b^3*a*d*x+3/4/b^4*x^4*a^2*f-2/7*a/b^3*f*x^7+2/9*a/b^3*c/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-4/9*a/b^3*c/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+1/7/b^2*e*x^7-1/3*a^4/b^5*x/(b*x^3+a)*f+1/3*a^3/b^4*x/(b*x^3+a)*e-1/3*a^2/b^3*x/(b*x^3+a)*d-13/18*a^4/b^6*f/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3*a/b^2*x/(b*x^3+a)*c+13/9*a^4/b^6*f/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+1/4/b^2*x^4*d+1/b^2*c*x-10/9*a^3/b^5*e/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+5/9*a^3/b^5*e/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+7/9*a^2/b^4*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-7/18*a^2/b^4*d/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/10*f*x^10/b^2 \end{aligned}$$

maxima [A] time = 3.02, size = 321, normalized size = 0.98

$$\frac{(ab^3c - a^2b^2d + a^3be - a^4f)x}{3(b^6x^3 + ab^5)} + \frac{14b^3fx^{10} + 20(b^3e - 2ab^2f)x^7 + 35(b^3d - 2ab^2e + 3a^2bf)x^4 + 140(b^3c - 2ab^2e + 3a^2bf)x}{140b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3}(a^3b^3c - a^2b^2d + a^3b^3e - a^4f)x/(b^6x^3 + ab^5) + \frac{1}{140}(14b^3fx^{10} + 20(b^3e - 2ab^2f)x^7 + 35(b^3d - 2ab^2e + 3a^2bf)x^4 + 140(b^3c - 2ab^2d + 3a^2be - 4a^3f)x)/b^5 - \frac{1}{9}\sqrt{3}(4a^3b^3c - 7a^2b^2d + 10a^3be - 13a^4f)\arctan(1/3\sqrt{3}(2x - (a/b)^{1/3}))/((a/b)^{1/3})/(b^6(a/b)^{2/3}) + \frac{1}{18}(4a^3b^3c - 7a^2b^2d + 10a^3be - 13a^4f)\log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3})/(b^6(a/b)^{2/3}) - \frac{1}{9}(4a^3b^3c - 7a^2b^2d + 10a^3be - 13a^4f)\log(x + (a/b)^{1/3})/(b^6(a/b)^{2/3})$

mupad [B] time = 5.20, size = 358, normalized size = 1.09

$$x^7 \left(\frac{e}{7b^2} - \frac{2af}{7b^3} \right) + x \left(\frac{c}{b^2} - \frac{a^2 \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b^2} + \frac{2a \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right)}{b} \right) - x^4 \left(\frac{a^2f}{4b^4} - \frac{d}{4b^2} + \frac{a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{2b} \right) - x \left(\frac{a^2f}{4b^4} - \frac{d}{4b^2} + \frac{a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{2b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] $x^7(e/(7b^2) - (2af)/(7b^3)) + x(c/b^2 - (a^2(e/b^2 - (2af)/b^3))/b^2 + (2a((a^2f)/b^4 - d/b^2 + (2a(e/b^2 - (2af)/b^3))/b))/b - x^4((a^2f)/(4b^4) - d/(4b^2) + (a(e/b^2 - (2af)/b^3))/(2b)) - (x((a^4f)/3 + (a^2b^2d)/3 - (ab^3c)/3 - (a^3be)/3))/(ab^5 + b^6x^3) + (fx^{10})/(10b^2) - (a^{1/3}\log(b^{1/3}x + a^{1/3}))(4b^3c - 13a^3f - 7ab^2d + 10a^2be)/(9b^{16/3}) - (a^{1/3}\log(3^{1/2}a^{1/3}1i + 2b^{1/3}x - a^{1/3}))(3^{1/2}1i)/2 - 1/2(4b^3c - 13a^3f - 7ab^2d + 10a^2be)/(9b^{16/3}) + (a^{1/3}\log(3^{1/2}a^{1/3}1i - 2b^{1/3}x + a^{1/3}))(3^{1/2}1i)/2 + 1/2(4b^3c - 13a^3f - 7ab^2d + 10a^2be)/(9b^{16/3})$

sympy [A] time = 14.98, size = 449, normalized size = 1.37

$$x^7 \left(-\frac{2af}{7b^3} + \frac{e}{7b^2} \right) + x^4 \left(\frac{3a^2f}{4b^4} - \frac{ae}{2b^3} + \frac{d}{4b^2} \right) + x \left(-\frac{4a^3f}{b^5} + \frac{3a^2e}{b^4} - \frac{2ad}{b^3} + \frac{c}{b^2} \right) + \frac{x(-a^4f + a^3be - a^2b^2d + ab^3c)}{3ab^5 + 3b^6x^3} + \text{Ro}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] $x^{**7}(-2*a*f/(7*b**3) + e/(7*b**2)) + x^{**4}(3*a**2*f/(4*b**4) - a*e/(2*b**3) + d/(4*b**2)) + x*(-4*a**3*f/b**5 + 3*a**2*e/b**4 - 2*a*d/b**3 + c/b**2) + x*(-a**4*f + a**3*b*e - a**2*b**2*d + a*b**3*c)/(3*a*b**5 + 3*b**6*x**3)$

```

+ RootSum(729*_t**3*b**16 - 2197*a**10*f**3 + 5070*a**9*b*e*f**2 - 3549*a**
8*b**2*d*f**2 - 3900*a**8*b**2*e**2*f + 2028*a**7*b**3*c*f**2 + 5460*a**7*b
**3*d*e*f + 1000*a**7*b**3*e**3 - 3120*a**6*b**4*c*e*f - 1911*a**6*b**4*d**
2*f - 2100*a**6*b**4*d*e**2 + 2184*a**5*b**5*c*d*f + 1200*a**5*b**5*c*e**2
+ 1470*a**5*b**5*d**2*e - 624*a**4*b**6*c**2*f - 1680*a**4*b**6*c*d*e - 343
*a**4*b**6*d**3 + 480*a**3*b**7*c**2*e + 588*a**3*b**7*c*d**2 - 336*a**2*b*
*8*c**2*d + 64*a*b**9*c**3, Lambda(_t, _t*log(9*_t*b**5/(13*a**3*f - 10*a**
2*b*e + 7*a*b**2*d - 4*b**3*c) + x))) + f*x**10/(10*b**2)

```

$$3.263 \quad \int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=298

$$\frac{x^2(3a^2f - 2abe + b^2d)}{2b^4} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-11a^3f + 8a^2be - 5ab^2d + 2b^3c)}{9\sqrt[3]{a}b^{14/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-11a^3f + 8a^2be)}{3\sqrt{3}\sqrt[3]{a}b^{14/3}}$$

[Out] $\frac{1}{2}(3a^2f - 2abe + b^2d)x^2/b^4 + \frac{1}{5}(-2af + be)x^5/b^3 + \frac{1}{8}fx^8/b^2 - \frac{1}{3}(-a^3f + a^2be - ab^2d + b^3c)x^2/b^4 / (bx^3 + a) - \frac{1}{9}(-11a^3f + 8a^2be - 5ab^2d + 2b^3c) \ln(a^{1/3} + b^{1/3}x) / a^{1/3} / b^{14/3} + \frac{1}{18}(-11a^3f + 8a^2be - 5ab^2d + 2b^3c) \ln(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2) / a^{1/3} / b^{14/3} - \frac{1}{9}(-11a^3f + 8a^2be - 5ab^2d + 2b^3c) \arctan(1/3(a^{1/3} - 2b^{1/3}x) / a^{1/3} * 3^{1/2}) / a^{1/3} / b^{14/3} * 3^{1/2}$

Rubi [A] time = 0.46, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(8a^2be - 11a^3f - 5ab^2d + 2b^3c)}{18\sqrt[3]{a}b^{14/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{14/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $\frac{(b^2d - 2ab^2e + 3a^2f)x^2}{(2b^4)} + \frac{(b^2e - 2ab^2f)x^5}{(5b^3)} + \frac{fx^8}{(8b^2)} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{(3b^4(a + bx^3))} - \frac{((2b^3c - 5ab^2d + 8a^2be - 11a^3f) \text{ArcTan}[a^{1/3} - 2b^{1/3}x] / (\sqrt{3}a^{1/3}))}{(3\sqrt{3}a^{1/3}b^{14/3})} - \frac{((2b^3c - 5ab^2d + 8a^2be - 11a^3f) \text{Log}[a^{1/3} + b^{1/3}x])}{(9a^{1/3}b^{14/3})} + \frac{((2b^3c - 5ab^2d + 8a^2be - 11a^3f) \text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])}{(18a^{1/3}b^{14/3})}$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_.)*(x_)^(m_.))*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.)*((d_) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1828

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&

LtQ[p, -1] && IGtQ[m, 0]

Rule 1836

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> With[
  {q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)),
  Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
  NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[x*PolynomialQuotient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x] && EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_)*(u_)] /; IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \frac{-2ab(b^3c - ab^2d + a^2be - a^3f)x - 3ab^2(b^2d - abe + a^2f)x^4 - 3a^3}{a + bx^3}}{3ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \frac{x(-2ab(b^3c - ab^2d + a^2be - a^3f) - 3ab^2(b^2d - abe + a^2f)x^3 - 3a^3)}{a + bx^3}}{3ab^5} \\
&= \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \frac{x(-16ab^2(b^3c - ab^2d + a^2be - a^3f) - 24ab^3(b^2d - abe - a^2f)x^3 - 24a^4)}{a + bx^3}}{24ab^6} \\
&= \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} - \frac{\int \left(-24ab^2(b^2d - 2abe + 3a^2f)x - 24a^4 \right)}{24ab^6} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)} \\
&= \frac{(b^2d - 2abe + 3a^2f)x^2}{2b^4} + \frac{(be - 2af)x^5}{5b^3} + \frac{fx^8}{8b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3b^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 282, normalized size = 0.95

$$180b^{2/3}x^2(3a^2f - 2abe + b^2d) + \frac{40 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(11a^3f - 8a^2be + 5ab^2d - 2b^3c)}{\sqrt[3]{a}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)(11a^3f - 8a^2be + 5ab^2d - 2b^3c)}{\sqrt[3]{a}}$$

3600

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (180*b^(2/3)*(b^2*d - 2*a*b*e + 3*a^2*f)*x^2 + 72*b^(5/3)*(b*e - 2*a*f)*x^5 + 45*b^(8/3)*f*x^8 - (120*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a + b*x^3) + (40*Sqrt[3]*(-2*b^3*c + 5*a*b^2*d - 8*a^2*b*e + 11*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/a^(1/3) + (40*(-2*b^3*c + 5*a*b^2*d - 8*a^2*b*e + 11*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(1/3) + (20*(2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(1/3))/(360*b^(14/3))

fricas [A] time = 0.62, size = 920, normalized size = 3.09

$$45ab^5fx^{11} + 9(8ab^5e - 11a^2b^4f)x^8 + 36(5ab^5d - 8a^2b^4e + 11a^3b^3f)x^5 - 60(2ab^5c - 5a^2b^4d + 8a^3b^3e - 11a^4b^2f)x^2 - 60\sqrt{1/3}(2a^2b^4c - 5a^3b^3d + 8a^4b^2e - 11a^5b^1f + (2ab^5c - 5a^2b^4d + 8a^3b^3e - 11a^4b^2f)*x^3)*\sqrt{-(ab^2)^{1/3}/a}*\log((2b^2x^3 - ab - 3\sqrt{1/3})(abx + 2(ab^2)^{2/3})x^2 - (ab^2)^{1/3}a)*\sqrt{-(ab^2)^{1/3}/a} - 3(ab^2)^{2/3})x)/(b^7x^3 + a^2b^6), 1/360(45ab^5fx^{11} + 9(8ab^5e - 11a^2b^4f)x^8 + 36(5ab^5d - 8a^2b^4e + 11a^3b^3f)x^5 - 60(2ab^5c - 5a^2b^4d + 8a^3b^3e - 11a^4b^2f)x^2 - 120\sqrt{1/3}(2a^2b^4c - 5a^3b^3d + 8a^4b^2e - 11a^5b^1f + (2ab^5c - 5a^2b^4d + 8a^3b^3e - 11a^4b^2f)*x^3)*\sqrt{(ab^2)^{1/3}/a}*\arctan(-\sqrt{1/3}(2bx - (ab^2)^{1/3})*\sqrt{(ab^2)^{1/3}/a}/b) + 20(2ab^3c - 5a^2b^2d + 8a^3b^1e - 11a^4f + (2b^4c - 5ab^3d + 8a^2b^2e - 11a^3b^1f)*x^3)*(ab^2)^{2/3}*\log(b^2x^2 - (ab^2)^{1/3}bx + (ab^2)^{2/3}) - 40(2ab^3c - 5a^2b^2d + 8a^3b^1e - 11a^4f + (2b^4c - 5ab^3d + 8a^2b^2e - 11a^3b^1f)*x^3)*(ab^2)^{2/3}*\log(b^2x^2 - (ab^2)^{1/3}bx + (ab^2)^{2/3}) - 40(2ab^3c - 5a^2b^2d + 8a^3b^1e - 11a^4f + (2b^4c - 5ab^3d + 8a^2b^2e - 11a^3b^1f)*x^3)*(ab^2)^{2/3}*\log(b^2x^2 - (ab^2)^{1/3}bx + (ab^2)^{2/3}))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/360*(45*a*b^5*f*x^11 + 9*(8*a*b^5*e - 11*a^2*b^4*f)*x^8 + 36*(5*a*b^5*d - 8*a^2*b^4*e + 11*a^3*b^3*f)*x^5 - 60*(2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3*e - 11*a^4*b^2*f)*x^2 - 60*sqrt(1/3)*(2*a^2*b^4*c - 5*a^3*b^3*d + 8*a^4*b^2*e - 11*a^5*b^1*f + (2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3*e - 11*a^4*b^2*f)*x^3)*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a)) + 20*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b^1*e - 11*a^4*f + (2*b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b^1*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b^1*e - 11*a^4*f + (2*b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b^1*f)*x^3)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a*b^7*x^3 + a^2*b^6), 1/360*(45*a*b^5*f*x^11 + 9*(8*a*b^5*e - 11*a^2*b^4*f)*x^8 + 36*(5*a*b^5*d - 8*a^2*b^4*e + 11*a^3*b^3*f)*x^5 - 60*(2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3*e - 11*a^4*b^2*f)*x^2 - 120*sqrt(1/3)*(2*a^2*b^4*c - 5*a^3*b^3*d + 8*a^4*b^2*e - 11*a^5*b^1*f + (2*a*b^5*c - 5*a^2*b^4*d + 8*a^3*b^3*e - 11*a^4*b^2*f)*x^3)*sqrt((a*b^2)^(1/3)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) + 20*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b^1*e - 11*a^4*f + (2*b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b^1*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b^1*e - 11*a^4*f + (2*b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b^1*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*(2*a*b^3*c - 5*a^2*b^2*d + 8*a^3*b^1*e - 11*a^4*f + (2*b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b^1*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3))

$4*f + (2*b^4*c - 5*a*b^3*d + 8*a^2*b^2*e - 11*a^3*b*f)*x^3*(a*b^2)^{(2/3)*1}$
 $\log(b*x + (a*b^2)^{(1/3)})/(a*b^7*x^3 + a^2*b^6)]$

giac [A] time = 0.19, size = 344, normalized size = 1.15

$$\frac{\sqrt{3} (2 b^3 c - 5 a b^2 d - 11 a^3 f + 8 a^2 b e) \arctan\left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9 (-a b^2)^{\frac{1}{3}} b^4} \left(2 b^3 c - 5 a b^2 d - 11 a^3 f + 8 a^2 b e\right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) + \frac{\left(2 b^3 c - 5 a b^2 d - 11 a^3 f + 8 a^2 b e\right) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{18 (-a b^2)^{\frac{1}{3}} b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{9} \sqrt{3} (2 b^3 c - 5 a b^2 d - 11 a^3 f + 8 a^2 b e) \arctan\left(\frac{1}{3} \sqrt{3} (2 x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}\right) / ((-a b^2)^{(1/3)} b^4) - \frac{1}{18} (2 b^3 c - 5 a b^2 d - 11 a^3 f + 8 a^2 b e) \log\left(x^2 + x (-a/b)^{(1/3)} + (-a/b)^{(2/3)}\right) / ((-a b^2)^{(1/3)} b^4) - \frac{1}{9} (2 b^3 c (-a/b)^{(1/3)} - 5 a b^2 d (-a/b)^{(1/3)} - 11 a^3 f (-a/b)^{(1/3)} + 8 a^2 b e (-a/b)^{(1/3)}) (-a/b)^{(1/3)} \log\left(\text{abs}\left(x - (-a/b)^{(1/3)}\right)\right) / (a b^4) - \frac{1}{3} (b^3 c x^2 - a b^2 d x^2 - a^3 f x^2 + a^2 b e x^2) / ((b x^3 + a) b^4) + \frac{1}{40} (5 b^{14} f x^8 - 16 a b^{13} f x^5 + 8 b^{14} x^5 e + 20 b^{14} d x^2 + 60 a^2 b^{12} f x^2 - 40 a b^{13} x^2 e) / b^{16}$

maple [B] time = 0.06, size = 529, normalized size = 1.78

$$\frac{f x^8}{8 b^2} - \frac{2 a f x^5}{5 b^3} + \frac{e x^5}{5 b^2} + \frac{a^3 f x^2}{3 (b x^3 + a) b^4} - \frac{a^2 e x^2}{3 (b x^3 + a) b^3} + \frac{a d x^2}{3 (b x^3 + a) b^2} - \frac{c x^2}{3 (b x^3 + a) b} + \frac{3 a^2 f x^2}{2 b^4} - \frac{a e x^2}{b^3} + \frac{d x^2}{2 b^2} - \frac{11 \sqrt{3}}{18} \frac{(2 b^3 c - 5 a b^2 d - 11 a^3 f + 8 a^2 b e) \arctan\left(\frac{1}{3} \sqrt{3} (2 x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}\right)}{(-a b^2)^{(1/3)} b^4} - \frac{1}{18} (2 b^3 c - 5 a b^2 d - 11 a^3 f + 8 a^2 b e) \log\left(x^2 + x (-a/b)^{(1/3)} + (-a/b)^{(2/3)}\right) / ((-a b^2)^{(1/3)} b^4) - \frac{1}{9} (2 b^3 c (-a/b)^{(1/3)} - 5 a b^2 d (-a/b)^{(1/3)} - 11 a^3 f (-a/b)^{(1/3)} + 8 a^2 b e (-a/b)^{(1/3)}) (-a/b)^{(1/3)} \log\left(\text{abs}\left(x - (-a/b)^{(1/3)}\right)\right) / (a b^4) - \frac{1}{3} (b^3 c x^2 - a b^2 d x^2 - a^3 f x^2 + a^2 b e x^2) / ((b x^3 + a) b^4) + \frac{1}{40} (5 b^{14} f x^8 - 16 a b^{13} f x^5 + 8 b^{14} x^5 e + 20 b^{14} d x^2 + 60 a^2 b^{12} f x^2 - 40 a b^{13} x^2 e) / b^{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{8} f x^8 / b^2 - \frac{2}{5} f x^5 / b^3 + \frac{1}{5} e x^5 / b^2 + \frac{3}{2} d x^2 / b^4 + \frac{a^2 f - 1}{b^3} x^2 / (b x^3 + a) + \frac{1}{2} x^2 / (b x^3 + a) + \frac{1}{3} x^2 / (b x^3 + a) + \frac{a^3 f - 1}{b^3} x^2 / (b x^3 + a) + \frac{a^2 e + 1}{3} x^2 / (b x^3 + a) + \frac{a d - 1}{3} x^2 / (b x^3 + a) + \frac{c + 11/9 a^3 f}{b^5} / (a/b)^{(1/3)} \ln\left(x + (a/b)^{(1/3)}\right) - \frac{11}{18} (2 b^3 c - 5 a b^2 d - 11 a^3 f + 8 a^2 b e) \arctan\left(\frac{1}{3} \sqrt{3} (2 x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}\right) / ((-a b^2)^{(1/3)} b^4) - \frac{1}{18} (2 b^3 c - 5 a b^2 d - 11 a^3 f + 8 a^2 b e) \log\left(x^2 + x (-a/b)^{(1/3)} + (-a/b)^{(2/3)}\right) / ((-a b^2)^{(1/3)} b^4) - \frac{1}{9} (2 b^3 c (-a/b)^{(1/3)} - 5 a b^2 d (-a/b)^{(1/3)} - 11 a^3 f (-a/b)^{(1/3)} + 8 a^2 b e (-a/b)^{(1/3)}) (-a/b)^{(1/3)} \log\left(\text{abs}\left(x - (-a/b)^{(1/3)}\right)\right) / (a b^4) - \frac{1}{3} (b^3 c x^2 - a b^2 d x^2 - a^3 f x^2 + a^2 b e x^2) / ((b x^3 + a) b^4) + \frac{1}{40} (5 b^{14} f x^8 - 16 a b^{13} f x^5 + 8 b^{14} x^5 e + 20 b^{14} d x^2 + 60 a^2 b^{12} f x^2 - 40 a b^{13} x^2 e) / b^{16}$

$$\begin{aligned} & -2 - (a/b)^{1/3} * x + (a/b)^{2/3} + 8/9/b^4 * a^2 * e * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + 5/9/b^3 * a * d / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) - 5/18 \\ & / b^3 * a * d / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) - 5/9/b^3 * a * d * 3^{1/2} / \\ & (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) - 2/9/b^2 * c / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) + 1/9/b^2 * c / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) + 2/ \\ & 9/b^2 * c * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) \end{aligned}$$

maxima [A] time = 3.08, size = 277, normalized size = 0.93

$$\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3(b^5x^3 + ab^4)} + \frac{\sqrt{3}(2b^3c - 5ab^2d + 8a^2be - 11a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9b^5\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{5b^2fx^8 + 8(b^2e - 2a^2bf)x^5 + 20(b^2d - 2a^2be + 3a^2f)x^2}{b^4} + \frac{1/18(2b^3c - 5ab^2d + 8a^2be - 11a^3f) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3})}{b^5(a/b)^{1/3}} - \frac{1/9(2b^3c - 5ab^2d + 8a^2be - 11a^3f) \log(x + (a/b)^{1/3})}{b^5(a/b)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2/(b^5*x^3 + a*b^4) + 1/9*\sqrt{3}*(2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(b^5*(a/b)^{1/3}) + 1/40*(5*b^2*f*x^8 + 8*(b^2*e - 2*a*b*f)*x^5 + 20*(b^2*d - 2*a*b*e + 3*a^2*f)*x^2)/b^4 + 1/18*(2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(b^5*(a/b)^{1/3}) - 1/9*(2*b^3*c - 5*a*b^2*d + 8*a^2*b*e - 11*a^3*f)*\log(x + (a/b)^{1/3})/(b^5*(a/b)^{1/3})$

mupad [B] time = 5.22, size = 287, normalized size = 0.96

$$x^5 \left(\frac{e}{5b^2} - \frac{2af}{5b^3} \right) - x^2 \left(\frac{a^2f}{2b^4} - \frac{d}{2b^2} + \frac{a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right) + \frac{fx^8}{8b^2} - \frac{x^2 \left(-\frac{fa^3}{3} + \frac{ea^2b}{3} - \frac{dab^2}{3} + \frac{cb^3}{3} \right)}{b^5x^3 + ab^4} - \frac{\ln(b^{1/3}x + a^{1/3})}{b^5(a/b)^{1/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] $x^5*(e/(5*b^2) - (2*a*f)/(5*b^3)) - x^2*((a^2*f)/(2*b^4) - d/(2*b^2) + (a*(e/b^2 - (2*a*f)/b^3))/b) + (f*x^8)/(8*b^2) - (x^2*((b^3*c)/3 - (a^3*f)/3 - (a*b^2*d)/3 + (a^2*b*e)/3))/(a*b^4 + b^5*x^3) - (\log(b^{1/3}*x + a^{1/3}))* (2*b^3*c - 11*a^3*f - 5*a*b^2*d + 8*a^2*b*e)/(9*a^{1/3}*b^{14/3}) + (\log(3^{1/2}*a^{1/3}*i + 2*b^{1/3}*x - a^{1/3}))* ((3^{1/2}*i)/2 + 1/2)*(2*b^3*c - 11*a^3*f - 5*a*b^2*d + 8*a^2*b*e)/(9*a^{1/3}*b^{14/3}) - (\log(3^{1/2}*a^{1/3}*i - 2*b^{1/3}*x + a^{1/3}))* ((3^{1/2}*i)/2 - 1/2)*(2*b^3*c - 11*a^3*f - 5*a*b^2*d + 8*a^2*b*e)/(9*a^{1/3}*b^{14/3})$

sympy [A] time = 51.29, size = 490, normalized size = 1.64

$$x^5 \left(-\frac{2af}{5b^3} + \frac{e}{5b^2} \right) + x^2 \left(\frac{3a^2f}{2b^4} - \frac{ae}{b^3} + \frac{d}{2b^2} \right) + \frac{x^2 (a^3f - a^2be + ab^2d - b^3c)}{3ab^4 + 3b^5x^3} + \text{RootSum} \left(729t^3ab^{14} - 1331a^9f^3 + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] x**5*(-2*a*f/(5*b**3) + e/(5*b**2)) + x**2*(3*a**2*f/(2*b**4) - a*e/b**3 + d/(2*b**2)) + x**2*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)/(3*a*b**4 + 3*b**5*x**3) + RootSum(729*_t**3*a*b**14 - 1331*a**9*f**3 + 2904*a**8*b*b*e*f**2 - 1815*a**7*b**2*d*f**2 - 2112*a**7*b**2*e**2*f + 726*a**6*b**3*c*f**2 + 2640*a**6*b**3*d*e*f + 512*a**6*b**3*e**3 - 1056*a**5*b**4*c*e*f - 825*a**5*b**4*d**2*f - 960*a**5*b**4*d*e**2 + 660*a**4*b**5*c*d*f + 384*a**4*b**5*c*e**2 + 600*a**4*b**5*d**2*e - 132*a**3*b**6*c**2*f - 480*a**3*b**6*c*d*e - 125*a**3*b**6*d**3 + 96*a**2*b**7*c**2*e + 150*a**2*b**7*c*d**2 - 60*a*b**8*c**2*d + 8*b**9*c**3, Lambda(_t, _t*log(81*_t**2*a*b**9/(121*a**6*f**2 - 176*a**5*b*e*f + 110*a**4*b**2*d*f + 64*a**4*b**2*e**2 - 44*a**3*b**3*c*f - 80*a**3*b**3*d*e + 32*a**2*b**4*c*e + 25*a**2*b**4*d**2 - 20*a*b**5*c*d + 4*b**6*c**2) + x)) + f*x**8/(8*b**2)

$$3.264 \quad \int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=288

$$\frac{x(3a^2f - 2abe + b^2d)}{b^4} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{3b^4(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-10a^3f + 7a^2be - 4ab^2d - 3b^3c)}{18a^{2/3}b^{13/3}}$$

[Out] (3*a^2*f-2*a*b*e+b^2*d)*x/b^4+1/4*(-2*a*f+b*e)*x^4/b^3+1/7*f*x^7/b^2-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^4/(b*x^3+a)+1/9*(-10*a^3*f+7*a^2*b*e-4*a*b^2*d+b^3*c)*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(13/3)-1/18*(-10*a^3*f+7*a^2*b*e-4*a*b^2*d+b^3*c)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(13/3)-1/9*(-10*a^3*f+7*a^2*b*e-4*a*b^2*d+b^3*c)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(13/3)*3^(1/2)

Rubi [A] time = 0.33, antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1828, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{3b^4(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(7a^2be - 10a^3f - 4ab^2d + b^3c)}{18a^{2/3}b^{13/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{2/3}b^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] ((b^2*d - 2*a*b*e + 3*a^2*f)*x)/b^4 + ((b*e - 2*a*f)*x^4)/(4*b^3) + (f*x^7)/(7*b^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*b^4*(a + b*x^3)) - ((b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(3*Sqrt[3]*a^(2/3)*b^(13/3)) + ((b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(9*a^(2/3)*b^(13/3)) - ((b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(2/3)*b^(13/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R

$\text{t}[b, 3]*x)/(\text{Rt}[a, 3]^2 - \text{Rt}[a, 3]*\text{Rt}[b, 3]*x + \text{Rt}[b, 3]^2*x^2), x], x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] := \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c])] /; \text{FreeQ}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1828

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] := \text{With}[\{q = m + \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{GeQ}[q, n] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 1887

$\text{Int}[(Pq_)/((a_ + (b_)*(x_)^{(n_)}), x_Symbol] := \text{Int}[\text{ExpandIntegrand}[Pq/(a + b*x^n), x], x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} - \frac{\int \frac{-a(b^3c - ab^2d + a^2be - a^3f) - 3ab(b^2d - abe + a^2f)x^3 - 3ab^2(be - 2af)x^3}{a + bx^3} dx}{3ab^4} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} - \frac{\int (-3a(b^2d - 2abe + 3a^2f) - 3ab(be - 2af)x^3) dx}{3ab^4} \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} + \dots \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} + \dots \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} + \dots \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} + \dots \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} + \dots \\
&= \frac{(b^2d - 2abe + 3a^2f)x}{b^4} + \frac{(be - 2af)x^4}{4b^3} + \frac{fx^7}{7b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3b^4(a + bx^3)} - \dots
\end{aligned}$$

Mathematica [A] time = 0.19, size = 277, normalized size = 0.96

$$\frac{252\sqrt[3]{b}x(3a^2f - 2abe + b^2d) - \frac{84\sqrt[3]{b}x(a^3(-f) + a^2be - ab^2d + b^3c)}{a + bx^3} + \frac{28\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-10a^3f + 7a^2be - 4ab^2d + b^3c)}{a^{2/3}} + \frac{28\sqrt{3}\tan^{-1}\left(\frac{1 - 2\sqrt[3]{\frac{a}{b}}}{\sqrt{3}}\right)}{252b^{13/3}}}{252b^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] (252*b^(1/3)*(b^2*d - 2*a*b*e + 3*a^2*f)*x + 63*b^(4/3)*(b*e - 2*a*f)*x^4 + 36*b^(7/3)*f*x^7 - (84*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a + b*x^3) + (28*sqrt[3]*(-(b^3*c) + 4*a*b^2*d - 7*a^2*b*e + 10*a^3*f)*ArcTan[

$$\frac{(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]]/a^{(2/3)} + (28*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/a^{(2/3)} + (14*(-(b^3*c) + 4*a*b^2*d - 7*a^2*b*e + 10*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/a^{(2/3)}/(252*b^{(13/3)})$$

fricas [A] time = 0.66, size = 946, normalized size = 3.28

$$36 a^2 b^4 f x^{10} + 9 (7 a^2 b^4 e - 10 a^3 b^3 f) x^7 + 63 (4 a^2 b^4 d - 7 a^3 b^3 e + 10 a^4 b^2 f) x^4 - 42 \sqrt{\frac{1}{3}} (a^2 b^4 c - 4 a^3 b^3 d + 7 a^4 b^2 e - 10 a^5 b^2 f + (a b^5 c - 4 a^2 b^4 d + 7 a^3 b^3 e - 10 a^4 b^2 f) x^3) \sqrt{\frac{(-a^2 b)^{(1/3)}/b} * \log((2 a b x^3 + 3 (-a^2 b)^{(1/3)} a x^2 - a^2 - 3 \sqrt{\frac{1}{3}} (2 a b x^2 + (-a^2 b)^{(2/3)} x + (-a^2 b)^{(1/3)} a) \sqrt{\frac{(-a^2 b)^{(1/3)}/b}{(b x^3 + a)}} - 14 (a b^3 c - 4 a^2 b^2 d + 7 a^3 b e - 10 a^4 f + (b^4 c - 4 a b^3 d + 7 a^2 b^2 e - 10 a^3 b f) x^3) (-a^2 b)^{(2/3)} \log(a b x^2 - (-a^2 b)^{(2/3)} x - (-a^2 b)^{(1/3)} a) + 28 (a b^3 c - 4 a^2 b^2 d + 7 a^3 b e - 10 a^4 f + (b^4 c - 4 a b^3 d + 7 a^2 b^2 e - 10 a^3 b f) x^3) (-a^2 b)^{(2/3)} \log(a b x + (-a^2 b)^{(2/3)}) - 84 (a^2 b^4 c - 4 a^3 b^3 d + 7 a^4 b^2 e - 10 a^5 b f) x) / (a^2 b^6 x^3 + a^3 b^5), 1/252 * (36 a^2 b^4 f x^{10} + 9 (7 a^2 b^4 e - 10 a^3 b^3 f) x^7 + 63 (4 a^2 b^4 d - 7 a^3 b^3 e + 10 a^4 b^2 f) x^4 + 84 \sqrt{\frac{1}{3}} (a^2 b^4 c - 4 a^3 b^3 d + 7 a^4 b^2 e - 10 a^5 b^2 f + (a b^5 c - 4 a^2 b^4 d + 7 a^3 b^3 e - 10 a^4 b^2 f) x^3) \sqrt{\frac{(-a^2 b)^{(1/3)}/b} * \arctan(\sqrt{\frac{1}{3}} (2 (-a^2 b)^{(2/3)} x + (-a^2 b)^{(1/3)} a) \sqrt{\frac{(-a^2 b)^{(1/3)}/b}{a^2}} - 14 (a b^3 c - 4 a^2 b^2 d + 7 a^3 b e - 10 a^4 f + (b^4 c - 4 a b^3 d + 7 a^2 b^2 e - 10 a^3 b f) x^3) (-a^2 b)^{(2/3)} \log(a b x^2 - (-a^2 b)^{(2/3)} x - (-a^2 b)^{(1/3)} a) + 28 (a b^3 c - 4 a^2 b^2 d + 7 a^3 b e - 10 a^4 f + (b^4 c - 4 a b^3 d + 7 a^2 b^2 e - 10 a^3 b f) x^3) (-a^2 b)^{(2/3)} \log(a b x + (-a^2 b)^{(2/3)}) - 84 (a^2 b^4 c - 4 a^3 b^3 d + 7 a^4 b^2 e - 10 a^5 b f) x) / (a^2 b^6 x^3 + a^3 b^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/252*(36*a^2*b^4*f*x^10 + 9*(7*a^2*b^4*e - 10*a^3*b^3*f)*x^7 + 63*(4*a^2*b^4*d - 7*a^3*b^3*e + 10*a^4*b^2*f)*x^4 - 42*sqrt(1/3)*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b^2*f + (a*b^5*c - 4*a^2*b^4*d + 7*a^3*b^3*e - 10*a^4*b^2*f)*x^3)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x^2 - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a) - 14*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) - 84*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b*f)*x)/(a^2*b^6*x^3 + a^3*b^5), 1/252*(36*a^2*b^4*f*x^10 + 9*(7*a^2*b^4*e - 10*a^3*b^3*f)*x^7 + 63*(4*a^2*b^4*d - 7*a^3*b^3*e + 10*a^4*b^2*f)*x^4 + 84*sqrt(1/3)*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b^2*f + (a*b^5*c - 4*a^2*b^4*d + 7*a^3*b^3*e - 10*a^4*b^2*f)*x^3)*sqrt((-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b)/a^2) - 14*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 28*(a*b^3*c - 4*a^2*b^2*d + 7*a^3*b*e - 10*a^4*f + (b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) - 84*(a^2*b^4*c - 4*a^3*b^3*d + 7*a^4*b^2*e - 10*a^5*b*f)*x)/(a^2*b^6*x^3 + a^3*b^5)]

giac [A] time = 0.18, size = 295, normalized size = 1.02

$$\frac{\sqrt{3}(b^3c - 4ab^2d - 10a^3f + 7a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (b^3c - 4ab^2d - 10a^3f + 7a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9(-ab^2)^{\frac{2}{3}}b^3 + 18(-ab^2)^{\frac{2}{3}}b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/9*sqrt(3)*(b^3*c - 4*a*b^2*d - 10*a^3*f + 7*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^3) - 1/18*(b^3*c - 4*a*b^2*d - 10*a^3*f + 7*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b^3) - 1/9*(b^3*c - 4*a*b^2*d - 10*a^3*f + 7*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^4) - 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*b^4) + 1/28*(4*b^12*f*x^7 - 14*a*b^11*f*x^4 + 7*b^12*x^4*e + 28*b^12*d*x + 84*a^2*b^10*f*x - 56*a*b^11*x*e)/b^14

maple [B] time = 0.05, size = 514, normalized size = 1.78

$$\frac{f x^7}{7b^2} - \frac{af x^4}{2b^3} + \frac{ex^4}{4b^2} + \frac{a^3fx}{3(bx^3+a)b^4} - \frac{a^2ex}{3(bx^3+a)b^3} + \frac{adx}{3(bx^3+a)b^2} - \frac{cx}{3(bx^3+a)b} - \frac{10\sqrt{3} a^3 f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)

[Out] 1/7/b^2*f*x^7-1/2/b^3*x^4*a*f+1/4/b^2*x^4*e+3/b^4*a^2*f*x-2/b^3*a*e*x+1/b^2*d*x+1/3/b^4*x/(b*x^3+a)*a^3*f-1/3/b^3*x/(b*x^3+a)*a^2*e+1/3/b^2*x/(b*x^3+a)*a*d-1/3/b*x/(b*x^3+a)*c-10/9/b^5*a^3*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+5/9/b^5*a^3*f/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-10/9/b^5*a^3*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+7/9/b^4*a^2*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-7/18/b^4*a^2*e/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+7/9/b^4*a^2*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-4/9/b^3*a*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+2/9/b^3*a*d/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9/b^3*a*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/9/b^2*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/

$8/b^2*c/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9/b^2*c/(a/b)^{(2/3)}$
 $*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$

maxima [A] time = 2.98, size = 270, normalized size = 0.94

$$\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3(b^5x^3 + ab^4)} + \frac{4b^2fx^7 + 7(b^2e - 2abf)x^4 + 28(b^2d - 2abe + 3a^2f)x}{28b^4} + \frac{\sqrt{3}(b^3c - 4ab^2d + 7a^2e)}{28b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x/(b^5*x^3 + a*b^4) + 1/28*(4*b^2*f*x^7 + 7*(b^2*e - 2*a*b*f)*x^4 + 28*(b^2*d - 2*a*b*e + 3*a^2*f)*x)/b^4 + 1/9*\sqrt{3}*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^5*(a/b)^{(2/3)}) - 1/18*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^5*(a/b)^{(2/3)}) + 1/9*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*\log(x + (a/b)^{(1/3)})/(b^5*(a/b)^{(2/3)})$

mupad [B] time = 0.31, size = 280, normalized size = 0.97

$$x^4 \left(\frac{e}{4b^2} - \frac{af}{2b^3} \right) - x \left(\frac{a^2f}{b^4} - \frac{d}{b^2} + \frac{2a \left(\frac{e}{b^2} - \frac{2af}{b^3} \right)}{b} \right) - \frac{x \left(-\frac{fa^3}{3} + \frac{ea^2b}{3} - \frac{dab^2}{3} + \frac{cb^3}{3} \right)}{b^5x^3 + ab^4} + \frac{fx^7}{7b^2} + \frac{\ln(b^{1/3}x + a^{1/3})}{(-10)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)

[Out] $x^4*(e/(4*b^2) - (a*f)/(2*b^3)) - x*((a^2*f)/b^4 - d/b^2 + (2*a*(e/b^2 - (2*a*f)/b^3))/b) - (x*((b^3*c)/3 - (a^3*f)/3 - (a*b^2*d)/3 + (a^2*b*e)/3))/(a*b^4 + b^5*x^3) + (f*x^7)/(7*b^2) + (\log(b^{(1/3)}*x + a^{(1/3)})*(b^3*c - 10*a^3*f - 4*a*b^2*d + 7*a^2*b*e))/(9*a^{(2/3)}*b^{(13/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(b^3*c - 10*a^3*f - 4*a*b^2*d + 7*a^2*b*e))/(9*a^{(2/3)}*b^{(13/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(b^3*c - 10*a^3*f - 4*a*b^2*d + 7*a^2*b*e))/(9*a^{(2/3)}*b^{(13/3)})$

sympy [A] time = 12.90, size = 401, normalized size = 1.39

$$x^4 \left(-\frac{af}{2b^3} + \frac{e}{4b^2} \right) + x \left(\frac{3a^2f}{b^4} - \frac{2ae}{b^3} + \frac{d}{b^2} \right) + \frac{x(a^3f - a^2be + ab^2d - b^3c)}{3ab^4 + 3b^5x^3} + \text{RootSum} \left(729t^3a^2b^{13} + 1000a^9f^3 - 210 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)
```

```
[Out] x**4*(-a*f/(2*b**3) + e/(4*b**2)) + x*(3*a**2*f/b**4 - 2*a*e/b**3 + d/b**2)
+ x*(a**3*f - a**2*b*e + a*b**2*d - b**3*c)/(3*a*b**4 + 3*b**5*x**3) + Roo
tSum(729*_t**3*a**2*b**13 + 1000*a**9*f**3 - 2100*a**8*b*e*f**2 + 1200*a**7
*b**2*d*f**2 + 1470*a**7*b**2*e**2*f - 300*a**6*b**3*c*f**2 - 1680*a**6*b**
3*d*e*f - 343*a**6*b**3*e**3 + 420*a**5*b**4*c*e*f + 480*a**5*b**4*d**2*f +
588*a**5*b**4*d*e**2 - 240*a**4*b**5*c*d*f - 147*a**4*b**5*c*e**2 - 336*a*
4*b**5*d**2*e + 30*a**3*b**6*c**2*f + 168*a**3*b**6*c*d*e + 64*a**3*b**6*d
**3 - 21*a**2*b**7*c**2*e - 48*a**2*b**7*c*d**2 + 12*a*b**8*c**2*d - b**9*c
**3, Lambda(_t, _t*log(-9*_t*a*b**4/(10*a**3*f - 7*a**2*b*e + 4*a*b**2*d -
b**3*c) + x))) + f*x**7/(7*b**2)
```

$$3.265 \quad \int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=271

$$\frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3ab^3(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(8a^3f - 5a^2be + 2ab^2d + b^3c)}{18a^{4/3}b^{11/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{4/3}b^{11/3}}$$

[Out] $1/2*(-2*a*f+b*e)*x^2/b^3+1/5*f*x^5/b^2+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a/b^3/(b*x^3+a)-1/9*(8*a^3*f-5*a^2*b*e+2*a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(4/3)}/b^{(11/3)}+1/18*(8*a^3*f-5*a^2*b*e+2*a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(4/3)}/b^{(11/3)}-1/9*(8*a^3*f-5*a^2*b*e+2*a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(4/3)}/b^{(11/3)}*3^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.321$, Rules used = {1828, 1594, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3ab^3(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-5a^2be + 8a^3f + 2ab^2d + b^3c)}{18a^{4/3}b^{11/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{4/3}b^{11/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $((b*e - 2*a*f)*x^2)/(2*b^3) + (f*x^5)/(5*b^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a*b^3*(a + b*x^3)) - ((b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(4/3)}*b^{(11/3)}) - ((b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(4/3)}*b^{(11/3)}) + ((b^3*c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(4/3)}*b^{(11/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1594

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1828

```

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{\int \frac{-b(b^3c + 2ab^2d - 2a^2be + 2a^3f)x - 3ab^2(be - af)x^4 - 3ab^3fx^7}{a + bx^3} dx}{3ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{\int \frac{x(-b(b^3c + 2ab^2d - 2a^2be + 2a^3f) - 3ab^2(be - af)x^3 - 3ab^3fx^6)}{a + bx^3} dx}{3ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{\int \left(-3ab(be - 2af)x - 3ab^2fx^4 + \frac{(-b^4c - 2ab^3d + 5a^2be - a^3f)x^7}{a + bx^3} \right) dx}{3ab^4} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} + \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{3ab^3} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{9a^{4/3}b^3} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{9a^{4/3}b^3} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{9a^{4/3}b^3} \\
&= \frac{(be - 2af)x^2}{2b^3} + \frac{fx^5}{5b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3ab^3(a + bx^3)} - \frac{(b^3c + 2ab^2d - 5a^2be + a^3f)x^7}{3\sqrt{3}a^4}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 255, normalized size = 0.94

$$\frac{30b^{2/3}x^2(a^3(-f)+a^2be-ab^2d+b^3c)}{a(a+bx^3)} - \frac{10\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)(8a^3f-5a^2be+2ab^2d+b^3c)}{a^{4/3}} - \frac{10\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)(8a^3f-5a^2be+2ab^2d+b^3c)}{a^{4/3}} + \frac{5\log\left(a^{2/3}\right)}{90b^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x]

[Out] $(45b^{2/3}(b^3e - 2a^2f)x^2 + 18b^{5/3}fx^5 + (30b^{2/3}(b^3c - a^2d + a^2be - a^3f)x^2)/(a(a + bx^3)) - (10\sqrt{3}(b^3c + 2a^2bd - 5a^2be + 8a^3f)\text{ArcTan}[(1 - (2b^{1/3}x)/a^{1/3})/\sqrt{3}])/a^{4/3} - (10(b^3c + 2a^2bd - 5a^2be + 8a^3f)\text{Log}[a^{1/3} + b^{1/3}x])/a^{4/3} + (5(b^3c + 2a^2bd - 5a^2be + 8a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])/a^{4/3})/(90b^{11/3})$

fricas [A] time = 0.80, size = 874, normalized size = 3.23

$$18a^2b^4fx^8 + 9(5a^2b^4e - 8a^3b^3f)x^5 + 15(2ab^5c - 2a^2b^4d + 5a^3b^3e - 8a^4b^2f)x^2 + 15\sqrt{\frac{1}{3}}(a^2b^4c + 2a^3b^3d - 5a^4b^2e + 8a^5b^1f)x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $[1/90*(18a^2b^4fx^8 + 9*(5a^2b^4e - 8a^3b^3f)x^5 + 15*(2a^2b^5c - 2a^2b^4d + 5a^3b^3e - 8a^4b^2f)x^2 + 15*\sqrt{1/3}*(a^2b^4c + 2a^3b^3d - 5a^4b^2e + 8a^5b^1f)x^3)*\sqrt{(-ab^2)^{1/3}/a}*\log((2b^2x^3 - ab + 3*\sqrt{1/3}*(abx + 2*(-ab^2)^{2/3}x^2 + (-ab^2)^{1/3}a))*\sqrt{(-ab^2)^{1/3}}/a) - 3*(-ab^2)^{2/3}x)/(b*x^3 + a) + 5*(ab^3c + 2a^2b^2d - 5a^3be + 8a^4f + (b^4c + 2a*b^3d - 5a^2b^2e + 8a^3bf)x^3)*(-ab^2)^{2/3}*\log(b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3}) - 10*(ab^3c + 2a^2b^2d - 5a^3be + 8a^4f + (b^4c + 2a*b^3d - 5a^2b^2e + 8a^3bf)x^3)*(-ab^2)^{2/3}*\log(bx - (-ab^2)^{1/3})]/(a^2b^6x^3 + a^3b^5)$

, $1/90*(18*a^2*b^4*f*x^8 + 9*(5*a^2*b^4*e - 8*a^3*b^3*f)*x^5 + 15*(2*a*b^5*c - 2*a^2*b^4*d + 5*a^3*b^3*e - 8*a^4*b^2*f)*x^2 + 30*\sqrt{1/3}*(a^2*b^4*c + 2*a^3*b^3*d - 5*a^4*b^2*e + 8*a^5*b*f + (a*b^5*c + 2*a^2*b^4*d - 5*a^3*b^3*e + 8*a^4*b^2*f)*x^3)*\sqrt{-(-a*b^2)^{(1/3)}/a}*\arctan(\sqrt{1/3}*(2*b*x + (-a*b^2)^{(1/3}))*\sqrt{-(-a*b^2)^{(1/3)}/a}/b) + 5*(a*b^3*c + 2*a^2*b^2*d - 5*a^3*b*e + 8*a^4*f + (b^4*c + 2*a*b^3*d - 5*a^2*b^2*e + 8*a^3*b*f)*x^3)*(-a*b^2)^{(2/3)}*\log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 10*(a*b^3*c + 2*a^2*b^2*d - 5*a^3*b*e + 8*a^4*f + (b^4*c + 2*a*b^3*d - 5*a^2*b^2*e + 8*a^3*b*f)*x^3)*(-a*b^2)^{(2/3)}*\log(b*x - (-a*b^2)^{(1/3)})/(a^2*b^6*x^3 + a^3*b^5)]$

giac [A] time = 0.22, size = 318, normalized size = 1.17

$$\frac{\sqrt{3} (b^3c + 2ab^2d + 8a^3f - 5a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{-a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{-a}{b}\right)^{\frac{1}{3}}}\right) (b^3c + 2ab^2d + 8a^3f - 5a^2be) \log\left(x^2 + x\left(\frac{-a}{b}\right)^{\frac{1}{3}} + \left(\frac{-a}{b}\right)^{\frac{2}{3}}\right)}{9(-ab^2)^{\frac{1}{3}}ab^3} \quad \frac{18(-ab^2)^{\frac{1}{3}}ab^3}{18(-ab^2)^{\frac{1}{3}}ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $1/9*\sqrt{3}*(b^3*c + 2*a*b^2*d + 8*a^3*f - 5*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(1/3)}*a*b^3) - 1/18*(b^3*c + 2*a*b^2*d + 8*a^3*f - 5*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(1/3)}*a*b^3) - 1/9*(b^3*c*(-a/b)^{(1/3)} + 2*a*b^2*d*(-a/b)^{(1/3)} + 8*a^3*f*(-a/b)^{(1/3)} - 5*a^2*b*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^2*b^3) + 1/3*(b^3*c*x^2 - a*b^2*d*x^2 - a^3*f*x^2 + a^2*b*x^2*e)/((b*x^3 + a)*a*b^3) + 1/10*(2*b^8*f*x^5 - 10*a*b^7*f*x^2 + 5*b^8*x^2*e)/b^10$

maple [B] time = 0.05, size = 495, normalized size = 1.83

$$\frac{f x^5}{5b^2} - \frac{a^2 f x^2}{3(bx^3 + a)b^3} + \frac{ae x^2}{3(bx^3 + a)b^2} + \frac{c x^2}{3(bx^3 + a)a} - \frac{d x^2}{3(bx^3 + a)b} - \frac{af x^2}{b^3} + \frac{e x^2}{2b^2} + \frac{8\sqrt{3} a^2 f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1} - 1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)`

[Out] $\frac{1}{5}b^{-2}fx^5 - \frac{1}{b^3}x^2af + \frac{1}{2}b^{-2}x^2e - \frac{1}{3}b^{-3}a^2x^2/(b*x^3+a) * f + \frac{1}{3}b^{-2}ax^2/(b*x^3+a) * e - \frac{1}{3}b*x^2/(b*x^3+a) * d + \frac{1}{3}a*x^2/(b*x^3+a) * c - \frac{8}{9}b^{-4}a^2/(a/b)^{(1/3)} * \ln(x+(a/b)^{(1/3)}) * f + \frac{5}{9}b^{-3}a/(a/b)^{(1/3)} * \ln(x+(a/b)^{(1/3)}) * e - \frac{2}{9}b^{-2}/(a/b)^{(1/3)} * \ln(x+(a/b)^{(1/3)}) * d - \frac{1}{9}b/a/(a/b)^{(1/3)} * \ln(x+(a/b)^{(1/3)}) * c + \frac{4}{9}b^{-4}a^2/(a/b)^{(1/3)} * \ln(x^2-(a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * f - \frac{5}{18}b^{-3}a/(a/b)^{(1/3)} * \ln(x^2-(a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * e + \frac{1}{9}b^{-2}/(a/b)^{(1/3)} * \ln(x^2-(a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * d + \frac{1}{18}b/a/(a/b)^{(1/3)} * \ln(x^2-(a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * c + \frac{8}{9}b^{-4}a^2 * 3^{(1/2)}/(a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * f - \frac{5}{9}b^{-3}a * 3^{(1/2)}/(a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * e + \frac{2}{9}b^{-2} * 3^{(1/2)}/(a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * d + \frac{1}{9}b/a * 3^{(1/2)}/(a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * c$

maxima [A] time = 3.12, size = 259, normalized size = 0.96

$$\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3(ab^4x^3 + a^2b^3)} + \frac{2bfx^5 + 5(be - 2af)x^2}{10b^3} + \frac{\sqrt{3}(b^3c + 2ab^2d - 5a^2be + 8a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab^4\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $\frac{1}{3} * (b^3c - a*b^2*d + a^2*b*e - a^3*f) * x^2 / (a*b^4*x^3 + a^2*b^3) + \frac{1}{10} * (2 * b*f*x^5 + 5 * (b*e - 2*a*f) * x^2) / b^3 + \frac{1}{9} * \sqrt{3} * (b^3c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f) * \arctan(1/3 * \sqrt{3} * (2*x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a*b^4 * (a/b)^{(1/3)}) + \frac{1}{18} * (b^3c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a*b^4 * (a/b)^{(1/3)}) - \frac{1}{9} * (b^3c + 2*a*b^2*d - 5*a^2*b*e + 8*a^3*f) * \log(x + (a/b)^{(1/3)}) / (a*b^4 * (a/b)^{(1/3)})$

mupad [B] time = 5.23, size = 246, normalized size = 0.91

$$x^2 \left(\frac{e}{2b^2} - \frac{af}{b^3} \right) + \frac{fx^5}{5b^2} - \frac{\ln(b^{1/3}x + a^{1/3}) (8fa^3 - 5ea^2b + 2dab^2 + cb^3)}{9a^{4/3}b^{11/3}} + \frac{x^2 (-fa^3 + ea^2b - dab^2 + cb^3)}{3a(b^4x^3 + ab^3)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^2,x)`

[Out] $x^2 * (e / (2 * b^2) - (a * f) / b^3) + (f * x^5) / (5 * b^2) - (\log(b^{(1/3)} * x + a^{(1/3)}) * (b^3 * c + 8 * a^3 * f + 2 * a * b^2 * d - 5 * a^2 * b * e)) / (9 * a^{(4/3)} * b^{(11/3)}) + (x^2 * (b^3 * c - a^3 * f - a * b^2 * d + a^2 * b * e)) / (3 * a * (a * b^3 + b^4 * x^3)) + (\log(3^{(1/2)} * a^{(1/3)} * (2 * x - (a/b)^{(1/3)})) / (3 * a * (a/b)^{(1/3)})) * (b^3 * c + 2 * a * b^2 * d - 5 * a^2 * b * e + 8 * a^3 * f)$

$$\frac{1}{3}i + 2b^{1/3}x - a^{1/3}) \cdot \left(\frac{3^{1/2}i}{2} + \frac{1}{2} \right) \cdot (b^3c + 8a^3f + 2ab^2d - 5a^2be) / (9a^{4/3}b^{11/3}) - (\log(3^{1/2}a^{1/3}i - 2b^{1/3}x + a^{1/3})) \cdot \left(\frac{3^{1/2}i}{2} - \frac{1}{2} \right) \cdot (b^3c + 8a^3f + 2ab^2d - 5a^2be) / (9a^{4/3}b^{11/3})$$

sympy [A] time = 22.48, size = 461, normalized size = 1.70

$$x^2 \left(-\frac{af}{b^3} + \frac{e}{2b^2} \right) + \frac{x^2 (-a^3f + a^2be - ab^2d + b^3c)}{3a^2b^3 + 3ab^4x^3} + \text{RootSum} \left(729t^3a^4b^{11} + 512a^9f^3 - 960a^8bef^2 + 384a^7b^2df^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] x**2*(-a*f/b**3 + e/(2*b**2)) + x**2*(-a**3*f + a**2*b*e - a*b**2*d + b**3*c)/(3*a**2*b**3 + 3*a*b**4*x**3) + RootSum(729*_t**3*a**4*b**11 + 512*a**9*f**3 - 960*a**8*b*e*f**2 + 384*a**7*b**2*d*f**2 + 600*a**7*b**2*e**2*f + 192*a**6*b**3*c*f**2 - 480*a**6*b**3*d*e*f - 125*a**6*b**3*e**3 - 240*a**5*b**4*c*e*f + 96*a**5*b**4*d**2*f + 150*a**5*b**4*d*e**2 + 96*a**4*b**5*c*d*f + 75*a**4*b**5*c*e**2 - 60*a**4*b**5*d**2*e + 24*a**3*b**6*c**2*f - 60*a**3*b**6*c*d*e + 8*a**3*b**6*d**3 - 15*a**2*b**7*c**2*e + 12*a**2*b**7*c*d**2 + 6*a*b**8*c**2*d + b**9*c**3, Lambda(_t, _t*log(81*_t**2*a**3*b**7/(64*a**6*f**2 - 80*a**5*b*e*f + 32*a**4*b**2*d*f + 25*a**4*b**2*e**2 + 16*a**3*b**3*c*f - 20*a**3*b**3*d*e - 10*a**2*b**4*c*e + 4*a**2*b**4*d**2 + 4*a*b**5*c*d + b**6*c**2) + x))) + f*x**5/(5*b**2)

$$3.266 \quad \int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^2} dx$$

Optimal. Leaf size=264

$$\frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{3ab^3(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(7a^3f - 4a^2be + ab^2d + 2b^3c)}{18a^{5/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{5/3}b^{10/3}}$$

[Out] $(-2*a*f+b*e)*x/b^3+1/4*f*x^4/b^2+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a/b^3/(b*x^3+a)+1/9*(7*a^3*f-4*a^2*b*e+a*b^2*d+2*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}/b^{(10/3)}-1/18*(7*a^3*f-4*a^2*b*e+a*b^2*d+2*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(10/3)}-1/9*(7*a^3*f-4*a^2*b*e+a*b^2*d+2*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}/b^{(10/3)}*3^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1858, 1411, 388, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{3ab^3(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-4a^2be + 7a^3f + ab^2d + 2b^3c)}{18a^{5/3}b^{10/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{5/3}b^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^2, x]

[Out] $((b*e - 2*a*f)*x)/b^3 + (f*x^4)/(4*b^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a*b^3*(a + b*x^3)) - ((2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(5/3)}*b^{(10/3)}) + ((2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(5/3)}*b^{(10/3)}) - ((2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(5/3)}*b^{(10/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R

$t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[\{a, b\}, x]$

Rule 204

$Int[((a_) + (b_)*(x_)^2)^{-1}, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[\{a, b\}, x] \&\& PosQ[a/b] \&\& (LtQ[a, 0] || LtQ[b, 0])$

Rule 388

$Int[((a_) + (b_)*(x_)^{(n_)})^{(p_)*((c_) + (d_)*(x_)^{(n_)})}, x_Symbol] := Simp[(d*x*(a + b*x^n)^{(p + 1)})/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[\{a, b, c, d, n\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[n*(p + 1) + 1, 0]$

Rule 617

$Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] := With[\{q = 1 - 4*Simplify[(a*c)/b^2]\}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] \&\& (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[\{a, b, c\}, x] \&\& NeQ[b^2 - 4*a*c, 0]$

Rule 628

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& EqQ[2*c*d - b*e, 0]$

Rule 634

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& NeQ[2*c*d - b*e, 0] \&\& NeQ[b^2 - 4*a*c, 0] \&\& !NiceSqrtQ[b^2 - 4*a*c]$

Rule 1411

$Int[((d_) + (e_)*(x_)^{(n_)})^{(q_)*((a_) + (b_)*(x_)^{(n_) + (c_)*(x_)^{(n2_))}), x_Symbol] := Simp[(c*x^{(n + 1)}*(d + e*x^n)^{(q + 1)})/(e*(n*(q + 2) + 1)), x] + Dist[1/(e*(n*(q + 2) + 1)), Int[(d + e*x^n)^q*(a*e*(n*(q + 2) + 1) - (c*d*(n + 1) - b*e*(n*(q + 2) + 1))*x^n), x], x] /; FreeQ[\{a, b, c, d, e, n, q\}, x] \&\& EqQ[n2, 2*n] \&\& NeQ[b^2 - 4*a*c, 0] \&\& NeQ[c*d^2 - b*d*e + a*e^2, 0]$

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{(a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} - \frac{\int \frac{-2b^3c - ab^2d + a^2be - a^3f - 3ab(be - af)x^3 - 3ab^2fx^6}{a + bx^3} dx}{3ab^3} \\
&= \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} - \frac{\int \frac{4b(-2b^3c - ab^2d + a^2be - a^3f) - (-12a^2b^2f + 12ab^2(be - af))x^3}{a + bx^3} dx}{12ab^4} \\
&= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{3ab^3} \\
&= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{9a^{5/3}b^3} \\
&= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{9a^{5/3}b^{10/3}} \\
&= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{9a^{5/3}b^{10/3}} \\
&= \frac{(be - 2af)x}{b^3} + \frac{fx^4}{4b^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3ab^3(a + bx^3)} - \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)}{3\sqrt{3}a^{5/3}b^{10/3}}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 251, normalized size = 0.95

$$\frac{12 \sqrt[3]{b} x (a^3(-f) + a^2 b e - a b^2 d + b^3 c)}{a(a + b x^3)} + \frac{4 \log(\sqrt[3]{a} + \sqrt[3]{b} x) (7 a^3 f - 4 a^2 b e + a b^2 d + 2 b^3 c)}{a^{5/3}} - \frac{4 \sqrt{3} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt[3]{a}}\right) (7 a^3 f - 4 a^2 b e + a b^2 d + 2 b^3 c)}{a^{5/3}} - \frac{2 \log(a^{2/3})}{36 b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^2,x]

[Out] (36*b^(1/3)*(b*e - 2*a*f)*x + 9*b^(4/3)*f*x^4 + (12*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a*(a + b*x^3)) - (4*sqrt[3]*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(5/3) + (4*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) - (2*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(36*b^(10/3))

fricas [A] time = 0.90, size = 861, normalized size = 3.26

$$9 a^3 b^3 f x^7 + 9 (4 a^3 b^3 e - 7 a^4 b^2 f) x^4 + 6 \sqrt{\frac{1}{3}} (2 a^2 b^4 c + a^3 b^3 d - 4 a^4 b^2 e + 7 a^5 b f + (2 a b^5 c + a^2 b^4 d - 4 a^3 b^3 e + \dots))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/36*(9*a^3*b^3*f*x^7 + 9*(4*a^3*b^3*e - 7*a^4*b^2*f)*x^4 + 6*sqrt(1/3)*(2*a^2*b^4*c + a^3*b^3*d - 4*a^4*b^2*e + 7*a^5*b*f + (2*a*b^5*c + a^2*b^4*d - 4*a^3*b^3*e + 7*a^4*b^2*f)*x^3)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b)))/(b*x^3 + a) - 2*(2*a*b^3*c + a^2*b^2*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^3)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 4*(2*a*b^3*c + a^2*b^2*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^3)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^2*b^4*c - a^3*b^3*d + 4*a^4*b^2*e - 7*a^5*b*f)*x)/(a^3*b^5*x^3 + a^4*b^4), 1/36*(9*a^3

```
*b^3*f*x^7 + 9*(4*a^3*b^3*e - 7*a^4*b^2*f)*x^4 + 12*sqrt(1/3)*(2*a^2*b^4*c
+ a^3*b^3*d - 4*a^4*b^2*e + 7*a^5*b*f + (2*a*b^5*c + a^2*b^4*d - 4*a^3*b^3*
e + 7*a^4*b^2*f)*x^3)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/
3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 2*(2*a*b^3*c + a^2*b^2
*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e + 7*a^3*b*f)*x^
3)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 4*(2*a*
b^3*c + a^2*b^2*d - 4*a^3*b*e + 7*a^4*f + (2*b^4*c + a*b^3*d - 4*a^2*b^2*e
+ 7*a^3*b*f)*x^3)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)) + 12*(a^2*b^4*c
- a^3*b^3*d + 4*a^4*b^2*e - 7*a^5*b*f)*x)/(a^3*b^5*x^3 + a^4*b^4)]
```

giac [A] time = 0.21, size = 273, normalized size = 1.03

$$\frac{\sqrt{3}(2b^3c + ab^2d + 7a^3f - 4a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (2b^3c + ab^2d + 7a^3f - 4a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9(-ab^2)^{\frac{2}{3}}ab^2 + 18(-ab^2)^{\frac{2}{3}}ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="giac")

```
[Out] -1/9*sqrt(3)*(2*b^3*c + a*b^2*d + 7*a^3*f - 4*a^2*b*e)*arctan(1/3*sqrt(3)*
(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b^2) - 1/18*(2*b^3*c +
a*b^2*d + 7*a^3*f - 4*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-
a*b^2)^(2/3)*a*b^2) - 1/9*(2*b^3*c + a*b^2*d + 7*a^3*f - 4*a^2*b*e)*(-a/b)^(
1/3)*log(abs(x - (-a/b)^(1/3)))/(a^2*b^3) + 1/3*(b^3*c*x - a*b^2*d*x - a^3
*f*x + a^2*b*x*e)/((b*x^3 + a)*a*b^3) + 1/4*(b^6*f*x^4 - 8*a*b^5*f*x + 4*b^
6*x*e)/b^8
```

maple [B] time = 0.06, size = 482, normalized size = 1.83

$$\frac{\frac{f x^4}{4b^2} - \frac{a^2 f x}{3(b x^3 + a)b^3} + \frac{a e x}{3(b x^3 + a)b^2} + \frac{c x}{3(b x^3 + a)a} - \frac{d x}{3(b x^3 + a)b} + \frac{7\sqrt{3} a^2 f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1} - 1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^4} + \frac{7a^2 f \ln\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x)


```
[Out] 1/4*f*x^4/b^2-2/b^3*a*f*x+1/b^2*e*x-1/3/b^3*a^2*x/(b*x^3+a)*f+1/3/b^2*a*x/(
b*x^3+a)*e-1/3/b*x/(b*x^3+a)*d+1/3/a*x/(b*x^3+a)*c+7/9/b^4*a^2/(a/b)^(2/3)*
ln(x+(a/b)^(1/3))*f-4/9/b^3*a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e+1/9/b^2/(a/b)
^(2/3)*ln(x+(a/b)^(1/3))*d+2/9/b/a/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-7/18/b^4
*a^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+2/9/b^3*a/(a/b)^(2/3)*
ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-1/18/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)
*x+(a/b)^(2/3))*d-1/9/b/a/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+7
/9/b^4*a^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f-4/
9/b^3*a/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e+1/9/b
^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+2/9/b/a/(a
/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c
```

maxima [A] time = 3.05, size = 254, normalized size = 0.96

$$\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3(ab^4x^3 + a^2b^3)} + \frac{bf x^4 + 4(be - 2af)x}{4b^3} + \frac{\sqrt{3}(2b^3c + ab^2d - 4a^2be + 7a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab^4\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^2,x, algorithm="maxima")
```

```
[Out] 1/3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x/(a*b^4*x^3 + a^2*b^3) + 1/4*(b*f*x
x^4 + 4*(b*e - 2*a*f)*x)/b^3 + 1/9*sqrt(3)*(2*b^3*c + a*b^2*d - 4*a^2*b*e +
7*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b^4*(a/b)^(
(2/3)) - 1/18*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*log(x^2 - x*(a/b)^(
1/3) + (a/b)^(2/3))/(a*b^4*(a/b)^(2/3)) + 1/9*(2*b^3*c + a*b^2*d - 4*a^2*b*
e + 7*a^3*f)*log(x + (a/b)^(1/3))/(a*b^4*(a/b)^(2/3))
```

mupad [B] time = 5.18, size = 241, normalized size = 0.91

$$x \left(\frac{e}{b^2} - \frac{2af}{b^3} \right) + \frac{f x^4}{4b^2} + \frac{x(-fa^3 + ea^2b - dab^2 + cb^3)}{3a(b^4x^3 + ab^3)} + \frac{\ln(b^{1/3}x + a^{1/3})(7fa^3 - 4ea^2b + dab^2 + 2cb^3)}{9a^{5/3}b^{10/3}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^2,x)
```

```
[Out] x*(e/b^2 - (2*a*f)/b^3) + (f*x^4)/(4*b^2) + (x*(b^3*c - a^3*f - a*b^2*d + a
^2*b*e))/(3*a*(a*b^3 + b^4*x^3)) + (log(b^(1/3)*x + a^(1/3))*(2*b^3*c + 7*a
^3*f + a*b^2*d - 4*a^2*b*e))/(9*a^(5/3)*b^(10/3)) + (log(3^(1/2)*a^(1/3)*1i
+ 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(2*b^3*c + 7*a^3*f + a*b^2
```

$(d - 4a^2be)/(9a^{5/3}b^{10/3}) - (\log(3^{1/2}a^{1/3}i - 2b^{1/3}x + a^{1/3}))((3^{1/2}i)/2 + 1/2)(2b^3c + 7a^3f + ab^2d - 4a^2be)/(9a^{5/3}b^{10/3})$

sympy [A] time = 7.02, size = 377, normalized size = 1.43

$$x\left(-\frac{2af}{b^3} + \frac{e}{b^2}\right) + \frac{x(-a^3f + a^2be - ab^2d + b^3c)}{3a^2b^3 + 3ab^4x^3} + \text{RootSum}\left(729t^3a^5b^{10} - 343a^9f^3 + 588a^8bef^2 - 147a^7b^2df^2 - 3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**2,x)

[Out] $x*(-2*a*f/b**3 + e/b**2) + x*(-a**3*f + a**2*b*e - a*b**2*d + b**3*c)/(3*a**2*b**3 + 3*a*b**4*x**3) + \text{RootSum}(729*_t**3*a**5*b**10 - 343*a**9*f**3 + 588*a**8*b*e*f**2 - 147*a**7*b**2*d*f**2 - 336*a**7*b**2*e**2*f - 294*a**6*b**3*c*f**2 + 168*a**6*b**3*d*e*f + 64*a**6*b**3*e**3 + 336*a**5*b**4*c*e*f - 21*a**5*b**4*d**2*f - 48*a**5*b**4*d*e**2 - 84*a**4*b**5*c*d*f - 96*a**4*b**5*c*e**2 + 12*a**4*b**5*d**2*e - 84*a**3*b**6*c**2*f + 48*a**3*b**6*c*d*e - a**3*b**6*d**3 + 48*a**2*b**7*c**2*e - 6*a**2*b**7*c*d**2 - 12*a*b**8*c**2*d - 8*b**9*c**3, \text{Lambda}(_t, _t*\log(9*_t*a**2*b**3/(7*a**3*f - 4*a**2*b*e + a*b**2*d + 2*b**3*c) + x))) + f*x**4/(4*b**2)$

$$3.267 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^2} dx$$

Optimal. Leaf size=265

$$\frac{c}{a^2x} - \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^2b^2(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(5a^3f - 2a^2be - ab^2d + 4b^3c)}{18a^{7/3}b^{8/3}} + \frac{\log(\sqrt[3]{a})}{18a^{7/3}b^{8/3}}$$

[Out] $-c/a^2/x + 1/2*f*x^2/b^2 - 1/3*(-a^3*f + a^2*b*e - a*b^2*d + b^3*c)*x^2/a^2/b^2/(b*x^3 + a) + 1/9*(5*a^3*f - 2*a^2*b*e - a*b^2*d + 4*b^3*c)*\ln(a^{1/3} + b^{1/3}*x)/a^{7/3}/b^{8/3} - 1/18*(5*a^3*f - 2*a^2*b*e - a*b^2*d + 4*b^3*c)*\ln(a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2)/a^{7/3}/b^{8/3} + 1/9*(5*a^3*f - 2*a^2*b*e - a*b^2*d + 4*b^3*c)*\arctan(1/3*(a^{1/3} - 2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{7/3}/b^{8/3}*3^{1/2}$

Rubi [A] time = 0.25, antiderivative size = 265, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^2b^2(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-2a^2be + 5a^3f - ab^2d + 4b^3c)}{18a^{7/3}b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{7/3}b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^2), x]

[Out] $-(c/(a^2*x)) + (f*x^2)/(2*b^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^2*b^2*(a + b*x^3)) + ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(3*\text{Sqrt}[3]*a^{7/3}*b^{8/3}) + ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/(9*a^{7/3}*b^{8/3}) - ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(18*a^{7/3}*b^{8/3})$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

```
Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^2(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} - \frac{\int \frac{-3b^3c + b\left(\frac{b^3c}{a} - b^2d - 2abe + 2a^2f\right)x^3 - 3ab^2fx^6}{x^2(a + bx^3)} dx}{3ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^2} - 3abfx + \frac{b(4b^3c - ab^2d - 2a^2be + 5a^3f)x}{a(a + bx^3)}\right) dx}{3ab^3} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} - \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \int \frac{x}{a + bx^3}}{3a^2b^2} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \int \frac{x}{\sqrt[3]{a}}}{9a^{7/3}b^{7/3}} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \log\left(\frac{x}{\sqrt[3]{a}}\right)}{9a^{7/3}b^{8/3}} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \log\left(\frac{x}{\sqrt[3]{a}}\right)}{9a^{7/3}b^{8/3}} \\
&= -\frac{c}{a^2x} + \frac{fx^2}{2b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^2b^2(a + bx^3)} + \frac{(4b^3c - ab^2d - 2a^2be + 5a^3f) \tan^{-1}\left(\frac{x}{\sqrt[3]{a}}\right)}{3\sqrt{3}a^{7/3}b^{8/3}}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 255, normalized size = 0.96

$$\frac{1}{18} \left(-\frac{18c}{a^2x} + \frac{6x^2(a^3f - a^2be + ab^2d - b^3c)}{a^2b^2(a + bx^3)} - \frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)(5a^3f - 2a^2be - ab^2d + 4b^3c)}{a^{7/3}b^{8/3}} + \frac{21c}{18} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^2), x]

```
[Out] ((-18*c)/(a^2*x) + (9*f*x^2)/b^2 + (6*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)
)*x^2)/(a^2*b^2*(a + b*x^3)) + (2*Sqrt[3]*(4*b^3*c - a*b^2*d - 2*a^2*b*e +
5*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(a^(7/3)*b^(8/3)) + (
2*(4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(a^(7
/3)*b^(8/3)) - ((4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*Log[a^(2/3) - a^(
1/3)*b^(1/3)*x + b^(2/3)*x^2])/(a^(7/3)*b^(8/3)))/18
```

fricas [A] time = 0.80, size = 860, normalized size = 3.25

$$9a^3b^3fx^6 - 18a^2b^4c - 3(8ab^5c - 2a^2b^4d + 2a^3b^3e - 5a^4b^2f)x^3 + 3\sqrt{\frac{1}{3}}((4ab^5c - a^2b^4d - 2a^3b^3e + 5a^4b^2f)x$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] [1/18*(9*a^3*b^3*f*x^6 - 18*a^2*b^4*c - 3*(8*a*b^5*c - 2*a^2*b^4*d + 2*a^3*
b^3*e - 5*a^4*b^2*f)*x^3 + 3*sqrt(1/3)*((4*a*b^5*c - a^2*b^4*d - 2*a^3*b^3*
e + 5*a^4*b^2*f)*x^4 + (4*a^2*b^4*c - a^3*b^3*d - 2*a^4*b^2*e + 5*a^5*b*f)*
x)*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*
b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*
x)/(b*x^3 + a)) - ((4*b^4*c - a*b^3*d - 2*a^2*b^2*e + 5*a^3*b*f)*x^4 + (4*a
*b^3*c - a^2*b^2*d - 2*a^3*b*e + 5*a^4*f)*x)*(a*b^2)^(2/3)*log(b^2*x^2 - (a
*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) + 2*((4*b^4*c - a*b^3*d - 2*a^2*b^2*e + 5*
a^3*b*f)*x^4 + (4*a*b^3*c - a^2*b^2*d - 2*a^3*b*e + 5*a^4*f)*x)*(a*b^2)^(2/
3)*log(b*x + (a*b^2)^(1/3)))/(a^3*b^5*x^4 + a^4*b^4*x), 1/18*(9*a^3*b^3*f*x
^6 - 18*a^2*b^4*c - 3*(8*a*b^5*c - 2*a^2*b^4*d + 2*a^3*b^3*e - 5*a^4*b^2*f)
*x^3 + 6*sqrt(1/3)*((4*a*b^5*c - a^2*b^4*d - 2*a^3*b^3*e + 5*a^4*b^2*f)*x^4
+ (4*a^2*b^4*c - a^3*b^3*d - 2*a^4*b^2*e + 5*a^5*b*f)*x)*sqrt((a*b^2)^(1/3
)/a)*arctan(-sqrt(1/3)*(2*b*x - (a*b^2)^(1/3))*sqrt((a*b^2)^(1/3)/a)/b) - (
(4*b^4*c - a*b^3*d - 2*a^2*b^2*e + 5*a^3*b*f)*x^4 + (4*a*b^3*c - a^2*b^2*d
- 2*a^3*b*e + 5*a^4*f)*x)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (
a*b^2)^(2/3)) + 2*((4*b^4*c - a*b^3*d - 2*a^2*b^2*e + 5*a^3*b*f)*x^4 + (4*a
*b^3*c - a^2*b^2*d - 2*a^3*b*e + 5*a^4*f)*x)*(a*b^2)^(2/3)*log(b*x + (a*b^2
)^(1/3)))/(a^3*b^5*x^4 + a^4*b^4*x)]
```

giac [A] time = 0.19, size = 305, normalized size = 1.15

$$\frac{fx^2}{2b^2} - \frac{\sqrt{3}(4b^3c - ab^2d + 5a^3f - 2a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{3}}a^2b^2} + \frac{(4b^3c - ab^2d + 5a^3f - 2a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{18(-ab^2)^{\frac{1}{3}}a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/2*f*x^2/b^2 - 1/9*sqrt(3)*(4*b^3*c - a*b^2*d + 5*a^3*f - 2*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^2*b^2) + 1/18*(4*b^3*c - a*b^2*d + 5*a^3*f - 2*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a^2*b^2) + 1/9*(4*b^3*c*(-a/b)^(1/3) - a*b^2*d*(-a/b)^(1/3) + 5*a^3*f*(-a/b)^(1/3) - 2*a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^2) - 1/3*(4*b^3*c*x^3 - a*b^2*d*x^3 - a^3*f*x^3 + a^2*b*x^3*e + 3*a*b^2*c)/((b*x^4 + a*x)*a^2*b^2)

maple [B] time = 0.06, size = 474, normalized size = 1.79

$$\frac{afx^2}{3(bx^3+a)b^2} + \frac{dx^2}{3(bx^3+a)a} - \frac{bcx^2}{3(bx^3+a)a^2} - \frac{ex^2}{3(bx^3+a)b} + \frac{fx^2}{2b^2} - \frac{5\sqrt{3}af \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}b^3} + \frac{5af \ln\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x)

[Out] 1/2*f*x^2/b^2+1/3*a/b^2*x^2/(b*x^3+a)*f-1/3/b*x^2/(b*x^3+a)*e+1/3/a*x^2/(b*x^3+a)*d-1/3/a^2*b*x^2/(b*x^3+a)*c+5/9*a/b^3*f/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-5/18*a/b^3*f/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-5/9*a/b^3*f*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/9/a/b*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/18/a/b*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9/a/b*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+4/9/a^2*c/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-2/9/a^2*c/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9/a^2*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/9/b^2*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/9/b^2*e/(a/b)^(1/3)

3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/b^2*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/a^2*c/x

maxima [A] time = 3.01, size = 258, normalized size = 0.97

$$\frac{f x^2}{2 b^2} - \frac{3 a b^2 c + (4 b^3 c - a b^2 d + a^2 b e - a^3 f) x^3}{3 (a^2 b^3 x^4 + a^3 b^2 x)} - \frac{\sqrt{3} (4 b^3 c - a b^2 d - 2 a^2 b e + 5 a^3 f) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9 a^2 b^3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} (4 b^3 c -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/2*f*x^2/b^2 - 1/3*(3*a*b^2*c + (4*b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^3)/(a^2*b^3*x^4 + a^3*b^2*x) - 1/9*sqrt(3)*(4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^3*(a/b)^(1/3)) - 1/18*(4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^3*(a/b)^(1/3)) + 1/9*(4*b^3*c - a*b^2*d - 2*a^2*b*e + 5*a^3*f)*log(x + (a/b)^(1/3))/(a^2*b^3*(a/b)^(1/3))

mupad [B] time = 5.39, size = 244, normalized size = 0.92

$$\frac{f x^2}{2 b^2} - \frac{x^3 (-f a^3 + e a^2 b - d a b^2 + 4 c b^3)}{3 a^2} + \frac{b^2 c}{a} + \frac{\ln(b^{1/3} x + a^{1/3}) (5 f a^3 - 2 e a^2 b - d a b^2 + 4 c b^3)}{9 a^{7/3} b^{8/3}} - \frac{\ln(2 b^{1/3} x - a^{1/3} + \sqrt{3})}{9 a^{7/3} b^{8/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^2),x)

[Out] (f*x^2)/(2*b^2) - ((x^3*(4*b^3*c - a^3*f - a*b^2*d + a^2*b*e))/(3*a^2) + (b^2*c)/a)/(b^3*x^4 + a*b^2*x) + (log(b^(1/3)*x + a^(1/3))*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a^(7/3)*b^(8/3)) - (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a^(7/3)*b^(8/3)) + (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a^(7/3)*b^(8/3))

sympy [A] time = 32.22, size = 457, normalized size = 1.72

$$\frac{-3 a b^2 c + x^3 (a^3 f - a^2 b e + a b^2 d - 4 b^3 c)}{3 a^3 b^2 x + 3 a^2 b^3 x^4} + \text{RootSum}\left(729 t^3 a^7 b^8 - 125 a^9 f^3 + 150 a^8 b e f^2 + 75 a^7 b^2 d f^2 - 60 a^7 b^2 e^2, j\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**2/(b*x**3+a)**2,x)

[Out] $(-3*a*b**2*c + x**3*(a**3*f - a**2*b*e + a*b**2*d - 4*b**3*c))/(3*a**3*b**2*x + 3*a**2*b**3*x**4) + \text{RootSum}(729*_t**3*a**7*b**8 - 125*a**9*f**3 + 150*a**8*b*e*f**2 + 75*a**7*b**2*d*f**2 - 60*a**7*b**2*e**2*f - 300*a**6*b**3*c*f**2 - 60*a**6*b**3*d*e*f + 8*a**6*b**3*e**3 + 240*a**5*b**4*c*e*f - 15*a**5*b**4*d**2*f + 12*a**5*b**4*d*e**2 + 120*a**4*b**5*c*d*f - 48*a**4*b**5*c*e**2 + 6*a**4*b**5*d**2*e - 240*a**3*b**6*c**2*f - 48*a**3*b**6*c*d*e + a**3*b**6*d**3 + 96*a**2*b**7*c**2*e - 12*a**2*b**7*c*d**2 + 48*a*b**8*c**2*d - 64*b**9*c**3, \text{Lambda}(_t, _t*\log(81*_t**2*a**5*b**5/(25*a**6*f**2 - 20*a**5*b*e*f - 10*a**4*b**2*d*f + 4*a**4*b**2*e**2 + 40*a**3*b**3*c*f + 4*a**3*b**3*d*e - 16*a**2*b**4*c*e + a**2*b**4*d**2 - 8*a*b**5*c*d + 16*b**6*c**2) + x))) + f*x**2/(2*b**2)$

$$3.268 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^2} dx$$

Optimal. Leaf size=260

$$\frac{c}{2a^2x^2} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{3a^2b^2(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(4a^3f - a^2be - 2ab^2d + 5b^3c)}{18a^{8/3}b^{7/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{8/3}b^{7/3}}$$

[Out] $-1/2*c/a^2/x^2+f*x/b^2-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^2/b^2/(b*x^3+a)$
 $-1/9*(4*a^3*f-a^2*b*e-2*a*b^2*d+5*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(8/3)}/b^{(7/3)}$
 $+1/18*(4*a^3*f-a^2*b*e-2*a*b^2*d+5*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(8/3)}/b^{(7/3)}$
 $+1/9*(4*a^3*f-a^2*b*e-2*a*b^2*d+5*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(8/3)}/b^{(7/3)}*3^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 260, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^2b^2(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-a^2be + 4a^3f - 2ab^2d + 5b^3c)}{18a^{8/3}b^{7/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{18a^{8/3}b^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^2), x]

[Out] $-c/(2*a^2*x^2) + (f*x)/b^2 - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^2*b^2*(a + b*x^3)) + ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(8/3)}*b^{(7/3)}) - ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(8/3)}*b^{(7/3)}) + ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(8/3)}*b^{(7/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F

reeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_)*(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ

[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^3(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{\int \frac{-3b^3c + b\left(\frac{2b^3c}{a} - 2b^2d - abe + a^2f\right)x^3 - 3ab^2fx^6}{x^3(a + bx^3)} dx}{3ab^3} \\
 &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{\int \left(-3abf - \frac{3b^3c}{ax^3} + \frac{b(5b^3c - 2ab^2d - a^2be + 4a^3f)}{a(a + bx^3)}\right) dx}{3ab^3} \\
 &= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \int \frac{1}{a + bx^3}}{3a^2b^2} \\
 &= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \int \frac{1}{\sqrt[3]{a + bx^3}}}{9a^{8/3}b^2} \\
 &= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \log(\sqrt[3]{a + bx^3})}{9a^{8/3}b^{7/3}} \\
 &= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \log(\sqrt[3]{a + bx^3})}{9a^{8/3}b^{7/3}} \\
 &= -\frac{c}{2a^2x^2} + \frac{fx}{b^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^2b^2(a + bx^3)} + \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f) \tan^{-1}\left(\frac{\sqrt[3]{a + bx^3}}{\sqrt[3]{a}}\right)}{3\sqrt{3}a^{8/3}b^{7/3}}
 \end{aligned}$$

Mathematica [A] time = 0.22, size = 250, normalized size = 0.96

$$\frac{1}{18} \left(-\frac{9c}{a^2x^2} + \frac{6x(a^3f - a^2be + ab^2d - b^3c)}{a^2b^2(a + bx^3)} + \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)(4a^3f - a^2be - 2ab^2d + 5b^3c)}{a^{8/3}b^{7/3}} - \frac{2 \log(\sqrt[3]{a + bx^3})}{\sqrt[3]{a}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^2),x]

[Out] ((-9*c)/(a^2*x^2) + (18*f*x)/b^2 + (6*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(a^2*b^2*(a + b*x^3)) + (2*sqrt[3]*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/(a^(8/3)*b^(7/3)) - (2*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(a^(8/3)*b^(7/3)) + ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(a^(8/3)*b^(7/3))/18

fricas [A] time = 0.84, size = 902, normalized size = 3.47

$$18a^4b^2fx^6 - 9a^3b^3c - 3(5a^2b^4c - 2a^3b^3d + 2a^4b^2e - 8a^5bf)x^3 + 3\sqrt{\frac{1}{3}}((5ab^5c - 2a^2b^4d - a^3b^3e + 4a^4b^2f))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x, algorithm="fricas")

[Out] [1/18*(18*a^4*b^2*f*x^6 - 9*a^3*b^3*c - 3*(5*a^2*b^4*c - 2*a^3*b^3*d + 2*a^4*b^2*e - 8*a^5*b*f)*x^3 + 3*sqrt(1/3)*((5*a*b^5*c - 2*a^2*b^4*d - a^3*b^3*e + 4*a^4*b^2*f)*x^5 + (5*a^2*b^4*c - 2*a^3*b^3*d - a^4*b^2*e + 4*a^5*b*f)*x^2)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a)) + ((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) - 2*((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)))/(a^4*b^4*x^5 + a^5*b^3*x^2), 1/18*(18*a^4*b^2*f*x^6 - 9*a^3*b^3*c - 3*(5*a^2*b^4*c - 2*a^3*b^3*d + 2*a^4*b^2*e - 8*a^5*b*f)*x^3 - 6*sqrt(1/3)*((5*a*b^5*c - 2*a^2*b^4*d - a^3*b^3*e + 4*a^4*b^2*f)*x^5 + (5*a^2*b^4*c - 2*a^3*b^3*d - a^4*b^2*e + 4*a^5*b*f)*x^2)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-a^2*b)^(1/3)/b)/a^2) + ((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) - 2*((5*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^5 + (5*a*b^3*c - 2*a^2*b^2*d - a^3*b*e + 4*a^4*f)*x^2)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)))/(a^4*b^4*x^5 + a^5*b^3*x^2)]

giac [A] time = 0.18, size = 261, normalized size = 1.00

$$\frac{fx}{b^2} + \frac{\sqrt{3}(5b^3c - 2ab^2d + 4a^3f - a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{2}{3}}a^2b} + \frac{(5b^3c - 2ab^2d + 4a^3f - a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{18(-ab^2)^{\frac{2}{3}}a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x, algorithm="giac")

[Out] f*x/b^2 + 1/9*sqrt(3)*(5*b^3*c - 2*a*b^2*d + 4*a^3*f - a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2*b) + 1/18*(5*b^3*c - 2*a*b^2*d + 4*a^3*f - a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2*b) + 1/9*(5*b^3*c - 2*a*b^2*d + 4*a^3*f - a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^2) - 1/2*c/(a^2*x^2) - 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*a^2*b^2)

maple [B] time = 0.06, size = 463, normalized size = 1.78

$$\frac{afx}{3(bx^3+a)b^2} + \frac{dx}{3(bx^3+a)a} - \frac{bcx}{3(bx^3+a)a^2} - \frac{ex}{3(bx^3+a)b} + \frac{4\sqrt{3}af \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3} - \frac{4af \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x)

[Out] 1/b^2*f*x+1/3*a/b^2*x/(b*x^3+a)*f-1/3/b*x/(b*x^3+a)*e+1/3*a*x/(b*x^3+a)*d-1/3/a^2*b*x/(b*x^3+a)*c-4/9*a/b^3*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+2/9*a/b^3*f/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-4/9*a/b^3*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+2/9*a/b*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/9*a/b*d/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9*a/b*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-5/9/a^2*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+5/18/a^2*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-5/9/a^2*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/9/b^2*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/18/b^2*e/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9/b^2*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/2/a^2*c/x^2

maxima [A] time = 2.97, size = 258, normalized size = 0.99

$$\frac{3ab^2c + (5b^3c - 2ab^2d + 2a^2be - 2a^3f)x^3}{6(a^2b^3x^5 + a^3b^2x^2)} + \frac{fx}{b^2} + \frac{\sqrt{3}(5b^3c - 2ab^2d - a^2be + 4a^3f) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^2b^3\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/6*(3*a*b^2*c + (5*b^3*c - 2*a*b^2*d + 2*a^2*b*e - 2*a^3*f)*x^3)/(a^2*b^3*x^5 + a^3*b^2*x^2) + f*x/b^2 - 1/9*\sqrt{3}*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^2*b^3*(a/b)^{(2/3)}) + 1/18*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*b^3*(a/b)^{(2/3)}) - 1/9*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*\log(x + (a/b)^{(1/3)})/(a^2*b^3*(a/b)^{(2/3)})$

mupad [B] time = 5.22, size = 245, normalized size = 0.94

$$\frac{fx}{b^2} - \frac{x^3(-2fa^3+2ea^2b-2dab^2+5cb^3)}{6a^2} + \frac{b^2c}{2a} - \frac{\ln(b^{1/3}x + a^{1/3})(4fa^3 - ea^2b - 2dab^2 + 5cb^3)}{9a^{8/3}b^{7/3}} - \frac{\ln(2b^{1/3}x - a^{1/3})}{9a^{8/3}b^{7/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^2),x)

[Out] $(f*x)/b^2 - ((x^3*(5*b^3*c - 2*a^3*f - 2*a*b^2*d + 2*a^2*b*e))/(6*a^2) + (b^2*c)/(2*a))/(b^3*x^5 + a*b^2*x^2) - (\log(b^{(1/3)}*x + a^{(1/3)})*(5*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^{(8/3)}*b^{(7/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*i)/2 - 1/2)*(5*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^{(8/3)}*b^{(7/3)}) + (\log(3^{(1/2)}*a^{(1/3)}*i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*i)/2 + 1/2)*(5*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^{(8/3)}*b^{(7/3)})$

sympy [A] time = 77.38, size = 381, normalized size = 1.47

$$\frac{-3ab^2c + x^3(2a^3f - 2a^2be + 2ab^2d - 5b^3c)}{6a^3b^2x^2 + 6a^2b^3x^5} + \text{RootSum}\left(729t^3a^8b^7 + 64a^9f^3 - 48a^8bef^2 - 96a^7b^2df^2 + 12a^7b^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**3/(b*x**3+a)**2,x)

```
[Out] (-3*a*b**2*c + x**3*(2*a**3*f - 2*a**2*b*e + 2*a*b**2*d - 5*b**3*c))/(6*a**
3*b**2*x**2 + 6*a**2*b**3*x**5) + RootSum(729*_t**3*a**8*b**7 + 64*a**9*f**
3 - 48*a**8*b*e*f**2 - 96*a**7*b**2*d*f**2 + 12*a**7*b**2*e**2*f + 240*a**6
*b**3*c*f**2 + 48*a**6*b**3*d*e*f - a**6*b**3*e**3 - 120*a**5*b**4*c*e*f +
48*a**5*b**4*d**2*f - 6*a**5*b**4*d*e**2 - 240*a**4*b**5*c*d*f + 15*a**4*b*
*5*c*e**2 - 12*a**4*b**5*d**2*e + 300*a**3*b**6*c**2*f + 60*a**3*b**6*c*d*e
- 8*a**3*b**6*d**3 - 75*a**2*b**7*c**2*e + 60*a**2*b**7*c*d**2 - 150*a*b**
8*c**2*d + 125*b**9*c**3, Lambda(_t, _t*log(-9*_t*a**3*b**2/(4*a**3*f - a**
2*b*e - 2*a*b**2*d + 5*b**3*c) + x))) + f*x/b**2
```


$$3.269 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^2} dx$$

Optimal. Leaf size=269

$$\frac{2bc-ad}{a^3x} - \frac{c}{4a^2x^4} + \frac{x^2(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^3b(a+bx^3)} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(2a^3f+a^2be-4ab^2d+7b^3c)}{18a^{10/3}b^{5/3}}$$

[Out] $-1/4*c/a^2/x^4+(-a*d+2*b*c)/a^3/x+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^3/b/(b*x^3+a)-1/9*(2*a^3*f+a^2*b*e-4*a*b^2*d+7*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(10/3)}/b^{(5/3)}+1/18*(2*a^3*f+a^2*b*e-4*a*b^2*d+7*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(10/3)}/b^{(5/3)}-1/9*(2*a^3*f+a^2*b*e-4*a*b^2*d+7*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(10/3)}/b^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^3b(a+bx^3)} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^2be+2a^3f-4ab^2d+7b^3c)}{18a^{10/3}b^{5/3}} - \frac{\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{18a^{10/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^2), x]

[Out] $-c/(4*a^2*x^4) + (2*b*c - a*d)/(a^3*x) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^3*b*(a + b*x^3)) - ((7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/ (3*\text{Sqrt}[3]*a^{(10/3)}*b^{(5/3)}) - ((7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (9*a^{(10/3)}*b^{(5/3)}) + ((7*b^3*c - 4*a*b^2*d + a^2*b*e + 2*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (18*a^{(10/3)}*b^{(5/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ

[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^5 (a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - b^2\left(\frac{b^3c}{a^2} - \frac{b^2d}{a} + be + 2af\right)x^6}{x^5(a + bx^3)} dx}{3ab^3} \\
 &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^5} - \frac{3b^3(-2bc + ad)}{a^2x^2} - \frac{b^2(7b^3c - 4ab^2d + a^2be + 2a^3f)x}{a^2(a + bx^3)} \right) dx}{3ab^3} \\
 &= -\frac{c}{4a^2x^4} + \frac{2bc - ad}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} + \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f)}{3a^3b} \\
 &= -\frac{c}{4a^2x^4} + \frac{2bc - ad}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f)}{9a^{10/3}b^{4/3}} \\
 &= -\frac{c}{4a^2x^4} + \frac{2bc - ad}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f)}{9a^{10/3}b^{5/3}} \\
 &= -\frac{c}{4a^2x^4} + \frac{2bc - ad}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f)}{9a^{10/3}b^{5/3}} \\
 &= -\frac{c}{4a^2x^4} + \frac{2bc - ad}{a^3x} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^3b(a + bx^3)} - \frac{(7b^3c - 4ab^2d + a^2be + 2a^3f)}{3\sqrt{3}a^{10/3}b^{5/3}}
 \end{aligned}$$

Mathematica [A] time = 0.27, size = 255, normalized size = 0.95

$$\frac{\frac{9a^{4/3}c}{x^4} - \frac{12\sqrt[3]{a}x^2(a^3f - a^2be + ab^2d - b^3c)}{b(a + bx^3)} - \frac{4\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(2a^3f + a^2be - 4ab^2d + 7b^3c)}{b^{5/3}} - \frac{4\sqrt{3}\tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right)(2a^3f + a^2be - 4ab^2d + 7b^3c)}{b^{5/3}}}{36a^{10/3}} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^2), x]

[Out]
$$\left(\frac{-9a^{4/3}c}{x^4} - \frac{(36a^{1/3})(-2b^3c + a^3d)}{x} - \frac{(12a^{1/3})(-(b^3c) + a^3b^2d - a^2b^3e + a^3f)x^2}{(b(a + bx^3))} - \frac{(4\sqrt{3})(7b^3c - 4a^3b^2d + a^2b^3e + 2a^3f)\text{ArcTan}\left[\frac{1 - (2b^{1/3})x}{a^{1/3}}\right]}{\sqrt{3}} \right) / b^{5/3} - \frac{(4(7b^3c - 4a^3b^2d + a^2b^3e + 2a^3f)\text{Log}[a^{1/3} + b^{1/3}x])}{b^{5/3}} + \frac{(2(7b^3c - 4a^3b^2d + a^2b^3e + 2a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])}{b^{5/3}} \bigg/ (36a^{10/3})$$

fricas [A] time = 0.55, size = 902, normalized size = 3.35

$$9a^3b^3c - 12(7ab^5c - 4a^2b^4d + a^3b^3e - a^4b^2f)x^6 - 9(7a^2b^4c - 4a^3b^3d)x^3 - 6\sqrt{\frac{1}{3}}((7ab^5c - 4a^2b^4d + a^3b^3e - a^4b^2f)x^7 + (7a^2b^4c - 4a^3b^3d + a^4b^2e + 2a^5b^3f)x^4)\sqrt{\frac{(-ab^2)^{1/3}}{a}}\log\left(\frac{(2b^2x^3 - ab + 3\sqrt{1/3})(abx + 2(-ab^2)^{2/3}x^2 + (-ab^2)^{1/3}a)\sqrt{(-ab^2)^{1/3}}}{(b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3})}\right) - 2((7b^4c - 4a^3b^3d + a^2b^2e + 2a^3b^3f)x^7 + (7ab^3c - 4a^2b^2d + a^3b^3e + 2a^4f)x^4)(-ab^2)^{2/3}\log(b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3}) + 4((7b^4c - 4a^3b^3d + a^2b^2e + 2a^3b^3f)x^7 + (7ab^3c - 4a^2b^2d + a^3b^3e + 2a^4f)x^4)(-ab^2)^{2/3}\log(bx - (-ab^2)^{1/3}) \bigg/ (a^4b^4x^7 + a^5b^3x^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$\left[\frac{-1/36(9a^3b^3c - 12(7a^2b^5c - 4a^3b^3d + a^4b^2e + 2a^5b^3f)x^7 + (7a^2b^4c - 4a^3b^3d + a^4b^2e + 2a^5b^3f)x^4)\sqrt{(-ab^2)^{1/3}/a}\log\left(\frac{(2b^2x^3 - ab + 3\sqrt{1/3})(abx + 2(-ab^2)^{2/3}x^2 + (-ab^2)^{1/3}a)\sqrt{(-ab^2)^{1/3}}}{(b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3})}\right) - 2((7b^4c - 4a^3b^3d + a^2b^2e + 2a^3b^3f)x^7 + (7ab^3c - 4a^2b^2d + a^3b^3e + 2a^4f)x^4)(-ab^2)^{2/3}\log(b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3}) + 4((7b^4c - 4a^3b^3d + a^2b^2e + 2a^3b^3f)x^7 + (7ab^3c - 4a^2b^2d + a^3b^3e + 2a^4f)x^4)(-ab^2)^{2/3}\log(bx - (-ab^2)^{1/3})}{(a^4b^4x^7 + a^5b^3x^4)}, \frac{-1/36(9a^3b^3c - 12(7a^2b^5c - 4a^3b^3d + a^4b^2e + 2a^5b^3f)x^7 + (7a^2b^4c - 4a^3b^3d + a^4b^2e + 2a^5b^3f)x^4)\sqrt{(-ab^2)^{1/3}/a}\arctan\left(\frac{\sqrt{1/3}(2bx + (-ab^2)^{1/3})\sqrt{(-ab^2)^{1/3}}}{b}\right) - 2((7b^4c - 4a^3b^3d + a^2b^2e + 2a^3b^3f)x^7 + (7ab^3c - 4a^2b^2d + a^3b^3e + 2a^4f)x^4)(-ab^2)^{2/3}\log(b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3}) + 4((7b^4c - 4a^3b^3d + a^2b^2e + 2a^3b^3f)x^7 + (7ab^3c - 4a^2b^2d + a^3b^3e + 2a^4f)x^4)(-ab^2)^{2/3}\log(bx - (-ab^2)^{1/3})}{(a^4b^4x^7 + a^5b^3x^4)} \right]$$

giac [A] time = 0.20, size = 310, normalized size = 1.15

$$\frac{\sqrt{3} (7b^3c - 4ab^2d + 2a^3f + a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{3}}a^3b} + \frac{(7b^3c - 4ab^2d + 2a^3f + a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18(-ab^2)^{\frac{1}{3}}a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{9}\sqrt{3}(7b^3c - 4a^2b^2d + 2a^3f + a^2be)\arctan\left(\frac{1}{3}\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\right) + \frac{1}{18}(7b^3c - 4a^2b^2d + 2a^3f + a^2be)\log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{1}{9}(7b^3c - 4a^2b^2d + 2a^3f)\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \frac{1}{3}(b^3cx^2 - a^2b^2dx^2 - a^3fx^2 + a^2bx^2e)\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \frac{1}{4}(8b^3cx^3 - 4a^2dx^3 - a^3c)\left(-\frac{a}{b}\right)^{\frac{1}{3}}$

maple [B] time = 0.07, size = 486, normalized size = 1.81

$$\frac{ex^2}{3(bx^3+a)a} + \frac{bdx^2}{3(bx^3+a)a^2} + \frac{b^2cx^2}{3(bx^3+a)a^3} + \frac{fx^2}{3(bx^3+a)b} + \frac{\sqrt{3}e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}ab} + \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}}ab} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^2,x)

[Out] $-\frac{1}{3}bx^2/(b^3x^3+a)f + \frac{1}{3}ax^2/(b^3x^3+a)e - \frac{1}{3}a^2bx^2/(b^3x^3+a)d + \frac{1}{3}a^3b^2x^2/(b^3x^3+a)c - \frac{2}{9}b^2/(a/b)^{\frac{1}{3}}\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)f - \frac{1}{9}a/b/(a/b)^{\frac{1}{3}}\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)e + \frac{4}{9}a^2/(a/b)^{\frac{1}{3}}\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)d - \frac{7}{9}a^3b/(a/b)^{\frac{1}{3}}\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)c + \frac{1}{9}b^2/(a/b)^{\frac{1}{3}}\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)f + \frac{1}{18}a/b/(a/b)^{\frac{1}{3}}\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)e - \frac{2}{9}a^2/(a/b)^{\frac{1}{3}}\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)d + \frac{7}{18}a^3b/(a/b)^{\frac{1}{3}}\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)c + \frac{2}{9}b^2\sqrt{3}/(a/b)^{\frac{1}{3}}\arctan\left(\frac{1}{3}\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\right)f + \frac{1}{9}a/b\sqrt{3}/(a/b)^{\frac{1}{3}}\arctan\left(\frac{1}{3}\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\right)e - \frac{4}{9}a^2\sqrt{3}/(a/b)^{\frac{1}{3}}\arctan\left(\frac{1}{3}\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\right)d$

$(2/(a/b)^{(1/3)}*x-1))*d+7/9/a^3*b^3^{(1/2)/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/4*c/a^2/x^4-d/a^2/x+2/a^3/x*b*c$

maxima [A] time = 2.93, size = 267, normalized size = 0.99

$$\frac{4(7b^3c - 4ab^2d + a^2be - a^3f)x^6 - 3a^2bc + 3(7ab^2c - 4a^2bd)x^3}{12(a^3b^2x^7 + a^4bx^4)} + \frac{\sqrt{3}(7b^3c - 4ab^2d + a^2be + 2a^3f) \arctan\left(\frac{\sqrt{3}(2x - (a/b)^{(1/3)})}{(a/b)^{(1/3)}}\right) + \frac{1}{18}(7b^3c - 4ab^2d + a^2be + 2a^3f) \log(x^2 - x(a/b)^{(1/3)} + (a/b)^{(2/3)})}{(a^3b^2(a/b)^{(1/3)})} - \frac{1}{9}(7b^3c - 4ab^2d + a^2be + 2a^3f) \log(x + (a/b)^{(1/3)})}{(a^3b^2(a/b)^{(1/3)})}}{9a^3b^2\left(\frac{a}{b}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{12}(4(7b^3c - 4ab^2d + a^2be - a^3f)x^6 - 3a^2bc + 3(7ab^2c - 4a^2bd)x^3)/(a^3b^2x^7 + a^4bx^4) + \frac{1}{9}\sqrt{3}(7b^3c - 4ab^2d + a^2be + 2a^3f)\arctan\left(\frac{1}{3}\sqrt{3}\frac{2x - (a/b)^{(1/3)}}{(a/b)^{(1/3)}}\right) + \frac{1}{18}(7b^3c - 4ab^2d + a^2be + 2a^3f)\log(x^2 - x(a/b)^{(1/3)} + (a/b)^{(2/3)})}{(a^3b^2(a/b)^{(1/3)})} - \frac{1}{9}(7b^3c - 4ab^2d + a^2be + 2a^3f)\log(x + (a/b)^{(1/3)})}{(a^3b^2(a/b)^{(1/3)})}$

mupad [B] time = 5.18, size = 247, normalized size = 0.92

$$-\frac{\frac{c}{4a} + \frac{x^3(4ad-7bc)}{4a^2} - \frac{x^6(-fa^3+ea^2b-4dab^2+7cb^3)}{3a^3b}}{bx^7 + ax^4} - \frac{\ln(b^{1/3}x + a^{1/3})(2fa^3 + ea^2b - 4dab^2 + 7cb^3)}{9a^{10/3}b^{5/3}} + \frac{\ln(2b^{1/3}x - a^{1/3})}{9a^{10/3}b^{5/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^2),x)

[Out] $(\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(7*b^3*c + 2*a^3*f - 4*a*b^2*d + a^2*b*e))/(9*a^{(10/3)}*b^{(5/3)}) - (\log(b^{(1/3)}*x + a^{(1/3)})*(7*b^3*c + 2*a^3*f - 4*a*b^2*d + a^2*b*e))/(9*a^{(10/3)}*b^{(5/3)}) - (c/(4*a) + (x^3*(4*a*d - 7*b*c))/(4*a^2) - (x^6*(7*b^3*c - a^3*f - 4*a*b^2*d + a^2*b*e))/(3*a^3*b))/(a*x^4 + b*x^7) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(7*b^3*c + 2*a^3*f - 4*a*b^2*d + a^2*b*e))/(9*a^{(10/3)}*b^{(5/3)})$

sympy [A] time = 177.03, size = 473, normalized size = 1.76

$$\text{RootSum}\left(729t^3a^{10}b^5 + 8a^9f^3 + 12a^8bef^2 - 48a^7b^2df^2 + 6a^7b^2e^2f + 84a^6b^3cf^2 - 48a^6b^3def + a^6b^3e^3 + 84a^5b^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**5/(b*x**3+a)**2,x)

[Out] RootSum(729*_t**3*a**10*b**5 + 8*a**9*f**3 + 12*a**8*b*e*f**2 - 48*a**7*b**2*d*f**2 + 6*a**7*b**2*e**2*f + 84*a**6*b**3*c*f**2 - 48*a**6*b**3*d*e*f + a**6*b**3*e**3 + 84*a**5*b**4*c*e*f + 96*a**5*b**4*d**2*f - 12*a**5*b**4*d*e**2 - 336*a**4*b**5*c*d*f + 21*a**4*b**5*c*e**2 + 48*a**4*b**5*d**2*e + 294*a**3*b**6*c**2*f - 168*a**3*b**6*c*d*e - 64*a**3*b**6*d**3 + 147*a**2*b**7*c**2*e + 336*a**2*b**7*c*d**2 - 588*a*b**8*c**2*d + 343*b**9*c**3, Lambda(_t, _t*log(81*_t**2*a**7*b**3/(4*a**6*f**2 + 4*a**5*b*e*f - 16*a**4*b**2*d*f + a**4*b**2*e**2 + 28*a**3*b**3*c*f - 8*a**3*b**3*d*e + 14*a**2*b**4*c*e + 16*a**2*b**4*d**2 - 56*a*b**5*c*d + 49*b**6*c**2) + x))) + (-3*a**2*b*c + x**6*(-4*a**3*f + 4*a**2*b*e - 16*a*b**2*d + 28*b**3*c) + x**3*(-12*a**2*b*d + 21*a*b**2*c))/(12*a**4*b*x**4 + 12*a**3*b**2*x**7)

$$3.270 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^2} dx$$

Optimal. Leaf size=270

$$\frac{2bc-ad}{2a^3x^2} - \frac{c}{5a^2x^5} + \frac{x(a^3(-f)+a^2be-ab^2d+b^3c)}{3a^3b(a+bx^3)} - \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^3f+2a^2be-5ab^2d+8b^3c)}{18a^{11/3}b^{4/3}}$$

[Out] $-1/5*c/a^2/x^5+1/2*(-a*d+2*b*c)/a^3/x^2+1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^3/b/(b*x^3+a)+1/9*(a^3*f+2*a^2*b*e-5*a*b^2*d+8*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(11/3)}/b^{(4/3)}-1/18*(a^3*f+2*a^2*b*e-5*a*b^2*d+8*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(11/3)}/b^{(4/3)}-1/9*(a^3*f+2*a^2*b*e-5*a*b^2*d+8*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(11/3)}/b^{(4/3)}*3^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^3b(a+bx^3)} - \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(2a^2be+a^3f-5ab^2d+8b^3c)}{18a^{11/3}b^{4/3}} + \frac{\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{18a^{11/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^2), x]

[Out] $-c/(5*a^2*x^5) + (2*b*c - a*d)/(2*a^3*x^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^3*b*(a + b*x^3)) - ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/(3*\text{Sqrt}[3]*a^{(11/3)}*b^{(4/3)}) + ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (9*a^{(11/3)}*b^{(4/3)}) - ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (18*a^{(11/3)}*b^{(4/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R

$\int \frac{t[b, 3]*x}{(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x}, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := -\text{Simp}[\text{ArcTan}[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 617

$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] := \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1488

$\text{Int}[(f_)*(x_)^{(m_)}*((a_ + (c_)*(x_)^{(n2_)}) + (b_)*(x_)^{(n_)})^{(p_)}*(d_ + (e_)*(x_)^{(n_)})^{(q_)}, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^{(2*n)})^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m, q\}, x] \ \&\& \ \text{EqQ}[n2, 2*n] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IGtQ}[p, 0]$

Rule 1829

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] := \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m * Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{(\text{Floor}[(q - 1)/n] + 1)*x^m * Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), \text{Int}[x^m*(a + b*x^n)^{(p + 1)}*\text{ExpandToSum}[(n*(p + 1)*Q)/x^m + \text{Sum}[(n*(p + 1) + i + 1)*\text{Coeff}[R, x, i]*x^{(i - m)}], a, \{i, 0, n - 1\}], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{(p + 1)})/(a^2*n*(p + 1)*b^{(\text{Floor}[(q - 1)/n] + 1)}), x]] /; \text{FreeQ}$

[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^6(a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - b^2\left(\frac{2b^3c}{a^2} - \frac{2b^2d}{a} + 2be + af\right)x^6}{x^6(a + bx^3)} dx}{3ab^3} \\
 &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^6} - \frac{3b^3(-2bc + ad)}{a^2x^3} - \frac{b^2(8b^3c - 5ab^2d + 2a^2be + a^3f)}{a^2(a + bx^3)} \right) dx}{3ab^3} \\
 &= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{3a^3b} \\
 &= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{9a^{11/3}b} \\
 &= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{9a^{11/3}b^{4/3}} \\
 &= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{9a^{11/3}b^{4/3}} \\
 &= -\frac{c}{5a^2x^5} + \frac{2bc - ad}{2a^3x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^3b(a + bx^3)} - \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f)}{3\sqrt{3}a^{11/3}b^{4/3}}
 \end{aligned}$$

Mathematica [A] time = 0.19, size = 253, normalized size = 0.94

$$\frac{\frac{45a^{2/3}(ad-2bc)}{x^2} - \frac{18a^{5/3}c}{x^5} + \frac{10 \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{b^{4/3}} - \frac{10\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{b^{4/3}} - \frac{30a^{2/3}x(a^3f - a^3f)}{b(a + bx^3)}}{90a^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^2), x]

```
[Out] ((-18*a^(5/3)*c)/x^5 - (45*a^(2/3)*(-2*b*c + a*d))/x^2 - (30*a^(2/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(b*(a + b*x^3)) - (10*sqrt[3]*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(4/3) + (10*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(4/3) - (5*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(4/3))/(90*a^(11/3))
```

fricas [A] time = 0.62, size = 897, normalized size = 3.32

$$18 a^4 b^2 c - 15 (8 a^2 b^4 c - 5 a^3 b^3 d + 2 a^4 b^2 e - 2 a^5 b f) x^6 - 9 (8 a^3 b^3 c - 5 a^4 b^2 d) x^3 - 15 \sqrt{\frac{1}{3}} ((8 a b^5 c - 5 a^2 b^4 d +$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] [-1/90*(18*a^4*b^2*c - 15*(8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e - 2*a^5*b*f)*x^6 - 9*(8*a^3*b^3*c - 5*a^4*b^2*d)*x^3 - 15*sqrt(1/3)*((8*a*b^5*c - 5*a^2*b^4*d + 2*a^3*b^3*e + a^4*b^2*f)*x^8 + (8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e + a^5*b*f)*x^5)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a)) + 5*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) - 10*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^5*b^3*x^8 + a^6*b^2*x^5), -1/90*(18*a^4*b^2*c - 15*(8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e - 2*a^5*b*f)*x^6 - 9*(8*a^3*b^3*c - 5*a^4*b^2*d)*x^3 - 30*sqrt(1/3)*((8*a*b^5*c - 5*a^2*b^4*d + 2*a^3*b^3*e + a^4*b^2*f)*x^8 + (8*a^2*b^4*c - 5*a^3*b^3*d + 2*a^4*b^2*e + a^5*b*f)*x^5)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) + 5*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) - 10*((8*b^4*c - 5*a*b^3*d + 2*a^2*b^2*e + a^3*b*f)*x^8 + (8*a*b^3*c - 5*a^2*b^2*d + 2*a^3*b*e + a^4*f)*x^5)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^5*b^3*x^8 + a^6*b^2*x^5)]
```

giac [A] time = 0.18, size = 264, normalized size = 0.98

$$\frac{\sqrt{3} (8b^3c - 5ab^2d + a^3f + 2a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (8b^3c - 5ab^2d + a^3f + 2a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9(-ab^2)^{\frac{2}{3}}a^3 + 18(-ab^2)^{\frac{2}{3}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/9*sqrt(3)*(8*b^3*c - 5*a*b^2*d + a^3*f + 2*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^3) - 1/18*(8*b^3*c - 5*a*b^2*d + a^3*f + 2*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3) - 1/9*(8*b^3*c - 5*a*b^2*d + a^3*f + 2*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^4*b) + 1/3*(b^3*c*x - a*b^2*d*x - a^3*f*x + a^2*b*x*e)/((b*x^3 + a)*a^3*b) + 1/10*(10*b*c*x^3 - 5*a*d*x^3 - 2*a*c)/(a^3*x^5)

maple [B] time = 0.06, size = 477, normalized size = 1.77

$$\frac{\frac{ex}{3(bx^3+a)a} - \frac{bdx}{3(bx^3+a)a^2} + \frac{b^2cx}{3(bx^3+a)a^3} - \frac{fx}{3(bx^3+a)b} + \frac{2\sqrt{3}e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{2e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} - e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x)

[Out] -1/3/b*x/(b*x^3+a)*f+1/3/a*x/(b*x^3+a)*e-1/3/a^2*b*x/(b*x^3+a)*d+1/3/a^3*b^2*x/(b*x^3+a)*c+1/9/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f+2/9/a/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e-5/9/a^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d+8/9/a^3*b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/18/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-1/9/a/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+5/18/a^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d-4/9/a^3*b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+1/9/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f+2/9/a/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*e-5/9/a^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d

$)^{1/3} * x - 1) * d + 8/9/a^3 * b / (a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * c - 1/5/a^2 * c/x^5 - 1/2 * d/a^2/x^2 + 1/a^3/x^2 * b * c$

maxima [A] time = 2.93, size = 268, normalized size = 0.99

$$\frac{5(8b^3c - 5ab^2d + 2a^2be - 2a^3f)x^6 - 6a^2bc + 3(8ab^2c - 5a^2bd)x^3}{30(a^3b^2x^8 + a^4bx^5)} + \frac{\sqrt{3}(8b^3c - 5ab^2d + 2a^2be + a^3f) \arctan\left(\frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right) - \frac{1}{18}(8b^3c - 5ab^2d + 2a^2be + a^3f) \log\left(\frac{x^2 - x(a/b)^{1/3} + (a/b)^{2/3}}{(a/b)^{2/3}}\right) + \frac{1}{9}(8b^3c - 5ab^2d + 2a^2be + a^3f) \log\left(\frac{x + (a/b)^{1/3}}{(a/b)^{2/3}}\right)}{9a^3b^2\left(\frac{a}{b}\right)^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $1/30*(5*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e - 2*a^3*f)*x^6 - 6*a^2*b*c + 3*(8*a*b^2*c - 5*a^2*b*d)*x^3)/(a^3*b^2*x^8 + a^4*b*x^5) + 1/9*\sqrt{3}*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a^3*b^2*(a/b)^{2/3}) - 1/18*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^3*b^2*(a/b)^{2/3}) + 1/9*(8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*\log(x + (a/b)^{1/3})/(a^3*b^2*(a/b)^{2/3})$

mupad [B] time = 5.13, size = 248, normalized size = 0.92

$$\frac{\ln\left(b^{1/3}x + a^{1/3}\right) \left(fa^3 + 2ea^2b - 5dab^2 + 8cb^3\right)}{9a^{11/3}b^{4/3}} - \frac{\frac{c}{5a} + \frac{x^3(5ad-8bc)}{10a^2} - \frac{x^6(-2fa^3+2ea^2b-5dab^2+8cb^3)}{6a^3b}}{bx^8 + ax^5} + \frac{\ln\left(2b^{1/3}x + a^{1/3}\right)}{9a^{11/3}b^{4/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^2), x)

[Out] $(\log(b^{1/3}x + a^{1/3})*(8*b^3*c + a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(9*a^{11/3}*b^{4/3}) - (c/(5*a) + (x^3*(5*a*d - 8*b*c))/(10*a^2) - (x^6*(8*b^3*c - 2*a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(6*a^3*b))/(a*x^5 + b*x^8) + (\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*1i)/2 - 1/2)*(8*b^3*c + a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(9*a^{11/3}*b^{4/3}) - (\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(8*b^3*c + a^3*f - 5*a*b^2*d + 2*a^2*b*e))/(9*a^{11/3}*b^{4/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**6/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.271 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^2} dx$$

Optimal. Leaf size=297

$$\frac{2bc-ad}{4a^3x^4} - \frac{c}{7a^2x^7} - \frac{a^2e-2abd+3b^2c}{a^4x} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + 4a^2be - 7ab^2d + 10b^3c)}{18a^{13/3}b^{2/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x + b^{2/3}x^2)(a^3(-f) + 4a^2be - 7ab^2d + 10b^3c)}{18a^{13/3}b^{2/3}}$$

[Out] $-1/7*c/a^2/x^7+1/4*(-a*d+2*b*c)/a^3/x^4+(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^4/(b*x^3+a)+1/9*(-a^3*f+4*a^2*b*e-7*a*b^2*d+10*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(13/3)}/b^{(2/3)}-1/18*(-a^3*f+4*a^2*b*e-7*a*b^2*d+10*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(13/3)}/b^{(2/3)}+1/9*(-a^3*f+4*a^2*b*e-7*a*b^2*d+10*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(13/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.38, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^4(a + bx^3)} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(4a^2be + a^3(-f) - 7ab^2d + 10b^3c)}{18a^{13/3}b^{2/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x + b^{2/3}x^2)(4a^2be + a^3(-f) - 7ab^2d + 10b^3c)}{18a^{13/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^2),x]

[Out] $-c/(7*a^2*x^7) + (2*b*c - a*d)/(4*a^3*x^4) - (3*b^2*c - 2*a*b*d + a^2*e)/(a^4*x) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^4*(a + b*x^3)) + ((10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(13/3)}*b^{(2/3)}) + ((10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(13/3)}*b^{(2/3)}) - ((10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(13/3)}*b^{(2/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[(n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m)]/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &

& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^8(a + bx^3)^2} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6 + b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^8(a + bx^3)} dx}{3ab^3} \\
 &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^8} - \frac{3b^3(-2bc + ad)}{a^2x^5} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^2} - \frac{b^3(-10b^3c + 3ab^2d - 3a^2be + a^3f)}{a^4} \right) dx}{3ab^3} \\
 &= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} - \frac{(10b^3c - 3ab^2d + 3a^2be - a^3f)}{3a^4} \\
 &= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} + \frac{(10b^3c - 3ab^2d + 3a^2be - a^3f)}{3a^4} \\
 &= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} + \frac{(10b^3c - 3ab^2d + 3a^2be - a^3f)}{3a^4} \\
 &= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} + \frac{(10b^3c - 3ab^2d + 3a^2be - a^3f)}{3a^4} \\
 &= -\frac{c}{7a^2x^7} + \frac{2bc - ad}{4a^3x^4} - \frac{3b^2c - 2abd + a^2e}{a^4x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^4(a + bx^3)} + \frac{(10b^3c - 3ab^2d + 3a^2be - a^3f)}{3a^4}
 \end{aligned}$$

Mathematica [A] time = 0.26, size = 281, normalized size = 0.95

$$\frac{-\frac{63a^{4/3}(ad-2bc)}{x^4} - \frac{36a^{7/3}c}{x^7} - \frac{252\sqrt[3]{a}(a^2e-2abd+3b^2c)}{x} + \frac{84\sqrt[3]{a}x^2(a^3f-a^2be+ab^2d-b^3c)}{a+bx^3} + \frac{28\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(a^3(-f)+4a^2be-7ab^2d+10b^3c)}{b^{2/3}}}{252a^{13/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^2), x]

```
[Out] ((-36*a^(7/3)*c)/x^7 - (63*a^(4/3)*(-2*b*c + a*d))/x^4 - (252*a^(1/3)*(3*b^2*c - 2*a*b*d + a^2*e))/x + (84*a^(1/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(a + b*x^3) + (28*sqrt(3)*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/b^(2/3) + (28*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + (14*(-10*b^3*c + 7*a*b^2*d - 4*a^2*b*e + a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3))/(252*a^(13/3))
```

fricas [A] time = 0.68, size = 982, normalized size = 3.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] [-1/252*(84*(10*a*b^5*c - 7*a^2*b^4*d + 4*a^3*b^3*e - a^4*b^2*f)*x^9 + 36*a^4*b^2*c + 63*(10*a^2*b^4*c - 7*a^3*b^3*d + 4*a^4*b^2*e)*x^6 - 9*(10*a^3*b^3*c - 7*a^4*b^2*d)*x^3 + 42*sqrt(1/3)*((10*a*b^5*c - 7*a^2*b^4*d + 4*a^3*b^3*e - a^4*b^2*f)*x^10 + (10*a^2*b^4*c - 7*a^3*b^3*d + 4*a^4*b^2*e - a^5*b*f)*x^7)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + 14*((10*b^4*c - 7*a*b^3*d + 4*a^2*b^2*e - a^3*b*f)*x^10 + (10*a*b^3*c - 7*a^2*b^2*d + 4*a^3*b*e - a^4*f)*x^7)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 28*((10*b^4*c - 7*a*b^3*d + 4*a^2*b^2*e - a^3*b*f)*x^10 + (10*a*b^3*c - 7*a^2*b^2*d + 4*a^3*b*e - a^4*f)*x^7)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^5*b^3*x^10 + a^6*b^2*x^7), -1/252*(84*(10*a*b^5*c - 7*a^2*b^4*d + 4*a^3*b^3*e - a^4*b^2*f)*x^9 + 36*a^4*b^2*c + 63*(10*a^2*b^4*c - 7*a^3*b^3*d + 4*a^4*b^2*e)*x^6 - 9*(10*a^3*b^3*c - 7*a^4*b^2*d)*x^3 + 84*sqrt(1/3)*((10*a*b^5*c - 7*a^2*b^4*d + 4*a^3*b^3*e - a^4*b^2*f)*x^10 + (10*a^2*b^4*c - 7*a^3*b^3*d + 4*a^4*b^2*e - a^5*b*f)*x^7)*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) + 14*((10*b^4*c - 7*a*b^3*d + 4*a^2*b^2*e - a^3*b*f)*x^10 + (10*a*b^3*c - 7*a^2*b^2*d + 4*a^3*b*e - a^4*f)*x^7)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 28*((10*b^4*c - 7*a*b^3*d + 4*a^2*b^2*e - a^3*b*f)*x^10 + (10*a*b^3*c - 7*a^2*b^2*d + 4*a^3*b*e - a^4*f)*x^7)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^5*b^3*x^10 + a^6*b^2*x^7)]
```

giac [A] time = 0.23, size = 333, normalized size = 1.12

$$\frac{\sqrt{3}(10b^3c - 7ab^2d - a^3f + 4a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9(-ab^2)^{\frac{1}{3}}a^4} + \frac{(10b^3c - 7ab^2d - a^3f + 4a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{18(-ab^2)^{\frac{1}{3}}a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x, algorithm="giac")

[Out]
$$-1/9*\sqrt{3}*(10*b^3*c - 7*a*b^2*d - a^3*f + 4*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(1/3)}*a^4) + 1/18*(10*b^3*c - 7*a*b^2*d - a^3*f + 4*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(1/3)}*a^4) + 1/9*(10*b^3*c*(-a/b)^{(1/3)} - 7*a*b^2*d*(-a/b)^{(1/3)} - a^3*f*(-a/b)^{(1/3)} + 4*a^2*b*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^5 - 1/3*(b^3*c*x^2 - a*b^2*d*x^2 - a^3*f*x^2 + a^2*b*x^2*e)/((b*x^3 + a)*a^4) - 1/28*(84*b^2*c*x^6 - 56*a*b*d*x^6 + 28*a^2*x^6*e - 14*a*b*c*x^3 + 7*a^2*d*x^3 + 4*a^2*c)/(a^4*x^7)$$

maple [B] time = 0.07, size = 529, normalized size = 1.78

$$\frac{f x^2}{3(b x^3 + a) a} - \frac{b e x^2}{3(b x^3 + a) a^2} + \frac{b^2 d x^2}{3(b x^3 + a) a^3} - \frac{b^3 c x^2}{3(b x^3 + a) a^4} + \frac{\sqrt{3} f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a b} - \frac{f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a b} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x)

[Out]
$$1/3/a*x^2/(b*x^3+a)*f-1/3/a^2*x^2/(b*x^3+a)*b*e+1/3/a^3*x^2/(b*x^3+a)*b^2*d-1/3/a^4*x^2/(b*x^3+a)*b^3*c+4/9/a^2*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-2/9/a^2*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-4/9/a^2*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-7/9/a^3*b*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+7/18/a^3*b*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+7/9/a^3*b*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+10/9/a^4*b^2*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-5/9/a^4*b^2*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-10/9/a^4*b^2*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/9/a*f/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/18/a*f/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9/a*f*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/7/a^2*c/x^7-1/4/a^2/x^4*d+1/2/a^3/x^4*b*c-e/a^2/x+2/a^3/x*b*d-3/a^4/x*b^2*c$$

maxima [A] time = 3.05, size = 292, normalized size = 0.98

$$\frac{28(10b^3c - 7ab^2d + 4a^2be - a^3f)x^9 + 21(10ab^2c - 7a^2bd + 4a^3e)x^6 + 12a^3c - 3(10a^2bc - 7a^3d)x^3}{84(a^4bx^{10} + a^5x^7)} \sqrt{3}(10$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/84*(28*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*x^9 + 21*(10*a*b^2*c - 7*a^2*b*d + 4*a^3*e)*x^6 + 12*a^3*c - 3*(10*a^2*b*c - 7*a^3*d)*x^3)/(a^4*b*x^{10} + a^5*x^7) - 1/9*\sqrt{3}*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\operatorname{arctan}(1/3*\sqrt{3}*(2*x - (a/b)^{1/3}))/((a/b)^{1/3})/(a^4*b*(a/b)^{1/3}) - 1/18*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^4*b*(a/b)^{1/3}) + 1/9*(10*b^3*c - 7*a*b^2*d + 4*a^2*b*e - a^3*f)*\log(x + (a/b)^{1/3})/(a^4*b*(a/b)^{1/3})$$

mupad [B] time = 5.18, size = 274, normalized size = 0.92

$$\frac{\ln(b^{1/3}x + a^{1/3})(-fa^3 + 4ea^2b - 7dab^2 + 10cb^3)}{9a^{13/3}b^{2/3}} - \frac{c}{7a} + \frac{x^9(-fa^3 + 4ea^2b - 7dab^2 + 10cb^3)}{3a^4} + \frac{x^3(7ad - 10bc)}{28a^2} + \frac{x^6(4ea^2 - 7ad + 10bc)}{b^2x^{10} + ax^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^2),x)

[Out]
$$(\log(b^{1/3}*x + a^{1/3})*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))/(9*a^{13/3}*b^{2/3}) - (c/(7*a) + (x^9*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))/(3*a^4) + (x^3*(7*a*d - 10*b*c))/(28*a^2) + (x^6*(10*b^2*c + 4*a^2*e - 7*a*b*d))/(4*a^3))/(a*x^7 + b*x^{10}) - (\log(3^{1/2}*a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))/(9*a^{13/3}*b^{2/3}) + (\log(3^{1/2}*a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3}))*((3^{1/2}*1i)/2 - 1/2)*(10*b^3*c - a^3*f - 7*a*b^2*d + 4*a^2*b*e))/(9*a^{13/3}*b^{2/3})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**8/(b*x**3+a)**2,x)

[Out] Timed out

$$3.272 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^2} dx$$

Optimal. Leaf size=297

$$\frac{2bc-ad}{5a^3x^5} - \frac{c}{8a^2x^8} - \frac{a^2e-2abd+3b^2c}{2a^4x^2} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-2a^3f+5a^2be-8ab^2d+11b^3c)}{9a^{14/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3}$$

[Out] $-1/8*c/a^2/x^8+1/5*(-a*d+2*b*c)/a^3/x^5+1/2*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^2-1/3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^4/(b*x^3+a)-1/9*(-2*a^3*f+5*a^2*b*e-8*a*b^2*d+11*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(14/3)}/b^{(1/3)}+1/18*(-2*a^3*f+5*a^2*b*e-8*a*b^2*d+11*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(14/3)}/b^{(1/3)}+1/9*(-2*a^3*f+5*a^2*b*e-8*a*b^2*d+11*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(14/3)}/b^{(1/3)}*3^{(1/2)}$

Rubi [A] time = 0.37, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$\frac{x(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^4(a+bx^3)} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(5a^2be-2a^3f-8ab^2d+11b^3c)}{18a^{14/3}\sqrt[3]{b}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^2), x]

[Out] $-c/(8*a^2*x^8) + (2*b*c - a*d)/(5*a^3*x^5) - (3*b^2*c - 2*a*b*d + a^2*e)/(2*a^4*x^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^4*(a + b*x^3)) + ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(14/3)}*b^{(1/3)}) - ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(14/3)}*b^{(1/3)}) + ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(14/3)}*b^{(1/3)})$

Rule 31

Int[((a_) + (b_)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R

$t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[\{a, b\}, x]$

Rule 204

$Int[((a_) + (b_)*(x_)^2)^{-1}, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[\{a, b\}, x] \&\& PosQ[a/b] \&\& (LtQ[a, 0] || LtQ[b, 0])$

Rule 617

$Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] := With[\{q = 1 - 4*Simplify[(a*c)/b^2]\}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] \&\& (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[\{a, b, c\}, x] \&\& NeQ[b^2 - 4*a*c, 0]$

Rule 628

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& EqQ[2*c*d - b*e, 0]$

Rule 634

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& NeQ[2*c*d - b*e, 0] \&\& NeQ[b^2 - 4*a*c, 0] \&\& !NiceSqrtQ[b^2 - 4*a*c]$

Rule 1829

$Int[(Pq_)*(x_)^{(m_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := With[\{q = Expon[Pq, x]\}, Module[\{Q = PolynomialQuotient[a*b^{(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^{(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i\}, Dist[1/(a*n*(p + 1)*b^{(Floor[(q - 1)/n] + 1)}), Int[x^m*(a + b*x^n)^{(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[(n*(p + 1) + i + 1)*Coeff[R, x, i]*x^{(i - m)}], x], x] - Simp[(x*R*(a + b*x^n)^{(p + 1)})/(a^2*n*(p + 1)*b^{(Floor[(q - 1)/n] + 1)}, x]]] /; FreeQ[\{a, b\}, x] \&\& PolyQ[Pq, x] \&\& IGtQ[n, 0] \&\& LtQ[p, -1] \&\& ILtQ[m, 0]$

Rule 1834

$Int[((Pq_)*((c_)*(x_)^{(m_)})/((a_) + (b_)*(x_)^{(n_)}, x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[\{a, b, c, m\}, x] \&$

& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^9(a + bx^3)^2} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{2b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^9(a + bx^3)} dx}{3ab^3} \\
 &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^9} - \frac{3b^3(-2bc + ad)}{a^2x^6} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^3} - \frac{b^3(-11b^3c - 11b^2d + 11b^2e - 11b^2f)}{a^4} \right) dx}{3ab^3} \\
 &= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 11b^2d + 11b^2e - 11b^2f)}{360a^{14/3}} \\
 &= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 11b^2d + 11b^2e - 11b^2f)}{360a^{14/3}} \\
 &= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 11b^2d + 11b^2e - 11b^2f)}{360a^{14/3}} \\
 &= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 11b^2d + 11b^2e - 11b^2f)}{360a^{14/3}} \\
 &= -\frac{c}{8a^2x^8} + \frac{2bc - ad}{5a^3x^5} - \frac{3b^2c - 2abd + a^2e}{2a^4x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{3a^4(a + bx^3)} - \frac{(11b^3c - 11b^2d + 11b^2e - 11b^2f)}{360a^{14/3}}
 \end{aligned}$$

Mathematica [A] time = 0.24, size = 280, normalized size = 0.94

$$\frac{-\frac{72a^{5/3}(ad-2bc)}{x^5} - \frac{45a^{8/3}c}{x^8} - \frac{180a^{2/3}(a^2e-2abd+3b^2c)}{x^2} + \frac{40 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(2a^3f-5a^2be+8ab^2d-11b^3c)}{\sqrt[3]{b}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1-2\sqrt[3]{bx}}{\sqrt{3}}\right)(-2a^3f+5a^2be-8ab^2d+11b^3c)}{\sqrt[3]{b}}}{360a^{14/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^2), x]

```
[Out] ((-45*a^(8/3)*c)/x^8 - (72*a^(5/3)*(-2*b*c + a*d))/x^5 - (180*a^(2/3)*(3*b^2*c - 2*a*b*d + a^2*e))/x^2 + (120*a^(2/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(a + b*x^3) + (40*sqrt[3]*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(1/3) + (40*(-11*b^3*c + 8*a*b^2*d - 5*a^2*b*e + 2*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/b^(1/3) + (20*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3))/(360*a^(14/3))
```

fricas [A] time = 0.68, size = 959, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] [-1/360*(60*(11*a^2*b^4*c - 8*a^3*b^3*d + 5*a^4*b^2*e - 2*a^5*b*f)*x^9 + 45*a^5*b*c + 36*(11*a^3*b^3*c - 8*a^4*b^2*d + 5*a^5*b*e)*x^6 - 9*(11*a^4*b^2*c - 8*a^5*b*d)*x^3 + 60*sqrt(1/3)*((11*a*b^5*c - 8*a^2*b^4*d + 5*a^3*b^3*e - 2*a^4*b^2*f)*x^11 + (11*a^2*b^4*c - 8*a^3*b^3*d + 5*a^4*b^2*e - 2*a^5*b*f)*x^8)*sqrt(-(a^2*b)^(1/3)/b)*log((2*a*b*x^3 - 3*(a^2*b)^(1/3)*a*x - a^2 + 3*sqrt(1/3)*(2*a*b*x^2 + (a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt(-(a^2*b)^(1/3)/b))/(b*x^3 + a) - 20*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^11 + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 40*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^11 + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^6*b^2*x^11 + a^7*b*x^8), -1/360*(60*(11*a^2*b^4*c - 8*a^3*b^3*d + 5*a^4*b^2*e - 2*a^5*b*f)*x^9 + 45*a^5*b*c + 36*(11*a^3*b^3*c - 8*a^4*b^2*d + 5*a^5*b*e)*x^6 - 9*(11*a^4*b^2*c - 8*a^5*b*d)*x^3 + 120*sqrt(1/3)*((11*a*b^5*c - 8*a^2*b^4*d + 5*a^3*b^3*e - 2*a^4*b^2*f)*x^11 + (11*a^2*b^4*c - 8*a^3*b^3*d + 5*a^4*b^2*e - 2*a^5*b*f)*x^8)*sqrt((a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(a^2*b)^(2/3)*x - (a^2*b)^(1/3)*a)*sqrt((a^2*b)^(1/3)/b)/a^2) - 20*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^11 + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x^2 - (a^2*b)^(2/3)*x + (a^2*b)^(1/3)*a) + 40*((11*b^4*c - 8*a*b^3*d + 5*a^2*b^2*e - 2*a^3*b*f)*x^11 + (11*a*b^3*c - 8*a^2*b^2*d + 5*a^3*b*e - 2*a^4*f)*x^8)*(a^2*b)^(2/3)*log(a*b*x + (a^2*b)^(2/3)))/(a^6*b^2*x^11 + a^7*b*x^8)]
```

giac [A] time = 0.20, size = 347, normalized size = 1.17

$$\frac{(11b^3c - 8ab^2d - 2a^3f + 5a^2be) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{9a^5} - \frac{\sqrt{3} \left(11(-ab^2)^{\frac{1}{3}}b^3c - 8(-ab^2)^{\frac{1}{3}}ab^2d - 2(-ab^2)^{\frac{1}{3}}a^3\right)}{9a^5b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{9} \cdot (11 \cdot b^3 \cdot c - 8 \cdot a \cdot b^2 \cdot d - 2 \cdot a^3 \cdot f + 5 \cdot a^2 \cdot b \cdot e) \cdot (-a/b)^{1/3} \cdot \log(\text{abs}(x - (-a/b)^{1/3})) / a^5 - \frac{1}{9} \cdot \sqrt{3} \cdot (11 \cdot (-a \cdot b^2)^{1/3} \cdot b^3 \cdot c - 8 \cdot (-a \cdot b^2)^{1/3} \cdot a \cdot b^2 \cdot d - 2 \cdot (-a \cdot b^2)^{1/3} \cdot a^3 \cdot f + 5 \cdot (-a \cdot b^2)^{1/3} \cdot a^2 \cdot b \cdot e) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2 \cdot x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / (a^5 \cdot b) - \frac{1}{3} \cdot (b^3 \cdot c \cdot x - a \cdot b^2 \cdot d \cdot x - a^3 \cdot f \cdot x + a^2 \cdot b \cdot x \cdot e) / ((b \cdot x^3 + a) \cdot a^4) - \frac{1}{18} \cdot (11 \cdot (-a \cdot b^2)^{1/3} \cdot b^3 \cdot c - 8 \cdot (-a \cdot b^2)^{1/3} \cdot a \cdot b^2 \cdot d - 2 \cdot (-a \cdot b^2)^{1/3} \cdot a^3 \cdot f + 5 \cdot (-a \cdot b^2)^{1/3} \cdot a^2 \cdot b \cdot e) \cdot \log(x^2 + x \cdot (-a/b)^{1/3} + (-a/b)^{2/3}) / (a^5 \cdot b) - \frac{1}{40} \cdot (60 \cdot b^2 \cdot c \cdot x^6 - 40 \cdot a \cdot b \cdot d \cdot x^6 + 20 \cdot a^2 \cdot x^6 \cdot e - 16 \cdot a \cdot b \cdot c \cdot x^3 + 8 \cdot a^2 \cdot d \cdot x^3 + 5 \cdot a^2 \cdot c) / (a^4 \cdot x^8)$

maple [B] time = 0.06, size = 520, normalized size = 1.75

$$\frac{\frac{fx}{3(bx^3+a)a} - \frac{bex}{3(bx^3+a)a^2} + \frac{b^2dx}{3(bx^3+a)a^3} - \frac{b^3cx}{3(bx^3+a)a^4} + \frac{2\sqrt{3} f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1}-1\right)}{\left(\frac{a}{b}\right)^{\frac{2}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{2f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x)

[Out] $\frac{1}{3} \cdot a \cdot x / (b \cdot x^3 + a) \cdot f - \frac{1}{3} \cdot a^2 \cdot x / (b \cdot x^3 + a) \cdot b \cdot e + \frac{1}{3} \cdot a^3 \cdot x / (b \cdot x^3 + a) \cdot b^2 \cdot d - \frac{1}{3} \cdot a^4 \cdot x / (b \cdot x^3 + a) \cdot b^3 \cdot c - \frac{5}{9} \cdot a^2 \cdot e / (a/b)^{2/3} \cdot \ln(x + (a/b)^{1/3}) + \frac{5}{18} \cdot a^2 \cdot e / (a/b)^{2/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) - \frac{5}{9} \cdot a^2 \cdot e / (a/b)^{2/3} \cdot 3^{1/2} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1)) + \frac{8}{9} \cdot a^3 \cdot b \cdot d / (a/b)^{2/3} \cdot \ln(x + (a/b)^{1/3}) - \frac{4}{9} \cdot a^3 \cdot b \cdot d / (a/b)^{2/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) + \frac{8}{9} \cdot a^3 \cdot b \cdot d / (a/b)^{2/3} \cdot 3^{1/2} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1)) - \frac{11}{9} \cdot a^4 \cdot b^2 \cdot c / (a/b)^{2/3} \cdot \ln(x + (a/b)^{1/3}) + \frac{11}{18} \cdot a^4 \cdot b^2 \cdot c / (a/b)^{2/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) - \frac{11}{9} \cdot a^4 \cdot b^2 \cdot c / (a/b)^{2/3} \cdot 3^{1/2} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1)) + \frac{2}{9} \cdot a \cdot f / b / (a/b)^{2/3} \cdot \ln(x + (a/b)^{1/3}) - \frac{1}{9} \cdot a \cdot f / b / (a/b)^{2/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) + \frac{2}{9} \cdot a \cdot f / b / (a/b)^{2/3} \cdot 3^{1/2} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1)) - \frac{1}{8} \cdot c / a^2 / x^8 - \frac{1}{5} \cdot a^2 / x^5 \cdot d + \frac{2}{5} \cdot a^3 / x^5 \cdot b \cdot c - \frac{1}{2} \cdot a^2 / x^2 \cdot e + \frac{1}{a^3} \cdot x^2 \cdot b \cdot d - \frac{3}{2} \cdot a^4 / x^2 \cdot b^2 \cdot c$

maxima [A] time = 3.03, size = 292, normalized size = 0.98

$$\frac{20(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^9 + 12(11ab^2c - 8a^2bd + 5a^3e)x^6 + 15a^3c - 3(11a^2bc - 8a^3d)x^3}{120(a^4bx^{11} + a^5x^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/120*(20*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*x^9 + 12*(11*a*b^2*c - 8*a^2*b*d + 5*a^3*e)*x^6 + 15*a^3*c - 3*(11*a^2*b*c - 8*a^3*d)*x^3)/(a^4*b*x^{11} + a^5*x^8) - 1/9*\sqrt{3}*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/(a^4*b*(a/b)^{2/3}) + 1/18*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^4*b*(a/b)^{2/3}) - 1/9*(11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*\log(x + (a/b)^{1/3})/(a^4*b*(a/b)^{2/3})$$

mupad [B] time = 5.20, size = 274, normalized size = 0.92

$$\frac{\frac{c}{8a} + \frac{x^9(-2fa^3+5ea^2b-8dab^2+11cb^3)}{6a^4} + \frac{x^3(8ad-11bc)}{40a^2} + \frac{x^6(5ea^2-8dab+11cb^2)}{10a^3}}{bx^{11} + ax^8} \ln\left(\frac{b^{1/3}x + a^{1/3}}{9a^{14/3}b^{1/3}}\right) (-2fa^3 + 5ea^2b - 8dab^2 + 11cb^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^2),x)

[Out]
$$(\log(3^{1/2})a^{1/3}*1i - 2*b^{1/3}*x + a^{1/3})*((3^{1/2}*1i)/2 + 1/2)*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e)/(9*a^{14/3}*b^{1/3}) - (\log(b^{1/3}*x + a^{1/3})*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e))/(9*a^{14/3}*b^{1/3}) - (\log(3^{1/2})a^{1/3}*1i + 2*b^{1/3}*x - a^{1/3})*((3^{1/2}*1i)/2 - 1/2)*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e)/(9*a^{14/3}*b^{1/3}) - (c/(8*a) + (x^9*(11*b^3*c - 2*a^3*f - 8*a*b^2*d + 5*a^2*b*e))/(6*a^4) + (x^3*(8*a*d - 11*b*c))/(40*a^2) + (x^6*(11*b^2*c + 5*a^2*e - 8*a*b*d))/(10*a^3))/(a*x^8 + b*x^{11})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**9/(b*x**3+a)**2,x)

[Out] Timed out

$$3.273 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^2} dx$$

Optimal. Leaf size=334

$$\frac{2bc-ad}{7a^3x^7} - \frac{c}{10a^2x^{10}} - \frac{a^2e-2abd+3b^2c}{4a^4x^4} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(-4a^3f+7a^2be-10ab^2d+13b^3c)}{9a^{16/3}} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{\sqrt[3]{b}x}{\sqrt[3]{a} + \sqrt[3]{b}x}\right)}{9a^{16/3}}$$

[Out] $-1/10*c/a^2/x^{10}+1/7*(-a*d+2*b*c)/a^3/x^7+1/4*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^4+(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)/a^5/x+1/3*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^5/(b*x^3+a)-1/9*b^{(1/3)}*(-4*a^3*f+7*a^2*b*e-10*a*b^2*d+13*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(16/3)}+1/18*b^{(1/3)}*(-4*a^3*f+7*a^2*b*e-10*a*b^2*d+13*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(16/3)}-1/9*b^{(1/3)}*(-4*a^3*f+7*a^2*b*e-10*a*b^2*d+13*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(16/3)}*3^{(1/2)}$

Rubi [A] time = 0.46, antiderivative size = 334, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{bx^2(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^5(a+bx^3)} + \frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(7a^2be - 4a^3f - 10ab^2d + 13b^3c)}{18a^{16/3}} + \frac{2a^2be + \dots}{18a^{16/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^2), x]

[Out] $-c/(10*a^2*x^{10}) + (2*b*c - a*d)/(7*a^3*x^7) - (3*b^2*c - 2*a*b*d + a^2*e)/(4*a^4*x^4) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(a^5*x) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^5*(a + b*x^3)) - (b^{(1/3)}*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(16/3)}) - (b^{(1/3)}*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(16/3)}) + (b^{(1/3)}*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(16/3)})$

Rule 31

Int[((a_) + (b_)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 292

```
Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_))^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{11} (a + bx^3)^2} dx = \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^5(a + bx^3)} - \frac{\int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^{11}(a + bx^3)} dx}{3ab^3}$$

$$= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{3a^5(a + bx^3)} - \frac{\int \left(-\frac{3b^3c}{ax^{11}} - \frac{3b^3(-2bc + ad)}{a^2x^8} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^5} - \frac{3b^3(-4b^3c + 3ab^2d - 2a^2be + a^3f)}{a^4x^2} \right) dx}{3}$$

$$= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)}$$

$$= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)}$$

$$= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)}$$

$$= -\frac{c}{10a^2x^{10}} + \frac{2bc - ad}{7a^3x^7} - \frac{3b^2c - 2abd + a^2e}{4a^4x^4} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{a^5x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3a^5(a + bx^3)}$$

Mathematica [A] time = 0.21, size = 319, normalized size = 0.96

$$-\frac{180a^{7/3}(ad-2bc)}{x^7} - \frac{126a^{10/3}c}{x^{10}} - \frac{315a^{4/3}(a^2e-2abd+3b^2c)}{x^4} - \frac{420\sqrt[3]{a}bx^2(a^3f-a^2be+ab^2d-b^3c)}{a+bx^3} - \frac{1260\sqrt[3]{a}(a^3f-2a^2be+3ab^2d-4b^3c)}{x} + 140\sqrt[3]{a}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^2),x]

[Out] $\left(\frac{-126a^{10/3}c}{x^{10}} - \frac{(180a^{7/3})(-2b^3c + ad)}{x^7} - \frac{315a^{4/3}(3b^2c - 2ab^3d + a^2e)}{x^4} - \frac{1260a^{1/3}(-4b^3c + 3ab^2d - 2a^2b^3e + a^3f)}{x} - \frac{420a^{1/3}b(-b^3c + ab^2d - a^2b^3e + a^3f)x^2}{(a + b^3x^3)} - 140\sqrt{3}b^{1/3}(13b^3c - 10ab^2d + 7a^2b^3e - 4a^3f)\operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right] + 140b^{1/3}(-13b^3c + 10ab^2d - 7a^2b^3e + 4a^3f)\operatorname{Log}[a^{1/3} + b^{1/3}x] + 70b^{1/3}(13b^3c - 10ab^2d + 7a^2b^3e - 4a^3f)\operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]\right)/(1260a^{16/3})$

fricas [A] time = 0.76, size = 442, normalized size = 1.32

$$420(13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf)x^{12} + 315(13ab^3c - 10a^2b^2d + 7a^3be - 4a^4f)x^9 - 45(13a^2b^2c - 10a^3b^3d + 7a^4e)x^6 - 126a^4c + 18(13a^3b^3c - 10a^4d)x^3 + 140\sqrt{3}((13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf)x^{13} + (13ab^3c - 10a^2b^2d + 7a^3b^3e - 4a^4f)x^{10})\left(\frac{b}{a}\right)^{1/3}\operatorname{arctan}\left(\frac{2/3\sqrt{3}}{(b/a)^{1/3} - 1/3\sqrt{3}}\right) + 70((13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf)x^{13} + (13ab^3c - 10a^2b^2d + 7a^3b^3e - 4a^4f)x^{10})\left(\frac{b}{a}\right)^{1/3}\operatorname{log}(bx^2 - ax\left(\frac{b}{a}\right)^{2/3} + a\left(\frac{b}{a}\right)^{1/3}) - 140((13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf)x^{13} + (13ab^3c - 10a^2b^2d + 7a^3b^3e - 4a^4f)x^{10})\left(\frac{b}{a}\right)^{1/3}\operatorname{log}(bx + a\left(\frac{b}{a}\right)^{2/3})/(a^5bx^{13} + a^6x^{10})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{1260}(420(13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf)x^{12} + 315(13ab^3c - 10a^2b^2d + 7a^3b^3e - 4a^4f)x^9 - 45(13a^2b^2c - 10a^3b^3d + 7a^4e)x^6 - 126a^4c + 18(13a^3b^3c - 10a^4d)x^3 + 140\sqrt{3}((13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf)x^{13} + (13ab^3c - 10a^2b^2d + 7a^3b^3e - 4a^4f)x^{10})\left(\frac{b}{a}\right)^{1/3}\operatorname{arctan}\left(\frac{2/3\sqrt{3}}{(b/a)^{1/3} - 1/3\sqrt{3}}\right) + 70((13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf)x^{13} + (13ab^3c - 10a^2b^2d + 7a^3b^3e - 4a^4f)x^{10})\left(\frac{b}{a}\right)^{1/3}\operatorname{log}(bx^2 - ax\left(\frac{b}{a}\right)^{2/3} + a\left(\frac{b}{a}\right)^{1/3}) - 140((13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf)x^{13} + (13ab^3c - 10a^2b^2d + 7a^3b^3e - 4a^4f)x^{10})\left(\frac{b}{a}\right)^{1/3}\operatorname{log}(bx + a\left(\frac{b}{a}\right)^{2/3})/(a^5bx^{13} + a^6x^{10})$

giac [A] time = 0.37, size = 437, normalized size = 1.31

$$\frac{\left(13b^4c\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 10ab^3d\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 4a^3bf\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 7a^2b^2\left(-\frac{a}{b}\right)^{\frac{1}{3}}e\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}}\operatorname{log}\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \sqrt{3}\left(13(-ab^2)^{\frac{2}{3}}b^3c\right)}{9a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x, algorithm="giac")

```
[Out] -1/9*(13*b^4*c*(-a/b)^(1/3) - 10*a*b^3*d*(-a/b)^(1/3) - 4*a^3*b*f*(-a/b)^(1/3) + 7*a^2*b^2*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^6 - 1/9*sqrt(3)*(13*(-a*b^2)^(2/3)*b^3*c - 10*(-a*b^2)^(2/3)*a*b^2*d - 4*(-a*b^2)^(2/3)*a^3*f + 7*(-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^6*b) + 1/3*(b^4*c*x^2 - a*b^3*d*x^2 - a^3*b*f*x^2 + a^2*b^2*x^2*e)/((b*x^3 + a)*a^5) + 1/18*(13*(-a*b^2)^(2/3)*b^3*c - 10*(-a*b^2)^(2/3)*a*b^2*d - 4*(-a*b^2)^(2/3)*a^3*f + 7*(-a*b^2)^(2/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^6*b) + 1/140*(560*b^3*c*x^9 - 420*a*b^2*d*x^9 - 140*a^3*f*x^9 + 280*a^2*b*x^9*e - 105*a*b^2*c*x^6 + 70*a^2*b*d*x^6 - 35*a^3*x^6*e + 40*a^2*b*c*x^3 - 20*a^3*d*x^3 - 14*a^3*c)/(a^5*x^10)
```

maple [A] time = 0.06, size = 575, normalized size = 1.72

$$\frac{\frac{bf x^2}{3(b x^3 + a) a^2} + \frac{b^2 e x^2}{3(b x^3 + a) a^3} - \frac{b^3 d x^2}{3(b x^3 + a) a^4} + \frac{b^4 c x^2}{3(b x^3 + a) a^5} - \frac{4\sqrt{3} f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a^2} + \frac{4f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x)
```

```
[Out] 4/a^5/x*b^3*c+4/9/a^2*f/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-2/9/a^2*f/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/7/a^3/x^7*b*c+1/2/a^3/x^4*b*d-3/4/a^4/x^4*b^2*c+2/a^3/x*b*e-3/a^4/x*b^2*d-1/3*b/a^2*x^2/(b*x^3+a)*f+1/3*b^2/a^3*x^2/(b*x^3+a)*e-10/9*b^2/a^4*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+13/9*b^3/a^5*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+7/9*b/a^3*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/a^2/x*f-1/4/a^2/x^4*e-1/7/a^2/x^7*d-1/10*c/a^2/x^10-1/3*b^3/a^4*x^2/(b*x^3+a)*d+1/3*b^4/a^5*x^2/(b*x^3+a)*c-4/9/a^2*f*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-7/9*b/a^3*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+7/18*b/a^3*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+10/9*b^2/a^4*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-5/9*b^2/a^4*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-13/9*b^3/a^5*c/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+13/18*b^3/a^5*c/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))
```

maxima [A] time = 3.13, size = 323, normalized size = 0.97

$$\frac{140(13b^4c - 10ab^3d + 7a^2b^2e - 4a^3bf)x^{12} + 105(13ab^3c - 10a^2b^2d + 7a^3be - 4a^4f)x^9 - 15(13a^2b^2c - 10a^3b^2d + 7a^4be - 4a^5bf)x^6 + 420(a^5bx^{13} + a^6x^{10})}{420(a^5bx^{13} + a^6x^{10})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/420*(140*(13*b^4*c - 10*a*b^3*d + 7*a^2*b^2*e - 4*a^3*b*f)*x^12 + 105*(13*a*b^3*c - 10*a^2*b^2*d + 7*a^3*b*e - 4*a^4*f)*x^9 - 15*(13*a^2*b^2*c - 10*a^3*b^2*d + 7*a^4*b*e - 4*a^5*b*f)*x^6 - 42*a^4*c + 6*(13*a^3*b*c - 10*a^4*d)*x^3)/(a^5*b*x^13 + a^6*x^10) + 1/9*sqrt(3)*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^5*(a/b)^(1/3)) + 1/18*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^5*(a/b)^(1/3)) - 1/9*(13*b^3*c - 10*a*b^2*d + 7*a^2*b*e - 4*a^3*f)*log(x + (a/b)^(1/3))/(a^5*(a/b)^(1/3))

mupad [B] time = 5.41, size = 310, normalized size = 0.93

$$\frac{\frac{c}{10a} - \frac{x^9(-4fa^3+7ea^2b-10dab^2+13cb^3)}{4a^4} + \frac{x^3(10ad-13bc)}{70a^2} + \frac{x^6(7ea^2-10dab+13cb^2)}{28a^3} - \frac{bx^{12}(-4fa^3+7ea^2b-10dab^2+13cb^3)}{3a^5}}{bx^{13} + ax^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^2),x)

[Out] (b^(1/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(9*a^(16/3)) - (b^(1/3)*log(b^(1/3)*x + a^(1/3))*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(9*a^(16/3)) - (c/(10*a) - (x^9*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(4*a^4) + (x^3*(10*a*d - 13*b*c))/(70*a^2) + (x^6*(13*b^2*c + 7*a^2*e - 10*a*b*d))/(28*a^3) - (b*x^12*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(3*a^5))/(a*x^10 + b*x^13) - (b^(1/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(13*b^3*c - 4*a^3*f - 10*a*b^2*d + 7*a^2*b*e))/(9*a^(16/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**11/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.274 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^2} dx$$

Optimal. Leaf size=335

$$\frac{2bc-ad}{8a^3x^8} - \frac{c}{11a^2x^{11}} - \frac{a^2e-2abd+3b^2c}{5a^4x^5} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (-5a^3f + 8a^2be - 11ab^2d + 14b^3c)}{18a^{17/3}} + \dots$$

[Out] $-1/11*c/a^2/x^{11}+1/8*(-a*d+2*b*c)/a^3/x^8+1/5*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^5+1/2*(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)/a^5/x^2+1/3*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^5/(b*x^3+a)+1/9*b^{(2/3)}*(-5*a^3*f+8*a^2*b*e-11*a*b^2*d+14*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(17/3)}-1/18*b^{(2/3)}*(-5*a^3*f+8*a^2*b*e-11*a*b^2*d+14*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(17/3)}-1/9*b^{(2/3)}*(-5*a^3*f+8*a^2*b*e-11*a*b^2*d+14*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(17/3)}*3^{(1/2)}$

Rubi [A] time = 0.43, antiderivative size = 335, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$\frac{bx(a^2be + a^3(-f) - ab^2d + b^3c)}{3a^5(a + bx^3)} + \frac{2a^2be + a^3(-f) - 3ab^2d + 4b^3c}{2a^5x^2} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (8a^2be - 5a^3f)}{18a^{17/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^2), x]

[Out] $-c/(11*a^2*x^{11}) + (2*b*c - a*d)/(8*a^3*x^8) - (3*b^2*c - 2*a*b*d + a^2*e)/(5*a^4*x^5) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(2*a^5*x^2) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(3*a^5*(a + b*x^3)) - (b^{(2/3)}*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(17/3)}) + (b^{(2/3)}*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(17/3)}) - (b^{(2/3)}*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(17/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

```
Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(
Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R
t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F
reeQ[{a, b}, x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_))^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x] /; FreeQ[{a, b, c, m}, x] & & PolyQ[Pq, x] && IntegerQ[n] && !IGTQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^{12}(a + bx^3)^2} dx &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{3a^5(a + bx^3)} - \int \frac{-3b^3c + 3b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{3b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{3b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^{12}(a + bx^3)} dx \\ &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{3a^5(a + bx^3)} - \int \left(\frac{3b^3c}{ax^{12}} - \frac{3b^3(-2bc + ad)}{a^2x^9} - \frac{3b^3(3b^2c - 2abd + a^2e)}{a^3x^6} - \frac{3b^3(-4b^3c + 3b^2d - 2abe + a^3f)}{a^4x^3} \right) dx \\ &= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3ab^3} \\ &= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3ab^3} \\ &= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3ab^3} \\ &= -\frac{c}{11a^2x^{11}} + \frac{2bc - ad}{8a^3x^8} - \frac{3b^2c - 2abd + a^2e}{5a^4x^5} + \frac{4b^3c - 3ab^2d + 2a^2be - a^3f}{2a^5x^2} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{3ab^3} \end{aligned}$$

Mathematica [A] time = 0.33, size = 317, normalized size = 0.95

$$-\frac{495a^{8/3}(ad-2bc)}{x^8} - \frac{360a^{11/3}c}{x^{11}} - \frac{792a^{5/3}(a^2e-2abd+3b^2c)}{x^5} + 440b^{2/3} \log(\sqrt[3]{a} + \sqrt[3]{b}x) (-5a^3f + 8a^2be - 11ab^2d + 14b^3c) - 4$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^2),x]

[Out] $\left(\frac{-360a^{11/3}c}{x^{11}} - \frac{(495a^{8/3})(-2bc + ad)}{x^8} - \frac{792a^{5/3}(3b^2c - 2abd + a^2e)}{x^5} - \frac{1980a^{2/3}(-4b^3c + 3ab^2d - 2a^2be + a^3f)}{x^2} - \frac{1320a^{2/3}b(-b^3c + ab^2d - a^2be + a^3f)x}{(a + b^3x)} - 440\sqrt{3}b^{2/3}(14b^3c - 11ab^2d + 8a^2be - 5a^3f)\operatorname{ArcTan}\left[\frac{1 - (2b^{1/3})x}{a^{1/3}}\right]/\sqrt{3}} + 440b^{2/3}(14b^3c - 11ab^2d + 8a^2be - 5a^3f)\operatorname{Log}[a^{1/3} + b^{1/3}x] + 220b^{2/3}(-14b^3c + 11ab^2d - 8a^2be + 5a^3f)\operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]\right)/(3960a^{17/3})$

fricas [A] time = 0.76, size = 475, normalized size = 1.42

$$660(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{12} + 396(14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^9 - 99(14a^2b^2c - 11a^3b^3d + 8a^4e)x^6 - 360a^4c + 45(14a^3b^3c - 11a^4d)x^3 - 440\sqrt{3}((14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{14} + (14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^{11})(-b^2/a^2)^{1/3}\operatorname{arctan}(1/3(2\sqrt{3}ax(-b^2/a^2)^{2/3} - \sqrt{3}b)/b) + 220((14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{14} + (14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^{11})(-b^2/a^2)^{1/3}\log(b^2x^2 + abx(-b^2/a^2)^{1/3} + a^2(-b^2/a^2)^{2/3}) - 440((14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{14} + (14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^{11})(-b^2/a^2)^{1/3}\log(bx - a(-b^2/a^2)^{1/3})/(a^5bx^{14} + a^6x^{11})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{3960}(660(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{12} + 396(14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^9 - 99(14a^2b^2c - 11a^3b^3d + 8a^4e)x^6 - 360a^4c + 45(14a^3b^3c - 11a^4d)x^3 - 440\sqrt{3}((14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{14} + (14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^{11})(-b^2/a^2)^{1/3}\operatorname{arctan}(1/3(2\sqrt{3}ax(-b^2/a^2)^{2/3} - \sqrt{3}b)/b) + 220((14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{14} + (14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^{11})(-b^2/a^2)^{1/3}\log(b^2x^2 + abx(-b^2/a^2)^{1/3} + a^2(-b^2/a^2)^{2/3}) - 440((14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{14} + (14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^{11})(-b^2/a^2)^{1/3}\log(bx - a(-b^2/a^2)^{1/3}))/a^5bx^{14} + a^6x^{11})$

giac [A] time = 0.18, size = 391, normalized size = 1.17

$$\frac{\sqrt{3}\left(14(-ab^2)^{\frac{1}{3}}b^3c - 11(-ab^2)^{\frac{1}{3}}ab^2d - 5(-ab^2)^{\frac{1}{3}}a^3f + 8(-ab^2)^{\frac{1}{3}}a^2be\right)\operatorname{arctan}\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^6} (14b^4c - 11a^3b^3d + 8a^4e)x^6 - 360a^4c + 45(14a^3b^3c - 11a^4d)x^3 - 440\sqrt{3}((14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{14} + (14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^{11})(-b^2/a^2)^{1/3}\operatorname{arctan}(1/3(2\sqrt{3}ax(-b^2/a^2)^{2/3} - \sqrt{3}b)/b) + 220((14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{14} + (14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^{11})(-b^2/a^2)^{1/3}\log(b^2x^2 + abx(-b^2/a^2)^{1/3} + a^2(-b^2/a^2)^{2/3}) - 440((14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{14} + (14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^{11})(-b^2/a^2)^{1/3}\log(bx - a(-b^2/a^2)^{1/3})/(a^5bx^{14} + a^6x^{11})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^2,x, algorithm="giac")

```
[Out] 1/9*sqrt(3)*(14*(-a*b^2)^(1/3)*b^3*c - 11*(-a*b^2)^(1/3)*a*b^2*d - 5*(-a*b^2)^(1/3)*a^3*f + 8*(-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/a^6 - 1/9*(14*b^4*c - 11*a*b^3*d - 5*a^3*b*f + 8*a^2*b^2*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^6 + 1/18*(14*(-a*b^2)^(1/3)*b^3*c - 11*(-a*b^2)^(1/3)*a*b^2*d - 5*(-a*b^2)^(1/3)*a^3*f + 8*(-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^6 + 1/3*(b^4*c*x - a*b^3*d*x - a^3*b*f*x + a^2*b^2*x*e)/((b*x^3 + a)*a^5) + 1/440*(880*b^3*c*x^9 - 660*a*b^2*d*x^9 - 220*a^3*f*x^9 + 440*a^2*b*x^9*e - 264*a*b^2*c*x^6 + 176*a^2*b*d*x^6 - 88*a^3*x^6*e + 110*a^2*b*c*x^3 - 55*a^3*d*x^3 - 40*a^3*c)/(a^5*x^11)
```

maple [A] time = 0.06, size = 566, normalized size = 1.69

$$\frac{\frac{bfx}{3(bx^3+a)a^2} + \frac{b^2ex}{3(bx^3+a)a^3} - \frac{b^3dx}{3(bx^3+a)a^4} + \frac{b^4cx}{3(bx^3+a)a^5}}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2} - \frac{5\sqrt{3}f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2} - \frac{5f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^2,x)
```

```
[Out] 5/18/a^2*f/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/a^3/x^2*b*e-3/2/a^4/x^2*b^2*d+2/a^5/x^2*b^3*c+1/4/a^3/x^8*b*c+2/5/a^3/x^5*b*d-3/5/a^4/x^5*b^2*c-5/9/a^2*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-1/3*b/a^2*x/(b*x^3+a)*f+1/3*b^2/a^3*x/(b*x^3+a)*e-1/3*b^3/a^4*x/(b*x^3+a)*d+11/18*b^2/a^4*d/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+14/9*b^3/a^5*c/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-7/9*b^3/a^5*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*b^4/a^5*x/(b*x^3+a)*c-1/5/a^2/x^5*e-1/2/a^2/x^2*f-1/8/a^2/x^8*d-5/9/a^2*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+8/9*b/a^3*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-4/9*b/a^3*e/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-11/9*b^2/a^4*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+8/9*b/a^3*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-11/9*b^2/a^4*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+14/9*b^3/a^5*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/11*c/a^2/x^11
```

maxima [A] time = 3.07, size = 323, normalized size = 0.96

$$\frac{220(14b^4c - 11ab^3d + 8a^2b^2e - 5a^3bf)x^{12} + 132(14ab^3c - 11a^2b^2d + 8a^3be - 5a^4f)x^9 - 33(14a^2b^2c - 11a^3b^2d + 8a^4be - 5a^5bf)x^6 - 120(a^5bx^{14} + a^6x^{11})}{1320(a^5bx^{14} + a^6x^{11})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/1320*(220*(14*b^4*c - 11*a*b^3*d + 8*a^2*b^2*e - 5*a^3*b*f)*x^12 + 132*(14*a*b^3*c - 11*a^2*b^2*d + 8*a^3*b*e - 5*a^4*f)*x^9 - 33*(14*a^2*b^2*c - 11*a^3*b*d + 8*a^4*e)*x^6 - 120*a^4*c + 15*(14*a^3*b*c - 11*a^4*d)*x^3)/(a^5*b*x^14 + a^6*x^11) + 1/9*sqrt(3)*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^5*(a/b)^(2/3)) - 1/18*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^5*(a/b)^(2/3)) + 1/9*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*log(x + (a/b)^(1/3))/(a^5*(a/b)^(2/3))

mupad [B] time = 5.12, size = 310, normalized size = 0.93

$$\frac{b^{2/3} \ln(b^{1/3} x + a^{1/3}) (-5 f a^3 + 8 e a^2 b - 11 d a b^2 + 14 c b^3)}{9 a^{17/3}} - \frac{c}{11 a} - \frac{x^9 (-5 f a^3 + 8 e a^2 b - 11 d a b^2 + 14 c b^3)}{10 a^4} + \frac{x^3 (11 a d - 14 b^2 c)}{88 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^2),x)

[Out] (b^(2/3)*log(b^(1/3)*x + a^(1/3))*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(9*a^(17/3)) - (c/(11*a) - (x^9*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(10*a^4) + (x^3*(11*a*d - 14*b*c))/(88*a^2) + (x^6*(14*b^2*c + 8*a^2*e - 11*a*b*d))/(40*a^3) - (b*x^12*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(6*a^5))/(a*x^11 + b*x^14) + (b^(2/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(9*a^(17/3)) - (b^(2/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(14*b^3*c - 5*a^3*f - 11*a*b^2*d + 8*a^2*b*e))/(9*a^(17/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**12/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```


$$3.275 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^2} dx$$

Optimal. Leaf size=375

$$\frac{2bc-ad}{10a^3x^{10}} - \frac{c}{13a^2x^{13}} - \frac{a^2e-2abd+3b^2c}{7a^4x^7} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (-7a^3f + 10a^2be - 13ab^2d + 16b^3c)}{18a^{19/3}} +$$

[Out] $-1/13*c/a^2/x^{13}+1/10*(-a*d+2*b*c)/a^3/x^{10}+1/7*(-a^2*e+2*a*b*d-3*b^2*c)/a^4/x^7+1/4*(-a^3*f+2*a^2*b*e-3*a*b^2*d+4*b^3*c)/a^5/x^4-b*(-2*a^3*f+3*a^2*b*e-4*a*b^2*d+5*b^3*c)/a^6/x-1/3*b^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^6/(b*x^3+a)+1/9*b^{(4/3)}*(-7*a^3*f+10*a^2*b*e-13*a*b^2*d+16*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(19/3)}-1/18*b^{(4/3)}*(-7*a^3*f+10*a^2*b*e-13*a*b^2*d+16*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(19/3)}+1/9*b^{(4/3)}*(-7*a^3*f+10*a^2*b*e-13*a*b^2*d+16*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(19/3)}*3^{(1/2)}$

Rubi [A] time = 0.53, antiderivative size = 375, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$-\frac{b^2x^2(a^2be+a^3(-f)-ab^2d+b^3c)}{3a^6(a+bx^3)} + \frac{2a^2be+a^3(-f)-3ab^2d+4b^3c}{4a^5x^4} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (10a^2be - 7a^3f + 10a^2be - 13ab^2d + 16b^3c)}{18a^{19/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^2), x]

[Out] $-c/(13*a^2*x^{13}) + (2*b*c - a*d)/(10*a^3*x^{10}) - (3*b^2*c - 2*a*b*d + a^2*e)/(7*a^4*x^7) + (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(4*a^5*x^4) - (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f))/(a^6*x) - (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(3*a^6*(a + b*x^3)) + (b^{(4/3)}*(16*b^3*c - 13*a*b^2*d + 10*a^2*b*e - 7*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(19/3)}) + (b^{(4/3)}*(16*b^3*c - 13*a*b^2*d + 10*a^2*b*e - 7*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(19/3)}) - (b^{(4/3)}*(16*b^3*c - 13*a*b^2*d + 10*a^2*b*e - 7*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(19/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 292

```
Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

Int[((Pq_)*((c_)*(x_))^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] & & PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^{14} (a + bx^3)^2} dx &= -\frac{b^2 (b^3 c - ab^2 d + a^2 be - a^3 f) x^2}{3a^6 (a + bx^3)} - \int \frac{-3b^3 c + 3b^3 \left(\frac{bc}{a} - d\right) x^3 - \frac{3b^3 (b^2 c - abd + a^2 e) x^6}{a^2} + \frac{3b^3 (b^3 c - ab^2 d + a^2 be)}{a^3}}{x^{14} (a + bx^3)^2} dx \\ &= -\frac{b^2 (b^3 c - ab^2 d + a^2 be - a^3 f) x^2}{3a^6 (a + bx^3)} - \int \left(-\frac{3b^3 c}{ax^{14}} - \frac{3b^3 (-2bc + ad)}{a^2 x^{11}} - \frac{3b^3 (3b^2 c - 2abd + a^2 e)}{a^3 x^8} - \frac{3b^3 (b^3 c - ab^2 d + a^2 be)}{a^4 x^5} \right) dx \\ &= -\frac{c}{13a^2 x^{13}} + \frac{2bc - ad}{10a^3 x^{10}} - \frac{3b^2 c - 2abd + a^2 e}{7a^4 x^7} + \frac{4b^3 c - 3ab^2 d + 2a^2 be - a^3 f}{4a^5 x^4} - \frac{b (5b^3 c - 4ab^2 d + 3a^2 be - a^3 f)}{18a^{19/3}} \\ &= -\frac{c}{13a^2 x^{13}} + \frac{2bc - ad}{10a^3 x^{10}} - \frac{3b^2 c - 2abd + a^2 e}{7a^4 x^7} + \frac{4b^3 c - 3ab^2 d + 2a^2 be - a^3 f}{4a^5 x^4} - \frac{b (5b^3 c - 4ab^2 d + 3a^2 be - a^3 f)}{18a^{19/3}} \\ &= -\frac{c}{13a^2 x^{13}} + \frac{2bc - ad}{10a^3 x^{10}} - \frac{3b^2 c - 2abd + a^2 e}{7a^4 x^7} + \frac{4b^3 c - 3ab^2 d + 2a^2 be - a^3 f}{4a^5 x^4} - \frac{b (5b^3 c - 4ab^2 d + 3a^2 be - a^3 f)}{18a^{19/3}} \\ &= -\frac{c}{13a^2 x^{13}} + \frac{2bc - ad}{10a^3 x^{10}} - \frac{3b^2 c - 2abd + a^2 e}{7a^4 x^7} + \frac{4b^3 c - 3ab^2 d + 2a^2 be - a^3 f}{4a^5 x^4} - \frac{b (5b^3 c - 4ab^2 d + 3a^2 be - a^3 f)}{18a^{19/3}} \end{aligned}$$

Mathematica [A] time = 0.41, size = 370, normalized size = 0.99

$$\frac{2bc - ad}{10a^3 x^{10}} - \frac{c}{13a^2 x^{13}} - \frac{a^2 e - 2abd + 3b^2 c}{7a^4 x^7} + \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (7a^3 f - 10a^2 be + 13ab^2 d - 16b^3 c)}{18a^{19/3}} + \frac{b (5b^3 c - 4ab^2 d + 3a^2 be - a^3 f)}{18a^{19/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^2), x]

[Out] $-\frac{1}{13} \frac{c}{a^2 x^{13}} + \frac{(2bc - ad)}{(10a^3 x^{10})} - \frac{(3b^2c - 2ab^2d + a^2e)}{(7a^4 x^7)} + \frac{(4b^3c - 3ab^2d + 2a^2b^2e - a^3f)}{(4a^5 x^4)} + (b(-5b^3c + 4ab^2d - 3a^2b^2e + 2a^3f))/(a^6 x) + (b^2(-b^3c + ab^2d - a^2b^2e + a^3f)x^2)/(3a^6(a + b^3x)) + (b^{4/3}(16b^3c - 13ab^2d + 10a^2b^2e - 7a^3f) \operatorname{ArcTan}[(1 - (2b^{1/3}x)/a^{1/3})/\sqrt{3}])/(3\sqrt{3}a^{19/3}) + (b^{4/3}(16b^3c - 13ab^2d + 10a^2b^2e - 7a^3f) \operatorname{Log}[a^{1/3} + b^{1/3}x])/(9a^{19/3}) + (b^{4/3}(-16b^3c + 13ab^2d - 10a^2b^2e + 7a^3f) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])/(18a^{19/3})$

fricas [A] time = 0.81, size = 507, normalized size = 1.35

$$5460(16b^5c - 13ab^4d + 10a^2b^3e - 7a^3b^2f)x^{15} + 4095(16ab^4c - 13a^2b^3d + 10a^3b^2e - 7a^4bf)x^{12} - 585(16a^2b^3c - 13a^3b^2d + 10a^4b^2e - 7a^5bf)x^9 + 234(16a^3b^2c - 13a^4b^2d + 10a^5b^2e - 7a^6bf)x^6 + 1260a^5c - 126(16a^4b^2c - 13a^5b^2d + 10a^6b^2e - 7a^7bf)x^3 + 1820\sqrt{3}((16b^5c - 13ab^4d + 10a^2b^3e - 7a^3b^2f)x^{16} + (16a^2b^4c - 13a^3b^3d + 10a^4b^3e - 7a^5b^3f)x^{13}) \operatorname{arctan}\left(\frac{2\sqrt{3}x(-b/a)^{1/3} + \sqrt{3}}{3(-b/a)^{1/3}}\right) - 910((16b^5c - 13ab^4d + 10a^2b^3e - 7a^3b^2f)x^{16} + (16a^2b^4c - 13a^3b^3d + 10a^4b^3e - 7a^5b^3f)x^{13}) \operatorname{arctan}\left(\frac{2\sqrt{3}x(-b/a)^{1/3} + \sqrt{3}}{3(-b/a)^{1/3}}\right) + 1820((16b^5c - 13ab^4d + 10a^2b^3e - 7a^3b^2f)x^{16} + (16a^2b^4c - 13a^3b^3d + 10a^4b^3e - 7a^5b^3f)x^{13}) \operatorname{Log}\left(\frac{b^2x^2 - a^2x(-b/a)^{2/3} - a^2(-b/a)^{1/3}}{b^2x + a^2(-b/a)^{2/3}}\right) / (a^6bx^{16} + a^7x^{13})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $-\frac{1}{16380} (5460(16b^5c - 13ab^4d + 10a^2b^3e - 7a^3b^2f)x^{15} + 4095(16ab^4c - 13a^2b^3d + 10a^3b^2e - 7a^4bf)x^{12} - 585(16a^2b^3c - 13a^3b^2d + 10a^4b^2e - 7a^5bf)x^9 + 234(16a^3b^2c - 13a^4b^2d + 10a^5b^2e - 7a^6bf)x^6 + 1260a^5c - 126(16a^4b^2c - 13a^5b^2d + 10a^6b^2e - 7a^7bf)x^3 + 1820\sqrt{3}((16b^5c - 13ab^4d + 10a^2b^3e - 7a^3b^2f)x^{16} + (16a^2b^4c - 13a^3b^3d + 10a^4b^3e - 7a^5b^3f)x^{13}) \operatorname{arctan}\left(\frac{2\sqrt{3}x(-b/a)^{1/3} + \sqrt{3}}{3(-b/a)^{1/3}}\right) - 910((16b^5c - 13ab^4d + 10a^2b^3e - 7a^3b^2f)x^{16} + (16a^2b^4c - 13a^3b^3d + 10a^4b^3e - 7a^5b^3f)x^{13}) \operatorname{arctan}\left(\frac{2\sqrt{3}x(-b/a)^{1/3} + \sqrt{3}}{3(-b/a)^{1/3}}\right) + 1820((16b^5c - 13ab^4d + 10a^2b^3e - 7a^3b^2f)x^{16} + (16a^2b^4c - 13a^3b^3d + 10a^4b^3e - 7a^5b^3f)x^{13}) \operatorname{Log}\left(\frac{b^2x^2 - a^2x(-b/a)^{2/3} - a^2(-b/a)^{1/3}}{b^2x + a^2(-b/a)^{2/3}}\right)) / (a^6bx^{16} + a^7x^{13})$

giac [A] time = 0.21, size = 482, normalized size = 1.29

$$\frac{\sqrt{3} \left(16 (-ab^2)^{\frac{2}{3}} b^3c - 13 (-ab^2)^{\frac{2}{3}} ab^2d - 7 (-ab^2)^{\frac{2}{3}} a^3f + 10 (-ab^2)^{\frac{2}{3}} a^2be \right) \operatorname{arctan} \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9a^7} + \left(16b^5c \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^2,x, algorithm="giac")

```
[Out] 1/9*sqrt(3)*(16*(-a*b^2)^(2/3)*b^3*c - 13*(-a*b^2)^(2/3)*a*b^2*d - 7*(-a*b^2)^(2/3)*a^3*f + 10*(-a*b^2)^(2/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/a^7 + 1/9*(16*b^5*c*(-a/b)^(1/3) - 13*a*b^4*d*(-a/b)^(1/3) - 7*a^3*b^2*f*(-a/b)^(1/3) + 10*a^2*b^3*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^7 - 1/18*(16*(-a*b^2)^(2/3)*b^3*c - 13*(-a*b^2)^(2/3)*a*b^2*d - 7*(-a*b^2)^(2/3)*a^3*f + 10*(-a*b^2)^(2/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^7 - 1/3*(b^5*c*x^2 - a*b^4*d*x^2 - a^3*b^2*f*x^2 + a^2*b^3*x^2*e)/((b*x^3 + a)*a^6) - 1/1820*(9100*b^4*c*x^12 - 7280*a*b^3*d*x^12 - 3640*a^3*b*f*x^12 + 5460*a^2*b^2*x^12*e - 1820*a*b^3*c*x^9 + 1365*a^2*b^2*d*x^9 + 455*a^4*f*x^9 - 910*a^3*b*x^9*e + 780*a^2*b^2*c*x^6 - 520*a^3*b*d*x^6 + 260*a^4*x^6*e - 364*a^3*b*c*x^3 + 182*a^4*d*x^3 + 140*a^4*c)/(a^6*x^13)
```

maple [A] time = 0.06, size = 631, normalized size = 1.68

$$\frac{\frac{b^2 f x^2}{3(b x^3 + a) a^3} - \frac{b^3 e x^2}{3(b x^3 + a) a^4} + \frac{b^4 d x^2}{3(b x^3 + a) a^5} - \frac{b^5 c x^2}{3(b x^3 + a) a^6} + \frac{7\sqrt{3} b f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a^3} - \frac{7 b f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} a^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^2,x)
```

```
[Out] -3/4/a^4/x^4*b^2*d+1/a^5/x^4*b^3*c+2*b/a^3/x*f-3*b^2/a^4/x*e+4*b^3/a^5/x*d-5*b^4/a^6/x*c+1/5/a^3/x^10*b*c+2/7/a^3/x^7*b*d-3/7/a^4/x^7*b^2*c+1/2/a^3/x^4*b*e-1/10/a^2/x^10*d+1/3*b^2/a^3*x^2/(b*x^3+a)*f-1/3*b^3/a^4*x^2/(b*x^3+a)*e+7/9*b/a^3*f*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-10/9*b^2/a^4*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+13/9*b^3/a^5*d*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-16/9*b^4/a^6*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/7/a^2/x^7*e-1/4/a^2/x^4*f+1/3*b^4/a^5*x^2/(b*x^3+a)*d-1/3*b^5/a^6*x^2/(b*x^3+a)*c+10/9*b^2/a^4*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-5/9*b^2/a^4*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-13/9*b^3/a^5*d/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+13/18*b^3/a^5*d/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+16/9*b^4/a^6*c/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-8/9*b^4/a^6*c/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-7/9*b/a^3*f/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+7/18*b/a^3*f/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/13*c/a^2/x^13
```

maxima [A] time = 2.97, size = 374, normalized size = 1.00

$$\frac{1820(16b^5c - 13ab^4d + 10a^2b^3e - 7a^3b^2f)x^{15} + 1365(16ab^4c - 13a^2b^3d + 10a^3b^2e - 7a^4bf)x^{12} - 195(16a^2b^3c - 13a^3b^2d + 10a^4b^1e - 7a^5bf)x^9 + 78(16a^3b^2c - 13a^4b^1d + 10a^5b^0e - 7a^6bf)x^6 + 420a^5c - 42(16a^4b^1c - 13a^5b^0d)x^3}{5460(a^6bx^{16})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/5460*(1820*(16*b^5*c - 13*a*b^4*d + 10*a^2*b^3*e - 7*a^3*b^2*f)*x^{15} + 1365*(16*a*b^4*c - 13*a^2*b^3*d + 10*a^3*b^2*e - 7*a^4*b*f)*x^{12} - 195*(16*a^2*b^3*c - 13*a^3*b^2*d + 10*a^4*b^1*e - 7*a^5*b*f)*x^9 + 78*(16*a^3*b^2*c - 13*a^4*b^1*d + 10*a^5*b^0*e - 7*a^6*b*f)*x^6 + 420*a^5*c - 42*(16*a^4*b^1*c - 13*a^5*b^0*d)*x^3)/(a^6*b*x^{16} + a^7*x^{13}) - 1/9*\sqrt{3}*(16*b^4*c - 13*a*b^3*d + 10*a^2*b^2*e - 7*a^3*b*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^6*(a/b)^{(1/3)}) - 1/18*(16*b^4*c - 13*a*b^3*d + 10*a^2*b^2*e - 7*a^3*b*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^6*(a/b)^{(1/3)}) + 1/9*(16*b^4*c - 13*a*b^3*d + 10*a^2*b^2*e - 7*a^3*b*f)*\log(x + (a/b)^{(1/3)})/(a^6*(a/b)^{(1/3)})$$

mupad [B] time = 5.12, size = 348, normalized size = 0.93

$$\frac{b^{4/3} \ln(b^{1/3}x + a^{1/3})(-7fa^3 + 10ea^2b - 13dab^2 + 16cb^3)}{9a^{19/3}} - \frac{c}{13a} - \frac{x^9(-7fa^3 + 10ea^2b - 13dab^2 + 16cb^3)}{28a^4} + \frac{x^3(13ad - 16cb^2)}{130a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^2),x)

[Out]
$$(b^{(4/3)}*\log(b^{(1/3)}*x + a^{(1/3)})*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(9*a^{(19/3)}) - (c/(13*a) - (x^9*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(28*a^4) + (x^3*(13*a*d - 16*b*c))/(130*a^2) + (x^6*(16*b^2*c + 10*a^2*e - 13*a*b*d))/(70*a^3) + (b*x^{12}*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(4*a^5) + (b^2*x^{15}*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(3*a^6))/(a*x^{13} + b*x^{16}) - (b^{(4/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(9*a^{(19/3)}) + (b^{(4/3)}*\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(16*b^3*c - 7*a^3*f - 13*a*b^2*d + 10*a^2*b*e))/(9*a^{(19/3)})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**14/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.276 \quad \int \frac{x^{14}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=266

$$\frac{x^9(6a^2f - 3abe + b^2d)}{9b^5} + \frac{a^3(-7a^3f + 6a^2be - 5ab^2d + 4b^3c)}{3b^8(a + bx^3)} + \frac{a^2 \log(a + bx^3)(-21a^3f + 15a^2be - 10ab^2d + 6b^3c)}{3b^8}$$

[Out] $-1/3*a*(-15*a^3*f+10*a^2*b*e-6*a*b^2*d+3*b^3*c)*x^3/b^7+1/6*(-10*a^3*f+6*a^2*b*e-3*a*b^2*d+b^3*c)*x^6/b^6+1/9*(6*a^2*f-3*a*b*e+b^2*d)*x^9/b^5+1/12*(-3*a*f+b*e)*x^{12}/b^4+1/15*f*x^{15}/b^3-1/6*a^4*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/b^8/(b*x^3+a)^2+1/3*a^3*(-7*a^3*f+6*a^2*b*e-5*a*b^2*d+4*b^3*c)/b^8/(b*x^3+a)+1/3*a^2*(-21*a^3*f+15*a^2*b*e-10*a*b^2*d+6*b^3*c)*\ln(b*x^3+a)/b^8$

Rubi [A] time = 0.44, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^6(6a^2be - 10a^3f - 3ab^2d + b^3c)}{6b^6} - \frac{ax^3(10a^2be - 15a^3f - 6ab^2d + 3b^3c)}{3b^7} + \frac{a^3(6a^2be - 7a^3f - 5ab^2d + 4b^3c)}{3b^8(a + bx^3)} - \frac{a^4}{3b^8}$$

Antiderivative was successfully verified.

[In] Int[(x^14*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $-(a*(3*b^3*c - 6*a*b^2*d + 10*a^2*b*e - 15*a^3*f)*x^3)/(3*b^7) + ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^6)/(6*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^9)/(9*b^5) + ((b*e - 3*a*f)*x^{12})/(12*b^4) + (f*x^{15})/(15*b^3) - (a^4*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*b^8*(a + b*x^3)^2) + (a^3*(4*b^3*c - 5*a*b^2*d + 6*a^2*b*e - 7*a^3*f))/(3*b^8*(a + b*x^3)) + (a^2*(6*b^3*c - 10*a*b^2*d + 15*a^2*b*e - 21*a^3*f)*\text{Log}[a + b*x^3])/(3*b^8)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_)*((a_.) + (b_.)*(x_))^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x]

, x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^{14} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^4 (c + dx + ex^2 + fx^3)}{(a + bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{a(-3b^3c + 6ab^2d - 10a^2be + 15a^3f)}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)}{b^6} \right. \right. \\ &= -\frac{a(3b^3c - 6ab^2d + 10a^2be - 15a^3f)x^3}{3b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^6}{6b^6} \end{aligned}$$

Mathematica [A] time = 0.19, size = 246, normalized size = 0.92

$$20b^3x^9(6a^2f - 3abe + b^2d) + 30b^2x^6(-10a^3f + 6a^2be - 3ab^2d + b^3c) + 60abx^3(15a^3f - 10a^2be + 6ab^2d - 3b^3c)$$

Antiderivative was successfully verified.

[In] Integrate[(x^14*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (60*a*b*(-3*b^3*c + 6*a*b^2*d - 10*a^2*b*e + 15*a^3*f)*x^3 + 30*b^2*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^6 + 20*b^3*(b^2*d - 3*a*b*e + 6*a^2*f)*x^9 + 15*b^4*(b*e - 3*a*f)*x^12 + 12*b^5*f*x^15 + (30*a^4*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3)^2 - (60*a^3*(-4*b^3*c + 5*a*b^2*d - 6*a^2*b*e + 7*a^3*f))/(a + b*x^3) + 60*a^2*(6*b^3*c - 10*a*b^2*d + 15*a^2*b*e - 21*a^3*f)*Log[a + b*x^3])/(180*b^8)

fricas [A] time = 0.59, size = 396, normalized size = 1.49

$$12b^7fx^{21} + 3(5b^7e - 7ab^6f)x^{18} + 2(10b^7d - 15ab^6e + 21a^2b^5f)x^{15} + 5(6b^7c - 10ab^6d + 15a^2b^5e - 21a^3b^4f)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^14*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/180*(12*b^7*f*x^21 + 3*(5*b^7*e - 7*a*b^6*f)*x^18 + 2*(10*b^7*d - 15*a*b^6*e + 21*a^2*b^5*f)*x^15 + 5*(6*b^7*c - 10*a*b^6*d + 15*a^2*b^5*e - 21*a^3*f)*Log[a + b*x^3])/(180*b^8)

$$b^4 f) x^{12} - 20(6 a b^6 c - 10 a^2 b^5 d + 15 a^3 b^4 e - 21 a^4 b^3 f) x^9 + 210 a^4 b^3 c - 270 a^5 b^2 d + 330 a^6 b e - 390 a^7 f - 30(11 a^2 b^5 c - 21 a^3 b^4 d + 34 a^4 b^3 e - 50 a^5 b^2 f) x^6 + 60(a^3 b^4 c + a^4 b^3 d - 4 a^5 b^2 e + 8 a^6 b f) x^3 + 60(6 a^4 b^3 c - 10 a^5 b^2 d + 15 a^6 b e - 21 a^7 f + (6 a^2 b^5 c - 10 a^3 b^4 d + 15 a^4 b^3 e - 21 a^5 b^2 f) x^6 + 2(6 a^3 b^4 c - 10 a^4 b^3 d + 15 a^5 b^2 e - 21 a^6 b f) x^3) \log(b x^3 + a) / (b^{10} x^6 + 2 a b^9 x^3 + a^2 b^8)$$

giac [A] time = 0.18, size = 349, normalized size = 1.31

$$\frac{(6 a^2 b^3 c - 10 a^3 b^2 d - 21 a^5 f + 15 a^4 b e) \log(|b x^3 + a|)}{3 b^8} \frac{18 a^2 b^5 c x^6 - 30 a^3 b^4 d x^6 - 63 a^5 b^2 f x^6 + 45 a^4 b^3 e x^6 + 28 a^6 b f x^3}{b^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹⁴*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x, algorithm="giac")

[Out] 1/3*(6*a²*b³*c - 10*a³*b²*d - 21*a⁵*f + 15*a⁴*b*e)*log(abs(b*x³ + a))/b⁸ - 1/6*(18*a²*b⁵*c*x⁶ - 30*a³*b⁴*d*x⁶ - 63*a⁵*b²*f*x⁶ + 45*a⁴*b³*x⁶*e + 28*a³*b⁴*c*x³ - 50*a⁴*b³*d*x³ - 112*a⁶*b*f*x³ + 78*a⁵*b²*x³*e + 11*a⁴*b³*c - 21*a⁵*b²*d - 50*a⁷*f + 34*a⁶*b*e)/((b*x³ + a)²*b⁸) + 1/180*(12*b¹²*f*x¹⁵ - 45*a*b¹¹*f*x¹² + 15*b¹²*x¹²*e + 20*b¹²*d*x⁹ + 120*a²*b¹⁰*f*x⁹ - 60*a*b¹¹*x⁹*e + 30*b¹²*c*x⁶ - 90*a*b¹¹*d*x⁶ - 300*a³*b⁹*f*x⁶ + 180*a²*b¹⁰*x⁶*e - 180*a*b¹¹*c*x³ + 360*a²*b¹⁰*d*x³ + 900*a⁴*b⁸*f*x³ - 600*a³*b⁹*x³*e)/b¹⁵

maple [A] time = 0.06, size = 361, normalized size = 1.36

$$\frac{f x^{15}}{15 b^3} - \frac{a f x^{12}}{4 b^4} + \frac{e x^{12}}{12 b^3} + \frac{2 a^2 f x^9}{3 b^5} - \frac{a e x^9}{3 b^4} + \frac{d x^9}{9 b^3} - \frac{5 a^3 f x^6}{3 b^6} + \frac{a^2 e x^6}{b^5} - \frac{a d x^6}{2 b^4} + \frac{c x^6}{6 b^3} + \frac{5 a^4 f x^3}{b^7} - \frac{10 a^3 e x^3}{3 b^6} + \frac{2 a^2 d x^3}{b^5} - \frac{a c x^3}{b^4} + \frac{28 a^6 b f x^3}{b^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x¹⁴*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x)

[Out] 1/6*a⁷/b⁸/(b*x³+a)²*f-1/6*a⁶/b⁷/(b*x³+a)²*e+1/6*a⁵/b⁶/(b*x³+a)²*d+5/b⁷*x³*a⁴*f-10/3/b⁶*x³*a³*e+2/b⁵*x³*a²*d-1/b⁴*x³*a*c-1/4/b⁴*x¹²*a*f+2/3/b⁵*x⁹*a²*f-1/3/b⁴*x⁹*a*e-5/3/b⁶*x⁶*a³*f+1/b⁵*x⁶*a²*e-1/2/b⁴*x⁶*a*d+5*a⁴/b⁷*ln(b*x³+a)*e-10/3*a³/b⁶*ln(b*x³+a)*d+2*a²/b⁵*ln(b*x³+a)*c-1/6*a⁴/b⁵/(b*x³+a)²*c-7/3*a⁶/b⁸/(b*x³+a)*f+2*a⁵/b⁷/(b*x³+a)*e-5/3*a⁴/b⁶/(b*x³+a)*d+4/3*a³/b⁵/(b*x³+a)*c-7*a⁵/b⁸*ln(b*x³+a)*f+1/12/b³*x¹²*e+1/9/b³*x⁹*d+1/6/b³*x⁶*c+1/15*f*x¹⁵/b³

maxima [A] time = 1.54, size = 275, normalized size = 1.03

$$\frac{7a^4b^3c - 9a^5b^2d + 11a^6be - 13a^7f + 2(4a^3b^4c - 5a^4b^3d + 6a^5b^2e - 7a^6bf)x^3}{6(b^{10}x^6 + 2ab^9x^3 + a^2b^8)} + \frac{12b^4fx^{15} + 15(b^4e - 3ab^3f)}{6(b^{10}x^6 + 2ab^9x^3 + a^2b^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^14*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/6*(7*a^4*b^3*c - 9*a^5*b^2*d + 11*a^6*b*e - 13*a^7*f + 2*(4*a^3*b^4*c - 5*a^4*b^3*d + 6*a^5*b^2*e - 7*a^6*b*f)*x^3)/(b^10*x^6 + 2*a*b^9*x^3 + a^2*b^8) + 1/180*(12*b^4*f*x^15 + 15*(b^4*e - 3*a*b^3*f)*x^12 + 20*(b^4*d - 3*a*b^3*e + 6*a^2*b^2*f)*x^9 + 30*(b^4*c - 3*a*b^3*d + 6*a^2*b^2*e - 10*a^3*b*f)*x^6 - 60*(3*a*b^3*c - 6*a^2*b^2*d + 10*a^3*b*e - 15*a^4*f)*x^3)/b^7 + 1/3*(6*a^2*b^3*c - 10*a^3*b^2*d + 15*a^4*b*e - 21*a^5*f)*log(b*x^3 + a)/b^8

mupad [B] time = 4.96, size = 449, normalized size = 1.69

$$x^{12} \left(\frac{e}{12b^3} - \frac{af}{4b^4} \right) + x^6 \left(\frac{c}{6b^3} - \frac{a^3f}{6b^6} - \frac{a^2 \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{2b^2} + \frac{a \left(\frac{3a^2f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right)}{2b} \right) - x^9 \left(\frac{a^2f}{3b^5} - \frac{d}{9b^3} + \frac{a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^14*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] x^12*(e/(12*b^3) - (a*f)/(4*b^4)) + x^6*(c/(6*b^3) - (a^3*f)/(6*b^6) - (a^2*(e/b^3 - (3*a*f)/b^4))/(2*b^2) + (a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/(2*b)) - x^9*((a^2*f)/(3*b^5) - d/(9*b^3) + (a*(e/b^3 - (3*a*f)/b^4))/(3*b)) - ((13*a^7*f - 7*a^4*b^3*c + 9*a^5*b^2*d - 11*a^6*b*e)/(6*b) + x^3*((7*a^6*f)/3 - (4*a^3*b^3*c)/3 + (5*a^4*b^2*d)/3 - 2*a^5*b*e))/(a^2*b^7 + b^9*x^6 + 2*a*b^8*x^3) - x^3*((a*(c/b^3 - (a^3*f)/b^6 - (3*a^2*(e/b^3 - (3*a*f)/b^4))/b^2 + (3*a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/b) - (a^2*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/b^2 + (a^3*(e/b^3 - (3*a*f)/b^4))/(3*b^3)) - (log(a + b*x^3)*(21*a^5*f - 6*a^2*b^3*c + 10*a^3*b^2*d - 15*a^4*b*e))/(3*b^8) + (f*x^15)/(15*b^3)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**14*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.277 \quad \int \frac{x^{11}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=226

$$\frac{x^6(6a^2f-3abe+b^2d)}{6b^5} - \frac{a^2(-6a^3f+5a^2be-4ab^2d+3b^3c)}{3b^7(a+bx^3)} + \frac{a^3(a^3(-f)+a^2be-ab^2d+b^3c)}{6b^7(a+bx^3)^2} - \frac{a \log(a+bx^3)}{6b^7(a+bx^3)^2}$$

[Out] 1/3*(-10*a^3*f+6*a^2*b*e-3*a*b^2*d+b^3*c)*x^3/b^6+1/6*(6*a^2*f-3*a*b*e+b^2*d)*x^6/b^5+1/9*(-3*a*f+b*e)*x^9/b^4+1/12*f*x^12/b^3+1/6*a^3*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/b^7/(b*x^3+a)^2-1/3*a^2*(-6*a^3*f+5*a^2*b*e-4*a*b^2*d+3*b^3*c)/b^7/(b*x^3+a)-1/3*a*(-15*a^3*f+10*a^2*b*e-6*a*b^2*d+3*b^3*c)*ln(b*x^3+a)/b^7

Rubi [A] time = 0.33, antiderivative size = 226, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{x^3(6a^2be-10a^3f-3ab^2d+b^3c)}{3b^6} - \frac{a^2(5a^2be-6a^3f-4ab^2d+3b^3c)}{3b^7(a+bx^3)} + \frac{a^3(a^2be+a^3(-f)-ab^2d+b^3c)}{6b^7(a+bx^3)^2} - \frac{a \log(a+bx^3)}{6b^7(a+bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^3)/(3*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^6)/(6*b^5) + ((b*e - 3*a*f)*x^9)/(9*b^4) + (f*x^12)/(12*b^3) + (a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*b^7*(a + b*x^3)^2) - (a^2*(3*b^3*c - 4*a*b^2*d + 5*a^2*b*e - 6*a^3*f))/(3*b^7*(a + b*x^3)) - (a*(3*b^3*c - 6*a*b^2*d + 10*a^2*b*e - 15*a^3*f)*Log[a + b*x^3])/(3*b^7)

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_.*((a_.) + (b_.)*(x_))^(n_))^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Si

simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{x^{11} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^3c - 3ab^2d + 6a^2be - 10a^3f}{b^6} + \frac{(b^2d - 3abe + 6a^2f)x}{b^5} + \frac{(be - 3af)}{b^4} \right) dx, x, x^3 \right) \\ &= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^3}{3b^6} + \frac{(b^2d - 3abe + 6a^2f)x^6}{6b^5} + \frac{(be - 3af)x^9}{9b^4} + \end{aligned}$$

Mathematica [A] time = 0.20, size = 208, normalized size = 0.92

$$\frac{6b^2x^6(6a^2f - 3abe + b^2d) + 12bx^3(-10a^3f + 6a^2be - 3ab^2d + b^3c) + \frac{12a^2(6a^3f - 5a^2be + 4ab^2d - 3b^3c)}{a + bx^3} + \frac{6a^3(a^3(-f) + a^2be - a^2af)}{(a + bx^3)^2}}{36b^7}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (12*b*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^3 + 6*b^2*(b^2*d - 3*a*b*e + 6*a^2*f)*x^6 + 4*b^3*(b*e - 3*a*f)*x^9 + 3*b^4*f*x^12 + (6*a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(a + b*x^3)^2 + (12*a^2*(-3*b^3*c + 4*a*b^2*d - 5*a^2*b*e + 6*a^3*f))/(a + b*x^3) + 12*a*(-3*b^3*c + 6*a*b^2*d - 10*a^2*b*e + 15*a^3*f)*Log[a + b*x^3])/(36*b^7)

fricas [A] time = 0.80, size = 353, normalized size = 1.56

$$\frac{3b^6fx^{18} + 2(2b^6e - 3ab^5f)x^{15} + (6b^6d - 10ab^5e + 15a^2b^4f)x^{12} + 4(3b^6c - 6ab^5d + 10a^2b^4e - 15a^3b^3f)x^9 - \dots}{36b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/36*(3*b^6*f*x^18 + 2*(2*b^6*e - 3*a*b^5*f)*x^15 + (6*b^6*d - 10*a*b^5*e + 15*a^2*b^4*f)*x^12 + 4*(3*b^6*c - 6*a*b^5*d + 10*a^2*b^4*e - 15*a^3*b^3*f)*x^9 - 30*a^3*b^3*c + 42*a^4*b^2*d - 54*a^5*b*e + 66*a^6*f + 6*(4*a*b^5*c - \dots)

$$\frac{11a^2b^4d + 21a^3b^3e - 34a^4b^2f}{3b^7}x^6 - 12(2a^2b^4c - a^3b^3d - a^4b^2e + 4a^5b^1f)x^3 - 12(3a^3b^3c - 6a^4b^2d + 10a^5b^1e - 15a^6f + (3a^2b^5c - 6a^2b^4d + 10a^3b^3e - 15a^4b^2f)x^6 + 2(3a^2b^4c - 6a^3b^3d + 10a^4b^2e - 15a^5b^1f)x^3) \log(bx^3 + a) / (b^9x^6 + 2a^2b^8x^3 + a^2b^7)$$

giac [A] time = 0.25, size = 298, normalized size = 1.32

$$\frac{(3ab^3c - 6a^2b^2d - 15a^4f + 10a^3be) \log(|bx^3 + a|)}{3b^7} + \frac{9ab^5cx^6 - 18a^2b^4dx^6 - 45a^4b^2fx^6 + 30a^3b^3x^6e + 12a^6f}{3b^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-\frac{1}{3}(3a^2b^3c - 6a^2b^2d - 15a^4f + 10a^3b^1e) \log(\text{abs}(bx^3 + a)) / b^7 + \frac{1}{6}(9a^2b^5cx^6 - 18a^2b^4dx^6 - 45a^4b^2fx^6 + 30a^3b^3x^6e + 12a^2b^4cx^3 - 28a^3b^3dx^3 - 78a^5b^1fx^3 + 50a^4b^2x^3e + 4a^3b^3c - 11a^4b^2d - 34a^6f + 21a^5b^1e) / ((bx^3 + a)^2b^7) + \frac{1}{36}(3b^9fx^{12} - 12a^2b^8fx^9 + 4b^9x^9e + 6b^9dx^6 + 36a^2b^7fx^6 - 18a^2b^8x^6e + 12b^9cx^3 - 36a^2b^8dx^3 - 120a^3b^6fx^3 + 72a^2b^7x^3e) / b^{12}$

maple [A] time = 0.06, size = 313, normalized size = 1.38

$$\frac{fx^{12}}{12b^3} - \frac{afx^9}{3b^4} + \frac{ex^9}{9b^3} + \frac{a^2fx^6}{b^5} - \frac{aex^6}{2b^4} + \frac{dx^6}{6b^3} - \frac{10a^3fx^3}{3b^6} + \frac{2a^2ex^3}{b^5} - \frac{adx^3}{b^4} + \frac{cx^3}{3b^3} - \frac{a^6f}{6(bx^3+a)^2b^7} + \frac{a^5e}{6(bx^3+a)^2b^6} - \frac{a^4d}{6(bx^3+a)^2b^5} + \frac{a^3c}{6(bx^3+a)^2b^4} + \frac{a^2e}{6(bx^3+a)^2b^3} + \frac{a^1f}{6(bx^3+a)^2b^2} + \frac{a^0e}{6(bx^3+a)^2b^1} + \frac{a^0d}{6(bx^3+a)^2b^0} + \frac{a^0c}{6(bx^3+a)^2b^{-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^11*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] $\frac{1}{12}fx^{12}/b^3 - \frac{1}{3}b^4x^9af + \frac{1}{9}b^3x^9e + \frac{1}{b^5}x^6a^2f - \frac{1}{2}b^4x^6ae + \frac{1}{6}b^3x^6d - \frac{10}{3}b^6x^3a^3f + \frac{2}{b^5}x^3a^2e - \frac{1}{b^4}x^3ad + \frac{1}{3}b^3x^3c - \frac{1}{6}a^6/b^7 / (bx^3+a)^2f + \frac{1}{6}a^5/b^6 / (bx^3+a)^2e - \frac{1}{6}a^4/b^5 / (bx^3+a)^2d + \frac{1}{6}a^3/b^4 / (bx^3+a)^2c + 5a^4/b^7 \ln(bx^3+a) * f - \frac{10}{3}a^3/b^6 \ln(bx^3+a) * e + 2a^2/b^5 \ln(bx^3+a) * d - a/b^4 \ln(bx^3+a) * c + 2a^5/b^7 / (bx^3+a) * f - 5/3a^4/b^6 / (bx^3+a) * e + 4/3a^3/b^5 / (bx^3+a) * d - a^2/b^4 / (bx^3+a) * c$

maxima [A] time = 1.42, size = 233, normalized size = 1.03

$$\frac{5a^3b^3c - 7a^4b^2d + 9a^5be - 11a^6f + 2(3a^2b^4c - 4a^3b^3d + 5a^4b^2e - 6a^5bf)x^3}{6(b^9x^6 + 2ab^8x^3 + a^2b^7)} + \frac{3b^3fx^{12} + 4(b^3e - 3ab^2f)x^9}{6(b^9x^6 + 2ab^8x^3 + a^2b^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x, algorithm="maxima")

[Out]
$$-1/6*(5*a^3*b^3*c - 7*a^4*b^2*d + 9*a^5*b*e - 11*a^6*f + 2*(3*a^2*b^4*c - 4*a^3*b^3*d + 5*a^4*b^2*e - 6*a^5*b*f)*x^3)/(b^9*x^6 + 2*a*b^8*x^3 + a^2*b^7) + 1/36*(3*b^3*f*x^12 + 4*(b^3*e - 3*a*b^2*f)*x^9 + 6*(b^3*d - 3*a*b^2*e + 6*a^2*b*f)*x^6 + 12*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^3)/b^6 - 1/3*(3*a*b^3*c - 6*a^2*b^2*d + 10*a^3*b*e - 15*a^4*f)*\log(b*x^3 + a)/b^7$$

mupad [B] time = 4.97, size = 293, normalized size = 1.30

$$x^9 \left(\frac{e}{9b^3} - \frac{af}{3b^4} \right) + x^3 \left(\frac{c}{3b^3} - \frac{a^3 f}{3b^6} - \frac{a^2 \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b^2} + \frac{a \left(\frac{3a^2 f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right)}{b} \right) - x^6 \left(\frac{a^2 f}{2b^5} - \frac{d}{6b^3} + \frac{a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{2b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x¹¹*(c + d*x³ + e*x⁶ + f*x⁹))/(a + b*x³)³,x)

[Out]
$$x^9*(e/(9*b^3) - (a*f)/(3*b^4)) + x^3*(c/(3*b^3) - (a^3*f)/(3*b^6) - (a^2*(e/b^3 - (3*a*f)/b^4))/b^2 + (a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/b - x^6*((a^2*f)/(2*b^5) - d/(6*b^3) + (a*(e/b^3 - (3*a*f)/b^4))/(2*b)) + ((11*a^6*f - 5*a^3*b^3*c + 7*a^4*b^2*d - 9*a^5*b*e)/(6*b) + x^3*(2*a^5*f - a^2*b^3*c + (4*a^3*b^2*d)/3 - (5*a^4*b*e)/3))/(a^2*b^6 + b^8*x^6 + 2*a*b^7*x^3) + (f*x^12)/(12*b^3) + (\log(a + b*x^3)*(15*a^4*f + 6*a^2*b^2*d - 3*a*b^3*c - 10*a^3*b*e))/(3*b^7)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**11*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.278 \quad \int \frac{x^8(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=186

$$\frac{x^3(6a^2f - 3abe + b^2d)}{3b^5} + \frac{a(-5a^3f + 4a^2be - 3ab^2d + 2b^3c)}{3b^6(a+bx^3)} - \frac{a^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^6(a+bx^3)^2} + \frac{\log(a+bx^3)(-1/6a^2(-a^3f+a^2be-ab^2d+b^3c)/b^6/(bx^3+a)^2+1/3a*(-5a^3f+4a^2be-3ab^2d+2b^3c)/b^6/(bx^3+a)+1/3*(-10a^3f+6a^2be-3ab^2d+b^3c)*\ln(bx^3+a)/b^6}{3b^6}$$

[Out] 1/3*(6*a^2*f-3*a*b*e+b^2*d)*x^3/b^5+1/6*(-3*a*f+b*e)*x^6/b^4+1/9*f*x^9/b^3-1/6*a^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/b^6/(b*x^3+a)^2+1/3*a*(-5*a^3*f+4*a^2*b*e-3*a*b^2*d+2*b^3*c)/b^6/(b*x^3+a)+1/3*(-10*a^3*f+6*a^2*b*e-3*a*b^2*d+b^3*c)*ln(b*x^3+a)/b^6

Rubi [A] time = 0.27, antiderivative size = 186, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a(4a^2be - 5a^3f - 3ab^2d + 2b^3c)}{3b^6(a+bx^3)} - \frac{a^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^6(a+bx^3)^2} + \frac{\log(a+bx^3)(6a^2be - 10a^3f - 3ab^2d + b^3c)}{3b^6}$$

Antiderivative was successfully verified.

[In] Int[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^2*d - 3*a*b*e + 6*a^2*f)*x^3)/(3*b^5) + ((b*e - 3*a*f)*x^6)/(6*b^4) + (f*x^9)/(9*b^3) - (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*b^6*(a + b*x^3)^2) + (a*(2*b^3*c - 3*a*b^2*d + 4*a^2*b*e - 5*a^3*f))/(3*b^6*(a + b*x^3)) + ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*Log[a + b*x^3])/(3*b^6)

Rule 1620

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]
```

Rule 1821

```
Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]
```

Rubi steps

$$\int \frac{x^8 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x^2 (c + dx + ex^2 + fx^3)}{(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{b^2 d - 3abe + 6a^2 f}{b^5} + \frac{(be - 3af)x}{b^4} + \frac{fx^2}{b^3} - \frac{a^2 (-b^3 c + ab^2 d - a^2 be)}{b^5 (a + bx)^3} \right) dx, x, x^3 \right)$$

$$= \frac{(b^2 d - 3abe + 6a^2 f)x^3}{3b^5} + \frac{(be - 3af)x^6}{6b^4} + \frac{fx^9}{9b^3} - \frac{a^2 (b^3 c - ab^2 d + a^2 be - a^3 f)}{6b^6 (a + bx^3)^2} + \dots$$

Mathematica [A] time = 0.17, size = 170, normalized size = 0.91

$$\frac{6bx^3 (6a^2 f - 3abe + b^2 d) - \frac{6a(5a^3 f - 4a^2 be + 3ab^2 d - 2b^3 c)}{a + bx^3} + \frac{3a^2(a^3 f - a^2 be + ab^2 d - b^3 c)}{(a + bx^3)^2} + 6 \log(a + bx^3) (-10a^3 f + 6a^2 be - 3a^3 c)}{18b^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (6*b*(b^2*d - 3*a*b*e + 6*a^2*f)*x^3 + 3*b^2*(b*e - 3*a*f)*x^6 + 2*b^3*f*x^9 + (3*a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3)^2 - (6*a*(-b^3*c + 3*a*b^2*d - 4*a^2*b*e + 5*a^3*f))/(a + b*x^3) + 6*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*Log[a + b*x^3])/(18*b^6)

fricas [A] time = 0.84, size = 295, normalized size = 1.59

$$\frac{2b^5fx^{15} + (3b^5e - 5ab^4f)x^{12} + 2(3b^5d - 6ab^4e + 10a^2b^3f)x^9 + 3(4ab^4d - 11a^2b^3e + 21a^3b^2f)x^6 + 9a^2b^3c - \dots}{18b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/18*(2*b^5*f*x^15 + (3*b^5*e - 5*a*b^4*f)*x^12 + 2*(3*b^5*d - 6*a*b^4*e + 10*a^2*b^3*f)*x^9 + 3*(4*a*b^4*d - 11*a^2*b^3*e + 21*a^3*b^2*f)*x^6 + 9*a^2*b^3*c - 15*a^3*b^2*d + 21*a^4*b*e - 27*a^5*f + 6*(2*a*b^4*c - 2*a^2*b^3*d + a^3*b^2*e + a^4*b*f)*x^3 + 6*((b^5*c - 3*a*b^4*d + 6*a^2*b^3*e - 10*a^3*b^2*f)*x^6 + a^2*b^3*c - 3*a^3*b^2*d + 6*a^4*b*e - 10*a^5*f + 2*(a*b^4*c - 3*a^2*b^3*d + 6*a^3*b^2*e - 10*a^4*b*f)*x^3)*log(b*x^3 + a))/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6)

giac [A] time = 0.22, size = 236, normalized size = 1.27

$$\frac{(b^3c - 3ab^2d - 10a^3f + 6a^2be) \log(|bx^3 + a|)}{3b^6} - \frac{3b^5cx^6 - 9ab^4dx^6 - 30a^3b^2fx^6 + 18a^2b^3x^6e + 2ab^4cx^3 - 12a^2b^3c}{6(bx^3 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{3}*(b^3*c - 3*a*b^2*d - 10*a^3*f + 6*a^2*b*e)*\log(\text{abs}(b*x^3 + a))/b^6 - \frac{1}{6}*(3*b^5*c*x^6 - 9*a*b^4*d*x^6 - 30*a^3*b^2*f*x^6 + 18*a^2*b^3*x^6*e + 2*a*b^4*c*x^3 - 12*a^2*b^3*d*x^3 - 50*a^4*b*f*x^3 + 28*a^3*b^2*x^3*e - 4*a^3*b^2*d - 21*a^5*f + 11*a^4*b*e)/(b*x^3 + a)^2*b^6 + \frac{1}{18}*(2*b^6*f*x^9 - 9*a*b^5*f*x^6 + 3*b^6*x^6*e + 6*b^6*d*x^3 + 36*a^2*b^4*f*x^3 - 18*a*b^5*x^3*e)/b^9$

maple [A] time = 0.06, size = 266, normalized size = 1.43

$$\frac{fx^9}{9b^3} - \frac{afx^6}{2b^4} + \frac{ex^6}{6b^3} + \frac{2a^2fx^3}{b^5} - \frac{aex^3}{b^4} + \frac{dx^3}{3b^3} + \frac{a^5f}{6(bx^3+a)^2b^6} - \frac{a^4e}{6(bx^3+a)^2b^5} + \frac{a^3d}{6(bx^3+a)^2b^4} - \frac{a^2c}{6(bx^3+a)^2b^3} - \frac{c}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] $\frac{1}{9}/b^3*f*x^9 - \frac{1}{2}/b^4*x^6*a*f + \frac{1}{6}/b^3*x^6*e + \frac{2}{b^5}*x^3*a^2*f - \frac{1}{b^4}*x^3*a*e + \frac{1}{3}/b^3*x^3*d + \frac{1}{6}/b^6*a^5/(b*x^3+a)^2*f - \frac{1}{6}/b^5*a^4/(b*x^3+a)^2*e + \frac{1}{6}/b^4*a^3/(b*x^3+a)^2*d - \frac{1}{6}/b^3*a^2/(b*x^3+a)^2*c - \frac{10}{3}/b^6*\ln(b*x^3+a)*a^3*f + \frac{2}{b^5}*\ln(b*x^3+a)*a^2*e - \frac{1}{b^4}*\ln(b*x^3+a)*a*d + \frac{1}{3}/b^3*\ln(b*x^3+a)*c - \frac{5}{3}/b^6*a^4/(b*x^3+a)*f + \frac{4}{3}/b^5*a^3/(b*x^3+a)*e - \frac{1}{b^4}*a^2/(b*x^3+a)*d + \frac{2}{3}/b^3*a/(b*x^3+a)*c$

maxima [A] time = 1.35, size = 191, normalized size = 1.03

$$\frac{3a^2b^3c - 5a^3b^2d + 7a^4be - 9a^5f + 2(2ab^4c - 3a^2b^3d + 4a^3b^2e - 5a^4bf)x^3}{6(b^8x^6 + 2ab^7x^3 + a^2b^6)} + \frac{2b^2fx^9 + 3(b^2e - 3abf)x^6 + 6c}{18b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{6}*(3*a^2*b^3*c - 5*a^3*b^2*d + 7*a^4*b*e - 9*a^5*f + 2*(2*a*b^4*c - 3*a^2*b^3*d + 4*a^3*b^2*e - 5*a^4*b*f)*x^3)/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6) + \frac{1}{18}*(2*b^2*f*x^9 + 3*(b^2*e - 3*a*b*f)*x^6 + 6*(b^2*d - 3*a*b*e + 6*a^2*f))$

$*x^3)/b^5 + 1/3*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*\log(b*x^3 + a)/b^6$

mupad [B] time = 4.92, size = 204, normalized size = 1.10

$$x^6 \left(\frac{e}{6b^3} - \frac{af}{2b^4} \right) - \frac{x^3 \left(\frac{5fa^4}{3} - \frac{4ea^3b}{3} + da^2b^2 - \frac{2cab^3}{3} \right) + \frac{9fa^5 - 7ea^4b + 5da^3b^2 - 3ca^2b^3}{6b}}{a^2b^5 + 2ab^6x^3 + b^7x^6} - x^3 \left(\frac{a^2f}{b^5} - \frac{d}{3b^3} + \frac{a \left(\frac{e}{b^3} - \frac{3a}{b^4} \right)}{b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^8*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)`

[Out] $x^6*(e/(6*b^3) - (a*f)/(2*b^4)) - (x^3*((5*a^4*f)/3 + a^2*b^2*d - (2*a*b^3*c)/3 - (4*a^3*b*e)/3) + (9*a^5*f - 3*a^2*b^3*c + 5*a^3*b^2*d - 7*a^4*b*e)/(6*b))/(a^2*b^5 + b^7*x^6 + 2*a*b^6*x^3) - x^3*((a^2*f)/b^5 - d/(3*b^3) + (a*(e/b^3 - (3*a*f)/b^4))/b) + (\log(a + b*x^3)*(b^3*c - 10*a^3*f - 3*a*b^2*d + 6*a^2*b*e))/(3*b^6) + (f*x^9)/(9*b^3)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**8*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)`

[Out] Timed out

$$3.279 \quad \int \frac{x^5(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=146

$$\frac{\log(a+bx^3)(6a^2f-3abe+b^2d)}{3b^5} - \frac{-4a^3f+3a^2be-2ab^2d+b^3c}{3b^5(a+bx^3)} + \frac{a(a^3(-f)+a^2be-ab^2d+b^3c)}{6b^5(a+bx^3)^2} + \frac{x^3(be-3af)}{3b^4}$$

[Out] 1/3*(-3*a*f+b*e)*x^3/b^4+1/6*f*x^6/b^3+1/6*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/b^5/(b*x^3+a)^2+1/3*(4*a^3*f-3*a^2*b*e+2*a*b^2*d-b^3*c)/b^5/(b*x^3+a)+1/3*(6*a^2*f-3*a*b*e+b^2*d)*ln(b*x^3+a)/b^5

Rubi [A] time = 0.20, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$-\frac{3a^2be-4a^3f-2ab^2d+b^3c}{3b^5(a+bx^3)} + \frac{a(a^2be+a^3(-f)-ab^2d+b^3c)}{6b^5(a+bx^3)^2} + \frac{\log(a+bx^3)(6a^2f-3abe+b^2d)}{3b^5} + \frac{x^3(be-3af)}{3b^4}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3, x]

[Out] ((b*e - 3*a*f)*x^3)/(3*b^4) + (f*x^6)/(6*b^3) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*b^5*(a + b*x^3)^2) - (b^3*c - 2*a*b^2*d + 3*a^2*b*e - 4*a^3*f)/(3*b^5*(a + b*x^3)) + ((b^2*d - 3*a*b*e + 6*a^2*f)*Log[a + b*x^3])/(3*b^5)

Rule 1620

Int[(Px_)*((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{x^5 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{x (c + dx + ex^2 + fx^3)}{(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{be - 3af}{b^4} + \frac{fx}{b^3} + \frac{a(-b^3c + ab^2d - a^2be + a^3f)}{b^4(a + bx)^3} + \frac{b^3c - 2ab^2d + 3a^2be - 4a^3f}{b^4(a + bx)^2} \right) dx, x, x^3 \right)$$

$$= \frac{(be - 3af)x^3}{3b^4} + \frac{fx^6}{6b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)}{6b^5(a + bx^3)^2} - \frac{b^3c - 2ab^2d + 3a^2be - 4a^3f}{3b^5(a + bx^3)}$$

Mathematica [A] time = 0.10, size = 145, normalized size = 0.99

$$\frac{7a^4f + a^3b(2fx^3 - 5e) + 2(a + bx^3)^2 \log(a + bx^3)(6a^2f - 3abe + b^2d) + a^2b^2(3d - 4ex^3 - 11fx^6) - ab^3(c - 4a^2e)}{6b^5(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (7*a^4*f + a^3*b*(-5*e + 2*f*x^3) + a^2*b^2*(3*d - 4*e*x^3 - 11*f*x^6) + b^4*x^3*(-2*c + 2*e*x^6 + f*x^9) - a*b^3*(c - 4*x^3*(d + e*x^3 - f*x^6)) + 2*(b^2*d - 3*a*b*e + 6*a^2*f)*(a + b*x^3)^2*Log[a + b*x^3])/(6*b^5*(a + b*x^3)^2)

fricas [A] time = 0.54, size = 225, normalized size = 1.54

$$\frac{b^4fx^{12} + 2(b^4e - 2ab^3f)x^9 + (4ab^3e - 11a^2b^2f)x^6 - ab^3c + 3a^2b^2d - 5a^3be + 7a^4f - 2(b^4c - 2ab^3d + 2a^2b^2e)}{6(b^7x^6 + 2a^2b^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/6*(b^4*f*x^12 + 2*(b^4*e - 2*a*b^3*f)*x^9 + (4*a*b^3*e - 11*a^2*b^2*f)*x^6 - a*b^3*c + 3*a^2*b^2*d - 5*a^3*b*e + 7*a^4*f - 2*(b^4*c - 2*a*b^3*d + 2*a^2*b^2*e - a^3*b*f)*x^3 + 2*((b^4*d - 3*a*b^3*e + 6*a^2*b^2*f)*x^6 + a^2*b^2*d - 3*a^3*b*e + 6*a^4*f + 2*(a*b^3*d - 3*a^2*b^2*e + 6*a^3*b*f)*x^3)*log(b*x^3 + a)/(b^7*x^6 + 2*a*b^6*x^3 + a^2*b^5)

giac [A] time = 0.18, size = 146, normalized size = 1.00

$$\frac{(b^2d + 6a^2f - 3abe) \log(|bx^3 + a|)}{3b^5} + \frac{b^3fx^6 - 6ab^2fx^3 + 2b^3x^3e}{6b^6} - \frac{ab^3c - 3a^2b^2d - 7a^4f + 5a^3be + 2(b^4c - 2ab^3d + 2a^2b^2e)}{6(bx^3 + a)^2b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{3}*(b^2*d + 6*a^2*f - 3*a*b*e)*\log(\text{abs}(b*x^3 + a))/b^5 + \frac{1}{6}*(b^3*f*x^6 - 6*a*b^2*f*x^3 + 2*b^3*x^3*e)/b^6 - \frac{1}{6}*(a*b^3*c - 3*a^2*b^2*d - 7*a^4*f + 5*a^3*b*e + 2*(b^4*c - 2*a*b^3*d - 4*a^3*b*f + 3*a^2*b^2*e)*x^3)/((b*x^3 + a)^2*b^5)$

maple [A] time = 0.07, size = 213, normalized size = 1.46

$$\frac{f x^6}{6 b^3} - \frac{a f x^3}{b^4} + \frac{e x^3}{3 b^3} - \frac{a^4 f}{6 (b x^3 + a)^2 b^5} + \frac{a^3 e}{6 (b x^3 + a)^2 b^4} - \frac{a^2 d}{6 (b x^3 + a)^2 b^3} + \frac{a c}{6 (b x^3 + a)^2 b^2} + \frac{4 a^3 f}{3 (b x^3 + a) b^5} - \frac{a^2 e}{(b x^3 + a) b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] $\frac{1}{6}f*x^6/b^3 - 1/b^4*x^3*a*f + 1/3/b^3*x^3*e - 1/6/b^5*a^4/(b*x^3+a)^2*f + 1/6/b^4*a^3/(b*x^3+a)^2*e - 1/6/b^3*a^2/(b*x^3+a)^2*d + 1/6/b^2*a/(b*x^3+a)^2*c + 2/b^5*\ln(b*x^3+a)*a^2*f - 1/b^4*\ln(b*x^3+a)*a*e + 1/3/b^3*\ln(b*x^3+a)*d + 4/3/b^5/(b*x^3+a)*a^3*f - 1/b^4/(b*x^3+a)*a^2*e + 2/3/b^3/(b*x^3+a)*a*d - 1/3/b^2/(b*x^3+a)*c$

maxima [A] time = 1.39, size = 147, normalized size = 1.01

$$\frac{ab^3c - 3a^2b^2d + 5a^3be - 7a^4f + 2(b^4c - 2ab^3d + 3a^2b^2e - 4a^3bf)x^3}{6(b^7x^6 + 2ab^6x^3 + a^2b^5)} + \frac{bf x^6 + 2(be - 3af)x^3}{6b^4} + \frac{(b^2d - 3abe)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-\frac{1}{6}*(a*b^3*c - 3*a^2*b^2*d + 5*a^3*b*e - 7*a^4*f + 2*(b^4*c - 2*a*b^3*d + 3*a^2*b^2*e - 4*a^3*b*f)*x^3)/(b^7*x^6 + 2*a*b^6*x^3 + a^2*b^5) + \frac{1}{6}*(b*f*x^6 + 2*(b*e - 3*a*f)*x^3)/b^4 + \frac{1}{3}*(b^2*d - 3*a*b*e + 6*a^2*f)*\log(b*x^3 + a)/b^5$

mupad [B] time = 0.10, size = 152, normalized size = 1.04

$$x^3 \left(\frac{e}{3b^3} - \frac{af}{b^4} \right) + \frac{\frac{7fa^4 - 5ea^3b + 3da^2b^2 - cab^3}{6b} - x^3 \left(-\frac{4fa^3}{3} + ea^2b - \frac{2dab^2}{3} + \frac{cb^3}{3} \right)}{a^2b^4 + 2ab^5x^3 + b^6x^6} + \frac{fx^6}{6b^3} + \frac{\ln(bx^3 + a)(6fa^2 - 3e)}{3b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] $x^3 \left(\frac{e}{3b^3} - \frac{af}{b^4} \right) + \frac{(7a^4f + 3a^2b^2d - ab^3c - 5a^3b^2e)}{6b} - x^3 \left(\frac{b^3c}{3} - \frac{4a^3f}{3} - \frac{2ab^2d}{3} + a^2b^2e \right) / (a^2b^4 + b^6x^6 + 2ab^5x^3) + \frac{fx^6}{6b^3} + \frac{\log(a + bx^3)(b^2d + 6a^2f - 3ab^2e)}{3b^5}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)`

[Out] Timed out

$$3.280 \quad \int \frac{x^2(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=109

$$-\frac{3a^2f - 2abe + b^2d}{3b^4(a+bx^3)} - \frac{a^3(-f) + a^2be - ab^2d + b^3c}{6b^4(a+bx^3)^2} + \frac{(be - 3af) \log(a+bx^3)}{3b^4} + \frac{fx^3}{3b^3}$$

[Out] 1/3*f*x^3/b^3+1/6*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/b^4/(b*x^3+a)^2+1/3*(-3*a^2*f+2*a*b*e-b^2*d)/b^4/(b*x^3+a)+1/3*(-3*a*f+b*e)*ln(b*x^3+a)/b^4

Rubi [A] time = 0.15, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1819, 1850}

$$-\frac{a^2be + a^3(-f) - ab^2d + b^3c}{6b^4(a+bx^3)^2} - \frac{3a^2f - 2abe + b^2d}{3b^4(a+bx^3)} + \frac{(be - 3af) \log(a+bx^3)}{3b^4} + \frac{fx^3}{3b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (f*x^3)/(3*b^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*b^4*(a + b*x^3)^2) - (b^2*d - 2*a*b*e + 3*a^2*f)/(3*b^4*(a + b*x^3)) + ((b*e - 3*a*f)*Log[a + b*x^3])/(3*b^4)

Rule 1819

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1850

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{x^2 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{f}{b^3} + \frac{b^3c - ab^2d + a^2be - a^3f}{b^3(a + bx)^3} + \frac{b^2d - 2abe + 3a^2f}{b^3(a + bx)^2} + \frac{be - 3af}{b^3(a + bx)} \right) dx, x, x^3 \right)$$

$$= \frac{fx^3}{3b^3} - \frac{b^3c - ab^2d + a^2be - a^3f}{6b^4(a + bx^3)^2} - \frac{b^2d - 2abe + 3a^2f}{3b^4(a + bx^3)} + \frac{(be - 3af) \log(a + bx^3)}{3b^4}$$

Mathematica [A] time = 0.06, size = 105, normalized size = 0.96

$$\frac{-5a^3f + a^2b(3e - 4fx^3) + ab^2(-d + 4ex^3 + 4fx^6) + 2(a + bx^3)^2 (be - 3af) \log(a + bx^3) - b^3(c + 2dx^3 - 2fx^9)}{6b^4(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (-5*a^3*f + a^2*b*(3*e - 4*f*x^3) + a*b^2*(-d + 4*e*x^3 + 4*f*x^6) - b^3*(c + 2*d*x^3 - 2*f*x^9) + 2*(b*e - 3*a*f)*(a + b*x^3)^2*Log[a + b*x^3])/(6*b^4*(a + b*x^3)^2)

fricas [A] time = 0.59, size = 158, normalized size = 1.45

$$\frac{2b^3fx^9 + 4ab^2fx^6 - b^3c - ab^2d + 3a^2be - 5a^3f - 2(b^3d - 2ab^2e + 2a^2bf)x^3 + 2((b^3e - 3ab^2f)x^6 + a^2be - 3a^3f)}{6(b^6x^6 + 2ab^5x^3 + a^2b^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/6*(2*b^3*f*x^9 + 4*a*b^2*f*x^6 - b^3*c - a*b^2*d + 3*a^2*b*e - 5*a^3*f - 2*(b^3*d - 2*a*b^2*e + 2*a^2*b*f)*x^3 + 2*((b^3*e - 3*a*b^2*f)*x^6 + a^2*b*e - 3*a^3*f + 2*(a*b^2*e - 3*a^2*b*f)*x^3)*log(b*x^3 + a)/(b^6*x^6 + 2*a*b^5*x^3 + a^2*b^4)

giac [A] time = 0.20, size = 100, normalized size = 0.92

$$\frac{fx^3}{3b^3} - \frac{(3af - be) \log(|bx^3 + a|)}{3b^4} - \frac{b^3c + ab^2d + 5a^3f + 2(b^3d + 3a^2bf - 2ab^2e)x^3 - 3a^2be}{6(bx^3 + a)^2b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{3}f*x^3/b^3 - \frac{1}{3}*(3*a*f - b*e)*\log(\text{abs}(b*x^3 + a))/b^4 - \frac{1}{6}*(b^3*c + a*b^2*d + 5*a^3*f + 2*(b^3*d + 3*a^2*b*f - 2*a*b^2*e)*x^3 - 3*a^2*b*e)/((b*x^3 + a)^2*b^4)$

maple [A] time = 0.06, size = 156, normalized size = 1.43

$$\frac{f x^3}{3b^3} + \frac{a^3 f}{6(bx^3 + a)^2 b^4} - \frac{a^2 e}{6(bx^3 + a)^2 b^3} + \frac{ad}{6(bx^3 + a)^2 b^2} - \frac{c}{6(bx^3 + a)^2 b} - \frac{a^2 f}{(bx^3 + a)b^4} + \frac{2ae}{3(bx^3 + a)b^3} - \frac{af \ln(bx^3 + a)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] $\frac{1}{3}/b^3*f*x^3 + \frac{1}{6}/b^4/(b*x^3+a)^2*a^3*f - \frac{1}{6}/b^3/(b*x^3+a)^2*a^2*e + \frac{1}{6}/b^2/(b*x^3+a)^2*a*d - \frac{1}{6}/b/(b*x^3+a)^2*c - \frac{1}{b^4}*\ln(b*x^3+a)*a*f + \frac{1}{3}/b^3*\ln(b*x^3+a)*e - \frac{1}{b^4}/(b*x^3+a)*a^2*f + \frac{2}{3}/b^3/(b*x^3+a)*a*e - \frac{1}{3}/b^2/(b*x^3+a)*d$

maxima [A] time = 1.38, size = 109, normalized size = 1.00

$$\frac{f x^3}{3b^3} - \frac{b^3 c + ab^2 d - 3 a^2 b e + 5 a^3 f + 2 (b^3 d - 2 ab^2 e + 3 a^2 b f) x^3}{6 (b^6 x^6 + 2 ab^5 x^3 + a^2 b^4)} + \frac{(be - 3 af) \log (bx^3 + a)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{3}f*x^3/b^3 - \frac{1}{6}*(b^3*c + a*b^2*d - 3*a^2*b*e + 5*a^3*f + 2*(b^3*d - 2*a*b^2*e + 3*a^2*b*f)*x^3)/(b^6*x^6 + 2*a*b^5*x^3 + a^2*b^4) + \frac{1}{3}*(b*e - 3*a*f)*\log(b*x^3 + a)/b^4$

mupad [B] time = 4.94, size = 112, normalized size = 1.03

$$\frac{f x^3}{3b^3} - \frac{x^3 \left(f a^2 - \frac{2eab}{3} + \frac{db^2}{3} \right) + \frac{5fa^3 - 3ea^2b + dab^2 + cb^3}{6b}}{a^2 b^3 + 2 a b^4 x^3 + b^5 x^6} - \frac{\ln (b x^3 + a) (3 a f - b e)}{3 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] $\frac{(f*x^3)/(3*b^3) - (x^3*((b^2*d)/3 + a^2*f - (2*a*b*e)/3) + (b^3*c + 5*a^3*f + a*b^2*d - 3*a^2*b*e)/(6*b))/(a^2*b^3 + b^5*x^6 + 2*a*b^4*x^3) - (\log(a + b*x^3)*(3*a*f - b*e))/(3*b^4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.281 \quad \int \frac{c+dx^3+ex^6+fx^9}{x(a+bx^3)^3} dx$$

Optimal. Leaf size=114

$$-\frac{1}{3} \left(\frac{c}{a^3} - \frac{f}{b^3} \right) \log(a+bx^3) + \frac{c \log(x)}{a^3} + \frac{2a^3f - a^2be + b^3c}{3a^2b^3(a+bx^3)} + \frac{a^3(-f) + a^2be - ab^2d + b^3c}{6ab^3(a+bx^3)^2}$$

[Out] $1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a/b^3/(b*x^3+a)^2+1/3*(2*a^3*f-a^2*b*e+b^3*c)/a^2/b^3/(b*x^3+a)+c*\ln(x)/a^3-1/3*(c/a^3-f/b^3)*\ln(b*x^3+a)$

Rubi [A] time = 0.15, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{6ab^3(a+bx^3)^2} + \frac{-a^2be + 2a^3f + b^3c}{3a^2b^3(a+bx^3)} - \frac{1}{3} \left(\frac{c}{a^3} - \frac{f}{b^3} \right) \log(a+bx^3) + \frac{c \log(x)}{a^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^3), x]$

[Out] $(b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a*b^3*(a + b*x^3)^2) + (b^3*c - a^2*b*e + 2*a^3*f)/(3*a^2*b^3*(a + b*x^3)) + (c*\text{Log}[x])/a^3 - ((c/a^3 - f/b^3)*\text{Log}[a + b*x^3])/3$

Rule 1620

$\text{Int}[(P_x) * ((a_) + (b_)*(x_))^{(m_)} * ((c_) + (d_)*(x_))^{(n_)}, x_Symbol]$
 $\rightarrow \text{Int}[\text{ExpandIntegrand}[P_x*(a + b*x)^m*(c + d*x)^n, x], x] /;$ FreeQ[{a, b, c, d, m, n}, x] && PolyQ[P_x, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[P_x, x], 2]

Rule 1821

$\text{Int}[(P_q)*(x_)^{(m_)} * ((a_) + (b_)*(x_))^{(n_)}^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n,$
 $\text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*\text{SubstFor}[x^n, P_q, x]*(a + b*x)^p, x], x, x^n], x] /;$ FreeQ[{a, b, m, n, p}, x] && PolyQ[P_q, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x} + \frac{-b^3c + ab^2d - a^2be + a^3f}{ab^2(a + bx)^3} + \frac{-b^3c + a^2be - 2a^3f}{a^2b^2(a + bx)^2} + \frac{-b^3c + a^3f}{a^3b^2(a + bx)} \right) dx, x, x^3 \right)$$

$$= \frac{b^3c - ab^2d + a^2be - a^3f}{6ab^3(a + bx^3)^2} + \frac{b^3c - a^2be + 2a^3f}{3a^2b^3(a + bx^3)} + \frac{c \log(x)}{a^3} - \frac{1}{3} \left(\frac{c}{a^3} - \frac{f}{b^3} \right) \log(a + bx^3)$$

Mathematica [A] time = 0.13, size = 104, normalized size = 0.91

$$\frac{2(a^3f - b^3c) \log(a + bx^3) + \frac{a(3a^4f - a^3b(e - 4fx^3) - a^2b^2(d + 2ex^3) + 3ab^3c + 2b^4cx^3)}{(a + bx^3)^2}}{b^3} + 6c \log(x)$$

$$\frac{\hspace{10em}}{6a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^3), x]

[Out] (6*c*Log[x] + ((a*(3*a*b^3*c + 3*a^4*f + 2*b^4*c*x^3 - a^2*b^2*(d + 2*e*x^3) - a^3*b*(e - 4*f*x^3)))/(a + b*x^3)^2 + 2*(-(b^3*c) + a^3*f)*Log[a + b*x^3])/b^3)/(6*a^3)

fricas [A] time = 0.52, size = 187, normalized size = 1.64

$$\frac{3a^2b^3c - a^3b^2d - a^4be + 3a^5f + 2(ab^4c - a^3b^2e + 2a^4bf)x^3 - 2((b^5c - a^3b^2f)x^6 + a^2b^3c - a^5f + 2(ab^4c - a^4bf))}{6(a^3b^5x^6 + 2a^4b^4x^3 + a^5b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/6*(3*a^2*b^3*c - a^3*b^2*d - a^4*b*e + 3*a^5*f + 2*(a*b^4*c - a^3*b^2*e + 2*a^4*b*f)*x^3 - 2*((b^5*c - a^3*b^2*f)*x^6 + a^2*b^3*c - a^5*f + 2*(a*b^4*c - a^4*b*f)*x^3)*log(b*x^3 + a) + 6*(b^5*c*x^6 + 2*a*b^4*c*x^3 + a^2*b^3*c)*log(x))/(a^3*b^5*x^6 + 2*a^4*b^4*x^3 + a^5*b^3)

giac [A] time = 0.24, size = 128, normalized size = 1.12

$$\frac{c \log(|x|)}{a^3} - \frac{(b^3c - a^3f) \log(|bx^3 + a|)}{3a^3b^3} + \frac{3b^4cx^6 - 3a^3bfx^6 + 8ab^3cx^3 - 2a^4fx^3 - 2a^3bx^3e + 6a^2b^2c - a^3bd - a^4e}{6(bx^3 + a)^2 a^3 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x, algorithm="giac")

[Out] $c \cdot \log(\text{abs}(x))/a^3 - 1/3 \cdot (b^3 \cdot c - a^3 \cdot f) \cdot \log(\text{abs}(b \cdot x^3 + a))/(a^3 \cdot b^3) + 1/6 \cdot (3 \cdot b^4 \cdot c \cdot x^6 - 3 \cdot a^3 \cdot b \cdot f \cdot x^6 + 8 \cdot a \cdot b^3 \cdot c \cdot x^3 - 2 \cdot a^4 \cdot f \cdot x^3 - 2 \cdot a^3 \cdot b \cdot x^3 \cdot e + 6 \cdot a^2 \cdot b^2 \cdot c - a^3 \cdot b \cdot d - a^4 \cdot e) / ((b \cdot x^3 + a)^2 \cdot a^3 \cdot b^2)$

maple [A] time = 0.06, size = 147, normalized size = 1.29

$$-\frac{a^2 f}{6(bx^3+a)^2 b^3} + \frac{ae}{6(bx^3+a)^2 b^2} + \frac{c}{6(bx^3+a)^2 a} - \frac{d}{6(bx^3+a)^2 b} + \frac{2af}{3(bx^3+a)b^3} + \frac{c}{3(bx^3+a)a^2} + \frac{c \ln(x)}{a^3} - \frac{c \ln(x)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x)

[Out] $-1/6 \cdot a^2/b^3/(b \cdot x^3+a)^2 \cdot f + 1/6 \cdot a/b^2/(b \cdot x^3+a)^2 \cdot e - 1/6 \cdot b/(b \cdot x^3+a)^2 \cdot d + 1/6 \cdot a/(b \cdot x^3+a)^2 \cdot c + 1/3 \cdot b^3 \cdot \ln(b \cdot x^3+a) \cdot f - 1/3 \cdot c \cdot \ln(b \cdot x^3+a)/a^3 + 2/3 \cdot a/b^3/(b \cdot x^3+a) \cdot f - 1/3 \cdot b^2/(b \cdot x^3+a) \cdot e + 1/3 \cdot a^2/(b \cdot x^3+a) \cdot c + c \cdot \ln(x)/a^3$

maxima [A] time = 1.37, size = 129, normalized size = 1.13

$$\frac{3ab^3c - a^2b^2d - a^3be + 3a^4f + 2(b^4c - a^2b^2e + 2a^3bf)x^3}{6(a^2b^5x^6 + 2a^3b^4x^3 + a^4b^3)} + \frac{c \log(x^3)}{3a^3} - \frac{(b^3c - a^3f) \log(bx^3 + a)}{3a^3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $1/6 \cdot (3 \cdot a \cdot b^3 \cdot c - a^2 \cdot b^2 \cdot d - a^3 \cdot b \cdot e + 3 \cdot a^4 \cdot f + 2 \cdot (b^4 \cdot c - a^2 \cdot b^2 \cdot e + 2 \cdot a^3 \cdot b \cdot f) \cdot x^3) / (a^2 \cdot b^5 \cdot x^6 + 2 \cdot a^3 \cdot b^4 \cdot x^3 + a^4 \cdot b^3) + 1/3 \cdot c \cdot \log(x^3)/a^3 - 1/3 \cdot (b^3 \cdot c - a^3 \cdot f) \cdot \log(b \cdot x^3 + a) / (a^3 \cdot b^3)$

mupad [B] time = 0.18, size = 123, normalized size = 1.08

$$\frac{\frac{3fa^3 - ea^2b - da^2b^2 + 3cb^3}{6ab^3} + \frac{x^3(2fa^3 - ea^2b + cb^3)}{3a^2b^2}}{a^2 + 2abx^3 + b^2x^6} + \frac{c \ln(x)}{a^3} - \frac{\ln(bx^3 + a)(b^3c - a^3f)}{3a^3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x*(a + b*x^3)^3),x)

[Out] $((3 \cdot b^3 \cdot c + 3 \cdot a^3 \cdot f - a \cdot b^2 \cdot d - a^2 \cdot b \cdot e) / (6 \cdot a \cdot b^3) + (x^3 \cdot (b^3 \cdot c + 2 \cdot a^3 \cdot f - a^2 \cdot b \cdot e)) / (3 \cdot a^2 \cdot b^2)) / (a^2 + b^2 \cdot x^6 + 2 \cdot a \cdot b \cdot x^3) + (c \cdot \log(x)) / a^3 - (\log(a + b \cdot x^3) \cdot (b^3 \cdot c - a^3 \cdot f)) / (3 \cdot a^3 \cdot b^3)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x/(b*x**3+a)**3,x)

[Out] Timed out

$$3.282 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^4(a+bx^3)^3} dx$$

Optimal. Leaf size=134

$$\frac{(3bc - ad) \log(a + bx^3)}{3a^4} - \frac{\log(x)(3bc - ad)}{a^4} - \frac{a^3f - ab^2d + 2b^3c}{3a^3b^2(a + bx^3)} - \frac{c}{3a^3x^3} - \frac{a^3(-f) + a^2be - ab^2d + b^3c}{6a^2b^2(a + bx^3)^2}$$

[Out] $-1/3*c/a^3/x^3+1/6*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/a^2/b^2/(b*x^3+a)^2+1/3*(-a^3*f+a*b^2*d-2*b^3*c)/a^3/b^2/(b*x^3+a)-(-a*d+3*b*c)*\ln(x)/a^4+1/3*(-a*d+3*b*c)*\ln(b*x^3+a)/a^4$

Rubi [A] time = 0.17, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be + a^3(-f) - ab^2d + b^3c}{6a^2b^2(a + bx^3)^2} - \frac{a^3f - ab^2d + 2b^3c}{3a^3b^2(a + bx^3)} + \frac{(3bc - ad) \log(a + bx^3)}{3a^4} - \frac{\log(x)(3bc - ad)}{a^4} - \frac{c}{3a^3x^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^3), x]

[Out] $-c/(3*a^3*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^2*b^2*(a + b*x^3)^2) - (2*b^3*c - a*b^2*d + a^3*f)/(3*a^3*b^2*(a + b*x^3)) - ((3*b*c - a*d)*\text{Log}[x])/a^4 + ((3*b*c - a*d)*\text{Log}[a + b*x^3])/(3*a^4)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_*((a_) + (b_.)*(x_)^n_)^p_., x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^4(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^2(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x^2} + \frac{-3bc + ad}{a^4x} + \frac{b^3c - ab^2d + a^2be - a^3f}{a^2b(a + bx)^3} + \frac{2b^3c - ab^2d + a^3f}{a^3b(a + bx)^2} - \frac{(3bc - ad) \log(x)}{a^4} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{3a^3x^3} - \frac{b^3c - ab^2d + a^2be - a^3f}{6a^2b^2(a + bx^3)^2} - \frac{2b^3c - ab^2d + a^3f}{3a^3b^2(a + bx^3)} - \frac{(3bc - ad) \log(x)}{a^4} + \frac{(3bc - ad) \log(x)}{a^4}$$

Mathematica [A] time = 0.11, size = 121, normalized size = 0.90

$$\frac{-\frac{2a(a^3f - ab^2d + 2b^3c)}{b^2(a + bx^3)} + \frac{a^2(a^3f - a^2be + ab^2d - b^3c)}{b^2(a + bx^3)^2} + 2(3bc - ad) \log(a + bx^3) + 6 \log(x)(ad - 3bc) - \frac{2ac}{x^3}}{6a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^3), x]

[Out] ((-2*a*c)/x^3 + (a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(b^2*(a + b*x^3)^2) - (2*a*(2*b^3*c - a*b^2*d + a^3*f))/(b^2*(a + b*x^3)) + 6*(-3*b*c + a*d)*Log[x] + 2*(3*b*c - a*d)*Log[a + b*x^3])/(6*a^4)

fricas [A] time = 0.72, size = 250, normalized size = 1.87

$$\frac{2(3ab^4c - a^2b^3d + a^4bf)x^6 + 2a^3b^2c + (9a^2b^3c - 3a^3b^2d + a^4be + a^5f)x^3 - 2((3b^5c - ab^4d)x^9 + 2(3ab^4c - a^3b^2d)x^6) + 6(a^4b^4x^9 + 2a^5b^3x^6 + a^6b^2x^3) \log(x)}{6a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x, algorithm="fricas")

[Out] -1/6*(2*(3*a*b^4*c - a^2*b^3*d + a^4*b*f)*x^6 + 2*a^3*b^2*c + (9*a^2*b^3*c - 3*a^3*b^2*d + a^4*b*e + a^5*f)*x^3 - 2*((3*b^5*c - a*b^4*d)*x^9 + 2*(3*a*b^4*c - a^2*b^3*d)*x^6 + (3*a^2*b^3*c - a^3*b^2*d)*x^3)*log(b*x^3 + a) + 6*((3*b^5*c - a*b^4*d)*x^9 + 2*(3*a*b^4*c - a^2*b^3*d)*x^6 + (3*a^2*b^3*c - a^3*b^2*d)*x^3)*log(x)/(a^4*b^4*x^9 + 2*a^5*b^3*x^6 + a^6*b^2*x^3)

giac [A] time = 0.18, size = 173, normalized size = 1.29

$$-\frac{(3bc - ad) \log(|x|)}{a^4} + \frac{(3b^2c - abd) \log(|bx^3 + a|)}{3a^4b} + \frac{3bcx^3 - adx^3 - ac}{3a^4x^3} - \frac{9b^5cx^6 - 3ab^4dx^6 + 22ab^4cx^3 - 8a^2b^3c}{6(b^2(a + bx^3)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-(3bc - ad) \log(\text{abs}(x))/a^4 + 1/3(3b^2c - a*b*d) \log(\text{abs}(b*x^3 + a))/$
 $(a^4*b) + 1/3(3b*c*x^3 - a*d*x^3 - a*c)/(a^4*x^3) - 1/6(9b^5*c*x^6 - 3*$
 $a*b^4*d*x^6 + 22*a*b^4*c*x^3 - 8*a^2*b^3*d*x^3 + 2*a^4*b*f*x^3 + 14*a^2*b^3$
 $*c - 6*a^3*b^2*d + a^5*f + a^4*b*e)/((b*x^3 + a)^2*a^4*b^2)$

maple [A] time = 0.06, size = 163, normalized size = 1.22

$$\frac{af}{6(bx^3+a)^2 b^2} + \frac{d}{6(bx^3+a)^2 a} - \frac{bc}{6(bx^3+a)^2 a^2} - \frac{e}{6(bx^3+a)^2 b} + \frac{d}{3(bx^3+a) a^2} - \frac{2bc}{3(bx^3+a) a^3} + \frac{d \ln(x)}{a^3} - \frac{d \ln(bx^3+a)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x)

[Out] $1/6*a/b^2/(b*x^3+a)^2*f - 1/6/b/(b*x^3+a)^2*e + 1/6/a/(b*x^3+a)^2*d - 1/6/a^2*b/($
 $b*x^3+a)^2*c - 1/3*d*\ln(b*x^3+a)/a^3 + b*c*\ln(b*x^3+a)/a^4 - 1/3/b^2/(b*x^3+a)*f +$
 $1/3/a^2/(b*x^3+a)*d - 2/3/a^3*b/(b*x^3+a)*c - 1/3/a^3*c/x^3 + d*\ln(x)/a^3 - 3*b*c*\ln$
 $(x)/a^4$

maxima [A] time = 1.36, size = 144, normalized size = 1.07

$$\frac{2(3b^4c - ab^3d + a^3bf)x^6 + 2a^2b^2c + (9ab^3c - 3a^2b^2d + a^3be + a^4f)x^3}{6(a^3b^4x^9 + 2a^4b^3x^6 + a^5b^2x^3)} + \frac{(3bc - ad) \log(bx^3 + a)}{3a^4} - \frac{(3bc - ad) \log(bx^3 + a)}{3a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^4/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-1/6*(2*(3b^4*c - a*b^3*d + a^3*b*f)*x^6 + 2*a^2*b^2*c + (9*a*b^3*c - 3*a^$
 $2*b^2*d + a^3*b*e + a^4*f)*x^3)/(a^3*b^4*x^9 + 2*a^4*b^3*x^6 + a^5*b^2*x^3)$
 $+ 1/3*(3*b*c - a*d)*\log(b*x^3 + a)/a^4 - 1/3*(3*b*c - a*d)*\log(x^3)/a^4$

mupad [B] time = 5.07, size = 135, normalized size = 1.01

$$\frac{\ln(x) (ad - 3bc)}{a^4} - \frac{\ln(bx^3 + a) (ad - 3bc)}{3a^4} - \frac{c}{3a} + \frac{x^6 (fa^3 - da^2b^2 + 3cb^3)}{3a^3b} + \frac{x^3 (fa^3 + ea^2b - 3da^2b^2 + 9cb^3)}{6a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^4*(a + b*x^3)^3),x)

```
[Out] (log(x)*(a*d - 3*b*c))/a^4 - (log(a + b*x^3)*(a*d - 3*b*c))/(3*a^4) - (c/(3
*a) + (x^6*(3*b^3*c + a^3*f - a*b^2*d))/(3*a^3*b) + (x^3*(9*b^3*c + a^3*f -
3*a*b^2*d + a^2*b*e))/(6*a^2*b^2))/(a^2*x^3 + b^2*x^9 + 2*a*b*x^6)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**4/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.283 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^7(a+bx^3)^3} dx$$

Optimal. Leaf size=163

$$\frac{3bc-ad}{3a^4x^3} - \frac{c}{6a^3x^6} - \frac{\log(a+bx^3)(a^2e-3abd+6b^2c)}{3a^5} + \frac{\log(x)(a^2e-3abd+6b^2c)}{a^5} + \frac{a^2e-2abd+3b^2c}{3a^4(a+bx^3)} + \frac{a^3(-f)+}{6a^3}$$

[Out] $-1/6*c/a^3/x^6+1/3*(-a*d+3*b*c)/a^4/x^3+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^3/b/(b*x^3+a)^2+1/3*(a^2*e-2*a*b*d+3*b^2*c)/a^4/(b*x^3+a)+(a^2*e-3*a*b*d+6*b^2*c)*\ln(x)/a^5-1/3*(a^2*e-3*a*b*d+6*b^2*c)*\ln(b*x^3+a)/a^5$

Rubi [A] time = 0.20, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{a^2be+a^3(-f)-ab^2d+b^3c}{6a^3b(a+bx^3)^2} + \frac{a^2e-2abd+3b^2c}{3a^4(a+bx^3)} - \frac{\log(a+bx^3)(a^2e-3abd+6b^2c)}{3a^5} + \frac{\log(x)(a^2e-3abd+6b^2c)}{a^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^3), x]

[Out] $-c/(6*a^3*x^6) + (3*b*c - a*d)/(3*a^4*x^3) + (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^3*b*(a + b*x^3)^2) + (3*b^2*c - 2*a*b*d + a^2*e)/(3*a^4*(a + b*x^3)) + ((6*b^2*c - 3*a*b*d + a^2*e)*\text{Log}[x])/a^5 - ((6*b^2*c - 3*a*b*d + a^2*e)*\text{Log}[a + b*x^3])/(3*a^5)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_)*((a_.) + (b_.)*(x_))^(n_))^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^7(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^3(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x^3} + \frac{-3bc + ad}{a^4x^2} + \frac{6b^2c - 3abd + a^2e}{a^5x} + \frac{-b^3c + ab^2d - a^2be + a^3f}{a^3(a + bx)^3} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{6a^3x^6} + \frac{3bc - ad}{3a^4x^3} + \frac{b^3c - ab^2d + a^2be - a^3f}{6a^3b(a + bx^3)^2} + \frac{3b^2c - 2abd + a^2e}{3a^4(a + bx^3)} + \frac{(6b^2c - 3abd + a^3f)}{3a^3(a + bx^3)^3}$$

Mathematica [A] time = 0.13, size = 149, normalized size = 0.91

$$\frac{2a(a^2e - 2abd + 3b^2c)}{a + bx^3} - 2 \log(a + bx^3)(a^2e - 3abd + 6b^2c) + 6 \log(x)(a^2e - 3abd + 6b^2c) - \frac{a^2c}{x^6} + \frac{a^2(a^3(-f) + a^2be - ab^2d + b^3c)}{b(a + bx^3)^2}$$

$$6a^5$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^3), x]

[Out] (-((a^2*c)/x^6) - (2*a*(-3*b*c + a*d))/x^3 + (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(b*(a + b*x^3)^2) + (2*a*(3*b^2*c - 2*a*b*d + a^2*e))/(a + b*x^3) + 6*(6*b^2*c - 3*a*b*d + a^2*e)*Log[x] - 2*(6*b^2*c - 3*a*b*d + a^2*e)*Log[a + b*x^3])/(6*a^5)

fricas [B] time = 0.63, size = 316, normalized size = 1.94

$$2(6ab^4c - 3a^2b^3d + a^3b^2e)x^9 + (18a^2b^3c - 9a^3b^2d + 3a^4be - a^5f)x^6 - a^4bc + 2(2a^3b^2c - a^4bd)x^3 - 2((6b^5c -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/6*(2*(6*a*b^4*c - 3*a^2*b^3*d + a^3*b^2*e)*x^9 + (18*a^2*b^3*c - 9*a^3*b^2*d + 3*a^4*b*e - a^5*f)*x^6 - a^4*b*c + 2*(2*a^3*b^2*c - a^4*b*d)*x^3 - 2*((6*b^5*c - 3*a*b^4*d + a^2*b^3*e)*x^12 + 2*(6*a*b^4*c - 3*a^2*b^3*d + a^3*b^2*e)*x^9 + (6*a^2*b^3*c - 3*a^3*b^2*d + a^4*b*e)*x^6)*log(b*x^3 + a) + 6*((6*b^5*c - 3*a*b^4*d + a^2*b^3*e)*x^12 + 2*(6*a*b^4*c - 3*a^2*b^3*d + a^3*b^2*e)*x^9 + (6*a^2*b^3*c - 3*a^3*b^2*d + a^4*b*e)*x^6)*log(x))/(a^5*b^3*x^12 + 2*a^6*b^2*x^9 + a^7*b*x^6)

giac [A] time = 0.19, size = 189, normalized size = 1.16

$$\frac{(6b^2c - 3abd + a^2e) \log(|x|)}{a^5} - \frac{(6b^3c - 3ab^2d + a^2be) \log(|bx^3 + a|)}{3a^5b} + \frac{12b^4cx^9 - 6ab^3dx^9 + 2a^2b^2x^9e + 18ab^3}{3a^5b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x, algorithm="giac")

[Out] (6*b^2*c - 3*a*b*d + a^2*e)*log(abs(x))/a^5 - 1/3*(6*b^3*c - 3*a*b^2*d + a^2*b*e)*log(abs(b*x^3 + a))/(a^5*b) + 1/6*(12*b^4*c*x^9 - 6*a*b^3*d*x^9 + 2*a^2*b^2*x^9*e + 18*a*b^3*c*x^6 - 9*a^2*b^2*d*x^6 - a^4*f*x^6 + 3*a^3*b*x^6*e + 4*a^2*b^2*c*x^3 - 2*a^3*b*d*x^3 - a^3*b*c)/((b*x^6 + a*x^3)^2*a^4*b)

maple [A] time = 0.06, size = 213, normalized size = 1.31

$$\frac{e}{6(bx^3 + a)^2 a} - \frac{bd}{6(bx^3 + a)^2 a^2} + \frac{b^2c}{6(bx^3 + a)^2 a^3} - \frac{f}{6(bx^3 + a)^2 b} + \frac{e}{3(bx^3 + a)a^2} - \frac{2bd}{3(bx^3 + a)a^3} + \frac{e \ln(x)}{a^3} - \frac{e \ln}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x)

[Out] -1/6/b/(b*x^3+a)^2*f+1/6/a/(b*x^3+a)^2*e-1/6/a^2*b/(b*x^3+a)^2*d+1/6/a^3*b^2/(b*x^3+a)^2*c-1/3*e*ln(b*x^3+a)/a^3+1/a^4*ln(b*x^3+a)*b*d-2/a^5*ln(b*x^3+a)*b^2*c+1/3/a^2/(b*x^3+a)*e-2/3/a^3*b/(b*x^3+a)*d+1/a^4*b^2/(b*x^3+a)*c-1/6*c/a^3/x^6-1/3/a^3/x^3*d+1/a^4/x^3*b*c+e*ln(x)/a^3-3/a^4*ln(x)*b*d+6/a^5*ln(x)*b^2*c

maxima [A] time = 1.40, size = 182, normalized size = 1.12

$$\frac{2(6b^4c - 3ab^3d + a^2b^2e)x^9 + (18ab^3c - 9a^2b^2d + 3a^3be - a^4f)x^6 - a^3bc + 2(2a^2b^2c - a^3bd)x^3}{6(a^4b^3x^{12} + 2a^5b^2x^9 + a^6bx^6)} + \frac{(6b^2c - 3ab^3)}{6(a^4b^3x^{12} + 2a^5b^2x^9 + a^6bx^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^7/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/6*(2*(6*b^4*c - 3*a*b^3*d + a^2*b^2*e)*x^9 + (18*a*b^3*c - 9*a^2*b^2*d + 3*a^3*b*e - a^4*f)*x^6 - a^3*b*c + 2*(2*a^2*b^2*c - a^3*b*d)*x^3)/(a^4*b^3*x^12 + 2*a^5*b^2*x^9 + a^6*b*x^6) - 1/3*(6*b^2*c - 3*a*b*d + a^2*e)*log(b*x^3 + a)/a^5 + 1/3*(6*b^2*c - 3*a*b*d + a^2*e)*log(x^3)/a^5

mupad [B] time = 5.10, size = 167, normalized size = 1.02

$$\frac{\ln(x) (e a^2 - 3 d a b + 6 c b^2)}{a^5} - \frac{\ln(b x^3 + a) (e a^2 - 3 d a b + 6 c b^2)}{3 a^5} - \frac{\frac{c}{6 a} + \frac{x^3 (a d - 2 b c)}{3 a^2}}{a^2 x^6 + 2 a b x^9 + b^2 x^{12}} - \frac{b x^9 (e a^2 - 3 d a b + 6 c b^2)}{3 a^4} - \frac{x^6 (-f)}{a^2 x^6 + 2 a b x^9 + b^2 x^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^7*(a + b*x^3)^3), x)

[Out] (log(x)*(6*b^2*c + a^2*e - 3*a*b*d))/a^5 - (log(a + b*x^3)*(6*b^2*c + a^2*e - 3*a*b*d))/(3*a^5) - (c/(6*a) + (x^3*(a*d - 2*b*c)))/(3*a^2) - (b*x^9*(6*b^2*c + a^2*e - 3*a*b*d))/(3*a^4) - (x^6*(18*b^3*c - a^3*f - 9*a*b^2*d + 3*a^2*b*e))/(6*a^3*b)/(a^2*x^6 + b^2*x^12 + 2*a*b*x^9)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**7/(b*x**3+a)**3, x)

[Out] Timed out

$$3.284 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{10}(a+bx^3)^3} dx$$

Optimal. Leaf size=218

$$\frac{3bc-ad}{6a^4x^6} - \frac{c}{9a^3x^9} - \frac{a^2e-3abd+6b^2c}{3a^5x^3} + \frac{\log(a+bx^3)(a^3(-f)+3a^2be-6ab^2d+10b^3c)}{3a^6} - \frac{\log(x)(a^3(-f)+3a^2be)}{a^6}$$

[Out] $-1/9*c/a^3/x^9+1/6*(-a*d+3*b*c)/a^4/x^6+1/3*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^3+1/6*(a^3*f-a^2*b*e+a*b^2*d-b^3*c)/a^4/(b*x^3+a)^2+1/3*(a^3*f-2*a^2*b*e+3*a*b^2*d-4*b^3*c)/a^5/(b*x^3+a)-(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)*\ln(x)/a^6+1/3*(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)*\ln(b*x^3+a)/a^6$

Rubi [A] time = 0.26, antiderivative size = 218, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{2a^2be+a^3(-f)-3ab^2d+4b^3c}{3a^5(a+bx^3)} - \frac{a^2be+a^3(-f)-ab^2d+b^3c}{6a^4(a+bx^3)^2} + \frac{\log(a+bx^3)(3a^2be+a^3(-f)-6ab^2d+10b^3c)}{3a^6}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^3), x]

[Out] $-c/(9*a^3*x^9) + (3*b*c - a*d)/(6*a^4*x^6) - (6*b^2*c - 3*a*b*d + a^2*e)/(3*a^5*x^3) - (b^3*c - a*b^2*d + a^2*b*e - a^3*f)/(6*a^4*(a + b*x^3)^2) - (4*b^3*c - 3*a*b^2*d + 2*a^2*b*e - a^3*f)/(3*a^5*(a + b*x^3)) - ((10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*\text{Log}[x])/a^6 + ((10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*\text{Log}[a + b*x^3])/(3*a^6)$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_.*((a_.) + (b_.)*(x_))^(n_.)^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\int \frac{c + dx^3 + ex^6 + fx^9}{x^{10}(a + bx^3)^3} dx = \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^4(a + bx)^3} dx, x, x^3 \right)$$

$$= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x^4} + \frac{-3bc + ad}{a^4x^3} + \frac{6b^2c - 3abd + a^2e}{a^5x^2} + \frac{-10b^3c + 6ab^2d - 3a^2be + a^3f}{a^6x} \right) dx, x, x^3 \right)$$

$$= -\frac{c}{9a^3x^9} + \frac{3bc - ad}{6a^4x^6} - \frac{6b^2c - 3abd + a^2e}{3a^5x^3} - \frac{b^3c - ab^2d + a^2be - a^3f}{6a^4(a + bx^3)^2} - \frac{4b^3c - 3ab^2d + a^2be - a^3f}{3a^5(a + bx^3)}$$

Mathematica [A] time = 0.17, size = 200, normalized size = 0.92

$$\frac{-\frac{2a^3c}{x^9} - \frac{6a(a^2e - 3abd + 6b^2c)}{x^3} - \frac{3a^2(ad - 3bc)}{x^6} + \frac{3a^2(a^3f - a^2be + ab^2d - b^3c)}{(a + bx^3)^2} + \frac{6a(a^3f - 2a^2be + 3ab^2d - 4b^3c)}{a + bx^3} + 6 \log(a + bx^3)(a^3(-f) + 3a^2e - 3ab^2d + 3a^3f)}{18a^6}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^3), x]

[Out] ((-2*a^3*c)/x^9 - (3*a^2*(-3*b*c + a*d))/x^6 - (6*a*(6*b^2*c - 3*a*b*d + a^2*e))/x^3 + (3*a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f))/(a + b*x^3)^2 + (6*a*(-4*b^3*c + 3*a*b^2*d - 2*a^2*b*e + a^3*f))/(a + b*x^3) + 18*(-10*b^3*c + 6*a*b^2*d - 3*a^2*b*e + a^3*f)*Log[x] + 6*(10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*Log[a + b*x^3])/(18*a^6)

fricas [A] time = 0.74, size = 396, normalized size = 1.82

$$\frac{6(10ab^4c - 6a^2b^3d + 3a^3b^2e - a^4bf)x^{12} + 9(10a^2b^3c - 6a^3b^2d + 3a^4be - a^5f)x^9 + 2(10a^3b^2c - 6a^4bd + 3a^5e)x^6 + 2a^5c - (5a^4b^3c - 3a^5d)x^3 - 6((10b^5c - 6a^4b^4d + 3a^2b^3e - a^3b^2f)x^{15} + 2(10a^3b^4c - 6a^2b^3d + 3a^4b^2e - a^4b^3f)x^{12} + (10a^2b^3c - 6a^3b^2d + 3a^4b^2e - a^5f)x^9) \log(bx^3 + a) + 18((10b^5c - 6a^4b^4d + 3a^2b^3e - a^3b^2f)x^{15} + 2(10a^3b^4c - 6a^2b^3d + 3a^4b^2e - a^4b^3f)x^{12} + (10a^2b^3c - 6a^3b^2d + 3a^4b^2e - a^5f)x^9)}{18a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x, algorithm="fricas")

[Out] -1/18*(6*(10*a*b^4*c - 6*a^2*b^3*d + 3*a^3*b^2*e - a^4*b*f)*x^12 + 9*(10*a^2*b^3*c - 6*a^3*b^2*d + 3*a^4*b^2*e - a^5*f)*x^9 + 2*(10*a^3*b^2*c - 6*a^4*b^2*d + 3*a^5*e)*x^6 + 2*a^5*c - (5*a^4*b^3*c - 3*a^5*d)*x^3 - 6*((10*b^5*c - 6*a^4*b^4*d + 3*a^2*b^3*e - a^3*b^2*f)*x^15 + 2*(10*a^3*b^4*c - 6*a^2*b^3*d + 3*a^4*b^2*e - a^4*b^3*f)*x^12 + (10*a^2*b^3*c - 6*a^3*b^2*d + 3*a^4*b^2*e - a^5*f)*x^9)*log(b*x^3 + a) + 18*((10*b^5*c - 6*a^4*b^4*d + 3*a^2*b^3*e - a^3*b^2*f)*x^15 + 2*(10*a^3*b^4*c - 6*a^2*b^3*d + 3*a^4*b^2*e - a^4*b^3*f)*x^12 + (10*a^2*b^3*c - 6*a^3*b^2*d + 3*a^4*b^2*e - a^5*f)*x^9)

$$x^{15} + 2(10ab^4c - 6a^2b^3d + 3a^3b^2e - a^4bf)x^{12} + (10a^2b^3c - 6a^3b^2d + 3a^4be - a^5f)x^9 \log(x) / (a^6b^2x^{15} + 2a^7bx^{12} + a^8x^9)$$

giac [A] time = 0.19, size = 324, normalized size = 1.49

$$\frac{(10b^3c - 6ab^2d - a^3f + 3a^2be) \log(|x|)}{a^6} + \frac{(10b^4c - 6ab^3d - a^3bf + 3a^2b^2e) \log(|bx^3 + a|)}{3a^6b} - \frac{30b^5cx^6 - 18ab^4d^2x^6 + 3a^3b^2f^2x^6 + 9a^2b^3x^6e + 68a^2b^4cx^3 - 42a^2b^3d^2x^3 - 8a^4b^2fx^3 + 22a^3b^2x^3e + 39a^2b^3c - 25a^3b^2d - 6a^5f + 14a^4be}{(bx^3 + a)^2a^6} + \frac{110b^3cx^9 - 66a^2b^2d^2x^9 - 11a^3fx^9 + 33a^2bx^9e - 36a^2b^2cx^6 + 18a^2b^2d^2x^6 - 6a^3x^6e + 9a^2b^2cx^3 - 3a^3d^2x^3 - 2a^3c}{a^6x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-(10b^3c - 6a^2b^3d - a^3f + 3a^2b^2e) \log(\text{abs}(x)) / a^6 + 1/3(10b^4c - 6a^2b^3d - a^3bf + 3a^2b^2e) \log(\text{abs}(bx^3 + a)) / (a^6b) - 1/6(30b^5cx^6 - 18a^2b^4d^2x^6 - 3a^3b^2f^2x^6 + 9a^2b^3x^6e + 68a^2b^4cx^3 - 42a^2b^3d^2x^3 - 8a^4b^2fx^3 + 22a^3b^2x^3e + 39a^2b^3c - 25a^3b^2d - 6a^5f + 14a^4be) / ((bx^3 + a)^2a^6) + 1/18(110b^3cx^9 - 66a^2b^2d^2x^9 - 11a^3fx^9 + 33a^2bx^9e - 36a^2b^2cx^6 + 18a^2b^2d^2x^6 - 6a^3x^6e + 9a^2b^2cx^3 - 3a^3d^2x^3 - 2a^3c) / (a^6x^9)$

maple [A] time = 0.07, size = 293, normalized size = 1.34

$$\frac{f}{6(bx^3 + a)^2 a} - \frac{be}{6(bx^3 + a)^2 a^2} + \frac{b^2d}{6(bx^3 + a)^2 a^3} - \frac{b^3c}{6(bx^3 + a)^2 a^4} + \frac{f}{3(bx^3 + a)a^2} - \frac{2be}{3(bx^3 + a)a^3} + \frac{f \ln(x)}{a^3} - \frac{f}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x)

[Out] $1/6/a/(bx^3+a)^2f - 1/6/a^2b/(bx^3+a)^2e + 1/6/a^3b^2/(bx^3+a)^2d - 1/6/a^4b^3/(bx^3+a)^2c - 1/3/a^3 \ln(bx^3+a) * f + 1/a^4b \ln(bx^3+a) * e - 2/a^5b^2 \ln(bx^3+a) * d + 10/3/a^6b^3 \ln(bx^3+a) * c + 1/3/a^2/(bx^3+a) * f - 2/3/a^3b/(bx^3+a) * e + 1/a^4b^2/(bx^3+a) * d - 4/3/a^5b^3/(bx^3+a) * c - 1/9/a^3c/x^9 - 1/6/a^3/x^6d + 1/2/a^4/x^6b*c - 1/3/a^3/x^3e + 1/a^4/x^3b*d - 2/a^5/x^3b^2*c + 1/a^3 \ln(x) * f - 3/a^4 \ln(x) * b * e + 6/a^5 \ln(x) * b^2 * d - 10/a^6 \ln(x) * b^3 * c$

maxima [A] time = 1.46, size = 232, normalized size = 1.06

$$\frac{6(10b^4c - 6ab^3d + 3a^2b^2e - a^3bf)x^{12} + 9(10ab^3c - 6a^2b^2d + 3a^3be - a^4f)x^9 + 2(10a^2b^2c - 6a^3bd + 3a^4e)}{18(a^5b^2x^{15} + 2a^6bx^{12} + a^7x^9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^10/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/18*(6*(10*b^4*c - 6*a*b^3*d + 3*a^2*b^2*e - a^3*b*f)*x^{12} + 9*(10*a*b^3*c - 6*a^2*b^2*d + 3*a^3*b*e - a^4*f)*x^9 + 2*(10*a^2*b^2*c - 6*a^3*b*d + 3*a^4*e)*x^6 + 2*a^4*c - (5*a^3*b*c - 3*a^4*d)*x^3)/(a^5*b^2*x^{15} + 2*a^6*b*x^{12} + a^7*x^9) + 1/3*(10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*\log(b*x^3 + a)/a^6 - 1/3*(10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)*\log(x^3)/a^6$$

mupad [B] time = 5.17, size = 222, normalized size = 1.02

$$\frac{\ln(bx^3 + a) \left(-fa^3 + 3ea^2b - 6dab^2 + 10cb^3\right)}{3a^6} - \frac{c}{9a} + \frac{x^9(-fa^3 + 3ea^2b - 6dab^2 + 10cb^3)}{2a^4} + \frac{x^3(3ad - 5bc)}{18a^2} + \frac{x^6(3ea^2 - 6dab)}{9a^3} + \frac{x^9}{a^2x^9 + 2abx^{12} + b^2x^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^10*(a + b*x^3)^3),x)

[Out]
$$\frac{\log(a + b*x^3)*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e)}{(3*a^6)} - \frac{c}{(9*a)} + \frac{x^9*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e)}{(2*a^4)} + \frac{x^3*(3*a*d - 5*b*c)}{(18*a^2)} + \frac{x^6*(10*b^2*c + 3*a^2*e - 6*a*b*d)}{(9*a^3)} + \frac{b*x^{12}*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e)}{(3*a^5)} - \frac{\log(x)*(10*b^3*c - a^3*f - 6*a*b^2*d + 3*a^2*b*e)}{a^6}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**10/(b*x**3+a)**3,x)

[Out] Timed out

$$3.285 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{13}(a+bx^3)^3} dx$$

Optimal. Leaf size=258

$$\frac{3bc-ad}{9a^4x^9} - \frac{c}{12a^3x^{12}} - \frac{a^2e-3abd+6b^2c}{6a^5x^6} - \frac{b \log(a+bx^3)(-3a^3f+6a^2be-10ab^2d+15b^3c)}{3a^7} + \frac{b \log(x)(-3a^3f+6a^2be-10ab^2d+15b^3c)}{3a^7}$$

[Out] $-1/12*c/a^3/x^{12}+1/9*(-a*d+3*b*c)/a^4/x^9+1/6*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^6+1/3*(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)/a^6/x^3+1/6*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)/a^5/(b*x^3+a)^2+1/3*b*(-2*a^3*f+3*a^2*b*e-4*a*b^2*d+5*b^3*c)/a^6/(b*x^3+a)+b*(-3*a^3*f+6*a^2*b*e-10*a*b^2*d+15*b^3*c)*\ln(x)/a^7-1/3*b*(-3*a^3*f+6*a^2*b*e-10*a*b^2*d+15*b^3*c)*\ln(b*x^3+a)/a^7$

Rubi [A] time = 0.30, antiderivative size = 258, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1821, 1620}

$$\frac{b(3a^2be-2a^3f-4ab^2d+5b^3c)}{3a^6(a+bx^3)} + \frac{b(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^5(a+bx^3)^2} + \frac{3a^2be+a^3(-f)-6ab^2d+10b^3c}{3a^6x^3} - \frac{b \log(a+bx^3)}{3a^7}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^3), x]

[Out] $-c/(12*a^3*x^{12}) + (3*b*c - a*d)/(9*a^4*x^9) - (6*b^2*c - 3*a*b*d + a^2*e)/(6*a^5*x^6) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(3*a^6*x^3) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f))/(6*a^5*(a + b*x^3)^2) + (b*(5*b^3*c - 4*a*b^2*d + 3*a^2*b*e - 2*a^3*f))/(3*a^6*(a + b*x^3)) + (b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f)*\text{Log}[x])/a^7 - (b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f)*\text{Log}[a + b*x^3])/a^7$

Rule 1620

Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2]) && GtQ[Expon[Px, x], 2]

Rule 1821

Int[(Pq_)*(x_)^m_.*((a_.) + (b_.)*(x_))^(n_))^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*SubstFor[x^n, Pq, x]*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && PolyQ[Pq, x^n] && IntegerQ[Si

simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{c + dx^3 + ex^6 + fx^9}{x^{13}(a + bx^3)^3} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{c + dx + ex^2 + fx^3}{x^5(a + bx)^3} dx, x, x^3 \right) \\ &= \frac{1}{3} \text{Subst} \left(\int \left(\frac{c}{a^3x^5} + \frac{-3bc + ad}{a^4x^4} + \frac{6b^2c - 3abd + a^2e}{a^5x^3} + \frac{-10b^3c + 6ab^2d - 3a^2be + a^3f}{a^6x^2} \right. \right. \\ &= -\frac{c}{12a^3x^{12}} + \frac{3bc - ad}{9a^4x^9} - \frac{6b^2c - 3abd + a^2e}{6a^5x^6} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{3a^6x^3} + \frac{b(b^3c}{ \end{aligned}$$

Mathematica [A] time = 0.27, size = 238, normalized size = 0.92

$$12b \log(a + bx^3)(3a^3f - 6a^2be + 10ab^2d - 15b^3c) + 36b \log(x)(-3a^3f + 6a^2be - 10ab^2d + 15b^3c) - \frac{a(a^5(3c+4dx^3)}{36a}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^3), x]

[Out] (-((a*(-180*b^5*c*x^15 + 30*a*b^4*x^12*(-9*c + 4*d*x^3) - 12*a^2*b^3*x^9*(5*c - 15*d*x^3 + 6*e*x^6) - 2*a^4*b*x^3*(3*c + 5*d*x^3 + 12*e*x^6 - 27*f*x^9) + a^5*(3*c + 4*d*x^3 + 6*e*x^6 + 12*f*x^9) + a^3*b^2*x^6*(15*c + 40*d*x^3 - 108*e*x^6 + 36*f*x^9)))/(x^12*(a + b*x^3)^2)) + 36*b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f)*Log[x] + 12*b*(-15*b^3*c + 10*a*b^2*d - 6*a^2*b*e + 3*a^3*f)*Log[a + b*x^3])/(36*a^7)

fricas [A] time = 0.82, size = 448, normalized size = 1.74

$$12(15ab^5c - 10a^2b^4d + 6a^3b^3e - 3a^4b^2f)x^{15} + 18(15a^2b^4c - 10a^3b^3d + 6a^4b^2e - 3a^5bf)x^{12} + 4(15a^3b^3c - 10a^4b^2d + 6a^5b^2e - 3a^6bf)x^9 + \frac{a^6(15b^3c - 10ab^2d + 6a^2be - 3a^3f)}{36a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/36*(12*(15*a*b^5*c - 10*a^2*b^4*d + 6*a^3*b^3*e - 3*a^4*b^2*f)*x^15 + 18*(15*a^2*b^4*c - 10*a^3*b^3*d + 6*a^4*b^2*e - 3*a^5*b*f)*x^12 + 4*(15*a^3*b^3*c - 10*a^4*b^2*d + 6*a^5*b^2*e - 3*a^6*b*f)*x^9 + a^6*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f)/36)

$$\frac{3c - 10a^4b^2d + 6a^5b^2e - 3a^6bf}{a^7} x^9 - 3a^6c - (15a^4b^2c - 10a^5b^2d + 6a^6e) x^6 + 2(3a^5b^2c - 2a^6d) x^3 - 12((15b^6c - 10ab^5d + 6a^2b^4e - 3a^3b^3f) x^{18} + 2(15ab^5c - 10a^2b^4d + 6a^3b^3e - 3a^4b^2f) x^{15} + (15a^2b^4c - 10a^3b^3d + 6a^4b^2e - 3a^5b^2f) x^{12}) \log(bx^3 + a) + 36((15b^6c - 10ab^5d + 6a^2b^4e - 3a^3b^3f) x^{18} + 2(15ab^5c - 10a^2b^4d + 6a^3b^3e - 3a^4b^2f) x^{15} + (15a^2b^4c - 10a^3b^3d + 6a^4b^2e - 3a^5b^2f) x^{12}) \log(x) / (a^7b^2x^{18} + 2a^8bx^{15} + a^9x^{12})$$

giac [A] time = 0.20, size = 380, normalized size = 1.47

$$\frac{(15b^4c - 10ab^3d - 3a^3bf + 6a^2b^2e) \log(|x|)}{a^7} - \frac{(15b^5c - 10ab^4d - 3a^3b^2f + 6a^2b^3e) \log(|bx^3 + a|)}{3a^7b} + \frac{45b^6cx^6}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x, algorithm="giac")

[Out] $(15b^4c - 10ab^3d - 3a^3bf + 6a^2b^2e) \log(\text{abs}(x)) / a^7 - 1/3(15b^5c - 10ab^4d - 3a^3b^2f + 6a^2b^3e) \log(\text{abs}(bx^3 + a)) / (a^7b) + 1/6(45b^6cx^6 - 30ab^5d^2x^6 - 9a^3b^3f^2x^6 + 18a^2b^4x^6e + 100ab^5cx^3 - 68a^2b^4d^2x^3 - 22a^4b^2f^2x^3 + 42a^3b^3x^3e + 56a^2b^4c - 39a^3b^3d - 14a^5b^2f + 25a^4b^2e) / ((bx^3 + a)^2 a^7) - 1/36(375b^4c^2x^{12} - 250ab^3d^2x^{12} - 75a^3b^2f^2x^{12} + 150a^2b^2x^{12}e - 120ab^3cx^9 + 72a^2b^2d^2x^9 + 12a^4f^2x^9 - 36a^3b^2x^9e + 36a^2b^2c^2x^6 - 18a^3b^2d^2x^6 + 6a^4x^6e - 12a^3b^2cx^3 + 4a^4d^2x^3 + 3a^4c) / (a^7x^{12})$

maple [A] time = 0.06, size = 349, normalized size = 1.35

$$-\frac{bf}{6(bx^3 + a)^2 a^2} + \frac{b^2e}{6(bx^3 + a)^2 a^3} - \frac{b^3d}{6(bx^3 + a)^2 a^4} + \frac{b^4c}{6(bx^3 + a)^2 a^5} - \frac{2bf}{3(bx^3 + a) a^3} + \frac{b^2e}{(bx^3 + a) a^4} - \frac{3bf \ln(x)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x)

[Out] $-1/9/a^3/x^9d - 1/6/a^3/x^6e - 1/3/a^3/x^3f - 10b^3/a^6 \ln(x) * d + 15b^4/a^7 \ln(x) * c + 1/a^4 * b * \ln(bx^3 + a) * f - 2/a^5 * b^2 * \ln(bx^3 + a) * e + 10/3/a^6 * b^3 * \ln(bx^3 + a) * d - 5/a^7 * b^4 * \ln(bx^3 + a) * c + 1/3/a^4/x^9 * b * c + 1/2/a^4/x^6 * b * d - 1/a^5/x^6 * b^2 * c + 1/a^4/x^3 * b * e - 2/a^5/x^3 * b^2 * d + 10/3/a^6/x^3 * b^3 * c - 1/6/a^2 * b / (bx^3 + a)^2 * f + 1/6/a^3 * b^2 / (bx^3 + a)^2 * e - 1/6/a^4 * b^3 / (bx^3 + a)^2 * d + 1/6/a^5 * b^4 / (bx^3 + a)^2 * c - 2/3/a^3 * b / (bx^3 + a) * f + 1/a^4 * b^2 / (bx^3 + a) * e - 4/3/a^5 * b^3 / (bx^3 + a) * d + 5/3/a^6 * b^4 / (bx^3 + a) * c - 3 * b / a^4 * \ln(x) * f + 6 * b^2 / a^5 * \ln(x) * e - 1/12 * c / a^3 / x^{12}$

maxima [A] time = 1.47, size = 280, normalized size = 1.09

$$\frac{12(15b^5c - 10ab^4d + 6a^2b^3e - 3a^3b^2f)x^{15} + 18(15ab^4c - 10a^2b^3d + 6a^3b^2e - 3a^4bf)x^{12} + 4(15a^2b^3c - 10a^3b^2d + 6a^4b^1e - 3a^5bf)x^9 - (15a^3b^2c - 10a^4b^1d + 6a^5be - 3a^6bf)x^6 - 3a^5c + 2(3a^4b^1c - 2a^5d)x^3}{36(a^6b^2x^{18} + 2a^7bx^{15} + a^8x^{12} + 2a^9bx^9 + a^{10}bx^6 + a^{11}bx^3 + a^{12})} \ln(bx^3 + a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^13/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/36*(12*(15*b^5*c - 10*a*b^4*d + 6*a^2*b^3*e - 3*a^3*b^2*f)*x^15 + 18*(15*a*b^4*c - 10*a^2*b^3*d + 6*a^3*b^2*e - 3*a^4*b*f)*x^12 + 4*(15*a^2*b^3*c - 10*a^3*b^2*d + 6*a^4*b^1*e - 3*a^5*b*f)*x^9 - (15*a^3*b^2*c - 10*a^4*b^1*d + 6*a^5*b^0*e - 3*a^6*b^0*f)*x^6 - 3*a^5*c + 2*(3*a^4*b^1*c - 2*a^5*d)*x^3)/(a^6*b^2*x^18 + 2*a^7*b*x^15 + a^8*x^12 + 2*a^9*b*x^9 + a^10*b*x^6 + a^11*b*x^3 + a^12) - 1/3*(15*b^4*c - 10*a*b^3*d + 6*a^2*b^2*e - 3*a^3*b*f)*log(b*x^3 + a)/a^7 + 1/3*(15*b^4*c - 10*a*b^3*d + 6*a^2*b^2*e - 3*a^3*b*f)*log(x^3)/a^7

mupad [B] time = 0.31, size = 265, normalized size = 1.03

$$\frac{\ln(x) \left(-3fa^3b + 6ea^2b^2 - 10dab^3 + 15cb^4 \right)}{a^7} - \frac{\ln(bx^3 + a) \left(-3fa^3b + 6ea^2b^2 - 10dab^3 + 15cb^4 \right)}{3a^7} - \frac{c}{12a} - \frac{3}{12a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^13*(a + b*x^3)^3),x)

[Out] (log(x)*(15*b^4*c + 6*a^2*b^2*e - 10*a*b^3*d - 3*a^3*b*f))/a^7 - (log(a + b*x^3)*(15*b^4*c + 6*a^2*b^2*e - 10*a*b^3*d - 3*a^3*b*f))/(3*a^7) - (c/(12*a) - 3/(12*a)) - (x^9*(15*b^3*c - 3*a^3*f - 10*a*b^2*d + 6*a^2*b*e))/(9*a^4) + (x^3*(2*a*d - 3*b*c))/(18*a^2) + (x^6*(15*b^2*c + 6*a^2*e - 10*a*b*d))/(36*a^3) - (b*x^12*(15*b^3*c - 3*a^3*f - 10*a*b^2*d + 6*a^2*b*e))/(2*a^5) - (b^2*x^15*(15*b^3*c - 3*a^3*f - 10*a*b^2*d + 6*a^2*b*e))/(3*a^6)/(a^2*x^12 + b^2*x^18 + 2*a*b*x^15)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**13/(b*x**3+a)**3,x)

[Out] Timed out

$$3.286 \quad \int \frac{x^{12}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=416

$$\frac{x^7(6a^2f - 3abe + b^2d)}{7b^5} - \frac{a^2x(-37a^3f + 31a^2be - 25ab^2d + 19b^3c)}{18b^7(a + bx^3)} + \frac{a^3x(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^7(a + bx^3)^2} - \frac{ax(-15a^3f + 10a^2be - 6ab^2d + 3b^3c)}{7b^5}$$

[Out] $-a(-15a^3f+10a^2be-6ab^2d+3b^3c)x/b^7+1/4(-10a^3f+6a^2be-3ab^2d+b^3c)x^4/b^6+1/7(6a^2f-3a^2be+b^2d)x^7/b^5+1/10(-3a^3f+abe)x^{10}/b^4+1/13fx^{13}/b^3+1/6a^3(-a^3f+a^2be-ab^2d+b^3c)x/b^7/(bx^3+a)^2-1/18a^2(-37a^3f+31a^2be-25ab^2d+19b^3c)x/b^7/(bx^3+a)+1/27a^{4/3}(-152a^3f+104a^2be-65ab^2d+35b^3c)\ln(a^{1/3}+b^{1/3}x)/b^{22/3}-1/54a^{4/3}(-152a^3f+104a^2be-65ab^2d+35b^3c)\ln(a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/b^{22/3}-1/27a^{4/3}(-152a^3f+104a^2be-65ab^2d+35b^3c)\arctan(1/3(a^{1/3}-2b^{1/3}x)/a^{1/3}3^{1/2})/b^{22/3}3^{1/2}$

Rubi [A] time = 0.74, antiderivative size = 416, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1858, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{x^4(6a^2be - 10a^3f - 3ab^2d + b^3c)}{4b^6} - \frac{a^2x(31a^2be - 37a^3f - 25ab^2d + 19b^3c)}{18b^7(a + bx^3)} + \frac{a^3x(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^7(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(x^12*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $-((a(3b^3c - 6ab^2d + 10a^2be - 15a^3f)x)/b^7) + ((b^3c - 3ab^2d + 6a^2be - 10a^3f)x^4)/(4b^6) + ((b^2d - 3a^2be + 6a^2f)x^7)/(7b^5) + ((be - 3af)x^{10})/(10b^4) + (fx^{13})/(13b^3) + (a^3(b^3c - ab^2d + a^2be - a^3f)x)/(6b^7(a + bx^3)^2) - (a^2(19b^3c - 25ab^2d + 31a^2be - 37a^3f)x)/(18b^7(a + bx^3)) - (a^{4/3}(35b^3c - 65ab^2d + 104a^2be - 152a^3f)\text{ArcTan}[(a^{1/3} - 2b^{1/3}x)/(\text{Sqrt}[3]a^{1/3})])/(9\text{Sqrt}[3]b^{22/3}) + (a^{4/3}(35b^3c - 65ab^2d + 104a^2be - 152a^3f)\text{Log}[a^{1/3} + b^{1/3}x])/(27b^{22/3}) - (a^{4/3}(35b^3c - 65ab^2d + 104a^2be - 152a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])/(54b^{22/3})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1828

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&

LtQ[p, -1] && IGtQ[m, 0]

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^ (p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^{12} (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{a^3 (b^3c - ab^2d + a^2be - a^3f) x}{6b^7 (a + bx^3)^2} - \int \frac{a^4 (b^3c - ab^2d + a^2be - a^3f) - 6a^3b (b^3c - ab^2d + a^2be - a^3f) x^3 + \dots}{(a + bx^3)^3} dx \\
&= \frac{a^3 (b^3c - ab^2d + a^2be - a^3f) x}{6b^7 (a + bx^3)^2} - \frac{a^2 (19b^3c - 25ab^2d + 31a^2be - 37a^3f) x}{18b^7 (a + bx^3)} + \int \frac{\dots}{(a + bx^3)^3} dx \\
&= \frac{a^3 (b^3c - ab^2d + a^2be - a^3f) x}{6b^7 (a + bx^3)^2} - \frac{a^2 (19b^3c - 25ab^2d + 31a^2be - 37a^3f) x}{18b^7 (a + bx^3)} + \int \frac{\dots}{(a + bx^3)^3} dx \\
&= -\frac{a (3b^3c - 6ab^2d + 10a^2be - 15a^3f) x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^4}{4b^6} + \int \frac{\dots}{(a + bx^3)^3} dx \\
&= -\frac{a (3b^3c - 6ab^2d + 10a^2be - 15a^3f) x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^4}{4b^6} + \int \frac{\dots}{(a + bx^3)^3} dx \\
&= -\frac{a (3b^3c - 6ab^2d + 10a^2be - 15a^3f) x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^4}{4b^6} + \int \frac{\dots}{(a + bx^3)^3} dx \\
&= -\frac{a (3b^3c - 6ab^2d + 10a^2be - 15a^3f) x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^4}{4b^6} + \int \frac{\dots}{(a + bx^3)^3} dx \\
&= -\frac{a (3b^3c - 6ab^2d + 10a^2be - 15a^3f) x}{b^7} + \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x^4}{4b^6} + \int \frac{\dots}{(a + bx^3)^3} dx
\end{aligned}$$

Mathematica [A] time = 0.69, size = 411, normalized size = 0.99

$$\frac{x^7 (6a^2f - 3abe + b^2d)}{7b^5} + \frac{a^2x (37a^3f - 31a^2be + 25ab^2d - 19b^3c)}{18b^7 (a + bx^3)} + \frac{a^3x (a^3(-f) + a^2be - ab^2d + b^3c)}{6b^7 (a + bx^3)^2} + \frac{ax (15a^3f - \dots)}{7b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^12*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (a*(-3*b^3*c + 6*a*b^2*d - 10*a^2*b*e + 15*a^3*f)*x)/b^7 + ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^4)/(4*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^7)/(7*b^5) + ((b*e - 3*a*f)*x^10)/(10*b^4) + (f*x^13)/(13*b^3) + (a^3*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^7*(a + b*x^3)^2) + (a^2*(-19*b^3*c + 25*a*b^2*d - 31*a^2*b*e + 37*a^3*f)*x)/(18*b^7*(a + b*x^3)) + (a^(4/3)*(-35*b^3*c + 65*a*b^2*d - 104*a^2*b*e + 152*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(9*Sqrt[3]*b^(22/3)) - (a^(4/3)*(-35*b^3*c + 65*a*b^2*d - 104*a^2*b*e + 152*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*b^(22/3)) + (a^(4/3)*(-35*b^3*c + 65*a*b^2*d - 104*a^2*b*e + 152*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*b^(22/3))

fricas [A] time = 0.62, size = 667, normalized size = 1.60

$$3780 b^6 f x^{19} + 378 (13 b^6 e - 19 a b^5 f) x^{16} + 108 (65 b^6 d - 104 a b^5 e + 152 a^2 b^4 f) x^{13} + 351 (35 b^6 c - 65 a b^5 d + 104 a^2 b^4 e - 152 a^3 b^3 f) x^{10} - 3510 (35 a b^5 c - 65 a^2 b^4 d + 104 a^3 b^3 e - 152 a^4 b^2 f) x^7 - 9555 (35 a^2 b^4 c - 65 a^3 b^3 d + 104 a^4 b^2 e - 152 a^5 b f) x^4 - 1820 \sqrt{3} (35 a^3 b^3 c - 65 a^4 b^2 d + 104 a^5 b e - 152 a^6 f + (35 a b^5 c - 65 a^2 b^4 d + 104 a^3 b^3 e - 152 a^4 b^2 f) x^6 + 2 (35 a^2 b^4 c - 65 a^3 b^3 d + 104 a^4 b^2 e - 152 a^5 b f) x^3) (-a/b)^{1/3} \arctan(1/3 (2 \sqrt{3} b x (-a/b)^{2/3} - \sqrt{3} a) / a) + 910 (35 a^3 b^3 c - 65 a^4 b^2 d + 104 a^5 b e - 152 a^6 f + (35 a b^5 c - 65 a^2 b^4 d + 104 a^3 b^3 e - 152 a^4 b^2 f) x^6 + 2 (35 a^2 b^4 c - 65 a^3 b^3 d + 104 a^4 b^2 e - 152 a^5 b f) x^3) (-a/b)^{1/3} \log(x^2 + x (-a/b)^{1/3} + (-a/b)^{2/3}) - 1820 (35 a^3 b^3 c - 65 a^4 b^2 d + 104 a^5 b e - 152 a^6 f + (35 a b^5 c - 65 a^2 b^4 d + 104 a^3 b^3 e - 152 a^4 b^2 f) x^6 + 2 (35 a^2 b^4 c - 65 a^3 b^3 d + 104 a^4 b^2 e - 152 a^5 b f) x^3) (-a/b)^{1/3} \log(x - (-a/b)^{1/3}) - 5460 (35 a^3 b^3 c - 65 a^4 b^2 d + 104 a^5 b e - 152 a^6 f) x / (b^9 x^6 + 2 a b^8 x^3 + a^2 b^7)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^12*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/49140*(3780*b^6*f*x^19 + 378*(13*b^6*e - 19*a*b^5*f)*x^16 + 108*(65*b^6*d - 104*a*b^5*e + 152*a^2*b^4*f)*x^13 + 351*(35*b^6*c - 65*a*b^5*d + 104*a^2*b^4*e - 152*a^3*b^3*f)*x^10 - 3510*(35*a*b^5*c - 65*a^2*b^4*d + 104*a^3*b^3*e - 152*a^4*b^2*f)*x^7 - 9555*(35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^4 - 1820*sqrt(3)*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*a^6*f + (35*a*b^5*c - 65*a^2*b^4*d + 104*a^3*b^3*e - 152*a^4*b^2*f)*x^6 + 2*(35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^3) *(-a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) + 910*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*a^6*f + (35*a*b^5*c - 65*a^2*b^4*d + 104*a^3*b^3*e - 152*a^4*b^2*f)*x^6 + 2*(35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^3) *(-a/b)^(1/3)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3)) - 1820*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*a^6*f + (35*a*b^5*c - 65*a^2*b^4*d + 104*a^3*b^3*e - 152*a^4*b^2*f)*x^6 + 2*(35*a^2*b^4*c - 65*a^3*b^3*d + 104*a^4*b^2*e - 152*a^5*b*f)*x^3) *(-a/b)^(1/3)*log(x - (-a/b)^(1/3)) - 5460*(35*a^3*b^3*c - 65*a^4*b^2*d + 104*a^5*b*e - 152*a^6*f)*x/(b^9*x^6 + 2*a*b^8*x^3 + a^2*b^7)

giac [A] time = 0.20, size = 500, normalized size = 1.20

$$\frac{\sqrt{3} \left(35 (-ab^2)^{\frac{1}{3}} ab^3c - 65 (-ab^2)^{\frac{1}{3}} a^2b^2d - 152 (-ab^2)^{\frac{1}{3}} a^4f + 104 (-ab^2)^{\frac{1}{3}} a^3be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27b^8} (35a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹²*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x, algorithm="giac")

[Out] 1/27*sqrt(3)*(35*(-a*b²)^(1/3)*a*b³*c - 65*(-a*b²)^(1/3)*a²*b²*d - 152*(-a*b²)^(1/3)*a⁴*f + 104*(-a*b²)^(1/3)*a³*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b⁸ - 1/27*(35*a²*b³*c - 65*a³*b²*d - 152*a⁵*f + 104*a⁴*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b⁷) + 1/54*(35*(-a*b²)^(1/3)*a*b³*c - 65*(-a*b²)^(1/3)*a²*b²*d - 152*(-a*b²)^(1/3)*a⁴*f + 104*(-a*b²)^(1/3)*a³*b*e)*log(x² + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b⁸ - 1/18*(19*a²*b⁴*c*x⁴ - 25*a³*b³*d*x⁴ - 37*a⁵*b*f*x⁴ + 31*a⁴*b²*x⁴*e + 16*a³*b³*c*x - 22*a⁴*b²*d*x - 34*a⁶*f*x + 28*a⁵*b*x*e)/(b*x³ + a)²*b⁷) + 1/1820*(140*b³⁶*f*x¹³ - 546*a*b³⁵*f*x¹⁰ + 182*b³⁶*x¹⁰*e + 260*b³⁶*d*x⁷ + 1560*a²*b³⁴*f*x⁷ - 780*a*b³⁵*x⁷*e + 455*b³⁶*c*x⁴ - 1365*a*b³⁵*d*x⁴ - 4550*a³*b³³*f*x⁴ + 2730*a²*b³⁴*x⁴*e - 5460*a*b³⁵*c*x + 10920*a²*b³⁴*d*x + 27300*a⁴*b³²*f*x - 18200*a³*b³³*x*e)/b³⁹

maple [A] time = 0.07, size = 706, normalized size = 1.70

$$\frac{f x^{13}}{13b^3} - \frac{3af x^{10}}{10b^4} + \frac{ex^{10}}{10b^3} + \frac{6a^2f x^7}{7b^5} - \frac{3aex^7}{7b^4} + \frac{dx^7}{7b^3} + \frac{37a^5f x^4}{18(bx^3+a)^2 b^6} - \frac{31a^4ex^4}{18(bx^3+a)^2 b^5} + \frac{25a^3d x^4}{18(bx^3+a)^2 b^4} - \frac{19a^2cx}{18(bx^3+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x¹²*(f*x⁹+e*x⁶+d*x³+c)/(b*x³+a)³,x)

[Out] 35/27*a²/b⁵*c/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) - 65/27*a³/b⁶*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1)) - 8/9*a³/b⁴/(b*x³+a)²*c*x+76/27*a⁵/b⁸*f/(a/b)^(2/3)*ln(x²-(a/b)^(1/3))*x+(a/b)^(2/3)+104/27*a⁴/b⁷*e/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+3/2/b⁵*x⁴

```

*a^2*e-3/4/b^4*x^4*a*d-3/10/b^4*x^10*a*f+6/7/b^5*x^7*a^2*f-3/7/b^4*x^7*a*e-
5/2/b^6*x^4*a^3*f+15/b^7*a^4*f*x-10/b^6*a^3*e*x+6/b^5*a^2*d*x-3/b^4*a*c*x-1
52/27*a^5/b^8*f/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))
+104/27*a^4/b^7*e/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1
)))+1/10/b^3*x^10*e+1/7/b^3*x^7*d+1/4/b^3*x^4*c+35/27*a^2/b^5*c/(a/b)^(2/3)*
ln(x+(a/b)^(1/3))-35/54*a^2/b^5*c/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2
/3))-65/27*a^3/b^6*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+65/54*a^3/b^6*d/(a/b)^(2
/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-52/27*a^4/b^7*e/(a/b)^(2/3)*ln(x^2-(a
/b)^(1/3)*x+(a/b)^(2/3))+37/18*a^5/b^6/(b*x^3+a)^2*x^4*f-31/18*a^4/b^5/(b*x
^3+a)^2*x^4*e+25/18*a^3/b^4/(b*x^3+a)^2*x^4*d-19/18*a^2/b^3/(b*x^3+a)^2*x^4
*c+17/9*a^6/b^7/(b*x^3+a)^2*f*x-14/9*a^5/b^6/(b*x^3+a)^2*e*x+11/9*a^4/b^5/(
b*x^3+a)^2*d*x-152/27*a^5/b^8*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+1/13*f*x^13/b
^3

```

maxima [A] time = 3.06, size = 424, normalized size = 1.02

$$\frac{(19a^2b^4c - 25a^3b^3d + 31a^4b^2e - 37a^5b^1f)x^4 + 2(8a^3b^3c - 11a^4b^2d + 14a^5b^1e - 17a^6f)x + 140b^4fx^{13} + 182}{18(b^9x^6 + 2ab^8x^3 + a^2b^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^12*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")
```

```

[Out] -1/18*((19*a^2*b^4*c - 25*a^3*b^3*d + 31*a^4*b^2*e - 37*a^5*b^1*f)*x^4 + 2*(8
*a^3*b^3*c - 11*a^4*b^2*d + 14*a^5*b^1*e - 17*a^6*f)*x)/(b^9*x^6 + 2*a*b^8*x^
3 + a^2*b^7) + 1/1820*(140*b^4*f*x^13 + 182*(b^4*e - 3*a*b^3*f)*x^10 + 260*
(b^4*d - 3*a*b^3*e + 6*a^2*b^2*f)*x^7 + 455*(b^4*c - 3*a*b^3*d + 6*a^2*b^2*
e - 10*a^3*b^1*f)*x^4 - 1820*(3*a*b^3*c - 6*a^2*b^2*d + 10*a^3*b^1*e - 15*a^4*f
)*x)/b^7 + 1/27*sqrt(3)*(35*a^2*b^3*c - 65*a^3*b^2*d + 104*a^4*b^1*e - 152*a^
5*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^8*(a/b)^(2/3))
- 1/54*(35*a^2*b^3*c - 65*a^3*b^2*d + 104*a^4*b^1*e - 152*a^5*f)*log(x^2 - x*
(a/b)^(1/3) + (a/b)^(2/3))/(b^8*(a/b)^(2/3)) + 1/27*(35*a^2*b^3*c - 65*a^3*
b^2*d + 104*a^4*b^1*e - 152*a^5*f)*log(x + (a/b)^(1/3))/(b^8*(a/b)^(2/3))

```

mupad [B] time = 5.24, size = 575, normalized size = 1.38

$$x^{10} \left(\frac{e}{10b^3} - \frac{3af}{10b^4} \right) + x^4 \left(\frac{c}{4b^3} - \frac{a^3f}{4b^6} - \frac{3a^2 \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{4b^2} + \frac{3a \left(\frac{3a^2f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right)}{4b} \right) + \frac{x \left(\frac{17fa^6}{9} - \frac{14ea^5b}{9} + \frac{1}{9} \right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^12*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)`

[Out] $x^{10} \cdot (e/(10 \cdot b^3) - (3 \cdot a \cdot f)/(10 \cdot b^4)) + x^4 \cdot (c/(4 \cdot b^3) - (a^3 \cdot f)/(4 \cdot b^6) - (3 \cdot a^2 \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/(4 \cdot b^2) + (3 \cdot a \cdot ((3 \cdot a^2 \cdot f)/b^5 - d/b^3 + (3 \cdot a \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/b))/(4 \cdot b)) + (x \cdot ((17 \cdot a^6 \cdot f)/9 - (8 \cdot a^3 \cdot b^3 \cdot c)/9 + (11 \cdot a^4 \cdot b^2 \cdot d)/9 - (14 \cdot a^5 \cdot b \cdot e)/9) - x^4 \cdot ((19 \cdot a^2 \cdot b^4 \cdot c)/18 - (25 \cdot a^3 \cdot b^3 \cdot d)/18 + (31 \cdot a^4 \cdot b^2 \cdot e)/18 - (37 \cdot a^5 \cdot b \cdot f)/18))/(a^2 \cdot b^7 + b^9 \cdot x^6 + 2 \cdot a \cdot b^8 \cdot x^3) - x \cdot ((3 \cdot a \cdot (c/b^3 - (a^3 \cdot f)/b^6 - (3 \cdot a^2 \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/b^2 + (3 \cdot a \cdot ((3 \cdot a^2 \cdot f)/b^5 - d/b^3 + (3 \cdot a \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/b))/b))/b - (3 \cdot a^2 \cdot ((3 \cdot a^2 \cdot f)/b^5 - d/b^3 + (3 \cdot a \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/b))/b^2 + (a^3 \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/b^3) - x^7 \cdot ((3 \cdot a^2 \cdot f)/(7 \cdot b^5) - d/(7 \cdot b^3) + (3 \cdot a \cdot (e/b^3 - (3 \cdot a \cdot f)/b^4))/(7 \cdot b)) + (f \cdot x^{13})/(13 \cdot b^3) + (a^{(4/3)} \cdot \log(b^{(1/3)} \cdot x + a^{(1/3)})) \cdot (3 \cdot 5 \cdot b^3 \cdot c - 152 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 104 \cdot a^2 \cdot b \cdot e))/(27 \cdot b^{(22/3)}) + (a^{(4/3)} \cdot \log(3^{(1/2)} \cdot a^{(1/3)} \cdot i + 2 \cdot b^{(1/3)} \cdot x - a^{(1/3)})) \cdot ((3^{(1/2)} \cdot i)/2 - 1/2) \cdot (35 \cdot b^3 \cdot c - 152 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 104 \cdot a^2 \cdot b \cdot e))/(27 \cdot b^{(22/3)}) - (a^{(4/3)} \cdot \log(3^{(1/2)} \cdot a^{(1/3)} \cdot i - 2 \cdot b^{(1/3)} \cdot x + a^{(1/3)})) \cdot ((3^{(1/2)} \cdot i)/2 + 1/2) \cdot (35 \cdot b^3 \cdot c - 152 \cdot a^3 \cdot f - 65 \cdot a \cdot b^2 \cdot d + 104 \cdot a^2 \cdot b \cdot e))/(27 \cdot b^{(22/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**12*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)`

[Out] Timed out

$$3.287 \quad \int \frac{x^{10}(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=384

$$\frac{x^5(6a^2f - 3abe + b^2d)}{5b^5} + \frac{x^2(-10a^3f + 6a^2be - 3ab^2d + b^3c)}{2b^6} + \frac{ax^2(-16a^3f + 13a^2be - 10ab^2d + 7b^3c)}{9b^6(a + bx^3)} - \frac{a^2x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^6(a + bx^3)^2}$$

[Out] $1/2*(-10*a^3*f+6*a^2*b*e-3*a*b^2*d+b^3*c)*x^2/b^6+1/5*(6*a^2*f-3*a*b*e+b^2*d)*x^5/b^5+1/8*(-3*a*f+b*e)*x^8/b^4+1/11*f*x^{11}/b^3-1/6*a^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/b^6/(b*x^3+a)^2+1/9*a*(-16*a^3*f+13*a^2*b*e-10*a*b^2*d+7*b^3*c)*x^2/b^6/(b*x^3+a)+1/27*a^{(2/3)}*(-119*a^3*f+77*a^2*b*e-44*a*b^2*d+20*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)*x})/b^{(20/3)}-1/54*a^{(2/3)}*(-119*a^3*f+77*a^2*b*e-44*a*b^2*d+20*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}}+b^{(2/3)*x^2})/b^{(20/3)}+1/27*a^{(2/3)}*(-119*a^3*f+77*a^2*b*e-44*a*b^2*d+20*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/b^{(20/3)*3^{(1/2)}}$

Rubi [A] time = 1.05, antiderivative size = 384, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(6a^2be - 10a^3f - 3ab^2d + b^3c)}{2b^6} + \frac{ax^2(13a^2be - 16a^3f - 10ab^2d + 7b^3c)}{9b^6(a + bx^3)} - \frac{a^2x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^6(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(x^10*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^2)/(2*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^5)/(5*b^5) + ((b*e - 3*a*f)*x^8)/(8*b^4) + (f*x^{11})/(11*b^3) - (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*b^6*(a + b*x^3)^2) + (a*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*x^2)/(9*b^6*(a + b*x^3)) + (a^{(2/3)}*(20*b^3*c - 44*a*b^2*d + 77*a^2*b*e - 119*a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)*x}]/(\text{Sqrt}[3]*a^{(1/3)}))/ (9*\text{Sqrt}[3]*b^{(20/3)}) + (a^{(2/3)}*(20*b^3*c - 44*a*b^2*d + 77*a^2*b*e - 119*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)*x}])/ (27*b^{(20/3)}) - (a^{(2/3)}*(20*b^3*c - 44*a*b^2*d + 77*a^2*b*e - 119*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2}])/ (54*b^{(20/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 292

```
Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
```

```
m*Pq, a + b*x^n, x]], Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[x*PolynomialQuot
ient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x]
&& EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_)*(u_)] /; IntegerQ[m]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^{10}(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= -\frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} - \frac{\int \frac{-2a^3b(b^3c - ab^2d + a^2be - a^3f)x + 6a^2b^2(b^3c - ab^2d + a^2be - a^3f)}{(a + bx^3)^3} dx}{6b^6(a + bx^3)^2} \\
&= -\frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} - \frac{\int \frac{x(-2a^3b(b^3c - ab^2d + a^2be - a^3f) + 6a^2b^2(b^3c - ab^2d + a^2be - a^3f))}{(a + bx^3)^3} dx}{6b^6(a + bx^3)^2} \\
&= -\frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f)x^2}{9b^6(a + bx^3)} + \dots \\
&= -\frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f)x^2}{9b^6(a + bx^3)} + \dots \\
&= \frac{fx^{11}}{11b^3} - \frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f)x^2}{9b^6(a + bx^3)} \\
&= \frac{(be - 3af)x^8}{8b^4} + \frac{fx^{11}}{11b^3} - \frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f)x^2}{9b^6(a + bx^3)} \\
&= \frac{(be - 3af)x^8}{8b^4} + \frac{fx^{11}}{11b^3} - \frac{a^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^6(a + bx^3)^2} + \frac{a(7b^3c - 10ab^2d + 13a^2be - 16a^3f)x^2}{9b^6(a + bx^3)} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f)x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} + \dots \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f)x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} + \dots \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f)x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} + \dots \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f)x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} + \dots \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f)x^2}{2b^6} + \frac{(b^2d - 3abe + 6a^2f)x^5}{5b^5} + \frac{(be - 3af)x^8}{8b^4} + \dots
\end{aligned}$$

Mathematica [A] time = 0.55, size = 380, normalized size = 0.99

$$\frac{x^5(6a^2f - 3abe + b^2d)}{5b^5} + \frac{x^2(-10a^3f + 6a^2be - 3ab^2d + b^3c)}{2b^6} + \frac{ax^2(-16a^3f + 13a^2be - 10ab^2d + 7b^3c)}{9b^6(a + bx^3)} + \frac{a^2x^2(a + bx^3)}{9b^6(a + bx^3)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^10*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x^2)/(2*b^6) + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^5)/(5*b^5) + ((b*e - 3*a*f)*x^8)/(8*b^4) + (f*x^11)/(11*b^3) + (a^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(6*b^6*(a + b*x^3)^2) + (a*(7*b^3*c - 10*a*b^2*d + 13*a^2*b*e - 16*a^3*f)*x^2)/(9*b^6*(a + b*x^3)) - (a^(2/3)*(-20*b^3*c + 44*a*b^2*d - 77*a^2*b*e + 119*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(9*Sqrt[3]*b^(20/3)) - (a^(2/3)*(-20*b^3*c + 44*a*b^2*d - 77*a^2*b*e + 119*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*b^(20/3)) + (a^(2/3)*(-20*b^3*c + 44*a*b^2*d - 77*a^2*b*e + 119*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*b^(20/3))

fricas [A] time = 0.55, size = 634, normalized size = 1.65

$$1080b^5fx^{17} + 135(11b^5e - 17ab^4f)x^{14} + 54(44b^5d - 77ab^4e + 119a^2b^3f)x^{11} + 297(20b^5c - 44ab^4d + 77a^2b^3e - 119a^3b^2f)x^8 + 1056(20a^2b^4c - 44a^2b^3d + 77a^3b^2e - 119a^4b*f)x^5 + 660(20a^2b^3c - 44a^3b^2d + 77a^4b*e - 119a^5*f)x^2 - 440\sqrt{3}((20b^5c - 44a*b^4d + 77a^2b^3e - 119a^3b^2f)*x^6 + 20a^2b^3c - 44a^3b^2d + 77a^4b*e - 119a^5*f + 2*(20a*b^4c - 44a^2b^3d + 77a^3b^2e - 119a^4b*f)*x^3)*(-a^2/b^2)^(1/3)*arctan(1/3*(2*\sqrt{3}*b*x*(-a^2/b^2)^(1/3) + \sqrt{3}*a)/a) + 220*((20b^5c - 44a*b^4d + 77a^2b^3e - 119a^3b^2f)*x^6 + 20a^2b^3c - 44a^3b^2d + 77a^4b*e - 119a^5*f + 2*(20a*b^4c - 44a^2b^3d + 77a^3b^2e - 119a^4b*f)*x^3)*(-a^2/b^2)^(1/3)*log(a*x^2 - b*x*(-a^2/b^2)^(2/3) - a*(-a^2/b^2)^(1/3)) - 440*((20b^5c - 44a*b^4d + 77a^2b^3e - 119a^3b^2f)*$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^10*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/11880*(1080*b^5*f*x^17 + 135*(11*b^5*e - 17*a*b^4*f)*x^14 + 54*(44*b^5*d - 77*a*b^4*e + 119*a^2*b^3*f)*x^11 + 297*(20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*x^8 + 1056*(20*a*b^4*c - 44*a^2*b^3*d + 77*a^3*b^2*e - 119*a^4*b*f)*x^5 + 660*(20*a^2*b^3*c - 44*a^3*b^2*d + 77*a^4*b*e - 119*a^5*f)*x^2 - 440*sqrt(3)*((20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*x^6 + 20*a^2*b^3*c - 44*a^3*b^2*d + 77*a^4*b*e - 119*a^5*f + 2*(20*a*b^4*c - 44*a^2*b^3*d + 77*a^3*b^2*e - 119*a^4*b*f)*x^3)*(-a^2/b^2)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(-a^2/b^2)^(1/3) + sqrt(3)*a)/a) + 220*((20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*x^6 + 20*a^2*b^3*c - 44*a^3*b^2*d + 77*a^4*b*e - 119*a^5*f + 2*(20*a*b^4*c - 44*a^2*b^3*d + 77*a^3*b^2*e - 119*a^4*b*f)*x^3)*(-a^2/b^2)^(1/3)*log(a*x^2 - b*x*(-a^2/b^2)^(2/3) - a*(-a^2/b^2)^(1/3)) - 440*((20*b^5*c - 44*a*b^4*d + 77*a^2*b^3*e - 119*a^3*b^2*f)*

$$x^6 + 20a^2b^3c - 44a^3b^2d + 77a^4b^2e - 119a^5f + 2(20ab^4c - 44a^2b^3d + 77a^3b^2e - 119a^4b^2f)x^3 - (-a^2/b^2)^{(1/3)} \log(ax + b(-a^2/b^2)^{(2/3)}) / (b^8x^6 + 2ab^7x^3 + a^2b^6)$$

giac [A] time = 0.20, size = 491, normalized size = 1.28

$$\frac{\left(20ab^3c\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 44a^2b^2d\left(-\frac{a}{b}\right)^{\frac{1}{3}} - 119a^4f\left(-\frac{a}{b}\right)^{\frac{1}{3}} + 77a^3b\left(-\frac{a}{b}\right)^{\frac{1}{3}}e\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \sqrt{3}\left(20(-ab^2)^{\frac{2}{3}}b\right)}{27ab^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^10*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{27} \cdot (20ab^3c(-a/b)^{(1/3)} - 44a^2b^2d(-a/b)^{(1/3)} - 119a^4f(-a/b)^{(1/3)} + 77a^3b(-a/b)^{(1/3)}e) \cdot (-a/b)^{(1/3)} \cdot \log(\text{abs}(x - (-a/b)^{(1/3)})) / (ab^6) + \frac{1}{27} \cdot \sqrt{3} \cdot (20(-ab^2)^{(2/3)}b^3c - 44(-ab^2)^{(2/3)}ab^2d - 119(-ab^2)^{(2/3)}a^3f + 77(-ab^2)^{(2/3)}a^2be) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / b^8 - \frac{1}{54} \cdot (20(-ab^2)^{(2/3)}b^3c - 44(-ab^2)^{(2/3)}ab^2d - 119(-ab^2)^{(2/3)}a^3f + 77(-ab^2)^{(2/3)}a^2be) \cdot \log(x^2 + x(-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / b^8 + \frac{1}{18} \cdot (14ab^4cx^5 - 20a^2b^3dx^5 - 32a^4bfx^5 + 26a^3b^2x^5e + 11a^2b^3cx^2 - 17a^3b^2dx^2 - 29a^5fx^2 + 23a^4bx^2e) / ((bx^3 + a)^2b^6) + \frac{1}{4} \cdot (40b^30fx^{11} - 165ab^29fx^8 + 55b^30x^8e + 88b^30dx^5 + 528a^2b^28fx^5 - 264ab^29x^5e + 220b^30cx^2 - 660ab^29dx^2 - 2200a^3b^27fx^2 + 1320a^2b^28x^2e) / b^33$

maple [B] time = 0.07, size = 668, normalized size = 1.74

$$\frac{fx^{11}}{11b^3} - \frac{3afx^8}{8b^4} + \frac{ex^8}{8b^3} - \frac{16a^4fx^5}{9(bx^3+a)^2b^5} + \frac{13a^3ex^5}{9(bx^3+a)^2b^4} - \frac{10a^2dx^5}{9(bx^3+a)^2b^3} + \frac{7acx^5}{9(bx^3+a)^2b^2} + \frac{6a^2fx^5}{5b^5} - \frac{3aex^5}{5b^4} + \frac{dx^5}{5b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^10*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] $\frac{119}{27} \cdot a^4/b^7 \cdot f \cdot 3^{(1/2)} / (a/b)^{(1/3)} \cdot \arctan(1/3 \cdot 3^{(1/2)} \cdot (2/(a/b)^{(1/3)} \cdot x - 1)) - \frac{77}{27} \cdot a^3/b^6 \cdot e \cdot 3^{(1/2)} / (a/b)^{(1/3)} \cdot \arctan(1/3 \cdot 3^{(1/2)} \cdot (2/(a/b)^{(1/3)} \cdot x - 1))$

$$\begin{aligned} &)) - 20/27 * a/b^4 * c * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1) \\ &)+ 44/27 * a^2/b^5 * d * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1) \\ &)) - 3/8/b^4 * x^8 * a * f + 6/5/b^5 * x^5 * a^2 * f + 3/b^5 * x^2 * a^2 * e - 3/2/b^4 * x^2 * a * d - 5/b^6 * \\ &x^2 * a^3 * f - 3/5/b^4 * x^5 * a * e + 1/11 * f * x^{11}/b^3 - 119/27 * a^4/b^7 * f / (a/b)^{(1/3)} * \ln(x \\ &+ (a/b)^{(1/3)}) + 11/18 * a^2/b^3 / (b * x^3 + a)^2 * x^2 * c - 17/18 * a^3/b^4 / (b * x^3 + a)^2 * x^2 \\ &* d + 22/27 * a^2/b^5 * d / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + 1/8/b^3 * x^8 * e \\ &+ 1/5/b^3 * x^5 * d + 1/2/b^3 * x^2 * c + 20/27 * a/b^4 * c / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) \\ &- 10/9 * a^2/b^3 / (b * x^3 + a)^2 * x^5 * d - 10/27 * a/b^4 * c / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} \\ &) * x + (a/b)^{(2/3)}) - 77/54 * a^3/b^6 * e / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) \\ &- 44/27 * a^2/b^5 * d / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) + 13/9 * a^3/b^4 / (b * x^3 + a)^2 * x^5 * e \\ &- 16/9 * a^4/b^5 / (b * x^3 + a)^2 * x^5 * f + 119/54 * a^4/b^7 * f / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x \\ &+ (a/b)^{(2/3)}) + 77/27 * a^3/b^6 * e / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) + 7/9 * a/b^2 / (b * x^3 + a)^2 * x^5 * c \\ &- 29/18 * a^5/b^6 / (b * x^3 + a)^2 * x^2 * f + 23/18 * a^4/b^5 / (b * x^3 + a)^2 * x^2 * e \end{aligned}$$

maxima [A] time = 3.00, size = 380, normalized size = 0.99

$$\frac{2(7ab^4c - 10a^2b^3d + 13a^3b^2e - 16a^4bf)x^5 + (11a^2b^3c - 17a^3b^2d + 23a^4be - 29a^5f)x^2}{18(b^8x^6 + 2ab^7x^3 + a^2b^6)} \sqrt{3(20ab^3c - 44a^2b^2d + 77a^3b^2e - 119a^4bf)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^10*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} &1/18 * (2 * (7 * a * b^4 * c - 10 * a^2 * b^3 * d + 13 * a^3 * b^2 * e - 16 * a^4 * b * f) * x^5 + (11 * a^2 * b^3 * c \\ &- 17 * a^3 * b^2 * d + 23 * a^4 * b * e - 29 * a^5 * f) * x^2) / (b^8 * x^6 + 2 * a * b^7 * x^3 + a^2 * b^6) \\ &- 1/27 * \sqrt{3} * (20 * a * b^3 * c - 44 * a^2 * b^2 * d + 77 * a^3 * b * e - 119 * a^4 * f) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (b^7 * (a/b)^{(1/3)}) \\ &+ 1/440 * (40 * b^3 * f * x^{11} + 55 * (b^3 * e - 3 * a * b^2 * f) * x^8 + 88 * (b^3 * d - 3 * a * b^2 * e \\ &+ 6 * a^2 * b * f) * x^5 + 220 * (b^3 * c - 3 * a * b^2 * d + 6 * a^2 * b * e - 10 * a^3 * f) * x^2) / b^6 \\ &- 1/54 * (20 * a * b^3 * c - 44 * a^2 * b^2 * d + 77 * a^3 * b * e - 119 * a^4 * f) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (b^7 * (a/b)^{(1/3)}) \\ &+ 1/27 * (20 * a * b^3 * c - 44 * a^2 * b^2 * d + 77 * a^3 * b * e - 119 * a^4 * f) * \log(x + (a/b)^{(1/3)}) / (b^7 * (a/b)^{(1/3)}) \end{aligned}$$

mupad [B] time = 5.34, size = 425, normalized size = 1.11

$$x^8 \left(\frac{e}{8b^3} - \frac{3af}{8b^4} \right) + x^2 \left(\frac{c}{2b^3} - \frac{a^3f}{2b^6} - \frac{3a^2 \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{2b^2} + \frac{3a \left(\frac{3a^2f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right)}{2b} \right) - \frac{\left(\frac{16fa^4b}{9} - \frac{13ea^3b^2}{9} + 10 \right)}{18}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^10*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)
```

```
[Out] x^8*(e/(8*b^3) - (3*a*f)/(8*b^4)) + x^2*(c/(2*b^3) - (a^3*f)/(2*b^6) - (3*a^2*(e/b^3 - (3*a*f)/b^4))/(2*b^2) + (3*a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/(2*b)) - (x^2*((29*a^5*f)/18 - (11*a^2*b^3*c)/18 + (17*a^3*b^2*d)/18 - (23*a^4*b*e)/18) + x^5*((10*a^2*b^3*d)/9 - (13*a^3*b^2*e)/9 - (7*a*b^4*c)/9 + (16*a^4*b*f)/9))/(a^2*b^6 + b^8*x^6 + 2*a*b^7*x^3) - x^5*((3*a^2*f)/(5*b^5) - d/(5*b^3) + (3*a*(e/b^3 - (3*a*f)/b^4))/(5*b)) + (f*x^11)/(11*b^3) + (a^(2/3)*log(b^(1/3)*x + a^(1/3))*(20*b^3*c - 119*a^3*f - 44*a*b^2*d + 77*a^2*b*e))/(27*b^(20/3)) - (a^(2/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(20*b^3*c - 119*a^3*f - 44*a*b^2*d + 77*a^2*b*e))/(27*b^(20/3)) + (a^(2/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(20*b^3*c - 119*a^3*f - 44*a*b^2*d + 77*a^2*b*e))/(27*b^(20/3))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**10*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


$$3.288 \quad \int \frac{x^9(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=375

$$\frac{x^4(6a^2f - 3abe + b^2d)}{4b^5} - \frac{\sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(-104a^3f + 65a^2be - 35ab^2d + 14b^3c)}{27b^{19/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{54b^5}$$

[Out] $(-10*a^3*f+6*a^2*b*e-3*a*b^2*d+b^3*c)*x/b^6+1/4*(6*a^2*f-3*a*b*e+b^2*d)*x^4/b^5+1/7*(-3*a*f+b*e)*x^7/b^4+1/10*f*x^{10}/b^3-1/6*a^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^6/(b*x^3+a)^2+1/18*a*(-31*a^3*f+25*a^2*b*e-19*a*b^2*d+13*b^3*c)*x/b^6/(b*x^3+a)-1/27*a^{(1/3)}*(-104*a^3*f+65*a^2*b*e-35*a*b^2*d+14*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(19/3)}+1/54*a^{(1/3)}*(-104*a^3*f+65*a^2*b*e-35*a*b^2*d+14*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(19/3)}+1/27*a^{(1/3)}*(-104*a^3*f+65*a^2*b*e-35*a*b^2*d+14*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(19/3)}*3^{(1/2)}$

Rubi [A] time = 0.61, antiderivative size = 375, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1858, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{ax(25a^2be - 31a^3f - 19ab^2d + 13b^3c)}{18b^6(a + bx^3)} - \frac{a^2x(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^6(a + bx^3)^2} + \frac{\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54b^5}$$

Antiderivative was successfully verified.

[In] Int[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $((b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x)/b^6 + ((b^2*d - 3*a*b*e + 6*a^2*f)*x^4)/(4*b^5) + ((b*e - 3*a*f)*x^7)/(7*b^4) + (f*x^{10})/(10*b^3) - (a^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^6*(a + b*x^3)^2) + (a*(13*b^3*c - 19*a*b^2*d + 25*a^2*b*e - 31*a^3*f)*x)/(18*b^6*(a + b*x^3)) + (a^{(1/3)}*(14*b^3*c - 35*a*b^2*d + 65*a^2*b*e - 104*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(Sqrt[3]*a^{(1/3)})])/(9*Sqrt[3]*b^{(19/3)}) - (a^{(1/3)}*(14*b^3*c - 35*a*b^2*d + 65*a^2*b*e - 104*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*b^{(19/3)}) + (a^{(1/3)}*(14*b^3*c - 35*a*b^2*d + 65*a^2*b*e - 104*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*b^{(19/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

```
Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(
Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R
t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F
reeQ[{a, b}, x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

```

Rule 1887

```

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^9 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{6b^6 (a + bx^3)^2} - \frac{\int \frac{-a^3(b^3c - ab^2d + a^2be - a^3f) + 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{1} \\
&= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{6b^6 (a + bx^3)^2} + \frac{a (13b^3c - 19ab^2d + 25a^2be - 31a^3f) x}{18b^6 (a + bx^3)} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{1} \\
&= -\frac{a^2 (b^3c - ab^2d + a^2be - a^3f) x}{6b^6 (a + bx^3)^2} + \frac{a (13b^3c - 19ab^2d + 25a^2be - 31a^3f) x}{18b^6 (a + bx^3)} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{1} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{1} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{1} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{1} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{1} \\
&= \frac{(b^3c - 3ab^2d + 6a^2be - 10a^3f) x}{b^6} + \frac{(b^2d - 3abe + 6a^2f) x^4}{4b^5} + \frac{(be - 3af)x^7}{7b^4} + \frac{\int \frac{a^3(b^3c - ab^2d + a^2be - a^3f) - 6a^2b(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{1}
\end{aligned}$$

Mathematica [A] time = 0.47, size = 362, normalized size = 0.97

$$945b^{4/3}x^4 (6a^2f - 3abe + b^2d) + \frac{210a \sqrt[3]{b} x (-31a^3f + 25a^2be - 19ab^2d + 13b^3c)}{a + bx^3} + \frac{630a^2 \sqrt[3]{b} x (a^3f - a^2be + ab^2d - b^3c)}{(a + bx^3)^2} + 3780 \sqrt[3]{b} x (-10a$$

Antiderivative was successfully verified.

[In] Integrate[(x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

```
[Out] (3780*b^(1/3)*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x + 945*b^(4/3)*(b^2*d - 3*a*b*e + 6*a^2*f)*x^4 + 540*b^(7/3)*(b*e - 3*a*f)*x^7 + 378*b^(10/3)*f*x^10 + (630*a^2*b^(1/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(a + b*x^3)^2 + (210*a*b^(1/3)*(13*b^3*c - 19*a*b^2*d + 25*a^2*b*e - 31*a^3*f)*x)/(a + b*x^3) - 140*Sqrt[3]*a^(1/3)*(-14*b^3*c + 35*a*b^2*d - 65*a^2*b*e + 104*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 140*a^(1/3)*(-14*b^3*c + 35*a*b^2*d - 65*a^2*b*e + 104*a^3*f)*Log[a^(1/3) + b^(1/3)*x] - 70*a^(1/3)*(-14*b^3*c + 35*a*b^2*d - 65*a^2*b*e + 104*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(3780*b^(19/3))
```

fricas [A] time = 0.56, size = 602, normalized size = 1.61

$$378 b^5 f x^{16} + 108 (5 b^5 e - 8 a b^4 f) x^{13} + 27 (35 b^5 d - 65 a b^4 e + 104 a^2 b^3 f) x^{10} + 270 (14 b^5 c - 35 a b^4 d + 65 a^2 b^3 e$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] 1/3780*(378*b^5*f*x^16 + 108*(5*b^5*e - 8*a*b^4*f)*x^13 + 27*(35*b^5*d - 65*a*b^4*e + 104*a^2*b^3*f)*x^10 + 270*(14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^7 + 735*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^4 - 140*sqrt(3)*((14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^6 + 14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f + 2*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^3)*(a/b)^(1/3)*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) + 70*((14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^6 + 14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f + 2*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^3)*(a/b)^(1/3)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3)) - 140*((14*b^5*c - 35*a*b^4*d + 65*a^2*b^3*e - 104*a^3*b^2*f)*x^6 + 14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f + 2*(14*a*b^4*c - 35*a^2*b^3*d + 65*a^3*b^2*e - 104*a^4*b*f)*x^3)*(a/b)^(1/3)*log(x + (a/b)^(1/3)) + 420*(14*a^2*b^3*c - 35*a^3*b^2*d + 65*a^4*b*e - 104*a^5*f)*x)/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6)
```

giac [A] time = 0.20, size = 443, normalized size = 1.18

$$\sqrt{3} \left(14 (-ab^2)^{\frac{1}{3}} b^3 c - 35 (-ab^2)^{\frac{1}{3}} ab^2 d - 104 (-ab^2)^{\frac{1}{3}} a^3 f + 65 (-ab^2)^{\frac{1}{3}} a^2 b e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) (14 ab$$

$$27 b^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$-1/27*\sqrt{3}*(14*(-a*b^2)^{(1/3)}*b^3*c - 35*(-a*b^2)^{(1/3)}*a*b^2*d - 104*(-a*b^2)^{(1/3)}*a^3*f + 65*(-a*b^2)^{(1/3)}*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/b^7 + 1/27*(14*a*b^3*c - 35*a^2*b^2*d - 104*a^4*f + 65*a^3*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a*b^6) - 1/54*(14*(-a*b^2)^{(1/3)}*b^3*c - 35*(-a*b^2)^{(1/3)}*a*b^2*d - 104*(-a*b^2)^{(1/3)}*a^3*f + 65*(-a*b^2)^{(1/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/b^7 + 1/18*(13*a*b^4*c*x^4 - 19*a^2*b^3*d*x^4 - 31*a^4*b*f*x^4 + 25*a^3*b^2*x^4*e + 10*a^2*b^3*c*x - 16*a^3*b^2*d*x - 28*a^5*f*x + 22*a^4*b*x*e)/((b*x^3 + a)^2*b^6) + 1/140*(14*b^27*f*x^10 - 60*a*b^26*f*x^7 + 20*b^27*x^7*e + 35*b^27*d*x^4 + 210*a^2*b^25*f*x^4 - 105*a*b^26*x^4*e + 140*b^27*c*x - 420*a*b^26*d*x - 1400*a^3*b^24*f*x + 840*a^2*b^25*x*e)/b^30$$

maple [A] time = 0.06, size = 651, normalized size = 1.74

$$\frac{f x^{10}}{10 b^3} - \frac{3 a f x^7}{7 b^4} + \frac{e x^7}{7 b^3} - \frac{31 a^4 f x^4}{18 (b x^3 + a)^2 b^5} + \frac{25 a^3 e x^4}{18 (b x^3 + a)^2 b^4} - \frac{19 a^2 d x^4}{18 (b x^3 + a)^2 b^3} + \frac{13 a c x^4}{18 (b x^3 + a)^2 b^2} + \frac{3 a^2 f x^4}{2 b^5} - \frac{3 a e x^4}{4 b^4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out]
$$-14/27*a/b^4*c/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+ 104/27*a^4/b^7*f/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - 65/27*a^3/b^6*e/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + 35/27*a^2/b^5*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - 14/27*a/b^4*c/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) + 7/27*a/b^4*c/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) - 31/18*a^4/b^5/(b*x^3+a)^2*x^4*f - 10/b^6*a^3*f*x + 6/b^5*a^2*e*x - 3/b^4*a*d*x - 3/4/b^4*x^4*a*e - 3/7/b^4*x^7*a*f + 3/2/b^5*x^4*a^2*f + 1/10*f*x^10/b^3 + 104/27*a^4/b^7*f/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) - 52/27*a^4/b^7*f/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) - 65/27*a^3/b^6*e/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) + 65/54*a^3/b^6*e/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + 1/7/b^3*x^7*e + 1/4/b^3*x^4*d + 1/b^3*c*x + 35/27*a^2/b^5*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) - 35/54*a^2/b^5*d/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) - 19/18*a^2/b^3/(b*x^3+a)^2*x^4*d + 13/18*a/b^2/(b*x^3+a)^2*x^4*c + 11/9*a^4/b^5/(b*x^3+a)^2*e*x - 8/9*a^3/b^4/(b*x^3+a)^2*d*x + 5/9*a^2/b^3/(b*x^3+a)^2*c*x + 25/18*a^3/b^4/(b*x^3+a)^2*x^4*e - 14/9*a^5/b^6/(b*x^3+a)^2*f*x$$

maxima [A] time = 3.03, size = 376, normalized size = 1.00

$$\frac{(13ab^4c - 19a^2b^3d + 25a^3b^2e - 31a^4bf)x^4 + 2(5a^2b^3c - 8a^3b^2d + 11a^4be - 14a^5f)x + 14b^3fx^{10} + 20(b^3e - 18(b^8x^6 + 2ab^7x^3 + a^2b^6))}{18(b^8x^6 + 2ab^7x^3 + a^2b^6)} + \frac{14b^3fx^{10} + 20(b^3e - 18(b^8x^6 + 2ab^7x^3 + a^2b^6))}{18(b^8x^6 + 2ab^7x^3 + a^2b^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*((13*a*b^4*c - 19*a^2*b^3*d + 25*a^3*b^2*e - 31*a^4*b*f)*x^4 + 2*(5*a^2*b^3*c - 8*a^3*b^2*d + 11*a^4*b*e - 14*a^5*f)*x)/(b^8*x^6 + 2*a*b^7*x^3 + a^2*b^6) + 1/140*(14*b^3*f*x^10 + 20*(b^3*e - 3*a*b^2*f)*x^7 + 35*(b^3*d - 3*a*b^2*e + 6*a^2*b*f)*x^4 + 140*(b^3*c - 3*a*b^2*d + 6*a^2*b*e - 10*a^3*f)*x)/b^6 - 1/27*sqrt(3)*(14*a*b^3*c - 35*a^2*b^2*d + 65*a^3*b*e - 104*a^4*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^7*(a/b)^(2/3)) + 1/54*(14*a*b^3*c - 35*a^2*b^2*d + 65*a^3*b*e - 104*a^4*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^7*(a/b)^(2/3)) - 1/27*(14*a*b^3*c - 35*a^2*b^2*d + 65*a^3*b*e - 104*a^4*f)*log(x + (a/b)^(1/3))/(b^7*(a/b)^(2/3))

mupad [B] time = 5.35, size = 420, normalized size = 1.12

$$x^7 \left(\frac{e}{7b^3} - \frac{3af}{7b^4} \right) + x \left(\frac{c}{b^3} - \frac{a^3f}{b^6} - \frac{3a^2 \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b^2} + \frac{3a \left(\frac{3a^2f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right)}{b} \right) - x^4 \left(\frac{3a^2f}{4b^5} - \frac{d}{4b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^9*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] x^7*(e/(7*b^3) - (3*a*f)/(7*b^4)) + x*(c/b^3 - (a^3*f)/b^6 - (3*a^2*(e/b^3 - (3*a*f)/b^4))/b^2 + (3*a*((3*a^2*f)/b^5 - d/b^3 + (3*a*(e/b^3 - (3*a*f)/b^4))/b))/b - x^4*((3*a^2*f)/(4*b^5) - d/(4*b^3) + (3*a*(e/b^3 - (3*a*f)/b^4))/(4*b)) - (x*((14*a^5*f)/9 - (5*a^2*b^3*c)/9 + (8*a^3*b^2*d)/9 - (11*a^4*b*e)/9) + x^4*((19*a^2*b^3*d)/18 - (25*a^3*b^2*e)/18 - (13*a*b^4*c)/18 + (31*a^4*b*f)/18))/(a^2*b^6 + b^8*x^6 + 2*a*b^7*x^3) + (f*x^10)/(10*b^3) - (a^(1/3)*log(b^(1/3)*x + a^(1/3))*(14*b^3*c - 104*a^3*f - 35*a*b^2*d + 65*a^2*b*e))/(27*b^(19/3)) - (a^(1/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3)))*((3^(1/2)*1i)/2 - 1/2)*(14*b^3*c - 104*a^3*f - 35*a*b^2*d + 65*a^2*b*e))/(27*b^(19/3)) + (a^(1/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3)))/27

$$\frac{((3^{1/2}i)/2 + 1/2)(14b^3c - 104a^3f - 35ab^2d + 65a^2be)}{27b^{19/3}}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**9*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.289 \quad \int \frac{x^7(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=345

$$\frac{x^2(6a^2f - 3abe + b^2d)}{2b^5} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-77a^3f + 44a^2be - 20ab^2d + 5b^3c)}{27\sqrt[3]{a}b^{17/3}} - \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)(-77a^3f + 44a^2be - 20ab^2d + 5b^3c)}{9\sqrt{3}\sqrt[3]{a}b^{17/3}}$$

[Out] $1/2*(6*a^2*f-3*a*b*e+b^2*d)*x^2/b^5+1/5*(-3*a*f+b*e)*x^5/b^4+1/8*f*x^8/b^3+1/6*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/b^5/(b*x^3+a)^2-1/9*(-13*a^3*f+10*a^2*b*e-7*a*b^2*d+4*b^3*c)*x^2/b^5/(b*x^3+a)-1/27*(-77*a^3*f+44*a^2*b*e-20*a*b^2*d+5*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(1/3)}/b^{(17/3)}+1/54*(-77*a^3*f+44*a^2*b*e-20*a*b^2*d+5*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(1/3)}/b^{(17/3)}-1/27*(-77*a^3*f+44*a^2*b*e-20*a*b^2*d+5*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(1/3)}/b^{(17/3)}*3^{(1/2)}$

Rubi [A] time = 0.76, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1836, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(10a^2be - 13a^3f - 7ab^2d + 4b^3c)}{9b^5(a + bx^3)} + \frac{ax^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^5(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(44a^2be - 20ab^2d + 5b^3c)}{54\sqrt[3]{a}b^{17/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $((b^2*d - 3*a*b*e + 6*a^2*f)*x^2)/(2*b^5) + ((b*e - 3*a*f)*x^5)/(5*b^4) + (f*x^8)/(8*b^3) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*b^5*(a + b*x^3)^2) - ((4*b^3*c - 7*a*b^2*d + 10*a^2*b*e - 13*a^3*f)*x^2)/(9*b^5*(a + b*x^3)) - ((5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(1/3)}*b^{(17/3)}) - ((5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(1/3)}*b^{(17/3)}) + ((5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(1/3)}*b^{(17/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 292

```
Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1488

```
Int[((f_.)*(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_.)*((d_) + (e_.)*(x_)^(n_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
```

```
m*Pq, a + b*x^n, x]], Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
+ 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[x*PolynomialQuot
ient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x]
&& EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_)*(u_)] /; IntegerQ[m]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{\int \frac{2a^2b(b^3c - ab^2d + a^2be - a^3f)x - 6ab^2(b^3c - ab^2d + a^2be - a^3f)x}{(a + bx^3)^3} dx}{6ab^5} \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{\int \frac{x(2a^2b(b^3c - ab^2d + a^2be - a^3f) - 6ab^2(b^3c - ab^2d + a^2be - a^3f))}{(a + bx^3)^3} dx}{6ab^5} \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f)x^2}{9b^5(a + bx^3)} + \frac{\int \frac{2a^2b^6}{(a + bx^3)^3} dx}{6ab^5} \\
&= \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f)x^2}{9b^5(a + bx^3)} + \frac{\int \frac{x(2a^2b^6)}{(a + bx^3)^3} dx}{6ab^5} \\
&= \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f)x^2}{9b^5(a + bx^3)} + \frac{\int \frac{x(2a^2b^6)}{(a + bx^3)^3} dx}{6ab^5} \\
&= \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} - \frac{(4b^3c - 7ab^2d + 10a^2be - 13a^3f)x^2}{9b^5(a + bx^3)} + \frac{\int \frac{x(2a^2b^6)}{(a + bx^3)^3} dx}{6ab^5} \\
&= \frac{(b^2d - 3abe + 6a^2f)x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f)x^2}{2b^5} + \frac{(be - 3af)x^5}{5b^4} + \frac{fx^8}{8b^3} + \frac{a(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^5(a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 329, normalized size = 0.95

$$540b^{2/3}x^2(6a^2f - 3abe + b^2d) + \frac{40 \log(\sqrt[3]{a} + \sqrt[3]{b}x)(77a^3f - 44a^2be + 20ab^2d - 5b^3c)}{\sqrt[3]{a}} + \frac{40\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)(77a^3f - 44a^2be + 20ab^2d - 5b^3c)}{\sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (540*b^(2/3)*(b^2*d - 3*a*b*e + 6*a^2*f)*x^2 + 216*b^(5/3)*(b*e - 3*a*f)*x^5 + 135*b^(8/3)*f*x^8 + (180*a*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a + b*x^3)^2 - (120*b^(2/3)*(4*b^3*c - 7*a*b^2*d + 10*a^2*b*e - 13*a^3*f)*x^2)/(a + b*x^3) + (40*sqrt(3)*(-5*b^3*c + 20*a*b^2*d - 44*a^2*b*e + 77*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)]/a^(1/3) + (40*(-5*b^3*c + 20*a*b^2*d - 44*a^2*b*e + 77*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(1/3) + (20*(5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(1/3))/(1080*b^(17/3))

fricas [B] time = 0.76, size = 1278, normalized size = 3.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [1/1080*(135*a*b^6*f*x^14 + 54*(4*a*b^6*e - 7*a^2*b^5*f)*x^11 + 27*(20*a*b^6*d - 44*a^2*b^5*e + 77*a^3*b^4*f)*x^8 - 96*(5*a*b^6*c - 20*a^2*b^5*d + 44*a^3*b^4*e - 77*a^4*b^3*f)*x^5 - 60*(5*a^2*b^5*c - 20*a^3*b^4*d + 44*a^4*b^3*e - 77*a^5*b^2*f)*x^2 - 60*sqrt(1/3)*(5*a^3*b^4*c - 20*a^4*b^3*d + 44*a^5*b^2*e - 77*a^6*b*f + (5*a*b^6*c - 20*a^2*b^5*d + 44*a^3*b^4*e - 77*a^4*b^3*f)*x^6 + 2*(5*a^2*b^5*c - 20*a^3*b^4*d + 44*a^4*b^3*e - 77*a^5*b^2*f)*x^3)*sqrt(-(a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b - 3*sqrt(1/3)*(a*b*x + 2*(a*b^2)^(2/3)*x^2 - (a*b^2)^(1/3)*a)*sqrt(-(a*b^2)^(1/3)/a) - 3*(a*b^2)^(2/3)*x)/(b*x^3 + a)) + 20*((5*b^5*c - 20*a*b^4*d + 44*a^2*b^3*e - 77*a^3*b^2*f)*x^6 + 5*a^2*b^3*c - 20*a^3*b^2*d + 44*a^4*b*e - 77*a^5*f + 2*(5*a*b^4*c - 20*a^2*b^3*d + 44*a^3*b^2*e - 77*a^4*b*f)*x^3)*(a*b^2)^(2/3)*log(b^2*x^2 - (a*b^2)^(1/3)*b*x + (a*b^2)^(2/3)) - 40*((5*b^5*c - 20*a*b^4*d + 44*a^2*b^3*e - 77*a^3*b^2*f)*x^6 + 5*a^2*b^3*c - 20*a^3*b^2*d + 44*a^4*b*e - 77*a^5*f + 2*(5*a*b^4*c - 20*a^2*b^3*d + 44*a^3*b^2*e - 77*a^4*b*f)*x^3)*(a*b^2)^(2/3)*log(b*x + (a*b^2)^(1/3)))/(a*b^9*x^6 + 2*a^2*b^8*x^3 + a^3*b^7), 1/1080*(135*a*b^6*f*x^14 + 54*(4*a*b^6*e - 7*a^2*b^5*f)*x^11 + 27*(20*a*b^6*d - 44*a^2*b^5*e + 77*a^3*b^4*f)*x^8 - 96*(5*a*b^6*c - 20*a^2*b^5*d + 44*a^3*b^4*e -

$$77a^4b^3f)x^5 - 60(5a^2b^5c - 20a^3b^4d + 44a^4b^3e - 77a^5b^2f)x^2 - 120\sqrt{1/3}(5a^3b^4c - 20a^4b^3d + 44a^5b^2e - 77a^6b^1f + (5ab^6c - 20a^2b^5d + 44a^3b^4e - 77a^4b^3f)x^6 + 2(5a^2b^5c - 20a^3b^4d + 44a^4b^3e - 77a^5b^2f)x^3)\sqrt{(ab^2)^{1/3}/a}\arctan(-\sqrt{1/3}(2bx - (ab^2)^{1/3})\sqrt{(ab^2)^{1/3}/a}/b) + 20((5b^5c - 20ab^4d + 44a^2b^3e - 77a^3b^2f)x^6 + 5a^2b^3c - 20a^3b^2d + 44a^4b^1e - 77a^5f + 2(5ab^4c - 20a^2b^3d + 44a^3b^2e - 77a^4b^1f)x^3)(ab^2)^{2/3}\log(b^2x^2 - (ab^2)^{1/3}bx + (ab^2)^{2/3}) - 40((5b^5c - 20ab^4d + 44a^2b^3e - 77a^3b^2f)x^6 + 5a^2b^3c - 20a^3b^2d + 44a^4b^1e - 77a^5f + 2(5ab^4c - 20a^2b^3d + 44a^3b^2e - 77a^4b^1f)x^3)(ab^2)^{2/3}\log(bx + (ab^2)^{1/3}))/((ab^9x^6 + 2a^2b^8x^3 + a^3b^7)]$$

giac [A] time = 0.20, size = 391, normalized size = 1.13

$$\frac{\sqrt{3}(5b^3c - 20ab^2d - 77a^3f + 44a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) (5b^3c - 20ab^2d - 77a^3f + 44a^2be) \log\left(x^2 + x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(-ab^2)^{\frac{1}{3}}b^5 \quad 54(-ab^2)^{\frac{1}{3}}b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{27}\sqrt{3}(5b^3c - 20ab^2d - 77a^3f + 44a^2be)\arctan\left(\frac{1}{3}\sqrt{3}\frac{2x + (-a/b)^{1/3}}{(-a/b)^{1/3}}\right) - \frac{1}{54}(5b^3c - 20ab^2d - 77a^3f + 44a^2be)\log\left(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}\right) + \frac{1}{27}(5b^3c(-a/b)^{1/3} - 20ab^2d(-a/b)^{1/3} - 77a^3f(-a/b)^{1/3} + 44a^2be(-a/b)^{1/3})\log\left(\frac{bx - (-a/b)^{1/3}}{ab^5}\right) - \frac{1}{18}(8b^4cx^5 - 14ab^3dx^5 - 26a^3b^2fx^5 + 20a^2b^2ex^5 + 5ab^3cx^2 - 11a^2b^2dx^2 - 23a^4fx^2 + 17a^3bx^2e)/((bx^3 + a)^2b^5) + \frac{1}{40}(5b^{21}fx^8 - 24ab^{20}fx^5 + 8b^{21}x^5e + 20b^{21}dx^2 + 120a^2b^{19}fx^2 - 60ab^{20}x^2e)/b^{24}$

maple [B] time = 0.06, size = 611, normalized size = 1.77

$$\frac{fx^8}{8b^3} + \frac{13a^3fx^5}{9(bx^3 + a)^2b^4} - \frac{10a^2ex^5}{9(bx^3 + a)^2b^3} + \frac{7adx^5}{9(bx^3 + a)^2b^2} - \frac{4cx^5}{9(bx^3 + a)^2b} - \frac{3afx^5}{5b^4} + \frac{ex^5}{5b^3} + \frac{23a^4fx^2}{18(bx^3 + a)^2b^5} - \frac{17}{18(bx^3 + a)^2b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)$

[Out] $44/27/b^5*a^2*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$
 $-20/27/b^4*a*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-$
 $77/27/b^6*a^3*f*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))$
 $-3/2/b^4*x^2*a*e-3/5/b^4*x^5*a*f+3/b^5*x^2*a^2*f-4/9/b/(b*x^3+a)^2*x^5*c-5/$
 $27/b^3*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+5/54/b^3*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}$
 $*x+(a/b)^{(2/3)})+1/5/b^3*x^5*e+1/2/b^3*x^2*d+1/8*f*x^8/b^3+13/9/b^4/(b*$
 $x^3+a)^2*x^5*a^3*f-10/9/b^3/(b*x^3+a)^2*x^5*a^2*e+7/9/b^2/(b*x^3+a)^2*x^5*a$
 $*d+23/18/b^5/(b*x^3+a)^2*x^2*a^4*f-17/18/b^4/(b*x^3+a)^2*x^2*a^3*e-77/54/b^$
 $6*a^3*f/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-44/27/b^5*a^2*e/(a/b)$
 $^{(1/3)}*\ln(x+(a/b)^{(1/3)})+22/27/b^5*a^2*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+($
 $a/b)^{(2/3)})+20/27/b^4*a*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-10/27/b^4*a*d/(a/b)$
 $^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+5/27/b^3*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}$
 $*(2/(a/b)^{(1/3)}*x-1))+11/18/b^3/(b*x^3+a)^2*x^2*a^2*d-5/18/b^$
 $^2/(b*x^3+a)^2*x^2*a*c+77/27/b^6*a^3*f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})$

maxima [A] time = 3.08, size = 330, normalized size = 0.96

$$\frac{2(4b^4c - 7ab^3d + 10a^2b^2e - 13a^3bf)x^5 + (5ab^3c - 11a^2b^2d + 17a^3be - 23a^4f)x^2}{18(b^7x^6 + 2ab^6x^3 + a^2b^5)} + \frac{\sqrt{3}(5b^3c - 20ab^2d + 4a^3e - 13a^4f)}{18(b^7x^6 + 2ab^6x^3 + a^2b^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^7*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, \text{algorithm}="maxima")$

[Out] $-1/18*(2*(4*b^4*c - 7*a*b^3*d + 10*a^2*b^2*e - 13*a^3*b*f)*x^5 + (5*a*b^3*c$
 $- 11*a^2*b^2*d + 17*a^3*b*e - 23*a^4*f)*x^2)/(b^7*x^6 + 2*a*b^6*x^3 + a^2*$
 $b^5) + 1/27*\sqrt{3}*(5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*\arctan(1$
 $/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(b^6*(a/b)^{(1/3)}) + 1/40*(5*b^2$
 $*f*x^8 + 8*(b^2*e - 3*a*b*f)*x^5 + 20*(b^2*d - 3*a*b*e + 6*a^2*f)*x^2)/b^5$
 $+ 1/54*(5*b^3*c - 20*a*b^2*d + 44*a^2*b*e - 77*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)}$
 $+ (a/b)^{(2/3)})/(b^6*(a/b)^{(1/3)}) - 1/27*(5*b^3*c - 20*a*b^2*d + 44*a^2*b$
 $*e - 77*a^3*f)*\log(x + (a/b)^{(1/3)})/(b^6*(a/b)^{(1/3)})$

mupad [B] time = 5.53, size = 338, normalized size = 0.98

$$x^5 \left(\frac{e}{5b^3} - \frac{3af}{5b^4} \right) + \frac{x^2 \left(\frac{23fa^4}{18} - \frac{17ea^3b}{18} + \frac{11da^2b^2}{18} - \frac{5cab^3}{18} \right) - x^5 \left(-\frac{13fa^3b}{9} + \frac{10ea^2b^2}{9} - \frac{7dab^3}{9} + \frac{4cb^4}{9} \right)}{a^2b^5 + 2ab^6x^3 + b^7x^6} - x^2 \left(\frac{3a^2f}{2b^5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^7*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)
```

```
[Out] x^5*(e/(5*b^3) - (3*a*f)/(5*b^4)) + (x^2*((23*a^4*f)/18 + (11*a^2*b^2*d)/18
- (5*a*b^3*c)/18 - (17*a^3*b*e)/18) - x^5*((4*b^4*c)/9 + (10*a^2*b^2*e)/9
- (7*a*b^3*d)/9 - (13*a^3*b*f)/9)/(a^2*b^5 + b^7*x^6 + 2*a*b^6*x^3) - x^2*
((3*a^2*f)/(2*b^5) - d/(2*b^3) + (3*a*(e/b^3 - (3*a*f)/b^4))/(2*b)) + (f*x^
8)/(8*b^3) - (log(b^(1/3)*x + a^(1/3))*(5*b^3*c - 77*a^3*f - 20*a*b^2*d + 4
4*a^2*b*e))/(27*a^(1/3)*b^(17/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x -
a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(5*b^3*c - 77*a^3*f - 20*a*b^2*d + 44*a^2*
b*e))/(27*a^(1/3)*b^(17/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/
3))*((3^(1/2)*1i)/2 - 1/2)*(5*b^3*c - 77*a^3*f - 20*a*b^2*d + 44*a^2*b*e))/
(27*a^(1/3)*b^(17/3))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**7*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


$$3.290 \quad \int \frac{x^6(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=336

$$\frac{x(6a^2f - 3abe + b^2d)}{b^5} - \frac{x(-25a^3f + 19a^2be - 13ab^2d + 7b^3c)}{18b^5(a + bx^3)} + \frac{ax(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^5(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3})}{54a^{2/3}b^{16/3}}$$

[Out] (6*a^2*f-3*a*b*e+b^2*d)*x/b^5+1/4*(-3*a*f+b*e)*x^4/b^4+1/7*f*x^7/b^3+1/6*a*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^5/(b*x^3+a)^2-1/18*(-25*a^3*f+19*a^2*b*e-13*a*b^2*d+7*b^3*c)*x/b^5/(b*x^3+a)+1/27*(-65*a^3*f+35*a^2*b*e-14*a*b^2*d+2*b^3*c)*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(16/3)-1/54*(-65*a^3*f+35*a^2*b*e-14*a*b^2*d+2*b^3*c)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(16/3)-1/27*(-65*a^3*f+35*a^2*b*e-14*a*b^2*d+2*b^3*c)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(16/3)*3^(1/2)

Rubi [A] time = 0.51, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1858, 1887, 200, 31, 634, 617, 204, 628}

$$\frac{x(19a^2be - 25a^3f - 13ab^2d + 7b^3c)}{18b^5(a + bx^3)} + \frac{ax(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^5(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx^3})}{54a^{2/3}b^{16/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b^2*d - 3*a*b*e + 6*a^2*f)*x)/b^5 + ((b*e - 3*a*f)*x^4)/(4*b^4) + (f*x^7)/(7*b^3) + (a*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^5*(a + b*x^3)^2) - ((7*b^3*c - 13*a*b^2*d + 19*a^2*b*e - 25*a^3*f)*x)/(18*b^5*(a + b*x^3)) - ((2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(2/3)*b^(16/3)) + ((2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(2/3)*b^(16/3)) - ((2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(2/3)*b^(16/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

```
Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(
Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R
t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F
reeQ[{a, b}, x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

```

Rule 1887

```

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^6 (c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{a (b^3c - ab^2d + a^2be - a^3f) x}{6b^5 (a + bx^3)^2} - \frac{\int \frac{a^2(b^3c - ab^2d + a^2be - a^3f) - 6ab(b^3c - ab^2d + a^2be - a^3f)x^3 - 6ab^5}{(a + bx^3)^2} dx}{6ab^5} \\
&= \frac{a (b^3c - ab^2d + a^2be - a^3f) x}{6b^5 (a + bx^3)^2} - \frac{(7b^3c - 13ab^2d + 19a^2be - 25a^3f) x}{18b^5 (a + bx^3)} + \frac{\int \frac{2a^2b^4}{(a + bx^3)^2} dx}{6ab^5} \\
&= \frac{a (b^3c - ab^2d + a^2be - a^3f) x}{6b^5 (a + bx^3)^2} - \frac{(7b^3c - 13ab^2d + 19a^2be - 25a^3f) x}{18b^5 (a + bx^3)} + \frac{\int (18a^2)}{6ab^5} \\
&= \frac{(b^2d - 3abe + 6a^2f) x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x}{6b^5 (a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f) x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x}{6b^5 (a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f) x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x}{6b^5 (a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f) x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x}{6b^5 (a + bx^3)^2} \\
&= \frac{(b^2d - 3abe + 6a^2f) x}{b^5} + \frac{(be - 3af)x^4}{4b^4} + \frac{fx^7}{7b^3} + \frac{a (b^3c - ab^2d + a^2be - a^3f) x}{6b^5 (a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 323, normalized size = 0.96

$$756\sqrt[3]{b}x(6a^2f - 3abe + b^2d) - \frac{42\sqrt[3]{b}x(-25a^3f + 19a^2be - 13ab^2d + 7b^3c)}{a + bx^3} + \frac{126a\sqrt[3]{b}x(a^3(-f) + a^2be - ab^2d + b^3c)}{(a + bx^3)^2} + \frac{28\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-65)}{6ab^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $(756*b^{1/3}*(b^2*d - 3*a*b*e + 6*a^2*f)*x + 189*b^{4/3}*(b*e - 3*a*f)*x^4 + 108*b^{7/3}*f*x^7 + (126*a*b^{1/3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a + b*x^3)^2 - (42*b^{1/3}*(7*b^3*c - 13*a*b^2*d + 19*a^2*b*e - 25*a^3*f)*x)/(a + b*x^3) + (28*\sqrt{3}*(-2*b^3*c + 14*a*b^2*d - 35*a^2*b*e + 65*a^3*f)*\text{ArcTan}[(1 - (2*b^{1/3}*x)/a^{1/3})/\sqrt{3}])/a^{2/3} + (28*(2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/a^{2/3} + (14*(-2*b^3*c + 14*a*b^2*d - 35*a^2*b*e + 65*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}]*x + b^{2/3}*x^2])/a^{2/3})/(756*b^{16/3})$

fricas [B] time = 0.84, size = 1318, normalized size = 3.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $[1/756*(108*a^2*b^5*f*x^{13} + 27*(7*a^2*b^5*e - 13*a^3*b^4*f)*x^{10} + 54*(14*a^2*b^5*d - 35*a^3*b^4*e + 65*a^4*b^3*f)*x^7 - 147*(2*a^2*b^5*c - 14*a^3*b^4*d + 35*a^4*b^3*e - 65*a^5*b^2*f)*x^4 - 42*\sqrt{1/3}*(2*a^3*b^4*c - 14*a^4*b^3*d + 35*a^5*b^2*e - 65*a^6*b*f + (2*a*b^6*c - 14*a^2*b^5*d + 35*a^3*b^4*e - 65*a^4*b^3*f)*x^6 + 2*(2*a^2*b^5*c - 14*a^3*b^4*d + 35*a^4*b^3*e - 65*a^5*b^2*f)*x^3)*\sqrt{(-a^2*b)^{1/3}/b}*\log((2*a*b*x^3 + 3*(-a^2*b)^{1/3}*a*x - a^2 - 3*\sqrt{1/3}*(2*a*b*x^2 + (-a^2*b)^{2/3}*x + (-a^2*b)^{1/3}*a))*\sqrt{((-a^2*b)^{1/3}/b)})/(b*x^3 + a) - 14*((2*b^5*c - 14*a*b^4*d + 35*a^2*b^3*e - 65*a^3*b^2*f)*x^6 + 2*a^2*b^3*c - 14*a^3*b^2*d + 35*a^4*b*e - 65*a^5*f + 2*(2*a*b^4*c - 14*a^2*b^3*d + 35*a^3*b^2*e - 65*a^4*b*f)*x^3)*(-a^2*b)^{2/3}*\log(a*b*x^2 - (-a^2*b)^{2/3}*x - (-a^2*b)^{1/3}*a) + 28*((2*b^5*c - 14*a*b^4*d + 35*a^2*b^3*e - 65*a^3*b^2*f)*x^6 + 2*a^2*b^3*c - 14*a^3*b^2*d + 35*a^4*b*e - 65*a^5*f + 2*(2*a*b^4*c - 14*a^2*b^3*d + 35*a^3*b^2*e - 65*a^4*b*f)*x^3)*(-a^2*b)^{2/3}*\log(a*b*x + (-a^2*b)^{2/3}) - 84*(2*a^3*b^4*c - 14*a^4*b^3*d + 35*a^5*b^2*e - 65*a^6*b*f)*x)/(a^2*b^8*x^6 + 2*a^3*b^7*x^3 + a^4*b^6), 1/756*(108*a^2*b^5*f*x^{13} + 27*(7*a^2*b^5*e - 13*a^3*b^4*f)*x^{10} + 54*(14*a^2*b^5*d - 35*a^3*b^4*e + 65*a^4*b^3*f)*x^7 - 147*(2*a^2*b^5*c - 14*a^3*b^4*d + 35*a^4*b^3*e - 65*a^5*b^2*f)*x^4 + 84*\sqrt{1/3}*(2*a^3*b^4*c - 14*a^4*b^3*d + 35*a^5*b^2*e - 65*a^6*b*f + (2*a*b^6*c - 14*a^2*b^5*d + 35*a^3*b^4*e - 65*a^4*b^3*f)*x^6 + 2*(2*a^2*b^5*c - 14*a^3*b^4*d + 35*a^4*b^3*e - 65*a^5*b^2*f)*x^3)*\sqrt{(-a^2*b)^{1/3}/b}*\arctan(\sqrt{1/3}*(2*(-a^2*b)^{2/3}*x + (-a^2*b)^{1/3}*a))*\sqrt{(-a^2*b)^{1/3}/b}/a^2) - 14*((2*b^5*c - 14*a*b^4*d + 35*a^2*b^3*e - 65*a^3*b^2*f)*x^6 + 2*a^2*b^3*c - 14*a^3*b^2*d + 35*a^4*b*e - 65*a^5*f + 2*(2*a*b^4*c - 14*a^2*b^3*d + 35*a^3*b^2*e - 65*a^4*b*f)*x^3)*(-a^2*b)^{2/3}*\log(a*b*x^2 - (-a^2*b)^{2/3}*x - (-a^2*b)^{1/3}*a) + 28*((2*b^5*c - 14*a*b^4*d + 35*a^2*b^3*e - 65*a^3*b^2*f)*x^6 + 2*a^2*b^3*c - 14*a^3*b^2*d + 35*a^4*b*e - 65*a^5*f + 2*(2*a*b^4*c - 14*a^2*b^3*d$

$$+ 35a^3b^2e - 65a^4bf)x^3)(-a^2b)^{(2/3)} \log(abx + (-a^2b)^{(2/3)}) - 84(2a^3b^4c - 14a^4b^3d + 35a^5b^2e - 65a^6bf)x / (a^2b^8x^6 + 2a^3b^7x^3 + a^4b^6)]$$

giac [A] time = 0.20, size = 345, normalized size = 1.03

$$\frac{\sqrt{3}(2b^3c - 14ab^2d - 65a^3f + 35a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (2b^3c - 14ab^2d - 65a^3f + 35a^2be) \log\left(x^2 + \frac{2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{2}{3}}b^4} + \frac{(2b^3c - 14ab^2d - 65a^3f + 35a^2be) \log\left(x^2 + \frac{2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{54(-ab^2)^{\frac{2}{3}}b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-\frac{1}{27}\sqrt{3}(2b^3c - 14a^2b^2d - 65a^3f + 35a^2b^2e) \arctan\left(\frac{1}{3}\sqrt{3}\frac{2x + (-a/b)^{(1/3)}}{(-a/b)^{(1/3)}}\right) - \frac{1}{54}(2b^3c - 14a^2b^2d - 65a^3f + 35a^2b^2e) \log\left(x^2 + x(-a/b)^{(1/3)} + (-a/b)^{(2/3)}\right) + \frac{1}{27}(2b^3c - 14a^2b^2d - 65a^3f + 35a^2b^2e) \log\left(\frac{2x + (-a/b)^{(1/3)}}{(-a/b)^{(1/3)}}\right) - \frac{1}{18}(7b^4cx^4 - 13a^3b^3dx^4 - 25a^3b^2fx^4 + 19a^2b^2x^4e + 4a^3b^3cx - 10a^2b^2dx - 22a^4fx + 16a^3b^2xe) / ((bx^3 + a)^2b^5) + \frac{1}{28}(4b^18fx^7 - 21a^17fx^4 + 7b^18x^4e + 28b^18dx + 168a^2b^16fx - 84a^3b^17xe) / b^{21}$

maple [B] time = 0.05, size = 596, normalized size = 1.77

$$\frac{fx^7}{7b^3} + \frac{25a^3fx^4}{18(bx^3+a)^2b^4} - \frac{19a^2ex^4}{18(bx^3+a)^2b^3} + \frac{13adx^4}{18(bx^3+a)^2b^2} - \frac{7cx^4}{18(bx^3+a)^2b} - \frac{3afx^4}{4b^4} + \frac{ex^4}{4b^3} + \frac{11a^4fx}{9(bx^3+a)^2b^5} - \frac{11a^4fx}{9(bx^3+a)^2b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] $\frac{65}{54}b^{-6}a^3f/(a/b)^{(2/3)} \ln(x^2 - (a/b)^{(1/3)}x + (a/b)^{(2/3)}) + \frac{35}{27}b^{-5}a^2e/(a/b)^{(2/3)} \ln(x + (a/b)^{(1/3)}) - \frac{14}{27}b^{-4}ad/(a/b)^{(2/3)} \ln(x + (a/b)^{(1/3)}) - \frac{3}{b^4}ae - \frac{3}{4}b^{-4}x^4af + \frac{2}{27}b^{-3}c/(a/b)^{(2/3)} \ln(x + (a/b)^{(1/3)}) - \frac{7}{18}b^{-4}c/(a/b)^{(2/3)} \ln(x^2 - (a/b)^{(1/3)}x + (a/b)^{(2/3)}) + \frac{6}{b^5}a^2fx - \frac{1}{27}b^{-3}c/(a/b)^{(2/3)} \ln(x^2 - (a/b)^{(1/3)}x + (a/b)^{(2/3)})$

$$\begin{aligned} &) * x + (a/b)^{(2/3)} - 8/9/b^4/(b*x^3+a)^2 * a^3 * e * x + 1/7/b^3 * f * x^7 + 13/18/b^2/(b*x^3 \\ & + a)^2 * x^4 * a * d - 35/54/b^5 * a^2 * e / (a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) \\ & - 2/9/b^2/(b*x^3+a)^2 * a * c * x + 11/9/b^5/(b*x^3+a)^2 * a^4 * f * x + 1/4/b^3 * x^4 * e + 7/27/ \\ & b^4 * a * d / (a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + 1/b^3 * d * x + 2/27/b^3 * c / \\ & (a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) - 65/27/b^6 * a^3 * f \\ & / (a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) - 65/27/b^6 * a^3 * f / (a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1 \\ & / 3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) + 35/27/b^5 * a^2 * e / (a/b)^{(2/3)} * 3^{(1/2)} * \arctan(\\ & 1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) - 14/27/b^4 * a * d / (a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1 \\ & / 3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) + 25/18/b^4/(b*x^3+a)^2 * x^4 * a^3 * f - 19/18/b^3/(\\ & b*x^3+a)^2 * x^4 * a^2 * e + 5/9/b^3/(b*x^3+a)^2 * a^2 * d * x \end{aligned}$$

maxima [A] time = 3.04, size = 326, normalized size = 0.97

$$\frac{(7b^4c - 13ab^3d + 19a^2b^2e - 25a^3bf)x^4 + 2(2ab^3c - 5a^2b^2d + 8a^3be - 11a^4f)x + 4b^2fx^7 + 7(b^2e - 3abf)x}{18(b^7x^6 + 2ab^6x^3 + a^2b^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/18 * ((7*b^4*c - 13*a*b^3*d + 19*a^2*b^2*e - 25*a^3*b*f) * x^4 + 2 * (2*a*b^3*c \\ & - 5*a^2*b^2*d + 8*a^3*b*e - 11*a^4*f) * x) / (b^7*x^6 + 2*a*b^6*x^3 + a^2*b^5) \\ & + 1/28 * (4*b^2*f*x^7 + 7*(b^2*e - 3*a*b*f) * x^4 + 28*(b^2*d - 3*a*b*e + 6*a \\ & ^2*f) * x) / b^5 + 1/27 * \sqrt{3} * (2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f) * \\ & \arctan(1/3 * \sqrt{3} * (2*x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (b^6 * (a/b)^{(2/3)}) - 1/5 \\ & 4 * (2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - 65*a^3*f) * \log(x^2 - x * (a/b)^{(1/3)} + \\ & (a/b)^{(2/3)}) / (b^6 * (a/b)^{(2/3)}) + 1/27 * (2*b^3*c - 14*a*b^2*d + 35*a^2*b*e - \\ & 65*a^3*f) * \log(x + (a/b)^{(1/3)}) / (b^6 * (a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 5.30, size = 335, normalized size = 1.00

$$x^4 \left(\frac{e}{4b^3} - \frac{3af}{4b^4} \right) - x \left(\frac{3a^2f}{b^5} - \frac{d}{b^3} + \frac{3a \left(\frac{e}{b^3} - \frac{3af}{b^4} \right)}{b} \right) - \frac{x^4 \left(-\frac{25fa^3b}{18} + \frac{19ea^2b^2}{18} - \frac{13dab^3}{18} + \frac{7cb^4}{18} \right) - x \left(\frac{11fa^4}{9} - \frac{8ea^3}{9} \right)}{a^2b^5 + 2ab^6x^3 + b^7x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^6*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out]
$$\begin{aligned} & x^4 * (e / (4 * b^3) - (3 * a * f) / (4 * b^4)) - x * ((3 * a^2 * f) / b^5 - d / b^3 + (3 * a * (e / b^3 \\ & - (3 * a * f) / b^4)) / b) - (x^4 * ((7 * b^4 * c) / 18 + (19 * a^2 * b^2 * e) / 18 - (13 * a * b^3 * d) / \\ & 18 - (25 * a^3 * b * f) / 18) - x * ((11 * a^4 * f) / 9 + (5 * a^2 * b^2 * d) / 9 - (2 * a * b^3 * c) / 9 - \end{aligned}$$

$$\frac{(8a^3be)/9}{(a^2b^5 + b^7x^6 + 2ab^6x^3)} + \frac{fx^7}{(7b^3)} + \frac{\log(b^{1/3}x + a^{1/3})(2b^3c - 65a^3f - 14ab^2d + 35a^2be)}{(27a^{2/3}b^{16/3})} + \frac{\log(3^{1/2}a^{1/3}1i + 2b^{1/3}x - a^{1/3})((3^{1/2}1i)/2 - 1/2)(2b^3c - 65a^3f - 14ab^2d + 35a^2be)}{(27a^{2/3}b^{16/3})} - \frac{\log(3^{1/2}a^{1/3}1i - 2b^{1/3}x + a^{1/3})((3^{1/2}1i)/2 + 1/2)(2b^3c - 65a^3f - 14ab^2d + 35a^2be)}{(27a^{2/3}b^{16/3})}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.291 \quad \int \frac{x^4(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=316

$$\frac{x^2(-10a^3f + 7a^2be - 4ab^2d + b^3c)}{9ab^4(a+bx^3)} - \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^4(a+bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(44a^3f - 20a^2be - 4ab^2d + b^3c)}{54a^{4/3}b^{14/3}}$$

[Out] 1/2*(-3*a*f+b*e)*x^2/b^4+1/5*f*x^5/b^3-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/b^4/(b*x^3+a)^2+1/9*(-10*a^3*f+7*a^2*b*e-4*a*b^2*d+b^3*c)*x^2/a/b^4/(b*x^3+a)-1/27*(44*a^3*f-20*a^2*b*e+5*a*b^2*d+b^3*c)*ln(a^(1/3)+b^(1/3)*x)/a^(4/3)/b^(14/3)+1/54*(44*a^3*f-20*a^2*b*e+5*a*b^2*d+b^3*c)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(4/3)/b^(14/3)-1/27*(44*a^3*f-20*a^2*b*e+5*a*b^2*d+b^3*c)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(4/3)/b^(14/3)*3^(1/2)

Rubi [A] time = 0.50, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1851, 1594, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(7a^2be - 10a^3f - 4ab^2d + b^3c)}{9ab^4(a+bx^3)} - \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^4(a+bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-20a^2be - 4ab^2d + b^3c)}{54a^{4/3}b^{14/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] ((b*e - 3*a*f)*x^2)/(2*b^4) + (f*x^5)/(5*b^3) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*b^4*(a + b*x^3)^2) + ((b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*x^2)/(9*a*b^4*(a + b*x^3)) - ((b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(4/3)*b^(14/3)) - ((b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(4/3)*b^(14/3)) + ((b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(4/3)*b^(14/3))

Rule 31

Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1488

Int[((f_.)*(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.)*(d_) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 1594

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^(n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q =
  m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1851

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Int[x*PolynomialQuot
ient[Pq, x, x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, n, p}, x] && PolyQ[Pq, x]
&& EqQ[Coeff[Pq, x, 0], 0] && !MatchQ[Pq, x^(m_.)*(u_.) /; IntegerQ[m]]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} - \frac{\int \frac{-2ab(b^3c - ab^2d + a^2be - a^3f)x - 6ab^2(b^2d - abe + a^2f)x^4 - 6ab^3}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} - \frac{\int \frac{x(-2ab(b^3c - ab^2d + a^2be - a^3f) - 6ab^2(b^2d - abe + a^2f))x^3 - 6ab^3}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} + \frac{\int \frac{2ab^5(b^3c - ab^2d + a^2be - a^3f)}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} + \frac{\int \frac{x(2ab^5(b^3c - ab^2d + a^2be - a^3f) - 6ab^3)}{(a + bx^3)^2}}{6ab^5} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} + \frac{\int (18a^2b^5)}{6ab^5} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)} \\
&= \frac{(be - 3af)x^2}{2b^4} + \frac{fx^5}{5b^3} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6b^4(a + bx^3)^2} + \frac{(b^3c - 4ab^2d + 7a^2be - 10a^3f)x^2}{9ab^4(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 300, normalized size = 0.95

$$\frac{30b^{2/3}x^2(-10a^3f+7a^2be-4ab^2d+b^3c)}{a(a+bx^3)} - \frac{45b^{2/3}x^2(a^3(-f)+a^2be-ab^2d+b^3c)}{(a+bx^3)^2} - \frac{10\log\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)(44a^3f-20a^2be+5ab^2d+b^3c)}{a^{4/3}} - \frac{10\sqrt{3}\tan^{-1}\left(\frac{1-2}{\dots}\right)}{270b^{1/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] (135*b^(2/3)*(b*e - 3*a*f)*x^2 + 54*b^(5/3)*f*x^5 - (45*b^(2/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a + b*x^3)^2 + (30*b^(2/3)*(b^3*c - 4*a*b^2*d + 7*a^2*b*e - 10*a^3*f)*x^2)/(a*(a + b*x^3)) - (10*sqrt[3]*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(4/3) - (10*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(4/3) + (5*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(4/3))/(270*b^(14/3))

fricas [B] time = 0.60, size = 1224, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [1/270*(54*a^2*b^5*f*x^11 + 27*(5*a^2*b^5*e - 11*a^3*b^4*f)*x^8 + 6*(5*a*b^6*c - 20*a^2*b^5*d + 80*a^3*b^4*e - 176*a^4*b^3*f)*x^5 - 15*(a^2*b^5*c + 5*a^3*b^4*d - 20*a^4*b^3*e + 44*a^5*b^2*f)*x^2 + 15*sqrt(1/3)*(a^3*b^4*c + 5*a^4*b^3*d - 20*a^5*b^2*e + 44*a^6*b*f + (a*b^6*c + 5*a^2*b^5*d - 20*a^3*b^4*e + 44*a^4*b^3*f)*x^6 + 2*(a^2*b^5*c + 5*a^3*b^4*d - 20*a^4*b^3*e + 44*a^5*b^2*f)*x^3)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + 5*((b^5*c + 5*a*b^4*d - 20*a^2*b^3*e + 44*a^3*b^2*f)*x^6 + a^2*b^3*c + 5*a^3*b^2*d - 20*a^4*b*e + 44*a^5*f + 2*(a*b^4*c + 5*a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 10*((b^5*c + 5*a*b^4*d - 20*a^2*b^3*e + 44*a^3*b^2*f)*x^6 + a^2*b^3*c + 5*a^3*b^2*d - 20*a^4*b*e + 44*a^5*f + 2*(a*b^4*c + 5*a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^2*b^8*x^6 + 2*a^3*b^7*x^3 + a^4*b^6), 1/270*(54*a^2*b^5*f*x^11 + 27*(5*a^2*b^5*e - 11*a^3*b^4*f)*x^8 + 6*(5*a*b^6*c - 20*a^2*b^5*d + 80*a^3*b^4*e - 176*a^4*b^3*f)*x^5 - 15*(a^2*b^5*c + 5*a^3*b^4*d - 20*a^4*b^3*e + 44*a^5*b^2*f)*x^2 + 30*sqrt(1/3)*(a^3*b^4*c + 5*a^4*b^3*d - 20*a^5*b^2*e + 44*a^6*b*f + (a*b^6*c + 5*a^2*b^5*d - 20*a^3*b^4*e + 44

```

*a^4*b^3*f)*x^6 + 2*(a^2*b^5*c + 5*a^3*b^4*d - 20*a^4*b^3*e + 44*a^5*b^2*f)
*x^3)*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt
t(-(-a*b^2)^(1/3)/a)/b) + 5*((b^5*c + 5*a*b^4*d - 20*a^2*b^3*e + 44*a^3*b^2
*f)*x^6 + a^2*b^3*c + 5*a^3*b^2*d - 20*a^4*b*e + 44*a^5*f + 2*(a*b^4*c + 5
a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-
a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 10*((b^5*c + 5*a*b^4*d - 20*a^2*b^3*e
+ 44*a^3*b^2*f)*x^6 + a^2*b^3*c + 5*a^3*b^2*d - 20*a^4*b*e + 44*a^5*f + 2*(
a*b^4*c + 5*a^2*b^3*d - 20*a^3*b^2*e + 44*a^4*b*f)*x^3)*(-a*b^2)^(2/3)*log(
b*x - (-a*b^2)^(1/3))/(a^2*b^8*x^6 + 2*a^3*b^7*x^3 + a^4*b^6)]

```

giac [A] time = 0.20, size = 365, normalized size = 1.16

$$\frac{\sqrt{3} \left(b^3 c + 5 a b^2 d + 44 a^3 f - 20 a^2 b e \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-a b^2 \right)^{\frac{1}{3}} a b^4} + \frac{\left(b^3 c + 5 a b^2 d + 44 a^3 f - 20 a^2 b e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{54 \left(-a b^2 \right)^{\frac{1}{3}} a b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

```

[Out] 1/27*sqrt(3)*(b^3*c + 5*a*b^2*d + 44*a^3*f - 20*a^2*b*e)*arctan(1/3*sqrt(3)
*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a*b^4) - 1/54*(b^3*c +
5*a*b^2*d + 44*a^3*f - 20*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))
/((-a*b^2)^(1/3)*a*b^4) - 1/27*(b^3*c*(-a/b)^(1/3) + 5*a*b^2*d*(-a/b)^(1/3)
+ 44*a^3*f*(-a/b)^(1/3) - 20*a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x
- (-a/b)^(1/3)))/(a^2*b^4) + 1/18*(2*b^4*c*x^5 - 8*a*b^3*d*x^5 - 20*a^3*b*f
*x^5 + 14*a^2*b^2*x^5*e - a*b^3*c*x^2 - 5*a^2*b^2*d*x^2 - 17*a^4*f*x^2 + 11
*a^3*b*x^2*e)/((b*x^3 + a)^2*a*b^4) + 1/10*(2*b^12*f*x^5 - 15*a*b^11*f*x^2
+ 5*b^12*x^2*e)/b^15

```

maple [B] time = 0.06, size = 574, normalized size = 1.82

$$-\frac{10a^2fx^5}{9(bx^3+a)^2b^3} + \frac{7aex^5}{9(bx^3+a)^2b^2} + \frac{cx^5}{9(bx^3+a)^2a} - \frac{4dx^5}{9(bx^3+a)^2b} + \frac{fx^5}{5b^3} - \frac{17a^3fx^2}{18(bx^3+a)^2b^4} + \frac{11a^2ex^2}{18(bx^3+a)^2b^3} - \frac{11a^2ex^2}{18(bx^3+a)^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)$

[Out] $\frac{1}{5}b^3f*x^5 - \frac{3}{2}b^4*x^2*a*f + \frac{1}{2}b^3*x^2*e - \frac{10}{9}b^3/(b*x^3+a)^2*a^2*x^5*f + \frac{7}{9}b^2/(b*x^3+a)^2*a*x^5*e - \frac{4}{9}b/(b*x^3+a)^2*x^5*d + \frac{1}{9}/(b*x^3+a)^2/a*x^5*c - \frac{17}{18}b^4/(b*x^3+a)^2*x^2*a^3*f + \frac{11}{18}b^3/(b*x^3+a)^2*x^2*a^2*e - \frac{5}{18}b^2/(b*x^3+a)^2*x^2*a*d - \frac{1}{18}b/(b*x^3+a)^2*x^2*c - \frac{44}{27}b^5*a^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*f + \frac{20}{27}b^4*a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*e - \frac{5}{27}b^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*d - \frac{1}{27}b^2/a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c + \frac{22}{27}b^5*a^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f - \frac{10}{27}b^4*a/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e + \frac{5}{54}b^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d + \frac{1}{54}b^2/a/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c + \frac{44}{27}b^5*a^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f - \frac{20}{27}b^4*a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e + \frac{5}{27}b^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d + \frac{1}{27}b^2/a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c$

maxima [A] time = 3.10, size = 311, normalized size = 0.98

$$\frac{2(b^4c - 4ab^3d + 7a^2b^2e - 10a^3bf)x^5 - (ab^3c + 5a^2b^2d - 11a^3be + 17a^4f)x^2}{18(ab^6x^6 + 2a^2b^5x^3 + a^3b^4)} + \frac{2bfx^5 + 5(be - 3af)x^2}{10b^4} + \frac{\sqrt{3}(\dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, \text{algorithm}="maxima")$

[Out] $\frac{1}{18}(2*(b^4*c - 4*a*b^3*d + 7*a^2*b^2*e - 10*a^3*b*f)*x^5 - (a*b^3*c + 5*a^2*b^2*d - 11*a^3*b*e + 17*a^4*f)*x^2)/(a*b^6*x^6 + 2*a^2*b^5*x^3 + a^3*b^4) + \frac{1}{10}(2*b*f*x^5 + 5*(b*e - 3*a*f)*x^2)/b^4 + \frac{1}{27}\sqrt{3}*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^5*(a/b)^{(1/3)}) + \frac{1}{54}*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^5*(a/b)^{(1/3)}) - \frac{1}{27}*(b^3*c + 5*a*b^2*d - 20*a^2*b*e + 44*a^3*f)*\log(x + (a/b)^{(1/3)})/(a*b^5*(a/b)^{(1/3)})$

mupad [B] time = 5.27, size = 295, normalized size = 0.93

$$x^2 \left(\frac{e}{2b^3} - \frac{3af}{2b^4} \right) - \frac{x^2 \left(\frac{17fa^3}{18} - \frac{11ea^2b}{18} + \frac{5dab^2}{18} + \frac{cb^3}{18} \right) - \frac{x^5(-10fa^3b+7ea^2b^2-4dab^3+cb^4)}{9a}}{a^2b^4 + 2ab^5x^3 + b^6x^6} + \frac{fx^5}{5b^3} - \frac{\ln(b^{1/3}x + a^{1/3})}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^4*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)$

```
[Out] x^2*(e/(2*b^3) - (3*a*f)/(2*b^4)) - (x^2*((b^3*c)/18 + (17*a^3*f)/18 + (5*a
*b^2*d)/18 - (11*a^2*b*e)/18) - (x^5*(b^4*c + 7*a^2*b^2*e - 4*a*b^3*d - 10*
a^3*b*f))/(9*a)/(a^2*b^4 + b^6*x^6 + 2*a*b^5*x^3) + (f*x^5)/(5*b^3) - (log
(b^(1/3)*x + a^(1/3))*(b^3*c + 44*a^3*f + 5*a*b^2*d - 20*a^2*b*e))/(27*a^(4
/3)*b^(14/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*
1i)/2 + 1/2)*(b^3*c + 44*a^3*f + 5*a*b^2*d - 20*a^2*b*e))/(27*a^(4/3)*b^(14
/3)) - (log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1
/2)*(b^3*c + 44*a^3*f + 5*a*b^2*d - 20*a^2*b*e))/(27*a^(4/3)*b^(14/3))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

[Out] Timed out

$$3.292 \quad \int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=307

$$\frac{x(-19a^3f + 13a^2be - 7ab^2d + b^3c)}{18ab^4(a + bx^3)} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{6b^4(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(35a^3f - 14a^2be + 7ab^2d - b^3c)}{54a^{5/3}b^{13/3}}$$

[Out] $(-3*a*f+b*e)*x/b^4+1/4*f*x^4/b^3-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/b^4/(b*x^3+a)^2+1/18*(-19*a^3*f+13*a^2*b*e-7*a*b^2*d+b^3*c)*x/a/b^4/(b*x^3+a)+1/27*(35*a^3*f-14*a^2*b*e+2*a*b^2*d+b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}/b^{(13/3)}-1/54*(35*a^3*f-14*a^2*b*e+2*a*b^2*d+b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(13/3)}-1/27*(35*a^3*f-14*a^2*b*e+2*a*b^2*d+b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}/b^{(13/3)}*3^{(1/2)}$

Rubi [A] time = 0.41, antiderivative size = 307, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1858, 1411, 388, 200, 31, 634, 617, 204, 628}

$$\frac{x(13a^2be - 19a^3f - 7ab^2d + b^3c)}{18ab^4(a + bx^3)} - \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{6b^4(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-14a^2be + 7ab^2d - b^3c)}{54a^{5/3}b^{13/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $((b*e - 3*a*f)*x)/b^4 + (f*x^4)/(4*b^3) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*b^4*(a + b*x^3)^2) + ((b^3*c - 7*a*b^2*d + 13*a^2*b*e - 19*a^3*f)*x)/(18*a*b^4*(a + b*x^3)) - ((b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(9*\text{Sqrt}[3]*a^{(5/3)}*b^{(13/3)}) + ((b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (27*a^{(5/3)}*b^{(13/3)}) - ((b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (54*a^{(5/3)}*b^{(13/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1411

Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := Simp[(c*x^(n + 1)*(d + e*x^n)^(q + 1))/(e*(n*(q + 2) + 1)), x] + Dist[1/(e*(n*(q + 2) + 1)), Int[(d + e*x^n)^q*(a*e*(n*(q + 2) + 1) - (c*d*(n + 1) - b*e*(n*(q + 2) + 1))*x^n), x], x] /; FreeQ[{a, b, c, d, e, n, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e

$\wedge 2, 0]$

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q =
  m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx &= -\frac{(b^3c-ab^2d+a^2be-a^3f)x}{6b^4(a+bx^3)^2} - \int \frac{-a(b^3c-ab^2d+a^2be-a^3f)-6ab(b^2d-abe+a^2f)x^3-6ab^2(be-a^3f)x^6}{(a+bx^3)^2} dx \\
&= -\frac{(b^3c-ab^2d+a^2be-a^3f)x}{6b^4(a+bx^3)^2} + \frac{(b^3c-7ab^2d+13a^2be-19a^3f)x}{18ab^4(a+bx^3)} + \int \frac{2ab^3(b^3c-ab^2d+a^2be-a^3f)x^3-6ab^2(be-a^3f)x^6}{(a+bx^3)^2} dx \\
&= \frac{fx^4}{4b^3} - \frac{(b^3c-ab^2d+a^2be-a^3f)x}{6b^4(a+bx^3)^2} + \frac{(b^3c-7ab^2d+13a^2be-19a^3f)x}{18ab^4(a+bx^3)} + \int \frac{8ab^3(b^3c-ab^2d+a^2be-a^3f)x^3-6ab^2(be-a^3f)x^6}{(a+bx^3)^2} dx \\
&= \frac{(be-3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c-ab^2d+a^2be-a^3f)x}{6b^4(a+bx^3)^2} + \frac{(b^3c-7ab^2d+13a^2be-19a^3f)x}{18ab^4(a+bx^3)} + \int \frac{8ab^3(b^3c-ab^2d+a^2be-a^3f)x^3-6ab^2(be-a^3f)x^6}{(a+bx^3)^2} dx \\
&= \frac{(be-3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c-ab^2d+a^2be-a^3f)x}{6b^4(a+bx^3)^2} + \frac{(b^3c-7ab^2d+13a^2be-19a^3f)x}{18ab^4(a+bx^3)} + \int \frac{8ab^3(b^3c-ab^2d+a^2be-a^3f)x^3-6ab^2(be-a^3f)x^6}{(a+bx^3)^2} dx \\
&= \frac{(be-3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c-ab^2d+a^2be-a^3f)x}{6b^4(a+bx^3)^2} + \frac{(b^3c-7ab^2d+13a^2be-19a^3f)x}{18ab^4(a+bx^3)} + \int \frac{8ab^3(b^3c-ab^2d+a^2be-a^3f)x^3-6ab^2(be-a^3f)x^6}{(a+bx^3)^2} dx \\
&= \frac{(be-3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c-ab^2d+a^2be-a^3f)x}{6b^4(a+bx^3)^2} + \frac{(b^3c-7ab^2d+13a^2be-19a^3f)x}{18ab^4(a+bx^3)} + \int \frac{8ab^3(b^3c-ab^2d+a^2be-a^3f)x^3-6ab^2(be-a^3f)x^6}{(a+bx^3)^2} dx \\
&= \frac{(be-3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c-ab^2d+a^2be-a^3f)x}{6b^4(a+bx^3)^2} + \frac{(b^3c-7ab^2d+13a^2be-19a^3f)x}{18ab^4(a+bx^3)} + \int \frac{8ab^3(b^3c-ab^2d+a^2be-a^3f)x^3-6ab^2(be-a^3f)x^6}{(a+bx^3)^2} dx \\
&= \frac{(be-3af)x}{b^4} + \frac{fx^4}{4b^3} - \frac{(b^3c-ab^2d+a^2be-a^3f)x}{6b^4(a+bx^3)^2} + \frac{(b^3c-7ab^2d+13a^2be-19a^3f)x}{18ab^4(a+bx^3)} + \int \frac{8ab^3(b^3c-ab^2d+a^2be-a^3f)x^3-6ab^2(be-a^3f)x^6}{(a+bx^3)^2} dx
\end{aligned}$$

Mathematica [A] time = 0.31, size = 294, normalized size = 0.96

$$\frac{6\sqrt[3]{b}x(-19a^3f+13a^2be-7ab^2d+b^3c)}{a(a+bx^3)} - \frac{18\sqrt[3]{b}x(a^3(-f)+a^2be-ab^2d+b^3c)}{(a+bx^3)^2} + \frac{4\log(\sqrt[3]{a}+\sqrt[3]{b}x)(35a^3f-14a^2be+2ab^2d+b^3c)}{a^{5/3}} - \frac{4\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{\sqrt{3}}$$

108b^{13/3}

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $(108*b^{1/3}*(b*e - 3*a*f)*x + 27*b^{4/3}*f*x^4 - (18*b^{1/3}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a + b*x^3)^2 + (6*b^{1/3}*(b^3*c - 7*a*b^2*d + 13*a^2*b*e - 19*a^3*f)*x)/(a*(a + b*x^3)) - (4*\sqrt{3}*(b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*\text{ArcTan}[(1 - (2*b^{1/3}*x)/a^{1/3})/\sqrt{3}])/a^{5/3} + (4*(b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/a^{5/3} - (2*(b^3*c + 2*a*b^2*d - 14*a^2*b*e + 35*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/a^{5/3})/(108*b^{13/3})$

fricas [B] time = 0.73, size = 1213, normalized size = 3.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $[1/108*(27*a^3*b^4*f*x^{10} + 54*(2*a^3*b^4*e - 5*a^4*b^3*f)*x^7 + 3*(2*a^2*b^5*c - 14*a^3*b^4*d + 98*a^4*b^3*e - 245*a^5*b^2*f)*x^4 + 6*\sqrt{1/3}*(a^3*b^4*c + 2*a^4*b^3*d - 14*a^5*b^2*e + 35*a^6*b*f + (a*b^6*c + 2*a^2*b^5*d - 14*a^3*b^4*e + 35*a^4*b^3*f)*x^6 + 2*(a^2*b^5*c + 2*a^3*b^4*d - 14*a^4*b^3*e + 35*a^5*b^2*f)*x^3)*\sqrt{-(a^2*b)^{1/3}/b}*\log((2*a*b*x^3 - 3*(a^2*b)^{1/3})*a*x - a^2 + 3*\sqrt{1/3}*(2*a*b*x^2 + (a^2*b)^{2/3}*x - (a^2*b)^{1/3})*a)*\sqrt{-(a^2*b)^{1/3}/b})/(b*x^3 + a) - 2*((b^5*c + 2*a*b^4*d - 14*a^2*b^3*e + 35*a^3*b^2*f)*x^6 + a^2*b^3*c + 2*a^3*b^2*d - 14*a^4*b*e + 35*a^5*f + 2*(a*b^4*c + 2*a^2*b^3*d - 14*a^3*b^2*e + 35*a^4*b*f)*x^3)*(a^2*b)^{2/3}*\log(a*b*x^2 - (a^2*b)^{2/3}*x + (a^2*b)^{1/3})*a) + 4*((b^5*c + 2*a*b^4*d - 14*a^2*b^3*e + 35*a^3*b^2*f)*x^6 + a^2*b^3*c + 2*a^3*b^2*d - 14*a^4*b*e + 35*a^5*f + 2*(a*b^4*c + 2*a^2*b^3*d - 14*a^3*b^2*e + 35*a^4*b*f)*x^3)*(a^2*b)^{2/3}*\log(a*b*x + (a^2*b)^{2/3}) - 12*(a^3*b^4*c + 2*a^4*b^3*d - 14*a^5*b^2*e + 35*a^6*b*f)*x)/(a^3*b^7*x^6 + 2*a^4*b^6*x^3 + a^5*b^5), 1/108*(27*a^3*b^4*f*x^{10} + 54*(2*a^3*b^4*e - 5*a^4*b^3*f)*x^7 + 3*(2*a^2*b^5*c - 14*a^3*b^4*d + 98*a^4*b^3*e - 245*a^5*b^2*f)*x^4 + 12*\sqrt{1/3}*(a^3*b^4*c + 2*a^4*b^3*d - 14*a^5*b^2*e + 35*a^6*b*f + (a*b^6*c + 2*a^2*b^5*d - 14*a^3*b^4*e + 35*a^4*b^3*f)*x^6 + 2*(a^2*b^5*c + 2*a^3*b^4*d - 14*a^4*b^3*e + 35*a^5*b^2*f)*x^3)*\sqrt{(a^2*b)^{1/3}/b}*\arctan(\sqrt{1/3}*(2*(a^2*b)^{2/3}*x - (a^2*b)^{1/3})*a)*\sqrt{(a^2*b)^{1/3}/b}/a^2) - 2*((b^5*c + 2*a*b^4*d - 14*a^2*b^3*e + 35*a^3*b^2*f)*x^6 + a^2*b^3*c + 2*a^3*b^2*d - 14*a^4*b*e + 35*a^5*f + 2*(a*b^4*c + 2*a^2*b^3*d - 14*a^3*b^2*e + 35*a^4*b*f)*x^3)*(a^2*b)^{2/3}*\log(a*b*x^2 - (a^2*b)^{2/3}*x + (a^2*b)^{1/3})*a) + 4*((b^5*c + 2*a*b^4*d - 14*a^2*b^3*e + 35*a^3*b^2*f)*x^6 + a^2*b^3*c + 2*a^3*b^2*d - 14*a^4*b*e + 35*a^5*f + 2*(a*b^4*c + 2*a^2*b^3*d - 14*a^3*b^2*e + 35*a^4*b*f)*x^3)*(a^2*b)^{2/3}*\log(a*b*x + (a^2*b)^{2/3}) - 12*(a^3*b^4*c + 2*a^4*b^3*d - 14*a^5*b^2*e + 35*a^6*b*f)*x)/(a^3*b^7*x^6 + 2*a^4*b^6*x^3 + a^5*b^5)]$

giac [A] time = 0.22, size = 319, normalized size = 1.04

$$\frac{\sqrt{3}(b^3c + 2ab^2d + 35a^3f - 14a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (b^3c + 2ab^2d + 35a^3f - 14a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27(-ab^2)^{\frac{2}{3}}ab^3 + 54(-ab^2)^{\frac{2}{3}}ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-\frac{1}{27}\sqrt{3}(b^3c + 2ab^2d + 35a^3f - 14a^2be) \arctan\left(\frac{1}{3}\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\right) - \frac{1}{54}(b^3c + 2ab^2d + 35a^3f - 14a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) - \frac{1}{27}(b^3c + 2ab^2d + 35a^3f - 14a^2be) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \frac{1}{18}(b^4cx^4 - 7a^3bx^4 - 19a^3d^2x^4 + 13a^2b^2x^4e - 2a^3c^2x - 4a^2b^2dx - 16a^4fx + 10a^3bx^2e) / ((bx^3 + a)^2ab^4) + \frac{1}{4}(b^9fx^4 - 12a^8bx^2 + 4b^9x^2e) / b^{12}$

maple [B] time = 0.06, size = 561, normalized size = 1.83

$$-\frac{19a^2fx^4}{18(bx^3+a)^2b^3} + \frac{13aex^4}{18(bx^3+a)^2b^2} + \frac{cx^4}{18(bx^3+a)^2a} - \frac{7dx^4}{18(bx^3+a)^2b} + \frac{fx^4}{4b^3} - \frac{8a^3fx}{9(bx^3+a)^2b^4} + \frac{5a^2ex}{9(bx^3+a)^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] $\frac{1}{4}fx^4/b^3 - 3/b^4afx + 1/b^3ex - 19/18/b^3/(bx^3+a)^2x^4a^2f + 13/18/b^2/(bx^3+a)^2x^4ae - 7/18/b/(bx^3+a)^2x^4d + 1/18/(bx^3+a)^2/a^2cx - 8/9/b^4/(bx^3+a)^2a^3fx + 5/9/b^3/(bx^3+a)^2a^2ex - 2/9/b^2/(bx^3+a)^2ad^2x - 1/9/b/(bx^3+a)^2cx + 35/27/b^5a^2/(a/b)^{2/3} \ln(x + (a/b)^{1/3}) - 14/27/b^4a/(a/b)^{2/3} \ln(x + (a/b)^{1/3})e + 2/27/b^3/(a/b)^{2/3} \ln(x + (a/b)^{1/3})d + 1/27/b^2/a/(a/b)^{2/3} \ln(x + (a/b)^{1/3})c - 35/54/b^5a^2/(a/b)^{2/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3})f + 7/27/b^4a/(a/b)^{2/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3})e - 1/27/b^3/(a/b)^{2/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3})d - 1/54/b^2/a/(a/b)^{2/3} \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3})c + 35/27/b^5a^2$

$$\frac{2}{(a/b)^{2/3}} \cdot 3^{1/2} \cdot \arctan\left(\frac{1}{3} \cdot 3^{1/2} \cdot \left(\frac{2}{(a/b)^{1/3}} \cdot x - 1\right)\right) \cdot f - \frac{14}{27} \cdot \frac{a}{b^4} \cdot \frac{1}{(a/b)^{2/3}} \cdot 3^{1/2} \cdot \arctan\left(\frac{1}{3} \cdot 3^{1/2} \cdot \left(\frac{2}{(a/b)^{1/3}} \cdot x - 1\right)\right) \cdot e + \frac{2}{27} \cdot \frac{1}{b^3} \cdot \frac{1}{(a/b)^{2/3}} \cdot 3^{1/2} \cdot \arctan\left(\frac{1}{3} \cdot 3^{1/2} \cdot \left(\frac{2}{(a/b)^{1/3}} \cdot x - 1\right)\right) \cdot d + \frac{1}{27} \cdot \frac{1}{b^2} \cdot \frac{1}{a} \cdot \frac{1}{(a/b)^{2/3}} \cdot 3^{1/2} \cdot \arctan\left(\frac{1}{3} \cdot 3^{1/2} \cdot \left(\frac{2}{(a/b)^{1/3}} \cdot x - 1\right)\right) \cdot c$$

maxima [A] time = 3.06, size = 305, normalized size = 0.99

$$\frac{(b^4c - 7ab^3d + 13a^2b^2e - 19a^3bf)x^4 - 2(ab^3c + 2a^2b^2d - 5a^3be + 8a^4f)x}{18(ab^6x^6 + 2a^2b^5x^3 + a^3b^4)} + \frac{bf x^4 + 4(be - 3af)x}{4b^4} + \frac{\sqrt{3}(b^3c + \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{18} \cdot \frac{(b^4c - 7a^2b^3d + 13a^2b^2e - 19a^3bf)x^4 - 2(a^2b^3c + 2a^2b^2d - 5a^3be + 8a^4f)x}{(a^2b^6x^6 + 2a^2b^5x^3 + a^3b^4)} + \frac{1}{4} \cdot \frac{(bf x^4 + 4(be - 3af)x)}{b^4} + \frac{1}{27} \cdot \frac{\sqrt{3} \cdot (b^3c + 2a^2b^2d - 14a^2b^2e + 35a^3f) \cdot \arctan\left(\frac{1}{3} \cdot \sqrt{3} \cdot \left(\frac{2x - (a/b)^{1/3}}{(a/b)^{1/3}}\right)\right)}{(a/b)^{1/3}} + \frac{1}{54} \cdot \frac{(b^3c + 2a^2b^2d - 14a^2b^2e + 35a^3f) \cdot \log\left(\frac{x^2 - x \cdot (a/b)^{1/3} + (a/b)^{2/3}}{(a/b)^{5/3}}\right)}{(a/b)^{2/3}} + \frac{1}{27} \cdot \frac{(b^3c + 2a^2b^2d - 14a^2b^2e + 35a^3f) \cdot \log\left(\frac{x + (a/b)^{1/3}}{(a/b)^{5/3}}\right)}{(a/b)^{2/3}}$

mupad [B] time = 5.14, size = 290, normalized size = 0.94

$$x \left(\frac{e}{b^3} - \frac{3af}{b^4} \right) - \frac{x \left(\frac{8fa^3}{9} - \frac{5ea^2b}{9} + \frac{2dab^2}{9} + \frac{cb^3}{9} \right) - \frac{x^4(-19fa^3b + 13ea^2b^2 - 7dab^3 + cb^4)}{18a}}{a^2b^4 + 2ab^5x^3 + b^6x^6} + \frac{fx^4}{4b^3} + \frac{\ln(b^{1/3}x + a^{1/3})}{27} \left(\frac{35f}{27} \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] $x \cdot \left(\frac{e}{b^3} - \frac{3af}{b^4} \right) - \frac{x \cdot \left(\frac{b^3c}{9} + \frac{8a^3f}{9} + \frac{2a^2b^2d}{9} - \frac{5a^2b^2e}{9} \right) - \frac{x^4 \cdot (b^4c + 13a^2b^2e - 7a^2b^3d - 19a^3bf)}{18a}}{(a^2b^4 + b^6x^6 + 2a^2b^5x^3) + \frac{fx^4}{4b^3} + \frac{\log(b^{1/3}x + a^{1/3}) \cdot (b^3c + 35a^3f + 2a^2b^2d - 14a^2b^2e)}{(27a^{5/3}b^{13/3})} + \frac{\log(3^{1/2}a^{1/3} \cdot i + 2b^{1/3}x - a^{1/3}) \cdot \left(\frac{3^{1/2} \cdot i}{2} - \frac{1}{2} \right) \cdot (b^3c + 35a^3f + 2a^2b^2d - 14a^2b^2e)}{(27a^{5/3}b^{13/3})} - \frac{\log(3^{1/2}a^{1/3} \cdot i - 2b^{1/3}x + a^{1/3}) \cdot \left(\frac{3^{1/2} \cdot i}{2} + \frac{1}{2} \right) \cdot (b^3c + 35a^3f + 2a^2b^2d - 14a^2b^2e)}{(27a^{5/3}b^{13/3})}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


$$3.293 \quad \int \frac{x(c+dx^3+ex^6+fx^9)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=301

$$\frac{x^2(7a^3f - 4a^2be + ab^2d + 2b^3c)}{9a^2b^3(a + bx^3)} + \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-20a^3f + 5a^2be + a^2b^2d + 2b^3c)}{54a^{7/3}b^{11/3}}$$

[Out] $1/2*f*x^2/b^3+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a/b^3/(b*x^3+a)^2+1/9*(7*a^3*f-4*a^2*b*e+a*b^2*d+2*b^3*c)*x^2/a^2/b^3/(b*x^3+a)-1/27*(-20*a^3*f+5*a^2*b*e+a*b^2*d+2*b^3*c)*\ln(a^{1/3}+b^{1/3}*x)/a^{7/3}/b^{11/3}+1/54*(-20*a^3*f+5*a^2*b*e+a*b^2*d+2*b^3*c)*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/a^{7/3}/b^{11/3}-1/27*(-20*a^3*f+5*a^2*b*e+a*b^2*d+2*b^3*c)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{7/3}/b^{11/3}*3^{1/2}$

Rubi [A] time = 0.37, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {1828, 1594, 1482, 459, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(-4a^2be + 7a^3f + ab^2d + 2b^3c)}{9a^2b^3(a + bx^3)} + \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(5a^2be - 20a^3f + a^2b^2d + 2b^3c)}{54a^{7/3}b^{11/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $(f*x^2)/(2*b^3) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a*b^3*(a + b*x^3)^2) + ((2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*x^2)/(9*a^2*b^3*(a + b*x^3)) - ((2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*\text{ArcTan}[a^{1/3} - 2*b^{1/3}*x]/(\text{Sqrt}[3]*a^{1/3}))/ (9*\text{Sqrt}[3]*a^{7/3}*b^{11/3}) - ((2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*\text{Log}[a^{1/3} + b^{1/3}*x])/ (27*a^{7/3}*b^{11/3}) + ((2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/ (54*a^{7/3}*b^{11/3})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 459

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m+1)*(a+b*x^n)^(p+1))/(b*e*(m+n*(p+1)+1)), x] - Dist[(a*d*(m+1) - b*c*(m+n*(p+1)+1))/(b*(m+n*(p+1)+1)), Int[(e*x)^m*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m+n*(p+1)+1, 0]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*c}, Simplify[(a*c)/b^2]], Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a+b*x+c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a+b*x+c*x^2), x], x] + Dist[e/(2*c), Int[(b+2*c*x)/(a+b*x+c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1482

Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Simp[((-d)^(m-Mod[m, n])/n-1)*(c*d^2 - b*d*e + a*e^2)^p*x^(Mod[m, n]+1)*(d+e*x^n)^(q+1)/(n*e^(2*p+(m-Mod[m, n])/n)*(q+1)), x] + Dist[1/(n*e^(2*p+(m-Mod[m, n])/n)*(q+1))

```

)), Int[x^Mod[m, n]*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*e^(2*p +
(m - Mod[m, n])/n)*(q + 1)*x^(m - Mod[m, n]))*(a + b*x^n + c*x^(2*n))^p - (
-d)^((m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*(d*(Mod[m, n] + 1) +
e*(Mod[m, n] + n*(q + 1) + 1)*x^n))]/(d + e*x^n)], x], x], x] /; FreeQ[{a,
b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0] && IGt
Q[p, 0] && ILtQ[q, -1] && IGtQ[m, 0]

```

Rule 1594

```

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^n, x
_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a
, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

```

Rule 1828

```

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx^3 + ex^6 + fx^9)}{(a + bx^3)^3} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} - \frac{\int \frac{-2b(2b^3c + ab^2d - a^2be + a^3f)x - 6ab^2(be - af)x^4 - 6ab^3fx^7}{(a + bx^3)^2} dx}{6ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} - \frac{\int \frac{x(-2b(2b^3c + ab^2d - a^2be + a^3f) - 6ab^2(be - af)x^3 - 6ab^3fx^6)}{(a + bx^3)^2} dx}{6ab^4} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} + \frac{\int \frac{x\left(2b^3\left(\frac{2b^3c}{a} + b\right)\right)}{(a + bx^3)^2} dx}{6ab^4} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} + \frac{(2b^3c}{2b^3} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c}{2b^3} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c}{2b^3} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c}{2b^3} \\
&= \frac{fx^2}{2b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6ab^3(a + bx^3)^2} + \frac{(2b^3c + ab^2d - 4a^2be + 7a^3f)x^2}{9a^2b^3(a + bx^3)} - \frac{(2b^3c}{2b^3}
\end{aligned}$$

Mathematica [A] time = 0.32, size = 284, normalized size = 0.94

$$\frac{6b^{2/3}x^2(7a^3f - 4a^2be + ab^2d + 2b^3c)}{a^2(a + bx^3)} + \frac{9b^{2/3}x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{a(a + bx^3)^2} - \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(-20a^3f + 5a^2be + ab^2d + 2b^3c)}{a^{7/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}\sqrt[3]{a}}\right)}{a}$$

54b^{11/3}

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x]

[Out] $(27*b^{(2/3)}*f*x^2 + (9*b^{(2/3)}*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(a*(a + b*x^3)^2) + (6*b^{(2/3)}*(2*b^3*c + a*b^2*d - 4*a^2*b*e + 7*a^3*f)*x^2)/(a^2*(a + b*x^3)) - (2*\text{Sqrt}[3]*(2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]])/a^{(7/3)} - (2*(2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/a^{(7/3)} + ((2*b^3*c + a*b^2*d + 5*a^2*b*e - 20*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/a^{(7/3)})/(54*b^{(11/3)})$

fricas [B] time = 0.79, size = 1158, normalized size = 3.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $[1/54*(27*a^3*b^4*f*x^8 + 6*(2*a*b^6*c + a^2*b^5*d - 4*a^3*b^4*e + 16*a^4*b^3*f)*x^5 + 3*(7*a^2*b^5*c - a^3*b^4*d - 5*a^4*b^3*e + 20*a^5*b^2*f)*x^2 - 3*\text{sqrt}(1/3)*(2*a^3*b^4*c + a^4*b^3*d + 5*a^5*b^2*e - 20*a^6*b*f + (2*a*b^6*c + a^2*b^5*d + 5*a^3*b^4*e - 20*a^4*b^3*f)*x^6 + 2*(2*a^2*b^5*c + a^3*b^4*d + 5*a^4*b^3*e - 20*a^5*b^2*f)*x^3)*\text{sqrt}(-(a*b^2)^{(1/3)}/a)*\text{log}((2*b^2*x^3 - a*b - 3*\text{sqrt}(1/3)*(a*b*x + 2*(a*b^2)^{(2/3)}*x^2 - (a*b^2)^{(1/3)}*a)*\text{sqrt}(-(a*b^2)^{(1/3)}/a) - 3*(a*b^2)^{(2/3)}*x)/(b*x^3 + a)) + ((2*b^5*c + a*b^4*d + 5*a^2*b^3*e - 20*a^3*b^2*f)*x^6 + 2*a^2*b^3*c + a^3*b^2*d + 5*a^4*b*e - 20*a^5*f + 2*(2*a*b^4*c + a^2*b^3*d + 5*a^3*b^2*e - 20*a^4*b*f)*x^3)*(a*b^2)^{(2/3)}*\text{log}(b^2*x^2 - (a*b^2)^{(1/3)}*b*x + (a*b^2)^{(2/3)}) - 2*((2*b^5*c + a*b^4*d + 5*a^2*b^3*e - 20*a^3*b^2*f)*x^6 + 2*a^2*b^3*c + a^3*b^2*d + 5*a^4*b*e - 20*a^5*f + 2*(2*a*b^4*c + a^2*b^3*d + 5*a^3*b^2*e - 20*a^4*b*f)*x^3)*(a*b^2)^{(2/3)}*\text{log}(b*x + (a*b^2)^{(1/3)})]/(a^3*b^7*x^6 + 2*a^4*b^6*x^3 + a^5*b^5), 1/54*(27*a^3*b^4*f*x^8 + 6*(2*a*b^6*c + a^2*b^5*d - 4*a^3*b^4*e + 16*a^4*b^3*f)*x^5 + 3*(7*a^2*b^5*c - a^3*b^4*d - 5*a^4*b^3*e + 20*a^5*b^2*f)*x^2 - 6*\text{sqrt}(1/3)*(2*a^3*b^4*c + a^4*b^3*d + 5*a^5*b^2*e - 20*a^6*b*f + (2*a*b^6*c + a^2*b^5*d + 5*a^3*b^4*e - 20*a^4*b^3*f)*x^6 + 2*(2*a^2*b^5*c + a^3*b^4*d + 5*a^4*b^3*e - 20*a^5*b^2*f)*x^3)*\text{sqrt}((a*b^2)^{(1/3)}/a)*\text{arctan}(-\text{sqrt}(1/3)*(2*b*x - (a*b^2)^{(1/3)})*\text{sqrt}((a*b^2)^{(1/3)}/a)/b) + ((2*b^5*c + a*b^4*d + 5*a^2*b^3*e - 20*a^3*b^2*f)*x^6 + 2*a^2*b^3*c + a^3*b^2*d + 5*a^4*b*e - 20*a^5*f + 2*(2*a*b^4*c + a^2*b^3*d + 5*a^3*b^2*e - 20*a^4*b*f)*x^3)*(a*b^2)^{(2/3)}*\text{log}(b^2*x^2 - (a*b^2)^{(1/3)}*b*x + (a*b^2)^{(2/3)}) - 2*((2*b^5*c + a*b^4*d + 5*a^2*b^3*e - 20*a^3*b^2*f)*x^6 + 2*a^2*b^3*c + a^3*b^2*d + 5*a^4*b*e - 20*a^5*f + 2*(2*a*b^4*c + a^2*b^3*d + 5*a^3*b^2*e - 20*a^4*b*f)*x^3)*(a*b^2)^{(2/3)}*\text{log}(b*x + (a*b^2)^{(1/3)})]/(a^3*b^7*x^6 + 2*a^4*b^6*x^3 + a^5*b^5)]$

giac [A] time = 0.21, size = 339, normalized size = 1.13

$$\frac{fx^2}{2b^3} + \frac{\sqrt{3}(2b^3c + ab^2d - 20a^3f + 5a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{1}{3}}a^2b^3} - \frac{(2b^3c + ab^2d - 20a^3f + 5a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54(-ab^2)^{\frac{1}{3}}a^2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/2*f*x^2/b^3 + 1/27*sqrt(3)*(2*b^3*c + a*b^2*d - 20*a^3*f + 5*a^2*b*e)*arc
tan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^2*b^3)
- 1/54*(2*b^3*c + a*b^2*d - 20*a^3*f + 5*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3)
+ (-a/b)^(2/3))/((-a*b^2)^(1/3)*a^2*b^3) - 1/27*(2*b^3*c*(-a/b)^(1/3) + a
b^2*d*(-a/b)^(1/3) - 20*a^3*f*(-a/b)^(1/3) + 5*a^2*b*(-a/b)^(1/3)*e)*(-a/b)
^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^3) + 1/18*(4*b^4*c*x^5 + 2*a*b^3*d
*x^5 + 14*a^3*b*f*x^5 - 8*a^2*b^2*x^5*e + 7*a*b^3*c*x^2 - a^2*b^2*d*x^2 + 1
1*a^4*f*x^2 - 5*a^3*b*x^2*e)/((b*x^3 + a)^2*a^2*b^3)

maple [B] time = 0.06, size = 550, normalized size = 1.83

$$\frac{7afx^5}{9(bx^3+a)^2b^2} + \frac{dx^5}{9(bx^3+a)^2a} + \frac{2bcx^5}{9(bx^3+a)^2a^2} - \frac{4ex^5}{9(bx^3+a)^2b} + \frac{11a^2fx^2}{18(bx^3+a)^2b^3} - \frac{5aex^2}{18(bx^3+a)^2b^2} + \frac{7cx^2}{18(bx^3+a)^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] 1/2*f*x^2/b^3+7/9/b^2/(b*x^3+a)^2*a*x^5*f-4/9/b/(b*x^3+a)^2*x^5*e+1/9/(b*x^3+a)^2/a*x^5*d+2/9*b/(b*x^3+a)^2/a^2*x^5*c+11/18/b^3/(b*x^3+a)^2*a^2*x^2*f-
5/18/b^2/(b*x^3+a)^2*a*x^2*e-1/18/b/(b*x^3+a)^2*x^2*d+7/18/(b*x^3+a)^2/a*x^2*c+20/27/b^4*a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f-5/27/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e-1/27/b^2/a/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d-2/27/b/a^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c-10/27/b^4*a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+5/54/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e+1/54/b^2/a/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+1/27/b/a^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c-20/27/b^4*a^3^(1/2)/(a/b)^(1/3)*arctan(1

$$\frac{1}{3} \cdot 3^{1/2} \cdot \left(\frac{2}{(a/b)^{1/3}} \cdot x - 1 \right) \cdot f + \frac{5}{27} \cdot b^{-3} \cdot 3^{1/2} / (a/b)^{1/3} \cdot \arctan\left(\frac{1}{3} \cdot 3^{1/2} \cdot \left(\frac{2}{(a/b)^{1/3}} \cdot x - 1 \right) \cdot e + \frac{1}{27} \cdot b^{-2} / a \cdot 3^{1/2} / (a/b)^{1/3} \cdot \arctan\left(\frac{1}{3} \cdot 3^{1/2} \cdot \left(\frac{2}{(a/b)^{1/3}} \cdot x - 1 \right) \cdot d + \frac{2}{27} \cdot b / a \cdot 2 \cdot 3^{1/2} / (a/b)^{1/3} \cdot \arctan\left(\frac{1}{3} \cdot 3^{1/2} \cdot \left(\frac{2}{(a/b)^{1/3}} \cdot x - 1 \right) \cdot c \right)\right)$$

maxima [A] time = 2.94, size = 296, normalized size = 0.98

$$\frac{2(2b^4c + ab^3d - 4a^2b^2e + 7a^3bf)x^5 + (7ab^3c - a^2b^2d - 5a^3be + 11a^4f)x^2}{18(a^2b^5x^6 + 2a^3b^4x^3 + a^4b^3)} + \frac{fx^2}{2b^3} + \frac{\sqrt{3}(2b^3c + ab^2d + 5a^2be - 27a^4f)}{27a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{18} \cdot (2 \cdot (2 \cdot b^4 \cdot c + a \cdot b^3 \cdot d - 4 \cdot a^2 \cdot b^2 \cdot e + 7 \cdot a^3 \cdot b \cdot f) \cdot x^5 + (7 \cdot a \cdot b^3 \cdot c - a^2 \cdot b^2 \cdot d - 5 \cdot a^3 \cdot b \cdot e + 11 \cdot a^4 \cdot f) \cdot x^2) / (a^2 \cdot b^5 \cdot x^6 + 2 \cdot a^3 \cdot b^4 \cdot x^3 + a^4 \cdot b^3) + \frac{1}{2} \cdot f \cdot x^2 / b^3 + \frac{1}{27} \cdot \sqrt{3} \cdot (2 \cdot b^3 \cdot c + a \cdot b^2 \cdot d + 5 \cdot a^2 \cdot b \cdot e - 20 \cdot a^3 \cdot f) \cdot \arctan\left(\frac{1}{3} \cdot \sqrt{3} \cdot \left(\frac{2 \cdot x - (a/b)^{1/3}}{(a/b)^{1/3}} \right) / (a^2 \cdot b^4 \cdot (a/b)^{1/3})\right) + \frac{1}{54} \cdot (2 \cdot b^3 \cdot c + a \cdot b^2 \cdot d + 5 \cdot a^2 \cdot b \cdot e - 20 \cdot a^3 \cdot f) \cdot \log(x^2 - x \cdot (a/b)^{1/3} + (a/b)^{2/3}) / (a^2 \cdot b^4 \cdot (a/b)^{1/3}) - \frac{1}{27} \cdot (2 \cdot b^3 \cdot c + a \cdot b^2 \cdot d + 5 \cdot a^2 \cdot b \cdot e - 20 \cdot a^3 \cdot f) \cdot \log(x + (a/b)^{1/3}) / (a^2 \cdot b^4 \cdot (a/b)^{1/3})$

mupad [B] time = 5.27, size = 280, normalized size = 0.93

$$\frac{x^2(11fa^3-5ea^2b-dab^2+7cb^3)}{18a} + \frac{x^5(7fa^3b-4ea^2b^2+dab^3+2cb^4)}{9a^2} + \frac{fx^2}{2b^3} - \frac{\ln(b^{1/3}x+a^{1/3})}{27a^{7/3}b^{11/3}} \left(-20fa^3 + 5ea^2b + dab^2 + 20a^3f \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x^3 + e*x^6 + f*x^9))/(a + b*x^3)^3,x)

[Out] $\frac{(x^2 \cdot (7 \cdot b^3 \cdot c + 11 \cdot a^3 \cdot f - a \cdot b^2 \cdot d - 5 \cdot a^2 \cdot b \cdot e)) / (18 \cdot a) + (x^5 \cdot (2 \cdot b^4 \cdot c - 4 \cdot a^2 \cdot b^2 \cdot e + a \cdot b^3 \cdot d + 7 \cdot a^3 \cdot b \cdot f)) / (9 \cdot a^2)) / (a^2 \cdot b^3 + b^5 \cdot x^6 + 2 \cdot a \cdot b^4 \cdot x^3) + (f \cdot x^2) / (2 \cdot b^3) - (\log(b^{1/3} \cdot x + a^{1/3})) \cdot (2 \cdot b^3 \cdot c - 20 \cdot a^3 \cdot f + a \cdot b^2 \cdot d + 5 \cdot a^2 \cdot b \cdot e)) / (27 \cdot a^{7/3} \cdot b^{11/3}) + (\log(3^{1/2} \cdot a^{1/3} \cdot 1i + 2 \cdot b^{1/3} \cdot x - a^{1/3})) \cdot ((3^{1/2} \cdot 1i) / 2 + 1/2) \cdot (2 \cdot b^3 \cdot c - 20 \cdot a^3 \cdot f + a \cdot b^2 \cdot d + 5 \cdot a^2 \cdot b \cdot e)) / (27 \cdot a^{7/3} \cdot b^{11/3}) - (\log(3^{1/2} \cdot a^{1/3} \cdot 1i - 2 \cdot b^{1/3} \cdot x + a^{1/3})) \cdot ((3^{1/2} \cdot 1i) / 2 - 1/2) \cdot (2 \cdot b^3 \cdot c - 20 \cdot a^3 \cdot f + a \cdot b^2 \cdot d + 5 \cdot a^2 \cdot b \cdot e)) / (27 \cdot a^{7/3} \cdot b^{11/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


$$3.294 \quad \int \frac{c+dx^3+ex^6+fx^9}{(a+bx^3)^3} dx$$

Optimal. Leaf size=292

$$\frac{x(13a^3f - 7a^2be + ab^2d + 5b^3c)}{18a^2b^3(a + bx^3)} + \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-14a^3f + 2a^2be + ab^2d + 5b^3c)}{54a^{8/3}b^{10/3}}$$

[Out] f*x/b^3+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a/b^3/(b*x^3+a)^2+1/18*(13*a^3*f-7*a^2*b*e+a*b^2*d+5*b^3*c)*x/a^2/b^3/(b*x^3+a)+1/27*(-14*a^3*f+2*a^2*b*e+a*b^2*d+5*b^3*c)*ln(a^(1/3)+b^(1/3)*x)/a^(8/3)/b^(10/3)-1/54*(-14*a^3*f+2*a^2*b*e+a*b^2*d+5*b^3*c)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)/b^(10/3)-1/27*(-14*a^3*f+2*a^2*b*e+a*b^2*d+5*b^3*c)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)/b^(10/3)*3^(1/2)

Rubi [A] time = 0.31, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1858, 1409, 388, 200, 31, 634, 617, 204, 628}

$$\frac{x(-7a^2be + 13a^3f + ab^2d + 5b^3c)}{18a^2b^3(a + bx^3)} + \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{6ab^3(a + bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(2a^2be - 14a^3f + ab^2d + 5b^3c)}{54a^{8/3}b^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^3,x]

[Out] (f*x)/b^3 + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a*b^3*(a + b*x^3)^2) + ((5*b^3*c + a*b^2*d - 7*a^2*b*e + 13*a^3*f)*x)/(18*a^2*b^3*(a + b*x^3)) - ((5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(8/3)*b^(10/3)) + ((5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(8/3)*b^(10/3)) - ((5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(8/3)*b^(10/3)))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R

$t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[\{a, b\}, x]$

Rule 204

$Int[((a_) + (b_)*(x_)^2)^{-1}, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[\{a, b\}, x] \&\& PosQ[a/b] \&\& (LtQ[a, 0] || LtQ[b, 0])$

Rule 388

$Int[((a_) + (b_)*(x_)^{(n_)})^{(p_)}*((c_) + (d_)*(x_)^{(n_)}), x_Symbol] := Simp[(d*x*(a + b*x^n)^{(p + 1)})/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[\{a, b, c, d, n\}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[n*(p + 1) + 1, 0]$

Rule 617

$Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] := With[\{q = 1 - 4*Simplify[(a*c)/b^2]\}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] \&\& (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[\{a, b, c\}, x] \&\& NeQ[b^2 - 4*a*c, 0]$

Rule 628

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& EqQ[2*c*d - b*e, 0]$

Rule 634

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& NeQ[2*c*d - b*e, 0] \&\& NeQ[b^2 - 4*a*c, 0] \&\& !NiceSqrtQ[b^2 - 4*a*c]$

Rule 1409

$Int[((d_) + (e_)*(x_)^{(n_)})^{(q_)}*((a_) + (b_)*(x_)^{(n_) + (c_)*(x_)^{(n2_)}), x_Symbol] := -Simp[((c*d^2 - b*d*e + a*e^2)*x*(d + e*x^n)^{(q + 1)})/(d*e^2*n*(q + 1)), x] + Dist[1/(n*(q + 1)*d*e^2), Int[(d + e*x^n)^{(q + 1)}*Simp[c*d^2 - b*d*e + a*e^2*(n*(q + 1) + 1) + c*d*e*n*(q + 1)*x^n, x], x], x] /; FreeQ[\{a, b, c, d, e, n\}, x] \&\& EqQ[n2, 2*n] \&\& NeQ[b^2 - 4*a*c, 0] \&\& NeQ[c*d^2 - b*d*e + a*e^2, 0] \&\& LtQ[q, -1]$

Rule 1858

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{(a + bx^3)^3} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} - \frac{\int \frac{-5b^3c - ab^2d + a^2be - a^3f - 6ab(be - af)x^3 - 6ab^2fx^6}{(a + bx^3)^2} dx}{6ab^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{\int \frac{2b^2(5b^3c + ab^2d + 2a^2be - a^3f - 6ab^2fx^6)}{(a + bx^3)^2} dx}{18a^2b^3} \\
&= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} \\
&= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} \\
&= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} \\
&= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} \\
&= \frac{fx}{b^3} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6ab^3(a + bx^3)^2} + \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)} - \frac{(5b^3c + ab^2d - 7a^2be + 13a^3f)x}{18a^2b^3(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 279, normalized size = 0.96

$$\frac{3\sqrt[3]{b}x(13a^3f-7a^2be+ab^2d+5b^3c)}{a^2(a+bx^3)} + \frac{9\sqrt[3]{b}x(a^3(-f)+a^2be-ab^2d+b^3c)}{a(a+bx^3)^2} + \frac{2\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)(-14a^3f+2a^2be+ab^2d+5b^3c)}{a^{8/3}} - \frac{2\sqrt{3}\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{\sqrt{3}}}{54b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^3,x]

[Out] (54*b^(1/3)*f*x + (9*b^(1/3)*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(a*(a + b*x^3)^2) + (3*b^(1/3)*(5*b^3*c + a*b^2*d - 7*a^2*b*e + 13*a^3*f)*x)/(a^2*(a + b*x^3)) - (2*sqrt(3)*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)])/a^(8/3) + (2*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/a^(8/3) - ((5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(8/3))/(54*b^(10/3))

fricas [B] time = 0.78, size = 1184, normalized size = 4.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [1/54*(54*a^4*b^3*f*x^7 + 3*(5*a^2*b^5*c + a^3*b^4*d - 7*a^4*b^3*e + 49*a^5*b^2*f)*x^4 - 3*sqrt(1/3)*(5*a^3*b^4*c + a^4*b^3*d + 2*a^5*b^2*e - 14*a^6*b*f + (5*a*b^6*c + a^2*b^5*d + 2*a^3*b^4*e - 14*a^4*b^3*f)*x^6 + 2*(5*a^2*b^5*c + a^3*b^4*d + 2*a^4*b^3*e - 14*a^5*b^2*f)*x^3)*sqrt((-a^2*b)^(1/3)/b)*log((2*a*b*x^3 + 3*(-a^2*b)^(1/3)*a*x - a^2 - 3*sqrt(1/3)*(2*a*b*x^2 + (-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt((-a^2*b)^(1/3)/b))/(b*x^3 + a)) - ((5*b^5*c + a*b^4*d + 2*a^2*b^3*e - 14*a^3*b^2*f)*x^6 + 5*a^2*b^3*c + a^3*b^2*d + 2*a^4*b*e - 14*a^5*f + 2*(5*a*b^4*c + a^2*b^3*d + 2*a^3*b^2*e - 14*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x^2 - (-a^2*b)^(2/3)*x - (-a^2*b)^(1/3)*a) + 2*((5*b^5*c + a*b^4*d + 2*a^2*b^3*e - 14*a^3*b^2*f)*x^6 + 5*a^2*b^3*c + a^3*b^2*d + 2*a^4*b*e - 14*a^5*f + 2*(5*a*b^4*c + a^2*b^3*d + 2*a^3*b^2*e - 14*a^4*b*f)*x^3)*(-a^2*b)^(2/3)*log(a*b*x + (-a^2*b)^(2/3)) + 6*(4*a^3*b^4*c - a^4*b^3*d - 2*a^5*b^2*e + 14*a^6*b*f)*x)/(a^4*b^6*x^6 + 2*a^5*b^5*x^3 + a^6*b^4), 1/54*(54*a^4*b^3*f*x^7 + 3*(5*a^2*b^5*c + a^3*b^4*d - 7*a^4*b^3*e + 49*a^5*b^2*f)*x^4 + 6*sqrt(1/3)*(5*a^3*b^4*c + a^4*b^3*d + 2*a^5*b^2*e - 14*a^6*b*f + (5*a*b^6*c + a^2*b^5*d + 2*a^3*b^4*e - 14*a^4*b^3*f)*x^6 + 2*(5*a^2*b^5*c + a^3*b^4*d + 2*a^4*b^3*e - 14*a^5*b^2*f)*x^3)*sqrt(-(-a^2*b)^(1/3)/b)*arctan(sqrt(1/3)*(2*(-a^2*b)^(2/3)*x + (-a^2*b)^(1/3)*a)*sqrt(-(-

$$a^2b)^{(1/3)/b}/a^2) - ((5*b^5*c + a*b^4*d + 2*a^2*b^3*e - 14*a^3*b^2*f)*x^6 + 5*a^2*b^3*c + a^3*b^2*d + 2*a^4*b*e - 14*a^5*f + 2*(5*a*b^4*c + a^2*b^3*d + 2*a^3*b^2*e - 14*a^4*b*f)*x^3)*(-a^2*b)^{(2/3)}*\log(a*b*x^2 - (-a^2*b)^{(2/3)}*x - (-a^2*b)^{(1/3)}*a) + 2*((5*b^5*c + a*b^4*d + 2*a^2*b^3*e - 14*a^3*b^2*f)*x^6 + 5*a^2*b^3*c + a^3*b^2*d + 2*a^4*b*e - 14*a^5*f + 2*(5*a*b^4*c + a^2*b^3*d + 2*a^3*b^2*e - 14*a^4*b*f)*x^3)*(-a^2*b)^{(2/3)}*\log(a*b*x + (-a^2*b)^{(2/3)}) + 6*(4*a^3*b^4*c - a^4*b^3*d - 2*a^5*b^2*e + 14*a^6*b*f)*x)/(a^4*b^6*x^6 + 2*a^5*b^5*x^3 + a^6*b^4)]$$

giac [A] time = 0.20, size = 295, normalized size = 1.01

$$\frac{fx}{b^3} - \frac{\sqrt{3}(5b^3c + ab^2d - 14a^3f + 2a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{2}{3}}a^2b^2} - \frac{(5b^3c + ab^2d - 14a^3f + 2a^2be) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} - \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54(-ab^2)^{\frac{2}{3}}a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] f*x/b^3 - 1/27*sqrt(3)*(5*b^3*c + a*b^2*d - 14*a^3*f + 2*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2*b^2) - 1/54*(5*b^3*c + a*b^2*d - 14*a^3*f + 2*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2*b^2) - 1/27*(5*b^3*c + a*b^2*d - 14*a^3*f + 2*a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^3) + 1/18*(5*b^4*c*x^4 + a*b^3*d*x^4 + 13*a^3*b*f*x^4 - 7*a^2*b^2*x^4*e + 8*a*b^3*c*x - 2*a^2*b^2*d*x + 10*a^4*f*x - 4*a^3*b*x*e)/(b*x^3 + a)^2*a^2*b^3)

maple [B] time = 0.06, size = 539, normalized size = 1.85

$$\frac{13afx^4}{18(bx^3+a)^2b^2} + \frac{dx^4}{18(bx^3+a)^2a} + \frac{5bcx^4}{18(bx^3+a)^2a^2} - \frac{7ex^4}{18(bx^3+a)^2b} + \frac{5a^2fx}{9(bx^3+a)^2b^3} - \frac{2aex}{9(bx^3+a)^2b^2} + \frac{4}{9(bx^3+a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x)

[Out] 1/b^3*f*x+13/18/b^2/(b*x^3+a)^2*x^4*a*f-7/18/b/(b*x^3+a)^2*x^4*e+1/18/(b*x^3+a)^2/a*x^4*d+5/18*b/(b*x^3+a)^2/a^2*x^4*c+5/9/b^3/(b*x^3+a)^2*a^2*f*x-2/9

$$\begin{aligned} & /b^2/(b*x^3+a)^2*a*e*x-1/9/b/(b*x^3+a)^2*d*x+4/9/(b*x^3+a)^2/a*x*c-14/27/b^4*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f+2/27/b^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})* \\ & e+1/27/b^2/a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d+5/27/b/a^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c+7/27/b^4*a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-1/2 \\ & 7/b^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e-1/54/b^2/a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d-5/54/b/a^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c-14/27/b^4*a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2 \\ & /((a/b)^{(1/3)}*x-1))*f+2/27/b^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/((a/b)^{(1/3)}*x-1))*e+1/27/b^2/a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/((a/b)^{(1/3)}*x-1))*d+5/27/b/a^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/((a/b)^{(1/3)}*x-1))*c \end{aligned}$$

maxima [A] time = 3.07, size = 291, normalized size = 1.00

$$\frac{(5b^4c + ab^3d - 7a^2b^2e + 13a^3bf)x^4 + 2(4ab^3c - a^2b^2d - 2a^3be + 5a^4f)x + \frac{fx}{b^3} + \frac{\sqrt{3}(5b^3c + ab^2d + 2a^2be - 14a^3f)\arctan\left(\frac{1}{3}\sqrt{3}\left(\frac{2}{(a/b)^{(1/3)}x-1}\right)\right)}{27a^2b^4}}{18(a^2b^5x^6 + 2a^3b^4x^3 + a^4b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*((5*b^4*c + a*b^3*d - 7*a^2*b^2*e + 13*a^3*b*f)*x^4 + 2*(4*a*b^3*c - a^2*b^2*d - 2*a^3*b*e + 5*a^4*f)*x)/(a^2*b^5*x^6 + 2*a^3*b^4*x^3 + a^4*b^3) + f*x/b^3 + 1/27*sqrt(3)*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^4*(a/b)^(2/3)) - 1/54*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^4*(a/b)^(2/3)) + 1/27*(5*b^3*c + a*b^2*d + 2*a^2*b*e - 14*a^3*f)*log(x + (a/b)^(1/3))/(a^2*b^4*(a/b)^(2/3))

mupad [B] time = 5.20, size = 275, normalized size = 0.94

$$\frac{x(5fa^3-2ea^2b-dab^2+4cb^3)}{9a} + \frac{x^4(13fa^3b-7ea^2b^2+dab^3+5cb^4)}{18a^2} + \frac{fx}{b^3} + \frac{\ln(b^{1/3}x + a^{1/3})(-14fa^3 + 2ea^2b + dab^2 + 5cb^3)}{27a^{8/3}b^{10/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(a + b*x^3)^3,x)

[Out] ((x*(4*b^3*c + 5*a^3*f - a*b^2*d - 2*a^2*b*e))/(9*a) + (x^4*(5*b^4*c - 7*a^2*b^2*e + a*b^3*d + 13*a^3*b*f))/(18*a^2))/(a^2*b^3 + b^5*x^6 + 2*a*b^4*x^3) + (f*x)/b^3 + (log(b^(1/3)*x + a^(1/3))*(5*b^3*c - 14*a^3*f + a*b^2*d + 2*a^2*b*e))/(27*a^(8/3)*b^(10/3)) + (log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x -

$$\frac{a^{1/3} \left(\left(\frac{3^{1/2} i}{2} - \frac{1}{2} \right) (5b^3c - 14a^3f + ab^2d + 2a^2be) \right)}{(27a^{8/3}b^{10/3}) - \left(\log\left(\frac{3^{1/2} i}{2} + \frac{1}{2} \right) (5b^3c - 14a^3f + ab^2d + 2a^2be) \right)} \frac{a^{1/3} \left(\left(\frac{3^{1/2} i}{2} + \frac{1}{2} \right) (5b^3c - 14a^3f + ab^2d + 2a^2be) \right)}{(27a^{8/3}b^{10/3})}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.295 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^2(a+bx^3)^3} dx$$

Optimal. Leaf size=303

$$\frac{c}{a^3x} - \frac{x^2(4a^3f - a^2be - 2ab^2d + 5b^3c)}{9a^3b^2(a+bx^3)} - \frac{x^2(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^2b^2(a+bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-5a^3f)}{54a^{10/3}b^{8/3}}$$

[Out] $-c/a^3/x-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^2/b^2/(b*x^3+a)^2-1/9*(4*a^3*f-a^2*b*e-2*a*b^2*d+5*b^3*c)*x^2/a^3/b^2/(b*x^3+a)+1/27*(-5*a^3*f-a^2*b*e-2*a*b^2*d+14*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(10/3)}/b^{(8/3)}-1/54*(-5*a^3*f-a^2*b*e-2*a*b^2*d+14*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(10/3)}/b^{(8/3)}+1/27*(-5*a^3*f-a^2*b*e-2*a*b^2*d+14*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(10/3)}/b^{(8/3)}*3^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 303, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1829, 1484, 453, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(-a^2be + 4a^3f - 2ab^2d + 5b^3c)}{9a^3b^2(a+bx^3)} - \frac{x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^2b^2(a+bx^3)^2} - \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-a^2be - 5a^3f)}{54a^{10/3}b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^3), x]

[Out] $-(c/(a^3*x)) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^2*b^2*(a + b*x^3)^2) - ((5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)*x^2)/(9*a^3*b^2*(a + b*x^3)) + ((14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/ (9*\text{Sqrt}[3]*a^{(10/3)}*b^{(8/3)}) + ((14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (27*a^{(10/3)}*b^{(8/3)}) - ((14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (54*a^{(10/3)}*b^{(8/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 453

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1484

Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Simp[((-d)^(m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1)/(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)), x] + Dist[(-d)^(m - Mod[m, n])/n - 1)/(n*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*(-d))^(-(m

```

- Mod[m, n])/n) + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))^p - ((c*d^2 -
b*d*e + a*e^2)^p/(e^((m - Mod[m, n])/n)*x^(m - Mod[m, n])))*(d*(Mod[m, n]
+ 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n))/(d + e*x^n)], x], x], x] /; Free
eQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0]
&& IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]

```

Rule 1829

```

Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^2(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 2b\left(\frac{2b^3c}{a} - 2b^2d - abe + a^2f\right)x^3 - 6ab^2fx^6}{x^2(a + bx^3)^2} dx}{6ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{\int \frac{18ab^5c - 2b^3(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{x^2(a + bx^3)^2} dx}{9a^3b^2} \\
&= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} - \frac{(14b^3c - 14ab^2d + 7a^2be - 7a^3f)x^2}{9a^3b^2} \\
&= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{(14b^3c - 14ab^2d + 7a^2be - 7a^3f)x^2}{9a^3b^2} \\
&= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{(14b^3c - 14ab^2d + 7a^2be - 7a^3f)x^2}{9a^3b^2} \\
&= -\frac{c}{a^3x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^2b^2(a + bx^3)^2} - \frac{(5b^3c - 2ab^2d - a^2be + 4a^3f)x^2}{9a^3b^2(a + bx^3)} + \frac{(14b^3c - 14ab^2d + 7a^2be - 7a^3f)x^2}{9a^3b^2}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 286, normalized size = 0.94

$$\frac{6\sqrt[3]{a}x^2(4a^3f - a^2be - 2ab^2d + 5b^3c)}{b^2(a + bx^3)} - \frac{2\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(5a^3f + a^2be + 2ab^2d - 14b^3c)}{b^{8/3}} + \frac{2\sqrt{3}\tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt{3}}\right)(-5a^3f - a^2be - 2ab^2d + 14b^3c)}{b^{8/3}} + \frac{9a^{4/3}}{54a^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^3), x]

[Out] ((-54*a^(1/3)*c)/x + (9*a^(4/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(b^2*(a + b*x^3)^2) - (6*a^(1/3)*(5*b^3*c - 2*a*b^2*d - a^2*b*e + 4*a^3*f)

$$\frac{x^2}{(b^2(a + bx^3))} + (2\sqrt[3]{3}(14b^3c - 2ab^2d - a^2b^2e - 5a^3f) \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt[3]{3}}\right])/b^{8/3} - (2(-14b^3c + 2ab^2d + a^2b^2e + 5a^3f) \operatorname{Log}[a^{1/3} + b^{1/3}x])/b^{8/3} + ((-14b^3c + 2ab^2d + a^2b^2e + 5a^3f) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])/b^{8/3})/(54a^{10/3})$$

fricas [B] time = 0.60, size = 1206, normalized size = 3.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x, algorithm="fricas")

[Out] [-1/54*(54*a^3*b^4*c + 6*(14*a*b^6*c - 2*a^2*b^5*d - a^3*b^4*e + 4*a^4*b^3*f)*x^6 + 3*(49*a^2*b^5*c - 7*a^3*b^4*d + a^4*b^3*e + 5*a^5*b^2*f)*x^3 + 3*sqrt(1/3)*((14*a*b^6*c - 2*a^2*b^5*d - a^3*b^4*e - 5*a^4*b^3*f)*x^7 + 2*(14*a^2*b^5*c - 2*a^3*b^4*d - a^4*b^3*e - 5*a^5*b^2*f)*x^4 + (14*a^3*b^4*c - 2*a^4*b^3*d - a^5*b^2*e - 5*a^6*b*f)*x)*sqrt((-a*b^2)^(1/3)/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x + 2*(-a*b^2)^(2/3)*x^2 + (-a*b^2)^(1/3)*a)*sqrt((-a*b^2)^(1/3)/a) - 3*(-a*b^2)^(2/3)*x)/(b*x^3 + a)) + ((14*b^5*c - 2*a*b^4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14*a*b^4*c - 2*a^2*b^3*d - a^3*b^2*e - 5*a^4*b*f)*x^4 + (14*a^2*b^3*c - 2*a^3*b^2*d - a^4*b*e - 5*a^5*f)*x)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 2*((14*b^5*c - 2*a*b^4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14*a*b^4*c - 2*a^2*b^3*d - a^3*b^2*e - 5*a^4*b*f)*x^4 + (14*a^2*b^3*c - 2*a^3*b^2*d - a^4*b*e - 5*a^5*f)*x)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^4*b^6*x^7 + 2*a^5*b^5*x^4 + a^6*b^4*x), -1/54*(54*a^3*b^4*c + 6*(14*a*b^6*c - 2*a^2*b^5*d - a^3*b^4*e + 4*a^4*b^3*f)*x^6 + 3*(49*a^2*b^5*c - 7*a^3*b^4*d + a^4*b^3*e + 5*a^5*b^2*f)*x^3 + 6*sqrt(1/3)*((14*a*b^6*c - 2*a^2*b^5*d - a^3*b^4*e - 5*a^4*b^3*f)*x^7 + 2*(14*a^2*b^5*c - 2*a^3*b^4*d - a^4*b^3*e - 5*a^5*b^2*f)*x^4 + (14*a^3*b^4*c - 2*a^4*b^3*d - a^5*b^2*e - 5*a^6*b*f)*x)*sqrt(-(-a*b^2)^(1/3)/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^(1/3))*sqrt(-(-a*b^2)^(1/3)/a)/b) + ((14*b^5*c - 2*a*b^4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14*a*b^4*c - 2*a^2*b^3*d - a^3*b^2*e - 5*a^4*b*f)*x^4 + (14*a^2*b^3*c - 2*a^3*b^2*d - a^4*b*e - 5*a^5*f)*x)*(-a*b^2)^(2/3)*log(b^2*x^2 + (-a*b^2)^(1/3)*b*x + (-a*b^2)^(2/3)) - 2*((14*b^5*c - 2*a*b^4*d - a^2*b^3*e - 5*a^3*b^2*f)*x^7 + 2*(14*a*b^4*c - 2*a^2*b^3*d - a^3*b^2*e - 5*a^4*b*f)*x^4 + (14*a^2*b^3*c - 2*a^3*b^2*d - a^4*b*e - 5*a^5*f)*x)*(-a*b^2)^(2/3)*log(b*x - (-a*b^2)^(1/3)))/(a^4*b^6*x^7 + 2*a^5*b^5*x^4 + a^6*b^4*x)]

giac [A] time = 0.21, size = 341, normalized size = 1.13

$$\frac{\sqrt{3}(14b^3c - 2ab^2d - 5a^3f - a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{1}{3}}a^3b^2} - \frac{c}{a^3x} + \frac{(14b^3c - 2ab^2d - 5a^3f - a^2be) \log(x^2 + x)}{54(-ab^2)^{\frac{1}{3}}a^3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27*\sqrt{3}*(14*b^3*c - 2*a*b^2*d - 5*a^3*f - a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(1/3)}*a^3*b^2) - c/(a^3*x) + 1/54*(14*b^3*c - 2*a*b^2*d - 5*a^3*f - a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(1/3)}*a^3*b^2) + 1/27*(14*b^3*c*(-a/b)^{(1/3)} - 2*a*b^2*d*(-a/b)^{(1/3)} - 5*a^3*f*(-a/b)^{(1/3)} - a^2*b*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/ (a^4*b^2) - 1/18*(10*b^4*c*x^5 - 4*a*b^3*d*x^5 + 8*a^3*b*f*x^5 - 2*a^2*b^2*x^5*e + 13*a*b^3*c*x^2 - 7*a^2*b^2*d*x^2 + 5*a^4*f*x^2 + a^3*b*x^2*e)/((b*x^3 + a)^2*a^3*b^2)$

maple [B] time = 0.12, size = 547, normalized size = 1.81

$$\frac{ex^5}{9(bx^3+a)^2a} + \frac{2bdx^5}{9(bx^3+a)^2a^2} - \frac{5b^2cx^5}{9(bx^3+a)^2a^3} - \frac{4fx^5}{9(bx^3+a)^2b} - \frac{5afx^2}{18(bx^3+a)^2b^2} + \frac{7dx^2}{18(bx^3+a)^2a} - \frac{13bc}{18(bx^3+a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x)

[Out] $-4/9/(b*x^3+a)^2/b*x^5*f+1/9/a/(b*x^3+a)^2*x^5*e+2/9/a^2/(b*x^3+a)^2*b*x^5*d-5/9/a^3/(b*x^3+a)^2*b^2*x^5*c-5/18*a/(b*x^3+a)^2/b^2*x^2*f-1/18/(b*x^3+a)^2/b*x^2*e+7/18/a/(b*x^3+a)^2*x^2*d-13/18/a^2/(b*x^3+a)^2*b*x^2*c-5/27/b^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*f-1/27/a/b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*e-2/27/a^2/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*d+14/27/a^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c+5/54/b^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f+1/54/a/b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e+1/27/a^2/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d-7/27/a^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+5/27/b^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}))$

$(1/3)*x-1)) * f + 1/27/a/b^2*3^{(1/2)}/(a/b)^{(1/3)} * \arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) * e + 2/27/a^2/b*3^{(1/2)}/(a/b)^{(1/3)} * \arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) * d - 14/27/a^3*3^{(1/2)}/(a/b)^{(1/3)} * \arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) * c - 1/a^3*c/x$

maxima [A] time = 2.96, size = 300, normalized size = 0.99

$$\frac{2(14b^4c - 2ab^3d - a^2b^2e + 4a^3bf)x^6 + 18a^2b^2c + (49ab^3c - 7a^2b^2d + a^3be + 5a^4f)x^3}{18(a^3b^4x^7 + 2a^4b^3x^4 + a^5b^2x)} \sqrt{3}(14b^3c - 2ab^2d -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^2/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-1/18*(2*(14*b^4*c - 2*a*b^3*d - a^2*b^2*e + 4*a^3*b*f)*x^6 + 18*a^2*b^2*c + (49*a*b^3*c - 7*a^2*b^2*d + a^3*b*e + 5*a^4*f)*x^3)/(a^3*b^4*x^7 + 2*a^4*b^3*x^4 + a^5*b^2*x) - 1/27*\sqrt{3}*(14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^3*b^3*(a/b)^{(1/3)}) - 1/54*(14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b^3*(a/b)^{(1/3)}) + 1/27*(14*b^3*c - 2*a*b^2*d - a^2*b*e - 5*a^3*f)*\log(x + (a/b)^{(1/3)})/(a^3*b^3*(a/b)^{(1/3)})$

mupad [B] time = 5.20, size = 276, normalized size = 0.91

$$\frac{\frac{c}{a} + \frac{x^6(4fa^3 - ea^2b - 2dab^2 + 14cb^3)}{9a^3b} + \frac{x^3(5fa^3 + ea^2b - 7dab^2 + 49cb^3)}{18a^2b^2}}{a^2x + 2abx^4 + b^2x^7} \ln(b^{1/3}x + a^{1/3}) \frac{(5fa^3 + ea^2b + 2dab^2 - 14cb^3)}{27a^{10/3}b^{8/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^2*(a + b*x^3)^3), x)

[Out] $(\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(5*a^3*f - 14*b^3*c + 2*a*b^2*d + a^2*b*e))/(27*a^{(10/3)}*b^{(8/3)}) - (\log(b^{(1/3)}*x + a^{(1/3)})*(5*a^3*f - 14*b^3*c + 2*a*b^2*d + a^2*b*e))/(27*a^{(10/3)}*b^{(8/3)}) - (c/a + (x^6*(14*b^3*c + 4*a^3*f - 2*a*b^2*d - a^2*b*e))/(9*a^3*b) + (x^3*(49*b^3*c + 5*a^3*f - 7*a*b^2*d + a^2*b*e))/(18*a^2*b^2))/(a^2*x + b^2*x^7 + 2*a*b*x^4) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(5*a^3*f - 14*b^3*c + 2*a*b^2*d + a^2*b*e))/(27*a^{(10/3)}*b^{(8/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**2/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.296 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^3(a+bx^3)^3} dx$$

Optimal. Leaf size=301

$$\frac{c}{2a^3x^2} - \frac{x(7a^3f - a^2be - 5ab^2d + 11b^3c)}{18a^3b^2(a + bx^3)} - \frac{x(a^3(-f) + a^2be - ab^2d + b^3c)}{6a^2b^2(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-2a^3f - a^2be - 5ab^2d + 11b^3c)}{54a^{11/3}b^{7/3}}$$

[Out] $-1/2*c/a^3/x^2-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^2/b^2/(b*x^3+a)^2-1/18*(7*a^3*f-a^2*b*e-5*a*b^2*d+11*b^3*c)*x/a^3/b^2/(b*x^3+a)-1/27*(-2*a^3*f-a^2*b*e-5*a*b^2*d+20*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(11/3)}/b^{(7/3)}+1/54*(-2*a^3*f-a^2*b*e-5*a*b^2*d+20*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(11/3)}/b^{(7/3)}+1/27*(-2*a^3*f-a^2*b*e-5*a*b^2*d+20*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(11/3)}/b^{(7/3)}*3^{(1/2)}$

Rubi [A] time = 0.33, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1829, 1484, 453, 200, 31, 634, 617, 204, 628}

$$\frac{x(-a^2be + 7a^3f - 5ab^2d + 11b^3c)}{18a^3b^2(a + bx^3)} - \frac{x(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^2b^2(a + bx^3)^2} + \frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-a^2be - 2a^3f - a^2be - 5ab^2d + 11b^3c)}{54a^{11/3}b^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^3), x]

[Out] $-c/(2*a^3*x^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^2*b^2*(a + b*x^3)^2) - ((11*b^3*c - 5*a*b^2*d - a^2*b*e + 7*a^3*f)*x)/(18*a^3*b^2*(a + b*x^3)) + ((20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)}*x]/(\text{Sqrt}[3]*a^{(1/3)}))/ (9*\text{Sqrt}[3]*a^{(11/3)}*b^{(7/3)}) - ((20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/ (27*a^{(11/3)}*b^{(7/3)}) + ((20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/ (54*a^{(11/3)}*b^{(7/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(−1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R

$t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[\{a, b\}, x]$

Rule 204

$Int[((a_) + (b_)*(x_)^2)^{-1}, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[\{a, b\}, x] \&\& PosQ[a/b] \&\& (LtQ[a, 0] || LtQ[b, 0])$

Rule 453

$Int[((e_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}*((c_) + (d_)*(x_)^{(n_)})], x_Symbol] := Simp[(c*(e*x)^{(m+1)}*(a + b*x^n)^{(p+1)})/(a*e^{(m+1)}), x] + Dist[(a*d*(m+1) - b*c*(m + n*(p+1) + 1))/(a*e^n*(m+1)), Int[(e*x)^{(m+n)}*(a + b*x^n)^p, x], x] /; FreeQ[\{a, b, c, d, e, p\}, x] \&\& NeQ[b*c - a*d, 0] \&\& (IntegerQ[n] || GtQ[e, 0]) \&\& ((GtQ[n, 0] \&\& LtQ[m, -1]) || (LtQ[n, 0] \&\& GtQ[m + n, -1])) \&\& !ILtQ[p, -1]$

Rule 617

$Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] := With[\{q = 1 - 4*Simplify[(a*c)/b^2]\}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] \&\& (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[\{a, b, c\}, x] \&\& NeQ[b^2 - 4*a*c, 0]$

Rule 628

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& EqQ[2*c*d - b*e, 0]$

Rule 634

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& NeQ[2*c*d - b*e, 0] \&\& NeQ[b^2 - 4*a*c, 0] \&\& !NiceSqrtQ[b^2 - 4*a*c]$

Rule 1484

$Int[(x_)^{(m_)}*((a_) + (c_)*(x_)^{(n2_)}) + (b_)*(x_)^{(n_)})^{(p_)}*((d_) + (e_)*(x_)^{(n_)})^{(q_)}, x_Symbol] := Simp[((-d)^{(m - Mod[m, n])}/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*x^{(Mod[m, n] + 1)}*(d + e*x^n)^{(q+1)}/(n*e^{(2*p + (m - Mod[m, n])/n)*(q+1))}, x] + Dist[(-d)^{(m - Mod[m, n])}/n - 1)/(n*e^{(2*p)*(q+1)}), Int[x^m*(d + e*x^n)^{(q+1)}*ExpandToSum[Together[(1*(n*(-d)^{-((m$

```

- Mod[m, n])/n) + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))^p - ((c*d^2 -
b*d*e + a*e^2)^p/(e^((m - Mod[m, n])/n)*x^(m - Mod[m, n])))*(d*(Mod[m, n]
+ 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n))/(d + e*x^n)], x], x], x] /; Fre
eQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0]
&& IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]

```

Rule 1829

```

Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^3(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{\int \frac{-6b^3c + b\left(\frac{5b^3c}{a} - 5b^2d - abe + a^2f\right)x^3 - 6ab^2fx^6}{x^3(a + bx^3)^2} dx}{6ab^3} \\
&= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} + \frac{\int \frac{18ab^5c - 2b^3(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{x^3(a + bx^3)^2} dx}{18a^3b^2} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c - 11b^3d - 7a^3f)x}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c - 11b^3d - 7a^3f)x}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c - 11b^3d - 7a^3f)x}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c - 11b^3d - 7a^3f)x}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c - 11b^3d - 7a^3f)x}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c - 11b^3d - 7a^3f)x}{18a^3b^2(a + bx^3)} \\
&= -\frac{c}{2a^3x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^2b^2(a + bx^3)^2} - \frac{(11b^3c - 5ab^2d - a^2be + 7a^3f)x}{18a^3b^2(a + bx^3)} - \frac{(20b^3c - 11b^3d - 7a^3f)x}{18a^3b^2(a + bx^3)} + \frac{(20b^3c - 11b^3d - 7a^3f)x}{18a^3b^2(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 283, normalized size = 0.94

$$\frac{-\frac{27a^{2/3}c}{x^2} + \frac{2\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(2a^3f + a^2be + 5ab^2d - 20b^3c)}{b^{7/3}} + \frac{2\sqrt{3}\tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)(-2a^3f - a^2be - 5ab^2d + 20b^3c)}{b^{7/3}} + \frac{9a^{5/3}x(a^3f - a^2be + ab^2d - b^3c)}{b^2(a + bx^3)^2}}{54a^{11/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^3), x]

[Out] ((-27*a^(2/3)*c)/x^2 + (9*a^(5/3)*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(b^2*(a + b*x^3)^2) - (3*a^(2/3)*(11*b^3*c - 5*a*b^2*d - a^2*b*e + 7*a^3*f)

$$\begin{aligned} &)x)/(b^2*(a + b*x^3)) + (2*\text{Sqrt}[3]*(20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f) \\ & *f)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]]/b^{(7/3)} + (2*(-20*b^3*c + \\ & 5*a*b^2*d + a^2*b*e + 2*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/b^{(7/3)} - ((-20*b^3*c \\ & + 5*a*b^2*d + a^2*b*e + 2*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/b^{(7/3)})/(54*a^{(11/3)}) \end{aligned}$$

fricas [B] time = 0.68, size = 1217, normalized size = 4.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/54*(27*a^4*b^3*c + 3*(20*a^2*b^5*c - 5*a^3*b^4*d - a^4*b^3*e + 7*a^5*b^2*f)*x^6 + 6*(16*a^3*b^4*c - 4*a^4*b^3*d + a^5*b^2*e + 2*a^6*b*f)*x^3 + 3*\text{sqrt}(1/3)*((20*a*b^6*c - 5*a^2*b^5*d - a^3*b^4*e - 2*a^4*b^3*f)*x^8 + 2*(20*a^2*b^5*c - 5*a^3*b^4*d - a^4*b^3*e - 2*a^5*b^2*f)*x^5 + (20*a^3*b^4*c - 5*a^4*b^3*d - a^5*b^2*e - 2*a^6*b*f)*x^2)*\text{sqrt}(-(a^2*b)^{(1/3)}/b)*\text{log}((2*a*b*x^3 - 3*(a^2*b)^{(1/3)}*a*x - a^2 + 3*\text{sqrt}(1/3)*(2*a*b*x^2 + (a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\text{sqrt}(-(a^2*b)^{(1/3)}/b)))/(b*x^3 + a)) - ((20*b^5*c - 5*a*b^4*d - a^2*b^3*e - 2*a^3*b^2*f)*x^8 + 2*(20*a*b^4*c - 5*a^2*b^3*d - a^3*b^2*e - 2*a^4*b*f)*x^5 + (20*a^2*b^3*c - 5*a^3*b^2*d - a^4*b*e - 2*a^5*f)*x^2)*(a^2*b)^{(2/3)}*\text{log}(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) + 2*((20*b^5*c - 5*a*b^4*d - a^2*b^3*e - 2*a^3*b^2*f)*x^8 + 2*(20*a*b^4*c - 5*a^2*b^3*d - a^3*b^2*e - 2*a^4*b*f)*x^5 + (20*a^2*b^3*c - 5*a^3*b^2*d - a^4*b*e - 2*a^5*f)*x^2)*(a^2*b)^{(2/3)}*\text{log}(a*b*x + (a^2*b)^{(2/3)}))/ (a^5*b^5*x^8 + 2*a^6*b^4*x^5 + a^7*b^3*x^2), -1/54*(27*a^4*b^3*c + 3*(20*a^2*b^5*c - 5*a^3*b^4*d - a^4*b^3*e + 7*a^5*b^2*f)*x^6 + 6*(16*a^3*b^4*c - 4*a^4*b^3*d + a^5*b^2*e + 2*a^6*b*f)*x^3 + 6*\text{sqrt}(1/3)*((20*a*b^6*c - 5*a^2*b^5*d - a^3*b^4*e - 2*a^4*b^3*f)*x^8 + 2*(20*a^2*b^5*c - 5*a^3*b^4*d - a^4*b^3*e - 2*a^5*b^2*f)*x^5 + (20*a^3*b^4*c - 5*a^4*b^3*d - a^5*b^2*e - 2*a^6*b*f)*x^2)*\text{sqrt}((a^2*b)^{(1/3)}/b)*\text{arctan}(\text{sqrt}(1/3)*(2*(a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\text{sqrt}((a^2*b)^{(1/3)}/b)/a^2) - ((20*b^5*c - 5*a*b^4*d - a^2*b^3*e - 2*a^3*b^2*f)*x^8 + 2*(20*a*b^4*c - 5*a^2*b^3*d - a^3*b^2*e - 2*a^4*b*f)*x^5 + (20*a^2*b^3*c - 5*a^3*b^2*d - a^4*b*e - 2*a^5*f)*x^2)*(a^2*b)^{(2/3)}*\text{log}(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) + 2*((20*b^5*c - 5*a*b^4*d - a^2*b^3*e - 2*a^3*b^2*f)*x^8 + 2*(20*a*b^4*c - 5*a^2*b^3*d - a^3*b^2*e - 2*a^4*b*f)*x^5 + (20*a^2*b^3*c - 5*a^3*b^2*d - a^4*b*e - 2*a^5*f)*x^2)*(a^2*b)^{(2/3)}*\text{log}(a*b*x + (a^2*b)^{(2/3)}))/ (a^5*b^5*x^8 + 2*a^6*b^4*x^5 + a^7*b^3*x^2)] \end{aligned}$$

giac [A] time = 0.21, size = 312, normalized size = 1.04

$$\frac{\sqrt{3} (20 b^3 c - 5 a b^2 d - 2 a^3 f - a^2 b e) \arctan\left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27 (-ab^2)^{\frac{2}{3}} a^3 b} + \frac{(20 b^3 c - 5 a b^2 d - 2 a^3 f - a^2 b e) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{54 (-ab^2)^{\frac{2}{3}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/27*sqrt(3)*(20*b^3*c - 5*a*b^2*d - 2*a^3*f - a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^3*b) + 1/54*(20*b^3*c - 5*a*b^2*d - 2*a^3*f - a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3*b) + 1/27*(20*b^3*c - 5*a*b^2*d - 2*a^3*f - a^2*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^4*b^2) - 1/18*(20*b^4*c*x^6 - 5*a*b^3*d*x^6 + 7*a^3*b*f*x^6 - a^2*b^2*x^6*e + 32*a*b^3*c*x^3 - 8*a^2*b^2*d*x^3 + 4*a^4*f*x^3 + 2*a^3*b*x^3*e + 9*a^2*b^2*c)/((b*x^4 + a*x)^2*a^3*b^2)

maple [B] time = 0.06, size = 539, normalized size = 1.79

$$\frac{e x^4}{18 (b x^3 + a)^2 a} + \frac{5 b d x^4}{18 (b x^3 + a)^2 a^2} - \frac{11 b^2 c x^4}{18 (b x^3 + a)^2 a^3} - \frac{7 f x^4}{18 (b x^3 + a)^2 b} - \frac{2 a f x}{9 (b x^3 + a)^2 b^2} + \frac{4 d x}{9 (b x^3 + a)^2 a} - \frac{7 c}{9 (b x^3 + a)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^3,x)

[Out] -7/18/(b*x^3+a)^2/b*x^4*f+1/18/a/(b*x^3+a)^2*x^4*e+5/18/a^2/(b*x^3+a)^2*b*x^4*d-11/18/a^3/(b*x^3+a)^2*b^2*x^4*c-2/9*a/(b*x^3+a)^2/b^2*x*f-1/9/(b*x^3+a)^2/b*x*e+4/9/a/(b*x^3+a)^2*x*d-7/9/a^2/(b*x^3+a)^2*b*x*c+2/27/b^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*f+1/27/a/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*e+5/27/a^2/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*d-20/27/a^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/27/b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f-1/54/a/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-5/54/a^2/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+10/27/a^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+2/27/b^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*f+1/27/a/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

) $e+5/27/a^2/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*$
 $d-20/27/a^3/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1$
 $/2*c/a^3/x^2$

maxima [A] time = 3.07, size = 302, normalized size = 1.00

$$\frac{\sqrt{3}(20b^3c - 5ab^2d - (20b^4c - 5ab^3d - a^2b^2e + 7a^3bf)x^6 + 9a^2b^2c + 2(16ab^3c - 4a^2b^2d + a^3be + 2a^4f)x^3)}{18(a^3b^4x^8 + 2a^4b^3x^5 + a^5b^2x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^3/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-1/18*((20*b^4*c - 5*a*b^3*d - a^2*b^2*e + 7*a^3*b*f)*x^6 + 9*a^2*b^2*c + 2$
 $*(16*a*b^3*c - 4*a^2*b^2*d + a^3*b*e + 2*a^4*f)*x^3)/(a^3*b^4*x^8 + 2*a^4*b$
 $^3*x^5 + a^5*b^2*x^2) - 1/27*\sqrt{3}*(20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^3*b^3*(a/b)^{(2/3)})$
 $+ 1/54*(20*b^3*c - 5*a*b^2*d - a^2*b*e - 2*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b^3*(a/b)^{(2/3)}) - 1/27*(20*b^3*c - 5*a*b^2*d - a^2*b$
 $*e - 2*a^3*f)*\log(x + (a/b)^{(1/3)})/(a^3*b^3*(a/b)^{(2/3)})$

mupad [B] time = 5.16, size = 279, normalized size = 0.93

$$\frac{\ln(b^{1/3}x + a^{1/3})(2fa^3 + ea^2b + 5dab^2 - 20cb^3)}{27a^{11/3}b^{7/3}} - \frac{c}{2a} + \frac{x^3(2fa^3 + ea^2b - 4dab^2 + 16cb^3)}{9a^2b^2} + \frac{x^6(7fa^3 - ea^2b - 5dab^2 + 20cb^3)}{18a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^3*(a + b*x^3)^3),x)

[Out] $(\log(b^{(1/3)}*x + a^{(1/3)})*(2*a^3*f - 20*b^3*c + 5*a*b^2*d + a^2*b*e))/(27*a$
 $^{(11/3)}*b^{(7/3)}) - (c/(2*a) + (x^3*(16*b^3*c + 2*a^3*f - 4*a*b^2*d + a^2*b*$
 $e))/(9*a^2*b^2) + (x^6*(20*b^3*c + 7*a^3*f - 5*a*b^2*d - a^2*b*e))/(18*a^3*$
 $b))/(a^2*x^2 + b^2*x^8 + 2*a*b*x^5) + (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x$
 $- a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(2*a^3*f - 20*b^3*c + 5*a*b^2*d + a^2*b*$
 $e))/(27*a^{(11/3)}*b^{(7/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})$
 $)*((3^{(1/2)}*1i)/2 + 1/2)*(2*a^3*f - 20*b^3*c + 5*a*b^2*d + a^2*b*e))/(27*a^{(11/3)}*b^{(7/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**3/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.297 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^5(a+bx^3)^3} dx$$

Optimal. Leaf size=317

$$\frac{3bc-ad}{a^4x} - \frac{c}{4a^3x^4} + \frac{x^2(a^3(-f)+a^2be-ab^2d+b^3c)}{6a^3b(a+bx^3)^2} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^3f+2a^2be-14ab^2d+35b^3c)}{54a^{13/3}b^{5/3}}$$

[Out] $-1/4*c/a^3/x^4+(-a*d+3*b*c)/a^4/x+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^3/b/(b*x^3+a)^2+1/9*(a^3*f+2*a^2*b*e-5*a*b^2*d+8*b^3*c)*x^2/a^4/b/(b*x^3+a)-1/27*(a^3*f+2*a^2*b*e-14*a*b^2*d+35*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(13/3)}/b^{(5/3)}+1/54*(a^3*f+2*a^2*b*e-14*a*b^2*d+35*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(13/3)}/b^{(5/3)}-1/27*(a^3*f+2*a^2*b*e-14*a*b^2*d+35*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(13/3)}/b^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.37, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1829, 1484, 1488, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(2a^2be+a^3f-5ab^2d+8b^3c)}{9a^4b(a+bx^3)} + \frac{x^2(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^3b(a+bx^3)^2} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(2a^2be+a^3f-5ab^2d+8b^3c)}{54a^{13/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^3), x]

[Out] $-c/(4*a^3*x^4) + (3*b*c - a*d)/(a^4*x) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^3*b*(a + b*x^3)^2) + ((8*b^3*c - 5*a*b^2*d + 2*a^2*b*e + a^3*f)*x^2)/(9*a^4*b*(a + b*x^3)) - ((35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(13/3)}*b^{(5/3)}) - ((35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(13/3)}*b^{(5/3)}) + ((35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(13/3)}*b^{(5/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1484

Int[(x_)^(m_)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_.)*((d_) + (e_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[((-d)^(m - Mod[m, n])/n - 1)*(c*d^2 - b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1)/(n*e^(2*p + (m - Mod[m, n])/n)*(q + 1)), x] + Dist[(-d)^(m - Mod[m, n])/n - 1/(n*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*(-d)^(-(m - Mod[m, n])/n) + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))]^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^((m - Mod[m, n])/n)*x^(m - Mod[m, n])))]*(d*(Mod[m, n] + 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n)]/(d + e*x^n), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]

Rule 1488

```
Int[((f_.)*(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.)*
(d_) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^5 (a + bx^3)^3} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f) x^2}{6a^3b (a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - 2b^2\left(\frac{2b^3c}{a^2} - \frac{2b^2d}{a} + 2be + af\right)x^6}{x^5(a+bx^3)^2} dx}{6ab^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f) x^2}{6a^3b (a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f) x^2}{9a^4b (a + bx^3)} - \frac{\int \frac{-18a^2b^5c + 18ab^5}{x^5} dx}{6ab^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f) x^2}{6a^3b (a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f) x^2}{9a^4b (a + bx^3)} - \frac{\int \left(-\frac{18ab^5c}{x^5} + \frac{18ab^5}{x^5}\right) dx}{6ab^3} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f) x^2}{6a^3b (a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f) x^2}{9a^4b (a + bx^3)} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f) x^2}{6a^3b (a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f) x^2}{9a^4b (a + bx^3)} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f) x^2}{6a^3b (a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f) x^2}{9a^4b (a + bx^3)} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f) x^2}{6a^3b (a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f) x^2}{9a^4b (a + bx^3)} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f) x^2}{6a^3b (a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f) x^2}{9a^4b (a + bx^3)} \\
&= -\frac{c}{4a^3x^4} + \frac{3bc - ad}{a^4x} + \frac{(b^3c - ab^2d + a^2be - a^3f) x^2}{6a^3b (a + bx^3)^2} + \frac{(8b^3c - 5ab^2d + 2a^2be + a^3f) x^2}{9a^4b (a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.32, size = 303, normalized size = 0.96

$$\frac{-\frac{27a^{4/3}c}{x^4} + \frac{12\sqrt[3]{a}x^2(a^3f + 2a^2be - 5ab^2d + 8b^3c)}{b(a+bx^3)} - \frac{4\log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(a^3f + 2a^2be - 14ab^2d + 35b^3c)}{b^{5/3}} - \frac{4\sqrt{3}\tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{bx}}{\sqrt[3]{a}}}{\sqrt{3}}\right)(a^3f + 2a^2be - 14ab^2d + 35b^3c)}{b^{5/3}}}{108a^{13/3}}$$

108a^{13/3}

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^3),x]

[Out]
$$\begin{aligned} &((-27*a^{(4/3)*c})/x^4 - (108*a^{(1/3)}*(-3*b*c + a*d))/x - (18*a^{(4/3)}*(-(b^3*c) \\ &+ a*b^2*d - a^2*b*e + a^3*f)*x^2)/(b*(a + b*x^3)^2) + (12*a^{(1/3)}*(8*b^3*c \\ &- 5*a*b^2*d + 2*a^2*b*e + a^3*f)*x^2)/(b*(a + b*x^3)) - (4*sqrt[3]*(35*b^3*c \\ &- 14*a*b^2*d + 2*a^2*b*e + a^3*f)*ArcTan[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/sqrt[3]])/b^{(5/3)} \\ &- (4*(35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*Log[a^{(1/3)} + b^{(1/3)}*x])/b^{(5/3)} \\ &+ (2*(35*b^3*c - 14*a*b^2*d + 2*a^2*b*e + a^3*f)*Log[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/b^{(5/3)})/(108*a^{(13/3)}) \end{aligned}$$

fricas [B] time = 0.66, size = 1254, normalized size = 3.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} &[1/108*(12*(35*a*b^6*c - 14*a^2*b^5*d + 2*a^3*b^4*e + a^4*b^3*f)*x^9 - 27*a^4*b^3*c \\ &+ 3*(245*a^2*b^5*c - 98*a^3*b^4*d + 14*a^4*b^3*e - 2*a^5*b^2*f)*x^6 + 54*(5*a^3*b^4*c - 2*a^4*b^3*d) \\ &*x^3 + 6*sqrt(1/3)*((35*a*b^6*c - 14*a^2*b^5*d + 2*a^3*b^4*e + a^4*b^3*f)*x^{10} + 2*(35*a^2*b^5*c - 14*a^3*b^4*d + 2*a^4*b^3*e \\ &+ a^5*b^2*f)*x^7 + (35*a^3*b^4*c - 14*a^4*b^3*d + 2*a^5*b^2*e + a^6*b*f)*x^4)*sqrt((-a*b^2)^{(1/3)}/a)*log((2*b^2*x^3 - a*b + 3*sqrt(1/3)*(a*b*x \\ &+ 2*(-a*b^2)^{(2/3)}*x^2 + (-a*b^2)^{(1/3)}*a)*sqrt((-a*b^2)^{(1/3)}/a) - 3*(-a*b^2)^{(2/3)}*x)/(b*x^3 + a)) + 2*((35*b^5*c - 14*a*b^4*d + 2*a^2*b^3*e + a^3*b^2*f)*x^{10} \\ &+ 2*(35*a*b^4*c - 14*a^2*b^3*d + 2*a^3*b^2*e + a^4*b*f)*x^7 + (35*a^2*b^3*c - 14*a^3*b^2*d + 2*a^4*b*e + a^5*f)*x^4)*(-a*b^2)^{(2/3)}*log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 4*((35*b^5*c - 14*a*b^4*d + 2*a^2*b^3*e + a^3*b^2*f)*x^{10} \\ &+ 2*(35*a*b^4*c - 14*a^2*b^3*d + 2*a^3*b^2*e + a^4*b*f)*x^7 + (35*a^2*b^3*c - 14*a^3*b^2*d + 2*a^4*b*e + a^5*f)*x^4)*(-a*b^2)^{(2/3)}*log(b*x - (-a*b^2)^{(1/3)})/(a^5*b^5*x^{10} + 2*a^6*b^4*x^7 + a^7*b^3*x^4), \\ &1/108*(12*(35*a*b^6*c - 14*a^2*b^5*d + 2*a^3*b^4*e + a^4*b^3*f)*x^9 - 27*a^4*b^3*c + 3*(245*a^2*b^5*c - 98*a^3*b^4*d + 14*a^4*b^3*e - 2*a^5*b^2*f)*x^6 + 54*(5*a^3*b^4*c - 2*a^4*b^3*d) \\ &*x^3 + 12*sqrt(1/3)*((35*a*b^6*c - 14*a^2*b^5*d + 2*a^3*b^4*e + a^4*b^3*f)*x^{10} + 2*(35*a^2*b^5*c - 14*a^3*b^4*d + 2*a^4*b^3*e + a^5*b^2*f)*x^7 + (35*a^3*b^4*c - 14*a^4*b^3*d + 2*a^5*b^2*e + a^6*b*f)*x^4)*sqrt(-(-a*b^2)^{(1/3)}/a)*arctan(sqrt(1/3)*(2*b*x + (-a*b^2)^{(1/3)})*sqrt(-(-a*b^2)^{(1/3)}/a)/b) + 2*((35*b^5*c - 14*a*b^4*d + 2*a^2*b^3*e + a^3*b^2*f)*x^{10} + 2*(35*a*b^4*c - 14*a^2*b^3*d + 2*a^3*b^2*e + a^4*b*f)*x^7 + (35*a^2*b^3*c - 14*a^3*b^2*d + 2*a^4*b*e + a^5*f)*x^4)*(-a*b^2)^{(2/3)}*log(b^2*x^2 + (-a*b^2)^{(1/3)}*b*x + (-a*b^2)^{(2/3)}) - 4*((35*b^5*c - 14*a*b^4*d + 2*a^2*b^3*e + a^3*b^2*f)*x^{10} + 2*(35*a*b^4*c - 14*a^2*b^3*d + 2*a^3*b^2*e + a^4*b*f)*x^7 + (35*a^2*b^3*c - 14*a^3*b^2*d + 2*a^4*b*e + a^5*f)*x^4)*(-a*b^2)^{(2/3)}*log(b*x - (-a*b^2)^{(1/3)})/(a^5*b^5*x^{10} + 2*a^6*b^4*x^7 + a^7*b^3*x^4)] \end{aligned}$$

giac [A] time = 0.24, size = 357, normalized size = 1.13

$$\frac{\sqrt{3} (35 b^3 c - 14 a b^2 d + a^3 f + 2 a^2 b e) \arctan\left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) (35 b^3 c - 14 a b^2 d + a^3 f + 2 a^2 b e) \log\left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27 (-ab^2)^{\frac{1}{3}} a^4 b \quad 54 (-ab^2)^{\frac{1}{3}} a^4 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/27*sqrt(3)*(35*b^3*c - 14*a*b^2*d + a^3*f + 2*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(1/3)*a^4*b) - 1/54*(35*b^3*c - 14*a*b^2*d + a^3*f + 2*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(1/3)*a^4*b) - 1/27*(35*b^3*c*(-a/b)^(1/3) - 14*a*b^2*d*(-a/b)^(1/3) + a^3*f*(-a/b)^(1/3) + 2*a^2*b*(-a/b)^(1/3)*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^5*b) + 1/18*(16*b^4*c*x^5 - 10*a*b^3*d*x^5 + 2*a^3*b*f*x^5 + 4*a^2*b^2*x^5*e + 19*a*b^3*c*x^2 - 13*a^2*b^2*d*x^2 - a^4*f*x^2 + 7*a^3*b*x^2*e)/((b*x^3 + a)^2*a^4*b) + 1/4*(12*b*c*x^3 - 4*a*d*x^3 - a*c)/(a^4*x^4)

maple [B] time = 0.07, size = 574, normalized size = 1.81

$$\frac{f x^5}{9 (b x^3 + a)^2 a} + \frac{2 b e x^5}{9 (b x^3 + a)^2 a^2} - \frac{5 b^2 d x^5}{9 (b x^3 + a)^2 a^3} + \frac{8 b^3 c x^5}{9 (b x^3 + a)^2 a^4} + \frac{7 e x^2}{18 (b x^3 + a)^2 a} - \frac{13 b d x^2}{18 (b x^3 + a)^2 a^2} + \frac{19 b^2 d}{18 (b x^3 + a)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x)

[Out] 1/9/a/(b*x^3+a)^2*x^5*f+2/9/a^2/(b*x^3+a)^2*x^5*b*e-5/9/a^3/(b*x^3+a)^2*x^5*b^2*d+8/9/a^4/(b*x^3+a)^2*x^5*b^3*c-1/18/(b*x^3+a)^2/b*x^2*f+7/18/a/(b*x^3+a)^2*x^2*e-13/18/a^2/(b*x^3+a)^2*b*x^2*d+19/18/a^3/(b*x^3+a)^2*c*x^2*b^2-1/27/a/b^2/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*f-2/27/a^2/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*e+14/27/a^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d-35/27/a^4*b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*c+1/54/a/b^2/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*f+1/27/a^2/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*e-7/27/a^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+35/54/a^4*b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c

$2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)} * c + 1/27/a/b^2 * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * f + 2/27/a^2/b * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * e - 14/27/a^3 * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * d + 35/27/a^4 * b * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * c - 1/4 * c/a^3/x^4 - d/a^3/x + 3/a^4/x * b * c$

maxima [A] time = 3.03, size = 317, normalized size = 1.00

$$\frac{4(35b^4c - 14ab^3d + 2a^2b^2e + a^3bf)x^9 + (245ab^3c - 98a^2b^2d + 14a^3be - 2a^4f)x^6 - 9a^3bc + 18(5a^2b^2c - 2a^3)}{36(a^4b^3x^{10} + 2a^5b^2x^7 + a^6bx^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^5/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{36} * (4 * (35 * b^4 * c - 14 * a * b^3 * d + 2 * a^2 * b^2 * e + a^3 * b * f) * x^9 + (245 * a * b^3 * c - 98 * a^2 * b^2 * d + 14 * a^3 * b * e - 2 * a^4 * f) * x^6 - 9 * a^3 * b * c + 18 * (5 * a^2 * b^2 * c - 2 * a^3 * b * d) * x^3) / (a^4 * b^3 * x^{10} + 2 * a^5 * b^2 * x^7 + a^6 * b * x^4) + 1/27 * \sqrt{3} * (35 * b^3 * c - 14 * a * b^2 * d + 2 * a^2 * b * e + a^3 * f) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a^4 * b^2 * (a/b)^{(1/3)}) + 1/54 * (35 * b^3 * c - 14 * a * b^2 * d + 2 * a^2 * b * e + a^3 * f) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a^4 * b^2 * (a/b)^{(1/3)}) - 1/27 * (35 * b^3 * c - 14 * a * b^2 * d + 2 * a^2 * b * e + a^3 * f) * \log(x + (a/b)^{(1/3)}) / (a^4 * b^2 * (a/b)^{(1/3)})$

mupad [B] time = 5.23, size = 293, normalized size = 0.92

$$\frac{\frac{c}{4a} - \frac{x^9(fa^3+2ea^2b-14dab^2+35cb^3)}{9a^4} + \frac{x^3(2ad-5bc)}{2a^2} - \frac{x^6(-2fa^3+14ea^2b-98dab^2+245cb^3)}{36a^3b}}{a^2x^4 + 2abx^7 + b^2x^{10}} - \frac{\ln(b^{1/3}x + a^{1/3})(fa^3 + 2ea^2b)}{27a^{13/3}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^5*(a + b*x^3)^3),x)

[Out] $(\log(3^{(1/2)} * a^{(1/3)} * 1i + 2 * b^{(1/3)} * x - a^{(1/3)}) * ((3^{(1/2)} * 1i) / 2 + 1/2) * (35 * b^3 * c + a^3 * f - 14 * a * b^2 * d + 2 * a^2 * b * e)) / (27 * a^{(13/3)} * b^{(5/3)}) - (\log(b^{(1/3)} * x + a^{(1/3)}) * (35 * b^3 * c + a^3 * f - 14 * a * b^2 * d + 2 * a^2 * b * e)) / (27 * a^{(13/3)} * b^{(5/3)}) - (c / (4 * a) - (x^9 * (35 * b^3 * c + a^3 * f - 14 * a * b^2 * d + 2 * a^2 * b * e)) / (9 * a^4) + (x^3 * (2 * a * d - 5 * b * c)) / (2 * a^2) - (x^6 * (245 * b^3 * c - 2 * a^3 * f - 98 * a * b^2 * d + 14 * a^2 * b * e)) / (36 * a^3 * b)) / (a^2 * x^4 + b^2 * x^{10} + 2 * a * b * x^7) - (\log(3^{(1/2)} * a^{(1/3)} * 1i - 2 * b^{(1/3)} * x + a^{(1/3)}) * ((3^{(1/2)} * 1i) / 2 - 1/2) * (35 * b^3 * c + a^3 * f - 14 * a * b^2 * d + 2 * a^2 * b * e)) / (27 * a^{(13/3)} * b^{(5/3)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**5/(b*x**3+a)**3,x)

[Out] Timed out

$$3.298 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^6(a+bx^3)^3} dx$$

Optimal. Leaf size=316

$$\frac{3bc-ad}{2a^4x^2} - \frac{c}{5a^3x^5} + \frac{x(a^3(-f)+a^2be-ab^2d+b^3c)}{6a^3b(a+bx^3)^2} - \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(a^3f+5a^2be-20ab^2d+44b^3c)}{54a^{14/3}b^{4/3}}$$

[Out] $-1/5*c/a^3/x^5+1/2*(-a*d+3*b*c)/a^4/x^2+1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^3/b/(b*x^3+a)^2+1/18*(a^3*f+5*a^2*b*e-11*a*b^2*d+17*b^3*c)*x/a^4/b/(b*x^3+a)+1/27*(a^3*f+5*a^2*b*e-20*a*b^2*d+44*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(14/3)}/b^{(4/3)}-1/54*(a^3*f+5*a^2*b*e-20*a*b^2*d+44*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(14/3)}/b^{(4/3)}-1/27*(a^3*f+5*a^2*b*e-20*a*b^2*d+44*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(14/3)}/b^{(4/3)}*3^{(1/2)}$

Rubi [A] time = 0.37, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1829, 1484, 1488, 200, 31, 634, 617, 204, 628}

$$\frac{x(5a^2be+a^3f-11ab^2d+17b^3c)}{18a^4b(a+bx^3)} + \frac{x(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^3b(a+bx^3)^2} - \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(5a^2be+a^3f-11ab^2d+17b^3c)}{54a^{14/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^3), x]

[Out] $-c/(5*a^3*x^5) + (3*b*c - a*d)/(2*a^4*x^2) + ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^3*b*(a + b*x^3)^2) + ((17*b^3*c - 11*a*b^2*d + 5*a^2*b*e + a^3*f)*x)/(18*a^4*b*(a + b*x^3)) - ((44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(14/3)}*b^{(4/3)}) + ((44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(14/3)}*b^{(4/3)}) - ((44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(14/3)}*b^{(4/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200


```
Int[((a_) + (b_)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(
Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R
t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F
reeQ[{a, b}, x]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1484

```
Int[(x_)^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_) + (e
_)*(x_)^(n_))^(q_), x_Symbol] := Simp[((-d)^(m - Mod[m, n])/n - 1)*(c*d^2
- b*d*e + a*e^2)^p*x^(Mod[m, n] + 1)*(d + e*x^n)^(q + 1)/(n*e^(2*p + (m -
Mod[m, n])/n)*(q + 1)), x] + Dist[(-d)^(m - Mod[m, n])/n - 1)/(n*e^(2*p)*
(q + 1)), Int[x^m*(d + e*x^n)^(q + 1)*ExpandToSum[Together[(1*(n*(-d)^(-(m
- Mod[m, n])/n) + 1)*e^(2*p)*(q + 1)*(a + b*x^n + c*x^(2*n))]^p - ((c*d^2 -
b*d*e + a*e^2)^p/(e^((m - Mod[m, n])/n)*x^(m - Mod[m, n])))]*(d*(Mod[m, n]
+ 1) + e*(Mod[m, n] + n*(q + 1) + 1)*x^n)]/(d + e*x^n)], x], x] /; Fre
eQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0]
&& IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m, 0]
```

Rule 1488

```
Int[((f_.)*(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.)*
(d_) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d
+ e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m,
q}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^3 + ex^6 + fx^9}{x^6(a + bx^3)^3} dx &= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - b^2\left(\frac{5b^3c}{a^2} - \frac{5b^2d}{a} + 5be + af\right)x^6}{x^6(a + bx^3)^2} dx}{6ab^3} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} - \frac{\int \frac{-18a^2b^5c + 18ab^5}{x^6} dx}{18a^4b(a + bx^3)} \\
&= \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} - \frac{\int \left(-\frac{18ab^5c}{x^6} + \frac{18ab^5}{x^6}\right) dx}{18a^4b(a + bx^3)} \\
&= -\frac{c}{5a^3x^5} + \frac{3bc - ad}{2a^4x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} \\
&= -\frac{c}{5a^3x^5} + \frac{3bc - ad}{2a^4x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} \\
&= -\frac{c}{5a^3x^5} + \frac{3bc - ad}{2a^4x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} \\
&= -\frac{c}{5a^3x^5} + \frac{3bc - ad}{2a^4x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)} \\
&= -\frac{c}{5a^3x^5} + \frac{3bc - ad}{2a^4x^2} + \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^3b(a + bx^3)^2} + \frac{(17b^3c - 11ab^2d + 5a^2be + a^3f)x}{18a^4b(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 299, normalized size = 0.95

$$-\frac{135a^{2/3}(ad-3bc)}{x^2} - \frac{54a^{5/3}c}{x^5} + \frac{10 \log\left(\sqrt[3]{a} + \sqrt[3]{bx}\right)(a^3f + 5a^2be - 20ab^2d + 44b^3c)}{b^{4/3}} - \frac{10\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)(a^3f + 5a^2be - 20ab^2d + 44b^3c)}{b^{4/3}} - \frac{45a^{5/3}}{x^5}$$

270a^{14/3}

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^3),x]

[Out]
$$\begin{aligned} &((-54*a^{(5/3)}*c)/x^5 - (135*a^{(2/3)}*(-3*b*c + a*d))/x^2 - (45*a^{(5/3)}*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x)/(b*(a + b*x^3)^2) + (15*a^{(2/3)}*(17*b^3*c - 11*a*b^2*d + 5*a^2*b*e + a^3*f)*x)/(b*(a + b*x^3)) - (10*\text{Sqrt}[3]*(44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]])/b^{(4/3)} + (10*(44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/b^{(4/3)} - (5*(44*b^3*c - 20*a*b^2*d + 5*a^2*b*e + a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/b^{(4/3)})/(270*a^{(14/3)}) \end{aligned}$$

fricas [B] time = 0.66, size = 1247, normalized size = 3.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} &[1/270*(15*(44*a^2*b^5*c - 20*a^3*b^4*d + 5*a^4*b^3*e + a^5*b^2*f)*x^9 - 54*a^5*b^2*c + 6*(176*a^3*b^4*c - 80*a^4*b^3*d + 20*a^5*b^2*e - 5*a^6*b*f)*x^6 + 27*(11*a^4*b^3*c - 5*a^5*b^2*d)*x^3 + 15*\text{sqrt}(1/3)*((44*a*b^6*c - 20*a^2*b^5*d + 5*a^3*b^4*e + a^4*b^3*f)*x^{11} + 2*(44*a^2*b^5*c - 20*a^3*b^4*d + 5*a^4*b^3*e + a^5*b^2*f)*x^8 + (44*a^3*b^4*c - 20*a^4*b^3*d + 5*a^5*b^2*e + a^6*b*f)*x^5)*\text{sqrt}(-(a^2*b)^{(1/3)}/b)*\text{log}((2*a*b*x^3 - 3*(a^2*b)^{(1/3)}*a*x - a^2 + 3*\text{sqrt}(1/3)*(2*a*b*x^2 + (a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\text{sqrt}(-(a^2*b)^{(1/3)}/b)))/(b*x^3 + a)) - 5*((44*b^5*c - 20*a*b^4*d + 5*a^2*b^3*e + a^3*b^2*f)*x^{11} + 2*(44*a*b^4*c - 20*a^2*b^3*d + 5*a^3*b^2*e + a^4*b*f)*x^8 + (44*a^2*b^3*c - 20*a^3*b^2*d + 5*a^4*b*e + a^5*f)*x^5)*(a^2*b)^{(2/3)}*\text{log}(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) + 10*((44*b^5*c - 20*a*b^4*d + 5*a^2*b^3*e + a^3*b^2*f)*x^{11} + 2*(44*a*b^4*c - 20*a^2*b^3*d + 5*a^3*b^2*e + a^4*b*f)*x^8 + (44*a^2*b^3*c - 20*a^3*b^2*d + 5*a^4*b*e + a^5*f)*x^5)*(a^2*b)^{(2/3)}*\text{log}(a*b*x + (a^2*b)^{(2/3)}))/((a^6*b^4*x^{11} + 2*a^7*b^3*x^8 + a^8*b^2*x^5), 1/270*(15*(44*a^2*b^5*c - 20*a^3*b^4*d + 5*a^4*b^3*e + a^5*b^2*f)*x^9 - 54*a^5*b^2*c + 6*(176*a^3*b^4*c - 80*a^4*b^3*d + 20*a^5*b^2*e - 5*a^6*b*f)*x^6 + 27*(11*a^4*b^3*c - 5*a^5*b^2*d)*x^3 + 30*\text{sqrt}(1/3)*((44*a*b^6*c - 20*a^2*b^5*d + 5*a^3*b^4*e + a^4*b^3*f)*x^{11} + 2*(44*a^2*b^5*c - 20*a^3*b^4*d + 5*a^4*b^3*e + a^5*b^2*f)*x^8 + (44*a^3*b^4*c - 20*a^4*b^3*d + 5*a^5*b^2*e + a^6*b*f)*x^5)*\text{sqrt}((a^2*b)^{(1/3)}/b)*\text{arctan}(\text{sqrt}(1/3)*(2*(a^2*b)^{(2/3)}*x - (a^2*b)^{(1/3)}*a)*\text{sqrt}((a^2*b)^{(1/3)}/b)/a^2) - 5*((44*b^5*c - 20*a*b^4*d + 5*a^2*b^3*e + a^3*b^2*f)*x^{11} + 2*(44*a*b^4*c - 20*a^2*b^3*d + 5*a^3*b^2*e + a^4*b*f)*x^8 + (44*a^2*b^3*c - 20*a^3*b^2*d + 5*a^4*b*e + a^5*f)*x^5)*(a^2*b)^{(2/3)}*\text{log}(a*b*x^2 - (a^2*b)^{(2/3)}*x + (a^2*b)^{(1/3)}*a) + 10*((44*b^5*c - 20*a*b^4*d + 5*a^2*b^3*e + a^3*b^2*f)*x^{11} + 2*(44*a*b^4*c - 20*a^2*b^3*d + 5*a^3*b^2*e + a^4*b*f)*x^8 + (44*a^2*b^3*c - 20*a^3*b^2*d + 5*a^4*b*e + a^5*f)*x^5)*(a^2*b)^{(2/3)}*\text{log}(a*b*x + (a^2*b)^{(2/3)}))/((a^6*b^4*x^{11} + 2*a^7*b^3*x^8 + a^8*b^2*x^5)] \end{aligned}$$

giac [A] time = 0.23, size = 310, normalized size = 0.98

$$\frac{\sqrt{3} (44 b^3 c - 20 a b^2 d + a^3 f + 5 a^2 b e) \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) (44 b^3 c - 20 a b^2 d + a^3 f + 5 a^2 b e) \log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{27 \left(-ab^2\right)^{\frac{2}{3}} a^4 - 54 \left(-ab^2\right)^{\frac{2}{3}} a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$-1/27*\sqrt{3}*(44*b^3*c - 20*a*b^2*d + a^3*f + 5*a^2*b*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^4) - 1/54*(44*b^3*c - 20*a*b^2*d + a^3*f + 5*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^4) - 1/27*(44*b^3*c - 20*a*b^2*d + a^3*f + 5*a^2*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/ (a^5*b) + 1/18*(17*b^4*c*x^4 - 11*a*b^3*d*x^4 + a^3*b*f*x^4 + 5*a^2*b^2*x^4*e + 20*a*b^3*c*x - 14*a^2*b^2*d*x - 2*a^4*f*x + 8*a^3*b*x*e)/(b*x^3 + a)^2*a^4*b) + 1/10*(15*b*c*x^3 - 5*a*d*x^3 - 2*a*c)/(a^4*x^5)$$

maple [B] time = 0.06, size = 566, normalized size = 1.79

$$\frac{f x^4}{18 (b x^3 + a)^2 a} + \frac{5 b e x^4}{18 (b x^3 + a)^2 a^2} - \frac{11 b^2 d x^4}{18 (b x^3 + a)^2 a^3} + \frac{17 b^3 c x^4}{18 (b x^3 + a)^2 a^4} + \frac{4 e x}{9 (b x^3 + a)^2 a} - \frac{7 b d x}{9 (b x^3 + a)^2 a^2} + \frac{1}{9 (b x^3 + a)^2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x)

[Out]
$$1/18/a/(b*x^3+a)^2*x^4*f+5/18/a^2/(b*x^3+a)^2*x^4*b*e-11/18/a^3/(b*x^3+a)^2*x^4*b^2*d+17/18/a^4/(b*x^3+a)^2*x^4*b^3*c-1/9/(b*x^3+a)^2/b*x*f+4/9/a/(b*x^3+a)^2*x*e-7/9/a^2/(b*x^3+a)^2*b*x*d+10/9/a^3/(b*x^3+a)^2*x*b^2*c+1/27/a/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*f+5/27/a^2/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e-20/27/a^3/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*d+44/27/a^4*b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c-1/54/a/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-5/54/a^2/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e+10/27/a^3/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d-22/27/a^4*b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/27/a/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*$$

$$\left(\frac{2}{(a/b)^{1/3}}x-1\right)*f+5/27/a^2/b/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}x-1))*e-20/27/a^3/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}x-1))*d+44/27/a^4*b/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}x-1))*c-1/5/a^3*c/x^5-1/2*d/a^3/x^2+3/2/a^4/x^2*b*c$$

maxima [A] time = 3.05, size = 318, normalized size = 1.01

$$\frac{5(44b^4c - 20ab^3d + 5a^2b^2e + a^3bf)x^9 + 2(176ab^3c - 80a^2b^2d + 20a^3be - 5a^4f)x^6 - 18a^3bc + 9(11a^2b^2c - 5c^2)}{90(a^4b^3x^{11} + 2a^5b^2x^8 + a^6bx^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^6/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{90}(5(44b^4c - 20ab^3d + 5a^2b^2e + a^3bf)x^9 + 2(176ab^3c - 80a^2b^2d + 20a^3be - 5a^4f)x^6 - 18a^3bc + 9(11a^2b^2c - 5c^2))/(a^4b^3x^{11} + 2a^5b^2x^8 + a^6bx^5) + \frac{1}{27}\sqrt{3}*(44b^3c - 20ab^2d + 5a^2be + a^3f)*\arctan(1/3*\sqrt{3}*(2x - (a/b)^{1/3}))/((a/b)^{1/3})/(a^4b^2*(a/b)^{2/3}) - \frac{1}{54}(44b^3c - 20ab^2d + 5a^2be + a^3f)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a^4b^2*(a/b)^{2/3}) + \frac{1}{27}(44b^3c - 20ab^2d + 5a^2be + a^3f)*\log(x + (a/b)^{1/3})/(a^4b^2*(a/b)^{2/3})$

mupad [B] time = 5.20, size = 293, normalized size = 0.93

$$\frac{\ln(b^{1/3}x + a^{1/3})(fa^3 + 5ea^2b - 20dab^2 + 44cb^3)}{27a^{14/3}b^{4/3}} - \frac{c}{5a} - \frac{x^9(fa^3 + 5ea^2b - 20dab^2 + 44cb^3)}{18a^4} + \frac{x^3(5ad - 11bc)}{10a^2} - \frac{x^6(-5fa^3)}{a^2x^5 + 2abx^8 + b^2x^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^6*(a + b*x^3)^3),x)

[Out] $(\log(b^{1/3}x + a^{1/3})*(44b^3c + a^3f - 20ab^2d + 5a^2be))/(27a^{14/3}b^{4/3}) - (c/(5a) - (x^9(44b^3c + a^3f - 20ab^2d + 5a^2be))/(18a^4) + (x^3(5ad - 11bc))/(10a^2) - (x^6(176b^3c - 5a^3f - 80ab^2d + 20a^2be))/(45a^3b))/(a^2x^5 + b^2x^{11} + 2abx^8) + (\log(3^{1/2}a^{1/3}*1i + 2b^{1/3}x - a^{1/3}))*((3^{1/2}*1i)/2 - 1/2)*(44b^3c + a^3f - 20ab^2d + 5a^2be))/(27a^{14/3}b^{4/3}) - (\log(3^{1/2}a^{1/3}*1i - 2b^{1/3}x + a^{1/3}))*((3^{1/2}*1i)/2 + 1/2)*(44b^3c + a^3f - 20ab^2d + 5a^2be))/(27a^{14/3}b^{4/3})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**6/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.299 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^8(a+bx^3)^3} dx$$

Optimal. Leaf size=343

$$\frac{3bc-ad}{4a^4x^4} - \frac{c}{7a^3x^7} - \frac{a^2e-3abd+6b^2c}{a^5x} - \frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx} + b^{2/3}x^2\right)\left(-2a^3f+14a^2be-35ab^2d+65b^3c\right)}{54a^{16/3}b^{2/3}} + \frac{\log\left(\sqrt[3]{\dots}\right)}{\dots}$$

[Out] $-1/7*c/a^3/x^7+1/4*(-a*d+3*b*c)/a^4/x^4+(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^4/(b*x^3+a)^2-1/9*(-2*a^3*f+5*a^2*b*e-8*a*b^2*d+11*b^3*c)*x^2/a^5/(b*x^3+a)+1/27*(-2*a^3*f+14*a^2*b*e-35*a*b^2*d+65*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(16/3)}/b^{(2/3)}-1/54*(-2*a^3*f+14*a^2*b*e-35*a*b^2*d+65*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(16/3)}/b^{(2/3)}+1/27*(-2*a^3*f+14*a^2*b*e-35*a*b^2*d+65*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(16/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.57, antiderivative size = 343, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{x^2(5a^2be-2a^3f-8ab^2d+11b^3c)}{9a^5(a+bx^3)} - \frac{x^2(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^4(a+bx^3)^2} - \frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx} + b^{2/3}x^2\right)(14a^2be-2\dots)}{54a^{16/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^3), x]

[Out] $-c/(7*a^3*x^7) + (3*b*c - a*d)/(4*a^4*x^4) - (6*b^2*c - 3*a*b*d + a^2*e)/(a^5*x) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^4*(a + b*x^3)^2) - ((11*b^3*c - 8*a*b^2*d + 5*a^2*b*e - 2*a^3*f)*x^2)/(9*a^5*(a + b*x^3)) + ((65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(16/3)}*b^{(2/3)}) + ((65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(16/3)}*b^{(2/3)}) - ((65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(16/3)}*b^{(2/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204


```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 292

```
Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

Int[((Pq_)*((c_)*(x_))^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x] /; FreeQ[{a, b, c, m}, x] & & PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^8(a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{4b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^8(a + bx^3)^2}}{6ab^3} \\
 &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} + \frac{\int \frac{18b^6c - 18b^6\left(\frac{bc}{a} - d\right)x^3 - \frac{18b^6(b^2c - abd + a^2e)x^6}{a^2} + \frac{12b^6(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^8(a + bx^3)^2}}{6ab^3} \\
 &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} + \frac{\int \left(\frac{18b^6c}{ax^8} + \frac{18b^6\left(\frac{bc}{a} - d\right)x^3}{ax^8} - \frac{18b^6(b^2c - abd + a^2e)x^6}{a^2x^8} + \frac{12b^6(b^3c - ab^2d + a^2be - a^3f)}{a^3x^8}\right)}{6ab^3} \\
 &= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
 &= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
 &= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
 &= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)} \\
 &= -\frac{c}{7a^3x^7} + \frac{3bc - ad}{4a^4x^4} - \frac{6b^2c - 3abd + a^2e}{a^5x} - \frac{(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^4(a + bx^3)^2} - \frac{(11b^3c - 8ab^2d + 5a^2be - 2a^3f)x^2}{9a^5(a + bx^3)}
 \end{aligned}$$

Mathematica [A] time = 0.31, size = 328, normalized size = 0.96

$$\frac{189a^{4/3}(ad-3bc)}{x^4} - \frac{108a^{7/3}c}{x^7} - \frac{756\sqrt[3]{a}(a^2e-3abd+6b^2c)}{x} + \frac{84\sqrt[3]{a}x^2(2a^3f-5a^2be+8ab^2d-11b^3c)}{a+bx^3} + \frac{28\log(\sqrt[3]{a}+\sqrt[3]{bx})(-2a^3f+14a^2be-35ab^2c)}{b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^3), x]

[Out]
$$\begin{aligned} &((-108a^{7/3}c)/x^7 - (189a^{4/3}(-3b^3c + a^2d))/x^4 - (756a^{1/3}(6b^2c - 3ab^2d + a^2e))/x + (126a^{4/3}(-b^3c + ab^2d - a^2be + a^3f)x^2)/(a + b^2x^3)^2 \\ &+ (84a^{1/3}(-11b^3c + 8ab^2d - 5a^2be + 2a^3f)x^2)/(a + b^2x^3) + (28\sqrt{3}(65b^3c - 35ab^2d + 14a^2be - 2a^3f)\text{ArcTan}[(1 - (2b^{1/3}x)/a^{1/3})/\sqrt{3}])/b^{2/3} \\ &+ (28(65b^3c - 35ab^2d + 14a^2be - 2a^3f)\text{Log}[a^{1/3} + b^{1/3}x])/b^{2/3} + (14(-65b^3c + 35ab^2d - 14a^2be + 2a^3f)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])/b^{2/3})/(756a^{16/3}) \end{aligned}$$

fricas [B] time = 0.61, size = 1340, normalized size = 3.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} &[-1/756(84(65a^6b^6c - 35a^2b^5d + 14a^3b^4e - 2a^4b^3f)x^{12} + 147(65a^2b^5c - 35a^3b^4d + 14a^4b^3e - 2a^5b^2f)x^9 + 108a^5b^2c + 54(65a^3b^4c - 35a^4b^3d + 14a^5b^2e)x^6 - 27(13a^4b^3c - 7a^5b^2d)x^3 + 42\sqrt{1/3}((65a^6b^6c - 35a^2b^5d + 14a^3b^4e - 2a^4b^3f)x^{13} \\ &+ 2(65a^2b^5c - 35a^3b^4d + 14a^4b^3e - 2a^5b^2f)x^{10} + (65a^3b^4c - 35a^4b^3d + 14a^5b^2e - 2a^6b^2f)x^7) \sqrt{(-ab^2)^{1/3}/a} \log((2b^2x^3 - ab + 3\sqrt{1/3})(abx + 2(-ab^2)^{2/3}x^2 + (-ab^2)^{1/3}a) \sqrt{(-ab^2)^{1/3}/a} - 3(-ab^2)^{2/3}x)/(bx^3 + a)) + 14((65b^5c - 35ab^4d + 14a^2b^3e - 2a^3b^2f)x^{13} \\ &+ 2(65a^6b^6c - 35a^2b^5d + 14a^3b^4e - 2a^4b^3f)x^{10} + (65a^2b^5c - 35a^3b^4d + 14a^4b^3e - 2a^5b^2f)x^7) (-ab^2)^{2/3} \log(b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3}) - 28((65b^5c - 35ab^4d + 14a^2b^3e - 2a^3b^2f)x^{13} \\ &+ 2(65a^6b^6c - 35a^2b^5d + 14a^3b^4e - 2a^4b^3f)x^{10} + (65a^2b^5c - 35a^3b^4d + 14a^4b^3e - 2a^5b^2f)x^7) (-ab^2)^{2/3} \log(bx - (-ab^2)^{1/3})]/(a^6b^4x^{13} + 2a^7b^3x^{10} + a^8b^2x^7), -1/756(84(65a^6b^6c - 35a^2b^5d + 14a^3b^4e - 2a^4b^3f)x^{12} + 147(65a^2b^5c - 35a^3b^4d + 14a^4b^3e - 2a^5b^2f)x^9 + 108a^5b^2c + 54(65a^3b^4c - 35a^4b^3d + 14a^5b^2e)x^6 - 27(13a^4b^3c - 7a^5b^2d)x^3 + 42\sqrt{1/3}((65a^6b^6c - 35a^2b^5d + 14a^3b^4e - 2a^4b^3f)x^{13} \\ &+ 2(65a^2b^5c - 35a^3b^4d + 14a^4b^3e - 2a^5b^2f)x^{10} + (65a^3b^4c - 35a^4b^3d + 14a^5b^2e - 2a^6b^2f)x^7) \sqrt{(-ab^2)^{1/3}/a} \log((2b^2x^3 - ab + 3\sqrt{1/3})(abx + 2(-ab^2)^{2/3}x^2 + (-ab^2)^{1/3}a) \sqrt{(-ab^2)^{1/3}/a} - 3(-ab^2)^{2/3}x)/(bx^3 + a)) + 14((65b^5c - 35ab^4d + 14a^2b^3e - 2a^3b^2f)x^{13} \\ &+ 2(65a^6b^6c - 35a^2b^5d + 14a^3b^4e - 2a^4b^3f)x^{10} + (65a^2b^5c - 35a^3b^4d + 14a^4b^3e - 2a^5b^2f)x^7) (-ab^2)^{2/3} \log(bx - (-ab^2)^{1/3})]/(a^6b^4x^{13} + 2a^7b^3x^{10} + a^8b^2x^7), \end{aligned}$$

$$b^3e - 2a^5b^2f)x^9 + 108a^5b^2c + 54(65a^3b^4c - 35a^4b^3d + 14a^5b^2e)x^6 - 27(13a^4b^3c - 7a^5b^2d)x^3 + 84\sqrt{1/3}((65ab^6c - 35a^2b^5d + 14a^3b^4e - 2a^4b^3f)x^{13} + 2(65a^2b^5c - 35a^3b^4d + 14a^4b^3e - 2a^5b^2f)x^{10} + (65a^3b^4c - 35a^4b^3d + 14a^5b^2e - 2a^6bf)x^7)\sqrt{-(-ab^2)^{1/3}/a} \arctan(\sqrt{1/3}(2bx + (-ab^2)^{1/3})\sqrt{-(-ab^2)^{1/3}/a}/b) + 14((65b^5c - 35ab^4d + 14a^2b^3e - 2a^3b^2f)x^{13} + 2(65ab^4c - 35a^2b^3d + 14a^3b^2e - 2a^4bf)x^{10} + (65a^2b^3c - 35a^3b^2d + 14a^4b^3e - 2a^5f)x^7)(-ab^2)^{2/3} \log(b^2x^2 + (-ab^2)^{1/3}bx + (-ab^2)^{2/3}) - 28((65b^5c - 35ab^4d + 14a^2b^3e - 2a^3b^2f)x^{13} + 2(65ab^4c - 35a^2b^3d + 14a^3b^2e - 2a^4bf)x^{10} + (65a^2b^3c - 35a^3b^2d + 14a^4b^3e - 2a^5f)x^7)(-ab^2)^{2/3} \log(bx - (-ab^2)^{1/3})/(a^6b^4x^{13} + 2a^7b^3x^{10} + a^8b^2x^7)]$$

giac [A] time = 0.31, size = 380, normalized size = 1.11

$$\frac{\sqrt{3}(65b^3c - 35ab^2d - 2a^3f + 14a^2be) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + (65b^3c - 35ab^2d - 2a^3f + 14a^2be) \log\left(x^2 + \frac{bx + \left(-ab^2\right)^{\frac{1}{3}}}{a}\right)}{27\left(-ab^2\right)^{\frac{1}{3}}a^5 + 54\left(-ab^2\right)^{\frac{1}{3}}a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27\sqrt{3}(65b^3c - 35ab^2d - 2a^3f + 14a^2be) \arctan(1/3\sqrt{3}(2x + (-a/b)^{1/3})/(-a/b)^{1/3})/((-ab^2)^{1/3}a^5) + 1/54(65b^3c - 35ab^2d - 2a^3f + 14a^2be) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3})/((-ab^2)^{1/3}a^5) + 1/27(65b^3c(-a/b)^{1/3} - 35ab^2d(-a/b)^{1/3} - 2a^3f(-a/b)^{1/3} + 14a^2be(-a/b)^{1/3}) \log(\text{abs}(x - (-a/b)^{1/3}))/a^6 - 1/18(22b^4cx^5 - 16ab^3dx^5 - 4a^3bf^2x^5 + 10a^2b^2x^5e + 25ab^3cx^2 - 19a^2b^2dx^2 - 7a^4fx^2 + 13a^3bx^2e)/((bx^3 + a)^2a^5) - 1/28(168b^2cx^6 - 84ab^2dx^6 + 28a^2x^6e - 21ab^2cx^3 + 7a^2d^2x^3 + 4a^2c^2)/(a^5x^7)$

maple [B] time = 0.07, size = 611, normalized size = 1.78

$$\frac{2bf x^5}{9(bx^3 + a)^2 a^2} - \frac{5b^2e x^5}{9(bx^3 + a)^2 a^3} + \frac{8b^3d x^5}{9(bx^3 + a)^2 a^4} - \frac{11b^4c x^5}{9(bx^3 + a)^2 a^5} + \frac{7f x^2}{18(bx^3 + a)^2 a} - \frac{13be x^2}{18(bx^3 + a)^2 a^2} + \frac{19b^2}{18(bx^3 + a)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x)$

[Out] $2/9/a^2/(b*x^3+a)^2*x^5*b*f-5/9/a^3/(b*x^3+a)^2*x^5*e*b^2+8/9/a^4/(b*x^3+a)^2*x^5*d*b^3-11/9/a^5/(b*x^3+a)^2*x^5*c*b^4-13/18/a^2/(b*x^3+a)^2*x^2*b*e+19/18/a^3/(b*x^3+a)^2*x^2*b^2*d-25/18/a^4/(b*x^3+a)^2*x^2*b^3*c-14/27/a^3*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-35/27/a^4*b*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+35/54/a^4*b*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+65/27/a^5*b^2*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-65/54/a^5*b^2*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+3/4/a^4/x^4*b*c+3/a^4/x*b*d-6/a^5/x*b^2*c+7/18/a/(b*x^3+a)^2*x^2*f+14/27/a^3*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-7/27/a^3*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+35/27/a^4*b*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-65/27/a^5*b^2*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+2/27/a^2*f*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/7/a^3*c/x^7-1/4/a^3/x^4*d-e/a^3/x-2/27/a^2*f/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/27/a^2*f/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})$

maxima [A] time = 3.05, size = 343, normalized size = 1.00

$$\frac{28(65b^4c - 35ab^3d + 14a^2b^2e - 2a^3bf)x^{12} + 49(65ab^3c - 35a^2b^2d + 14a^3be - 2a^4f)x^9 + 18(65a^2b^2c - 35a^3b^2d + 14a^4e)x^6 + 36a^4c - 9(13a^3b^2c - 7a^4d)x^3}{252(a^5b^2x^{13} + 2a^6bx^{10} + a^7x^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x^9+e*x^6+d*x^3+c)/x^8/(b*x^3+a)^3,x, \text{algorithm}="maxima")$

[Out] $-1/252*(28*(65*b^4*c - 35*a*b^3*d + 14*a^2*b^2*e - 2*a^3*b*f)*x^{12} + 49*(65*a*b^3*c - 35*a^2*b^2*d + 14*a^3*b*e - 2*a^4*f)*x^9 + 18*(65*a^2*b^2*c - 35*a^3*b*d + 14*a^4*e)*x^6 + 36*a^4*c - 9*(13*a^3*b^2*c - 7*a^4*d)*x^3)/(a^5*b^2*x^{13} + 2*a^6*b*x^{10} + a^7*x^7) - 1/27*\sqrt{3}*(65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^5*b*(a/b)^{(1/3)}) - 1/54*(65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^5*b*(a/b)^{(1/3)}) + 1/27*(65*b^3*c - 35*a*b^2*d + 14*a^2*b*e - 2*a^3*f)*\log(x + (a/b)^{(1/3)})/(a^5*b*(a/b)^{(1/3)})$

mupad [B] time = 5.26, size = 321, normalized size = 0.94

$$\frac{\ln(b^{1/3}x + a^{1/3})(-2fa^3 + 14ea^2b - 35dab^2 + 65cb^3)}{27a^{16/3}b^{2/3}} - \frac{c}{7a} + \frac{7x^9(-2fa^3 + 14ea^2b - 35dab^2 + 65cb^3)}{36a^4} + \frac{x^3(7ad - 13bc)}{28a^2} + \frac{x^7}{a^2x^7 + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^3 + e*x^6 + f*x^9)/(x^8*(a + b*x^3)^3),x)`

[Out]
$$\frac{(\log(b^{1/3}x + a^{1/3}))(65b^3c - 2a^3f - 35ab^2d + 14a^2be)}{27a^{16/3}b^{2/3}} - \frac{c}{7a} + \frac{7x^9(65b^3c - 2a^3f - 35ab^2d + 14a^2be)}{36a^4} + \frac{x^3(7ad - 13bc)}{28a^2} + \frac{x^6(65b^2c + 14a^2e - 35abd)}{14a^3} + \frac{bx^{12}(65b^3c - 2a^3f - 35ab^2d + 14a^2be)}{9a^5} \Big/ (a^2x^7 + b^2x^{13} + 2abx^{10}) - \frac{(\log(3^{1/2}a^{1/3}i + 2b^{1/3}x - a^{1/3}))((3^{1/2}i)/2 + 1/2)(65b^3c - 2a^3f - 35ab^2d + 14a^2be)}{27a^{16/3}b^{2/3}} + \frac{(\log(3^{1/2}a^{1/3}i - 2b^{1/3}x + a^{1/3}))((3^{1/2}i)/2 - 1/2)(65b^3c - 2a^3f - 35ab^2d + 14a^2be)}{27a^{16/3}b^{2/3}}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**9+e*x**6+d*x**3+c)/x**8/(b*x**3+a)**3,x)`

[Out] Timed out

$$3.300 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^9(a+bx^3)^3} dx$$

Optimal. Leaf size=341

$$\frac{3bc-ad}{5a^4x^5} - \frac{c}{8a^3x^8} - \frac{a^2e-3abd+6b^2c}{2a^5x^2} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b}x)(-5a^3f+20a^2be-44ab^2d+77b^3c)}{27a^{17/3}\sqrt[3]{b}} + \frac{\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{27a^{17/3}\sqrt[3]{b}}$$

[Out] $-1/8*c/a^3/x^8+1/5*(-a*d+3*b*c)/a^4/x^5+1/2*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^2-1/6*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^4/(b*x^3+a)^2-1/18*(-5*a^3*f+11*a^2*b*e-17*a*b^2*d+23*b^3*c)*x/a^5/(b*x^3+a)-1/27*(-5*a^3*f+20*a^2*b*e-44*a*b^2*d+77*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(17/3)}/b^{(1/3)}+1/54*(-5*a^3*f+20*a^2*b*e-44*a*b^2*d+77*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(17/3)}/b^{(1/3)}+1/27*(-5*a^3*f+20*a^2*b*e-44*a*b^2*d+77*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(17/3)}/b^{(1/3)}*3^{(1/2)}$

Rubi [A] time = 0.55, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$\frac{x(11a^2be-5a^3f-17ab^2d+23b^3c)}{18a^5(a+bx^3)} - \frac{x(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^4(a+bx^3)^2} + \frac{\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)(20a^2be-44ab^2d+77b^3c)}{54a^{17/3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^3), x]

[Out] $-c/(8*a^3*x^8) + (3*b*c - a*d)/(5*a^4*x^5) - (6*b^2*c - 3*a*b*d + a^2*e)/(2*a^5*x^2) - ((b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^4*(a + b*x^3)^2) - ((23*b^3*c - 17*a*b^2*d + 11*a^2*b*e - 5*a^3*f)*x)/(18*a^5*(a + b*x^3)) + ((77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(17/3)}*b^{(1/3)}) - ((77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(17/3)}*b^{(1/3)}) + ((77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(17/3)}*b^{(1/3)})$

Rule 31

Int[((a_) + (b_)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

```
Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(
Rt[a, 3] + Rt[b, 3]*x), x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R
t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F
reeQ[{a, b}, x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

Int[((Pq_)*((c_)*(x_))^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] & & PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^9 (a + bx^3)^3} dx &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4 (a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{5b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^9(a + bx^3)^2}}{6ab^3} \\
 &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4 (a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5 (a + bx^3)} + \frac{\int \frac{18b^6c - 18b^6d}{x^9(a + bx^3)^2}}{18a^5 (a + bx^3)} \\
 &= -\frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4 (a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5 (a + bx^3)} + \int \left(\frac{18b^6c}{ax^9} + \frac{18b^6d}{ax^9} \right) dx \\
 &= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4 (a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5 (a + bx^3)} \\
 &= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4 (a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5 (a + bx^3)} \\
 &= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4 (a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5 (a + bx^3)} \\
 &= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4 (a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5 (a + bx^3)} \\
 &= -\frac{c}{8a^3x^8} + \frac{3bc - ad}{5a^4x^5} - \frac{6b^2c - 3abd + a^2e}{2a^5x^2} - \frac{(b^3c - ab^2d + a^2be - a^3f)x}{6a^4 (a + bx^3)^2} - \frac{(23b^3c - 17ab^2d + 11a^2be - 5a^3f)x}{18a^5 (a + bx^3)}
 \end{aligned}$$

Mathematica [A] time = 0.35, size = 324, normalized size = 0.95

$$\frac{-\frac{216a^{5/3}(ad-3bc)}{x^5} - \frac{135a^{8/3}c}{x^8} - \frac{540a^{2/3}(a^2e-3abd+6b^2c)}{x^2} + \frac{40 \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)(5a^3f-20a^2be+44ab^2d-77b^3c)}{\sqrt[3]{b}}}{40\sqrt{3} \tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)\left(-5a^3f+\sqrt[3]{b}\right)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^3), x]

[Out] $\left(\frac{-135a^{8/3}c}{x^8} - \frac{(216a^{5/3}(-3b^3c + a^2d))}{x^5} - \frac{(540a^{2/3}(6b^2c - 3ab^3d + a^2e))}{x^2} + \frac{(180a^{5/3}(-b^3c + ab^2d - a^2be + a^3f))}{(a + b^3x^3)} + \frac{(60a^{2/3}(-23b^3c + 17ab^2d - 11a^2be + 5a^3f))}{(a + b^3x^3)} + \frac{(40\sqrt{3}(77b^3c - 44ab^2d + 20a^2be - 5a^3f))}{b^{1/3}} \operatorname{ArcTan}\left[\frac{1 - (2b^{1/3}x)/a^{1/3}}{\sqrt{3}}\right]\right) + \frac{(40(-77b^3c + 44ab^2d - 20a^2be + 5a^3f))}{b^{1/3}} \operatorname{Log}[a^{1/3} + b^{1/3}x] + \frac{(20(77b^3c - 44ab^2d + 20a^2be - 5a^3f))}{b^{1/3}} \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2] + \frac{(1080a^{17/3})}{b^{1/3}}$

fricas [B] time = 0.62, size = 1317, normalized size = 3.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x, algorithm="fricas")

[Out] $\left[-\frac{1}{1080}(60(77a^2b^5c - 44a^3b^4d + 20a^4b^3e - 5a^5b^2f))x^{12} + 96(77a^3b^4c - 44a^4b^3d + 20a^5b^2e - 5a^6b^1f)x^9 + 135a^6b^1c + 27(77a^4b^3c - 44a^5b^2d + 20a^6b^1e)x^6 - 54(7a^5b^2c - 4a^6b^1d)x^3 + 60\sqrt{1/3}((77ab^6c - 44a^2b^5d + 20a^3b^4e - 5a^4b^3f))x^{14} + 2(77a^2b^5c - 44a^3b^4d + 20a^4b^3e - 5a^5b^2f)x^{11} + (77a^3b^4c - 44a^4b^3d + 20a^5b^2e - 5a^6b^1f)x^8\right] \sqrt{-(a^2b)^{1/3}/b} \log\left(\frac{(2abx^3 - 3(a^2b)^{1/3}ax - a^2 + 3\sqrt{1/3}(2abx^2 + (a^2b)^{2/3}x - (a^2b)^{1/3}a)\sqrt{-(a^2b)^{1/3}/b})}{(b^3x^3 + a)}\right) - 20((77b^5c - 44ab^4d + 20a^2b^3e - 5a^3b^2f))x^{14} + 2(77ab^4c - 44a^2b^3d + 20a^3b^2e - 5a^4b^1f)x^{11} + (77a^2b^3c - 44a^3b^2d + 20a^4b^1e - 5a^5f)x^8) (a^2b)^{2/3} \log(a^2bx^2 - (a^2b)^{2/3}x + (a^2b)^{1/3}a) + 40((77b^5c - 44ab^4d + 20a^2b^3e - 5a^3b^2f))x^{14} + 2(77ab^4c - 44a^2b^3d + 20a^3b^2e - 5a^4b^1f)x^{11} + (77a^2b^3c - 44a^3b^2d + 20a^4b^1e - 5a^5f)x^8) (a^2b)^{2/3} \log(abx + (a^2b)^{2/3}) / (a^7b^3x^{14} + 2a^8b^2x^{11} + a^9b^1x^8), -\frac{1}{1080}(60(77a^2b^5c - 44a^3b^4d + 20a^4b^3e - 5a^5b^2f))x^{12} + 96(77a^3b^4c - 44a^4b^3d + 20a^5b^2e - 5a^6b^1f)x^9 + 135a^6b^1c + 27(77a^4b^3c - 44a^5b^2d + 20a^6b^1e)x^6 - 54(7a^5b^2c - 4a^6b^1d)x^3 + 60\sqrt{1/3}((77ab^6c - 44a^2b^5d + 20a^3b^4e - 5a^4b^3f))x^{14} + 2(77a^2b^5c - 44a^3b^4d + 20a^4b^3e - 5a^5b^2f)x^{11} + (77a^3b^4c - 44a^4b^3d + 20a^5b^2e - 5a^6b^1f)x^8\right] \sqrt{-(a^2b)^{1/3}/b} \log\left(\frac{(2abx^3 - 3(a^2b)^{1/3}ax - a^2 + 3\sqrt{1/3}(2abx^2 + (a^2b)^{2/3}x - (a^2b)^{1/3}a)\sqrt{-(a^2b)^{1/3}/b})}{(b^3x^3 + a)}\right) - 20((77b^5c - 44ab^4d + 20a^2b^3e - 5a^3b^2f))x^{14} + 2(77ab^4c - 44a^2b^3d + 20a^3b^2e - 5a^4b^1f)x^{11} + (77a^2b^3c - 44a^3b^2d + 20a^4b^1e - 5a^5f)x^8) (a^2b)^{2/3} \log(abx + (a^2b)^{2/3}) / (a^7b^3x^{14} + 2a^8b^2x^{11} + a^9b^1x^8)$

$$\begin{aligned} & ^6*b*f)*x^9 + 135*a^6*b*c + 27*(77*a^4*b^3*c - 44*a^5*b^2*d + 20*a^6*b*e)*x \\ & ^6 - 54*(7*a^5*b^2*c - 4*a^6*b*d)*x^3 + 120*\sqrt{1/3}*((77*a*b^6*c - 44*a^2 \\ & *b^5*d + 20*a^3*b^4*e - 5*a^4*b^3*f)*x^{14} + 2*(77*a^2*b^5*c - 44*a^3*b^4*d \\ & + 20*a^4*b^3*e - 5*a^5*b^2*f)*x^{11} + (77*a^3*b^4*c - 44*a^4*b^3*d + 20*a^5* \\ & b^2*e - 5*a^6*b*f)*x^8)*\sqrt{(a^2*b)^{(1/3)}/b}*\arctan(\sqrt{1/3}*(2*(a^2*b)^{(\\ & 2/3)*x - (a^2*b)^{(1/3)*a}*\sqrt{(a^2*b)^{(1/3)}/b}/a^2) - 20*((77*b^5*c - 44*a \\ & *b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*f)*x^{14} + 2*(77*a*b^4*c - 44*a^2*b^3*d + \\ & 20*a^3*b^2*e - 5*a^4*b*f)*x^{11} + (77*a^2*b^3*c - 44*a^3*b^2*d + 20*a^4*b*e \\ & - 5*a^5*f)*x^8)*(a^2*b)^{(2/3)*\log(a*b*x^2 - (a^2*b)^{(2/3)*x + (a^2*b)^{(1/3) \\ & *a) + 40*((77*b^5*c - 44*a*b^4*d + 20*a^2*b^3*e - 5*a^3*b^2*f)*x^{14} + 2*(77 \\ & *a*b^4*c - 44*a^2*b^3*d + 20*a^3*b^2*e - 5*a^4*b*f)*x^{11} + (77*a^2*b^3*c - \\ & 44*a^3*b^2*d + 20*a^4*b*e - 5*a^5*f)*x^8)*(a^2*b)^{(2/3)*\log(a*b*x + (a^2*b) \\ & ^{(2/3))})/(a^7*b^3*x^{14} + 2*a^8*b^2*x^{11} + a^9*b*x^8)] \end{aligned}$$

giac [A] time = 0.23, size = 394, normalized size = 1.16

$$\frac{(77b^3c - 44ab^2d - 5a^3f + 20a^2be) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) \sqrt{3} \left(77(-ab^2)^{\frac{1}{3}}b^3c - 44(-ab^2)^{\frac{1}{3}}ab^2d - 5(-ab^2)^{\frac{1}{3}}a^3f + 20(-ab^2)^{\frac{1}{3}}a^2be\right)}{27a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{27}*(77*b^3*c - 44*a*b^2*d - 5*a^3*f + 20*a^2*b*e)*(-a/b)^{(1/3)*\log(\text{abs}(x - (-a/b)^{(1/3)})))/a^6 - 1/27*\sqrt{3}*(77*(-a*b^2)^{(1/3)*b^3*c - 44*(-a*b^2)^{(1/3)*a*b^2*d - 5*(-a*b^2)^{(1/3)*a^3*f + 20*(-a*b^2)^{(1/3)*a^2*b*e})*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a^6*b) - 1/54*(77*(-a*b^2)^{(1/3)*b^3*c - 44*(-a*b^2)^{(1/3)*a*b^2*d - 5*(-a*b^2)^{(1/3)*a^3*f + 20*(-a*b^2)^{(1/3)*a^2*b*e})*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^6*b) - 1/18*(23*b^4*c*x^4 - 17*a*b^3*d*x^4 - 5*a^3*b*f*x^4 + 11*a^2*b^2*x^4*e + 26*a*b^3*c*x - 20*a^2*b^2*d*x - 8*a^4*f*x + 14*a^3*b*x*e)/((b*x^3 + a)^2*a^5) - 1/40*(120*b^2*c*x^6 - 60*a*b*d*x^6 + 20*a^2*x^6*e - 24*a*b*c*x^3 + 8*a^2*d*x^3 + 5*a^2*c)/(a^5*x^8)$

maple [B] time = 0.06, size = 603, normalized size = 1.77

$$\frac{5bf^4x^4}{18(bx^3+a)^2a^2} - \frac{11b^2ex^4}{18(bx^3+a)^2a^3} + \frac{17b^3dx^4}{18(bx^3+a)^2a^4} - \frac{23b^4cx^4}{18(bx^3+a)^2a^5} + \frac{4fx}{9(bx^3+a)^2a} - \frac{7bex}{9(bx^3+a)^2a^2} + \frac{10}{9(bx^3+a)^2a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x)

[Out] $\frac{10}{27}a^3e/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-3/a^5/x^2*b^2*c+3/5/a^4/x^5*b*c+4/9/a/(b*x^3+a)^2*f*x-20/27/a^3*e/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+3/2/a^4/x^2*b*d-1/2/a^3/x^2*e+5/27/a^2*f/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+44/27/a^4*b*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-77/27/a^5*b^2*c/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/5/a^3/x^5*d+5/18/a^2/(b*x^3+a)^2*x^4*b*f-11/18/a^3/(b*x^3+a)^2*x^4*b^2*e+17/18/a^4/(b*x^3+a)^2*x^4*b^3*d-23/18/a^5/(b*x^3+a)^2*x^4*b^4*c-20/27/a^3*e/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+44/27/a^4*b*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-22/27/a^4*b*d/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-77/27/a^5*b^2*c/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+77/54/a^5*b^2*c/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+5/27/a^2*f/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-5/54/a^2*f/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+10/9/a^3/(b*x^3+a)^2*b^2*d*x-13/9/a^4/(b*x^3+a)^2*b^3*c*x-7/9/a^2/(b*x^3+a)^2*b*e*x-1/8*c/a^3/x^8$

maxima [A] time = 2.95, size = 343, normalized size = 1.01

$$\frac{20(77b^4c - 44ab^3d + 20a^2b^2e - 5a^3bf)x^{12} + 32(77ab^3c - 44a^2b^2d + 20a^3be - 5a^4f)x^9 + 9(77a^2b^2c - 44ab^3d + 20a^4e)x^6 + 45a^4c - 18(7a^3b^3c - 4a^4d)x^3}{360(a^5b^2x^{14} + 2a^6bx^{11} + a^7x^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^9/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-1/360*(20*(77*b^4*c - 44*a*b^3*d + 20*a^2*b^2*e - 5*a^3*b*f)*x^{12} + 32*(77*a*b^3*c - 44*a^2*b^2*d + 20*a^3*b*e - 5*a^4*f)*x^9 + 9*(77*a^2*b^2*c - 44*a^3*b*d + 20*a^4*e)*x^6 + 45*a^4*c - 18*(7*a^3*b^3*c - 4*a^4*d)*x^3)/(a^5*b^2$

$*x^{14} + 2*a^6*b*x^{11} + a^7*x^8) - 1/27*\sqrt{3}*(77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^5*b*(a/b)^{(2/3)}) + 1/54*(77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^5*b*(a/b)^{(2/3)}) - 1/27*(77*b^3*c - 44*a*b^2*d + 20*a^2*b*e - 5*a^3*f)*\log(x + (a/b)^{(1/3)})/(a^5*b*(a/b)^{(2/3)})$

mupad [B] time = 5.22, size = 321, normalized size = 0.94

$$\frac{\frac{c}{8a} + \frac{4x^9(-5fa^3+20ea^2b-44dab^2+77cb^3)}{45a^4} + \frac{x^3(4ad-7bc)}{20a^2} + \frac{x^6(20ea^2-44dab+77cb^2)}{40a^3} + \frac{bx^{12}(-5fa^3+20ea^2b-44dab^2+77cb^3)}{18a^5}}{a^2x^8 + 2abx^{11} + b^2x^{14}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^9*(a + b*x^3)^3), x)

[Out] $(\log(3^{(1/2)}*a^{(1/3)}*1i - 2*b^{(1/3)}*x + a^{(1/3)})*((3^{(1/2)}*1i)/2 + 1/2)*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(27*a^{(17/3)}*b^{(1/3)}) - (\log(b^{(1/3)}*x + a^{(1/3)})*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(27*a^{(17/3)}*b^{(1/3)}) - (\log(3^{(1/2)}*a^{(1/3)}*1i + 2*b^{(1/3)}*x - a^{(1/3)})*((3^{(1/2)}*1i)/2 - 1/2)*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(27*a^{(17/3)}*b^{(1/3)}) - (c/(8*a) + (4*x^9*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(45*a^4) + (x^3*(4*a*d - 7*b*c))/(20*a^2) + (x^6*(77*b^2*c + 20*a^2*e - 44*a*b*d))/(40*a^3) + (b*x^{12}*(77*b^3*c - 5*a^3*f - 44*a*b^2*d + 20*a^2*b*e))/(18*a^5))/(a^2*x^8 + b^2*x^{14} + 2*a*b*x^{11})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**9/(b*x**3+a)**3,x)

[Out] Timed out

$$3.301 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{11}(a+bx^3)^3} dx$$

Optimal. Leaf size=381

$$\frac{3bc-ad}{7a^4x^7} - \frac{c}{10a^3x^{10}} - \frac{a^2e-3abd+6b^2c}{4a^5x^4} - \frac{\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x)(-14a^3f+35a^2be-65ab^2d+104b^3c)}{27a^{19/3}} - \frac{\sqrt[3]{b} \tan^{-1}\left(\frac{a^{1/3} - 2b^{1/3}x}{a^{1/3} + b^{1/3}x}\right)}{54a^{19/3}}$$

[Out] $-1/10*c/a^3/x^{10}+1/7*(-a*d+3*b*c)/a^4/x^7+1/4*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^4+(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)/a^6/x+1/6*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^5/(b*x^3+a)^2+1/9*b*(-5*a^3*f+8*a^2*b*e-11*a*b^2*d+14*b^3*c)*x^2/a^6/(b*x^3+a)-1/27*b^(1/3)*(-14*a^3*f+35*a^2*b*e-65*a*b^2*d+104*b^3*c)*\ln(a^(1/3)+b^(1/3)*x)/a^(19/3)+1/54*b^(1/3)*(-14*a^3*f+35*a^2*b*e-65*a*b^2*d+104*b^3*c)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(19/3)-1/27*b^(1/3)*(-14*a^3*f+35*a^2*b*e-65*a*b^2*d+104*b^3*c)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(19/3)*3^(1/2)$

Rubi [A] time = 0.71, antiderivative size = 381, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{bx^2(8a^2be-5a^3f-11ab^2d+14b^3c)}{9a^6(a+bx^3)} + \frac{bx^2(a^2be+a^3(-f)-ab^2d+b^3c)}{6a^5(a+bx^3)^2} + \frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)(35a^2e - 65ab^2d + 104b^3c)}{54a^{19/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^3), x]

[Out] $-c/(10*a^3*x^{10}) + (3*b*c - a*d)/(7*a^4*x^7) - (6*b^2*c - 3*a*b*d + a^2*e)/(4*a^5*x^4) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(a^6*x) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^5*(a + b*x^3)^2) + (b*(14*b^3*c - 11*a*b^2*d + 8*a^2*b*e - 5*a^3*f)*x^2)/(9*a^6*(a + b*x^3)) - (b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(19/3)) - (b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(19/3)) + (b^(1/3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b*e - 14*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(19/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 292

```
Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^(-1), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[(n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m)]/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

Int[((Pq_)*((c_)*(x_))^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] & & PolyQ[Pq, x] && IntegerQ[n] && !IGTQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^{11}(a + bx^3)^3} dx &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^5(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{6b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^{11}(a + bx^3)^2} dx}{6ab^3} \\
 &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^5(a + bx^3)^2} + \frac{b(14b^3c - 11ab^2d + 8a^2be - 5a^3f)x^2}{9a^6(a + bx^3)} + \frac{\int \frac{18b^7c - 18b^7d}{ax^{11}} dx}{9a^6} \\
 &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^5(a + bx^3)^2} + \frac{b(14b^3c - 11ab^2d + 8a^2be - 5a^3f)x^2}{9a^6(a + bx^3)} + \frac{\int \left(\frac{18b^7c}{ax^{11}} + \frac{18b^7d}{ax^{11}}\right) dx}{9a^6} \\
 &= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{9a^6} \\
 &= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{9a^6} \\
 &= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{9a^6} \\
 &= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{9a^6} \\
 &= -\frac{c}{10a^3x^{10}} + \frac{3bc - ad}{7a^4x^7} - \frac{6b^2c - 3abd + a^2e}{4a^5x^4} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{a^6x} + \frac{b(b^3c - ab^2d + a^2be - a^3f)}{9a^6}
 \end{aligned}$$

Mathematica [A] time = 0.59, size = 366, normalized size = 0.96

$$\frac{540a^{7/3}(ad-3bc)}{x^7} - \frac{378a^{10/3}c}{x^{10}} - \frac{945a^{4/3}(a^2e-3abd+6b^2c)}{x^4} - \frac{420\sqrt[3]{a}bx^2(5a^3f-8a^2be+11ab^2d-14b^3c)}{a+bx^3} - \frac{3780\sqrt[3]{a}(a^3f-3a^2be+6ab^2d-10b^3c)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^3), x]

[Out]
$$\begin{aligned} &((-378a^{(10/3)}c)/x^{10} - (540a^{(7/3)}(-3b^3c + a^2d))/x^7 - (945a^{(4/3)}(6b^2c - 3ab^3d + a^2e))/x^4 - (3780a^{(1/3)}(-10b^3c + 6a^2b^2d - 3a^2b^3e + a^3f))/x \\ &- (630a^{(4/3)}b^3(-b^3c + a^2b^2d - a^2b^3e + a^3f)x^2)/(a + b^3x^3)^2 - (420a^{(1/3)}b^3(-14b^3c + 11a^2b^2d - 8a^2b^3e + 5a^3f)x^2)/(a + b^3x^3) \\ &- 140\sqrt{3}b^{(1/3)}(104b^3c - 65a^2b^2d + 35a^2b^3e - 14a^3f)\text{ArcTan}[(1 - (2b^{(1/3)}x)/a^{(1/3)})/\sqrt{3}] + 140b^{(1/3)}(-104b^3c + 65a^2b^2d - 35a^2b^3e + 14a^3f)\text{Log}[a^{(1/3)} + b^{(1/3)}x] \\ &+ 70b^{(1/3)}(104b^3c - 65a^2b^2d + 35a^2b^3e - 14a^3f)\text{Log}[a^{(2/3)} - a^{(1/3)}b^{(1/3)}x + b^{(2/3)}x^2]/(3780a^{(19/3)}) \end{aligned}$$

fricas [A] time = 0.74, size = 621, normalized size = 1.63

$$420(104b^5c - 65ab^4d + 35a^2b^3e - 14a^3b^2f)x^{15} + 735(104ab^4c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{12} + 270(104a^2b^3c - 65a^3b^2d + 35a^4b^1e - 14a^5f)x^9 - 27(104a^3b^2c - 65a^4b^1d + 35a^5e)x^6 - 378a^5c + 108(8a^4b^1c - 5a^5d)x^3 + 140\sqrt{3}((104b^5c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{16} + 2(104a^2b^4c - 65a^3b^3d + 35a^4b^2e - 14a^5f)x^{13} + (104a^2b^3c - 65a^3b^2d + 35a^4b^1e - 14a^5f)x^{10})\text{arctan}(2/\sqrt{3}\sqrt{3}x(b/a)^{(1/3)} - 1/\sqrt{3}) + 70((104b^5c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{16} + 2(104a^2b^4c - 65a^3b^3d + 35a^4b^2e - 14a^5f)x^{13} + (104a^2b^3c - 65a^3b^2d + 35a^4b^1e - 14a^5f)x^{10})\text{log}(b^2x^2 - a^2x(b/a)^{(2/3)} + a(b/a)^{(1/3)}) - 140((104b^5c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{16} + 2(104a^2b^4c - 65a^3b^3d + 35a^4b^2e - 14a^5f)x^{13} + (104a^2b^3c - 65a^3b^2d + 35a^4b^1e - 14a^5f)x^{10})\text{log}(b^2x^2 - a^2x(b/a)^{(2/3)} + a(b/a)^{(1/3)})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} &1/3780*(420*(104b^5c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{15} + 735*(104ab^4c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{12} + 270*(104a^2b^3c - 65a^3b^2d + 35a^4b^1e - 14a^5f)x^9 - 27*(104a^3b^2c - 65a^4b^1d + 35a^5e)x^6 - 378a^5c + 108*(8a^4b^1c - 5a^5d)x^3 + 140\sqrt{3}((104b^5c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{16} + 2*(104a^2b^4c - 65a^3b^3d + 35a^4b^2e - 14a^5f)x^{13} + (104a^2b^3c - 65a^3b^2d + 35a^4b^1e - 14a^5f)x^{10})\text{arctan}(2/\sqrt{3}\sqrt{3}x(b/a)^{(1/3)} - 1/\sqrt{3}) + 70((104b^5c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{16} + 2*(104a^2b^4c - 65a^3b^3d + 35a^4b^2e - 14a^5f)x^{13} + (104a^2b^3c - 65a^3b^2d + 35a^4b^1e - 14a^5f)x^{10})\text{log}(b^2x^2 - a^2x(b/a)^{(2/3)} + a(b/a)^{(1/3)}) - 140((104b^5c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{16} + 2*(104a^2b^4c - 65a^3b^3d + 35a^4b^2e - 14a^5f)x^{13} + (104a^2b^3c - 65a^3b^2d + 35a^4b^1e - 14a^5f)x^{10})\text{log}(b^2x^2 - a^2x(b/a)^{(2/3)} + a(b/a)^{(1/3)}) \end{aligned}$$

$2*d + 35*a^4*b*e - 14*a^5*f)*x^{10}*(b/a)^{(1/3)}*\log(b*x + a*(b/a)^{(2/3)))/(a^6*b^2*x^{16} + 2*a^7*b*x^{13} + a^8*x^{10})$

giac [A] time = 0.20, size = 486, normalized size = 1.28

$$\frac{\left(104 b^4 c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - 65 a b^3 d \left(-\frac{a}{b}\right)^{\frac{1}{3}} - 14 a^3 b f \left(-\frac{a}{b}\right)^{\frac{1}{3}} + 35 a^2 b^2 \left(-\frac{a}{b}\right)^{\frac{1}{3}} e\right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) \sqrt{3} \left(104 (-ab^2)^{\frac{2}{3}}\right)}{27 a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27*(104*b^4*c*(-a/b)^{(1/3)} - 65*a*b^3*d*(-a/b)^{(1/3)} - 14*a^3*b*f*(-a/b)^{(1/3)} + 35*a^2*b^2*(-a/b)^{(1/3)}*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})) / a^7 - 1/27*\text{sqrt}(3)*(104*(-a*b^2)^{(2/3)}*b^3*c - 65*(-a*b^2)^{(2/3)}*a*b^2*d - 14*(-a*b^2)^{(2/3)}*a^3*f + 35*(-a*b^2)^{(2/3)}*a^2*b*e)*\text{arctan}(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a^7*b) + 1/54*(104*(-a*b^2)^{(2/3)}*b^3*c - 65*(-a*b^2)^{(2/3)}*a*b^2*d - 14*(-a*b^2)^{(2/3)}*a^3*f + 35*(-a*b^2)^{(2/3)}*a^2*b*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^7*b) + 1/18*(28*b^5*c*x^5 - 22*a*b^4*d*x^5 - 10*a^3*b^2*f*x^5 + 16*a^2*b^3*x^5*e + 31*a*b^4*c*x^2 - 25*a^2*b^3*d*x^2 - 13*a^4*b*f*x^2 + 19*a^3*b^2*x^2*e)/((b*x^3 + a)^2*a^6) + 1/140*(1400*b^3*c*x^9 - 840*a*b^2*d*x^9 - 140*a^3*f*x^9 + 420*a^2*b*x^9*e - 210*a*b^2*c*x^6 + 105*a^2*b*d*x^6 - 35*a^3*x^6*e + 60*a^2*b*c*x^3 - 20*a^3*d*x^3 - 14*a^3*c)/(a^6*x^{10})$

maple [A] time = 0.08, size = 659, normalized size = 1.73

$$-\frac{5b^2fx^5}{9(bx^3+a)^2a^3} + \frac{8b^3ex^5}{9(bx^3+a)^2a^4} - \frac{11b^4dx^5}{9(bx^3+a)^2a^5} + \frac{14b^5cx^5}{9(bx^3+a)^2a^6} - \frac{13bfx^2}{18(bx^3+a)^2a^2} + \frac{19b^2ex^2}{18(bx^3+a)^2a^3} - \frac{25}{18(bx^3+a)^2a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x)

[Out] $-7/27/a^3*f/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+3/7/a^4/x^7*b*c+3/4/a^4/x^4*b*d-3/2/a^5/x^4*b^2*c+3/a^4/x*b*e-6/a^5/x*b^2*d+10/a^6/x*b^3*c+1$

$$\frac{4}{27}a^3f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+35/27/a^4*b*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-65/27/a^5*b^2*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+104/27/a^6*b^3*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/7/a^3/x^7*d-1/4/a^3/x^4*e-1/a^3/x*f-1/10*c/a^3/x^10-5/9/a^3*b^2/(b*x^3+a)^2*x^5*f+8/9/a^4*b^3/(b*x^3+a)^2*x^5*e-11/9/a^5*b^4/(b*x^3+a)^2*x^5*d+14/9/a^6*b^5/(b*x^3+a)^2*x^5*c-13/18/a^2*b/(b*x^3+a)^2*x^2*f+19/18/a^3*b^2/(b*x^3+a)^2*x^2*e-25/18/a^4*b^3/(b*x^3+a)^2*x^2*d+31/18/a^5*b^4/(b*x^3+a)^2*x^2*c-14/27/a^3*f*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-35/27/a^4*b*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+35/54/a^4*b*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+65/27/a^5*b^2*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-65/54/a^5*b^2*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-104/27/a^6*b^3*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+52/27/a^6*b^3*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})$$

maxima [A] time = 3.20, size = 376, normalized size = 0.99

$$\frac{140(104b^5c - 65ab^4d + 35a^2b^3e - 14a^3b^2f)x^{15} + 245(104ab^4c - 65a^2b^3d + 35a^3b^2e - 14a^4bf)x^{12} + 90(104a^2b^3c - 65a^3b^2d + 35a^4b^2e - 14a^5bf)x^9 - 9(104a^3b^2c - 65a^4b^2d + 35a^5b^2e - 14a^6bf)x^6 - 126a^5c + 36(8a^4b^2c - 5a^5d)x^3}{1260(a^6b^2x^{16} + 2a^7bx^{13} + a^8x^{10})} + \frac{1}{27}\sqrt{3}\frac{(104b^3c - 65ab^2d + 35a^2b^2e - 14a^3f)\arctan(1/3\sqrt{3}(2x - (a/b)^{(1/3)})/(a/b)^{(1/3)})}{(a^6(a/b)^{(1/3)})} + \frac{1}{54}\frac{(104b^3c - 65ab^2d + 35a^2b^2e - 14a^3f)\log(x^2 - x(a/b)^{(1/3)} + (a/b)^{(2/3)})}{(a^6(a/b)^{(1/3)})} - \frac{1}{27}\frac{(104b^3c - 65ab^2d + 35a^2b^2e - 14a^3f)\log(x + (a/b)^{(1/3)})}{(a^6(a/b)^{(1/3)})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^11/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/1260*(140*(104*b^5*c - 65*a*b^4*d + 35*a^2*b^3*e - 14*a^3*b^2*f)*x^15 + 245*(104*a*b^4*c - 65*a^2*b^3*d + 35*a^3*b^2*e - 14*a^4*b*f)*x^12 + 90*(104*a^2*b^3*c - 65*a^3*b^2*d + 35*a^4*b^2*e - 14*a^5*b*f)*x^9 - 9*(104*a^3*b^2*c - 65*a^4*b^2*d + 35*a^5*b^2*e - 14*a^6*b*f)*x^6 - 126*a^5*c + 36*(8*a^4*b^2*c - 5*a^5*d)*x^3)/(a^6*b^2*x^16 + 2*a^7*b*x^13 + a^8*x^10) + 1/27*sqrt(3)*(104*b^3*c - 65*a*b^2*d + 35*a^2*b^2*e - 14*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^6*(a/b)^{(1/3)}) + 1/54*(104*b^3*c - 65*a*b^2*d + 35*a^2*b^2*e - 14*a^3*f)*log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^6*(a/b)^{(1/3)}) - 1/27*(104*b^3*c - 65*a*b^2*d + 35*a^2*b^2*e - 14*a^3*f)*log(x + (a/b)^{(1/3)})/(a^6*(a/b)^{(1/3)})

mupad [B] time = 5.28, size = 359, normalized size = 0.94

$$\frac{\frac{c}{10a} - \frac{x^9(-14fa^3+35ea^2b-65dab^2+104cb^3)}{14a^4} + \frac{x^3(5ad-8bc)}{35a^2} + \frac{x^6(35ea^2-65dab+104cb^2)}{140a^3} - \frac{7bx^{12}(-14fa^3+35ea^2b-65dab^2+104cb^3)}{36a^5}}{a^2x^{10} + 2abx^{13} + b^2x^{16}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^11*(a + b*x^3)^3),x)

```
[Out] (b^(1/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 +
1/2)*(104*b^3*c - 14*a^3*f - 65*a*b^2*d + 35*a^2*b*e))/(27*a^(19/3)) - (b^(
1/3)*log(b^(1/3)*x + a^(1/3))*(104*b^3*c - 14*a^3*f - 65*a*b^2*d + 35*a^2*b
*e))/(27*a^(19/3)) - (c/(10*a) - (x^9*(104*b^3*c - 14*a^3*f - 65*a*b^2*d +
35*a^2*b*e))/(14*a^4) + (x^3*(5*a*d - 8*b*c))/(35*a^2) + (x^6*(104*b^2*c +
35*a^2*e - 65*a*b*d))/(140*a^3) - (7*b*x^12*(104*b^3*c - 14*a^3*f - 65*a*b^
2*d + 35*a^2*b*e))/(36*a^5) - (b^2*x^15*(104*b^3*c - 14*a^3*f - 65*a*b^2*d
+ 35*a^2*b*e))/(9*a^6))/(a^2*x^10 + b^2*x^16 + 2*a*b*x^13) - (b^(1/3)*log(3
^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(104*b^3*
c - 14*a^3*f - 65*a*b^2*d + 35*a^2*b*e))/(27*a^(19/3))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**11/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.302 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{12}(a+bx^3)^3} dx$$

Optimal. Leaf size=380

$$\frac{3bc-ad}{8a^4x^8} - \frac{c}{11a^3x^{11}} - \frac{a^2e-3abd+6b^2c}{5a^5x^5} - \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (-20a^3f + 44a^2be - 77ab^2d + 119b^3c)}{54a^{20/3}}$$

[Out] $-1/11*c/a^3/x^{11}+1/8*(-a*d+3*b*c)/a^4/x^8+1/5*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^5+1/2*(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)/a^6/x^2+1/6*b*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x/a^5/(b*x^3+a)^2+1/18*b*(-11*a^3*f+17*a^2*b*e-23*a*b^2*d+29*b^3*c)*x/a^6/(b*x^3+a)+1/27*b^{(2/3)}*(-20*a^3*f+44*a^2*b*e-77*a*b^2*d+119*b^3*c)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(20/3)}-1/54*b^{(2/3)}*(-20*a^3*f+44*a^2*b*e-77*a*b^2*d+119*b^3*c)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(20/3)}-1/27*b^{(2/3)}*(-20*a^3*f+44*a^2*b*e-77*a*b^2*d+119*b^3*c)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(20/3)}*3^{(1/2)}$

Rubi [A] time = 0.67, antiderivative size = 380, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 200, 31, 634, 617, 204, 628}

$$\frac{bx(17a^2be - 11a^3f - 23ab^2d + 29b^3c)}{18a^6(a + bx^3)} + \frac{3a^2be + a^3(-f) - 6ab^2d + 10b^3c}{2a^6x^2} + \frac{bx(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^5(a + bx^3)^2} - \frac{b^2}{x^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^3), x]

[Out] $-c/(11*a^3*x^{11}) + (3*b*c - a*d)/(8*a^4*x^8) - (6*b^2*c - 3*a*b*d + a^2*e)/(5*a^5*x^5) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(2*a^6*x^2) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^5*(a + b*x^3)^2) + (b*(29*b^3*c - 23*a*b^2*d + 17*a^2*b*e - 11*a^3*f)*x)/(18*a^6*(a + b*x^3)) - (b^{(2/3)}*(19*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(20/3)}) + (b^{(2/3)}*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(20/3)}) - (b^{(2/3)}*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(20/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

```
Int[((a_) + (b_.)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(
Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R
t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F
reeQ[{a, b}, x]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

Int[((Pq_)*((c_)*(x_))^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] & & PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^{12}(a + bx^3)^3} dx &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{6a^5(a + bx^3)^2} - \frac{\int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{6b^3(b^3c - ab^2d + a^2be - a^3f)}{a^3}}{x^{12}(a + bx^3)^2} dx}{6ab^3} \\
 &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{6a^5(a + bx^3)^2} + \frac{b(29b^3c - 23ab^2d + 17a^2be - 11a^3f)x}{18a^6(a + bx^3)} + \frac{\int \frac{18b^7c - \dots}{\dots}}{\dots} \\
 &= \frac{b(b^3c - ab^2d + a^2be - a^3f)x}{6a^5(a + bx^3)^2} + \frac{b(29b^3c - 23ab^2d + 17a^2be - 11a^3f)x}{18a^6(a + bx^3)} + \frac{\int \left(\frac{18b^7c}{ax^{12}}\right)}{\dots} \\
 &= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - \dots)}{\dots} \\
 &= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - \dots)}{\dots} \\
 &= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - \dots)}{\dots} \\
 &= -\frac{c}{11a^3x^{11}} + \frac{3bc - ad}{8a^4x^8} - \frac{6b^2c - 3abd + a^2e}{5a^5x^5} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{2a^6x^2} + \frac{b(b^3c - \dots)}{\dots}
 \end{aligned}$$

Mathematica [A] time = 0.58, size = 376, normalized size = 0.99

$$\frac{3bc - ad}{8a^4x^8} - \frac{c}{11a^3x^{11}} - \frac{a^2e - 3abd + 6b^2c}{5a^5x^5} + \frac{b^{2/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (20a^3f - 44a^2be + 77ab^2d - 119b^3c)}{54a^{20/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^3), x]

[Out] -1/11*c/(a^3*x^11) + (3*b*c - a*d)/(8*a^4*x^8) - (6*b^2*c - 3*a*b*d + a^2*e)/(5*a^5*x^5) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(2*a^6*x^2) + (b*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x)/(6*a^5*(a + b*x^3)^2) + (b*(29*b^3*c - 23*a*b^2*d + 17*a^2*b*e - 11*a^3*f)*x)/(18*a^6*(a + b*x^3)) + (b^(2/3)*(-119*b^3*c + 77*a*b^2*d - 44*a^2*b*e + 20*a^3*f)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(9*Sqrt[3]*a^(20/3)) + (b^(2/3)*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(20/3)) + (b^(2/3)*(-119*b^3*c + 77*a*b^2*d - 44*a^2*b*e + 20*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(20/3))

fricas [A] time = 0.72, size = 654, normalized size = 1.72

$$660(119b^5c - 77ab^4d + 44a^2b^3e - 20a^3b^2f)x^{15} + 1056(119ab^4c - 77a^2b^3d + 44a^3b^2e - 20a^4bf)x^{12} + 297(119a^2b^3c - 77a^3b^2d + 44a^4b^2e - 20a^5f)x^9 - 54(119a^3b^2c - 77a^4b^2d + 44a^5be - 20a^6f)x^6 - 1080a^5c + 135(17a^4b^2c - 11a^5d)x^3 - 440\sqrt{3}((119b^5c - 77ab^4d + 44a^2b^3e - 20a^3b^2f)x^{17} + 2(119ab^4c - 77a^2b^3d + 44a^3b^2e - 20a^4bf)x^{14} + (119a^2b^3c - 77a^3b^2d + 44a^4b^2e - 20a^5f)x^{11})*(-b^2/a^2)^{(1/3)}*arctan(1/3*(2*\sqrt{3})*a*x*(-b^2/a^2)^{(2/3)} - \sqrt{3}*b)/b) + 220((119b^5c - 77ab^4d + 44a^2b^3e - 20a^3b^2f)x^{17} + 2(119ab^4c - 77a^2b^3d + 44a^3b^2e - 20a^4bf)x^{14} + (119a^2b^3c - 77a^3b^2d + 44a^4b^2e - 20a^5f)x^{11})*(-b^2/a^2)^{(1/3)}*log(b^2*x^2 + a*b*x*(-b^2/a^2)^{(1/3)} + a^2*(-b^2/a^2)^{(2/3)}) - 440((119b^5c - 77ab^4d + 44a^2b^3e - 20a^3b^2f)x^{17} + 2(119ab^4c - 77a^2b^3d + 44a^3b^2e - 20a^4bf)x^{14} + (119a^2b^3c - 77a^3b^2d + 44a^4b^2e - 20a^5f)x^{11})*(-b^2/a^2)^{(1/3)} + a^2*(-b^2/a^2)^{(2/3)})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/11880*(660*(119*b^5*c - 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^15 + 1056*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^12 + 297*(119*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b^2*e - 20*a^5*f)*x^9 - 54*(119*a^3*b^2*c - 77*a^4*b^2*d + 44*a^5*b^2*e - 20*a^6*f)*x^6 - 1080*a^5*c + 135*(17*a^4*b^2*c - 11*a^5*d)*x^3 - 440*sqrt(3)*((119*b^5*c - 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^17 + 2*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^14 + (119*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b^2*e - 20*a^5*f)*x^11)*(-b^2/a^2)^(1/3)*arctan(1/3*(2*sqrt(3)*a*x*(-b^2/a^2)^(2/3) - sqrt(3)*b)/b) + 220*((119*b^5*c - 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^17 + 2*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^14 + (119*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b^2*e - 20*a^5*f)*x^11)*(-b^2/a^2)^(1/3)*log(b^2*x^2 + a*b*x*(-b^2/a^2)^(1/3) + a^2*(-b^2/a^2)^(2/3)) - 440*((119*b^5*c - 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^17 + 2*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^14 + (119*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b^2*e - 20*a^5*f)*x^11)*(-b^2/a^2)^(1/3) + a^2*(-b^2/a^2)^(2/3)

*e - 20*a^3*b^2*f)*x^17 + 2*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^14 + (119*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b*e - 20*a^5*f)*x^11)*(-b^2/a^2)^(1/3)*log(b*x - a*(-b^2/a^2)^(1/3))/(a^6*b^2*x^17 + 2*a^7*b*x^14 + a^8*x^11)

giac [A] time = 0.35, size = 440, normalized size = 1.16

$$\frac{\sqrt{3} \left(119 (-ab^2)^{\frac{1}{3}} b^3 c - 77 (-ab^2)^{\frac{1}{3}} ab^2 d - 20 (-ab^2)^{\frac{1}{3}} a^3 f + 44 (-ab^2)^{\frac{1}{3}} a^2 b e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27 a^7} (119 b^4 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^3,x, algorithm="giac")

[Out] 1/27*sqrt(3)*(119*(-a*b^2)^(1/3)*b^3*c - 77*(-a*b^2)^(1/3)*a*b^2*d - 20*(-a*b^2)^(1/3)*a^3*f + 44*(-a*b^2)^(1/3)*a^2*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/a^7 - 1/27*(119*b^4*c - 77*a*b^3*d - 20*a^3*b*f + 44*a^2*b^2*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^7 + 1/54*(119*(-a*b^2)^(1/3)*b^3*c - 77*(-a*b^2)^(1/3)*a*b^2*d - 20*(-a*b^2)^(1/3)*a^3*f + 44*(-a*b^2)^(1/3)*a^2*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/a^7 + 1/18*(29*b^5*c*x^4 - 23*a*b^4*d*x^4 - 11*a^3*b^2*f*x^4 + 17*a^2*b^3*x^4*e + 32*a*b^4*c*x - 26*a^2*b^3*d*x - 14*a^4*b*f*x + 20*a^3*b^2*x*e)/((b*x^3 + a)^2*a^6) + 1/440*(2200*b^3*c*x^9 - 1320*a*b^2*d*x^9 - 220*a^3*f*x^9 + 660*a^2*b*x^9*e - 528*a*b^2*c*x^6 + 264*a^2*b*d*x^6 - 88*a^3*x^6*e + 165*a^2*b*c*x^3 - 55*a^3*d*x^3 - 40*a^3*c)/(a^6*x^11)

maple [A] time = 0.07, size = 651, normalized size = 1.71

$$\frac{11b^2fx^4}{18(bx^3+a)^2a^3} + \frac{17b^3ex^4}{18(bx^3+a)^2a^4} - \frac{23b^4dx^4}{18(bx^3+a)^2a^5} + \frac{29b^5cx^4}{18(bx^3+a)^2a^6} - \frac{7bfx}{9(bx^3+a)^2a^2} + \frac{10b^2ex}{9(bx^3+a)^2a^3} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^3,x)

[Out] 3/5/a^4/x^5*b*d-6/5/a^5/x^5*b^2*c+3/2/a^4/x^2*b*e-3/a^5/x^2*b^2*d+5/a^6/x^2*b^3*c-20/27/a^3*f/(a/b)^(2/3)*ln(x+(a/b)^(1/3))+10/27/a^3*f/(a/b)^(2/3)*ln

$$\begin{aligned} & (x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) + 3/8/a^4/x^8 * b * c - 119/54/a^6 * b^3 * c / (a/b)^{2/3} \\ & * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) + 29/18/a^6 * b^5 / (b * x^3 + a)^2 * x^4 * c - 7/9/a^2 \\ & * b / (b * x^3 + a)^2 * f * x + 10/9/a^3 * b^2 / (b * x^3 + a)^2 * e * x - 13/9/a^4 * b^3 / (b * x^3 + a)^2 * d * \\ & x - 11/18/a^3 * b^2 / (b * x^3 + a)^2 * x^4 * f + 17/18/a^4 * b^3 / (b * x^3 + a)^2 * x^4 * e - 23/18/a^5 \\ & * b^4 / (b * x^3 + a)^2 * x^4 * d - 1/8/a^3/x^8 * d - 1/5/a^3/x^5 * e - 1/2/a^3/x^2 * f + 44/27/a^4 * \\ & b * e / (a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) - 77/27/a^5 * b \\ & ^2 * d / (a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) + 16/9/a^5 * b \\ & ^4 / (b * x^3 + a)^2 * c * x - 20/27/a^3 * f / (a/b)^{2/3} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a \\ & /b)^{1/3} * x - 1)) + 44/27/a^4 * b * e / (a/b)^{2/3} * \ln(x + (a/b)^{1/3}) - 22/27/a^4 * b * e / (\\ & a/b)^{2/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) + 119/27/a^6 * b^3 * c / (a/b)^{2/3} * 3 \\ & ^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) - 1/11 * c / a^3 / x^{11} - 77/27/a^5 * b^ \\ & ^2 * d / (a/b)^{2/3} * \ln(x + (a/b)^{1/3}) + 77/54/a^5 * b^2 * d / (a/b)^{2/3} * \ln(x^2 - (a/b)^{ \\ & (1/3) * x + (a/b)^{2/3}) + 119/27/a^6 * b^3 * c / (a/b)^{2/3} * \ln(x + (a/b)^{1/3}) \end{aligned}$$

maxima [A] time = 3.29, size = 376, normalized size = 0.99

$$\frac{220(119b^5c - 77ab^4d + 44a^2b^3e - 20a^3b^2f)x^{15} + 352(119ab^4c - 77a^2b^3d + 44a^3b^2e - 20a^4bf)x^{12} + 99(119a^2b^3c - 77a^3b^2d + 44a^4b^2e - 20a^5f)x^9 - 18(119a^3b^2c - 77a^4b^2d + 44a^5b^2e - 20a^6f)x^6 - 360a^5c + 45(17a^4b^2c - 11a^5d)x^3}{3960(a^6b^2x^{17} + 2a^7bx^{14} + a^8x^{11})} + \frac{c}{11a} - \frac{x^9(-20fa^3 + 44ea^2b - 77dab^2 + 119cb^3)}{40a^4} + \frac{x^3(11a^2b^2c - 77a^3b^2d + 44a^4b^2e - 20a^5f)}{8a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^12/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/3960*(220*(119*b^5*c - 77*a*b^4*d + 44*a^2*b^3*e - 20*a^3*b^2*f)*x^15 + 352*(119*a*b^4*c - 77*a^2*b^3*d + 44*a^3*b^2*e - 20*a^4*b*f)*x^12 + 99*(119*a^2*b^3*c - 77*a^3*b^2*d + 44*a^4*b^2*e - 20*a^5*f)*x^9 - 18*(119*a^3*b^2*c - 77*a^4*b^2*d + 44*a^5*b^2*e - 20*a^6*f)*x^6 - 360*a^5*c + 45*(17*a^4*b^2*c - 11*a^5*d)*x^3)/(a^6*b^2*x^17 + 2*a^7*b*x^14 + a^8*x^11) + 1/27*sqrt(3)*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^6*(a/b)^(2/3)) - 1/54*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^6*(a/b)^(2/3)) + 1/27*(119*b^3*c - 77*a*b^2*d + 44*a^2*b*e - 20*a^3*f)*log(x + (a/b)^(1/3))/(a^6*(a/b)^(2/3))

mupad [B] time = 5.18, size = 359, normalized size = 0.94

$$\frac{b^{2/3} \ln(b^{1/3} x + a^{1/3}) (-20 f a^3 + 44 e a^2 b - 77 d a b^2 + 119 c b^3)}{27 a^{20/3}} - \frac{c}{11 a} - \frac{x^9 (-20 f a^3 + 44 e a^2 b - 77 d a b^2 + 119 c b^3)}{40 a^4} + \frac{x^3 (11 a^2 b^2 c - 77 a^3 b^2 d + 44 a^4 b^2 e - 20 a^5 f)}{8 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^12*(a + b*x^3)^3),x)

```
[Out] (b^(2/3)*log(b^(1/3)*x + a^(1/3))*(119*b^3*c - 20*a^3*f - 77*a*b^2*d + 44*a^2*b*e))/(27*a^(20/3)) - (c/(11*a) - (x^9*(119*b^3*c - 20*a^3*f - 77*a*b^2*d + 44*a^2*b*e))/(40*a^4) + (x^3*(11*a*d - 17*b*c))/(88*a^2) + (x^6*(119*b^2*c + 44*a^2*e - 77*a*b*d))/(220*a^3) - (4*b*x^12*(119*b^3*c - 20*a^3*f - 77*a*b^2*d + 44*a^2*b*e))/(45*a^5) - (b^2*x^15*(119*b^3*c - 20*a^3*f - 77*a*b^2*d + 44*a^2*b*e))/(18*a^6))/(a^2*x^11 + b^2*x^17 + 2*a*b*x^14) + (b^(2/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(119*b^3*c - 20*a^3*f - 77*a*b^2*d + 44*a^2*b*e))/(27*a^(20/3)) - (b^(2/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(119*b^3*c - 20*a^3*f - 77*a*b^2*d + 44*a^2*b*e))/(27*a^(20/3))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**12/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.303 \quad \int \frac{c+dx^3+ex^6+fx^9}{x^{14}(a+bx^3)^3} dx$$

Optimal. Leaf size=424

$$\frac{3bc-ad}{10a^4x^{10}} - \frac{c}{13a^3x^{13}} - \frac{a^2e-3abd+6b^2c}{7a^5x^7} - \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (-35a^3f + 65a^2be - 104ab^2d + 152b^3c)}{54a^{22/3}}$$

[Out] $-1/13*c/a^3/x^{13}+1/10*(-a*d+3*b*c)/a^4/x^{10}+1/7*(-a^2*e+3*a*b*d-6*b^2*c)/a^5/x^7+1/4*(-a^3*f+3*a^2*b*e-6*a*b^2*d+10*b^3*c)/a^6/x^4-b*(-3*a^3*f+6*a^2*b*e-10*a*b^2*d+15*b^3*c)/a^7/x-1/6*b^2*(-a^3*f+a^2*b*e-a*b^2*d+b^3*c)*x^2/a^6/(b*x^3+a)^2-1/9*b^2*(-8*a^3*f+11*a^2*b*e-14*a*b^2*d+17*b^3*c)*x^2/a^7/(b*x^3+a)+1/27*b^(4/3)*(-35*a^3*f+65*a^2*b*e-104*a*b^2*d+152*b^3*c)*\ln(a^(1/3)+b^(1/3)*x)/a^(22/3)-1/54*b^(4/3)*(-35*a^3*f+65*a^2*b*e-104*a*b^2*d+152*b^3*c)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(22/3)+1/27*b^(4/3)*(-35*a^3*f+65*a^2*b*e-104*a*b^2*d+152*b^3*c)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(22/3)*3^(1/2)$

Rubi [A] time = 0.85, antiderivative size = 424, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1829, 1834, 292, 31, 634, 617, 204, 628}

$$\frac{b^2x^2(11a^2be - 8a^3f - 14ab^2d + 17b^3c)}{9a^7(a+bx^3)} - \frac{b^2x^2(a^2be + a^3(-f) - ab^2d + b^3c)}{6a^6(a+bx^3)^2} + \frac{3a^2be + a^3(-f) - 6ab^2d + 10b^3c}{4a^6x^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^3), x]

[Out] $-c/(13*a^3*x^{13}) + (3*b*c - a*d)/(10*a^4*x^{10}) - (6*b^2*c - 3*a*b*d + a^2*e)/(7*a^5*x^7) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(4*a^6*x^4) - (b*(15*b^3*c - 10*a*b^2*d + 6*a^2*b*e - 3*a^3*f))/(a^7*x) - (b^2*(b^3*c - a*b^2*d + a^2*b*e - a^3*f)*x^2)/(6*a^6*(a + b*x^3)^2) - (b^2*(17*b^3*c - 14*a*b^2*d + 11*a^2*b*e - 8*a^3*f)*x^2)/(9*a^7*(a + b*x^3)) + (b^(4/3)*(152*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(9*Sqrt[3]*a^(22/3)) + (b^(4/3)*(152*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*Log[a^(1/3) + b^(1/3)*x])/(27*a^(22/3)) - (b^(4/3)*(152*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(22/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ

[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] :> Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx^3 + ex^6 + fx^9}{x^{14}(a + bx^3)^3} dx &= -\frac{b^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^6(a + bx^3)^2} - \int \frac{-6b^3c + 6b^3\left(\frac{bc}{a} - d\right)x^3 - \frac{6b^3(b^2c - abd + a^2e)x^6}{a^2} + \frac{6b^3(b^3c - ab^2d + a^2be - a^3f)x^9}{a^3}}{x^{14}(a + bx^3)^3} dx \\
 &= -\frac{b^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^6(a + bx^3)^2} - \frac{b^2(17b^3c - 14ab^2d + 11a^2be - 8a^3f)x^2}{9a^7(a + bx^3)} + \int \frac{18b^3c - 14b^3d + 11a^2be - 8a^3f}{ax^{13}} dx \\
 &= -\frac{b^2(b^3c - ab^2d + a^2be - a^3f)x^2}{6a^6(a + bx^3)^2} - \frac{b^2(17b^3c - 14ab^2d + 11a^2be - 8a^3f)x^2}{9a^7(a + bx^3)} + \int \left(\frac{18b^3c - 14b^3d + 11a^2be - 8a^3f}{ax^{13}}\right) dx \\
 &= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(15b^3c - 14b^3d + 11a^2be - 8a^3f)}{4a^6x^4} \\
 &= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(15b^3c - 14b^3d + 11a^2be - 8a^3f)}{4a^6x^4} \\
 &= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(15b^3c - 14b^3d + 11a^2be - 8a^3f)}{4a^6x^4} \\
 &= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(15b^3c - 14b^3d + 11a^2be - 8a^3f)}{4a^6x^4} \\
 &= -\frac{c}{13a^3x^{13}} + \frac{3bc - ad}{10a^4x^{10}} - \frac{6b^2c - 3abd + a^2e}{7a^5x^7} + \frac{10b^3c - 6ab^2d + 3a^2be - a^3f}{4a^6x^4} - \frac{b(15b^3c - 14b^3d + 11a^2be - 8a^3f)}{4a^6x^4}
 \end{aligned}$$

Mathematica [A] time = 0.67, size = 419, normalized size = 0.99

$$\frac{3bc - ad}{10a^4x^{10}} - \frac{c}{13a^3x^{13}} - \frac{a^2e - 3abd + 6b^2c}{7a^5x^7} + \frac{b^{4/3} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) (35a^3f - 65a^2be + 104ab^2d - 152b^3c)}{54a^{22/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^3), x]

[Out]
$$-1/13*c/(a^3*x^{13}) + (3*b*c - a*d)/(10*a^4*x^{10}) - (6*b^2*c - 3*a*b*d + a^2*e)/(7*a^5*x^7) + (10*b^3*c - 6*a*b^2*d + 3*a^2*b*e - a^3*f)/(4*a^6*x^4) + (b*(-15*b^3*c + 10*a*b^2*d - 6*a^2*b*e + 3*a^3*f))/(a^7*x) + (b^2*(-(b^3*c) + a*b^2*d - a^2*b*e + a^3*f)*x^2)/(6*a^6*(a + b*x^3)^2) + (b^2*(-17*b^3*c + 14*a*b^2*d - 11*a^2*b*e + 8*a^3*f)*x^2)/(9*a^7*(a + b*x^3)) + (b^{(4/3)}*(152*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*ArcTan[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/Sqrt[3]])/(9*Sqrt[3]*a^{(22/3)}) + (b^{(4/3)}*(152*b^3*c - 104*a*b^2*d + 65*a^2*b*e - 35*a^3*f)*Log[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(22/3)}) + (b^{(4/3)}*(-152*b^3*c + 104*a*b^2*d - 65*a^2*b*e + 35*a^3*f)*Log[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(54*a^{(22/3)})$$

fricas [A] time = 0.84, size = 686, normalized size = 1.62

$$5460(152b^6c - 104ab^5d + 65a^2b^4e - 35a^3b^3f)x^{18} + 9555(152ab^5c - 104a^2b^4d + 65a^3b^3e - 35a^4b^2f)x^{15} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$-1/49140*(5460*(152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^{18} + 9555*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^{15} + 3510*(152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^{12} - 351*(152*a^3*b^3*c - 104*a^4*b^2*d + 65*a^5*b*e - 35*a^6*f)*x^9 + 3780*a^6*c + 108*(152*a^4*b^2*c - 104*a^5*b*d + 65*a^6*e)*x^6 - 378*(19*a^5*b*c - 13*a^6*d)*x^3 + 1820*sqrt(3)*((152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^{19} + 2*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^{16} + (152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^{13})*(-b/a)^{(1/3)}*arctan(2/3*sqrt(3)*x*(-b/a)^{(1/3)} + 1/3*sqrt(3)) - 910*((152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^{19} + 2*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^{16} + (152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^{13})*(-b/a)^{(1/3)}*log(b*x^2 - a*x*(-b/a))$$

$$\begin{aligned} & \sqrt[2]{3} - a(-b/a)^{1/3} + 1820*((152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - \\ & 35*a^3*b^3*f)*x^{19} + 2*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4 \\ & *b^2*f)*x^{16} + (152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)* \\ & x^{13})*(-b/a)^{1/3}*\log(b*x + a*(-b/a)^{2/3}))/ (a^7*b^2*x^{19} + 2*a^8*b*x^{16} \\ & + a^9*x^{13}) \end{aligned}$$

giac [A] time = 0.22, size = 531, normalized size = 1.25

$$\frac{\sqrt{3} \left(152 (-ab^2)^{\frac{2}{3}} b^3 c - 104 (-ab^2)^{\frac{2}{3}} ab^2 d - 35 (-ab^2)^{\frac{2}{3}} a^3 f + 65 (-ab^2)^{\frac{2}{3}} a^2 b e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27 a^8} + \left(152 b^5 c \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{27} \sqrt{3} (152 (-a*b^2)^{2/3} b^3 c - 104 (-a*b^2)^{2/3} a*b^2 d - 35 (-a*b^2)^{2/3} a^3 f + 65 (-a*b^2)^{2/3} a^2 b e) \arctan \left(\frac{1}{3} \sqrt{3} (2x + (-a/b)^{1/3}) / (-a/b)^{1/3} \right) / a^8 + \frac{1}{27} (152 b^5 c (-a/b)^{1/3} - 104 a*b^4 d (-a/b)^{1/3} - 35 a^3 b^2 f (-a/b)^{1/3} + 65 a^2 b^3 e (-a/b)^{1/3}) \log(\text{abs}(x - (-a/b)^{1/3})) / a^8 - \frac{1}{54} (152 (-a*b^2)^{2/3} b^3 c - 104 (-a*b^2)^{2/3} a*b^2 d - 35 (-a*b^2)^{2/3} a^3 f + 65 (-a*b^2)^{2/3} a^2 b e) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / a^8 - \frac{1}{18} (34 b^6 c x^5 - 28 a*b^5 d x^5 - 16 a^3 b^3 f x^5 + 22 a^2 b^4 e x^5 + 37 a*b^5 c x^2 - 31 a^2 b^4 d x^2 - 19 a^4 b^2 f x^2 + 25 a^3 b^3 e x^2) / ((b*x^3 + a)^2 a^7) - \frac{1}{1820} (27300 b^4 c x^{12} - 18200 a*b^3 d x^{12} - 5460 a^3 b f x^{12} + 10920 a^2 b^2 e x^{12} - 4550 a*b^3 c x^9 + 2730 a^2 b^2 d x^9 + 455 a^4 f x^9 - 1365 a^3 b e x^9 + 1560 a^2 b^2 c x^6 - 780 a^3 b d x^6 + 260 a^4 e x^6 - 546 a^3 b c x^3 + 182 a^4 d x^3 + 140 a^4 c) / (a^7 x^{13})$

maple [A] time = 0.07, size = 716, normalized size = 1.69

$$\frac{8b^3 f x^5}{9(bx^3 + a)^2 a^4} - \frac{11b^4 e x^5}{9(bx^3 + a)^2 a^5} + \frac{14b^5 d x^5}{9(bx^3 + a)^2 a^6} - \frac{17b^6 c x^5}{9(bx^3 + a)^2 a^7} + \frac{19b^2 f x^2}{18(bx^3 + a)^2 a^3} - \frac{25b^3 e x^2}{18(bx^3 + a)^2 a^4} + \frac{31b^4 d x^2}{18(bx^3 + a)^2 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x)

[Out]
$$-1/10/a^3/x^{10}d+3/4/a^4/x^4*b*e-3/2/a^5/x^4*b^2*d+5/2/a^6/x^4*b^3*c+3/7/a^4/x^7*b*d-6/7/a^5/x^7*b^2*c+3/10/a^4/x^{10}b*c+3*b/a^4/x*f-6*b^2/a^5/x*e+10*b^3/a^6/x*d-15*b^4/a^7/x*c-1/7/a^3/x^7*e-1/4/a^3/x^4*f-104/27/a^6*b^3*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+52/27/a^6*b^3*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+152/27/a^7*b^4*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-76/27/a^7*b^4*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+8/9/a^4*b^3/(b*x^3+a)^2*x^5*f-11/9/a^5*b^4/(b*x^3+a)^2*x^5*e+14/9/a^6*b^5/(b*x^3+a)^2*x^5*d-17/9/a^7*b^6/(b*x^3+a)^2*x^5*c+19/18/a^3*b^2/(b*x^3+a)^2*x^2*f-25/18/a^4*b^3/(b*x^3+a)^2*x^2*e+31/18/a^5*b^4/(b*x^3+a)^2*x^2*d-37/18/a^6*b^5/(b*x^3+a)^2*x^2*c+35/27/a^4*b*f*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-65/27/a^5*b^2*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+104/27/a^6*b^3*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-152/27/a^7*b^4*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/13*c/a^3/x^{13}+35/54/a^4*b*f/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+65/27/a^5*b^2*e/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-65/54/a^5*b^2*e/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-35/27/a^4*b*f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})$$

maxima [A] time = 3.05, size = 427, normalized size = 1.01

$$\frac{1820(152b^6c - 104ab^5d + 65a^2b^4e - 35a^3b^3f)x^{18} + 3185(152ab^5c - 104a^2b^4d + 65a^3b^3e - 35a^4b^2f)x^{15} + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^9+e*x^6+d*x^3+c)/x^14/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/16380*(1820*(152*b^6*c - 104*a*b^5*d + 65*a^2*b^4*e - 35*a^3*b^3*f)*x^{18} + 3185*(152*a*b^5*c - 104*a^2*b^4*d + 65*a^3*b^3*e - 35*a^4*b^2*f)*x^{15} + 1170*(152*a^2*b^4*c - 104*a^3*b^3*d + 65*a^4*b^2*e - 35*a^5*b*f)*x^{12} - 117*(152*a^3*b^3*c - 104*a^4*b^2*d + 65*a^5*b*e - 35*a^6*f)*x^9 + 1260*a^6*c + 36*(152*a^4*b^2*c - 104*a^5*b*d + 65*a^6*e)*x^6 - 126*(19*a^5*b*c - 13*a^6*d)*x^3)/(a^7*b^2*x^{19} + 2*a^8*b*x^{16} + a^9*x^{13}) - 1/27*\sqrt{3}*(152*b^4*c - 104*a*b^3*d + 65*a^2*b^2*e - 35*a^3*b*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^7*(a/b)^{(1/3)}) - 1/54*(152*b^4*c - 104*a*b^3*d + 65*a^2*b^2*e - 35*a^3*b*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^7*(a/b)^{(1/3)}) + 1/27*(152*b^4*c - 104*a*b^3*d + 65*a^2*b^2*e - 35*a^3*b*f)*\log(x + (a/b)^{(1/3)})/(a^7*(a/b)^{(1/3)})$$

mupad [B] time = 5.30, size = 397, normalized size = 0.94

$$\frac{b^{4/3} \ln(b^{1/3} x + a^{1/3}) (-35 f a^3 + 65 e a^2 b - 104 d a b^2 + 152 c b^3)}{27 a^{22/3}} - \frac{c}{13 a} - \frac{x^9 (-35 f a^3 + 65 e a^2 b - 104 d a b^2 + 152 c b^3)}{140 a^4} + \frac{x^3 (1}{$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^3 + e*x^6 + f*x^9)/(x^14*(a + b*x^3)^3), x)

[Out] (b^(4/3)*log(b^(1/3)*x + a^(1/3))*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(27*a^(22/3)) - (c/(13*a) - (x^9*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(140*a^4) + (x^3*(13*a*d - 19*b*c))/(130*a^2) + (x^6*(152*b^2*c + 65*a^2*e - 104*a*b*d))/(455*a^3) + (b*x^12*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(14*a^5) + (7*b^2*x^15*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(36*a^6) + (b^3*x^18*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(9*a^7))/(a^2*x^13 + b^2*x^19 + 2*a*b*x^16) - (b^(4/3)*log(3^(1/2)*a^(1/3)*1i + 2*b^(1/3)*x - a^(1/3))*((3^(1/2)*1i)/2 + 1/2)*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(27*a^(22/3)) + (b^(4/3)*log(3^(1/2)*a^(1/3)*1i - 2*b^(1/3)*x + a^(1/3))*((3^(1/2)*1i)/2 - 1/2)*(152*b^3*c - 35*a^3*f - 104*a*b^2*d + 65*a^2*b*e))/(27*a^(22/3))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**9+e*x**6+d*x**3+c)/x**14/(b*x**3+a)**3, x)

[Out] Timed out

$$3.304 \quad \int \frac{(1-x)x^4}{1+x^3} dx$$

Optimal. Leaf size=54

$$-\frac{x^3}{3} + \frac{x^2}{2} + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $1/2*x^2-1/3*x^3+2/3*\ln(1+x)+1/6*\ln(x^2-x+1)+1/3*\arctan(1/3*(1-2*x)*3^{(1/2)})$
 $*3^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 54, normalized size of antiderivative = 1.00,
 number of steps used = 8, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} =$
 0.438, Rules used = {1887, 1874, 31, 634, 618, 204, 628}

$$-\frac{x^3}{3} + \frac{x^2}{2} + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x^4)/(1 + x^3), x]

[Out] $x^2/2 - x^3/3 + \text{ArcTan}[(1 - 2*x)/\text{Sqrt}[3]]/\text{Sqrt}[3] + (2*\text{Log}[1 + x])/3 + \text{Log}[$
 $1 - x + x^2]/6$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
 x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-
 a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
 a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[
 Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
 x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1874

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q
+ C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q -
C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*
A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
&& GtQ[a/b, 0]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{(1-x)x^4}{1+x^3} dx &= \int \left(x - x^2 + \frac{(-1+x)x}{1+x^3} \right) dx \\
&= \frac{x^2}{2} - \frac{x^3}{3} + \int \frac{(-1+x)x}{1+x^3} dx \\
&= \frac{x^2}{2} - \frac{x^3}{3} + \frac{1}{3} \int \frac{-2+x}{1-x+x^2} dx + \frac{2}{3} \int \frac{1}{1+x} dx \\
&= \frac{x^2}{2} - \frac{x^3}{3} + \frac{2}{3} \log(1+x) + \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx - \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\
&= \frac{x^2}{2} - \frac{x^3}{3} + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) + \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\
&= \frac{x^2}{2} - \frac{x^3}{3} - \frac{\tan^{-1} \left(\frac{-1+2x}{\sqrt{3}} \right)}{\sqrt{3}} + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 59, normalized size = 1.09

$$\frac{1}{6} \left(-2x^3 + 2 \log(x^3 + 1) + 3x^2 - \log(x^2 - x + 1) + 2 \log(x + 1) - 2\sqrt{3} \tan^{-1} \left(\frac{2x-1}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((1 - x)*x^4)/(1 + x^3), x]

[Out] (3*x^2 - 2*x^3 - 2*Sqrt[3]*ArcTan[(-1 + 2*x)/Sqrt[3]] + 2*Log[1 + x] - Log[1 - x + x^2] + 2*Log[1 + x^3])/6

fricas [A] time = 0.73, size = 44, normalized size = 0.81

$$-\frac{1}{3}x^3 + \frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{6}\log(x^2-x+1) + \frac{2}{3}\log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^4/(x^3+1), x, algorithm="fricas")

[Out] -1/3*x^3 + 1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/6*log(x^2 - x + 1) + 2/3*log(x + 1)

giac [A] time = 0.16, size = 45, normalized size = 0.83

$$-\frac{1}{3}x^3 + \frac{1}{2}x^2 - \frac{1}{3}\sqrt{3} \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{6}\log(x^2-x+1) + \frac{2}{3}\log(|x+1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^4/(x^3+1), x, algorithm="giac")

[Out] -1/3*x^3 + 1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/6*log(x^2 - x + 1) + 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 45, normalized size = 0.83

$$-\frac{x^3}{3} + \frac{x^2}{2} - \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \frac{2 \ln(x+1)}{3} + \frac{\ln(x^2-x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)*x^4/(x^3+1), x)

[Out] -1/3*x^3+1/2*x^2+2/3*ln(x+1)+1/6*ln(x^2-x+1)-1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.90, size = 44, normalized size = 0.81

$$-\frac{1}{3}x^3 + \frac{1}{2}x^2 - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) + \frac{1}{6}\log(x^2-x+1) + \frac{2}{3}\log(x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^4/(x^3+1),x, algorithm="maxima")

[Out] -1/3*x^3 + 1/2*x^2 - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/6*log(x^2 - x + 1) + 2/3*log(x + 1)

mupad [B] time = 0.10, size = 56, normalized size = 1.04

$$\frac{2\ln(x+1)}{3} + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{6} + \frac{\sqrt{3}1i}{6}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{6} + \frac{\sqrt{3}1i}{6}\right) + \frac{x^2}{2} - \frac{x^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4*(x - 1))/(x^3 + 1),x)

[Out] (2*log(x + 1))/3 + log(x - (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/6 + 1/6) - log(x + (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/6 - 1/6) + x^2/2 - x^3/3

sympy [A] time = 0.18, size = 53, normalized size = 0.98

$$-\frac{x^3}{3} + \frac{x^2}{2} + \frac{2\log(x+1)}{3} + \frac{\log(x^2-x+1)}{6} - \frac{\sqrt{3}\operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x**4/(x**3+1),x)

[Out] -x**3/3 + x**2/2 + 2*log(x + 1)/3 + log(x**2 - x + 1)/6 - sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3

$$3.305 \quad \int \frac{(1-x)x^3}{1+x^3} dx$$

Optimal. Leaf size=30

$$-\frac{x^2}{2} + \frac{1}{3} \log(x^2 - x + 1) + x - \frac{2}{3} \log(x + 1)$$

[Out] x-1/2*x^2-2/3*ln(1+x)+1/3*ln(x^2-x+1)

Rubi [A] time = 0.04, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1887, 1860, 31, 628}

$$-\frac{x^2}{2} + \frac{1}{3} \log(x^2 - x + 1) + x - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x^3)/(1 + x^3), x]

[Out] x - x^2/2 - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

Rule 31

Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1887

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{(1-x)x^3}{1+x^3} dx &= \int \left(1-x - \frac{1-x}{1+x^3}\right) dx \\
&= x - \frac{x^2}{2} - \int \frac{1-x}{1+x^3} dx \\
&= x - \frac{x^2}{2} - \frac{1}{3} \int \frac{1-2x}{1-x+x^2} dx - \frac{2}{3} \int \frac{1}{1+x} dx \\
&= x - \frac{x^2}{2} - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 30, normalized size = 1.00

$$-\frac{x^2}{2} + \frac{1}{3} \log(x^2 - x + 1) + x - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[((1 - x)*x^3)/(1 + x^3), x]

[Out] x - x^2/2 - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

fricas [A] time = 0.60, size = 24, normalized size = 0.80

$$-\frac{1}{2}x^2 + x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^3/(x^3+1), x, algorithm="fricas")

[Out] -1/2*x^2 + x + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)

giac [A] time = 0.16, size = 25, normalized size = 0.83

$$-\frac{1}{2}x^2 + x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^3/(x^3+1), x, algorithm="giac")

[Out] -1/2*x^2 + x + 1/3*log(x^2 - x + 1) - 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 25, normalized size = 0.83

$$-\frac{x^2}{2} + x - \frac{2 \ln(x+1)}{3} + \frac{\ln(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)*x^3/(x^3+1),x)

[Out] x-1/2*x^2-2/3*ln(x+1)+1/3*ln(x^2-x+1)

maxima [A] time = 3.01, size = 24, normalized size = 0.80

$$-\frac{1}{2}x^2 + x + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^3/(x^3+1),x, algorithm="maxima")

[Out] -1/2*x^2 + x + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)

mupad [B] time = 0.03, size = 24, normalized size = 0.80

$$x - \frac{2 \ln(x+1)}{3} + \frac{\ln(x^2 - x + 1)}{3} - \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^3*(x - 1))/(x^3 + 1),x)

[Out] x - (2*log(x + 1))/3 + log(x^2 - x + 1)/3 - x^2/2

sympy [A] time = 0.12, size = 24, normalized size = 0.80

$$-\frac{x^2}{2} + x - \frac{2 \log(x+1)}{3} + \frac{\log(x^2 - x + 1)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x**3/(x**3+1),x)

[Out] -x**2/2 + x - 2*log(x + 1)/3 + log(x**2 - x + 1)/3

$$3.306 \quad \int \frac{(1-x)x^2}{1+x^3} dx$$

Optimal. Leaf size=44

$$\frac{1}{6} \log(x^2 - x + 1) - x + \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-x + 2/3 \ln(1+x) + 1/6 \ln(x^2 - x + 1) - 1/3 \arctan(1/3 * (1 - 2*x) * 3^{(1/2)}) * 3^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {1887, 1874, 31, 634, 618, 204, 628}

$$\frac{1}{6} \log(x^2 - x + 1) - x + \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x^2)/(1 + x^3), x]

[Out] $-x - \text{ArcTan}[(1 - 2*x)/\text{Sqrt}[3]]/\text{Sqrt}[3] + (2*\text{Log}[1 + x])/3 + \text{Log}[1 - x + x^2]/6$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] := −Simp[ArcTan[(Rt[−b, 2]*x)/Rt[−a, 2]]/(Rt[−a, 2]*Rt[−b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(−1), x_Symbol] := Dist[−2, Subst[Int[1/Simp[b^2 − 4*a*c − x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 − 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1874

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && GtQ[a/b, 0]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{(1-x)x^2}{1+x^3} dx &= \int \left(-1 + \frac{1+x^2}{1+x^3} \right) dx \\
 &= -x + \int \frac{1+x^2}{1+x^3} dx \\
 &= -x + \frac{1}{3} \int \frac{1+x}{1-x+x^2} dx + \frac{2}{3} \int \frac{1}{1+x} dx \\
 &= -x + \frac{2}{3} \log(1+x) + \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx + \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\
 &= -x + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) - \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\
 &= -x + \frac{\tan^{-1} \left(\frac{-1+2x}{\sqrt{3}} \right)}{\sqrt{3}} + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 53, normalized size = 1.20

$$\frac{1}{3} \log(x^3 + 1) - \frac{1}{6} \log(x^2 - x + 1) - x + \frac{1}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 - x)*x^2)/(1 + x^3),x]

[Out] -x + ArcTan[(-1 + 2*x)/Sqrt[3]]/Sqrt[3] + Log[1 + x]/3 - Log[1 - x + x^2]/6 + Log[1 + x^3]/3

fricas [A] time = 0.72, size = 37, normalized size = 0.84

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - x + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^2/(x^3+1),x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - x + 1/6*log(x^2 - x + 1) + 2/3*log(x + 1)

giac [A] time = 0.15, size = 38, normalized size = 0.86

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - x + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^2/(x^3+1),x, algorithm="giac")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - x + 1/6*log(x^2 - x + 1) + 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 38, normalized size = 0.86

$$-x + \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \frac{2 \ln(x+1)}{3} + \frac{\ln(x^2 - x + 1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)*x^2/(x^3+1),x)

[Out] -x+2/3*ln(x+1)+1/6*ln(x^2-x+1)+1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.96, size = 37, normalized size = 0.84

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - x + \frac{1}{6} \log(x^2 - x + 1) + \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x^2/(x^3+1),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - x + 1/6*log(x^2 - x + 1) + 2/3*log(x + 1)

mupad [B] time = 4.96, size = 49, normalized size = 1.11

$$\frac{2 \ln(x + 1)}{3} - x - \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) \left(-\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right) + \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) \left(\frac{1}{6} + \frac{\sqrt{3} 1i}{6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^2*(x - 1))/(x^3 + 1),x)

[Out] (2*log(x + 1))/3 - x - log(x - (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/6 - 1/6) + log(x + (3^(1/2)*1i)/2 - 1/2)*((3^(1/2)*1i)/6 + 1/6)

sympy [A] time = 0.23, size = 44, normalized size = 1.00

$$-x + \frac{2 \log(x + 1)}{3} + \frac{\log(x^2 - x + 1)}{6} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x**2/(x**3+1),x)

[Out] -x + 2*log(x + 1)/3 + log(x**2 - x + 1)/6 + sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3

$$3.307 \quad \int \frac{(1-x)x}{1+x^3} dx$$

Optimal. Leaf size=41

$$-\frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-2/3*\ln(1+x)-1/6*\ln(x^2-x+1)-1/3*\arctan(1/3*(1-2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1874, 31, 634, 618, 204, 628}

$$-\frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((1 - x)*x)/(1 + x^3), x]

[Out] $-(\text{ArcTan}[(1 - 2*x)/\text{Sqrt}[3]]/\text{Sqrt}[3]) - (2*\text{Log}[1 + x])/3 - \text{Log}[1 - x + x^2]/6$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1874

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && GtQ[a/b, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1-x)x}{1+x^3} dx &= \frac{1}{3} \int \frac{2-x}{1-x+x^2} dx - \frac{2}{3} \int \frac{1}{1+x} dx \\ &= -\frac{2}{3} \log(1+x) - \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx + \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\ &= -\frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2) - \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, -1+2x\right) \\ &= \frac{\tan^{-1}\left(\frac{-1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.22

$$-\frac{1}{3} \log(x^3 + 1) + \frac{1}{6} \log(x^2 - x + 1) - \frac{1}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[((1 - x)*x)/(1 + x^3), x]

[Out] ArcTan[(-1 + 2*x)/Sqrt[3]]/Sqrt[3] - Log[1 + x]/3 + Log[1 - x + x^2]/6 - Log[1 + x^3]/3

fricas [A] time = 0.50, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - \frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x/(x^3+1),x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(x + 1)

giac [A] time = 0.15, size = 35, normalized size = 0.85

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - \frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x/(x^3+1),x, algorithm="giac")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 35, normalized size = 0.85

$$\frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} - \frac{2 \ln(x+1)}{3} - \frac{\ln(x^2 - x + 1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)*x/(x^3+1),x)

[Out] -2/3*ln(x+1)-1/6*ln(x^2-x+1)+1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.87, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) - \frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x/(x^3+1),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/6*log(x^2 - x + 1) - 2/3*log(x + 1)

mupad [B] time = 0.08, size = 63, normalized size = 1.54

$$\frac{\ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right)}{6} - \frac{\ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)}{6} - \frac{2 \ln(x+1)}{3} - \frac{\sqrt{3} \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) 1i}{6} + \frac{\sqrt{3} \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) 1i}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x*(x - 1))/(x^3 + 1),x)

[Out] (3^(1/2)*log(x + (3^(1/2)*1i)/2 - 1/2)*1i)/6 - log(x + (3^(1/2)*1i)/2 - 1/2)/6 - (2*log(x + 1))/3 - (3^(1/2)*log(x - (3^(1/2)*1i)/2 - 1/2)*1i)/6 - log(x - (3^(1/2)*1i)/2 - 1/2)/6

sympy [A] time = 0.27, size = 42, normalized size = 1.02

$$-\frac{2 \log(x+1)}{3} - \frac{\log(x^2 - x + 1)}{6} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)*x/(x**3+1),x)

[Out] -2*log(x + 1)/3 - log(x**2 - x + 1)/6 + sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3

$$3.308 \quad \int \frac{1-x}{x(1+x^3)} dx$$

Optimal. Leaf size=42

$$-\frac{1}{6} \log(x^2 - x + 1) + \log(x) - \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $\ln(x) - 2/3 * \ln(1+x) - 1/6 * \ln(x^2 - x + 1) + 1/3 * \arctan(1/3 * (1 - 2*x) * 3^{(1/2)}) * 3^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {1834, 634, 618, 204, 628}

$$-\frac{1}{6} \log(x^2 - x + 1) + \log(x) - \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(x*(1 + x^3)), x]

[Out] ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] + Log[x] - (2*Log[1 + x])/3 - Log[1 - x + x^2]/6

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^(m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] & & PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1-x}{x(1+x^3)} dx &= \int \left(\frac{1}{x} - \frac{2}{3(1+x)} + \frac{-1-x}{3(1-x+x^2)} \right) dx \\ &= \log(x) - \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-1-x}{1-x+x^2} dx \\ &= \log(x) - \frac{2}{3} \log(1+x) - \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx - \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\ &= \log(x) - \frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2) + \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\ &= -\frac{\tan^{-1} \left(\frac{-1+2x}{\sqrt{3}} \right)}{\sqrt{3}} + \log(x) - \frac{2}{3} \log(1+x) - \frac{1}{6} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 53, normalized size = 1.26

$$-\frac{1}{3} \log(x^3 + 1) + \frac{1}{6} \log(x^2 - x + 1) + \log(x) - \frac{1}{3} \log(x + 1) - \frac{\tan^{-1} \left(\frac{2x-1}{\sqrt{3}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - x)/(x*(1 + x^3)), x]
```

```
[Out] -(ArcTan[(-1 + 2*x)/Sqrt[3]]/Sqrt[3]) + Log[x] - Log[1 + x]/3 + Log[1 - x + x^2]/6 - Log[1 + x^3]/3
```

fricas [A] time = 0.68, size = 36, normalized size = 0.86

$$-\frac{1}{3} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x - 1) \right) - \frac{1}{6} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1) + \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x/(x^3+1),x, algorithm="fricas")

[Out] $-1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) - 1/6*\log(x^2 - x + 1) - 2/3*\log(x + 1) + \log(x)$

giac [A] time = 0.16, size = 38, normalized size = 0.90

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - \frac{1}{6}\log(x^2-x+1) - \frac{2}{3}\log(|x+1|) + \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x/(x^3+1),x, algorithm="giac")

[Out] $-1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) - 1/6*\log(x^2 - x + 1) - 2/3*\log(\text{abs}(x + 1)) + \log(\text{abs}(x))$

maple [A] time = 0.05, size = 37, normalized size = 0.88

$$-\frac{\sqrt{3}\arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \ln(x) - \frac{2\ln(x+1)}{3} - \frac{\ln(x^2-x+1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/x/(x^3+1),x)

[Out] $-2/3*\ln(x+1)+\ln(x)-1/6*\ln(x^2-x+1)-1/3*3^{(1/2)}*\arctan(1/3*(2*x-1)*3^{(1/2)})$

maxima [A] time = 2.88, size = 36, normalized size = 0.86

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - \frac{1}{6}\log(x^2-x+1) - \frac{2}{3}\log(x+1) + \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x/(x^3+1),x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) - 1/6*\log(x^2 - x + 1) - 2/3*\log(x + 1) + \log(x)$

mupad [B] time = 4.96, size = 48, normalized size = 1.14

$$\ln(x) - \frac{2\ln(x+1)}{3} + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{6} + \frac{\sqrt{3}1i}{6}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{6} + \frac{\sqrt{3}1i}{6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x - 1)/(x*(x^3 + 1)),x)`

[Out] $\log(x) - (2*\log(x + 1))/3 + \log(x - (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 - 1/6) - \log(x + (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 + 1/6)$

sympy [A] time = 0.21, size = 46, normalized size = 1.10

$$\log(x) - \frac{2\log(x+1)}{3} - \frac{\log(x^2 - x + 1)}{6} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)/x/(x**3+1),x)`

[Out] $\log(x) - 2*\log(x + 1)/3 - \log(x**2 - x + 1)/6 - \operatorname{sqrt}(3)*\operatorname{atan}(2*\operatorname{sqrt}(3)*x/3 - \operatorname{sqrt}(3)/3)/3$

$$3.309 \quad \int \frac{1-x}{x^2(1+x^3)} dx$$

Optimal. Leaf size=49

$$\frac{1}{6} \log(x^2 - x + 1) - \frac{1}{x} - \log(x) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] -1/x-ln(x)+2/3*ln(1+x)+1/6*ln(x^2-x+1)+1/3*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.05, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {1834, 634, 618, 204, 628}

$$\frac{1}{6} \log(x^2 - x + 1) - \frac{1}{x} - \log(x) + \frac{2}{3} \log(x + 1) + \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x)/(x^2*(1 + x^3)),x]

[Out] -x^(-1) + ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3] - Log[x] + (2*Log[1 + x])/3 + Log[1 - x + x^2]/6

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^m_))/((a_) + (b_.)*(x_)^n_), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1-x}{x^2(1+x^3)} dx &= \int \left(\frac{1}{x^2} - \frac{1}{x} + \frac{2}{3(1+x)} + \frac{-2+x}{3(1-x+x^2)} \right) dx \\ &= -\frac{1}{x} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-2+x}{1-x+x^2} dx \\ &= -\frac{1}{x} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{6} \int \frac{-1+2x}{1-x+x^2} dx - \frac{1}{2} \int \frac{1}{1-x+x^2} dx \\ &= -\frac{1}{x} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) + \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\ &= -\frac{1}{x} - \frac{\tan^{-1}\left(\frac{-1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \log(x) + \frac{2}{3} \log(1+x) + \frac{1}{6} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.02, size = 60, normalized size = 1.22

$$\frac{1}{3} \log(x^3 + 1) - \frac{1}{6} \log(x^2 - x + 1) - \frac{1}{x} - \log(x) + \frac{1}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{2x-1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(x^2*(1 + x^3)), x]

[Out] -x^(-1) - ArcTan[(-1 + 2*x)/Sqrt[3]]/Sqrt[3] - Log[x] + Log[1 + x]/3 - Log[1 - x + x^2]/6 + Log[1 + x^3]/3

fricas [A] time = 0.76, size = 48, normalized size = 0.98

$$\frac{2\sqrt{3}x \arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - x \log(x^2 - x + 1) - 4x \log(x + 1) + 6x \log(x) + 6}{6x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^2/(x^3+1),x, algorithm="fricas")

[Out] $-1/6*(2*\sqrt{3}*x*\arctan(1/3*\sqrt{3}*(2*x - 1)) - x*\log(x^2 - x + 1) - 4*x*\log(x + 1) + 6*x*\log(x) + 6)/x$

giac [A] time = 0.16, size = 45, normalized size = 0.92

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - \frac{1}{x} + \frac{1}{6}\log(x^2-x+1) + \frac{2}{3}\log(|x+1|) - \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^2/(x^3+1),x, algorithm="giac")

[Out] $-1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) - 1/x + 1/6*\log(x^2 - x + 1) + 2/3*\log(\text{abs}(x + 1)) - \log(\text{abs}(x))$

maple [A] time = 0.05, size = 44, normalized size = 0.90

$$-\frac{\sqrt{3}\arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} - \ln(x) + \frac{2\ln(x+1)}{3} + \frac{\ln(x^2-x+1)}{6} - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/x^2/(x^3+1),x)

[Out] $2/3*\ln(x+1) - 1/x - \ln(x) + 1/6*\ln(x^2-x+1) - 1/3*3^{(1/2)}*\arctan(1/3*(2*x-1)*3^{(1/2)})$

maxima [A] time = 3.03, size = 43, normalized size = 0.88

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right) - \frac{1}{x} + \frac{1}{6}\log(x^2-x+1) + \frac{2}{3}\log(x+1) - \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^2/(x^3+1),x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x - 1)) - 1/x + 1/6*\log(x^2 - x + 1) + 2/3*\log(x + 1) - \log(x)$

mupad [B] time = 0.08, size = 55, normalized size = 1.12

$$\frac{2\ln(x+1)}{3} - \ln(x) + \ln\left(x - \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)\left(\frac{1}{6} + \frac{\sqrt{3}1i}{6}\right) - \ln\left(x - \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)\left(-\frac{1}{6} + \frac{\sqrt{3}1i}{6}\right) - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x - 1)/(x^2*(x^3 + 1)),x)`

[Out] $(2*\log(x + 1))/3 - \log(x) + \log(x - (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 + 1/6) - \log(x + (3^{(1/2)}*1i)/2 - 1/2)*((3^{(1/2)}*1i)/6 - 1/6) - 1/x$

sympy [A] time = 0.22, size = 49, normalized size = 1.00

$$-\log(x) + \frac{2\log(x+1)}{3} + \frac{\log(x^2 - x + 1)}{6} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3} - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-x)/x**2/(x**3+1),x)`

[Out] $-\log(x) + 2*\log(x + 1)/3 + \log(x**2 - x + 1)/6 - \operatorname{sqrt}(3)*\operatorname{atan}(2*\operatorname{sqrt}(3)*x/3 - \operatorname{sqrt}(3)/3)/3 - 1/x$

$$3.310 \quad \int \frac{1-x}{x^3(1+x^3)} dx$$

Optimal. Leaf size=32

$$-\frac{1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) + \frac{1}{x} - \frac{2}{3} \log(x + 1)$$

[Out] $-1/2/x^2+1/x-2/3*\ln(1+x)+1/3*\ln(x^2-x+1)$

Rubi [A] time = 0.03, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1834, 628}

$$-\frac{1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) + \frac{1}{x} - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1-x)/(x^3*(1+x^3)),x]$

[Out] $-1/(2*x^2) + x^{(-1)} - (2*\text{Log}[1+x])/3 + \text{Log}[1-x+x^2]/3$

Rule 628

$\text{Int}[(d + (e \cdot x)/(a + (b \cdot x) + (c \cdot x)^2), x_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

Rule 1834

$\text{Int}[(Pq) \cdot ((c \cdot x)^m)/(a + (b \cdot x)^n), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c \cdot x)^m \cdot Pq/(a + b \cdot x^n), x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \ \& \ \& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \int \frac{1-x}{x^3(1+x^3)} dx &= \int \left(\frac{1}{x^3} - \frac{1}{x^2} - \frac{2}{3(1+x)} + \frac{-1+2x}{3(1-x+x^2)} \right) dx \\ &= -\frac{1}{2x^2} + \frac{1}{x} - \frac{2}{3} \log(1+x) + \frac{1}{3} \int \frac{-1+2x}{1-x+x^2} dx \\ &= -\frac{1}{2x^2} + \frac{1}{x} - \frac{2}{3} \log(1+x) + \frac{1}{3} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 32, normalized size = 1.00

$$-\frac{1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) + \frac{1}{x} - \frac{2}{3} \log(x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x)/(x^3*(1 + x^3)), x]

[Out] -1/2*1/x^2 + x^(-1) - (2*Log[1 + x])/3 + Log[1 - x + x^2]/3

fricas [A] time = 0.63, size = 33, normalized size = 1.03

$$\frac{2x^2 \log(x^2 - x + 1) - 4x^2 \log(x + 1) + 6x - 3}{6x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^3/(x^3+1), x, algorithm="fricas")

[Out] 1/6*(2*x^2*log(x^2 - x + 1) - 4*x^2*log(x + 1) + 6*x - 3)/x^2

giac [A] time = 0.15, size = 29, normalized size = 0.91

$$\frac{2x - 1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^3/(x^3+1), x, algorithm="giac")

[Out] 1/2*(2*x - 1)/x^2 + 1/3*log(x^2 - x + 1) - 2/3*log(abs(x + 1))

maple [A] time = 0.05, size = 27, normalized size = 0.84

$$-\frac{2 \ln(x + 1)}{3} + \frac{\ln(x^2 - x + 1)}{3} + \frac{1}{x} - \frac{1}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x)/x^3/(x^3+1), x)

[Out] -1/2/x^2+1/x-2/3*ln(x+1)+1/3*ln(x^2-x+1)

maxima [A] time = 3.00, size = 28, normalized size = 0.88

$$\frac{2x - 1}{2x^2} + \frac{1}{3} \log(x^2 - x + 1) - \frac{2}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x^3/(x^3+1),x, algorithm="maxima")

[Out] 1/2*(2*x - 1)/x^2 + 1/3*log(x^2 - x + 1) - 2/3*log(x + 1)

mupad [B] time = 0.07, size = 25, normalized size = 0.78

$$\frac{\ln(x^2 - x + 1)}{3} - \frac{2 \ln(x + 1)}{3} + \frac{x - \frac{1}{2}}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x - 1)/(x^3*(x^3 + 1)),x)

[Out] log(x^2 - x + 1)/3 - (2*log(x + 1))/3 + (x - 1/2)/x^2

sympy [A] time = 0.13, size = 27, normalized size = 0.84

$$-\frac{2 \log(x + 1)}{3} + \frac{\log(x^2 - x + 1)}{3} - \frac{1 - 2x}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-x)/x**3/(x**3+1),x)

[Out] -2*log(x + 1)/3 + log(x**2 - x + 1)/3 - (1 - 2*x)/(2*x**2)

$$3.311 \quad \int \frac{x(1+2x)}{1+x^3} dx$$

Optimal. Leaf size=41

$$\frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] 1/3*ln(1+x)+5/6*ln(x^2-x+1)-1/3*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.04, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1874, 31, 634, 618, 204, 628}

$$\frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1) - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(1 + 2*x))/(1 + x^3), x]

[Out] -(ArcTan[(1 - 2*x)/Sqrt[3]]/Sqrt[3]) + Log[1 + x]/3 + (5*Log[1 - x + x^2])/6

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1874

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = (a/b)^(1/3)}, Dist[(q*(A - B*q + C*q^2))/(3*a), Int[1/(q + x), x], x] + Dist[q/(3*a), Int[(q*(2*A + B*q - C*q^2) - (A - B*q - 2*C*q^2)*x)/(q^2 - q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A - B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && GtQ[a/b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x(1+2x)}{1+x^3} dx &= \frac{1}{3} \int \frac{1}{1+x} dx + \frac{1}{3} \int \frac{-1+5x}{1-x+x^2} dx \\ &= \frac{1}{3} \log(1+x) + \frac{1}{2} \int \frac{1}{1-x+x^2} dx + \frac{5}{6} \int \frac{-1+2x}{1-x+x^2} dx \\ &= \frac{1}{3} \log(1+x) + \frac{5}{6} \log(1-x+x^2) - \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, -1+2x \right) \\ &= \frac{\tan^{-1} \left(\frac{-1+2x}{\sqrt{3}} \right)}{\sqrt{3}} + \frac{1}{3} \log(1+x) + \frac{5}{6} \log(1-x+x^2) \end{aligned}$$

Mathematica [A] time = 0.03, size = 47, normalized size = 1.15

$$\frac{1}{6} \left(4 \log(x^3 + 1) + \log(x^2 - x + 1) - 2 \log(x + 1) + 2\sqrt{3} \tan^{-1} \left(\frac{2x - 1}{\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(1 + 2*x))/(1 + x^3), x]

[Out] (2*Sqrt[3]*ArcTan[(-1 + 2*x)/Sqrt[3]] - 2*Log[1 + x] + Log[1 - x + x^2] + 4*Log[1 + x^3])/6

fricas [A] time = 0.51, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(x^3+1),x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 5/6*log(x^2 - x + 1) + 1/3*log(x + 1)

giac [A] time = 0.15, size = 35, normalized size = 0.85

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(|x + 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(x^3+1),x, algorithm="giac")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 5/6*log(x^2 - x + 1) + 1/3*log(abs(x + 1))

maple [A] time = 0.05, size = 35, normalized size = 0.85

$$\frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3} + \frac{\ln(x+1)}{3} + \frac{5 \ln(x^2 - x + 1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(2*x+1)/(x^3+1),x)

[Out] 1/3*ln(x+1)+5/6*ln(x^2-x+1)+1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.99, size = 34, normalized size = 0.83

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{5}{6} \log(x^2 - x + 1) + \frac{1}{3} \log(x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(x^3+1),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 5/6*log(x^2 - x + 1) + 1/3*log(x + 1)

mupad [B] time = 4.96, size = 63, normalized size = 1.54

$$\frac{5 \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right)}{6} + \frac{5 \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right)}{6} + \frac{\ln(x+1)}{3} - \frac{\sqrt{3} \ln\left(x - \frac{1}{2} - \frac{\sqrt{3} 1i}{2}\right) 1i}{6} + \frac{\sqrt{3} \ln\left(x - \frac{1}{2} + \frac{\sqrt{3} 1i}{2}\right) 1i}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(2*x + 1))/(x^3 + 1),x)

[Out] (5*log(x - (3^(1/2)*1i)/2 - 1/2))/6 + (5*log(x + (3^(1/2)*1i)/2 - 1/2))/6 + log(x + 1)/3 - (3^(1/2)*log(x - (3^(1/2)*1i)/2 - 1/2)*1i)/6 + (3^(1/2)*log(x + (3^(1/2)*1i)/2 - 1/2)*1i)/6

sympy [A] time = 0.18, size = 42, normalized size = 1.02

$$\frac{\log(x+1)}{3} + \frac{5 \log(x^2 - x + 1)}{6} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} - \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(x**3+1),x)

[Out] log(x + 1)/3 + 5*log(x**2 - x + 1)/6 + sqrt(3)*atan(2*sqrt(3)*x/3 - sqrt(3)/3)/3

$$3.312 \quad \int \frac{x(1+2x)}{1-x^3} dx$$

Optimal. Leaf size=39

$$-\frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-\ln(1-x) - 1/2 * \ln(x^2 + x + 1) - 1/3 * \arctan(1/3 * (1 + 2*x) * 3^{(1/2)}) * 3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1875, 31, 634, 618, 204, 628}

$$-\frac{1}{2} \log(x^2 + x + 1) - \log(1 - x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(1 + 2*x))/(1 - x^3), x]

[Out] $-(\text{ArcTan}[(1 + 2*x)/\text{Sqrt}[3]]/\text{Sqrt}[3]) - \text{Log}[1 - x] - \text{Log}[1 + x + x^2]/2$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1875

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2], q = -(a/b)^(1/3)}, Dist[(q*(A + B*q + C*q^2))/(3*a), Int[1/(q - x), x], x] + Dist[q/(3*a), Int[(q*(2*A - B*q - C*q^2) + (A + B*q - 2*C*q^2)*x)/(q^2 + q*x + x^2), x], x] /; NeQ[a*B^3 - b*A^3, 0] && NeQ[A + B*q + C*q^2, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2] && LtQ[a/b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x(1+2x)}{1-x^3} dx &= \frac{1}{3} \int \frac{-3-3x}{1+x+x^2} dx + \int \frac{1}{1-x} dx \\ &= -\log(1-x) - \frac{1}{2} \int \frac{1}{1+x+x^2} dx - \frac{1}{2} \int \frac{1+2x}{1+x+x^2} dx \\ &= -\log(1-x) - \frac{1}{2} \log(1+x+x^2) + \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right) \\ &= -\frac{\tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \log(1-x) - \frac{1}{2} \log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.02, size = 53, normalized size = 1.36

$$-\frac{2}{3} \log(1-x^3) + \frac{1}{6} \log(x^2+x+1) - \frac{1}{3} \log(1-x) - \frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(1 + 2*x))/(1 - x^3),x]

[Out] -(ArcTan[(1 + 2*x)/Sqrt[3]]/Sqrt[3]) - Log[1 - x]/3 + Log[1 + x + x^2]/6 - (2*Log[1 - x^3])/3

fricas [A] time = 0.83, size = 32, normalized size = 0.82

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \frac{1}{2}\log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(-x^3+1),x, algorithm="fricas")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - 1/2*log(x^2 + x + 1) - log(x - 1)

giac [A] time = 0.15, size = 33, normalized size = 0.85

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \frac{1}{2}\log(x^2+x+1) - \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(-x^3+1),x, algorithm="giac")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - 1/2*log(x^2 + x + 1) - log(abs(x - 1))

maple [A] time = 0.06, size = 33, normalized size = 0.85

$$-\frac{\sqrt{3}\arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} - \ln(x-1) - \frac{\ln(x^2+x+1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(2*x+1)/(-x^3+1),x)

[Out] -ln(x-1)-1/2*ln(x^2+x+1)-1/3*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))

maxima [A] time = 2.99, size = 32, normalized size = 0.82

$$-\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right) - \frac{1}{2}\log(x^2+x+1) - \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(1+2*x)/(-x^3+1),x, algorithm="maxima")

[Out] -1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) - 1/2*log(x^2 + x + 1) - log(x - 1)

mupad [B] time = 0.09, size = 63, normalized size = 1.62

$$\frac{\ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)}{2} - \frac{\ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)}{2} - \ln(x-1) + \frac{\sqrt{3} \ln\left(x + \frac{1}{2} - \frac{\sqrt{3}1i}{2}\right)1i}{6} - \frac{\sqrt{3} \ln\left(x + \frac{1}{2} + \frac{\sqrt{3}1i}{2}\right)1i}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x*(2*x + 1))/(x^3 - 1),x)`

[Out] $(3^{(1/2)}*\log(x - (3^{(1/2)}*1i)/2 + 1/2)*1i)/6 - \log(x + (3^{(1/2)}*1i)/2 + 1/2)/2 - \log(x - 1) - \log(x - (3^{(1/2)}*1i)/2 + 1/2)/2 - (3^{(1/2)}*\log(x + (3^{(1/2)}*1i)/2 + 1/2)*1i)/6$

sympy [A] time = 0.16, size = 41, normalized size = 1.05

$$-\log(x-1) - \frac{\log(x^2+x+1)}{2} - \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(1+2*x)/(-x**3+1),x)`

[Out] $-\log(x-1) - \log(x**2+x+1)/2 - \operatorname{sqrt}(3)*\operatorname{atan}(2*\operatorname{sqrt}(3)*x/3 + \operatorname{sqrt}(3)/3)/3$

$$3.313 \quad \int x^2 (c + dx + ex^2) (a + bx^3) dx$$

Optimal. Leaf size=55

$$\frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8$$

[Out] 1/3*a*c*x^3+1/4*a*d*x^4+1/5*a*e*x^5+1/6*b*c*x^6+1/7*b*d*x^7+1/8*b*e*x^8

Rubi [A] time = 0.06, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$\frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8$$

Antiderivative was successfully verified.

[In] Int[x^2*(c + d*x + e*x^2)*(a + b*x^3),x]

[Out] (a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + (b*c*x^6)/6 + (b*d*x^7)/7 + (b*e*x^8)/8

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int x^2 (c + dx + ex^2) (a + bx^3) dx &= \int (acx^2 + adx^3 + aex^4 + bcx^5 + bdx^6 + bex^7) dx \\ &= \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8 \end{aligned}$$

Mathematica [A] time = 0.03, size = 55, normalized size = 1.00

$$\frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}bcx^6 + \frac{1}{7}bdx^7 + \frac{1}{8}bex^8$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3),x]

[Out] $(a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + (b*c*x^6)/6 + (b*d*x^7)/7 + (b*e*x^8)/8$

fricas [A] time = 0.72, size = 43, normalized size = 0.78

$$\frac{1}{8}x^8eb + \frac{1}{7}x^7db + \frac{1}{6}x^6cb + \frac{1}{5}x^5ea + \frac{1}{4}x^4da + \frac{1}{3}x^3ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="fricas")`

[Out] $1/8*x^8*e*b + 1/7*x^7*d*b + 1/6*x^6*c*b + 1/5*x^5*e*a + 1/4*x^4*d*a + 1/3*x^3*c*a$

giac [A] time = 0.20, size = 45, normalized size = 0.82

$$\frac{1}{8}bx^8e + \frac{1}{7}bdx^7 + \frac{1}{6}bcx^6 + \frac{1}{5}ax^5e + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="giac")`

[Out] $1/8*b*x^8*e + 1/7*b*d*x^7 + 1/6*b*c*x^6 + 1/5*a*x^5*e + 1/4*a*d*x^4 + 1/3*a*c*x^3$

maple [A] time = 0.04, size = 44, normalized size = 0.80

$$\frac{1}{8}be x^8 + \frac{1}{7}bd x^7 + \frac{1}{6}bc x^6 + \frac{1}{5}ae x^5 + \frac{1}{4}ad x^4 + \frac{1}{3}ac x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d*x+c)*(b*x^3+a),x)`

[Out] $1/3*a*c*x^3+1/4*a*d*x^4+1/5*a*e*x^5+1/6*b*c*x^6+1/7*b*d*x^7+1/8*b*e*x^8$

maxima [A] time = 1.33, size = 43, normalized size = 0.78

$$\frac{1}{8}bex^8 + \frac{1}{7}bdx^7 + \frac{1}{6}bcx^6 + \frac{1}{5}aex^5 + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="maxima")`

[Out] $1/8*b*e*x^8 + 1/7*b*d*x^7 + 1/6*b*c*x^6 + 1/5*a*e*x^5 + 1/4*a*d*x^4 + 1/3*a*c*x^3$

mupad [B] time = 0.03, size = 43, normalized size = 0.78

$$\frac{bex^8}{8} + \frac{bdx^7}{7} + \frac{bcx^6}{6} + \frac{aex^5}{5} + \frac{adx^4}{4} + \frac{acx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)*(c + d*x + e*x^2),x)`

[Out] `(a*c*x^3)/3 + (a*d*x^4)/4 + (b*c*x^6)/6 + (a*e*x^5)/5 + (b*d*x^7)/7 + (b*e*x^8)/8`

sympy [A] time = 0.08, size = 49, normalized size = 0.89

$$\frac{acx^3}{3} + \frac{adx^4}{4} + \frac{aex^5}{5} + \frac{bcx^6}{6} + \frac{bdx^7}{7} + \frac{bex^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a),x)`

[Out] `a*c*x**3/3 + a*d*x**4/4 + a*e*x**5/5 + b*c*x**6/6 + b*d*x**7/7 + b*e*x**8/8`

3.314 $\int x (c + dx + ex^2) (a + bx^3) dx$

Optimal. Leaf size=55

$$\frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7$$

[Out] $1/2*a*c*x^2+1/3*a*d*x^3+1/4*a*e*x^4+1/5*b*c*x^5+1/6*b*d*x^6+1/7*b*e*x^7$

Rubi [A] time = 0.04, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1628}

$$\frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3),x]

[Out] $(a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int x (c + dx + ex^2) (a + bx^3) dx &= \int (acx + adx^2 + aex^3 + bcx^4 + bdx^5 + bex^6) dx \\ &= \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 \end{aligned}$$

Mathematica [A] time = 0.00, size = 55, normalized size = 1.00

$$\frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3),x]

[Out] $(a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7$

fricas [A] time = 0.47, size = 43, normalized size = 0.78

$$\frac{1}{7}x^7eb + \frac{1}{6}x^6db + \frac{1}{5}x^5cb + \frac{1}{4}x^4ea + \frac{1}{3}x^3da + \frac{1}{2}x^2ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="fricas")`

[Out] $1/7*x^7*e*b + 1/6*x^6*d*b + 1/5*x^5*c*b + 1/4*x^4*e*a + 1/3*x^3*d*a + 1/2*x^2*c*a$

giac [A] time = 0.18, size = 45, normalized size = 0.82

$$\frac{1}{7}bx^7e + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}ax^4e + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="giac")`

[Out] $1/7*b*x^7*e + 1/6*b*d*x^6 + 1/5*b*c*x^5 + 1/4*a*x^4*e + 1/3*a*d*x^3 + 1/2*a*c*x^2$

maple [A] time = 0.05, size = 44, normalized size = 0.80

$$\frac{1}{7}be x^7 + \frac{1}{6}bd x^6 + \frac{1}{5}bc x^5 + \frac{1}{4}ae x^4 + \frac{1}{3}ad x^3 + \frac{1}{2}ac x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d*x+c)*(b*x^3+a),x)`

[Out] $1/2*a*c*x^2+1/3*a*d*x^3+1/4*a*e*x^4+1/5*b*c*x^5+1/6*b*d*x^6+1/7*b*e*x^7$

maxima [A] time = 1.36, size = 43, normalized size = 0.78

$$\frac{1}{7}bex^7 + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}aex^4 + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)*(b*x^3+a),x, algorithm="maxima")`

[Out] $1/7*b*e*x^7 + 1/6*b*d*x^6 + 1/5*b*c*x^5 + 1/4*a*e*x^4 + 1/3*a*d*x^3 + 1/2*a*c*x^2$

mupad [B] time = 0.03, size = 43, normalized size = 0.78

$$\frac{bex^7}{7} + \frac{bdx^6}{6} + \frac{bcx^5}{5} + \frac{aex^4}{4} + \frac{adx^3}{3} + \frac{acx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*x^3)*(c + d*x + e*x^2),x)`

[Out] `(a*c*x^2)/2 + (a*d*x^3)/3 + (b*c*x^5)/5 + (a*e*x^4)/4 + (b*d*x^6)/6 + (b*e*x^7)/7`

sympy [A] time = 0.07, size = 49, normalized size = 0.89

$$\frac{acx^2}{2} + \frac{adx^3}{3} + \frac{aex^4}{4} + \frac{bcx^5}{5} + \frac{bdx^6}{6} + \frac{bex^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d*x+c)*(b*x**3+a),x)`

[Out] `a*c*x**2/2 + a*d*x**3/3 + a*e*x**4/4 + b*c*x**5/5 + b*d*x**6/6 + b*e*x**7/7`

3.315 $\int (c + dx + ex^2)(a + bx^3) dx$

Optimal. Leaf size=50

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6$$

[Out] $a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*b*c*x^4+1/5*b*d*x^5+1/6*b*e*x^6$

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {1657}

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] $a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (b*c*x^4)/4 + (b*d*x^5)/5 + (b*e*x^6)/6$

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2)(a + bx^3) dx &= \int (ac + adx + aex^2 + bcx^3 + bdx^4 + bex^5) dx \\ &= acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6 \end{aligned}$$

Mathematica [A] time = 0.00, size = 50, normalized size = 1.00

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}bcx^4 + \frac{1}{5}bdx^5 + \frac{1}{6}bex^6$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3), x]

[Out] $a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (b*c*x^4)/4 + (b*d*x^5)/5 + (b*e*x^6)/6$
fricas [A] time = 0.46, size = 40, normalized size = 0.80

$$\frac{1}{6}x^6eb + \frac{1}{5}x^5db + \frac{1}{4}x^4cb + \frac{1}{3}x^3ea + \frac{1}{2}x^2da + xca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a),x, algorithm="fricas")`

[Out] $1/6*x^6*e*b + 1/5*x^5*d*b + 1/4*x^4*c*b + 1/3*x^3*e*a + 1/2*x^2*d*a + x*c*a$
giac [A] time = 0.15, size = 42, normalized size = 0.84

$$\frac{1}{6}bx^6e + \frac{1}{5}bdx^5 + \frac{1}{4}bcx^4 + \frac{1}{3}ax^3e + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a),x, algorithm="giac")`

[Out] $1/6*b*x^6*e + 1/5*b*d*x^5 + 1/4*b*c*x^4 + 1/3*a*x^3*e + 1/2*a*d*x^2 + a*c*x$
maple [A] time = 0.04, size = 41, normalized size = 0.82

$$\frac{1}{6}be x^6 + \frac{1}{5}bd x^5 + \frac{1}{4}bc x^4 + \frac{1}{3}ae x^3 + \frac{1}{2}ad x^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a),x)`

[Out] $a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*b*c*x^4+1/5*b*d*x^5+1/6*b*e*x^6$
maxima [A] time = 1.34, size = 40, normalized size = 0.80

$$\frac{1}{6}bex^6 + \frac{1}{5}bdx^5 + \frac{1}{4}bcx^4 + \frac{1}{3}aex^3 + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a),x, algorithm="maxima")`

[Out] $1/6*b*e*x^6 + 1/5*b*d*x^5 + 1/4*b*c*x^4 + 1/3*a*e*x^3 + 1/2*a*d*x^2 + a*c*x$
mupad [B] time = 0.02, size = 40, normalized size = 0.80

$$\frac{bex^6}{6} + \frac{bdx^5}{5} + \frac{bcx^4}{4} + \frac{aex^3}{3} + \frac{adx^2}{2} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)*(c + d*x + e*x^2),x)`

[Out] `a*c*x + (a*d*x^2)/2 + (b*c*x^4)/4 + (a*e*x^3)/3 + (b*d*x^5)/5 + (b*e*x^6)/6`

sympy [A] time = 0.07, size = 46, normalized size = 0.92

$$acx + \frac{adx^2}{2} + \frac{aex^3}{3} + \frac{bcx^4}{4} + \frac{bdx^5}{5} + \frac{bex^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a),x)`

[Out] `a*c*x + a*d*x**2/2 + a*e*x**3/3 + b*c*x**4/4 + b*d*x**5/5 + b*e*x**6/6`

$$3.316 \quad \int \frac{(c+dx+ex^2)(a+bx^3)}{x} dx$$

Optimal. Leaf size=46

$$ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5$$

[Out] a*d*x+1/2*a*e*x^2+1/3*b*c*x^3+1/4*b*d*x^4+1/5*b*e*x^5+a*c*ln(x)

Rubi [A] time = 0.02, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3))/x,x]

[Out] a*d*x + (a*e*x^2)/2 + (b*c*x^3)/3 + (b*d*x^4)/4 + (b*e*x^5)/5 + a*c*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)}{x} dx &= \int \left(ad + \frac{ac}{x} + aex + bcx^2 + bdx^3 + bex^4 \right) dx \\ &= adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5 + ac \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 46, normalized size = 1.00

$$ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{3}bcx^3 + \frac{1}{4}bdx^4 + \frac{1}{5}bex^5$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3))/x,x]

[Out] $a*d*x + (a*e*x^2)/2 + (b*c*x^3)/3 + (b*d*x^4)/4 + (b*e*x^5)/5 + a*c*\text{Log}[x]$

fricas [A] time = 0.72, size = 38, normalized size = 0.83

$$\frac{1}{5} b e x^5 + \frac{1}{4} b d x^4 + \frac{1}{3} b c x^3 + \frac{1}{2} a e x^2 + a d x + a c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)/x,x, algorithm="fricas")`

[Out] $1/5*b*e*x^5 + 1/4*b*d*x^4 + 1/3*b*c*x^3 + 1/2*a*e*x^2 + a*d*x + a*c*\log(x)$

giac [A] time = 0.15, size = 41, normalized size = 0.89

$$\frac{1}{5} b x^5 e + \frac{1}{4} b d x^4 + \frac{1}{3} b c x^3 + \frac{1}{2} a x^2 e + a d x + a c \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)/x,x, algorithm="giac")`

[Out] $1/5*b*x^5*e + 1/4*b*d*x^4 + 1/3*b*c*x^3 + 1/2*a*x^2*e + a*d*x + a*c*\log(\text{abs}(x))$

maple [A] time = 0.05, size = 39, normalized size = 0.85

$$\frac{b e x^5}{5} + \frac{b d x^4}{4} + \frac{b c x^3}{3} + \frac{a e x^2}{2} + a c \ln(x) + a d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)/x,x)`

[Out] $a*d*x + 1/2*a*e*x^2 + 1/3*b*c*x^3 + 1/4*b*d*x^4 + 1/5*b*e*x^5 + a*c*\ln(x)$

maxima [A] time = 1.33, size = 38, normalized size = 0.83

$$\frac{1}{5} b e x^5 + \frac{1}{4} b d x^4 + \frac{1}{3} b c x^3 + \frac{1}{2} a e x^2 + a d x + a c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)/x,x, algorithm="maxima")`

[Out] $1/5*b*e*x^5 + 1/4*b*d*x^4 + 1/3*b*c*x^3 + 1/2*a*e*x^2 + a*d*x + a*c*\log(x)$

mupad [B] time = 0.03, size = 38, normalized size = 0.83

$$a c \ln(x) + a d x + \frac{b c x^3}{3} + \frac{a e x^2}{2} + \frac{b d x^4}{4} + \frac{b e x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)*(c + d*x + e*x^2))/x,x)`

[Out] `a*c*log(x) + a*d*x + (b*c*x^3)/3 + (a*e*x^2)/2 + (b*d*x^4)/4 + (b*e*x^5)/5`

sympy [A] time = 0.14, size = 44, normalized size = 0.96

$$ac \log(x) + adx + \frac{aex^2}{2} + \frac{bcx^3}{3} + \frac{bdx^4}{4} + \frac{bex^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)/x,x)`

[Out] `a*c*log(x) + a*d*x + a*e*x**2/2 + b*c*x**3/3 + b*d*x**4/4 + b*e*x**5/5`

$$3.317 \quad \int \frac{(c+dx+ex^2)(a+bx^3)}{x^2} dx$$

Optimal. Leaf size=44

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4$$

[Out] $-a*c/x+a*e*x+1/2*b*c*x^2+1/3*b*d*x^3+1/4*b*e*x^4+a*d*\ln(x)$

Rubi [A] time = 0.04, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3))/x^2,x]

[Out] $-((a*c)/x) + a*e*x + (b*c*x^2)/2 + (b*d*x^3)/3 + (b*e*x^4)/4 + a*d*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)}{x^2} dx &= \int \left(ae + \frac{ac}{x^2} + \frac{ad}{x} + bcx + bdx^2 + bex^3 \right) dx \\ &= -\frac{ac}{x} + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4 + ad \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 44, normalized size = 1.00

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{1}{2}bcx^2 + \frac{1}{3}bdx^3 + \frac{1}{4}bex^4$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3))/x^2,x]

[Out] $-\left(\frac{a*c}{x}\right) + a*e*x + \frac{b*c*x^2}{2} + \frac{b*d*x^3}{3} + \frac{b*e*x^4}{4} + a*d*\text{Log}[x]$

fricas [A] time = 0.68, size = 45, normalized size = 1.02

$$\frac{3 b e x^5 + 4 b d x^4 + 6 b c x^3 + 12 a e x^2 + 12 a d x \log(x) - 12 a c}{12 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)/x^2,x, algorithm="fricas")`

[Out] $\frac{1}{12}*(3*b*e*x^5 + 4*b*d*x^4 + 6*b*c*x^3 + 12*a*e*x^2 + 12*a*d*x*\log(x) - 12*a*c)/x$

giac [A] time = 0.15, size = 41, normalized size = 0.93

$$\frac{1}{4} b x^4 e + \frac{1}{3} b d x^3 + \frac{1}{2} b c x^2 + a x e + a d \log(|x|) - \frac{a c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)/x^2,x, algorithm="giac")`

[Out] $\frac{1}{4}*b*x^4*e + \frac{1}{3}*b*d*x^3 + \frac{1}{2}*b*c*x^2 + a*x*e + a*d*\log(\text{abs}(x)) - a*c/x$

maple [A] time = 0.06, size = 39, normalized size = 0.89

$$\frac{b e x^4}{4} + \frac{b d x^3}{3} + \frac{b c x^2}{2} + a d \ln(x) + a e x - \frac{a c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)/x^2,x)`

[Out] $-a*c/x+a*e*x+\frac{1}{2}*b*c*x^2+\frac{1}{3}*b*d*x^3+\frac{1}{4}*b*e*x^4+a*d*\ln(x)$

maxima [A] time = 1.34, size = 38, normalized size = 0.86

$$\frac{1}{4} b e x^4 + \frac{1}{3} b d x^3 + \frac{1}{2} b c x^2 + a e x + a d \log(x) - \frac{a c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)/x^2,x, algorithm="maxima")`

[Out] $\frac{1}{4}*b*e*x^4 + \frac{1}{3}*b*d*x^3 + \frac{1}{2}*b*c*x^2 + a*e*x + a*d*\log(x) - a*c/x$

mupad [B] time = 0.03, size = 38, normalized size = 0.86

$$a d \ln(x) + a e x - \frac{a c}{x} + \frac{b c x^2}{2} + \frac{b d x^3}{3} + \frac{b e x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)*(c + d*x + e*x^2))/x^2,x)`

[Out] `a*d*log(x) + a*e*x - (a*c)/x + (b*c*x^2)/2 + (b*d*x^3)/3 + (b*e*x^4)/4`

sympy [A] time = 0.16, size = 41, normalized size = 0.93

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{bcx^2}{2} + \frac{bdx^3}{3} + \frac{bex^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)/x**2,x)`

[Out] `-a*c/x + a*d*log(x) + a*e*x + b*c*x**2/2 + b*d*x**3/3 + b*e*x**4/4`

$$3.318 \quad \int \frac{(c+dx+ex^2)(a+bx^3)}{x^3} dx$$

Optimal. Leaf size=44

$$-\frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3$$

[Out] $-1/2*a*c/x^2 - a*d/x + b*c*x + 1/2*b*d*x^2 + 1/3*b*e*x^3 + a*e*\ln(x)$

Rubi [A] time = 0.03, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {1628}

$$-\frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3))/x^3, x]

[Out] $-(a*c)/(2*x^2) - (a*d)/x + b*c*x + (b*d*x^2)/2 + (b*e*x^3)/3 + a*e*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c + dx + ex^2)(a + bx^3)}{x^3} dx &= \int \left(bc + \frac{ac}{x^3} + \frac{ad}{x^2} + \frac{ae}{x} + bdx + bex^2 \right) dx \\ &= -\frac{ac}{2x^2} - \frac{ad}{x} + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3 + ae \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 44, normalized size = 1.00

$$-\frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + bcx + \frac{1}{2}bdx^2 + \frac{1}{3}bex^3$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3))/x^3,x]

[Out] $-1/2*(a*c)/x^2 - (a*d)/x + b*c*x + (b*d*x^2)/2 + (b*e*x^3)/3 + a*e*\text{Log}[x]$

fricas [A] time = 0.65, size = 45, normalized size = 1.02

$$\frac{2 b e x^5 + 3 b d x^4 + 6 b c x^3 + 6 a e x^2 \log(x) - 6 a d x - 3 a c}{6 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^3,x, algorithm="fricas")

[Out] $1/6*(2*b*e*x^5 + 3*b*d*x^4 + 6*b*c*x^3 + 6*a*e*x^2*\log(x) - 6*a*d*x - 3*a*c)/x^2$

giac [A] time = 0.16, size = 41, normalized size = 0.93

$$\frac{1}{3} b x^3 e + \frac{1}{2} b d x^2 + b c x + a e \log(|x|) - \frac{2 a d x + a c}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^3,x, algorithm="giac")

[Out] $1/3*b*x^3*e + 1/2*b*d*x^2 + b*c*x + a*e*\log(\text{abs}(x)) - 1/2*(2*a*d*x + a*c)/x^2$

maple [A] time = 0.06, size = 39, normalized size = 0.89

$$\frac{b e x^3}{3} + \frac{b d x^2}{2} + a e \ln(x) + b c x - \frac{a d}{x} - \frac{a c}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)/x^3,x)

[Out] $-1/2*a*c/x^2 - a*d/x + b*c*x + 1/2*b*d*x^2 + 1/3*b*e*x^3 + a*e*\ln(x)$

maxima [A] time = 1.35, size = 38, normalized size = 0.86

$$\frac{1}{3} b e x^3 + \frac{1}{2} b d x^2 + b c x + a e \log(x) - \frac{2 a d x + a c}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)/x^3,x, algorithm="maxima")

[Out] $1/3*b*e*x^3 + 1/2*b*d*x^2 + b*c*x + a*e*\log(x) - 1/2*(2*a*d*x + a*c)/x^2$

mupad [B] time = 0.03, size = 38, normalized size = 0.86

$$ae \ln(x) - \frac{\frac{ac}{2} + adx}{x^2} + bcx + \frac{bdx^2}{2} + \frac{bex^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2))/x^3,x)

[Out] a*e*log(x) - ((a*c)/2 + a*d*x)/x^2 + b*c*x + (b*d*x^2)/2 + (b*e*x^3)/3

sympy [A] time = 0.25, size = 44, normalized size = 1.00

$$ae \log(x) + bcx + \frac{bdx^2}{2} + \frac{bex^3}{3} + \frac{-ac - 2adx}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)/x**3,x)

[Out] a*e*log(x) + b*c*x + b*d*x**2/2 + b*e*x**3/3 + (-a*c - 2*a*d*x)/(2*x**2)

$$3.319 \quad \int x^2 (c + dx + ex^2) (a + bx^3)^2 dx$$

Optimal. Leaf size=82

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{c(a + bx^3)^3}{9b} + \frac{2}{7}abdx^7 + \frac{1}{4}abex^8 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

[Out] $1/4*a^2*d*x^4+1/5*a^2*e*x^5+2/7*a*b*d*x^7+1/4*a*b*e*x^8+1/10*b^2*d*x^{10}+1/11*b^2*e*x^{11}+1/9*c*(b*x^3+a)^3/b$

Rubi [A] time = 0.06, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1582, 1850}

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{c(a + bx^3)^3}{9b} + \frac{2}{7}abdx^7 + \frac{1}{4}abex^8 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(c + d*x + e*x^2)*(a + b*x^3)^2, x]$

[Out] $(a^2*d*x^4)/4 + (a^2*e*x^5)/5 + (2*a*b*d*x^7)/7 + (a*b*e*x^8)/4 + (b^2*d*x^{10})/10 + (b^2*e*x^{11})/11 + (c*(a + b*x^3)^3)/(9*b)$

Rule 1582

$\text{Int}[(P_x) * ((a) + (b) * (x)^{(n)})^{(p)}, x_Symbol] \rightarrow \text{Simp}[(\text{Coeff}[P_x, x, n - 1] * (a + b * x^n)^{(p + 1)}) / (b * n * (p + 1)), x] + \text{Int}[(P_x - \text{Coeff}[P_x, x, n - 1] * x^{(n - 1)}) * (a + b * x^n)^p, x] /;$ FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1] * x^{(n - 1)}] && !MatchQ[Px, (Qx) * ((c) + (d) * x^{(m)})^{(q)}] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx * (a + b * x^n)^p, x, m - 1], 0] && GtQ[m * q, n * p]

Rule 1850

$\text{Int}[(P_q) * ((a) + (b) * (x)^{(n)})^{(p)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[P_q * (a + b * x^n)^p, x], x] /;$ FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int x^2 (c + dx + ex^2) (a + bx^3)^2 dx &= \frac{c(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (-cx^2 + x^2(c + dx + ex^2)) dx \\
&= \frac{c(a + bx^3)^3}{9b} + \int (a^2 dx^3 + a^2 ex^4 + 2abdx^6 + 2abex^7 + b^2 dx^9 + b^2 ex^{10}) dx \\
&= \frac{1}{4} a^2 dx^4 + \frac{1}{5} a^2 ex^5 + \frac{2}{7} abdx^7 + \frac{1}{4} abex^8 + \frac{1}{10} b^2 dx^{10} + \frac{1}{11} b^2 ex^{11} + \frac{c(a + bx^3)}{9b}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 97, normalized size = 1.18

$$\frac{1}{3} a^2 cx^3 + \frac{1}{4} a^2 dx^4 + \frac{1}{5} a^2 ex^5 + \frac{1}{3} abcx^6 + \frac{2}{7} abdx^7 + \frac{1}{4} abex^8 + \frac{1}{9} b^2 cx^9 + \frac{1}{10} b^2 dx^{10} + \frac{1}{11} b^2 ex^{11}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] (a^2*c*x^3)/3 + (a^2*d*x^4)/4 + (a^2*e*x^5)/5 + (a*b*c*x^6)/3 + (2*a*b*d*x^7)/7 + (a*b*e*x^8)/4 + (b^2*c*x^9)/9 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11

fricas [A] time = 0.54, size = 79, normalized size = 0.96

$$\frac{1}{11} x^{11} eb^2 + \frac{1}{10} x^{10} db^2 + \frac{1}{9} x^9 cb^2 + \frac{1}{4} x^8 eba + \frac{2}{7} x^7 dba + \frac{1}{3} x^6 cba + \frac{1}{5} x^5 ea^2 + \frac{1}{4} x^4 da^2 + \frac{1}{3} x^3 ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/11*x^11*e*b^2 + 1/10*x^10*d*b^2 + 1/9*x^9*c*b^2 + 1/4*x^8*e*b*a + 2/7*x^7*d*b*a + 1/3*x^6*c*b*a + 1/5*x^5*e*a^2 + 1/4*x^4*d*a^2 + 1/3*x^3*c*a^2

giac [A] time = 0.16, size = 82, normalized size = 1.00

$$\frac{1}{11} b^2 x^{11} e + \frac{1}{10} b^2 dx^{10} + \frac{1}{9} b^2 cx^9 + \frac{1}{4} abx^8 e + \frac{2}{7} abdx^7 + \frac{1}{3} abcx^6 + \frac{1}{5} a^2 x^5 e + \frac{1}{4} a^2 dx^4 + \frac{1}{3} a^2 cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/11*b^2*x^11*e + 1/10*b^2*d*x^10 + 1/9*b^2*c*x^9 + 1/4*a*b*x^8*e + 2/7*a*b*d*x^7 + 1/3*a*b*c*x^6 + 1/5*a^2*x^5*e + 1/4*a^2*d*x^4 + 1/3*a^2*c*x^3

maple [A] time = 0.05, size = 80, normalized size = 0.98

$$\frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abex^8 + \frac{2}{7}abdx^7 + \frac{1}{3}abcx^6 + \frac{1}{5}a^2ex^5 + \frac{1}{4}a^2dx^4 + \frac{1}{3}a^2cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x)`

[Out] `1/11*b^2*e*x^11+1/10*b^2*d*x^10+1/9*b^2*c*x^9+1/4*a*b*e*x^8+2/7*a*b*d*x^7+1/3*a*b*c*x^6+1/5*a^2*e*x^5+1/4*a^2*d*x^4+1/3*a^2*c*x^3`

maxima [A] time = 1.35, size = 79, normalized size = 0.96

$$\frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abex^8 + \frac{2}{7}abdx^7 + \frac{1}{3}abcx^6 + \frac{1}{5}a^2ex^5 + \frac{1}{4}a^2dx^4 + \frac{1}{3}a^2cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="maxima")`

[Out] `1/11*b^2*e*x^11 + 1/10*b^2*d*x^10 + 1/9*b^2*c*x^9 + 1/4*a*b*e*x^8 + 2/7*a*b*d*x^7 + 1/3*a*b*c*x^6 + 1/5*a^2*e*x^5 + 1/4*a^2*d*x^4 + 1/3*a^2*c*x^3`

mupad [B] time = 0.04, size = 79, normalized size = 0.96

$$\frac{ea^2x^5}{5} + \frac{da^2x^4}{4} + \frac{ca^2x^3}{3} + \frac{eabx^8}{4} + \frac{2dabx^7}{7} + \frac{cabx^6}{3} + \frac{eb^2x^{11}}{11} + \frac{db^2x^{10}}{10} + \frac{cb^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)^2*(c + d*x + e*x^2),x)`

[Out] `(a^2*c*x^3)/3 + (a^2*d*x^4)/4 + (b^2*c*x^9)/9 + (a^2*e*x^5)/5 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11 + (a*b*c*x^6)/3 + (2*a*b*d*x^7)/7 + (a*b*e*x^8)/4`

sympy [A] time = 0.09, size = 92, normalized size = 1.12

$$\frac{a^2cx^3}{3} + \frac{a^2dx^4}{4} + \frac{a^2ex^5}{5} + \frac{abcx^6}{3} + \frac{2abdx^7}{7} + \frac{abex^8}{4} + \frac{b^2cx^9}{9} + \frac{b^2dx^{10}}{10} + \frac{b^2ex^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a)**2,x)`

[Out] `a**2*c*x**3/3 + a**2*d*x**4/4 + a**2*e*x**5/5 + a*b*c*x**6/3 + 2*a*b*d*x**7/7 + a*b*e*x**8/4 + b**2*c*x**9/9 + b**2*d*x**10/10 + b**2*e*x**11/11`

$$3.320 \quad \int x (c + dx + ex^2) (a + bx^3)^2 dx$$

Optimal. Leaf size=82

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{d(a+bx^3)^3}{9b} + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{10}b^2ex^{10}$$

[Out] $\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{2}{7}a^2b^2cx^8 + \frac{1}{10}b^2ex^{10} + \frac{1}{9}d(bx^3+a)^3/b$

Rubi [A] time = 0.05, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1582, 1850}

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{d(a+bx^3)^3}{9b} + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{10}b^2ex^{10}$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] $(a^2cx^2)/2 + (a^2ex^4)/4 + (2a^2bcx^5)/5 + (2a^2b^2cx^8)/8 + (b^2ex^{10})/10 + (d(a + b^3x^3)^3)/(9b)$

Rule 1582

Int[(Px_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int x(c + dx + ex^2)(a + bx^3)^2 dx &= \frac{d(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (-dx^2 + x(c + dx + ex^2)) dx \\
&= \frac{d(a + bx^3)^3}{9b} + \int (a^2cx + a^2ex^3 + 2abcx^4 + 2abex^6 + b^2cx^7 + b^2ex^9) dx \\
&= \frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{10}b^2ex^{10} + \frac{d(a + bx^3)^3}{9b}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 97, normalized size = 1.18

$$\frac{1}{2}a^2cx^2 + \frac{1}{3}a^2dx^3 + \frac{1}{4}a^2ex^4 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{8}b^2cx^8 + \frac{1}{9}b^2dx^9 + \frac{1}{10}b^2ex^{10}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] (a^2*c*x^2)/2 + (a^2*d*x^3)/3 + (a^2*e*x^4)/4 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (b^2*c*x^8)/8 + (b^2*d*x^9)/9 + (b^2*e*x^10)/10

fricas [A] time = 0.60, size = 79, normalized size = 0.96

$$\frac{1}{10}x^{10}eb^2 + \frac{1}{9}x^9db^2 + \frac{1}{8}x^8cb^2 + \frac{2}{7}x^7eba + \frac{1}{3}x^6dba + \frac{2}{5}x^5cba + \frac{1}{4}x^4ea^2 + \frac{1}{3}x^3da^2 + \frac{1}{2}x^2ca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/10*x^10*e*b^2 + 1/9*x^9*d*b^2 + 1/8*x^8*c*b^2 + 2/7*x^7*e*b*a + 1/3*x^6*d*b*a + 2/5*x^5*c*b*a + 1/4*x^4*e*a^2 + 1/3*x^3*d*a^2 + 1/2*x^2*c*a^2

giac [A] time = 0.15, size = 82, normalized size = 1.00

$$\frac{1}{10}b^2x^{10}e + \frac{1}{9}b^2dx^9 + \frac{1}{8}b^2cx^8 + \frac{2}{7}abx^7e + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2x^4e + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/10*b^2*x^10*e + 1/9*b^2*d*x^9 + 1/8*b^2*c*x^8 + 2/7*a*b*x^7*e + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*x^4*e + 1/3*a^2*d*x^3 + 1/2*a^2*c*x^2

maple [A] time = 0.05, size = 80, normalized size = 0.98

$$\frac{1}{10}b^2ex^{10} + \frac{1}{9}b^2dx^9 + \frac{1}{8}b^2cx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2ex^4 + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x)`

[Out] `1/10*b^2*e*x^10+1/9*b^2*d*x^9+1/8*b^2*c*x^8+2/7*a*b*e*x^7+1/3*a*b*d*x^6+2/5*a*b*c*x^5+1/4*a^2*e*x^4+1/3*a^2*d*x^3+1/2*a^2*c*x^2`

maxima [A] time = 1.29, size = 79, normalized size = 0.96

$$\frac{1}{10}b^2ex^{10} + \frac{1}{9}b^2dx^9 + \frac{1}{8}b^2cx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2ex^4 + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="maxima")`

[Out] `1/10*b^2*e*x^10 + 1/9*b^2*d*x^9 + 1/8*b^2*c*x^8 + 2/7*a*b*e*x^7 + 1/3*a*b*d*x^6 + 2/5*a*b*c*x^5 + 1/4*a^2*e*x^4 + 1/3*a^2*d*x^3 + 1/2*a^2*c*x^2`

mupad [B] time = 0.04, size = 79, normalized size = 0.96

$$\frac{ea^2x^4}{4} + \frac{da^2x^3}{3} + \frac{ca^2x^2}{2} + \frac{2eabx^7}{7} + \frac{dabx^6}{3} + \frac{2cabx^5}{5} + \frac{eb^2x^{10}}{10} + \frac{db^2x^9}{9} + \frac{cb^2x^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*x^3)^2*(c + d*x + e*x^2),x)`

[Out] `(a^2*c*x^2)/2 + (a^2*d*x^3)/3 + (b^2*c*x^8)/8 + (a^2*e*x^4)/4 + (b^2*d*x^9)/9 + (b^2*e*x^10)/10 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7`

sympy [A] time = 0.09, size = 94, normalized size = 1.15

$$\frac{a^2cx^2}{2} + \frac{a^2dx^3}{3} + \frac{a^2ex^4}{4} + \frac{2abcx^5}{5} + \frac{abdx^6}{3} + \frac{2abex^7}{7} + \frac{b^2cx^8}{8} + \frac{b^2dx^9}{9} + \frac{b^2ex^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d*x+c)*(b*x**3+a)**2,x)`

[Out] `a**2*c*x**2/2 + a**2*d*x**3/3 + a**2*e*x**4/4 + 2*a*b*c*x**5/5 + a*b*d*x**6/3 + 2*a*b*e*x**7/7 + b**2*c*x**8/8 + b**2*d*x**9/9 + b**2*e*x**10/10`

$$3.321 \quad \int (c + dx + ex^2)(a + bx^3)^2 dx$$

Optimal. Leaf size=77

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{e(a + bx^3)^3}{9b} + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

[Out] $a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{e(a + bx^3)^3}{9b} + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8 + \frac{1}{9}e(bx^3 + a)^3/b$

Rubi [A] time = 0.06, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{e(a + bx^3)^3}{9b} + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] $a^2cx + (a^2dx^2)/2 + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8 + (e*(a + b*x^3)^3)/(9*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2)(a + bx^3)^2 dx &= \frac{e(a + bx^3)^3}{9b} + \int (c + dx)(a + bx^3)^2 dx \\
&= \frac{e(a + bx^3)^3}{9b} + \int (a^2c + a^2dx + 2abcx^3 + 2abdx^4 + b^2cx^6 + b^2dx^7) dx \\
&= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8 + \frac{e(a + bx^3)^3}{9b}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 92, normalized size = 1.19

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{1}{2}abcx^4 + \frac{2}{5}abdx^5 + \frac{1}{3}abex^6 + \frac{1}{7}b^2cx^7 + \frac{1}{8}b^2dx^8 + \frac{1}{9}b^2ex^9$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3)^2,x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (a*b*e*x^6)/3 + (b^2*c*x^7)/7 + (b^2*d*x^8)/8 + (b^2*e*x^9)/9

fricas [A] time = 0.50, size = 76, normalized size = 0.99

$$\frac{1}{9}x^9eb^2 + \frac{1}{8}x^8db^2 + \frac{1}{7}x^7cb^2 + \frac{1}{3}x^6eba + \frac{2}{5}x^5dba + \frac{1}{2}x^4cba + \frac{1}{3}x^3ea^2 + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/9*x^9*e*b^2 + 1/8*x^8*d*b^2 + 1/7*x^7*c*b^2 + 1/3*x^6*e*b*a + 2/5*x^5*d*b*a + 1/2*x^4*c*b*a + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2

giac [A] time = 0.18, size = 79, normalized size = 1.03

$$\frac{1}{9}b^2x^9e + \frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{1}{3}abx^6e + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{3}a^2x^3e + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="giac")

[Out] 1/9*b^2*x^9*e + 1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 1/3*a*b*x^6*e + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/3*a^2*x^3*e + 1/2*a^2*d*x^2 + a^2*c*x

maple [A] time = 0.04, size = 77, normalized size = 1.00

$$\frac{1}{9}b^2ex^9 + \frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{1}{3}abex^6 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^2,x)

[Out] 1/9*b^2*e*x^9+1/8*b^2*d*x^8+1/7*b^2*c*x^7+1/3*a*b*e*x^6+2/5*a*b*d*x^5+1/2*a*b*c*x^4+1/3*a^2*e*x^3+1/2*a^2*d*x^2+a^2*c*x

maxima [A] time = 1.40, size = 76, normalized size = 0.99

$$\frac{1}{9}b^2ex^9 + \frac{1}{8}b^2dx^8 + \frac{1}{7}b^2cx^7 + \frac{1}{3}abex^6 + \frac{2}{5}abdx^5 + \frac{1}{2}abcx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/9*b^2*e*x^9 + 1/8*b^2*d*x^8 + 1/7*b^2*c*x^7 + 1/3*a*b*e*x^6 + 2/5*a*b*d*x^5 + 1/2*a*b*c*x^4 + 1/3*a^2*e*x^3 + 1/2*a^2*d*x^2 + a^2*c*x

mupad [B] time = 0.04, size = 76, normalized size = 0.99

$$\frac{ea^2x^3}{3} + \frac{da^2x^2}{2} + ca^2x + \frac{eabx^6}{3} + \frac{2dabx^5}{5} + \frac{cabx^4}{2} + \frac{eb^2x^9}{9} + \frac{db^2x^8}{8} + \frac{cb^2x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^2*(c + d*x + e*x^2),x)

[Out] (a^2*d*x^2)/2 + (b^2*c*x^7)/7 + (a^2*e*x^3)/3 + (b^2*d*x^8)/8 + (b^2*e*x^9)/9 + a^2*c*x + (a*b*c*x^4)/2 + (2*a*b*d*x^5)/5 + (a*b*e*x^6)/3

sympy [A] time = 0.09, size = 88, normalized size = 1.14

$$a^2cx + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{abcx^4}{2} + \frac{2abdx^5}{5} + \frac{abex^6}{3} + \frac{b^2cx^7}{7} + \frac{b^2dx^8}{8} + \frac{b^2ex^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**2,x)

[Out] a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + a*b*c*x**4/2 + 2*a*b*d*x**5/5 + a*b*e*x**6/3 + b**2*c*x**7/7 + b**2*d*x**8/8 + b**2*e*x**9/9

$$3.322 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x} dx$$

Optimal. Leaf size=88

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8$$

[Out] $a^2d*x+1/2*a^2*e*x^2+2/3*a*b*c*x^3+1/2*a*b*d*x^4+2/5*a*b*e*x^5+1/6*b^2*c*x^6+1/7*b^2*d*x^7+1/8*b^2*e*x^8+a^2*c*\ln(x)$

Rubi [A] time = 0.05, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^2)/x,x]

[Out] $a^2*d*x + (a^2*e*x^2)/2 + (2*a*b*c*x^3)/3 + (a*b*d*x^4)/2 + (2*a*b*e*x^5)/5 + (b^2*c*x^6)/6 + (b^2*d*x^7)/7 + (b^2*e*x^8)/8 + a^2*c*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x} dx &= \int \left(a^2d + \frac{a^2c}{x} + a^2ex + 2abcx^2 + 2abdx^3 + 2abex^4 + b^2cx^5 + b^2dx^6 + b^2ex^7 \right) dx \\ &= a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8 + \dots \end{aligned}$$

Mathematica [A] time = 0.01, size = 88, normalized size = 1.00

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{2}abdx^4 + \frac{2}{5}abex^5 + \frac{1}{6}b^2cx^6 + \frac{1}{7}b^2dx^7 + \frac{1}{8}b^2ex^8$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^2)/x,x]

[Out] $a^2*d*x + (a^2*e*x^2)/2 + (2*a*b*c*x^3)/3 + (a*b*d*x^4)/2 + (2*a*b*e*x^5)/5 + (b^2*c*x^6)/6 + (b^2*d*x^7)/7 + (b^2*e*x^8)/8 + a^2*c*\text{Log}[x]$

fricas [A] time = 0.66, size = 74, normalized size = 0.84

$$\frac{1}{8}b^2ex^8 + \frac{1}{7}b^2dx^7 + \frac{1}{6}b^2cx^6 + \frac{2}{5}abex^5 + \frac{1}{2}abdx^4 + \frac{2}{3}abcx^3 + \frac{1}{2}a^2ex^2 + a^2dx + a^2c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x,x, algorithm="fricas")

[Out] $1/8*b^2*e*x^8 + 1/7*b^2*d*x^7 + 1/6*b^2*c*x^6 + 2/5*a*b*e*x^5 + 1/2*a*b*d*x^4 + 2/3*a*b*c*x^3 + 1/2*a^2*e*x^2 + a^2*d*x + a^2*c*\log(x)$

giac [A] time = 0.15, size = 78, normalized size = 0.89

$$\frac{1}{8}b^2x^8e + \frac{1}{7}b^2dx^7 + \frac{1}{6}b^2cx^6 + \frac{2}{5}abx^5e + \frac{1}{2}abdx^4 + \frac{2}{3}abcx^3 + \frac{1}{2}a^2x^2e + a^2dx + a^2c \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x,x, algorithm="giac")

[Out] $1/8*b^2*x^8*e + 1/7*b^2*d*x^7 + 1/6*b^2*c*x^6 + 2/5*a*b*x^5*e + 1/2*a*b*d*x^4 + 2/3*a*b*c*x^3 + 1/2*a^2*x^2*e + a^2*d*x + a^2*c*\log(\text{abs}(x))$

maple [A] time = 0.04, size = 75, normalized size = 0.85

$$\frac{b^2ex^8}{8} + \frac{b^2dx^7}{7} + \frac{b^2cx^6}{6} + \frac{2abex^5}{5} + \frac{abdx^4}{2} + \frac{2abcx^3}{3} + \frac{a^2ex^2}{2} + a^2c \ln(x) + a^2dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^2/x,x)

[Out] $a^2*d*x + 1/2*a^2*e*x^2 + 2/3*a*b*c*x^3 + 1/2*a*b*d*x^4 + 2/5*a*b*e*x^5 + 1/6*b^2*c*x^6 + 1/7*b^2*d*x^7 + 1/8*b^2*e*x^8 + a^2*c*\ln(x)$

maxima [A] time = 1.37, size = 74, normalized size = 0.84

$$\frac{1}{8}b^2ex^8 + \frac{1}{7}b^2dx^7 + \frac{1}{6}b^2cx^6 + \frac{2}{5}abex^5 + \frac{1}{2}abdx^4 + \frac{2}{3}abcx^3 + \frac{1}{2}a^2ex^2 + a^2dx + a^2c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x,x, algorithm="maxima")

[Out] $\frac{1}{8}b^2e*x^8 + \frac{1}{7}b^2d*x^7 + \frac{1}{6}b^2c*x^6 + \frac{2}{5}a*b*e*x^5 + \frac{1}{2}a*b*d*x^4 + \frac{2}{3}a*b*c*x^3 + \frac{1}{2}a^2e*x^2 + a^2d*x + a^2c*\log(x)$

mupad [B] time = 0.04, size = 74, normalized size = 0.84

$$\frac{b^2cx^6}{6} + \frac{a^2ex^2}{2} + \frac{b^2dx^7}{7} + \frac{b^2ex^8}{8} + a^2c \ln(x) + a^2dx + \frac{2abcx^3}{3} + \frac{abd x^4}{2} + \frac{2abex^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2))/x,x)

[Out] $(b^2c*x^6)/6 + (a^2e*x^2)/2 + (b^2d*x^7)/7 + (b^2e*x^8)/8 + a^2c*\log(x) + a^2d*x + (2a*b*c*x^3)/3 + (a*b*d*x^4)/2 + (2a*b*e*x^5)/5$

sympy [A] time = 0.19, size = 88, normalized size = 1.00

$$a^2c \log(x) + a^2dx + \frac{a^2ex^2}{2} + \frac{2abcx^3}{3} + \frac{abd x^4}{2} + \frac{2abex^5}{5} + \frac{b^2cx^6}{6} + \frac{b^2dx^7}{7} + \frac{b^2ex^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**2/x,x)

[Out] $a**2*c*\log(x) + a**2*d*x + a**2*e*x**2/2 + 2*a*b*c*x**3/3 + a*b*d*x**4/2 + 2*a*b*e*x**5/5 + b**2*c*x**6/6 + b**2*d*x**7/7 + b**2*e*x**8/8$

$$3.323 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^2} dx$$

Optimal. Leaf size=83

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7$$

[Out] $-a^2c/x + a^2e*x + a*b*c*x^2 + 2/3*a*b*d*x^3 + 1/2*a*b*e*x^4 + 1/5*b^2*c*x^5 + 1/6*b^2*d*x^6 + 1/7*b^2*e*x^7 + a^2*d*\ln(x)$

Rubi [A] time = 0.06, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^2, x]

[Out] $-((a^2*c)/x) + a^2*e*x + a*b*c*x^2 + (2*a*b*d*x^3)/3 + (a*b*e*x^4)/2 + (b^2*c*x^5)/5 + (b^2*d*x^6)/6 + (b^2*e*x^7)/7 + a^2*d*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^2} dx &= \int \left(a^2e + \frac{a^2c}{x^2} + \frac{a^2d}{x} + 2abcx + 2abdx^2 + 2abex^3 + b^2cx^4 + b^2dx^5 + b^2ex^6 \right) dx \\ &= -\frac{a^2c}{x} + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7 + a^2d \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 83, normalized size = 1.00

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + abcx^2 + \frac{2}{3}abdx^3 + \frac{1}{2}abex^4 + \frac{1}{5}b^2cx^5 + \frac{1}{6}b^2dx^6 + \frac{1}{7}b^2ex^7$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^2,x]

[Out] -((a^2*c)/x) + a^2*e*x + a*b*c*x^2 + (2*a*b*d*x^3)/3 + (a*b*e*x^4)/2 + (b^2*c*x^5)/5 + (b^2*d*x^6)/6 + (b^2*e*x^7)/7 + a^2*d*Log[x]

fricas [A] time = 0.59, size = 81, normalized size = 0.98

$$\frac{30 b^2 e x^8 + 35 b^2 d x^7 + 42 b^2 c x^6 + 105 a b e x^5 + 140 a b d x^4 + 210 a b c x^3 + 210 a^2 e x^2 + 210 a^2 d x \log(x) - 210 a^2 c}{210 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x, algorithm="fricas")

[Out] 1/210*(30*b^2*e*x^8 + 35*b^2*d*x^7 + 42*b^2*c*x^6 + 105*a*b*e*x^5 + 140*a*b*d*x^4 + 210*a*b*c*x^3 + 210*a^2*e*x^2 + 210*a^2*d*x*log(x) - 210*a^2*c)/x

giac [A] time = 0.15, size = 77, normalized size = 0.93

$$\frac{1}{7} b^2 x^7 e + \frac{1}{6} b^2 d x^6 + \frac{1}{5} b^2 c x^5 + \frac{1}{2} a b x^4 e + \frac{2}{3} a b d x^3 + a b c x^2 + a^2 x e + a^2 d \log(|x|) - \frac{a^2 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x, algorithm="giac")

[Out] 1/7*b^2*x^7*e + 1/6*b^2*d*x^6 + 1/5*b^2*c*x^5 + 1/2*a*b*x^4*e + 2/3*a*b*d*x^3 + a*b*c*x^2 + a^2*x*e + a^2*d*log(abs(x)) - a^2*c/x

maple [A] time = 0.06, size = 74, normalized size = 0.89

$$\frac{b^2 e x^7}{7} + \frac{b^2 d x^6}{6} + \frac{b^2 c x^5}{5} + \frac{a b e x^4}{2} + \frac{2 a b d x^3}{3} + a b c x^2 + a^2 d \ln(x) + a^2 e x - \frac{a^2 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x)

[Out] -a^2*c/x+a^2*e*x+a*b*c*x^2+2/3*a*b*d*x^3+1/2*a*b*e*x^4+1/5*b^2*c*x^5+1/6*b^2*d*x^6+1/7*b^2*e*x^7+a^2*d*ln(x)

maxima [A] time = 1.30, size = 73, normalized size = 0.88

$$\frac{1}{7} b^2 e x^7 + \frac{1}{6} b^2 d x^6 + \frac{1}{5} b^2 c x^5 + \frac{1}{2} a b e x^4 + \frac{2}{3} a b d x^3 + a b c x^2 + a^2 e x + a^2 d \log(x) - \frac{a^2 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^2,x, algorithm="maxima")

[Out] $1/7*b^2*e*x^7 + 1/6*b^2*d*x^6 + 1/5*b^2*c*x^5 + 1/2*a*b*e*x^4 + 2/3*a*b*d*x^3 + a*b*c*x^2 + a^2*e*x + a^2*d*\log(x) - a^2*c/x$

mupad [B] time = 0.04, size = 73, normalized size = 0.88

$$\frac{b^2 c x^5}{5} - \frac{a^2 c}{x} + \frac{b^2 d x^6}{6} + \frac{b^2 e x^7}{7} + a^2 d \ln(x) + a^2 e x + a b c x^2 + \frac{2 a b d x^3}{3} + \frac{a b e x^4}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2))/x^2,x)

[Out] $(b^2*c*x^5)/5 - (a^2*c)/x + (b^2*d*x^6)/6 + (b^2*e*x^7)/7 + a^2*d*\log(x) + a^2*e*x + a*b*c*x^2 + (2*a*b*d*x^3)/3 + (a*b*e*x^4)/2$

sympy [A] time = 0.25, size = 82, normalized size = 0.99

$$-\frac{a^2 c}{x} + a^2 d \log(x) + a^2 e x + a b c x^2 + \frac{2 a b d x^3}{3} + \frac{a b e x^4}{2} + \frac{b^2 c x^5}{5} + \frac{b^2 d x^6}{6} + \frac{b^2 e x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**2/x**2,x)

[Out] $-a**2*c/x + a**2*d*\log(x) + a**2*e*x + a*b*c*x**2 + 2*a*b*d*x**3/3 + a*b*e*x**4/2 + b**2*c*x**5/5 + b**2*d*x**6/6 + b**2*e*x**7/7$

$$3.324 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^3} dx$$

Optimal. Leaf size=84

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6$$

[Out] $-1/2*a^2*c/x^2 - a^2*d/x + 2*a*b*c*x + a*b*d*x^2 + 2/3*a*b*e*x^3 + 1/4*b^2*c*x^4 + 1/5*b^2*d*x^5 + 1/6*b^2*e*x^6 + a^2*e*\ln(x)$

Rubi [A] time = 0.06, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x + e*x^2)*(a + b*x^3)^2/x^3, x]$

[Out] $-(a^2*c)/(2*x^2) - (a^2*d)/x + 2*a*b*c*x + a*b*d*x^2 + (2*a*b*e*x^3)/3 + (b^2*c*x^4)/4 + (b^2*d*x^5)/5 + (b^2*e*x^6)/6 + a^2*e*\text{Log}[x]$

Rule 1628

$\text{Int}[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)) + (c_.)*(x_)^2]^(p_), x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /;$ FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^2}{x^3} dx &= \int \left(2abc + \frac{a^2c}{x^3} + \frac{a^2d}{x^2} + \frac{a^2e}{x} + 2abdx + 2abex^2 + b^2cx^3 + b^2dx^4 + b^2ex^5 \right) dx \\ &= -\frac{a^2c}{2x^2} - \frac{a^2d}{x} + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6 + a^2e \log(x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 84, normalized size = 1.00

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + 2abcx + abdx^2 + \frac{2}{3}abex^3 + \frac{1}{4}b^2cx^4 + \frac{1}{5}b^2dx^5 + \frac{1}{6}b^2ex^6$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^2)/x^3, x]

[Out] $-1/2*(a^2*c)/x^2 - (a^2*d)/x + 2*a*b*c*x + a*b*d*x^2 + (2*a*b*e*x^3)/3 + (b^2*c*x^4)/4 + (b^2*d*x^5)/5 + (b^2*e*x^6)/6 + a^2*e*\text{Log}[x]$

fricas [A] time = 0.71, size = 81, normalized size = 0.96

$$\frac{10 b^2 e x^8 + 12 b^2 d x^7 + 15 b^2 c x^6 + 40 a b e x^5 + 60 a b d x^4 + 120 a b c x^3 + 60 a^2 e x^2 \log(x) - 60 a^2 d x - 30 a^2 c}{60 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^3, x, algorithm="fricas")

[Out] $1/60*(10*b^2*e*x^8 + 12*b^2*d*x^7 + 15*b^2*c*x^6 + 40*a*b*e*x^5 + 60*a*b*d*x^4 + 120*a*b*c*x^3 + 60*a^2*e*x^2*\log(x) - 60*a^2*d*x - 30*a^2*c)/x^2$

giac [A] time = 0.16, size = 78, normalized size = 0.93

$$\frac{1}{6} b^2 x^6 e + \frac{1}{5} b^2 d x^5 + \frac{1}{4} b^2 c x^4 + \frac{2}{3} a b x^3 e + a b d x^2 + 2 a b c x + a^2 e \log(|x|) - \frac{2 a^2 d x + a^2 c}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^3, x, algorithm="giac")

[Out] $1/6*b^2*x^6*e + 1/5*b^2*d*x^5 + 1/4*b^2*c*x^4 + 2/3*a*b*x^3*e + a*b*d*x^2 + 2*a*b*c*x + a^2*e*\log(\text{abs}(x)) - 1/2*(2*a^2*d*x + a^2*c)/x^2$

maple [A] time = 0.05, size = 75, normalized size = 0.89

$$\frac{b^2 e x^6}{6} + \frac{b^2 d x^5}{5} + \frac{b^2 c x^4}{4} + \frac{2 a b e x^3}{3} + a b d x^2 + a^2 e \ln(x) + 2 a b c x - \frac{a^2 d}{x} - \frac{a^2 c}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^2/x^3, x)

[Out] $-1/2*a^2*c/x^2 - a^2*d/x + 2*a*b*c*x + a*b*d*x^2 + 2/3*a*b*e*x^3 + 1/4*b^2*c*x^4 + 1/5*b^2*d*x^5 + 1/6*b^2*e*x^6 + a^2*e*\ln(x)$

maxima [A] time = 1.31, size = 74, normalized size = 0.88

$$\frac{1}{6} b^2 e x^6 + \frac{1}{5} b^2 d x^5 + \frac{1}{4} b^2 c x^4 + \frac{2}{3} a b e x^3 + a b d x^2 + 2 a b c x + a^2 e \log(x) - \frac{2 a^2 d x + a^2 c}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^2/x^3,x, algorithm="maxima")

[Out] $1/6*b^2*e*x^6 + 1/5*b^2*d*x^5 + 1/4*b^2*c*x^4 + 2/3*a*b*e*x^3 + a*b*d*x^2 + 2*a*b*c*x + a^2*e*\log(x) - 1/2*(2*a^2*d*x + a^2*c)/x^2$

mupad [B] time = 0.04, size = 74, normalized size = 0.88

$$\frac{b^2 c x^4}{4} - \frac{\frac{a^2 c}{2} + a^2 d x}{x^2} + \frac{b^2 d x^5}{5} + \frac{b^2 e x^6}{6} + a^2 e \ln(x) + a b d x^2 + \frac{2 a b e x^3}{3} + 2 a b c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2))/x^3,x)

[Out] $(b^2*c*x^4)/4 - ((a^2*c)/2 + a^2*d*x)/x^2 + (b^2*d*x^5)/5 + (b^2*e*x^6)/6 + a^2*e*\log(x) + a*b*d*x^2 + (2*a*b*e*x^3)/3 + 2*a*b*c*x$

sympy [A] time = 0.31, size = 87, normalized size = 1.04

$$a^2 e \log(x) + 2 a b c x + a b d x^2 + \frac{2 a b e x^3}{3} + \frac{b^2 c x^4}{4} + \frac{b^2 d x^5}{5} + \frac{b^2 e x^6}{6} + \frac{-a^2 c - 2 a^2 d x}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**2/x**3,x)

[Out] $a**2*e*\log(x) + 2*a*b*c*x + a*b*d*x**2 + 2*a*b*e*x**3/3 + b**2*c*x**4/4 + b**2*d*x**5/5 + b**2*e*x**6/6 + (-a**2*c - 2*a**2*d*x)/(2*x**2)$

$$3.325 \quad \int x^2 (c + dx + ex^2) (a + bx^3)^3 dx$$

Optimal. Leaf size=110

$$\frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{3}{7}a^2bdx^7 + \frac{3}{8}a^2bex^8 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{c(a+bx^3)^4}{12b} + \frac{1}{13}b^3dx^{13} + \frac{1}{14}b^3ex^{14}$$

[Out] $1/4*a^3*d*x^4+1/5*a^3*e*x^5+3/7*a^2*b*d*x^7+3/8*a^2*b*e*x^8+3/10*a*b^2*d*x^{10}+3/11*a*b^2*e*x^{11}+1/13*b^3*d*x^{13}+1/14*b^3*e*x^{14}+1/12*c*(b*x^3+a)^4/b$

Rubi [A] time = 0.08, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1582, 1850}

$$\frac{3}{7}a^2bdx^7 + \frac{3}{8}a^2bex^8 + \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{c(a+bx^3)^4}{12b} + \frac{1}{13}b^3dx^{13} + \frac{1}{14}b^3ex^{14}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(c + d*x + e*x^2)*(a + b*x^3)^3, x]$

[Out] $(a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (3*a^2*b*d*x^7)/7 + (3*a^2*b*e*x^8)/8 + (3*a*b^2*d*x^{10})/10 + (3*a*b^2*e*x^{11})/11 + (b^3*d*x^{13})/13 + (b^3*e*x^{14})/14 + (c*(a + b*x^3)^4)/(12*b)$

Rule 1582

$\text{Int}[(P_x) * ((a_) + (b_) * (x_)^{(n_)})^{(p_)}, x_Symbol] := \text{Simp}[(\text{Coeff}[P_x, x, n - 1] * (a + b*x^n)^{(p + 1)}) / (b*n*(p + 1)), x] + \text{Int}[(P_x - \text{Coeff}[P_x, x, n - 1] * x^{(n - 1)}) * (a + b*x^n)^p, x] /;$ FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1] * x^{(n - 1)}] && !MatchQ[Px, (Qx_) * ((c_) + (d_) * x^{(m_)})^{(q_)}/; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx * (a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

$\text{Int}[(P_q) * ((a_) + (b_) * (x_)^{(n_)})^{(p_)}, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[P_q * (a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int x^2(c+dx+ex^2)(a+bx^3)^3 dx &= \frac{c(a+bx^3)^4}{12b} + \int (a+bx^3)^3(-cx^2+x^2(c+dx+ex^2)) dx \\
&= \frac{c(a+bx^3)^4}{12b} + \int (a^3dx^3+a^3ex^4+3a^2bdx^6+3a^2bex^7+3ab^2dx^9+3ab^2ex^{11}) dx \\
&= \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{3}{7}a^2bdx^7 + \frac{3}{8}a^2bex^8 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{13}b^3dx^{13}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 139, normalized size = 1.26

$$\frac{1}{3}a^3cx^3 + \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{1}{2}a^2bcx^6 + \frac{3}{7}a^2bdx^7 + \frac{3}{8}a^2bex^8 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{12}b^3cx^{12} + \frac{1}{13}b^3dx^{13}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] (a^3*c*x^3)/3 + (a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (a^2*b*c*x^6)/2 + (3*a^2*b*d*x^7)/7 + (3*a^2*b*e*x^8)/8 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (b^3*c*x^12)/12 + (b^3*d*x^13)/13 + (b^3*e*x^14)/14

fricas [A] time = 0.80, size = 115, normalized size = 1.05

$$\frac{1}{14}x^{14}eb^3 + \frac{1}{13}x^{13}db^3 + \frac{1}{12}x^{12}cb^3 + \frac{3}{11}x^{11}eb^2a + \frac{3}{10}x^{10}db^2a + \frac{1}{3}x^9cb^2a + \frac{3}{8}x^8eba^2 + \frac{3}{7}x^7dba^2 + \frac{1}{2}x^6cba^2 + \frac{1}{5}x^5ea^3 + \frac{1}{4}x^4da^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/14*x^14*e*b^3 + 1/13*x^13*d*b^3 + 1/12*x^12*c*b^3 + 3/11*x^11*e*b^2*a + 3/10*x^10*d*b^2*a + 1/3*x^9*c*b^2*a + 3/8*x^8*e*b*a^2 + 3/7*x^7*d*b*a^2 + 1/2*x^6*c*b*a^2 + 1/5*x^5*e*a^3 + 1/4*x^4*d*a^3 + 1/3*x^3*c*a^3

giac [A] time = 0.16, size = 119, normalized size = 1.08

$$\frac{1}{14}b^3x^{14}e + \frac{1}{13}b^3dx^{13} + \frac{1}{12}b^3cx^{12} + \frac{3}{11}ab^2x^{11}e + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bx^8e + \frac{3}{7}a^2bdx^7 + \frac{1}{2}a^2bcx^6 + \frac{1}{5}a^3x^5e + \frac{1}{4}a^3dx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{14}b^3x^{14}e + \frac{1}{13}b^3d*x^{13} + \frac{1}{12}b^3c*x^{12} + \frac{3}{11}a*b^2*x^{11}e + \frac{3}{10}a*b^2*d*x^{10} + \frac{1}{3}a*b^2*c*x^9 + \frac{3}{8}a^2*b*x^8e + \frac{3}{7}a^2*b*d*x^7 + \frac{1}{2}a^2*b*c*x^6 + \frac{1}{5}a^3*x^5e + \frac{1}{4}a^3*d*x^4 + \frac{1}{3}a^3*c*x^3$

maple [A] time = 0.04, size = 116, normalized size = 1.05

$$\frac{1}{14}b^3ex^{14} + \frac{1}{13}b^3dx^{13} + \frac{1}{12}b^3cx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bex^8 + \frac{3}{7}a^2bdx^7 + \frac{1}{2}a^2bcx^6 + \frac{1}{5}a^3ex^5 + \frac{1}{4}a^3dx^4 + \frac{1}{3}a^3cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x)`

[Out] $\frac{1}{14}b^3e*x^{14} + \frac{1}{13}b^3d*x^{13} + \frac{1}{12}b^3c*x^{12} + \frac{3}{11}a*b^2*e*x^{11} + \frac{3}{10}a*b^2*d*x^{10} + \frac{1}{3}a*b^2*c*x^9 + \frac{3}{8}a^2*b*e*x^8 + \frac{3}{7}a^2*b*d*x^7 + \frac{1}{2}a^2*b*c*x^6 + \frac{1}{5}a^3*e*x^5 + \frac{1}{4}a^3*d*x^4 + \frac{1}{3}a^3*c*x^3$

maxima [A] time = 1.33, size = 115, normalized size = 1.05

$$\frac{1}{14}b^3ex^{14} + \frac{1}{13}b^3dx^{13} + \frac{1}{12}b^3cx^{12} + \frac{3}{11}ab^2ex^{11} + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bex^8 + \frac{3}{7}a^2bdx^7 + \frac{1}{2}a^2bcx^6 + \frac{1}{5}a^3ex^5 + \frac{1}{4}a^3dx^4 + \frac{1}{3}a^3cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{14}b^3e*x^{14} + \frac{1}{13}b^3d*x^{13} + \frac{1}{12}b^3c*x^{12} + \frac{3}{11}a*b^2*e*x^{11} + \frac{3}{10}a*b^2*d*x^{10} + \frac{1}{3}a*b^2*c*x^9 + \frac{3}{8}a^2*b*e*x^8 + \frac{3}{7}a^2*b*d*x^7 + \frac{1}{2}a^2*b*c*x^6 + \frac{1}{5}a^3*e*x^5 + \frac{1}{4}a^3*d*x^4 + \frac{1}{3}a^3*c*x^3$

mupad [B] time = 0.08, size = 115, normalized size = 1.05

$$\frac{e a^3 x^5}{5} + \frac{d a^3 x^4}{4} + \frac{c a^3 x^3}{3} + \frac{3 e a^2 b x^8}{8} + \frac{3 d a^2 b x^7}{7} + \frac{c a^2 b x^6}{2} + \frac{3 e a b^2 x^{11}}{11} + \frac{3 d a b^2 x^{10}}{10} + \frac{c a b^2 x^9}{3} + \frac{e b^3 x^{14}}{14} + \frac{d b^3 x^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)^3*(c + d*x + e*x^2),x)`

[Out] $\frac{a^3c*x^3}{3} + \frac{a^3d*x^4}{4} + \frac{b^3c*x^{12}}{12} + \frac{a^3e*x^5}{5} + \frac{b^3d*x^{13}}{13} + \frac{b^3e*x^{14}}{14} + \frac{a^2b*c*x^6}{2} + \frac{a*b^2*c*x^9}{3} + \frac{3*a^2*b*d*x^7}{7} + \frac{3*a*b^2*d*x^{10}}{10} + \frac{3*a^2*b*e*x^8}{8} + \frac{3*a*b^2*e*x^{11}}{11}$

sympy [A] time = 0.09, size = 138, normalized size = 1.25

$$\frac{a^3cx^3}{3} + \frac{a^3dx^4}{4} + \frac{a^3ex^5}{5} + \frac{a^2bcx^6}{2} + \frac{3a^2bdx^7}{7} + \frac{3a^2bex^8}{8} + \frac{ab^2cx^9}{3} + \frac{3ab^2dx^{10}}{10} + \frac{3ab^2ex^{11}}{11} + \frac{b^3cx^{12}}{12} + \frac{b^3dx^{13}}{13} + \frac{b^3ex^{14}}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a)**3,x)
```

```
[Out] a**3*c*x**3/3 + a**3*d*x**4/4 + a**3*e*x**5/5 + a**2*b*c*x**6/2 + 3*a**2*b*  
d*x**7/7 + 3*a**2*b*e*x**8/8 + a*b**2*c*x**9/3 + 3*a*b**2*d*x**10/10 + 3*a*  
b**2*e*x**11/11 + b**3*c*x**12/12 + b**3*d*x**13/13 + b**3*e*x**14/14
```

$$3.326 \quad \int x (c + dx + ex^2) (a + bx^3)^3 dx$$

Optimal. Leaf size=110

$$\frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{3}{5}a^2bcx^5 + \frac{3}{7}a^2bex^7 + \frac{3}{8}ab^2cx^8 + \frac{3}{10}ab^2ex^{10} + \frac{d(a+bx^3)^4}{12b} + \frac{1}{11}b^3cx^{11} + \frac{1}{13}b^3ex^{13}$$

[Out] $1/2*a^3*c*x^2+1/4*a^3*e*x^4+3/5*a^2*b*c*x^5+3/7*a^2*b*e*x^7+3/8*a*b^2*c*x^8+3/10*a*b^2*e*x^{10}+1/11*b^3*c*x^{11}+1/13*b^3*e*x^{13}+1/12*d*(b*x^3+a)^4/b$

Rubi [A] time = 0.07, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1582, 1850}

$$\frac{3}{5}a^2bcx^5 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{3}{8}ab^2cx^8 + \frac{3}{10}ab^2ex^{10} + \frac{d(a+bx^3)^4}{12b} + \frac{1}{11}b^3cx^{11} + \frac{1}{13}b^3ex^{13}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(c + d*x + e*x^2)*(a + b*x^3)^3, x]$

[Out] $(a^3*c*x^2)/2 + (a^3*e*x^4)/4 + (3*a^2*b*c*x^5)/5 + (3*a^2*b*e*x^7)/7 + (3*a*b^2*c*x^8)/8 + (3*a*b^2*e*x^{10})/10 + (b^3*c*x^{11})/11 + (b^3*e*x^{13})/13 + (d*(a + b*x^3)^4)/(12*b)$

Rule 1582

$\text{Int}[(Px_*)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Simp}[(\text{Coeff}[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + \text{Int}[(Px - \text{Coeff}[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /;$ FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int x(c + dx + ex^2)(a + bx^3)^3 dx &= \frac{d(a + bx^3)^4}{12b} + \int (a + bx^3)^3 (-dx^2 + x(c + dx + ex^2)) dx \\
&= \frac{d(a + bx^3)^4}{12b} + \int (a^3cx + a^3ex^3 + 3a^2bcx^4 + 3a^2bex^6 + 3ab^2cx^7 + 3ab^2ex^9 + \\
&= \frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{3}{5}a^2bcx^5 + \frac{3}{7}a^2bex^7 + \frac{3}{8}ab^2cx^8 + \frac{3}{10}ab^2ex^{10} + \frac{1}{11}b^3cx^{11} + \frac{1}{12}b^3ex^{12} + \frac{1}{13}b^3cx^{13} + \frac{1}{12}b^3dx^{12} + \frac{1}{13}b^3ex^{13}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 139, normalized size = 1.26

$$\frac{1}{2}a^3cx^2 + \frac{1}{3}a^3dx^3 + \frac{1}{4}a^3ex^4 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{3}{8}ab^2cx^8 + \frac{1}{3}ab^2dx^9 + \frac{3}{10}ab^2ex^{10} + \frac{1}{11}b^3cx^{11} + \frac{1}{12}b^3dx^{12} + \frac{1}{13}b^3ex^{13}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] (a^3*c*x^2)/2 + (a^3*d*x^3)/3 + (a^3*e*x^4)/4 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (3*a*b^2*c*x^8)/8 + (a*b^2*d*x^9)/3 + (3*a*b^2*e*x^10)/10 + (b^3*c*x^11)/11 + (b^3*d*x^12)/12 + (b^3*e*x^13)/13

fricas [A] time = 0.55, size = 115, normalized size = 1.05

$$\frac{1}{13}x^{13}eb^3 + \frac{1}{12}x^{12}db^3 + \frac{1}{11}x^{11}cb^3 + \frac{3}{10}x^{10}eb^2a + \frac{1}{3}x^9db^2a + \frac{3}{8}x^8cb^2a + \frac{3}{7}x^7eba^2 + \frac{1}{2}x^6dba^2 + \frac{3}{5}x^5cba^2 + \frac{1}{4}x^4ea^3 + \frac{1}{3}x^3da^3 + \frac{1}{12}b^3dx^{12} + \frac{1}{13}b^3ex^{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/13*x^13*e*b^3 + 1/12*x^12*d*b^3 + 1/11*x^11*c*b^3 + 3/10*x^10*e*b^2*a + 1/3*x^9*d*b^2*a + 3/8*x^8*c*b^2*a + 3/7*x^7*e*b*a^2 + 1/2*x^6*d*b*a^2 + 3/5*x^5*c*b*a^2 + 1/4*x^4*e*a^3 + 1/3*x^3*d*a^3 + 1/2*x^2*c*a^3

giac [A] time = 0.17, size = 119, normalized size = 1.08

$$\frac{1}{13}b^3x^{13}e + \frac{1}{12}b^3dx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{10}ab^2x^{10}e + \frac{1}{3}ab^2dx^9 + \frac{3}{8}ab^2cx^8 + \frac{3}{7}a^2bx^7e + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3x^4e + \frac{1}{3}a^3dx^3 + \frac{1}{12}b^3dx^{12} + \frac{1}{13}b^3ex^{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{13}b^3x^{13}e + \frac{1}{12}b^3d*x^{12} + \frac{1}{11}b^3c*x^{11} + \frac{3}{10}a*b^2*x^{10}e + \frac{1}{3}a*b^2*d*x^9 + \frac{3}{8}a*b^2*c*x^8 + \frac{3}{7}a^2*b*x^7e + \frac{1}{2}a^2*b*d*x^6 + \frac{3}{5}a^2*b*c*x^5 + \frac{1}{4}a^3*x^4e + \frac{1}{3}a^3*d*x^3 + \frac{1}{2}a^3*c*x^2$

maple [A] time = 0.04, size = 116, normalized size = 1.05

$$\frac{1}{13}b^3ex^{13} + \frac{1}{12}b^3dx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{10}ab^2ex^{10} + \frac{1}{3}ab^2dx^9 + \frac{3}{8}ab^2cx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3ex^4 + \frac{1}{3}a^3dx^3 + \frac{1}{2}a^3cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x)`

[Out] $\frac{1}{13}b^3e*x^{13} + \frac{1}{12}b^3d*x^{12} + \frac{1}{11}b^3c*x^{11} + \frac{3}{10}a*b^2*e*x^{10} + \frac{1}{3}a*b^2*d*x^9 + \frac{3}{8}a*b^2*c*x^8 + \frac{3}{7}a^2*b*e*x^7 + \frac{1}{2}a^2*b*d*x^6 + \frac{3}{5}a^2*b*c*x^5 + \frac{1}{4}a^3*e*x^4 + \frac{1}{3}a^3*d*x^3 + \frac{1}{2}a^3*c*x^2$

maxima [A] time = 1.37, size = 115, normalized size = 1.05

$$\frac{1}{13}b^3ex^{13} + \frac{1}{12}b^3dx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{10}ab^2ex^{10} + \frac{1}{3}ab^2dx^9 + \frac{3}{8}ab^2cx^8 + \frac{3}{7}a^2bex^7 + \frac{1}{2}a^2bdx^6 + \frac{3}{5}a^2bcx^5 + \frac{1}{4}a^3ex^4 + \frac{1}{3}a^3dx^3 + \frac{1}{2}a^3cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{13}b^3e*x^{13} + \frac{1}{12}b^3d*x^{12} + \frac{1}{11}b^3c*x^{11} + \frac{3}{10}a*b^2*e*x^{10} + \frac{1}{3}a*b^2*d*x^9 + \frac{3}{8}a*b^2*c*x^8 + \frac{3}{7}a^2*b*e*x^7 + \frac{1}{2}a^2*b*d*x^6 + \frac{3}{5}a^2*b*c*x^5 + \frac{1}{4}a^3*e*x^4 + \frac{1}{3}a^3*d*x^3 + \frac{1}{2}a^3*c*x^2$

mupad [B] time = 0.07, size = 115, normalized size = 1.05

$$\frac{e a^3 x^4}{4} + \frac{d a^3 x^3}{3} + \frac{c a^3 x^2}{2} + \frac{3 e a^2 b x^7}{7} + \frac{d a^2 b x^6}{2} + \frac{3 c a^2 b x^5}{5} + \frac{3 e a b^2 x^{10}}{10} + \frac{d a b^2 x^9}{3} + \frac{3 c a b^2 x^8}{8} + \frac{e b^3 x^{13}}{13} + \frac{d b^3 x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*x^3)^3*(c + d*x + e*x^2),x)`

[Out] $\frac{(a^3*c*x^2)}{2} + \frac{(a^3*d*x^3)}{3} + \frac{(b^3*c*x^{11})}{11} + \frac{(a^3*e*x^4)}{4} + \frac{(b^3*d*x^{12})}{12} + \frac{(b^3*e*x^{13})}{13} + \frac{(3*a^2*b*c*x^5)}{5} + \frac{(3*a*b^2*c*x^8)}{8} + \frac{(a^2*b*d*x^6)}{2} + \frac{(a*b^2*d*x^9)}{3} + \frac{(3*a^2*b*e*x^7)}{7} + \frac{(3*a*b^2*e*x^{10})}{10}$

sympy [A] time = 0.09, size = 138, normalized size = 1.25

$$\frac{a^3cx^2}{2} + \frac{a^3dx^3}{3} + \frac{a^3ex^4}{4} + \frac{3a^2bcx^5}{5} + \frac{a^2bdx^6}{2} + \frac{3a^2bex^7}{7} + \frac{3ab^2cx^8}{8} + \frac{ab^2dx^9}{3} + \frac{3ab^2ex^{10}}{10} + \frac{b^3cx^{11}}{11} + \frac{b^3dx^{12}}{12} + \frac{b^3ex^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)*(b*x**3+a)**3,x)

[Out] a**3*c*x**2/2 + a**3*d*x**3/3 + a**3*e*x**4/4 + 3*a**2*b*c*x**5/5 + a**2*b*d*x**6/2 + 3*a**2*b*e*x**7/7 + 3*a*b**2*c*x**8/8 + a*b**2*d*x**9/3 + 3*a*b**2*e*x**10/10 + b**3*c*x**11/11 + b**3*d*x**12/12 + b**3*e*x**13/13

$$3.327 \quad \int (c + dx + ex^2) (a + bx^3)^3 dx$$

Optimal. Leaf size=105

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{e(a + bx^3)^4}{12b} + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

[Out] $a^3c*x + 1/2*a^3*d*x^2 + 3/4*a^2*b*c*x^4 + 3/5*a^2*b*d*x^5 + 3/7*a*b^2*c*x^7 + 3/8*a*b^2*d*x^8 + 1/10*b^3*c*x^{10} + 1/11*b^3*d*x^{11} + 1/12*e*(b*x^3+a)^4/b$

Rubi [A] time = 0.10, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$\frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{e(a + bx^3)^4}{12b} + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] $a^3*c*x + (a^3*d*x^2)/2 + (3*a^2*b*c*x^4)/4 + (3*a^2*b*d*x^5)/5 + (3*a*b^2*c*x^7)/7 + (3*a*b^2*d*x^8)/8 + (b^3*c*x^{10})/10 + (b^3*d*x^{11})/11 + (e*(a + b*x^3)^4)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2)(a + bx^3)^3 dx &= \frac{e(a + bx^3)^4}{12b} + \int (c + dx)(a + bx^3)^3 dx \\
&= \frac{e(a + bx^3)^4}{12b} + \int (a^3c + a^3dx + 3a^2bcx^3 + 3a^2bdx^4 + 3ab^2cx^6 + 3ab^2dx^7 + b^3c \\
&= a^3cx + \frac{1}{2}a^3dx^2 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3d
\end{aligned}$$

Mathematica [A] time = 0.04, size = 134, normalized size = 1.28

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{4}a^2bcx^4 + \frac{3}{5}a^2bdx^5 + \frac{1}{2}a^2bex^6 + \frac{3}{7}ab^2cx^7 + \frac{3}{8}ab^2dx^8 + \frac{1}{3}ab^2ex^9 + \frac{1}{10}b^3cx^{10} + \frac{1}{11}b^3dx^{11} + \frac{1}{12}b^3e$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3)^3,x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (3*a^2*b*c*x^4)/4 + (3*a^2*b*d*x^5)/5 + (a^2*b*e*x^6)/2 + (3*a*b^2*c*x^7)/7 + (3*a*b^2*d*x^8)/8 + (a*b^2*e*x^9)/3 + (b^3*c*x^10)/10 + (b^3*d*x^11)/11 + (b^3*e*x^12)/12

fricas [A] time = 0.53, size = 112, normalized size = 1.07

$$\frac{1}{12}x^{12}eb^3 + \frac{1}{11}x^{11}db^3 + \frac{1}{10}x^{10}cb^3 + \frac{1}{3}x^9eb^2a + \frac{3}{8}x^8db^2a + \frac{3}{7}x^7cb^2a + \frac{1}{2}x^6eba^2 + \frac{3}{5}x^5dba^2 + \frac{3}{4}x^4cba^2 + \frac{1}{3}x^3ea^3 + \frac{1}{2}x^2da^3 + xca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/12*x^12*e*b^3 + 1/11*x^11*d*b^3 + 1/10*x^10*c*b^3 + 1/3*x^9*e*b^2*a + 3/8*x^8*d*b^2*a + 3/7*x^7*c*b^2*a + 1/2*x^6*e*b*a^2 + 3/5*x^5*d*b*a^2 + 3/4*x^4*c*b*a^2 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3

giac [A] time = 0.15, size = 116, normalized size = 1.10

$$\frac{1}{12}b^3x^{12}e + \frac{1}{11}b^3dx^{11} + \frac{1}{10}b^3cx^{10} + \frac{1}{3}ab^2x^9e + \frac{3}{8}ab^2dx^8 + \frac{3}{7}ab^2cx^7 + \frac{1}{2}a^2bx^6e + \frac{3}{5}a^2bdx^5 + \frac{3}{4}a^2bcx^4 + \frac{1}{3}a^3x^3e + \frac{1}{2}a^3dx^2 + xca^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="giac")

[Out] $\frac{1}{12}b^3e^x^{12} + \frac{1}{11}b^3d^3x^{11} + \frac{1}{10}b^3c^3x^{10} + \frac{1}{3}a^3b^2e^x^9 + \frac{3}{8}a^3b^2d^3x^8 + \frac{3}{7}a^3b^2c^3x^7 + \frac{1}{2}a^3b^2e^x^6 + \frac{3}{5}a^3b^2d^3x^5 + \frac{3}{4}a^3b^2c^3x^4 + \frac{1}{3}a^3e^x^3 + \frac{1}{2}a^3d^3x^2 + a^3c^3x$

maple [A] time = 0.05, size = 113, normalized size = 1.08

$$\frac{1}{12}b^3e^x^{12} + \frac{1}{11}b^3d^3x^{11} + \frac{1}{10}b^3c^3x^{10} + \frac{1}{3}a^3b^2e^x^9 + \frac{3}{8}a^3b^2d^3x^8 + \frac{3}{7}a^3b^2c^3x^7 + \frac{1}{2}a^3b^2e^x^6 + \frac{3}{5}a^3b^2d^3x^5 + \frac{3}{4}a^3b^2c^3x^4 + \frac{1}{3}a^3e^x^3 + \frac{1}{2}a^3d^3x^2 + a^3c^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)^3,x)`

[Out] $\frac{1}{12}b^3e^x^{12} + \frac{1}{11}b^3d^3x^{11} + \frac{1}{10}b^3c^3x^{10} + \frac{1}{3}a^3b^2e^x^9 + \frac{3}{8}a^3b^2d^3x^8 + \frac{3}{7}a^3b^2c^3x^7 + \frac{1}{2}a^3b^2e^x^6 + \frac{3}{5}a^3b^2d^3x^5 + \frac{3}{4}a^3b^2c^3x^4 + \frac{1}{3}a^3e^x^3 + \frac{1}{2}a^3d^3x^2 + a^3c^3x$

maxima [A] time = 1.33, size = 112, normalized size = 1.07

$$\frac{1}{12}b^3e^x^{12} + \frac{1}{11}b^3d^3x^{11} + \frac{1}{10}b^3c^3x^{10} + \frac{1}{3}a^3b^2e^x^9 + \frac{3}{8}a^3b^2d^3x^8 + \frac{3}{7}a^3b^2c^3x^7 + \frac{1}{2}a^3b^2e^x^6 + \frac{3}{5}a^3b^2d^3x^5 + \frac{3}{4}a^3b^2c^3x^4 + \frac{1}{3}a^3e^x^3 + \frac{1}{2}a^3d^3x^2 + a^3c^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{12}b^3e^x^{12} + \frac{1}{11}b^3d^3x^{11} + \frac{1}{10}b^3c^3x^{10} + \frac{1}{3}a^3b^2e^x^9 + \frac{3}{8}a^3b^2d^3x^8 + \frac{3}{7}a^3b^2c^3x^7 + \frac{1}{2}a^3b^2e^x^6 + \frac{3}{5}a^3b^2d^3x^5 + \frac{3}{4}a^3b^2c^3x^4 + \frac{1}{3}a^3e^x^3 + \frac{1}{2}a^3d^3x^2 + a^3c^3x$

mupad [B] time = 0.07, size = 112, normalized size = 1.07

$$\frac{e^3x^3}{3} + \frac{da^3x^2}{2} + ca^3x + \frac{ea^2bx^6}{2} + \frac{3da^2bx^5}{5} + \frac{3ca^2bx^4}{4} + \frac{ea^2bx^9}{3} + \frac{3da^2bx^8}{8} + \frac{3ca^2bx^7}{7} + \frac{eb^3x^{12}}{12} + \frac{db^3x^{11}}{11} + \frac{cb^3x^{10}}{10} + \frac{ab^3x^9}{9} + \frac{3ab^3x^8}{8} + \frac{3cb^3x^7}{7} + \frac{ab^3x^6}{6} + \frac{3ab^3x^5}{5} + \frac{3cb^3x^4}{4} + \frac{ab^3x^3}{3} + \frac{3ab^3x^2}{2} + a^3c^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^3*(c + d*x + e*x^2),x)`

[Out] $\frac{a^3d^3x^2}{2} + \frac{b^3c^3x^{10}}{10} + \frac{a^3e^3x^3}{3} + \frac{b^3d^3x^{11}}{11} + \frac{b^3e^3x^{12}}{12} + a^3c^3x + \frac{3a^3b^2c^3x^4}{4} + \frac{3a^3b^2d^3x^7}{7} + \frac{3a^3b^2e^3x^9}{9} + \frac{3a^3b^2d^3x^8}{8} + \frac{a^3b^2e^3x^6}{2} + \frac{a^3b^2e^3x^9}{3}$

sympy [A] time = 0.14, size = 134, normalized size = 1.28

$$a^3cx + \frac{a^3dx^2}{2} + \frac{a^3ex^3}{3} + \frac{3a^2bcx^4}{4} + \frac{3a^2bdx^5}{5} + \frac{a^2bex^6}{2} + \frac{3ab^2cx^7}{7} + \frac{3ab^2dx^8}{8} + \frac{ab^2ex^9}{3} + \frac{b^3cx^{10}}{10} + \frac{b^3dx^{11}}{11} + \frac{b^3ex^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**3,x)
```

```
[Out] a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + 3*a**2*b*c*x**4/4 + 3*a**2*b*d*x**5/5 + a**2*b*e*x**6/2 + 3*a*b**2*c*x**7/7 + 3*a*b**2*d*x**8/8 + a*b**2*e*x**9/3 + b**3*c*x**10/10 + b**3*d*x**11/11 + b**3*e*x**12/12
```

$$3.328 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x} dx$$

Optimal. Leaf size=127

$$a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11}$$

[Out] a³*d*x+1/2*a³*e*x²+a²*b*c*x³+3/4*a²*b*d*x⁴+3/5*a²*b*e*x⁵+1/2*a*b²*c*x⁶+3/7*a*b²*d*x⁷+3/8*a*b²*e*x⁸+1/9*b³*c*x⁹+1/10*b³*d*x¹⁰+1/11*b³*e*x¹¹+a³*c*ln(x)

Rubi [A] time = 0.07, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^3)/x,x]

[Out] a³*d*x + (a³*e*x²)/2 + a²*b*c*x³ + (3*a²*b*d*x⁴)/4 + (3*a²*b*e*x⁵)/5 + (a*b²*c*x⁶)/2 + (3*a*b²*d*x⁷)/7 + (3*a*b²*e*x⁸)/8 + (b³*c*x⁹)/9 + (b³*d*x¹⁰)/10 + (b³*e*x¹¹)/11 + a³*c*Log[x]

Rule 1628

Int[(Pq_)*((d_)+(e_)*(x_))^(m_)*((a_)+(b_)*(x_)+(c_)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\int \frac{(c+dx+ex^2)(a+bx^3)^3}{x} dx = \int \left(a^3d + \frac{a^3c}{x} + a^3ex + 3a^2bcx^2 + 3a^2bdx^3 + 3a^2bex^4 + 3ab^2cx^5 + 3ab^2dx^6 + \dots \right) dx$$

$$= a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11}$$

Mathematica [A] time = 0.01, size = 127, normalized size = 1.00

$$a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{3}{4}a^2bdx^4 + \frac{3}{5}a^2bex^5 + \frac{1}{2}ab^2cx^6 + \frac{3}{7}ab^2dx^7 + \frac{3}{8}ab^2ex^8 + \frac{1}{9}b^3cx^9 + \frac{1}{10}b^3dx^{10} + \frac{1}{11}b^3ex^{11}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^3)/x,x]

[Out] $a^3 d x + (a^3 e x^2)/2 + a^2 b c x^3 + (3 a^2 b d x^4)/4 + (3 a^2 b e x^5)/5 + (a b^2 c x^6)/2 + (3 a b^2 d x^7)/7 + (3 a b^2 e x^8)/8 + (b^3 c x^9)/9 + (b^3 d x^{10})/10 + (b^3 e x^{11})/11 + a^3 c \operatorname{Log}[x]$

fricas [A] time = 0.73, size = 109, normalized size = 0.86

$\frac{1}{11} b^3 e x^{11} + \frac{1}{10} b^3 d x^{10} + \frac{1}{9} b^3 c x^9 + \frac{3}{8} a b^2 e x^8 + \frac{3}{7} a b^2 d x^7 + \frac{1}{2} a b^2 c x^6 + \frac{3}{5} a^2 b e x^5 + \frac{3}{4} a^2 b d x^4 + a^2 b c x^3 + \frac{1}{2} a^3 e x^2 + a^3 d x + a^3 c \ln(x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x,x, algorithm="fricas")

[Out] $1/11*b^3*e*x^{11} + 1/10*b^3*d*x^{10} + 1/9*b^3*c*x^9 + 3/8*a*b^2*e*x^8 + 3/7*a*b^2*d*x^7 + 1/2*a*b^2*c*x^6 + 3/5*a^2*b*e*x^5 + 3/4*a^2*b*d*x^4 + a^2*b*c*x^3 + 1/2*a^3*e*x^2 + a^3*d*x + a^3*c*\log(x)$

giac [A] time = 0.15, size = 114, normalized size = 0.90

$\frac{1}{11} b^3 x^{11} e + \frac{1}{10} b^3 d x^{10} + \frac{1}{9} b^3 c x^9 + \frac{3}{8} a b^2 x^8 e + \frac{3}{7} a b^2 d x^7 + \frac{1}{2} a b^2 c x^6 + \frac{3}{5} a^2 b x^5 e + \frac{3}{4} a^2 b d x^4 + a^2 b c x^3 + \frac{1}{2} a^3 x^2 e + a^3 d x + a^3 c \ln(x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x,x, algorithm="giac")

[Out] $1/11*b^3*x^{11}*e + 1/10*b^3*d*x^{10} + 1/9*b^3*c*x^9 + 3/8*a*b^2*x^8*e + 3/7*a*b^2*d*x^7 + 1/2*a*b^2*c*x^6 + 3/5*a^2*b*x^5*e + 3/4*a^2*b*d*x^4 + a^2*b*c*x^3 + 1/2*a^3*x^2*e + a^3*d*x + a^3*c*\log(\operatorname{abs}(x))$

maple [A] time = 0.05, size = 110, normalized size = 0.87

$\frac{b^3 e x^{11}}{11} + \frac{b^3 d x^{10}}{10} + \frac{b^3 c x^9}{9} + \frac{3 a b^2 e x^8}{8} + \frac{3 a b^2 d x^7}{7} + \frac{a b^2 c x^6}{2} + \frac{3 a^2 b e x^5}{5} + \frac{3 a^2 b d x^4}{4} + a^2 b c x^3 + \frac{a^3 e x^2}{2} + a^3 c \ln(x) + a^3 d x$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^3/x,x)

[Out] $a^3 d x + 1/2 a^3 e x^2 + a^2 b c x^3 + 3/4 a^2 b d x^4 + 3/5 a^2 b e x^5 + 1/2 a b^2 c x^6 + 3/7 a b^2 d x^7 + 3/8 a b^2 e x^8 + 1/9 b^3 c x^9 + 1/10 b^3 d x^{10} + 1/11 b^3 e x^{11} + a^3 c \ln(x)$

maxima [A] time = 1.29, size = 109, normalized size = 0.86

$\frac{1}{11} b^3 e x^{11} + \frac{1}{10} b^3 d x^{10} + \frac{1}{9} b^3 c x^9 + \frac{3}{8} a b^2 e x^8 + \frac{3}{7} a b^2 d x^7 + \frac{1}{2} a b^2 c x^6 + \frac{3}{5} a^2 b e x^5 + \frac{3}{4} a^2 b d x^4 + a^2 b c x^3 + \frac{1}{2} a^3 e x^2 + a^3 d x + a^3 c \ln(x)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x,x, algorithm="maxima")

[Out] $1/11*b^3*e*x^{11} + 1/10*b^3*d*x^{10} + 1/9*b^3*c*x^9 + 3/8*a*b^2*e*x^8 + 3/7*a*b^2*d*x^7 + 1/2*a*b^2*c*x^6 + 3/5*a^2*b*e*x^5 + 3/4*a^2*b*d*x^4 + a^2*b*c*x^3 + 1/2*a^3*e*x^2 + a^3*d*x + a^3*c*\log(x)$

mupad [B] time = 0.08, size = 109, normalized size = 0.86

$$\frac{b^3 c x^9}{9} + \frac{a^3 e x^2}{2} + \frac{b^3 d x^{10}}{10} + \frac{b^3 e x^{11}}{11} + a^3 c \ln(x) + a^3 d x + a^2 b c x^3 + \frac{a b^2 c x^6}{2} + \frac{3 a^2 b d x^4}{4} + \frac{3 a b^2 d x^7}{7} + \frac{3 a^2 b e x^5}{5} + \frac{3 a^2 b e x^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2))/x,x)

[Out] $(b^3*c*x^9)/9 + (a^3*e*x^2)/2 + (b^3*d*x^{10})/10 + (b^3*e*x^{11})/11 + a^3*c*\log(x) + a^3*d*x + a^2*b*c*x^3 + (a*b^2*c*x^6)/2 + (3*a^2*b*d*x^4)/4 + (3*a*b^2*d*x^7)/7 + (3*a^2*b*e*x^5)/5 + (3*a*b^2*e*x^8)/8$

sympy [A] time = 0.29, size = 131, normalized size = 1.03

$$a^3 c \log(x) + a^3 d x + \frac{a^3 e x^2}{2} + a^2 b c x^3 + \frac{3 a^2 b d x^4}{4} + \frac{3 a^2 b e x^5}{5} + \frac{a b^2 c x^6}{2} + \frac{3 a b^2 d x^7}{7} + \frac{3 a b^2 e x^8}{8} + \frac{b^3 c x^9}{9} + \frac{b^3 d x^{10}}{10} + \frac{b^3 e x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**3/x,x)

[Out] $a**3*c*\log(x) + a**3*d*x + a**3*e*x**2/2 + a**2*b*c*x**3 + 3*a**2*b*d*x**4/4 + 3*a**2*b*e*x**5/5 + a*b**2*c*x**6/2 + 3*a*b**2*d*x**7/7 + 3*a*b**2*e*x**8/8 + b**3*c*x**9/9 + b**3*d*x**10/10 + b**3*e*x**11/11$

$$3.329 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^2} dx$$

Optimal. Leaf size=125

$$-\frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 + \frac{1}{8}b^3cx^8 + \frac{1}{9}b^3dx^9 + \frac{1}{10}b^3ex^{10}$$

[Out] $-a^3*c/x + a^3*e*x + 3/2*a^2*b*c*x^2 + a^2*b*d*x^3 + 3/4*a^2*b*e*x^4 + 3/5*a*b^2*c*x^5 + 1/2*a*b^2*d*x^6 + 3/7*a*b^2*e*x^7 + 1/8*b^3*c*x^8 + 1/9*b^3*d*x^9 + 1/10*b^3*e*x^{10} + a^3*d*\ln(x)$

Rubi [A] time = 0.09, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$\frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 - \frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 + \frac{1}{8}b^3cx^8 + \frac{1}{9}b^3dx^9 + \frac{1}{10}b^3ex^{10}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^2,x]

[Out] $-((a^3*c)/x) + a^3*e*x + (3*a^2*b*c*x^2)/2 + a^2*b*d*x^3 + (3*a^2*b*e*x^4)/4 + (3*a*b^2*c*x^5)/5 + (a*b^2*d*x^6)/2 + (3*a*b^2*e*x^7)/7 + (b^3*c*x^8)/8 + (b^3*d*x^9)/9 + (b^3*e*x^{10})/10 + a^3*d*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^2} dx &= \int \left(a^3e + \frac{a^3c}{x^2} + \frac{a^3d}{x} + 3a^2bcx + 3a^2bdx^2 + 3a^2bex^3 + 3ab^2cx^4 + 3ab^2dx^5 + 3ab^2ex^6 \right. \\ &\quad \left. - \frac{a^3c}{x} + a^3ex + \frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 \right) dx \end{aligned}$$

Mathematica [A] time = 0.02, size = 125, normalized size = 1.00

$$-\frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{3}{2}a^2bcx^2 + a^2bdx^3 + \frac{3}{4}a^2bex^4 + \frac{3}{5}ab^2cx^5 + \frac{1}{2}ab^2dx^6 + \frac{3}{7}ab^2ex^7 + \frac{1}{8}b^3cx^8 + \frac{1}{9}b^3dx^9 + \frac{1}{10}b^3ex^{10}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^2, x]

[Out] $-\frac{(a^3c)}{x} + a^3e*x + \frac{(3a^2*b*c*x^2)}{2} + a^2*b*d*x^3 + \frac{(3a^2*b*e*x^4)}{4} + \frac{(3a*b^2*c*x^5)}{5} + \frac{(a*b^2*d*x^6)}{2} + \frac{(3a*b^2*e*x^7)}{7} + \frac{(b^3*c*x^8)}{8} + \frac{(b^3*d*x^9)}{9} + \frac{(b^3*e*x^{10})}{10} + a^3*d*\text{Log}[x]$

fricas [A] time = 0.59, size = 117, normalized size = 0.94

$$\frac{252 b^3 e x^{11} + 280 b^3 d x^{10} + 315 b^3 c x^9 + 1080 a b^2 e x^8 + 1260 a b^2 d x^7 + 1512 a b^2 c x^6 + 1890 a^2 b e x^5 + 2520 a^2 b d x^4 + 3780 a^2 b c x^3 + 2520 a^3 e x^2 + 2520 a^3 d x \log(x) - 2520 a^3 c}{2520 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^2, x, algorithm="fricas")

[Out] $\frac{1}{2520} * (252 * b^3 * e * x^{11} + 280 * b^3 * d * x^{10} + 315 * b^3 * c * x^9 + 1080 * a * b^2 * e * x^8 + 1260 * a * b^2 * d * x^7 + 1512 * a * b^2 * c * x^6 + 1890 * a^2 * b * e * x^5 + 2520 * a^2 * b * d * x^4 + 3780 * a^2 * b * c * x^3 + 2520 * a^3 * e * x^2 + 2520 * a^3 * d * x * \log(x) - 2520 * a^3 * c) / x$

giac [A] time = 0.18, size = 114, normalized size = 0.91

$$\frac{1}{10} b^3 x^{10} e + \frac{1}{9} b^3 d x^9 + \frac{1}{8} b^3 c x^8 + \frac{3}{7} a b^2 x^7 e + \frac{1}{2} a b^2 d x^6 + \frac{3}{5} a b^2 c x^5 + \frac{3}{4} a^2 b x^4 e + a^2 b d x^3 + \frac{3}{2} a^2 b c x^2 + a^3 x e + a^3 d \log(|x|) - \frac{a^3 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^2, x, algorithm="giac")

[Out] $\frac{1}{10} * b^3 * x^{10} * e + \frac{1}{9} * b^3 * d * x^9 + \frac{1}{8} * b^3 * c * x^8 + \frac{3}{7} * a * b^2 * x^7 * e + \frac{1}{2} * a * b^2 * d * x^6 + \frac{3}{5} * a * b^2 * c * x^5 + \frac{3}{4} * a^2 * b * x^4 * e + a^2 * b * d * x^3 + \frac{3}{2} * a^2 * b * c * x^2 + a^3 * x * e + a^3 * d * \log(\text{abs}(x)) - a^3 * c / x$

maple [A] time = 0.05, size = 110, normalized size = 0.88

$$\frac{b^3 e x^{10}}{10} + \frac{b^3 d x^9}{9} + \frac{b^3 c x^8}{8} + \frac{3 a b^2 e x^7}{7} + \frac{a b^2 d x^6}{2} + \frac{3 a b^2 c x^5}{5} + \frac{3 a^2 b e x^4}{4} + a^2 b d x^3 + \frac{3 a^2 b c x^2}{2} + a^3 d \ln(x) + a^3 e x - \frac{a^3 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^3/x^2, x)

[Out] $-a^3*c/x + a^3*e*x + 3/2*a^2*b*c*x^2 + a^2*b*d*x^3 + 3/4*a^2*b*e*x^4 + 3/5*a*b^2*c*x^5 + 1/2*a*b^2*d*x^6 + 3/7*a*b^2*e*x^7 + 1/8*b^3*c*x^8 + 1/9*b^3*d*x^9 + 1/10*b^3*e*x^{10} + a^3*d*\ln(x)$

maxima [A] time = 1.35, size = 109, normalized size = 0.87

$$\frac{1}{10} b^3 e x^{10} + \frac{1}{9} b^3 d x^9 + \frac{1}{8} b^3 c x^8 + \frac{3}{7} a b^2 e x^7 + \frac{1}{2} a b^2 d x^6 + \frac{3}{5} a b^2 c x^5 + \frac{3}{4} a^2 b e x^4 + a^2 b d x^3 + \frac{3}{2} a^2 b c x^2 + a^3 e x + a^3 d \log(x) - \frac{a^3 c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^2,x, algorithm="maxima")

[Out] 1/10*b^3*e*x^10 + 1/9*b^3*d*x^9 + 1/8*b^3*c*x^8 + 3/7*a*b^2*e*x^7 + 1/2*a*b^2*d*x^6 + 3/5*a*b^2*c*x^5 + 3/4*a^2*b*e*x^4 + a^2*b*d*x^3 + 3/2*a^2*b*c*x^2 + a^3*e*x + a^3*d*log(x) - a^3*c/x

mupad [B] time = 0.08, size = 109, normalized size = 0.87

$$\frac{b^3 c x^8}{8} - \frac{a^3 c}{x} + \frac{b^3 d x^9}{9} + \frac{b^3 e x^{10}}{10} + a^3 d \ln(x) + a^3 e x + \frac{3 a^2 b c x^2}{2} + \frac{3 a b^2 c x^5}{5} + a^2 b d x^3 + \frac{a b^2 d x^6}{2} + \frac{3 a^2 b e x^4}{4} + \frac{3 a b^2 e x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2))/x^2,x)

[Out] (b^3*c*x^8)/8 - (a^3*c)/x + (b^3*d*x^9)/9 + (b^3*e*x^10)/10 + a^3*d*log(x) + a^3*e*x + (3*a^2*b*c*x^2)/2 + (3*a*b^2*c*x^5)/5 + a^2*b*d*x^3 + (a*b^2*d*x^6)/2 + (3*a^2*b*e*x^4)/4 + (3*a*b^2*e*x^7)/7

sympy [A] time = 0.29, size = 128, normalized size = 1.02

$$-\frac{a^3 c}{x} + a^3 d \log(x) + a^3 e x + \frac{3 a^2 b c x^2}{2} + a^2 b d x^3 + \frac{3 a^2 b e x^4}{4} + \frac{3 a b^2 c x^5}{5} + \frac{a b^2 d x^6}{2} + \frac{3 a b^2 e x^7}{7} + \frac{b^3 c x^8}{8} + \frac{b^3 d x^9}{9} + \frac{b^3 e x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**3/x**2,x)

[Out] -a**3*c/x + a**3*d*log(x) + a**3*e*x + 3*a**2*b*c*x**2/2 + a**2*b*d*x**3 + 3*a**2*b*e*x**4/4 + 3*a*b**2*c*x**5/5 + a*b**2*d*x**6/2 + 3*a*b**2*e*x**7/7 + b**3*c*x**8/8 + b**3*d*x**9/9 + b**3*e*x**10/10

$$3.330 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^3} dx$$

Optimal. Leaf size=126

$$-\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + 3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 + \frac{1}{7}b^3cx^7 + \frac{1}{8}b^3dx^8 + \frac{1}{9}b^3ex^9$$

[Out] $-1/2*a^3*c/x^2 - a^3*d/x + 3*a^2*b*c*x + 3/2*a^2*b*d*x^2 + a^2*b*e*x^3 + 3/4*a*b^2*c*x^4 + 3/5*a*b^2*d*x^5 + 1/2*a*b^2*e*x^6 + 1/7*b^3*c*x^7 + 1/8*b^3*d*x^8 + 1/9*b^3*e*x^9 + a^3*e*\ln(x)$

Rubi [A] time = 0.09, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 - \frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 + \frac{1}{7}b^3cx^7 + \frac{1}{8}b^3dx^8 + \frac{1}{9}b^3ex^9$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^3, x]

[Out] $-(a^3*c)/(2*x^2) - (a^3*d)/x + 3*a^2*b*c*x + (3*a^2*b*d*x^2)/2 + a^2*b*e*x^3 + (3*a*b^2*c*x^4)/4 + (3*a*b^2*d*x^5)/5 + (a*b^2*e*x^6)/2 + (b^3*c*x^7)/7 + (b^3*d*x^8)/8 + (b^3*e*x^9)/9 + a^3*e*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(c+dx+ex^2)(a+bx^3)^3}{x^3} dx &= \int \left(3a^2bc + \frac{a^3c}{x^3} + \frac{a^3d}{x^2} + \frac{a^3e}{x} + 3a^2bdx + 3a^2bex^2 + 3ab^2cx^3 + 3ab^2dx^4 + 3ab^2ex^5 \right. \\ &\quad \left. - \frac{a^3c}{2x^2} - \frac{a^3d}{x} + 3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 \right) dx \end{aligned}$$

Mathematica [A] time = 0.01, size = 126, normalized size = 1.00

$$-\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + 3a^2bcx + \frac{3}{2}a^2bdx^2 + a^2bex^3 + \frac{3}{4}ab^2cx^4 + \frac{3}{5}ab^2dx^5 + \frac{1}{2}ab^2ex^6 + \frac{1}{7}b^3cx^7 + \frac{1}{8}b^3dx^8 + \frac{1}{9}b^3ex^9$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^3)/x^3,x]

[Out] $-\frac{1}{2}*(a^3*c)/x^2 - (a^3*d)/x + 3*a^2*b*c*x + (3*a^2*b*d*x^2)/2 + a^2*b*e*x^3 + (3*a*b^2*c*x^4)/4 + (3*a*b^2*d*x^5)/5 + (a*b^2*e*x^6)/2 + (b^3*c*x^7)/7 + (b^3*d*x^8)/8 + (b^3*e*x^9)/9 + a^3*e*\text{Log}[x]$

fricas [A] time = 0.56, size = 117, normalized size = 0.93

$$\frac{280 b^3 e x^{11} + 315 b^3 d x^{10} + 360 b^3 c x^9 + 1260 a b^2 e x^8 + 1512 a b^2 d x^7 + 1890 a b^2 c x^6 + 2520 a^2 b e x^5 + 3780 a^2 b d x^4 + 7560 a^2 b c x^3 + 2520 a^3 e x^2 \log(x) - 2520 a^3 d x - 1260 a^3 c}{2520 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x, algorithm="fricas")

[Out] $\frac{1}{2520}*(280*b^3*e*x^{11} + 315*b^3*d*x^{10} + 360*b^3*c*x^9 + 1260*a*b^2*e*x^8 + 1512*a*b^2*d*x^7 + 1890*a*b^2*c*x^6 + 2520*a^2*b*e*x^5 + 3780*a^2*b*d*x^4 + 7560*a^2*b*c*x^3 + 2520*a^3*e*x^2*\log(x) - 2520*a^3*d*x - 1260*a^3*c)/x^2$

giac [A] time = 0.15, size = 115, normalized size = 0.91

$$\frac{1}{9} b^3 x^9 e + \frac{1}{8} b^3 d x^8 + \frac{1}{7} b^3 c x^7 + \frac{1}{2} a b^2 x^6 e + \frac{3}{5} a b^2 d x^5 + \frac{3}{4} a b^2 c x^4 + a^2 b x^3 e + \frac{3}{2} a^2 b d x^2 + 3 a^2 b c x + a^3 e \log(|x|) - \frac{2 a^3 d x + a^3 c}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x, algorithm="giac")

[Out] $\frac{1}{9} b^3 x^9 e + \frac{1}{8} b^3 d x^8 + \frac{1}{7} b^3 c x^7 + \frac{1}{2} a b^2 x^6 e + \frac{3}{5} a b^2 d x^5 + \frac{3}{4} a b^2 c x^4 + a^2 b x^3 e + \frac{3}{2} a^2 b d x^2 + 3 a^2 b c x + a^3 e \log(\text{abs}(x)) - \frac{1}{2}*(2*a^3*d*x + a^3*c)/x^2$

maple [A] time = 0.05, size = 111, normalized size = 0.88

$$\frac{b^3 e x^9}{9} + \frac{b^3 d x^8}{8} + \frac{b^3 c x^7}{7} + \frac{a b^2 e x^6}{2} + \frac{3 a b^2 d x^5}{5} + \frac{3 a b^2 c x^4}{4} + a^2 b e x^3 + \frac{3 a^2 b d x^2}{2} + a^3 e \ln(x) + 3 a^2 b c x - \frac{a^3 d}{x} - \frac{a^3 c}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x)

[Out] $-\frac{1}{2} a^3 c / x^2 - a^3 d / x + 3 a^2 b c x + \frac{3}{2} a^2 b d x^2 + a^2 b e x^3 + \frac{3}{4} a b^2 c x^4 + \frac{3}{5} a b^2 d x^5 + \frac{1}{2} a b^2 e x^6 + \frac{1}{7} b^3 c x^7 + \frac{1}{8} b^3 d x^8 + \frac{1}{9} b^3 e x^9 + a^3 e \ln(x)$

maxima [A] time = 1.32, size = 110, normalized size = 0.87

$$\frac{1}{9} b^3 e x^9 + \frac{1}{8} b^3 d x^8 + \frac{1}{7} b^3 c x^7 + \frac{1}{2} a b^2 e x^6 + \frac{3}{5} a b^2 d x^5 + \frac{3}{4} a b^2 c x^4 + a^2 b e x^3 + \frac{3}{2} a^2 b d x^2 + 3 a^2 b c x + a^3 e \log(x) - \frac{2 a^3 d x + a^3 c}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^3/x^3,x, algorithm="maxima")

[Out] 1/9*b^3*e*x^9 + 1/8*b^3*d*x^8 + 1/7*b^3*c*x^7 + 1/2*a*b^2*e*x^6 + 3/5*a*b^2*d*x^5 + 3/4*a*b^2*c*x^4 + a^2*b*e*x^3 + 3/2*a^2*b*d*x^2 + 3*a^2*b*c*x + a^3*e*log(x) - 1/2*(2*a^3*d*x + a^3*c)/x^2

mupad [B] time = 4.90, size = 110, normalized size = 0.87

$$\frac{b^3 c x^7}{7} - \frac{a^3 c}{x^2} + \frac{a^3 d x}{x^2} + \frac{b^3 d x^8}{8} + \frac{b^3 e x^9}{9} + a^3 e \ln(x) + 3 a^2 b c x + \frac{3 a b^2 c x^4}{4} + \frac{3 a^2 b d x^2}{2} + \frac{3 a b^2 d x^5}{5} + a^2 b e x^3 + \frac{a b^2 e}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2))/x^3,x)

[Out] (b^3*c*x^7)/7 - ((a^3*c)/2 + a^3*d*x)/x^2 + (b^3*d*x^8)/8 + (b^3*e*x^9)/9 + a^3*e*log(x) + 3*a^2*b*c*x + (3*a*b^2*c*x^4)/4 + (3*a^2*b*d*x^2)/2 + (3*a*b^2*d*x^5)/5 + a^2*b*e*x^3 + (a*b^2*e*x^6)/2

sympy [A] time = 0.36, size = 131, normalized size = 1.04

$$a^3 e \log(x) + 3 a^2 b c x + \frac{3 a^2 b d x^2}{2} + a^2 b e x^3 + \frac{3 a b^2 c x^4}{4} + \frac{3 a b^2 d x^5}{5} + \frac{a b^2 e x^6}{2} + \frac{b^3 c x^7}{7} + \frac{b^3 d x^8}{8} + \frac{b^3 e x^9}{9} + \frac{-a^3 c - 2 a^3 d x}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**3/x**3,x)

[Out] a**3*e*log(x) + 3*a**2*b*c*x + 3*a**2*b*d*x**2/2 + a**2*b*e*x**3 + 3*a*b**2*c*x**4/4 + 3*a*b**2*d*x**5/5 + a*b**2*e*x**6/2 + b**3*c*x**7/7 + b**3*d*x**8/8 + b**3*e*x**9/9 + (-a**3*c - 2*a**3*d*x)/(2*x**2)

$$3.331 \quad \int x^2 (c + dx + ex^2) (a + bx^3)^4 dx$$

Optimal. Leaf size=138

$$\frac{1}{4}a^4dx^4 + \frac{1}{5}a^4ex^5 + \frac{4}{7}a^3bdx^7 + \frac{1}{2}a^3bex^8 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{13}ab^3dx^{13} + \frac{2}{7}ab^3ex^{14} + \frac{c(a+bx^3)^5}{15b} + \frac{1}{16}b^4dx^{16} + \frac{1}{17}b^4ex^{17} + \frac{1}{15}c*(b*x^3+a)^5/b$$

[Out] 1/4*a^4*d*x^4+1/5*a^4*e*x^5+4/7*a^3*b*d*x^7+1/2*a^3*b*e*x^8+3/5*a^2*b^2*d*x^10+6/11*a^2*b^2*e*x^11+4/13*a*b^3*d*x^13+2/7*a*b^3*e*x^14+1/16*b^4*d*x^16+1/17*b^4*e*x^17+1/15*c*(b*x^3+a)^5/b

Rubi [A] time = 0.10, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1582, 1850}

$$\frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{7}a^3bdx^7 + \frac{1}{2}a^3bex^8 + \frac{1}{4}a^4dx^4 + \frac{1}{5}a^4ex^5 + \frac{4}{13}ab^3dx^{13} + \frac{2}{7}ab^3ex^{14} + \frac{c(a+bx^3)^5}{15b} + \frac{1}{16}b^4dx^{16} + \frac{1}{17}b^4ex^{17} + \frac{1}{15}c*(b*x^3+a)^5/b$$

Antiderivative was successfully verified.

[In] Int[x^2*(c + d*x + e*x^2)*(a + b*x^3)^4,x]

[Out] (a^4*d*x^4)/4 + (a^4*e*x^5)/5 + (4*a^3*b*d*x^7)/7 + (a^3*b*e*x^8)/2 + (3*a^2*b^2*d*x^10)/5 + (6*a^2*b^2*e*x^11)/11 + (4*a*b^3*d*x^13)/13 + (2*a*b^3*e*x^14)/7 + (b^4*d*x^16)/16 + (b^4*e*x^17)/17 + (c*(a + b*x^3)^5)/(15*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_.))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned}
\int x^2 (c + dx + ex^2) (a + bx^3)^4 dx &= \frac{c(a + bx^3)^5}{15b} + \int (a + bx^3)^4 (-cx^2 + x^2(c + dx + ex^2)) dx \\
&= \frac{c(a + bx^3)^5}{15b} + \int (a^4 dx^3 + a^4 ex^4 + 4a^3 b dx^6 + 4a^3 b ex^7 + 6a^2 b^2 dx^9 + 6a^2 b^2 ex^{10} \\
&\quad + \frac{1}{4} a^4 dx^4 + \frac{1}{5} a^4 ex^5 + \frac{4}{7} a^3 b dx^7 + \frac{1}{2} a^3 b ex^8 + \frac{3}{5} a^2 b^2 dx^{10} + \frac{6}{11} a^2 b^2 ex^{11} + \frac{4}{13} a
\end{aligned}$$

Mathematica [A] time = 0.01, size = 181, normalized size = 1.31

$$\frac{1}{3} a^4 cx^3 + \frac{1}{4} a^4 dx^4 + \frac{1}{5} a^4 ex^5 + \frac{2}{3} a^3 bcx^6 + \frac{4}{7} a^3 b dx^7 + \frac{1}{2} a^3 b ex^8 + \frac{2}{3} a^2 b^2 cx^9 + \frac{3}{5} a^2 b^2 dx^{10} + \frac{6}{11} a^2 b^2 ex^{11} + \frac{1}{3} ab^3 cx^{12} + \frac{4}{13} ab^3 a$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3)^4,x]

[Out] (a^4*c*x^3)/3 + (a^4*d*x^4)/4 + (a^4*e*x^5)/5 + (2*a^3*b*c*x^6)/3 + (4*a^3*b*d*x^7)/7 + (a^3*b*e*x^8)/2 + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^10)/5 + (6*a^2*b^2*e*x^11)/11 + (a*b^3*c*x^12)/3 + (4*a*b^3*d*x^13)/13 + (2*a*b^3*e*x^14)/7 + (b^4*c*x^15)/15 + (b^4*d*x^16)/16 + (b^4*e*x^17)/17

fricas [A] time = 0.51, size = 151, normalized size = 1.09

$$\frac{1}{17} x^{17} eb^4 + \frac{1}{16} x^{16} db^4 + \frac{1}{15} x^{15} cb^4 + \frac{2}{7} x^{14} eb^3 a + \frac{4}{13} x^{13} db^3 a + \frac{1}{3} x^{12} cb^3 a + \frac{6}{11} x^{11} eb^2 a^2 + \frac{3}{5} x^{10} db^2 a^2 + \frac{2}{3} x^9 cb^2 a^2 + \frac{1}{2} x^8 eb a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/17*x^17*e*b^4 + 1/16*x^16*d*b^4 + 1/15*x^15*c*b^4 + 2/7*x^14*e*b^3*a + 4/13*x^13*d*b^3*a + 1/3*x^12*c*b^3*a + 6/11*x^11*e*b^2*a^2 + 3/5*x^10*d*b^2*a^2 + 2/3*x^9*c*b^2*a^2 + 1/2*x^8*e*b*a^3 + 4/7*x^7*d*b*a^3 + 2/3*x^6*c*b*a^3 + 1/5*x^5*e*a^4 + 1/4*x^4*d*a^4 + 1/3*x^3*c*a^4

giac [A] time = 0.16, size = 156, normalized size = 1.13

$$\frac{1}{17} b^4 x^{17} e + \frac{1}{16} b^4 dx^{16} + \frac{1}{15} b^4 cx^{15} + \frac{2}{7} ab^3 x^{14} e + \frac{4}{13} ab^3 dx^{13} + \frac{1}{3} ab^3 cx^{12} + \frac{6}{11} a^2 b^2 x^{11} e + \frac{3}{5} a^2 b^2 dx^{10} + \frac{2}{3} a^2 b^2 cx^9 + \frac{1}{2} a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="giac")

[Out] $\frac{1}{17}b^4x^{17}e + \frac{1}{16}b^4d*x^{16} + \frac{1}{15}b^4c*x^{15} + \frac{2}{7}a*b^3*x^{14}e + \frac{4}{13}a*b^3*d*x^{13} + \frac{1}{3}a*b^3*c*x^{12} + \frac{6}{11}a^2*b^2*x^{11}e + \frac{3}{5}a^2*b^2*d*x^{10} + \frac{2}{3}a^2*b^2*c*x^9 + \frac{1}{2}a^3*b*x^8e + \frac{4}{7}a^3*b*d*x^7 + \frac{2}{3}a^3*b*c*x^6 + \frac{1}{5}a^4*x^5e + \frac{1}{4}a^4*d*x^4 + \frac{1}{3}a^4*c*x^3$

maple [A] time = 0.04, size = 152, normalized size = 1.10

$$\frac{1}{17}b^4ex^{17} + \frac{1}{16}b^4dx^{16} + \frac{1}{15}b^4cx^{15} + \frac{2}{7}ab^3ex^{14} + \frac{4}{13}ab^3dx^{13} + \frac{1}{3}ab^3cx^{12} + \frac{6}{11}a^2b^2ex^{11} + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3bex^8 + \frac{4}{7}a^3b^2dx^7 + \frac{2}{3}a^3b^2cx^6 + \frac{1}{5}a^4ex^5 + \frac{1}{4}a^4dx^4 + \frac{1}{3}a^4cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x)`

[Out] $\frac{1}{17}b^4e*x^{17} + \frac{1}{16}b^4d*x^{16} + \frac{1}{15}b^4c*x^{15} + \frac{2}{7}a*b^3e*x^{14} + \frac{4}{13}a*b^3d*x^{13} + \frac{1}{3}a*b^3c*x^{12} + \frac{6}{11}a^2*b^2e*x^{11} + \frac{3}{5}a^2*b^2d*x^{10} + \frac{2}{3}a^2*b^2c*x^9 + \frac{1}{2}a^3*b^2e*x^8 + \frac{4}{7}a^3*b^2d*x^7 + \frac{2}{3}a^3*b^2c*x^6 + \frac{1}{5}a^4e*x^5 + \frac{1}{4}a^4d*x^4 + \frac{1}{3}a^4c*x^3$

maxima [A] time = 1.31, size = 151, normalized size = 1.09

$$\frac{1}{17}b^4ex^{17} + \frac{1}{16}b^4dx^{16} + \frac{1}{15}b^4cx^{15} + \frac{2}{7}ab^3ex^{14} + \frac{4}{13}ab^3dx^{13} + \frac{1}{3}ab^3cx^{12} + \frac{6}{11}a^2b^2ex^{11} + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3bex^8 + \frac{4}{7}a^3b^2dx^7 + \frac{2}{3}a^3b^2cx^6 + \frac{1}{5}a^4ex^5 + \frac{1}{4}a^4dx^4 + \frac{1}{3}a^4cx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="maxima")`

[Out] $\frac{1}{17}b^4e*x^{17} + \frac{1}{16}b^4d*x^{16} + \frac{1}{15}b^4c*x^{15} + \frac{2}{7}a*b^3e*x^{14} + \frac{4}{13}a*b^3d*x^{13} + \frac{1}{3}a*b^3c*x^{12} + \frac{6}{11}a^2*b^2e*x^{11} + \frac{3}{5}a^2*b^2d*x^{10} + \frac{2}{3}a^2*b^2c*x^9 + \frac{1}{2}a^3*b^2e*x^8 + \frac{4}{7}a^3*b^2d*x^7 + \frac{2}{3}a^3*b^2c*x^6 + \frac{1}{5}a^4e*x^5 + \frac{1}{4}a^4d*x^4 + \frac{1}{3}a^4c*x^3$

mupad [B] time = 5.07, size = 151, normalized size = 1.09

$$\frac{ea^4x^5}{5} + \frac{da^4x^4}{4} + \frac{ca^4x^3}{3} + \frac{ea^3bx^8}{2} + \frac{4da^3bx^7}{7} + \frac{2ca^3bx^6}{3} + \frac{6ea^2b^2x^{11}}{11} + \frac{3da^2b^2x^{10}}{5} + \frac{2ca^2b^2x^9}{3} + \frac{2eab^3x^{14}}{7} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)^4*(c + d*x + e*x^2),x)`

[Out] $\frac{a^4c*x^3}{3} + \frac{a^4d*x^4}{4} + \frac{b^4c*x^{15}}{15} + \frac{a^4e*x^5}{5} + \frac{b^4d*x^{16}}{16} + \frac{b^4e*x^{17}}{17} + \frac{(2a^2b^2c*x^9)}{3} + \frac{(3a^2b^2d*x^{10})}{5} + \frac{(6a^2b^2e*x^{11})}{11} + \frac{(2a^3b^2c*x^6)}{3} + \frac{(a^3b^2d*x^7)}{7} + \frac{(4a^3b^2e*x^8)}{7} + \frac{(2a^3b^2c*x^9)}{3} + \frac{(3a^3b^2d*x^{10})}{5} + \frac{(6a^3b^2e*x^{11})}{11} + \frac{(2a^4b^2c*x^6)}{3} + \frac{(a^4b^2d*x^7)}{7} + \frac{(4a^4b^2e*x^8)}{7}$

sympy [A] time = 0.11, size = 184, normalized size = 1.33

$$\frac{a^4cx^3}{3} + \frac{a^4dx^4}{4} + \frac{a^4ex^5}{5} + \frac{2a^3bcx^6}{3} + \frac{4a^3bdx^7}{7} + \frac{a^3bex^8}{2} + \frac{2a^2b^2cx^9}{3} + \frac{3a^2b^2dx^{10}}{5} + \frac{6a^2b^2ex^{11}}{11} + \frac{ab^3cx^{12}}{3} + \frac{4ab^3dx^{13}}{13} + \frac{2ab^3ex^{14}}{7} + \frac{b^4cx^{15}}{15} + \frac{b^4dx^{16}}{16} + \frac{b^4ex^{17}}{17}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a)**4,x)

[Out] a**4*c*x**3/3 + a**4*d*x**4/4 + a**4*e*x**5/5 + 2*a**3*b*c*x**6/3 + 4*a**3*b*d*x**7/7 + a**3*b*e*x**8/2 + 2*a**2*b**2*c*x**9/3 + 3*a**2*b**2*d*x**10/5 + 6*a**2*b**2*e*x**11/11 + a*b**3*c*x**12/3 + 4*a*b**3*d*x**13/13 + 2*a*b**3*e*x**14/7 + b**4*c*x**15/15 + b**4*d*x**16/16 + b**4*e*x**17/17

3.332 $\int x (c + dx + ex^2) (a + bx^3)^4 dx$

Optimal. Leaf size=138

$$\frac{1}{2}a^4cx^2 + \frac{1}{4}a^4ex^4 + \frac{4}{5}a^3bcx^5 + \frac{4}{7}a^3bex^7 + \frac{3}{4}a^2b^2cx^8 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{11}ab^3cx^{11} + \frac{4}{13}ab^3ex^{13} + \frac{d(a+bx^3)^5}{15b} + \frac{1}{14}b^4cx^{14} + \frac{1}{16}b^4ex^{16}$$

[Out] $1/2*a^4*c*x^2+1/4*a^4*e*x^4+4/5*a^3*b*c*x^5+4/7*a^3*b*e*x^7+3/4*a^2*b^2*c*x^8+3/5*a^2*b^2*e*x^{10}+4/11*a*b^3*c*x^{11}+4/13*a*b^3*e*x^{13}+1/14*b^4*c*x^{14}+1/16*b^4*e*x^{16}+1/15*d*(b*x^3+a)^5/b$

Rubi [A] time = 0.09, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1582, 1850}

$$\frac{3}{4}a^2b^2cx^8 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{5}a^3bcx^5 + \frac{4}{7}a^3bex^7 + \frac{1}{2}a^4cx^2 + \frac{1}{4}a^4ex^4 + \frac{4}{11}ab^3cx^{11} + \frac{4}{13}ab^3ex^{13} + \frac{d(a+bx^3)^5}{15b} + \frac{1}{14}b^4cx^{14} + \frac{1}{16}b^4ex^{16}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(c + d*x + e*x^2)*(a + b*x^3)^4, x]$

[Out] $(a^4*c*x^2)/2 + (a^4*e*x^4)/4 + (4*a^3*b*c*x^5)/5 + (4*a^3*b*e*x^7)/7 + (3*a^2*b^2*c*x^8)/4 + (3*a^2*b^2*e*x^{10})/5 + (4*a*b^3*c*x^{11})/11 + (4*a*b^3*e*x^{13})/13 + (b^4*c*x^{14})/14 + (b^4*e*x^{16})/16 + (d*(a + b*x^3)^5)/(15*b)$

Rule 1582

$\text{Int}[(P_x)_*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(\text{Coeff}[P_x, x, n - 1]*(a + b*x^n)^{(p + 1)})/(b*n*(p + 1)), x] + \text{Int}[(P_x - \text{Coeff}[P_x, x, n - 1]*x^{(n - 1)})*(a + b*x^n)^p, x] /;$ FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^{(n - 1)}] && !MatchQ[Px, (Qx_)*((c_) + (d_)*x^{(m_)})^{(q_)}/; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]

Rule 1850

$\text{Int}[(P_q)_*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[P_q*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int x(c + dx + ex^2)(a + bx^3)^4 dx &= \frac{d(a + bx^3)^5}{15b} + \int (a + bx^3)^4 (-dx^2 + x(c + dx + ex^2)) dx \\
&= \frac{d(a + bx^3)^5}{15b} + \int (a^4cx + a^4ex^3 + 4a^3bcx^4 + 4a^3bex^6 + 6a^2b^2cx^7 + 6a^2b^2ex^9 \\
&\quad + 4a^2b^2dx^9 + 4a^2b^2ex^{10} + \frac{4}{11}ab^3cx^{11} + \frac{4}{11}ab^3dx^{13}) dx \\
&= \frac{1}{2}a^4cx^2 + \frac{1}{4}a^4ex^4 + \frac{4}{5}a^3bcx^5 + \frac{4}{7}a^3bex^7 + \frac{3}{4}a^2b^2cx^8 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{11}ab^3cx^{11} + \frac{4}{11}ab^3dx^{13}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 181, normalized size = 1.31

$$\frac{1}{2}a^4cx^2 + \frac{1}{3}a^4dx^3 + \frac{1}{4}a^4ex^4 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3b^2dx^6 + \frac{4}{7}a^3bex^7 + \frac{3}{4}a^2b^2cx^8 + \frac{2}{3}a^2b^2dx^9 + \frac{3}{5}a^2b^2ex^{10} + \frac{4}{11}ab^3cx^{11} + \frac{1}{3}ab^3dx^{13}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3)^4,x]

[Out] (a^4*c*x^2)/2 + (a^4*d*x^3)/3 + (a^4*e*x^4)/4 + (4*a^3*b*c*x^5)/5 + (2*a^3*b*d*x^6)/3 + (4*a^3*b*e*x^7)/7 + (3*a^2*b^2*c*x^8)/4 + (2*a^2*b^2*d*x^9)/3 + (3*a^2*b^2*e*x^10)/5 + (4*a*b^3*c*x^11)/11 + (a*b^3*d*x^12)/3 + (4*a*b^3*e*x^13)/13 + (b^4*c*x^14)/14 + (b^4*d*x^15)/15 + (b^4*e*x^16)/16

fricas [A] time = 0.44, size = 151, normalized size = 1.09

$$\frac{1}{16}x^{16}eb^4 + \frac{1}{15}x^{15}db^4 + \frac{1}{14}x^{14}cb^4 + \frac{4}{13}x^{13}eb^3a + \frac{1}{3}x^{12}db^3a + \frac{4}{11}x^{11}cb^3a + \frac{3}{5}x^{10}eb^2a^2 + \frac{2}{3}x^9db^2a^2 + \frac{3}{4}x^8cb^2a^2 + \frac{4}{7}x^7eba^3 + \frac{1}{3}x^6d^2a^3 + \frac{4}{5}x^5c^2a^3 + \frac{1}{4}x^4e^2a^4 + \frac{1}{3}x^3d^2a^4 + \frac{1}{2}x^2c^2a^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/16*x^16*e*b^4 + 1/15*x^15*d*b^4 + 1/14*x^14*c*b^4 + 4/13*x^13*e*b^3*a + 1/3*x^12*d*b^3*a + 4/11*x^11*c*b^3*a + 3/5*x^10*e*b^2*a^2 + 2/3*x^9*d*b^2*a^2 + 3/4*x^8*c*b^2*a^2 + 4/7*x^7*e*b*a^3 + 2/3*x^6*d*b*a^3 + 4/5*x^5*c*b*a^3 + 1/4*x^4*e*a^4 + 1/3*x^3*d*a^4 + 1/2*x^2*c*a^4

giac [A] time = 0.16, size = 156, normalized size = 1.13

$$\frac{1}{16}b^4x^{16}e + \frac{1}{15}b^4dx^{15} + \frac{1}{14}b^4cx^{14} + \frac{4}{13}ab^3x^{13}e + \frac{1}{3}ab^3dx^{12} + \frac{4}{11}ab^3cx^{11} + \frac{3}{5}a^2b^2x^{10}e + \frac{2}{3}a^2b^2dx^9 + \frac{3}{4}a^2b^2cx^8 + \frac{4}{7}a^3b^2x^7e + \frac{1}{3}a^3b^2dx^6 + \frac{4}{5}a^3b^2cx^5 + \frac{1}{4}a^4b^2x^4e + \frac{1}{3}a^4b^2dx^3 + \frac{1}{2}a^4b^2cx^2 + \frac{1}{4}a^4b^2e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="giac")

[Out] $\frac{1}{16}b^4x^{16}e + \frac{1}{15}b^4d*x^{15} + \frac{1}{14}b^4c*x^{14} + \frac{4}{13}a*b^3*x^{13}e + \frac{1}{3}a*b^3*d*x^{12} + \frac{4}{11}a*b^3*c*x^{11} + \frac{3}{5}a^2*b^2*x^{10}e + \frac{2}{3}a^2*b^2*d*x^9 + \frac{3}{4}a^2*b^2*c*x^8 + \frac{4}{7}a^3*b*x^7e + \frac{2}{3}a^3*b*d*x^6 + \frac{4}{5}a^3*b*c*x^5 + \frac{1}{4}a^4*x^4e + \frac{1}{3}a^4*d*x^3 + \frac{1}{2}a^4*c*x^2$

maple [A] time = 0.04, size = 152, normalized size = 1.10

$$\frac{1}{16}b^4ex^{16} + \frac{1}{15}b^4dx^{15} + \frac{1}{14}b^4cx^{14} + \frac{4}{13}ab^3ex^{13} + \frac{1}{3}ab^3dx^{12} + \frac{4}{11}ab^3cx^{11} + \frac{3}{5}a^2b^2ex^{10} + \frac{2}{3}a^2b^2dx^9 + \frac{3}{4}a^2b^2cx^8 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^3b^2dx^6 + \frac{4}{5}a^3b^2cx^5 + \frac{1}{4}a^4ex^4 + \frac{1}{3}a^4dx^3 + \frac{1}{2}a^4cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d*x+c)*(b*x^3+a)^4,x)`

[Out] $\frac{1}{16}b^4e*x^{16} + \frac{1}{15}b^4d*x^{15} + \frac{1}{14}b^4c*x^{14} + \frac{4}{13}a*b^3e*x^{13} + \frac{1}{3}a*b^3*d*x^{12} + \frac{4}{11}a*b^3*c*x^{11} + \frac{3}{5}a^2*b^2e*x^{10} + \frac{2}{3}a^2*b^2*d*x^9 + \frac{3}{4}a^2*b^2*c*x^8 + \frac{4}{7}a^3*b*e*x^7 + \frac{2}{3}a^3*b*d*x^6 + \frac{4}{5}a^3*b*c*x^5 + \frac{1}{4}a^4e*x^4 + \frac{1}{3}a^4*d*x^3 + \frac{1}{2}a^4*c*x^2$

maxima [A] time = 1.34, size = 151, normalized size = 1.09

$$\frac{1}{16}b^4ex^{16} + \frac{1}{15}b^4dx^{15} + \frac{1}{14}b^4cx^{14} + \frac{4}{13}ab^3ex^{13} + \frac{1}{3}ab^3dx^{12} + \frac{4}{11}ab^3cx^{11} + \frac{3}{5}a^2b^2ex^{10} + \frac{2}{3}a^2b^2dx^9 + \frac{3}{4}a^2b^2cx^8 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^3b^2dx^6 + \frac{4}{5}a^3b^2cx^5 + \frac{1}{4}a^4ex^4 + \frac{1}{3}a^4dx^3 + \frac{1}{2}a^4cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="maxima")`

[Out] $\frac{1}{16}b^4e*x^{16} + \frac{1}{15}b^4d*x^{15} + \frac{1}{14}b^4c*x^{14} + \frac{4}{13}a*b^3e*x^{13} + \frac{1}{3}a*b^3*d*x^{12} + \frac{4}{11}a*b^3*c*x^{11} + \frac{3}{5}a^2*b^2e*x^{10} + \frac{2}{3}a^2*b^2*d*x^9 + \frac{3}{4}a^2*b^2*c*x^8 + \frac{4}{7}a^3*b*e*x^7 + \frac{2}{3}a^3*b*d*x^6 + \frac{4}{5}a^3*b*c*x^5 + \frac{1}{4}a^4e*x^4 + \frac{1}{3}a^4*d*x^3 + \frac{1}{2}a^4*c*x^2$

mupad [B] time = 0.13, size = 151, normalized size = 1.09

$$\frac{ea^4x^4}{4} + \frac{da^4x^3}{3} + \frac{ca^4x^2}{2} + \frac{4ea^3bx^7}{7} + \frac{2da^3bx^6}{3} + \frac{4ca^3bx^5}{5} + \frac{3ea^2b^2x^{10}}{5} + \frac{2da^2b^2x^9}{3} + \frac{3ca^2b^2x^8}{4} + \frac{4ea^3bx^{13}}{13} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*x^3)^4*(c + d*x + e*x^2),x)`

[Out] $\frac{(a^4c*x^2)}{2} + \frac{(a^4d*x^3)}{3} + \frac{(b^4c*x^{14})}{14} + \frac{(a^4e*x^4)}{4} + \frac{(b^4d*x^{15})}{15} + \frac{(b^4e*x^{16})}{16} + \frac{(3a^2b^2c*x^8)}{4} + \frac{(2a^2b^2d*x^9)}{3} + \frac{(3a^2b^2e*x^{10})}{5} + \frac{(4a^3b*c*x^5)}{5} + \frac{(4a*b^3c*x^{11})}{11} + \frac{(2a^3b*d*x^6)}{3} + \frac{(a*b^3d*x^{12})}{3} + \frac{(4a^3b*e*x^7)}{7} + \frac{(4a*b^3e*x^{13})}{13}$

sympy [A] time = 0.11, size = 185, normalized size = 1.34

$$\frac{a^4cx^2}{2} + \frac{a^4dx^3}{3} + \frac{a^4ex^4}{4} + \frac{4a^3bcx^5}{5} + \frac{2a^3bdx^6}{3} + \frac{4a^3bex^7}{7} + \frac{3a^2b^2cx^8}{4} + \frac{2a^2b^2dx^9}{3} + \frac{3a^2b^2ex^{10}}{5} + \frac{4ab^3cx^{11}}{11} + \frac{ab^3dx^{12}}{3} + \frac{4a^4b^3cx^{13}}{13} + \frac{4a^4b^3dx^{14}}{14} + \frac{4a^4b^3ex^{15}}{15} + \frac{4a^4b^3e^2x^{16}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)*(b*x**3+a)**4,x)

[Out] a**4*c*x**2/2 + a**4*d*x**3/3 + a**4*e*x**4/4 + 4*a**3*b*c*x**5/5 + 2*a**3*b*d*x**6/3 + 4*a**3*b*e*x**7/7 + 3*a**2*b**2*c*x**8/4 + 2*a**2*b**2*d*x**9/3 + 3*a**2*b**2*e*x**10/5 + 4*a*b**3*c*x**11/11 + a*b**3*d*x**12/3 + 4*a*b**3*e*x**13/13 + b**4*c*x**14/14 + b**4*d*x**15/15 + b**4*e*x**16/16

3.333 $\int (c + dx + ex^2)(a + bx^3)^4 dx$

Optimal. Leaf size=130

$$a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{e(a + bx^3)^5}{15b} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

[Out] $a^4*c*x + 1/2*a^4*d*x^2 + a^3*b*c*x^4 + 4/5*a^3*b*d*x^5 + 6/7*a^2*b^2*c*x^7 + 3/4*a^2*b^2*d*x^8 + 2/5*a*b^3*c*x^{10} + 4/11*a*b^3*d*x^{11} + 1/13*b^4*c*x^{13} + 1/14*b^4*d*x^{14} + 1/15*e*(b*x^3+a)^5/b$

Rubi [A] time = 0.14, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1582, 1850}

$$\frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + a^4cx + \frac{1}{2}a^4dx^2 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{e(a + bx^3)^5}{15b} + \frac{1}{13}b^4cx^{13} + \frac{1}{14}b^4dx^{14}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3)^4, x]

[Out] $a^4*c*x + (a^4*d*x^2)/2 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a*b^3*c*x^{10})/5 + (4*a*b^3*d*x^{11})/11 + (b^4*c*x^{13})/13 + (b^4*d*x^{14})/14 + (e*(a + b*x^3)^5)/(15*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_.))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2)(a + bx^3)^4 dx &= \frac{e(a + bx^3)^5}{15b} + \int (c + dx)(a + bx^3)^4 dx \\
&= \frac{e(a + bx^3)^5}{15b} + \int (a^4c + a^4dx + 4a^3bcx^3 + 4a^3bdx^4 + 6a^2b^2cx^6 + 6a^2b^2dx^7 + \\
&= a^4cx + \frac{1}{2}a^4dx^2 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 173, normalized size = 1.33

$$a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + a^3bcx^4 + \frac{4}{5}a^3bdx^5 + \frac{2}{3}a^3bex^6 + \frac{6}{7}a^2b^2cx^7 + \frac{3}{4}a^2b^2dx^8 + \frac{2}{3}a^2b^2ex^9 + \frac{2}{5}ab^3cx^{10} + \frac{4}{11}ab^3dx^{11} + \frac{1}{11}ab^3ex^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3)^4, x]

[Out] a^4*c*x + (a^4*d*x^2)/2 + (a^4*e*x^3)/3 + a^3*b*c*x^4 + (4*a^3*b*d*x^5)/5 + (2*a^3*b*e*x^6)/3 + (6*a^2*b^2*c*x^7)/7 + (3*a^2*b^2*d*x^8)/4 + (2*a^2*b^2*e*x^9)/3 + (2*a*b^3*c*x^10)/5 + (4*a*b^3*d*x^11)/11 + (a*b^3*e*x^12)/3 + (b^4*c*x^13)/13 + (b^4*d*x^14)/14 + (b^4*e*x^15)/15

fricas [A] time = 0.55, size = 147, normalized size = 1.13

$$\frac{1}{15}x^{15}eb^4 + \frac{1}{14}x^{14}db^4 + \frac{1}{13}x^{13}cb^4 + \frac{1}{3}x^{12}eb^3a + \frac{4}{11}x^{11}db^3a + \frac{2}{5}x^{10}cb^3a + \frac{2}{3}x^9eb^2a^2 + \frac{3}{4}x^8db^2a^2 + \frac{6}{7}x^7cb^2a^2 + \frac{2}{3}x^6eba^3 + \frac{4}{11}x^5d^2a^4 + \frac{2}{5}x^4c^2a^4 + \frac{1}{3}x^3e^2a^4 + \frac{1}{15}x^2d^2a^4 + \frac{1}{15}x^2e^2a^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/15*x^15*e*b^4 + 1/14*x^14*d*b^4 + 1/13*x^13*c*b^4 + 1/3*x^12*e*b^3*a + 4/11*x^11*d*b^3*a + 2/5*x^10*c*b^3*a + 2/3*x^9*e*b^2*a^2 + 3/4*x^8*d*b^2*a^2 + 6/7*x^7*c*b^2*a^2 + 2/3*x^6*e*b*a^3 + 4/5*x^5*d*b*a^3 + x^4*c*b*a^3 + 1/3*x^3*e*a^4 + 1/2*x^2*d*a^4 + x*c*a^4

giac [A] time = 0.17, size = 152, normalized size = 1.17

$$\frac{1}{15}b^4x^{15}e + \frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{1}{3}ab^3x^{12}e + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{2}{3}a^2b^2x^9e + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{2}{3}a^3bx^6e + \frac{4}{11}a^3d^2x^5 + \frac{2}{5}a^3c^2x^4 + \frac{1}{3}a^3e^2x^3 + \frac{1}{15}a^3d^2x^2 + \frac{1}{15}a^3e^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="giac")

[Out] $\frac{1}{15}b^4x^{15}e + \frac{1}{14}b^4d*x^{14} + \frac{1}{13}b^4c*x^{13} + \frac{1}{3}a*b^3*x^{12}e + \frac{4}{11}a*b^3*d*x^{11} + \frac{2}{5}a*b^3*c*x^{10} + \frac{2}{3}a^2*b^2*x^9e + \frac{3}{4}a^2*b^2*d*x^8 + \frac{6}{7}a^2*b^2*c*x^7 + \frac{2}{3}a^3*b*x^6e + \frac{4}{5}a^3*b*d*x^5 + a^3*b*c*x^4 + \frac{1}{3}a^4*x^3e + \frac{1}{2}a^4*d*x^2 + a^4*c*x$

maple [A] time = 0.04, size = 148, normalized size = 1.14

$$\frac{1}{15}b^4ex^{15} + \frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{1}{3}ab^3ex^{12} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{2}{3}a^2b^2ex^9 + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{2}{3}a^3bex^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)*(b*x^3+a)^4,x)`

[Out] $\frac{1}{15}b^4*e*x^{15} + \frac{1}{14}b^4*d*x^{14} + \frac{1}{13}b^4*c*x^{13} + \frac{1}{3}a*b^3*e*x^{12} + \frac{4}{11}a*b^3*d*x^{11} + \frac{2}{5}a*b^3*c*x^{10} + \frac{2}{3}a^2*b^2*e*x^9 + \frac{3}{4}a^2*b^2*d*x^8 + \frac{6}{7}a^2*b^2*c*x^7 + \frac{2}{3}a^3*b*e*x^6 + \frac{4}{5}a^3*b*d*x^5 + a^3*b*c*x^4 + \frac{1}{3}a^4*e*x^3 + \frac{1}{2}a^4*d*x^2 + a^4*c*x$

maxima [A] time = 1.31, size = 147, normalized size = 1.13

$$\frac{1}{15}b^4ex^{15} + \frac{1}{14}b^4dx^{14} + \frac{1}{13}b^4cx^{13} + \frac{1}{3}ab^3ex^{12} + \frac{4}{11}ab^3dx^{11} + \frac{2}{5}ab^3cx^{10} + \frac{2}{3}a^2b^2ex^9 + \frac{3}{4}a^2b^2dx^8 + \frac{6}{7}a^2b^2cx^7 + \frac{2}{3}a^3bex^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^4,x, algorithm="maxima")`

[Out] $\frac{1}{15}b^4*e*x^{15} + \frac{1}{14}b^4*d*x^{14} + \frac{1}{13}b^4*c*x^{13} + \frac{1}{3}a*b^3*e*x^{12} + \frac{4}{11}a*b^3*d*x^{11} + \frac{2}{5}a*b^3*c*x^{10} + \frac{2}{3}a^2*b^2*e*x^9 + \frac{3}{4}a^2*b^2*d*x^8 + \frac{6}{7}a^2*b^2*c*x^7 + \frac{2}{3}a^3*b*e*x^6 + \frac{4}{5}a^3*b*d*x^5 + a^3*b*c*x^4 + \frac{1}{3}a^4*e*x^3 + \frac{1}{2}a^4*d*x^2 + a^4*c*x$

mupad [B] time = 0.15, size = 147, normalized size = 1.13

$$\frac{ea^4x^3}{3} + \frac{da^4x^2}{2} + ca^4x + \frac{2ea^3bx^6}{3} + \frac{4da^3bx^5}{5} + ca^3bx^4 + \frac{2ea^2b^2x^9}{3} + \frac{3da^2b^2x^8}{4} + \frac{6ca^2b^2x^7}{7} + \frac{ea^3bx^{12}}{3} + \frac{4dab^3x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^3)^4*(c + d*x + e*x^2),x)`

[Out] $\frac{(a^4*d*x^2)}{2} + \frac{(b^4*c*x^{13})}{13} + \frac{(a^4*e*x^3)}{3} + \frac{(b^4*d*x^{14})}{14} + \frac{(b^4*e*x^{15})}{15} + a^4*c*x + \frac{(6*a^2*b^2*c*x^7)}{7} + \frac{(3*a^2*b^2*d*x^8)}{4} + \frac{(2*a^2*b^2*e*x^9)}{3} + a^3*b*c*x^4 + \frac{(2*a*b^3*c*x^{10})}{5} + \frac{(4*a^3*b*d*x^5)}{5} + \frac{(4*a*b^3*d*x^{11})}{11} + \frac{(2*a^3*b*e*x^6)}{3} + \frac{(a*b^3*e*x^{12})}{3}$

sympy [A] time = 0.10, size = 178, normalized size = 1.37

$$a^4cx + \frac{a^4dx^2}{2} + \frac{a^4ex^3}{3} + a^3bcx^4 + \frac{4a^3bdx^5}{5} + \frac{2a^3bex^6}{3} + \frac{6a^2b^2cx^7}{7} + \frac{3a^2b^2dx^8}{4} + \frac{2a^2b^2ex^9}{3} + \frac{2ab^3cx^{10}}{5} + \frac{4ab^3dx^{11}}{11} + \frac{ab^3ex^{12}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**4,x)

[Out] a**4*c*x + a**4*d*x**2/2 + a**4*e*x**3/3 + a**3*b*c*x**4 + 4*a**3*b*d*x**5/5 + 2*a**3*b*e*x**6/3 + 6*a**2*b**2*c*x**7/7 + 3*a**2*b**2*d*x**8/4 + 2*a**2*b**2*e*x**9/3 + 2*a*b**3*c*x**10/5 + 4*a*b**3*d*x**11/11 + a*b**3*e*x**12/3 + b**4*c*x**13/13 + b**4*d*x**14/14 + b**4*e*x**15/15

$$3.334 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x} dx$$

Optimal. Leaf size=166

$$a^4c \log(x) + a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11}$$

[Out] a^4*d*x+1/2*a^4*e*x^2+4/3*a^3*b*c*x^3+a^3*b*d*x^4+4/5*a^3*b*e*x^5+a^2*b^2*c*x^6+6/7*a^2*b^2*d*x^7+3/4*a^2*b^2*e*x^8+4/9*a*b^3*c*x^9+2/5*a*b^3*d*x^10+4/11*a*b^3*e*x^11+1/12*b^4*c*x^12+1/13*b^4*d*x^13+1/14*b^4*e*x^14+a^4*c*ln(x)

Rubi [A] time = 0.11, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^4c \log(x) + a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^4)/x,x]

[Out] a^4*d*x + (a^4*e*x^2)/2 + (4*a^3*b*c*x^3)/3 + a^3*b*d*x^4 + (4*a^3*b*e*x^5)/5 + a^2*b^2*c*x^6 + (6*a^2*b^2*d*x^7)/7 + (3*a^2*b^2*e*x^8)/4 + (4*a*b^3*c*x^9)/9 + (2*a*b^3*d*x^10)/5 + (4*a*b^3*e*x^11)/11 + (b^4*c*x^12)/12 + (b^4*d*x^13)/13 + (b^4*e*x^14)/14 + a^4*c*Log[x]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)) + (c_.)*(x_)^2]^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x} dx = \int \left(a^4d + \frac{a^4c}{x} + a^4ex + 4a^3bcx^2 + 4a^3bdx^3 + 4a^3bex^4 + 6a^2b^2cx^5 + 6a^2b^2dx^6 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}ab^3ex^{11} \right) dx$$

Mathematica [A] time = 0.01, size = 166, normalized size = 1.00

$$a^4c \log(x) + a^4dx + \frac{1}{2}a^4ex^2 + \frac{4}{3}a^3bcx^3 + a^3bdx^4 + \frac{4}{5}a^3bex^5 + a^2b^2cx^6 + \frac{6}{7}a^2b^2dx^7 + \frac{3}{4}a^2b^2ex^8 + \frac{4}{9}ab^3cx^9 + \frac{2}{5}ab^3dx^{10} + \frac{4}{11}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^4)/x,x]

[Out] $a^4*d*x + (a^4*e*x^2)/2 + (4*a^3*b*c*x^3)/3 + a^3*b*d*x^4 + (4*a^3*b*e*x^5)/5 + a^2*b^2*c*x^6 + (6*a^2*b^2*d*x^7)/7 + (3*a^2*b^2*e*x^8)/4 + (4*a*b^3*c*x^9)/9 + (2*a*b^3*d*x^{10})/5 + (4*a*b^3*e*x^{11})/11 + (b^4*c*x^{12})/12 + (b^4*d*x^{13})/13 + (b^4*e*x^{14})/14 + a^4*c*\text{Log}[x]$

fricas [A] time = 0.72, size = 144, normalized size = 0.87

$$\frac{1}{14}b^4ex^{14} + \frac{1}{13}b^4dx^{13} + \frac{1}{12}b^4cx^{12} + \frac{4}{11}ab^3ex^{11} + \frac{2}{5}ab^3dx^{10} + \frac{4}{9}ab^3cx^9 + \frac{3}{4}a^2b^2ex^8 + \frac{6}{7}a^2b^2dx^7 + a^2b^2cx^6 + \frac{4}{5}a^3bex^5 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x,x, algorithm="fricas")

[Out] $1/14*b^4*e*x^{14} + 1/13*b^4*d*x^{13} + 1/12*b^4*c*x^{12} + 4/11*a*b^3*e*x^{11} + 2/5*a*b^3*d*x^{10} + 4/9*a*b^3*c*x^9 + 3/4*a^2*b^2*e*x^8 + 6/7*a^2*b^2*d*x^7 + a^2*b^2*c*x^6 + 4/5*a^3*b*e*x^5 + a^3*b*d*x^4 + 4/3*a^3*b*c*x^3 + 1/2*a^4*e*x^2 + a^4*d*x + a^4*c*\log(x)$

giac [A] time = 0.15, size = 150, normalized size = 0.90

$$\frac{1}{14}b^4x^{14}e + \frac{1}{13}b^4dx^{13} + \frac{1}{12}b^4cx^{12} + \frac{4}{11}ab^3x^{11}e + \frac{2}{5}ab^3dx^{10} + \frac{4}{9}ab^3cx^9 + \frac{3}{4}a^2b^2x^8e + \frac{6}{7}a^2b^2dx^7 + a^2b^2cx^6 + \frac{4}{5}a^3bx^5e +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x,x, algorithm="giac")

[Out] $1/14*b^4*x^{14}*e + 1/13*b^4*d*x^{13} + 1/12*b^4*c*x^{12} + 4/11*a*b^3*x^{11}*e + 2/5*a*b^3*d*x^{10} + 4/9*a*b^3*c*x^9 + 3/4*a^2*b^2*x^8*e + 6/7*a^2*b^2*d*x^7 + a^2*b^2*c*x^6 + 4/5*a^3*b*x^5*e + a^3*b*d*x^4 + 4/3*a^3*b*c*x^3 + 1/2*a^4*x^2*e + a^4*d*x + a^4*c*\log(\text{abs}(x))$

maple [A] time = 0.04, size = 145, normalized size = 0.87

$$\frac{b^4ex^{14}}{14} + \frac{b^4dx^{13}}{13} + \frac{b^4cx^{12}}{12} + \frac{4ab^3ex^{11}}{11} + \frac{2ab^3dx^{10}}{5} + \frac{4ab^3cx^9}{9} + \frac{3a^2b^2ex^8}{4} + \frac{6a^2b^2dx^7}{7} + a^2b^2cx^6 + \frac{4a^3bex^5}{5} + a^3bdx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^4/x,x)

[Out] a^4*d*x+1/2*a^4*e*x^2+4/3*a^3*b*c*x^3+a^3*b*d*x^4+4/5*a^3*b*e*x^5+a^2*b^2*c*x^6+6/7*a^2*b^2*d*x^7+3/4*a^2*b^2*e*x^8+4/9*a*b^3*c*x^9+2/5*a*b^3*d*x^10+4/11*a*b^3*e*x^11+1/12*b^4*c*x^12+1/13*b^4*d*x^13+1/14*b^4*e*x^14+a^4*c*ln(x)

maxima [A] time = 1.30, size = 144, normalized size = 0.87

$$\frac{1}{14} b^4 e x^{14} + \frac{1}{13} b^4 d x^{13} + \frac{1}{12} b^4 c x^{12} + \frac{4}{11} a b^3 e x^{11} + \frac{2}{5} a b^3 d x^{10} + \frac{4}{9} a b^3 c x^9 + \frac{3}{4} a^2 b^2 e x^8 + \frac{6}{7} a^2 b^2 d x^7 + a^2 b^2 c x^6 + \frac{4}{5} a^3 b e x^5 + a^3 b d x^4 + \frac{4}{3} a^3 b c x^3 + \frac{1}{2} a^4 e x^2 + a^4 d x + a^4 c \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x,x, algorithm="maxima")

[Out] 1/14*b^4*e*x^14 + 1/13*b^4*d*x^13 + 1/12*b^4*c*x^12 + 4/11*a*b^3*e*x^11 + 2/5*a*b^3*d*x^10 + 4/9*a*b^3*c*x^9 + 3/4*a^2*b^2*e*x^8 + 6/7*a^2*b^2*d*x^7 + a^2*b^2*c*x^6 + 4/5*a^3*b*e*x^5 + a^3*b*d*x^4 + 4/3*a^3*b*c*x^3 + 1/2*a^4*e*x^2 + a^4*d*x + a^4*c*log(x)

mupad [B] time = 0.14, size = 144, normalized size = 0.87

$$\frac{b^4 c x^{12}}{12} + \frac{a^4 e x^2}{2} + \frac{b^4 d x^{13}}{13} + \frac{b^4 e x^{14}}{14} + a^4 c \ln(x) + a^4 d x + a^2 b^2 c x^6 + \frac{6 a^2 b^2 d x^7}{7} + \frac{3 a^2 b^2 e x^8}{4} + \frac{4 a^3 b c x^3}{3} + \frac{4 a b^3 c x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^4*(c + d*x + e*x^2))/x,x)

[Out] (b^4*c*x^12)/12 + (a^4*e*x^2)/2 + (b^4*d*x^13)/13 + (b^4*e*x^14)/14 + a^4*c*log(x) + a^4*d*x + a^2*b^2*c*x^6 + (6*a^2*b^2*d*x^7)/7 + (3*a^2*b^2*e*x^8)/4 + (4*a^3*b*c*x^3)/3 + (4*a*b^3*c*x^9)/9 + a^3*b*d*x^4 + (2*a*b^3*d*x^10)/5 + (4*a^3*b*e*x^5)/5 + (4*a*b^3*e*x^11)/11

sympy [A] time = 0.34, size = 175, normalized size = 1.05

$$a^4 c \log(x) + a^4 d x + \frac{a^4 e x^2}{2} + \frac{4 a^3 b c x^3}{3} + a^3 b d x^4 + \frac{4 a^3 b e x^5}{5} + a^2 b^2 c x^6 + \frac{6 a^2 b^2 d x^7}{7} + \frac{3 a^2 b^2 e x^8}{4} + \frac{4 a b^3 c x^9}{9} + \frac{2 a b^3 d x^{10}}{5} + \frac{4 a b^3 e x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**4/x,x)

[Out] a**4*c*log(x) + a**4*d*x + a**4*e*x**2/2 + 4*a**3*b*c*x**3/3 + a**3*b*d*x**4 + 4*a**3*b*e*x**5/5 + a**2*b**2*c*x**6 + 6*a**2*b**2*d*x**7/7 + 3*a**2*b**2*e*x**8/4 + 4*a*b**3*c*x**9/9 + 2*a*b**3*d*x**10/5 + 4*a*b**3*e*x**11/11 + b**4*c*x**12/12 + b**4*d*x**13/13 + b**4*e*x**14/14

$$3.335 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^2} dx$$

Optimal. Leaf size=162

$$-\frac{a^4c}{x} + a^4d \log(x) + a^4ex + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 + \frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10}$$

[Out] $-a^4c/x + a^4e*x + 2*a^3*b*c*x^2 + 4/3*a^3*b*d*x^3 + a^3*b*e*x^4 + 6/5*a^2*b^2*c*x^5 + a^2*b^2*d*x^6 + 6/7*a^2*b^2*e*x^7 + 1/2*a*b^3*c*x^8 + 4/9*a*b^3*d*x^9 + 2/5*a*b^3*e*x^{10} + 1/11*b^4*c*x^{11} + 1/12*b^4*d*x^{12} + 1/13*b^4*e*x^{13} + a^4*d*\ln(x)$

Rubi [A] time = 0.13, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$\frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 - \frac{a^4c}{x} + a^4d \log(x) + a^4ex + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^2, x]

[Out] $-((a^4*c)/x) + a^4*e*x + 2*a^3*b*c*x^2 + (4*a^3*b*d*x^3)/3 + a^3*b*e*x^4 + (6*a^2*b^2*c*x^5)/5 + a^2*b^2*d*x^6 + (6*a^2*b^2*e*x^7)/7 + (a*b^3*c*x^8)/2 + (4*a*b^3*d*x^9)/9 + (2*a*b^3*e*x^{10})/5 + (b^4*c*x^{11})/11 + (b^4*d*x^{12})/12 + (b^4*e*x^{13})/13 + a^4*d*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^2} dx = \int \left(a^4e + \frac{a^4c}{x^2} + \frac{a^4d}{x} + 4a^3bcx + 4a^3bdx^2 + 4a^3bex^3 + 6a^2b^2cx^4 + 6a^2b^2dx^5 + \frac{6}{5}a^2b^2ex^7 + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10} \right) dx$$

$$= -\frac{a^4c}{x} + a^4ex + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 + \frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10}$$

Mathematica [A] time = 0.01, size = 162, normalized size = 1.00

$$-\frac{a^4c}{x} + a^4d \log(x) + a^4ex + 2a^3bcx^2 + \frac{4}{3}a^3bdx^3 + a^3bex^4 + \frac{6}{5}a^2b^2cx^5 + a^2b^2dx^6 + \frac{6}{7}a^2b^2ex^7 + \frac{1}{2}ab^3cx^8 + \frac{4}{9}ab^3dx^9 + \frac{2}{5}ab^3ex^{10}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^2,x]

[Out] $-\frac{(a^4*c)}{x} + a^4*e*x + 2*a^3*b*c*x^2 + \frac{(4*a^3*b*d*x^3)}{3} + a^3*b*e*x^4 + \frac{(6*a^2*b^2*c*x^5)}{5} + a^2*b^2*d*x^6 + \frac{(6*a^2*b^2*e*x^7)}{7} + \frac{(a*b^3*c*x^8)}{2} + \frac{(4*a*b^3*d*x^9)}{9} + \frac{(2*a*b^3*e*x^{10})}{5} + \frac{(b^4*c*x^{11})}{11} + \frac{(b^4*d*x^{12})}{12} + \frac{(b^4*e*x^{13})}{13} + a^4*d*\text{Log}[x]$

fricas [A] time = 0.56, size = 153, normalized size = 0.94

$$\frac{13860 b^4 e x^{14} + 15015 b^4 d x^{13} + 16380 b^4 c x^{12} + 72072 a b^3 e x^{11} + 80080 a b^3 d x^{10} + 90090 a b^3 c x^9 + 154440 a^2 b^2 e x^8}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x, algorithm="fricas")

[Out] $\frac{1}{180180}*(13860*b^4*e*x^{14} + 15015*b^4*d*x^{13} + 16380*b^4*c*x^{12} + 72072*a*b^3*e*x^{11} + 80080*a*b^3*d*x^{10} + 90090*a*b^3*c*x^9 + 154440*a^2*b^2*e*x^8 + 180180*a^2*b^2*d*x^7 + 216216*a^2*b^2*c*x^6 + 180180*a^3*b*e*x^5 + 240240*a^3*b*d*x^4 + 360360*a^3*b*c*x^3 + 180180*a^4*e*x^2 + 180180*a^4*d*x*\log(x) - 180180*a^4*c)/x$

giac [A] time = 0.16, size = 150, normalized size = 0.93

$$\frac{1}{13} b^4 x^{13} e + \frac{1}{12} b^4 d x^{12} + \frac{1}{11} b^4 c x^{11} + \frac{2}{5} a b^3 x^{10} e + \frac{4}{9} a b^3 d x^9 + \frac{1}{2} a b^3 c x^8 + \frac{6}{7} a^2 b^2 x^7 e + a^2 b^2 d x^6 + \frac{6}{5} a^2 b^2 c x^5 + a^3 b x^4 e + \frac{4}{3} a^3 b d x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x, algorithm="giac")

[Out] $\frac{1}{13}*b^4*x^{13}*e + \frac{1}{12}*b^4*d*x^{12} + \frac{1}{11}*b^4*c*x^{11} + \frac{2}{5}*a*b^3*x^{10}*e + \frac{4}{9}*a*b^3*d*x^9 + \frac{1}{2}*a*b^3*c*x^8 + \frac{6}{7}*a^2*b^2*x^7*e + a^2*b^2*d*x^6 + \frac{6}{5}*a^2*b^2*c*x^5 + a^3*b*x^4*e + \frac{4}{3}*a^3*b*d*x^3 + 2*a^3*b*c*x^2 + a^4*x*e + a^4*d*\log(\text{abs}(x)) - a^4*c/x$

maple [A] time = 0.05, size = 145, normalized size = 0.90

$$\frac{b^4 e x^{13}}{13} + \frac{b^4 d x^{12}}{12} + \frac{b^4 c x^{11}}{11} + \frac{2 a b^3 e x^{10}}{5} + \frac{4 a b^3 d x^9}{9} + \frac{a b^3 c x^8}{2} + \frac{6 a^2 b^2 e x^7}{7} + a^2 b^2 d x^6 + \frac{6 a^2 b^2 c x^5}{5} + a^3 b e x^4 + \frac{4 a^3 b d x^3}{3} + 2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x)

[Out] $-a^4c/x + a^4ex + 2a^3bcx^2 + 4/3a^3bdx^3 + a^3b^2cx^4 + 6/5a^2b^2cx^5 + a^2b^2dx^6 + 6/7a^2b^2ex^7 + 1/2a^2b^2cx^8 + 4/9a^2b^2dx^9 + 2/5a^2b^2ex^{10} + 1/11b^4cx^{11} + 1/12b^4dx^{12} + 1/13b^4ex^{13} + a^4d \ln(x)$

maxima [A] time = 1.31, size = 144, normalized size = 0.89

$$\frac{1}{13} b^4 ex^{13} + \frac{1}{12} b^4 dx^{12} + \frac{1}{11} b^4 cx^{11} + \frac{2}{5} ab^3 ex^{10} + \frac{4}{9} ab^3 dx^9 + \frac{1}{2} ab^3 cx^8 + \frac{6}{7} a^2 b^2 ex^7 + a^2 b^2 dx^6 + \frac{6}{5} a^2 b^2 cx^5 + a^3 b ex^4 + \frac{4}{3} a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^2,x, algorithm="maxima")`

[Out] $1/13b^4ex^{13} + 1/12b^4dx^{12} + 1/11b^4cx^{11} + 2/5a^2b^2ex^{10} + 4/9a^2b^2dx^9 + 1/2a^2b^2cx^8 + 6/7a^2b^2ex^7 + a^2b^2dx^6 + 6/5a^2b^2cx^5 + a^3b^2ex^4 + 4/3a^3bdx^3 + 2a^3bcx^2 + a^4ex + a^4d \ln(x) - a^4c/x$

mupad [B] time = 4.99, size = 144, normalized size = 0.89

$$\frac{b^4 cx^{11}}{11} - \frac{a^4 c}{x} + \frac{b^4 dx^{12}}{12} + \frac{b^4 ex^{13}}{13} + a^4 d \ln(x) + a^4 ex + \frac{6a^2 b^2 cx^5}{5} + a^2 b^2 dx^6 + \frac{6a^2 b^2 ex^7}{7} + 2a^3 bcx^2 + \frac{a^3 cx^8}{2} + \frac{4}{3} a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^4*(c + d*x + e*x^2))/x^2,x)`

[Out] $(b^4cx^{11})/11 - (a^4c)/x + (b^4dx^{12})/12 + (b^4ex^{13})/13 + a^4d \ln(x) + a^4ex + (6a^2b^2cx^5)/5 + a^2b^2dx^6 + (6a^2b^2ex^7)/7 + 2a^3bcx^2 + (a^3cx^8)/2 + (4a^3bdx^3)/3 + (4a^3bcx^2)/9 + a^3b^2ex^4 + (2a^3bcx^2)/5$

sympy [A] time = 0.38, size = 168, normalized size = 1.04

$$-\frac{a^4c}{x} + a^4d \log(x) + a^4ex + 2a^3bcx^2 + \frac{4a^3bdx^3}{3} + a^3bex^4 + \frac{6a^2b^2cx^5}{5} + a^2b^2dx^6 + \frac{6a^2b^2ex^7}{7} + \frac{ab^3cx^8}{2} + \frac{4ab^3dx^9}{9} + \frac{2ab^3ex^{10}}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**4/x**2,x)`

[Out] $-a^4c/x + a^4d \ln(x) + a^4ex + 2a^3bcx^2 + 4a^3bdx^3/3 + a^3b^2cx^4 + 6a^2b^2cx^5/5 + a^2b^2dx^6 + 6a^2b^2ex^7/7 + a^2b^2cx^8/2 + 4a^2b^2dx^9/9 + 2a^2b^2ex^{10}/5 + b^4cx^{11}/11 + b^4dx^{12}/12 + b^4ex^{13}/13$

$$3.336 \quad \int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^3} dx$$

Optimal. Leaf size=166

$$-\frac{a^4c}{2x^2} - \frac{a^4d}{x} + a^4e \log(x) + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 + \frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6 + \frac{4}{7}ab^3cx^7 + \frac{1}{2}ab^3dx^8 + \frac{4}{9}ab^3ex^9$$

[Out] $-1/2*a^4*c/x^2 - a^4*d/x + 4*a^3*b*c*x + 2*a^3*b*d*x^2 + 4/3*a^3*b*e*x^3 + 3/2*a^2*b^2*c*x^4 + 6/5*a^2*b^2*d*x^5 + a^2*b^2*e*x^6 + 4/7*a*b^3*c*x^7 + 1/2*a*b^3*d*x^8 + 4/9*a*b^3*e*x^9 + 1/10*b^4*c*x^{10} + 1/11*b^4*d*x^{11} + 1/12*b^4*e*x^{12} + a^4*e*\ln(x)$

Rubi [A] time = 0.12, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1628}

$$\frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6 + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 - \frac{a^4c}{2x^2} - \frac{a^4d}{x} + a^4e \log(x) + \frac{4}{7}ab^3cx^7 + \frac{1}{2}ab^3dx^8 + \frac{4}{9}ab^3ex^9 +$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^3, x]

[Out] $-(a^4*c)/(2*x^2) - (a^4*d)/x + 4*a^3*b*c*x + 2*a^3*b*d*x^2 + (4*a^3*b*e*x^3)/3 + (3*a^2*b^2*c*x^4)/2 + (6*a^2*b^2*d*x^5)/5 + a^2*b^2*e*x^6 + (4*a*b^3*c*x^7)/7 + (a*b^3*d*x^8)/2 + (4*a*b^3*e*x^9)/9 + (b^4*c*x^{10})/10 + (b^4*d*x^{11})/11 + (b^4*e*x^{12})/12 + a^4*e*\text{Log}[x]$

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\int \frac{(c+dx+ex^2)(a+bx^3)^4}{x^3} dx = \int \left(4a^3bc + \frac{a^4c}{x^3} + \frac{a^4d}{x^2} + \frac{a^4e}{x} + 4a^3bdx + 4a^3bex^2 + 6a^2b^2cx^3 + 6a^2b^2dx^4 + 6a^2b^2ex^5 \right) dx$$

$$= -\frac{a^4c}{2x^2} - \frac{a^4d}{x} + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 + \frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6$$

Mathematica [A] time = 0.01, size = 166, normalized size = 1.00

$$-\frac{a^4c}{2x^2} - \frac{a^4d}{x} + a^4e \log(x) + 4a^3bcx + 2a^3bdx^2 + \frac{4}{3}a^3bex^3 + \frac{3}{2}a^2b^2cx^4 + \frac{6}{5}a^2b^2dx^5 + a^2b^2ex^6 + \frac{4}{7}ab^3cx^7 + \frac{1}{2}ab^3dx^8 + \frac{4}{9}ab^3ex^9$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2)*(a + b*x^3)^4)/x^3, x]

[Out] $-1/2*(a^4*c)/x^2 - (a^4*d)/x + 4*a^3*b*c*x + 2*a^3*b*d*x^2 + (4*a^3*b*e*x^3)/3 + (3*a^2*b^2*c*x^4)/2 + (6*a^2*b^2*d*x^5)/5 + a^2*b^2*e*x^6 + (4*a*b^3*c*x^7)/7 + (a*b^3*d*x^8)/2 + (4*a*b^3*e*x^9)/9 + (b^4*c*x^{10})/10 + (b^4*d*x^{11})/11 + (b^4*e*x^{12})/12 + a^4*e*\text{Log}[x]$

fricas [A] time = 0.73, size = 153, normalized size = 0.92

$$1155 b^4 e x^{14} + 1260 b^4 d x^{13} + 1386 b^4 c x^{12} + 6160 a b^3 e x^{11} + 6930 a b^3 d x^{10} + 7920 a b^3 c x^9 + 13860 a^2 b^2 e x^8 + 16632 a^2 b^2 d x^7 + 20790 a^2 b^2 c x^6 + 18480 a^3 b e x^5 + 27720 a^3 b d x^4 + 55440 a^3 b c x^3 + 13860 a^4 e x^2 \log(x) - 13860 a^4 d x - 6930 a^4 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^3, x, algorithm="fricas")

[Out] $1/13860*(1155*b^4*e*x^{14} + 1260*b^4*d*x^{13} + 1386*b^4*c*x^{12} + 6160*a*b^3*e*x^{11} + 6930*a*b^3*d*x^{10} + 7920*a*b^3*c*x^9 + 13860*a^2*b^2*e*x^8 + 16632*a^2*b^2*d*x^7 + 20790*a^2*b^2*c*x^6 + 18480*a^3*b*e*x^5 + 27720*a^3*b*d*x^4 + 55440*a^3*b*c*x^3 + 13860*a^4*e*x^2*\log(x) - 13860*a^4*d*x - 6930*a^4*c)/x^2$

giac [A] time = 0.17, size = 152, normalized size = 0.92

$$\frac{1}{12} b^4 x^{12} e + \frac{1}{11} b^4 d x^{11} + \frac{1}{10} b^4 c x^{10} + \frac{4}{9} a b^3 x^9 e + \frac{1}{2} a b^3 d x^8 + \frac{4}{7} a b^3 c x^7 + a^2 b^2 x^6 e + \frac{6}{5} a^2 b^2 d x^5 + \frac{3}{2} a^2 b^2 c x^4 + \frac{4}{3} a^3 b x^3 e + 2 a^3 b d x^2 + a^3 b c x + a^4 e \log(x) - a^4 d x - a^4 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^3, x, algorithm="giac")

[Out] $1/12*b^4*x^{12}*e + 1/11*b^4*d*x^{11} + 1/10*b^4*c*x^{10} + 4/9*a*b^3*x^9*e + 1/2*a*b^3*d*x^8 + 4/7*a*b^3*c*x^7 + a^2*b^2*x^6*e + 6/5*a^2*b^2*d*x^5 + 3/2*a^2*b^2*c*x^4 + 4/3*a^3*b*x^3*e + 2*a^3*b*d*x^2 + 4*a^3*b*c*x + a^4*e*\log(\text{abs}(x)) - 1/2*(2*a^4*d*x + a^4*c)/x^2$

maple [A] time = 0.05, size = 147, normalized size = 0.89

$$\frac{b^4 e x^{12}}{12} + \frac{b^4 d x^{11}}{11} + \frac{b^4 c x^{10}}{10} + \frac{4 a b^3 e x^9}{9} + \frac{a b^3 d x^8}{2} + \frac{4 a b^3 c x^7}{7} + a^2 b^2 e x^6 + \frac{6 a^2 b^2 d x^5}{5} + \frac{3 a^2 b^2 c x^4}{2} + \frac{4 a^3 b e x^3}{3} + 2 a^3 b d x^2 + a^3 b c x + a^4 e \log(x) - a^4 d x - a^4 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^4/x^3, x)

[Out] $-1/2*a^4*c/x^2 - a^4*d/x + 4*a^3*b*c*x + 2*a^3*b*d*x^2 + 4/3*a^3*b*e*x^3 + 3/2*a^2*b^2*c*x^4 + 6/5*a^2*b^2*d*x^5 + a^2*b^2*e*x^6 + 4/7*a*b^3*c*x^7 + 1/2*a*b^3*d*x^8 + 4/9*a*b^3*e*x^9 + 1/10*b^4*c*x^{10} + 1/11*b^4*d*x^{11} + 1/12*b^4*e*x^{12} + a^4*e*\ln(x)$

maxima [A] time = 1.33, size = 146, normalized size = 0.88

$$\frac{1}{12} b^4 e x^{12} + \frac{1}{11} b^4 d x^{11} + \frac{1}{10} b^4 c x^{10} + \frac{4}{9} a b^3 e x^9 + \frac{1}{2} a b^3 d x^8 + \frac{4}{7} a b^3 c x^7 + a^2 b^2 e x^6 + \frac{6}{5} a^2 b^2 d x^5 + \frac{3}{2} a^2 b^2 c x^4 + \frac{4}{3} a^3 b e x^3 + 2 a^3 b^2 c x^2 + 4 a^3 b^3 d x + a^4 e \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)*(b*x^3+a)^4/x^3,x, algorithm="maxima")`

[Out] $1/12*b^4*e*x^{12} + 1/11*b^4*d*x^{11} + 1/10*b^4*c*x^{10} + 4/9*a*b^3*e*x^9 + 1/2*a*b^3*d*x^8 + 4/7*a*b^3*c*x^7 + a^2*b^2*e*x^6 + 6/5*a^2*b^2*d*x^5 + 3/2*a^2*b^2*c*x^4 + 4/3*a^3*b*e*x^3 + 2*a^3*b*d*x^2 + 4*a^3*b*c*x + a^4*e*\log(x) - 1/2*(2*a^4*d*x + a^4*c)/x^2$

mupad [B] time = 4.99, size = 146, normalized size = 0.88

$$\frac{b^4 c x^{10}}{10} - \frac{a^4 c}{2 x^2} + \frac{a^4 d x}{x^2} + \frac{b^4 d x^{11}}{11} + \frac{b^4 e x^{12}}{12} + a^4 e \ln(x) + \frac{3 a^2 b^2 c x^4}{2} + \frac{6 a^2 b^2 d x^5}{5} + a^2 b^2 e x^6 + 4 a^3 b c x + \frac{4 a b^3 c x^7}{7} + 2 a^3 b^2 d x + a^4 e \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^4*(c + d*x + e*x^2))/x^3,x)`

[Out] $(b^4*c*x^{10})/10 - ((a^4*c)/2 + a^4*d*x)/x^2 + (b^4*d*x^{11})/11 + (b^4*e*x^{12})/12 + a^4*e*\log(x) + (3*a^2*b^2*c*x^4)/2 + (6*a^2*b^2*d*x^5)/5 + a^2*b^2*e*x^6 + 4*a^3*b*c*x + (4*a*b^3*c*x^7)/7 + 2*a^3*b*d*x^2 + (a*b^3*d*x^8)/2 + (4*a^3*b*e*x^3)/3 + (4*a*b^3*e*x^9)/9$

sympy [A] time = 0.44, size = 175, normalized size = 1.05

$$a^4 e \log(x) + 4 a^3 b c x + 2 a^3 b d x^2 + \frac{4 a^3 b e x^3}{3} + \frac{3 a^2 b^2 c x^4}{2} + \frac{6 a^2 b^2 d x^5}{5} + a^2 b^2 e x^6 + \frac{4 a b^3 c x^7}{7} + \frac{a b^3 d x^8}{2} + \frac{4 a b^3 e x^9}{9} + \frac{b^4 c x^{10}}{10} + \frac{b^4 d x^{11}}{11} + \frac{b^4 e x^{12}}{12} + (-a^4 c - 2 a^4 d x)/(2 x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)*(b*x**3+a)**4/x**3,x)`

[Out] $a**4*e*\log(x) + 4*a**3*b*c*x + 2*a**3*b*d*x**2 + 4*a**3*b*e*x**3/3 + 3*a**2*b**2*c*x**4/2 + 6*a**2*b**2*d*x**5/5 + a**2*b**2*e*x**6 + 4*a*b**3*c*x**7/7 + a*b**3*d*x**8/2 + 4*a*b**3*e*x**9/9 + b**4*c*x**10/10 + b**4*d*x**11/11 + b**4*e*x**12/12 + (-a**4*c - 2*a**4*d*x)/(2*x**2)$

$$3.337 \quad \int \frac{x^3(c+dx+ex^2)}{a+bx^3} dx$$

Optimal. Leaf size=205

$$\frac{\sqrt[3]{a} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b}c - \sqrt[3]{a}d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{a}d + \sqrt[3]{b}c \right) \tan^{-1} \left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x} \right)}{\sqrt{3} b^{5/3}}$$

[Out] $c*x/b+1/2*d*x^2/b+1/3*e*x^3/b-1/3*a^{(1/3)}*(b^{(1/3)}*c-a^{(1/3)}*d)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(5/3)}+1/6*a^{(1/3)}*(c-a^{(1/3)}*d/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(4/3)}-1/3*a*e*\ln(b*x^3+a)/b^2+1/3*a^{(1/3)}*(b^{(1/3)}*c+a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b}c - \sqrt[3]{a}d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{a}d + \sqrt[3]{b}c \right) \tan^{-1} \left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x} \right)}{\sqrt{3} b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] $(c*x)/b + (d*x^2)/(2*b) + (e*x^3)/(3*b) + (a^{(1/3)}*(b^{(1/3)}*c + a^{(1/3)}*d)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*b^{(5/3)}) - (a^{(1/3)}*(b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*b^{(5/3)}) + (a^{(1/3)}*(c - (a^{(1/3)}*d)/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*b^{(4/3)}) - (a*e*\text{Log}[a + b*x^3])/(3*b^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx + ex^2)}{a + bx^3} dx &= \int \left(\frac{c}{b} + \frac{dx}{b} + \frac{ex^2}{b} - \frac{ac + adx + aex^2}{b(a + bx^3)} \right) dx \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\int \frac{ac+adx+aex^2}{a+bx^3} dx}{b} \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\int \frac{ac+adx}{a+bx^3} dx}{b} - \frac{(ae) \int \frac{x^2}{a+bx^3} dx}{b} \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{ae \log(a + bx^3)}{3b^2} - \frac{\int \frac{\sqrt[3]{a}(2a\sqrt[3]{b}c+a^{4/3}d) + \sqrt[3]{b}(-a\sqrt[3]{b}c+a^{4/3}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}b^{4/3}} - \frac{\sqrt[3]{a}(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\sqrt[3]{a}(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} - \frac{ae \log(a + bx^3)}{3b^2} - \frac{(a^{2/3}(\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}))}{6b^{4/3}} \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} - \frac{\sqrt[3]{a}(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} + \frac{\sqrt[3]{a}(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6b^{4/3}} \\
&= \frac{cx}{b} + \frac{dx^2}{2b} + \frac{ex^3}{3b} + \frac{\sqrt[3]{a}(\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}})}{\sqrt{3}b^{5/3}} - \frac{\sqrt[3]{a}(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 191, normalized size = 0.93

$$\sqrt[3]{b} (\sqrt[3]{a} \sqrt[3]{b} c - a^{2/3} d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + 2\sqrt[3]{b} (a^{2/3} d - \sqrt[3]{a} \sqrt[3]{b} c) \log(\sqrt[3]{a} + \sqrt[3]{b} x) + 2\sqrt{3} \sqrt[3]{a} \sqrt[3]{b} (\sqrt[3]{a} - 2\sqrt[3]{b} x) \tan^{-1}(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}})$$

$6b^2$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] (6*b*c*x + 3*b*d*x^2 + 2*b*e*x^3 + 2*sqrt(3)*a^(1/3)*b^(1/3)*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] + 2*b^(1/3)*(-a^(1/3)*b^(1/3)*c + a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*a*e*Log[a + b*x^3]/(6*b^2)

fricas [C] time = 2.83, size = 4798, normalized size = 23.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x³*(e*x²+d*x+c)/(b*x³+a),x, algorithm="fricas")

[Out] $\frac{1}{36}*(12*b*e*x^3 + 18*b*d*x^2 - 2*((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)*b^2*\log(1/36*((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)^2*b^4*d + 2*a*b*c*d^2 - a*b*c^2*e + a^2*d*e^2 + 1/6*(b^3*c^2 - 2*a*b^2*d*e)*((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2) + (b^2*c^3 + a*b*d^3)*x) + 36*b*c*x + (((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)*b^2 + 3*sqrt(1/3)*b^2*sqrt(-(((I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)^2*b^4 - 12*((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)*a*b^2*e + 144*a*b*c*d + 36*a^2*e^2)/b^4 - 18*a*e)*log(-1/36*((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)^2*b^4*d - 2*a*b*c*d^2 + a*b*c^2*e - a^2*d*e^2 - 1/6*(b^3*c^2 - 2*a*b^2*d*e)*((-I*\sqrt{3}) + 1)*(a^2*e^2/b^4 - (a*b*c*d + a^2*e^2)/b^4)/(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*a^3*e^3/b^6 + 1/54*(b*c^3 + a*d^3)*a/b^5 + 1/18*(a*b*c*d + a^2*e^2)*a*e/b^6 - 1/54*(a*b^2*c^3 + a^3*e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a*e/b^2)$

$$\begin{aligned}
& + a^2e^2/b^4)/(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a^2/b^2) + 2*(b^2*c^3 + a*b*d^3)*x + 1/12*\sqrt{1/3}*(((-I*\sqrt{3} + 1)*(a^2e^2/b^4 - (a*b*c*d + a^2e^2)/b^4)/(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a^2/b^2)*b^4*d - 6*b^3*c^2 - 6*a*b^2*d*e)*\sqrt{-(((-I*\sqrt{3} + 1)*(a^2e^2/b^4 - (a*b*c*d + a^2e^2)/b^4)/(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a^2/b^2)^2*b^4 - 12*((-I*\sqrt{3} + 1)*(a^2e^2/b^4 - (a*b*c*d + a^2e^2)/b^4)/(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a^2/b^2)*a*b^2*e + 144*a*b*c*d + 36*a^2e^2)/b^4) + (((-I*\sqrt{3} + 1)*(a^2e^2/b^4 - (a*b*c*d + a^2e^2)/b^4)/(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a^2/b^2)*b^2 - 3*\sqrt{1/3}*b^2*\sqrt{-(((-I*\sqrt{3} + 1)*(a^2e^2/b^4 - (a*b*c*d + a^2e^2)/b^4)/(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a^2/b^2)^2*b^4 - 12*((-I*\sqrt{3} + 1)*(a^2e^2/b^4 - (a*b*c*d + a^2e^2)/b^4)/(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a^2/b^2)*a*b^2*e + 144*a*b*c*d + 36*a^2e^2)/b^4) - 18*a*e)*\log(-1/36*((-I*\sqrt{3} + 1)*(a^2e^2/b^4 - (a*b*c*d + a^2e^2)/b^4)/(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 9*(I*\sqrt{3} + 1)*(-1/27a^3e^3/b^6 + 1/54*(b^3c^3 + a^3d^3)*a/b^5 + 1/18*(a*b*c*d + a^2e^2)*a^2/b^6 - 1/54*(a*b^2*c^3 + a^3e^3 - (d^3 - 3*c*d*e)*a^2*b)/b^6)^{(1/3)} + 6*a^2/b^2)^2*b^4*d - 2*a*b*c*d^2 + a*b*c^2*e - a^2*d*e^2 - 1/6*(b^3*c^2 - 2*a*b^2*d*e))*((-I*\sqrt{3} + 1))*
\end{aligned}$$

$$\begin{aligned} & a^2 e^2 / b^4 - (a b c d + a^2 e^2) / b^4 / (-1/27 a^3 e^3 / b^6 + 1/54 (b c^3 + a \\ & d^3) a / b^5 + 1/18 (a b c d + a^2 e^2) a e / b^6 - 1/54 (a b^2 c^3 + a^3 e^3 \\ & - (d^3 - 3 c d e) a^2 b) / b^6)^{1/3} + 9 (I \sqrt{3} + 1) (-1/27 a^3 e^3 / b^6 \\ & + 1/54 (b c^3 + a d^3) a / b^5 + 1/18 (a b c d + a^2 e^2) a e / b^6 - 1/54 (a b \\ & ^2 c^3 + a^3 e^3 - (d^3 - 3 c d e) a^2 b) / b^6)^{1/3} + 6 a e / b^2 + 2 (b^2 c^3 + a b d^3) x \\ & - 1/12 \sqrt{3} (((-I \sqrt{3} + 1) (a^2 e^2 / b^4 - (a b c d + a^2 e^2) / b^4) / (-1/27 a^3 e^3 / b^6 \\ & + 1/54 (b c^3 + a d^3) a / b^5 + 1/18 (a b c d + a^2 e^2) a e / b^6 - 1/54 (a b^2 c^3 + a^3 e^3 \\ & - (d^3 - 3 c d e) a^2 b) / b^6)^{1/3} + 9 (I \sqrt{3} + 1) (-1/27 a^3 e^3 / b^6 + 1/54 (b c^3 + a d^3) \\ &) a / b^5 + 1/18 (a b c d + a^2 e^2) a e / b^6 - 1/54 (a b^2 c^3 + a^3 e^3 - (d^3 - 3 c d e) a^2 \\ & b) / b^6)^{1/3} + 6 a e / b^2) b^4 d - 6 b^3 c^2 - 6 a b^2 d e) \sqrt{-(((-I \sqrt{3} + 1) (a^2 e^2 / b^4 - (a b c d + a^2 e^2) / b^4) / (-1/27 a^3 e^3 / b^6 \\ & + 1/54 (b c^3 + a d^3) a / b^5 + 1/18 (a b c d + a^2 e^2) a e / b^6 - 1/54 (a b^2 c^3 + a^3 e^3 - (d^3 - 3 c d e) a^2 b) / b^6)^{1/3} + 9 (I \sqrt{3} + 1) (-1/27 a^3 e^3 / b^6 + 1/54 (b c^3 + a d^3) a / b^5 + 1/18 (a b c d + a^2 e^2) a e / b^6 - 1/54 (a b^2 c^3 + a^3 e^3 - (d^3 - 3 c d e) a^2 b) / b^6)^{1/3} + 6 a e / b^2)^2 b^4 - 12 (((-I \sqrt{3} + 1) (a^2 e^2 / b^4 - (a b c d + a^2 e^2) / b^4) / (-1/27 a^3 e^3 / b^6 + 1/54 (b c^3 + a d^3) a / b^5 + 1/18 (a b c d + a^2 e^2) a e / b^6 - 1/54 (a b^2 c^3 + a^3 e^3 - (d^3 - 3 c d e) a^2 b) / b^6)^{1/3} + 9 (I \sqrt{3} + 1) (-1/27 a^3 e^3 / b^6 + 1/54 (b c^3 + a d^3) a / b^5 + 1/18 (a b c d + a^2 e^2) a e / b^6 - 1/54 (a b^2 c^3 + a^3 e^3 - (d^3 - 3 c d e) a^2 b) / b^6)^{1/3} + 6 a e / b^2) a b^2 e + 144 a b c d + 36 a^2 e^2) / b^4) / b^2 \end{aligned}$$

giac [A] time = 0.18, size = 208, normalized size = 1.01

$$\frac{ae \log(|bx^3 + a|)}{3b^2} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} bc - (-ab^2)^{\frac{2}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{3b^3} - \frac{\left((-ab^2)^{\frac{1}{3}} bc + (-ab^2)^{\frac{2}{3}} d \right) \log \left(x^2 + x \right)}{6b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3 a e \log(\text{abs}(b x^3 + a)) / b^2 - 1/3 \sqrt{3} ((-a b^2)^{1/3} b c - (-a b^2)^{2/3} d) \arctan(1/3 \sqrt{3} (2 x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / b^3 - 1/6 ((-a b^2)^{1/3} b c + (-a b^2)^{2/3} d) \log(x^2 + x (-a/b)^{1/3} + (-a/b)^{2/3}) / b^3 + 1/6 (2 b^2 x^3 e + 3 b^2 d x^2 + 6 b^2 c x) / b^3 + 1/3 (a b^6 d (-a/b)^{1/3} + a b^6 c (-a/b)^{1/3}) \log(\text{abs}(x - (-a/b)^{1/3})) / (a b^7)$

maple [A] time = 0.04, size = 231, normalized size = 1.13

$$\frac{ex^3 + dx^2}{3b} + \frac{dx^2}{2b} - \frac{\sqrt{3} ac \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} - \frac{ac \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} + \frac{ac \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b^2} - \frac{\sqrt{3} ad \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d*x+c)/(b*x^3+a), x)

[Out] $1/3/b*e*x^3+1/2/b*d*x^2+1/b*c*x-1/3/(a/b)^{(2/3)}*a/b^2*c*\ln(x+(a/b)^{(1/3}))+1/6*a/b^2*c/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3}))-1/3*a/b^2*c/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3*a/b^2*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3}))-1/6*a/b^2*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3}))-1/3*a/b^2*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3*a/b^2*e*\ln(b*x^3+a)$

maxima [A] time = 2.94, size = 190, normalized size = 0.93

$$\frac{2ex^3 + 3dx^2 + 6cx}{6b} - \frac{\sqrt{3}\left(abd\left(\frac{a}{b}\right)^{\frac{2}{3}} + abc\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^2} - \frac{\left(2ae\left(\frac{a}{b}\right)^{\frac{2}{3}} + ad\left(\frac{a}{b}\right)^{\frac{1}{3}} - ac\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a), x, algorithm="maxima")

[Out] $1/6*(2*e*x^3 + 3*d*x^2 + 6*c*x)/b - 1/3*\sqrt{3}*(a*b*d*(a/b)^{(2/3)} + a*b*c*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^2) - 1/6*(2*a*e*(a/b)^{(2/3)} + a*d*(a/b)^{(1/3)} - a*c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^2*(a/b)^{(2/3)}) - 1/3*(a*e*(a/b)^{(2/3)} - a*d*(a/b)^{(1/3)} + a*c)*\log(x + (a/b)^{(1/3)})/(b^2*(a/b)^{(2/3)})$

mupad [B] time = 5.07, size = 319, normalized size = 1.56

$$\left(\sum_{k=1}^3 \ln\left(\text{root}\left(27b^6z^3 + 27ab^4ez^2 + 9ab^3cdz + 9a^2b^2e^2z + 3a^2bcde + ab^2c^3 + a^3e^3 - a^2bd^3, z, k\right)\right)\right) \left(6a^2e\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(c + d*x + e*x^2))/(a + b*x^3),x)`

[Out] `symsum(log(root(27*b^6*z^3 + 27*a*b^4*e*z^2 + 9*a*b^3*c*d*z + 9*a^2*b^2*e^2*z + 3*a^2*b*c*d*e + a*b^2*c^3 + a^3*e^3 - a^2*b*d^3, z, k)*(6*a^2*e + 9*root(27*b^6*z^3 + 27*a*b^4*e*z^2 + 9*a*b^3*c*d*z + 9*a^2*b^2*e^2*z + 3*a^2*b*c*d*e + a*b^2*c^3 + a^3*e^3 - a^2*b*d^3, z, k)*a*b^2 - 3*a*b*c*x) + (a^3*e^2 + a^2*b*c*d)/b^2 + (x*(a^2*d^2 - a^2*c*e))/b)*root(27*b^6*z^3 + 27*a*b^4*e*z^2 + 9*a*b^3*c*d*z + 9*a^2*b^2*e^2*z + 3*a^2*b*c*d*e + a*b^2*c^3 + a^3*e^3 - a^2*b*d^3, z, k), k, 1, 3) + (d*x^2)/(2*b) + (e*x^3)/(3*b) + (c*x)/b`

sympy [A] time = 1.64, size = 178, normalized size = 0.87

$\text{RootSum}\left(27t^3b^6 + 27t^2ab^4e + t(9a^2b^2e^2 + 9ab^3cd) + a^3e^3 + 3a^2bcde - a^2bd^3 + ab^2c^3, \left(t \mapsto t \log\left(x + \frac{9t^2b^4d + \dots}{\dots}\right)\right)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x**2+d*x+c)/(b*x**3+a),x)`

[Out] `RootSum(27*_t**3*b**6 + 27*_t**2*a*b**4*e + _t*(9*a**2*b**2*e**2 + 9*a*b**3*c*d) + a**3*e**3 + 3*a**2*b*c*d*e - a**2*b*d**3 + a*b**2*c**3, Lambda(_t, _t*log(x + (9*_t**2*b**4*d + 6*_t*a*b**2*d*e - 3*_t*b**3*c**2 + a**2*d*e**2 - a*b*c**2*e + 2*a*b*c*d**2)/(a*b*d**3 + b**2*c**3)))) + c*x/b + d*x**2/(2*b) + e*x**3/(3*b)`

$$3.338 \quad \int \frac{x^2(c+dx+ex^2)}{a+bx^3} dx$$

Optimal. Leaf size=193

$$\frac{\sqrt[3]{a} \left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} d - \sqrt[3]{a} e \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{a} e + \sqrt[3]{b} d \right) \tan^{-1} \left(\frac{\sqrt[3]{a}}{\sqrt[3]{b} x} \right)}{\sqrt{3} b^{5/3}}$$

[Out] $d*x/b+1/2*e*x^2/b-1/3*a^{(1/3)}*(b^{(1/3)}*d-a^{(1/3)}*e)*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(5/3)}+1/6*a^{(1/3)}*(d-a^{(1/3)}*e/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(4/3)}+1/3*c*\ln(b*x^3+a)/b+1/3*a^{(1/3)}*(b^{(1/3)}*d+a^{(1/3)}*e)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6b^{4/3}} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} d - \sqrt[3]{a} e \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{3b^{5/3}} + \frac{\sqrt[3]{a} \left(\sqrt[3]{a} e + \sqrt[3]{b} d \right) \tan^{-1} \left(\frac{\sqrt[3]{a}}{\sqrt[3]{b} x} \right)}{\sqrt{3} b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] $(d*x)/b + (e*x^2)/(2*b) + (a^{(1/3)}*(b^{(1/3)}*d + a^{(1/3)}*e)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*b^{(5/3)}) - (a^{(1/3)}*(b^{(1/3)}*d - a^{(1/3)}*e)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*b^{(5/3)}) + (a^{(1/3)}*(d - (a^{(1/3)}*e)/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*b^{(4/3)}) + (c*\text{Log}[a + b*x^3]) / (3*b)$

Rule 31

Int[((a_) + (b_)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c + dx + ex^2)}{a + bx^3} dx &= \int \left(\frac{d}{b} + \frac{ex}{b} - \frac{ad + aex - bcx^2}{b(a + bx^3)} \right) dx \\
&= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\int \frac{ad + aex - bcx^2}{a + bx^3} dx}{b} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\int \frac{ad + aex}{a + bx^3} dx}{b} + c \int \frac{x^2}{a + bx^3} dx \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{c \log(a + bx^3)}{3b} - \frac{\int \frac{\sqrt[3]{a}(2a\sqrt[3]{b}d + a^{4/3}e) + \sqrt[3]{b}(-a\sqrt[3]{b}d + a^{4/3}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}b^{4/3}} - \frac{\left(\sqrt[3]{a}\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\right)}{3} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\sqrt[3]{a}\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} + \frac{c \log(a + bx^3)}{3b} - \frac{(a^{2/3}(\sqrt[3]{b}d + \sqrt[3]{a}e))}{2} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} - \frac{\sqrt[3]{a}\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} + \frac{\sqrt[3]{a}\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6b^{4/3}} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{\sqrt[3]{a}(\sqrt[3]{b}d + \sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}b^{5/3}} - \frac{\sqrt[3]{a}\left(d - \frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3b^{4/3}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.10, size = 184, normalized size = 0.95

$$\begin{aligned}
& - (a^{2/3}e - \sqrt[3]{a}\sqrt[3]{b}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2(a^{2/3}e - \sqrt[3]{a}\sqrt[3]{b}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + 2b^{2/3}c \log(a + bx^3) \\
& \hline
& \qquad \qquad \qquad 6b^{5/3}
\end{aligned}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] (6*b^(2/3)*d*x + 3*b^(2/3)*e*x^2 + 2*Sqrt[3]*a^(1/3)*(b^(1/3)*d + a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*(-(a^(1/3)*b^(1/3)*d) + a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x] - (-(a^(1/3)*b^(1/3)*d) + a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 2*b^(2/3)*c*Log[a + b*x^3])/(6*b^(5/3))

fricas [C] time = 2.76, size = 4261, normalized size = 22.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] $\frac{1}{12} \cdot (6e^2x^2 - 2 \cdot (2^{1/2})^{2/3} \cdot (-I\sqrt{3} + 1) \cdot (c^2/b^2 - (b^2c^2 + a^2de)/b^3)) / (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} + (1/2)^{1/3} \cdot (I\sqrt{3} + 1) \cdot (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} - 2c/b \cdot b \cdot \log(1/4 \cdot (2^{1/2})^{2/3} \cdot (-I\sqrt{3} + 1) \cdot (c^2/b^2 - (b^2c^2 + a^2de)/b^3)) / (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} + (1/2)^{1/3} \cdot (I\sqrt{3} + 1) \cdot (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} - 2c/b \cdot b^2 \cdot b^3 \cdot e + b^2 \cdot c \cdot d^2 + b^2 \cdot c^2 \cdot e + 2 \cdot a \cdot d \cdot e^2 + 1/2 \cdot (b^2 \cdot d^2 + 2 \cdot b^2 \cdot c \cdot e) \cdot (2^{1/2})^{2/3} \cdot (-I\sqrt{3} + 1) \cdot (c^2/b^2 - (b^2c^2 + a^2de)/b^3)) / (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} + (1/2)^{1/3} \cdot (I\sqrt{3} + 1) \cdot (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} - 2c/b + (b^2d^3 + a^2e^3) \cdot x + 12 \cdot dx + ((2^{1/2})^{2/3} \cdot (-I\sqrt{3} + 1) \cdot (c^2/b^2 - (b^2c^2 + a^2de)/b^3)) / (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} + (1/2)^{1/3} \cdot (I\sqrt{3} + 1) \cdot (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} - 2c/b \cdot b + 3 \cdot \sqrt{1/3} \cdot b \cdot \sqrt{-((2^{1/2})^{2/3} \cdot (-I\sqrt{3} + 1) \cdot (c^2/b^2 - (b^2c^2 + a^2de)/b^3)) / (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} + (1/2)^{1/3} \cdot (I\sqrt{3} + 1) \cdot (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} - 2c/b \cdot b^3 + 4 \cdot (2^{1/2})^{2/3} \cdot (-I\sqrt{3} + 1) \cdot (c^2/b^2 - (b^2c^2 + a^2de)/b^3)) / (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} + (1/2)^{1/3} \cdot (I\sqrt{3} + 1) \cdot (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} - 2c/b \cdot b^2 \cdot c + 4 \cdot b^2 \cdot c^2 + 16 \cdot a \cdot d \cdot e) / b^3 + 6 \cdot c \cdot \log(-1/4 \cdot (2^{1/2})^{2/3} \cdot (-I\sqrt{3} + 1) \cdot (c^2/b^2 - (b^2c^2 + a^2de)/b^3)) / (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} + (1/2)^{1/3} \cdot (I\sqrt{3} + 1) \cdot (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} - 2c/b \cdot b^2 \cdot b^3 \cdot e - b^2 \cdot c \cdot d^2 - b^2 \cdot c^2 \cdot e - 2 \cdot a \cdot d \cdot e^2 - 1/2 \cdot (b^2 \cdot d^2 + 2 \cdot b^2 \cdot c \cdot e) \cdot (2^{1/2})^{2/3} \cdot (-I\sqrt{3} + 1) \cdot (c^2/b^2 - (b^2c^2 + a^2de)/b^3)) / (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} + (1/2)^{1/3} \cdot (I\sqrt{3} + 1) \cdot (2c^3/b^3 - 3(b^2c^2 + a^2de) \cdot c/b^4 + (b^2d^3 + a^2e^3) \cdot a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3c^2de) \cdot a \cdot b)/b^5)^{1/3} - 2c/b + 2 \cdot (b^2d^3 + a^2e^3) \cdot x + 3/4 \cdot \sqrt{1/3} \cdot ((2^{1/2})^{2/3} \cdot (-I\sqrt{3} + 1) \cdot (c^2/b^2 - (b^2c^2 + a^2de)/b^3)) / (2c^3/b^3$

$$b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3cde)ab)/b^5)^{1/3} + (1/2)^{1/3}(I \sqrt{3} + 1)(2c^3/b^3 - 3(b^2c^2 + ade)c/b^4 + (bd^3 + ae^3)a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3cde)ab)/b^5)^{1/3} - 2c/b^2b^3 + 4(2(1/2)^{2/3}(-I\sqrt{3} + 1)(c^2/b^2 - (b^2c^2 + ade)/b^3)/(2c^3/b^3 - 3(b^2c^2 + ade)c/b^4 + (bd^3 + ae^3)a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3cde)ab)/b^5)^{1/3} + (1/2)^{1/3}(I\sqrt{3} + 1)(2c^3/b^3 - 3(b^2c^2 + ade)c/b^4 + (bd^3 + ae^3)a/b^5 + (b^2c^3 + a^2e^3 - (d^3 - 3cde)ab)/b^5)^{1/3} - 2c/b^2b^3 + 4(b^2c^2 + 16ade)/b^3)))/b$$

giac [A] time = 0.21, size = 195, normalized size = 1.01

$$\frac{c \log(|bx^3 + a|)}{3b} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} bd - (-ab^2)^{\frac{2}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^3} + \frac{bx^2e + 2bdx}{2b^2} - \frac{\left((-ab^2)^{\frac{1}{3}} bd + (-ab^2)^{\frac{2}{3}} e \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*c*log(abs(b*x^3 + a))/b - 1/3*sqrt(3)*((-a*b^2)^(1/3)*b*d - (-a*b^2)^(2/3)*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^3 + 1/2*(b*x^2*e + 2*b*d*x)/b^2 - 1/6*((-a*b^2)^(1/3)*b*d + (-a*b^2)^(2/3)*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^3 + 1/3*(a*b^4*(-a/b)^(1/3)*e + a*b^4*d*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^5)

maple [A] time = 0.05, size = 221, normalized size = 1.15

$$\frac{ex^2}{2b} - \frac{\sqrt{3} ad \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{ad \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{ad \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{\sqrt{3} ae \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a),x)

[Out] 1/2/b*e*x^2+1/b*d*x-1/3/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*a*d+1/6/(a/b)^(2/3)*a/b^2*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*a*d+1/3/b^2*a*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-1/6/b^2*a*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/3/b^2*

$a*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3/b*c*\ln(b*x^3+a)$

maxima [A] time = 2.94, size = 181, normalized size = 0.94

$$\frac{\sqrt{3} \left(a e \left(\frac{a}{b} \right)^{\frac{2}{3}} + a d \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right) + \frac{e x^2 + 2 d x}{2 b} + \frac{\left(2 b c \left(\frac{a}{b} \right)^{\frac{2}{3}} - a e \left(\frac{a}{b} \right)^{\frac{1}{3}} + a d \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}}{3 a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*(a*e*(a/b)^{(2/3)} + a*d*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b) + 1/2*(e*x^2 + 2*d*x)/b + 1/6*(2*b*c*(a/b)^{(2/3)} - a*e*(a/b)^{(1/3)} + a*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^2*(a/b)^{(2/3)}) + 1/3*(b*c*(a/b)^{(2/3)} + a*e*(a/b)^{(1/3)} - a*d)*\log(x + (a/b)^{(1/3)})/(b^2*(a/b)^{(2/3)})$

mupad [B] time = 5.13, size = 340, normalized size = 1.76

$$\left(\sum_{k=1}^3 \ln \left(\frac{a \left(b c^2 + \text{root} \left(27 b^5 z^3 - 27 b^4 c z^2 + 9 a b^2 d e z + 9 b^3 c^2 z - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3, z, k \right) \right)^2 b^3}{b^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2))/(a + b*x^3),x)

[Out] $\text{symsum}(\log((a*(b*c^2 + 9*\text{root}(27*b^5*z^3 - 27*b^4*c*z^2 + 9*a*b^2*d*e*z + 9*b^3*c^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k))^2*b^3 + a*d*e - 6*\text{root}(27*b^5*z^3 - 27*b^4*c*z^2 + 9*a*b^2*d*e*z + 9*b^3*c^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k))*b^2*c + a*e^2*x + b*c*d*x - 3*\text{root}(27*b^5*z^3 - 27*b^4*c*z^2 + 9*a*b^2*d*e*z + 9*b^3*c^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k))*b^2*d*x)/b)*\text{root}(27*b^5*z^3 - 27*b^4*c*z^2 + 9*a*b^2*d*e*z + 9*b^3*c^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k), k, 1, 3) + (e*x^2)/(2*b) + (d*x)/b$

sympy [A] time = 1.49, size = 150, normalized size = 0.78

$$\text{RootSum} \left(27 t^3 b^5 - 27 t^2 b^4 c + t (9 a b^2 d e + 9 b^3 c^2) - a^2 e^3 - 3 a b c d e + a b d^3 - b^2 c^3, \left(t \mapsto t \log \left(x + \frac{9 t^2 b^3 e - 6 t b^2 c}{b^3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a),x)

[Out] RootSum(27*_t**3*b**5 - 27*_t**2*b**4*c + _t*(9*a*b**2*d*e + 9*b**3*c**2) - a**2*e**3 - 3*a*b*c*d*e + a*b*d**3 - b**2*c**3, Lambda(_t, _t*log(x + (9*_t**2*b**3*e - 6*_t*b**2*c*e - 3*_t*b**2*d**2 + 2*a*d*e**2 + b*c**2*e + b*c*d**2)/(a*e**3 + b*d**3)))) + d*x/b + e*x**2/(2*b)

$$3.339 \quad \int \frac{x(c+dx+ex^2)}{a+bx^3} dx$$

Optimal. Leaf size=183

$$\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6\sqrt[3]{a} b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3\sqrt[3]{a} b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a} b^{4/3}}$$

[Out] $e*x/b-1/3*(b^{(2/3)*c+a^{(2/3)*e})*\ln(a^{(1/3)+b^{(1/3)*x}/a^{(1/3)/b^{(4/3)+1/6*(b^{(2/3)*c+a^{(2/3)*e})*\ln(a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}/a^{(1/3)/b^{(4/3)+1/3*d*\ln(b*x^3+a)/b-1/3*(b^{(2/3)*c-a^{(2/3)*e})*\arctan(1/3*(a^{(1/3)-2*b^{(1/3)*x}/a^{(1/3)*3^{(1/2)}/a^{(1/3)/b^{(4/3)*3^{(1/2)}}}$

Rubi [A] time = 0.23, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6\sqrt[3]{a} b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3\sqrt[3]{a} b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a} b^{4/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*(c + d*x + e*x^2))/(a + b*x^3), x]$

[Out] $(e*x)/b - ((b^{(2/3)*c} - a^{(2/3)*e})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*a^{(1/3)*b^{(4/3)}}) - ((b^{(2/3)*c} + a^{(2/3)*e})*\text{Log}[a^{(1/3)} + b^{(1/3)*x}]/(3*a^{(1/3)*b^{(4/3)}}) + ((b^{(2/3)*c} + a^{(2/3)*e})*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/(6*a^{(1/3)*b^{(4/3)}}) + (d*\text{Log}[a + b*x^3])/(3*b)$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}[\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2)}{a + bx^3} dx &= \int \left(\frac{e}{b} - \frac{ae - bcx - bdx^2}{b(a + bx^3)} \right) dx \\
&= \frac{ex}{b} - \frac{\int \frac{ae - bcx - bdx^2}{a + bx^3} dx}{b} \\
&= \frac{ex}{b} - \frac{\int \frac{ae - bcx}{a + bx^3} dx}{b} + d \int \frac{x^2}{a + bx^3} dx \\
&= \frac{ex}{b} + \frac{d \log(a + bx^3)}{3b} - \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}bc + 2a\sqrt[3]{b}e) + \sqrt[3]{b}(-\sqrt[3]{a}bc - a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}b^{4/3}} - \frac{(b^{2/3}c + a^{2/3}e) \int \frac{1}{\sqrt[3]{a}}}{3\sqrt[3]{a}b} \\
&= \frac{ex}{b} - \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{4/3}} + \frac{d \log(a + bx^3)}{3b} + \frac{(b^{2/3}c - a^{2/3}e) \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x}}{2b} \\
&= \frac{ex}{b} - \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{4/3}} + \frac{(b^{2/3}c + a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6\sqrt[3]{a}b^{4/3}} + \\
&= \frac{ex}{b} - \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}\sqrt[3]{a}b^{4/3}} - \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3\sqrt[3]{a}b^{4/3}} + \frac{(b^{2/3}c + a^{2/3}e)}{3\sqrt[3]{a}b}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 200, normalized size = 1.09

$$-\frac{(a^{4/3}(-\sqrt[3]{b})e - a^{2/3}bc) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6ab^{5/3}} + \frac{(a^{4/3}(-\sqrt[3]{b})e - a^{2/3}bc) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3ab^{5/3}} + \frac{(a^{2/3}bc - a^{4/3})}{3\sqrt[3]{a}b}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3), x]

[Out] (e*x)/b + ((a^(2/3)*b*c - a^(4/3)*b^(1/3)*e)*ArcTan[(-a^(1/3) + 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a*b^(5/3)) + ((-(a^(2/3)*b*c) - a^(4/3)*b^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(3*a*b^(5/3)) - ((-(a^(2/3)*b*c) - a^(4/3)*b^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a*b^(5/3)) + (d*Log[a + b*x^3])/(3*b)

fricas [C] time = 2.74, size = 4628, normalized size = 25.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/12*(2*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3 \\ & /b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b \\ & ^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*d \\ & ^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a \\ & *b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/b)*b*\log(-1/4*(2*(1/2)^{(2/ \\ & 3)}*(-I*\sqrt{3}) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)* \\ & d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2* \\ & e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e) \\ &)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^ \\ & 2*e^3)/(a*b^4))^{(1/3)} - 2*d/b)^2*a*b^3*c - a*b*c*d^2 + 2*a*b*c^2*e + a^2*d* \\ & e^2 - 1/2*(2*a*b^2*c*d - a^2*b*e^2)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(d^2/b^ \\ & 2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 \\ & - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2) \\ & ^{(1/3)}*(I*\sqrt{3}) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^ \\ & 3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d \\ & /b) - (b^2*c^3 - a^2*e^3)*x) - 12*e*x - ((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(d \\ & ^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2 \\ & *e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + \\ & (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a \\ & ^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} \\ & - 2*d/b)*b - 3*\sqrt{1/3}*b*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(d^2/b^2 \\ & - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - \\ & (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^{(\\ & 1/3)}*(I*\sqrt{3}) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 \\ & - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/b \\ &)^2*b^2 + 4*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2* \\ & d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(\\ & a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(\\ & 2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) \\ & /a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/b)*b*d + 4*d^2 - 16*c*e \\ &)/b^2) + 6*d)*\log(1/4*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(d^2/b^2 - (d^2 - c*e) \\ &)/b^2)/(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d \\ & *e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{ \\ & 3}) + 1)*(2*d^3/b^3 - 3*(d^2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\ & *d*e)*a*b)/(a*b^4) - (b^2*c^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/b)^2*a*b^3*c \\ & + a*b*c*d^2 - 2*a*b*c^2*e - a^2*d*e^2 + 1/2*(2*a*b^2*c*d - a^2*b*e^2)*(2*(1 \\ & /2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(d^2/b^2 - (d^2 - c*e)/b^2)/(2*d^3/b^3 - 3*(d^2 \\ & - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c^3 \\ & - a^2*e^3)/(a*b^4))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*d^3/b^3 - 3*(d^ \\ & 2 - c*e)*d/b^3 - (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a*b^4) - (b^2*c \\ & ^3 - a^2*e^3)/(a*b^4))^{(1/3)} - 2*d/b) - 2*(b^2*c^3 - a^2*e^3)*x + 3/4*\sqrt{3} \\ & \end{aligned}$$

$b) * a * b^3 * c + 2 * a * b^2 * c * d + 2 * a^2 * b * e^2) * \text{sqrt}(-((2 * (1/2)^{(2/3}) * (-I * \text{sqrt}(3) + 1) * (d^2/b^2 - (d^2 - c * e)/b^2) / (2 * d^3/b^3 - 3 * (d^2 - c * e) * d/b^3 - (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a * b^4) - (b^2 * c^3 - a^2 * e^3) / (a * b^4))^{(1/3)} + (1/2)^{(1/3}) * (I * \text{sqrt}(3) + 1) * (2 * d^3/b^3 - 3 * (d^2 - c * e) * d/b^3 - (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a * b^4) - (b^2 * c^3 - a^2 * e^3) / (a * b^4))^{(1/3)} - 2 * d/b)^2 * b^2 + 4 * (2 * (1/2)^{(2/3}) * (-I * \text{sqrt}(3) + 1) * (d^2/b^2 - (d^2 - c * e)/b^2) / (2 * d^3/b^3 - 3 * (d^2 - c * e) * d/b^3 - (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a * b^4) - (b^2 * c^3 - a^2 * e^3) / (a * b^4))^{(1/3)} + (1/2)^{(1/3}) * (I * \text{sqrt}(3) + 1) * (2 * d^3/b^3 - 3 * (d^2 - c * e) * d/b^3 - (b^2 * c^3 + a^2 * e^3 - (d^3 - 3 * c * d * e) * a * b) / (a * b^4) - (b^2 * c^3 - a^2 * e^3) / (a * b^4))^{(1/3)} - 2 * d/b) * b * d + 4 * d^2 - 16 * c * e) / b^2)) / b$

giac [A] time = 0.21, size = 178, normalized size = 0.97

$$\frac{\sqrt{3} \left(a e + (-a b^2)^{\frac{1}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{2}{3}}} + \frac{\left(a e - \left(-a b^2 \right)^{\frac{1}{3}} c \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-a b^2 \right)^{\frac{2}{3}}} + \frac{x e}{b} + \frac{d \log(|b x^3 + a|)}{3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] 1/3*sqrt(3)*(a*e + (-a*b^2)^(1/3)*c)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3))/(-a*b^2)^(2/3) + 1/6*(a*e - (-a*b^2)^(1/3)*c)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(-a*b^2)^(2/3) + x*e/b + 1/3*d*log(abs(b*x^3 + a))/b - 1/3*(b^3*c*(-a/b)^(1/3) - a*b^2*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^3)

maple [A] time = 0.05, size = 209, normalized size = 1.14

$$\frac{\sqrt{3} a e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{a e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a e \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{c \ln \left(x \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)/(b*x^3+a),x)

[Out] $\frac{1}{b}e^x - \frac{1}{3} \left(\frac{a}{b}\right)^{2/3} \frac{a}{b^2} e \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + \frac{1}{6} \left(\frac{a}{b}\right)^{2/3} \frac{a}{b^2} e \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right) - \frac{1}{3} \left(\frac{a}{b}\right)^{2/3} \frac{3^{1/2}}{b^2} e \arctan\left(\frac{1}{3} \frac{3^{1/2}}{b^2} \left(\frac{a}{b}\right)^{1/3} x - 1\right) - \frac{1}{3} \frac{b^2 c}{b^2} \left(\frac{a}{b}\right)^{1/3} \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + \frac{1}{6} \frac{b^2 c}{b^2} \left(\frac{a}{b}\right)^{1/3} \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right) + \frac{1}{3} \frac{b^2 c}{b^2} \frac{3^{1/2}}{b^2} \left(\frac{a}{b}\right)^{1/3} \arctan\left(\frac{1}{3} \frac{3^{1/2}}{b^2} \left(\frac{a}{b}\right)^{1/3} x - 1\right) + \frac{1}{3} \frac{b^2 d}{b^2} \ln(b^2 x^3 + a)$

maxima [A] time = 2.94, size = 173, normalized size = 0.95

$$\frac{ex}{b} + \frac{\sqrt{3} \left(bc \left(\frac{a}{b}\right)^{\frac{2}{3}} - ae \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3ab} + \frac{\left(2bd \left(\frac{a}{b}\right)^{\frac{2}{3}} + bc \left(\frac{a}{b}\right)^{\frac{1}{3}} + ae \right) \log \left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{6b^2 \left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(bd \left(\frac{a}{b}\right)^{\frac{1}{3}} + ae \right) \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $e^x x/b + \frac{1}{3} \sqrt{3} (b^2 c (a/b)^{2/3} - a e (a/b)^{1/3}) \arctan\left(\frac{1}{3} \sqrt{3} (2x - (a/b)^{1/3}) / (a/b)^{1/3}\right) / (a^2 b) + \frac{1}{6} (2b^2 d (a/b)^{2/3} + b^2 c (a/b)^{1/3} + a^2 e) \log\left(x^2 - x (a/b)^{1/3} + (a/b)^{2/3}\right) / (b^2 (a/b)^{2/3}) + \frac{1}{3} (b^2 d (a/b)^{2/3} - b^2 c (a/b)^{1/3} - a^2 e) \log\left(x + (a/b)^{1/3}\right) / (b^2 (a/b)^{2/3})$

mupad [B] time = 5.16, size = 266, normalized size = 1.45

$$\left(\sum_{k=1}^3 \ln \left(x \left(bc^2 + ade \right) - \text{root} \left(27ab^4z^3 - 27ab^3dz^2 - 9ab^2cez + 9ab^2d^2z + 3abcde - abd^3 + a^2e^3 + b^2c^3, z, k \right) \right) \right) / b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x + e*x^2))/(a + b*x^3),x)`

[Out] $\text{sum}(\log(x(b^2c^2 + a^2de) - \text{root}(27a^2b^4z^3 - 27a^2b^3dz^2 - 9a^2b^2c^2ez + 9a^2b^2d^2z + 3a^2bc^2de - a^2bd^3 + a^2e^3 + b^2c^3, z, k)) / (6a^2bd - 9\text{root}(27a^2b^4z^3 - 27a^2b^3dz^2 - 9a^2b^2c^2ez + 9a^2b^2d^2z + 3a^2bc^2de - a^2bd^3 + a^2e^3 + b^2c^3, z, k)) * a^2b^2 + 3a^2b^2ex) + a^2d^2 - a^2ce) \text{root}(27a^2b^4z^3 - 27a^2b^3dz^2 - 9a^2b^2c^2ez + 9a^2b^2d^2z + 3a^2bc^2de - a^2bd^3 + a^2e^3 + b^2c^3, z, k), k, 1, 3) + (e^x x)/b$

sympy [A] time = 1.43, size = 160, normalized size = 0.87

$$\text{RootSum} \left(27t^3ab^4 - 27t^2ab^3d + t(-9ab^2ce + 9ab^2d^2) + a^2e^3 + 3abcde - abd^3 + b^2c^3, \left(t \mapsto t \log \left(x + \frac{-9t^2ab^3c}{27t^3ab^4 - 27t^2ab^3d + t(-9ab^2ce + 9ab^2d^2) + a^2e^3 + 3abcde - abd^3 + b^2c^3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d*x+c)/(b*x**3+a),x)`

[Out] `RootSum(27*_t**3*a*b**4 - 27*_t**2*a*b**3*d + _t*(-9*a*b**2*c*e + 9*a*b**2*d**2) + a**2*e**3 + 3*a*b*c*d*e - a*b*d**3 + b**2*c**3, Lambda(_t, _t*log(x + (-9*_t**2*a*b**3*c - 3*_t*a**2*b*e**2 + 6*_t*a*b**2*c*d + a**2*d*e**2 + 2*a*b*c**2*e - a*b*c*d**2)/(a**2*e**3 - b**2*c**3)))) + e*x/b`

$$3.340 \quad \int \frac{c+dx+ex^2}{a+bx^3} dx$$

Optimal. Leaf size=177

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + e$$

[Out] 1/3*(b^(1/3)*c-a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(2/3)-1/6*(c-a^(1/3)*d/b^(1/3))*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(1/3)+1/3*e*ln(b*x^3+a)/b-1/3*(b^(1/3)*c+a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.13, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2\right)}{6a^{2/3}\sqrt[3]{b}} + \frac{\left(\sqrt[3]{b}c - \sqrt[3]{a}d\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{2/3}b^{2/3}} - \frac{\left(\sqrt[3]{a}d + \sqrt[3]{b}c\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + e$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3), x]

[Out] -(((b^(1/3)*c + a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(2/3)) + ((b^(1/3)*c - a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(2/3)) - ((c - (a^(1/3)*d)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(1/3)) + (e*Log[a + b*x^3])/(3*b)

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{a + bx^3} dx &= e \int \frac{x^2}{a + bx^3} dx + \int \frac{c + dx}{a + bx^3} dx \\
&= \frac{e \log(a + bx^3)}{3b} + \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}c + \sqrt[3]{a}d) + \sqrt[3]{b}(-\sqrt[3]{b}c + \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{2/3}\sqrt[3]{b}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\
&= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} + \frac{e \log(a + bx^3)}{3b} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{6a^{2/3}b^{2/3}} + \frac{1}{2} \\
&= \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}} + \frac{e \log(a + bx^3)}{3b} \\
&= -\frac{(\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{(\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 176, normalized size = 0.99

$$\frac{-\sqrt[3]{b}(\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2\sqrt[3]{b}(\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2\sqrt{3}\sqrt[3]{a}\sqrt[3]{b}}{6ab}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3), x]

[Out] $(-2*\text{Sqrt}[3]*a^{(1/3)}*b^{(1/3)}*(b^{(1/3)}*c + a^{(1/3)}*d)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]] + 2*b^{(1/3)}*(a^{(1/3)}*b^{(1/3)}*c - a^{(2/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x] - b^{(1/3)}*(a^{(1/3)}*b^{(1/3)}*c - a^{(2/3)}*d)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2] + 2*a*e*\text{Log}[a + b*x^3])/(6*a*b)$

fricas [C] time = 2.61, size = 4671, normalized size = 26.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a), x, algorithm="fricas")

[Out] $-1/12*(2*(2*(1/2)^{(2/3)}*(-\text{I}\sqrt{3} + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b$

$$\begin{aligned}
& \sqrt[3]{2c^3 + a^2e^3 - (d^3 - 3c*d*e)*a*b} / (a^2*b^3)^{1/3} + (1/2)^{1/3} * (I*\text{sqrt}(3) + 1) * (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} - 2e/b \\
& * b * \log(1/4 * (2*(1/2)^{2/3} * (-I*\text{sqrt}(3) + 1) * (e^2/b^2 - (b*c*d + a*e^2)/(a*b^2))) / (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} + (1/2)^{1/3} * (I*\text{sqrt}(3) + 1) * (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} - 2e/b \\
& / b^2 * a^2 * b^2 * d + 2*a*b*c*d^2 - a*b*c^2*e + a^2*d*e^2 - 1/2 * (a*b^2*c^2 - 2*a^2*b*d*e) * (2*(1/2)^{2/3} * (-I*\text{sqrt}(3) + 1) * (e^2/b^2 - (b*c*d + a*e^2)/(a*b^2))) / (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} + (1/2)^{1/3} * (I*\text{sqrt}(3) + 1) * (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} - 2e/b \\
&) + (b^2*c^3 + a*b*d^3)*x - ((2*(1/2)^{2/3} * (-I*\text{sqrt}(3) + 1) * (e^2/b^2 - (b*c*d + a*e^2)/(a*b^2))) / (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} + (1/2)^{1/3} * (I*\text{sqrt}(3) + 1) * (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} - 2e/b) * b + 3*\text{sqrt}(1/3) * b*\text{sqrt}(-((2*(1/2)^{2/3} * (-I*\text{sqrt}(3) + 1) * (e^2/b^2 - (b*c*d + a*e^2)/(a*b^2))) / (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} + (1/2)^{1/3} * (I*\text{sqrt}(3) + 1) * (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} - 2e/b) * a * b^2 + 4 * (2*(1/2)^{2/3} * (-I*\text{sqrt}(3) + 1) * (e^2/b^2 - (b*c*d + a*e^2)/(a*b^2))) / (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} + (1/2)^{1/3} * (I*\text{sqrt}(3) + 1) * (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} - 2e/b) * a * b * e + 16*b*c*d + 4*a*e^2) / (a*b^2) + 6*e) * \log(-1/4 * (2*(1/2)^{2/3} * (-I*\text{sqrt}(3) + 1) * (e^2/b^2 - (b*c*d + a*e^2)/(a*b^2))) / (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} + (1/2)^{1/3} * (I*\text{sqrt}(3) + 1) * (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} - 2e/b) + 2*(b^2*c^3 + a*b*d^3)*x + 3/4*\text{sqrt}(1/3) * ((2*(1/2)^{2/3} * (-I*\text{sqrt}(3) + 1) * (e^2/b^2 - (b*c*d + a*e^2)/(a*b^2))) / (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} + (1/2)^{1/3} * (I*\text{sqrt}(3) + 1) * (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} - 2e/b) + (1/2)^{1/3} * (I*\text{sqrt}(3) + 1) * (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} + (1/2)^{1/3} * (I*\text{sqrt}(3) + 1) * (2e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) / (a^2*b^3))^{1/3} - 2e/b)
\end{aligned}$$

$$\begin{aligned}
& *c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - \\
& (d^3 - 3*c*d*e)*a*b)/(a^2*b^3)^{(1/3)} - 2*e/b)*a^2*b^2*d + 2*a*b^2*c^2 + 2* \\
& a^2*b*d*e)*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(e^2/b^2 - (b*c*d + a*e^2) \\
&)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2* \\
& b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}* \\
& (I*\sqrt{3}) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a* \\
& d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} \\
& - 2*e/b)^2*a*b^2 + 4*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(e^2/b^2 - (b*c*d + a \\
& *e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(\\
& a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/ \\
& 2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 \\
& + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} \\
& - 2*e/b)*a*b*e + 16*b*c*d + 4*a*e^2)/(a*b^2))) - ((2*(1/2)^{(2/3)}*(-I*s \\
& \sqrt{3}) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e \\
& ^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
& *d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*e^3/b^3 - 3*(b \\
& *c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - \\
& (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)*b - 3*\sqrt{1/3}*b*\sqrt{-((2* \\
& (1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 \\
& - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2 \\
& *e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)* \\
& (2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2 \\
& *c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)^2*a*b^2 + 4 \\
& *(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3 \\
& /b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + \\
& a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + \\
& 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + \\
& (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)*a*b*e + \\
& 16*b*c*d + 4*a*e^2)/(a*b^2)) + 6*e)*\log(-1/4*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + \\
& 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a* \\
& b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) \\
&)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*e^3/b^3 - 3*(b*c*d + a* \\
& e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3* \\
& c*d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)^2*a^2*b^2*d - 2*a*b*c*d^2 + a*b*c^2*e \\
& - a^2*d*e^2 + 1/2*(a*b^2*c^2 - 2*a^2*b*d*e)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1 \\
&)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b \\
& ^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) \\
&)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e \\
& ^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
& *d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b) + 2*(b^2*c^3 + a*b*d^3)*x - 3/4*\sqrt{1 \\
& /3)*((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2 \\
& *e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c \\
& ^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} \\
& (3) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2 \\
&) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)*a^2
\end{aligned}$$

$$\begin{aligned}
 & *b^2*d + 2*a*b^2*c^2 + 2*a^2*b*d*e) * \sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)* \\
 & (e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a*b^3 \\
 &) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(\\
 & a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*e^3/b^3 - 3*(b*c*d + a*e^2 \\
 &) * e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d \\
 & *e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)^2 * a*b^2 + 4*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + \\
 & 1)*(e^2/b^2 - (b*c*d + a*e^2)/(a*b^2)))/(2*e^3/b^3 - 3*(b*c*d + a*e^2)*e/(a \\
 & *b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a* \\
 & b)/(a^2*b^3))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(2*e^3/b^3 - 3*(b*c*d + a \\
 & *e^2)*e/(a*b^3) + (b*c^3 + a*d^3)/(a^2*b^2) + (b^2*c^3 + a^2*e^3 - (d^3 - 3 \\
 & *c*d*e)*a*b)/(a^2*b^3))^{(1/3)} - 2*e/b)*a*b*e + 16*b*c*d + 4*a*e^2)/(a*b^2) \\
 &))/b
 \end{aligned}$$

giac [A] time = 0.18, size = 163, normalized size = 0.92

$$\frac{\sqrt{3} \left(bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}}} - \frac{\left(bc + (-ab^2)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-ab^2 \right)^{\frac{2}{3}}} + \frac{e \log(|bx^3 + a|)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3*\sqrt{3}*(b*c - (-a*b^2)^{(1/3)}*d)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(-a*b^2)^{(2/3)} - 1/6*(b*c + (-a*b^2)^{(1/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(-a*b^2)^{(2/3)} + 1/3*e*\log(\text{abs}(b*x^3 + a))/b - 1/3*(b*d*(-a/b)^{(1/3)} + b*c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a*b$

maple [A] time = 0.05, size = 200, normalized size = 1.13

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} - \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b} + \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b} - \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^3+a),x)

[Out] $\frac{1}{3} \frac{b}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) * c - \frac{1}{6} \frac{b}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * c + \frac{1}{3} \frac{b}{(a/b)^{2/3}} * 3^{1/2} * \arctan\left(\frac{1}{3} * 3^{1/2} * \left(\frac{2}{(a/b)^{1/3}} * x - 1\right) * c - \frac{1}{3} * \frac{d}{b} / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) + \frac{1}{6} * \frac{d}{b} / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) + \frac{1}{3} * \frac{d * 3^{1/2}}{b} / (a/b)^{1/3} * \arctan\left(\frac{1}{3} * 3^{1/2} * \left(\frac{2}{(a/b)^{1/3}} * x - 1\right) + \frac{1}{3} * \frac{b * e * \ln(b * x^3 + a)}{3ab} \right) + \frac{\left(2e \left(\frac{a}{b}\right)^{2/3} + d \left(\frac{a}{b}\right)^{1/3} - c\right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}\right) \left(e \left(\frac{a}{b}\right)^{2/3} - d \left(\frac{a}{b}\right)^{1/3}\right)}{6b \left(\frac{a}{b}\right)^{2/3}}$

maxima [A] time = 3.01, size = 159, normalized size = 0.90

$$\frac{\sqrt{3} \left(b d \left(\frac{a}{b} \right)^{\frac{2}{3}} + b c \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a b} + \frac{\left(2 e \left(\frac{a}{b} \right)^{\frac{2}{3}} + d \left(\frac{a}{b} \right)^{\frac{1}{3}} - c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(e \left(\frac{a}{b} \right)^{\frac{2}{3}} - d \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{6 b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{3} * \sqrt{3} * (b*d*(a/b)^{2/3} + b*c*(a/b)^{1/3}) * \arctan\left(\frac{1}{3} * \sqrt{3} * \left(\frac{2*x - (a/b)^{1/3}}{(a/b)^{1/3}}\right) / (a*b) + \frac{1}{6} * (2*e*(a/b)^{2/3} + d*(a/b)^{1/3} - c) * \log\left(\frac{x^2 - x*(a/b)^{1/3} + (a/b)^{2/3}}{(b*(a/b)^{2/3}) + \frac{1}{3} * (e*(a/b)^{2/3} - d*(a/b)^{1/3} + c) * \log\left(\frac{x + (a/b)^{1/3}}{(b*(a/b)^{2/3})}\right)}\right)}{3ab}$

mupad [B] time = 0.26, size = 274, normalized size = 1.55

$$\sum_{k=1}^3 \ln \left(x \left(b d^2 - b c e \right) + \text{root} \left(27 a^2 b^3 z^3 - 27 a^2 b^2 e z^2 + 9 a b^2 c d z + 9 a^2 b e^2 z - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3, z, k \right) * \left(9 * \text{root} \left(27 a^2 b^3 z^3 - 27 a^2 b^2 e z^2 + 9 a b^2 c d z + 9 a^2 b e^2 z - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3, z, k \right) * a * b^2 - 6 * a * b * e + 3 * b^2 * c * x \right) + a * e^2 + b * c * d * \text{root} \left(27 a^2 b^3 z^3 - 27 a^2 b^2 e z^2 + 9 a b^2 c d z + 9 a^2 b e^2 z - 3 a b c d e + a b d^3 - a^2 e^3 - b^2 c^3, z, k \right), k, 1, 3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3),x)

[Out] $\text{symsum}(\log(x*(b*d^2 - b*c*e) + \text{root}(27*a^2*b^3*z^3 - 27*a^2*b^2*e*z^2 + 9*a*b^2*c*d*z + 9*a^2*b*e^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)) * (9*\text{root}(27*a^2*b^3*z^3 - 27*a^2*b^2*e*z^2 + 9*a*b^2*c*d*z + 9*a^2*b*e^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)) * a * b^2 - 6 * a * b * e + 3 * b^2 * c * x) + a * e^2 + b * c * d * \text{root}(27*a^2*b^3*z^3 - 27*a^2*b^2*e*z^2 + 9*a*b^2*c*d*z + 9*a^2*b*e^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)), k, 1, 3)$

sympy [A] time = 1.42, size = 160, normalized size = 0.90

$$\text{RootSum} \left(27 t^3 a^2 b^3 - 27 t^2 a^2 b^2 e + t (9 a^2 b e^2 + 9 a b^2 c d) - a^2 e^3 - 3 a b c d e + a b d^3 - b^2 c^3, \left(t \mapsto t \log \left(x + \frac{9 t^2 a^2 b^2 d}{\dots} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/(b*x**3+a),x)
```

```
[Out] RootSum(27*_t**3*a**2*b**3 - 27*_t**2*a**2*b**2*e + _t*(9*a**2*b*e**2 + 9*a
*b**2*c*d) - a**2*e**3 - 3*a*b*c*d*e + a*b*d**3 - b**2*c**3, Lambda(_t, _t*
log(x + (9*_t**2*a**2*b**2*d - 6*_t*a**2*b*d*e + 3*_t*a*b**2*c**2 + a**2*d*
e**2 - a*b*c**2*e + 2*a*b*c*d**2)/(a*b*d**3 + b**2*c**3))))
```

$$3.341 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)} dx$$

Optimal. Leaf size=184

$$\frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{\left(\sqrt[3]{b} d - \sqrt[3]{a} e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{3a^{2/3} b^{2/3}} - \frac{\left(\sqrt[3]{a} e + \sqrt[3]{b} d\right) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}}$$

[Out] c*ln(x)/a+1/3*(b^(1/3)*d-a^(1/3)*e)*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(2/3)-1/6*(d-a^(1/3)*e/b^(1/3))*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(1/3)-1/3*c*ln(b*x^3+a)/a-1/3*(b^(1/3)*d+a^(1/3)*e)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.21, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{6a^{2/3} \sqrt[3]{b}} + \frac{\left(\sqrt[3]{b} d - \sqrt[3]{a} e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{3a^{2/3} b^{2/3}} - \frac{\left(\sqrt[3]{a} e + \sqrt[3]{b} d\right) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{2/3} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)), x]

[Out] -(((b^(1/3)*d + a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))])/(Sqrt[3]*a^(2/3)*b^(2/3)) + (c*Log[x])/a + ((b^(1/3)*d - a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x])/(3*a^(2/3)*b^(2/3)) - ((d - (a^(1/3)*e)/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(6*a^(2/3)*b^(1/3)) - (c*Log[a + b*x^3])/(3*a)

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)} dx &= \int \left(\frac{c}{ax} + \frac{ad + aex - bcx^2}{a(a + bx^3)} \right) dx \\
&= \frac{c \log(x)}{a} + \frac{\int \frac{ad + aex - bcx^2}{a + bx^3} dx}{a} \\
&= \frac{c \log(x)}{a} + \frac{\int \frac{ad + aex}{a + bx^3} dx}{a} - \frac{(bc) \int \frac{x^2}{a + bx^3} dx}{a} \\
&= \frac{c \log(x)}{a} - \frac{c \log(a + bx^3)}{3a} + \frac{\int \frac{\sqrt[3]{a}(2a\sqrt[3]{b}d + a^{4/3}e) + \sqrt[3]{b}(-a\sqrt[3]{b}d + a^{4/3}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{5/3}\sqrt[3]{b}} + \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{2/3}} \\
&= \frac{c \log(x)}{a} + \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{c \log(a + bx^3)}{3a} + \frac{1}{2} \left(\frac{d}{\sqrt[3]{a}} + \frac{e}{\sqrt[3]{b}}\right) \int \frac{1}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x} dx \\
&= \frac{c \log(x)}{a} + \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{2/3}\sqrt[3]{b}} - \frac{c \log(a + bx^3)}{3a} \\
&= -\frac{(\sqrt[3]{b}d + \sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{2/3}} + \frac{c \log(x)}{a} + \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}\sqrt[3]{b}} - \frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log(a + bx^3)}{3a}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 176, normalized size = 0.96

$$\frac{(a^{2/3}e - \sqrt[3]{a}\sqrt[3]{b}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2(\sqrt[3]{a}\sqrt[3]{b}d - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x) - 2b^{2/3}c \log(a + bx^3)}{6ab^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)), x]

[Out] (-2*Sqrt[3]*a^(1/3)*(b^(1/3)*d + a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 6*b^(2/3)*c*Log[x] + 2*(a^(1/3)*b^(1/3)*d - a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x] + (-a^(1/3)*b^(1/3)*d + a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*b^(2/3)*c*Log[a + b*x^3]/(6*a*b^(2/3))

fricas [C] time = 2.62, size = 4588, normalized size = 24.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="fricas")

[Out]
$$-1/36*(2*((-I*\sqrt{3}) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a)*a*\log(1/36*((-I*\sqrt{3}) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a)^2*a^2*b*e + b*c*d^2 + b*c^2*e + 2*a*d*e^2 - 1/6*(a*b*d^2 + 2*a*b*c*e)*((-I*\sqrt{3}) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a) + (b*d^3 + a*e^3)*x - (((-I*\sqrt{3}) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a)*a + 3*\sqrt{1/3}*a*\sqrt{-(((I*\sqrt{3}) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a)^2*a^2*b - 12*((-I*\sqrt{3}) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a)*a*b*c + 36*b*c^2 + 144*a*d*e)/(a^2*b)) - 18*c)*\log(-1/36*((-I*\sqrt{3}) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a)^2*a^2*b*e - b*c*d^2 - b*c^2*e - 2*a*d*e^2 + 1/6*(a*b*d^2 + 2*a*b*c*e)*((-I*\sqrt{3}) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 9*(I*\sqrt{3} + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{1/3} + 6*c/a)$$

$$\begin{aligned}
& e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 6*c/a + 2*(b*d^3 + a*e^3)*x + 1/12*\text{sqrt}(1/3)*(((-I*\text{sqrt}(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 6*c/a)*a^2*b*e + 6*a*b*d^2 - 6*a*b*c*e)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 6*c/a)^2*a^2*b - 12*((-I*\text{sqrt}(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 6*c/a)*a*b*c + 36*b*c^2 + 144*a*d*e)/(a^2*b))) - (((-I*\text{sqrt}(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 6*c/a)*a - 3*\text{sqrt}(1/3)*a*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 6*c/a)^2*a^2*b - 12*((-I*\text{sqrt}(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 6*c/a)*a*b*c + 36*b*c^2 + 144*a*d*e)/(a^2*b)) - 18*c)*\log(-1/36*((-I*\text{sqrt}(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 6*c/a)^2*a^2*b*e - b*c*d^2 - b*c^2*e - 2*a*d*e^2 + 1/6*(a*b*d^2 + 2*a*b*c*e))*((-I*\text{sqrt}(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^{(1/3)} + 9*(I*\text{sqrt}(3)
\end{aligned}$$

```

+ 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3
)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^(1/
3) + 6*c/a) + 2*(b*d^3 + a*e^3)*x - 1/12*sqrt(1/3)*((( -I*sqrt(3) + 1)*(c^2/
a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3
*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c
*d*e)*a*b)/(a^3*b^2))^(1/3) + 9*(I*sqrt(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^
2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2
*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^(1/3) + 6*c/a)*a^2*b*e + 6*a*b*d^2 -
6*a*b*c*e)*sqrt(-((( -I*sqrt(3) + 1)*(c^2/a^2 - (b*c^2 + a*d*e)/(a^2*b)))/(-
1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3 + a*e^3)/(a^2*b
^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^2))^(1/3) + 9*(
I*sqrt(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^
3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*
b^2))^(1/3) + 6*c/a)^2*a^2*b - 12*(( -I*sqrt(3) + 1)*(c^2/a^2 - (b*c^2 + a*d
*e)/(a^2*b)))/(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*b) + 1/54*(b*d^3
+ a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^3*b^
2))^(1/3) + 9*(I*sqrt(3) + 1)*(-1/27*c^3/a^3 + 1/18*(b*c^2 + a*d*e)*c/(a^3*
b) + 1/54*(b*d^3 + a*e^3)/(a^2*b^2) - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*
d*e)*a*b)/(a^3*b^2))^(1/3) + 6*c/a)*a*b*c + 36*b*c^2 + 144*a*d*e)/(a^2*b))
- 36*c*log(x))/a

```

giac [A] time = 0.18, size = 179, normalized size = 0.97

$$\frac{\sqrt{3} \left(bd - (-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2\right)^{\frac{2}{3}}} - \frac{\left(bd + \left(-ab^2\right)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}} \right)}{6 \left(-ab^2\right)^{\frac{2}{3}}} - \frac{c \log(|bx^3 + a|)}{3a} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*sqrt(3)*(b*d - (-a*b^2)^(1/3)*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3))/(-a*b^2)^(2/3) - 1/6*(b*d + (-a*b^2)^(1/3)*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(-a*b^2)^(2/3) - 1/3*c*log(abs(b*x^3 + a))/a + c*log(abs(x))/a - 1/3*(a^2*b*(-a/b)^(1/3)*e + a^2*b*d)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b)

maple [A] time = 0.05, size = 207, normalized size = 1.12

$$\frac{c \ln(x)}{a} - \frac{c \ln(bx^3 + a)}{3a} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} - \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} b} + \frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a),x)

[Out] 1/3/(a/b)^(2/3)/b*d*ln(x+(a/b)^(1/3))-1/6/(a/b)^(2/3)/b*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3/(a/b)^(2/3)*3^(1/2)/b*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/(a/b)^(1/3)/b*e*ln(x+(a/b)^(1/3))+1/6/(a/b)^(1/3)/b*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/3*3^(1/2)/(a/b)^(1/3)/b*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/a*c*ln(b*x^3+a)+1/a*c*ln(x)

maxima [A] time = 3.02, size = 176, normalized size = 0.96

$$\frac{c \log(x)}{a} + \frac{\sqrt{3} \left(a e \left(\frac{a}{b}\right)^{\frac{2}{3}} + a d \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a^2} - \frac{\left(2 b c \left(\frac{a}{b}\right)^{\frac{2}{3}} - a e \left(\frac{a}{b}\right)^{\frac{1}{3}} + a d \right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 a b \left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="maxima")

[Out] c*log(x)/a + 1/3*sqrt(3)*(a*e*(a/b)^(2/3) + a*d*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^2 - 1/6*(2*b*c*(a/b)^(2/3) - a*e*(a/b)^(1/3) + a*d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b*(a/b)^(2/3)) - 1/3*(b*c*(a/b)^(2/3) + a*e*(a/b)^(1/3) - a*d)*log(x + (a/b)^(1/3))/(a*b*(a/b)^(2/3))

mupad [B] time = 5.25, size = 716, normalized size = 3.89

$$\left(\sum_{k=1}^3 \ln\left(b^2 c d^2 - b^2 c^2 e + b^2 d^3 x - \text{root}\left(27 a^3 b^2 z^3 + 27 a^2 b^2 c z^2 + 9 a^2 b d e z + 9 a b^2 c^2 z + 3 a b c d e - a b d^3\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)),x)
```

```
[Out] symsum(log(b^2*c*d^2 - b^2*c^2*e + b^2*d^3*x - 36*root(27*a^3*b^2*z^3 + 27*
a^2*b^2*c*z^2 + 9*a^2*b*d*e*z + 9*a*b^2*c^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*
e^3 + b^2*c^3, z, k)^3*a^2*b^3*x - a*b*e^3*x - root(27*a^3*b^2*z^3 + 27*a^
2*b^2*c*z^2 + 9*a^2*b*d*e*z + 9*a*b^2*c^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^
3 + b^2*c^3, z, k)*a*b^2*d^2 - 4*root(27*a^3*b^2*z^3 + 27*a^2*b^2*c*z^2 +
9*a^2*b*d*e*z + 9*a*b^2*c^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3,
z, k)*b^3*c^2*x + 3*root(27*a^3*b^2*z^3 + 27*a^2*b^2*c*z^2 + 9*a^2*b*d*e*z
+ 9*a*b^2*c^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)^2*a^2*b^
2*e - 24*root(27*a^3*b^2*z^3 + 27*a^2*b^2*c*z^2 + 9*a^2*b*d*e*z + 9*a*b^2*c^
2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)^2*a*b^3*c*x - 2*roo
t(27*a^3*b^2*z^3 + 27*a^2*b^2*c*z^2 + 9*a^2*b*d*e*z + 9*a*b^2*c^2*z + 3*a*b
*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)*a*b^2*c*e - 2*b^2*c*d*e*x - 10*
root(27*a^3*b^2*z^3 + 27*a^2*b^2*c*z^2 + 9*a^2*b*d*e*z + 9*a*b^2*c^2*z + 3*
a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)*a*b^2*d*e*x)*root(27*a^3*b^2
*z^3 + 27*a^2*b^2*c*z^2 + 9*a^2*b*d*e*z + 9*a*b^2*c^2*z + 3*a*b*c*d*e - a*b
*d^3 + a^2*e^3 + b^2*c^3, z, k), k, 1, 3) + (c*log(x))/a
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a),x)
```

```
[Out] Timed out
```

$$3.342 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)} dx$$

Optimal. Leaf size=192

$$\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6a^{4/3} \sqrt[3]{b}} + \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{4/3} \sqrt[3]{b}} + \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{4/3} \sqrt[3]{b}}$$

[Out] $-c/a/x+d*\ln(x)/a+1/3*(b^{(2/3)*c+a^{(2/3)*e})*\ln(a^{(1/3)+b^{(1/3)*x}/a^{(4/3)/b^{(1/3)}-1/6*(b^{(2/3)*c+a^{(2/3)*e})*\ln(a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}/a^{(4/3)/b^{(1/3)}-1/3*d*\ln(b*x^3+a)/a+1/3*(b^{(2/3)*c-a^{(2/3)*e})*\arctan(1/3*(a^{(1/3)-2*b^{(1/3)*x}/a^{(1/3)*3^{(1/2)})/a^{(4/3)/b^{(1/3)*3^{(1/2)}}}$

Rubi [A] time = 0.21, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(a^{2/3}e + b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{6a^{4/3} \sqrt[3]{b}} + \frac{(a^{2/3}e + b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{4/3} \sqrt[3]{b}} + \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3} a^{4/3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)), x]

[Out] $-(c/(a*x)) + ((b^{(2/3)*c} - a^{(2/3)*e})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(4/3)*b^{(1/3)}}) + (d*\text{Log}[x])/a + ((b^{(2/3)*c} + a^{(2/3)*e})*\text{Log}[a^{(1/3)} + b^{(1/3)*x}]) / (3*a^{(4/3)*b^{(1/3)}}) - ((b^{(2/3)*c} + a^{(2/3)*e})*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]) / (6*a^{(4/3)*b^{(1/3)}}) - (d*\text{Log}[a + b*x^3]) / (3*a)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^2(a + bx^3)} dx &= \int \left(\frac{c}{ax^2} + \frac{d}{ax} + \frac{ae - bcx - bdx^2}{a(a + bx^3)} \right) dx \\
&= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{\int \frac{ae - bcx - bdx^2}{a + bx^3} dx}{a} \\
&= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{\int \frac{ae - bcx}{a + bx^3} dx}{a} - \frac{(bd) \int \frac{x^2}{a + bx^3} dx}{a} \\
&= -\frac{c}{ax} + \frac{d \log(x)}{a} - \frac{d \log(a + bx^3)}{3a} + \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}bc + 2a\sqrt[3]{b}e) + \sqrt[3]{b}(-\sqrt[3]{a}bc - a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{5/3}\sqrt[3]{b}} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} \\
&= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} - \frac{d \log(a + bx^3)}{3a} - \frac{(b^{2/3}c - a^{2/3}e) \int \frac{x^2}{a + bx^3} dx}{2a^{5/3}\sqrt[3]{b}} \\
&= -\frac{c}{ax} + \frac{d \log(x)}{a} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} - \frac{(b^{2/3}c + a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{4/3}\sqrt[3]{b}} \\
&= -\frac{c}{ax} + \frac{(b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}\sqrt[3]{b}} + \frac{d \log(x)}{a} + \frac{(b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}\sqrt[3]{b}} - \frac{(b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{4/3}\sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 184, normalized size = 0.96

$$\frac{\frac{(a^{2/3}b^{2/3}c + a^{4/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{\sqrt[3]{b}} - \frac{2(a^{2/3}b^{2/3}c + a^{4/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}}}{6a^2} + \frac{2\sqrt{3}a^{2/3}(a^{2/3}e - b^{2/3}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt[3]{b}} + 2ad \log(a + bx^3)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)), x]

[Out] $-\frac{1}{6} \left(\frac{6ac}{x} + \frac{2\sqrt{3}a^{2/3}(-b^{2/3}c + a^{2/3}e) \operatorname{ArcTan}\left[\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right]}{b^{1/3}} - 6ad \operatorname{Log}[x] - \frac{2(a^{2/3}b^{2/3}c + a^{4/3}e) \operatorname{Log}[a^{1/3} + b^{1/3}x]}{b^{1/3}} + \frac{(a^{2/3}b^{2/3}c + a^{4/3}e) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]}{b^{1/3}} + 2a^2 d \operatorname{Log}[a + b^2x^3] \right) / a^2$

fricas [C] time = 2.76, size = 4524, normalized size = 23.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="fricas")

[Out]
$$-1/36*(2*((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)*a*x*\log(-1/36*((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)^2*a^3*b*c - a*b*c*d^2 + 2*a*b*c^2*e + a^2*d*e^2 + 1/6*(2*a^2*b*c*d - a^3*e^2)*((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a) - (b^2*c^3 - a^2*e^3)*x) - 36*d*x*\log(x) - (((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)*a*x - 3*\sqrt{1/3}*a*x*\sqrt{-(((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)^2*a^2 - 12*((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)*a*d + 36*d^2 - 144*c*e)/a^2) - 18*d*x)*\log(1/36*((-I*\sqrt{3}) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)^2*a^3*b*c + a*b*c*d^2 - 2*a*b*c^2*e - a^2*d*e^2 - 1/6*(2*a^2*b*c*d - a^$$

$$\begin{aligned}
& 3e^2 * ((-I\sqrt{3}) + 1) * (d^2/a^2 - (d^2 - c*e)/a^2) / (-1/27*d^3/a^3 + 1/18* \\
& (d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\
& - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I\sqrt{3}) + 1) * (-1/27*d^3/a^ \\
& 3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b) \\
& / (a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a - 2*(b^2*c^3 - \\
& a^2*e^3)*x + 1/12*\sqrt{1/3} * (((-I\sqrt{3}) + 1) * (d^2/a^2 - (d^2 - c*e)/a^2) / \\
& (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - \\
& 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I\sqrt{3} \\
& (3) + 1) * (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 \\
& - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + \\
& 6*d/a) * a^3*b*c - 6*a^2*b*c*d - 6*a^3*e^2) * \sqrt{-(((-I\sqrt{3}) + 1) * (d^2/a^2 \\
& - (d^2 - c*e)/a^2) / (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 \\
& + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b \\
&))^{1/3} + 9*(I\sqrt{3}) + 1) * (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54 \\
& *(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^ \\
& 3)/(a^4*b))^{1/3} + 6*d/a)^2 * a^2 - 12*((-I\sqrt{3}) + 1) * (d^2/a^2 - (d^2 - c \\
& *e)/a^2) / (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 \\
& - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + \\
& 9*(I\sqrt{3}) + 1) * (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + \\
& a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b)) \\
& ^{1/3} + 6*d/a) * a*d + 36*d^2 - 144*c*e)/a^2)) - (((-I\sqrt{3}) + 1) * (d^2/a^2 \\
& - (d^2 - c*e)/a^2) / (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 \\
& + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b \\
&))^{1/3} + 9*(I\sqrt{3}) + 1) * (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54 \\
& *(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^ \\
& 3)/(a^4*b))^{1/3} + 6*d/a) * a*x + 3*\sqrt{1/3} * a*x * \sqrt{-(((-I\sqrt{3}) + 1) * (\\
& d^2/a^2 - (d^2 - c*e)/a^2) / (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(\\
& b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3) \\
& / (a^4*b))^{1/3} + 9*(I\sqrt{3}) + 1) * (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 \\
& + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - \\
& a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)^2 * a^2 - 12*((-I\sqrt{3}) + 1) * (d^2/a^2 - (\\
& d^2 - c*e)/a^2) / (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a \\
& ^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(\\
& 1/3} + 9*(I\sqrt{3}) + 1) * (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^ \\
& 2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(\\
& a^4*b))^{1/3} + 6*d/a) * a*d + 36*d^2 - 144*c*e)/a^2) - 18*d*x) * \log(1/36*((-I \\
& *sqrt{3}) + 1) * (d^2/a^2 - (d^2 - c*e)/a^2) / (-1/27*d^3/a^3 + 1/18*(d^2 - c*e) \\
& *d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2 \\
& *c^3 - a^2*e^3)/(a^4*b))^{1/3} + 9*(I\sqrt{3}) + 1) * (-1/27*d^3/a^3 + 1/18*(d \\
& ^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - \\
& 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{1/3} + 6*d/a)^2 * a^3*b*c + a*b*c*d^2 - 2* \\
& a*b*c^2*e - a^2*d*e^2 - 1/6*(2*a^2*b*c*d - a^3*e^2) * (((-I\sqrt{3}) + 1) * (d^2/ \\
& a^2 - (d^2 - c*e)/a^2) / (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2* \\
& c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^ \\
& 4*b))^{1/3} + 9*(I\sqrt{3}) + 1) * (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1
\end{aligned}$$

$$\begin{aligned} & /54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2 \\ & *e^3)/(a^4*b))^{(1/3)} + 6*d/a - 2*(b^2*c^3 - a^2*e^3)*x - 1/12*\text{sqrt}(1/3)*((\\ & (-I*\text{sqrt}(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18*(d^2 - c \\ & *e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) - 1/54*(\\ & b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^3 + 1/18 \\ & *(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)*a^3*b*c - 6*a^2*b*c*d - \\ & 6*a^3*e^2)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3 \\ & /a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a \\ & *b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)* \\ & (-1/27*d^3/a^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3 \\ & *c*d*e)*a*b)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)^2*a \\ & ^2 - 12*((-I*\text{sqrt}(3) + 1)*(d^2/a^2 - (d^2 - c*e)/a^2)/(-1/27*d^3/a^3 + 1/18 \\ & *(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/(a^4*b) \\ & - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a \\ & ^3 + 1/18*(d^2 - c*e)*d/a^3 + 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b \\ &)/(a^4*b) - 1/54*(b^2*c^3 - a^2*e^3)/(a^4*b))^{(1/3)} + 6*d/a)*a*d + 36*d^2 - \\ & 144*c*e)/a^2)) + 36*c)/(a*x) \end{aligned}$$

giac [A] time = 0.23, size = 201, normalized size = 1.05

$$\frac{d \log(|bx^3 + a|)}{3a} + \frac{d \log(|x|)}{a} + \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} ae + (-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{3a^2b} - \frac{c}{ax} + \frac{\left((-ab^2)^{\frac{1}{3}} ae - (-ab^2)^{\frac{2}{3}} c \right)}{3a^2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3*d*\log(\text{abs}(b*x^3 + a))/a + d*\log(\text{abs}(x))/a + 1/3*\text{sqrt}(3)*((-a*b^2)^{(1/3)}*a*e + (-a*b^2)^{(2/3)}*c)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a^2*b) - c/(a*x) + 1/6*((-a*b^2)^{(1/3)}*a*e - (-a*b^2)^{(2/3)}*c)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^2*b) + 1/3*(a*b^2*c*(-a/b)^{(1/3)} - a^2*b*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^3*b$

maple [A] time = 0.05, size = 216, normalized size = 1.12

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1 \right)}{3} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{c \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} - \frac{c \ln \left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b}\right)^{\frac{1}{3}} a} + \frac{d \ln(x)}{a} - \frac{d \ln(bx^3 + a)}{3a} + \frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d*x+c)/x^2/(b*x^3+a), x)$

[Out] $\frac{1}{3}e/b/(a/b)^{2/3}*\ln(x+(a/b)^{1/3})-1/6e/b/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3})$
 $*x+(a/b)^{2/3})+1/3e/b/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}$
 $*x-1))+1/3/a*c/(a/b)^{1/3}*\ln(x+(a/b)^{1/3})-1/6/a*c/(a/b)^{1/3}*\ln(x^2-$
 $(a/b)^{1/3})*x+(a/b)^{2/3})-1/3/a*c*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*($
 $2/(a/b)^{1/3}*x-1))-1/3/a*d*\ln(b*x^3+a)-1/a*c/x+1/a*d*\ln(x)$

maxima [A] time = 2.98, size = 186, normalized size = 0.97

$$\frac{d \log(x)}{a} - \frac{\sqrt{3} \left(bc \left(\frac{a}{b} \right)^{\frac{2}{3}} - ae \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a^2} - \frac{\left(2bd \left(\frac{a}{b} \right)^{\frac{2}{3}} + bc \left(\frac{a}{b} \right)^{\frac{1}{3}} + ae \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 ab \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d*x+c)/x^2/(b*x^3+a), x, \text{algorithm}="maxima")$

[Out] $d*\log(x)/a - 1/3*\text{sqrt}(3)*(b*c*(a/b)^{2/3} - a*e*(a/b)^{1/3})*\arctan(1/3*\text{sqrt}$
 $t(3)*(2*x - (a/b)^{1/3})/(a/b)^{1/3})/a^2 - 1/6*(2*b*d*(a/b)^{2/3} + b*c*(a$
 $/b)^{1/3} + a*e)*\log(x^2 - x*(a/b)^{1/3} + (a/b)^{2/3})/(a*b*(a/b)^{2/3}) -$
 $1/3*(b*d*(a/b)^{2/3} - b*c*(a/b)^{1/3} - a*e)*\log(x + (a/b)^{1/3})/(a*b*(a$
 $/b)^{2/3}) - c/(a*x)$

mupad [B] time = 5.06, size = 723, normalized size = 3.77

$$\left(\sum_{k=1}^3 \ln \left(\frac{b^4 c^3 x + a^2 b^2 d e^2 - \text{root} \left(27 a^4 b z^3 + 27 a^3 b d z^2 - 9 a^2 b c e z + 9 a^2 b d^2 z - 3 a b c d e + a b d^3 - a^2 e^3 \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2)/(x^2*(a + b*x^3)), x)$

[Out] $\text{symsum}(\log((b^4*c^3*x + a^2*b^2*d*e^2 - 36*\text{root}(27*a^4*b*z^3 + 27*a^3*b*d*z$
 $^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c$
 $^3, z, k)^3*a^4*b^3*x + a^2*b^2*e^3*x + a*b^3*c*d^2 - 3*\text{root}(27*a^4*b*z^3$
 $+ 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 -$
 $a^2*e^3 - b^2*c^3, z, k)^2*a^3*b^3*c - \text{root}(27*a^4*b*z^3 + 27*a^3*b*d*z^2 -$
 $9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3,$
 $z, k)*a^3*b^2*e^2 - 4*\text{root}(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z +$
 $9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)*a^2*b^3*d$

$$\begin{aligned} &^2*x - 24*\text{root}(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2* \\ &z - 3*a*b*c*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)^2*a^3*b^3*d*x + 2*\text{root} \\ &(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d* \\ &e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)*a^2*b^3*c*d + 2*a*b^3*c*d*e*x + 10*r \\ &\text{oot}(27*a^4*b*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c \\ &*d*e + a*b*d^3 - a^2*e^3 - b^2*c^3, z, k)*a^2*b^3*c*e*x)/a^2)*\text{root}(27*a^4*b \\ &*z^3 + 27*a^3*b*d*z^2 - 9*a^2*b*c*e*z + 9*a^2*b*d^2*z - 3*a*b*c*d*e + a*b*d \\ &^3 - a^2*e^3 - b^2*c^3, z, k), k, 1, 3) - c/(a*x) + (d*\log(x))/a \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a),x)

[Out] Timed out

$$3.343 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)} dx$$

Optimal. Leaf size=203

$$\frac{b^{2/3} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6a^{5/3}} - \frac{\sqrt[3]{b} \left(\sqrt[3]{b}c - \sqrt[3]{a}d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{3a^{5/3}} + \frac{\sqrt[3]{b} \left(\sqrt[3]{a}d + \sqrt[3]{b}c \right) \tan^{-1} \left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x} \right)}{\sqrt{3} a^{5/3}}$$

[Out] $-1/2*c/a/x^2-d/a/x+e*\ln(x)/a-1/3*b^{(1/3)}*(b^{(1/3)*c-a^{(1/3)*d})*\ln(a^{(1/3)+b^{(1/3)*x}}/a^{(5/3)+1/6*b^{(2/3)}*(c-a^{(1/3)*d}/b^{(1/3)})*\ln(a^{(2/3)-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}}/a^{(5/3)-1/3*e*\ln(b*x^3+a)/a+1/3*b^{(1/3)}*(b^{(1/3)*c+a^{(1/3)*d})*\arctan(1/3*(a^{(1/3)-2*b^{(1/3)*x}}/a^{(1/3)*3^{(1/2)}})/a^{(5/3)*3^{(1/2)}})$

Rubi [A] time = 0.19, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{b^{2/3} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right)}{6a^{5/3}} - \frac{\sqrt[3]{b} \left(\sqrt[3]{b}c - \sqrt[3]{a}d \right) \log \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{3a^{5/3}} + \frac{\sqrt[3]{b} \left(\sqrt[3]{a}d + \sqrt[3]{b}c \right) \tan^{-1} \left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x} \right)}{\sqrt{3} a^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)), x]

[Out] $-c/(2*a*x^2) - d/(a*x) + (b^{(1/3)}*(b^{(1/3)*c + a^{(1/3)*d})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x}/(\text{Sqrt}[3]*a^{(1/3)})])]/(\text{Sqrt}[3]*a^{(5/3)}) + (e*\text{Log}[x])/a - (b^{(1/3)}*(b^{(1/3)*c - a^{(1/3)*d})*\text{Log}[a^{(1/3)} + b^{(1/3)*x}]/(3*a^{(5/3)}) + (b^{(2/3)}*(c - (a^{(1/3)*d}/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}]/(6*a^{(5/3)}) - (e*\text{Log}[a + b*x^3])/ (3*a)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3(a + bx^3)} dx &= \int \left(\frac{c}{ax^3} + \frac{d}{ax^2} + \frac{e}{ax} - \frac{b(c + dx + ex^2)}{a(a + bx^3)} \right) dx \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b \int \frac{c+dx+ex^2}{a+bx^3} dx}{a} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b \int \frac{c+dx}{a+bx^3} dx}{a} - \frac{(be) \int \frac{x^2}{a+bx^3} dx}{a} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{e \log(a + bx^3)}{3a} - \frac{b^{2/3} \int \frac{\sqrt[3]{a}(2\sqrt[3]{b}c + \sqrt[3]{a}d) + \sqrt[3]{b}(-\sqrt[3]{b}c + \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{3a^{5/3}} - \frac{b \int \frac{x^2}{a+bx^3} dx}{a} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b^{2/3} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}} - \frac{e \log(a + bx^3)}{3a} + \frac{(\sqrt[3]{b}(\sqrt[3]{b}c - \sqrt[3]{a}d)) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{5/3}} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{b^{2/3} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}} + \frac{\sqrt[3]{b}(\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{6a^{5/3}} \\
&= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{\sqrt[3]{b}(\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{5/3}} + \frac{e \log(x)}{a} - \frac{b^{2/3} \left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 192, normalized size = 0.95

$$\sqrt[3]{b}(\sqrt[3]{a}\sqrt[3]{b}c - a^{2/3}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2\sqrt[3]{b}(a^{2/3}d - \sqrt[3]{a}\sqrt[3]{b}c) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + 2\sqrt{3}\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} - 2\sqrt[3]{b}x) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)$$

 $6a^2$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)), x]

[Out] ((-3*a*c)/x^2 - (6*a*d)/x + 2*Sqrt[3]*a^(1/3)*b^(1/3)*(b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 6*a*e*Log[x] + 2*b^(1/3)*(-(a^(1/3)*b^(1/3)*c) + a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(a^(1/3)*b^(1/3)*c - a^(2/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 2*a*e*Log[a + b*x^3]/(6*a^2)

fricas [C] time = 3.07, size = 4279, normalized size = 21.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/36*(2*((-I*\sqrt{3}) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + \\ & 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + \\ & a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^3 \\ & + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 \\ & + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)*a*x^2*\log(1/36*((-I*\sqrt{3}) \\ & + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + \\ & a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 \\ & - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d \\ & + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 \\ & - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^4*d + 2*a*b*c*d^2 - a*b*c^2*e + \\ & a^2*d*e^2 + 1/6*(a^2*b*c^2 - 2*a^3*d*e)*((-I*\sqrt{3}) + 1)*(e^2/a^2 - (b*c*d \\ & + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + \\ & a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + \\ & 9*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 \\ & + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\ & + 6*e/a) + (b^2*c^3 + a*b*d^3)*x) - 36*e*x^2*\log(x) + 36*d*x - (((-I*\sqrt{3}) \\ & + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 \\ & + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\ & + 9*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 \\ & + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\ & + 6*e/a)*a*x^2 + 3*\sqrt{1/3}*a*x^2*\sqrt{-(((-I*\sqrt{3}) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 \\ & + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\ & + 9*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 \\ & + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\ & + 6*e/a)^2*a^3 - 12*((-I*\sqrt{3}) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 \\ & + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\ & + 9*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 \\ & + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\ & + 6*e/a)*a^2*e + 144*b*c*d + 36*a*e^2)/a^3) - 18*e*x^2)*\log(-1/36 \\ & *((-I*\sqrt{3}) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d \\ & + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 \\ & - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^3 + 1/18 \\ & *(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 \\ & - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^4*d - 2*a*b*c*d^2 + a*b*c^2*e \\ & - a^2*d*e^2 - 1/6*(a^2*b*c^2 - 2*a^3*d*e)*((-I*\sqrt{3}) + 1)*(e^2/a^2 - (b*c*d \\ & + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 \\ & + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\ & + 9*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54 \\ & *(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5 \end{aligned}$$

$$\begin{aligned}
&)^{(1/3)} + 6*e/a) + 2*(b^2*c^3 + a*b*d^3)*x + 1/12*sqrt(1/3)*(((-I*sqrt(3) + \\
&1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e \\
&/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d* \\
&e)*a*b)/a^5)^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2 \\
&)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
&*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)*a^4*d - 6*a^2*b*c^2 - 6*a^3*d*e)*sqrt(-(((-I \\
&*sqrt(3) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d \\
&+ a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^ \\
&3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c \\
&*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - \\
&(d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^3 - 12*((-I*sqrt(3) + 1)*(e^2/ \\
&a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/ \\
&54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a \\
&^5)^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + \\
&1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b \\
&)/a^5)^{(1/3)} + 6*e/a)*a^2*e + 144*b*c*d + 36*a*e^2)/a^3)) - (((-I*sqrt(3) + \\
&1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e \\
&/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d* \\
&e)*a*b)/a^5)^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2 \\
&)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
&*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)*a*x^2 - 3*sqrt(1/3)*a*x^2*sqrt(-(((-I*sqrt(3) \\
&)+ 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2 \\
&)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c \\
&*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a* \\
&e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - \\
&3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^3 - 12*((-I*sqrt(3) + 1)*(e^2/a^2 - (\\
&b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c \\
&^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/ \\
&3)} + 9*(I*sqrt(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(\\
&b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^ \\
&(1/3) + 6*e/a)*a^2*e + 144*b*c*d + 36*a*e^2)/a^3) - 18*e*x^2)*log(-1/36*((- \\
&I*sqrt(3) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d \\
&+ a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d \\
&^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b* \\
&c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - \\
&(d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^4*d - 2*a*b*c*d^2 + a*b*c^2*e \\
&- a^2*d*e^2 - 1/6*(a^2*b*c^2 - 2*a^3*d*e)*((-I*sqrt(3) + 1)*(e^2/a^2 - (b* \\
&c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b*c^3 \\
&+ a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} \\
&+ 9*(I*sqrt(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 + 1/54*(b* \\
&c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1 \\
&/3)} + 6*e/a) + 2*(b^2*c^3 + a*b*d^3)*x - 1/12*sqrt(1/3)*(((-I*sqrt(3) + 1)* \\
&(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/a^4 \\
&+ 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a \\
&*b)/a^5)^{(1/3)} + 9*(I*sqrt(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2)*e/
\end{aligned}$$

$$a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)*a^4*d - 6*a^2*b*c^2 - 6*a^3*d*e)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2))*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2))*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)^2*a^3 - 12*((-I*\text{sqrt}(3) + 1)*(e^2/a^2 - (b*c*d + a*e^2)/a^3)/(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2))*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 9*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^3 + 1/18*(b*c*d + a*e^2))*e/a^4 + 1/54*(b*c^3 + a*d^3)*b/a^5 - 1/54*(b^2*c^3 + a^2*e^3 - (d^3 - 3*c*d*e)*a*b)/a^5)^{(1/3)} + 6*e/a)*a^2*e + 144*b*c*d + 36*a*e^2)/a^3)) + 18*c)/(a*x^2)$$

giac [A] time = 0.18, size = 204, normalized size = 1.00

$$\frac{e \log(|bx^3 + a|)}{3a} + \frac{e \log(|x|)}{a} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} bc - (-ab^2)^{\frac{2}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3a^2b} - \frac{\left((-ab^2)^{\frac{1}{3}} bc + (-ab^2)^{\frac{2}{3}} d \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{6a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3*e*\log(\text{abs}(b*x^3 + a))/a + e*\log(\text{abs}(x))/a - 1/3*\text{sqrt}(3)*((-a*b^2)^{(1/3)}*b*c - (-a*b^2)^{(2/3)}*d)*\text{arctan}(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/(a^2*b) - 1/6*((-a*b^2)^{(1/3)}*b*c + (-a*b^2)^{(2/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^2*b) + 1/3*(a*b^2*d*(-a/b)^{(1/3)} + a*b^2*c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/ (a^3*b) - 1/2*(2*d*x + c)/(a*x^2)$

maple [A] time = 0.22, size = 225, normalized size = 1.11

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} - \frac{c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} - \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a),x)

[Out] $-1/3/(a/b)^{(2/3)}/a*c*\ln(x+(a/b)^{(1/3)})+1/6/(a/b)^{(2/3)}/a*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/3/(a/b)^{(2/3)}*3^{(1/2)}/a*c*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/3/(a/b)^{(1/3)}/a*d*\ln(x+(a/b)^{(1/3)})-1/6/(a/b)^{(1/3)}/a*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/3*3^{(1/2)}/(a/b)^{(1/3)}/a*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/a*e*\ln(b*x^3+a)+1/a*e*\ln(x)-1/2/a*c/x^2-1/a*d/x$

maxima [A] time = 3.03, size = 177, normalized size = 0.87

$$\frac{e \log(x)}{a} - \frac{\sqrt{3} \left(b d \left(\frac{a}{b} \right)^{\frac{2}{3}} + b c \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a^2} - \frac{\left(2 e \left(\frac{a}{b} \right)^{\frac{2}{3}} + d \left(\frac{a}{b} \right)^{\frac{1}{3}} - c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 a \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(e \left(\frac{a}{b} \right)^{\frac{1}{3}} - c \right) \log \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{a \left(\frac{a}{b} \right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="maxima")

[Out] $e*\log(x)/a - 1/3*\sqrt{3}*(b*d*(a/b)^{(2/3)} + b*c*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^2 - 1/6*(2*e*(a/b)^{(2/3)} + d*(a/b)^{(1/3)} - c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*(a/b)^{(2/3)}) - 1/3*(e*(a/b)^{(2/3)} - d*(a/b)^{(1/3)} + c)*\log(x + (a/b)^{(1/3)})/(a*(a/b)^{(2/3)}) - 1/2*(2*d*x + c)/(a*x^2)$

mupad [B] time = 0.13, size = 701, normalized size = 3.45

$$\left(\sum_{k=1}^3 \ln \left(-\frac{b^5 c^3 x - a^2 b^3 d e^2 + \text{root}(27 a^5 z^3 + 27 a^4 e z^2 + 9 a^2 b c d z + 9 a^3 e^2 z + 3 a b c d e - a b d^3 + a^2 e^3 + b^2 c^3, z, k)^3 a^5 b^3 x - a b^4 c^2 e - a b^4 d^3 x + \text{root}(27 a^5 z^3 + 27 a^4 e z^2 + 9 a^2 b c d z + 9 a^3 e^2 z + 3 a b c d e - a b d^3 + a^2 e^3 + b^2 c^3, z, k)^2 a^4 b^3 d + 4 \text{root}(27 a^5 z^3 + 27 a^4 e z^2 + 9 a^2 b c d z + 9 a^3 e^2 z + 3 a b c d e - a b d^3 + a^2 e^3 + b^2 c^3, z, k) a^3 b^3 e^2 x + 24 \text{root}(27 a^5 z^3 + 27 a^4 e z^2 + 9 a^2 b c d z + 9 a^3 e^2 z + 3 a b c d e - a b d^3 + a^2 e^3 + b^2 c^3, z, k)^2 a^4 b^3 e x - 2 \text{root}(27 a^5 z^3 + 27 a^4 e z^2 + 9 a^2 b c d z + 9 a^3 e^2 z + 3 a b c d e - a b d^3 + a^2 e^3 + b^2 c^3, z, k) a^3 b^3 d e + 2 a b^4 c d e x + 10 \text{root}(27 a^5 z^3 + 27 a^4 e z^2 + 9 a^2 b c d z + 9 a^3 e^2 z + 3 a b c d e - a b d^3 + a^2 e^3 + b^2 c^3, z, k) a^3 b^3 d e}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)),x)

[Out] $\text{symsum}(\log(-(b^5*c^3*x - a^2*b^3*d*e^2 + 36*\text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)^3*a^5*b^3*x - a*b^4*c^2*e - a*b^4*d^3*x + \text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)^2*a^4*b^3*d + 4*\text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)*a^3*b^3*e^2*x + 24*\text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)^2*a^4*b^3*e*x - 2*\text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)*a^3*b^3*d*e + 2*a*b^4*c*d*e*x + 10*\text{root}(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)*a^3*b^3*d*e)/(x^3*(a + b*x^3)),x)$

```
*b*c*d*z + 9*a^3*e^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k)*a
^2*b^4*c*d*x)/a^3)*root(27*a^5*z^3 + 27*a^4*e*z^2 + 9*a^2*b*c*d*z + 9*a^3*e
^2*z + 3*a*b*c*d*e - a*b*d^3 + a^2*e^3 + b^2*c^3, z, k), k, 1, 3) - c/(2*a*
x^2) - d/(a*x) + (e*log(x))/a
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a),x)
```

```
[Out] Timed out
```

$$3.344 \quad \int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=190

$$\frac{\left(d - \frac{2\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{18a^{2/3}b^{4/3}} + \frac{\left(\sqrt[3]{b}d - 2\sqrt[3]{ae}\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{9a^{2/3}b^{5/3}} - \frac{\left(2\sqrt[3]{ae} + \sqrt[3]{b}d\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{2/3}b^{5/3}}$$

[Out] $1/3*(-e*x^2-d*x-c)/b/(b*x^3+a)+1/9*(b^{(1/3)}*d-2*a^{(1/3)}*e)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(2/3)}/b^{(5/3)}-1/18*(d-2*a^{(1/3)}*e/b^{(1/3)})*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(2/3)}/b^{(4/3)}-1/9*(b^{(1/3)}*d+2*a^{(1/3)}*e)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(2/3)}/b^{(5/3)}*3^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$, Rules used = {1823, 1860, 31, 634, 617, 204, 628}

$$\frac{\left(d - \frac{2\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{18a^{2/3}b^{4/3}} + \frac{\left(\sqrt[3]{b}d - 2\sqrt[3]{ae}\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{9a^{2/3}b^{5/3}} - \frac{\left(2\sqrt[3]{ae} + \sqrt[3]{b}d\right) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{2/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^2, x]

[Out] $-(c + d*x + e*x^2)/(3*b*(a + b*x^3)) - ((b^{(1/3)}*d + 2*a^{(1/3)}*e)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(2/3)}*b^{(5/3)}) + ((b^{(1/3)}*d - 2*a^{(1/3)}*e)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(2/3)}*b^{(5/3)}) - ((d - (2*a^{(1/3)}*e)/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(2/3)}*b^{(4/3)})$

Rule 31

Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1823

```
Int[(Pq)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(
a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*
(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && Eq
Q[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (c + dx + ex^2)}{(a + bx^3)^2} dx &= -\frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\int \frac{d+2ex}{a+bx^3} dx}{3b} \\
&= -\frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\int \frac{\sqrt[3]{a}(2\sqrt[3]{b}d+2\sqrt[3]{a}e)+\sqrt[3]{b}(-\sqrt[3]{b}d+2\sqrt[3]{a}e)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{9a^{2/3}b^{4/3}} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{2/3}b} \\
&= -\frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{2/3}b^{4/3}} + \frac{\left(\frac{\sqrt[3]{b}d}{\sqrt[3]{a}} + 2e\right) \int \frac{1}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{6b^{4/3}} \\
&= -\frac{c + dx + ex^2}{3b(a + bx^3)} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{2/3}b^{4/3}} - \frac{(\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{18a^{2/3}b^{5/3}} \\
&= -\frac{c + dx + ex^2}{3b(a + bx^3)} - \frac{(\sqrt[3]{b}d + 2\sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{2/3}b^{5/3}} + \frac{\left(d - \frac{2\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{2/3}b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 174, normalized size = 0.92

$$\frac{\frac{(2\sqrt[3]{a}e - \sqrt[3]{b}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{a^{2/3}} + \frac{2(\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{a^{2/3}} - \frac{2\sqrt{3}(2\sqrt[3]{a}e + \sqrt[3]{b}d) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{a^{2/3}} - \frac{6b^{2/3}(c + x(d + ex))}{a + bx^3}}{18b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^2,x]

[Out] ((-6*b^(2/3)*(c + x*(d + e*x)))/(a + b*x^3) - (2*sqrt[3]*(b^(1/3)*d + 2*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(2/3) + (2*(b^(1/3)*d - 2*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) + ((- (b^(1/3)*d) + 2*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3))/(18*b^(5/3))

fricas [C] time = 2.63, size = 2077, normalized size = 10.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$-1/36*(12*e*x^2 + 2*(b^2*x^3 + a*b)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})))*\log(1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a^2*b^3*e - 1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})))*a*b^2*d^2 + 8*a*d*e^2 + (b*d^3 + 8*a*e^3)*x) + 12*d*x - ((b^2*x^3 + a*b)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})) + 3*\sqrt{1/3}*(b^2*x^3 + a*b)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a*b^3 + 32*d*e)/(a*b^3)))*\log(-1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a^2*b^3*e + 1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})))*a*b^2*d^2 - 8*a*d*e^2 + 2*(b*d^3 + 8*a*e^3)*x + 3/2*\sqrt{1/3}*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})))*a^2*b^3*e + a*b^2*d^2)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a*b^3 + 32*d*e)/(a*b^3))} - ((b^2*x^3 + a*b)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})) - 3*\sqrt{1/3}*(b^2*x^3 + a*b)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a*b^3 + 32*d*e)/(a*b^3)))*\log(-1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{2*a^2*b^3*e + 1/2*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)})))*a*b^2*d^2 - 8*a*d*e^2 + 2*(b*d^3 + 8*a*e^3)*x - 3/2*\sqrt{1/3}*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)}*d*e*(I*\sqrt{3} - 1)/(a*b^3*((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))$$

$1) * ((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)} * d * e * (I * \text{sqrt}(3) - 1) / (a*b^3 * ((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}) * a^2*b^3 * e + a*b^2*d^2 * \text{sqrt}(-(((1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * ((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)} + 4*(1/2)^{(2/3)} * d * e * (I * \text{sqrt}(3) - 1) / (a*b^3 * ((b*d^3 + 8*a*e^3)/(a^2*b^5) + (b*d^3 - 8*a*e^3)/(a^2*b^5))^{(1/3)}))^{(1/3)} * a*b^3 + 32*d * e) / (a*b^3)) + 12*c) / (b^2*x^3 + a*b)$

giac [A] time = 0.20, size = 180, normalized size = 0.95

$$\frac{\sqrt{3} \left(b d - 2 \left(-a b^2 \right)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-a b^2 \right)^{\frac{2}{3}} b} - \frac{\left(b d + 2 \left(-a b^2 \right)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(-a b^2 \right)^{\frac{2}{3}} b} + \frac{\left(2 \left(-\frac{a}{b} \right)^{\frac{1}{3}} e + d \right) \log \left(\text{abs} \left(x - \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right) \right)}{a b} - \frac{1}{3} \frac{x^2 e + d x + c}{b^2 x^3 + a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/9 * \text{sqrt}(3) * (b*d - 2 * (-a*b^2)^{(1/3)} * e) * \arctan(1/3 * \text{sqrt}(3) * (2*x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / ((-a*b^2)^{(2/3)} * b) - 1/18 * (b*d + 2 * (-a*b^2)^{(1/3)} * e) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / ((-a*b^2)^{(2/3)} * b) - 1/9 * (2 * (-a/b)^{(1/3)} * e + d) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})) / (a*b) - 1/3 * (x^2 * e + d * x + c) / ((b * x^3 + a) * b)$

maple [A] time = 0.05, size = 219, normalized size = 1.15

$$\frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{2\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2} - \frac{2e \ln \left(x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2} + \frac{1}{3} \frac{x^2 e + d x + c}{b^2 x^3 + a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x)

[Out] $(-1/3/b * e * x^2 - 1/3/b * d * x - 1/3 * c/b) / (b * x^3 + a) + 1/9 / (a/b)^{(2/3)} / b^2 * d * \ln(x + (a/b)^{(1/3)}) - 1/18 / (a/b)^{(2/3)} / b^2 * d * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + 1/9 / (a/b)^{(2/3)} * 3^{(1/2)} / b^2 * d * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) - 2/9 / b^2 * e / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) + 1/9 / b^2 * e / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + 2/9 / b^2 * e * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1))$

maxima [A] time = 3.03, size = 163, normalized size = 0.86

$$-\frac{ex^2 + dx + c}{3(b^2x^3 + ab)} + \frac{\sqrt{3} \left(2e \left(\frac{a}{b} \right)^{\frac{1}{3}} + d \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(2e \left(\frac{a}{b} \right)^{\frac{1}{3}} - d \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(2e \left(\frac{a}{b} \right)^{\frac{1}{3}} - d \right)}{9b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] -1/3*(e*x^2 + d*x + c)/(b^2*x^3 + a*b) + 1/9*sqrt(3)*(2*e*(a/b)^(1/3) + d)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(b^2*(a/b)^(2/3)) + 1/18*(2*e*(a/b)^(1/3) - d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(b^2*(a/b)^(2/3)) - 1/9*(2*e*(a/b)^(1/3) - d)*log(x + (a/b)^(1/3))/(b^2*(a/b)^(2/3))

mupad [B] time = 0.22, size = 180, normalized size = 0.95

$$\left(\sum_{k=1}^3 \ln \left(\frac{2de + 4e^2x + \text{root}(729a^2b^5z^3 + 54ab^2dez + 8ae^3 - bd^3, z, k)^2 ab^3 81 + \text{root}(729a^2b^5z^3 + 54ab^2dez + 8ae^3 - bd^3, z, k)}{b^9} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^2,x)

[Out] symsum(log((2*d*e + 4*e^2*x + 81*root(729*a^2*b^5*z^3 + 54*a*b^2*d*e*z + 8*a*e^3 - b*d^3, z, k)^2*a*b^3 + 9*root(729*a^2*b^5*z^3 + 54*a*b^2*d*e*z + 8*a*e^3 - b*d^3, z, k)*b^2*d*x)/(9*b))*root(729*a^2*b^5*z^3 + 54*a*b^2*d*e*z + 8*a*e^3 - b*d^3, z, k), k, 1, 3) - (c/(3*b) + (e*x^2)/(3*b) + (d*x)/(3*b))/ (a + b*x^3)

sympy [A] time = 2.33, size = 110, normalized size = 0.58

$$\text{RootSum} \left(729t^3a^2b^5 + 54tab^2de + 8ae^3 - bd^3, \left(t \mapsto t \log \left(x + \frac{162t^2a^2b^3e + 9tab^2d^2 + 8ade^2}{8ae^3 + bd^3} \right) \right) \right) + \frac{-c - dx - ex^2}{3ab + 3b^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a)**2,x)

[Out] RootSum(729*_t**3*a**2*b**5 + 54*_t*a*b**2*d*e + 8*a*e**3 - b*d**3, Lambda(_t, _t*log(x + (162*_t**2*a**2*b**3*e + 9*_t*a*b**2*d**2 + 8*a*d*e**2)/(8*a*e**3 + b*d**3)))) + (-c - d*x - e*x**2)/(3*a*b + 3*b**2*x**3)

$$3.345 \quad \int \frac{x(c+dx+ex^2)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=200

$$\frac{(b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{18a^{4/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{4/3}b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{4/3}b^{4/3}}$$

[Out] $-1/3*x*(-b*d*x^2-b*c*x+a*e)/a/b/(b*x^3+a)-1/9*(b^{(2/3)*c}-a^{(2/3)*e})*\ln(a^{(1/3)+b^{(1/3)*x}}/a^{(4/3)}/b^{(4/3)}+1/18*(b^{(2/3)*c}-a^{(2/3)*e})*\ln(a^{(2/3)-a^{(1/3)}})*b^{(1/3)*x}+b^{(2/3)*x^2}/a^{(4/3)}/b^{(4/3)}-1/9*(b^{(2/3)*c}+a^{(2/3)*e})*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/a^{(4/3)}/b^{(4/3)*3^{(1/2)}}$

Rubi [A] time = 0.15, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1860, 31, 634, 617, 204, 628}

$$\frac{(b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{18a^{4/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{4/3}b^{4/3}} - \frac{(a^{2/3}e + b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{4/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3)^2, x]

[Out] $-(x*(a*e - b*c*x - b*d*x^2))/(3*a*b*(a + b*x^3)) - ((b^{(2/3)*c} + a^{(2/3)*e}) * \text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(4/3)}*b^{(4/3)}) - ((b^{(2/3)*c} - a^{(2/3)*e}) * \text{Log}[a^{(1/3)} + b^{(1/3)*x}])/(9*a^{(4/3)}*b^{(4/3)}) + ((b^{(2/3)*c} - a^{(2/3)*e}) * \text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2}])/(18*a^{(4/3)}*b^{(4/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
 implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := With[{q =
  m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2)}{(a + bx^3)^2} dx &= \frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{\int \frac{-ae - bcx}{a + bx^3} dx}{3ab} \\
&= \frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}bc - 2a\sqrt[3]{b}e) + \sqrt[3]{b}(-\sqrt[3]{a}bc + a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{5/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \int \frac{1}{\sqrt[3]{a}}}{9a^{4/3}b} \\
&= \frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{4/3}b^{4/3}} + \frac{(b^{2/3}c - a^{2/3}e) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x}}{18a^{4/3}b^{4/3}} \\
&= \frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{4/3}b^{4/3}} + \frac{(b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{18a^{4/3}b^{4/3}} \\
&= \frac{x(ae - bcx - bdx^2)}{3ab(a + bx^3)} - \frac{(b^{2/3}c + a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{4/3}b^{4/3}} - \frac{(b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{4/3}b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 186, normalized size = 0.93

$$\frac{-\left(a^{4/3}\sqrt[3]{b}e - a^{2/3}bc\right) \log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right) + 2\left(a^{4/3}\sqrt[3]{b}e - a^{2/3}bc\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right) - 2\sqrt{3}\left(a^{2/3}bc + a^{4/3}\right)}{18a^2b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3)^2,x]

[Out] ((-6*a*b^(2/3)*(-b*c*x^2) + a*(d + e*x))/(a + b*x^3) - 2*Sqrt[3]*(a^(2/3)*b*c + a^(4/3)*b^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*(-(a^(2/3)*b*c) + a^(4/3)*b^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x] - (-a^(2/3)*b*c) + a^(4/3)*b^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^2*b^(5/3))

fricas [C] time = 2.97, size = 2358, normalized size = 11.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned} & \frac{(2/3)*c*e*(-I*\sqrt{3} + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^{(1/3)})) * a^3*b*e^2 - 2*a*b*c^2*e + 2*(b^2*c^3 + a^2*e^3)*x - 3/4*\sqrt{3}*((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^{(1/3)} - 2*(1/2)^{(2/3)}*c*e*(-I*\sqrt{3} + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^{(1/3)})) * a^3*b^3*c + 2*a^3*b*e^2)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1)*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^{(1/3)} - 2*(1/2)^{(2/3)}*c*e*(-I*\sqrt{3} + 1)/(a^2*b^2*((b^2*c^3 + a^2*e^3)/(a^4*b^4) - (b^2*c^3 - a^2*e^3)/(a^4*b^4))^{(1/3)}))^{2*a^2*b^2 + 16*c*e)/(a^2*b^2))}}{(a*b^2*x^3 + a^2*b)} \end{aligned}$$

giac [A] time = 0.18, size = 190, normalized size = 0.95

$$\frac{\sqrt{3} \left(a e - (-a b^2)^{\frac{1}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) \left(a e + \left(-a b^2 \right)^{\frac{1}{3}} c \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(b c \left(-\frac{a}{b} \right)^{\frac{1}{3}} + a e \right)}{9 \left(-a b^2 \right)^{\frac{2}{3}} a - 18 \left(-a b^2 \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/9*\sqrt{3}*(a*e - (-a*b^2)^{(1/3)}*c)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)}))/(-a/b)^{(1/3)}/((-a*b^2)^{(2/3)}*a) - 1/18*(a*e + (-a*b^2)^{(1/3)}*c)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a) - 1/9*(b*c*(-a/b)^{(1/3)} + a*e)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^2*b) + 1/3*(b*c*x^2 - a*x*e - a*d)/((b*x^3 + a)*a*b)$

maple [A] time = 0.05, size = 228, normalized size = 1.14

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right) c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right) \sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right) e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{1}{3}} a b - 9 \left(\frac{a}{b} \right)^{\frac{1}{3}} a b + 18 \left(\frac{a}{b} \right)^{\frac{1}{3}} a b + 9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2 + 9 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)/(b*x^3+a)^2,x)

[Out] $(1/3*c/a*x^2-1/3/b*e*x-1/3*d/b)/(b*x^3+a)+1/9/b^2*e/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-1/18/b^2*e/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9/b^2*e/($

$$\frac{a}{b}^{\frac{2}{3}} \cdot 3^{\frac{1}{2}} \cdot \arctan\left(\frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot \left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}} \cdot x - 1}\right)\right) - \frac{1}{9} \cdot \frac{b}{a} \cdot c \cdot \left(\frac{a}{b}\right)^{\frac{1}{3}} \cdot \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) + \frac{1}{18} \cdot \left(\frac{a}{b}\right)^{\frac{1}{3}} \cdot \frac{1}{a} \cdot b \cdot c \cdot \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} \cdot x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{1}{9} \cdot \frac{b}{a} \cdot c \cdot 3^{\frac{1}{2}} \cdot \left(\frac{a}{b}\right)^{\frac{1}{3}} \cdot \arctan\left(\frac{1}{3} \cdot 3^{\frac{1}{2}} \cdot \left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}} \cdot x - 1}\right)\right)$$

maxima [A] time = 2.84, size = 185, normalized size = 0.92

$$\frac{bcx^2 - aex - ad}{3(ab^2x^3 + a^2b)} + \frac{\sqrt{3} \left(bc \left(\frac{a}{b}\right)^{\frac{1}{3}} + ae \right) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab^2 \left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(bc \left(\frac{a}{b}\right)^{\frac{1}{3}} - ae \right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{18ab^2 \left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\left(bc \left(\frac{a}{b}\right)^{\frac{1}{3}} - ae \right) \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{18ab^2 \left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{3} \cdot (b \cdot c \cdot x^2 - a \cdot e \cdot x - a \cdot d) / (a \cdot b^2 \cdot x^3 + a^2 \cdot b) + \frac{1}{9} \cdot \sqrt{3} \cdot (b \cdot c \cdot \left(\frac{a}{b}\right)^{\frac{1}{3}} + a \cdot e) \cdot \arctan\left(\frac{1}{3} \cdot \sqrt{3} \cdot \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) / \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) / (a \cdot b^2 \cdot \left(\frac{a}{b}\right)^{\frac{2}{3}}) + \frac{1}{18} \cdot (b \cdot c \cdot \left(\frac{a}{b}\right)^{\frac{1}{3}} - a \cdot e) \cdot \log\left(x^2 - x \cdot \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) / (a \cdot b^2 \cdot \left(\frac{a}{b}\right)^{\frac{2}{3}}) - \frac{1}{9} \cdot (b \cdot c \cdot \left(\frac{a}{b}\right)^{\frac{1}{3}} - a \cdot e) \cdot \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) / (a \cdot b^2 \cdot \left(\frac{a}{b}\right)^{\frac{2}{3}})$

mupad [B] time = 5.17, size = 194, normalized size = 0.97

$$\left(\sum_{k=1}^3 \ln \left(\text{root} \left(729 a^4 b^4 z^3 + 27 a^2 b^2 c e z + b^2 c^3 - a^2 e^3, z, k \right) \left(b e x + \text{root} \left(729 a^4 b^4 z^3 + 27 a^2 b^2 c e z + b^2 c^3 - a^2 e^3, z, k \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2))/(a + b*x^3)^2,x)

[Out] $\text{symsum} \left(\log \left(\text{root} \left(729 a^4 b^4 z^3 + 27 a^2 b^2 c e z + b^2 c^3 - a^2 e^3, z, k \right) \cdot (b e x + \text{root} \left(729 a^4 b^4 z^3 + 27 a^2 b^2 c e z + b^2 c^3 - a^2 e^3, z, k \right)) \right) / (9 a) + (b \cdot c \cdot 2 \cdot x) / (9 a^2) \cdot \text{root} \left(729 a^4 b^4 z^3 + 27 a^2 b^2 c e z + b^2 c^3 - a^2 e^3, z, k \right), k, 1, 3 \right) - (d / (3 \cdot b) - (c \cdot x^2) / (3 \cdot a)) + (e \cdot x) / (3 \cdot b) / (a + b \cdot x^3)$

sympy [A] time = 1.85, size = 124, normalized size = 0.62

$$\text{RootSum} \left(729 t^3 a^4 b^4 + 27 t a^2 b^2 c e - a^2 e^3 + b^2 c^3, \left(t \mapsto t \log \left(x + \frac{81 t^2 a^3 b^3 c + 9 t a^3 b e^2 + 2 a b c^2 e}{a^2 e^3 + b^2 c^3} \right) \right) \right) + \frac{-ad - aex + \dots}{3a^2b + 3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**2,x)

```
[Out] RootSum(729*_t**3*a**4*b**4 + 27*_t*a**2*b**2*c*e - a**2*e**3 + b**2*c**3,
Lambda(_t, _t*log(x + (81*_t**2*a**3*b**3*c + 9*_t*a**3*b*e**2 + 2*a*b*c**2
*e)/(a**2*e**3 + b**2*c**3)))) + (-a*d - a*e*x + b*c*x**2)/(3*a**2*b + 3*a*
b**2*x**3)
```

$$3.346 \quad \int \frac{c+dx+ex^2}{(a+bx^3)^2} dx$$

Optimal. Leaf size=199

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

[Out] $\frac{1}{3}*(-a*e+b*x*(d*x+c))/a/b/(b*x^3+a)+1/9*(2*b^{(1/3)}*c-a^{(1/3)}*d)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}/b^{(2/3)}-1/18*(2*b^{(1/3)}*c-a^{(1/3)}*d)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(2/3)}-1/9*(2*b^{(1/3)}*c+a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 199, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1854, 1860, 31, 634, 617, 204, 628}

$$\frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}d + 2\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3)^2, x]

[Out] $-(a*e - b*x*(c + d*x))/(3*a*b*(a + b*x^3)) - ((2*b^{(1/3)}*c + a^{(1/3)}*d)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(5/3)}*b^{(2/3)}) + ((2*b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(5/3)}*b^{(2/3)}) - ((2*b^{(1/3)}*c - a^{(1/3)}*d)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(5/3)}*b^{(2/3)})$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] := −Simp[ArcTan[(Rt[−b, 2]*x)/Rt[−a, 2]]/(Rt[−a, 2]*Rt[−b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617


```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]* (a + b*x^n)^(p
+ 1), x], x] /; q == n - 1 /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^3)^2} dx &= \frac{ae - bx(c + dx)}{3ab(a + bx^3)} - \frac{\int \frac{-2c - dx}{a + bx^3} dx}{3a} \\
&= \frac{ae - bx(c + dx)}{3ab(a + bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}c - \sqrt[3]{a}d) + \sqrt[3]{b}(2\sqrt[3]{b}c - \sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{5/3}\sqrt[3]{b}} + \frac{\left(2c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{5/3}} \\
&= \frac{ae - bx(c + dx)}{3ab(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \int \frac{-\sqrt[3]{a}\sqrt[3]{b} + 2b^{2/3}x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{18a^{5/3}b^{2/3}} \\
&= \frac{ae - bx(c + dx)}{3ab(a + bx^3)} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x)}{18a^{5/3}b^{2/3}} \\
&= \frac{ae - bx(c + dx)}{3ab(a + bx^3)} - \frac{(2\sqrt[3]{b}c + \sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}c - \sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 189, normalized size = 0.95

$$\frac{\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a}d - 2\sqrt[3]{b}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + (4\sqrt[3]{a}b^{2/3}c - 2a^{2/3}\sqrt[3]{b}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + \frac{6a(bx(c+dx) - ae)}{a+bx^3}}{18a^2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3)^2, x]

[Out] ((6*a*(-a*e) + b*x*(c + d*x))/(a + b*x^3) - 2*Sqrt[3]*a^(1/3)*b^(1/3)*(2*b^(1/3)*c + a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + (4*a^(1/3)*b^(2/3)*c - 2*a^(2/3)*b^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x] + a^(1/3)*b^(1/3)*(-2*b^(1/3)*c + a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^2*b)

fricas [C] time = 2.60, size = 2118, normalized size = 10.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned} &)^{(1/3)} * (I * \text{sqrt}(3) + 1) * ((8 * b * c^3 + a * d^3) / (a^5 * b^2) + (8 * b * c^3 - a * d^3) / (a^5 * b^2))^{(1/3)} + 4 * (1/2)^{(2/3)} * c * d * (I * \text{sqrt}(3) - 1) / (a^3 * b * ((8 * b * c^3 + a * d^3) / (a^5 * b^2) + (8 * b * c^3 - a * d^3) / (a^5 * b^2))^{(1/3)}) * a^4 * b * d + 8 * a^2 * b * c^2 * \text{sqrt}(-(((1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * ((8 * b * c^3 + a * d^3) / (a^5 * b^2) + (8 * b * c^3 - a * d^3) / (a^5 * b^2))^{(1/3)} + 4 * (1/2)^{(2/3)} * c * d * (I * \text{sqrt}(3) - 1) / (a^3 * b * ((8 * b * c^3 + a * d^3) / (a^5 * b^2) + (8 * b * c^3 - a * d^3) / (a^5 * b^2))^{(1/3)}))^2 * a^3 * b + 32 * c * d) / (a^3 * b))) / (a * b^2 * x^3 + a^2 * b) \end{aligned}$$

giac [A] time = 0.18, size = 184, normalized size = 0.92

$$\frac{\sqrt{3} \left(2bc - (-ab^2)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a} - \frac{\left(2bc + \left(-ab^2 \right)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/9*sqrt(3)*(2*b*c - (-a*b^2)^(1/3)*d)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a) - 1/18*(2*b*c + (-a*b^2)^(1/3)*d)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a) - 1/9*(d*(-a/b)^(1/3) + 2*c)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/a^2 + 1/3*(b*d*x^2 + b*c*x - a*e)/((b*x^3 + a)*a*b)

maple [A] time = 0.04, size = 253, normalized size = 1.27

$$\frac{dx^2}{3(bx^3+a)a} + \frac{cx}{3(bx^3+a)a} + \frac{2\sqrt{3}c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{2c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} - \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab} + \frac{\sqrt{3} da}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^3+a)^2,x)

[Out] 1/3/(b*x^3+a)/a*c*x+2/9/(a/b)^(2/3)/a/b*c*ln(x+(a/b)^(1/3))-1/9/(a/b)^(2/3)/a/b*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/(a/b)^(2/3)*3^(1/2)/a/b*c*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3/(b*x^3+a)/a*d*x^2-1/9*d/a/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/18*d/a/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))

$/3)) + 1/9*d/a*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-$
 $1/3*e/b/(b*x^3+a)$

maxima [A] time = 3.02, size = 179, normalized size = 0.90

$$\frac{bdx^2 + bcx - ae}{3(ab^2x^3 + a^2b)} + \frac{\sqrt{3} \left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2c \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18ab \left(\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\left(d \left(\frac{a}{b} \right)^{\frac{1}{3}} - 2c \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $1/3*(b*d*x^2 + b*c*x - a*e)/(a*b^2*x^3 + a^2*b) + 1/9*\sqrt{3}*(d*(a/b)^{(1/3)} + 2*c)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b*(a/b)^{(2/3)}) + 1/18*(d*(a/b)^{(1/3)} - 2*c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b*(a/b)^{(2/3)}) - 1/9*(d*(a/b)^{(1/3)} - 2*c)*\log(x + (a/b)^{(1/3)})/(a*b*(a/b)^{(2/3)})$

mupad [B] time = 0.25, size = 175, normalized size = 0.88

$$\left(\sum_{k=1}^3 \ln \left(\frac{b \left(2cd + d^2x + \text{root} \left(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k \right)^2 a^3b81 + \text{root} \left(729a^5b^2z^3 + 54a^2bcdz - 8bc^3 + ad^3, z, k \right)}{a^29} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3)^2,x)

[Out] $\text{symsum}(\log((b*(2*c*d + d^2*x + 81*\text{root}(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k)^2*a^3*b + 18*\text{root}(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k)*a*b*c*x))/(9*a^2))*\text{root}(729*a^5*b^2*z^3 + 54*a^2*b*c*d*z - 8*b*c^3 + a*d^3, z, k), k, 1, 3) + ((d*x^2)/(3*a) - e/(3*b) + (c*x)/(3*a))/(a + b*x^3)$

sympy [A] time = 1.38, size = 116, normalized size = 0.58

$$\text{RootSum} \left(729t^3a^5b^2 + 54ta^2bcd + ad^3 - 8bc^3, \left(t \mapsto t \log \left(x + \frac{81t^2a^4bd + 36ta^2bc^2 + 4acd^2}{ad^3 + 8bc^3} \right) \right) \right) + \frac{-ae + bcx + t}{3a^2b + 3ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a)**2,x)

```
[Out] RootSum(729*_t**3*a**5*b**2 + 54*_t*a**2*b*c*d + a*d**3 - 8*b*c**3, Lambda(
_t, _t*log(x + (81*_t**2*a**4*b*d + 36*_t*a**2*b*c**2 + 4*a*c*d**2)/(a*d**3
+ 8*b*c**3)))) + (-a*e + b*c*x + b*d*x**2)/(3*a**2*b + 3*a*b**2*x**3)
```

$$3.347 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)^2} dx$$

Optimal. Leaf size=222

$$\frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}e + 2\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{a}+\sqrt[3]{b}x}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

[Out] $\frac{1}{3}x(-b^2cx^2+axe+ad)/a^2/(bx^3+a)+c\ln(x)/a^2+1/9(2b^{1/3}d-a^{1/3}e)\ln(a^{1/3}+b^{1/3}x)/a^{5/3}/b^{2/3}-1/18(2b^{1/3}d-a^{1/3}e)\ln(a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/a^{5/3}/b^{2/3}-1/3c\ln(bx^3+a)/a^2-1/9(2b^{1/3}d+a^{1/3}e)\arctan(1/3(a^{1/3}-2b^{1/3}x)/a^{1/3})/3^{1/2}/a^{5/3}/b^{2/3}$

Rubi [A] time = 0.31, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{18a^{5/3}b^{2/3}} + \frac{(2\sqrt[3]{b}d - \sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{5/3}b^{2/3}} - \frac{(\sqrt[3]{a}e + 2\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt[3]{a}+\sqrt[3]{b}x}\right)}{3\sqrt{3}a^{5/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)^2), x]

[Out] $\frac{x(ad+axe-b^2cx^2)}{3a^2(a+bx^3)} - \frac{((2b^{1/3}d+a^{1/3}e)\text{ArcTan}[\frac{a^{1/3}-2b^{1/3}x}{\sqrt{3}a^{1/3}}])}{3\sqrt{3}a^{5/3}b^{2/3}} + \frac{c\text{Log}[x]}{a^2} + \frac{((2b^{1/3}d-a^{1/3}e)\text{Log}[a^{1/3}+b^{1/3}x])}{9a^{5/3}b^{2/3}} - \frac{((2b^{1/3}d-a^{1/3}e)\text{Log}[a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2])}{18a^{5/3}b^{2/3}} - \frac{c\text{Log}[a+bx^3]}{3a^2}$

Rule 31

Int[((a_) + (b_.)*(x_)^(-1)), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent
t[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m
*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
```



```

ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]], -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]

```

Rule 1871

```

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)^2} dx &= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} - \frac{\int \frac{-3bc - 2bdx - bex^2}{x(a + bx^3)} dx}{3ab} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax} - \frac{b(2ad + aex - 3bcx^2)}{a(a + bx^3)} \right) dx}{3ab} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{\int \frac{2ad + aex - 3bcx^2}{a + bx^3} dx}{3a^2} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{\int \frac{2ad + aex}{a + bx^3} dx}{3a^2} - \frac{(bc) \int \frac{x^2}{a + bx^3} dx}{a^2} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{c \log(a + bx^3)}{3a^2} + \frac{\int \frac{\sqrt[3]{a} (4a \sqrt[3]{b} d + a^{4/3} e) + \sqrt[3]{b} (-2a \sqrt[3]{b} d + a^{4/3} e)x}{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2} dx}{9a^{8/3} \sqrt[3]{b}} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{5/3} b^{2/3}} - \frac{c \log(a + bx^3)}{3a^2} - \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(a + bx^3)}{18a^5} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{5/3} b^{2/3}} - \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(a + bx^3)}{18a^5} \\
&= \frac{x(ad + aex - bcx^2)}{3a^2(a + bx^3)} - \frac{(2\sqrt[3]{b} d + \sqrt[3]{a} e) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{3\sqrt{3} a^{5/3} b^{2/3}} + \frac{c \log(x)}{a^2} + \frac{(2\sqrt[3]{b} d - \sqrt[3]{a} e) \log(a + bx^3)}{9a^{5/3} b^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 199, normalized size = 0.90

$$\frac{\frac{(a^{2/3} e - 2\sqrt[3]{a} \sqrt[3]{b} d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{b^{2/3}} + \frac{2(2\sqrt[3]{a} \sqrt[3]{b} d - a^{2/3} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{b^{2/3}} - \frac{2\sqrt{3} \sqrt[3]{a} (\sqrt[3]{a} e + 2\sqrt[3]{b} d) \tan^{-1} \left(\frac{1 - \frac{2\sqrt[3]{b} x}{\sqrt[3]{a}}}{\sqrt{3}} \right)}{b^{2/3}} + \frac{6a(c + x(d + ex))}{a + bx^3}}{18a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)^2), x]

```
[Out] ((6*a*(c + x*(d + e*x)))/(a + b*x^3) - (2*Sqrt[3]*a^(1/3)*(2*b^(1/3)*d + a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(2/3) + 18*c*Log[x] + (2*(2*a^(1/3)*b^(1/3)*d - a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) + ((-2*a^(1/3)*b^(1/3)*d + a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) - 6*c*Log[a + b*x^3])/(18*a^2)
```

fricas [C] time = 3.15, size = 5018, normalized size = 22.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] 1/324*(108*a*e*x^2 + 108*a*d*x - 2*(a^2*b*x^3 + a^3)*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^(1/3) + 54*c/a^2)*log(1/324*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^(1/3) + 54*c/a^2)^2*a^4*b*e + 12*b*c*d^2 + 9*b*c^2*e + 4*a*d*e^2 - 1/9*(2*a^2*b*d^2 + 3*a^2*b*c*e)*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^(1/3) + 54*c/a^2) + (8*b*d^3 + a*e^3)*x) + 108*a*c - (162*b*c*x^3 - (a^2*b*x^3 + a^3)*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^(1/3) + 54*c/a^2) + 162*a*c - 3*sqrt(1/3)*(a^2*b*x^3 + a^3)*sqrt(-(((I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^(1/3) + 54*c/a^2)^2*a^4*b - 108*((-I*sqrt(
```

$$\begin{aligned} & 3) + 1) \cdot (9c^2/a^4 - (9bc^2 + 2ade)/(a^4b)) / (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 81(I\sqrt{3} + 1) \cdot (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 54c/a^2 \cdot a^2bc + 2916bc^2 + 2592ade)/(a^4b) \cdot \log(-1/324((-I\sqrt{3} + 1) \cdot (9c^2/a^4 - (9bc^2 + 2ade)/(a^4b)) / (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 81(I\sqrt{3} + 1) \cdot (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 54c/a^2)^2 \cdot a^4be - 12b^2cde - 9b^2c^2e - 4ade^2 + 1/9(2a^2bd^2 + 3a^2bce) \cdot ((-I\sqrt{3} + 1) \cdot (9c^2/a^4 - (9bc^2 + 2ade)/(a^4b)) / (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 81(I\sqrt{3} + 1) \cdot (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 54c/a^2) + 2(8bd^3 + ae^3)x + 1/108\sqrt{1/3} \cdot (((-I\sqrt{3} + 1) \cdot (9c^2/a^4 - (9bc^2 + 2ade)/(a^4b)) / (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 81(I\sqrt{3} + 1) \cdot (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 54c/a^2) \cdot a^4be + 72a^2bd^2 - 54a^2bce) \cdot \sqrt{-(((-I\sqrt{3} + 1) \cdot (9c^2/a^4 - (9bc^2 + 2ade)/(a^4b)) / (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 81(I\sqrt{3} + 1) \cdot (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 54c/a^2) \cdot a^4b - 108((-I\sqrt{3} + 1) \cdot (9c^2/a^4 - (9bc^2 + 2ade)/(a^4b)) / (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 81(I\sqrt{3} + 1) \cdot (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 54c/a^2) \cdot a^2bc + 2916bc^2 + 2592ade)/(a^4b)} - (162bcx^3 - (a^2bx^3 + a^3) \cdot ((-I\sqrt{3} + 1) \cdot (9c^2/a^4 - (9bc^2 + 2ade)/(a^4b)) / (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 81(I\sqrt{3} + 1) \cdot (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 54c/a^2) + 162ac + 3\sqrt{1/3} \cdot (a^2bx^3 + a^3) \cdot \sqrt{-(((-I\sqrt{3} + 1) \cdot (9c^2/a^4 - (9bc^2 + 2ade)/(a^4b)) / (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 81(I\sqrt{3} + 1) \cdot (-1/27c^3/a^6 + 1/162(9bc^2 + 2ade)c/(a^6b) + 1/1458(8bd^3 + ae^3)/(a^5b^2) - 1/1458(27b^2c^3 + a^2e^3 - 2(4d^3 - 9cde)ab)/(a^6b^2))^{1/3} + 54c/a^2)}} \end{aligned}$$

$$\begin{aligned}
& *b)) / (-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 \\
& + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a* \\
& b)/(a^6*b^2))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + \\
& 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^ \\
& 3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2)^2*a^4*b \\
& - 108*((-I*\text{sqrt}(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c \\
& ^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^ \\
& 5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2)) \\
& ^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a \\
& ^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - \\
& 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2)*a^2*b*c + 2916*b*c^2 \\
& + 2592*a*d*e)/(a^4*b)))*\log(-1/324*((-I*\text{sqrt}(3) + 1)*(9*c^2/a^4 - (9*b*c^2 \\
& + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + \\
& 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d \\
& ^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^6 + 1 \\
& /162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1 \\
& /1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 5 \\
& 4*c/a^2)^2*a^4*b*e - 12*b*c*d^2 - 9*b*c^2*e - 4*a*d*e^2 + 1/9*(2*a^2*b*d^2 \\
& + 3*a^2*b*c*e))*((-I*\text{sqrt}(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/ \\
& (-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a* \\
& e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a \\
& ^6*b^2))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d \\
& *e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a \\
& ^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a^2) + 2*(8*b*d^3 \\
& + a*e^3)*x - 1/108*\text{sqrt}(1/3)*(((-I*\text{sqrt}(3) + 1)*(9*c^2/a^4 - (9*b*c^2 + 2* \\
& a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/14 \\
& 58*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - \\
& 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^6 + 1/162* \\
& (9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458 \\
& *(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 54*c/a \\
& ^2)*a^4*b*e + 72*a^2*b*d^2 - 54*a^2*b*c*e)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(9*c^2/ \\
& a^4 - (9*b*c^2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d* \\
& e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^ \\
& 2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/ \\
& 27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3) \\
& / (a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b \\
& ^2))^{(1/3)} + 54*c/a^2)^2*a^4*b - 108*((-I*\text{sqrt}(3) + 1)*(9*c^2/a^4 - (9*b*c^ \\
& 2 + 2*a*d*e)/(a^4*b)))/(-1/27*c^3/a^6 + 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) \\
& + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4* \\
& d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + 81*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^6 + \\
& 1/162*(9*b*c^2 + 2*a*d*e)*c/(a^6*b) + 1/1458*(8*b*d^3 + a*e^3)/(a^5*b^2) - \\
& 1/1458*(27*b^2*c^3 + a^2*e^3 - 2*(4*d^3 - 9*c*d*e)*a*b)/(a^6*b^2))^{(1/3)} + \\
& 54*c/a^2)*a^2*b*c + 2916*b*c^2 + 2592*a*d*e)/(a^4*b))) + 324*(b*c*x^3 + a*c \\
&)*\log(x))/(a^2*b*x^3 + a^3)
\end{aligned}$$

giac [A] time = 0.18, size = 217, normalized size = 0.98

$$\frac{\sqrt{3} \left(2bd - (-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2\right)^{\frac{2}{3}} a} - \frac{\left(2bd + \left(-ab^2\right)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}} \right)}{18 \left(-ab^2\right)^{\frac{2}{3}} a} - \frac{c \log \left(|bx^3 + a| \right)}{3 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-1/9*\sqrt{3}*(2*b*d - (-a*b^2)^{(1/3)}*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a) - 1/18*(2*b*d + (-a*b^2)^{(1/3)}*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a) - 1/3*c*\log(\text{abs}(b*x^3 + a))/a^2 + c*\log(\text{abs}(x))/a^2 + 1/3*(a*x^2*e + a*d*x + a*c)/((b*x^3 + a)*a^2) - 1/9*(a^3*b*(-a/b)^{(1/3)}*e + 2*a^3*b*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^5*b$

maple [A] time = 0.06, size = 274, normalized size = 1.23

$$\frac{e x^2}{3 (b x^3 + a) a} + \frac{d x}{3 (b x^3 + a) a} + \frac{2 \sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b} + \frac{2 d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b} - \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b} + \frac{\sqrt{3} e a}{3 (b x^3 + a) a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a)^2,x)

[Out] $1/3/(b*x^3+a)/a*e*x^2+1/3/a*x/(b*x^3+a)*d+1/3/a/(b*x^3+a)*c+2/9/a/b*d/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-1/9/a/b*d/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/9/a/b*d/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/9/(a/b)^{(1/3)}/a/b*e*\ln(x+(a/b)^{(1/3)})+1/18/(a/b)^{(1/3)}/a/b*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9*3^{(1/2)}/(a/b)^{(1/3)}/a/b*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/a^2*c*\ln(b*x^3+a)+1/a^2*c*\ln(x)$

maxima [A] time = 2.94, size = 203, normalized size = 0.91

$$\frac{ex^2 + dx + c}{3(abx^3 + a^2)} + \frac{c \log(x)}{a^2} + \frac{\sqrt{3} \left(ae \left(\frac{a}{b} \right)^{\frac{2}{3}} + 2ad \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9a^3} - \frac{\left(6bc \left(\frac{a}{b} \right)^{\frac{2}{3}} - ae \left(\frac{a}{b} \right)^{\frac{1}{3}} + 2ad \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{18a^2b \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="maxima")

[Out] 1/3*(e*x^2 + d*x + c)/(a*b*x^3 + a^2) + c*log(x)/a^2 + 1/9*sqrt(3)*(a*e*(a/b)^(2/3) + 2*a*d*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^3 - 1/18*(6*b*c*(a/b)^(2/3) - a*e*(a/b)^(1/3) + 2*a*d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b*(a/b)^(2/3)) - 1/9*(3*b*c*(a/b)^(2/3) + a*e*(a/b)^(1/3) - 2*a*d)*log(x + (a/b)^(1/3))/(a^2*b*(a/b)^(2/3))

mupad [B] time = 0.38, size = 490, normalized size = 2.21

$$\frac{\frac{c}{3a} + \frac{ex^2}{3a} + \frac{dx}{3a}}{bx^3 + a} + \left(\sum_{k=1}^3 \ln \left(\frac{4b^2cd^2 - 3b^2c^2e}{9a^3} - \text{root}(729a^6b^2z^3 + 729a^4b^2cz^2 + 54a^3bde z + 243a^2b^2c^2z + \dots, z, k) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)^2),x)

[Out] (c/(3*a) + (e*x^2)/(3*a) + (d*x)/(3*a))/(a + b*x^3) + symsum(log((4*b^2*c*d^2 - 3*b^2*c^2*e)/(9*a^3) - root(729*a^6*b^2*z^3 + 729*a^4*b^2*c*z^2 + 54*a^3*b*d*e*z + 243*a^2*b^2*c^2*z + 18*a*b*c*d*e - 8*a*b*d^3 + 27*b^2*c^3 + a^2*e^3, z, k)*(root(729*a^6*b^2*z^3 + 729*a^4*b^2*c*z^2 + 54*a^3*b*d*e*z + 243*a^2*b^2*c^2*z + 18*a*b*c*d*e - 8*a*b*d^3 + 27*b^2*c^3 + a^2*e^3, z, k)*(24*b^3*c*x - a*b^2*e + 36*root(729*a^6*b^2*z^3 + 729*a^4*b^2*c*z^2 + 54*a^3*b*d*e*z + 243*a^2*b^2*c^2*z + 18*a*b*c*d*e - 8*a*b*d^3 + 27*b^2*c^3 + a^2*e^3, z, k)*a^2*b^3*x) + (4*a^2*b^2*d^2 + 6*a^2*b^2*c*e)/(9*a^3) + (x*(108*a*b^3*c^2 + 60*a^2*b^2*d*e))/(27*a^3)) - (x*(a*b*e^3 - 8*b^2*d^3 + 12*b^2*c*d*e))/(27*a^3))*root(729*a^6*b^2*z^3 + 729*a^4*b^2*c*z^2 + 54*a^3*b*d*e*z + 243*a^2*b^2*c^2*z + 18*a*b*c*d*e - 8*a*b*d^3 + 27*b^2*c^3 + a^2*e^3, z, k), k, 1, 3) + (c*log(x))/a^2

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```


$$3.348 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)^2} dx$$

Optimal. Leaf size=231

$$\frac{(a^{2/3}e + 2b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(a^{2/3}e + 2b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(2b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt[3]{a}}\right)}{3\sqrt{3} a^{7/3} \sqrt[3]{b}}$$

[Out] $-c/a^2/x+1/3*x*(-b*d*x^2-b*c*x+a*e)/a^2/(b*x^3+a)+d*\ln(x)/a^2+2/9*(2*b^(2/3)*c+a^(2/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(7/3)/b^(1/3)-1/9*(2*b^(2/3)*c+a^(2/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(7/3)/b^(1/3)-1/3*d*\ln(b*x^3+a)/a^2+2/9*(2*b^(2/3)*c-a^(2/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(7/3)/b^(1/3)*3^(1/2)$

Rubi [A] time = 0.34, antiderivative size = 231, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(a^{2/3}e + 2b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(a^{2/3}e + 2b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{7/3} \sqrt[3]{b}} + \frac{2(2b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt[3]{a}}\right)}{3\sqrt{3} a^{7/3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^2), x]

[Out] $-(c/(a^2*x)) + (x*(a*e - b*c*x - b*d*x^2))/(3*a^2*(a + b*x^3)) + (2*(2*b^(2/3)*c - a^(2/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))])/(3*\text{Sqrt}[3]*a^(7/3)*b^(1/3)) + (d*\text{Log}[x])/a^2 + (2*(2*b^(2/3)*c + a^(2/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x])/(9*a^(7/3)*b^(1/3)) - ((2*b^(2/3)*c + a^(2/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(9*a^(7/3)*b^(1/3)) - (d*\text{Log}[a + b*x^3])/(3*a^2)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

$\text{Int}[(x_)^m / ((a_) + (b_)*(x_)^n), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]] / (b*n), x] /; \text{FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 617

$\text{Int}[(a_) + (b_)*(x_) + (c_)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_) + (e_)*(x_)] / ((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]) / b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_) + (e_)*(x_)] / ((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] \rightarrow \text{Dist}[(2*c*d - b*e) / (2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e / (2*c), \text{Int}[(b + 2*c*x) / (a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1829

$\text{Int}[(Pq_)*(x_)^m * ((a_) + (b_)*(x_)^n)^p, x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a*b^{\text{Floor}[(q-1)/n] + 1}*x^m * Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[a*b^{\text{Floor}[(q-1)/n] + 1}*x^m * Pq, a + b*x^n, x], i\}, \text{Dist}[1/(a*n*(p+1)*b^{\text{Floor}[(q-1)/n] + 1}), \text{Int}[x^m*(a + b*x^n)^{p+1}*\text{ExpandToSum}[(n*(p+1)*Q)/x^m + \text{Sum}[(n*(p+1) + i + 1)*\text{Coeff}[R, x, i]*x^{i-m}]/a, \{i, 0, n-1\}], x], x] - \text{Simp}[(x*R*(a + b*x^n)^{p+1}) / (a^2*n*(p+1)*b^{\text{Floor}[(q-1)/n] + 1}), x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

Rule 1834

$\text{Int}[(Pq_)*((c_)*(x_)^m) / ((a_) + (b_)*(x_)^n), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x^m*Pq) / (a + b*x^n), x], x] /; \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !\text{IGtQ}[m, 0]$

Rule 1860

$\text{Int}[(A_) + (B_)*(x_)] / ((a_) + (b_)*(x_)^3), x_Symbol] \rightarrow \text{With}[\{r = \text{Numer}$

```

ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]], -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]

```

Rule 1871

```

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^2(a + bx^3)^2} dx &= \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} - \frac{\int \frac{-3bc - 3bdx - 2bex^2 + \frac{b^2cx^3}{a}}{x^2(a + bx^3)} dx}{3ab} \\
&= \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax^2} - \frac{3bd}{ax} - \frac{b(2ae - 4bcx - 3bdx^2)}{a(a + bx^3)} \right) dx}{3ab} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{\int \frac{2ae - 4bcx - 3bdx^2}{a + bx^3} dx}{3a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{\int \frac{2ae - 4bcx}{a + bx^3} dx}{3a^2} - \frac{(bd) \int \frac{x^2}{a + bx^3} dx}{a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} - \frac{d \log(a + bx^3)}{3a^2} + \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{a}bc + 4a\sqrt[3]{b}e) + \sqrt[3]{b}(-4\sqrt[3]{a}bx^2 + 4a^2\sqrt[3]{b}x + b^2\sqrt[3]{a}x^2)}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{9a^{8/3}\sqrt[3]{b}} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{2(2b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{7/3}\sqrt[3]{b}} - \frac{d \log(a + bx^3)}{3a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{2(2b^{2/3}c + a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{7/3}\sqrt[3]{b}} - \frac{(2b^{2/3}c + a^{2/3}e) \log(a + bx^3)}{3a^2} \\
&= -\frac{c}{a^2x} + \frac{x(ae - bcx - bdx^2)}{3a^2(a + bx^3)} + \frac{2(2b^{2/3}c - a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{7/3}\sqrt[3]{b}} + \frac{d \log(x)}{a^2} + \frac{2(2b^{2/3}c + a^{2/3}e) \log(a + bx^3)}{3a^2}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 213, normalized size = 0.92

$$\frac{(2a^{2/3}b^{2/3}c + a^{4/3}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{\sqrt[3]{b}} - \frac{2(2a^{2/3}b^{2/3}c + a^{4/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{\sqrt[3]{b}} + \frac{2\sqrt{3}a^{2/3}(a^{2/3}e - 2b^{2/3}c) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right)}{\sqrt[3]{b}} - \frac{3a(a(d+ex) - bdx^2)}{a + bx^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^2), x]

```
[Out] -1/9*((9*a*c)/x - (3*a*(-(b*c*x^2) + a*(d + e*x)))/(a + b*x^3) + (2*Sqrt[3]
*a^(2/3)*(-2*b^(2/3)*c + a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt
[3]])/b^(1/3) - 9*a*d*Log[x] - (2*(2*a^(2/3)*b^(2/3)*c + a^(4/3)*e)*Log[a^(
1/3) + b^(1/3)*x])/b^(1/3) + ((2*a^(2/3)*b^(2/3)*c + a^(4/3)*e)*Log[a^(2/3)
- a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3) + 3*a*d*Log[a + b*x^3])/a^3
```

fricas [C] time = 3.15, size = 4976, normalized size = 21.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] -1/324*(432*b*c*x^3 - 108*a*e*x^2 - 108*a*d*x + 2*(a^2*b*x^4 + a^3*x))*((-I*
sqrt(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^
2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b
)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^(1/3) + 81*(I*sqrt(3) + 1)
*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*
e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b
))^(1/3) + 54*d/a^2)*log(-1/324*((-I*sqrt(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c
*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3
+ 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3
)/(a^7*b))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e
)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b)
- 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^(1/3) + 54*d/a^2)^2*a^5*b*c - 9*a*b
*c*d^2 + 16*a*b*c^2*e + 3*a^2*d*e^2 + 1/18*(6*a^3*b*c*d - a^4*e^2))*((-I*sqr
t(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 -
8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(
a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^(1/3) + 81*(I*sqrt(3) + 1)*(-
1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3
- 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^(
1/3) + 54*d/a^2) - 2*(8*b^2*c^3 - a^2*e^3)*x) + 324*a*c + (162*b*d*x^4 + 1
62*a*d*x - (a^2*b*x^4 + a^3*x))*((-I*sqrt(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*
e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 +
8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)
/(a^7*b))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)
*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b)
- 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^(1/3) + 54*d/a^2) + 3*sqrt(1/3)*(a^2
*b*x^4 + a^3*x)*sqrt(-(((I*sqrt(3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/
(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e
^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b)
))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 +
1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*
(8*b^2*c^3 - a^2*e^3)/(a^7*b))^(1/3) + 54*d/a^2)^2*a^4 - 108*((-I*sqrt(3) +
1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e
```

$$\begin{aligned}
&)d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) \\
& - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d \\
& ^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(\\
& 3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} \\
& + 54*d/a^2)*a^2*d + 2916*d^2 - 10368*c*e)/a^4))*\log(1/324*((-I*\sqrt{3} + 1) \\
& *(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d \\
& /a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - \\
& 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a \\
& ^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d \\
& ^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 5 \\
& 4*d/a^2)^2*a^5*b*c + 9*a*b*c*d^2 - 16*a*b*c^2*e - 3*a^2*d*e^2 - 1/18*(6*a^3 \\
& *b*c*d - a^4*e^2)*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/2 \\
& 7*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - \\
& 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/ \\
& 3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/14 \\
& 58*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^ \\
& 2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2) - 4*(8*b^2*c^3 - a^2*e^3)*x + 1 \\
& /108*\sqrt{1/3}*(((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27* \\
& d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9* \\
& (3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} \\
& + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458 \\
& *(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2* \\
& c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)*a^5*b*c - 54*a^3*b*c*d - 18*a^4*e \\
& ^2)*\sqrt{-(((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a \\
& ^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^ \\
& 3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81 \\
& *(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64* \\
& b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - \\
& a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)^2*a^4 - 108*((-I*\sqrt{3} + 1)*(9*d^2/a \\
& ^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/ \\
& 1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8* \\
& b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/1 \\
& 62*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c* \\
& d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)* \\
& a^2*d + 2916*d^2 - 10368*c*e)/a^4)) + (162*b*d*x^4 + 162*a*d*x - (a^2*b*x^4 \\
& + a^3*x))*((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^ \\
& 6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 \\
& - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81* \\
& (I*\sqrt{3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b \\
& ^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - \\
& a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2) - 3*\sqrt{1/3}*(a^2*b*x^4 + a^3*x)*\sqrt{ \\
& -(((-I*\sqrt{3} + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/16 \\
& 2*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d \\
& *e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{ \\
& 3} + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 +
\end{aligned}$$

$$\begin{aligned}
& 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3) \\
& /((a^7*b))^{(1/3)} + 54*d/a^2)^2*a^4 - 108*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (9*d \\
& ^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64* \\
& b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - \\
& a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 \\
& - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b) \\
& /((a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)*a^2*d + 2 \\
& 916*d^2 - 10368*c*e)/a^4))*\log(1/324*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (9*d^2 \\
& - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2 \\
& *c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^ \\
& 2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - \\
& 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a \\
& ^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)^2*a^5*b*c + \\
& 9*a*b*c*d^2 - 16*a*b*c^2*e - 3*a^2*d*e^2 - 1/18*(6*a^3*b*c*d - a^4*e^2))*((- \\
& I*\sqrt{3}) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9* \\
& d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a \\
& *b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3}) + 1) \\
& *(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^ \\
& 2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7 \\
& *b))^{(1/3)} + 54*d/a^2) - 4*(8*b^2*c^3 - a^2*e^3)*x - 1/108*\sqrt{1/3}*(((-I* \\
& \sqrt{3}) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^ \\
& 2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b \\
&)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3}) + 1) \\
& *(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2* \\
& e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b \\
&))^{(1/3)} + 54*d/a^2)*a^5*b*c - 54*a^3*b*c*d - 18*a^4*e^2)*\sqrt{-(((-I*\sqrt{3} \\
& (3) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8 \\
& *c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^ \\
& 7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/ \\
& 27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - \\
& 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1 \\
& /3)} + 54*d/a^2)^2*a^4 - 108*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (9*d^2 - 8*c*e)/ \\
& a^4)/(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/a^6 + 1/1458*(64*b^2*c^3 + 8* \\
& a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4/729*(8*b^2*c^3 - a^2*e^3)/(a \\
& ^7*b))^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(9*d^2 - 8*c*e)*d/ \\
& a^6 + 1/1458*(64*b^2*c^3 + 8*a^2*e^3 - 9*(3*d^3 - 8*c*d*e)*a*b)/(a^7*b) - 4 \\
& /729*(8*b^2*c^3 - a^2*e^3)/(a^7*b))^{(1/3)} + 54*d/a^2)*a^2*d + 2916*d^2 - 10 \\
& 368*c*e)/a^4)) - 324*(b*d*x^4 + a*d*x)*\log(x))/(a^2*b*x^4 + a^3*x)
\end{aligned}$$

giac [A] time = 0.18, size = 237, normalized size = 1.03

$$-\frac{d \log(|bx^3 + a|)}{3a^2} + \frac{d \log(|x|)}{a^2} + \frac{2\sqrt{3} \left((-ab^2)^{\frac{1}{3}} ae + 2(-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{9a^3b} - \frac{4bcx^3 - ax^2e - adx + 3}{3(bx^4 + ax)a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-\frac{1}{3}d \log(\text{abs}(bx^3 + a))/a^2 + d \log(\text{abs}(x))/a^2 + \frac{2}{9}\sqrt{3} \left((-ab^2)^{\frac{1}{3}} ae + 2(-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right) - \frac{1}{3} \frac{4bcx^3 - ax^2e - adx + 3}{(bx^4 + ax)a^2} + \frac{1}{9} \frac{(-ab^2)^{\frac{1}{3}} ae - 2(-ab^2)^{\frac{2}{3}} c}{(a^3b)} \log(x^2 + x(-a/b)^{\frac{1}{3}} + (-a/b)^{\frac{2}{3}}) + \frac{2}{9} \frac{2a^2b^2c(-a/b)^{\frac{1}{3}} - a^3b^2e}{(a^5b)} (-a/b)^{\frac{1}{3}} \log(\text{abs}(x - (-a/b)^{\frac{1}{3}})) / (a^5b)$

maple [A] time = 0.06, size = 275, normalized size = 1.19

$$-\frac{bcx^2}{3(bx^3 + a)a^2} + \frac{ex}{3(bx^3 + a)a} + \frac{2\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{9 \left(\frac{a}{b}\right)^{\frac{2}{3}} ab} + \frac{2e \ln \left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b}\right)^{\frac{2}{3}} ab} - \frac{e \ln \left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{9 \left(\frac{a}{b}\right)^{\frac{2}{3}} ab} + \frac{1}{3(bx^3 + a)a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x)

[Out] $-\frac{1}{3} \frac{d}{a^2} \ln(bx^3 + a) + \frac{d}{a^2} \ln(x) + \frac{2}{9} \sqrt{3} \left((-ab^2)^{\frac{1}{3}} ae + 2(-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right) - \frac{1}{3} \frac{4bcx^3 - ax^2e - adx + 3}{(bx^4 + ax)a^2} + \frac{1}{9} \frac{(-ab^2)^{\frac{1}{3}} ae - 2(-ab^2)^{\frac{2}{3}} c}{(a^3b)} \log(x^2 + x(-a/b)^{\frac{1}{3}} + (-a/b)^{\frac{2}{3}}) + \frac{2}{9} \frac{2a^2b^2c(-a/b)^{\frac{1}{3}} - a^3b^2e}{(a^5b)} (-a/b)^{\frac{1}{3}} \log(\text{abs}(x - (-a/b)^{\frac{1}{3}})) / (a^5b)$

maxima [A] time = 3.10, size = 222, normalized size = 0.96

$$\frac{\frac{4bcx^3 - aex^2 - adx + 3ac}{3(a^2bx^4 + a^3x)} + \frac{d \log(x)}{a^2} - \frac{2\sqrt{3}\left(2bc\left(\frac{a}{b}\right)^{\frac{2}{3}} - ae\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^3} - \frac{\left(3bd\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2bc\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9a^3}}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/3*(4*b*c*x^3 - a*e*x^2 - a*d*x + 3*a*c)/(a^2*b*x^4 + a^3*x) + d*\log(x)/a^2 - 2/9*\sqrt{3}*(2*b*c*(a/b)^{(2/3)} - a*e*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^3 - 1/9*(3*b*d*(a/b)^{(2/3)} + 2*b*c*(a/b)^{(1/3)} + a*e)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*b*(a/b)^{(2/3)}) - 1/9*(3*b*d*(a/b)^{(2/3)} - 4*b*c*(a/b)^{(1/3)} - 2*a*e)*\log(x + (a/b)^{(1/3)})/(a^2*b*(a/b)^{(2/3)})$

mupad [B] time = 5.47, size = 488, normalized size = 2.11

$$\left(\sum_{k=1}^3 \ln\left(-\text{root}\left(729 a^7 b z^3 + 729 a^5 b d z^2 - 216 a^3 b c e z + 243 a^3 b d^2 z - 72 a b c d e + 27 a b d^3 - 8 a^2 e^3 - 64 b^2\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^2),x)

[Out] $\text{symsum}\left(\log\left(\frac{4*(3*b^3*c*d^2 + a*b^2*d*e^2)}{9*a^4} - \text{root}\left(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k\right)*\left(\text{root}\left(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k\right)*(4*b^3*c + 24*b^3*d*x + 36*\text{root}\left(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k\right)*a^2*b^3*x\right) + (4*(a^3*b^2*e^2 - 6*a^2*b^3*c*d))/(9*a^4) + (4*x*(27*a^3*b^3*d^2 - 60*a^3*b^3*c*e))/(27*a^5) + (4*x*(16*b^4*c^3 + 2*a^2*b^2*e^3 + 12*a*b^3*c*d*e))/(27*a^5)*\text{root}\left(729*a^7*b*z^3 + 729*a^5*b*d*z^2 - 216*a^3*b*c*e*z + 243*a^3*b*d^2*z - 72*a*b*c*d*e + 27*a*b*d^3 - 8*a^2*e^3 - 64*b^2*c^3, z, k\right), k, 1, 3) - (c/a - (e*x^2)/(3*a) - (d*x)/(3*a) + (4*b*c*x^3)/(3*a^2))/(a*x + b*x^4) + (d*\log(x))/a^2$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.349 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)^2} dx$$

Optimal. Leaf size=242

$$\frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{8/3}} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} + \frac{\sqrt[3]{b} (4\sqrt[3]{a}d + 5\sqrt[3]{b}c)}{3\sqrt[3]{3}}$$

[Out] $-1/2*c/a^2/x^2-d/a^2/x-1/3*x*(b*e*x^2+b*d*x+b*c)/a^2/(b*x^3+a)+e*\ln(x)/a^2-1/9*b^{(1/3)}*(5*b^{(1/3)}*c-4*a^{(1/3)}*d)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(8/3)}+1/18*b^{(1/3)}*(5*b^{(1/3)}*c-4*a^{(1/3)}*d)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(8/3)}-1/3*e*\ln(b*x^3+a)/a^2+1/9*b^{(1/3)}*(5*b^{(1/3)}*c+4*a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(8/3)}*3^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{8/3}} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}c - 4\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^2), x]

[Out] $-c/(2*a^2*x^2) - d/(a^2*x) - (x*(b*c + b*d*x + b*e*x^2))/(3*a^2*(a + b*x^3)) + (b^{(1/3)}*(5*b^{(1/3)}*c + 4*a^{(1/3)}*d)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(3*\text{Sqrt}[3]*a^{(8/3)}) + (e*\text{Log}[x])/a^2 - (b^{(1/3)}*(5*b^{(1/3)}*c - 4*a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(9*a^{(8/3)}) + (b^{(1/3)}*(5*b^{(1/3)}*c - 4*a^{(1/3)}*d)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(18*a^{(8/3)}) - (e*\text{Log}[a + b*x^3])/ (3*a^2)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer

```

ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]], -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]

```

Rule 1871

```

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3 (a + bx^3)^2} dx &= -\frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} - \frac{\int \frac{-3bc - 3bdx - 3bex^2 + \frac{2b^2cx^3}{a} + \frac{b^2dx^4}{a}}{x^3(a + bx^3)} dx}{3ab} \\
&= -\frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax^3} - \frac{3bd}{ax^2} - \frac{3be}{ax} + \frac{b^2(5c + 4dx + 3ex^2)}{a(a + bx^3)} \right) dx}{3ab} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b \int \frac{5c + 4dx + 3ex^2}{a + bx^3} dx}{3a^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{b \int \frac{5c + 4dx}{a + bx^3} dx}{3a^2} - \frac{(be) \int \frac{x^2}{a + bx^3} dx}{a^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{e \log(a + bx^3)}{3a^2} - \frac{b^{2/3} \int \frac{\sqrt[3]{a}(10\sqrt[3]{bc} + 4\sqrt[3]{ad})}{a^{2/3} - \sqrt[3]{a}}}{9a^6} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{\sqrt[3]{b} (5\sqrt[3]{bc} - 4\sqrt[3]{ad}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{\sqrt[3]{b} (5\sqrt[3]{bc} - 4\sqrt[3]{ad}) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} + \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc + bdx + bex^2)}{3a^2(a + bx^3)} + \frac{\sqrt[3]{b} (5\sqrt[3]{bc} + 4\sqrt[3]{ad}) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{3\sqrt{3}a^{8/3}} + \frac{e \log(x)}{a^2}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 221, normalized size = 0.91

$$\sqrt[3]{b} (5\sqrt[3]{a} \sqrt[3]{bc} - 4a^{2/3}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2) + 2\sqrt[3]{b} (4a^{2/3}d - 5\sqrt[3]{a} \sqrt[3]{bc}) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + \frac{6a(ae - bx(c+d))}{a + bx^3}$$

18a³

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^2), x]

$$\begin{aligned}
& 125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b/a^8)^{(1/3)} + 54*e/a^2 \\
&)^2*a^5 - 108*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/ \\
& 27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^ \\
& 3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^ \\
& 8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e \\
& /a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e \\
& ^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)*a^3*e + 25920*b*c*d \\
& + 2916*a*e^2)/a^5))*\log(-1/81*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9* \\
& a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125 \\
& *b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 4 \\
& 5*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b* \\
& c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^ \\
& 2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)^2*a^ \\
& 6*d - 160*a*b*c*d^2 + 75*a*b*c^2*e - 36*a^2*d*e^2 - 1/18*(25*a^3*b*c^2 - 24 \\
& *a^4*d*e)*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e \\
& ^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b \\
& /a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(\\
& 1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 \\
& + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - \\
& 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2) + 2*(125*b^2*c^3 + 64*a* \\
& b*d^3)*x + 1/54*\sqrt{1/3}*(2*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a \\
& *e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125* \\
& b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45 \\
& *c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c \\
& *d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2 \\
& *c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)*a^6*d \\
& - 225*a^3*b*c^2 - 108*a^4*d*e)*\sqrt{-(((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b \\
& *c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/ \\
& 1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(1 \\
& 6*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/1 \\
& 62*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/145 \\
& 8*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/ \\
& a^2)^2*a^5 - 108*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(- \\
& 1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a \\
& *d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b) \\
& /a^8)^{(1/3)} + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2 \\
&)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^ \\
& 2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2)*a^3*e + 25920*b*c \\
& *d + 2916*a*e^2)/a^5)) + (162*b*e*x^5 + 162*a*e*x^2 - (a^2*b*x^5 + a^3*x^2) \\
& *((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b*c*d + 9*a*e^2)/a^5)/(-1/27*e^3/a^6 + \\
& 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458*(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/ \\
& 1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 81 \\
& *(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b*c*d + 9*a*e^2)*e/a^7 + 1/1458 \\
& *(125*b*c^3 + 64*a*d^3)*b/a^8 - 1/1458*(125*b^2*c^3 + 27*a^2*e^3 - 4*(16*d^ \\
& 3 - 45*c*d*e)*a*b)/a^8)^{(1/3)} + 54*e/a^2) + 3*\sqrt{1/3}*(a^2*b*x^5 + a^3*x^
\end{aligned}$$

$$\begin{aligned}
& 2) \sqrt{-\left(\left(-I\sqrt{3} + 1\right) \left(9e^2/a^4 - (20b^*c*d + 9a^*e^2)/a^5\right) / \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 81(I\sqrt{3} + 1) \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 54e/a^2\right)^2 a^5 - 108\left(\left(-I\sqrt{3} + 1\right) \left(9e^2/a^4 - (20b^*c*d + 9a^*e^2)/a^5\right) / \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 81(I\sqrt{3} + 1) \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 54e/a^2\right) a^3 e + 25920b^*c*d + 2916a^*e^2/a^5) \log(-1/81\left(\left(-I\sqrt{3} + 1\right) \left(9e^2/a^4 - (20b^*c*d + 9a^*e^2)/a^5\right) / \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 81(I\sqrt{3} + 1) \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 54e/a^2\right)^2 a^6 d - 160a^*b^*c^2 d^2 + 75a^*b^*c^2 e - 36a^2*d^2 e^2 - 1/18(25a^3*b^*c^2 - 24a^4*d^2 e) \left(\left(-I\sqrt{3} + 1\right) \left(9e^2/a^4 - (20b^*c*d + 9a^*e^2)/a^5\right) / \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 81(I\sqrt{3} + 1) \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 54e/a^2\right) + 2(125b^2*c^3 + 64a^*b^*d^3)x - 1/54\sqrt{1/3} \left(2\left(\left(-I\sqrt{3} + 1\right) \left(9e^2/a^4 - (20b^*c*d + 9a^*e^2)/a^5\right) / \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 81(I\sqrt{3} + 1) \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 54e/a^2\right) a^6 d - 225a^3*b^*c^2 - 108a^4*d^2 e) \sqrt{-\left(\left(-I\sqrt{3} + 1\right) \left(9e^2/a^4 - (20b^*c*d + 9a^*e^2)/a^5\right) / \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 81(I\sqrt{3} + 1) \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 54e/a^2\right)^2 a^5 - 108\left(\left(-I\sqrt{3} + 1\right) \left(9e^2/a^4 - (20b^*c*d + 9a^*e^2)/a^5\right) / \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 81(I\sqrt{3} + 1) \left(-1/27e^3/a^6 + 1/162(20b^*c*d + 9a^*e^2)e/a^7 + 1/1458(125b^*c^3 + 64a^*d^3)b/a^8 - 1/1458(125b^2*c^3 + 27a^2*e^3 - 4(16d^3 - 45c*d*e)a^*b)/a^8\right)^{1/3} + 54e/a^2\right) a^3 e + 25920b^*c*d + 2916a^*e^2/a^5) - 324(b^*e^*x^5 + a^*e^*x^2) \log(x) / (a^2*b^*x^5 + a^3*x^2)
\end{aligned}$$

giac [A] time = 0.20, size = 248, normalized size = 1.02

$$\frac{e \log(|bx^3 + a|)}{3a^2} + \frac{e \log(|x|)}{a^2} - \frac{\sqrt{3} \left(5 (-ab^2)^{\frac{1}{3}} bc - 4 (-ab^2)^{\frac{2}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9a^3b} - \frac{\left(5 (-ab^2)^{\frac{1}{3}} bc + 4 (-ab^2)^{\frac{2}{3}} d \right)}{9a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="giac")

[Out] $-\frac{1}{3}e \log(\text{abs}(bx^3 + a))/a^2 + e \log(\text{abs}(x))/a^2 - \frac{1}{9}\sqrt{3} \left(5(-ab^2)^{\frac{1}{3}} bc - 4(-ab^2)^{\frac{2}{3}} d \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}}\right) / (a^3 b) - \frac{1}{18} \left(5(-ab^2)^{\frac{1}{3}} bc + 4(-ab^2)^{\frac{2}{3}} d \right) \log\left(\frac{x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}}}{a^3 b}\right) + \frac{1}{9} \left(4a^2 b^2 d \left(-\frac{a}{b} \right)^{\frac{1}{3}} + 5a^2 b^2 c \right) \left(-\frac{a}{b} \right)^{\frac{1}{3}} \log(\text{abs}(x - \left(-\frac{a}{b} \right)^{\frac{1}{3}})) / (a^5 b) - \frac{1}{6} \left(8bdx^4 + 5bcx^3 - 2ax^2e + 6adx + 3ac \right) / ((bx^3 + a)a^2x^2)$

maple [A] time = 0.06, size = 276, normalized size = 1.14

$$\frac{bdx^2}{3(bx^3 + a)a^2} - \frac{bcx}{3(bx^3 + a)a^2} + \frac{e}{3(bx^3 + a)a} - \frac{5\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{1} - 1 \right)}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2} - \frac{5c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2} + \frac{5c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{18 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x)

[Out] $-\frac{1}{3} / (bx^3 + a) / a^2 b dx^2 - \frac{1}{3} / a^2 b x / (bx^3 + a) c + \frac{1}{3} / a / (bx^3 + a) e - \frac{5}{9} / a^2 c / \left(\frac{a}{b} \right)^{\frac{2}{3}} \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) + \frac{5}{18} / a^2 c / \left(\frac{a}{b} \right)^{\frac{2}{3}} \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - \frac{5}{9} / a^2 c / \left(\frac{a}{b} \right)^{\frac{2}{3}} 3^{\frac{1}{2}} \arctan \left(\frac{1}{3} 3^{\frac{1}{2}} \left(\frac{2}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} x - 1 \right) \right) + \frac{4}{9} / \left(\frac{a}{b} \right)^{\frac{1}{3}} / a^2 d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - \frac{2}{9} / \left(\frac{a}{b} \right)^{\frac{1}{3}} / a^2 d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) - \frac{4}{9} 3^{\frac{1}{2}} / \left(\frac{a}{b} \right)^{\frac{1}{3}} / a^2 d \arctan \left(\frac{1}{3} 3^{\frac{1}{2}} \left(\frac{2}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} x - 1 \right) \right) - \frac{1}{3} / a^2 e \ln(bx^3 + a) - \frac{1}{a^2} d / x + \frac{1}{a^2} e \ln(x) - \frac{1}{2} / a^2 c / x^2$

maxima [A] time = 2.86, size = 220, normalized size = 0.91

$$\frac{8bdx^4 + 5bcx^3 - 2aex^2 + 6adx + 3ac}{6(a^2bx^5 + a^3x^2)} + \frac{e \log(x)}{a^2} - \frac{\sqrt{3} \left(4bd \left(\frac{a}{b}\right)^{\frac{2}{3}} + 5bc \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{9a^3} - \frac{\left(6e \left(\frac{a}{b}\right)^{\frac{2}{3}} \right)}{9a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/6*(8*b*d*x^4 + 5*b*c*x^3 - 2*a*e*x^2 + 6*a*d*x + 3*a*c)/(a^2*b*x^5 + a^3*x^2) + e*\log(x)/a^2 - 1/9*\sqrt{3}*(4*b*d*(a/b)^{(2/3)} + 5*b*c*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^3 - 1/18*(6*e*(a/b)^{(2/3)} + 4*d*(a/b)^{(1/3)} - 5*c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*(a/b)^{(2/3)}) - 1/9*(3*e*(a/b)^{(2/3)} - 4*d*(a/b)^{(1/3)} + 5*c)*\log(x + (a/b)^{(1/3)})/(a^2*(a/b)^{(2/3)})$

mupad [B] time = 5.39, size = 733, normalized size = 3.03

$$\left(\sum_{k=1}^3 \ln \left(- \frac{b^3 \left(\text{root} \left(729 a^8 z^3 + 729 a^6 e z^2 + 540 a^3 b c d z + 243 a^4 e^2 z + 180 a b c d e - 64 a b d^3 + 27 a^2 e^3 + 125 b^2 c^3, z, k \right) \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^2),x)

[Out] $\text{symsum}(\log(-(b^3*(108*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)^2*a^6*d - 36*a^2*d*e^2 + 972*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)^3*a^8*x + 125*b^2*c^3*x - 72*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^4*d*e - 75*a*b*c^2*e - 64*a*b*d^3*x + 75*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^3*b*c^2 + 108*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^4*e^2*x + 648*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)^2*a^6*e*x + 600*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)*a^3*b*c*d*x + 120*a*b*c*d*e*x))/(27*a^6))*\text{root}(729*a^8*z^3 + 729*a^6*e*z^2 + 540*a^3*b*c*d*z + 243*a^4*e^2*z + 180*a*b*c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k)$

```
c*d*e - 64*a*b*d^3 + 27*a^2*e^3 + 125*b^2*c^3, z, k), k, 1, 3) - (c/(2*a) -  
(e*x^2)/(3*a) + (d*x)/a + (5*b*c*x^3)/(6*a^2) + (4*b*d*x^4)/(3*a^2))/(a*x^  
2 + b*x^5) + (e*log(x))/a^2
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.350 \quad \int \frac{c+dx+ex^2}{x^4(a+bx^3)^2} dx$$

Optimal. Leaf size=262

$$\frac{\sqrt[3]{b} (5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{18a^{8/3}} - \frac{\sqrt[3]{b} (5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{9a^{8/3}} + \frac{\sqrt[3]{b} (4\sqrt[3]{a}e + 5\sqrt[3]{b}d)}{3\sqrt[3]{a}}$$

[Out] $-1/3*c/a^2/x^3-1/2*d/a^2/x^2-e/a^2/x-1/3*x*(b*d+b*x*e-b^2*c*x^2/a)/a^2/(b*x^3+a)-2*b*c*\ln(x)/a^3-1/9*b^(1/3)*(5*b^(1/3)*d-4*a^(1/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(8/3)+1/18*b^(1/3)*(5*b^(1/3)*d-4*a^(1/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)+2/3*b*c*\ln(b*x^3+a)/a^3+1/9*b^(1/3)*(5*b^(1/3)*d+4*a^(1/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)*3^(1/2)$

Rubi [A] time = 0.40, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{x \left(-\frac{b^2 c x^2}{a} + b d + b e x \right)}{3 a^2 (a + b x^3)} + \frac{\sqrt[3]{b} (5 \sqrt[3]{b} d - 4 \sqrt[3]{a} e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2)}{18 a^{8/3}} + \frac{2 b c \log(a + b x^3)}{3 a^3} - \frac{2 b c \log(x)}{a^3} - \frac{\sqrt[3]{b} (4 \sqrt[3]{a} e + 5 \sqrt[3]{b} d)}{3 \sqrt[3]{a}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^2), x]

[Out] $-c/(3*a^2*x^3) - d/(2*a^2*x^2) - e/(a^2*x) - (x*(b*d + b*e*x - (b^2*c*x^2)/a))/(3*a^2*(a + b*x^3)) + (b^(1/3)*(5*b^(1/3)*d + 4*a^(1/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(3*\text{Sqrt}[3]*a^(8/3)) - (2*b*c*\text{Log}[x])/a^3 - (b^(1/3)*(5*b^(1/3)*d - 4*a^(1/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x]/(9*a^(8/3)) + (b^(1/3)*(5*b^(1/3)*d - 4*a^(1/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(8/3)) + (2*b*c*\text{Log}[a + b*x^3])/3*a^3$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^4 (a + bx^3)^2} dx &= -\frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{\int \frac{-3bc - 3bdx - 3bex^2 + \frac{3b^2 cx^3}{a} + \frac{2b^2 dx^4}{a} + \frac{b^2 ex^5}{a}}{x^4 (a + bx^3)} dx}{3ab} \\
&= -\frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{\int \left(-\frac{3bc}{ax^4} - \frac{3bd}{ax^3} - \frac{3be}{ax^2} + \frac{6b^2 c}{a^2 x} + \frac{b^2 (5ad + 4aex - 6bcx^2)}{a^2 (a + bx^3)} \right) dx}{3ab} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{b \int \frac{5ad + 4aex - 6bcx^2}{a + bx^3} dx}{3a^3} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{b \int \frac{5ad + 4aex}{a + bx^3} dx}{3a^3} + \frac{(2b^2 c) \int \frac{1}{a + bx^3} dx}{a^3} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{2bc \log(x)}{a^3} + \frac{2bc \log(a + bx^3)}{3a^3} - \frac{b^{2/3} \int \frac{1}{a + bx^3} dx}{a^3} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{\sqrt[3]{b} (5\sqrt[3]{b} d - 4\sqrt[3]{a} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{8/3}} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} - \frac{2bc \log(x)}{a^3} - \frac{\sqrt[3]{b} (5\sqrt[3]{b} d - 4\sqrt[3]{a} e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{9a^{8/3}} \\
&= -\frac{c}{3a^2 x^3} - \frac{d}{2a^2 x^2} - \frac{e}{a^2 x} - \frac{x \left(bd + bex - \frac{b^2 cx^2}{a} \right)}{3a^2 (a + bx^3)} + \frac{\sqrt[3]{b} (5\sqrt[3]{b} d + 4\sqrt[3]{a} e) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{3\sqrt{3} a^{8/3}}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 225, normalized size = 0.86

$$\sqrt[3]{b} (5\sqrt[3]{a} \sqrt[3]{b} d - 4a^{2/3} e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + 2\sqrt[3]{b} (4a^{2/3} e - 5\sqrt[3]{a} \sqrt[3]{b} d) \log(\sqrt[3]{a} + \sqrt[3]{b} x) - \frac{6ab(c + x(d + ex^2))}{a + bx^3}$$

18a³

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^2), x]


```
[Out] ((-6*a*c)/x^3 - (9*a*d)/x^2 - (18*a*e)/x - (6*a*b*(c + x*(d + e*x)))/(a + b
*x^3) + 2*sqrt[3]*a^(1/3)*b^(1/3)*(5*b^(1/3)*d + 4*a^(1/3)*e)*ArcTan[(1 - (
2*b^(1/3)*x)/a^(1/3))/sqrt[3]] - 36*b*c*Log[x] + 2*b^(1/3)*(-5*a^(1/3)*b^(1
/3)*d + 4*a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(5*a^(1/3)*b^(1/3)*
d - 4*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 12*b*c*Lo
g[a + b*x^3)]/(18*a^3)
```

```
fricas [C] time = 3.18, size = 5373, normalized size = 20.51
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] -1/36*(48*a*b*e*x^5 + 30*a*b*d*x^4 + 24*a*b*c*x^3 + 36*a^2*e*x^2 + 18*a^2*d
*x + 12*a^2*c + 2*(a^3*b*x^6 + a^4*x^3)*(8*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*
b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6))/(432*b^3*c^3/a^9 + (125*b*d^3 +
64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^
2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^(1/3)*(I*sqrt(3)
+ 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*
b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)
/a^9)^(1/3) - 12*b*c/a^3)*log((8*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*b^2*c^2/a^
6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6))/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*
b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 -
5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(432*
b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c
/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3
) - 12*b*c/a^3)^2*a^6*e + 150*b^2*c*d^2 + 144*b^2*c^2*e + 160*a*b*d*e^2 + 1
/2*(25*a^3*b*d^2 + 48*a^3*b*c*e)*(8*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*b^2*c^2
/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6))/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^
3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3
- 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(4
32*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*
b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(
1/3) - 12*b*c/a^3) + (125*b^2*d^3 + 64*a*b*e^3)*x) - (36*b^2*c*x^6 + 36*a*b
*c*x^3 + (a^3*b*x^6 + a^4*x^3)*(8*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*b^2*c^2/a
^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6))/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)
*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 -
5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(432
*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*
c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/
3) - 12*b*c/a^3) + 3*sqrt(1/3)*(a^3*b*x^6 + a^4*x^3)*sqrt(-((8*(1/2)^(2/3)*
(-I*sqrt(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6))/(432*b^3*c^3
/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 +
(216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^(1/3) + (1/
```

$$\begin{aligned}
& 2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - \\
& 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - \\
& 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} - 12 * b * c / a^3)^2 * a^6 + 24 * (8 * (1/2)^{(2/3)} * (-I * \\
& \text{sqrt}(3) + 1) * (9 * b^2 * c^2 / a^6 - (9 * b^2 * c^2 + 5 * a * b * d * e) / a^6) / (432 * b^3 * c^3 / a^9 + \\
& (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + \\
& 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (432 * b^3 * c^3 / a^9 + \\
& (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + \\
& 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} - 12 * b * c / a^3 * b * c + 144 * b^2 * c^2 + 320 * a * b * \\
& d * e) / a^6) * \log(- (8 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (9 * b^2 * c^2 / a^6 - (9 * b^2 * c^2 + 5 * a * b * d * e) / a^6) / (432 * b^3 * c^3 / a^9 + \\
& (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * \\
& c * d * e) * a * b^2) / a^9)^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + \\
& 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} - 12 * b * c / a^3 \\
&)^2 * a^6 * e - 150 * b^2 * c * d^2 - 144 * b^2 * c^2 * e - 160 * a * b * d * e^2 - 1/2 * (25 * a^3 * b * d^2 + 48 * a^3 * b * c * e) * (8 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (9 * b^2 * c^2 / a^6 - (9 * b^2 * c^2 + 5 * a * b * d * e) / a^6) / (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} - 12 * b * c / a^3) + 2 * (125 * b^2 * d^3 + 64 * a * b * e^3) * x + 3/2 * \text{sqrt}(1/3) * (2 * (8 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (9 * b^2 * c^2 / a^6 - (9 * b^2 * c^2 + 5 * a * b * d * e) / a^6) / (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} - 12 * b * c / a^3) * a^6 * e - 25 * a^3 * b * d^2 + 24 * a^3 * b * c * e) * \text{sqrt}(- ((8 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (9 * b^2 * c^2 / a^6 - (9 * b^2 * c^2 + 5 * a * b * d * e) / a^6) / (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} - 12 * b * c / a^3))^2 * a^6 + 24 * (8 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (9 * b^2 * c^2 / a^6 - (9 * b^2 * c^2 + 5 * a * b * d * e) / a^6) / (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} - 12 * b * c / a^3) * a^3 * b * c + 144 * b^2 * c^2 + 320 * a * b * d * e) / a^6) - (36 * b^2 * c * x^6 + 36 * a * b * c * x^3 + (a^3 * b * x^6 + a^4 * x^3) * (8 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (9 * b^2 * c^2 / a^6 - (9 * b^2 * c^2 + 5 * a * b * d * e) / a^6) / (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 -
\end{aligned}$$

$$\begin{aligned}
& 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 \\
& + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216* \\
& b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a \\
& ^3) - 3*\text{sqrt}(1/3)*(a^3*b*x^6 + a^4*x^3)*\text{sqrt}(-((8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + \\
& 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b \\
& *d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 \\
& + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*s \\
& \text{qrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 \\
& + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e) \\
& *a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6 + 24*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1) \\
& *(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^ \\
& 3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 6 \\
& 4*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt} \\
& (3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + \\
& 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a* \\
& b^2)/a^9)^{(1/3)} - 12*b*c/a^3)*a^3*b*c + 144*b^2*c^2 + 320*a*b*d*e)/a^6))*\text{lo} \\
& \text{g}(-8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e) \\
& /a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a \\
& *b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2 \\
&)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + \\
& 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^ \\
& 2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6*e - 1 \\
& 50*b^2*c*d^2 - 144*b^2*c^2*e - 160*a*b*d*e^2 - 1/2*(25*a^3*b*d^2 + 48*a^3*b \\
& *c*e)*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d \\
& *e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + \\
& 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a* \\
& b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 \\
& + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64 \\
& *a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3) + 2*(125 \\
& *b^2*d^3 + 64*a*b*e^3)*x - 3/2*\text{sqrt}(1/3)*(2*(8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1) \\
& *(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(432*b^3*c^3/a^9 + (125*b*d^ \\
& 3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 6 \\
& 4*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt} \\
& (3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + \\
& 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a* \\
& b^2)/a^9)^{(1/3)} - 12*b*c/a^3)*a^6*e - 25*a^3*b*d^2 + 24*a^3*b*c*e)*\text{sqrt}(-((\\
& 8*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6 \\
&)/(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d \\
& *e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^ \\
& 9)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(432*b^3*c^3/a^9 + (125*b*d^3 + 64*a \\
& *e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e)*b*c/a^9 + (216*b^3*c^3 + 64*a^2*b* \\
& e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)} - 12*b*c/a^3)^2*a^6 + 24*(8*(\\
& 1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9*b^2*c^2/a^6 - (9*b^2*c^2 + 5*a*b*d*e)/a^6)/(\\
& 432*b^3*c^3/a^9 + (125*b*d^3 + 64*a*e^3)*b/a^8 - 72*(9*b^2*c^2 + 5*a*b*d*e) \\
& *b*c/a^9 + (216*b^3*c^3 + 64*a^2*b*e^3 - 5*(25*d^3 - 72*c*d*e)*a*b^2)/a^9)^{(1/3)}
\end{aligned}$$

$(1/3) + (1/2)^{(1/3)} * (I * \sqrt{3} + 1) * (432 * b^3 * c^3 / a^9 + (125 * b * d^3 + 64 * a * e^3) * b / a^8 - 72 * (9 * b^2 * c^2 + 5 * a * b * d * e) * b * c / a^9 + (216 * b^3 * c^3 + 64 * a^2 * b * e^3 - 5 * (25 * d^3 - 72 * c * d * e) * a * b^2) / a^9)^{(1/3)} - 12 * b * c / a^3 * a^3 * b * c + 144 * b^2 * c^2 + 320 * a * b * d * e / a^6) + 72 * (b^2 * c * x^6 + a * b * c * x^3) * \log(x) / (a^3 * b * x^6 + a^4 * x^3)$

giac [A] time = 0.18, size = 269, normalized size = 1.03

$$\frac{2bc \log(|bx^3 + a|)}{3a^3} - \frac{2bc \log(|x|)}{a^3} - \frac{\sqrt{3} \left(5 (-ab^2)^{\frac{1}{3}} bd - 4 (-ab^2)^{\frac{2}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9a^3b} - \frac{\left(5 (-ab^2)^{\frac{1}{3}} bd + 4 \right)}{9a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{2}{3} * b * c * \log(\text{abs}(b * x^3 + a)) / a^3 - 2 * b * c * \log(\text{abs}(x)) / a^3 - 1/9 * \sqrt{3} * (5 * (-a * b^2)^{(1/3)} * b * d - 4 * (-a * b^2)^{(2/3)} * e) * \arctan(1/3 * \sqrt{3} * (2 * x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / (a^3 * b) - 1/18 * (5 * (-a * b^2)^{(1/3)} * b * d + 4 * (-a * b^2)^{(2/3)} * e) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / (a^3 * b) + 1/9 * (4 * a^4 * b^2 * (-a/b)^{(1/3)} * e + 5 * a^4 * b^2 * d) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)}) / (a^7 * b) - 1/6 * (8 * a * b * x^5 * e + 5 * a * b * d * x^4 + 4 * a * b * c * x^3 + 6 * a^2 * x^2 * e + 3 * a^2 * d * x + 2 * a^2 * c) / ((b * x^3 + a) * a^3 * x^3)$

maple [A] time = 0.06, size = 289, normalized size = 1.10

$$\frac{be x^2}{3(bx^3 + a)a^2} - \frac{bdx}{3(bx^3 + a)a^2} - \frac{bc}{3(bx^3 + a)a^2} - \frac{5\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2} - \frac{5d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{9 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2} + \frac{5d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{18 \left(\frac{a}{b} \right)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x)

[Out] $-1/3 / (b * x^3 + a) / a^2 * b * e * x^2 - 1/3 / (b * x^3 + a) / a^2 * b * d * x - 1/3 * b / a^2 / (b * x^3 + a) * c - 5/9 / (a/b)^{(2/3)} / a^2 * d * \ln(x + (a/b)^{(1/3)}) + 5/18 / (a/b)^{(2/3)} / a^2 * d * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) - 5/9 / (a/b)^{(2/3)} * 3^{(1/2)} / a^2 * d * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) + 4/9 / (a/b)^{(1/3)} / a^2 * e * \ln(x + (a/b)^{(1/3)}) - 2/9 / a^2 * e / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) - 4/9 / a^2 * e * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1))$

$3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1) + 2/3/a^3 \cdot b \cdot c \cdot \ln(b \cdot x^3 + a) - 1/a^2 \cdot e/x - 1/3/a^2 \cdot c/x^3 - 1/2/a^2 \cdot d/x^2 - 2/a^3 \cdot b \cdot c \cdot \ln(x)$

maxima [A] time = 3.07, size = 236, normalized size = 0.90

$$\frac{8 b e x^5 + 5 b d x^4 + 4 b c x^3 + 6 a e x^2 + 3 a d x + 2 a c}{6 (a^2 b x^6 + a^3 x^3)} - \frac{2 b c \log(x)}{a^3} - \frac{\sqrt{3} \left(4 a e \left(\frac{a}{b} \right)^{\frac{2}{3}} + 5 a d \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) b \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $-1/6 \cdot (8 \cdot b \cdot e \cdot x^5 + 5 \cdot b \cdot d \cdot x^4 + 4 \cdot b \cdot c \cdot x^3 + 6 \cdot a \cdot e \cdot x^2 + 3 \cdot a \cdot d \cdot x + 2 \cdot a \cdot c) / (a^2 \cdot b \cdot x^6 + a^3 \cdot x^3) - 2 \cdot b \cdot c \cdot \log(x) / a^3 - 1/9 \cdot \sqrt{3} \cdot (4 \cdot a \cdot e \cdot (a/b)^{2/3} + 5 \cdot a \cdot d \cdot (a/b)^{1/3}) \cdot b \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2 \cdot x - (a/b)^{1/3}) / (a/b)^{1/3}) / a^4 + 1/18 \cdot (12 \cdot b \cdot c \cdot (a/b)^{2/3} - 4 \cdot a \cdot e \cdot (a/b)^{1/3} + 5 \cdot a \cdot d) \cdot \log(x^2 - x \cdot (a/b)^{1/3} + (a/b)^{2/3}) / (a^3 \cdot (a/b)^{2/3}) + 1/9 \cdot (6 \cdot b \cdot c \cdot (a/b)^{2/3} + 4 \cdot a \cdot e \cdot (a/b)^{1/3} - 5 \cdot a \cdot d) \cdot \log(x + (a/b)^{1/3}) / (a^3 \cdot (a/b)^{2/3})$

mupad [B] time = 5.48, size = 537, normalized size = 2.05

$$\left(\sum_{k=1}^3 \ln \left(-\frac{50 b^5 c d^2 - 48 b^5 c^2 e}{9 a^6} - \text{root} \left(729 a^9 z^3 - 1458 a^6 b c z^2 + 540 a^4 b d e z + 972 a^3 b^2 c^2 z - 360 a b^2 c d e - \dots \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^4*(a + b*x^3)^2),x)

[Out] $\text{symsum}(\log((x \cdot (64 \cdot a \cdot b^4 \cdot e^3 - 125 \cdot b^5 \cdot d^3 + 240 \cdot b^5 \cdot c \cdot d \cdot e)) / (27 \cdot a^6) - \text{root}(729 \cdot a^9 \cdot z^3 - 1458 \cdot a^6 \cdot b \cdot c \cdot z^2 + 540 \cdot a^4 \cdot b \cdot d \cdot e \cdot z + 972 \cdot a^3 \cdot b^2 \cdot c^2 \cdot z - 360 \cdot a \cdot b^2 \cdot c \cdot d \cdot e - 64 \cdot a^2 \cdot b \cdot e^3 + 125 \cdot a \cdot b^2 \cdot d^3 - 216 \cdot b^3 \cdot c^3, z, k) \cdot ((25 \cdot a^3 \cdot b^4 \cdot d^2 + 48 \cdot a^3 \cdot b^4 \cdot c \cdot e) / (9 \cdot a^6) + \text{root}(729 \cdot a^9 \cdot z^3 - 1458 \cdot a^6 \cdot b \cdot c \cdot z^2 + 540 \cdot a^4 \cdot b \cdot d \cdot e \cdot z + 972 \cdot a^3 \cdot b^2 \cdot c^2 \cdot z - 360 \cdot a \cdot b^2 \cdot c \cdot d \cdot e - 64 \cdot a^2 \cdot b \cdot e^3 + 125 \cdot a \cdot b^2 \cdot d^3 - 216 \cdot b^3 \cdot c^3, z, k) \cdot (4 \cdot b^3 \cdot e + 36 \cdot \text{root}(729 \cdot a^9 \cdot z^3 - 1458 \cdot a^6 \cdot b \cdot c \cdot z^2 + 540 \cdot a^4 \cdot b \cdot d \cdot e \cdot z + 972 \cdot a^3 \cdot b^2 \cdot c^2 \cdot z - 360 \cdot a \cdot b^2 \cdot c \cdot d \cdot e - 64 \cdot a^2 \cdot b \cdot e^3 + 125 \cdot a \cdot b^2 \cdot d^3 - 216 \cdot b^3 \cdot c^3, z, k) \cdot a^2 \cdot b^3 \cdot x - (48 \cdot b^4 \cdot c \cdot x) / a) + (x \cdot (432 \cdot a^2 \cdot b^5 \cdot c^2 + 600 \cdot a^3 \cdot b^4 \cdot d \cdot e)) / (27 \cdot a^6)) - (50 \cdot b^5 \cdot c \cdot d^2 - 48 \cdot b^5 \cdot c^2 \cdot e) / (9 \cdot a^6)) \cdot \text{root}(729 \cdot a^9 \cdot z^3 - 1458 \cdot a^6 \cdot b \cdot c \cdot z^2 + 540 \cdot a^4 \cdot b \cdot d \cdot e \cdot z + 972 \cdot a^3 \cdot b^2 \cdot c^2 \cdot z - 360 \cdot a \cdot b^2 \cdot c \cdot d \cdot e - 64 \cdot a^2 \cdot b \cdot e^3 + 125 \cdot a \cdot b^2 \cdot d^3 - 216 \cdot b^3 \cdot c^3, z, k), k, 1, 3) - (c / (3 \cdot a) + (e \cdot x^2) / a + (d \cdot x) / (2 \cdot a) + (2 \cdot b \cdot c \cdot x^3) / (3 \cdot a^2) + (5 \cdot b \cdot d \cdot x^4) / (6 \cdot a^2) + (4 \cdot b \cdot e \cdot x^5) / (3 \cdot a^2)) / (a \cdot x^3 + b \cdot x^6) - (2 \cdot b \cdot c \cdot \log(x)) / a^3$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**4/(b*x**3+a)**2,x)

[Out] Timed out

$$3.351 \quad \int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=215

$$\frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{54a^{5/3}b^{4/3}} + \frac{(\sqrt[3]{b}d - \sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{5/3}b^{5/3}} - \frac{(\sqrt[3]{a}e + \sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{5/3}b^{5/3}}$$

[Out] $1/6*(-e*x^2-d*x-c)/b/(b*x^3+a)^2+1/18*x*(2*e*x+d)/a/b/(b*x^3+a)+1/27*(b^(1/3)*d-a^(1/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(5/3)/b^(5/3)-1/54*(d-a^(1/3)*e)/b^(1/3)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(5/3)/b^(4/3)-1/27*(b^(1/3)*d+a^(1/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(5/3)/b^(5/3)*3^(1/2)$

Rubi [A] time = 0.20, antiderivative size = 215, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$, Rules used = {1823, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{\left(d - \frac{\sqrt[3]{ae}}{\sqrt[3]{b}}\right) \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)}{54a^{5/3}b^{4/3}} + \frac{(\sqrt[3]{b}d - \sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{5/3}b^{5/3}} - \frac{(\sqrt[3]{a}e + \sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{5/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^3, x]

[Out] $-(c + d*x + e*x^2)/(6*b*(a + b*x^3)^2) + (x*(d + 2*e*x))/(18*a*b*(a + b*x^3)) - ((b^(1/3)*d + a^(1/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(5/3)*b^(5/3)) + ((b^(1/3)*d - a^(1/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x]/(27*a^(5/3)*b^(5/3)) - ((d - (a^(1/3)*e)/b^(1/3))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(5/3)*b^(4/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(
a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*
(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && Eq
Q[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^3} dx &= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{\int \frac{d+2ex}{(a+bx^3)^2} dx}{6b} \\
&= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{x(d+2ex)}{18ab(a+bx^3)} - \frac{\int \frac{-2d-2ex}{a+bx^3} dx}{18ab} \\
&= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{x(d+2ex)}{18ab(a+bx^3)} - \frac{\int \frac{\sqrt[3]{a}(-4\sqrt[3]{b}d-2\sqrt[3]{a}e)+\sqrt[3]{b}(2\sqrt[3]{b}d-2\sqrt[3]{a}e)x}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{54a^{5/3}b^{4/3}} + \frac{\left(d-\frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)}{\sqrt[3]{b}} \\
&= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{x(d+2ex)}{18ab(a+bx^3)} + \frac{\left(d-\frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{27a^{5/3}b^{4/3}} + \frac{\left(\sqrt[3]{b}d+\sqrt[3]{a}e\right)\int \frac{1}{a^2}}{18a^4} \\
&= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{x(d+2ex)}{18ab(a+bx^3)} + \frac{\left(d-\frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{27a^{5/3}b^{4/3}} - \frac{\left(d-\frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\log\left(a^{2/3}\right)}{54a} \\
&= -\frac{c+dx+ex^2}{6b(a+bx^3)^2} + \frac{x(d+2ex)}{18ab(a+bx^3)} - \frac{\left(\sqrt[3]{b}d+\sqrt[3]{a}e\right)\tan^{-1}\left(\frac{\sqrt[3]{a}-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{5/3}b^{5/3}} + \frac{\left(d-\frac{\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\log}{27a^{5/3}}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 198, normalized size = 0.92

$$\frac{\left(\sqrt[3]{a}e-\sqrt[3]{b}d\right)\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)}{a^{5/3}} + \frac{2\left(\sqrt[3]{b}d-\sqrt[3]{a}e\right)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{a^{5/3}} - \frac{2\sqrt{3}\left(\sqrt[3]{a}e+\sqrt[3]{b}d\right)\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{a^{5/3}} - \frac{9b^{2/3}(c+x(d+ex))}{(a+bx^3)^2} + \frac{3b^{2/3}x}{a(a+bx^3)}$$

$$54b^{5/3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^3,x]

[Out] ((3*b^(2/3)*x*(d + 2*e*x))/(a*(a + b*x^3)) - (9*b^(2/3)*(c + x*(d + e*x)))/(a + b*x^3)^2 - (2*sqrt[3]*(b^(1/3)*d + a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(5/3) + (2*(b^(1/3)*d - a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) + ((-(b^(1/3)*d) + a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(54*b^(5/3))

fricas [C] time = 2.72, size = 2163, normalized size = 10.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{108} \cdot (12 b e x^5 + 6 b d x^4 - 6 a e x^2 - 12 a d x - 2 (a b^3 x^6 + 2 a^2 b^2 x^3 + a^3 b) \cdot ((1/2)^{1/3} \cdot (I \sqrt{3} + 1) \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3} - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3})) \cdot \log(1/4 \cdot ((1/2)^{1/3} \cdot (I \sqrt{3} + 1) \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3} - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3}))^2 \cdot a^4 b^3 e - 1/2 \cdot ((1/2)^{1/3} \cdot (I \sqrt{3} + 1) \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3} - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3})) \cdot a^2 b^2 d^2 + 2 a d e^2 + (b d^3 + a e^3) x) - 18 a c + ((a b^3 x^6 + 2 a^2 b^2 x^3 + a^3 b) \cdot ((1/2)^{1/3} \cdot (I \sqrt{3} + 1) \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3} - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3})) + 3 \sqrt{1/3} \cdot (a b^3 x^6 + 2 a^2 b^2 x^3 + a^3 b) \cdot \sqrt{-(((1/2)^{1/3} \cdot (I \sqrt{3} + 1) \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3} - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3}))^2 \cdot a^4 b^3 e + 1/2 \cdot ((1/2)^{1/3} \cdot (I \sqrt{3} + 1) \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3} - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3}))^2 \cdot a^3 b^3 + 16 d e)/(a^3 b^3)) \cdot \log(-1/4 \cdot ((1/2)^{1/3} \cdot (I \sqrt{3} + 1) \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3} - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3}))^2 \cdot a^4 b^3 e + 1/2 \cdot ((1/2)^{1/3} \cdot (I \sqrt{3} + 1) \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3} - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3}))^2 \cdot a^3 b^3 + 16 d e)/(a^3 b^3)) + ((a b^3 x^6 + 2 a^2 b^2 x^3 + a^3 b) \cdot ((1/2)^{1/3} \cdot (I \sqrt{3} + 1) \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3} - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3})) - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3})) - 3 \sqrt{1/3} \cdot (a b^3 x^6 + 2 a^2 b^2 x^3 + a^3 b) \cdot \sqrt{-(((1/2)^{1/3} \cdot (I \sqrt{3} + 1) \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3} - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3}))^2 \cdot a^4 b^3 e + 1/2 \cdot ((1/2)^{1/3} \cdot (I \sqrt{3} + 1) \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3} - 2 \cdot (1/2)^{2/3} \cdot d e \cdot (-I \sqrt{3} + 1)/(a^3 b^3 \cdot ((b d^3 + a e^3)/(a^5 b^5) + (b d^3 - a e^3)/(a^5 b^5))^{1/3}))^2 \cdot a^3 b^3 + 16 d e)/(a^3 b^3))$$

$$\frac{16*d*e}{(a^3*b^3)} \log(-1/4*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*d*e*(-I*\sqrt{3}) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)})^2*a^4*b^3*e + 1/2*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*d*e*(-I*\sqrt{3}) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)})^2*a^2*b^2*d^2 - 2*a*d*e^2 + 2*(b*d^3 + a*e^3)*x - 3/4*\sqrt{1/3}*(((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*d*e*(-I*\sqrt{3}) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)}) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)})^2*a^4*b^3*e + 2*a^2*b^2*d^2)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*d*e*(-I*\sqrt{3}) + 1)/(a^3*b^3*((b*d^3 + a*e^3)/(a^5*b^5) + (b*d^3 - a*e^3)/(a^5*b^5))^{(1/3)})^2*a^3*b^3 + 16*d*e)/(a^3*b^3)))/(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b)$$

giac [A] time = 0.21, size = 208, normalized size = 0.97

$$\frac{\sqrt{3} \left(bd - (-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} ab} + \frac{\left(bd + (-ab^2)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 \left(-ab^2 \right)^{\frac{2}{3}} ab} + \frac{\left(\left(-\frac{a}{b} \right)^{\frac{1}{3}} e + d \right) \left(- \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$-1/27*\sqrt{3}*(b*d - (-a*b^2)^{(1/3)}*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a*b) - 1/54*(b*d + (-a*b^2)^{(1/3)}*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a*b) - 1/27*((-a/b)^{(1/3)}*e + d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/(a^2*b) + 1/18*(2*b*x^5*e + b*d*x^4 - a*x^2*e - 2*a*d*x - 3*a*c)/((b*x^3 + a)^2*a*b)$$

maple [A] time = 0.06, size = 255, normalized size = 1.19

$$\frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{27 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{27 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2} - \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2} + \frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{27 \left(\frac{a}{b} \right)^{\frac{1}{3}} a b^2} - \frac{e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{27 \left(\frac{a}{b} \right)^{\frac{1}{3}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x)`

[Out] $(1/9/a*e*x^5+1/18*d/a*x^4-1/18/b*e*x^2-1/9/b*d*x-1/6/b*c)/(b*x^3+a)^2+1/27/(a/b)^{(2/3)}/a/b^2*d*\ln(x+(a/b)^{(1/3)})-1/54/(a/b)^{(2/3)}/a/b^2*d*\ln(x^2-(a/b)^{(1/3)*x+(a/b)^{(2/3)})+1/27/(a/b)^{(2/3)}*3^{(1/2)}/a/b^2*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)*x-1})-1/27/a/b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*e+1/54/a/b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)*x+(a/b)^{(2/3)})*e+1/27/a/b^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)*x-1}))*e$

maxima [A] time = 3.02, size = 203, normalized size = 0.94

$$\frac{2 b e x^5 + b d x^4 - a e x^2 - 2 a d x - 3 a c}{18 (a b^3 x^6 + 2 a^2 b^2 x^3 + a^3 b)} + \frac{\sqrt{3} \left(e \left(\frac{a}{b} \right)^{\frac{1}{3}} + d \right) \arctan \left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 a b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\left(e \left(\frac{a}{b} \right)^{\frac{1}{3}} - d \right) \log \left(x^2 - x \left(\frac{a}{b} \right)^{\frac{1}{3}} + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 a b^2 \left(\frac{a}{b} \right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $1/18*(2*b*e*x^5 + b*d*x^4 - a*e*x^2 - 2*a*d*x - 3*a*c)/(a*b^3*x^6 + 2*a^2*b^2*x^3 + a^3*b) + 1/27*\sqrt{3}*(e*(a/b)^{(1/3)} + d)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^2*(a/b)^{(2/3)}) + 1/54*(e*(a/b)^{(1/3)} - d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^2*(a/b)^{(2/3)}) - 1/27*(e*(a/b)^{(1/3)} - d)*\log(x + (a/b)^{(1/3)})/(a*b^2*(a/b)^{(2/3)})$

mupad [B] time = 0.23, size = 216, normalized size = 1.00

$$\left(\sum_{k=1}^3 \ln \left(\frac{d e + e^2 x + \text{root} \left(19683 a^5 b^5 z^3 + 81 a^2 b^2 d e z + a e^3 - b d^3, z, k \right)^2 a^3 b^3 729 + \text{root} \left(19683 a^5 b^5 z^3 + 81 a^2 b^2 d e z + a e^3 - b d^3, z, k \right)}{a^2 b 81} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^3,x)`

[Out] $\text{symsum}(\log((d*e + e^2*x + 729*\text{root}(19683*a^5*b^5*z^3 + 81*a^2*b^2*d*e*z + a*e^3 - b*d^3, z, k)^2*a^3*b^3 + 27*\text{root}(19683*a^5*b^5*z^3 + 81*a^2*b^2*d*e*z + a*e^3 - b*d^3, z, k)*a*b^2*d*x)/(81*a^2*b))*\text{root}(19683*a^5*b^5*z^3 + 81*a^2*b^2*d*e*z + a*e^3 - b*d^3, z, k), k, 1, 3) - (c/(6*b) - (d*x^4)/(18*a) - (e*x^5)/(9*a) + (e*x^2)/(18*b) + (d*x)/(9*b))/(a^2 + b^2*x^6 + 2*a*b*x^3)$

sympy [A] time = 6.26, size = 148, normalized size = 0.69

$$\text{RootSum} \left(19683 t^3 a^5 b^5 + 81 t a^2 b^2 d e + a e^3 - b d^3, \left(t \mapsto t \log \left(x + \frac{729 t^2 a^4 b^3 e + 27 t a^2 b^2 d^2 + 2 a d e^2}{a e^3 + b d^3} \right) \right) \right) + \frac{-3 a c - 2 a d x - 3 a c}{18 a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a)**3,x)`

[Out] `RootSum(19683*_t**3*a**5*b**5 + 81*_t*a**2*b**2*d*e + a*e**3 - b*d**3, Lambda(_t, _t*log(x + (729*_t**2*a**4*b**3*e + 27*_t*a**2*b**2*d**2 + 2*a*d*e**2)/(a*e**3 + b*d**3)))) + (-3*a*c - 2*a*d*x - a*e*x**2 + b*d*x**4 + 2*b*e*x**5)/(18*a**3*b + 36*a**2*b**2*x**3 + 18*a*b**3*x**6)`

$$3.352 \quad \int \frac{x(c+dx+ex^2)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=239

$$\frac{(2b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{7/3}b^{4/3}} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{7/3}b^{4/3}} - \frac{(a^{2/3}e + 2b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{9\sqrt{3} a^{7/3}b^{4/3}}$$

[Out] $-1/6*x*(-b*d*x^2-b*c*x+a*e)/a/b/(b*x^3+a)^2+1/18*(-3*a*d+x*(4*b*c*x+a*e))/a^2/b/(b*x^3+a)-1/27*(2*b^(2/3)*c-a^(2/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(7/3)/b^(4/3)+1/54*(2*b^(2/3)*c-a^(2/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(7/3)/b^(4/3)-1/27*(2*b^(2/3)*c+a^(2/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(7/3)/b^(4/3)*3^(1/2)$

Rubi [A] time = 0.20, antiderivative size = 239, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {1828, 1854, 1860, 31, 634, 617, 204, 628}

$$\frac{(2b^{2/3}c - a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{7/3}b^{4/3}} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{7/3}b^{4/3}} - \frac{(a^{2/3}e + 2b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3} \sqrt[3]{a}}\right)}{9\sqrt{3} a^{7/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3)^3,x]

[Out] $-(x*(a*e - b*c*x - b*d*x^2))/(6*a*b*(a + b*x^3)^2) - (3*a*d - x*(a*e + 4*b*c*x))/(18*a^2*b*(a + b*x^3)) - ((2*b^(2/3)*c + a^(2/3)*e)*\text{ArcTan}[a^(1/3) - 2*b^(1/3)*x]/(\text{Sqrt}[3]*a^(1/3)))/(9*\text{Sqrt}[3]*a^(7/3)*b^(4/3)) - ((2*b^(2/3)*c - a^(2/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x])/(27*a^(7/3)*b^(4/3)) + ((2*b^(2/3)*c - a^(2/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(7/3)*b^(4/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
 \int \frac{x(c + dx + ex^2)}{(a + bx^3)^3} dx &= -\frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{\int \frac{-ae - 4bcx - 3bdx^2}{(a + bx^3)^2} dx}{6ab} \\
 &= -\frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} + \frac{\int \frac{2ae + 4bcx}{a + bx^3} dx}{18a^2b} \\
 &= -\frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} + \frac{\int \frac{\sqrt[3]{a}(4\sqrt[3]{a}bc + 4a\sqrt[3]{b}e) + \sqrt[3]{b}(4\sqrt[3]{a}bc - 2a\sqrt[3]{b}e)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{54a^{8/3}b^{4/3}} \\
 &= -\frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{7/3}b^{4/3}} + \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{7/3}b^{4/3}} \\
 &= -\frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} - \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{7/3}b^{4/3}} + \frac{(2b^{2/3}c - a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{7/3}b^{4/3}} \\
 &= -\frac{x(ae - bcx - bdx^2)}{6ab(a + bx^3)^2} - \frac{3ad - x(ae + 4bcx)}{18a^2b(a + bx^3)} - \frac{(2b^{2/3}c + a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{7/3}b^{4/3}} - \frac{(2b^{2/3}c + a^{2/3}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{7/3}b^{4/3}}
 \end{aligned}$$

Mathematica [A] time = 0.40, size = 214, normalized size = 0.90

$$\frac{(2a^{2/3}bc - a^{4/3}\sqrt[3]{b}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) - 2\sqrt{3}a^{2/3}\sqrt[3]{b}(a^{2/3}e + 2b^{2/3}c) \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right) + 2(a^{4/3}\sqrt[3]{b}e - 2a^{2/3}bc)}{54a^3b^{5/3}}$$

Antiderivative was successfully verified.


```
[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3)^3,x]
```

```
[Out] ((3*a*b^(2/3)*(4*b^2*c*x^5 - a^2*(3*d + 2*e*x) + a*b*x^2*(7*c + e*x^2)))/(a
+ b*x^3)^2 - 2*sqrt[3]*a^(2/3)*b^(1/3)*(2*b^(2/3)*c + a^(2/3)*e)*ArcTan[(1
- (2*b^(1/3)*x)/a^(1/3))/sqrt[3]] + 2*(-2*a^(2/3)*b*c + a^(4/3)*b^(1/3)*e)
*Log[a^(1/3) + b^(1/3)*x] + (2*a^(2/3)*b*c - a^(4/3)*b^(1/3)*e)*Log[a^(2/3)
- a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^3*b^(5/3))
```

```
fricas [C] time = 2.73, size = 2519, normalized size = 10.54
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] 1/108*(24*b^2*c*x^5 + 6*a*b*e*x^4 + 42*a*b*c*x^2 - 12*a^2*e*x - 18*a^2*d -
2*(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^
2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/
2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8
*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3))) * log(1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)
*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3)
+ 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^
4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3)))^2*a^5*b^3*c - 1/2*((1/2)^(1/3)
)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/
(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 +
a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3))) * a^4*b*e^2 +
8*a*b*c^2*e + (8*b^2*c^3 + a^2*e^3)*x) + ((a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^
4*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2
*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b
^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3
))) + 3*sqrt(1/3)*(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*sqrt(-(((1/2)^(1/3)
)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/
(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 +
a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3)))^2*a^4*b^2 + 3
2*c*e)/(a^4*b^2))) * log(-1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*c^3 + a^2*
e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)^(2/3)*c*e
*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a
^2*e^3)/(a^7*b^4))^(1/3)))^2*a^5*b^3*c + 1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*
((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) +
4*(1/2)^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4)
- (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3))) * a^4*b*e^2 - 8*a*b*c^2*e + 2*(8*
b^2*c^3 + a^2*e^3)*x + 3/2*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((8*b^2*
c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3) + 4*(1/2)
^(2/3)*c*e*(I*sqrt(3) - 1)/(a^4*b^2*((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b
^2*c^3 - a^2*e^3)/(a^7*b^4))^(1/3))) * a^5*b^3*c + a^4*b*e^2)*sqrt(-(((1/2)^(
```

$$\begin{aligned} & \frac{1}{3} * (\text{I*sqrt}(3) + 1) * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3} + 4*(1/2)^{2/3} * c * e * (\text{I*sqrt}(3) - 1)/(a^4*b^2 * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3}) \\ & + 32*c*e)/(a^4*b^2) + ((a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b) * ((1/2)^{1/3} * (\text{I*sqrt}(3) + 1) * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3} \\ & + 4*(1/2)^{2/3} * c * e * (\text{I*sqrt}(3) - 1)/(a^4*b^2 * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3})) - 3*sqrt(1/3) * (a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b) * sqrt(-(((1/2)^{1/3} * (\text{I*sqrt}(3) + 1) * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3} \\ & + 4*(1/2)^{2/3} * c * e * (\text{I*sqrt}(3) - 1)/(a^4*b^2 * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3}))^2 * a^4*b^2 + 32*c*e)/(a^4*b^2) \\ &)) * \log(-1/2 * ((1/2)^{1/3} * (\text{I*sqrt}(3) + 1) * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3} + 4*(1/2)^{2/3} * c * e * (\text{I*sqrt}(3) - 1) \\ & / (a^4*b^2 * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3}))^2 * a^5*b^3*c + 1/2 * ((1/2)^{1/3} * (\text{I*sqrt}(3) + 1) * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3} \\ & + 4*(1/2)^{2/3} * c * e * (\text{I*sqrt}(3) - 1)/(a^4*b^2 * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3})) * a^4*b*e^2 - 8*a*b*c^2*e + 2*(8*b^2*c^3 + a^2*e^3) * x \\ & - 3/2 * sqrt(1/3) * (((1/2)^{1/3} * (\text{I*sqrt}(3) + 1) * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3} + 4*(1/2)^{2/3} * c * e * (\text{I*sqrt}(3) - 1) \\ & / (a^4*b^2 * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3})) * a^5*b^3*c + a^4*b*e^2) * sqrt(-(((1/2)^{1/3} * (\text{I*sqrt}(3) + 1) * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3} \\ & + 4*(1/2)^{2/3} * c * e * (\text{I*sqrt}(3) - 1)/(a^4*b^2 * ((8*b^2*c^3 + a^2*e^3)/(a^7*b^4) - (8*b^2*c^3 - a^2*e^3)/(a^7*b^4))^{1/3}))^2 * a^4*b^2 + 32*c*e)/(a^4*b^2)))) / (a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b) \end{aligned}$$

giac [A] time = 0.20, size = 215, normalized size = 0.90

$$\frac{\sqrt{3} \left(a e - 2 \left(-a b^2 \right)^{\frac{1}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-a b^2 \right)^{\frac{2}{3}} a^2} - \frac{\left(a e + 2 \left(-a b^2 \right)^{\frac{1}{3}} c \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 \left(-a b^2 \right)^{\frac{2}{3}} a^2} - \frac{\left(2 b c \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \dots \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/27*sqrt(3)*(a*e - 2*(-a*b^2)^(1/3)*c)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2) - 1/54*(a*e + 2*(-a*b^2)^(1/3)*c)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2) - 1/27*(2*b*c*(-a/b)^(1/3) + a*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b) + 1/18*(4*b^2*c*x^5 + a*b*x^4*e + 7*a*b*c*x^2 - 2*a^2*x*e - 3*a^2*d)/((b*x^3 + a)^2*a^2*b)

maple [A] time = 0.05, size = 256, normalized size = 1.07

$$\frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} - \frac{e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{2\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a^2 b} - \frac{2c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out] (2/9/a^2*c*b*x^5+1/18/a*e*x^4+7/18/a*c*x^2-1/9/b*e*x-1/6/b*d)/(b*x^3+a)^2+1/27/(a/b)^(2/3)/a/b^2*e*ln(x+(a/b)^(1/3))-1/54/(a/b)^(2/3)/a/b^2*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/27/(a/b)^(2/3)*3^(1/2)/a/b^2*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/27/(a/b)^(1/3)/a^2/b*c*ln(x+(a/b)^(1/3))+1/27/(a/b)^(1/3)/a^2/b*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/27*3^(1/2)/(a/b)^(1/3)/a^2/b*c*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 3.06, size = 223, normalized size = 0.93

$$\frac{4b^2cx^5 + abex^4 + 7abcx^2 - 2a^2ex - 3a^2d}{18(a^2b^3x^6 + 2a^3b^2x^3 + a^4b)} + \frac{\sqrt{3}\left(2bc\left(\frac{a}{b}\right)^{\frac{1}{3}} + ae\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(2bc\left(\frac{a}{b}\right)^{\frac{1}{3}} - ae\right) \log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(4*b^2*c*x^5 + a*b*e*x^4 + 7*a*b*c*x^2 - 2*a^2*e*x - 3*a^2*d)/(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b) + 1/27*sqrt(3)*(2*b*c*(a/b)^(1/3) + a*e)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3)) + 1/54*(2*b*c*(a/b)^(1/3) - a*e)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^2*(a/b)^(2/3)) - 1/27*(2*b*c*(a/b)^(1/3) - a*e)*log(x + (a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3))

mupad [B] time = 0.23, size = 232, normalized size = 0.97

$$\frac{\frac{7cx^2}{18a} - \frac{d}{6b} + \frac{ex^4}{18a} - \frac{ex}{9b} + \frac{2bcx^5}{9a^2}}{a^2 + 2abx^3 + b^2x^6} + \left(\sum_{k=1}^3 \ln\left(\frac{2ace + \text{root}\left(19683a^7b^4z^3 + 162a^3b^2cez + 8b^2c^3 - a^2e^3, z, k\right)^2}{a^5b^2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x + e*x^2))/(a + b*x^3)^3,x)`

[Out] $((7cx^2)/(18a) - d/(6b) + (ex^4)/(18a) - (ex)/(9b) + (2bcx^5)/(9a^2))/(a^2 + b^2x^6 + 2abx^3) + \text{symsum}(\log((2ac^2e + 729\sqrt[3]{19683a^7b^4z^3 + 162a^3b^2c^2e^2z + 8b^2c^3 - a^2e^3}, z, k)^{2a^5b^2 + 4bc^2x} + 27\sqrt[3]{19683a^7b^4z^3 + 162a^3b^2c^2e^2z + 8b^2c^3 - a^2e^3}, z, k)a^3b^2e^2x)/(81a^4))\sqrt[3]{19683a^7b^4z^3 + 162a^3b^2c^2e^2z + 8b^2c^3 - a^2e^3}, z, k), k, 1, 3)$

sympy [A] time = 3.99, size = 170, normalized size = 0.71

$\text{RootSum}\left(19683t^3a^7b^4 + 162ta^3b^2ce - a^2e^3 + 8b^2c^3, \left(t \mapsto t \log\left(x + \frac{1458t^2a^5b^3c + 27ta^4be^2 + 8abc^2e}{a^2e^3 + 8b^2c^3}\right)\right)\right) + \frac{-3a^2}{\dots}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**3,x)`

[Out] $\text{RootSum}(19683_t**3a**7b**4 + 162_t*a**3b**2*c*e - a**2*e**3 + 8*b**2*c**3, \text{Lambda}(_t, _t*\log(x + (1458_t**2*a**5*b**3*c + 27_t*a**4*b*e**2 + 8*a*b*c**2*e)/(a**2*e**3 + 8*b**2*c**3)))) + (-3*a**2*d - 2*a**2*e*x + 7*a*b*c*x**2 + a*b*e*x**4 + 4*b**2*c*x**5)/(18*a**4*b + 36*a**3*b**2*x**3 + 18*a**2*b**3*x**6)$

$$3.353 \quad \int \frac{c+dx+ex^2}{(a+bx^3)^3} dx$$

Optimal. Leaf size=225

$$\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

[Out] 1/18*x*(4*d*x+5*c)/a^2/(b*x^3+a)+1/6*(-a*e+b*x*(d*x+c))/a/b/(b*x^3+a)^2+1/27*(5*b^(1/3)*c-2*a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(8/3)/b^(2/3)-1/54*(5*b^(1/3)*c-2*a^(1/3)*d)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)/b^(2/3)-1/27*(5*b^(1/3)*c+2*a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.19, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1854, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}d + 5\sqrt[3]{b}c) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3)^3, x]

[Out] (x*(5*c + 4*d*x))/(18*a^2*(a + b*x^3)) - (a*e - b*x*(c + d*x))/(6*a*b*(a + b*x^3)^2) - ((5*b^(1/3)*c + 2*a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(8/3)*b^(2/3)) + ((5*b^(1/3)*c - 2*a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(8/3)*b^(2/3)) - ((5*b^(1/3)*c - 2*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(8/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^3)^3} dx &= -\frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} - \frac{\int \frac{-5c - 4dx}{(a + bx^3)^2} dx}{6a} \\
&= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{\int \frac{10c + 4dx}{a + bx^3} dx}{18a^2} \\
&= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{\int \frac{\sqrt[3]{a}(20\sqrt[3]{b}c + 4\sqrt[3]{a}d) + \sqrt[3]{b}(-10\sqrt[3]{b}c + 4\sqrt[3]{a}d)x}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{54a^{8/3}\sqrt[3]{b}} + \frac{(5c - \frac{2\sqrt[3]{a}d}{\sqrt[3]{b}})}{27a^2} \\
&= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)}{54a^2} \\
&= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)}{27a^2} \\
&= \frac{x(5c + 4dx)}{18a^2(a + bx^3)} - \frac{ae - bx(c + dx)}{6ab(a + bx^3)^2} - \frac{(5\sqrt[3]{b}c + 2\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}c - 2\sqrt[3]{a}d)}{27a^2}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 213, normalized size = 0.95

$$\frac{\sqrt[3]{a}\sqrt[3]{b}(2\sqrt[3]{a}d - 5\sqrt[3]{b}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 2\sqrt[3]{b}(5\sqrt[3]{a}\sqrt[3]{b}c - 2a^{2/3}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + \frac{3a(-3a^2e + a^2d)}{54a^3b}}{54a^3b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3)^3, x]

[Out] ((3*a*(-3*a^2*e + b^2*x^4*(5*c + 4*d*x) + a*b*x*(8*c + 7*d*x)))/(a + b*x^3)^2 - 2*Sqrt[3]*a^(1/3)*b^(1/3)*(5*b^(1/3)*c + 2*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*b^(1/3)*(5*a^(1/3)*b^(1/3)*c - 2*a^(2/3)*d)*Log[a^(1/3) + b^(1/3)*x] + a^(1/3)*b^(1/3)*(-5*b^(1/3)*c + 2*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^3*b)

fricas [C] time = 2.67, size = 2251, normalized size = 10.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] 1/108*(24*b^2*d*x^5 + 30*b^2*c*x^4 + 42*a*b*d*x^2 + 48*a*b*c*x - 18*a^2*e -  
2*(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((125  
*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3) - 20*(  
1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (  
125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3))*log(1/2*((1/2)^(1/3)*(I*sqrt(3) + 1  
)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3)  
- 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3)/(a^8*b  
^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3)))^2*a^6*b*d - 25/2*((1/2)^(1/3  
)* (I*sqrt(3) + 1)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/  
(a^8*b^2))^(1/3) - 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 +  
8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3))) *a^3*b*c^2 +  
40*a*c*d^2 + (125*b*c^3 + 8*a*d^3)*x) + ((a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4  
*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*  
c^3 - 8*a*d^3)/(a^8*b^2))^(1/3) - 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*  
b*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3)  
)) + 3*sqrt(1/3)*(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*sqrt(-(((1/2)^(1/3)*  
(I*sqrt(3) + 1)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a  
^8*b^2))^(1/3) - 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8  
*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3)))^2*a^5*b + 160*  
c*d)/(a^5*b)))*log(-1/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*c^3 + 8*a*d^3)  
/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3) - 20*(1/2)^(2/3)*c*d*(-  
I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d  
^3)/(a^8*b^2))^(1/3)))^2*a^6*b*d + 25/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*  
b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3) - 20*(1  
/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (1  
25*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3))) *a^3*b*c^2 - 40*a*c*d^2 + 2*(125*b*c^  
3 + 8*a*d^3)*x + 3/2*sqrt(1/3)*(((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*c^3 +  
8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3) - 20*(1/2)^(2/3  
)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3  
- 8*a*d^3)/(a^8*b^2))^(1/3))) *a^6*b*d + 25*a^3*b*c^2)*sqrt(-(((1/2)^(1/3)*  
(I*sqrt(3) + 1)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a  
^8*b^2))^(1/3) - 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8  
*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3)))^2*a^5*b + 160*  
c*d)/(a^5*b)) + ((a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)*((1/2)^(1/3)*(I*sq  
r t(3) + 1)*((125*b*c^3 + 8*a*d^3)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2  
))^(1/3) - 20*(1/2)^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^5*b*((125*b*c^3 + 8*a*d^3  
)/(a^8*b^2) + (125*b*c^3 - 8*a*d^3)/(a^8*b^2))^(1/3))) - 3*sqrt(1/3)*(a^2*b
```


$$\begin{aligned} &^3x^6 + 2a^3b^2x^3 + a^4b) \sqrt{-\left(\left(\frac{1}{2}\right)^{\frac{1}{3}}(I\sqrt{3} + 1) \left(\frac{125bc^3 + 8ad^3}{a^8b^2} + \frac{125b^3c^3 - 8ad^3}{a^8b^2}\right)^{\frac{1}{3}} - 20\left(\frac{1}{2}\right)^{\frac{2}{3}}c^3d(-I\sqrt{3} + 1) / \left(a^5b \left(\frac{125b^3c^3 + 8ad^3}{a^8b^2} + \frac{125b^3c^3 - 8ad^3}{a^8b^2}\right)^{\frac{1}{3}}\right) + 125b^3c^3 - 8ad^3 / \left(a^8b^2\right)^{\frac{1}{3}}\right)^2 a^5b + 160c^3d / \left(a^5b\right)} \log\left(-\frac{1}{2} \left(\frac{1}{2}\right)^{\frac{1}{3}}(I\sqrt{3} + 1) \left(\frac{125b^3c^3 + 8ad^3}{a^8b^2} + \frac{125b^3c^3 - 8ad^3}{a^8b^2}\right)^{\frac{1}{3}} - 20\left(\frac{1}{2}\right)^{\frac{2}{3}}c^3d(-I\sqrt{3} + 1) / \left(a^5b \left(\frac{125b^3c^3 + 8ad^3}{a^8b^2} + \frac{125b^3c^3 - 8ad^3}{a^8b^2}\right)^{\frac{1}{3}}\right) + 125b^3c^3 - 8ad^3 / \left(a^8b^2\right)^{\frac{1}{3}}\right)^2 a^6bd + \frac{25}{2} \left(\frac{1}{2}\right)^{\frac{1}{3}}(I\sqrt{3} + 1) \left(\frac{125b^3c^3 + 8ad^3}{a^8b^2} + \frac{125b^3c^3 - 8ad^3}{a^8b^2}\right)^{\frac{1}{3}} - 20\left(\frac{1}{2}\right)^{\frac{2}{3}}c^3d(-I\sqrt{3} + 1) / \left(a^5b \left(\frac{125b^3c^3 + 8ad^3}{a^8b^2} + \frac{125b^3c^3 - 8ad^3}{a^8b^2}\right)^{\frac{1}{3}}\right) + 125b^3c^3 - 8ad^3 / \left(a^8b^2\right)^{\frac{1}{3}}\right) a^3bc^2 - 40ac^2d^2 + 2(125b^3c^3 + 8ad^3)x - \frac{3}{2} \sqrt{\frac{1}{3}} \left(\left(\frac{1}{2}\right)^{\frac{1}{3}}(I\sqrt{3} + 1) \left(\frac{125b^3c^3 + 8ad^3}{a^8b^2} + \frac{125b^3c^3 - 8ad^3}{a^8b^2}\right)^{\frac{1}{3}} - 20\left(\frac{1}{2}\right)^{\frac{2}{3}}c^3d(-I\sqrt{3} + 1) / \left(a^5b \left(\frac{125b^3c^3 + 8ad^3}{a^8b^2} + \frac{125b^3c^3 - 8ad^3}{a^8b^2}\right)^{\frac{1}{3}}\right) + 125b^3c^3 - 8ad^3 / \left(a^8b^2\right)^{\frac{1}{3}}\right) a^6bd + 25a^3b^2c^2) \sqrt{-\left(\left(\frac{1}{2}\right)^{\frac{1}{3}}(I\sqrt{3} + 1) \left(\frac{125bc^3 + 8ad^3}{a^8b^2} + \frac{125b^3c^3 - 8ad^3}{a^8b^2}\right)^{\frac{1}{3}} - 20\left(\frac{1}{2}\right)^{\frac{2}{3}}c^3d(-I\sqrt{3} + 1) / \left(a^5b \left(\frac{125b^3c^3 + 8ad^3}{a^8b^2} + \frac{125b^3c^3 - 8ad^3}{a^8b^2}\right)^{\frac{1}{3}}\right) + 125b^3c^3 - 8ad^3 / \left(a^8b^2\right)^{\frac{1}{3}}\right)^2 a^5b + 160c^3d / \left(a^5b\right)} \right) / \left(a^2b^3x^6 + 2a^3b^2x^3 + a^4b\right) \end{aligned}$$

giac [A] time = 0.21, size = 210, normalized size = 0.93

$$\frac{\sqrt{3} \left(5bc - 2 \left(-ab^2 \right)^{\frac{1}{3}} d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} a^2} - \frac{\left(5bc + 2 \left(-ab^2 \right)^{\frac{1}{3}} d \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 \left(-ab^2 \right)^{\frac{2}{3}} a^2} - \frac{\left(2d \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 \left(-ab^2 \right)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/27 \sqrt{3} (5bc - 2(-ab^2)^{\frac{1}{3}}d) \arctan\left(\frac{1/3 \sqrt{3} (2x + (-a/b)^{\frac{1}{3}})}{(-a/b)^{\frac{1}{3}}}\right) / ((-ab^2)^{\frac{2}{3}} a^2) - 1/54 (5bc + 2(-ab^2)^{\frac{1}{3}}d) \\ & * \log(x^2 + x(-a/b)^{\frac{1}{3}} + (-a/b)^{\frac{2}{3}}) / ((-ab^2)^{\frac{2}{3}} a^2) - 1/27 (2 \\ & * d * (-a/b)^{\frac{1}{3}} + 5c) * (-a/b)^{\frac{1}{3}} * \log(\text{abs}(x - (-a/b)^{\frac{1}{3}})) / a^3 + 1/18 (\\ & 4b^2d^2x^5 + 5b^2c^2x^4 + 7a^2bd^2x^2 + 8a^2bc^2x - 3a^2e) / ((b^3x^3 + a) \\ & ^2 a^2 b) \end{aligned}$$

maple [A] time = 0.05, size = 308, normalized size = 1.37

$$\frac{e x^3}{6(b x^3 + a)^2 a} + \frac{d x^2}{6(b x^3 + a)^2 a} + \frac{c x}{6(b x^3 + a)^2 a} + \frac{2 d x^2}{9(b x^3 + a)^2 a^2} + \frac{5 c x}{18(b x^3 + a)^2 a^2} - \frac{e}{6(b x^3 + a) a b} + \frac{5 \sqrt{3} c \arctan\left(\frac{a}{b}\right)}{27 \left(\frac{a}{b}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out] 1/6/(b*x^3+a)^2/a*c*x+5/18*c/a^2*x/(b*x^3+a)+5/27/(a/b)^(2/3)/a^2/b*c*ln(x+(a/b)^(1/3))-5/54/(a/b)^(2/3)/a^2/b*c*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+5/27/(a/b)^(2/3)*3^(1/2)/a^2/b*c*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/6/a/(b*x^3+a)^2*x^2*d+2/9*d/a^2*x^2/(b*x^3+a)-2/27/a^2/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*d+1/27/a^2/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*d+2/27/a^2/b*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*d+1/6*e/a*x^3/(b*x^3+a)^2-1/6*e/a/b/(b*x^3+a)

maxima [A] time = 2.99, size = 219, normalized size = 0.97

$$\frac{4 b^2 d x^5 + 5 b^2 c x^4 + 7 a b d x^2 + 8 a b c x - 3 a^2 e}{18(a^2 b^3 x^6 + 2 a^3 b^2 x^3 + a^4 b)} + \frac{\sqrt{3} \left(2 d \left(\frac{a}{b}\right)^{\frac{1}{3}} + 5 c\right) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27 a^2 b \left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\left(2 d \left(\frac{a}{b}\right)^{\frac{1}{3}} - 5 c\right) \log\left(x^2 - x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54 a^2 b \left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(4*b^2*d*x^5 + 5*b^2*c*x^4 + 7*a*b*d*x^2 + 8*a*b*c*x - 3*a^2*e)/(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b) + 1/27*sqrt(3)*(2*d*(a/b)^(1/3) + 5*c)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b*(a/b)^(2/3)) + 1/54*(2*d*(a/b)^(1/3) - 5*c)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b*(a/b)^(2/3)) - 1/27*(2*d*(a/b)^(1/3) - 5*c)*log(x + (a/b)^(1/3))/(a^2*b*(a/b)^(2/3))

mupad [B] time = 0.26, size = 212, normalized size = 0.94

$$\frac{\frac{7 d x^2}{18 a} - \frac{e}{6 b} + \frac{4 c x}{9 a} + \frac{5 b c x^4}{18 a^2} + \frac{2 b d x^5}{9 a^2}}{a^2 + 2 a b x^3 + b^2 x^6} + \left(\sum_{k=1}^3 \ln \left(\frac{b \left(10 c d + 4 d^2 x + \text{root} \left(19683 a^8 b^2 z^3 + 810 a^3 b c d z - 125 b c^3 + 8 \right)}{\dots} \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(a + b*x^3)^3,x)`

[Out] $((7*d*x^2)/(18*a) - e/(6*b) + (4*c*x)/(9*a) + (5*b*c*x^4)/(18*a^2) + (2*b*d*x^5)/(9*a^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + \text{symsum}(\log((b*(10*c*d + 4*d^2*x + 729*\text{root}(19683*a^8*b^2*z^3 + 810*a^3*b*c*d*z - 125*b*c^3 + 8*a*d^3, z, k)^2*a^5*b + 135*\text{root}(19683*a^8*b^2*z^3 + 810*a^3*b*c*d*z - 125*b*c^3 + 8*a*d^3, z, k)*a^2*b*c*x))/(81*a^4))*\text{root}(19683*a^8*b^2*z^3 + 810*a^3*b*c*d*z - 125*b*c^3 + 8*a*d^3, z, k), k, 1, 3)$

sympy [A] time = 2.28, size = 163, normalized size = 0.72

$$\text{RootSum}\left(19683t^3a^8b^2 + 810ta^3bcd + 8ad^3 - 125bc^3, \left(t \mapsto t \log\left(x + \frac{1458t^2a^6bd + 675ta^3bc^2 + 40acd^2}{8ad^3 + 125bc^3}\right)\right)\right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/(b*x**3+a)**3,x)`

[Out] `RootSum(19683*_t**3*a**8*b**2 + 810*_t*a**3*b*c*d + 8*a*d**3 - 125*b*c**3, Lambda(_t, _t*log(x + (1458*_t**2*a**6*b*d + 675*_t*a**3*b*c**2 + 40*a*c*d**2)/(8*a*d**3 + 125*b*c**3)))) + (-3*a**2*e + 8*a*b*c*x + 7*a*b*d*x**2 + 5*b**2*c*x**4 + 4*b**2*d*x**5)/(18*a**4*b + 36*a**3*b**2*x**3 + 18*a**2*b**3*x**6)`

$$3.354 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)^3} dx$$

Optimal. Leaf size=257

$$\frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

[Out] 1/6*x*(-b*c*x^2+a*e*x+a*d)/a^2/(b*x^3+a)^2+1/18*x*(-9*b*c*x^2+4*a*e*x+5*a*d)/a^3/(b*x^3+a)+c*ln(x)/a^3+1/27*(5*b^(1/3)*d-2*a^(1/3)*e)*ln(a^(1/3)+b^(1/3)*x)/a^(8/3)/b^(2/3)-1/54*(5*b^(1/3)*d-2*a^(1/3)*e)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)/b^(2/3)-1/3*c*ln(b*x^3+a)/a^3-1/27*(5*b^(1/3)*d+2*a^(1/3)*e)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.41, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{54a^{8/3}b^{2/3}} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{8/3}b^{2/3}} - \frac{(2\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a}}{\sqrt[3]{b}x}\right)}{9\sqrt{3}a^{8/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)^3), x]

[Out] (x*(a*d + a*e*x - b*c*x^2))/(6*a^2*(a + b*x^3)^2) + (x*(5*a*d + 4*a*e*x - 9*b*c*x^2))/(18*a^3*(a + b*x^3)) - ((5*b^(1/3)*d + 2*a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(8/3)*b^(2/3)) + (c*Log[x])/a^3 + ((5*b^(1/3)*d - 2*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(27*a^(8/3)*b^(2/3)) - ((5*b^(1/3)*d - 2*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(8/3)*b^(2/3)) - (c*Log[a + b*x^3])/(3*a^3)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)^3} dx &= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} - \frac{\int \frac{-6bc - 5bdx - 4bex^2 + \frac{3b^2cx^3}{a}}{x(a+bx^3)^2} dx}{6ab} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{\int \frac{18b^2c + 10b^2dx + 4b^2ex^2}{x(a+bx^3)} dx}{18a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{\int \left(\frac{18b^2c}{ax} + \frac{2b^2(5ad + 2aex - 9bcx^2)}{a(a+bx^3)} \right) dx}{18a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{\int \frac{5ad + 2aex - 9bcx^2}{a+bx^3} dx}{9a^3} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{\int \frac{5ad + 2aex}{a+bx^3} dx}{9a^3} - \frac{(bc) \int \frac{x^2}{a+bx^3} dx}{a^3} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} - \frac{c \log(a + bx^3)}{3a^3} + \frac{\int \frac{\sqrt[3]{a}(10a\sqrt[3]{b}}}{a+bx^3} dx}{9a^3} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{bx})}{27a^{8/3}b^{2/3}} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} + \frac{c \log(x)}{a^3} + \frac{(5\sqrt[3]{b}d - 2\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{bx})}{27a^{8/3}b^{2/3}} \\
&= \frac{x(ad + aex - bcx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ad + 4aex - 9bcx^2)}{18a^3(a + bx^3)} - \frac{(5\sqrt[3]{b}d + 2\sqrt[3]{a}e) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx}}{\sqrt{3}\sqrt[3]{a}}\right)}{9\sqrt{3}a^{8/3}b^{2/3}} + \frac{c \log(x)}{a^3}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 229, normalized size = 0.89

$$\frac{(2a^{2/3}e^{-5}\sqrt[3]{a}\sqrt[3]{b}d)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{b^{2/3}} + \frac{2(5\sqrt[3]{a}\sqrt[3]{b}d-2a^{2/3}e)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{b^{2/3}} + \frac{9a^{2(c+x(d+ex))}}{(a+bx^3)^2} - \frac{2\sqrt{3}\sqrt[3]{a}(2\sqrt[3]{a}e+5\sqrt[3]{b}d)\tan^{-1}\left(\frac{1-2\sqrt[3]{a}\sqrt[3]{b}x}{\sqrt[3]{a}+\sqrt[3]{b}x}\right)}{b^{2/3}}$$

$$54a^3$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)^3), x]

[Out] ((9*a^2*(c + x*(d + e*x)))/(a + b*x^3)^2 + (3*a*(6*c + x*(5*d + 4*e*x)))/(a + b*x^3) - (2*Sqrt[3]*a^(1/3)*(5*b^(1/3)*d + 2*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(2/3) + 54*c*Log[x] + (2*(5*a^(1/3)*b^(1/3)*d - 2*a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x]/b^(2/3) + ((-5*a^(1/3)*b^(1/3)*d + 2*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/b^(2/3) - 18*c*Log[a + b*x^3]/(54*a^3)

fricas [C] time = 2.53, size = 5229, normalized size = 20.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/2916*(648*a*b*e*x^5 + 810*a*b*d*x^4 + 972*a*b*c*x^3 + 1134*a^2*e*x^2 + 1296*a^2*d*x + 1458*a^2*c - 2*(a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3*log(1/1458*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 486*c/a^3)^2*a^6*b*e + 225*b*c*d^2 + 162*b*c^2*e + 40*a*d*e^2 - 1/54*(25*a^3*b*d^2 + 36*a^3*b*c*e)*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9

$$\begin{aligned}
& 9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/ \\
& (a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(\\
& a^9*b^2)^{(1/3)} + 486*c/a^3 + (125*b*d^3 + 8*a*e^3)*x - (1458*b^2*c*x^6 + \\
& 2916*a*b*c*x^3 + 1458*a^2*c - (a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5))*((-I*sqrt(\\
& 3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/145 \\
& 8*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) \\
& - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2)) \\
& ^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)* \\
& c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 \\
& + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3 - 3* \\
& sqrt(1/3)*(a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)*sqrt(-(((I*sqrt(3) + 1)*(81*c^ \\
& 2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + \\
& 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(72 \\
& 9*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(\\
& I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/ \\
& 39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - \\
& 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)^2*a^6*b - 972*((-I \\
& *sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + \\
& 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^ \\
& 8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9 \\
& *b^2))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a \\
& *d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^ \\
& 2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3 \\
&)*a^3*b*c + 236196*b*c^2 + 116640*a*d*e)/(a^6*b))*log(-1/1458*((-I*sqrt(3) \\
& + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458* \\
& (81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - \\
& 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(\\
& 1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/ \\
& (a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + \\
& 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)^2*a^6* \\
& b*e - 225*b*c*d^2 - 162*b*c^2*e - 40*a*d*e^2 + 1/54*(25*a^3*b*d^2 + 36*a^3* \\
& b*c*e)*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/2 \\
& 7*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8 \\
& *a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e) \\
&)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b \\
& *c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39 \\
& 366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} \\
& + 486*c/a^3) + 2*(125*b*d^3 + 8*a*e^3)*x + 1/486*sqrt(1/3)*(((I*sqrt(3) + \\
& 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81 \\
& *b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/ \\
& 39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} \\
&) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^ \\
& 9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a \\
& ^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)*a^6*b*e + \\
& 675*a^3*b*d^2 - 486*a^3*b*c*e)*sqrt(-(((I*sqrt(3) + 1)*(81*c^2/a^6 - (81*
\end{aligned}$$

$$\begin{aligned}
& b*c^2 + 10*a*d*e)/(a^6*b))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/ \\
& (a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + \\
& 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*\text{sqrt}(3) + \\
& 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b \\
& *d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - \\
& 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)^2*a^6*b - 972*((-I*\text{sqrt}(3) + 1 \\
&)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81* \\
& b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/3 \\
& 9366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} \\
& + 729*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9 \\
& *b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^ \\
& 2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)*a^3*b*c + \\
& 236196*b*c^2 + 116640*a*d*e)/(a^6*b))) - (1458*b^2*c*x^6 + 2916*a*b*c*x^3 + \\
& 1458*a^2*c - (a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5))*((-I*\text{sqrt}(3) + 1)*(81*c^2/a \\
& ^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10* \\
& a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b \\
& ^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*s \\
& qrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/393 \\
& 66*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(\\
& 25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3) + 3*\text{sqrt}(1/3)*(a^3*b^ \\
& 2*x^6 + 2*a^4*b*x^3 + a^5)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(81*c^2/a^6 - (81*b*c^2 \\
& + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9* \\
& b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2 \\
& *e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(- \\
& 1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 \\
& + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c* \\
& d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)^2*a^6*b - 972*((-I*\text{sqrt}(3) + 1)*(81 \\
& *c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 \\
& + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366* \\
& (729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 72 \\
& 9*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + \\
& 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 \\
& - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)*a^3*b*c + 23619 \\
& 6*b*c^2 + 116640*a*d*e)/(a^6*b))*\log(-1/1458*((-I*\text{sqrt}(3) + 1)*(81*c^2/a^6 \\
& - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a* \\
& d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2 \\
& *c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*\text{sq \\
& rt}(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366 \\
& *(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25 \\
& *d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)^2*a^6*b*e - 225*b*c*d^2 \\
& - 162*b*c^2*e - 40*a*d*e^2 + 1/54*(25*a^3*b*d^2 + 36*a^3*b*c*e))*((-I*\text{sqrt}(\\
& 3) + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/145 \\
& 8*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) \\
& - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2)) \\
& ^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*
\end{aligned}$$

$c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3) + 2*(125*b*d^3 + 8*a*e^3)*x - 1/486*\sqrt{1/3}*(((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)*a^6*b*e + 675*a^3*b*d^2 - 486*a^3*b*c*e)*\sqrt{-(((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)^2*a^6*b - 972*((-I*\sqrt{3} + 1)*(81*c^2/a^6 - (81*b*c^2 + 10*a*d*e)/(a^6*b)))/(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b*c^2 + 10*a*d*e)*c/(a^9*b) + 1/39366*(125*b*d^3 + 8*a*e^3)/(a^8*b^2) - 1/39366*(729*b^2*c^3 + 8*a^2*e^3 - 5*(25*d^3 - 54*c*d*e)*a*b)/(a^9*b^2))^{(1/3)} + 486*c/a^3)*a^3*b*c + 236196*b*c^2 + 116640*a*d*e)/(a^6*b))) + 2916*(b^2*c*x^6 + 2*a*b*c*x^3 + a^2*c)*\log(x))/(a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)$

giac [A] time = 0.24, size = 253, normalized size = 0.98

$$\frac{\sqrt{3} \left(5bd - 2(-ab^2)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2\right)^{\frac{2}{3}} a^2} - \frac{\left(5bd + 2(-ab^2)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}} \right)}{54 \left(-ab^2\right)^{\frac{2}{3}} a^2} - \frac{c \log(|bx^2 + ax + a|)}{3 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/27*\sqrt{3}*(5*b*d - 2*(-a*b^2)^{(1/3)}*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^2) - 1/54*(5*b*d + 2*(-a*b^2)^{(1/3)}*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2) - 1/3*c*\log(\text{abs}(b*x^3 + a))/a^3 + c*\log(\text{abs}(x))/a^3 + 1/18*(4*a*b*x^5*e + 5*a*b*d*x^4 + 6*a*b*c*x^3 + 7*a^2*x^2*e + 8*a^2*d*x + 9*a^2*c)/((b*x^3 + a)^2*a^3) - 1/27*(2*a^4*b*(-a/b)^{(1/3)}*e + 5*a^4*b*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^7*b$

maple [A] time = 0.07, size = 331, normalized size = 1.29

$$\frac{2be x^5}{9(bx^3 + a)^2 a^2} + \frac{5bd x^4}{18(bx^3 + a)^2 a^2} + \frac{bc x^3}{3(bx^3 + a)^2 a^2} + \frac{7e x^2}{18(bx^3 + a)^2 a} + \frac{4dx}{9(bx^3 + a)^2 a} + \frac{c}{2(bx^3 + a)^2 a} + \frac{5\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a)^3,x)

[Out] $\frac{2}{9} \frac{e x^5 + 5 b d x^4 + 1/3 a^2 (b x^3 + a)^2 b^* d x^4 + 1/3 a^2 (b x^3 + a)^2 x^3 c + 7/18 a (b x^3 + a)^2 e x^2 + 4/9 (b x^3 + a)^2 a d x + 1/2 (b x^3 + a)^2 a c + 5/27 (a/b)^{2/3} / a^2 b^* d * \ln(x + (a/b)^{1/3}) - 5/54 (a/b)^{2/3} / a^2 b^* d * \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + 5/27 (a/b)^{2/3} * 3^{1/2} / a^2 b^* d * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} x - 1)) - 2/27 a^2 e / b / (a/b)^{1/3} * \ln(x + (a/b)^{1/3}) + 1/27 a^2 e / b / (a/b)^{1/3} * \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + 2/27 a^2 e * 3^{1/2} / b / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} x - 1)) - 1/3 a^3 c * \ln(b x^3 + a) + 1/a^3 c * \ln(x)}$

maxima [A] time = 3.00, size = 246, normalized size = 0.96

$$\frac{4 b e x^5 + 5 b d x^4 + 6 b c x^3 + 7 a e x^2 + 8 a d x + 9 a c}{18(a^2 b^2 x^6 + 2 a^3 b x^3 + a^4)} + \frac{c \log(x)}{a^3} + \frac{\sqrt{3} \left(2 a e \left(\frac{a}{b}\right)^{\frac{2}{3}} + 5 a d \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2 x - \left(\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27 a^4} - \left(1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{18} \frac{(4 b^* e x^5 + 5 b^* d x^4 + 6 b^* c x^3 + 7 a^* e x^2 + 8 a^* d x + 9 a^* c)}{(a^2 b^2 x^6 + 2 a^3 b x^3 + a^4)} + \frac{c \log(x)}{a^3} + \frac{1}{27} \sqrt{3} \frac{(2 a^* e (a/b)^{2/3} + 5 a^* d (a/b)^{1/3}) \arctan\left(\frac{\sqrt{3} (2 x - (a/b)^{1/3})}{3 (a/b)^{1/3}}\right)}{a^4} - \frac{1}{54} \frac{(18 b^* c (a/b)^{2/3} - 2 a^* e (a/b)^{1/3} + 5 a^* d) \log(x^2 - x (a/b)^{1/3} + (a/b)^{2/3})}{a^3 b^* (a/b)^{2/3}} - \frac{1}{27} \frac{(9 b^* c (a/b)^{2/3} + 2 a^* e (a/b)^{1/3} - 5 a^* d) \log(x + (a/b)^{1/3})}{a^3 b^* (a/b)^{2/3}}$

mupad [B] time = 5.44, size = 540, normalized size = 2.10

$$\frac{\frac{c}{2a} + \frac{7ex^2}{18a} + \frac{4dx}{9a} + \frac{bcx^3}{3a^2} + \frac{5bdx^4}{18a^2} + \frac{2bex^5}{9a^2}}{a^2 + 2abx^3 + b^2x^6} + \left(\sum_{k=1}^3 \ln \left(\frac{25b^2cd^2 - 18b^2c^2e}{81a^6} - \text{root} \left(19683a^9b^2z^3 + 19683a^6b^2cz^2 + 810a^4b^2d^2e + 6561a^3b^2c^2z + 270a^2b^2c^2e - 125a^2b^2d^3 + 8a^2e^3 + 729b^2c^3, z, k \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)^3), x)

[Out] (c/(2*a) + (7*e*x^2)/(18*a) + (4*d*x)/(9*a) + (b*c*x^3)/(3*a^2) + (5*b*d*x^4)/(18*a^2) + (2*b*e*x^5)/(9*a^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + symsum(log((25*b^2*c*d^2 - 18*b^2*c^2*e)/(81*a^6) - root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c*z^2 + 810*a^4*b^2*d^2*e + 6561*a^3*b^2*c^2*z + 270*a*b*c*d*e - 125*a*b*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k))*((25*a^3*b^2*d^2 + 36*a^3*b^2*c*e)/(81*a^6) + root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c*z^2 + 810*a^4*b^2*d^2*e + 6561*a^3*b^2*c^2*z + 270*a*b*c*d*e - 125*a*b*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k))*(36*root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c*z^2 + 810*a^4*b^2*d^2*e + 6561*a^3*b^2*c^2*z + 270*a*b*c*d*e - 125*a*b*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k))*a^2*b^3*x - (2*b^2*e)/3 + (24*b^3*c*x)/a) + (x*(2916*a^2*b^3*c^2 + 900*a^3*b^2*d*e))/(729*a^6) - (x*(8*a*b*e^3 - 125*b^2*d^3 + 180*b^2*c*d*e))/(729*a^6)*root(19683*a^9*b^2*z^3 + 19683*a^6*b^2*c*z^2 + 810*a^4*b^2*d^2*e + 6561*a^3*b^2*c^2*z + 270*a*b*c*d*e - 125*a*b*d^3 + 8*a^2*e^3 + 729*b^2*c^3, z, k), k, 1, 3) + (c*log(x))/a^3

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a)**3,x)

[Out] Timed out

$$3.355 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)^3} dx$$

Optimal. Leaf size=267

$$-\frac{(5a^{2/3}e + 14b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{10/3} \sqrt[3]{b}} + \frac{(5a^{2/3}e + 14b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{10/3} \sqrt[3]{b}} + \frac{(14b^{2/3}c - 5a^{2/3}e) \tan^{-1}}{9\sqrt{3} a^{10/3} \sqrt[3]{b}}$$

[Out] $-c/a^3/x + 1/6*x*(-b*d*x^2 - b*c*x + a*e)/a^2/(b*x^3+a)^2 + 1/18*x*(-9*b*d*x^2 - 10*b*c*x + 5*a*e)/a^3/(b*x^3+a) + d*\ln(x)/a^3 + 1/27*(14*b^(2/3)*c + 5*a^(2/3)*e)*\ln(a^(1/3) + b^(1/3)*x)/a^(10/3)/b^(1/3) - 1/54*(14*b^(2/3)*c + 5*a^(2/3)*e)*\ln(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/a^(10/3)/b^(1/3) - 1/3*d*\ln(b*x^3+a)/a^3 + 1/27*(14*b^(2/3)*c - 5*a^(2/3)*e)*\arctan(1/3*(a^(1/3) - 2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(10/3)/b^(1/3)*3^(1/2)$

Rubi [A] time = 0.46, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$-\frac{(5a^{2/3}e + 14b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{54a^{10/3} \sqrt[3]{b}} + \frac{(5a^{2/3}e + 14b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{27a^{10/3} \sqrt[3]{b}} + \frac{(14b^{2/3}c - 5a^{2/3}e) \tan^{-1}}{9\sqrt{3} a^{10/3} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^3), x]

[Out] $-(c/(a^3*x)) + (x*(a*e - b*c*x - b*d*x^2))/(6*a^2*(a + b*x^3)^2) + (x*(5*a*e - 10*b*c*x - 9*b*d*x^2))/(18*a^3*(a + b*x^3)) + ((14*b^(2/3)*c - 5*a^(2/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))])/(9*\text{Sqrt}[3]*a^(10/3)*b^(1/3)) + (d*\text{Log}[x])/a^3 + ((14*b^(2/3)*c + 5*a^(2/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x])/(27*a^(10/3)*b^(1/3)) - ((14*b^(2/3)*c + 5*a^(2/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(10/3)*b^(1/3)) - (d*\text{Log}[a + b*x^3])/(3*a^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &

& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^2(a + bx^3)^3} dx &= \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} - \frac{\int \frac{-6bc - 6bdx - 5bex^2 + \frac{4b^2cx^3}{a} + \frac{3b^2dx^4}{a}}{x^2(a + bx^3)^2} dx}{6ab} \\
&= \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{\int \frac{18b^3c + 18b^3dx + 10b^3ex^2 - \frac{10b^4cx^3}{a}}{x^2(a + bx^3)} dx}{18a^2b^3} \\
&= \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{\int \left(\frac{18b^3c}{ax^2} + \frac{18b^3d}{ax} + \frac{2b^3(5ae - 14bcx - 9bdx^2)}{a(a + bx^3)} \right) dx}{18a^2b^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{\int \frac{5ae - 14bcx - 9bdx^2}{a + bx^3} dx}{9a^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{\int \frac{5ae - 14bcx}{a + bx^3} dx}{9a^3} - \frac{(bdx^2)}{9a^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} - \frac{d \log(a + bx^3)}{3a^3} + \frac{\int \frac{5ae - 14bcx}{a + bx^3} dx}{9a^3} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{(14b^{2/3}c + 5a^{2/3}e) \log(a + bx^3)}{27a^{10/3}} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{d \log(x)}{a^3} + \frac{(14b^{2/3}c + 5a^{2/3}e) \log(a + bx^3)}{27a^{10/3}} \\
&= -\frac{c}{a^3x} + \frac{x(ae - bcx - bdx^2)}{6a^2(a + bx^3)^2} + \frac{x(5ae - 10bcx - 9bdx^2)}{18a^3(a + bx^3)} + \frac{(14b^{2/3}c - 5a^{2/3}e) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{bx^3}}{\sqrt{3} \sqrt[3]{a + bx^3}} \right)}{9\sqrt{3} a^{10/3} \sqrt[3]{b}}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 248, normalized size = 0.93

$$\frac{(14a^{2/3}b^{2/3}c+5a^{4/3}e)\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)}{\sqrt[3]{b}} + \frac{2(14a^{2/3}b^{2/3}c+5a^{4/3}e)\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{\sqrt[3]{b}} - \frac{2\sqrt{3}a^{2/3}(5a^{2/3}e-14b^{2/3}c)\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{\sqrt[3]{b}} + \frac{9a^2(a)}{54a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^3), x]

[Out] ((-54*a*c)/x + (3*a*(6*a*d + 5*a*e*x - 10*b*c*x^2))/(a + b*x^3) + (9*a^2*(-(b*c*x^2) + a*(d + e*x)))/(a + b*x^3)^2 - (2*sqrt[3]*a^(2/3)*(-14*b^(2/3)*c + 5*a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(1/3) + 54*a*d*Log[x] + (2*(14*a^(2/3)*b^(2/3)*c + 5*a^(4/3)*e)*Log[a^(1/3) + b^(1/3)*x])/b^(1/3) - ((14*a^(2/3)*b^(2/3)*c + 5*a^(4/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3) - 18*a*d*Log[a + b*x^3])/(54*a^4)

fricas [C] time = 3.33, size = 5112, normalized size = 19.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="fricas")

[Out] -1/2916*(4536*b^2*c*x^6 - 810*a*b*e*x^5 - 972*a*b*d*x^4 + 7938*a*b*c*x^3 - 1296*a^2*e*x^2 - 1458*a^2*d*x + 2916*a^2*c + 2*(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x)*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^1/3 + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^1/3 + 486*d/a^3*log(-7/1458*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^1/3 + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^1/3 + 486*d/a^3)^2*a^7*b*c - 1134*a*b*c*d^2 + 1960*a*b*c^2*e + 225*a^2*d*e^2 + 1/54*(252*a^4*b*c*d - 25*a^5*e^2)*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^10*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^10*b))^1/3 + 729*(I*sqrt(3) + 1)*(-

$$\begin{aligned}
& 1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125 \\
& *a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 1 \\
& 25*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^3) - (2744*b^2*c^3 - 125*a^2*e^3)*x) \\
& + (1458*b^2*d*x^7 + 2916*a*b*d*x^4 + 1458*a^2*d*x - (a^3*b^2*x^7 + 2*a^4*b* \\
& x^4 + a^5*x))*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27* \\
& d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2* \\
& e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^ \\
& 2*e^3)/(a^{10}*b))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^ \\
& 2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c \\
& *d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} \\
& + 486*d/a^3) + 3*sqrt(1/3)*(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x)*sqrt(-(((-I* \\
& sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(\\
& 81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - \\
& 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(\\
& 1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 \\
& + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b \\
&) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^3)^2*a^6 \\
& - 972*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^ \\
& 9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - \\
& 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3) \\
& / (a^{10}*b))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70 \\
& *c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)* \\
& a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486* \\
& d/a^3)*a^3*d + 236196*d^2 - 816480*c*e)/a^6))*log(7/1458*((-I*sqrt(3) + 1)* \\
& (81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c \\
& *e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a* \\
& b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 729*(I \\
& *sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(27 \\
& 44*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(\\
& 2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^3)^2*a^7*b*c + 1134*a \\
& *b*c*d^2 - 1960*a*b*c^2*e - 225*a^2*d*e^2 - 1/54*(252*a^4*b*c*d - 25*a^5*e^ \\
& 2))*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + \\
& 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(\\
& 27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^ \\
& 10*b))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e \\
&)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b) \\
& / (a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^ \\
& 3) - 2*(2744*b^2*c^3 - 125*a^2*e^3)*x + 1/486*sqrt(1/3)*(7*((-I*sqrt(3) + 1 \\
&)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70 \\
& *c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)* \\
& a*b)/(a^{10}*b) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 729* \\
& (I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(\\
& 2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10}*b) - 1/39366 \\
& *(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b))^{(1/3)} + 486*d/a^3)*a^7*b*c - 3402*a \\
& ^4*b*c*d - 675*a^5*e^2)*sqrt(-(((-I*sqrt(3) + 1)*(81*d^2/a^6 - (81*d^2 - 70
\end{aligned}$$

$$\begin{aligned}
& *c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744* \\
& b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(274 \\
& 4*b^2*c^3 - 125*a^2*e^3)/(a^{10*b})^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a \\
& ^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - \\
& 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3 \\
&)/(a^{10*b})^{(1/3)} + 486*d/a^3)^2*a^6 - 972*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - \\
& (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/ \\
& 39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - \\
& 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b})^{(1/3)} + 729*(I*\sqrt{3} + 1)* \\
& (-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 1 \\
& 25*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - \\
& 125*a^2*e^3)/(a^{10*b})^{(1/3)} + 486*d/a^3)*a^3*d + 236196*d^2 - 816480*c*e) \\
& /a^6)) + (1458*b^2*d*x^7 + 2916*a*b*d*x^4 + 1458*a^2*d*x - (a^3*b^2*x^7 + 2 \\
& *a^4*b*x^4 + a^5*x))*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/ \\
& (-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 1 \\
& 25*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - \\
& 125*a^2*e^3)/(a^{10*b})^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458 \\
& *(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 \\
& - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b}) \\
& ^{(1/3)} + 486*d/a^3) - 3*\sqrt{1/3)*(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x)*\sqrt{ \\
& -(((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1 \\
& /1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(2 \\
& 7*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{1 \\
& 0*b})^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e) \\
& *d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/ \\
& (a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b})^{(1/3)} + 486*d/a^3 \\
&)^2*a^6 - 972*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27 \\
& *d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2 \\
& *e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a \\
& ^2*e^3)/(a^{10*b})^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d \\
& ^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70* \\
& c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b})^{(1/3)} \\
& + 486*d/a^3)*a^3*d + 236196*d^2 - 816480*c*e)/a^6))*\log(7/1458*((-I*\sqrt{3} \\
&) + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3/a^9 + 1/1458*(81*d^2 \\
& - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c* \\
& d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b})^{(1/3)} + \\
& 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39 \\
& 366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/ \\
& 39366*(2744*b^2*c^3 - 125*a^2*e^3)/(a^{10*b})^{(1/3)} + 486*d/a^3)^2*a^7*b*c + \\
& 1134*a*b*c*d^2 - 1960*a*b*c^2*e - 225*a^2*d*e^2 - 1/54*(252*a^4*b*c*d - 25 \\
& *a^5*e^2))*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (81*d^2 - 70*c*e)/a^6)/(-1/27*d^3 \\
& /a^9 + 1/1458*(81*d^2 - 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 \\
& - 27*(27*d^3 - 70*c*d*e)*a*b)/(a^{10*b}) - 1/39366*(2744*b^2*c^3 - 125*a^2*e \\
& ^3)/(a^{10*b})^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(81*d^2 - \\
& 70*c*e)*d/a^9 + 1/39366*(2744*b^2*c^3 + 125*a^2*e^3 - 27*(27*d^3 - 70*c*d*
\end{aligned}$$

$e) * a * b) / (a^{10} * b) - 1/39366 * (2744 * b^2 * c^3 - 125 * a^2 * e^3) / (a^{10} * b))^{(1/3)} + 486 * d / a^3 - 2 * (2744 * b^2 * c^3 - 125 * a^2 * e^3) * x - 1/486 * \text{sqrt}(1/3) * (7 * ((-I * \text{sqrt}(3) + 1) * (81 * d^2 / a^6 - (81 * d^2 - 70 * c * e) / a^6) / (-1/27 * d^3 / a^9 + 1/1458 * (81 * d^2 - 70 * c * e) * d / a^9 + 1/39366 * (2744 * b^2 * c^3 + 125 * a^2 * e^3 - 27 * (27 * d^3 - 70 * c * d * e) * a * b) / (a^{10} * b) - 1/39366 * (2744 * b^2 * c^3 - 125 * a^2 * e^3) / (a^{10} * b))^{(1/3)} + 729 * (I * \text{sqrt}(3) + 1) * (-1/27 * d^3 / a^9 + 1/1458 * (81 * d^2 - 70 * c * e) * d / a^9 + 1/39366 * (2744 * b^2 * c^3 + 125 * a^2 * e^3 - 27 * (27 * d^3 - 70 * c * d * e) * a * b) / (a^{10} * b) - 1/39366 * (2744 * b^2 * c^3 - 125 * a^2 * e^3) / (a^{10} * b))^{(1/3)} + 486 * d / a^3) * a^7 * b * c - 3402 * a^4 * b * c * d - 675 * a^5 * e^2) * \text{sqrt}(-(((-I * \text{sqrt}(3) + 1) * (81 * d^2 / a^6 - (81 * d^2 - 70 * c * e) / a^6) / (-1/27 * d^3 / a^9 + 1/1458 * (81 * d^2 - 70 * c * e) * d / a^9 + 1/39366 * (2744 * b^2 * c^3 + 125 * a^2 * e^3 - 27 * (27 * d^3 - 70 * c * d * e) * a * b) / (a^{10} * b) - 1/39366 * (2744 * b^2 * c^3 - 125 * a^2 * e^3) / (a^{10} * b))^{(1/3)} + 729 * (I * \text{sqrt}(3) + 1) * (-1/27 * d^3 / a^9 + 1/1458 * (81 * d^2 - 70 * c * e) * d / a^9 + 1/39366 * (2744 * b^2 * c^3 + 125 * a^2 * e^3 - 27 * (27 * d^3 - 70 * c * d * e) * a * b) / (a^{10} * b) - 1/39366 * (2744 * b^2 * c^3 - 125 * a^2 * e^3) / (a^{10} * b))^{(1/3)} + 486 * d / a^3)^2 * a^6 - 972 * ((-I * \text{sqrt}(3) + 1) * (81 * d^2 / a^6 - (81 * d^2 - 70 * c * e) / a^6) / (-1/27 * d^3 / a^9 + 1/1458 * (81 * d^2 - 70 * c * e) * d / a^9 + 1/39366 * (2744 * b^2 * c^3 + 125 * a^2 * e^3 - 27 * (27 * d^3 - 70 * c * d * e) * a * b) / (a^{10} * b) - 1/39366 * (2744 * b^2 * c^3 - 125 * a^2 * e^3) / (a^{10} * b))^{(1/3)} + 729 * (I * \text{sqrt}(3) + 1) * (-1/27 * d^3 / a^9 + 1/1458 * (81 * d^2 - 70 * c * e) * d / a^9 + 1/39366 * (2744 * b^2 * c^3 + 125 * a^2 * e^3 - 27 * (27 * d^3 - 70 * c * d * e) * a * b) / (a^{10} * b) - 1/39366 * (2744 * b^2 * c^3 - 125 * a^2 * e^3) / (a^{10} * b))^{(1/3)} + 486 * d / a^3) * a^3 * d + 236196 * d^2 - 816480 * c * e) / a^6) - 2916 * (b^2 * d * x^7 + 2 * a * b * d * x^4 + a^2 * d * x) * \log(x) / (a^3 * b^2 * x^7 + 2 * a^4 * b * x^4 + a^5 * x)$

giac [A] time = 0.21, size = 273, normalized size = 1.02

$$\frac{\frac{d \log(|bx^3 + a|)}{3a^3} + \frac{d \log(|x|)}{a^3} + \frac{\sqrt{3} \left(5 (-ab^2)^{\frac{1}{3}} ae + 14 (-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27a^4b} + \left(5 (-ab^2)^{\frac{1}{3}} ae - 14 \right)}{27a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="giac")

[Out] $-1/3 * d * \log(\text{abs}(b * x^3 + a)) / a^3 + d * \log(\text{abs}(x)) / a^3 + 1/27 * \text{sqrt}(3) * (5 * (-a * b^2)^{(1/3)} * a * e + 14 * (-a * b^2)^{(2/3)} * c) * \arctan(1/3 * \text{sqrt}(3) * (2 * x + (-a/b)^{(1/3)}) / (-a/b)^{(1/3)}) / (a^4 * b) + 1/54 * (5 * (-a * b^2)^{(1/3)} * a * e - 14 * (-a * b^2)^{(2/3)} * c) * \log(x^2 + x * (-a/b)^{(1/3)} + (-a/b)^{(2/3)}) / (a^4 * b) - 1/18 * (28 * b^2 * c * x^6 - 5 * a * b * x^5 * e - 6 * a * b * d * x^4 + 49 * a * b * c * x^3 - 8 * a^2 * x^2 * e - 9 * a^2 * d * x + 18 * a^2 * c) / ((b * x^3 + a)^2 * a^3 * x) + 1/27 * (14 * a^3 * b^2 * c * (-a/b)^{(1/3)} - 5 * a^4 * b * e) * (-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})) / (a^7 * b)$

maple [A] time = 0.06, size = 334, normalized size = 1.25

$$-\frac{5b^2cx^5}{9(bx^3+a)^2a^3} + \frac{5bex^4}{18(bx^3+a)^2a^2} + \frac{bdx^3}{3(bx^3+a)^2a^2} - \frac{13bcx^2}{18(bx^3+a)^2a^2} + \frac{4ex}{9(bx^3+a)^2a} + \frac{d}{2(bx^3+a)^2a} + \frac{5\sqrt{3}ea}{27a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x)

[Out]
$$-5/9/(b*x^3+a)^2/a^3*b^2*c*x^5+5/18/(b*x^3+a)^2/a^2*b*e*x^4+1/3/a^2/(b*x^3+a)^2*b*d*x^3-13/18/(b*x^3+a)^2/a^2*b*c*x^2+4/9/(b*x^3+a)^2/a*e*x+1/2/(b*x^3+a)^2/a*d+5/27/(a/b)^{(2/3)}/a^2/b*e*\ln(x+(a/b)^{(1/3)})-5/54/(a/b)^{(2/3)}/a^2/b*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+5/27/(a/b)^{(2/3)}*3^{(1/2)}/a^2/b*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+14/27/a^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c-7/27/a^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c-14/27/a^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-1/3/a^3*d*\ln(b*x^3+a)-1/a^3*c/x+1/a^3*d*\ln(x)$$

maxima [A] time = 3.09, size = 266, normalized size = 1.00

$$-\frac{28b^2cx^6 - 5abex^5 - 6abdx^4 + 49abcx^3 - 8a^2ex^2 - 9a^2dx + 18a^2c}{18(a^3b^2x^7 + 2a^4bx^4 + a^5x)} + \frac{d \log(x)}{a^3} - \frac{\sqrt{3} \left(14bc \left(\frac{a}{b} \right)^{\frac{2}{3}} - 5ae \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan\left(\frac{1}{3} \sqrt{3} \left(\frac{2x - (a/b)^{(1/3)}}{(a/b)^{(1/3)}} \right) \right)}{27a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/18*(28*b^2*c*x^6 - 5*a*b*e*x^5 - 6*a*b*d*x^4 + 49*a*b*c*x^3 - 8*a^2*e*x^2 - 9*a^2*d*x + 18*a^2*c)/(a^3*b^2*x^7 + 2*a^4*b*x^4 + a^5*x) + d*\log(x)/a^3 - 1/27*\sqrt{3}*(14*b*c*(a/b)^{(2/3)} - 5*a*e*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^4 - 1/54*(18*b*d*(a/b)^{(2/3)} + 14*b*c*(a/b)^{(1/3)} + 5*a*e)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b*(a/b)^{(2/3)}) - 1/27*(9*b*d*(a/b)^{(2/3)} - 14*b*c*(a/b)^{(1/3)} - 5*a*e)*\log(x + (a/b)^{(1/3)})/(a^3*b*(a/b)^{(2/3)})$$

mupad [B] time = 5.46, size = 793, normalized size = 2.97

$$\frac{\frac{4ex^2}{9a} - \frac{c}{a} + \frac{dx}{2a} - \frac{14b^2cx^6}{9a^3} - \frac{49bcx^3}{18a^2} + \frac{bdx^4}{3a^2} + \frac{5bex^5}{18a^2}}{a^2x + 2abx^4 + b^2x^7} + \left(\sum_{k=1}^3 \ln \left(\frac{b^2 \left(-\text{root}(19683a^{10}bz^3 + 19683a^7bdz^2 - 5670a^4b^2c^3, z, k) \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^3), x)`

[Out] `((4*e*x^2)/(9*a) - c/a + (d*x)/(2*a) - (14*b^2*c*x^6)/(9*a^3) - (49*b*c*x^3)/(18*a^2) + (b*d*x^4)/(3*a^2) + (5*b*e*x^5)/(18*a^2))/(a^2*x + b^2*x^7 + 2*a*b*x^4) + symsum(log((b^2*(225*a^2*d*e^2 - 225*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)*a^5*e^2 + 2744*b^2*c^3*x + 125*a^2*e^3*x + 1134*a*b*c*d^2 - 3402*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)^2*a^7*b*c - 26244*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)^3*a^10*b*x - 2916*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)*a^4*b*d^2*x - 17496*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)^2*a^7*b*d*x + 2268*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)*a^4*b*c*d + 6300*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k)*a^4*b*c*e*x + 1260*a*b*c*d*e*x))/(729*a^8)*root(19683*a^10*b*z^3 + 19683*a^7*b*d*z^2 - 5670*a^4*b*c*e*z + 6561*a^4*b*d^2*z - 1890*a*b*c*d*e + 729*a*b*d^3 - 125*a^2*e^3 - 2744*b^2*c^3, z, k), k, 1, 3) + (d*log(x))/a^3`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**3,x)`

[Out] Timed out

$$3.356 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)^3} dx$$

Optimal. Leaf size=276

$$\frac{\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}} - \frac{2\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{11/3}} + \frac{2\sqrt[3]{b} (7\sqrt[3]{a}d + 10\sqrt[3]{b}c)}{9a^{11/3}}$$

[Out] $-1/2*c/a^3/x^2-d/a^3/x-1/6*x*(b*e*x^2+b*d*x+b*c)/a^2/(b*x^3+a)^2-1/18*x*(9*b*e*x^2+10*b*d*x+11*b*c)/a^3/(b*x^3+a)+e*\ln(x)/a^3-2/27*b^{(1/3)}*(10*b^{(1/3)}*c-7*a^{(1/3)}*d)*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(11/3)}+1/27*b^{(1/3)}*(10*b^{(1/3)}*c-7*a^{(1/3)}*d)*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(11/3)}-1/3*e*\ln(b*x^3+a)/a^3+2/27*b^{(1/3)}*(10*b^{(1/3)}*c+7*a^{(1/3)}*d)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(11/3)}*3^{(1/2)}$

Rubi [A] time = 0.50, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3(a + bx^3)} - \frac{x(bc + bdx + bex^2)}{6a^2(a + bx^3)^2} - \frac{2\sqrt[3]{b} (10\sqrt[3]{b}c - 7\sqrt[3]{a}d)}{9a^{11/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^3), x]

[Out] $-c/(2*a^3*x^2) - d/(a^3*x) - (x*(b*c + b*d*x + b*e*x^2))/(6*a^2*(a + b*x^3)^2) - (x*(11*b*c + 10*b*d*x + 9*b*e*x^2))/(18*a^3*(a + b*x^3)) + (2*b^{(1/3)}*(10*b^{(1/3)}*c + 7*a^{(1/3)}*d)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(9*\text{Sqrt}[3]*a^{(11/3)}) + (e*\text{Log}[x])/a^3 - (2*b^{(1/3)}*(10*b^{(1/3)}*c - 7*a^{(1/3)}*d)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(27*a^{(11/3)}) + (b^{(1/3)}*(10*b^{(1/3)}*c - 7*a^{(1/3)}*d)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(27*a^{(11/3)}) - (e*\text{Log}[a + b*x^3])/(3*a^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204


```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
```

& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3 (a + bx^3)^3} dx &= -\frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{\int \frac{-6bc - 6bdx - 6bex^2 + \frac{5b^2cx^3}{a} + \frac{4b^2dx^4}{a} + \frac{3b^2ex^5}{a}}{x^3(a+bx^3)^2} dx}{6ab} \\
&= -\frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{\int \frac{18b^3c + 18b^3dx + 18b^3ex^2 - \frac{22b^4cx^3}{a} - \frac{10b^4dx^4}{a}}{x^3(a+bx^3)} dx}{18a^2b^3} \\
&= -\frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{\int \left(\frac{18b^3c}{ax^3} + \frac{18b^3d}{ax^2} + \frac{18b^3e}{ax} - \frac{2b^4(20c+14d)}{a(a+bx^3)} \right) dx}{18a^2b^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{b \int \frac{20c+14d}{a+bx^3}}{9a} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{b \int \frac{20c+14d}{a+bx^3}}{9a^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{e \log(a + bx^3)}{3a^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{2\sqrt[3]{b} (10\sqrt[3]{a} c + 7\sqrt[3]{a} d)}{9a^3} \\
&= -\frac{c}{2a^3x^2} - \frac{d}{a^3x} - \frac{x(bc + bdx + bex^2)}{6a^2 (a + bx^3)^2} - \frac{x(11bc + 10bdx + 9bex^2)}{18a^3 (a + bx^3)} + \frac{e \log(x)}{a^3} - \frac{2\sqrt[3]{b} (10\sqrt[3]{a} c + 7\sqrt[3]{a} d)}{9\sqrt[3]{3}}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 253, normalized size = 0.92

$$2\sqrt[3]{b} (10\sqrt[3]{a} \sqrt[3]{b} c - 7a^{2/3} d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) + 4\sqrt[3]{b} (7a^{2/3} d - 10\sqrt[3]{a} \sqrt[3]{b} c) \log(\sqrt[3]{a} + \sqrt[3]{b} x) + \frac{9a^2(ae - d)}{(a + bx^3)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^3), x]
```

```
[Out] ((-27*a*c)/x^2 - (54*a*d)/x + (9*a^2*(a*e - b*x*(c + d*x)))/(a + b*x^3)^2 +
(3*a*(6*a*e - b*x*(11*c + 10*d*x)))/(a + b*x^3) + 4*sqrt[3]*a^(1/3)*b^(1/3)
*(10*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]]
+ 54*a*e*Log[x] + 4*b^(1/3)*(-10*a^(1/3)*b^(1/3)*c + 7*a^(2/3)*d)*Log[a^(1/3)
+ b^(1/3)*x] + 2*b^(1/3)*(10*a^(1/3)*b^(1/3)*c - 7*a^(2/3)*d)*Log[a^(2/3)
) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] - 18*a*e*Log[a + b*x^3]/(54*a^4)
```

```
fricas [C] time = 3.06, size = 4911, normalized size = 17.79
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] -1/2916*(4536*b^2*d*x^7 + 3240*b^2*c*x^6 - 972*a*b*e*x^5 + 7938*a*b*d*x^4 +
5184*a*b*c*x^3 - 1458*a^2*e*x^2 + 2916*a^2*d*x + 1458*a^2*c + 2*(a^3*b^2*x
^8 + 2*a^4*b*x^5 + a^5*x^2))*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b*c*d + 81
*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/1968
3*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 5
6*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^
9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)
*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b
)/a^11)^(1/3) + 486*e/a^3)*log(7/2916*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*
b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^1
0 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a
^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 729*(I*sqrt(3) + 1)*(-1
/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 +
343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*
c*d*e)*a*b)/a^11)^(1/3) + 486*e/a^3)^2*a^8*d + 3920*a*b*c*d^2 - 1800*a*b*c^
2*e + 567*a^2*d*e^2 + 1/27*(100*a^4*b*c^2 - 63*a^5*d*e))*((-I*sqrt(3) + 1)*(
81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d
+ 81*a*e^2)*e/a^10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(80
00*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 729*(
I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4/19
683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 -
56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 486*e/a^3) + 4*(1000*b^2*c^3 +
343*a*b*d^3)*x) + (1458*b^2*e*x^8 + 2916*a*b*e*x^5 + 1458*a^2*e*x^2 - (a^3*
b^2*x^8 + 2*a^4*b*x^5 + a^5*x^2))*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b*c*d
+ 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^10 + 4
/19683*(1000*b*c^3 + 343*a*d^3)*b/a^11 - 1/39366*(8000*b^2*c^3 + 729*a^2*e^
3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^11)^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*e
```

$$\begin{aligned}
& \sqrt[3]{a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 486*e/a^3 - 3*\sqrt{1/3}*(a^3*b^2*x^8 + 2*a^4*b*x^5 + a^5*x^2)*\sqrt{-(((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7) / (-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 486*e/a^3)^2*a^7 - 972*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7) / (-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 486*e/a^3)*a^4*e + 3265920*b*c*d + 236196*a*e^2)/a^7)) * \log(-7/2916*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7) / (-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 486*e/a^3)^2*a^8*d - 3920*a*b*c*d^2 + 1800*a*b*c^2*e - 567*a^2*d*e^2 - 1/27*(100*a^4*b*c^2 - 63*a^5*d*e) * ((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7) / (-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 486*e/a^3) + 8*(1000*b^2*c^3 + 343*a*b*d^3)*x + 1/972*\sqrt{1/3} * (7*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7) / (-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 486*e/a^3)*a^8*d - 10800*a^4*b*c^2 - 3402*a^5*d*e)*\sqrt{-(((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7) / (-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 486*e/a^3)^2*a^7 - 972*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a^7) / (-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e) * a*b)/a^{11})^{1/3} + 486*e/a^3)
\end{aligned}$$

$$\begin{aligned}
& 66*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + \\
& 729*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} \\
& + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2 \\
& *e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3)*a^4*e + 326592 \\
& 0*b*c*d + 236196*a*e^2)/a^7)) + (1458*b^2*e*x^8 + 2916*a*b*e*x^5 + 1458*a^2 \\
& *e*x^2 - (a^3*b^2*x^8 + 2*a^4*b*x^5 + a^5*x^2))*((-I*\text{sqrt}(3) + 1)*(81*e^2/a^6 \\
& - (280*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e \\
& ^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 \\
& + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt}(3) \\
& + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000 \\
& *b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 \\
& ^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3) + 3*\text{sqrt}(1/3)*(a^3*b^2*x^8 + \\
& 2*a^4*b*x^5 + a^5*x^2)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(81*e^2/a^6 - (280*b*c*d + \\
& 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19 \\
& 683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - \\
& 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/ \\
& a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^ \\
& 3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a \\
& *b)/a^{11})^{(1/3)} + 486*e/a^3)^2*a^7 - 972*((-I*\text{sqrt}(3) + 1)*(81*e^2/a^6 - (2 \\
& 80*b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/ \\
& a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 72 \\
& 9*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)* \\
& (-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 \\
& + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 1 \\
& 35*c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3)*a^4*e + 3265920*b*c*d + 236196*a*e^ \\
& 2)/a^7))*\log(-7/2916*((-I*\text{sqrt}(3) + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2) \\
& /a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000 \\
& *b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^ \\
& ^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^9 + 1/1 \\
& 458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} \\
& - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11}) \\
& ^{(1/3)} + 486*e/a^3)^2*a^8*d - 3920*a*b*c*d^2 + 1800*a*b*c^2*e - 567*a^2*d*e \\
& ^2 - 1/27*(100*a^4*b*c^2 - 63*a^5*d*e))*((-I*\text{sqrt}(3) + 1)*(81*e^2/a^6 - (280 \\
& *b*c*d + 81*a*e^2)/a^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^ \\
& 10 + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729* \\
& a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(- \\
& 1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + \\
& 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135 \\
& *c*d*e)*a*b)/a^{11})^{(1/3)} + 486*e/a^3) + 8*(1000*b^2*c^3 + 343*a*b*d^3)*x - \\
& 1/972*\text{sqrt}(1/3)*(7*((-I*\text{sqrt}(3) + 1)*(81*e^2/a^6 - (280*b*c*d + 81*a*e^2)/a \\
& ^7)/(-1/27*e^3/a^9 + 1/1458*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b \\
& *c^3 + 343*a*d^3)*b/a^{11} - 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 \\
& - 135*c*d*e)*a*b)/a^{11})^{(1/3)} + 729*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^9 + 1/145 \\
& 8*(280*b*c*d + 81*a*e^2)*e/a^{10} + 4/19683*(1000*b*c^3 + 343*a*d^3)*b/a^{11} - \\
& 1/39366*(8000*b^2*c^3 + 729*a^2*e^3 - 56*(49*d^3 - 135*c*d*e)*a*b)/a^{11})^{(
\end{aligned}$$

$$\frac{1}{3}) + 486e/a^3)a^8d - 10800a^4b^2c^2 - 3402a^5d^3e) \sqrt{-(((-I\sqrt{3} + 1)(81e^2/a^6 - (280b^2cd + 81a^2e^2)/a^7)/(-1/27e^3/a^9 + 1/1458(280b^2cd + 81a^2e^2)e/a^{10} + 4/19683(1000b^2c^3 + 343a^3d^3)b/a^{11} - 1/39366(8000b^2c^3 + 729a^2e^3 - 56(49d^3 - 135c^2de)ab)/a^{11})^{1/3} + 729(I\sqrt{3} + 1)(-1/27e^3/a^9 + 1/1458(280b^2cd + 81a^2e^2)e/a^{10} + 4/19683(1000b^2c^3 + 343a^3d^3)b/a^{11} - 1/39366(8000b^2c^3 + 729a^2e^3 - 56(49d^3 - 135c^2de)ab)/a^{11})^{1/3} + 486e/a^3)^2 a^7 - 972 * ((-I\sqrt{3} + 1)(81e^2/a^6 - (280b^2cd + 81a^2e^2)/a^7)/(-1/27e^3/a^9 + 1/1458(280b^2cd + 81a^2e^2)e/a^{10} + 4/19683(1000b^2c^3 + 343a^3d^3)b/a^{11} - 1/39366(8000b^2c^3 + 729a^2e^3 - 56(49d^3 - 135c^2de)ab)/a^{11})^{1/3} + 729(I\sqrt{3} + 1)(-1/27e^3/a^9 + 1/1458(280b^2cd + 81a^2e^2)e/a^{10} + 4/19683(1000b^2c^3 + 343a^3d^3)b/a^{11} - 1/39366(8000b^2c^3 + 729a^2e^3 - 56(49d^3 - 135c^2de)ab)/a^{11})^{1/3} + 486e/a^3) * a^4e + 3265920b^2cd + 236196a^2e^2)/a^7)) - 2916(b^2e^2x^8 + 2a^2b^2e^2x^5 + a^2e^2x^2) \log(x))/(a^3b^2x^8 + 2a^4b^2x^5 + a^5x^2)$$

giac [A] time = 0.19, size = 282, normalized size = 1.02

$$\frac{e \log(|bx^3 + a|)}{3a^3} + \frac{e \log(|x|)}{a^3} - \frac{2\sqrt{3} \left(10(-ab^2)^{\frac{1}{3}}bc - 7(-ab^2)^{\frac{2}{3}}d \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27a^4b} - \frac{\left(10(-ab^2)^{\frac{1}{3}}bc + 7 \right)}{27a^4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$\frac{-1/3e \log(\text{abs}(bx^3 + a))/a^3 + e \log(\text{abs}(x))/a^3 - 2/27 \sqrt{3} (10(-ab^2)^{1/3}bc - 7(-ab^2)^{2/3}d) \arctan(1/3 \sqrt{3} (2x + (-a/b)^{1/3}) / (-a/b)^{1/3}) / (a^4b) - 1/27 (10(-ab^2)^{1/3}bc + 7(-ab^2)^{2/3}d) \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / (a^4b) - 1/18 (28b^2d^2x^7 + 20b^2c^2x^6 - 6a^2b^2d^2x^5 + 49a^2b^2d^2x^4 + 32a^2b^2c^2x^3 - 9a^2x^2e + 18a^2d^2x + 9a^2c) / ((bx^4 + ax)^2 a^3) + 2/27 (7a^3b^2d(-a/b)^{1/3} + 10a^3b^2c(-a/b)^{1/3}) \log(\text{abs}(x - (-a/b)^{1/3})) / (a^7b)}$$

maple [A] time = 0.06, size = 337, normalized size = 1.22

$$\frac{5b^2dx^5}{9(bx^3 + a)^2 a^3} - \frac{11b^2cx^4}{18(bx^3 + a)^2 a^3} + \frac{bex^3}{3(bx^3 + a)^2 a^2} - \frac{13bdx^2}{18(bx^3 + a)^2 a^2} - \frac{7bcx}{9(bx^3 + a)^2 a^2} + \frac{e}{2(bx^3 + a)^2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x)`

[Out]
$$-5/9/(b*x^3+a)^2/a^3*b^2*d*x^5-11/18/(b*x^3+a)^2/a^3*b^2*c*x^4+1/3*b/a^2/(b*x^3+a)^2*e*x^3-13/18/(b*x^3+a)^2/a^2*b*d*x^2-7/9/(b*x^3+a)^2/a^2*b*c*x+1/2/a/(b*x^3+a)^2*e-20/27/(a/b)^{(2/3)}/a^3*c*\ln(x+(a/b)^{(1/3)})+10/27/(a/b)^{(2/3)}/a^3*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-20/27/(a/b)^{(2/3)}*3^{(1/2)}/a^3*c*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+14/27/a^3*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-7/27/a^3*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-14/27/a^3*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/a^3*e*\ln(b*x^3+a)-1/a^3*d/x+1/a^3*e*\ln(x)-1/2/a^3*c/x^2$$

maxima [A] time = 3.11, size = 265, normalized size = 0.96

$$\frac{28b^2dx^7 + 20b^2cx^6 - 6abex^5 + 49abdx^4 + 32abcx^3 - 9a^2ex^2 + 18a^2dx + 9a^2c}{18(a^3b^2x^8 + 2a^4bx^5 + a^5x^2)} + \frac{e \log(x)}{a^3} - \frac{2\sqrt{3}\left(7bd\left(\frac{a}{b}\right)^{\frac{2}{3}} + 1\right)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="maxima")`

[Out]
$$-1/18*(28*b^2*d*x^7 + 20*b^2*c*x^6 - 6*a*b*e*x^5 + 49*a*b*d*x^4 + 32*a*b*c*x^3 - 9*a^2*e*x^2 + 18*a^2*d*x + 9*a^2*c)/(a^3*b^2*x^8 + 2*a^4*b*x^5 + a^5*x^2) + e*\log(x)/a^3 - 2/27*\sqrt{3}*(7*b*d*(a/b)^{(2/3)} + 10*b*c*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^4 - 1/27*(9*e*(a/b)^{(2/3)} + 7*d*(a/b)^{(1/3)} - 10*c)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*(a/b)^{(2/3)}) - 1/27*(9*e*(a/b)^{(2/3)} - 14*d*(a/b)^{(1/3)} + 20*c)*\log(x + (a/b)^{(1/3)})/(a^3*(a/b)^{(2/3)})$$

mupad [B] time = 5.36, size = 778, normalized size = 2.82

$$\left(\sum_{k=1}^3 \ln \left(\frac{b^3 \left(\text{root}(19683 a^{11} z^3 + 19683 a^8 e z^2 + 22680 a^4 b c d z + 6561 a^5 e^2 z + 7560 a b c d e - 2744 a b d^3 + 729 a^2 e^3 + 8000 b^2 c^3, z, k) \right)^2 a^8 d - 567 a^2 d e^2 + 13122 \text{root}(19683 a^{11} z^3 + 19683 a^8 e z^2 + 22680 a^4 b c d z + 6561 a^5 e^2 z + 7560 a b c d e - 2744 a b d^3 + 729 a^2 e^3 + 8000 b^2 c^3, z, k)}{19683 a^{11} z^3 + 19683 a^8 e z^2 + 22680 a^4 b c d z + 6561 a^5 e^2 z + 7560 a b c d e - 2744 a b d^3 + 729 a^2 e^3 + 8000 b^2 c^3} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^3),x)`

[Out] `symsum(log(-(2*b^3*(1701*root(19683*a^11*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)^2*a^8*d - 567*a^2*d*e^2 + 13122*root(19683*a^11*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)), x, k)`

$$\begin{aligned}
& 83*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a \\
& *b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)^3*a^{11}*x + 4000*b^2*c^3*x - 1134 \\
& *root(19683*a^{11}*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z \\
& + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^5*d* \\
& e - 1800*a*b*c^2*e - 1372*a*b*d^3*x + 1800*root(19683*a^{11}*z^3 + 19683*a^8* \\
& e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 \\
& + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^4*b*c^2 + 1458*root(19683*a^{11}*z^3 + \\
& 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 274 \\
& 4*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^5*e^2*x + 8748*root(19683*a \\
& ^{11}*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c \\
& *d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)^2*a^8*e*x + 12600*r \\
& oot(19683*a^{11}*z^3 + 19683*a^8*e*z^2 + 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + \\
& 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a^2*e^3 + 8000*b^2*c^3, z, k)*a^4*b*c* \\
& d*x + 2520*a*b*c*d*e*x))/(729*a^9)*root(19683*a^{11}*z^3 + 19683*a^8*e*z^2 + \\
& 22680*a^4*b*c*d*z + 6561*a^5*e^2*z + 7560*a*b*c*d*e - 2744*a*b*d^3 + 729*a \\
& ^2*e^3 + 8000*b^2*c^3, z, k), k, 1, 3) - (c/(2*a) - (e*x^2)/(2*a) + (d*x)/a \\
& + (10*b^2*c*x^6)/(9*a^3) + (14*b^2*d*x^7)/(9*a^3) + (16*b*c*x^3)/(9*a^2) + \\
& (49*b*d*x^4)/(18*a^2) - (b*e*x^5)/(3*a^2))/(a^2*x^2 + b^2*x^8 + 2*a*b*x^5) \\
& + (e*log(x))/a^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a)**3,x)

[Out] Timed out

$$3.357 \quad \int \frac{c+dx+ex^2}{x^4(a+bx^3)^3} dx$$

Optimal. Leaf size=298

$$\frac{\sqrt[3]{b} (10\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}} - \frac{2\sqrt[3]{b} (10\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{11/3}} + \frac{2\sqrt[3]{b} (7\sqrt[3]{a}e + 10\sqrt[3]{b}d)}{27a^{11/3}}$$

[Out] $-1/3*c/a^3/x^3-1/2*d/a^3/x^2-e/a^3/x-1/6*x*(b*d+b*x*e-b^2*c*x^2/a)/a^2/(b*x^3+a)^2-1/18*x*(11*b*d+10*b*x*e-15*b^2*c*x^2/a)/a^3/(b*x^3+a)-3*b*c*\ln(x)/a^4-2/27*b^(1/3)*(10*b^(1/3)*d-7*a^(1/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(11/3)+1/27*b^(1/3)*(10*b^(1/3)*d-7*a^(1/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)+b*c*\ln(b*x^3+a)/a^4+2/27*b^(1/3)*(10*b^(1/3)*d+7*a^(1/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)*3^(1/2)$

Rubi [A] time = 0.59, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{x \left(-\frac{15b^2cx^2}{a} + 11bd + 10bex \right)}{18a^3(a+bx^3)} - \frac{x \left(-\frac{b^2cx^2}{a} + bd + bex \right)}{6a^2(a+bx^3)^2} + \frac{\sqrt[3]{b} (10\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{27a^{11/3}} + \frac{bc \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{27a^{11/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^3), x]

[Out] $-c/(3*a^3*x^3) - d/(2*a^3*x^2) - e/(a^3*x) - (x*(b*d + b*e*x - (b^2*c*x^2)/a))/(6*a^2*(a + b*x^3)^2) - (x*(11*b*d + 10*b*e*x - (15*b^2*c*x^2)/a))/(18*a^3*(a + b*x^3)) + (2*b^(1/3)*(10*b^(1/3)*d + 7*a^(1/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(11/3)) - (3*b*c*\text{Log}[x])/a^4 - (2*b^(1/3)*(10*b^(1/3)*d - 7*a^(1/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x]/(27*a^(11/3)) + (b^(1/3)*(10*b^(1/3)*d - 7*a^(1/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(27*a^(11/3)) + (b*c*\text{Log}[a + b*x^3])/a^4$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
```

& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^4(a + bx^3)^3} dx &= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{\int \frac{-6bc - 6bdx - 6bex^2 + \frac{6b^2cx^3}{a} + \frac{5b^2dx^4}{a} + \frac{4b^2ex^5}{a} - \frac{3b^3cx^6}{a^2}}{x^4(a + bx^3)^2} dx}{6ab} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} + \frac{\int \frac{18b^3c + 18b^3dx + 18b^3ex^2 - \frac{36b^4cx^3}{a} - \frac{22b^4dx^4}{a}}{x^4(a + bx^3)}}{18a^2b^3} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} + \frac{\int \left(\frac{18b^3c}{ax^4} + \frac{18b^3d}{ax^3} + \frac{18b^3e}{ax^2} - \frac{54b^4c}{a^2x} - \frac{2b^4d}{a^2}\right) dx}{18a^2b^3} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} - \frac{3bc \log(x)}{a^4} \\
&= -\frac{c}{3a^3x^3} - \frac{d}{2a^3x^2} - \frac{e}{a^3x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{6a^2(a + bx^3)^2} - \frac{x\left(11bd + 10bex - \frac{15b^2cx^2}{a}\right)}{18a^3(a + bx^3)} + \frac{2\sqrt[3]{b} (10\sqrt[3]{l})}{a^4}
\end{aligned}$$

Mathematica [A] time = 0.46, size = 255, normalized size = 0.86

$$-2\sqrt[3]{b} \left(10\sqrt[3]{a} \sqrt[3]{b} d - 7a^{2/3}e\right) \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2\right) + 4\sqrt[3]{b} \left(10\sqrt[3]{a} \sqrt[3]{b} d - 7a^{2/3}e\right) \log \left(\sqrt[3]{a} + \sqrt[3]{b} x\right) + \frac{9a^2b}{(a$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^3), x]

[Out]
$$-1/54*((18*a*c)/x^3 + (27*a*d)/x^2 + (54*a*e)/x + (9*a^2*b*(c + x*(d + e*x)))/(a + b*x^3)^2 + (3*a*b*(12*c + x*(11*d + 10*e*x)))/(a + b*x^3) - 4*\text{Sqrt}[3]*a^{(1/3)}*b^{(1/3)}*(10*b^{(1/3)}*d + 7*a^{(1/3)}*e)*\text{ArcTan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\text{Sqrt}[3]] + 162*b*c*\text{Log}[x] + 4*b^{(1/3)}*(10*a^{(1/3)}*b^{(1/3)}*d - 7*a^{(2/3)}*e)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x] - 2*b^{(1/3)}*(10*a^{(1/3)}*b^{(1/3)}*d - 7*a^{(2/3)}*e)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2] - 54*b*c*\text{Log}[a + b*x^3])/a^4$$

fricas [C] time = 3.66, size = 5550, normalized size = 18.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$-1/108*(168*a*b^2*e*x^8 + 120*a*b^2*d*x^7 + 108*a*b^2*c*x^6 + 294*a^2*b*e*x^5 + 192*a^2*b*d*x^4 + 162*a^2*b*c*x^3 + 108*a^3*e*x^2 + 54*a^3*d*x + 36*a^3*c + 2*(a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x^3)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4*\log(7/4*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2*a^8*e + 5400*b^2*c*d^2 + 5103*b^2*c^2*e + 3920*a*b*d*e^2 + (100*a^4*b*d^2 + 189*a^4*b*c*e)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 +$$

$$\begin{aligned}
& 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567 \\
& *c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^{12} \\
& + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/ \\
& a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4) + 4*(1000*b^2*d^3 + 343*a*b*e^3)*x) - (162*b^3*c*x^ \\
& 9 + 324*a*b^2*c*x^6 + 162*a^2*b*c*x^3 + (a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x^ \\
& 3)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a* \\
& b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(7 \\
& 29*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(\\
& 200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(3936 \\
& 6*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280* \\
& a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d \\
& *e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4) + 3*\text{sqrt}(1/3)*(a^4*b^2*x^9 + 2*a^5*b*x \\
& ^6 + a^6*x^3)*\text{sqrt}(-((2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (72 \\
& 9*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e \\
& ^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 274 \\
& 4*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I* \\
& \text{sqrt}(3) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(\\
& 729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40* \\
& (200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2*a^8 + 108*(2*(1/2) \\
& ^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8) \\
& / (39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 \\
& + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 5 \\
& 67*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a \\
& ^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b* \\
& c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/ \\
& a^{12})^{(1/3)} - 54*b*c/a^4)*a^4*b*c + 2916*b^2*c^2 + 4480*a*b*d*e)/a^8))*\log(\\
& -7/4*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280* \\
& a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81* \\
& (729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40 \\
& *(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39 \\
& 366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 28 \\
& 0*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c \\
& *d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2*a^8*e - 5400*b^2*c*d^2 - 5103*b^2* \\
& c^2*e - 3920*a*b*d*e^2 - (100*a^4*b*d^2 + 189*a^4*b*c*e)*(2*(1/2)^{(2/3)}*(-I \\
& *\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^ \\
& 3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b* \\
& d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)* \\
& a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^{12} + 8*(1 \\
& 000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (\\
& 19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3} \\
&) - 54*b*c/a^4) + 8*(1000*b^2*d^3 + 343*a*b*e^3)*x + 3/4*\text{sqrt}(1/3)*(7*(2*(1 \\
& /2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a \\
& ^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c \\
& ^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3
\end{aligned}$$

$$\begin{aligned}
& - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} - 54*b*c/a^4)*a^8*e - 400*a^4*b*d^2 + 378*a^4*b*c*e)*\text{sqrt}(-((2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8))/(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} - 54*b*c/a^4)^2*a^8 + 108*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8))/(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} - 54*b*c/a^4)*a^4*b*c + 2916*b^2*c^2 + 4480*a*b*d*e)/a^8)) - (162*b^3*c*x^9 + 324*a*b^2*c*x^6 + 162*a^2*b*c*x^3 + (a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x^3)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8))/(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} - 54*b*c/a^4) - 3*\text{sqrt}(1/3)*(a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x^3)*\text{sqrt}(-((2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8))/(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} - 54*b*c/a^4)^2*a^8 + 108*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8))/(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} - 54*b*c/a^4)*a^4*b*c + 2916*b^2*c^2 + 4480*a*b*d*e)/a^8))*\text{log}(-7/4*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8))/(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(39366*b^3*c^3/a^12 + 8*(1000*b*d^3 + 343*a*e^3)*b/a^11 - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^12 + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^12)^{(1/3)} - 54*b*c/a^4)*a^4*b*c + 2916*b^2*c^2 + 4480*a*b*d*e)/a^8))
\end{aligned}$$

$$\begin{aligned}
 & *b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2*a^8*e - 5400*b^2*c*d^2 - 5103*b^2*c^2*e - 39 \\
 & 20*a*b*d*e^2 - (100*a^4*b*d^2 + 189*a^4*b*c*e)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + \\
 & 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} \\
 & + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a \\
 & ^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 \\
 & + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 \\
 & + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4) \\
 & + 8*(1000*b^2*d^3 + 343*a*b*e^3)*x - 3/4*\sqrt{1/3}*(7*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366 \\
 & *b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a \\
 & *b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d \\
 & e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8 \\
 & *(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} \\
 & + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)*a^8*e - 400*a^4*b*d^2 + 378*a^4*b*c*e)*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)^2*a^8 + 108*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(729*b^2*c^2/a^8 - (729*b^2*c^2 + 280*a*b*d*e)/a^8)/(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(39366*b^3*c^3/a^{12} + 8*(1000*b*d^3 + 343*a*e^3)*b/a^{11} - 81*(729*b^2*c^2 + 280*a*b*d*e)*b*c/a^{12} + (19683*b^3*c^3 + 2744*a^2*b*e^3 - 40*(200*d^3 - 567*c*d*e)*a*b^2)/a^{12})^{(1/3)} - 54*b*c/a^4)*a^4*b*c + 2916*b^2*c^2 + 4480*a*b*d*e)/a^8)) + 324*(b^3*c*x^9 + 2*a*b^2*c*x^6 + a^2*b*c*x^3)*\log(x))/(a^4*b^2*x^9 + 2*a^5*b*x^6 + a^6*x^3)
 \end{aligned}$$

giac [A] time = 0.26, size = 305, normalized size = 1.02

$$\frac{bc \log(|bx^3 + a|)}{a^4} - \frac{3bc \log(|x|)}{a^4} - \frac{2\sqrt{3} \left(10(-ab^2)^{\frac{1}{3}}bd - 7(-ab^2)^{\frac{2}{3}}e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27a^4b} - \left(10(-ab^2)^{\frac{1}{3}}bd + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="giac")

```
[Out] b*c*log(abs(b*x^3 + a))/a^4 - 3*b*c*log(abs(x))/a^4 - 2/27*sqrt(3)*(10*(-a*b^2)^(1/3)*b*d - 7*(-a*b^2)^(2/3)*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/b)^(1/3))/(a^4*b) - 1/27*(10*(-a*b^2)^(1/3)*b*d + 7*(-a*b^2)^(2/3)*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^4*b) + 2/27*(7*a^5*b^2*(-a/b)^(1/3)*e + 10*a^5*b^2*d)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^9*b) - 1/18*(28*a*b^2*x^8*e + 20*a*b^2*d*x^7 + 18*a*b^2*c*x^6 + 49*a^2*b*x^5*e + 32*a^2*b*d*x^4 + 27*a^2*b*c*x^3 + 18*a^3*x^2*e + 9*a^3*d*x + 6*a^3*c)/((b*x^3 + a)^2*a^4*x^3)
```

maple [A] time = 0.06, size = 351, normalized size = 1.18

$20\sqrt{3}$

$$\frac{5b^2ex^5}{9(bx^3+a)^2a^3} - \frac{11b^2dx^4}{18(bx^3+a)^2a^3} - \frac{2b^2cx^3}{3(bx^3+a)^2a^3} - \frac{13bex^2}{18(bx^3+a)^2a^2} - \frac{7bdx}{9(bx^3+a)^2a^2} - \frac{5bc}{6(bx^3+a)^2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x)
```

```
[Out] -5/9/(b*x^3+a)^2/a^3*b^2*e*x^5-11/18/(b*x^3+a)^2/a^3*b^2*d*x^4-2/3/a^3*b^2/(b*x^3+a)^2*x^3*c-13/18/a^2/(b*x^3+a)^2*x^2*b*e-7/9/(b*x^3+a)^2/a^2*b*d*x-5/6/(b*x^3+a)^2/a^2*b*c-20/27/(a/b)^(2/3)/a^3*d*ln(x+(a/b)^(1/3))+10/27/(a/b)^(2/3)/a^3*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-20/27/(a/b)^(2/3)*3^(1/2)/a^3*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+14/27/a^3*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-7/27/(a/b)^(1/3)/a^3*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-14/27*3^(1/2)/(a/b)^(1/3)/a^3*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/a^4*b*c*ln(b*x^3+a)-1/3/a^3*c/x^3-1/2/a^3*d/x^2-1/a^3*e/x-3/a^4*b*c*ln(x)
```

maxima [A] time = 3.03, size = 283, normalized size = 0.95

$2\sqrt{3}$

$$\frac{28b^2ex^8 + 20b^2dx^7 + 18b^2cx^6 + 49abex^5 + 32abd x^4 + 27abcx^3 + 18a^2ex^2 + 9a^2dx + 6a^2c}{18(a^3b^2x^9 + 2a^4bx^6 + a^5x^3)} - \frac{3bc \log(x)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="maxima")
```

```
[Out] -1/18*(28*b^2*e*x^8 + 20*b^2*d*x^7 + 18*b^2*c*x^6 + 49*a*b*e*x^5 + 32*a*b*d*x^4 + 27*a*b*c*x^3 + 18*a^2*e*x^2 + 9*a^2*d*x + 6*a^2*c)/(a^3*b^2*x^9 + 2*a^4*b*x^6 + a^5*x^3) - 3*b*c*log(x)/a^4 - 2/27*sqrt(3)*(7*a*e*(a/b)^(2/3) + 10*a*d*(a/b)^(1/3))*b*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^5 + 1/27*(27*b*c*(a/b)^(2/3) - 7*a*e*(a/b)^(1/3) + 10*a*d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^4*(a/b)^(2/3)) + 1/27*(27*b*c*(a/b)^(2/3) + 14*a*e*(a/b)^(1/3) - 20*a*d)*log(x + (a/b)^(1/3))/(a^4*(a/b)^(2/3))
```

mupad [B] time = 0.46, size = 870, normalized size = 2.92

$$\left(\sum_{k=1}^3 \ln \left(- \frac{b^3 \left(\text{root} \left(19683 a^{12} z^3 - 59049 a^8 b c z^2 + 22680 a^5 b d e z + 59049 a^4 b^2 c^2 z - 22680 a b^2 c d e - 2744 a^2 b^3 c^3 \right) \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2)/(x^4*(a + b*x^3)^3),x)
```

```
[Out] symsum(log(-(2*b^3*(1701*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)^2*a^8*e + 5400*b^2*c*d^2 - 5103*b^2*c^2*e + 13122*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)^3*a^11*x + 4000*b^2*d^3*x - 1372*a*b*e^3*x + 1800*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)*a^4*b*d^2 - 26244*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)^2*a^7*b*c*x + 13122*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)*a^3*b^2*c^2*x + 3402*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)*a^4*b*c*e - 7560*b^2*c*d*e*x + 12600*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k)*a^4*b*d*e*x))/(729*a^9))*root(19683*a^12*z^3 - 59049*a^8*b*c*z^2 + 22680*a^5*b*d*e*z + 59049*a^4*b^2*c^2*z - 22680*a*b^2*c*d*e - 2744*a^2*b*e^3 + 8000*a*b^2*d^3 - 19683*b^3*c^3, z, k), k, 1, 3) - (c/(3*a) + (e*x^2)/a + (d*x)/(2*a) + (b^2*c*x^6)/a^3 + (10*b^2*d*x^7)/(9*a^3) + (14*b^2*e*x^8)/(9*a^3) + (3*b*c*x^3)/(2*a^2) + (16*b*d*x^4)/(9*a^2) + (49*b*e*x^5)/(18*a^2))/(a^2*x^3 + b^2*x^9 + 2*a*b*x^6) - (3*b*c*log(x))/a^4
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)/x**4/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.358 \quad \int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^4} dx$$

Optimal. Leaf size=248

$$\frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{486a^{8/3}b^{5/3}} + \frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{8/3}b^{5/3}} - \frac{(4\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{81\sqrt{3}a^{8/3}b^{5/3}}$$

[Out] 1/9*(-e*x^2-d*x-c)/b/(b*x^3+a)^3+1/54*x*(2*e*x+d)/a/b/(b*x^3+a)^2+1/162*x*(8*e*x+5*d)/a^2/b/(b*x^3+a)+1/243*(5*b^(1/3)*d-4*a^(1/3)*e)*ln(a^(1/3)+b^(1/3)*x)/a^(8/3)/b^(5/3)-1/486*(5*b^(1/3)*d-4*a^(1/3)*e)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)/b^(5/3)-1/243*(5*b^(1/3)*d+4*a^(1/3)*e)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)/b^(5/3)*3^(1/2)

Rubi [A] time = 0.24, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$, Rules used = {1823, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{486a^{8/3}b^{5/3}} + \frac{(5\sqrt[3]{b}d - 4\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{8/3}b^{5/3}} - \frac{(4\sqrt[3]{a}e + 5\sqrt[3]{b}d) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a^2 + b^2x^2}}\right)}{81\sqrt{3}a^{8/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^4,x]

[Out] -(c + d*x + e*x^2)/(9*b*(a + b*x^3)^3) + (x*(d + 2*e*x))/(54*a*b*(a + b*x^3)^2) + (x*(5*d + 8*e*x))/(162*a^2*b*(a + b*x^3)) - ((5*b^(1/3)*d + 4*a^(1/3)*e)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(81*Sqrt[3]*a^(8/3)*b^(5/3)) + ((5*b^(1/3)*d - 4*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/(243*a^(8/3)*b^(5/3)) - ((5*b^(1/3)*d - 4*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(486*a^(8/3)*b^(5/3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1823

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]

Rule 1855

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^4} dx &= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{\int \frac{d+2ex}{(a+bx^3)^3} dx}{9b} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} - \frac{\int \frac{-5d-8ex}{(a+bx^3)^2} dx}{54ab} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} + \frac{x(5d+8ex)}{162a^2b(a+bx^3)} + \frac{\int \frac{10d+8ex}{a+bx^3} dx}{162a^2b} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} + \frac{x(5d+8ex)}{162a^2b(a+bx^3)} + \frac{\int \frac{\sqrt[3]{a}(20\sqrt[3]{b}d+8\sqrt[3]{a}e)+\sqrt[3]{b}(-10\sqrt[3]{b}x^2)}{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2} dx}{486a^{8/3}b^{4/3}} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} + \frac{x(5d+8ex)}{162a^2b(a+bx^3)} + \frac{(5\sqrt[3]{b}d-4\sqrt[3]{a}e)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{243a^{8/3}b^{5/3}} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} + \frac{x(5d+8ex)}{162a^2b(a+bx^3)} + \frac{(5\sqrt[3]{b}d-4\sqrt[3]{a}e)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{243a^{8/3}b^{5/3}} \\
&= -\frac{c+dx+ex^2}{9b(a+bx^3)^3} + \frac{x(d+2ex)}{54ab(a+bx^3)^2} + \frac{x(5d+8ex)}{162a^2b(a+bx^3)} - \frac{(5\sqrt[3]{b}d+4\sqrt[3]{a}e)\tan^{-1}\left(\frac{\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{3}}\right)}{81\sqrt{3}a^{8/3}b^{5/3}}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 230, normalized size = 0.93

$$\frac{(4\sqrt[3]{a}e-5\sqrt[3]{b}d)\log(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2)}{a^{8/3}} + \frac{2(5\sqrt[3]{b}d-4\sqrt[3]{a}e)\log(\sqrt[3]{a}+\sqrt[3]{b}x)}{a^{8/3}} - \frac{2\sqrt{3}(4\sqrt[3]{a}e+5\sqrt[3]{b}d)\tan^{-1}\left(\frac{1-2\sqrt[3]{b}x}{\sqrt{3}}\right)}{a^{8/3}} + \frac{3b^{2/3}x(5d+8ex)}{a^2(a+bx^3)} - \frac{5(5\sqrt[3]{b}d+4\sqrt[3]{a}e)\tan^{-1}\left(\frac{\sqrt[3]{a}-\sqrt[3]{b}x}{\sqrt{3}}\right)}{81\sqrt{3}a^{8/3}b^{5/3}}$$

$$486b^{5/3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^4,x]

```
[Out] ((9*b^(2/3)*x*(d + 2*e*x))/(a*(a + b*x^3)^2) + (3*b^(2/3)*x*(5*d + 8*e*x))/
(a^2*(a + b*x^3)) - (54*b^(2/3)*(c + x*(d + e*x))/(a + b*x^3)^3 - (2*sqrt[
3]*(5*b^(1/3)*d + 4*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])
/a^(8/3) + (2*(5*b^(1/3)*d - 4*a^(1/3)*e)*Log[a^(1/3) + b^(1/3)*x]/a^(8/3)
+ ((-5*b^(1/3)*d + 4*a^(1/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*
x^2])/a^(8/3))/(486*b^(5/3))
```

fricas [C] time = 3.58, size = 2364, normalized size = 9.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="fricas")
```

```
[Out] 1/972*(48*b^2*e*x^8 + 30*b^2*d*x^7 + 132*a*b*e*x^5 + 78*a*b*d*x^4 - 24*a^2*
e*x^2 - 60*a^2*d*x - 108*a^2*c - 2*(a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2
*x^3 + a^5*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5
) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3
) + 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/
(a^8*b^5))^(1/3))) * log(((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*d^3 + 64*a*e^3)
/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3) - 40*(1/2)^(2/3)*d*e*(-
I*sqrt(3) + 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 6
4*a*e^3)/(a^8*b^5))^(1/3)))^2*a^6*b^3*e - 25/2*((1/2)^(1/3)*(I*sqrt(3) + 1)
*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3
) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a
^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3))) * a^3*b^2*d^2 + 160*a*d*e
^2 + (125*b*d^3 + 64*a*e^3)*x) + ((a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2*
x^3 + a^5*b)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5)
+ (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3)
+ 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/
(a^8*b^5))^(1/3))) + 3*sqrt(1/3)*(a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2*x^
3 + a^5*b)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8
*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3) - 40*(1/2)^(2/3)*d*e*(-I*sq
rt(3) + 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e
^3)/(a^8*b^5))^(1/3)))^2*a^5*b^3 + 320*d*e)/(a^5*b^3))) * log(-((1/2)^(1/3)*
(I*sqrt(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/
(a^8*b^5))^(1/3) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b*d^3
+ 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3)))^2*a^6*b^3
*e + 25/2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) +
(125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3) +
1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8
*b^5))^(1/3))) * a^3*b^2*d^2 - 160*a*d*e^2 + 2*(125*b*d^3 + 64*a*e^3)*x + 3/2
*sqrt(1/3)*(2*((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5
) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3
) + 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/
```



```

(a^8*b^5)^(1/3)))*a^6*b^3*e + 25*a^3*b^2*d^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(
3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5
))^(1/3) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b*d^3 + 64*a*
e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3)))^2*a^5*b^3 + 320*
d*e)/(a^5*b^3))) + ((a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2*x^3 + a^5*b)*(
(1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3
- 64*a*e^3)/(a^8*b^5))^(1/3) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^5*b^3
*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3
))) - 3*sqrt(1/3)*(a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2*x^3 + a^5*b)*sqrt
(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b
*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^
5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))
^(1/3)))^2*a^5*b^3 + 320*d*e)/(a^5*b^3)))*log(-((1/2)^(1/3)*(I*sqrt(3) + 1)
*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3
) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a
^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3)))^2*a^6*b^3*e + 25/2*((1/
2)^(1/3)*(I*sqrt(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 6
4*a*e^3)/(a^8*b^5))^(1/3) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^5*b^3*((
125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3)))
*a^3*b^2*d^2 - 160*a*d*e^2 + 2*(125*b*d^3 + 64*a*e^3)*x - 3/2*sqrt(1/3)*(2*
((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3
- 64*a*e^3)/(a^8*b^5))^(1/3) - 40*(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^5*b^
3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/
3))) *a^6*b^3*e + 25*a^3*b^2*d^2)*sqrt(-(((1/2)^(1/3)*(I*sqrt(3) + 1)*((125*
b*d^3 + 64*a*e^3)/(a^8*b^5) + (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3) - 40*
(1/2)^(2/3)*d*e*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b*d^3 + 64*a*e^3)/(a^8*b^5)
+ (125*b*d^3 - 64*a*e^3)/(a^8*b^5))^(1/3)))^2*a^5*b^3 + 320*d*e)/(a^5*b^3)
)))/(a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2*x^3 + a^5*b)

```

giac [A] time = 0.21, size = 242, normalized size = 0.98

$$\frac{\sqrt{3} \left(5bd - 4 \left(-ab^2 \right)^{\frac{1}{3}} e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{243 \left(-ab^2 \right)^{\frac{2}{3}} a^2 b} \left(5bd + 4 \left(-ab^2 \right)^{\frac{1}{3}} e \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) \left(4 \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{486 \left(-ab^2 \right)^{\frac{2}{3}} a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out] -1/243*sqrt(3)*(5*b*d - 4*(-a*b^2)^(1/3)*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2*b) - 1/486*(5*b*d + 4*(-a*b^2)^(1/3)*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2*b) - 1/243*(4*(-a/b)^(1/3)*e + 5*d)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*

b) + 1/162*(8*b^2*x^8*e + 5*b^2*d*x^7 + 22*a*b*x^5*e + 13*a*b*d*x^4 - 4*a^2*x^2*e - 10*a^2*d*x - 18*a^2*c)/((b*x^3 + a)^3*a^2*b)

maple [A] time = 0.06, size = 275, normalized size = 1.11

$$\frac{5\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{243\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2} + \frac{5d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2} - \frac{5d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{486\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2} + \frac{4\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{243\left(\frac{a}{b}\right)^{\frac{1}{3}}a^2b^2} - \frac{4e \ln\left(\dots\right)}{243\left(\dots\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x)

[Out] (4/81/a^2*b*e*x^8+5/162/a^2*d*b*x^7+11/81/a*e*x^5+13/162/a*d*x^4-2/81/b*e*x^2-5/81/b*d*x-1/9/b*c)/(b*x^3+a)^3+5/243/a^2/b^2*d/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-5/486/a^2/b^2*d/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+5/243/a^2/b^2*d/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-4/243/a^2/b^2*e/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+2/243/a^2/b^2*e/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+4/243/a^2/b^2*e*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))

maxima [A] time = 3.01, size = 248, normalized size = 1.00

$$\frac{8b^2ex^8 + 5b^2dx^7 + 22abex^5 + 13abdx^4 - 4a^2ex^2 - 10a^2dx - 18a^2c}{162(a^2b^4x^9 + 3a^3b^3x^6 + 3a^4b^2x^3 + a^5b)} + \frac{\sqrt{3}\left(4e\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5d\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243a^2b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="maxima")

[Out] 1/162*(8*b^2*e*x^8 + 5*b^2*d*x^7 + 22*a*b*e*x^5 + 13*a*b*d*x^4 - 4*a^2*e*x^2 - 10*a^2*d*x - 18*a^2*c)/(a^2*b^4*x^9 + 3*a^3*b^3*x^6 + 3*a^4*b^2*x^3 + a^5*b) + 1/243*sqrt(3)*(4*e*(a/b)^(1/3) + 5*d)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3)) + 1/486*(4*e*(a/b)^(1/3) - 5*d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^2*(a/b)^(2/3)) - 1/243*(4*e*(a/b)^(1/3) - 5*d)*log(x + (a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3))

mupad [B] time = 0.27, size = 253, normalized size = 1.02

$$\left(\sum_{k=1}^3 \ln \left(\frac{20 d e + 16 e^2 x + \text{root} \left(14348907 a^8 b^5 z^3 + 14580 a^3 b^2 d e z - 125 b d^3 + 64 a e^3, z, k \right)^2 a^5 b^3 59049 + \text{root} \left(14348907 a^8 b^5 z^3 + 14580 a^3 b^2 d e z - 125 b d^3 + 64 a e^3, z, k \right)}{a^4 b 6561} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^4,x)

[Out] symsum(log((20*d*e + 16*e^2*x + 59049*root(14348907*a^8*b^5*z^3 + 14580*a^3*b^2*d*e*z - 125*b*d^3 + 64*a*e^3, z, k)^2*a^5*b^3 + 1215*root(14348907*a^8*b^5*z^3 + 14580*a^3*b^2*d*e*z - 125*b*d^3 + 64*a*e^3, z, k)*a^2*b^2*d*x)/(6561*a^4*b))*root(14348907*a^8*b^5*z^3 + 14580*a^3*b^2*d*e*z - 125*b*d^3 + 64*a*e^3, z, k), k, 1, 3) + ((13*d*x^4)/(162*a) - c/(9*b) + (11*e*x^5)/(81*a) - (2*e*x^2)/(81*b) - (5*d*x)/(81*b) + (5*b*d*x^7)/(162*a^2) + (4*b*e*x^8)/(81*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6)

sympy [A] time = 17.94, size = 201, normalized size = 0.81

$$\text{RootSum} \left(14348907 t^3 a^8 b^5 + 14580 t a^3 b^2 d e + 64 a e^3 - 125 b d^3, \left(t \mapsto t \log \left(x + \frac{236196 t^2 a^6 b^3 e + 6075 t a^3 b^2 d^2 + 64 a e^3 + 125 b d^3}{64 a e^3 + 125 b d^3} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a)**4,x)

[Out] RootSum(14348907*_t**3*a**8*b**5 + 14580*_t*a**3*b**2*d*e + 64*a*e**3 - 125*b*d**3, Lambda(_t, _t*log(x + (236196*_t**2*a**6*b**3*e + 6075*_t*a**3*b**2*d**2 + 160*a*d*e**2)/(64*a*e**3 + 125*b*d**3)))) + (-18*a**2*c - 10*a**2*d*x - 4*a**2*e*x**2 + 13*a*b*d*x**4 + 22*a*b*e*x**5 + 5*b**2*d*x**7 + 8*b**2*e*x**8)/(162*a**5*b + 486*a**4*b**2*x**3 + 486*a**3*b**3*x**6 + 162*a**2*b**4*x**9)

$$3.359 \quad \int \frac{x(c+dx+ex^2)}{(a+bx^3)^4} dx$$

Optimal. Leaf size=270

$$\frac{(14b^{2/3}c - 5a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{486a^{10/3}b^{4/3}} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{10/3}b^{4/3}} - \frac{(5a^{2/3}e + 14b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b} x}{a^{1/3} + b^{1/3}x}\right)}{81\sqrt{3} a^{10/3}b^{4/3}}$$

[Out] $-1/9*x*(-b*d*x^2-b*c*x+a*e)/a/b/(b*x^3+a)^3+1/162*x*(28*b*c*x+5*a*e)/a^3/b/(b*x^3+a)+1/54*(-6*a*d+x*(7*b*c*x+a*e))/a^2/b/(b*x^3+a)^2-1/243*(14*b^(2/3)*c-5*a^(2/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(10/3)/b^(4/3)+1/486*(14*b^(2/3)*c-5*a^(2/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(10/3)/b^(4/3)-1/243*(14*b^(2/3)*c+5*a^(2/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(10/3)/b^(4/3)*3^(1/2)$

Rubi [A] time = 0.25, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1828, 1854, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(14b^{2/3}c - 5a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{486a^{10/3}b^{4/3}} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{10/3}b^{4/3}} - \frac{(5a^{2/3}e + 14b^{2/3}c) \tan^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b} x}{a^{1/3} + b^{1/3}x}\right)}{81\sqrt{3} a^{10/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3)^4,x]

[Out] $-(x*(a*e - b*c*x - b*d*x^2))/(9*a*b*(a + b*x^3)^3) + (x*(5*a*e + 28*b*c*x))/(162*a^3*b*(a + b*x^3)) - (6*a*d - x*(a*e + 7*b*c*x))/(54*a^2*b*(a + b*x^3)^2) - (((14*b^(2/3)*c + 5*a^(2/3)*e)*\text{ArcTan}[a^(1/3) - 2*b^(1/3)*x]/(\text{Sqrt}[3]*a^(1/3)))/(81*\text{Sqrt}[3]*a^(10/3)*b^(4/3)) - (((14*b^(2/3)*c - 5*a^(2/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x])/(243*a^(10/3)*b^(4/3)) + ((14*b^(2/3)*c - 5*a^(2/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(486*a^(10/3)*b^(4/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2)}{(a + bx^3)^4} dx &= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} - \frac{\int \frac{-ae - 7bcx - 6bdx^2}{(a + bx^3)^3} dx}{9ab} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} + \frac{\int \frac{5ae + 28bcx}{(a + bx^3)^2} dx}{54a^2b} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{\int \frac{-10ae - 28bcx}{a + bx^3} dx}{162a^3b} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{\int \frac{\sqrt[3]{a}(-28\sqrt[3]{a}bc - 20a\sqrt[3]{b})}{a^{2/3} - \sqrt[3]{a}} dx}{486} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log}{243a^{10/3}} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{(14b^{2/3}c - 5a^{2/3}e) \log}{243a^{10/3}} \\
&= -\frac{x(ae - bcx - bdx^2)}{9ab(a + bx^3)^3} + \frac{x(5ae + 28bcx)}{162a^3b(a + bx^3)} - \frac{6ad - x(ae + 7bcx)}{54a^2b(a + bx^3)^2} - \frac{(14b^{2/3}c + 5a^{2/3}e) \tan^{-1}}{81\sqrt{3}a^{10/3}}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 241, normalized size = 0.89

$$\frac{a^{2/3} \sqrt[3]{b} (14b^{2/3}c - 5a^{2/3}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2) - 2\sqrt{3} a^{2/3} \sqrt[3]{b} (5a^{2/3}e + 14b^{2/3}c) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{b}x}{\sqrt[3]{a}}}{\sqrt{3}}\right) + 2(5a^{2/3}e + 14b^{2/3}c)}{486a^4b^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3)^4,x]

[Out] ((3*a*b^(2/3)*(28*b^3*c*x^8 - 2*a^3*(9*d + 5*e*x) + a*b^2*x^5*(77*c + 5*e*x^2) + a^2*b*x^2*(67*c + 13*e*x^2)))/(a + b*x^3)^3 - 2*sqrt[3]*a^(2/3)*b^(1/3)*(14*b^(2/3)*c + 5*a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]]

$10*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)})) * a^7*b^3*c + 25*a^5*b*e^2) * \sqrt{-(((1/2)^{(1/3)} * (I*\sqrt{3}) + 1) * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)} * c * e * (-I*\sqrt{3}) + 1)/(a^6*b^2 * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)})) ^2 * a^6*b^2 + 1120*c*e)/(a^6*b^2))} + ((a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b) * ((1/2)^{(1/3)} * (I*\sqrt{3}) + 1) * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)} * c * e * (-I*\sqrt{3}) + 1)/(a^6*b^2 * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)})) - 3*\sqrt{1/3} * (a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b) * \sqrt{-(((1/2)^{(1/3)} * (I*\sqrt{3}) + 1) * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)} * c * e * (-I*\sqrt{3}) + 1)/(a^6*b^2 * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)})) ^2 * a^6*b^2 + 1120*c*e)/(a^6*b^2))} * \log(-7/2 * ((1/2)^{(1/3)} * (I*\sqrt{3}) + 1) * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)} * c * e * (-I*\sqrt{3}) + 1)/(a^6*b^2 * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)})) ^2 * a^7*b^3*c + 25/2 * ((1/2)^{(1/3)} * (I*\sqrt{3}) + 1) * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)} * c * e * (-I*\sqrt{3}) + 1)/(a^6*b^2 * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)})) * a^5*b*e^2 - 1960*a*b*c^2*e + 2*(2744*b^2*c^3 + 125*a^2*e^3)*x - 3/2*\sqrt{1/3} * (7 * ((1/2)^{(1/3)} * (I*\sqrt{3}) + 1) * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)} * c * e * (-I*\sqrt{3}) + 1)/(a^6*b^2 * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)})) * a^7*b^3*c + 25*a^5*b*e^2) * \sqrt{-(((1/2)^{(1/3)} * (I*\sqrt{3}) + 1) * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)} - 140*(1/2)^{(2/3)} * c * e * (-I*\sqrt{3}) + 1)/(a^6*b^2 * ((2744*b^2*c^3 + 125*a^2*e^3)/(a^{10}*b^4) - (2744*b^2*c^3 - 125*a^2*e^3)/(a^{10}*b^4))^{(1/3)})) ^2 * a^6*b^2 + 1120*c*e)/(a^6*b^2))} / (a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)$

giac [A] time = 0.24, size = 244, normalized size = 0.90

$$\frac{\sqrt{3} \left(5ae - 14(-ab^2)^{\frac{1}{3}}c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{243 \left(-ab^2\right)^{\frac{2}{3}} a^3} + \frac{\left(5ae + 14(-ab^2)^{\frac{1}{3}}c \right) \log \left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}} \right)}{486 \left(-ab^2\right)^{\frac{2}{3}} a^3} + 14bc$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out]
$$-1/243\sqrt{3}(5ae - 14(-ab^2)^{1/3}c)\arctan(1/3\sqrt{3}(2x + (-a/b)^{1/3})/(-a/b)^{1/3})/((-ab^2)^{2/3}a^3) - 1/486(5ae + 14(-ab^2)^{1/3}c)\log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3})/((-ab^2)^{2/3}a^3) - 1/43(14bc(-a/b)^{1/3} + 5ae)(-a/b)^{1/3}\log(\text{abs}(x - (-a/b)^{1/3}))/a^4b + 1/162(28b^3cx^8 + 5ab^2ex^7 + 77ab^2cx^5 + 13a^2bex^4 + 67a^2bcx^2 - 10a^3ex - 18a^3d)/((bx^3 + a)^3a^3b)$$

maple [A] time = 0.06, size = 278, normalized size = 1.03

$$\frac{5\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{243\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2} + \frac{5e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2} - \frac{5e \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{486\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2b^2} + \frac{14\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{243\left(\frac{a}{b}\right)^{\frac{1}{3}}a^3b} - \frac{14c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{243\left(\frac{a}{b}\right)^{\frac{1}{3}}a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x*(e*x^2+d*x+c)/(b*x^3+a)^4, x)$

[Out]
$$(14/81*c/a^3*b^2*x^8 + 5/162/a^2*b*e*x^7 + 77/162/a^2*b*c*x^5 + 13/162/a*e*x^4 + 67/162/a*c*x^2 - 5/81/b*e*x - 1/9/b*d)/(b*x^3+a)^3 + 5/243/a^2/b^2*e/(a/b)^{2/3}*\ln(x+(a/b)^{1/3}) - 5/486/a^2/b^2*e/(a/b)^{2/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) + 5/243/a^2/b^2*e/(a/b)^{2/3}*3^{1/2}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1)) - 14/243/a^3/b*c/(a/b)^{1/3}*\ln(x+(a/b)^{1/3}) + 7/243/a^3/b*c/(a/b)^{1/3}*\ln(x^2-(a/b)^{1/3}*x+(a/b)^{2/3}) + 14/243/a^3/b*c*3^{1/2}/(a/b)^{1/3}*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}*x-1))$$

maxima [A] time = 3.03, size = 260, normalized size = 0.96

$$\frac{28b^3cx^8 + 5ab^2ex^7 + 77ab^2cx^5 + 13a^2bex^4 + 67a^2bcx^2 - 10a^3ex - 18a^3d}{162(a^3b^4x^9 + 3a^4b^3x^6 + 3a^5b^2x^3 + a^6b)} + \frac{\sqrt{3}\left(14bc\left(\frac{a}{b}\right)^{\frac{1}{3}} + 5ae\right)\arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3}\right)}{243a^3b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x*(e*x^2+d*x+c)/(b*x^3+a)^4, x, \text{algorithm}="maxima")$

[Out]
$$1/162(28b^3cx^8 + 5ab^2ex^7 + 77ab^2cx^5 + 13a^2bex^4 + 67a^2bcx^2 - 10a^3ex - 18a^3d)/(a^3b^4x^9 + 3a^4b^3x^6 + 3a^5b^2x^3 + a^6b) + 1/243\sqrt{3}(14bc(a/b)^{1/3} + 5ae)\arctan(1/3\sqrt{3}(2x - (a/b)^{1/3})/3)$$

$t(3) * (2*x - (a/b)^{(1/3)}) / (a/b)^{(1/3)} / (a^3 * b^2 * (a/b)^{(2/3)}) + 1/486 * (14 * b * c * (a/b)^{(1/3)} - 5 * a * e) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a^3 * b^2 * (a/b)^{(2/3)}) - 1/243 * (14 * b * c * (a/b)^{(1/3)} - 5 * a * e) * \log(x + (a/b)^{(1/3)}) / (a^3 * b^2 * (a/b)^{(2/3)})$

mupad [B] time = 0.24, size = 265, normalized size = 0.98

$$\frac{\frac{67cx^2}{162a} - \frac{d}{9b} + \frac{13ex^4}{162a} - \frac{5ex}{81b} + \frac{14b^2cx^8}{81a^3} + \frac{77bcx^5}{162a^2} + \frac{5bex^7}{162a^2}}{a^3 + 3a^2bx^3 + 3ab^2x^6 + b^3x^9} + \left(\sum_{k=1}^3 \ln \left(\frac{70ace + \text{root}(14348907a^{10}b^4z^3 + 51030a^4b^2c^3, z, k)}{6561a^6} \right) \right) * \text{root}(14348907a^{10}b^4z^3 + 51030a^4b^2c^3, z, k)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x + e*x^2))/(a + b*x^3)^4, x)`

[Out] $((67 * c * x^2) / (162 * a) - d / (9 * b) + (13 * e * x^4) / (162 * a) - (5 * e * x) / (81 * b) + (14 * b^2 * c * x^8) / (81 * a^3) + (77 * b * c * x^5) / (162 * a^2) + (5 * b * e * x^7) / (162 * a^2)) / (a^3 + b^3 * x^9 + 3 * a^2 * b * x^3 + 3 * a * b^2 * x^6) + \text{symsum}(\log((70 * a * c * e + 59049 * \text{root}(14348907 * a^{10} * b^4 * z^3 + 51030 * a^4 * b^2 * c^3, z, k))^{2 * a^7 * b^2} + 196 * b * c^2 * x + 1215 * \text{root}(14348907 * a^{10} * b^4 * z^3 + 51030 * a^4 * b^2 * c^3, z, k)) * a^4 * b * e * x) / (6561 * a^6)) * \text{root}(14348907 * a^{10} * b^4 * z^3 + 51030 * a^4 * b^2 * c^3, z, k), k, 1, 3)$

sympy [A] time = 8.79, size = 214, normalized size = 0.79

$$\text{RootSum}\left(14348907t^3a^{10}b^4 + 51030ta^4b^2ce - 125a^2e^3 + 2744b^2c^3, \left(t \mapsto t \log\left(x + \frac{826686t^2a^7b^3c + 6075ta^5b^2c + 1960ab^2c^2e}{125a^2e^3 + 2744b^2c^3}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**4, x)`

[Out] $\text{RootSum}(14348907 * t^{3 * a^{10} * b^4} + 51030 * t * a^{4 * b^2 * c * e} - 125 * a^{2 * e^3} + 2744 * b^{2 * c^3}, \text{Lambda}(t, t * \log(x + (826686 * t^{2 * a^7 * b^3 * c} + 6075 * t * a^{5 * b^2 * c^2 * e} + 1960 * a * b * c^{2 * e}) / (125 * a^{2 * e^3} + 2744 * b^{2 * c^3}))) + (-18 * a^{3 * d} - 10 * a^{3 * e * x} + 67 * a^{2 * b * c * x^2} + 13 * a^{2 * b * e * x^4} + 77 * a * b^{2 * c * x^5} + 5 * a * b^{2 * e * x^7} + 28 * b^{3 * c * x^8}) / (162 * a^{6 * b} + 486 * a^{5 * b^2 * x^3} + 486 * a^{4 * b^3 * x^6} + 162 * a^{3 * b^4 * x^9}))$

$$3.360 \quad \int \frac{c+dx+ex^2}{(a+bx^3)^4} dx$$

Optimal. Leaf size=250

$$\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \arctan\left(\frac{a^{1/3} - 2b^{1/3}x}{a^{1/3} + 3b^{1/3}x}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

[Out] 1/54*x*(7*d*x+8*c)/a^2/(b*x^3+a)^2+2/81*x*(7*d*x+10*c)/a^3/(b*x^3+a)+1/9*(-a*e+b*x*(d*x+c))/a/b/(b*x^3+a)^3+2/243*(20*b^(1/3)*c-7*a^(1/3)*d)*ln(a^(1/3)+b^(1/3)*x)/a^(11/3)/b^(2/3)-1/243*(20*b^(1/3)*c-7*a^(1/3)*d)*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)/b^(2/3)-2/243*(20*b^(1/3)*c+7*a^(1/3)*d)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)/b^(2/3)*3^(1/2)

Rubi [A] time = 0.22, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1854, 1855, 1860, 31, 634, 617, 204, 628}

$$\frac{(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}d + 20\sqrt[3]{b}c) \arctan\left(\frac{a^{1/3} - 2b^{1/3}x}{a^{1/3} + 3b^{1/3}x}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3)^4, x]

[Out] (x*(8*c + 7*d*x))/(54*a^2*(a + b*x^3)^2) + (2*x*(10*c + 7*d*x))/(81*a^3*(a + b*x^3)) - (a*e - b*x*(c + d*x))/(9*a*b*(a + b*x^3)^3) - (2*(20*b^(1/3)*c + 7*a^(1/3)*d)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(81*Sqrt[3]*a^(11/3)*b^(2/3)) + (2*(20*b^(1/3)*c - 7*a^(1/3)*d)*Log[a^(1/3) + b^(1/3)*x]/(243*a^(11/3)*b^(2/3)) - ((20*b^(1/3)*c - 7*a^(1/3)*d)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(11/3)*b^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1854

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]*a + b*x^n)^(p + 1), x], x] /; q == n - 1 /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1855

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne

$Q[a \cdot b^3 - b \cdot a^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2}{(a + bx^3)^4} dx &= -\frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{\int \frac{-8c - 7dx}{(a + bx^3)^3} dx}{9a} \\
 &= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} + \frac{\int \frac{40c + 28dx}{(a + bx^3)^2} dx}{54a^2} \\
 &= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{\int \frac{-80c - 28dx}{a + bx^3} dx}{162a^3} \\
 &= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{\int \frac{\sqrt[3]{a}(-160\sqrt[3]{b}c - 28\sqrt[3]{a}d) + \sqrt[3]{b}(80\sqrt[3]{b}c - 28\sqrt[3]{a}d)}{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2} dx}{486a^{11/3}\sqrt[3]{b}} \\
 &= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\
 &= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} + \frac{2(20\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} \\
 &= \frac{x(8c + 7dx)}{54a^2(a + bx^3)^2} + \frac{2x(10c + 7dx)}{81a^3(a + bx^3)} - \frac{ae - bx(c + dx)}{9ab(a + bx^3)^3} - \frac{2(20\sqrt[3]{b}c + 7\sqrt[3]{a}d) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}
 \end{aligned}$$

Mathematica [A] time = 0.28, size = 239, normalized size = 0.96

$$\frac{2(7a^{2/3}d - 20\sqrt[3]{a}\sqrt[3]{b}c) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{b^{2/3}} + \frac{4(20\sqrt[3]{a}\sqrt[3]{b}c - 7a^{2/3}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{b^{2/3}} - \frac{54a^3(ae - bx(c + dx))}{b(a + bx^3)^3} + \frac{9a^2x(8c + 7dx)}{(a + bx^3)^2} - \frac{4\sqrt{3}\sqrt[3]{a}(7\sqrt[3]{a} - 2\sqrt[3]{b}x)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3)^4,x]

[Out]
$$\frac{((9*a^2*x*(8*c + 7*d*x))/(a + b*x^3)^2 + (12*a*x*(10*c + 7*d*x))/(a + b*x^3) - (54*a^3*(a*e - b*x*(c + d*x)))/(b*(a + b*x^3)^3) - (4*\sqrt{3}*a^{1/3}*(20*b^{1/3}*c + 7*a^{1/3}*d)*\text{ArcTan}[(1 - (2*b^{1/3}*x)/a^{1/3})/\sqrt{3}])/b^{2/3} + (4*(20*a^{1/3}*b^{1/3}*c - 7*a^{2/3}*d)*\text{Log}[a^{1/3} + b^{1/3}*x])/b^{2/3} + (2*(-20*a^{1/3}*b^{1/3}*c + 7*a^{2/3}*d)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/b^{2/3})/(486*a^4)$$

fricas [C] time = 2.67, size = 2344, normalized size = 9.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="fricas")

[Out]
$$\frac{1}{972} * (168*b^3*d*x^8 + 240*b^3*c*x^7 + 462*a*b^2*d*x^5 + 624*a*b^2*c*x^4 + 402*a^2*b*d*x^2 + 492*a^2*b*c*x - 108*a^3*e - 2*(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b) * (4^{1/3} * (I*\sqrt{3} + 1) * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3} - 140*4^{2/3}*c*d * (-I*\sqrt{3} + 1)/(a^7*b * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3})) * \log(7/4 * (4^{1/3} * (I*\sqrt{3} + 1) * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3} - 140*4^{2/3}*c*d * (-I*\sqrt{3} + 1)/(a^7*b * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3}))^2 * a^8*b*d - 400*(4^{1/3} * (I*\sqrt{3} + 1) * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3} - 140*4^{2/3}*c*d * (-I*\sqrt{3} + 1)/(a^7*b * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3})) * a^4*b*c^2 + 7840*a*c*d^2 + 4*(8000*b*c^3 + 343*a*d^3)*x) + ((a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b) * (4^{1/3} * (I*\sqrt{3} + 1) * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3} - 140*4^{2/3}*c*d * (-I*\sqrt{3} + 1)/(a^7*b * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3})) + 3*\sqrt{1/3} * (a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b) * \sqrt{-((4^{1/3} * (I*\sqrt{3} + 1) * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3} - 140*4^{2/3}*c*d * (-I*\sqrt{3} + 1)/(a^7*b * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3}))^2 * a^7*b + 8960*c*d)/(a^7*b)) * \log(-7/4 * (4^{1/3} * (I*\sqrt{3} + 1) * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3} - 140*4^{2/3}*c*d * (-I*\sqrt{3} + 1)/(a^7*b * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3}))^2 * a^8*b*d + 400*(4^{1/3} * (I*\sqrt{3} + 1) * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3} - 140*4^{2/3}*c*d * (-I*\sqrt{3} + 1)/(a^7*b * ((8000*b*c^3 + 343*a*d^3)/(a^{11}*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^{11}*b^2))^{1/3})) * a^4*b*c^2 - 7840*a*c*d^2 + 8*(8000*b*c^3 + 343*a*d^3)*x + 3/4*\sqrt{1/3} * (7*(4^{1/3} * (I*\sqrt{3} + 1)$$

```

*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2)
)^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)
/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3)))*a^8*b*d + 1600*a
^4*b*c^2)*sqrt(-((4^(1/3)*(I*sqrt(3) + 1))*((8000*b*c^3 + 343*a*d^3)/(a^11*b
^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt
(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*
d^3)/(a^11*b^2))^(1/3)))^2*a^7*b + 8960*c*d)/(a^7*b))) + ((a^3*b^4*x^9 + 3*
a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*(4^(1/3)*(I*sqrt(3) + 1))*((8000*b*c^3
+ 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*
4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) +
(8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3))) - 3*sqrt(1/3)*(a^3*b^4*x^9 + 3
*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)*sqrt(-((4^(1/3)*(I*sqrt(3) + 1))*((800
0*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3)
) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11
*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3)))^2*a^7*b + 8960*c*d)/(a
^7*b))*log(-7/4*(4^(1/3)*(I*sqrt(3) + 1))*((8000*b*c^3 + 343*a*d^3)/(a^11*b
^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt
(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*
d^3)/(a^11*b^2))^(1/3)))^2*a^8*b*d + 400*(4^(1/3)*(I*sqrt(3) + 1))*((8000*b*
c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) -
140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2
) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3))) * a^4*b*c^2 - 7840*a*c*d^2 +
8*(8000*b*c^3 + 343*a*d^3)*x - 3/4*sqrt(1/3)*(7*(4^(1/3)*(I*sqrt(3) + 1))*
(8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(
1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(
a^11*b^2) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3))) * a^8*b*d + 1600*a^4
*b*c^2)*sqrt(-((4^(1/3)*(I*sqrt(3) + 1))*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2
) + (8000*b*c^3 - 343*a*d^3)/(a^11*b^2))^(1/3) - 140*4^(2/3)*c*d*(-I*sqrt(3
) + 1)/(a^7*b*((8000*b*c^3 + 343*a*d^3)/(a^11*b^2) + (8000*b*c^3 - 343*a*d^
3)/(a^11*b^2))^(1/3)))^2*a^7*b + 8960*c*d)/(a^7*b))))/(a^3*b^4*x^9 + 3*a^4*
b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b)

```

giac [A] time = 0.21, size = 234, normalized size = 0.94

$$\frac{2\sqrt{3}\left(20bc - 7(-ab^2)^{\frac{1}{3}}d\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243(-ab^2)^{\frac{2}{3}}a^3} - \frac{\left(20bc + 7(-ab^2)^{\frac{1}{3}}d\right)\log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right)}{243(-ab^2)^{\frac{2}{3}}a^3} - 2\left(7d\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="giac")

[Out] -2/243*sqrt(3)*(20*b*c - 7*(-a*b^2)^(1/3)*d)*arctan(1/3*sqrt(3)*(2*x + (-a/

$$b^{1/3})/(-a/b)^{1/3})/((-a*b^2)^{2/3}*a^3) - 1/243*(20*b*c + 7*(-a*b^2)^{1/3}*d)*\log(x^2 + x*(-a/b)^{1/3} + (-a/b)^{2/3})/((-a*b^2)^{2/3}*a^3) - 2/243*(7*d*(-a/b)^{1/3} + 20*c)*(-a/b)^{1/3}*\log(\text{abs}(x - (-a/b)^{1/3}))/a^4 + 1/162*(28*b^3*d*x^8 + 40*b^3*c*x^7 + 77*a*b^2*d*x^5 + 104*a*b^2*c*x^4 + 67*a^2*b*d*x^2 + 82*a^2*b*c*x - 18*a^3*e)/((b*x^3 + a)^3*a^3*b)$$

maple [A] time = 0.06, size = 360, normalized size = 1.44

$$\frac{ex^3}{9(bx^3+a)^3a} + \frac{dx^2}{9(bx^3+a)^3a} + \frac{ex^3}{9(bx^3+a)^2a^2} + \frac{cx}{9(bx^3+a)^3a} + \frac{7dx^2}{54(bx^3+a)^2a^2} + \frac{4cx}{27(bx^3+a)^2a^2} + \frac{14d}{81(bx^3+a)^2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^3+a)^4,x)

[Out] 1/9*c/a*x/(b*x^3+a)^3+4/27*c/a^2*x/(b*x^3+a)^2+20/81*c/a^3*x/(b*x^3+a)+40/243*c/a^3/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-20/243*c/a^3/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+40/243*c/a^3/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/9*d/a*x^2/(b*x^3+a)^3+7/54*d/a^2*x^2/(b*x^3+a)^2+14/81*d/a^3*x^2/(b*x^3+a)-14/243*d/a^3/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+7/243*d/a^3/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+14/243*d/a^3*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/9*e/a*x^3/(b*x^3+a)^3+1/9*e/a^2*x^3/(b*x^3+a)^2-1/9*e/a^2/b/(b*x^3+a)

maxima [A] time = 2.99, size = 254, normalized size = 1.02

$$\frac{28b^3dx^8 + 40b^3cx^7 + 77ab^2dx^5 + 104ab^2cx^4 + 67a^2bdx^2 + 82a^2bcx - 18a^3e}{162(a^3b^4x^9 + 3a^4b^3x^6 + 3a^5b^2x^3 + a^6b)} + \frac{2\sqrt{3}\left(7d\left(\frac{a}{b}\right)^{\frac{1}{3}} + 20c\right)\arctan\left(\frac{2\sqrt{3}\left(7d\left(\frac{a}{b}\right)^{\frac{1}{3}} + 20c\right)}{243a^3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}\right)}{243a^3b\left(\frac{a}{b}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^4,x, algorithm="maxima")

[Out] 1/162*(28*b^3*d*x^8 + 40*b^3*c*x^7 + 77*a*b^2*d*x^5 + 104*a*b^2*c*x^4 + 67*a^2*b*d*x^2 + 82*a^2*b*c*x - 18*a^3*e)/(a^3*b^4*x^9 + 3*a^4*b^3*x^6 + 3*a^5*b^2*x^3 + a^6*b) + 2/243*sqrt(3)*(7*d*(a/b)^(1/3) + 20*c)*arctan(1/3*sqrt(

$$3) * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)} / (a^3 * b * (a/b)^{(2/3)}) + 1/243 * (7 * d * (a/b)^{(1/3)} - 20 * c) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a^3 * b * (a/b)^{(2/3)}) - 2/243 * (7 * d * (a/b)^{(1/3)} - 20 * c) * \log(x + (a/b)^{(1/3)}) / (a^3 * b * (a/b)^{(2/3)})$$

mupad [B] time = 0.28, size = 247, normalized size = 0.99

$$\frac{\frac{67dx^2}{162a} - \frac{e}{9b} + \frac{41cx}{81a} + \frac{20b^2cx^7}{81a^3} + \frac{14b^2dx^8}{81a^3} + \frac{52bcx^4}{81a^2} + \frac{77bdx^5}{162a^2}}{a^3 + 3a^2bx^3 + 3ab^2x^6 + b^3x^9} + \left(\sum_{k=1}^3 \ln \left(\frac{b \left(560cd + 196d^2x + \text{root} \left(14348907a^{11}b^2 \right. \right. \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3)^4, x)

[Out] ((67*d*x^2)/(162*a) - e/(9*b) + (41*c*x)/(81*a) + (20*b^2*c*x^7)/(81*a^3) + (14*b^2*d*x^8)/(81*a^3) + (52*b*c*x^4)/(81*a^2) + (77*b*d*x^5)/(162*a^2)) / (a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6) + symsum(log((b*(560*c*d + 196*d^2*x + 59049*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k)^2*a^7*b + 9720*root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k)*a^3*b*c*x)) / (6561*a^6)) * root(14348907*a^11*b^2*z^3 + 408240*a^4*b*c*d*z - 64000*b*c^3 + 2744*a*d^3, z, k), k, 1, 3)

sympy [A] time = 4.47, size = 202, normalized size = 0.81

$$\text{RootSum} \left(14348907t^3a^{11}b^2 + 408240ta^4bcd + 2744ad^3 - 64000bc^3, \left(t \mapsto t \log \left(x + \frac{413343t^2a^8bd + 194400ta^4}{1372ad^3 + 3200} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a)**4, x)

[Out] RootSum(14348907*_t**3*a**11*b**2 + 408240*_t*a**4*b*c*d + 2744*a*d**3 - 64000*b*c**3, Lambda(_t, _t*log(x + (413343*_t**2*a**8*b*d + 194400*_t*a**4*b*c**2 + 7840*a*c*d**2)/(1372*a*d**3 + 32000*b*c**3)))) + (-18*a**3*e + 82*a**2*b*c*x + 67*a**2*b*d*x**2 + 104*a*b**2*c*x**4 + 77*a*b**2*d*x**5 + 40*b**3*c*x**7 + 28*b**3*d*x**8)/(162*a**6*b + 486*a**5*b**2*x**3 + 486*a**4*b**3*x**6 + 162*a**3*b**4*x**9)

$$3.361 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)^4} dx$$

Optimal. Leaf size=291

$$\frac{(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}e + 20\sqrt[3]{b}d) \arctan\left(\frac{a^{1/3} - 2b^{1/3}x}{a^{1/3} + b^{1/3}x}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

[Out] $\frac{1}{9}x(-bcx^2+axe+ad)/a^2/(bx^3+a)^3 + \frac{1}{54}x(-15bcx^2+7axe+8ad)/a^3/(bx^3+a)^2 + \frac{1}{162}x(-99bcx^2+28axe+40ad)/a^4/(bx^3+a)+c \ln(x)/a^4 + \frac{2}{243}(20b^{1/3}d-7a^{1/3}e) \ln(a^{1/3}+b^{1/3}x)/a^{11/3}/b^{2/3} - \frac{1}{243}(20b^{1/3}d-7a^{1/3}e) \ln(a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/a^{11/3}/b^{2/3} - \frac{1}{3}c \ln(bx^3+a)/a^4 - \frac{2}{243}(20b^{1/3}d+7a^{1/3}e) \arctan(1/3(a^{1/3}-2b^{1/3}x)/a^{1/3})/a^{11/3}/b^{2/3}$

Rubi [A] time = 0.52, antiderivative size = 291, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)}{243a^{11/3}b^{2/3}} + \frac{2(20\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{11/3}b^{2/3}} - \frac{2(7\sqrt[3]{a}e + 20\sqrt[3]{b}d) \arctan\left(\frac{a^{1/3} - 2b^{1/3}x}{a^{1/3} + b^{1/3}x}\right)}{81\sqrt{3}a^{11/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)^4), x]

[Out] $\frac{x(ad + axe - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7axe - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28axe - 99bcx^2)}{162a^4(a + bx^3)} - \frac{(2(20b^{1/3}d + 7a^{1/3}e) \operatorname{ArcTan}[(a^{1/3} - 2b^{1/3}x)/(\sqrt{3}a^{1/3})])}{81\sqrt{3}a^{11/3}b^{2/3}} + \frac{c \operatorname{Log}[x]}{a^4} + \frac{2(20b^{1/3}d - 7a^{1/3}e) \operatorname{Log}[a^{1/3} + b^{1/3}x]}{243a^{11/3}b^{2/3}} - \frac{(20b^{1/3}d - 7a^{1/3}e) \operatorname{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2]}{243a^{11/3}b^{2/3}} - \frac{c \operatorname{Log}[a + bx^3]}{3a^4}$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[(n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m)]/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[(Pq_)*((c_)*(x_)^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
```

& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)^4} dx &= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} - \frac{\int \frac{-9bc - 8bdx - 7bex^2 + \frac{6b^2cx^3}{a}}{x(a+bx^3)^3} dx}{9ab} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{\int \frac{54b^2c + 40b^2dx + 28b^2ex^2 - \frac{45b^3cx^3}{a}}{x(a+bx^3)^2} dx}{54a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} - \frac{\int \frac{-162b^3c - 8b^3dx}{x(a+bx^3)}}{162a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} - \frac{\int \left(-\frac{162b^3c}{ax}\right)}{162a^2b^2} \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} + \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} + \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} - \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} + \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} + \frac{c \log(x)}{a^4} + \\
&= \frac{x(ad + aex - bcx^2)}{9a^2(a + bx^3)^3} + \frac{x(8ad + 7aex - 15bcx^2)}{54a^3(a + bx^3)^2} + \frac{x(40ad + 28aex - 99bcx^2)}{162a^4(a + bx^3)} - \frac{2(20\sqrt[3]{b}d)}{162a^2b^2}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 259, normalized size = 0.89

$$\frac{2(7a^{2/3}e - 20\sqrt[3]{a}\sqrt[3]{bd})\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{bx + b^{2/3}x^2})}{b^{2/3}} + \frac{4(20\sqrt[3]{a}\sqrt[3]{bd} - 7a^{2/3}e)\log(\sqrt[3]{a} + \sqrt[3]{bx})}{b^{2/3}} + \frac{54a^3(c+x(d+ex))}{(a+bx^3)^3} + \frac{9a^2(9c+x(8d+7ex))}{(a+bx^3)^2} - \frac{4\sqrt[3]{a}\sqrt[3]{bd}}{486a^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)^4), x]

[Out] ((54*a^3*(c + x*(d + e*x)))/(a + b*x^3)^3 + (9*a^2*(9*c + x*(8*d + 7*e*x)))/(a + b*x^3)^2 + (6*a*(27*c + 2*x*(10*d + 7*e*x)))/(a + b*x^3) - (4*sqrt[3]*a^(1/3)*(20*b^(1/3)*d + 7*a^(1/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(2/3) + 486*c*Log[x] + (4*(20*a^(1/3)*b^(1/3)*d - 7*a^(2/3)*e)*Log[a^(1/3) + b^(1/3)*x]/b^(2/3) + (2*(-20*a^(1/3)*b^(1/3)*d + 7*a^(2/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/b^(2/3) - 162*c*Log[a + b*x^3]/(486*a^4)

fricas [C] time = 3.53, size = 5370, normalized size = 18.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^4,x, algorithm="fricas")

[Out] 1/236196*(40824*a*b^2*e*x^8 + 58320*a*b^2*d*x^7 + 78732*a*b^2*c*x^6 + 11226*6*a^2*b*e*x^5 + 151632*a^2*b*d*x^4 + 196830*a^2*b*c*x^3 + 97686*a^3*e*x^2 + 119556*a^3*d*x + 144342*a^3*c - 2*(a^4*b^3*x^9 + 3*a^5*b^2*x^6 + 3*a^6*b*x^3 + a^7)*((-I*sqrt(3) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2)^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2)^(1/3) + 39366*c/a^4)*log(7/236196*((-I*sqrt(3) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2)^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2)^(1/3) + 39366*c/a^4)^2*a^8*b*e + 64800*b*c*d^2 + 45927*b*c^2*e + 7840*a*d*e^2 - 1

$$\begin{aligned}
& /243*(400*a^4*b*d^2 + 567*a^4*b*c*e)*((-I*\sqrt{3}) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^{\frac{1}{3}} + 59049*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^{\frac{1}{3}} + 39366*c/a^4) + 4*(8000*b*d^3 + 343*a*e^3)*x - (118098*b^3*c*x^9 + 354294*a*b^2*c*x^6 + 354294*a^2*b*c*x^3 + 118098*a^3*c - (a^4*b^3*x^9 + 3*a^5*b^2*x^6 + 3*a^6*b*x^3 + a^7))*((-I*\sqrt{3}) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^{\frac{1}{3}} + 59049*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^{\frac{1}{3}} + 39366*c/a^4) - 3*\sqrt{1/3)*(a^4*b^3*x^9 + 3*a^5*b^2*x^6 + 3*a^6*b*x^3 + a^7)*\sqrt{-(((-I*\sqrt{3}) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^{\frac{1}{3}} + 59049*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^{\frac{1}{3}} + 39366*c/a^4)^2*a^8*b - 78732*((-I*\sqrt{3}) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^{\frac{1}{3}} + 59049*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^{\frac{1}{3}} + 39366*c/a^4)*a^4*b*c + 1549681956*b*c^2 + 529079040*a*d*e)/(a^8*b))*\log(-7/236196*((-I*\sqrt{3}) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^{\frac{1}{3}} + 59049*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^{\frac{1}{3}} + 39366*c/a^4)^2*a^8*b*e - 64800*b*c*d^2 - 45927*b*c^2*e - 7840*a*d*e^2 + 1/243*(400*a^4*b*d^2 + 567*a^4*b*c*e)*((-I*\sqrt{3}) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b))/(-1/27*c^3/a^12 + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^11*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^12*b^2))^{\frac{1}{3}} + 59049*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^12 + 1
\end{aligned}$$

$$\begin{aligned}
& /118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343* \\
& a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 \\
& - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4) + 8*(8000*b*d^3 + 343* \\
& a*e^3)*x + 1/78732*sqrt(1/3)*(7*((-I*sqrt(3) + 1)*(6561*c^2/a^8 - (6561*b*c \\
& ^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e \\
&)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814* \\
& (531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2)) \\
& ^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560 \\
& *a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/286 \\
& 97814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12} \\
& *b^2))^{(1/3)} + 39366*c/a^4)*a^8*b*e + 388800*a^4*b*d^2 - 275562*a^4*b*c*e)* \\
& sqrt(-(((-I*sqrt(3) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/ \\
& (-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907 \\
& *(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^ \\
& 2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 59049*(I*sqrt(3) \\
& + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14 \\
& 348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2 \\
& 744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^ \\
& 4)^2*a^8*b - 78732*((-I*sqrt(3) + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d* \\
& e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) \\
& + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c \\
& ^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 5904 \\
& 9*(I*sqrt(3) + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^ \\
& 12*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441 \\
& *b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} \\
& + 39366*c/a^4)*a^4*b*c + 1549681956*b*c^2 + 529079040*a*d*e)/(a^8*b)) - (1 \\
& 18098*b^3*c*x^9 + 354294*a*b^2*c*x^6 + 354294*a^2*b*c*x^3 + 118098*a^3*c - \\
& (a^4*b^3*x^9 + 3*a^5*b^2*x^6 + 3*a^6*b*x^3 + a^7))*((-I*sqrt(3) + 1)*(6561*c \\
& ^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561 \\
& *b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11} \\
& b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e \\
&)*a*b)/(a^{12}*b^2))^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*c^3/a^{12} + 1/118098 \\
& *(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/ \\
& (a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701 \\
& *c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4) + 3*sqrt(1/3)*(a^4*b^3*x^9 + \\
& 3*a^5*b^2*x^6 + 3*a^6*b*x^3 + a^7)*sqrt(-(((-I*sqrt(3) + 1)*(6561*c^2/a^8 - \\
& (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + \\
& 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1 \\
& /28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(\\
& a^{12}*b^2))^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b \\
& *c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^ \\
& 2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)* \\
& a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4)^2*a^8*b - 78732*((-I*sqrt(3) + 1)*(65 \\
& 61*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(\\
& 6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a
\end{aligned}$$

$$\begin{aligned}
& ^{11}b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4)*a^4*b*c + 1549681956*b*c^2 + 529079040*a*d*e)/(a^8*b)))*\log(-7/236196*((-I*\sqrt{3} + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4)^2*a^8*b*e - 64800*b*c*d^2 - 45927*b*c^2*e - 7840*a*d*e^2 + 1/243*(400*a^4*b*d^2 + 567*a^4*b*c*e))*((-I*\sqrt{3} + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4) + 8*(8000*b*d^3 + 343*a*e^3)*x - 1/78732*\sqrt{1/3}*(7*((-I*\sqrt{3} + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4)*a^8*b*e + 388800*a^4*b*d^2 - 275562*a^4*b*c*e)*\sqrt{-(((-I*\sqrt{3} + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4)^2*a^8*b - 78732*((-I*\sqrt{3} + 1)*(6561*c^2/a^8 - (6561*b*c^2 + 560*a*d*e)/(a^8*b)))/(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*c^3/a^{12} + 1/118098*(6561*b*c^2 + 560*a*d*e)*c/(a^{12}*b) + 4/14348907*(8000*b*d^3 + 343*a*e^3)/(a^{11}*b^2) - 1/28697814*(531441*b^2*c^3 + 2744*a^2*e^3 - 80*(800*d^3 - 1701*c*d*e)*a*b)/(a^{12}*b^2))^{(1/3)} + 39366*c/a^4)*a^4*b*c + 1549681956*b*c^2 + 529079040*a*d*e)/(a^8*b)) + 236196*(b^3*c*x^9 + 3*a*b^2*c*x^6 + 3*a^2*b*c*x^3 + a^3*c)*\log(x))/(a^4
\end{aligned}$$

$$*b^3*x^9 + 3*a^5*b^2*x^6 + 3*a^6*b*x^3 + a^7)$$

giac [A] time = 0.24, size = 290, normalized size = 1.00

$$\frac{2\sqrt{3}\left(20bd - 7(-ab^2)^{\frac{1}{3}}e\right)\arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right) + \left(20bd + 7(-ab^2)^{\frac{1}{3}}e\right)\log\left(x^2 + x\left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}\right) + c\log\left(\frac{bx^3 + a}{a}\right)}{243(-ab^2)^{\frac{2}{3}}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^4,x, algorithm="giac")

[Out]
$$-2/243*\sqrt{3}*(20*b*d - 7*(-a*b^2)^{(1/3)}*e)*\arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/243*(20*b*d + 7*(-a*b^2)^{(1/3)}*e)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^3) - 1/3*c*\log(\text{abs}(b*x^3 + a))/a^4 + c*\log(\text{abs}(x))/a^4 + 1/162*(28*a*b^2*x^8*e + 40*a*b^2*d*x^7 + 54*a*b^2*c*x^6 + 77*a^2*b*x^5*e + 104*a^2*b*d*x^4 + 135*a^2*b*c*x^3 + 67*a^3*x^2*e + 82*a^3*d*x + 99*a^3*c)/((b*x^3 + a)^3*a^4) - 2/243*(7*a^5*b*(-a/b)^{(1/3)}*e + 20*a^5*b*d)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})))/a^9*b$$

maple [A] time = 0.06, size = 394, normalized size = 1.35

$$\frac{14b^2ex^8}{81(bx^3+a)^3a^3} + \frac{20b^2dx^7}{81(bx^3+a)^3a^3} + \frac{b^2cx^6}{3(bx^3+a)^3a^3} + \frac{77bex^5}{162(bx^3+a)^3a^2} + \frac{52bdx^4}{81(bx^3+a)^3a^2} + \frac{5bcx^3}{6(bx^3+a)^3a^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a)^4,x)

[Out]
$$14/81/a^3/(b*x^3+a)^3*b^2*e*x^8+20/81/a^3/(b*x^3+a)^3*b^2*d*x^7+1/3/a^3/(b*x^3+a)^3*b^2*c*x^6+77/162/a^2/(b*x^3+a)^3*b*e*x^5+52/81/a^2/(b*x^3+a)^3*b*d*x^4+5/6/a^2/(b*x^3+a)^3*b*c*x^3+67/162/a/(b*x^3+a)^3*e*x^2+41/81/a/(b*x^3+a)^3*d*x+11/18/a/(b*x^3+a)^3*c+40/243/a^3*d/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-20/243/a^3*d/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+40/243/a^3*d/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-14/243/a^3*e/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+7/243/a^3*e/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})$$

) $x+(a/b)^{(2/3)}+14/243/a^3*e*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3*c*\ln(b*x^3+a)/a^4+c*\ln(x)/a^4$

maxima [A] time = 3.04, size = 293, normalized size = 1.01

$$\frac{28b^2ex^8 + 40b^2dx^7 + 54b^2cx^6 + 77abex^5 + 104abdx^4 + 135abcx^3 + 67a^2ex^2 + 82a^2dx + 99a^2c}{162(a^3b^3x^9 + 3a^4b^2x^6 + 3a^5bx^3 + a^6)} + \frac{c \log(x)}{a^4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^4,x, algorithm="maxima")

[Out] 1/162*(28*b^2*e*x^8 + 40*b^2*d*x^7 + 54*b^2*c*x^6 + 77*a*b*e*x^5 + 104*a*b*d*x^4 + 135*a*b*c*x^3 + 67*a^2*e*x^2 + 82*a^2*d*x + 99*a^2*c)/(a^3*b^3*x^9 + 3*a^4*b^2*x^6 + 3*a^5*b*x^3 + a^6) + c*log(x)/a^4 + 2/243*sqrt(3)*(7*a*e*(a/b)^(2/3) + 20*a*d*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^5 - 1/243*(81*b*c*(a/b)^(2/3) - 7*a*e*(a/b)^(1/3) + 20*a*d)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^4*b*(a/b)^(2/3)) - 1/243*(81*b*c*(a/b)^(2/3) + 14*a*e*(a/b)^(1/3) - 40*a*d)*log(x + (a/b)^(1/3))/(a^4*b*(a/b)^(2/3))

mupad [B] time = 5.40, size = 871, normalized size = 2.99

$$\frac{\frac{11c}{18a} + \frac{67ex^2}{162a} + \frac{41dx}{81a} + \frac{b^2cx^6}{3a^3} + \frac{20b^2dx^7}{81a^3} + \frac{14b^2ex^8}{81a^3} + \frac{5bcx^3}{6a^2} + \frac{52bdx^4}{81a^2} + \frac{77bex^5}{162a^2}}{a^3 + 3a^2bx^3 + 3ab^2x^6 + b^3x^9} + \left(\sum_{k=1}^3 \ln \left(-\frac{b(-64800bcd^2 + 45927}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)^4),x)

[Out] ((11*c)/(18*a) + (67*e*x^2)/(162*a) + (41*d*x)/(81*a) + (b^2*c*x^6)/(3*a^3) + (20*b^2*d*x^7)/(81*a^3) + (14*b^2*e*x^8)/(81*a^3) + (5*b*c*x^3)/(6*a^2) + (52*b*d*x^4)/(81*a^2) + (77*b*e*x^5)/(162*a^2))/(a^3 + b^3*x^9 + 3*a^2*b*x^3 + 3*a*b^2*x^6) + symsum(log(-(2*b*(45927*b*c^2*e - 64800*b*c*d^2 + 1372*a*e^3*x - 32000*b*d^3*x + 9565938*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)^3*a^11*b^2*x + 64800*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)*a^4*b*d^2 - 137781*root(14348907*a^12*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a

$$\begin{aligned}
& b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)^2*a^8*b*e + \\
& 45360*b*c*d*e*x + 1062882*\text{root}(14348907*a^{12}*b^2*z^3 + 14348907*a^8*b^2*c*z \\
& ^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000* \\
& a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)*a^3*b^2*c^2*x + 6377292*\text{root} \\
& (14348907*a^{12}*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782 \\
& 969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 53144 \\
& 1*b^2*c^3, z, k)^2*a^7*b^2*c*x + 91854*\text{root}(14348907*a^{12}*b^2*z^3 + 1434890 \\
& 7*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c \\
& *d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k)*a^4*b*c*e + 226 \\
& 800*\text{root}(14348907*a^{12}*b^2*z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e* \\
& z + 4782969*a^4*b^2*c^2*z + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 \\
& + 531441*b^2*c^3, z, k)*a^4*b*d*e*x))/(531441*a^9))*\text{root}(14348907*a^{12}*b^2 \\
& *z^3 + 14348907*a^8*b^2*c*z^2 + 408240*a^5*b*d*e*z + 4782969*a^4*b^2*c^2*z \\
& + 136080*a*b*c*d*e - 64000*a*b*d^3 + 2744*a^2*e^3 + 531441*b^2*c^3, z, k), \\
& k, 1, 3) + (c*\log(x))/a^4
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a)**4,x)

[Out] Timed out

$$3.362 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)^4} dx$$

Optimal. Leaf size=301

$$\frac{10(2a^{2/3}e + 7b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(2a^{2/3}e + 7b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(7b^{2/3}c - 2a^{2/3}e) \operatorname{arctan}\left(\frac{\sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt[3]{a} + \sqrt[3]{b} x}\right)}{81\sqrt{3} a^{13/3}}$$

[Out] $-c/a^4/x + 1/9*x*(-b*d*x^2 - b*c*x + a*e)/a^2/(b*x^3+a)^3 + 1/54*x*(-15*b*d*x^2 - 16*b*c*x + 8*a*e)/a^3/(b*x^3+a)^2 + 1/162*x*(-99*b*d*x^2 - 118*b*c*x + 40*a*e)/a^4/(b*x^3+a) + d*\ln(x)/a^4 + 20/243*(7*b^(2/3)*c + 2*a^(2/3)*e)*\ln(a^(1/3) + b^(1/3)*x)/a^(13/3)/b^(1/3) - 10/243*(7*b^(2/3)*c + 2*a^(2/3)*e)*\ln(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/a^(13/3)/b^(1/3) - 1/3*d*\ln(b*x^3+a)/a^4 + 20/243*(7*b^(2/3)*c - 2*a^(2/3)*e)*\arctan(1/3*(a^(1/3) - 2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(13/3)/b^(1/3)*3^(1/2)$

Rubi [A] time = 0.60, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{10(2a^{2/3}e + 7b^{2/3}c) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(2a^{2/3}e + 7b^{2/3}c) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{243a^{13/3} \sqrt[3]{b}} + \frac{20(7b^{2/3}c - 2a^{2/3}e) \operatorname{arctan}\left(\frac{\sqrt[3]{a} - \sqrt[3]{b} x}{\sqrt[3]{a} + \sqrt[3]{b} x}\right)}{81\sqrt{3} a^{13/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^4), x]$

[Out] $-(c/(a^4*x)) + (x*(a*e - b*c*x - b*d*x^2))/(9*a^2*(a + b*x^3)^3) + (x*(8*a*e - 16*b*c*x - 15*b*d*x^2))/(54*a^3*(a + b*x^3)^2) + (x*(40*a*e - 118*b*c*x - 99*b*d*x^2))/(162*a^4*(a + b*x^3)) + (20*(7*b^(2/3)*c - 2*a^(2/3)*e)*\operatorname{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\operatorname{Sqrt}[3]*a^(1/3))]/(81*\operatorname{Sqrt}[3]*a^(13/3)*b^(1/3)) + (d*\operatorname{Log}[x])/a^4 + (20*(7*b^(2/3)*c + 2*a^(2/3)*e)*\operatorname{Log}[a^(1/3) + b^(1/3)*x])/(243*a^(13/3)*b^(1/3)) - (10*(7*b^(2/3)*c + 2*a^(2/3)*e)*\operatorname{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(243*a^(13/3)*b^(1/3)) - (d*\operatorname{Log}[a + b*x^3])/(3*a^4)$

Rule 31

$\operatorname{Int}[(a + b*x)^(-1), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[a + b*x, x]]/b, x] /;$ $\operatorname{FreeQ}\{a, b, x\}$

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &

& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

Mathematica [A] time = 0.31, size = 279, normalized size = 0.93

$$\frac{20(7a^{2/3}b^{2/3}c+2a^{4/3}e)\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}\right)}{\sqrt[3]{b}} + \frac{40(7a^{2/3}b^{2/3}c+2a^{4/3}e)\log\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\sqrt[3]{b}} - \frac{40\sqrt{3}a^{2/3}(2a^{2/3}e-7b^{2/3}c)\tan^{-1}\left(\frac{1-2\sqrt[3]{bx}}{\sqrt[3]{a}}\right)}{\sqrt[3]{b}} + \frac{54a^3}{486a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^4), x]

[Out] ((-486*a*c)/x + (9*a^2*(9*a*d + 8*a*e*x - 16*b*c*x^2))/(a + b*x^3)^2 + (6*a*(27*a*d + 20*a*e*x - 59*b*c*x^2))/(a + b*x^3) + (54*a^3*(-(b*c*x^2) + a*(d + e*x)))/(a + b*x^3)^3 - (40*sqrt[3]*a^(2/3)*(-7*b^(2/3)*c + 2*a^(2/3)*e)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]]/b^(1/3) + 486*a*d*Log[x] + (40*(7*a^(2/3)*b^(2/3)*c + 2*a^(4/3)*e)*Log[a^(1/3) + b^(1/3)*x]/b^(1/3) - (20*(7*a^(2/3)*b^(2/3)*c + 2*a^(4/3)*e)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(1/3) - 162*a*d*Log[a + b*x^3])/(486*a^5)

fricas [C] time = 3.51, size = 5250, normalized size = 17.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^4,x, algorithm="fricas")

[Out] -1/236196*(408240*b^3*c*x^9 - 58320*a*b^2*e*x^8 - 78732*a*b^2*d*x^7 + 112260*a*b^2*c*x^6 - 151632*a^2*b*e*x^5 - 196830*a^2*b*d*x^4 + 976860*a^2*b*c*x^3 - 119556*a^3*e*x^2 - 144342*a^3*d*x + 236196*a^3*c + 2*(a^4*b^3*x^10 + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x)*((-I*sqrt(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^(1/3) + 39366*d/a^4)*log(-7/236196*((-I*sqrt(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^(1/3) + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^12 + 1/118098*(6561*d^2 - 5600*c*e)*d/a^12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^13*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^13*b))^(1/3) + 39366*d/a^4)^2*a^9*b*c - 45927*a*b*c*d^2 + 78400*a*b*c^2*e + 6480*a^2*d*

$$\begin{aligned}
& e^2 + 1/243*(567*a^5*b*c*d - 40*a^6*e^2)*((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - \\
& (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e) \\
& *d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 560 \\
& 0*c*d*e)*a*b)/(a^{13*b} - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b}))^ \\
& (1/3) + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c \\
& *e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - \\
& 5600*c*d*e)*a*b)/(a^{13*b} - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b} \\
&))^{(1/3) + 39366*d/a^4) - 400*(343*b^2*c^3 - 8*a^2*e^3)*x) + (118098*b^3*d*x \\
& x^{10} + 354294*a*b^2*d*x^7 + 354294*a^2*b*d*x^4 + 118098*a^3*d*x - (a^4*b^3*x \\
& x^{10} + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x)*((-I*\sqrt{3} + 1)*(6561*d^2/a^8 \\
& - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c \\
& *e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - \\
& 5600*c*d*e)*a*b)/(a^{13*b} - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b} \\
&))^{(1/3) + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 560 \\
& 0*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 \\
& - 5600*c*d*e)*a*b)/(a^{13*b} - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{1 \\
& 3*b}))^{(1/3) + 39366*d/a^4) + 3*\sqrt{1/3)*(a^4*b^3*x^{10} + 3*a^5*b^2*x^7 + 3* \\
& a^6*b*x^4 + a^7*x)*\sqrt{-(((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 560 \\
& 0*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/286 \\
& 97814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(\\
& a^{13*b} - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3) + 59049*(\\
& I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/ \\
& 28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b \\
&)/(a^{13*b} - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3) + 3936 \\
& 6*d/a^4)^2*a^8 - 78732*((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c \\
& *e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/286978 \\
& 14*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{1 \\
& 3*b} - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3) + 59049*(I*s \\
& qrt(3) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/286 \\
& 97814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(\\
& a^{13*b} - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3) + 39366*d \\
& /a^4)*a^4*d + 1549681956*d^2 - 5290790400*c*e)/a^8))*\log(7/236196*((-I*\sqrt{ \\
& 3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118 \\
& 098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2* \\
& e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b} - 4000/14348907*(343*b^2*c^ \\
& 3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3) + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a^{12} + 1/ \\
& 118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a \\
& ^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b} - 4000/14348907*(343*b^2 \\
& *c^3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3) + 39366*d/a^4)^2*a^9*b*c + 45927*a*b*c*d^ \\
& 2 - 78400*a*b*c^2*e - 6480*a^2*d*e^2 - 1/243*(567*a^5*b*c*d - 40*a^6*e^2)* \\
& ((-I*\sqrt{3} + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} \\
& + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64 \\
& 000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13*b} - 4000/14348907*(34 \\
& 3*b^2*c^3 - 8*a^2*e^3)/(a^{13*b}))^{(1/3) + 59049*(I*\sqrt{3} + 1)*(-1/27*d^3/a \\
& ^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 +
\end{aligned}$$

$$\begin{aligned}
& 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907* \\
& (343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 39366*d/a^4 - 800*(343*b^2*c^3 \\
& - 8*a^2*e^3)*x + 1/78732*sqrt(1/3)*(7*((-I*sqrt(3) + 1)*(6561*d^2/a^8 - (6 \\
& 561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d \\
& /a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600* \\
& c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1 \\
& /3)} + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e \\
&)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 56 \\
& 00*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b)) \\
& ^{(1/3)} + 39366*d/a^4)*a^9*b*c - 275562*a^5*b*c*d - 38880*a^6*e^2)*sqrt(-(((\\
& -I*sqrt(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} \\
& + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 640 \\
& 00*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343 \\
& *b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^{12} \\
& + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + \\
& 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(\\
& 343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 39366*d/a^4)^2*a^8 - 78732*((-I* \\
& sqrt(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1 \\
& /118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000* \\
& a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^ \\
& 2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^{12} \\
& + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 640 \\
& 00*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343 \\
& *b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 39366*d/a^4)*a^4*d + 1549681956*d^2 \\
& - 5290790400*c*e)/a^8)) + (118098*b^3*d*x^10 + 354294*a*b^2*d*x^7 + 354294 \\
& *a^2*b*d*x^4 + 118098*a^3*d*x - (a^4*b^3*x^10 + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 \\
& + a^7*x))*((-I*sqrt(3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/ \\
& 27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b \\
& ^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/1 \\
& 4348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 59049*(I*sqrt(3) + 1)*(\\
& -1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(274400 \\
& 0*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 400 \\
& 0/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 39366*d/a^4) - 3*sqrt \\
& (1/3)*(a^4*b^3*x^10 + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x)*sqrt(-(((-I*sqrt \\
& (3) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/11 \\
& 8098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2 \\
& *e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c \\
& ^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^{12} + 1 \\
& /118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000* \\
& a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^ \\
& 2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 39366*d/a^4)^2*a^8 - 78732*((-I*sqrt(3) \\
&) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/11809 \\
& 8*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^ \\
& 3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 \\
& - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*d^3/a^{12} + 1/11
\end{aligned}$$

$$\begin{aligned}
& 8098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2 \\
& *e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c \\
& ^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 39366*d/a^4)*a^4*d + 1549681956*d^2 - 529 \\
& 0790400*c*e)/a^8))*\log(7/236196*((-I*\sqrt{3}) + 1)*(6561*d^2/a^8 - (6561*d^2 \\
& - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + \\
& 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)* \\
& a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 5 \\
& 9049*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{1 \\
& 2} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d* \\
& e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} \\
& + 39366*d/a^4)^2*a^9*b*c + 45927*a*b*c*d^2 - 78400*a*b*c^2*e - 6480*a^2*d*e \\
& ^2 - 1/243*(567*a^5*b*c*d - 40*a^6*e^2)*((-I*\sqrt{3}) + 1)*(6561*d^2/a^8 - (\\
& 6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)* \\
& d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600 \\
& *c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(\\
& 1/3)} + 59049*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c* \\
& e)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5 \\
& 600*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b) \\
&)^{(1/3)} + 39366*d/a^4) - 800*(343*b^2*c^3 - 8*a^2*e^3)*x - 1/78732*\sqrt{1/3} \\
&)*(7*((-I*\sqrt{3}) + 1)*(6561*d^2/a^8 - (6561*d^2 - 5600*c*e)/a^8)/(-1/27*d^ \\
& 3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2*c^ \\
& 3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/143489 \\
& 07*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 59049*(I*\sqrt{3}) + 1)*(-1/27 \\
& *d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^{12} + 1/28697814*(2744000*b^2 \\
& *c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d*e)*a*b)/(a^{13}*b) - 4000/143 \\
& 48907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} + 39366*d/a^4)*a^9*b*c - 27 \\
& 5562*a^5*b*c*d - 38880*a^6*e^2)*\sqrt{-(((-I*\sqrt{3}) + 1)*(6561*d^2/a^8 - (6 \\
& 561*d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d \\
& /a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600* \\
& c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1 \\
& /3)} + 59049*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e \\
&)*d/a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 56 \\
& 00*c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b)) \\
& ^{(1/3)} + 39366*d/a^4)^2*a^8 - 78732*((-I*\sqrt{3}) + 1)*(6561*d^2/a^8 - (6561 \\
& *d^2 - 5600*c*e)/a^8)/(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d/a^ \\
& 12 + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600*c*d \\
& *e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1/3)} \\
& + 59049*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^{12} + 1/118098*(6561*d^2 - 5600*c*e)*d \\
& /a^{12} + 1/28697814*(2744000*b^2*c^3 + 64000*a^2*e^3 - 243*(2187*d^3 - 5600* \\
& c*d*e)*a*b)/(a^{13}*b) - 4000/14348907*(343*b^2*c^3 - 8*a^2*e^3)/(a^{13}*b))^{(1 \\
& /3)} + 39366*d/a^4)*a^4*d + 1549681956*d^2 - 5290790400*c*e)/a^8)) - 236196* \\
& (b^3*d*x^{10} + 3*a*b^2*d*x^7 + 3*a^2*b*d*x^4 + a^3*d*x)*\log(x))/(a^4*b^3*x^1 \\
& 0 + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x)
\end{aligned}$$

giac [A] time = 0.18, size = 310, normalized size = 1.03

$$-\frac{d \log(|bx^3 + a|)}{3a^4} + \frac{d \log(|x|)}{a^4} + \frac{20\sqrt{3} \left(2(-ab^2)^{\frac{1}{3}} ae + 7(-ab^2)^{\frac{2}{3}} c \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{243a^5b} + \frac{10 \left(2(-ab^2)^{\frac{1}{3}} ae - 7(-ab^2)^{\frac{2}{3}} c \right) \log \left(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}} \right)}{a^5b} - \frac{1/162 \cdot (280b^3cx^9 - 40ab^2x^8e - 54ab^2dx^7 + 770ab^2cx^6 - 104a^2bx^5e - 135a^2bdx^4 + 670a^2b^2cx^3 - 82a^3x^2e - 99a^3dx + 162a^3c)}{(bx^3 + a)^3 a^4 x} + \frac{20/243 \cdot (7a^4b^2c \left(-\frac{a}{b}\right)^{\frac{1}{3}} - 2a^5b^2e) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log \left(\text{abs} \left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right) \right)}{a^9b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^4,x, algorithm="giac")

[Out] -1/3*d*log(abs(b*x^3 + a))/a^4 + d*log(abs(x))/a^4 + 20/243*sqrt(3)*(2*(-a*b^2)^(1/3)*a*e + 7*(-a*b^2)^(2/3)*c)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a^5*b) + 10/243*(2*(-a*b^2)^(1/3)*a*e - 7*(-a*b^2)^(2/3)*c)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a^5*b) - 1/162*(280*b^3*c*x^9 - 40*a*b^2*x^8*e - 54*a*b^2*d*x^7 + 770*a*b^2*c*x^6 - 104*a^2*b*x^5*e - 135*a^2*b*d*x^4 + 670*a^2*b^2*c*x^3 - 82*a^3*x^2*e - 99*a^3*d*x + 162*a^3*c)/((b*x^3 + a)^3*a^4*x) + 20/243*(7*a^4*b^2*c*(-a/b)^(1/3) - 2*a^5*b^2*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^9*b)

maple [A] time = 0.07, size = 397, normalized size = 1.32

$$-\frac{59b^3cx^8}{81(bx^3 + a)^3 a^4} + \frac{20b^2ex^7}{81(bx^3 + a)^3 a^3} + \frac{b^2dx^6}{3(bx^3 + a)^3 a^3} - \frac{142b^2cx^5}{81(bx^3 + a)^3 a^3} + \frac{52bex^4}{81(bx^3 + a)^3 a^2} + \frac{5bdx^3}{6(bx^3 + a)^3 a^2} - \frac{1}{81} \left(\frac{280b^3cx^9 - 40ab^2x^8e - 54ab^2dx^7 + 770ab^2cx^6 - 104a^2bx^5e - 135a^2bdx^4 + 670a^2b^2cx^3 - 82a^3x^2e - 99a^3dx + 162a^3c}{(bx^3 + a)^3 a^4 x} + \frac{20 \sqrt{3} (2(-ab^2)^{1/3} ae + 7(-ab^2)^{2/3} c) \arctan \left(\frac{\sqrt{3} (2x + (-a/b)^{1/3})}{3 (-a/b)^{1/3}} \right)}{243 a^5 b} + \frac{10 (2(-ab^2)^{1/3} ae - 7(-ab^2)^{2/3} c) \log \left(x^2 + x (-a/b)^{1/3} + (-a/b)^{2/3} \right)}{a^5 b} - \frac{1/162 (280b^3cx^9 - 40ab^2x^8e - 54ab^2dx^7 + 770ab^2cx^6 - 104a^2bx^5e - 135a^2bdx^4 + 670a^2b^2cx^3 - 82a^3x^2e - 99a^3dx + 162a^3c)}{(bx^3 + a)^3 a^4 x} + \frac{20/243 (7a^4b^2c (-a/b)^{1/3} - 2a^5b^2e) (-a/b)^{1/3} \log \left(\text{abs} \left(x - (-a/b)^{1/3} \right) \right)}{a^9 b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a)^4,x)

[Out] -59/81/a^4/(b*x^3+a)^3*b^3*c*x^8+20/81/a^3/(b*x^3+a)^3*b^2*e*x^7+1/3/a^3/(b*x^3+a)^3*b^2*d*x^6-142/81/a^3/(b*x^3+a)^3*b^2*c*x^5+52/81/a^2/(b*x^3+a)^3*b*e*x^4+5/6/a^2/(b*x^3+a)^3*b*d*x^3-92/81/a^2/(b*x^3+a)^3*b*c*x^2+41/81/a/(b*x^3+a)^3*e*x+11/18/a/(b*x^3+a)^3*d+40/243/a^3*e/b/(a/b)^(2/3)*ln(x+(a/b)^(1/3))-20/243/a^3*e/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+40/243/a^3*e/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+140/243/a^4*c/(a/b)^(1/3)*ln(x+(a/b)^(1/3))-70/243/a^4*c/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-140/243/a^4*c*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3*d*ln(b*x^3+a)/a^4-c/a^4/x+d*ln(x)/a^4

maxima [A] time = 3.00, size = 313, normalized size = 1.04

$$\frac{280 b^3 c x^9 - 40 a b^2 e x^8 - 54 a b^2 d x^7 + 770 a b^2 c x^6 - 104 a^2 b e x^5 - 135 a^2 b d x^4 + 670 a^2 b c x^3 - 82 a^3 e x^2 - 99 a^3 d x}{162 (a^4 b^3 x^{10} + 3 a^5 b^2 x^7 + 3 a^6 b x^4 + a^7 x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^4,x, algorithm="maxima")

[Out]
$$\frac{-1/162*(280*b^3*c*x^9 - 40*a*b^2*e*x^8 - 54*a*b^2*d*x^7 + 770*a*b^2*c*x^6 - 104*a^2*b*e*x^5 - 135*a^2*b*d*x^4 + 670*a^2*b*c*x^3 - 82*a^3*e*x^2 - 99*a^3*d*x + 162*a^3*c)}{(a^4*b^3*x^{10} + 3*a^5*b^2*x^7 + 3*a^6*b*x^4 + a^7*x)} + d*\log(x)/a^4 - 20/243*\sqrt{3}*(7*b*c*(a/b)^{(2/3)} - 2*a*e*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^5 - 1/243*(81*b*d*(a/b)^{(2/3)} + 70*b*c*(a/b)^{(1/3)} + 20*a*e)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^4*b*(a/b)^{(2/3)}) - 1/243*(81*b*d*(a/b)^{(2/3)} - 140*b*c*(a/b)^{(1/3)} - 40*a*e)*\log(x + (a/b)^{(1/3)})/(a^4*b*(a/b)^{(2/3)})$$

mupad [B] time = 5.43, size = 840, normalized size = 2.79

$$\frac{\frac{41ex^2}{81a} - \frac{c}{a} + \frac{11dx}{18a} - \frac{385b^2cx^6}{81a^3} - \frac{140b^3cx^9}{81a^4} + \frac{b^2dx^7}{3a^3} + \frac{20b^2ex^8}{81a^3} - \frac{335bcx^3}{81a^2} + \frac{5bdx^4}{6a^2} + \frac{52bex^5}{81a^2}}{a^3x + 3a^2bx^4 + 3ab^2x^7 + b^3x^{10}} + \left(\sum_{k=1}^3 \ln \left(\frac{b^2 \left(-\sqrt[3]{14348907 a^{13} b z^3 + 14348907 a^9 b d z^2 - 4082400 a^5 b c e z + 4782969 a^5 b d^2 z - 1360800 a b c d e + 531441 a b d^3 - 64000 a^2 e^3 - 2744000 b^2 c^3, z, k \right) a^6 e^2 + 686000 b^2 c^3 x + 16000 a^2 e^3 x + 229635 a b c d^2 - 688905 \sqrt[3]{14348907 a^{13} b z^3 + 14348907 a^9 b d z^2 - 4082400 a^5 b c e z + 4782969 a^5 b d^2 z - 1360800 a b c d e + 531441 a b d^3 - 64000 a^2 e^3 - 2744000 b^2 c^3, z, k \right)^2 a^9 b c - 4782969 \sqrt[3]{14348907 a^{13} b z^3 + 14348907 a^9 b d z^2 - 4082400 a^5 b c e z + 4782969 a^5 b d^2 z - 1360800 a b c d e + 531441 a b d^3 - 64000 a^2 e^3 - 2744000 b^2 c^3, z, k \right)^3 a^{13} b x - 531441 \sqrt[3]{14348907 a^{13} b z^3 + 14348907 a^9 b d z^2 - 4082400 a^5 b c e z + 4782969 a^5 b d^2 z - 1360800 a b c d e + 531441 a b d^3 - 64000 a^2 e^3 - 2744000 b^2 c^3, z, k \right)^3 a^{13} b x - 531441 \sqrt[3]{14348907 a^{13} b z^3 + 14348907 a^9 b d z^2 - 4082400 a^5 b c e z + 4782969 a^5 b d^2 z - 1360800 a b c d e + 531441 a b d^3 - 64000 a^2 e^3 - 2744000 b^2 c^3, z, k \right)^3 a^{13} b x - 531441 \sqrt[3]{14348907 a^{13} b z^3 + 14348907 a^9 b d z^2 - 4082400 a^5 b c e z + 4782969 a^5 b d^2 z - 1360800 a b c d e + 531441 a b d^3 - 64000 a^2 e^3 - 2744000 b^2 c^3, z, k \right)^3 a^{13} b x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^4),x)

[Out]
$$\left(\frac{41e*x^2}{81*a} - \frac{c}{a} + \frac{11*d*x}{18*a} - \frac{385*b^2*c*x^6}{81*a^3} - \frac{140*b^3*c*x^9}{81*a^4} + \frac{b^2*d*x^7}{3*a^3} + \frac{20*b^2*e*x^8}{81*a^3} - \frac{335*b*c*x^3}{81*a^2} + \frac{5*b*d*x^4}{6*a^2} + \frac{52*b*e*x^5}{81*a^2} \right) / (a^3*x + b^3*x^{10} + 3*a^2*b*x^4 + 3*a*b^2*x^7) + \text{symsum}(\log((4*b^2*(32400*a^2*d*e^2 - 32400*\sqrt[3]{14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)*a^6*e^2 + 686000*b^2*c^3*x + 16000*a^2*e^3*x + 229635*a*b*c*d^2 - 688905*\sqrt[3]{14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k})^2*a^9*b*c - 4782969*\sqrt[3]{14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k})^3*a^{13}*b*x - 531441*\sqrt[3]{14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k})^3*a^{13}*b*x - 531441*\sqrt[3]{14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k})^3*a^{13}*b*x - 531441*\sqrt[3]{14348907*a^{13}*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k})^3*a^{13}*b*x, z, k)$$

```

41*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)*a^5*b*d^2*x - 3188646*root(14348907*a^13*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)^2*a^9*b*d*x + 459270*root(14348907*a^13*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)*a^5*b*c*d + 1134000*root(14348907*a^13*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k)*a^5*b*c*e*x + 226800*a*b*c*d*e*x))/(531441*a^11))*root(14348907*a^13*b*z^3 + 14348907*a^9*b*d*z^2 - 4082400*a^5*b*c*e*z + 4782969*a^5*b*d^2*z - 1360800*a*b*c*d*e + 531441*a*b*d^3 - 64000*a^2*e^3 - 2744000*b^2*c^3, z, k), k, 1, 3) + (d*log(x))/a^4

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**4,x)

[Out] Timed out

$$3.363 \quad \int \frac{c+dx+ex^2}{x^3(a+bx^3)^4} dx$$

Optimal. Leaf size=310

$$\frac{10\sqrt[3]{b} (11\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} - \frac{20\sqrt[3]{b} (11\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{14/3}} + \frac{20\sqrt[3]{b} (7\sqrt[3]{a} - \sqrt[3]{b}x)}{243a^{14/3}}$$

[Out] $-1/2*c/a^4/x^2-d/a^4/x-1/9*x*(b*e*x^2+b*d*x+b*c)/a^2/(b*x^3+a)^3-1/54*x*(15*b*e*x^2+16*b*d*x+17*b*c)/a^3/(b*x^3+a)^2-1/162*x*(99*b*e*x^2+118*b*d*x+139*b*c)/a^4/(b*x^3+a)+e*\ln(x)/a^4-20/243*b^(1/3)*(11*b^(1/3)*c-7*a^(1/3)*d)*\ln(a^(1/3)+b^(1/3)*x)/a^(14/3)+10/243*b^(1/3)*(11*b^(1/3)*c-7*a^(1/3)*d)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(14/3)-1/3*e*\ln(b*x^3+a)/a^4+20/243*b^(1/3)*(11*b^(1/3)*c+7*a^(1/3)*d)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(14/3)*3^(1/2)$

Rubi [A] time = 0.66, antiderivative size = 310, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{10\sqrt[3]{b} (11\sqrt[3]{b}c - 7\sqrt[3]{a}d) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} - \frac{x(139bc + 118bdx + 99bex^2)}{162a^4(a + bx^3)} - \frac{x(17bc + 16bdx + 15bex^2)}{54a^3(a + bx^3)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^4), x]

[Out] $-c/(2*a^4*x^2) - d/(a^4*x) - (x*(b*c + b*d*x + b*e*x^2))/(9*a^2*(a + b*x^3)^3) - (x*(17*b*c + 16*b*d*x + 15*b*e*x^2))/(54*a^3*(a + b*x^3)^2) - (x*(139*b*c + 118*b*d*x + 99*b*e*x^2))/(162*a^4*(a + b*x^3)) + (20*b^(1/3)*(11*b^(1/3)*c + 7*a^(1/3)*d)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(8*1*\text{Sqrt}[3]*a^(14/3)) + (e*\text{Log}[x])/a^4 - (20*b^(1/3)*(11*b^(1/3)*c - 7*a^(1/3)*d)*\text{Log}[a^(1/3) + b^(1/3)*x]/(243*a^(14/3)) + (10*b^(1/3)*(11*b^(1/3)*c - 7*a^(1/3)*d)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(14/3)) - (e*\text{Log}[a + b*x^3])/(3*a^4)$

Rule 31

Int[((a_) + (b_)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[(n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m)]/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[(Pq_)*((c_)*(x_)^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
```

& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

Mathematica [A] time = 0.31, size = 284, normalized size = 0.92

$$20\sqrt[3]{b} (11\sqrt[3]{a}\sqrt[3]{b}c - 7a^{2/3}d) \log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2) + 40\sqrt[3]{b} (7a^{2/3}d - 11\sqrt[3]{a}\sqrt[3]{b}c) \log(\sqrt[3]{a} + \sqrt[3]{b}x) + \frac{54a^3}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*(a + b*x^3)^4), x]

[Out]
$$\frac{(-243ac)/x^2 - (486ad)/x + (54a^3(ae - bxc + dx))}{(a + b^3x^3)^3} + \frac{(9a^2(9ae - b^3x(17c + 16dx)))}{(a + b^3x^3)^2} + \frac{(3a(54ae - b^3x(139c + 118dx)))}{(a + b^3x^3)} + 40\sqrt[3]{b} \sqrt[3]{a} \sqrt[3]{b} \sqrt[3]{c} \operatorname{ArcTan}\left[\frac{1 - (2\sqrt[3]{b}x)/\sqrt[3]{a}}{\sqrt[3]{3}}\right] + 486ae \operatorname{Log}[x] + 40\sqrt[3]{b}(-11a^{1/3}\sqrt[3]{b}c + 7a^{2/3}d) \operatorname{Log}[a^{1/3} + b^{1/3}x] + 20\sqrt[3]{b}(11a^{1/3}\sqrt[3]{b}c - 7a^{2/3}d) \operatorname{Log}[a^{2/3} - a^{1/3}\sqrt[3]{b}x + b^{2/3}x^2] - 162ae \operatorname{Log}[a + b^3x^3]}{(486a^5)}$$

fricas [C] time = 2.96, size = 5049, normalized size = 16.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/236196*(408240*b^3*d*x^{10} + 320760*b^3*c*x^9 - 78732*a*b^2*e*x^8 + 11226 \\ & 60*a*b^2*d*x^7 + 833976*a*b^2*c*x^6 - 196830*a^2*b*e*x^5 + 976860*a^2*b*d*x \\ & ^4 + 657558*a^2*b*c*x^3 - 144342*a^3*e*x^2 + 236196*a^3*d*x + 118098*a^3*c \\ & + 2*(a^4*b^3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2)*((-I*\sqrt{3} + 1) \\ &)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/11809 \\ & 8*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3) \\ &)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - \\ & 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1/11 \\ & 8098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a \\ & d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 \\ & - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)*\log(7/236196*((-I*\sqrt{3} + \\ & 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/1180 \\ & 98*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a \\ & d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - \\ & 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1/1 \\ & 18098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a \\ & d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 \\ & - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)^2*a^{10}*d + 431200*a*b*c*d^2 \\ & - 196020*a*b*c^2*e + 45927*a^2*d*e^2 + 1/243*(1210*a^5*b*c^2 - 567*a^6*d*e \end{aligned}$$

$$\begin{aligned}
&) * ((-I\sqrt{3} + 1) * (6561e^2/a^8 - (30800b^*c*d + 6561a*e^2)/a^9) / (-1/27* \\
& e^3/a^{12} + 1/118098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4000/14348907*(1331 \\
& *b^*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 \\
& - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I\sqrt{3} + 1)*(-1/ \\
& 27*e^3/a^{12} + 1/118098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4000/14348907*(1 \\
& 331*b^*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e \\
& ^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4 + 400*(133 \\
& 1*b^2*c^3 + 343*a*b*d^3)*x + (118098*b^3*e*x^{11} + 354294*a*b^2*e*x^8 + 354 \\
& 294*a^2*b*e*x^5 + 118098*a^3*e*x^2 - (a^4*b^3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6* \\
& b*x^5 + a^7*x^2))*((-I\sqrt{3} + 1) * (6561e^2/a^8 - (30800b^*c*d + 6561a*e^2) \\
& /a^9) / (-1/27*e^3/a^{12} + 1/118098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4000 \\
& /14348907*(1331*b^*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + \\
& 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I\sqrt{ \\
& rt(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4 \\
& 000/14348907*(1331*b^*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 \\
& + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/ \\
& a^4 - 3*\sqrt{1/3}*(a^4*b^3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2)*s \\
& \sqrt{-(((-I\sqrt{3} + 1) * (6561e^2/a^8 - (30800b^*c*d + 6561a*e^2)/a^9) / (-1 \\
& /27*e^3/a^{12} + 1/118098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4000/14348907*(\\
& 1331*b^*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2* \\
& e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I\sqrt{3} + 1)* \\
& (-1/27*e^3/a^{12} + 1/118098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4000/1434890 \\
& 7*(1331*b^*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a \\
& ^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)^2*a^9 \\
& - 78732*((-I\sqrt{3} + 1) * (6561e^2/a^8 - (30800b^*c*d + 6561a*e^2)/a^9) / (\\
& -1/27*e^3/a^{12} + 1/118098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4000/14348907 \\
& *(1331*b^*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^ \\
& 2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I\sqrt{3} + 1) \\
&) * (-1/27*e^3/a^{12} + 1/118098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4000/14348 \\
& 907*(1331*b^*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441 \\
& *a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)*a^5* \\
& e + 29099347200*b^*c*d + 1549681956*a*e^2)/a^9))*\log(-7/236196*((-I\sqrt{3} \\
& + 1) * (6561e^2/a^8 - (30800b^*c*d + 6561a*e^2)/a^9) / (-1/27*e^3/a^{12} + 1/11 \\
& 8098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4000/14348907*(1331*b^*c^3 + 343*a* \\
& d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 \\
& - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I\sqrt{3} + 1)*(-1/27*e^3/a^{12} + 1 \\
& /118098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4000/14348907*(1331*b^*c^3 + 343 \\
& *a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980* \\
& d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)^2*a^{10}*d - 431200*a*b^*c*d \\
& ^2 + 196020*a*b^*c^2*e - 45927*a^2*d*e^2 - 1/243*(1210*a^5*b^*c^2 - 567*a^6*d \\
& *e))*((-I\sqrt{3} + 1) * (6561e^2/a^8 - (30800b^*c*d + 6561a*e^2)/a^9) / (-1/2 \\
& 7*e^3/a^{12} + 1/118098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4000/14348907*(13 \\
& 31*b^*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^ \\
& 3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I\sqrt{3} + 1)*(- \\
& 1/27*e^3/a^{12} + 1/118098*(30800b^*c*d + 6561a*e^2)*e/a^{13} + 4000/14348907*
\end{aligned}$$

$$\begin{aligned}
& (1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2 \\
& *e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4 + 800*(1 \\
& 331*b^2*c^3 + 343*a*b*d^3)*x + 1/78732*sqrt(1/3)*(7*((-I*sqrt(3) + 1)*(6561 \\
& *e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(3080 \\
& 0*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} \\
& - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c* \\
& d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(3 \\
& 0800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/ \\
& a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673 \\
& *c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)*a^{10}*d - 1176120*a^5*b*c^2 - 275562 \\
& *a^6*d*e)*sqrt(-(((-I*sqrt(3) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^ \\
& 2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000 \\
& /14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + \\
& 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*sq \\
& rt(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4 \\
& 000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 \\
& + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/ \\
& a^4)^2*a^9 - 78732*((-I*sqrt(3) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a* \\
& e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 40 \\
& 00/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 \\
& + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I* \\
& sqrt(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + \\
& 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c \\
& ^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366* \\
& e/a^4)*a^5*e + 29099347200*b*c*d + 1549681956*a*e^2)/a^9)) + (118098*b^3*e* \\
& x^{11} + 354294*a*b^2*e*x^8 + 354294*a^2*b*e*x^5 + 118098*a^3*e*x^2 - (a^4*b^ \\
& 3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2))*((-I*sqrt(3) + 1)*(6561*e^2 \\
& /a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b* \\
& c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - \\
& 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e) \\
& *a*b)/a^{14})^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800 \\
& *b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} \\
& - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d \\
& *e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4) + 3*sqrt(1/3)*(a^4*b^3*x^{11} + 3*a^5*b^2 \\
& *x^8 + 3*a^6*b*x^5 + a^7*x^2)*sqrt(-(((-I*sqrt(3) + 1)*(6561*e^2/a^8 - (308 \\
& 00*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561* \\
& a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814* \\
& (10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14}) \\
& ^{(1/3)} + 59049*(I*sqrt(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 65 \\
& 61*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/286978 \\
& 14*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^ \\
& 14)^{(1/3)} + 39366*e/a^4)^2*a^9 - 78732*((-I*sqrt(3) + 1)*(6561*e^2/a^8 - (3 \\
& 0800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 656 \\
& 1*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/2869781 \\
& 4*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^1
\end{aligned}$$

$$\begin{aligned}
& 4)^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + \\
& 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/2869 \\
& 7814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/ \\
& a^{14})^{(1/3)} + 39366*e/a^4)*a^5*e + 29099347200*b*c*d + 1549681956*a*e^2)/a^ \\
& 9))*\log(-7/236196*((-I*\text{sqrt}(3) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e \\
& ^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 400 \\
& 0/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + \\
& 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\text{sq} \\
& \text{qrt}(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + \\
& 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^ \\
& 3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e \\
& /a^4)^2*a^{10}*d - 431200*a*b*c*d^2 + 196020*a*b*c^2*e - 45927*a^2*d*e^2 - 1/ \\
& 243*(1210*a^5*b*c^2 - 567*a^6*d*e)*((-I*\text{sqrt}(3) + 1)*(6561*e^2/a^8 - (30800 \\
& *b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a* \\
& e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(1 \\
& 0648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(\\
& 1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561 \\
& *a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814 \\
& *(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14} \\
&)^{(1/3)} + 39366*e/a^4) + 800*(1331*b^2*c^3 + 343*a*b*d^3)*x - 1/78732*\text{sqrt}(\\
& 1/3)*(7*((-I*\text{sqrt}(3) + 1)*(6561*e^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(- \\
& 1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907 \\
& *(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441*a^ \\
& 2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1 \\
&)*(-1/27*e^3/a^{12} + 1/118098*(30800*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348 \\
& 907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - 1/28697814*(10648000*b^2*c^3 + 531441 \\
& *a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)*a^{10} \\
& *d - 1176120*a^5*b*c^2 - 275562*a^6*d*e)*\text{sqrt}(-(((-I*\text{sqrt}(3) + 1)*(6561*e^2 \\
& /a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800*b* \\
& c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} - \\
& 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d*e) \\
& *a*b)/a^{14})^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(30800 \\
& *b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} \\
& - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d \\
& *e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)^2*a^9 - 78732*((-I*\text{sqrt}(3) + 1)*(6561*e \\
& ^2/a^8 - (30800*b*c*d + 6561*a*e^2)/a^9)/(-1/27*e^3/a^{12} + 1/118098*(30800* \\
& b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^{14} \\
& - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c*d* \\
& e)*a*b)/a^{14})^{(1/3)} + 59049*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^{12} + 1/118098*(308 \\
& 00*b*c*d + 6561*a*e^2)*e/a^{13} + 4000/14348907*(1331*b*c^3 + 343*a*d^3)*b/a^ \\
& 14 - 1/28697814*(10648000*b^2*c^3 + 531441*a^2*e^3 - 2800*(980*d^3 - 2673*c \\
& *d*e)*a*b)/a^{14})^{(1/3)} + 39366*e/a^4)*a^5*e + 29099347200*b*c*d + 154968195 \\
& 6*a*e^2)/a^9)) - 236196*(b^3*e*x^{11} + 3*a*b^2*e*x^8 + 3*a^2*b*e*x^5 + a^3*e \\
& *x^2)*\log(x))/(a^4*b^3*x^{11} + 3*a^5*b^2*x^8 + 3*a^6*b*x^5 + a^7*x^2)
\end{aligned}$$

giac [A] time = 0.18, size = 320, normalized size = 1.03

$$\frac{\frac{e \log(|bx^3 + a|)}{3a^4} + \frac{e \log(|x|)}{a^4} - \frac{20\sqrt{3} \left(11(-ab^2)^{\frac{1}{3}}bc - 7(-ab^2)^{\frac{2}{3}}d \right) \arctan\left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{243a^5b}}{10 \left(11(-ab^2)^{\frac{1}{3}}bc \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x, algorithm="giac")

[Out] $-1/3*e*\log(\text{abs}(b*x^3 + a))/a^4 + e*\log(\text{abs}(x))/a^4 - 20/243*\text{sqrt}(3)*(11*(-a*b^2)^{(1/3)}*b*c - 7*(-a*b^2)^{(2/3)}*d)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)}))/(-a/b)^{(1/3)}/(a^5*b) - 10/243*(11*(-a*b^2)^{(1/3)}*b*c + 7*(-a*b^2)^{(2/3)}*d)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/(a^5*b) + 20/243*(7*a^4*b^2*d*(-a/b)^{(1/3)} + 11*a^4*b^2*c)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/ (a^9*b) - 1/162*(280*b^3*d*x^{10} + 220*b^3*c*x^9 - 54*a*b^2*x^8*e + 770*a*b^2*d*x^7 + 572*a*b^2*c*x^6 - 135*a^2*b*x^5*e + 670*a^2*b*d*x^4 + 451*a^2*b*c*x^3 - 99*a^3*x^2*e + 162*a^3*d*x + 81*a^3*c)/((b*x^3 + a)^3*a^4*x^2)$

maple [A] time = 0.07, size = 400, normalized size = 1.29

$$\frac{59b^3dx^8}{81(bx^3+a)^3a^4} - \frac{139b^3cx^7}{162(bx^3+a)^3a^4} + \frac{b^2ex^6}{3(bx^3+a)^3a^3} - \frac{142b^2dx^5}{81(bx^3+a)^3a^3} - \frac{329b^2cx^4}{162(bx^3+a)^3a^3} + \frac{5bex^3}{6(bx^3+a)^3a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x)

[Out] $-59/81/a^4*b^3/(b*x^3+a)^3*d*x^8-139/162/a^4*b^3/(b*x^3+a)^3*c*x^7+1/3/a^3*b^2/(b*x^3+a)^3*e*x^6-142/81/a^3*b^2/(b*x^3+a)^3*d*x^5-329/162/a^3*b^2/(b*x^3+a)^3*c*x^4+5/6/a^2*b/(b*x^3+a)^3*e*x^3-92/81/a^2*b/(b*x^3+a)^3*d*x^2-104/81/a^2*b/(b*x^3+a)^3*c*x+11/18/a/(b*x^3+a)^3*e-220/243/a^4*c/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+110/243/a^4*c/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-220/243/a^4*c/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+140/243/a^4*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-70/243/a^4*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-140/243/a^4*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3$

$$\frac{(1/2) \cdot (2/(a/b)^{(1/3) \cdot x - 1}) - 1/3 \cdot e \cdot \ln(b \cdot x^3 + a) / a^4 - 1/2 \cdot c / a^4 / x^2 - d / a^4 / x + e \cdot \ln(x) / a^4}{162(a^4 b^3 x^{11} + 3 a^5 b^2 x^8 + 3 a^6 b x^5 + a^7 x^2)}$$

maxima [A] time = 3.10, size = 312, normalized size = 1.01

$$\frac{280 b^3 d x^{10} + 220 b^3 c x^9 - 54 a b^2 e x^8 + 770 a b^2 d x^7 + 572 a b^2 c x^6 - 135 a^2 b e x^5 + 670 a^2 b d x^4 + 451 a^2 b c x^3 - 99 a^3 d x^2 + 162 a^3 c x + 81 a^3 e}{162(a^4 b^3 x^{11} + 3 a^5 b^2 x^8 + 3 a^6 b x^5 + a^7 x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^4,x, algorithm="maxima")

[Out] $-1/162 \cdot (280 \cdot b^3 \cdot d \cdot x^{10} + 220 \cdot b^3 \cdot c \cdot x^9 - 54 \cdot a \cdot b^2 \cdot e \cdot x^8 + 770 \cdot a \cdot b^2 \cdot d \cdot x^7 + 572 \cdot a \cdot b^2 \cdot c \cdot x^6 - 135 \cdot a^2 \cdot b \cdot e \cdot x^5 + 670 \cdot a^2 \cdot b \cdot d \cdot x^4 + 451 \cdot a^2 \cdot b \cdot c \cdot x^3 - 99 \cdot a^3 \cdot d \cdot x^2 + 162 \cdot a^3 \cdot c \cdot x + 81 \cdot a^3 \cdot e) / (a^4 \cdot b^3 \cdot x^{11} + 3 \cdot a^5 \cdot b^2 \cdot x^8 + 3 \cdot a^6 \cdot b \cdot x^5 + a^7 \cdot x^2) + e \cdot \log(x) / a^4 - 20/243 \cdot \sqrt{3} \cdot (7 \cdot b \cdot d \cdot (a/b)^{(2/3)} + 11 \cdot b \cdot c \cdot (a/b)^{(1/3)}) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2 \cdot x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / a^5 - 1/243 \cdot (81 \cdot e \cdot (a/b)^{(2/3)} + 70 \cdot d \cdot (a/b)^{(1/3)} - 110 \cdot c) \cdot \log(x^2 - x \cdot (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a^4 \cdot (a/b)^{(2/3)}) - 1/243 \cdot (81 \cdot e \cdot (a/b)^{(2/3)} - 140 \cdot d \cdot (a/b)^{(1/3)} + 220 \cdot c) \cdot \log(x + (a/b)^{(1/3)}) / (a^4 \cdot (a/b)^{(2/3)})$

mupad [B] time = 5.38, size = 825, normalized size = 2.66

$$\left(\sum_{k=1}^3 \ln \left(\frac{b^3 \left(\text{root}(14348907 a^{14} z^3 + 14348907 a^{10} e z^2 + 22453200 a^5 b c d z + 4782969 a^6 e^2 z + 7484400 a b c d e) \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^4),x)

[Out] $\text{symsum}(\log(-(4 \cdot b^3 \cdot (688905 \cdot \text{root}(14348907 \cdot a^{14} \cdot z^3 + 14348907 \cdot a^{10} \cdot e \cdot z^2 + 22453200 \cdot a^5 \cdot b \cdot c \cdot d \cdot z + 4782969 \cdot a^6 \cdot e^2 \cdot z + 7484400 \cdot a \cdot b \cdot c \cdot d \cdot e) - 2744000 \cdot a \cdot b \cdot d^3 + 531441 \cdot a^2 \cdot e^3 + 10648000 \cdot b^2 \cdot c^3, z, k)^2 \cdot a^{10} \cdot d - 229635 \cdot a^2 \cdot d \cdot e^2 + 4782969 \cdot \text{root}(14348907 \cdot a^{14} \cdot z^3 + 14348907 \cdot a^{10} \cdot e \cdot z^2 + 22453200 \cdot a^5 \cdot b \cdot c \cdot d \cdot z + 4782969 \cdot a^6 \cdot e^2 \cdot z + 7484400 \cdot a \cdot b \cdot c \cdot d \cdot e) - 2744000 \cdot a \cdot b \cdot d^3 + 531441 \cdot a^2 \cdot e^3 + 10648000 \cdot b^2 \cdot c^3, z, k)^3 \cdot a^{14} \cdot x + 2662000 \cdot b^2 \cdot c^3 \cdot x - 459270 \cdot \text{root}(14348907 \cdot a^{14} \cdot z^3 + 14348907 \cdot a^{10} \cdot e \cdot z^2 + 22453200 \cdot a^5 \cdot b \cdot c \cdot d \cdot z + 4782969 \cdot a^6 \cdot e^2 \cdot z + 7484400 \cdot a \cdot b \cdot c \cdot d \cdot e) - 2744000 \cdot a \cdot b \cdot d^3 + 531441 \cdot a^2 \cdot e^3 + 10648000 \cdot b^2 \cdot c^3, z, k) \cdot a^6 \cdot d \cdot e - 980100 \cdot a \cdot b \cdot c^2 \cdot e - 686000 \cdot a \cdot b \cdot d^3 \cdot x + 980100 \cdot \text{root}(14348907 \cdot a^{14} \cdot z^3 + 14348907 \cdot a^{10} \cdot e \cdot z^2 + 22453200 \cdot a^5 \cdot b \cdot c \cdot d \cdot z + 4782969 \cdot a^6 \cdot e^2 \cdot z + 7484400 \cdot a \cdot b \cdot c \cdot d \cdot e) - 2744000 \cdot a \cdot b \cdot d^3 + 531441 \cdot a^2 \cdot e^3 + 10648000 \cdot b^2 \cdot c^3$

$$\begin{aligned}
& 3, z, k) * a^5 * b * c^2 + 531441 * \text{root}(14348907 * a^{14} * z^3 + 14348907 * a^{10} * e * z^2 + \\
& 22453200 * a^5 * b * c * d * z + 4782969 * a^6 * e^2 * z + 7484400 * a * b * c * d * e - 2744000 * a * b * \\
& d^3 + 531441 * a^2 * e^3 + 10648000 * b^2 * c^3, z, k) * a^6 * e^2 * x + 3188646 * \text{root}(143 \\
& 48907 * a^{14} * z^3 + 14348907 * a^{10} * e * z^2 + 22453200 * a^5 * b * c * d * z + 4782969 * a^6 * e \\
& ^2 * z + 7484400 * a * b * c * d * e - 2744000 * a * b * d^3 + 531441 * a^2 * e^3 + 10648000 * b^2 * \\
& c^3, z, k)^2 * a^{10} * e * x + 6237000 * \text{root}(14348907 * a^{14} * z^3 + 14348907 * a^{10} * e * z^2 \\
& + 22453200 * a^5 * b * c * d * z + 4782969 * a^6 * e^2 * z + 7484400 * a * b * c * d * e - 2744000 * \\
& a * b * d^3 + 531441 * a^2 * e^3 + 10648000 * b^2 * c^3, z, k) * a^5 * b * c * d * x + 1247400 * a * \\
& b * c * d * e * x) / (531441 * a^{12}) * \text{root}(14348907 * a^{14} * z^3 + 14348907 * a^{10} * e * z^2 + 2 \\
& 2453200 * a^5 * b * c * d * z + 4782969 * a^6 * e^2 * z + 7484400 * a * b * c * d * e - 2744000 * a * b * d \\
& ^3 + 531441 * a^2 * e^3 + 10648000 * b^2 * c^3, z, k), k, 1, 3) - (c / (2 * a) - (11 * e * \\
& x^2) / (18 * a) + (d * x) / a + (286 * b^2 * c * x^6) / (81 * a^3) + (110 * b^3 * c * x^9) / (81 * a^4) \\
& + (385 * b^2 * d * x^7) / (81 * a^3) + (140 * b^3 * d * x^{10}) / (81 * a^4) - (b^2 * e * x^8) / (3 * a^ \\
& 3) + (451 * b * c * x^3) / (162 * a^2) + (335 * b * d * x^4) / (81 * a^2) - (5 * b * e * x^5) / (6 * a^2) \\
&) / (a^3 * x^2 + b^3 * x^{11} + 3 * a^2 * b * x^5 + 3 * a * b^2 * x^8) + (e * \log(x)) / a^4
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a)**4,x)

[Out] Timed out

$$3.364 \quad \int \frac{c+dx+ex^2}{x^4(a+bx^3)^4} dx$$

Optimal. Leaf size=340

$$\frac{10\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} - \frac{20\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{14/3}} + \frac{20\sqrt[3]{b} (7\sqrt[3]{a}e)}{243a^{14/3}}$$

[Out] $-1/3*c/a^4/x^3-1/2*d/a^4/x^2-e/a^4/x-1/9*x*(b*d+b*x*e-b^2*c*x^2/a)/a^2/(b*x^3+a)^3-1/54*x*(17*b*d+16*b*x*e-24*b^2*c*x^2/a)/a^3/(b*x^3+a)^2-1/162*x*(13*9*b*d+118*b*x*e-234*b^2*c*x^2/a)/a^4/(b*x^3+a)-4*b*c*\ln(x)/a^5-20/243*b^(1/3)*(11*b^(1/3)*d-7*a^(1/3)*e)*\ln(a^(1/3)+b^(1/3)*x)/a^(14/3)+10/243*b^(1/3)*(11*b^(1/3)*d-7*a^(1/3)*e)*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(14/3)+4/3*b*c*\ln(b*x^3+a)/a^5+20/243*b^(1/3)*(11*b^(1/3)*d+7*a^(1/3)*e)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(14/3)*3^(1/2)$

Rubi [A] time = 0.77, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{x \left(-\frac{234b^2cx^2}{a} + 139bd + 118bex \right)}{162a^4(a+bx^3)} - \frac{x \left(-\frac{24b^2cx^2}{a} + 17bd + 16bex \right)}{54a^3(a+bx^3)^2} - \frac{x \left(-\frac{b^2cx^2}{a} + bd + bex \right)}{9a^2(a+bx^3)^3} + \frac{10\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2)}{243a^{14/3}} - \frac{20\sqrt[3]{b} (11\sqrt[3]{b}d - 7\sqrt[3]{a}e) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{243a^{14/3}} + \frac{20\sqrt[3]{b} (7\sqrt[3]{a}e)}{243a^{14/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^4), x]

[Out] $-c/(3*a^4*x^3) - d/(2*a^4*x^2) - e/(a^4*x) - (x*(b*d + b*e*x - (b^2*c*x^2)/a))/(9*a^2*(a + b*x^3)^3) - (x*(17*b*d + 16*b*e*x - (24*b^2*c*x^2)/a))/(54*a^3*(a + b*x^3)^2) - (x*(139*b*d + 118*b*e*x - (234*b^2*c*x^2)/a))/(162*a^4*(a + b*x^3)) + (20*b^(1/3)*(11*b^(1/3)*d + 7*a^(1/3)*e)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(81*\text{Sqrt}[3]*a^(14/3)) - (4*b*c*\text{Log}[x])/a^5 - (20*b^(1/3)*(11*b^(1/3)*d - 7*a^(1/3)*e)*\text{Log}[a^(1/3) + b^(1/3)*x]/(243*a^(14/3)) + (10*b^(1/3)*(11*b^(1/3)*d - 7*a^(1/3)*e)*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(243*a^(14/3)) + (4*b*c*\text{Log}[a + b*x^3]/(3*a^5)$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &

& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^4(a + bx^3)^4} dx &= \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{\int \frac{-9bc - 9bdx - 9bex^2 + \frac{9b^2cx^3}{a} + \frac{8b^2dx^4}{a} + \frac{7b^2ex^5}{a} - \frac{6b^3cx^6}{a^2}}{x^4(a + bx^3)^3} dx}{9ab} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} + \frac{\int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{108b^4cx^3}{a} - \frac{85b^4dx^4}{a}}{x^4(a + bx^3)^2}}{54a^2b^3} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} - \int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{108b^4cx^3}{a} - \frac{85b^4dx^4}{a}}{x^4(a + bx^3)^2} \\
&= -\frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} - \int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{108b^4cx^3}{a} - \frac{85b^4dx^4}{a}}{x^4(a + bx^3)^2} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} - \int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{108b^4cx^3}{a} - \frac{85b^4dx^4}{a}}{x^4(a + bx^3)^2} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} - \int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{108b^4cx^3}{a} - \frac{85b^4dx^4}{a}}{x^4(a + bx^3)^2} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} - \int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{108b^4cx^3}{a} - \frac{85b^4dx^4}{a}}{x^4(a + bx^3)^2} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} - \int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{108b^4cx^3}{a} - \frac{85b^4dx^4}{a}}{x^4(a + bx^3)^2} \\
&= -\frac{c}{3a^4x^3} - \frac{d}{2a^4x^2} - \frac{e}{a^4x} - \frac{x\left(bd + bex - \frac{b^2cx^2}{a}\right)}{9a^2(a + bx^3)^3} - \frac{x\left(17bd + 16bex - \frac{24b^2cx^2}{a}\right)}{54a^3(a + bx^3)^2} - \frac{x\left(139bd + 118bex - \frac{234b^2cx^2}{a}\right)}{162a^4(a + bx^3)} - \int \frac{54b^3c + 54b^3dx + 54b^3ex^2 - \frac{108b^4cx^3}{a} - \frac{85b^4dx^4}{a}}{x^4(a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.60, size = 284, normalized size = 0.84

$$-20\sqrt[3]{b} \left(11\sqrt[3]{a}\sqrt[3]{bd} - 7a^{2/3}e\right) \log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right) + 40\sqrt[3]{b} \left(11\sqrt[3]{a}\sqrt[3]{bd} - 7a^{2/3}e\right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right) + \frac{54}{5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^4*(a + b*x^3)^4), x]

[Out]
$$-1/486*((162*a*c)/x^3 + (243*a*d)/x^2 + (486*a*e)/x + (54*a^3*b*(c + x*(d + e*x)))/(a + b*x^3)^3 + (9*a^2*b*(18*c + x*(17*d + 16*e*x)))/(a + b*x^3)^2 + (3*a*b*(162*c + x*(139*d + 118*e*x)))/(a + b*x^3) - 40*\text{Sqrt}[3]*a^{1/3}*b^{1/3}*(11*b^{1/3}*d + 7*a^{1/3}*e)*\text{ArcTan}[(1 - (2*b^{1/3}*x)/a^{1/3})/\text{Sqrt}[3]] + 1944*b*c*\text{Log}[x] + 40*b^{1/3}*(11*a^{1/3}*b^{1/3}*d - 7*a^{2/3}*e)*\text{Log}[a^{1/3} + b^{1/3}*x] - 20*b^{1/3}*(11*a^{1/3}*b^{1/3}*d - 7*a^{2/3}*e)*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2] - 648*b*c*\text{Log}[a + b*x^3])/a^5$$

fricas [C] time = 3.39, size = 5670, normalized size = 16.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x, algorithm="fricas")

[Out]
$$-1/486*(840*a*b^3*e*x^{11} + 660*a*b^3*d*x^{10} + 648*a*b^3*c*x^9 + 2310*a^2*b^2*e*x^8 + 1716*a^2*b^2*d*x^7 + 1620*a^2*b^2*c*x^6 + 2010*a^3*b*e*x^5 + 1353*a^3*b*d*x^4 + 1188*a^3*b*c*x^3 + 486*a^4*e*x^2 + 243*a^4*d*x + 162*a^4*c + 2*(a^5*b^3*x^{12} + 3*a^6*b^2*x^9 + 3*a^7*b*x^6 + a^8*x^3)*(4^{2/3}*(-I*\text{sqrt}(3) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} + 4^{1/3}*(I*\text{sqrt}(3) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} - 324*b*c/a^5)*\text{log}(7*(4^{2/3}*(-I*\text{sqrt}(3) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} + 4^{1/3}*(I*\text{sqrt}(3) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{1/3} - 324*b*c/a^5)^2*a^{10}*e + 784080*b^2*c*d^2 + 734832*b^2*c^2*e + 431200*a*b*d*e^2 + 4*(605*a^5*b*d^2 + 1134*a^5*b*c*e)*(4^{2/3}*(-I*\text{sqrt}(3) + 1)*(65$$

$$\begin{aligned}
& 61*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} \\
& + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)* \\
& b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a \\
& *b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^{15} + 125*(13 \\
& 31*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + \\
& (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15} \\
&)^{(1/3)} - 324*b*c/a^5) + 400*(1331*b^2*d^3 + 343*a*b*e^3)*x) - (972*b^4*c*x \\
& ^{12} + 2916*a*b^3*c*x^9 + 2916*a^2*b^2*c*x^6 + 972*a^3*b*c*x^3 + (a^5*b^3*x^ \\
& 12 + 3*a^6*b^2*x^9 + 3*a^7*b*x^6 + a^8*x^3)*(4^{(2/3)}*(-I*\sqrt{3} + 1)*(6561 \\
& *b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + \\
& 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b* \\
& c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b \\
& ^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331 \\
& *b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (\\
& 531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(\\
& 1/3)} - 324*b*c/a^5) + 3*\sqrt{1/3}*(a^5*b^3*x^{12} + 3*a^6*b^2*x^9 + 3*a^7*b* \\
& x^6 + a^8*x^3)*\sqrt{-((4^{(2/3)}*(-I*\sqrt{3} + 1)*(6561*b^2*c^2/a^{10} - (6561* \\
& b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343 \\
& *a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c \\
& ^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1 \\
& /3)}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/ \\
& a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875 \\
& *a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)^2 \\
& *a^{10} + 648*(4^{(2/3)}*(-I*\sqrt{3} + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + \\
& 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/ \\
& a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875 \\
& *a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{ \\
& t(3) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243 \\
& *(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 \\
& - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)*a^5*b*c + 1 \\
& 04976*b^2*c^2 + 123200*a*b*d*e)/a^{10}))*\log(-7*(4^{(2/3)}*(-I*\sqrt{3} + 1)*(65 \\
& 61*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} \\
& + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)* \\
& b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a \\
& *b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^{15} + 125*(13 \\
& 31*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + \\
& (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15} \\
&)^{(1/3)} - 324*b*c/a^5)^2*a^{10}*e - 784080*b^2*c*d^2 - 734832*b^2*c^2*e - 431 \\
& 200*a*b*d*e^2 - 4*(605*a^5*b*d^2 + 1134*a^5*b*c*e)*(4^{(2/3)}*(-I*\sqrt{3} + 1 \\
&)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3 \\
& /a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b* \\
& d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d \\
& *e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3} + 1)*(1062882*b^3*c^3/a^{15} + 12 \\
& 5*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a \\
& ^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)
\end{aligned}$$

$$\begin{aligned}
& /a^{15})^{(1/3)} - 324*b*c/a^5) + 800*(1331*b^2*d^3 + 343*a*b*e^3)*x + 3*sqrt(1 \\
& /3)*(7*(4^{(2/3)}*(-I*sqrt(3) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925* \\
& a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} \\
& - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2* \\
& b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*sqrt(3) \\
& + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(656 \\
& 1*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 27 \\
& 5*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)*a^{10}*e - 2420*a^ \\
& 5*b*d^2 + 2268*a^5*b*c*e)*sqrt(-((4^{(2/3)}*(-I*sqrt(3) + 1)*(6561*b^2*c^2/a^ \\
& 10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331* \\
& b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (5 \\
& 31441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(\\
& 1/3)} + 4^{(1/3)}*(I*sqrt(3) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 34 \\
& 3*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3* \\
& c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324 \\
& *b*c/a^5)^2*a^{10} + 648*(4^{(2/3)}*(-I*sqrt(3) + 1)*(6561*b^2*c^2/a^{10} - (6561 \\
& *b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 34 \\
& 3*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3* \\
& c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(\\
& 1/3)}*(I*sqrt(3) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b \\
& /a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 4287 \\
& 5*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)* \\
& a^5*b*c + 104976*b^2*c^2 + 123200*a*b*d*e)/a^{10})) - (972*b^4*c*x^{12} + 2916* \\
& a*b^3*c*x^9 + 2916*a^2*b^2*c*x^6 + 972*a^3*b*c*x^3 + (a^5*b^3*x^{12} + 3*a^6* \\
& b^2*x^9 + 3*a^7*b*x^6 + a^8*x^3)*(4^{(2/3)}*(-I*sqrt(3) + 1)*(6561*b^2*c^2/a^ \\
& 10 - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331* \\
& b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (5 \\
& 31441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(\\
& 1/3)} + 4^{(1/3)}*(I*sqrt(3) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 34 \\
& 3*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3* \\
& c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324 \\
& *b*c/a^5) - 3*sqrt(1/3)*(a^5*b^3*x^{12} + 3*a^6*b^2*x^9 + 3*a^7*b*x^6 + a^8*x \\
& ^3)*sqrt(-((4^{(2/3)}*(-I*sqrt(3) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1 \\
& 925*a*b*d*e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a \\
& ^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875* \\
& a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*sqrt \\
& (3) + 1)*(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243* \\
& (6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 \\
& - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)^2*a^{10} + 648 \\
& *(4^{(2/3)}*(-I*sqrt(3) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d* \\
& e)/a^{10})/(1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243* \\
& (6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 \\
& - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*sqrt(3) + 1)*(\\
& 1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2* \\
& c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605
\end{aligned}$$

$$\begin{aligned}
& *d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)*a^5*b*c + 104976*b^2*c \\
& ^2 + 123200*a*b*d*e)/a^{10})*\log(-7*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/ \\
& a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10}))/((1062882*b^3*c^3/a^{15} + 125*(133 \\
& 1*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + \\
& (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15}) \\
& ^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*((1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + \\
& 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^ \\
& 3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 3 \\
& 24*b*c/a^5)^2*a^{10}*e - 784080*b^2*c*d^2 - 734832*b^2*c^2*e - 431200*a*b*d*e \\
& ^2 - 4*(605*a^5*b*d^2 + 1134*a^5*b*c*e)*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2 \\
& *c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^{10}))/((1062882*b^3*c^3/a^{15} + 125 \\
& *(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^ \\
& 15 + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/ \\
& a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*((1062882*b^3*c^3/a^{15} + 125*(1331*b*d \\
& ^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (5314 \\
& 41*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3} \\
&) - 324*b*c/a^5) + 800*(1331*b^2*d^3 + 343*a*b*e^3)*x - 3*\sqrt{1/3}*(7*(4^{(\\
& 2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + 1925*a*b*d*e)/a^ \\
& 10))/((1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561 \\
& *b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275 \\
& *(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*\sqrt{3}) + 1)*((10628 \\
& 82*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + \\
& 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 - 275*(605*d^3 \\
& - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)*a^{10}*e - 2420*a^5*b*d^2 + 2 \\
& 268*a^5*b*c*e)*\sqrt{-((4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561* \\
& b^2*c^2 + 1925*a*b*d*e)/a^{10}))/((1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343 \\
& *a*e^3)*b/a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c \\
& ^3 + 42875*a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1 \\
& /3)}*(I*\sqrt{3}) + 1)*((1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/ \\
& a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875 \\
& *a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)^2 \\
& *a^{10} + 648*(4^{(2/3)}*(-I*\sqrt{3}) + 1)*(6561*b^2*c^2/a^{10} - (6561*b^2*c^2 + \\
& 1925*a*b*d*e)/a^{10}))/((1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/ \\
& a^{14} - 243*(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875 \\
& *a^2*b*e^3 - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} + 4^{(1/3)}*(I*sqr \\
& t(3) + 1)*((1062882*b^3*c^3/a^{15} + 125*(1331*b*d^3 + 343*a*e^3)*b/a^{14} - 243 \\
& *(6561*b^2*c^2 + 1925*a*b*d*e)*b*c/a^{15} + (531441*b^3*c^3 + 42875*a^2*b*e^3 \\
& - 275*(605*d^3 - 1701*c*d*e)*a*b^2)/a^{15})^{(1/3)} - 324*b*c/a^5)*a^5*b*c + 1 \\
& 04976*b^2*c^2 + 123200*a*b*d*e)/a^{10})) + 1944*(b^4*c*x^{12} + 3*a*b^3*c*x^9 + \\
& 3*a^2*b^2*c*x^6 + a^3*b*c*x^3)*\log(x))/(a^5*b^3*x^{12} + 3*a^6*b^2*x^9 + 3*a \\
& ^7*b*x^6 + a^8*x^3)
\end{aligned}$$

giac [A] time = 0.20, size = 333, normalized size = 0.98

$$\frac{4bc \log(|bx^3 + a|)}{3a^5} - \frac{4bc \log(|x|)}{a^5} - \frac{20\sqrt{3} \left(11(-ab^2)^{\frac{1}{3}}bd - 7(-ab^2)^{\frac{2}{3}}e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{243a^5b} - 10 \left(11(-ab^2)^{\frac{1}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x, algorithm="giac")

[Out] $\frac{4}{3}bc \log(\text{abs}(bx^3 + a))/a^5 - 4bc \log(\text{abs}(x))/a^5 - \frac{20}{243}\sqrt{3} \left(11(-ab^2)^{\frac{1}{3}}bd - 7(-ab^2)^{\frac{2}{3}}e \right) \arctan\left(\frac{1}{3}\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right) / \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) / (a^5b) - \frac{10}{243} \left(11(-ab^2)^{\frac{1}{3}}bd + 7(-ab^2)^{\frac{2}{3}}e \right) \log(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}) / (a^5b) - \frac{1}{162} \left(280b^3x^{11}e + 220b^3dx^{10} + 216b^3cx^9 + 770ab^2x^8e + 572ab^2dx^7 + 540ab^2cx^6 + 670a^2b^2x^5e + 451a^2b^2dx^4 + 396a^2b^2cx^3 + 162a^3x^2e + 81a^3dx + 54a^3c \right) / ((bx^4 + ax)^3a^4) + \frac{20}{243} \left(7a^6b^2 \left(-\frac{a}{b}\right)^{\frac{1}{3}}e + 11a^6b^2d \right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log(\text{abs}(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}})) / (a^{11}b)$

maple [A] time = 0.07, size = 415, normalized size = 1.22

$$\frac{59b^3ex^8}{81(bx^3 + a)^3a^4} - \frac{139b^3dx^7}{162(bx^3 + a)^3a^4} - \frac{b^3cx^6}{(bx^3 + a)^3a^4} - \frac{142b^2ex^5}{81(bx^3 + a)^3a^3} - \frac{329b^2dx^4}{162(bx^3 + a)^3a^3} - \frac{7b^2cx^3}{3(bx^3 + a)^3a^3} - 81$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x)

[Out] $-\frac{59}{81} \frac{b^3ex^8}{a^4(bx^3+a)^3} - \frac{139}{162} \frac{b^3dx^7}{a^4(bx^3+a)^3} - \frac{b^3cx^6}{(bx^3+a)^3} - \frac{142}{81} \frac{b^2ex^5}{a^3(bx^3+a)^3} - \frac{329}{162} \frac{b^2dx^4}{a^3(bx^3+a)^3} - \frac{7b^2cx^3}{3(bx^3+a)^3} - 81 \frac{1}{(bx^3+a)^3} \left(\frac{c}{a^4} + \frac{dx}{a^3} + \frac{ex^2}{a^2} + \frac{bx^3}{a} + x^4 \right) - \frac{20}{243} \sqrt{3} \left(11(-ab^2)^{\frac{1}{3}}bd - 7(-ab^2)^{\frac{2}{3}}e \right) \arctan\left(\frac{1}{3}\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right) / \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) / (a^5b) - \frac{10}{243} \left(11(-ab^2)^{\frac{1}{3}}bd + 7(-ab^2)^{\frac{2}{3}}e \right) \log(x^2 + x \left(-\frac{a}{b}\right)^{\frac{1}{3}} + \left(-\frac{a}{b}\right)^{\frac{2}{3}}) / (a^5b) - \frac{1}{162} \left(280b^3x^{11}e + 220b^3dx^{10} + 216b^3cx^9 + 770ab^2x^8e + 572ab^2dx^7 + 540ab^2cx^6 + 670a^2b^2x^5e + 451a^2b^2dx^4 + 396a^2b^2cx^3 + 162a^3x^2e + 81a^3dx + 54a^3c \right) / ((bx^4 + ax)^3a^4) + \frac{20}{243} \left(7a^6b^2 \left(-\frac{a}{b}\right)^{\frac{1}{3}}e + 11a^6b^2d \right) \left(-\frac{a}{b}\right)^{\frac{1}{3}} \log(\text{abs}(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}})) / (a^{11}b)$

$3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+4/3*b*c*\ln(b*x^3+a)/a^5-1/3*c/a^4/x^3-1/2*d/a^4/x^2-e/a^4/x-4*b*c*\ln(x)/a^5$

maxima [A] time = 3.08, size = 330, normalized size = 0.97

$$\frac{280 b^3 e x^{11} + 220 b^3 d x^{10} + 216 b^3 c x^9 + 770 a b^2 e x^8 + 572 a b^2 d x^7 + 540 a b^2 c x^6 + 670 a^2 b e x^5 + 451 a^2 b d x^4 + 39 a^2 b^2 c x^3 + 162 a^3 e x^2 + 81 a^3 d x + 54 a^3 c}{162 (a^4 b^3 x^{12} + 3 a^5 b^2 x^9 + 3 a^6 b x^6 + a^7 x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^4/(b*x^3+a)^4,x, algorithm="maxima")

[Out] $-1/162*(280*b^3*e*x^{11} + 220*b^3*d*x^{10} + 216*b^3*c*x^9 + 770*a*b^2*e*x^8 + 572*a*b^2*d*x^7 + 540*a*b^2*c*x^6 + 670*a^2*b*e*x^5 + 451*a^2*b*d*x^4 + 39 a^2*b^2*c*x^3 + 162*a^3*e*x^2 + 81*a^3*d*x + 54*a^3*c)/(a^4*b^3*x^{12} + 3*a^5*b^2*x^9 + 3*a^6*b*x^6 + a^7*x^3) - 4*b*c*\log(x)/a^5 - 20/243*\sqrt{3}*(7*a*e*(a/b)^{(2/3)} + 11*a*d*(a/b)^{(1/3)})*b*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)}))/(a/b)^{(1/3)}/a^6 + 2/243*(162*b*c*(a/b)^{(2/3)} - 35*a*e*(a/b)^{(1/3)} + 55*a*d)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^5*(a/b)^{(2/3)}) + 4/243*(81*b*c*(a/b)^{(2/3)} + 35*a*e*(a/b)^{(1/3)} - 55*a*d)*\log(x + (a/b)^{(1/3)})/(a^5*(a/b)^{(2/3)})$

mupad [B] time = 0.52, size = 918, normalized size = 2.70

$$\left(\sum_{k=1}^3 \ln \left(\frac{b^3 \left(\text{root} \left(14348907 a^{15} z^3 - 57395628 a^{10} b c z^2 + 22453200 a^6 b d e z + 76527504 a^5 b^2 c^2 z - 29937600 a^4 b^3 c^3, z, k \right) \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^4*(a + b*x^3)^4),x)

[Out] $\text{symsum}(\log(-(4*b^3*(688905*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)^2*a^{10}*e + 3920400*b^2*c*d^2 - 3674160*b^2*c^2*e + 4782969*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)^3*a^{14}*x + 2662000*b^2*d^3*x - 686000*a*b*e^3*x + 980100*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^5*b*d^2 - 12754584*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^4*b*d^2 - 12754584*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^3*b*d^2 - 12754584*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a^2*b*d^2 - 12754584*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a*b*d^2 - 12754584*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*a*d^2 - 12754584*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*d^2 - 12754584*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*e^2 - 12754584*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)*e - 12754584*\text{root}(14348907*a^{15}*z^3 - 57395628*a^{10}*b*c*z^2 + 22453200*a^6*b*d*e*z + 76527504*a^5*b^2*c^2*z - 29937600*a*b^2*c*d*e - 2744000*a^2*b*e^3 + 10648000*a*b^2*d^3 - 34012224*b^3*c^3, z, k)$

$$\begin{aligned}
& 28a^{10}b^2c^2z^2 + 22453200a^6b^2d^2e^2z + 76527504a^5b^2c^2z - 29937600a^2b^2c^2d^2e - 2744000a^2b^2e^3 + 10648000a^2b^2d^3 - 34012224b^3c^3, z, \\
& k)^2a^9b^2c^2x + 8503056\text{root}(14348907a^{15}z^3 - 57395628a^{10}b^2c^2z^2 + 22453200a^6b^2d^2e^2z + 76527504a^5b^2c^2z - 29937600a^2b^2c^2d^2e - 2744000a^2b^2e^3 + 10648000a^2b^2d^3 - 34012224b^3c^3, z, k)a^4b^2c^2x \\
& + 1837080\text{root}(14348907a^{15}z^3 - 57395628a^{10}b^2c^2z^2 + 22453200a^6b^2d^2e^2z + 76527504a^5b^2c^2z - 29937600a^2b^2c^2d^2e - 2744000a^2b^2e^3 + 10648000a^2b^2d^3 - 34012224b^3c^3, z, k)a^5b^2c^2e - 4989600b^2c^2d^2e^2x \\
& + 6237000\text{root}(14348907a^{15}z^3 - 57395628a^{10}b^2c^2z^2 + 22453200a^6b^2d^2e^2z + 76527504a^5b^2c^2z - 29937600a^2b^2c^2d^2e - 2744000a^2b^2e^3 + 10648000a^2b^2d^3 - 34012224b^3c^3, z, k)a^5b^2d^2e^2x)) / (531441a^{12}) \\
& \text{root}(14348907a^{15}z^3 - 57395628a^{10}b^2c^2z^2 + 22453200a^6b^2d^2e^2z + 76527504a^5b^2c^2z - 29937600a^2b^2c^2d^2e - 2744000a^2b^2e^3 + 10648000a^2b^2d^3 - 34012224b^3c^3, z, k), k, 1, 3) - (c/(3a) + (e^2x^2)/a + (dx^2)/(2a) + (10b^2c^2x^6)/(3a^3) + (4b^3c^2x^9)/(3a^4) + (286b^2d^2x^7)/(81a^3) + (110b^3d^2x^{10})/(81a^4) + (385b^2e^2x^8)/(81a^3) + (140b^3e^2x^{11})/(81a^4) + (22b^2c^2x^3)/(9a^2) + (451b^2d^2x^4)/(162a^2) + (335b^2e^2x^5)/(81a^2)) / (a^3x^3 + b^3x^{12} + 3a^2b^2x^6 + 3ab^2x^9) - (4b^2c^2 \log(x))/a^5
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**4/(b*x**3+a)**4,x)

[Out] Timed out

$$3.365 \quad \int \frac{2ax - x^2}{a^3 + x^3} dx$$

Optimal. Leaf size=29

$$-\log(a+x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

[Out] $-\ln(a+x) - 2/3 \cdot \arctan(1/3 \cdot (a-2x)/a \cdot 3^{(1/2)}) \cdot 3^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1593, 1868, 31, 617, 204}

$$-\log(a+x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(2*a*x - x^2)/(a^3 + x^3), x]$

[Out] $(-2*\text{ArcTan}[(a - 2*x)/(\text{Sqrt}[3]*a)])/ \text{Sqrt}[3] - \text{Log}[a + x]$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] \text{ /; FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] \text{ /; FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] \text{ /; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) \text{ /; FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1593

$\text{Int}[(u_)*((a_)*(x_)^{p_} + (b_)*(x_)^{q_})^{n_}, x_Symbol] \rightarrow \text{Int}[u*x^{(n*p)}*(a + b*x^{(q-p)})^n, x] \text{ /; FreeQ}\{a, b, p, q\}, x \ \&\& \ \text{IntegerQ}[n] \ \&\&$

PosQ[q - p]

Rule 1868

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = Rt[a/b, 3]}, Dist[C/b, I
nt[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /
; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ
[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{2ax - x^2}{a^3 + x^3} dx &= \int \frac{(2a - x)x}{a^3 + x^3} dx \\ &= a \int \frac{1}{a^2 - ax + x^2} dx - \int \frac{1}{a + x} dx \\ &= -\log(a + x) + 2 \operatorname{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{2x}{a} \right) \\ &= -\frac{2 \tan^{-1} \left(\frac{a-2x}{\sqrt{3}a} \right)}{\sqrt{3}} - \log(a + x) \end{aligned}$$

Mathematica [A] time = 0.02, size = 57, normalized size = 1.97

$$\frac{1}{3} \left(-\log(a^3 + x^3) + \log(a^2 - ax + x^2) - 2\log(a + x) + 2\sqrt{3} \tan^{-1} \left(\frac{2x - a}{\sqrt{3}a} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(2*a*x - x^2)/(a^3 + x^3), x]
```

```
[Out] (2*Sqrt[3]*ArcTan[(-a + 2*x)/(Sqrt[3]*a)] - 2*Log[a + x] + Log[a^2 - a*x +
x^2] - Log[a^3 + x^3])/3
```

fricas [A] time = 0.58, size = 26, normalized size = 0.90

$$\frac{2}{3} \sqrt{3} \arctan \left(-\frac{\sqrt{3}(a - 2x)}{3a} \right) - \log(a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*a*x-x^2)/(a^3+x^3),x, algorithm="fricas")
```


[Out] $\frac{2}{3}\sqrt{3}\arctan(-\frac{1}{3}\sqrt{3}(a-2x)/a) - \log(a+x)$

giac [A] time = 0.15, size = 27, normalized size = 0.93

$$\frac{2}{3}\sqrt{3}\arctan\left(-\frac{\sqrt{3}(a-2x)}{3a}\right) - \log(|a+x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*a*x-x^2)/(a^3+x^3),x, algorithm="giac")`

[Out] $\frac{2}{3}\sqrt{3}\arctan(-\frac{1}{3}\sqrt{3}(a-2x)/a) - \log(\text{abs}(a+x))$

maple [A] time = 0.05, size = 29, normalized size = 1.00

$$\frac{2\sqrt{3}\arctan\left(\frac{(-a+2x)\sqrt{3}}{3a}\right) - \ln(a+x)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*a*x-x^2)/(a^3+x^3),x)`

[Out] $-\ln(a+x) + \frac{2}{3}3^{1/2}\arctan(1/3*(2*x-a)*3^{1/2}/a)$

maxima [A] time = 2.89, size = 26, normalized size = 0.90

$$\frac{2}{3}\sqrt{3}\arctan\left(-\frac{\sqrt{3}(a-2x)}{3a}\right) - \log(a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*a*x-x^2)/(a^3+x^3),x, algorithm="maxima")`

[Out] $\frac{2}{3}\sqrt{3}\arctan(-\frac{1}{3}\sqrt{3}(a-2x)/a) - \log(a+x)$

mupad [B] time = 4.97, size = 26, normalized size = 0.90

$$-\ln(a+x) - \frac{2\sqrt{3}\operatorname{atan}\left(-\frac{\sqrt{3}a}{a-2x}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*a*x - x^2)/(a^3 + x^3),x)`

[Out] $-\log(a+x) - (2*3^{1/2}*atan(-(3^{1/2}*a)/(a-2*x)))/3$

sympy [C] time = 0.18, size = 54, normalized size = 1.86

$$-\log(a + x) - \frac{\sqrt{3} i \log\left(-\frac{a}{2} - \frac{\sqrt{3} i a}{2} + x\right)}{3} + \frac{\sqrt{3} i \log\left(-\frac{a}{2} + \frac{\sqrt{3} i a}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x-x**2)/(a**3+x**3),x)

[Out] -log(a + x) - sqrt(3)*I*log(-a/2 - sqrt(3)*I*a/2 + x)/3 + sqrt(3)*I*log(-a/2 + sqrt(3)*I*a/2 + x)/3

$$3.366 \quad \int \frac{(2a-x)x}{a^3+x^3} dx$$

Optimal. Leaf size=29

$$-\log(a+x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

[Out] $-\ln(a+x) - 2/3 \cdot \arctan(1/3 \cdot (a-2x)/a \cdot 3^{(1/2)}) \cdot 3^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1868, 31, 617, 204}

$$-\log(a+x) - \frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(2a - x)x/(a^3 + x^3), x]$

[Out] $(-2 \cdot \text{ArcTan}[(a - 2x)/(\text{Sqrt}[3] \cdot a)])/\text{Sqrt}[3] - \text{Log}[a + x]$

Rule 31

$\text{Int}[(a_ + (b_ \cdot x_))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b \cdot x, x]]/b, x] \text{ ; FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_ \cdot x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2] \cdot x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2] \cdot \text{Rt}[-b, 2]), x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_ + (b_ \cdot x_ + (c_ \cdot x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4 \cdot \text{Simplify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] \text{ ; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4 \cdot a \cdot c]) \text{ ; FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$

Rule 1868

$\text{Int}[(P2_)/((a_ + (b_ \cdot x_)^3), x_Symbol] \rightarrow \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}\{q = \text{Rt}[a/b, 3]\}, \text{Dist}[C/b, \text{Int}[1/(q + x), x], x] + \text{Dist}[(B + C \cdot q)/b, \text{Int}[1/(q^2 - q \cdot x + x^2), x], x] \text{ ; FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$

; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}\int \frac{(2a-x)x}{a^3+x^3} dx &= a \int \frac{1}{a^2-ax+x^2} dx - \int \frac{1}{a+x} dx \\ &= -\log(a+x) + 2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{a}\right) \\ &= -\frac{2 \tan^{-1}\left(\frac{a-2x}{\sqrt{3}a}\right)}{\sqrt{3}} - \log(a+x)\end{aligned}$$

Mathematica [A] time = 0.01, size = 57, normalized size = 1.97

$$\frac{1}{3} \left(-\log(a^3+x^3) + \log(a^2-ax+x^2) - 2\log(a+x) + 2\sqrt{3} \tan^{-1}\left(\frac{2x-a}{\sqrt{3}a}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2*a - x)*x)/(a^3 + x^3), x]

[Out] (2*Sqrt[3]*ArcTan[(-a + 2*x)/(Sqrt[3]*a)] - 2*Log[a + x] + Log[a^2 - a*x + x^2] - Log[a^3 + x^3])/3

fricas [A] time = 0.75, size = 26, normalized size = 0.90

$$\frac{2}{3} \sqrt{3} \arctan\left(-\frac{\sqrt{3}(a-2x)}{3a}\right) - \log(a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a-x)*x/(a^3+x^3), x, algorithm="fricas")

[Out] 2/3*sqrt(3)*arctan(-1/3*sqrt(3)*(a - 2*x)/a) - log(a + x)

giac [A] time = 0.15, size = 27, normalized size = 0.93

$$\frac{2}{3} \sqrt{3} \arctan\left(-\frac{\sqrt{3}(a-2x)}{3a}\right) - \log(|a+x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a-x)*x/(a^3+x^3),x, algorithm="giac")

[Out] $\frac{2}{3}\sqrt{3}\arctan\left(-\frac{1}{3}\sqrt{3}\frac{a-2x}{a}\right) - \log(\text{abs}(a+x))$

maple [A] time = 0.05, size = 29, normalized size = 1.00

$$\frac{2\sqrt{3} \arctan\left(\frac{(-a+2x)\sqrt{3}}{3a}\right)}{3} - \ln(a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a-x)*x/(a^3+x^3),x)

[Out] $\frac{2}{3}3^{(1/2)}\arctan\left(\frac{1}{3}(-a+2x)3^{(1/2)}/a\right) - \ln(a+x)$

maxima [A] time = 2.97, size = 26, normalized size = 0.90

$$\frac{2}{3}\sqrt{3} \arctan\left(-\frac{\sqrt{3}(a-2x)}{3a}\right) - \log(a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a-x)*x/(a^3+x^3),x, algorithm="maxima")

[Out] $\frac{2}{3}\sqrt{3}\arctan\left(-\frac{1}{3}\sqrt{3}\frac{a-2x}{a}\right) - \log(a+x)$

mupad [B] time = 0.03, size = 26, normalized size = 0.90

$$-\ln(a+x) - \frac{2\sqrt{3} \operatorname{atan}\left(-\frac{\sqrt{3}a}{a-2x}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(2*a-x))/(a^3+x^3),x)

[Out] $-\log(a+x) - (2\cdot 3^{(1/2)}\operatorname{atan}(-3^{(1/2)}a/(a-2x)))/3$

sympy [C] time = 0.17, size = 54, normalized size = 1.86

$$-\log(a+x) - \frac{\sqrt{3}i \log\left(-\frac{a}{2} - \frac{\sqrt{3}ia}{2} + x\right)}{3} + \frac{\sqrt{3}i \log\left(-\frac{a}{2} + \frac{\sqrt{3}ia}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a-x)*x/(a**3+x**3),x)

[Out] $-\log(a+x) - \sqrt{3}\cdot I\cdot \log(-a/2 - \sqrt{3}\cdot I\cdot a/2 + x)/3 + \sqrt{3}\cdot I\cdot \log(-a/2 + \sqrt{3}\cdot I\cdot a/2 + x)/3$

$$3.367 \quad \int \frac{2ax+x^2}{a^3-x^3} dx$$

Optimal. Leaf size=31

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

[Out] $-\ln(a-x) - 2/3 * \arctan(1/3 * (a+2*x) / a * 3^{(1/2)}) * 3^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1593, 1868, 31, 617, 204}

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(2*a*x + x^2)/(a^3 - x^3), x]$

[Out] $(-2*\text{ArcTan}[(a + 2*x)/(\text{Sqrt}[3]*a)])/\text{Sqrt}[3] - \text{Log}[a - x]$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] \text{ ; FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{(-1)}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*c*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] \text{ ; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) \text{ ; FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1593

$\text{Int}[(u_)*((a_)*(x_)^{(p_)} + (b_)*(x_)^{(q_}))^{(n_)}, x_Symbol] \rightarrow \text{Int}[u*x^{(n*p)}*(a + b*x^{(q-p)})^n, x] \text{ ; FreeQ}\{a, b, p, q\}, x \ \&\& \ \text{IntegerQ}[n] \ \&\&$

PosQ[q - p]

Rule 1868

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = Rt[a/b, 3]}, Dist[C/b, I
nt[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /
; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0]] /; FreeQ[{a, b}, x] && PolyQ
[P2, x, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{2ax + x^2}{a^3 - x^3} dx &= \int \frac{x(2a + x)}{a^3 - x^3} dx \\ &= -\left(a \int \frac{1}{a^2 + ax + x^2} dx\right) - \int \frac{1}{-a + x} dx \\ &= -\log(a - x) + 2 \operatorname{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 + \frac{2x}{a}\right) \\ &= -\frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}} - \log(a - x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 58, normalized size = 1.87

$$\frac{1}{3} \left(-\log(x^3 - a^3) + \log(a^2 + ax + x^2) - 2\log(x - a) - 2\sqrt{3} \tan^{-1}\left(\frac{a + 2x}{\sqrt{3}a}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2*a*x + x^2)/(a^3 - x^3), x]

[Out] (-2*Sqrt[3]*ArcTan[(a + 2*x)/(Sqrt[3]*a)] - 2*Log[-a + x] + Log[a^2 + a*x + x^2] - Log[-a^3 + x^3])/3

fricas [A] time = 0.60, size = 28, normalized size = 0.90

$$-\frac{2}{3} \sqrt{3} \operatorname{arctan}\left(\frac{\sqrt{3}(a + 2x)}{3a}\right) - \log(-a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x+x^2)/(a^3-x^3),x, algorithm="fricas")

[Out] $-2/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(a + 2*x)/a) - \log(-a + x)$

giac [A] time = 0.15, size = 29, normalized size = 0.94

$$-\frac{2}{3}\sqrt{3}\arctan\left(\frac{\sqrt{3}(a+2x)}{3a}\right) - \log(|-a+x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*a*x+x^2)/(a^3-x^3),x, algorithm="giac")`

[Out] $-2/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(a + 2*x)/a) - \log(\text{abs}(-a + x))$

maple [A] time = 0.05, size = 29, normalized size = 0.94

$$-\frac{2\sqrt{3}\arctan\left(\frac{(a+2x)\sqrt{3}}{3a}\right)}{3} - \ln(-a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*a*x+x^2)/(a^3-x^3),x)`

[Out] $-2/3*\arctan(1/3*(a+2*x)/a*3^{(1/2)})*3^{(1/2)} - \ln(x-a)$

maxima [A] time = 2.92, size = 28, normalized size = 0.90

$$-\frac{2}{3}\sqrt{3}\arctan\left(\frac{\sqrt{3}(a+2x)}{3a}\right) - \log(-a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*a*x+x^2)/(a^3-x^3),x, algorithm="maxima")`

[Out] $-2/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(a + 2*x)/a) - \log(-a + x)$

mupad [B] time = 4.95, size = 27, normalized size = 0.87

$$\frac{2\sqrt{3}\operatorname{atan}\left(\frac{\sqrt{3}a}{a+2x}\right)}{3} - \ln(x-a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*a*x + x^2)/(a^3 - x^3),x)`

[Out] $(2*3^{(1/2)}*\operatorname{atan}((3^{(1/2)}*a)/(a + 2*x)))/3 - \log(x - a)$

sympy [C] time = 0.17, size = 54, normalized size = 1.74

$$-\log(-a + x) + \frac{\sqrt{3} i \log\left(\frac{a}{2} - \frac{\sqrt{3} i a}{2} + x\right)}{3} - \frac{\sqrt{3} i \log\left(\frac{a}{2} + \frac{\sqrt{3} i a}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*a*x+x**2)/(a**3-x**3),x)

[Out] -log(-a + x) + sqrt(3)*I*log(a/2 - sqrt(3)*I*a/2 + x)/3 - sqrt(3)*I*log(a/2 + sqrt(3)*I*a/2 + x)/3

$$3.368 \quad \int \frac{x(2a+x)}{a^3-x^3} dx$$

Optimal. Leaf size=31

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

[Out] $-\ln(a-x) - 2/3 * \arctan(1/3 * (a+2*x)/a * 3^{(1/2)}) * 3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1868, 31, 617, 204}

$$-\log(a-x) - \frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*(2*a + x))/(a^3 - x^3), x]$

[Out] $(-2*\text{ArcTan}[(a + 2*x)/(\text{Sqrt}[3]*a)])/\text{Sqrt}[3] - \text{Log}[a - x]$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{(-1)}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 1868

$\text{Int}[(P2_)/((a_ + (b_)*(x_)^3), x_Symbol] \rightarrow \text{With}\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{With}\{q = \text{Rt}[a/b, 3]\}, \text{Dist}[C/b, \text{Int}[1/(q + x), x], x] + \text{Dist}[(B + C*q)/b, \text{Int}[1/(q^2 - q*x + x^2), x], x] /$

; EqQ[A - Rt[a/b, 3]*B - 2*Rt[a/b, 3]^2*C, 0] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}\int \frac{x(2a+x)}{a^3-x^3} dx &= -\left(a \int \frac{1}{a^2+ax+x^2} dx\right) - \int \frac{1}{-a+x} dx \\ &= -\log(a-x) + 2 \operatorname{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{a}\right) \\ &= -\frac{2 \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right)}{\sqrt{3}} - \log(a-x)\end{aligned}$$

Mathematica [A] time = 0.01, size = 58, normalized size = 1.87

$$\frac{1}{3} \left(-\log(x^3 - a^3) + \log(a^2 + ax + x^2) - 2\log(x - a) - 2\sqrt{3} \tan^{-1}\left(\frac{a+2x}{\sqrt{3}a}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2*a + x))/(a^3 - x^3), x]

[Out] (-2*Sqrt[3]*ArcTan[(a + 2*x)/(Sqrt[3]*a)] - 2*Log[-a + x] + Log[a^2 + a*x + x^2] - Log[-a^3 + x^3])/3

fricas [A] time = 0.60, size = 28, normalized size = 0.90

$$-\frac{2}{3} \sqrt{3} \arctan\left(\frac{\sqrt{3}(a+2x)}{3a}\right) - \log(-a+x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*a+x)/(a^3-x^3), x, algorithm="fricas")

[Out] -2/3*sqrt(3)*arctan(1/3*sqrt(3)*(a + 2*x)/a) - log(-a + x)

giac [A] time = 0.15, size = 29, normalized size = 0.94

$$-\frac{2}{3} \sqrt{3} \arctan\left(\frac{\sqrt{3}(a+2x)}{3a}\right) - \log(|-a+x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*a+x)/(a^3-x^3),x, algorithm="giac")

[Out] $-2/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(a + 2*x)/a) - \log(\text{abs}(-a + x))$

maple [A] time = 0.06, size = 29, normalized size = 0.94

$$-\frac{2\sqrt{3} \arctan\left(\frac{(a+2x)\sqrt{3}}{3a}\right)}{3} - \ln(-a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(2*a+x)/(a^3-x^3),x)

[Out] $-2/3*3^{(1/2)}*\arctan(1/3*(a+2*x)*3^{(1/2)}/a)-\ln(-a+x)$

maxima [A] time = 2.84, size = 28, normalized size = 0.90

$$-\frac{2}{3}\sqrt{3} \arctan\left(\frac{\sqrt{3}(a+2x)}{3a}\right) - \log(-a + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*a+x)/(a^3-x^3),x, algorithm="maxima")

[Out] $-2/3*\sqrt{3}*\arctan(1/3*\sqrt{3}*(a + 2*x)/a) - \log(-a + x)$

mupad [B] time = 0.03, size = 27, normalized size = 0.87

$$\frac{2\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}a}{a+2x}\right)}{3} - \ln(x - a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(2*a + x))/(a^3 - x^3),x)

[Out] $(2*3^{(1/2)}*\operatorname{atan}((3^{(1/2)}*a)/(a + 2*x)))/3 - \log(x - a)$

sympy [C] time = 0.17, size = 54, normalized size = 1.74

$$-\log(-a + x) + \frac{\sqrt{3}i \log\left(\frac{a}{2} - \frac{\sqrt{3}ia}{2} + x\right)}{3} - \frac{\sqrt{3}i \log\left(\frac{a}{2} + \frac{\sqrt{3}ia}{2} + x\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*a+x)/(a**3-x**3),x)

[Out] $-\log(-a + x) + \sqrt{3}*I*\log(a/2 - \sqrt{3}*I*a/2 + x)/3 - \sqrt{3}*I*\log(a/2 + \sqrt{3}*I*a/2 + x)/3$

$$3.369 \quad \int \frac{x \left(-2 \sqrt[3]{\frac{a}{b}} C + Cx \right)}{a + bx^3} dx$$

Optimal. Leaf size=50

$$\frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b}$$

[Out] $C \ln((a/b)^{(1/3)+x}/b + 2/3 * C * \arctan(1/3 * (1 - 2*x/(a/b)^{(1/3)}) * 3^{(1/2)})/b * 3^{(1/2)})$

Rubi [A] time = 0.09, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1867, 31, 617, 204}

$$\frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x * (-2 * (a/b)^{(1/3)} * C + C * x)) / (a + b * x^3), x]$

[Out] $(2 * C * \text{ArcTan}[(1 - (2 * x) / (a/b)^{(1/3)}) / \text{Sqrt}[3]]) / (\text{Sqrt}[3] * b) + (C * \text{Log}[(a/b)^{(1/3)} + x]) / b$

Rule 31

$\text{Int}[(a + (b \cdot x))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b * x, x]] / b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a + (b \cdot x^2))^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2] * x] / \text{Rt}[-a, 2]] / (\text{Rt}[-a, 2] * \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 617

$\text{Int}[(a + (b \cdot x) + (c \cdot x^2))^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4 * \text{Simplify}[(a * c) / b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 * c * x) / b]$

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{x \left(-2\sqrt[3]{\frac{a}{b}} C + Cx \right)}{a + bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} + x} dx}{b} - \frac{\left(\sqrt[3]{\frac{a}{b}} C \right) \int \frac{1}{\left(\frac{a}{b} \right)^{2/3} - \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b} - \frac{(2C) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}} \right)}{b} \\ &= \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b} + \frac{C \log \left(\sqrt[3]{\frac{a}{b}} + x \right)}{b} \end{aligned}$$

Mathematica [B] time = 0.04, size = 146, normalized size = 2.92

$$\frac{C \left(-\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \sqrt[3]{a} \log \left(a + bx^3 \right) + 2\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) + 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right) \right)}{3\sqrt[3]{ab}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(-2*(a/b)^(1/3)*C + C*x))/(a + b*x^3), x]

[Out] (C*(2*Sqrt[3]*(a/b)^(1/3)*b^(1/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*(a/b)^(1/3)*b^(1/3)*Log[a^(1/3) + b^(1/3)*x] - (a/b)^(1/3)*b^(1/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a + b*x^3]))/(3*a^(1/3)*b)

fricas [A] time = 0.57, size = 52, normalized size = 1.04

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(\frac{a}{b}\right)^{\frac{2}{3}} - \sqrt{3}a}{3a}\right) - 3C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a),x, algorithm="fricas")

[Out] -1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) - sqrt(3)*a)/a) - 3*C*log(x + (a/b)^(1/3)))/b

giac [B] time = 0.48, size = 174, normalized size = 3.48

$$\frac{\left(Cb\left(-\frac{a}{b}\right)^{\frac{2}{3}} - 2(ab^2)^{\frac{1}{3}}C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right) + \sqrt{3}\left(ab^2 - \sqrt{3}\sqrt{a^2b^4}i\right)C \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab + 3ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a),x, algorithm="giac")

[Out] -1/3*(C*b*(-a/b)^(2/3) - 2*(a*b^2)^(1/3)*C*(-a/b)^(1/3))*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b) - 1/3*sqrt(3)*(a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/(a*b^3) + 1/6*(3*a*b^2 - sqrt(3)*sqrt(a^2*b^4)*i)*C*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/(a*b^3)

maple [A] time = 0.05, size = 87, normalized size = 1.74

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3b} + \frac{2C \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} - \frac{C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} + \frac{C \ln(bx^3 + a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a),x)

[Out] $\frac{2}{3}C/b \ln(x + (a/b)^{1/3}) - \frac{1}{3}C/b \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) - \frac{2}{3}3^{1/2}C/b \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3}x - 1)) + \frac{1}{3}C/b \ln(b \cdot x^3 + a)$

maxima [A] time = 3.07, size = 51, normalized size = 1.02

$$-\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} + \frac{C \log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-2*(a/b)^(1/3)*C+C*x)/(b*x^3+a),x, algorithm="maxima")`

[Out] $-\frac{2}{3}\sqrt{3}C \arctan\left(\frac{1/3\sqrt{3}(2x - (a/b)^{1/3})}{(a/b)^{1/3}}\right)/b + C \log(x + (a/b)^{1/3})/b$

mupad [B] time = 5.22, size = 154, normalized size = 3.08

$$\sum_{k=1}^3 \ln\left(\frac{C^2 a + \text{root}\left(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k\right)^2 a b^2 9 - C \text{root}\left(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k\right) a b + 4 C^2 b x (a/b)^{2/3}}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(C*x - 2*C*(a/b)^(1/3)))/(a + b*x^3),x)`

[Out] `symsum(log((C^2*a + 9*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k)^2*a*b^2 - 6*C*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k)*a*b + 4*C^2*b*x*(a/b)^(2/3))/b^3)*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k), k, 1, 3)`

sympy [C] time = 0.32, size = 100, normalized size = 2.00

$$\frac{C \left(\log\left(\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) + \frac{\sqrt{3}i \log\left(-\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} - \frac{\sqrt{3}i \log\left(-\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-2*(a/b)**(1/3)*C+C*x)/(b*x**3+a),x)`


```
[Out] C*(log(a/(b*(a/b)**(2/3)) + x) + sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(-a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b
```

$$3.370 \quad \int \frac{x \left(-2 \sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a - bx^3} dx$$

Optimal. Leaf size=53

$$-\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b} - \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b}$$

[Out] $-C \ln \left((-a/b)^{(1/3)} + x \right) / b - 2/3 C \arctan \left(1/3 * (1 - 2*x / (-a/b)^{(1/3)}) * 3^{(1/2)} \right) / b * 3^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1867, 31, 617, 204}

$$-\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b} - \frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Antiderivative was successfully verified.

[In] `Int[(x*(-2*(-(a/b))^(1/3)*C + C*x))/(a - b*x^3),x]`

[Out] $(-2*C*ArcTan[(1 - (2*x)/(-a/b))^{(1/3)})/Sqrt[3]]/(Sqrt[3]*b) - (C*Log[(-(a/b))^{(1/3)} + x])/b$

Rule 31

`Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 617

`Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]`

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1867

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (a/b)^(1/3)}, Dist[C/b, Int[1/(q + x), x], x] + Dist[(B + C*q)/b, Int[1/(q^2 - q*x + x^2), x], x]] /; EqQ[A - (a/b)^(1/3)*B - 2*(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{x \left(-2\sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a - bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} + x} dx}{b} + \frac{\left(\sqrt[3]{-\frac{a}{b}} C \right) \int \frac{1}{\left(-\frac{a}{b} \right)^{2/3} - \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= -\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b} + \frac{(2C) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}} \right)}{b} \\ &= -\frac{2C \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b} - \frac{C \log \left(\sqrt[3]{-\frac{a}{b}} + x \right)}{b} \end{aligned}$$

Mathematica [B] time = 0.08, size = 149, normalized size = 2.81

$$\frac{C \left(\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log \left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \sqrt[3]{a} \log \left(a - bx^3 \right) - 2\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log \left(\sqrt[3]{a} - \sqrt[3]{b} x \right) - 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \tan^{-1} \left(\frac{1 - \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right) \right)}{3\sqrt[3]{ab}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(-2*(-(a/b))^(1/3)*C + C*x))/(a - b*x^3),x]

[Out] -1/3*(C*(-2*Sqrt[3]*(-(a/b))^(1/3)*b^(1/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*(-(a/b))^(1/3)*b^(1/3)*Log[a^(1/3) - b^(1/3)*x] + (-(a/b))^(1/3)*b^(1/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a - b*x^3]))/(a^(1/3)*b)

fricas [A] time = 0.62, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(-\frac{a}{b}\right)^{\frac{2}{3}} + \sqrt{3}a}{3a}\right) + 3C \log\left(x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a),x, algorithm="fricas")

[Out] -1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) + sqrt(3)*a)/a) + 3*C*log(x + (-a/b)^(1/3)))/b

giac [B] time = 0.21, size = 165, normalized size = 3.11

$$\frac{\left(Cb\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2(-ab^2)^{\frac{1}{3}}C\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(\frac{a}{b}\right)^{\frac{1}{3}}\log\left(\left|x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab} + \frac{\sqrt{3}\left(ab^2 + \sqrt{3}\sqrt{a^2b^4}i\right)C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3ab^3} \left(3ab^2 + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a),x, algorithm="giac")

[Out] -1/3*(C*b*(a/b)^(2/3) - 2*(-a*b^2)^(1/3)*C*(a/b)^(1/3))*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b) + 1/3*sqrt(3)*(a*b^2 + sqrt(3)*sqrt(a^2*b^4)*i)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/(a*b^3) - 1/6*(3*a*b^2 + sqrt(3)*sqrt(a^2*b^4)*i)*C*log(x^2 + x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^3)

maple [B] time = 0.05, size = 135, normalized size = 2.55

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}\sqrt{3}C \arctan\left(\frac{\left(\frac{\frac{2x}{1}+1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)\sqrt{3}}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}}C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{C \ln(bx^3 - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a),x)

[Out] $2/3 * C * (-a/b)^{(1/3)} / b / (a/b)^{(1/3)} * \ln(x - (a/b)^{(1/3)}) - 1/3 * C * (-a/b)^{(1/3)} / b / (a/b)^{(1/3)} * \ln(x^2 + (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + 2/3 * C * (-a/b)^{(1/3)} * 3^{(1/2)} / b / (a/b)^{(1/3)} * \arctan(1/3 * (2/(a/b)^{(1/3)} * x + 1) * 3^{(1/2)}) - 1/3 * C / b * \ln(b * x^3 - a)$

maxima [B] time = 3.02, size = 166, normalized size = 3.13

$$\frac{\left(C \left(\frac{a}{b}\right)^{\frac{1}{3}} + C \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) \log\left(x^2 + x \left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3 b \left(\frac{a}{b}\right)^{\frac{1}{3}}} - \frac{\left(C \left(\frac{a}{b}\right)^{\frac{1}{3}} - 2 C \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right) \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 b \left(\frac{a}{b}\right)^{\frac{1}{3}}} - 2 \sqrt{3} \left(C a - \left(3 C \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-2*(-a/b)^(1/3)*C+C*x)/(-b*x^3+a),x, algorithm="maxima")`

[Out] $-1/3 * (C * (a/b)^{(1/3)} + C * (-a/b)^{(1/3)}) * \log(x^2 + x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (b * (a/b)^{(1/3)}) - 1/3 * (C * (a/b)^{(1/3)} - 2 * C * (-a/b)^{(1/3)}) * \log(x - (a/b)^{(1/3)}) / (b * (a/b)^{(1/3)}) - 2/9 * \sqrt{3} * (C * a - (3 * C * (a/b)^{(2/3)} * (-a/b)^{(1/3)} + C * a/b) * b) * \arctan(1/3 * \sqrt{3} * (2 * x + (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a * b)$

mupad [B] time = 5.25, size = 156, normalized size = 2.94

$$\sum_{k=1}^3 \ln \left(- \frac{C^2 a + \text{root}(27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k)^2 a b^2 9 + C \text{root}(27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k)}{b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(C*x - 2*C*(-a/b)^(1/3)))/(a - b*x^3),x)`

[Out] `symsum(log(-(C^2*a + 9*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k)^2*a*b^2 + 6*C*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k)*a*b - 4*C^2*b*x*(-a/b)^(2/3))/b^3)*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k), k, 1, 3)`

sympy [C] time = 0.35, size = 110, normalized size = 2.08

$$\frac{C \left(\log \left(- \frac{a}{b \left(- \frac{a}{b} \right)^{\frac{2}{3}}} + x \right) - \frac{\sqrt{3} i \log \left(\frac{a}{2 b \left(- \frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\sqrt{3} i a}{2 b \left(- \frac{a}{b} \right)^{\frac{2}{3}}} + x \right)}{3} + \frac{\sqrt{3} i \log \left(\frac{a}{2 b \left(- \frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\sqrt{3} i a}{2 b \left(- \frac{a}{b} \right)^{\frac{2}{3}}} + x \right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(-2*(-a/b)**(1/3)*C+C*x)/(-b*x**3+a),x)
```

```
[Out] -C*(log(-a/(b*(-a/b)**(2/3)) + x) - sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3)) - s  
qrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(a/(2*b*(-a/b)**(2/3))  
+ sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```

$$3.371 \quad \int \frac{x \left(2 \sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a + bx^3} dx$$

Optimal. Leaf size=54

$$\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{\frac{2x}{\sqrt[3]{-\frac{a}{b}}} + 1}{\sqrt{3}} \right)}{\sqrt{3} b}$$

[Out] C*ln((-a/b)^(1/3)-x)/b+2/3*C*arctan(1/3*(1+2*x/(-a/b)^(1/3))*3^(1/2))/b*3^(1/2)

Rubi [A] time = 0.08, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1869, 31, 617, 204}

$$\frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b} + \frac{2C \tan^{-1} \left(\frac{\frac{2x}{\sqrt[3]{-\frac{a}{b}}} + 1}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Antiderivative was successfully verified.

[In] Int[(x*(2*(-(a/b))^(1/3)*C + C*x))/(a + b*x^3),x]

[Out] (2*C*ArcTan[(1 + (2*x)/(-(a/b))^(1/3))/Sqrt[3]])/(Sqrt[3]*b) + (C*Log[(-(a/b))^(1/3) - x])/b

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^-1, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = (-a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + (-a/b)^(1/3)*B - 2*(-a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{x \left(2\sqrt[3]{-\frac{a}{b}} C + Cx \right)}{a + bx^3} dx &= -\frac{C \int \frac{1}{\sqrt[3]{-\frac{a}{b}} - x} dx}{b} + \frac{\left(\sqrt[3]{-\frac{a}{b}} C \right) \int \frac{1}{\left(-\frac{a}{b}\right)^{2/3} + \sqrt[3]{-\frac{a}{b}} x + x^2} dx}{b} \\ &= \frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b} - \frac{(2C) \operatorname{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}} \right)}{b} \\ &= \frac{2C \tan^{-1} \left(\frac{1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b} + \frac{C \log \left(\sqrt[3]{-\frac{a}{b}} - x \right)}{b} \end{aligned}$$

Mathematica [B] time = 0.05, size = 148, normalized size = 2.74

$$\frac{C \left(\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \sqrt[3]{a} \log \left(a + bx^3 \right) - 2\sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) - 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{-\frac{a}{b}} \tan^{-1} \left(\frac{1 + \frac{2x}{\sqrt[3]{-\frac{a}{b}}}}{\sqrt{3}} \right) \right)}{3\sqrt[3]{a} b}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2*(-a/b))^(1/3)*C + C*x)/(a + b*x^3), x]

[Out] (C*(-2*Sqrt[3]*(-a/b)^(1/3)*b^(1/3)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] - 2*(-a/b)^(1/3)*b^(1/3)*Log[a^(1/3) + b^(1/3)*x] + (-a/b)^(1/3)*b^(1/3)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a + b*x^3])/(3*a^(1/3)*b)

fricas [A] time = 0.54, size = 56, normalized size = 1.04

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(-\frac{a}{b}\right)^{\frac{2}{3}} - \sqrt{3}a}{3a}\right) - 3C \log\left(x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(-a/b)^(1/3)*C+C*x)/(b*x^3+a),x, algorithm="fricas")

[Out] -1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(-a/b)^(2/3) - sqrt(3)*a)/a) - 3*C*log(x - (-a/b)^(1/3)))/b

giac [B] time = 0.19, size = 97, normalized size = 1.80

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{\left(Cb\left(-\frac{a}{b}\right)^{\frac{2}{3}} + 2(-ab^2)^{\frac{1}{3}}C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(-\frac{a}{b}\right)^{\frac{1}{3}} \log\left(\left|x - \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right|\right)}{3ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(-a/b)^(1/3)*C+C*x)/(b*x^3+a),x, algorithm="giac")

[Out] 2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b - 1/3*(C*b*(-a/b)^(2/3) + 2*(-a*b^2)^(1/3)*C*(-a/b)^(1/3))*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b)

maple [B] time = 0.06, size = 132, normalized size = 2.44

$$\frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} - \frac{2\left(-\frac{a}{b}\right)^{\frac{1}{3}}C \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{\left(-\frac{a}{b}\right)^{\frac{1}{3}}C \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}b} + \frac{C \ln\left(bx^3 + a\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(2*(-a/b)^(1/3)*C+C*x)/(b*x^3+a),x)

[Out] -2/3*C*(-a/b)^(1/3)/b/(a/b)^(1/3)*ln(x+(a/b)^(1/3))+1/3*C*(-a/b)^(1/3)/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/3*C*(-a/b)^(1/3)*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*C/b*ln(b*x^3+a)

maxima [B] time = 2.99, size = 167, normalized size = 3.09

$$\frac{\left(C\left(\frac{a}{b}\right)^{\frac{1}{3}} + C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x^2 - x\left(\frac{a}{b}\right)^{\frac{1}{3}} + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}} + \frac{\left(C\left(\frac{a}{b}\right)^{\frac{1}{3}} - 2C\left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)\log\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b\left(\frac{a}{b}\right)^{\frac{1}{3}}} - 2\sqrt{3}\left(Ca - \left(3C\left(\frac{a}{b}\right)^{\frac{2}{3}}\left(-\frac{a}{b}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(-a/b)^(1/3)*C+C*x)/(b*x^3+a),x, algorithm="maxima")

[Out] 1/3*(C*(a/b)^(1/3) + C*(-a/b)^(1/3))*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3)) / (b*(a/b)^(1/3)) + 1/3*(C*(a/b)^(1/3) - 2*C*(-a/b)^(1/3))*log(x + (a/b)^(1/3)) / (b*(a/b)^(1/3)) - 2/9*sqrt(3)*(C*a - (3*C*(a/b)^(2/3)*(-a/b)^(1/3) + C*a/b)*b)*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a*b)

mupad [B] time = 5.22, size = 155, normalized size = 2.87

$$\sum_{k=1}^3 \ln \left(\frac{C^2 a + \text{root}(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k)^2 a b^2 9 - C \text{root}(27 a b^3 z^3 - 27 C a b^2 z^2 + 9 C^2 a b z - 9 C^3 a, z, k)}{b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(C*x + 2*C*(-a/b)^(1/3)))/(a + b*x^3),x)

[Out] symsum(log((C^2*a + 9*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k)^2*a*b^2 - 6*C*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k)*a*b + 4*C^2*b*x*(-a/b)^(2/3))/b^3)*root(27*a*b^3*z^3 - 27*C*a*b^2*z^2 + 9*C^2*a*b*z - 9*C^3*a, z, k), k, 1, 3)

sympy [C] time = 0.32, size = 109, normalized size = 2.02

$$\frac{C \left(\log \left(\frac{a}{b \left(-\frac{a}{b} \right)^{\frac{2}{3}}} + x \right) + \frac{\sqrt{3} i \log \left(-\frac{a}{2b \left(-\frac{a}{b} \right)^{\frac{2}{3}}} - \frac{\sqrt{3} i a}{2b \left(-\frac{a}{b} \right)^{\frac{2}{3}}} + x \right)}{3} - \frac{\sqrt{3} i \log \left(-\frac{a}{2b \left(-\frac{a}{b} \right)^{\frac{2}{3}}} + \frac{\sqrt{3} i a}{2b \left(-\frac{a}{b} \right)^{\frac{2}{3}}} + x \right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(-a/b)**(1/3)*C+C*x)/(b*x**3+a),x)

```
[Out] C*(log(a/(b*(-a/b)**(2/3)) + x) + sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3 - sqrt(3)*I*log(-a/(2*b*(-a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(-a/b)**(2/3)) + x)/3)/b
```

$$3.372 \quad \int \frac{x \left(2 \sqrt[3]{\frac{a}{b}} C + Cx \right)}{a - bx^3} dx$$

Optimal. Leaf size=53

$$-\frac{C \log \left(\sqrt[3]{\frac{a}{b}} - x \right)}{b} - \frac{2C \tan^{-1} \left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}} \right)}{\sqrt{3} b}$$

[Out] $-C \ln \left(\left(\frac{a}{b} \right)^{1/3} - x \right) / b - 2/3 C \arctan \left(\frac{1 + 2x / \left(\frac{a}{b} \right)^{1/3}}{\sqrt{3}} \right) / b \sqrt{3}$

Rubi [A] time = 0.08, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1869, 31, 617, 204}

$$-\frac{C \log \left(\sqrt[3]{\frac{a}{b}} - x \right)}{b} - \frac{2C \tan^{-1} \left(\frac{\frac{2x}{\sqrt[3]{\frac{a}{b}}} + 1}{\sqrt{3}} \right)}{\sqrt{3} b}$$

Antiderivative was successfully verified.

[In] `Int[(x*(2*(a/b)^(1/3)*C + C*x))/(a - b*x^3), x]`

[Out] $(-2*C*ArcTan[(1 + (2*x)/(a/b)^{1/3})/Sqrt[3]])/(Sqrt[3]*b) - (C*Log[(a/b)^{1/3} - x])/b$

Rule 31

`Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rule 617

`Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b]`

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1869

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, With[{q = -(a/b)^(1/3)}, -Dist[C/b, Int[1/(q - x), x], x] + Dist[(B - C*q)/b, Int[1/(q^2 + q*x + x^2), x], x]] /; EqQ[A + -(a/b)^(1/3)*B - 2*(-(a/b)^(2/3)*C, 0]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned} \int \frac{x \left(2\sqrt[3]{\frac{a}{b}} C + Cx \right)}{a - bx^3} dx &= \frac{C \int \frac{1}{\sqrt[3]{\frac{a}{b}} - x} dx}{b} - \frac{\left(\sqrt[3]{\frac{a}{b}} C \right) \int \frac{1}{\left(\frac{a}{b} \right)^{2/3} + \sqrt[3]{\frac{a}{b}} x + x^2} dx}{b} \\ &= -\frac{C \log \left(\sqrt[3]{\frac{a}{b}} - x \right)}{b} + \frac{(2C) \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}} \right)}{b} \\ &= -\frac{2C \tan^{-1} \left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right)}{\sqrt{3} b} - \frac{C \log \left(\sqrt[3]{\frac{a}{b}} - x \right)}{b} \end{aligned}$$

Mathematica [B] time = 0.06, size = 147, normalized size = 2.77

$$\frac{C \left(-\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log \left(a^{2/3} + \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) + \sqrt[3]{a} \log \left(a - bx^3 \right) + 2\sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \log \left(\sqrt[3]{a} - \sqrt[3]{b} x \right) + 2\sqrt{3} \sqrt[3]{b} \sqrt[3]{\frac{a}{b}} \tan^{-1} \left(\frac{1 + \frac{2x}{\sqrt[3]{\frac{a}{b}}}}{\sqrt{3}} \right) \right)}{3\sqrt[3]{ab}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2*(a/b)^(1/3)*C + C*x))/(a - b*x^3), x]

[Out] -1/3*(C*(2*Sqrt[3]*(a/b)^(1/3)*b^(1/3)*ArcTan[(1 + (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 2*(a/b)^(1/3)*b^(1/3)*Log[a^(1/3) - b^(1/3)*x] - (a/b)^(1/3)*b^(1/3)*Log[a^(2/3) + a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + a^(1/3)*Log[a - b*x^3]))/(a^(1/3)*b)

fricas [A] time = 0.69, size = 53, normalized size = 1.00

$$\frac{2\sqrt{3}C \arctan\left(\frac{2\sqrt{3}bx\left(\frac{a}{b}\right)^{\frac{2}{3}} + \sqrt{3}a}{3a}\right) + 3C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a),x, algorithm="fricas")

[Out] -1/3*(2*sqrt(3)*C*arctan(1/3*(2*sqrt(3)*b*x*(a/b)^(2/3) + sqrt(3)*a)/a) + 3*C*log(x - (a/b)^(1/3)))/b

giac [A] time = 0.20, size = 90, normalized size = 1.70

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{\left(Cb\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2\left(ab^2\right)^{\frac{1}{3}}C\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\left(\frac{a}{b}\right)^{\frac{1}{3}} \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a),x, algorithm="giac")

[Out] -2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/b - 1/3*(C*b*(a/b)^(2/3) + 2*(a*b^2)^(1/3)*C*(a/b)^(1/3))*(a/b)^(1/3)*log(abs(x - (a/b)^(1/3)))/(a*b)

maple [A] time = 0.05, size = 90, normalized size = 1.70

$$\frac{2\sqrt{3}C \arctan\left(\frac{\left(\frac{\frac{2x}{1}+1}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)\sqrt{3}}{3}\right)}{3b} - \frac{2C \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3b} + \frac{C \ln\left(x^2 + \left(\frac{a}{b}\right)^{\frac{1}{3}}x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{3b} - \frac{C \ln(bx^3 - a)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a),x)

[Out] -2/3*C/b*ln(x-(a/b)^(1/3))+1/3*C/b*ln(x^2+(a/b)^(1/3)*x+(a/b)^(2/3))-2/3*3^(1/2)*C/b*arctan(1/3*(2/(a/b)^(1/3)*x+1)*3^(1/2))-1/3*C/b*ln(b*x^3-a)

maxima [A] time = 3.02, size = 52, normalized size = 0.98

$$\frac{2\sqrt{3}C \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3b} - \frac{C \log\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(a/b)^(1/3)*C+C*x)/(-b*x^3+a),x, algorithm="maxima")

[Out] -2/3*sqrt(3)*C*arctan(1/3*sqrt(3)*(2*x + (a/b)^(1/3))/(a/b)^(1/3))/b - C*log(x - (a/b)^(1/3))/b

mupad [B] time = 5.23, size = 155, normalized size = 2.92

$$\sum_{k=1}^3 \ln\left(\frac{C^2 a + \text{root}\left(27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k\right)^2 a b^2 9 + C \text{root}\left(27 a b^3 z^3 + 27 C a b^2 z^2 + 9 C^2 a b z + 9 C^3 a, z, k\right)}{b^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(C*x + 2*C*(a/b)^(1/3)))/(a - b*x^3),x)

[Out] symsum(log(-(C^2*a + 9*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k)^2*a*b^2 + 6*C*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k)*a*b - 4*C^2*b*x*(a/b)^(2/3))/b^3)*root(27*a*b^3*z^3 + 27*C*a*b^2*z^2 + 9*C^2*a*b*z + 9*C^3*a, z, k), k, 1, 3)

sympy [C] time = 0.37, size = 102, normalized size = 1.92

$$\frac{C \left(\log\left(-\frac{a}{b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right) - \frac{\sqrt{3}i \log\left(\frac{\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} - \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} + \frac{\sqrt{3}i \log\left(\frac{\frac{a}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}ia}{2b\left(\frac{a}{b}\right)^{\frac{2}{3}}} + x\right)}{3} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(2*(a/b)**(1/3)*C+C*x)/(-b*x**3+a),x)

[Out] -C*(log(-a/(b*(a/b)**(2/3)) + x) - sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) - sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3 + sqrt(3)*I*log(a/(2*b*(a/b)**(2/3)) + sqrt(3)*I*a/(2*b*(a/b)**(2/3)) + x)/3)/b

$$3.373 \quad \int x^4 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=97

$$\frac{1}{8}x^8(af+bc) + \frac{1}{9}x^9(ag+bd) + \frac{1}{10}x^{10}(ah+be) + \frac{1}{5}acx^5 + \frac{1}{6}adx^6 + \frac{1}{7}aex^7 + \frac{1}{11}bfx^{11} + \frac{1}{12}bgx^{12} + \frac{1}{13}bhx^{13}$$

[Out] 1/5*a*c*x^5+1/6*a*d*x^6+1/7*a*e*x^7+1/8*(a*f+b*c)*x^8+1/9*(a*g+b*d)*x^9+1/10*(a*h+b*e)*x^10+1/11*b*f*x^11+1/12*b*g*x^12+1/13*b*h*x^13

Rubi [A] time = 0.12, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{8}x^8(af+bc) + \frac{1}{9}x^9(ag+bd) + \frac{1}{10}x^{10}(ah+be) + \frac{1}{5}acx^5 + \frac{1}{6}adx^6 + \frac{1}{7}aex^7 + \frac{1}{11}bfx^{11} + \frac{1}{12}bgx^{12} + \frac{1}{13}bhx^{13}$$

Antiderivative was successfully verified.

[In] Int[x^4*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^5)/5 + (a*d*x^6)/6 + (a*e*x^7)/7 + ((b*c + a*f)*x^8)/8 + ((b*d + a*g)*x^9)/9 + ((b*e + a*h)*x^10)/10 + (b*f*x^11)/11 + (b*g*x^12)/12 + (b*h*x^13)/13

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^4 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (acx^4 + adx^5 + aex^6 + (bc + af)x^7 + (bd + ag)x^8 + (be + ah)x^9 + bdx^{10} + bfx^{11} + bgx^{12} + bhx^{13}) dx \\ &= \frac{1}{5}acx^5 + \frac{1}{6}adx^6 + \frac{1}{7}aex^7 + \frac{1}{8}(bc + af)x^8 + \frac{1}{9}(bd + ag)x^9 + \frac{1}{10}bdx^{10} + \frac{1}{11}bfx^{11} + \frac{1}{12}bgx^{12} + \frac{1}{13}bhx^{13} \end{aligned}$$

Mathematica [A] time = 0.04, size = 97, normalized size = 1.00

$$\frac{1}{8}x^8(af+bc) + \frac{1}{9}x^9(ag+bd) + \frac{1}{10}x^{10}(ah+be) + \frac{1}{5}acx^5 + \frac{1}{6}adx^6 + \frac{1}{7}aex^7 + \frac{1}{11}bfx^{11} + \frac{1}{12}bgx^{12} + \frac{1}{13}bhx^{13}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^5)/5 + (a*d*x^6)/6 + (a*e*x^7)/7 + ((b*c + a*f)*x^8)/8 + ((b*d + a*g)*x^9)/9 + ((b*e + a*h)*x^10)/10 + (b*f*x^11)/11 + (b*g*x^12)/12 + (b*h*x^13)/13

fricas [A] time = 0.55, size = 85, normalized size = 0.88

$$\frac{1}{13}x^{13}hb + \frac{1}{12}x^{12}gb + \frac{1}{11}x^{11}fb + \frac{1}{10}x^{10}eb + \frac{1}{10}x^{10}ha + \frac{1}{9}x^9db + \frac{1}{9}x^9ga + \frac{1}{8}x^8cb + \frac{1}{8}x^8fa + \frac{1}{7}x^7ea + \frac{1}{6}x^6da + \frac{1}{5}x^5ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/13*x^13*h*b + 1/12*x^12*g*b + 1/11*x^11*f*b + 1/10*x^10*e*b + 1/10*x^10*h*a + 1/9*x^9*d*b + 1/9*x^9*g*a + 1/8*x^8*c*b + 1/8*x^8*f*a + 1/7*x^7*e*a + 1/6*x^6*d*a + 1/5*x^5*c*a

giac [A] time = 0.15, size = 87, normalized size = 0.90

$$\frac{1}{13}bhx^{13} + \frac{1}{12}bgx^{12} + \frac{1}{11}bfx^{11} + \frac{1}{10}ahx^{10} + \frac{1}{10}bx^{10}e + \frac{1}{9}bdx^9 + \frac{1}{9}agx^9 + \frac{1}{8}bcx^8 + \frac{1}{8}afx^8 + \frac{1}{7}ax^7e + \frac{1}{6}adx^6 + \frac{1}{5}acx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/13*b*h*x^13 + 1/12*b*g*x^12 + 1/11*b*f*x^11 + 1/10*a*h*x^10 + 1/10*b*x^10*e + 1/9*b*d*x^9 + 1/9*a*g*x^9 + 1/8*b*c*x^8 + 1/8*a*f*x^8 + 1/7*a*x^7*e + 1/6*a*d*x^6 + 1/5*a*c*x^5

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{13}}{13} + \frac{bgx^{12}}{12} + \frac{bfx^{11}}{11} + \frac{(ah+be)x^{10}}{10} + \frac{aex^7}{7} + \frac{(ag+bd)x^9}{9} + \frac{adx^6}{6} + \frac{(af+bc)x^8}{8} + \frac{acx^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] 1/5*a*c*x^5+1/6*a*d*x^6+1/7*a*e*x^7+1/8*(a*f+b*c)*x^8+1/9*(a*g+b*d)*x^9+1/10*(a*h+b*e)*x^10+1/11*b*f*x^11+1/12*b*g*x^12+1/13*b*h*x^13

maxima [A] time = 1.35, size = 79, normalized size = 0.81

$$\frac{1}{13}bhx^{13} + \frac{1}{12}bgx^{12} + \frac{1}{11}bfx^{11} + \frac{1}{10}(be+ah)x^{10} + \frac{1}{9}(bd+ag)x^9 + \frac{1}{7}aex^7 + \frac{1}{8}(bc+af)x^8 + \frac{1}{6}adx^6 + \frac{1}{5}acx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/13*b*h*x^13 + 1/12*b*g*x^12 + 1/11*b*f*x^11 + 1/10*(b*e + a*h)*x^10 + 1/9*(b*d + a*g)*x^9 + 1/7*a*e*x^7 + 1/8*(b*c + a*f)*x^8 + 1/6*a*d*x^6 + 1/5*a*c*x^5

mupad [B] time = 0.05, size = 82, normalized size = 0.85

$$\frac{bhx^{13}}{13} + \frac{bgx^{12}}{12} + \frac{bfx^{11}}{11} + \left(\frac{be}{10} + \frac{ah}{10}\right)x^{10} + \left(\frac{bd}{9} + \frac{ag}{9}\right)x^9 + \left(\frac{bc}{8} + \frac{af}{8}\right)x^8 + \frac{aex^7}{7} + \frac{adx^6}{6} + \frac{acx^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] x^8*((b*c)/8 + (a*f)/8) + x^9*((b*d)/9 + (a*g)/9) + x^10*((b*e)/10 + (a*h)/10) + (b*h*x^13)/13 + (a*c*x^5)/5 + (a*d*x^6)/6 + (a*e*x^7)/7 + (b*f*x^11)/11 + (b*g*x^12)/12

sympy [A] time = 0.09, size = 90, normalized size = 0.93

$$\frac{acx^5}{5} + \frac{adx^6}{6} + \frac{aex^7}{7} + \frac{bfx^{11}}{11} + \frac{bgx^{12}}{12} + \frac{bhx^{13}}{13} + x^{10}\left(\frac{ah}{10} + \frac{be}{10}\right) + x^9\left(\frac{ag}{9} + \frac{bd}{9}\right) + x^8\left(\frac{af}{8} + \frac{bc}{8}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a*c*x**5/5 + a*d*x**6/6 + a*e*x**7/7 + b*f*x**11/11 + b*g*x**12/12 + b*h*x**13/13 + x**10*(a*h/10 + b*e/10) + x**9*(a*g/9 + b*d/9) + x**8*(a*f/8 + b*c/8)

$$3.374 \quad \int x^3 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=97

$$\frac{1}{7}x^7(af+bc) + \frac{1}{8}x^8(ag+bd) + \frac{1}{9}x^9(ah+be) + \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{10}bfx^{10} + \frac{1}{11}bgx^{11} + \frac{1}{12}bhx^{12}$$

[Out] $\frac{1}{4}a*c*x^4 + \frac{1}{5}a*d*x^5 + \frac{1}{6}a*e*x^6 + \frac{1}{7}*(a*f+b*c)*x^7 + \frac{1}{8}*(a*g+b*d)*x^8 + \frac{1}{9}*(a*h+b*e)*x^9 + \frac{1}{10}*b*f*x^{10} + \frac{1}{11}*b*g*x^{11} + \frac{1}{12}*b*h*x^{12}$

Rubi [A] time = 0.10, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{7}x^7(af+bc) + \frac{1}{8}x^8(ag+bd) + \frac{1}{9}x^9(ah+be) + \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{10}bfx^{10} + \frac{1}{11}bgx^{11} + \frac{1}{12}bhx^{12}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + ((b*c + a*f)*x^7)/7 + ((b*d + a*g)*x^8)/8 + ((b*e + a*h)*x^9)/9 + (b*f*x^{10})/10 + (b*g*x^{11})/11 + (b*h*x^{12})/12$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int x^3 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx = \int (acx^3 + adx^4 + aex^5 + (bc + af)x^6 + (bd + ag)x^7 + (bf + ah)x^8 + (bg + ah)x^9 + (bh + ag)x^{10} + hgx^{11}) dx$$

$$= \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}(bc + af)x^7 + \frac{1}{8}(bd + ag)x^8 + \frac{1}{9}(bf + ah)x^9 + \frac{1}{10}(bg + ah)x^{10} + \frac{1}{11}hgx^{11}$$

Mathematica [A] time = 0.04, size = 97, normalized size = 1.00

$$\frac{1}{7}x^7(af+bc) + \frac{1}{8}x^8(ag+bd) + \frac{1}{9}x^9(ah+be) + \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{10}bfx^{10} + \frac{1}{11}bgx^{11} + \frac{1}{12}bhx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + ((b*c + a*f)*x^7)/7 + ((b*d + a*g)*x^8)/8 + ((b*e + a*h)*x^9)/9 + (b*f*x^10)/10 + (b*g*x^11)/11 + (b*h*x^12)/12

fricas [A] time = 0.40, size = 85, normalized size = 0.88

$$\frac{1}{12}x^{12}hb + \frac{1}{11}x^{11}gb + \frac{1}{10}x^{10}fb + \frac{1}{9}x^9eb + \frac{1}{9}x^9ha + \frac{1}{8}x^8db + \frac{1}{8}x^8ga + \frac{1}{7}x^7cb + \frac{1}{7}x^7fa + \frac{1}{6}x^6ea + \frac{1}{5}x^5da + \frac{1}{4}x^4ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/12*x^12*h*b + 1/11*x^11*g*b + 1/10*x^10*f*b + 1/9*x^9*e*b + 1/9*x^9*h*a + 1/8*x^8*d*b + 1/8*x^8*g*a + 1/7*x^7*c*b + 1/7*x^7*f*a + 1/6*x^6*e*a + 1/5*x^5*d*a + 1/4*x^4*c*a

giac [A] time = 0.16, size = 87, normalized size = 0.90

$$\frac{1}{12}bhx^{12} + \frac{1}{11}bgx^{11} + \frac{1}{10}bfx^{10} + \frac{1}{9}ahx^9 + \frac{1}{9}bx^9e + \frac{1}{8}bdx^8 + \frac{1}{8}agx^8 + \frac{1}{7}bcx^7 + \frac{1}{7}afx^7 + \frac{1}{6}ax^6e + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/12*b*h*x^12 + 1/11*b*g*x^11 + 1/10*b*f*x^10 + 1/9*a*h*x^9 + 1/9*b*x^9*e + 1/8*b*d*x^8 + 1/8*a*g*x^8 + 1/7*b*c*x^7 + 1/7*a*f*x^7 + 1/6*a*x^6*e + 1/5*a*d*x^5 + 1/4*a*c*x^4

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{12}}{12} + \frac{bgx^{11}}{11} + \frac{bfx^{10}}{10} + \frac{(ah+be)x^9}{9} + \frac{aex^6}{6} + \frac{(ag+bd)x^8}{8} + \frac{adx^5}{5} + \frac{(af+bc)x^7}{7} + \frac{acx^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] 1/4*a*c*x^4+1/5*a*d*x^5+1/6*a*e*x^6+1/7*(a*f+b*c)*x^7+1/8*(a*g+b*d)*x^8+1/9*(a*h+b*e)*x^9+1/10*b*f*x^10+1/11*b*g*x^11+1/12*b*h*x^12

maxima [A] time = 1.35, size = 79, normalized size = 0.81

$$\frac{1}{12}bhx^{12} + \frac{1}{11}bgx^{11} + \frac{1}{10}bfx^{10} + \frac{1}{9}(be+ah)x^9 + \frac{1}{8}(bd+ag)x^8 + \frac{1}{6}aex^6 + \frac{1}{7}(bc+af)x^7 + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/12*b*h*x^12 + 1/11*b*g*x^11 + 1/10*b*f*x^10 + 1/9*(b*e + a*h)*x^9 + 1/8*(b*d + a*g)*x^8 + 1/6*a*e*x^6 + 1/7*(b*c + a*f)*x^7 + 1/5*a*d*x^5 + 1/4*a*c*x^4

mupad [B] time = 0.04, size = 82, normalized size = 0.85

$$\frac{bhx^{12}}{12} + \frac{bgx^{11}}{11} + \frac{bfx^{10}}{10} + \left(\frac{be}{9} + \frac{ah}{9}\right)x^9 + \left(\frac{bd}{8} + \frac{ag}{8}\right)x^8 + \left(\frac{bc}{7} + \frac{af}{7}\right)x^7 + \frac{aex^6}{6} + \frac{adx^5}{5} + \frac{acx^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] x^7*((b*c)/7 + (a*f)/7) + x^8*((b*d)/8 + (a*g)/8) + x^9*((b*e)/9 + (a*h)/9) + (b*h*x^12)/12 + (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + (b*f*x^10)/10 + (b*g*x^11)/11

sympy [A] time = 0.09, size = 90, normalized size = 0.93

$$\frac{acx^4}{4} + \frac{adx^5}{5} + \frac{aex^6}{6} + \frac{bfx^{10}}{10} + \frac{bgx^{11}}{11} + \frac{bhx^{12}}{12} + x^9\left(\frac{ah}{9} + \frac{be}{9}\right) + x^8\left(\frac{ag}{8} + \frac{bd}{8}\right) + x^7\left(\frac{af}{7} + \frac{bc}{7}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a*c*x**4/4 + a*d*x**5/5 + a*e*x**6/6 + b*f*x**10/10 + b*g*x**11/11 + b*h*x**12/12 + x**9*(a*h/9 + b*e/9) + x**8*(a*g/8 + b*d/8) + x**7*(a*f/7 + b*c/7)

$$3.375 \quad \int x^2 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=97

$$\frac{1}{6}x^6(af+bc) + \frac{1}{7}x^7(ag+bd) + \frac{1}{8}x^8(ah+be) + \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{9}bfx^9 + \frac{1}{10}bgx^{10} + \frac{1}{11}bhx^{11}$$

[Out] $1/3*a*c*x^3+1/4*a*d*x^4+1/5*a*e*x^5+1/6*(a*f+b*c)*x^6+1/7*(a*g+b*d)*x^7+1/8*(a*h+b*e)*x^8+1/9*b*f*x^9+1/10*b*g*x^{10}+1/11*b*h*x^{11}$

Rubi [A] time = 0.09, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{6}x^6(af+bc) + \frac{1}{7}x^7(ag+bd) + \frac{1}{8}x^8(ah+be) + \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{9}bfx^9 + \frac{1}{10}bgx^{10} + \frac{1}{11}bhx^{11}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] $(a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + ((b*c + a*f)*x^6)/6 + ((b*d + a*g)*x^7)/7 + ((b*e + a*h)*x^8)/8 + (b*f*x^9)/9 + (b*g*x^{10})/10 + (b*h*x^{11})/11$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^2 (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (acx^2 + adx^3 + aex^4 + (bc + af)x^5 + (bd + ag)x^6 + (be + ah)x^7 + bfx^8 + bgx^9 + bgx^{10} + bhx^{11}) dx \\ &= \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{6}(bc + af)x^6 + \frac{1}{7}(bd + ag)x^7 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bgx^{10} + \frac{1}{11}bhx^{11} \end{aligned}$$

Mathematica [A] time = 0.03, size = 97, normalized size = 1.00

$$\frac{1}{6}x^6(af+bc) + \frac{1}{7}x^7(ag+bd) + \frac{1}{8}x^8(ah+be) + \frac{1}{3}acx^3 + \frac{1}{4}adx^4 + \frac{1}{5}aex^5 + \frac{1}{9}bfx^9 + \frac{1}{10}bgx^{10} + \frac{1}{11}bhx^{11}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + ((b*c + a*f)*x^6)/6 + ((b*d + a*g)*x^7)/7 + ((b*e + a*h)*x^8)/8 + (b*f*x^9)/9 + (b*g*x^10)/10 + (b*h*x^11)/11

fricas [A] time = 0.52, size = 85, normalized size = 0.88

$$\frac{1}{11}x^{11}hb + \frac{1}{10}x^{10}gb + \frac{1}{9}x^9fb + \frac{1}{8}x^8eb + \frac{1}{8}x^8ha + \frac{1}{7}x^7db + \frac{1}{7}x^7ga + \frac{1}{6}x^6cb + \frac{1}{6}x^6fa + \frac{1}{5}x^5ea + \frac{1}{4}x^4da + \frac{1}{3}x^3ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/11*x^11*h*b + 1/10*x^10*g*b + 1/9*x^9*f*b + 1/8*x^8*e*b + 1/8*x^8*h*a + 1/7*x^7*d*b + 1/7*x^7*g*a + 1/6*x^6*c*b + 1/6*x^6*f*a + 1/5*x^5*e*a + 1/4*x^4*d*a + 1/3*x^3*c*a

giac [A] time = 0.16, size = 87, normalized size = 0.90

$$\frac{1}{11}bhx^{11} + \frac{1}{10}bgx^{10} + \frac{1}{9}bfx^9 + \frac{1}{8}ahx^8 + \frac{1}{8}bx^8e + \frac{1}{7}bdx^7 + \frac{1}{7}agx^7 + \frac{1}{6}bcx^6 + \frac{1}{6}afx^6 + \frac{1}{5}ax^5e + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/11*b*h*x^11 + 1/10*b*g*x^10 + 1/9*b*f*x^9 + 1/8*a*h*x^8 + 1/8*b*x^8*e + 1/7*b*d*x^7 + 1/7*a*g*x^7 + 1/6*b*c*x^6 + 1/6*a*f*x^6 + 1/5*a*x^5*e + 1/4*a*d*x^4 + 1/3*a*c*x^3

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{11}}{11} + \frac{bgx^{10}}{10} + \frac{bfx^9}{9} + \frac{(ah+be)x^8}{8} + \frac{aex^5}{5} + \frac{(ag+bd)x^7}{7} + \frac{adx^4}{4} + \frac{(af+bc)x^6}{6} + \frac{acx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] 1/3*a*c*x^3+1/4*a*d*x^4+1/5*a*e*x^5+1/6*(a*f+b*c)*x^6+1/7*(a*g+b*d)*x^7+1/8*(a*h+b*e)*x^8+1/9*b*f*x^9+1/10*b*g*x^10+1/11*b*h*x^11

maxima [A] time = 1.34, size = 79, normalized size = 0.81

$$\frac{1}{11}bhx^{11} + \frac{1}{10}bgx^{10} + \frac{1}{9}bfx^9 + \frac{1}{8}(be+ah)x^8 + \frac{1}{7}(bd+ag)x^7 + \frac{1}{5}aex^5 + \frac{1}{6}(bc+af)x^6 + \frac{1}{4}adx^4 + \frac{1}{3}acx^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/11*b*h*x^11 + 1/10*b*g*x^10 + 1/9*b*f*x^9 + 1/8*(b*e + a*h)*x^8 + 1/7*(b*d + a*g)*x^7 + 1/5*a*e*x^5 + 1/6*(b*c + a*f)*x^6 + 1/4*a*d*x^4 + 1/3*a*c*x^3

mupad [B] time = 0.04, size = 82, normalized size = 0.85

$$\frac{bhx^{11}}{11} + \frac{bgx^{10}}{10} + \frac{bfx^9}{9} + \left(\frac{be}{8} + \frac{ah}{8}\right)x^8 + \left(\frac{bd}{7} + \frac{ag}{7}\right)x^7 + \left(\frac{bc}{6} + \frac{af}{6}\right)x^6 + \frac{aex^5}{5} + \frac{adx^4}{4} + \frac{acx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] x^6*((b*c)/6 + (a*f)/6) + x^7*((b*d)/7 + (a*g)/7) + x^8*((b*e)/8 + (a*h)/8) + (b*h*x^11)/11 + (a*c*x^3)/3 + (a*d*x^4)/4 + (a*e*x^5)/5 + (b*f*x^9)/9 + (b*g*x^10)/10

sympy [A] time = 0.08, size = 90, normalized size = 0.93

$$\frac{acx^3}{3} + \frac{adx^4}{4} + \frac{aex^5}{5} + \frac{bfx^9}{9} + \frac{bgx^{10}}{10} + \frac{bhx^{11}}{11} + x^8\left(\frac{ah}{8} + \frac{be}{8}\right) + x^7\left(\frac{ag}{7} + \frac{bd}{7}\right) + x^6\left(\frac{af}{6} + \frac{bc}{6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a*c*x**3/3 + a*d*x**4/4 + a*e*x**5/5 + b*f*x**9/9 + b*g*x**10/10 + b*h*x**11/11 + x**8*(a*h/8 + b*e/8) + x**7*(a*g/7 + b*d/7) + x**6*(a*f/6 + b*c/6)

$$3.376 \quad \int x (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=97

$$\frac{1}{5}x^5(af + bc) + \frac{1}{6}x^6(ag + bd) + \frac{1}{7}x^7(ah + be) + \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bhx^{10}$$

[Out] $1/2*a*c*x^2+1/3*a*d*x^3+1/4*a*e*x^4+1/5*(a*f+b*c)*x^5+1/6*(a*g+b*d)*x^6+1/7*(a*h+b*e)*x^7+1/8*b*f*x^8+1/9*b*g*x^9+1/10*b*h*x^{10}$

Rubi [A] time = 0.08, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.029$, Rules used = {1820}

$$\frac{1}{5}x^5(af + bc) + \frac{1}{6}x^6(ag + bd) + \frac{1}{7}x^7(ah + be) + \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bhx^{10}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + ((b*c + a*f)*x^5)/5 + ((b*d + a*g)*x^6)/6 + ((b*e + a*h)*x^7)/7 + (b*f*x^8)/8 + (b*g*x^9)/9 + (b*h*x^{10})/10$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x (a + bx^3) (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (acx + adx^2 + aex^3 + (bc + af)x^4 + (bd + ag)x^5 + (be \\ &= \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{5}(bc + af)x^5 + \frac{1}{6}(bd + ag)x^6 \end{aligned}$$

Mathematica [A] time = 0.03, size = 97, normalized size = 1.00

$$\frac{1}{5}x^5(af + bc) + \frac{1}{6}x^6(ag + bd) + \frac{1}{7}x^7(ah + be) + \frac{1}{2}acx^2 + \frac{1}{3}adx^3 + \frac{1}{4}aex^4 + \frac{1}{8}bfx^8 + \frac{1}{9}bgx^9 + \frac{1}{10}bhx^{10}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + ((b*c + a*f)*x^5)/5 + ((b*d + a*g)*x^6)/6 + ((b*e + a*h)*x^7)/7 + (b*f*x^8)/8 + (b*g*x^9)/9 + (b*h*x^10)/10

fricas [A] time = 0.71, size = 85, normalized size = 0.88

$$\frac{1}{10}x^{10}hb + \frac{1}{9}x^9gb + \frac{1}{8}x^8fb + \frac{1}{7}x^7eb + \frac{1}{7}x^7ha + \frac{1}{6}x^6db + \frac{1}{6}x^6ga + \frac{1}{5}x^5cb + \frac{1}{5}x^5fa + \frac{1}{4}x^4ea + \frac{1}{3}x^3da + \frac{1}{2}x^2ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/10*x^10*h*b + 1/9*x^9*g*b + 1/8*x^8*f*b + 1/7*x^7*e*b + 1/7*x^7*h*a + 1/6*x^6*d*b + 1/6*x^6*g*a + 1/5*x^5*c*b + 1/5*x^5*f*a + 1/4*x^4*e*a + 1/3*x^3*d*a + 1/2*x^2*c*a

giac [A] time = 0.15, size = 87, normalized size = 0.90

$$\frac{1}{10}bhx^{10} + \frac{1}{9}bgx^9 + \frac{1}{8}bfx^8 + \frac{1}{7}ahx^7 + \frac{1}{7}bx^7e + \frac{1}{6}bdx^6 + \frac{1}{6}agx^6 + \frac{1}{5}bcx^5 + \frac{1}{5}afx^5 + \frac{1}{4}ax^4e + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/10*b*h*x^10 + 1/9*b*g*x^9 + 1/8*b*f*x^8 + 1/7*a*h*x^7 + 1/7*b*x^7*e + 1/6*b*d*x^6 + 1/6*a*g*x^6 + 1/5*b*c*x^5 + 1/5*a*f*x^5 + 1/4*a*x^4*e + 1/3*a*d*x^3 + 1/2*a*c*x^2

maple [A] time = 0.05, size = 80, normalized size = 0.82

$$\frac{bhx^{10}}{10} + \frac{bgx^9}{9} + \frac{bfx^8}{8} + \frac{(ah+be)x^7}{7} + \frac{aex^4}{4} + \frac{(ag+bd)x^6}{6} + \frac{adx^3}{3} + \frac{(af+bc)x^5}{5} + \frac{acx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] 1/2*a*c*x^2+1/3*a*d*x^3+1/4*a*e*x^4+1/5*(a*f+b*c)*x^5+1/6*(a*g+b*d)*x^6+1/7*(a*h+b*e)*x^7+1/8*b*f*x^8+1/9*b*g*x^9+1/10*b*h*x^10

maxima [A] time = 1.37, size = 79, normalized size = 0.81

$$\frac{1}{10}bhx^{10} + \frac{1}{9}bgx^9 + \frac{1}{8}bfx^8 + \frac{1}{7}(be+ah)x^7 + \frac{1}{6}(bd+ag)x^6 + \frac{1}{4}aex^4 + \frac{1}{5}(bc+af)x^5 + \frac{1}{3}adx^3 + \frac{1}{2}acx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/10*b*h*x^10 + 1/9*b*g*x^9 + 1/8*b*f*x^8 + 1/7*(b*e + a*h)*x^7 + 1/6*(b*d + a*g)*x^6 + 1/4*a*e*x^4 + 1/5*(b*c + a*f)*x^5 + 1/3*a*d*x^3 + 1/2*a*c*x^2

mupad [B] time = 0.04, size = 82, normalized size = 0.85

$$\frac{bhx^{10}}{10} + \frac{bgx^9}{9} + \frac{bfx^8}{8} + \left(\frac{be}{7} + \frac{ah}{7}\right)x^7 + \left(\frac{bd}{6} + \frac{ag}{6}\right)x^6 + \left(\frac{bc}{5} + \frac{af}{5}\right)x^5 + \frac{aex^4}{4} + \frac{adx^3}{3} + \frac{acx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] x^5*((b*c)/5 + (a*f)/5) + x^6*((b*d)/6 + (a*g)/6) + x^7*((b*e)/7 + (a*h)/7) + (b*h*x^10)/10 + (a*c*x^2)/2 + (a*d*x^3)/3 + (a*e*x^4)/4 + (b*f*x^8)/8 + (b*g*x^9)/9

sympy [A] time = 0.08, size = 90, normalized size = 0.93

$$\frac{acx^2}{2} + \frac{adx^3}{3} + \frac{aex^4}{4} + \frac{bfx^8}{8} + \frac{bgx^9}{9} + \frac{bhx^{10}}{10} + x^7\left(\frac{ah}{7} + \frac{be}{7}\right) + x^6\left(\frac{ag}{6} + \frac{bd}{6}\right) + x^5\left(\frac{af}{5} + \frac{bc}{5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a*c*x**2/2 + a*d*x**3/3 + a*e*x**4/4 + b*f*x**8/8 + b*g*x**9/9 + b*h*x**10/10 + x**7*(a*h/7 + b*e/7) + x**6*(a*g/6 + b*d/6) + x**5*(a*f/5 + b*c/5)

$$3.377 \quad \int (a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=92

$$\frac{1}{4}x^4(af + bc) + \frac{1}{5}x^5(ag + bd) + \frac{1}{6}x^6(ah + be) + acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{7}bfx^7 + \frac{1}{8}bgx^8 + \frac{1}{9}bhx^9$$

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*(a*f+b*c)*x^4+1/5*(a*g+b*d)*x^5+1/6*(a*h+b*e)*x^6+1/7*b*f*x^7+1/8*b*g*x^8+1/9*b*h*x^9

Rubi [A] time = 0.07, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.030$, Rules used = {1850}

$$\frac{1}{4}x^4(af + bc) + \frac{1}{5}x^5(ag + bd) + \frac{1}{6}x^6(ah + be) + acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{7}bfx^7 + \frac{1}{8}bgx^8 + \frac{1}{9}bhx^9$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + ((b*c + a*f)*x^4)/4 + ((b*d + a*g)*x^5)/5 + ((b*e + a*h)*x^6)/6 + (b*f*x^7)/7 + (b*g*x^8)/8 + (b*h*x^9)/9

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (ac + adx + aex^2 + (bc + af)x^3 + (bd + ag)x^4 + (be + ah)x^5) dx \\ &= acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}(bc + af)x^4 + \frac{1}{5}(bd + ag)x^5 + \frac{1}{6}(be + ah)x^6 \end{aligned}$$

Mathematica [A] time = 0.02, size = 92, normalized size = 1.00

$$\frac{1}{4}x^4(af + bc) + \frac{1}{5}x^5(ag + bd) + \frac{1}{6}x^6(ah + be) + acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{7}bfx^7 + \frac{1}{8}bgx^8 + \frac{1}{9}bhx^9$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + ((b*c + a*f)*x^4)/4 + ((b*d + a*g)*x^5)/5 + ((b*e + a*h)*x^6)/6 + (b*f*x^7)/7 + (b*g*x^8)/8 + (b*h*x^9)/9

fricas [A] time = 0.52, size = 82, normalized size = 0.89

$$\frac{1}{9}x^9hb + \frac{1}{8}x^8gb + \frac{1}{7}x^7fb + \frac{1}{6}x^6eb + \frac{1}{6}x^6ha + \frac{1}{5}x^5db + \frac{1}{5}x^5ga + \frac{1}{4}x^4cb + \frac{1}{4}x^4fa + \frac{1}{3}x^3ea + \frac{1}{2}x^2da + xca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/9*x^9*h*b + 1/8*x^8*g*b + 1/7*x^7*f*b + 1/6*x^6*e*b + 1/6*x^6*h*a + 1/5*x^5*d*b + 1/5*x^5*g*a + 1/4*x^4*c*b + 1/4*x^4*f*a + 1/3*x^3*e*a + 1/2*x^2*d*a + x*c*a

giac [A] time = 0.15, size = 84, normalized size = 0.91

$$\frac{1}{9}bhx^9 + \frac{1}{8}bgx^8 + \frac{1}{7}bfx^7 + \frac{1}{6}ahx^6 + \frac{1}{6}bx^6e + \frac{1}{5}bdx^5 + \frac{1}{5}agx^5 + \frac{1}{4}bcx^4 + \frac{1}{4}afx^4 + \frac{1}{3}ax^3e + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/9*b*h*x^9 + 1/8*b*g*x^8 + 1/7*b*f*x^7 + 1/6*a*h*x^6 + 1/6*b*x^6*e + 1/5*b*d*x^5 + 1/5*a*g*x^5 + 1/4*b*c*x^4 + 1/4*a*f*x^4 + 1/3*a*x^3*e + 1/2*a*d*x^2 + a*c*x

maple [A] time = 0.04, size = 77, normalized size = 0.84

$$\frac{bhx^9}{9} + \frac{bgx^8}{8} + \frac{bfx^7}{7} + \frac{(ah+be)x^6}{6} + \frac{aex^3}{3} + \frac{(ag+bd)x^5}{5} + \frac{adx^2}{2} + \frac{(af+bc)x^4}{4} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*(a*f+b*c)*x^4+1/5*(a*g+b*d)*x^5+1/6*(a*h+b*e)*x^6+1/7*b*f*x^7+1/8*b*g*x^8+1/9*b*h*x^9

maxima [A] time = 1.40, size = 76, normalized size = 0.83

$$\frac{1}{9}bhx^9 + \frac{1}{8}bgx^8 + \frac{1}{7}bfx^7 + \frac{1}{6}(be+ah)x^6 + \frac{1}{5}(bd+ag)x^5 + \frac{1}{3}aex^3 + \frac{1}{4}(bc+af)x^4 + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] $1/9*b*h*x^9 + 1/8*b*g*x^8 + 1/7*b*f*x^7 + 1/6*(b*e + a*h)*x^6 + 1/5*(b*d + a*g)*x^5 + 1/3*a*e*x^3 + 1/4*(b*c + a*f)*x^4 + 1/2*a*d*x^2 + a*c*x$

mupad [B] time = 0.04, size = 79, normalized size = 0.86

$$\frac{bhx^9}{9} + \frac{bgx^8}{8} + \frac{bfx^7}{7} + \left(\frac{be}{6} + \frac{ah}{6}\right)x^6 + \left(\frac{bd}{5} + \frac{ag}{5}\right)x^5 + \left(\frac{bc}{4} + \frac{af}{4}\right)x^4 + \frac{aex^3}{3} + \frac{adx^2}{2} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] $x^4*((b*c)/4 + (a*f)/4) + x^5*((b*d)/5 + (a*g)/5) + x^6*((b*e)/6 + (a*h)/6) + (b*h*x^9)/9 + a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (b*f*x^7)/7 + (b*g*x^8)/8$

sympy [A] time = 0.08, size = 87, normalized size = 0.95

$$acx + \frac{adx^2}{2} + \frac{aex^3}{3} + \frac{bfx^7}{7} + \frac{bgx^8}{8} + \frac{bhx^9}{9} + x^6\left(\frac{ah}{6} + \frac{be}{6}\right) + x^5\left(\frac{ag}{5} + \frac{bd}{5}\right) + x^4\left(\frac{af}{4} + \frac{bc}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] $a*c*x + a*d*x**2/2 + a*e*x**3/3 + b*f*x**7/7 + b*g*x**8/8 + b*h*x**9/9 + x**6*(a*h/6 + b*e/6) + x**5*(a*g/5 + b*d/5) + x**4*(a*f/4 + b*c/4)$

$$3.378 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$$

Optimal. Leaf size=88

$$\frac{1}{3}x^3(af+bc) + \frac{1}{4}x^4(ag+bd) + \frac{1}{5}x^5(ah+be) + ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{6}bfx^6 + \frac{1}{7}bgx^7 + \frac{1}{8}bhx^8$$

[Out] a*d*x+1/2*a*e*x^2+1/3*(a*f+b*c)*x^3+1/4*(a*g+b*d)*x^4+1/5*(a*h+b*e)*x^5+1/6*b*f*x^6+1/7*b*g*x^7+1/8*b*h*x^8+a*c*ln(x)

Rubi [A] time = 0.06, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{3}x^3(af+bc) + \frac{1}{4}x^4(ag+bd) + \frac{1}{5}x^5(ah+be) + ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{6}bfx^6 + \frac{1}{7}bgx^7 + \frac{1}{8}bhx^8$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a*d*x + (a*e*x^2)/2 + ((b*c + a*f)*x^3)/3 + ((b*d + a*g)*x^4)/4 + ((b*e + a*h)*x^5)/5 + (b*f*x^6)/6 + (b*g*x^7)/7 + (b*h*x^8)/8 + a*c*Log[x]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx = \int \left(ad + \frac{ac}{x} + aex + (bc+af)x^2 + (bd+ag)x^3 + (be+ah)x^4 \right) dx$$

$$= adx + \frac{1}{2}aex^2 + \frac{1}{3}(bc+af)x^3 + \frac{1}{4}(bd+ag)x^4 + \frac{1}{5}(be+ah)x^5$$

Mathematica [A] time = 0.07, size = 88, normalized size = 1.00

$$\frac{1}{3}x^3(af+bc) + \frac{1}{4}x^4(ag+bd) + \frac{1}{5}x^5(ah+be) + ac \log(x) + adx + \frac{1}{2}aex^2 + \frac{1}{6}bfx^6 + \frac{1}{7}bgx^7 + \frac{1}{8}bhx^8$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a*d*x + (a*e*x^2)/2 + ((b*c + a*f)*x^3)/3 + ((b*d + a*g)*x^4)/4 + ((b*e + a*h)*x^5)/5 + (b*f*x^6)/6 + (b*g*x^7)/7 + (b*h*x^8)/8 + a*c*Log[x]

fricas [A] time = 0.52, size = 74, normalized size = 0.84

$$\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}(be + ah)x^5 + \frac{1}{4}(bd + ag)x^4 + \frac{1}{2}aex^2 + \frac{1}{3}(bc + af)x^3 + adx + ac \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="fricas")

[Out] 1/8*b*h*x^8 + 1/7*b*g*x^7 + 1/6*b*f*x^6 + 1/5*(b*e + a*h)*x^5 + 1/4*(b*d + a*g)*x^4 + 1/2*a*e*x^2 + 1/3*(b*c + a*f)*x^3 + a*d*x + a*c*log(x)

giac [A] time = 0.15, size = 83, normalized size = 0.94

$$\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}ahx^5 + \frac{1}{5}bx^5e + \frac{1}{4}bdx^4 + \frac{1}{4}agx^4 + \frac{1}{3}bcx^3 + \frac{1}{3}afx^3 + \frac{1}{2}ax^2e + adx + ac \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="giac")

[Out] 1/8*b*h*x^8 + 1/7*b*g*x^7 + 1/6*b*f*x^6 + 1/5*a*h*x^5 + 1/5*b*x^5*e + 1/4*b*d*x^4 + 1/4*a*g*x^4 + 1/3*b*c*x^3 + 1/3*a*f*x^3 + 1/2*a*x^2*e + a*d*x + a*c*log(abs(x))

maple [A] time = 0.05, size = 81, normalized size = 0.92

$$\frac{bhx^8}{8} + \frac{bgx^7}{7} + \frac{bfx^6}{6} + \frac{ahx^5}{5} + \frac{bex^5}{5} + \frac{agx^4}{4} + \frac{bdx^4}{4} + \frac{afx^3}{3} + \frac{bcx^3}{3} + \frac{aex^2}{2} + ac \ln(x) + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x)

[Out] 1/8*b*h*x^8+1/7*b*g*x^7+1/6*b*f*x^6+1/5*x^5*a*h+1/5*b*e*x^5+1/4*x^4*a*g+1/4*b*d*x^4+1/3*x^3*a*f+1/3*b*c*x^3+1/2*a*e*x^2+a*d*x+a*c*ln(x)

maxima [A] time = 1.34, size = 74, normalized size = 0.84

$$\frac{1}{8}bhx^8 + \frac{1}{7}bgx^7 + \frac{1}{6}bfx^6 + \frac{1}{5}(be + ah)x^5 + \frac{1}{4}(bd + ag)x^4 + \frac{1}{2}aex^2 + \frac{1}{3}(bc + af)x^3 + adx + ac \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="maxima")

[Out] 1/8*b*h*x^8 + 1/7*b*g*x^7 + 1/6*b*f*x^6 + 1/5*(b*e + a*h)*x^5 + 1/4*(b*d + a*g)*x^4 + 1/2*a*e*x^2 + 1/3*(b*c + a*f)*x^3 + a*d*x + a*c*log(x)

mupad [B] time = 0.05, size = 77, normalized size = 0.88

$$x^3 \left(\frac{bc}{3} + \frac{af}{3} \right) + x^4 \left(\frac{bd}{4} + \frac{ag}{4} \right) + x^5 \left(\frac{be}{5} + \frac{ah}{5} \right) + \frac{bhx^8}{8} + ac \ln(x) + adx + \frac{aex^2}{2} + \frac{bfx^6}{6} + \frac{bgx^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x)

[Out] x^3*((b*c)/3 + (a*f)/3) + x^4*((b*d)/4 + (a*g)/4) + x^5*((b*e)/5 + (a*h)/5) + (b*h*x^8)/8 + a*c*log(x) + a*d*x + (a*e*x^2)/2 + (b*f*x^6)/6 + (b*g*x^7)/7

sympy [A] time = 0.22, size = 85, normalized size = 0.97

$$ac \log(x) + adx + \frac{aex^2}{2} + \frac{bfx^6}{6} + \frac{bgx^7}{7} + \frac{bhx^8}{8} + x^5 \left(\frac{ah}{5} + \frac{be}{5} \right) + x^4 \left(\frac{ag}{4} + \frac{bd}{4} \right) + x^3 \left(\frac{af}{3} + \frac{bc}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x,x)

[Out] a*c*log(x) + a*d*x + a*e*x**2/2 + b*f*x**6/6 + b*g*x**7/7 + b*h*x**8/8 + x**5*(a*h/5 + b*e/5) + x**4*(a*g/4 + b*d/4) + x**3*(a*f/3 + b*c/3)

$$3.379 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$$

Optimal. Leaf size=86

$$\frac{1}{2}x^2(af+bc) + \frac{1}{3}x^3(ag+bd) + \frac{1}{4}x^4(ah+be) - \frac{ac}{x} + ad \log(x) + aex + \frac{1}{5}bfx^5 + \frac{1}{6}bgx^6 + \frac{1}{7}bhx^7$$

[Out] $-a*c/x+a*e*x+1/2*(a*f+b*c)*x^2+1/3*(a*g+b*d)*x^3+1/4*(a*h+b*e)*x^4+1/5*b*f*x^5+1/6*b*g*x^6+1/7*b*h*x^7+a*d*\ln(x)$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\frac{1}{2}x^2(af+bc) + \frac{1}{3}x^3(ag+bd) + \frac{1}{4}x^4(ah+be) - \frac{ac}{x} + ad \log(x) + aex + \frac{1}{5}bfx^5 + \frac{1}{6}bgx^6 + \frac{1}{7}bhx^7$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/x^2, x]$

[Out] $-((a*c)/x) + a*e*x + ((b*c + a*f)*x^2)/2 + ((b*d + a*g)*x^3)/3 + ((b*e + a*h)*x^4)/4 + (b*f*x^5)/5 + (b*g*x^6)/6 + (b*h*x^7)/7 + a*d*\text{Log}[x]$

Rule 1820

$\text{Int}[(Pq_)*((c_)*(x_))^{(m_)}*((a_)+(b_)*(x_))^{(n_)}]^{(p_)}, x_Symbol] \rightarrow$
 $\text{Int}[\text{ExpandIntegrand}[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx = \int \left(ae + \frac{ac}{x^2} + \frac{ad}{x} + (bc+af)x + (bd+ag)x^2 + (be+ah)x^3 - \frac{ac}{x} + aex + \frac{1}{2}(bc+af)x^2 + \frac{1}{3}(bd+ag)x^3 + \frac{1}{4}(be+ah)x^4 + \dots \right) dx$$

Mathematica [A] time = 0.07, size = 86, normalized size = 1.00

$$\frac{1}{2}x^2(af+bc) + \frac{1}{3}x^3(ag+bd) + \frac{1}{4}x^4(ah+be) - \frac{ac}{x} + ad \log(x) + aex + \frac{1}{5}bfx^5 + \frac{1}{6}bgx^6 + \frac{1}{7}bhx^7$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] $-\frac{(a*c)}{x} + a*e*x + \frac{(b*c + a*f)*x^2}{2} + \frac{(b*d + a*g)*x^3}{3} + \frac{(b*e + a*h)*x^4}{4} + \frac{b*f*x^5}{5} + \frac{b*g*x^6}{6} + \frac{b*h*x^7}{7} + a*d*\text{Log}[x]$

fricas [A] time = 0.52, size = 81, normalized size = 0.94

$$\frac{60 b h x^8 + 70 b g x^7 + 84 b f x^6 + 105 (b e + a h) x^5 + 140 (b d + a g) x^4 + 420 a e x^2 + 210 (b c + a f) x^3 + 420 a d x \log(x)}{420 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="fricas")

[Out] $\frac{1}{420}*(60*b*h*x^8 + 70*b*g*x^7 + 84*b*f*x^6 + 105*(b*e + a*h)*x^5 + 140*(b*d + a*g)*x^4 + 420*a*e*x^2 + 210*(b*c + a*f)*x^3 + 420*a*d*x*\log(x) - 420*a*c)/x$

giac [A] time = 0.16, size = 83, normalized size = 0.97

$$\frac{1}{7} b h x^7 + \frac{1}{6} b g x^6 + \frac{1}{5} b f x^5 + \frac{1}{4} a h x^4 + \frac{1}{4} b x^4 e + \frac{1}{3} b d x^3 + \frac{1}{3} a g x^3 + \frac{1}{2} b c x^2 + \frac{1}{2} a f x^2 + a x e + a d \log(|x|) - \frac{a c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="giac")

[Out] $\frac{1}{7}*b*h*x^7 + \frac{1}{6}*b*g*x^6 + \frac{1}{5}*b*f*x^5 + \frac{1}{4}*a*h*x^4 + \frac{1}{4}*b*x^4*e + \frac{1}{3}*b*d*x^3 + \frac{1}{3}*a*g*x^3 + \frac{1}{2}*b*c*x^2 + \frac{1}{2}*a*f*x^2 + a*x*e + a*d*\log(\text{abs}(x)) - a*c/x$

maple [A] time = 0.05, size = 81, normalized size = 0.94

$$\frac{b h x^7}{7} + \frac{b g x^6}{6} + \frac{b f x^5}{5} + \frac{a h x^4}{4} + \frac{b e x^4}{4} + \frac{a g x^3}{3} + \frac{b d x^3}{3} + \frac{a f x^2}{2} + \frac{b c x^2}{2} + a d \ln(x) + a e x - \frac{a c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x)

[Out] $\frac{1}{7}*b*h*x^7 + \frac{1}{6}*b*g*x^6 + \frac{1}{5}*b*f*x^5 + \frac{1}{4}*x^4*a*h + \frac{1}{4}*b*e*x^4 + \frac{1}{3}*x^3*a*g + \frac{1}{3}*b*d*x^3 + \frac{1}{2}*x^2*a*f + \frac{1}{2}*b*c*x^2 + a*e*x - \frac{a*c}{x} + a*d*\ln(x)$

maxima [A] time = 1.35, size = 74, normalized size = 0.86

$$\frac{1}{7} b h x^7 + \frac{1}{6} b g x^6 + \frac{1}{5} b f x^5 + \frac{1}{4} (b e + a h) x^4 + \frac{1}{3} (b d + a g) x^3 + a e x + \frac{1}{2} (b c + a f) x^2 + a d \log(x) - \frac{a c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="maxima")

[Out] 1/7*b*h*x^7 + 1/6*b*g*x^6 + 1/5*b*f*x^5 + 1/4*(b*e + a*h)*x^4 + 1/3*(b*d + a*g)*x^3 + a*e*x + 1/2*(b*c + a*f)*x^2 + a*d*log(x) - a*c/x

mupad [B] time = 0.05, size = 77, normalized size = 0.90

$$x^2 \left(\frac{bc}{2} + \frac{af}{2} \right) + x^3 \left(\frac{bd}{3} + \frac{ag}{3} \right) + x^4 \left(\frac{be}{4} + \frac{ah}{4} \right) + \frac{bhx^7}{7} + ad \ln(x) + aex - \frac{ac}{x} + \frac{bfx^5}{5} + \frac{bgx^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x)

[Out] x^2*((b*c)/2 + (a*f)/2) + x^3*((b*d)/3 + (a*g)/3) + x^4*((b*e)/4 + (a*h)/4) + (b*h*x^7)/7 + a*d*log(x) + a*e*x - (a*c)/x + (b*f*x^5)/5 + (b*g*x^6)/6

sympy [A] time = 0.23, size = 82, normalized size = 0.95

$$-\frac{ac}{x} + ad \log(x) + aex + \frac{bfx^5}{5} + \frac{bgx^6}{6} + \frac{bhx^7}{7} + x^4 \left(\frac{ah}{4} + \frac{be}{4} \right) + x^3 \left(\frac{ag}{3} + \frac{bd}{3} \right) + x^2 \left(\frac{af}{2} + \frac{bc}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2,x)

[Out] -a*c/x + a*d*log(x) + a*e*x + b*f*x**5/5 + b*g*x**6/6 + b*h*x**7/7 + x**4*(a*h/4 + b*e/4) + x**3*(a*g/3 + b*d/3) + x**2*(a*f/2 + b*c/2)

$$3.380 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$$

Optimal. Leaf size=86

$$x(af + bc) + \frac{1}{2}x^2(ag + bd) + \frac{1}{3}x^3(ah + be) - \frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + \frac{1}{4}bfx^4 + \frac{1}{5}bgx^5 + \frac{1}{6}bhx^6$$

[Out] $-1/2*a*c/x^2-a*d/x+(a*f+b*c)*x+1/2*(a*g+b*d)*x^2+1/3*(a*h+b*e)*x^3+1/4*b*f*x^4+1/5*b*g*x^5+1/6*b*h*x^6+a*e*\ln(x)$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$x(af + bc) + \frac{1}{2}x^2(ag + bd) + \frac{1}{3}x^3(ah + be) - \frac{ac}{2x^2} - \frac{ad}{x} + ae \log(x) + \frac{1}{4}bfx^4 + \frac{1}{5}bgx^5 + \frac{1}{6}bhx^6$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/x^3, x]$

[Out] $-(a*c)/(2*x^2) - (a*d)/x + (b*c + a*f)*x + ((b*d + a*g)*x^2)/2 + ((b*e + a*h)*x^3)/3 + (b*f*x^4)/4 + (b*g*x^5)/5 + (b*h*x^6)/6 + a*e*\text{Log}[x]$

Rule 1820

$\text{Int}[(Pq_*)*((c_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}), x_Symbol] \rightarrow$
 $\text{Int}[\text{ExpandIntegrand}[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a + bx^3)(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^3} dx = \int \left(bc \left(1 + \frac{af}{bc} \right) + \frac{ac}{x^3} + \frac{ad}{x^2} + \frac{ae}{x} + (bd + ag)x + (be + ah)x \right) dx$$

$$= -\frac{ac}{2x^2} - \frac{ad}{x} + (bc + af)x + \frac{1}{2}(bd + ag)x^2 + \frac{1}{3}(be + ah)x^3 + \dots$$

Mathematica [A] time = 0.07, size = 78, normalized size = 0.91

$$\frac{a(-3c - 6dx + 6fx^3 + 3gx^4 + 2hx^5)}{6x^2} + ae \log(x) + bcx + \frac{1}{60}bx^2(30d + x(20e + 15fx + 12gx^2 + 10hx^3))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]

[Out] b*c*x + (a*(-3*c - 6*d*x + 6*f*x^3 + 3*g*x^4 + 2*h*x^5))/(6*x^2) + (b*x^2*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3)))/60 + a*e*Log[x]

fricas [A] time = 0.59, size = 81, normalized size = 0.94

$$\frac{10bhx^8 + 12bgx^7 + 15bfx^6 + 20(be + ah)x^5 + 30(bd + ag)x^4 + 60aex^2 \log(x) + 60(bc + af)x^3 - 60adx - 30ac}{60x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="fricas")

[Out] 1/60*(10*b*h*x^8 + 12*b*g*x^7 + 15*b*f*x^6 + 20*(b*e + a*h)*x^5 + 30*(b*d + a*g)*x^4 + 60*a*e*x^2*log(x) + 60*(b*c + a*f)*x^3 - 60*a*d*x - 30*a*c)/x^2

giac [A] time = 0.16, size = 80, normalized size = 0.93

$$\frac{1}{6}bhx^6 + \frac{1}{5}bgx^5 + \frac{1}{4}bfx^4 + \frac{1}{3}ahx^3 + \frac{1}{3}bx^3e + \frac{1}{2}bdx^2 + \frac{1}{2}agx^2 + bcx + afx + ae \log(|x|) - \frac{2adx + ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="giac")

[Out] 1/6*b*h*x^6 + 1/5*b*g*x^5 + 1/4*b*f*x^4 + 1/3*a*h*x^3 + 1/3*b*x^3*e + 1/2*b*d*x^2 + 1/2*a*g*x^2 + b*c*x + a*f*x + a*e*log(abs(x)) - 1/2*(2*a*d*x + a*c)/x^2

maple [A] time = 0.05, size = 78, normalized size = 0.91

$$\frac{bhx^6}{6} + \frac{bgx^5}{5} + \frac{bfx^4}{4} + \frac{ahx^3}{3} + \frac{bex^3}{3} + \frac{agx^2}{2} + \frac{bdx^2}{2} + ae \ln(x) + afx + bcx - \frac{ad}{x} - \frac{ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x)

[Out] 1/6*b*h*x^6+1/5*b*g*x^5+1/4*b*f*x^4+1/3*x^3*a*h+1/3*b*e*x^3+1/2*x^2*a*g+1/2*b*d*x^2+a*f*x+b*c*x-1/2*a*c/x^2-a*d/x+a*e*ln(x)

maxima [A] time = 1.34, size = 74, normalized size = 0.86

$$\frac{1}{6}bhx^6 + \frac{1}{5}bgx^5 + \frac{1}{4}bfx^4 + \frac{1}{3}(be + ah)x^3 + \frac{1}{2}(bd + ag)x^2 + ae \log(x) + (bc + af)x - \frac{2adx + ac}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="maxima")

[Out] 1/6*b*h*x^6 + 1/5*b*g*x^5 + 1/4*b*f*x^4 + 1/3*(b*e + a*h)*x^3 + 1/2*(b*d + a*g)*x^2 + a*e*log(x) + (b*c + a*f)*x - 1/2*(2*a*d*x + a*c)/x^2

mupad [B] time = 0.04, size = 76, normalized size = 0.88

$$x(b c + a f) - \frac{\frac{a c}{2} + a d x}{x^2} + x^2 \left(\frac{b d}{2} + \frac{a g}{2} \right) + x^3 \left(\frac{b e}{3} + \frac{a h}{3} \right) + \frac{b h x^6}{6} + a e \ln(x) + \frac{b f x^4}{4} + \frac{b g x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x)

[Out] x*(b*c + a*f) - ((a*c)/2 + a*d*x)/x^2 + x^2*((b*d)/2 + (a*g)/2) + x^3*((b*e)/3 + (a*h)/3) + (b*h*x^6)/6 + a*e*log(x) + (b*f*x^4)/4 + (b*g*x^5)/5

sympy [A] time = 0.31, size = 83, normalized size = 0.97

$$a e \log(x) + \frac{b f x^4}{4} + \frac{b g x^5}{5} + \frac{b h x^6}{6} + x^3 \left(\frac{a h}{3} + \frac{b e}{3} \right) + x^2 \left(\frac{a g}{2} + \frac{b d}{2} \right) + x(a f + b c) + \frac{-a c - 2 a d x}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3,x)

[Out] a*e*log(x) + b*f*x**4/4 + b*g*x**5/5 + b*h*x**6/6 + x**3*(a*h/3 + b*e/3) + x**2*(a*g/2 + b*d/2) + x*(a*f + b*c) + (-a*c - 2*a*d*x)/(2*x**2)

$$3.381 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$$

Optimal. Leaf size=86

$$\log(x)(af + bc) + x(ag + bd) + \frac{1}{2}x^2(ah + be) - \frac{ac}{3x^3} - \frac{ad}{2x^2} - \frac{ae}{x} + \frac{1}{3}bfx^3 + \frac{1}{4}bgx^4 + \frac{1}{5}bhx^5$$

[Out] $-1/3*a*c/x^3-1/2*a*d/x^2-a*e/x+(a*g+b*d)*x+1/2*(a*h+b*e)*x^2+1/3*b*f*x^3+1/4*b*g*x^4+1/5*b*h*x^5+(a*f+b*c)*\ln(x)$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$\log(x)(af + bc) + x(ag + bd) + \frac{1}{2}x^2(ah + be) - \frac{ac}{3x^3} - \frac{ad}{2x^2} - \frac{ae}{x} + \frac{1}{3}bfx^3 + \frac{1}{4}bgx^4 + \frac{1}{5}bhx^5$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] $-(a*c)/(3*x^3) - (a*d)/(2*x^2) - (a*e)/x + (b*d + a*g)*x + ((b*e + a*h)*x^2)/2 + (b*f*x^3)/3 + (b*g*x^4)/4 + (b*h*x^5)/5 + (b*c + a*f)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx &= \int \left(bd \left(1 + \frac{ag}{bd} \right) + \frac{ac}{x^4} + \frac{ad}{x^3} + \frac{ae}{x^2} + \frac{bc+af}{x} + (be+ah)x + b \right) dx \\ &= -\frac{ac}{3x^3} - \frac{ad}{2x^2} - \frac{ae}{x} + (bd+ag)x + \frac{1}{2}(be+ah)x^2 + \frac{1}{3}bfx^3 + \frac{1}{4}bgx^4 + \frac{1}{5}bhx^5 + \frac{1}{6}bx^6 \end{aligned}$$

Mathematica [A] time = 0.07, size = 76, normalized size = 0.88

$$\log(x)(af+bc) - \frac{a(2c+3x(d+2ex-(x^3(2g+hx))))}{6x^3} + \frac{1}{60}bx(60d+x(30e+x(20f+15gx+12hx^2)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x]

[Out] $-1/6*(a*(2*c + 3*x*(d + 2*e*x - x^3*(2*g + h*x))))/x^3 + (b*x*(60*d + x*(30*e + x*(20*f + 15*g*x + 12*h*x^2))))/60 + (b*c + a*f)*\text{Log}[x]$

fricas [A] time = 0.94, size = 81, normalized size = 0.94

$$\frac{12bhx^8 + 15bgx^7 + 20bfx^6 + 30(be + ah)x^5 + 60(bd + ag)x^4 + 60(bc + af)x^3 \log(x) - 60aex^2 - 30adx - 20ac}{60x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="fricas")

[Out] $1/60*(12*b*h*x^8 + 15*b*g*x^7 + 20*b*f*x^6 + 30*(b*e + a*h)*x^5 + 60*(b*d + a*g)*x^4 + 60*(b*c + a*f)*x^3*\log(x) - 60*a*e*x^2 - 30*a*d*x - 20*a*c)/x^3$

giac [A] time = 0.17, size = 79, normalized size = 0.92

$$\frac{1}{5}bhx^5 + \frac{1}{4}bgx^4 + \frac{1}{3}bfx^3 + \frac{1}{2}ahx^2 + \frac{1}{2}bx^2e + bdx + agx + (bc + af) \log(|x|) - \frac{6ax^2e + 3adx + 2ac}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="giac")

[Out] $1/5*b*h*x^5 + 1/4*b*g*x^4 + 1/3*b*f*x^3 + 1/2*a*h*x^2 + 1/2*b*x^2*e + b*d*x + a*g*x + (b*c + a*f)*\log(\text{abs}(x)) - 1/6*(6*a*x^2*e + 3*a*d*x + 2*a*c)/x^3$

maple [A] time = 0.05, size = 76, normalized size = 0.88

$$\frac{bhx^5}{5} + \frac{bgx^4}{4} + \frac{bfx^3}{3} + \frac{ahx^2}{2} + \frac{bex^2}{2} + af \ln(x) + agx + bc \ln(x) + bdx - \frac{ae}{x} - \frac{ad}{2x^2} - \frac{ac}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x)

[Out] $1/5*b*h*x^5 + 1/4*b*g*x^4 + 1/3*b*f*x^3 + 1/2*x^2*a*h + 1/2*b*e*x^2 + a*g*x + x*b*d - 1/3*a*c/x^3 - 1/2*a*d/x^2 - a*e/x + \ln(x)*a*f + \ln(x)*b*c$

maxima [A] time = 1.36, size = 75, normalized size = 0.87

$$\frac{1}{5}bhx^5 + \frac{1}{4}bgx^4 + \frac{1}{3}bfx^3 + \frac{1}{2}(be + ah)x^2 + (bd + ag)x + (bc + af) \log(x) - \frac{6aex^2 + 3adx + 2ac}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="maxima")

[Out] 1/5*b*h*x^5 + 1/4*b*g*x^4 + 1/3*b*f*x^3 + 1/2*(b*e + a*h)*x^2 + (b*d + a*g)*x + (b*c + a*f)*log(x) - 1/6*(6*a*e*x^2 + 3*a*d*x + 2*a*c)/x^3

mupad [B] time = 0.04, size = 75, normalized size = 0.87

$$x(bd + ag) - \frac{aex^2 + \frac{adx}{2} + \frac{ac}{3}}{x^3} + x^2\left(\frac{be}{2} + \frac{ah}{2}\right) + \ln(x)(bc + af) + \frac{bhx^5}{5} + \frac{bfx^3}{3} + \frac{bgx^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x)

[Out] x*(b*d + a*g) - ((a*c)/3 + (a*d*x)/2 + a*e*x^2)/x^3 + x^2*((b*e)/2 + (a*h)/2) + log(x)*(b*c + a*f) + (b*h*x^5)/5 + (b*f*x^3)/3 + (b*g*x^4)/4

sympy [A] time = 0.67, size = 83, normalized size = 0.97

$$\frac{bfx^3}{3} + \frac{bgx^4}{4} + \frac{bhx^5}{5} + x^2\left(\frac{ah}{2} + \frac{be}{2}\right) + x(ag + bd) + (af + bc)\log(x) + \frac{-2ac - 3adx - 6aex^2}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4,x)

[Out] b*f*x**3/3 + b*g*x**4/4 + b*h*x**5/5 + x**2*(a*h/2 + b*e/2) + x*(a*g + b*d) + (a*f + b*c)*log(x) + (-2*a*c - 3*a*d*x - 6*a*e*x**2)/(6*x**3)

$$3.382 \quad \int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$$

Optimal. Leaf size=86

$$-\frac{af+bc}{x} + \log(x)(ag+bd) + x(ah+be) - \frac{ac}{4x^4} - \frac{ad}{3x^3} - \frac{ae}{2x^2} + \frac{1}{2}bfx^2 + \frac{1}{3}bgx^3 + \frac{1}{4}bhx^4$$

[Out] $-1/4*a*c/x^4-1/3*a*d/x^3-1/2*a*e/x^2+(-a*f-b*c)/x+(a*h+b*e)*x+1/2*b*f*x^2+1/3*b*g*x^3+1/4*b*h*x^4+(a*g+b*d)*\ln(x)$

Rubi [A] time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.028$, Rules used = {1820}

$$-\frac{af+bc}{x} + \log(x)(ag+bd) + x(ah+be) - \frac{ac}{4x^4} - \frac{ad}{3x^3} - \frac{ae}{2x^2} + \frac{1}{2}bfx^2 + \frac{1}{3}bgx^3 + \frac{1}{4}bhx^4$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] $-(a*c)/(4*x^4) - (a*d)/(3*x^3) - (a*e)/(2*x^2) - (b*c + a*f)/x + (b*e + a*h)*x + (b*f*x^2)/2 + (b*g*x^3)/3 + (b*h*x^4)/4 + (b*d + a*g)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)(c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx = \int \left(be \left(1 + \frac{ah}{be} \right) + \frac{ac}{x^5} + \frac{ad}{x^4} + \frac{ae}{x^3} + \frac{bc+af}{x^2} + \frac{bd+ag}{x} + bfx \right) dx$$

$$= -\frac{ac}{4x^4} - \frac{ad}{3x^3} - \frac{ae}{2x^2} - \frac{bc+af}{x} + (be+ah)x + \frac{1}{2}bfx^2 + \frac{1}{3}bgx^3 + \frac{1}{4}bhx^4$$

Mathematica [A] time = 0.08, size = 77, normalized size = 0.90

$$\log(x)(ag+bd) - \frac{a(3c+4dx+6x^2(e+2fx-2hx^3))}{12x^4} + b \left(-\frac{c}{x} + ex + \frac{1}{12}x^2(6f+4gx+3hx^2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] b*(-(c/x) + e*x + (x^2*(6*f + 4*g*x + 3*h*x^2))/12) - (a*(3*c + 4*d*x + 6*x^2*(e + 2*f*x - 2*h*x^3)))/(12*x^4) + (b*d + a*g)*Log[x]

fricas [A] time = 0.42, size = 81, normalized size = 0.94

$$\frac{3bhx^8 + 4bgx^7 + 6bfx^6 + 12(be + ah)x^5 + 12(bd + ag)x^4 \log(x) - 6aex^2 - 12(bc + af)x^3 - 4adx - 3ac}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="fricas")

[Out] 1/12*(3*b*h*x^8 + 4*b*g*x^7 + 6*b*f*x^6 + 12*(b*e + a*h)*x^5 + 12*(b*d + a*g)*x^4*log(x) - 6*a*e*x^2 - 12*(b*c + a*f)*x^3 - 4*a*d*x - 3*a*c)/x^4

giac [A] time = 0.15, size = 77, normalized size = 0.90

$$\frac{1}{4}bhx^4 + \frac{1}{3}bgx^3 + \frac{1}{2}bfx^2 + ahx + bxe + (bd + ag) \log(|x|) - \frac{12(bc + af)x^3 + 6ax^2e + 4adx + 3ac}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="giac")

[Out] 1/4*b*h*x^4 + 1/3*b*g*x^3 + 1/2*b*f*x^2 + a*h*x + b*x*e + (b*d + a*g)*log(abs(x)) - 1/12*(12*(b*c + a*f)*x^3 + 6*a*x^2*e + 4*a*d*x + 3*a*c)/x^4

maple [A] time = 0.05, size = 76, normalized size = 0.88

$$\frac{bhx^4}{4} + \frac{bgx^3}{3} + \frac{bfx^2}{2} + ag \ln(x) + ahx + bd \ln(x) + bex - \frac{af}{x} - \frac{bc}{x} - \frac{ae}{2x^2} - \frac{ad}{3x^3} - \frac{ac}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x)

[Out] 1/4*b*h*x^4+1/3*b*g*x^3+1/2*b*f*x^2+a*h*x+b*e*x-1/4*a*c/x^4-1/3*a*d/x^3-1/2*a*e/x^2-1/x*a*f-1/x*b*c+ln(x)*a*g+ln(x)*b*d

maxima [A] time = 1.34, size = 75, normalized size = 0.87

$$\frac{1}{4}bhx^4 + \frac{1}{3}bgx^3 + \frac{1}{2}bfx^2 + (be + ah)x + (bd + ag) \log(x) - \frac{6aex^2 + 12(bc + af)x^3 + 4adx + 3ac}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="maxima")

[Out] 1/4*b*h*x^4 + 1/3*b*g*x^3 + 1/2*b*f*x^2 + (b*e + a*h)*x + (b*d + a*g)*log(x) - 1/12*(6*a*e*x^2 + 12*(b*c + a*f)*x^3 + 4*a*d*x + 3*a*c)/x^4

mupad [B] time = 4.98, size = 74, normalized size = 0.86

$$x (be + ah) - \frac{(bc + af) x^3 + \frac{aex^2}{2} + \frac{adx}{3} + \frac{ac}{4}}{x^4} + \ln(x) (bd + ag) + \frac{bhx^4}{4} + \frac{bfx^2}{2} + \frac{bgx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x)

[Out] x*(b*e + a*h) - ((a*c)/4 + x^3*(b*c + a*f) + (a*d*x)/3 + (a*e*x^2)/2)/x^4 + log(x)*(b*d + a*g) + (b*h*x^4)/4 + (b*f*x^2)/2 + (b*g*x^3)/3

sympy [A] time = 2.57, size = 83, normalized size = 0.97

$$\frac{bfx^2}{2} + \frac{bgx^3}{3} + \frac{bhx^4}{4} + x(ah + be) + (ag + bd) \log(x) + \frac{-3ac - 4adx - 6aex^2 + x^3(-12af - 12bc)}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**5,x)

[Out] b*f*x**2/2 + b*g*x**3/3 + b*h*x**4/4 + x*(a*h + b*e) + (a*g + b*d)*log(x) + (-3*a*c - 4*a*d*x - 6*a*e*x**2 + x**3*(-12*a*f - 12*b*c))/(12*x**4)

$$3.383 \quad \int x^4 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=163

$$\frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{11}bx^{11}(2af+bc) + \frac{1}{8}ax^8(af+2bc) + \frac{1}{12}bx^{12}(2ag+bd) + \frac{1}{9}ax^9(ag+2bd) + \frac{1}{13}bx^{13}(2ah+be) + \dots$$

[Out] $1/5*a^2*c*x^5 + 1/6*a^2*d*x^6 + 1/7*a^2*e*x^7 + 1/8*a*(a*f+2*b*c)*x^8 + 1/9*a*(a*g+2*b*d)*x^9 + 1/10*a*(a*h+2*b*e)*x^{10} + 1/11*b*(2*a*f+b*c)*x^{11} + 1/12*b*(2*a*g+b*d)*x^{12} + 1/13*b*(2*a*h+b*e)*x^{13} + 1/14*b^2*f*x^{14} + 1/15*b^2*g*x^{15} + 1/16*b^2*h*x^{16}$

Rubi [A] time = 0.21, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$\frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{11}bx^{11}(2af+bc) + \frac{1}{8}ax^8(af+2bc) + \frac{1}{12}bx^{12}(2ag+bd) + \frac{1}{9}ax^9(ag+2bd) + \frac{1}{13}bx^{13}(2ah+be) + \dots$$

Antiderivative was successfully verified.

[In] Int[x^4*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^2*c*x^5)/5 + (a^2*d*x^6)/6 + (a^2*e*x^7)/7 + (a*(2*b*c + a*f)*x^8)/8 + (a*(2*b*d + a*g)*x^9)/9 + (a*(2*b*e + a*h)*x^{10})/10 + (b*(b*c + 2*a*f)*x^{11})/11 + (b*(b*d + 2*a*g)*x^{12})/12 + (b*(b*e + 2*a*h)*x^{13})/13 + (b^2*f*x^{14})/14 + (b^2*g*x^{15})/15 + (b^2*h*x^{16})/16$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :=
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int x^4 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx = \int (a^2cx^4 + a^2dx^5 + a^2ex^6 + a(2bc + af)x^7 + a(2bd + ag)x^8 + \dots) dx = \frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{8}a(2bc + af)x^8 + \frac{1}{9}a(2bd + ag)x^9 + \dots$$

Mathematica [A] time = 0.05, size = 163, normalized size = 1.00

$$\frac{1}{5}a^2cx^5 + \frac{1}{6}a^2dx^6 + \frac{1}{7}a^2ex^7 + \frac{1}{11}bx^{11}(2af+bc) + \frac{1}{8}ax^8(af+2bc) + \frac{1}{12}bx^{12}(2ag+bd) + \frac{1}{9}ax^9(ag+2bd) + \frac{1}{13}bx^{13}(2ah+be) + \dots$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^2*c*x^5)/5 + (a^2*d*x^6)/6 + (a^2*e*x^7)/7 + (a*(2*b*c + a*f)*x^8)/8 + (a*(2*b*d + a*g)*x^9)/9 + (a*(2*b*e + a*h)*x^10)/10 + (b*(b*c + 2*a*f)*x^11)/11 + (b*(b*d + 2*a*g)*x^12)/12 + (b*(b*e + 2*a*h)*x^13)/13 + (b^2*f*x^14)/14 + (b^2*g*x^15)/15 + (b^2*h*x^16)/16

fricas [A] time = 0.36, size = 157, normalized size = 0.96

$$\frac{1}{16}x^{16}hb^2 + \frac{1}{15}x^{15}gb^2 + \frac{1}{14}x^{14}fb^2 + \frac{1}{13}x^{13}eb^2 + \frac{2}{13}x^{13}hba + \frac{1}{12}x^{12}db^2 + \frac{1}{6}x^{12}gba + \frac{1}{11}x^{11}cb^2 + \frac{2}{11}x^{11}fba + \frac{1}{5}x^{10}eba + \frac{1}{10}x^{10}c^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/16*x^16*h*b^2 + 1/15*x^15*g*b^2 + 1/14*x^14*f*b^2 + 1/13*x^13*e*b^2 + 2/13*x^13*h*b*a + 1/12*x^12*d*b^2 + 1/6*x^12*g*b*a + 1/11*x^11*c*b^2 + 2/11*x^11*f*b*a + 1/5*x^10*e*b*a + 1/10*x^10*h*a^2 + 2/9*x^9*d*b*a + 1/9*x^9*g*a^2 + 1/4*x^8*c*b*a + 1/8*x^8*f*a^2 + 1/7*x^7*e*a^2 + 1/6*x^6*d*a^2 + 1/5*x^5*c*a^2

giac [A] time = 0.15, size = 160, normalized size = 0.98

$$\frac{1}{16}b^2hx^{16} + \frac{1}{15}b^2gx^{15} + \frac{1}{14}b^2fx^{14} + \frac{2}{13}abhx^{13} + \frac{1}{13}b^2x^{13}e + \frac{1}{12}b^2dx^{12} + \frac{1}{6}abgx^{12} + \frac{1}{11}b^2cx^{11} + \frac{2}{11}abfx^{11} + \frac{1}{10}a^2hx^{10} + \frac{1}{10}a^2c^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/16*b^2*h*x^16 + 1/15*b^2*g*x^15 + 1/14*b^2*f*x^14 + 2/13*a*b*h*x^13 + 1/13*b^2*x^13*e + 1/12*b^2*d*x^12 + 1/6*a*b*g*x^12 + 1/11*b^2*c*x^11 + 2/11*a*b*f*x^11 + 1/10*a^2*h*x^10 + 1/5*a*b*x^10*e + 2/9*a*b*d*x^9 + 1/9*a^2*g*x^9 + 1/4*a*b*c*x^8 + 1/8*a^2*f*x^8 + 1/7*a^2*x^7*e + 1/6*a^2*d*x^6 + 1/5*a^2*c*x^5

maple [A] time = 0.04, size = 152, normalized size = 0.93

$$\frac{b^2hx^{16}}{16} + \frac{b^2gx^{15}}{15} + \frac{b^2fx^{14}}{14} + \frac{(2abh + b^2e)x^{13}}{13} + \frac{(2abg + b^2d)x^{12}}{12} + \frac{(2abf + cb^2)x^{11}}{11} + \frac{a^2ex^7}{7} + \frac{(a^2h + 2bea)x^{10}}{10} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)`

[Out] $\frac{1}{16}b^2hx^{16} + \frac{1}{15}b^2gx^{15} + \frac{1}{14}b^2fx^{14} + \frac{1}{13}(2ab^2e + b^2e) x^{13} + \frac{1}{12}(2ab^2d + b^2d) x^{12} + \frac{1}{11}(2ab^2c + b^2c) x^{11} + \frac{1}{10}(a^2h + 2ab^2e) x^{10} + \frac{1}{9}(a^2g + 2ab^2d) x^9 + \frac{1}{8}(a^2f + 2ab^2c) x^8 + \frac{1}{7}a^2ex^7 + \frac{1}{6}a^2dx^6 + \frac{1}{5}a^2cx^5$

maxima [A] time = 1.37, size = 151, normalized size = 0.93

$$\frac{1}{16}b^2hx^{16} + \frac{1}{15}b^2gx^{15} + \frac{1}{14}b^2fx^{14} + \frac{1}{13}(b^2e + 2abh)x^{13} + \frac{1}{12}(b^2d + 2abg)x^{12} + \frac{1}{11}(b^2c + 2abf)x^{11} + \frac{1}{10}(2abe + a^2h)x^{10} + \frac{1}{9}(2agd + a^2g)x^9 + \frac{1}{8}(2afc + a^2f)x^8 + \frac{1}{7}a^2ex^7 + \frac{1}{6}a^2dx^6 + \frac{1}{5}a^2cx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")`

[Out] $\frac{1}{16}b^2hx^{16} + \frac{1}{15}b^2gx^{15} + \frac{1}{14}b^2fx^{14} + \frac{1}{13}(b^2e + 2ab^2h) x^{13} + \frac{1}{12}(b^2d + 2ab^2g) x^{12} + \frac{1}{11}(b^2c + 2ab^2f) x^{11} + \frac{1}{10}(2ab^2e + a^2h) x^{10} + \frac{1}{9}(2ab^2d + a^2g) x^9 + \frac{1}{8}a^2ex^7 + \frac{1}{7}a^2dx^6 + \frac{1}{6}a^2cx^5$

mupad [B] time = 0.10, size = 151, normalized size = 0.93

$$x^8 \left(\frac{fa^2}{8} + \frac{bca}{4} \right) + x^{11} \left(\frac{cb^2}{11} + \frac{2afb}{11} \right) + x^9 \left(\frac{ga^2}{9} + \frac{2bda}{9} \right) + x^{12} \left(\frac{db^2}{12} + \frac{agb}{6} \right) + x^{10} \left(\frac{ha^2}{10} + \frac{bea}{5} \right) + x^{13} \left(\frac{eb^2}{13} + \frac{2abh}{13} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)`

[Out] $x^8 \left(\frac{a^2f}{8} + \frac{abc}{4} \right) + x^{11} \left(\frac{b^2c}{11} + \frac{2ab^2f}{11} \right) + x^9 \left(\frac{a^2g}{9} + \frac{2ab^2d}{9} \right) + x^{12} \left(\frac{b^2d}{12} + \frac{ab^2g}{6} \right) + x^{10} \left(\frac{a^2h}{10} + \frac{ab^2e}{5} \right) + x^{13} \left(\frac{b^2e}{13} + \frac{2ab^2h}{13} \right) + \frac{a^2cx^5}{5} + \frac{a^2dx^6}{6} + \frac{a^2ex^7}{7} + \frac{b^2fx^{14}}{14} + \frac{b^2gx^{15}}{15} + \frac{b^2hx^{16}}{16} + \frac{a^2e*x^7}{7} + \frac{b^2f*x^{14}}{14} + \frac{b^2g*x^{15}}{15} + \frac{b^2h*x^{16}}{16}$

sympy [A] time = 0.10, size = 167, normalized size = 1.02

$$\frac{a^2cx^5}{5} + \frac{a^2dx^6}{6} + \frac{a^2ex^7}{7} + \frac{b^2fx^{14}}{14} + \frac{b^2gx^{15}}{15} + \frac{b^2hx^{16}}{16} + x^{13} \left(\frac{2abh}{13} + \frac{b^2e}{13} \right) + x^{12} \left(\frac{abg}{6} + \frac{b^2d}{12} \right) + x^{11} \left(\frac{2abf}{11} + \frac{b^2c}{11} \right) + x^{10} \left(\frac{a^2h}{10} + \frac{ab^2e}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] $a**2*c*x**5/5 + a**2*d*x**6/6 + a**2*e*x**7/7 + b**2*f*x**14/14 + b**2*g*x**15/15 + b**2*h*x**16/16 + x**13*(2*a*b*h/13 + b**2*e/13) + x**12*(a*b*g/6 + b**2*d/12) + x**11*(2*a*b*f/11 + b**2*c/11) + x**10*(a**2*h/10 + a*b*e/5) + x**9*(a**2*g/9 + 2*a*b*d/9) + x**8*(a**2*f/8 + a*b*c/4)$

$$3.384 \quad \int x^3 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=163

$$\frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{10}bx^{10}(2af+bc) + \frac{1}{7}ax^7(af+2bc) + \frac{1}{11}bx^{11}(2ag+bd) + \frac{1}{8}ax^8(ag+2bd) + \frac{1}{12}bx^{12}(2ah+be)$$

[Out] 1/4*a^2*c*x^4+1/5*a^2*d*x^5+1/6*a^2*e*x^6+1/7*a*(a*f+2*b*c)*x^7+1/8*a*(a*g+2*b*d)*x^8+1/9*a*(a*h+2*b*e)*x^9+1/10*b*(2*a*f+b*c)*x^10+1/11*b*(2*a*g+b*d)*x^11+1/12*b*(2*a*h+b*e)*x^12+1/13*b^2*f*x^13+1/14*b^2*g*x^14+1/15*b^2*h*x^15

Rubi [A] time = 0.16, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$\frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{10}bx^{10}(2af+bc) + \frac{1}{7}ax^7(af+2bc) + \frac{1}{11}bx^{11}(2ag+bd) + \frac{1}{8}ax^8(ag+2bd) + \frac{1}{12}bx^{12}(2ah+be)$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a*(2*b*c + a*f)*x^7)/7 + (a*(2*b*d + a*g)*x^8)/8 + (a*(2*b*e + a*h)*x^9)/9 + (b*(b*c + 2*a*f)*x^10)/10 + (b*(b*d + 2*a*g)*x^11)/11 + (b*(b*e + 2*a*h)*x^12)/12 + (b^2*f*x^13)/13 + (b^2*g*x^14)/14 + (b^2*h*x^15)/15

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^3 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (a^2cx^3 + a^2dx^4 + a^2ex^5 + a(2bc + af)x^6 + a(2bd + a^2g)x^7 + a(2be + a^2h)x^8 + b^2fx^9 + b^2gx^{10} + b^2hx^{11}) dx \\ &= \frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a(2bc + af)x^7 + \frac{1}{8}a(2bd + a^2g)x^8 + \frac{1}{9}a(2be + a^2h)x^9 + \frac{1}{10}b^2fx^{10} + \frac{1}{11}b^2gx^{11} + \frac{1}{12}b^2hx^{12} \end{aligned}$$

Mathematica [A] time = 0.03, size = 163, normalized size = 1.00

$$\frac{1}{4}a^2cx^4 + \frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{10}bx^{10}(2af+bc) + \frac{1}{7}ax^7(af+2bc) + \frac{1}{11}bx^{11}(2ag+bd) + \frac{1}{8}ax^8(ag+2bd) + \frac{1}{12}bx^{12}(2ah+be)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a*(2*b*c + a*f)*x^7)/7 + (a*(2*b*d + a*g)*x^8)/8 + (a*(2*b*e + a*h)*x^9)/9 + (b*(b*c + 2*a*f)*x^10)/10 + (b*(b*d + 2*a*g)*x^11)/11 + (b*(b*e + 2*a*h)*x^12)/12 + (b^2*f*x^13)/13 + (b^2*g*x^14)/14 + (b^2*h*x^15)/15

fricas [A] time = 0.35, size = 157, normalized size = 0.96

$$\frac{1}{15}x^{15}hb^2 + \frac{1}{14}x^{14}gb^2 + \frac{1}{13}x^{13}fb^2 + \frac{1}{12}x^{12}eb^2 + \frac{1}{6}x^{12}hba + \frac{1}{11}x^{11}db^2 + \frac{2}{11}x^{11}gba + \frac{1}{10}x^{10}cb^2 + \frac{1}{5}x^{10}fba + \frac{2}{9}x^9eba + \frac{1}{9}x^9ha$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/15*x^15*h*b^2 + 1/14*x^14*g*b^2 + 1/13*x^13*f*b^2 + 1/12*x^12*e*b^2 + 1/6*x^12*h*b*a + 1/11*x^11*d*b^2 + 2/11*x^11*g*b*a + 1/10*x^10*c*b^2 + 1/5*x^10*f*b*a + 2/9*x^9*e*b*a + 1/9*x^9*h*a^2 + 1/4*x^8*d*b*a + 1/8*x^8*g*a^2 + 2/7*x^7*c*b*a + 1/7*x^7*f*a^2 + 1/6*x^6*e*a^2 + 1/5*x^5*d*a^2 + 1/4*x^4*c*a^2

giac [A] time = 0.15, size = 160, normalized size = 0.98

$$\frac{1}{15}b^2hx^{15} + \frac{1}{14}b^2gx^{14} + \frac{1}{13}b^2fx^{13} + \frac{1}{6}abhx^{12} + \frac{1}{12}b^2x^{12}e + \frac{1}{11}b^2dx^{11} + \frac{2}{11}abgx^{11} + \frac{1}{10}b^2cx^{10} + \frac{1}{5}abfx^{10} + \frac{1}{9}a^2hx^9 + \frac{2}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/15*b^2*h*x^15 + 1/14*b^2*g*x^14 + 1/13*b^2*f*x^13 + 1/6*a*b*h*x^12 + 1/12*b^2*x^12*e + 1/11*b^2*d*x^11 + 2/11*a*b*g*x^11 + 1/10*b^2*c*x^10 + 1/5*a*b*f*x^10 + 1/9*a^2*h*x^9 + 2/9*a*b*x^9*e + 1/4*a*b*d*x^8 + 1/8*a^2*g*x^8 + 2/7*a*b*c*x^7 + 1/7*a^2*f*x^7 + 1/6*a^2*x^6*e + 1/5*a^2*d*x^5 + 1/4*a^2*c*x^4

maple [A] time = 0.04, size = 152, normalized size = 0.93

$$\frac{b^2hx^{15}}{15} + \frac{b^2gx^{14}}{14} + \frac{b^2fx^{13}}{13} + \frac{(2abh + b^2e)x^{12}}{12} + \frac{(2abg + b^2d)x^{11}}{11} + \frac{(2abf + cb^2)x^{10}}{10} + \frac{a^2ex^6}{6} + \frac{(a^2h + 2bea)x^9}{9} + \frac{a^2c}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x)`

[Out] $\frac{1}{15}b^2hx^{15} + \frac{1}{14}b^2gx^{14} + \frac{1}{13}b^2fx^{13} + \frac{1}{12}(2ab^2h + b^2e)x^{12} + \frac{1}{11}(2ab^2g + b^2d)x^{11} + \frac{1}{10}(2ab^2f + b^2c)x^{10} + \frac{1}{9}(a^2h + 2ab^2e)x^9 + \frac{1}{8}(a^2g + 2ab^2d)x^8 + \frac{1}{7}(a^2f + 2ab^2c)x^7 + \frac{1}{6}a^2ex^6 + \frac{1}{5}a^2dx^5 + \frac{1}{4}a^2cx^4$

maxima [A] time = 1.35, size = 151, normalized size = 0.93

$$\frac{1}{15}b^2hx^{15} + \frac{1}{14}b^2gx^{14} + \frac{1}{13}b^2fx^{13} + \frac{1}{12}(b^2e + 2abh)x^{12} + \frac{1}{11}(b^2d + 2abg)x^{11} + \frac{1}{10}(b^2c + 2abf)x^{10} + \frac{1}{9}(2abe + a^2h)x^9 + \frac{1}{8}(2agd + a^2d)x^8 + \frac{1}{7}(2afc + a^2f)x^7 + \frac{1}{6}a^2ex^6 + \frac{1}{5}a^2dx^5 + \frac{1}{4}a^2cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="maxima")`

[Out] $\frac{1}{15}b^2hx^{15} + \frac{1}{14}b^2gx^{14} + \frac{1}{13}b^2fx^{13} + \frac{1}{12}(b^2e + 2ab^2h)x^{12} + \frac{1}{11}(b^2d + 2ab^2g)x^{11} + \frac{1}{10}(b^2c + 2ab^2f)x^{10} + \frac{1}{9}(2ab^2e + a^2h)x^9 + \frac{1}{8}(2ab^2d + a^2g)x^8 + \frac{1}{7}(2ab^2c + a^2f)x^7 + \frac{1}{6}a^2ex^6 + \frac{1}{5}a^2dx^5 + \frac{1}{4}a^2cx^4$

mupad [B] time = 0.09, size = 151, normalized size = 0.93

$$x^7 \left(\frac{fa^2}{7} + \frac{2bca}{7} \right) + x^{10} \left(\frac{cb^2}{10} + \frac{afb}{5} \right) + x^8 \left(\frac{ga^2}{8} + \frac{bda}{4} \right) + x^{11} \left(\frac{db^2}{11} + \frac{2agb}{11} \right) + x^9 \left(\frac{ha^2}{9} + \frac{2bea}{9} \right) + x^{12} \left(\frac{eb^2}{12} + \frac{2ab^2h}{12} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)`

[Out] $x^7 \left(\frac{a^2f}{7} + \frac{2ab^2c}{7} \right) + x^{10} \left(\frac{b^2c}{10} + \frac{ab^2f}{5} \right) + x^8 \left(\frac{a^2g}{8} + \frac{ab^2d}{4} \right) + x^{11} \left(\frac{b^2d}{11} + \frac{2ab^2g}{11} \right) + x^9 \left(\frac{a^2h}{9} + \frac{2ab^2e}{9} \right) + x^{12} \left(\frac{b^2e}{12} + \frac{ab^2h}{6} \right) + \frac{a^2cx^4}{4} + \frac{a^2dx^5}{5} + \frac{a^2ex^6}{6} + \frac{b^2fx^{13}}{13} + \frac{b^2gx^{14}}{14} + \frac{b^2hx^{15}}{15}$

sympy [A] time = 0.11, size = 167, normalized size = 1.02

$$\frac{a^2cx^4}{4} + \frac{a^2dx^5}{5} + \frac{a^2ex^6}{6} + \frac{b^2fx^{13}}{13} + \frac{b^2gx^{14}}{14} + \frac{b^2hx^{15}}{15} + x^{12} \left(\frac{abh}{6} + \frac{b^2e}{12} \right) + x^{11} \left(\frac{2abg}{11} + \frac{b^2d}{11} \right) + x^{10} \left(\frac{abf}{5} + \frac{b^2c}{10} \right) + x^9 \left(\frac{a^2h}{9} + \frac{2ab^2e}{9} \right) + x^8 \left(\frac{a^2g}{8} + \frac{ab^2d}{4} \right) + x^7 \left(\frac{a^2f}{7} + \frac{2ab^2c}{7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c), x)`

[Out] $a^2cx^4/4 + a^2dx^5/5 + a^2ex^6/6 + b^2fx^{13}/13 + b^2gx^{14}/14 + b^2hx^{15}/15 + x^{12}(ab^2h/6 + b^2e/12) + x^{11}(2ab^2g/11 + b^2d/11) + x^{10}(ab^2f/5 + b^2c/10) + x^9(a^2h/9 + 2ab^2e/9) + x^8(a^2g/8 + ab^2d/4) + x^7(a^2f/7 + 2ab^2c/7)$

$$3.385 \quad \int x^2 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=158

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{1}{6}a^2fx^6 + \frac{c(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ag+bd) + \frac{1}{7}ax^7(ag+2bd) + \frac{1}{11}bx^{11}(2ah+be) + \frac{1}{8}ax^8(ah+2be) + \frac{2}{9}a$$

[Out] $\frac{1}{4}a^2d*x^4 + \frac{1}{5}a^2e*x^5 + \frac{1}{6}a^2f*x^6 + \frac{1}{7}a*(a*g+2*b*d)*x^7 + \frac{1}{8}a*(a*h+2*b*e)*x^8 + \frac{2}{9}a*b*f*x^9 + \frac{1}{10}b*(2*a*g+b*d)*x^{10} + \frac{1}{11}b*(2*a*h+b*e)*x^{11} + \frac{1}{12}b^2*f*x^{12} + \frac{1}{13}b^2*g*x^{13} + \frac{1}{14}b^2*h*x^{14} + \frac{1}{9}c*(b*x^3+a)^3/b$

Rubi [A] time = 0.13, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1582, 1850}

$$\frac{1}{4}a^2dx^4 + \frac{1}{5}a^2ex^5 + \frac{1}{6}a^2fx^6 + \frac{c(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ag+bd) + \frac{1}{7}ax^7(ag+2bd) + \frac{1}{11}bx^{11}(2ah+be) + \frac{1}{8}ax^8(ah+2be) + \frac{2}{9}a$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^2*d*x^4)/4 + (a^2*e*x^5)/5 + (a^2*f*x^6)/6 + (a*(2*b*d + a*g)*x^7)/7 + (a*(2*b*e + a*h)*x^8)/8 + (2*a*b*f*x^9)/9 + (b*(b*d + 2*a*g)*x^{10})/10 + (b*(b*e + 2*a*h)*x^{11})/11 + (b^2*f*x^{12})/12 + (b^2*g*x^{13})/13 + (b^2*h*x^{14})/14 + (c*(a + b*x^3)^3)/(9*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^2 (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{c(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (-cx^2 + x^2(c + dx + ex^2 + \\ &= \frac{c(a + bx^3)^3}{9b} + \int (a^2 dx^3 + a^2 ex^4 + a^2 fx^5 + a(2bd + ag)x^6 + \\ &= \frac{1}{4} a^2 dx^4 + \frac{1}{5} a^2 ex^5 + \frac{1}{6} a^2 fx^6 + \frac{1}{7} a(2bd + ag)x^7 + \frac{1}{8} a(2b \end{aligned}$$

Mathematica [A] time = 0.08, size = 150, normalized size = 0.95

$$a^2 \left(\frac{cx^3}{3} + \frac{dx^4}{4} + \frac{ex^5}{5} + \frac{fx^6}{6} + \frac{gx^7}{7} + \frac{hx^8}{8} \right) + ab \left(\frac{cx^6}{3} + \frac{2dx^7}{7} + \frac{ex^8}{4} + \frac{2fx^9}{9} + \frac{gx^{10}}{5} + \frac{2hx^{11}}{11} \right) + \frac{b^2 x^9 (20020c + 3 \dots}{180180}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] a^2*((c*x^3)/3 + (d*x^4)/4 + (e*x^5)/5 + (f*x^6)/6 + (g*x^7)/7 + (h*x^8)/8) + a*b*((c*x^6)/3 + (2*d*x^7)/7 + (e*x^8)/4 + (2*f*x^9)/9 + (g*x^10)/5 + (2*h*x^11)/11) + (b^2*x^9*(20020*c + 3*x*(6006*d + 5460*e*x + 55*x^2*(91*f + 84*g*x + 78*h*x^2))))/180180

fricas [A] time = 0.36, size = 157, normalized size = 0.99

$$\frac{1}{14} x^{14} h b^2 + \frac{1}{13} x^{13} g b^2 + \frac{1}{12} x^{12} f b^2 + \frac{1}{11} x^{11} e b^2 + \frac{2}{11} x^{11} h b a + \frac{1}{10} x^{10} d b^2 + \frac{1}{5} x^{10} g b a + \frac{1}{9} x^9 c b^2 + \frac{2}{9} x^9 f b a + \frac{1}{4} x^8 e b a + \frac{1}{8} x^8 h a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/14*x^14*h*b^2 + 1/13*x^13*g*b^2 + 1/12*x^12*f*b^2 + 1/11*x^11*e*b^2 + 2/11*x^11*h*b*a + 1/10*x^10*d*b^2 + 1/5*x^10*g*b*a + 1/9*x^9*c*b^2 + 2/9*x^9*f*b*a + 1/4*x^8*e*b*a + 1/8*x^8*h*a^2 + 2/7*x^7*d*b*a + 1/7*x^7*g*a^2 + 1/3*x^6*c*b*a + 1/6*x^6*f*a^2 + 1/5*x^5*e*a^2 + 1/4*x^4*d*a^2 + 1/3*x^3*c*a^2

giac [A] time = 0.18, size = 160, normalized size = 1.01

$$\frac{1}{14} b^2 h x^{14} + \frac{1}{13} b^2 g x^{13} + \frac{1}{12} b^2 f x^{12} + \frac{2}{11} a b h x^{11} + \frac{1}{11} b^2 x^{11} e + \frac{1}{10} b^2 d x^{10} + \frac{1}{5} a b g x^{10} + \frac{1}{9} b^2 c x^9 + \frac{2}{9} a b f x^9 + \frac{1}{8} a^2 h x^8 + \frac{1}{4} a^2 e x^8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] $\frac{1}{14}b^2hx^{14} + \frac{1}{13}b^2gx^{13} + \frac{1}{12}b^2fx^{12} + \frac{2}{11}ab^2hx^{11} + \frac{1}{10}b^2d^2x^{10} + \frac{1}{9}ab^2gx^{10} + \frac{1}{9}b^2cx^9 + \frac{2}{9}ab^2fx^9 + \frac{1}{8}a^2hx^8 + \frac{1}{4}ab^2fx^8 + \frac{2}{7}ab^2dx^7 + \frac{1}{7}a^2gx^7 + \frac{1}{3}ab^2cx^6 + \frac{1}{6}a^2fx^6 + \frac{1}{5}a^2ex^5 + \frac{1}{4}a^2dx^4 + \frac{1}{3}a^2cx^3$

maple [A] time = 0.04, size = 152, normalized size = 0.96

$$\frac{b^2hx^{14}}{14} + \frac{b^2gx^{13}}{13} + \frac{b^2fx^{12}}{12} + \frac{(2abh + b^2e)x^{11}}{11} + \frac{(2abg + b^2d)x^{10}}{10} + \frac{(2abf + cb^2)x^9}{9} + \frac{a^2ex^5}{5} + \frac{(a^2h + 2bea)x^8}{8} + \frac{a^2d}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] $\frac{1}{14}b^2hx^{14} + \frac{1}{13}b^2gx^{13} + \frac{1}{12}b^2fx^{12} + \frac{1}{11}(2ab^2h + b^2e)x^{11} + \frac{1}{10}(2ab^2g + b^2d)x^{10} + \frac{1}{9}(2ab^2f + b^2c)x^9 + \frac{1}{8}(a^2h + 2abe)x^8 + \frac{1}{7}(a^2g + 2abd)x^7 + \frac{1}{6}(a^2f + 2abc)x^6 + \frac{1}{5}a^2ex^5 + \frac{1}{4}a^2dx^4 + \frac{1}{3}a^2cx^3$

maxima [A] time = 1.38, size = 151, normalized size = 0.96

$$\frac{1}{14}b^2hx^{14} + \frac{1}{13}b^2gx^{13} + \frac{1}{12}b^2fx^{12} + \frac{1}{11}(b^2e + 2abh)x^{11} + \frac{1}{10}(b^2d + 2abg)x^{10} + \frac{1}{9}(b^2c + 2abf)x^9 + \frac{1}{8}(2abe + a^2h)x^8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] $\frac{1}{14}b^2hx^{14} + \frac{1}{13}b^2gx^{13} + \frac{1}{12}b^2fx^{12} + \frac{1}{11}(b^2e + 2ab^2h)x^{11} + \frac{1}{10}(b^2d + 2ab^2g)x^{10} + \frac{1}{9}(b^2c + 2ab^2f)x^9 + \frac{1}{8}(2ab^2e + a^2h)x^8 + \frac{1}{5}a^2ex^5 + \frac{1}{7}(2abd + a^2g)x^7 + \frac{1}{4}a^2dx^4 + \frac{1}{6}(2abc + a^2f)x^6 + \frac{1}{3}a^2cx^3$

mupad [B] time = 0.09, size = 151, normalized size = 0.96

$$x^6 \left(\frac{fa^2}{6} + \frac{bca}{3} \right) + x^9 \left(\frac{cb^2}{9} + \frac{2afb}{9} \right) + x^7 \left(\frac{ga^2}{7} + \frac{2bda}{7} \right) + x^{10} \left(\frac{db^2}{10} + \frac{agb}{5} \right) + x^8 \left(\frac{ha^2}{8} + \frac{bea}{4} \right) + x^{11} \left(\frac{eb^2}{11} + \frac{2}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] $x^6 \left(\frac{a^2f}{6} + \frac{abc}{3} \right) + x^9 \left(\frac{b^2c}{9} + \frac{2abf}{9} \right) + x^7 \left(\frac{a^2g}{7} + \frac{2abd}{7} \right) + x^{10} \left(\frac{b^2d}{10} + \frac{abg}{5} \right) + x^8 \left(\frac{a^2h}{8} + \frac{abe}{4} \right)$

/4) + x¹¹*((b²*e)/11 + (2*a*b*h)/11) + (a²*c*x³)/3 + (a²*d*x⁴)/4 + (a²*e*x⁵)/5 + (b²*f*x¹²)/12 + (b²*g*x¹³)/13 + (b²*h*x¹⁴)/14

sympy [A] time = 0.10, size = 167, normalized size = 1.06

$$\frac{a^2cx^3}{3} + \frac{a^2dx^4}{4} + \frac{a^2ex^5}{5} + \frac{b^2fx^{12}}{12} + \frac{b^2gx^{13}}{13} + \frac{b^2hx^{14}}{14} + x^{11} \left(\frac{2abh}{11} + \frac{b^2e}{11} \right) + x^{10} \left(\frac{abg}{5} + \frac{b^2d}{10} \right) + x^9 \left(\frac{2abf}{9} + \frac{b^2c}{9} \right) + x^8 \left(\frac{a^2h}{8} + \frac{a^2g}{8} \right) + x^7 \left(\frac{a^2f}{7} + \frac{2ab*d}{7} \right) + x^6 \left(\frac{a^2e}{6} + \frac{a*b*c}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**2*c*x**3/3 + a**2*d*x**4/4 + a**2*e*x**5/5 + b**2*f*x**12/12 + b**2*g*x**13/13 + b**2*h*x**14/14 + x**11*(2*a*b*h/11 + b**2*e/11) + x**10*(a*b*g/5 + b**2*d/10) + x**9*(2*a*b*f/9 + b**2*c/9) + x**8*(a**2*h/8 + a*b*e/4) + x**7*(a**2*g/7 + 2*a*b*d/7) + x**6*(a**2*f/6 + a*b*c/3)

$$3.386 \quad \int x (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=158

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{1}{6}a^2gx^6 + \frac{1}{8}bx^8(2af+bc) + \frac{1}{5}ax^5(af+2bc) + \frac{d(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ah+be) + \frac{1}{7}ax^7(ah+2be) + \frac{2}{9}abg$$

[Out] 1/2*a^2*c*x^2+1/4*a^2*e*x^4+1/5*a*(a*f+2*b*c)*x^5+1/6*a^2*g*x^6+1/7*a*(a*h+2*b*e)*x^7+1/8*b*(2*a*f+b*c)*x^8+2/9*a*b*g*x^9+1/10*b*(2*a*h+b*e)*x^10+1/11*b^2*f*x^11+1/12*b^2*g*x^12+1/13*b^2*h*x^13+1/9*d*(b*x^3+a)^3/b

Rubi [A] time = 0.13, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {1582, 1850}

$$\frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{1}{6}a^2gx^6 + \frac{1}{8}bx^8(2af+bc) + \frac{1}{5}ax^5(af+2bc) + \frac{d(a+bx^3)^3}{9b} + \frac{1}{10}bx^{10}(2ah+be) + \frac{1}{7}ax^7(ah+2be) + \frac{2}{9}abg$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (a^2*c*x^2)/2 + (a^2*e*x^4)/4 + (a*(2*b*c + a*f)*x^5)/5 + (a^2*g*x^6)/6 + (a*(2*b*e + a*h)*x^7)/7 + (b*(b*c + 2*a*f)*x^8)/8 + (2*a*b*g*x^9)/9 + (b*(b*e + 2*a*h)*x^10)/10 + (b^2*f*x^11)/11 + (b^2*g*x^12)/12 + (b^2*h*x^13)/13 + (d*(a + b*x^3)^3)/(9*b)

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x(a+bx^3)^2(c+dx+ex^2+fx^3+gx^4+hx^5)dx &= \frac{d(a+bx^3)^3}{9b} + \int (a+bx^3)^2(-dx^2+x(c+dx+ex^2+fx^3+gx^4+hx^5))dx \\ &= \frac{d(a+bx^3)^3}{9b} + \int (a^2cx+a^2ex^3+a(2bc+af)x^4+a^2gx^5+a^2hx^6)dx \\ &= \frac{1}{2}a^2cx^2 + \frac{1}{4}a^2ex^4 + \frac{1}{5}a(2bc+af)x^5 + \frac{1}{6}a^2gx^6 + \frac{1}{7}a^2hx^7 \end{aligned}$$

Mathematica [A] time = 0.03, size = 163, normalized size = 1.03

$$\frac{1}{2}a^2cx^2 + \frac{1}{3}a^2dx^3 + \frac{1}{4}a^2ex^4 + \frac{1}{8}bx^8(2af+bc) + \frac{1}{5}ax^5(af+2bc) + \frac{1}{9}bx^9(2ag+bd) + \frac{1}{6}ax^6(ag+2bd) + \frac{1}{10}bx^{10}(2ah+be) + \frac{1}{7}bx^7(ha^2+2ab)$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^2*c*x^2)/2 + (a^2*d*x^3)/3 + (a^2*e*x^4)/4 + (a*(2*b*c + a*f)*x^5)/5 + (a*(2*b*d + a*g)*x^6)/6 + (a*(2*b*e + a*h)*x^7)/7 + (b*(b*c + 2*a*f)*x^8)/8 + (b*(b*d + 2*a*g)*x^9)/9 + (b*(b*e + 2*a*h)*x^10)/10 + (b^2*f*x^11)/11 + (b^2*g*x^12)/12 + (b^2*h*x^13)/13

fricas [A] time = 0.36, size = 157, normalized size = 0.99

$$\frac{1}{13}x^{13}hb^2 + \frac{1}{12}x^{12}gb^2 + \frac{1}{11}x^{11}fb^2 + \frac{1}{10}x^{10}eb^2 + \frac{1}{5}x^{10}hba + \frac{1}{9}x^9db^2 + \frac{2}{9}x^9gba + \frac{1}{8}x^8cb^2 + \frac{1}{4}x^8fba + \frac{2}{7}x^7eba + \frac{1}{7}x^7ha^2 + \frac{1}{3}x^7ab^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/13*x^13*h*b^2 + 1/12*x^12*g*b^2 + 1/11*x^11*f*b^2 + 1/10*x^10*e*b^2 + 1/5*x^10*h*b*a + 1/9*x^9*d*b^2 + 2/9*x^9*g*b*a + 1/8*x^8*c*b^2 + 1/4*x^8*f*b*a + 2/7*x^7*e*b*a + 1/7*x^7*h*a^2 + 1/3*x^6*d*b*a + 1/6*x^6*g*a^2 + 2/5*x^5*c*b*a + 1/5*x^5*f*a^2 + 1/4*x^4*e*a^2 + 1/3*x^3*d*a^2 + 1/2*x^2*c*a^2

giac [A] time = 0.19, size = 160, normalized size = 1.01

$$\frac{1}{13}b^2hx^{13} + \frac{1}{12}b^2gx^{12} + \frac{1}{11}b^2fx^{11} + \frac{1}{5}abhx^{10} + \frac{1}{10}b^2x^{10}e + \frac{1}{9}b^2dx^9 + \frac{2}{9}abgx^9 + \frac{1}{8}b^2cx^8 + \frac{1}{4}abfx^8 + \frac{1}{7}a^2hx^7 + \frac{2}{7}abx^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] $\frac{1}{13}b^2hx^{13} + \frac{1}{12}b^2gx^{12} + \frac{1}{11}b^2fx^{11} + \frac{1}{5}ab^2hx^{10} + \frac{1}{10}b^2x^{10}e + \frac{1}{9}b^2dx^9 + \frac{2}{9}ab^2gx^9 + \frac{1}{8}b^2cx^8 + \frac{1}{4}ab^2fx^8 + \frac{1}{7}a^2hx^7 + \frac{2}{7}ab^2gx^7 + \frac{1}{3}ab^2dx^6 + \frac{1}{6}a^2gx^6 + \frac{2}{5}ab^2cx^5 + \frac{1}{5}a^2fx^5 + \frac{1}{4}a^2ex^4 + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$

maple [A] time = 0.04, size = 152, normalized size = 0.96

$$\frac{b^2hx^{13}}{13} + \frac{b^2gx^{12}}{12} + \frac{b^2fx^{11}}{11} + \frac{(2abh + b^2e)x^{10}}{10} + \frac{(2abg + b^2d)x^9}{9} + \frac{(2abf + cb^2)x^8}{8} + \frac{a^2ex^4}{4} + \frac{(a^2h + 2bea)x^7}{7} + \frac{a^2dx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] $\frac{1}{13}b^2hx^{13} + \frac{1}{12}b^2gx^{12} + \frac{1}{11}b^2fx^{11} + \frac{1}{10}(2ab^2h + b^2e)x^{10} + \frac{1}{9}(2ab^2g + b^2d)x^9 + \frac{1}{8}(2ab^2f + b^2c)x^8 + \frac{1}{7}(a^2h + 2abe)x^7 + \frac{1}{6}(a^2g + 2ab^2d)x^6 + \frac{1}{5}(a^2f + 2ab^2c)x^5 + \frac{1}{4}a^2ex^4 + \frac{1}{3}a^2dx^3 + \frac{1}{2}a^2cx^2$

maxima [A] time = 1.28, size = 151, normalized size = 0.96

$$\frac{1}{13}b^2hx^{13} + \frac{1}{12}b^2gx^{12} + \frac{1}{11}b^2fx^{11} + \frac{1}{10}(b^2e + 2abh)x^{10} + \frac{1}{9}(b^2d + 2abg)x^9 + \frac{1}{8}(b^2c + 2abf)x^8 + \frac{1}{7}(2abe + a^2h)x^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] $\frac{1}{13}b^2hx^{13} + \frac{1}{12}b^2gx^{12} + \frac{1}{11}b^2fx^{11} + \frac{1}{10}(b^2e + 2ab^2h)x^{10} + \frac{1}{9}(b^2d + 2ab^2g)x^9 + \frac{1}{8}(b^2c + 2ab^2f)x^8 + \frac{1}{7}(2ab^2e + a^2h)x^7 + \frac{1}{4}a^2ex^4 + \frac{1}{6}(2ab^2d + a^2g)x^6 + \frac{1}{3}a^2dx^3 + \frac{1}{5}(2ab^2c + a^2f)x^5 + \frac{1}{2}a^2cx^2$

mupad [B] time = 0.09, size = 151, normalized size = 0.96

$$x^5 \left(\frac{fa^2}{5} + \frac{2bca}{5} \right) + x^8 \left(\frac{cb^2}{8} + \frac{afb}{4} \right) + x^6 \left(\frac{ga^2}{6} + \frac{bda}{3} \right) + x^9 \left(\frac{db^2}{9} + \frac{2agb}{9} \right) + x^7 \left(\frac{ha^2}{7} + \frac{2bea}{7} \right) + x^{10} \left(\frac{eb^2}{10} + \frac{a^2d}{10} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] $x^5((a^2f)/5 + (2ab^2c)/5) + x^8((b^2c)/8 + (ab^2f)/4) + x^6((a^2g)/6 + (ab^2d)/3) + x^9((b^2d)/9 + (2ab^2g)/9) + x^7((a^2h)/7 + (2ab^2e))$

/7) + x¹⁰((b²*e)/10 + (a*b*h)/5) + (a²*c*x²)/2 + (a²*d*x³)/3 + (a²*e*x⁴)/4 + (b²*f*x¹¹)/11 + (b²*g*x¹²)/12 + (b²*h*x¹³)/13

sympy [A] time = 0.10, size = 167, normalized size = 1.06

$$\frac{a^2cx^2}{2} + \frac{a^2dx^3}{3} + \frac{a^2ex^4}{4} + \frac{b^2fx^{11}}{11} + \frac{b^2gx^{12}}{12} + \frac{b^2hx^{13}}{13} + x^{10} \left(\frac{abh}{5} + \frac{b^2e}{10} \right) + x^9 \left(\frac{2abg}{9} + \frac{b^2d}{9} \right) + x^8 \left(\frac{abf}{4} + \frac{b^2c}{8} \right) + x^7 \left(\frac{a^2h}{7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**2*c*x**2/2 + a**2*d*x**3/3 + a**2*e*x**4/4 + b**2*f*x**11/11 + b**2*g*x**12/12 + b**2*h*x**13/13 + x**10*(a*b*h/5 + b**2*e/10) + x**9*(2*a*b*g/9 + b**2*d/9) + x**8*(a*b*f/4 + b**2*c/8) + x**7*(a**2*h/7 + 2*a*b*e/7) + x**6*(a**2*g/6 + a*b*d/3) + x**5*(a**2*f/5 + 2*a*b*c/5)

$$3.387 \quad \int (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=153

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{6}a^2hx^6 + \frac{1}{7}bx^7(2af+bc) + \frac{1}{4}ax^4(af+2bc) + \frac{1}{8}bx^8(2ag+bd) + \frac{1}{5}ax^5(ag+2bd) + \frac{e(a+bx^3)^3}{9b} + \frac{2}{9}abhx^9 +$$

[Out] a^2*c*x+1/2*a^2*d*x^2+1/4*a*(a*f+2*b*c)*x^4+1/5*a*(a*g+2*b*d)*x^5+1/6*a^2*h*x^6+1/7*b*(2*a*f+b*c)*x^7+1/8*b*(2*a*g+b*d)*x^8+2/9*a*b*h*x^9+1/10*b^2*f*x^10+1/11*b^2*g*x^11+1/12*b^2*h*x^12+1/9*e*(b*x^3+a)^3/b

Rubi [A] time = 0.13, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1582, 1850}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{6}a^2hx^6 + \frac{1}{7}bx^7(2af+bc) + \frac{1}{4}ax^4(af+2bc) + \frac{1}{8}bx^8(2ag+bd) + \frac{1}{5}ax^5(ag+2bd) + \frac{e(a+bx^3)^3}{9b} + \frac{2}{9}abhx^9 +$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a*(2*b*c + a*f)*x^4)/4 + (a*(2*b*d + a*g)*x^5)/5 + (a^2*h*x^6)/6 + (b*(b*c + 2*a*f)*x^7)/7 + (b*(b*d + 2*a*g)*x^8)/8 + (2*a*b*h*x^9)/9 + (b^2*f*x^10)/10 + (b^2*g*x^11)/11 + (b^2*h*x^12)/12 + (e*(a + b*x^3)^3)/(9*b)

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int (a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{e(a + bx^3)^3}{9b} + \int (a + bx^3)^2 (c + dx + fx^3 + gx^4 + hx^5) dx \\
&= \frac{e(a + bx^3)^3}{9b} + \int (a^2c + a^2dx + a(2bc + af)x^3 + a(2bd + ag)x^5) dx \\
&= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{4}a(2bc + af)x^4 + \frac{1}{5}a(2bd + ag)x^5 + \frac{1}{6}a^2e x^6
\end{aligned}$$

Mathematica [A] time = 0.09, size = 125, normalized size = 0.82

$$\frac{462a^2x(60c + x(30d + x(20e + 15fx + 12gx^2 + 10hx^3))) + 22abx^4(630c + x(504d + 5x(84e + x(72f + 7x(9g + 8hx))))}{27720}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] (b^2*x^7*(3960*c + 7*x*(495*d + 440*e*x + 6*x^2*(66*f + 60*g*x + 55*h*x^2))) + 462*a^2*x*(60*c + x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3))) + 22*a*b*x^4*(630*c + x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x)))))/27720

fricas [A] time = 0.40, size = 154, normalized size = 1.01

$$\frac{1}{12}x^{12}hb^2 + \frac{1}{11}x^{11}gb^2 + \frac{1}{10}x^{10}fb^2 + \frac{1}{9}x^9eb^2 + \frac{2}{9}x^9hba + \frac{1}{8}x^8db^2 + \frac{1}{4}x^8gba + \frac{1}{7}x^7cb^2 + \frac{2}{7}x^7fba + \frac{1}{3}x^6eba + \frac{1}{6}x^6ha^2 + \frac{2}{5}x^5d^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c), x, algorithm="fricas")

[Out] 1/12*x^12*h*b^2 + 1/11*x^11*g*b^2 + 1/10*x^10*f*b^2 + 1/9*x^9*e*b^2 + 2/9*x^9*h*b*a + 1/8*x^8*d*b^2 + 1/4*x^8*g*b*a + 1/7*x^7*c*b^2 + 2/7*x^7*f*b*a + 1/3*x^6*e*b*a + 1/6*x^6*h*a^2 + 2/5*x^5*d*b*a + 1/5*x^5*g*a^2 + 1/2*x^4*c*b*a + 1/4*x^4*f*a^2 + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2

giac [A] time = 0.16, size = 157, normalized size = 1.03

$$\frac{1}{12}b^2hx^{12} + \frac{1}{11}b^2gx^{11} + \frac{1}{10}b^2fx^{10} + \frac{2}{9}abhx^9 + \frac{1}{9}b^2x^9e + \frac{1}{8}b^2dx^8 + \frac{1}{4}abgx^8 + \frac{1}{7}b^2cx^7 + \frac{2}{7}abfx^7 + \frac{1}{6}a^2hx^6 + \frac{1}{3}abx^6e + \frac{1}{5}a^2d^2x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] $\frac{1}{12}b^2hx^{12} + \frac{1}{11}b^2g*x^{11} + \frac{1}{10}b^2f*x^{10} + \frac{2}{9}a*b*h*x^9 + \frac{1}{9}b^2*x^9*e + \frac{1}{8}b^2*d*x^8 + \frac{1}{4}a*b*g*x^8 + \frac{1}{7}b^2*c*x^7 + \frac{2}{7}a*b*f*x^7 + \frac{1}{6}a^2*h*x^6 + \frac{1}{3}a*b*x^6*e + \frac{2}{5}a*b*d*x^5 + \frac{1}{5}a^2*g*x^5 + \frac{1}{2}a*b*c*x^4 + \frac{1}{4}a^2*f*x^4 + \frac{1}{3}a^2*x^3*e + \frac{1}{2}a^2*d*x^2 + a^2*c*x$

maple [A] time = 0.04, size = 149, normalized size = 0.97

$$\frac{b^2hx^{12}}{12} + \frac{b^2gx^{11}}{11} + \frac{b^2fx^{10}}{10} + \frac{(2abh + b^2e)x^9}{9} + \frac{(2abg + b^2d)x^8}{8} + \frac{(2abf + cb^2)x^7}{7} + \frac{a^2ex^3}{3} + \frac{(a^2h + 2bea)x^6}{6} + \frac{a^2dx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] $\frac{1}{12}b^2hx^{12} + \frac{1}{11}b^2gx^{11} + \frac{1}{10}b^2fx^{10} + \frac{1}{9}(2a*b*h + b^2*e)*x^9 + \frac{1}{8}(2a*b*g + b^2*d)*x^8 + \frac{1}{7}(2a*b*f + b^2*c)*x^7 + \frac{1}{6}(a^2*h + 2a*b*e)*x^6 + \frac{1}{5}(a^2*g + 2a*b*d)*x^5 + \frac{1}{4}(a^2*f + 2a*b*c)*x^4 + \frac{1}{3}a^2*e*x^3 + \frac{1}{2}a^2*d*x^2 + a^2*c*x$

maxima [A] time = 1.32, size = 148, normalized size = 0.97

$$\frac{1}{12}b^2hx^{12} + \frac{1}{11}b^2gx^{11} + \frac{1}{10}b^2fx^{10} + \frac{1}{9}(b^2e + 2abh)x^9 + \frac{1}{8}(b^2d + 2abg)x^8 + \frac{1}{7}(b^2c + 2abf)x^7 + \frac{1}{6}(2abe + a^2h)x^6 + \frac{1}{5}(a^2g + 2abd)x^5 + \frac{1}{4}(a^2f + 2abc)x^4 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] $\frac{1}{12}b^2hx^{12} + \frac{1}{11}b^2gx^{11} + \frac{1}{10}b^2fx^{10} + \frac{1}{9}(b^2e + 2a*b*h)*x^9 + \frac{1}{8}(b^2d + 2a*b*g)*x^8 + \frac{1}{7}(b^2c + 2a*b*f)*x^7 + \frac{1}{6}(2a*b*e + a^2*h)*x^6 + \frac{1}{3}a^2*e*x^3 + \frac{1}{5}(2a*b*d + a^2*g)*x^5 + \frac{1}{2}a^2*d*x^2 + \frac{1}{4}(2a*b*c + a^2*f)*x^4 + a^2*c*x$

mupad [B] time = 0.09, size = 148, normalized size = 0.97

$$x^4 \left(\frac{fa^2}{4} + \frac{bca}{2} \right) + x^7 \left(\frac{cb^2}{7} + \frac{2afb}{7} \right) + x^5 \left(\frac{ga^2}{5} + \frac{2bda}{5} \right) + x^8 \left(\frac{db^2}{8} + \frac{agb}{4} \right) + x^6 \left(\frac{ha^2}{6} + \frac{bea}{3} \right) + x^9 \left(\frac{eb^2}{9} + \frac{2a}{9} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)

[Out] $x^4*((a^2*f)/4 + (a*b*c)/2) + x^7*((b^2*c)/7 + (2a*b*f)/7) + x^5*((a^2*g)/5 + (2a*b*d)/5) + x^8*((b^2*d)/8 + (a*b*g)/4) + x^6*((a^2*h)/6 + (a*b*e)/3)$

) + $x^9 \cdot ((b^2 \cdot e)/9 + (2 \cdot a \cdot b \cdot h)/9) + (a^2 \cdot d \cdot x^2)/2 + (a^2 \cdot e \cdot x^3)/3 + (b^2 \cdot f \cdot x^{10})/10 + (b^2 \cdot g \cdot x^{11})/11 + (b^2 \cdot h \cdot x^{12})/12 + a^2 \cdot c \cdot x$

sympy [A] time = 0.10, size = 163, normalized size = 1.07

$$a^2cx + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{b^2fx^{10}}{10} + \frac{b^2gx^{11}}{11} + \frac{b^2hx^{12}}{12} + x^9 \left(\frac{2abh}{9} + \frac{b^2e}{9} \right) + x^8 \left(\frac{abg}{4} + \frac{b^2d}{8} \right) + x^7 \left(\frac{2abf}{7} + \frac{b^2c}{7} \right) + x^6 \left(\frac{a^2h}{6} + \frac{a^2g}{6} \right) + x^5 \left(\frac{a^2f}{5} + \frac{2ab \cdot d}{5} \right) + x^4 \left(\frac{a^2e}{4} + \frac{a \cdot b \cdot c}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + b**2*f*x**10/10 + b**2*g*x**11/11 + b**2*h*x**12/12 + x**9*(2*a*b*h/9 + b**2*e/9) + x**8*(a*b*g/4 + b**2*d/8) + x**7*(2*a*b*f/7 + b**2*c/7) + x**6*(a**2*h/6 + a*b*e/3) + x**5*(a**2*g/5 + 2*a*b*d/5) + x**4*(a**2*f/4 + a*b*c/2)

$$3.388 \quad \int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$$

Optimal. Leaf size=149

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{7}bx^7(2ag+bd) + \frac{1}{4}ax^4(ag+2bd) + \frac{1}{8}bx^8(2ah+be) + \frac{1}{5}ax^5(ah+2be) + \frac{f(a+bx^3)^3}{9b}$$

[Out] a^2*d*x+1/2*a^2*e*x^2+2/3*a*b*c*x^3+1/4*a*(a*g+2*b*d)*x^4+1/5*a*(a*h+2*b*e)*x^5+1/6*b^2*c*x^6+1/7*b*(2*a*g+b*d)*x^7+1/8*b*(2*a*h+b*e)*x^8+1/10*b^2*g*x^10+1/11*b^2*h*x^11+1/9*f*(b*x^3+a)^3/b+a^2*c*ln(x)

Rubi [A] time = 0.11, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{7}bx^7(2ag+bd) + \frac{1}{4}ax^4(ag+2bd) + \frac{1}{8}bx^8(2ah+be) + \frac{1}{5}ax^5(ah+2be) + \frac{f(a+bx^3)^3}{9b}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a^2*d*x + (a^2*e*x^2)/2 + (2*a*b*c*x^3)/3 + (a*(2*b*d + a*g)*x^4)/4 + (a*(2*b*e + a*h)*x^5)/5 + (b^2*c*x^6)/6 + (b*(b*d + 2*a*g)*x^7)/7 + (b*(b*e + 2*a*h)*x^8)/8 + (b^2*g*x^10)/10 + (b^2*h*x^11)/11 + (f*(a + b*x^3)^3)/(9*b) + a^2*c*Log[x]

Rule 1583

Int[(Px_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x} dx &= \frac{f(a + bx^3)^3}{9b} + \int \frac{(a + bx^3)^2 (c + dx + ex^2 + gx^4 + hx^5)}{x} dx \\ &= \frac{f(a + bx^3)^3}{9b} + \int \left(a^2d + \frac{a^2c}{x} + a^2ex + 2abcx^2 + a(2bd + ag)x^4 + \frac{1}{5}a(2be + ah)x^5 \right) dx \\ &= a^2dx + \frac{1}{2}a^2ex^2 + \frac{2}{3}abcx^3 + \frac{1}{4}a(2bd + ag)x^4 + \frac{1}{5}a(2be + ah)x^5 + \frac{f(a + bx^3)^3}{9b} \end{aligned}$$

Mathematica [A] time = 0.05, size = 154, normalized size = 1.03

$$a^2c \log(x) + a^2dx + \frac{1}{2}a^2ex^2 + \frac{1}{6}bx^6(2af + bc) + \frac{1}{3}ax^3(af + 2bc) + \frac{1}{7}bx^7(2ag + bd) + \frac{1}{4}ax^4(ag + 2bd) + \frac{1}{8}bx^8(2ah + be) + \frac{1}{5}ax^5(ax + c)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a^2*d*x + (a^2*e*x^2)/2 + (a*(2*b*c + a*f)*x^3)/3 + (a*(2*b*d + a*g)*x^4)/4 + (a*(2*b*e + a*h)*x^5)/5 + (b*(b*c + 2*a*f)*x^6)/6 + (b*(b*d + 2*a*g)*x^7)/7 + (b*(b*e + 2*a*h)*x^8)/8 + (b^2*f*x^9)/9 + (b^2*g*x^10)/10 + (b^2*h*x^11)/11 + a^2*c*Log[x]

fricas [A] time = 0.40, size = 146, normalized size = 0.98

$$\frac{1}{11} b^2 h x^{11} + \frac{1}{10} b^2 g x^{10} + \frac{1}{9} b^2 f x^9 + \frac{1}{8} (b^2 e + 2 a b h) x^8 + \frac{1}{7} (b^2 d + 2 a b g) x^7 + \frac{1}{6} (b^2 c + 2 a b f) x^6 + \frac{1}{5} (2 a b e + a^2 h) x^5 + \frac{1}{4} a^2 d x + \frac{1}{3} (2 a b c + a^2 f) x^3 + a^2 c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="fricas")

[Out] 1/11*b^2*h*x^11 + 1/10*b^2*g*x^10 + 1/9*b^2*f*x^9 + 1/8*(b^2*e + 2*a*b*h)*x^8 + 1/7*(b^2*d + 2*a*b*g)*x^7 + 1/6*(b^2*c + 2*a*b*f)*x^6 + 1/5*(2*a*b*e + a^2*h)*x^5 + 1/2*a^2*e*x^2 + 1/4*(2*a*b*d + a^2*g)*x^4 + a^2*d*x + 1/3*(2*a*b*c + a^2*f)*x^3 + a^2*c*log(x)

giac [A] time = 0.15, size = 156, normalized size = 1.05

$$\frac{1}{11} b^2 h x^{11} + \frac{1}{10} b^2 g x^{10} + \frac{1}{9} b^2 f x^9 + \frac{1}{4} a b h x^8 + \frac{1}{8} b^2 x^8 e + \frac{1}{7} b^2 d x^7 + \frac{2}{7} a b g x^7 + \frac{1}{6} b^2 c x^6 + \frac{1}{3} a b f x^6 + \frac{1}{5} a^2 h x^5 + \frac{2}{5} a b x^5 e + \frac{1}{2} a^2 d x + \frac{1}{3} (2 a b c + a^2 f) x^3 + a^2 c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="giac")

[Out] $\frac{1}{11}b^2hx^{11} + \frac{1}{10}b^2gx^{10} + \frac{1}{9}b^2fx^9 + \frac{1}{4}abhx^8 + \frac{1}{8}b^2ex^8 + \frac{1}{7}b^2dx^7 + \frac{2}{7}abgx^7 + \frac{1}{6}b^2cx^6 + \frac{1}{3}abfx^6 + \frac{1}{5}a^2hx^5 + \frac{2}{5}a^2ex^5 + \frac{1}{2}a^2gx^4 + \frac{1}{4}a^2dx^4 + \frac{2}{3}a^2cx^3 + \frac{1}{3}a^2fx^3 + \frac{1}{2}a^2ex^2 + a^2dx + a^2c \log(\text{abs}(x))$

maple [A] time = 0.04, size = 153, normalized size = 1.03

$$\frac{b^2hx^{11}}{11} + \frac{b^2gx^{10}}{10} + \frac{b^2fx^9}{9} + \frac{abhx^8}{4} + \frac{b^2ex^8}{8} + \frac{2abgx^7}{7} + \frac{b^2dx^7}{7} + \frac{abfx^6}{3} + \frac{b^2cx^6}{6} + \frac{a^2hx^5}{5} + \frac{2abe^x^5}{5} + \frac{a^2gx^4}{4} + \frac{abd^x^4}{2} + \frac{a^2fx^3}{3} + \frac{a^2ex^2}{2} + a^2dx + a^2c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x)

[Out] $\frac{1}{11}b^2hx^{11} + \frac{1}{10}b^2gx^{10} + \frac{1}{9}b^2fx^9 + \frac{1}{4}abhx^8 + \frac{1}{8}b^2ex^8 + \frac{1}{7}b^2dx^7 + \frac{2}{7}abgx^7 + \frac{1}{6}b^2cx^6 + \frac{1}{3}abfx^6 + \frac{1}{5}a^2hx^5 + \frac{2}{5}a^2ex^5 + \frac{1}{2}a^2gx^4 + \frac{1}{4}a^2dx^4 + \frac{2}{3}a^2cx^3 + \frac{1}{3}a^2fx^3 + \frac{1}{2}a^2ex^2 + a^2dx + a^2c \ln(x)$

maxima [A] time = 1.31, size = 146, normalized size = 0.98

$$\frac{1}{11}b^2hx^{11} + \frac{1}{10}b^2gx^{10} + \frac{1}{9}b^2fx^9 + \frac{1}{8}(b^2e + 2abhx)^8 + \frac{1}{7}(b^2d + 2abgx)^7 + \frac{1}{6}(b^2c + 2abfx)^6 + \frac{1}{5}(2abe + a^2h)x^5 + \frac{1}{2}a^2ex^2 + a^2dx + a^2c \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="maxima")

[Out] $\frac{1}{11}b^2hx^{11} + \frac{1}{10}b^2gx^{10} + \frac{1}{9}b^2fx^9 + \frac{1}{8}(b^2e + 2abhx)x^8 + \frac{1}{7}(b^2d + 2abgx)x^7 + \frac{1}{6}(b^2c + 2abfx)x^6 + \frac{1}{5}(2abe + a^2h)x^5 + \frac{1}{2}a^2ex^2 + \frac{1}{4}(2a^2g + a^2d)x^4 + a^2dx + \frac{1}{3}(2abfx + a^2c)x^3 + a^2c \log(x)$

mupad [B] time = 0.10, size = 146, normalized size = 0.98

$$x^3 \left(\frac{fa^2}{3} + \frac{2bca}{3} \right) + x^6 \left(\frac{cb^2}{6} + \frac{afb}{3} \right) + x^4 \left(\frac{ga^2}{4} + \frac{bda}{2} \right) + x^7 \left(\frac{db^2}{7} + \frac{2agb}{7} \right) + x^5 \left(\frac{ha^2}{5} + \frac{2bea}{5} \right) + x^8 \left(\frac{eb^2}{8} + \frac{afh}{8} \right) + a^2dx + a^2c \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x)

[Out] $x^3 \left(\frac{a^2f}{3} + \frac{2abc}{3} \right) + x^6 \left(\frac{b^2c}{6} + \frac{abf}{3} \right) + x^4 \left(\frac{a^2g}{4} + \frac{abd}{2} \right) + x^7 \left(\frac{b^2d}{7} + \frac{2abg}{7} \right) + x^5 \left(\frac{a^2h}{5} + \frac{2abe}{5} \right) + a^2dx + a^2c \log(x)$

/5) + $x^8 \cdot ((b^2 \cdot e)/8 + (a \cdot b \cdot h)/4) + (a^2 \cdot e \cdot x^2)/2 + (b^2 \cdot f \cdot x^9)/9 + (b^2 \cdot g \cdot x^{10})/10 + (b^2 \cdot h \cdot x^{11})/11 + a^2 \cdot c \cdot \log(x) + a^2 \cdot d \cdot x$

sympy [A] time = 0.34, size = 162, normalized size = 1.09

$$a^2 c \log(x) + a^2 d x + \frac{a^2 e x^2}{2} + \frac{b^2 f x^9}{9} + \frac{b^2 g x^{10}}{10} + \frac{b^2 h x^{11}}{11} + x^8 \left(\frac{a b h}{4} + \frac{b^2 e}{8} \right) + x^7 \left(\frac{2 a b g}{7} + \frac{b^2 d}{7} \right) + x^6 \left(\frac{a b f}{3} + \frac{b^2 c}{6} \right) + x^5 \left(\frac{a^2 h}{5} + \frac{2 a b e}{5} \right) + x^4 \left(\frac{a^2 g}{4} + \frac{a b d}{2} \right) + x^3 \left(\frac{a^2 f}{3} + \frac{2 a b c}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x,x)

[Out] a**2*c*log(x) + a**2*d*x + a**2*e*x**2/2 + b**2*f*x**9/9 + b**2*g*x**10/10 + b**2*h*x**11/11 + x**8*(a*b*h/4 + b**2*e/8) + x**7*(2*a*b*g/7 + b**2*d/7) + x**6*(a*b*f/3 + b**2*c/6) + x**5*(a**2*h/5 + 2*a*b*e/5) + x**4*(a**2*g/4 + a*b*d/2) + x**3*(a**2*f/3 + 2*a*b*c/3)

$$3.389 \quad \int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$$

Optimal. Leaf size=147

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + \frac{1}{5}bx^5(2af+bc) + \frac{1}{2}ax^2(af+2bc) + \frac{2}{3}abdx^3 + \frac{1}{7}bx^7(2ah+be) + \frac{1}{4}ax^4(ah+2be) + \frac{g(a+bx^3)^3}{9b} +$$

[Out] $-a^2*c/x + a^2*e*x + 1/2*a*(a*f+2*b*c)*x^2 + 2/3*a*b*d*x^3 + 1/4*a*(a*h+2*b*e)*x^4 + 1/5*b*(2*a*f+b*c)*x^5 + 1/6*b^2*d*x^6 + 1/7*b*(2*a*h+b*e)*x^7 + 1/8*b^2*f*x^8 + 1/10*b^2*h*x^{10} + 1/9*g*(b*x^3+a)^3/b + a^2*d*\ln(x)$

Rubi [A] time = 0.13, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + \frac{1}{5}bx^5(2af+bc) + \frac{1}{2}ax^2(af+2bc) + \frac{2}{3}abdx^3 + \frac{1}{7}bx^7(2ah+be) + \frac{1}{4}ax^4(ah+2be) + \frac{g(a+bx^3)^3}{9b} +$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2, x]

[Out] $-((a^2*c)/x) + a^2*e*x + (a*(2*b*c + a*f)*x^2)/2 + (2*a*b*d*x^3)/3 + (a*(2*b*e + a*h)*x^4)/4 + (b*(b*c + 2*a*f)*x^5)/5 + (b^2*d*x^6)/6 + (b*(b*e + 2*a*h)*x^7)/7 + (b^2*f*x^8)/8 + (b^2*h*x^{10})/10 + (g*(a + b*x^3)^3)/(9*b) + a^2*d*\text{Log}[x]$

Rule 1583

Int[(Px_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^2} dx &= \frac{g(a + bx^3)^3}{9b} + \int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + hx^5)}{x^2} dx \\ &= \frac{g(a + bx^3)^3}{9b} + \int \left(a^2e + \frac{a^2c}{x^2} + \frac{a^2d}{x} + a(2bc + af)x + 2ab \right. \\ &= -\frac{a^2c}{x} + a^2ex + \frac{1}{2}a(2bc + af)x^2 + \frac{2}{3}abdx^3 + \frac{1}{4}a(2be + ah)x^4 \end{aligned}$$

Mathematica [A] time = 0.07, size = 152, normalized size = 1.03

$$-\frac{a^2c}{x} + a^2d \log(x) + a^2ex + \frac{1}{5}bx^5(2af + bc) + \frac{1}{2}ax^2(af + 2bc) + \frac{1}{6}bx^6(2ag + bd) + \frac{1}{3}ax^3(ag + 2bd) + \frac{1}{7}bx^7(2ah + be) + \frac{1}{4}ax^4$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] -((a^2*c)/x) + a^2*e*x + (a*(2*b*c + a*f)*x^2)/2 + (a*(2*b*d + a*g)*x^3)/3 + (a*(2*b*e + a*h)*x^4)/4 + (b*(b*c + 2*a*f)*x^5)/5 + (b*(b*d + 2*a*g)*x^6)/6 + (b*(b*e + 2*a*h)*x^7)/7 + (b^2*f*x^8)/8 + (b^2*g*x^9)/9 + (b^2*h*x^10)/10 + a^2*d*Log[x]

fricas [A] time = 0.42, size = 153, normalized size = 1.04

$$\frac{252 b^2 h x^{11} + 280 b^2 g x^{10} + 315 b^2 f x^9 + 360 (b^2 e + 2 a b h) x^8 + 420 (b^2 d + 2 a b g) x^7 + 504 (b^2 c + 2 a b f) x^6 + 630 (2 a^2 e + a^2 h) x^5 + 2520 a^2 e x^2 + 840 (2 a b d + a^2 g) x^4 + 2520 a^2 d x \log(x) + 1260 (2 a b c + a^2 f) x^3 - 2520 a^2 c}{2520}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="fricas")

[Out] 1/2520*(252*b^2*h*x^11 + 280*b^2*g*x^10 + 315*b^2*f*x^9 + 360*(b^2*e + 2*a*b*h)*x^8 + 420*(b^2*d + 2*a*b*g)*x^7 + 504*(b^2*c + 2*a*b*f)*x^6 + 630*(2*a^2*e + a^2*h)*x^5 + 2520*a^2*e*x^2 + 840*(2*a*b*d + a^2*g)*x^4 + 2520*a^2*d*x*log(x) + 1260*(2*a*b*c + a^2*f)*x^3 - 2520*a^2*c)/x

giac [A] time = 0.15, size = 155, normalized size = 1.05

$$\frac{1}{10} b^2 h x^{10} + \frac{1}{9} b^2 g x^9 + \frac{1}{8} b^2 f x^8 + \frac{2}{7} a b h x^7 + \frac{1}{7} b^2 x^7 e + \frac{1}{6} b^2 d x^6 + \frac{1}{3} a b g x^6 + \frac{1}{5} b^2 c x^5 + \frac{2}{5} a b f x^5 + \frac{1}{4} a^2 h x^4 + \frac{1}{2} a b x^4 e + \frac{2}{3} a^2 d x \log(x) - a^2 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="giac")

[Out] $\frac{1}{10}b^2hx^{10} + \frac{1}{9}b^2gx^9 + \frac{1}{8}b^2fx^8 + \frac{2}{7}abhx^7 + \frac{1}{7}b^2ex^7 + \frac{1}{6}b^2dx^6 + \frac{1}{3}abgx^6 + \frac{1}{5}b^2cx^5 + \frac{2}{5}abfx^5 + \frac{1}{4}a^2hx^4 + \frac{1}{2}abex^4 + \frac{2}{3}abd^3x^3 + \frac{1}{3}a^2gx^3 + abcx^2 + \frac{1}{2}a^2fx^2 + a^2xe + a^2d \log(\text{abs}(x)) - a^2c/x$

maple [A] time = 0.05, size = 152, normalized size = 1.03

$$\frac{b^2hx^{10}}{10} + \frac{b^2gx^9}{9} + \frac{b^2fx^8}{8} + \frac{2abhx^7}{7} + \frac{b^2ex^7}{7} + \frac{abgx^6}{3} + \frac{b^2dx^6}{6} + \frac{2abfx^5}{5} + \frac{b^2cx^5}{5} + \frac{a^2hx^4}{4} + \frac{abex^4}{2} + \frac{a^2gx^3}{3} + \frac{2abd^3x^3}{3} + \frac{abcx^2}{2} + \frac{a^2fx^2}{2} + a^2xe + a^2d \ln(x) - \frac{a^2c}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x)

[Out] $\frac{1}{10}b^2hx^{10} + \frac{1}{9}b^2gx^9 + \frac{1}{8}b^2fx^8 + \frac{2}{7}abhx^7 + \frac{1}{7}b^2ex^7 + \frac{1}{6}b^2dx^6 + \frac{1}{3}abgx^6 + \frac{1}{5}b^2cx^5 + \frac{2}{5}abfx^5 + \frac{1}{4}a^2hx^4 + \frac{1}{2}abex^4 + \frac{2}{3}abd^3x^3 + \frac{1}{3}a^2gx^3 + abcx^2 + \frac{1}{2}a^2fx^2 + a^2xe - \frac{a^2c}{x} + a^2d \ln(x)$

maxima [A] time = 1.40, size = 146, normalized size = 0.99

$$\frac{1}{10}b^2hx^{10} + \frac{1}{9}b^2gx^9 + \frac{1}{8}b^2fx^8 + \frac{1}{7}(b^2e + 2abh)x^7 + \frac{1}{6}(b^2d + 2abg)x^6 + \frac{1}{5}(b^2c + 2abf)x^5 + \frac{1}{4}(2abe + a^2h)x^4 + a^2ex^3 + \frac{2}{3}abd^3x^3 + abcx^2 + \frac{1}{2}a^2fx^2 + a^2xe - \frac{a^2c}{x} + a^2d \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="maxima")

[Out] $\frac{1}{10}b^2hx^{10} + \frac{1}{9}b^2gx^9 + \frac{1}{8}b^2fx^8 + \frac{1}{7}(b^2e + 2abh)x^7 + \frac{1}{6}(b^2d + 2abg)x^6 + \frac{1}{5}(b^2c + 2abf)x^5 + \frac{1}{4}(2abe + a^2h)x^4 + a^2ex^3 + \frac{2}{3}abd^3x^3 + abcx^2 + \frac{1}{2}a^2fx^2 + a^2xe - \frac{a^2c}{x} + a^2d \ln(x)$

mupad [B] time = 0.10, size = 145, normalized size = 0.99

$$x^2 \left(\frac{fa^2}{2} + bca \right) + x^5 \left(\frac{cb^2}{5} + \frac{2afb}{5} \right) + x^3 \left(\frac{ga^2}{3} + \frac{2bda}{3} \right) + x^6 \left(\frac{db^2}{6} + \frac{agb}{3} \right) + x^4 \left(\frac{ha^2}{4} + \frac{bea}{2} \right) + x^7 \left(\frac{eb^2}{7} + \frac{2ah}{7} \right) + abcx^2 + \frac{1}{2}a^2fx^2 + a^2xe - \frac{a^2c}{x} + a^2d \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x)

[Out] $x^2 \left(\frac{a^2f}{2} + abc \right) + x^5 \left(\frac{b^2c}{5} + \frac{2abf}{5} \right) + x^3 \left(\frac{a^2g}{3} + \frac{2abd}{3} \right) + x^6 \left(\frac{b^2d}{6} + \frac{abg}{3} \right) + x^4 \left(\frac{a^2h}{4} + \frac{abe}{2} \right) + abcx^2 + \frac{1}{2}a^2fx^2 + a^2xe - \frac{a^2c}{x} + a^2d \ln(x)$

$$x^7 \left(\frac{b^2 e}{7} + \frac{2 a b h}{7} \right) - \frac{a^2 c}{x} + \frac{b^2 f x^8}{8} + \frac{b^2 g x^9}{9} + \frac{b^2 h x^{10}}{10} + a^2 d \log(x) + a^2 e x$$

sympy [A] time = 0.36, size = 156, normalized size = 1.06

$$-\frac{a^2 c}{x} + a^2 d \log(x) + a^2 e x + \frac{b^2 f x^8}{8} + \frac{b^2 g x^9}{9} + \frac{b^2 h x^{10}}{10} + x^7 \left(\frac{2 a b h}{7} + \frac{b^2 e}{7} \right) + x^6 \left(\frac{a b g}{3} + \frac{b^2 d}{6} \right) + x^5 \left(\frac{2 a b f}{5} + \frac{b^2 c}{5} \right) + x^4 \left(\frac{a^2 h}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2,x)

[Out] -a**2*c/x + a**2*d*log(x) + a**2*e*x + b**2*f*x**8/8 + b**2*g*x**9/9 + b**2*h*x**10/10 + x**7*(2*a*b*h/7 + b**2*e/7) + x**6*(a*b*g/3 + b**2*d/6) + x**5*(2*a*b*f/5 + b**2*c/5) + x**4*(a**2*h/4 + a*b*e/2) + x**3*(a**2*g/3 + 2*a*b*d/3) + x**2*(a**2*f/2 + a*b*c)

$$3.390 \quad \int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$$

Optimal. Leaf size=147

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + \frac{1}{4}bx^4(2af+bc) + ax(af+2bc) + \frac{1}{5}bx^5(2ag+bd) + \frac{1}{2}ax^2(ag+2bd) + \frac{2}{3}abex^3 + \frac{h(a+bx^3)^3}{9b} + \frac{1}{6}b^2e \log(x)$$

[Out] $-1/2*a^2*c/x^2 - a^2*d/x + a*(a*f+2*b*c)*x + 1/2*a*(a*g+2*b*d)*x^2 + 2/3*a*b*e*x^3 + 1/4*b*(2*a*f+b*c)*x^4 + 1/5*b*(2*a*g+b*d)*x^5 + 1/6*b^2*e*x^6 + 1/7*b^2*f*x^7 + 1/8*b^2*g*x^8 + 1/9*h*(b*x^3+a)^3/b + a^2*e*\ln(x)$

Rubi [A] time = 0.13, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$-\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a^2e \log(x) + \frac{1}{4}bx^4(2af+bc) + ax(af+2bc) + \frac{1}{5}bx^5(2ag+bd) + \frac{1}{2}ax^2(ag+2bd) + \frac{2}{3}abex^3 + \frac{h(a+bx^3)^3}{9b} + \frac{1}{6}b^2e \log(x)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x]

[Out] $-(a^2*c)/(2*x^2) - (a^2*d)/x + a*(2*b*c + a*f)*x + (a*(2*b*d + a*g)*x^2)/2 + (2*a*b*e*x^3)/3 + (b*(b*c + 2*a*f)*x^4)/4 + (b*(b*d + 2*a*g)*x^5)/5 + (b^2*e*x^6)/6 + (b^2*f*x^7)/7 + (b^2*g*x^8)/8 + (h*(a + b*x^3)^3)/(9*b) + a^2*e*\text{Log}[x]$

Rule 1583

Int[(Px_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^3} dx &= \frac{h(a + bx^3)^3}{9b} + \int \frac{(a + bx^3)^2 (c + dx + ex^2 + fx^3 + gx^4)}{x^3} dx \\ &= \frac{h(a + bx^3)^3}{9b} + \int \left(a(2bc + af) + \frac{a^2c}{x^3} + \frac{a^2d}{x^2} + \frac{a^2e}{x} + a(2bd + ag)x \right) dx \\ &= -\frac{a^2c}{2x^2} - \frac{a^2d}{x} + a(2bc + af)x + \frac{1}{2}a(2bd + ag)x^2 + \frac{2}{3}abex^3 + \dots \end{aligned}$$

Mathematica [A] time = 0.10, size = 127, normalized size = 0.86

$$\frac{a^2(-3c - 6dx + x^3(6f + 3gx + 2hx^2))}{6x^2} + a^2e \log(x) + \frac{1}{30}abx(60c + x(30d + x(20e + 15fx + 12gx^2 + 10hx^3)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x]

[Out] (a^2*(-3*c - 6*d*x + x^3*(6*f + 3*g*x + 2*h*x^2)))/(6*x^2) + (a*b*x*(60*c + x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3)))/30 + (b^2*x^4*(630*c + x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x))))))/2520 + a^2*e*Log[x]

fricas [A] time = 0.44, size = 153, normalized size = 1.04

$$\frac{280 b^2 h x^{11} + 315 b^2 g x^{10} + 360 b^2 f x^9 + 420 (b^2 e + 2 a b h) x^8 + 504 (b^2 d + 2 a b g) x^7 + 630 (b^2 c + 2 a b f) x^6 + 840 a^2 e x^5 + 2520 a^2 d x^4 + 2520 (2 a b c + a^2 f) x^3 - 1260 a^2 c}{2520}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="fricas")

[Out] 1/2520*(280*b^2*h*x^11 + 315*b^2*g*x^10 + 360*b^2*f*x^9 + 420*(b^2*e + 2*a*b*h)*x^8 + 504*(b^2*d + 2*a*b*g)*x^7 + 630*(b^2*c + 2*a*b*f)*x^6 + 840*(2*a*b*e + a^2*h)*x^5 + 2520*a^2*d*x^4 + 2520*(2*a*b*c + a^2*f)*x^3 - 1260*a^2*c)/x^2

giac [A] time = 0.15, size = 153, normalized size = 1.04

$$\frac{1}{9} b^2 h x^9 + \frac{1}{8} b^2 g x^8 + \frac{1}{7} b^2 f x^7 + \frac{1}{3} a b h x^6 + \frac{1}{6} b^2 x^6 e + \frac{1}{5} b^2 d x^5 + \frac{2}{5} a b g x^5 + \frac{1}{4} b^2 c x^4 + \frac{1}{2} a b f x^4 + \frac{1}{3} a^2 h x^3 + \frac{2}{3} a b x^3 e + a b d x^2 - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="gia
c")

[Out] $\frac{1}{9}b^2h x^9 + \frac{1}{8}b^2g x^8 + \frac{1}{7}b^2f x^7 + \frac{1}{3}a*b*h x^6 + \frac{1}{6}b^2e x^6 + \frac{1}{5}b^2d x^5 + \frac{2}{5}a*b*g x^5 + \frac{1}{4}b^2c x^4 + \frac{1}{2}a*b*f x^4 + \frac{1}{3}a^2h x^3 + \frac{2}{3}a*b*x^3e + a*b*d x^2 + \frac{1}{2}a^2g x^2 + 2a*b*c x + a^2f x + a^2e \log(\text{abs}(x)) - \frac{1}{2}(2a^2d x + a^2c)/x^2$

maple [A] time = 0.05, size = 150, normalized size = 1.02

$$\frac{b^2h x^9}{9} + \frac{b^2g x^8}{8} + \frac{b^2f x^7}{7} + \frac{abh x^6}{3} + \frac{b^2e x^6}{6} + \frac{2abg x^5}{5} + \frac{b^2d x^5}{5} + \frac{abf x^4}{2} + \frac{b^2c x^4}{4} + \frac{a^2h x^3}{3} + \frac{2abex^3}{3} + \frac{a^2g x^2}{2} + abd x^2 + a^2e \log(x) - \frac{1}{2}(2a^2d x + a^2c)/x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x)

[Out] $\frac{1}{9}b^2h x^9 + \frac{1}{8}b^2g x^8 + \frac{1}{7}b^2f x^7 + \frac{1}{3}x^6 a*b*h + \frac{1}{6}b^2e x^6 + \frac{2}{5}x^5 a*b*g + \frac{1}{5}b^2d x^5 + \frac{1}{2}x^4 a*b*f + \frac{1}{4}b^2c x^4 + \frac{1}{3}x^3 a^2h + \frac{2}{3}a*b*e x^3 + \frac{1}{2}x^2 a^2g + a*b*d x^2 + a^2f x + 2a*b*c x - \frac{1}{2}a^2c/x^2 - a^2d/x + a^2e \ln(x)$

maxima [A] time = 1.35, size = 146, normalized size = 0.99

$$\frac{1}{9}b^2h x^9 + \frac{1}{8}b^2g x^8 + \frac{1}{7}b^2f x^7 + \frac{1}{6}(b^2e + 2abh)x^6 + \frac{1}{5}(b^2d + 2abg)x^5 + \frac{1}{4}(b^2c + 2abf)x^4 + \frac{1}{3}(2abe + a^2h)x^3 + a^2e \log(x) - \frac{1}{2}(2a^2d x + a^2c)/x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="max
ima")

[Out] $\frac{1}{9}b^2h x^9 + \frac{1}{8}b^2g x^8 + \frac{1}{7}b^2f x^7 + \frac{1}{6}(b^2e + 2a*b*h)x^6 + \frac{1}{5}(b^2d + 2a*b*g)x^5 + \frac{1}{4}(b^2c + 2a*b*f)x^4 + \frac{1}{3}(2a*b*e + a^2h)x^3 + a^2e \log(x) + \frac{1}{2}(2a*b*d + a^2g)x^2 + (2a*b*c + a^2f)x - \frac{1}{2}(2a^2d x + a^2c)/x^2$

mupad [B] time = 5.01, size = 145, normalized size = 0.99

$$x(f a^2 + 2b c a) - \frac{\frac{a^2 c}{2} + a^2 d x}{x^2} + x^4 \left(\frac{c b^2}{4} + \frac{a f b}{2} \right) + x^2 \left(\frac{g a^2}{2} + b d a \right) + x^5 \left(\frac{d b^2}{5} + \frac{2 a g b}{5} \right) + x^3 \left(\frac{h a^2}{3} + \frac{2 b e a}{3} \right) + x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x)

[Out] $x*(a^2f + 2a*b*c) - ((a^2c)/2 + a^2d*x)/x^2 + x^4*((b^2c)/4 + (a*b*f)/2) + x^2*((a^2g)/2 + a*b*d) + x^5*((b^2d)/5 + (2a*b*g)/5) + x^3*((a^2h)$

$$\frac{1}{3} + \frac{2ab^2e}{3} + x^6 \left(\frac{b^2e}{6} + \frac{abh}{3} \right) + \frac{b^2fx^7}{7} + \frac{b^2gx^8}{8} + \frac{b^2hx^9}{9} + a^2e \log(x)$$

sympy [A] time = 0.45, size = 158, normalized size = 1.07

$$a^2e \log(x) + \frac{b^2fx^7}{7} + \frac{b^2gx^8}{8} + \frac{b^2hx^9}{9} + x^6 \left(\frac{abh}{3} + \frac{b^2e}{6} \right) + x^5 \left(\frac{2abg}{5} + \frac{b^2d}{5} \right) + x^4 \left(\frac{abf}{2} + \frac{b^2c}{4} \right) + x^3 \left(\frac{a^2h}{3} + \frac{2abe}{3} \right) + x^2 \left(\frac{a^2g}{3} + \frac{2abd}{3} \right) + x \left(\frac{a^2f}{3} + \frac{2abc}{3} \right) + \frac{-a^2c - 2a^2dx}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3,x)

[Out] a**2*e*log(x) + b**2*f*x**7/7 + b**2*g*x**8/8 + b**2*h*x**9/9 + x**6*(a*b*h/3 + b**2*e/6) + x**5*(2*a*b*g/5 + b**2*d/5) + x**4*(a*b*f/2 + b**2*c/4) + x**3*(a**2*h/3 + 2*a*b*e/3) + x**2*(a**2*g/2 + a*b*d) + x*(a**2*f + 2*a*b*c) + (-a**2*c - 2*a**2*d*x)/(2*x**2)

$$3.391 \quad \int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$$

Optimal. Leaf size=152

$$-\frac{a^2c}{3x^3} - \frac{a^2d}{2x^2} - \frac{a^2e}{x} + \frac{1}{3}bx^3(2af+bc) + a \log(x)(af+2bc) + \frac{1}{4}bx^4(2ag+bd) + ax(ag+2bd) + \frac{1}{5}bx^5(2ah+be) + \frac{1}{2}ax^2(ah+2be)$$

[Out] $-1/3*a^2*c/x^3 - 1/2*a^2*d/x^2 - a^2*e/x + a*(a*g+2*b*d)*x + 1/2*a*(a*h+2*b*e)*x^2 + 1/3*b*(2*a*f+b*c)*x^3 + 1/4*b*(2*a*g+b*d)*x^4 + 1/5*b*(2*a*h+b*e)*x^5 + 1/6*b^2*f*x^6 + 1/7*b^2*g*x^7 + 1/8*b^2*h*x^8 + a*(a*f+2*b*c)*\ln(x)$

Rubi [A] time = 0.12, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$-\frac{a^2c}{3x^3} - \frac{a^2d}{2x^2} - \frac{a^2e}{x} + \frac{1}{3}bx^3(2af+bc) + a \log(x)(af+2bc) + \frac{1}{4}bx^4(2ag+bd) + ax(ag+2bd) + \frac{1}{5}bx^5(2ah+be) + \frac{1}{2}ax^2(ah+2be)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] $-(a^2*c)/(3*x^3) - (a^2*d)/(2*x^2) - (a^2*e)/x + a*(2*b*d + a*g)*x + (a*(2*b*e + a*h)*x^2)/2 + (b*(b*c + 2*a*f)*x^3)/3 + (b*(b*d + 2*a*g)*x^4)/4 + (b*(b*e + 2*a*h)*x^5)/5 + (b^2*f*x^6)/6 + (b^2*g*x^7)/7 + (b^2*h*x^8)/8 + a*(2*b*c + a*f)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx = \int \left(a(2bd+ag) + \frac{a^2c}{x^4} + \frac{a^2d}{x^3} + \frac{a^2e}{x^2} + \frac{a(2bc+af)}{x} + a(2be) \right. \\ \left. - \frac{a^2c}{3x^3} - \frac{a^2d}{2x^2} - \frac{a^2e}{x} + a(2bd+ag)x + \frac{1}{2}a(2be+ah)x^2 + \frac{1}{3}b(2af+bc)x^3 + \frac{1}{4}b(2ag+bd)x^4 + \frac{1}{5}b(2ah+be)x^5 + \frac{1}{6}b^2fx^6 + \frac{1}{7}b^2gx^7 + \frac{1}{8}b^2hx^8 \right) dx$$

Mathematica [A] time = 0.10, size = 123, normalized size = 0.81

$$-\frac{a^2(2c+3x(d+2ex-(x^3(2g+hx))))}{6x^3} + a \log(x)(af+2bc) + \frac{1}{30}abx(60d+x(30e+x(20f+15gx+12hx^2)))+\frac{1}{8}b^2fx^6 + \frac{1}{7}b^2gx^7 + \frac{1}{8}b^2hx^8$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x]

[Out]
$$-1/6*(a^2*(2*c + 3*x*(d + 2*e*x - x^3*(2*g + h*x)))/x^3 + (a*b*x*(60*d + x*(30*e + x*(20*f + 15*g*x + 12*h*x^2)))/30 + (b^2*x^3*(280*c + x*(210*d + x*(168*e + 140*f*x + 120*g*x^2 + 105*h*x^3)))/840 + a*(2*b*c + a*f)*\text{Log}[x]$$

fricas [A] time = 0.44, size = 153, normalized size = 1.01

$$\frac{105 b^2 h x^{11} + 120 b^2 g x^{10} + 140 b^2 f x^9 + 168 (b^2 e + 2 a b h) x^8 + 210 (b^2 d + 2 a b g) x^7 + 280 (b^2 c + 2 a b f) x^6 + 420 a^2 h x^5 + 840 a^2 e x^4 + 840 (2 a b d + a^2 g) x^3 + 840 (2 a b c + a^2 f) x^2 + 420 a^2 d x + 280 a^2 c}{840 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="fricas")

[Out]
$$1/840*(105*b^2*h*x^{11} + 120*b^2*g*x^{10} + 140*b^2*f*x^9 + 168*(b^2*e + 2*a*b*h)*x^8 + 210*(b^2*d + 2*a*b*g)*x^7 + 280*(b^2*c + 2*a*b*f)*x^6 + 420*(2*a^2*h*x^5 - 840*a^2*e*x^4 + 840*(2*a*b*d + a^2*g)*x^3 + 840*(2*a*b*c + a^2*f)*x^2 + 420*a^2*d*x + 280*a^2*c)/x^3$$

giac [A] time = 0.17, size = 153, normalized size = 1.01

$$\frac{1}{8} b^2 h x^8 + \frac{1}{7} b^2 g x^7 + \frac{1}{6} b^2 f x^6 + \frac{2}{5} a b h x^5 + \frac{1}{5} b^2 e x^4 + \frac{1}{4} b^2 d x^3 + \frac{1}{2} a b g x^2 + \frac{1}{3} b^2 c x + \frac{2}{3} a b f + \frac{1}{2} a^2 h x^2 + a b e x + 2 a b d x + 2 a^2 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="giac")

[Out]
$$1/8*b^2*h*x^8 + 1/7*b^2*g*x^7 + 1/6*b^2*f*x^6 + 2/5*a*b*h*x^5 + 1/5*b^2*x^5*e + 1/4*b^2*d*x^4 + 1/2*a*b*g*x^4 + 1/3*b^2*c*x^3 + 2/3*a*b*f*x^3 + 1/2*a^2*h*x^2 + a*b*x^2*e + 2*a*b*d*x + a^2*g*x + (2*a*b*c + a^2*f)*\text{log}(\text{abs}(x)) - 1/6*(6*a^2*x^2*e + 3*a^2*d*x + 2*a^2*c)/x^3$$

maple [A] time = 0.05, size = 149, normalized size = 0.98

$$\frac{b^2 h x^8}{8} + \frac{b^2 g x^7}{7} + \frac{b^2 f x^6}{6} + \frac{2 a b h x^5}{5} + \frac{b^2 e x^5}{5} + \frac{a b g x^4}{2} + \frac{b^2 d x^4}{4} + \frac{2 a b f x^3}{3} + \frac{b^2 c x^3}{3} + \frac{a^2 h x^2}{2} + a b e x^2 + a^2 f \ln(x) + a^2 g x + 2 a^2 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x)

[Out] $\frac{1}{8}b^2hx^8 + \frac{1}{7}b^2gx^7 + \frac{1}{6}b^2fx^6 + \frac{2}{5}x^5ab^2h + \frac{1}{5}x^5b^2e + \frac{1}{2}x^4ab^2g + \frac{1}{4}x^4b^2d + \frac{2}{3}x^3ab^2f + \frac{1}{3}b^2cx^3 + \frac{1}{2}x^2a^2h + ab^2ex^2 + a^2gx + 2b^2dax - \frac{1}{3}a^2c/x^3 - \frac{1}{2}a^2d/x^2 - a^2e/x + \ln(x) \cdot a^2f + 2\ln(x) \cdot abc$

maxima [A] time = 1.32, size = 147, normalized size = 0.97

$$\frac{1}{8}b^2hx^8 + \frac{1}{7}b^2gx^7 + \frac{1}{6}b^2fx^6 + \frac{1}{5}(b^2e + 2abh)x^5 + \frac{1}{4}(b^2d + 2abg)x^4 + \frac{1}{3}(b^2c + 2abf)x^3 + \frac{1}{2}(2abe + a^2h)x^2 + (2abd$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="maxima")`

[Out] $\frac{1}{8}b^2hx^8 + \frac{1}{7}b^2gx^7 + \frac{1}{6}b^2fx^6 + \frac{1}{5}(b^2e + 2abh)x^5 + \frac{1}{4}(b^2d + 2abg)x^4 + \frac{1}{3}(b^2c + 2abf)x^3 + \frac{1}{2}(2ab^2e + a^2h)x^2 + (2ab^2d + a^2g)x + (2ab^2c + a^2f)\log(x) - \frac{1}{6}(6a^2ex^2 + 3a^2d*x + 2a^2c)/x^3$

mupad [B] time = 0.08, size = 145, normalized size = 0.95

$$x(ga^2 + 2bda) - \frac{ea^2x^2 + \frac{da^2x}{2} + \frac{ca^2}{3}}{x^3} + x^3\left(\frac{cb^2}{3} + \frac{2afb}{3}\right) + x^4\left(\frac{db^2}{4} + \frac{agb}{2}\right) + x^2\left(\frac{ha^2}{2} + bea\right) + x^5\left(\frac{eb^2}{5} + \frac{2a}{5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x)`

[Out] $x*(a^2g + 2ab^2d) - ((a^2c)/3 + a^2ex^2 + (a^2d*x)/2)/x^3 + x^3*((b^2c)/3 + (2ab^2f)/3) + x^4*((b^2d)/4 + (ab^2g)/2) + x^2*((a^2h)/2 + ab^2e) + x^5*((b^2e)/5 + (2ab^2h)/5) + \log(x)*(a^2f + 2ab^2c) + (b^2fx^6)/6 + (b^2gx^7)/7 + (b^2hx^8)/8$

sympy [A] time = 0.88, size = 158, normalized size = 1.04

$$a(af + 2bc)\log(x) + \frac{b^2fx^6}{6} + \frac{b^2gx^7}{7} + \frac{b^2hx^8}{8} + x^5\left(\frac{2abh}{5} + \frac{b^2e}{5}\right) + x^4\left(\frac{abg}{2} + \frac{b^2d}{4}\right) + x^3\left(\frac{2abf}{3} + \frac{b^2c}{3}\right) + x^2\left(\frac{a^2h}{2} + abe\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4,x)`

[Out] $a*(a*f + 2*b*c)*\log(x) + b**2*f*x**6/6 + b**2*g*x**7/7 + b**2*h*x**8/8 + x**5*(2*a*b*h/5 + b**2*e/5) + x**4*(a*b*g/2 + b**2*d/4) + x**3*(2*a*b*f/3 + b**2*c/3) + x**2*(a**2*h/2 + a*b*e) + x*(a**2*g + 2*a*b*d) + (-2*a**2*c - 3*a**2*d*x - 6*a**2*e*x**2)/(6*x**3)$

$$3.392 \quad \int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$$

Optimal. Leaf size=152

$$-\frac{a^2c}{4x^4} - \frac{a^2d}{3x^3} - \frac{a^2e}{2x^2} + \frac{1}{2}bx^2(2af+bc) - \frac{a(af+2bc)}{x} + \frac{1}{3}bx^3(2ag+bd) + a \log(x)(ag+2bd) + \frac{1}{4}bx^4(2ah+be) + ax(ah+2be)$$

[Out] $-1/4*a^2*c/x^4 - 1/3*a^2*d/x^3 - 1/2*a^2*e/x^2 - a*(a*f+2*b*c)/x + a*(a*h+2*b*e)*x + 1/2*b*(2*a*f+b*c)*x^2 + 1/3*b*(2*a*g+b*d)*x^3 + 1/4*b*(2*a*h+b*e)*x^4 + 1/5*b^2*f*x^5 + 1/6*b^2*g*x^6 + 1/7*b^2*h*x^7 + a*(a*g+2*b*d)*\ln(x)$

Rubi [A] time = 0.12, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$-\frac{a^2c}{4x^4} - \frac{a^2d}{3x^3} - \frac{a^2e}{2x^2} + \frac{1}{2}bx^2(2af+bc) - \frac{a(af+2bc)}{x} + \frac{1}{3}bx^3(2ag+bd) + a \log(x)(ag+2bd) + \frac{1}{4}bx^4(2ah+be) + ax(ah+2be)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5, x]

[Out] $-(a^2*c)/(4*x^4) - (a^2*d)/(3*x^3) - (a^2*e)/(2*x^2) - (a*(2*b*c + a*f))/x + a*(2*b*e + a*h)*x + (b*(b*c + 2*a*f)*x^2)/2 + (b*(b*d + 2*a*g)*x^3)/3 + (b*(b*e + 2*a*h)*x^4)/4 + (b^2*f*x^5)/5 + (b^2*g*x^6)/6 + (b^2*h*x^7)/7 + a*(2*b*d + a*g)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)^2 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx = \int \left(a(2be+ah) + \frac{a^2c}{x^5} + \frac{a^2d}{x^4} + \frac{a^2e}{x^3} + \frac{a(2bc+af)}{x^2} + \frac{a(2b^2f+2b^2g+2b^2h)}{x} \right) dx$$

$$= -\frac{a^2c}{4x^4} - \frac{a^2d}{3x^3} - \frac{a^2e}{2x^2} - \frac{a(2bc+af)}{x} + a(2be+ah)x + \frac{1}{2}b(2b^2f+2b^2g+2b^2h)x^2$$

Mathematica [A] time = 0.12, size = 125, normalized size = 0.82

$$-\frac{a^2(3c+4dx+6x^2(e+2fx-2hx^3))}{12x^4} - \frac{2abc}{x} + a \log(x)(ag+2bd) + \frac{1}{6}abx(12e+x(6f+x(4g+3hx))) + \frac{1}{420}b^2x^2(210f+210g+210h)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] (-2*a*b*c)/x - (a^2*(3*c + 4*d*x + 6*x^2*(e + 2*f*x - 2*h*x^3)))/(12*x^4) + (a*b*x*(12*e + x*(6*f + x*(4*g + 3*h*x)))/6 + (b^2*x^2*(210*c + x*(140*d + x*(105*e + 84*f*x + 70*g*x^2 + 60*h*x^3))))/420 + a*(2*b*d + a*g)*Log[x]

fricas [A] time = 0.46, size = 153, normalized size = 1.01

$$\frac{60 b^2 h x^{11} + 70 b^2 g x^{10} + 84 b^2 f x^9 + 105 (b^2 e + 2 a b h) x^8 + 140 (b^2 d + 2 a b g) x^7 + 210 (b^2 c + 2 a b f) x^6 + 420 (2 a b e + a^2 h) x^5 + 420 (2 a b d + a^2 g) x^4 \log(x) - 210 a^2 e x^2 - 140 a^2 d x - 420 (2 a b c + a^2 f) x^3 - 105 a^2 c}{420 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="fricas")

[Out] 1/420*(60*b^2*h*x^11 + 70*b^2*g*x^10 + 84*b^2*f*x^9 + 105*(b^2*e + 2*a*b*h)*x^8 + 140*(b^2*d + 2*a*b*g)*x^7 + 210*(b^2*c + 2*a*b*f)*x^6 + 420*(2*a*b*e + a^2*h)*x^5 + 420*(2*a*b*d + a^2*g)*x^4*log(x) - 210*a^2*e*x^2 - 140*a^2*d*x - 420*(2*a*b*c + a^2*f)*x^3 - 105*a^2*c)/x^4

giac [A] time = 0.17, size = 152, normalized size = 1.00

$$\frac{1}{7} b^2 h x^7 + \frac{1}{6} b^2 g x^6 + \frac{1}{5} b^2 f x^5 + \frac{1}{2} a b h x^4 + \frac{1}{4} b^2 e x^4 + \frac{1}{3} b^2 d x^3 + \frac{2}{3} a b g x^3 + \frac{1}{2} b^2 c x^2 + a b f x^2 + a^2 h x + 2 a b e + (2 a b d + a^2 g) \ln(x) - a^2 d - 105 a^2 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="giac")

[Out] 1/7*b^2*h*x^7 + 1/6*b^2*g*x^6 + 1/5*b^2*f*x^5 + 1/2*a*b*h*x^4 + 1/4*b^2*x^4*e + 1/3*b^2*d*x^3 + 2/3*a*b*g*x^3 + 1/2*b^2*c*x^2 + a*b*f*x^2 + a^2*h*x + 2*a*b*x*e + (2*a*b*d + a^2*g)*log(abs(x)) - 1/12*(6*a^2*x^2*e + 4*a^2*d*x + 12*(2*a*b*c + a^2*f)*x^3 + 3*a^2*c)/x^4

maple [A] time = 0.05, size = 149, normalized size = 0.98

$$\frac{b^2 h x^7}{7} + \frac{b^2 g x^6}{6} + \frac{b^2 f x^5}{5} + \frac{a b h x^4}{2} + \frac{b^2 e x^4}{4} + \frac{2 a b g x^3}{3} + \frac{b^2 d x^3}{3} + a b f x^2 + \frac{b^2 c x^2}{2} + a^2 g \ln(x) + a^2 h x + 2 a b d \ln(x) + 2 a b e - a^2 d - 105 a^2 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x)

[Out] $\frac{1}{7}b^2hx^7 + \frac{1}{6}b^2gx^6 + \frac{1}{5}b^2fx^5 + \frac{1}{2}x^4ab^2h + \frac{1}{4}x^4b^2e + \frac{2}{3}x^3abg + \frac{1}{3}x^3b^2d + x^2ab^2f + \frac{1}{2}b^2cx^2 + a^2hx + 2ab^2ex - \frac{1}{4}a^2c/x^4 - \frac{1}{3}a^2d/x^3 - \frac{1}{2}a^2e/x^2 - a^2/x^2f - 2a/x^2bc + \ln(x)a^2g + 2\ln(x)ab^2d$

maxima [A] time = 1.37, size = 147, normalized size = 0.97

$$\frac{1}{7}b^2hx^7 + \frac{1}{6}b^2gx^6 + \frac{1}{5}b^2fx^5 + \frac{1}{4}(b^2e + 2abh)x^4 + \frac{1}{3}(b^2d + 2abg)x^3 + \frac{1}{2}(b^2c + 2abf)x^2 + (2abe + a^2h)x + (2abd + a^2g)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="maxima")

[Out] $\frac{1}{7}b^2hx^7 + \frac{1}{6}b^2gx^6 + \frac{1}{5}b^2fx^5 + \frac{1}{4}(b^2e + 2ab^2h)x^4 + \frac{1}{3}(b^2d + 2ab^2g)x^3 + \frac{1}{2}(b^2c + 2ab^2f)x^2 + (2ab^2e + a^2h)x + (2ab^2d + a^2g)\log(x) - \frac{1}{12}(6a^2e^2x^2 + 4a^2d^2x + 12(2ab^2c + a^2f)x^3 + 3a^2c)/x^4$

mupad [B] time = 0.07, size = 145, normalized size = 0.95

$$x(ha^2 + 2bea) - \frac{\frac{a^2c}{4} + x^3(fa^2 + 2bca) + \frac{a^2ex^2}{2} + \frac{a^2dx}{3}}{x^4} + x^2\left(\frac{cb^2}{2} + afb\right) + x^3\left(\frac{db^2}{3} + \frac{2agb}{3}\right) + x^4\left(\frac{eb^2}{4} + a\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x)

[Out] $x(a^2h + 2ab^2e) - ((a^2c)/4 + x^3(a^2f + 2ab^2c) + (a^2e^2x^2)/2 + (a^2d^2x)/3)/x^4 + x^2((b^2c)/2 + ab^2f) + x^3((b^2d)/3 + (2ab^2g)/3) + x^4((b^2e)/4 + (ab^2h)/2) + \log(x)(a^2g + 2ab^2d) + (b^2f^2x^5)/5 + (b^2g^2x^6)/6 + (b^2h^2x^7)/7$

sympy [A] time = 3.23, size = 156, normalized size = 1.03

$$a(ag + 2bd)\log(x) + \frac{b^2fx^5}{5} + \frac{b^2gx^6}{6} + \frac{b^2hx^7}{7} + x^4\left(\frac{abh}{2} + \frac{b^2e}{4}\right) + x^3\left(\frac{2abg}{3} + \frac{b^2d}{3}\right) + x^2\left(abf + \frac{b^2c}{2}\right) + x(a^2h + 2abe)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**5,x)

[Out] $a(a^2g + 2ab^2d)\log(x) + b^2fx^5/5 + b^2gx^6/6 + b^2hx^7/7 + x^4(a^2h/2 + b^2e/4) + x^3(2ab^2g/3 + b^2d/3) + x^2(ab^2f + b^2c/2) + x(a^2h + 2ab^2e) + (-3a^2c - 4a^2d^2x - 6a^2e^2x^2 + x^3(-12a^2f - 24ab^2c))/(12x^4)$

$$3.393 \quad \int x^4 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=223

$$\frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{8}a^2x^8(af+3bc) + \frac{1}{9}a^2x^9(ag+3bd) + \frac{1}{10}a^2x^{10}(ah+3be) + \frac{1}{14}b^2x^{14}(3af+bc) + \frac{1}{15}b^2x^{15}(3ag$$

[Out] $\frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{8}a^2(a^2f+3b^2c)x^8 + \frac{1}{9}a^2(a^2g+3b^2d)x^9 + \frac{1}{10}a^2(a^2h+3b^2e)x^{10} + \frac{3}{11}a^2b(a^2f+b^2c)x^{11} + \frac{1}{4}a^2b(a^2g+b^2d)x^{12} + \frac{3}{13}a^2b(a^2h+b^2e)x^{13} + \frac{1}{14}b^2(3af+bc)x^{14} + \frac{1}{15}b^2(3ag$

Rubi [A] time = 0.29, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$\frac{1}{8}a^2x^8(af+3bc) + \frac{1}{9}a^2x^9(ag+3bd) + \frac{1}{10}a^2x^{10}(ah+3be) + \frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{14}b^2x^{14}(3af+bc) + \frac{1}{15}b^2x^{15}(3ag$$

Antiderivative was successfully verified.

[In] Int[x^4*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^3cx^5)/5 + (a^3dx^6)/6 + (a^3ex^7)/7 + (a^2(3b^2c + a^2f)x^8)/8 + (a^2(3b^2d + a^2g)x^9)/9 + (a^2(3b^2e + a^2h)x^{10})/10 + (3a^2b(b^2c + a^2f)x^{11})/11 + (a^2b(b^2d + a^2g)x^{12})/4 + (3a^2b(b^2e + a^2h)x^{13})/13 + (b^2(b^2c + 3a^2f)x^{14})/14 + (b^2(b^2d + 3a^2g)x^{15})/15 + (b^2(b^2e + 3a^2h)x^{16})/16 + (b^3fx^{17})/17 + (b^3gx^{18})/18 + (b^3hx^{19})/19$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int x^4 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx = \int (a^3cx^4 + a^3dx^5 + a^3ex^6 + a^2(3bc + af)x^7 + a^2(3bd + a$$

$$= \frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{8}a^2(3bc + af)x^8 + \frac{1}{9}a^2(3b$$

Mathematica [A] time = 0.06, size = 223, normalized size = 1.00

$$\frac{1}{5}a^3cx^5 + \frac{1}{6}a^3dx^6 + \frac{1}{7}a^3ex^7 + \frac{1}{8}a^2x^8(af+3bc) + \frac{1}{9}a^2x^9(ag+3bd) + \frac{1}{10}a^2x^{10}(ah+3be) + \frac{1}{14}b^2x^{14}(3af+bc) + \frac{1}{15}b^2x^{15}(3a$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^3*c*x^5)/5 + (a^3*d*x^6)/6 + (a^3*e*x^7)/7 + (a^2*(3*b*c + a*f)*x^8)/8 + (a^2*(3*b*d + a*g)*x^9)/9 + (a^2*(3*b*e + a*h)*x^10)/10 + (3*a*b*(b*c + a*f)*x^11)/11 + (a*b*(b*d + a*g)*x^12)/4 + (3*a*b*(b*e + a*h)*x^13)/13 + (b^2*(b*c + 3*a*f)*x^14)/14 + (b^2*(b*d + 3*a*g)*x^15)/15 + (b^2*(b*e + 3*a*h)*x^16)/16 + (b^3*f*x^17)/17 + (b^3*g*x^18)/18 + (b^3*h*x^19)/19

fricas [A] time = 0.42, size = 229, normalized size = 1.03

$$\frac{1}{19}x^{19}hb^3 + \frac{1}{18}x^{18}gb^3 + \frac{1}{17}x^{17}fb^3 + \frac{1}{16}x^{16}eb^3 + \frac{3}{16}x^{16}hb^2a + \frac{1}{15}x^{15}db^3 + \frac{1}{5}x^{15}gb^2a + \frac{1}{14}x^{14}cb^3 + \frac{3}{14}x^{14}fb^2a + \frac{3}{13}x^{13}eb^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/19*x^19*h*b^3 + 1/18*x^18*g*b^3 + 1/17*x^17*f*b^3 + 1/16*x^16*e*b^3 + 3/16*x^16*h*b^2*a + 1/15*x^15*d*b^3 + 1/5*x^15*g*b^2*a + 1/14*x^14*c*b^3 + 3/14*x^14*f*b^2*a + 3/13*x^13*e*b^2*a + 3/13*x^13*h*b*a^2 + 1/4*x^12*d*b^2*a + 1/4*x^12*g*b*a^2 + 3/11*x^11*c*b^2*a + 3/11*x^11*f*b*a^2 + 3/10*x^10*e*b*a^2 + 1/10*x^10*h*a^3 + 1/3*x^9*d*b*a^2 + 1/9*x^9*g*a^3 + 3/8*x^8*c*b*a^2 + 1/8*x^8*f*a^3 + 1/7*x^7*e*a^3 + 1/6*x^6*d*a^3 + 1/5*x^5*c*a^3

giac [A] time = 0.15, size = 233, normalized size = 1.04

$$\frac{1}{19}b^3hx^{19} + \frac{1}{18}b^3gx^{18} + \frac{1}{17}b^3fx^{17} + \frac{3}{16}ab^2hx^{16} + \frac{1}{16}b^3x^{16}e + \frac{1}{15}b^3dx^{15} + \frac{1}{5}ab^2gx^{15} + \frac{1}{14}b^3cx^{14} + \frac{3}{14}ab^2fx^{14} + \frac{3}{13}a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/19*b^3*h*x^19 + 1/18*b^3*g*x^18 + 1/17*b^3*f*x^17 + 3/16*a*b^2*h*x^16 + 1/16*b^3*x^16*e + 1/15*b^3*d*x^15 + 1/5*a*b^2*g*x^15 + 1/14*b^3*c*x^14 + 3/14*a*b^2*f*x^14 + 3/13*a^2*b*h*x^13 + 3/13*a*b^2*x^13*e + 1/4*a*b^2*d*x^12 + 1/4*a^2*b*g*x^12 + 3/11*a*b^2*c*x^11 + 3/11*a^2*b*f*x^11 + 1/10*a^3*h*x^10 + 3/10*a^2*b*x^10*e + 1/3*a^2*b*d*x^9 + 1/9*a^3*g*x^9 + 3/8*a^2*b*c*x^8 + 1/8*a^3*f*x^8 + 1/7*a^3*x^7*e + 1/6*a^3*d*x^6 + 1/5*a^3*c*x^5

maple [A] time = 0.04, size = 224, normalized size = 1.00

$$\frac{b^3 h x^{19}}{19} + \frac{b^3 g x^{18}}{18} + \frac{b^3 f x^{17}}{17} + \frac{(3 a b^2 h + b^3 e) x^{16}}{16} + \frac{(3 a b^2 g + b^3 d) x^{15}}{15} + \frac{(3 a b^2 f + b^3 c) x^{14}}{14} + \frac{(3 a^2 b h + 3 a e b^2) x^{13}}{13} + \frac{(3 a^2 b g + 3 a d b^2) x^{12}}{12} + \frac{(3 a^2 b f + 3 a c b^2) x^{11}}{11} + \frac{(a^3 h + 3 a^2 b e) x^{10}}{10} + \frac{(a^3 g + 3 a^2 b d) x^9}{9} + \frac{(a^3 f + 3 a^2 b c) x^8}{8} + \frac{a^3 e x^7}{7} + \frac{a^3 d x^6}{6} + \frac{a^3 c x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)`

[Out] $1/19*b^3*h*x^{19}+1/18*b^3*g*x^{18}+1/17*b^3*f*x^{17}+1/16*(3*a*b^2*h+b^3*e)*x^{16}+1/15*(3*a*b^2*g+b^3*d)*x^{15}+1/14*(3*a*b^2*f+b^3*c)*x^{14}+1/13*(3*a^2*b*h+3*a*b^2*e)*x^{13}+1/12*(3*a^2*b*g+3*a*b^2*d)*x^{12}+1/11*(3*a^2*b*f+3*a*b^2*c)*x^{11}+1/10*(a^3*h+3*a^2*b*e)*x^{10}+1/9*(a^3*g+3*a^2*b*d)*x^9+1/8*(a^3*f+3*a^2*b*c)*x^8+1/7*a^3*e*x^7+1/6*a^3*d*x^6+1/5*a^3*c*x^5$

maxima [A] time = 1.37, size = 217, normalized size = 0.97

$$\frac{1}{19} b^3 h x^{19} + \frac{1}{18} b^3 g x^{18} + \frac{1}{17} b^3 f x^{17} + \frac{1}{16} (b^3 e + 3 a b^2 h) x^{16} + \frac{1}{15} (b^3 d + 3 a b^2 g) x^{15} + \frac{1}{14} (b^3 c + 3 a b^2 f) x^{14} + \frac{3}{13} (a b^2 e + a^2 b h) x^{13} + \frac{3}{12} (a b^2 g + a^2 b d) x^{12} + \frac{3}{11} (a b^2 f + a^2 b c) x^{11} + \frac{1}{10} (a^3 h + 3 a^2 b e) x^{10} + \frac{1}{9} (a^3 g + 3 a^2 b d) x^9 + \frac{1}{8} (a^3 f + 3 a^2 b c) x^8 + \frac{1}{7} a^3 e x^7 + \frac{1}{6} a^3 d x^6 + \frac{1}{5} a^3 c x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")`

[Out] $1/19*b^3*h*x^{19} + 1/18*b^3*g*x^{18} + 1/17*b^3*f*x^{17} + 1/16*(b^3*e + 3*a*b^2*h)*x^{16} + 1/15*(b^3*d + 3*a*b^2*g)*x^{15} + 1/14*(b^3*c + 3*a*b^2*f)*x^{14} + 3/13*(a*b^2*e + a^2*b*h)*x^{13} + 1/4*(a*b^2*d + a^2*b*g)*x^{12} + 3/11*(a*b^2*c + a^2*b*f)*x^{11} + 1/7*a^3*e*x^7 + 1/10*(3*a^2*b*e + a^3*h)*x^{10} + 1/6*a^3*d*x^6 + 1/9*(3*a^2*b*d + a^3*g)*x^9 + 1/5*a^3*c*x^5 + 1/8*(3*a^2*b*c + a^3*f)*x^8$

mupad [B] time = 0.17, size = 205, normalized size = 0.92

$$x^8 \left(\frac{f a^3}{8} + \frac{3 b c a^2}{8} \right) + x^{14} \left(\frac{c b^3}{14} + \frac{3 a f b^2}{14} \right) + x^9 \left(\frac{g a^3}{9} + \frac{b d a^2}{3} \right) + x^{15} \left(\frac{d b^3}{15} + \frac{a g b^2}{5} \right) + x^{10} \left(\frac{h a^3}{10} + \frac{3 b e a^2}{10} \right) + x^{16} \left(\frac{e a^3}{16} + \frac{3 d a^2 b}{16} \right) + x^{11} \left(\frac{3 a^2 b e}{11} + \frac{a^3 h}{11} \right) + x^{12} \left(\frac{3 a^2 b d}{12} + \frac{a^3 g}{12} \right) + x^{13} \left(\frac{3 a^2 b c}{13} + \frac{a^3 f}{13} \right) + x^7 a^3 e + x^6 a^3 d + x^5 a^3 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)`

[Out] $x^8*((a^3*f)/8 + (3*a^2*b*c)/8) + x^{14}*((b^3*c)/14 + (3*a*b^2*f)/14) + x^9*((a^3*g)/9 + (a^2*b*d)/3) + x^{15}*((b^3*d)/15 + (a*b^2*g)/5) + x^{10}*((a^3*h)/10 + (3*a^2*b*e)/10) + x^{16}*((b^3*e)/16 + (3*a*b^2*h)/16) + (a^3*c*x^5)/5 + (a^3*d*x^6)/6 + (a^3*e*x^7)/7 + (b^3*f*x^17)/17 + (b^3*g*x^18)/18 + (b^3*h*x^19)/19 + (3*a*b*x^11*(b*c + a*f))/11 + (a*b*x^12*(b*d + a*g))/4 + (3*a*b*x^13*(b*e + a*h))/13$

sympy [A] time = 0.12, size = 246, normalized size = 1.10

$$\frac{a^3cx^5}{5} + \frac{a^3dx^6}{6} + \frac{a^3ex^7}{7} + \frac{b^3fx^{17}}{17} + \frac{b^3gx^{18}}{18} + \frac{b^3hx^{19}}{19} + x^{16} \left(\frac{3ab^2h}{16} + \frac{b^3e}{16} \right) + x^{15} \left(\frac{ab^2g}{5} + \frac{b^3d}{15} \right) + x^{14} \left(\frac{3ab^2f}{14} + \frac{b^3c}{14} \right) + x^{13} \left(\frac{3a^2bh}{13} + \frac{3ab^2e}{13} \right) + x^{12} \left(\frac{a^2bg}{4} + \frac{ab^2d}{4} \right) + x^{11} \left(\frac{3a^2bf}{11} + \frac{3ab^2c}{11} \right) + x^{10} \left(\frac{a^3h}{10} + \frac{3a^2be}{10} \right) + x^9 \left(\frac{a^3g}{9} + \frac{a^2bd}{9} \right) + x^8 \left(\frac{a^3f}{8} + \frac{3a^2bc}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c), x)

[Out] a**3*c*x**5/5 + a**3*d*x**6/6 + a**3*e*x**7/7 + b**3*f*x**17/17 + b**3*g*x**18/18 + b**3*h*x**19/19 + x**16*(3*a*b**2*h/16 + b**3*e/16) + x**15*(a*b**2*g/5 + b**3*d/15) + x**14*(3*a*b**2*f/14 + b**3*c/14) + x**13*(3*a**2*b*h/13 + 3*a*b**2*e/13) + x**12*(a**2*b*g/4 + a*b**2*d/4) + x**11*(3*a**2*b*f/11 + 3*a*b**2*c/11) + x**10*(a**3*h/10 + 3*a**2*b*e/10) + x**9*(a**3*g/9 + a**2*b*d/9) + x**8*(a**3*f/8 + 3*a**2*b*c/8)

$$3.394 \quad \int x^3 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=223

$$\frac{1}{4}a^3cx^4 + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^2x^7(af+3bc) + \frac{1}{8}a^2x^8(ag+3bd) + \frac{1}{9}a^2x^9(ah+3be) + \frac{1}{13}b^2x^{13}(3af+bc) + \frac{1}{14}b^2x^{14}(3ag+bd)$$

[Out] $\frac{1}{4}a^3cx^4 + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^2x^7(af+3bc) + \frac{1}{8}a^2x^8(ag+3bd) + \frac{1}{9}a^2x^9(ah+3be) + \frac{1}{13}b^2x^{13}(3af+bc) + \frac{1}{14}b^2x^{14}(3ag+bd) + \frac{1}{15}b^2x^{15}(3ah+3be) + \frac{1}{16}b^3fx^{16} + \frac{1}{17}b^3gx^{17} + \frac{1}{18}b^3hx^{18}$

Rubi [A] time = 0.23, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$\frac{1}{7}a^2x^7(af+3bc) + \frac{1}{8}a^2x^8(ag+3bd) + \frac{1}{9}a^2x^9(ah+3be) + \frac{1}{4}a^3cx^4 + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{13}b^2x^{13}(3af+bc) + \frac{1}{14}b^2x^{14}(3ag+bd)$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] $\frac{a^3cx^4}{4} + \frac{a^3dx^5}{5} + \frac{a^3ex^6}{6} + \frac{a^2(3bc+af)x^7}{7} + \frac{a^2(3bd+ag)x^8}{8} + \frac{a^2(3be+ah)x^9}{9} + \frac{3ab(bc+af)x^{10}}{10} + \frac{3ab(bd+ag)x^{11}}{11} + \frac{ab(b^2e+ah)x^{12}}{4} + \frac{b^2(bc+3af)x^{13}}{13} + \frac{b^2(bd+3ag)x^{14}}{14} + \frac{b^2(b^2e+3ah)x^{15}}{15} + \frac{b^3fx^{16}}{16} + \frac{b^3gx^{17}}{17} + \frac{b^3hx^{18}}{18}$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^3 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \int (a^3cx^3 + a^3dx^4 + a^3ex^5 + a^2(3bc + af)x^6 + a^2(3bd + ag)x^7 + a^2(3be + ah)x^8 + 3ab(bc + af)x^9 + 3ab(bd + ag)x^{10} + ab(b^2e + ah)x^{11} + b^2(bc + 3af)x^{12} + b^2(bd + 3ag)x^{13} + b^2(b^2e + 3ah)x^{14} + b^3fx^{15} + b^3gx^{16} + b^3hx^{17}) dx \\ &= \frac{1}{4}a^3cx^4 + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^2(3bc + af)x^7 + \frac{1}{8}a^2(3bd + ag)x^8 + \frac{1}{9}a^2(3be + ah)x^9 + \frac{3}{10}ab(bc + af)x^{10} + \frac{3}{11}ab(bd + ag)x^{11} + \frac{1}{4}ab(b^2e + ah)x^{12} + \frac{1}{13}b^2(bc + 3af)x^{13} + \frac{1}{14}b^2(bd + 3ag)x^{14} + \frac{1}{15}b^2(b^2e + 3ah)x^{15} + \frac{1}{16}b^3fx^{16} + \frac{1}{17}b^3gx^{17} + \frac{1}{18}b^3hx^{18} \end{aligned}$$

Mathematica [A] time = 0.05, size = 223, normalized size = 1.00

$$\frac{1}{4}a^3cx^4 + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^2x^7(af+3bc) + \frac{1}{8}a^2x^8(ag+3bd) + \frac{1}{9}a^2x^9(ah+3be) + \frac{1}{13}b^2x^{13}(3af+bc) + \frac{1}{14}b^2x^{14}(3ag+$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^3*c*x^4)/4 + (a^3*d*x^5)/5 + (a^3*e*x^6)/6 + (a^2*(3*b*c + a*f)*x^7)/7 + (a^2*(3*b*d + a*g)*x^8)/8 + (a^2*(3*b*e + a*h)*x^9)/9 + (3*a*b*(b*c + a*f)*x^10)/10 + (3*a*b*(b*d + a*g)*x^11)/11 + (a*b*(b*e + a*h)*x^12)/4 + (b^2*(b*c + 3*a*f)*x^13)/13 + (b^2*(b*d + 3*a*g)*x^14)/14 + (b^2*(b*e + 3*a*h)*x^15)/15 + (b^3*f*x^16)/16 + (b^3*g*x^17)/17 + (b^3*h*x^18)/18

fricas [A] time = 0.39, size = 229, normalized size = 1.03

$$\frac{1}{18}x^{18}hb^3 + \frac{1}{17}x^{17}gb^3 + \frac{1}{16}x^{16}fb^3 + \frac{1}{15}x^{15}eb^3 + \frac{1}{5}x^{15}hb^2a + \frac{1}{14}x^{14}db^3 + \frac{3}{14}x^{14}gb^2a + \frac{1}{13}x^{13}cb^3 + \frac{3}{13}x^{13}fb^2a + \frac{1}{4}x^{12}eb^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/18*x^18*h*b^3 + 1/17*x^17*g*b^3 + 1/16*x^16*f*b^3 + 1/15*x^15*e*b^3 + 1/5*x^15*h*b^2*a + 1/14*x^14*d*b^3 + 3/14*x^14*g*b^2*a + 1/13*x^13*c*b^3 + 3/13*x^13*f*b^2*a + 1/4*x^12*e*b^2*a + 1/4*x^12*h*b*a^2 + 3/11*x^11*d*b^2*a + 3/11*x^11*g*b*a^2 + 3/10*x^10*c*b^2*a + 3/10*x^10*f*b*a^2 + 1/3*x^9*e*b*a^2 + 1/9*x^9*h*a^3 + 3/8*x^8*d*b*a^2 + 1/8*x^8*g*a^3 + 3/7*x^7*c*b*a^2 + 1/7*x^7*f*a^3 + 1/6*x^6*e*a^3 + 1/5*x^5*d*a^3 + 1/4*x^4*c*a^3

giac [A] time = 0.17, size = 233, normalized size = 1.04

$$\frac{1}{18}b^3hx^{18} + \frac{1}{17}b^3gx^{17} + \frac{1}{16}b^3fx^{16} + \frac{1}{5}ab^2hx^{15} + \frac{1}{15}b^3x^{15}e + \frac{1}{14}b^3dx^{14} + \frac{3}{14}ab^2gx^{14} + \frac{1}{13}b^3cx^{13} + \frac{3}{13}ab^2fx^{13} + \frac{1}{4}a^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/18*b^3*h*x^18 + 1/17*b^3*g*x^17 + 1/16*b^3*f*x^16 + 1/5*a*b^2*h*x^15 + 1/15*b^3*x^15*e + 1/14*b^3*d*x^14 + 3/14*a*b^2*g*x^14 + 1/13*b^3*c*x^13 + 3/13*a*b^2*f*x^13 + 1/4*a^2*b*h*x^12 + 1/4*a*b^2*x^12*e + 3/11*a*b^2*d*x^11 + 3/11*a^2*b*g*x^11 + 3/10*a*b^2*c*x^10 + 3/10*a^2*b*f*x^10 + 1/9*a^3*h*x^9 + 1/3*a^2*b*x^9*e + 3/8*a^2*b*d*x^8 + 1/8*a^3*g*x^8 + 3/7*a^2*b*c*x^7 + 1/7*a^3*f*x^7 + 1/6*a^3*x^6*e + 1/5*a^3*d*x^5 + 1/4*a^3*c*x^4

maple [A] time = 0.04, size = 224, normalized size = 1.00

$$\frac{b^3 h x^{18}}{18} + \frac{b^3 g x^{17}}{17} + \frac{b^3 f x^{16}}{16} + \frac{(3 a b^2 h + b^3 e) x^{15}}{15} + \frac{(3 a b^2 g + b^3 d) x^{14}}{14} + \frac{(3 a b^2 f + b^3 c) x^{13}}{13} + \frac{(3 a^2 b h + 3 a e b^2) x^{12}}{12} + \frac{(3 a^2 b g + 3 a d b^2) x^{11}}{11} + \frac{(3 a^2 b f + 3 a c b^2) x^{10}}{10} + \frac{(a^3 h + 3 a^2 b e) x^9}{9} + \frac{(a^3 g + 3 a^2 b d) x^8}{8} + \frac{(a^3 f + 3 a^2 b c) x^7}{7} + \frac{a^3 e x^6}{6} + \frac{a^3 d x^5}{5} + \frac{a^3 c x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)`

[Out] $\frac{1}{18} b^3 h x^{18} + \frac{1}{17} b^3 g x^{17} + \frac{1}{16} b^3 f x^{16} + \frac{1}{15} (3 a b^2 h + b^3 e) x^{15} + \frac{1}{14} (3 a b^2 g + b^3 d) x^{14} + \frac{1}{13} (3 a b^2 f + b^3 c) x^{13} + \frac{1}{12} (3 a^2 b h + 3 a b^2 e) x^{12} + \frac{1}{11} (3 a^2 b g + 3 a b^2 d) x^{11} + \frac{1}{10} (3 a^2 b f + 3 a b^2 c) x^{10} + \frac{1}{9} (a^3 h + 3 a^2 b e) x^9 + \frac{1}{8} (a^3 g + 3 a^2 b d) x^8 + \frac{1}{7} (a^3 f + 3 a^2 b c) x^7 + \frac{1}{6} a^3 e x^6 + \frac{1}{5} a^3 d x^5 + \frac{1}{4} a^3 c x^4$

maxima [A] time = 1.37, size = 217, normalized size = 0.97

$$\frac{1}{18} b^3 h x^{18} + \frac{1}{17} b^3 g x^{17} + \frac{1}{16} b^3 f x^{16} + \frac{1}{15} (b^3 e + 3 a b^2 h) x^{15} + \frac{1}{14} (b^3 d + 3 a b^2 g) x^{14} + \frac{1}{13} (b^3 c + 3 a b^2 f) x^{13} + \frac{1}{4} (a b^2 e + a^2 b^2 h) x^{12} + \frac{3}{11} (a b^2 d + a^2 b^2 g) x^{11} + \frac{3}{10} (a b^2 c + a^2 b^2 f) x^{10} + \frac{1}{6} a^3 e x^6 + \frac{1}{9} (3 a^2 b e + a^3 h) x^9 + \frac{1}{5} a^3 d x^5 + \frac{1}{8} (3 a^2 b d + a^3 g) x^8 + \frac{1}{4} a^3 c x^4 + \frac{1}{7} (3 a^2 b c + a^3 f) x^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")`

[Out] $\frac{1}{18} b^3 h x^{18} + \frac{1}{17} b^3 g x^{17} + \frac{1}{16} b^3 f x^{16} + \frac{1}{15} (b^3 e + 3 a b^2 h) x^{15} + \frac{1}{14} (b^3 d + 3 a b^2 g) x^{14} + \frac{1}{13} (b^3 c + 3 a b^2 f) x^{13} + \frac{1}{4} (a b^2 e + a^2 b^2 h) x^{12} + \frac{3}{11} (a b^2 d + a^2 b^2 g) x^{11} + \frac{3}{10} (a b^2 c + a^2 b^2 f) x^{10} + \frac{1}{6} a^3 e x^6 + \frac{1}{9} (3 a^2 b e + a^3 h) x^9 + \frac{1}{5} a^3 d x^5 + \frac{1}{8} (3 a^2 b d + a^3 g) x^8 + \frac{1}{4} a^3 c x^4 + \frac{1}{7} (3 a^2 b c + a^3 f) x^7$

mupad [B] time = 5.16, size = 205, normalized size = 0.92

$$x^7 \left(\frac{f a^3}{7} + \frac{3 b c a^2}{7} \right) + x^{13} \left(\frac{c b^3}{13} + \frac{3 a f b^2}{13} \right) + x^8 \left(\frac{g a^3}{8} + \frac{3 b d a^2}{8} \right) + x^{14} \left(\frac{d b^3}{14} + \frac{3 a g b^2}{14} \right) + x^9 \left(\frac{h a^3}{9} + \frac{b e a^2}{3} \right) + x^{15} \left(\frac{e a^3}{15} + \frac{3 a^2 b h}{15} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)`

[Out] $x^7 * ((a^3 f) / 7 + (3 a^2 b c) / 7) + x^{13} * ((b^3 c) / 13 + (3 a b^2 f) / 13) + x^8 * ((a^3 g) / 8 + (3 a^2 b d) / 8) + x^{14} * ((b^3 d) / 14 + (3 a b^2 g) / 14) + x^9 * ((a^3 h) / 9 + (a^2 b e) / 3) + x^{15} * ((b^3 e) / 15 + (a b^2 h) / 5) + (a^3 c x^4) / 4 + (a^3 d x^5) / 5 + (a^3 e x^6) / 6 + (b^3 f x^{16}) / 16 + (b^3 g x^{17}) / 17 + (b^3 h x^{18}) / 18 + (3 a b x^{10} (b c + a f)) / 10 + (3 a b x^{11} (b d + a g)) / 11 + (a b x^{12} (b e + a h)) / 4$

sympy [A] time = 0.12, size = 246, normalized size = 1.10

$$\frac{a^3cx^4}{4} + \frac{a^3dx^5}{5} + \frac{a^3ex^6}{6} + \frac{b^3fx^{16}}{16} + \frac{b^3gx^{17}}{17} + \frac{b^3hx^{18}}{18} + x^{15} \left(\frac{ab^2h}{5} + \frac{b^3e}{15} \right) + x^{14} \left(\frac{3ab^2g}{14} + \frac{b^3d}{14} \right) + x^{13} \left(\frac{3ab^2f}{13} + \frac{b^3c}{13} \right) + x^{12} \left(\frac{3a^2bh}{4} + \frac{a^2be}{4} \right) + x^{11} \left(\frac{3a^2bg}{11} + \frac{3a^2bd}{11} \right) + x^{10} \left(\frac{3a^2bf}{10} + \frac{3a^2bc}{10} \right) + x^9 \left(\frac{a^3h}{9} + \frac{a^2be}{3} \right) + x^8 \left(\frac{a^3g}{8} + \frac{3a^2bd}{8} \right) + x^7 \left(\frac{a^3f}{7} + \frac{3a^2bc}{7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**3*c*x**4/4 + a**3*d*x**5/5 + a**3*e*x**6/6 + b**3*f*x**16/16 + b**3*g*x**17/17 + b**3*h*x**18/18 + x**15*(a*b**2*h/5 + b**3*e/15) + x**14*(3*a*b**2*g/14 + b**3*d/14) + x**13*(3*a*b**2*f/13 + b**3*c/13) + x**12*(a**2*b*h/4 + a*b**2*e/4) + x**11*(3*a**2*b*g/11 + 3*a*b**2*d/11) + x**10*(3*a**2*b*f/10 + 3*a*b**2*c/10) + x**9*(a**3*h/9 + a**2*b*e/3) + x**8*(a**3*g/8 + 3*a**2*b*d/8) + x**7*(a**3*f/7 + 3*a**2*b*c/7)

$$3.395 \quad \int x^2 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=212

$$\frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{1}{6}a^3fx^6 + \frac{1}{7}a^2x^7(ag+3bd) + \frac{1}{8}a^2x^8(ah+3be) + \frac{1}{3}a^2bfx^9 + \frac{1}{13}b^2x^{13}(3ag+bd) + \frac{1}{14}b^2x^{14}(3ah+be) + \frac{1}{4}a$$

[Out] $\frac{1}{4}a^3d*x^4 + \frac{1}{5}a^3e*x^5 + \frac{1}{6}a^3f*x^6 + \frac{1}{7}a^2*(a*g+3*b*d)*x^7 + \frac{1}{8}a^2*(a*h+3*b*e)*x^8 + \frac{1}{3}a^2*b*f*x^9 + \frac{1}{10}a*b*(a*g+b*d)*x^{10} + \frac{1}{11}a*b*(a*h+b*e)*x^{11} + \frac{1}{4}a*b^2*f*x^{12} + \frac{1}{13}b^2*(3*a*g+b*d)*x^{13} + \frac{1}{14}b^2*(3*a*h+b*e)*x^{14} + \frac{1}{15}b^3*f*x^{15} + \frac{1}{16}b^3*g*x^{16} + \frac{1}{17}b^3*h*x^{17} + \frac{1}{12}c*(b*x^3+a)^4/b$

Rubi [A] time = 0.18, antiderivative size = 212, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1582, 1850}

$$\frac{1}{7}a^2x^7(ag+3bd) + \frac{1}{8}a^2x^8(ah+3be) + \frac{1}{3}a^2bfx^9 + \frac{1}{4}a^3dx^4 + \frac{1}{5}a^3ex^5 + \frac{1}{6}a^3fx^6 + \frac{1}{13}b^2x^{13}(3ag+bd) + \frac{1}{14}b^2x^{14}(3ah+be) + \frac{1}{4}a$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] $(a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (a^3*f*x^6)/6 + (a^2*(3*b*d + a*g)*x^7)/7 + (a^2*(3*b*e + a*h)*x^8)/8 + (a^2*b*f*x^9)/3 + (3*a*b*(b*d + a*g)*x^{10})/10 + (3*a*b*(b*e + a*h)*x^{11})/11 + (a*b^2*f*x^{12})/4 + (b^2*(b*d + 3*a*g)*x^{13})/13 + (b^2*(b*e + 3*a*h)*x^{14})/14 + (b^3*f*x^{15})/15 + (b^3*g*x^{16})/16 + (b^3*h*x^{17})/17 + (c*(a + b*x^3)^4)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^2 (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{c(a + bx^3)^4}{12b} + \int (a + bx^3)^3 (-cx^2 + x^2(c + dx + ex^2 + \dots)) dx \\ &= \frac{c(a + bx^3)^4}{12b} + \int (a^3 dx^3 + a^3 ex^4 + a^3 fx^5 + a^2(3bd + ag)x^6 + \dots) dx \\ &= \frac{1}{4}a^3 dx^4 + \frac{1}{5}a^3 ex^5 + \frac{1}{6}a^3 fx^6 + \frac{1}{7}a^2(3bd + ag)x^7 + \frac{1}{8}a^2(\dots) \end{aligned}$$

Mathematica [A] time = 0.06, size = 223, normalized size = 1.05

$$\frac{1}{3}a^3 cx^3 + \frac{1}{4}a^3 dx^4 + \frac{1}{5}a^3 ex^5 + \frac{1}{6}a^2 x^6 (af + 3bc) + \frac{1}{7}a^2 x^7 (ag + 3bd) + \frac{1}{8}a^2 x^8 (ah + 3be) + \frac{1}{12}b^2 x^{12} (3af + bc) + \frac{1}{13}b^2 x^{13} (3ag + \dots)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]
[Out] (a^3*c*x^3)/3 + (a^3*d*x^4)/4 + (a^3*e*x^5)/5 + (a^2*(3*b*c + a*f)*x^6)/6 +
(a^2*(3*b*d + a*g)*x^7)/7 + (a^2*(3*b*e + a*h)*x^8)/8 + (a*b*(b*c + a*f)*x^9)/3 +
(3*a*b*(b*d + a*g)*x^10)/10 + (3*a*b*(b*e + a*h)*x^11)/11 + (b^2*(b*c + 3*a*f)*x^12)/12 +
(b^2*(b*d + 3*a*g)*x^13)/13 + (b^2*(b*e + 3*a*h)*x^14)/14 + (b^3*f*x^15)/15 +
(b^3*g*x^16)/16 + (b^3*h*x^17)/17
```

fricas [A] time = 0.37, size = 229, normalized size = 1.08

$$\frac{1}{17}x^{17}hb^3 + \frac{1}{16}x^{16}gb^3 + \frac{1}{15}x^{15}fb^3 + \frac{1}{14}x^{14}eb^3 + \frac{3}{14}x^{14}hb^2a + \frac{1}{13}x^{13}db^3 + \frac{3}{13}x^{13}gb^2a + \frac{1}{12}x^{12}cb^3 + \frac{1}{4}x^{12}fb^2a + \frac{3}{11}x^{11}eb^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")
```

```
[Out] 1/17*x^17*h*b^3 + 1/16*x^16*g*b^3 + 1/15*x^15*f*b^3 + 1/14*x^14*e*b^3 + 3/14*x^14*h*b^2*a +
1/13*x^13*d*b^3 + 3/13*x^13*g*b^2*a + 1/12*x^12*c*b^3 + 1/4*x^12*f*b^2*a + 3/11*x^11*e*b^2*a +
3/11*x^11*h*b*a^2 + 3/10*x^10*d*b^2*a + 3/10*x^10*g*b*a^2 + 1/3*x^9*c*b^2*a + 1/3*x^9*f*b*a^2 +
3/8*x^8*e*b*a^2 + 1/8*x^8*h*a^3 + 3/7*x^7*d*b*a^2 + 1/7*x^7*g*a^3 + 1/2*x^6*c*b*a^2 + 1/6*x^6*f*a^3 +
1/5*x^5*e*a^3 + 1/4*x^4*d*a^3 + 1/3*x^3*c*a^3
```

giac [A] time = 0.18, size = 233, normalized size = 1.10

$$\frac{1}{17}b^3hx^{17} + \frac{1}{16}b^3gx^{16} + \frac{1}{15}b^3fx^{15} + \frac{3}{14}ab^2hx^{14} + \frac{1}{14}b^3x^{14}e + \frac{1}{13}b^3dx^{13} + \frac{3}{13}ab^2gx^{13} + \frac{1}{12}b^3cx^{12} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] $\frac{1}{17}b^3hx^{17} + \frac{1}{16}b^3gx^{16} + \frac{1}{15}b^3fx^{15} + \frac{3}{14}ab^2hx^{14} + \frac{1}{14}b^3x^{14}e + \frac{1}{13}b^3dx^{13} + \frac{3}{13}ab^2gx^{13} + \frac{1}{12}b^3cx^{12} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}a^2b^2hx^{11} + \frac{3}{11}ab^2x^{11}e + \frac{3}{10}ab^2dx^{10} + \frac{3}{10}a^2b^2gx^{10} + \frac{1}{3}ab^2cx^9 + \frac{1}{3}a^2b^2fx^9 + \frac{1}{8}a^3hx^8 + \frac{3}{8}a^2b^2x^8e + \frac{3}{7}a^2b^2dx^7 + \frac{1}{7}a^3gx^7 + \frac{1}{2}a^2b^2cx^6 + \frac{1}{6}a^3fx^6 + \frac{1}{5}a^3x^5e + \frac{1}{4}a^3dx^4 + \frac{1}{3}a^3cx^3$

maple [A] time = 0.05, size = 224, normalized size = 1.06

$$\frac{b^3hx^{17}}{17} + \frac{b^3gx^{16}}{16} + \frac{b^3fx^{15}}{15} + \frac{(3ab^2h + b^3e)x^{14}}{14} + \frac{(3ab^2g + b^3d)x^{13}}{13} + \frac{(3ab^2f + b^3c)x^{12}}{12} + \frac{(3a^2bh + 3aeb^2)x^{11}}{11} + \frac{(3a^2b^2g + 3a^2b^2d)x^{10}}{10} + \frac{(3a^2b^2f + 3a^2b^2c)x^9}{9} + \frac{(a^3h + 3a^2be)x^8}{8} + \frac{(a^3g + 3a^2bd)x^7}{7} + \frac{(a^3f + 3a^2bc)x^6}{6} + \frac{a^3x^5e}{5} + \frac{a^3dx^4}{4} + \frac{a^3cx^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] $\frac{1}{17}b^3hx^{17} + \frac{1}{16}b^3gx^{16} + \frac{1}{15}b^3fx^{15} + \frac{1}{14}(3ab^2h + b^3e)x^{14} + \frac{1}{13}(3ab^2g + b^3d)x^{13} + \frac{1}{12}(3ab^2f + b^3c)x^{12} + \frac{1}{11}(3a^2bh + 3aeb^2)x^{11} + \frac{1}{10}(3a^2b^2g + 3a^2b^2d)x^{10} + \frac{1}{9}(3a^2b^2f + 3a^2b^2c)x^9 + \frac{1}{8}(a^3h + 3a^2be)x^8 + \frac{1}{7}(a^3g + 3a^2bd)x^7 + \frac{1}{6}(a^3f + 3a^2bc)x^6 + \frac{1}{5}a^3x^5e + \frac{1}{4}a^3dx^4 + \frac{1}{3}a^3cx^3$

maxima [A] time = 1.36, size = 217, normalized size = 1.02

$$\frac{1}{17}b^3hx^{17} + \frac{1}{16}b^3gx^{16} + \frac{1}{15}b^3fx^{15} + \frac{1}{14}(b^3e + 3ab^2h)x^{14} + \frac{1}{13}(b^3d + 3ab^2g)x^{13} + \frac{1}{12}(b^3c + 3ab^2f)x^{12} + \frac{3}{11}(ab^2e + a^2b^2h)x^{11} + \frac{3}{10}(ab^2d + a^2b^2g)x^{10} + \frac{1}{3}(ab^2c + a^2b^2f)x^9 + \frac{1}{5}a^3x^5e + \frac{1}{8}(3a^2b^2e + a^3h)x^8 + \frac{1}{4}a^3dx^4 + \frac{1}{7}(3a^2b^2d + a^3g)x^7 + \frac{1}{3}a^3cx^3 + \frac{1}{6}(3a^2b^2c + a^3f)x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] $\frac{1}{17}b^3hx^{17} + \frac{1}{16}b^3gx^{16} + \frac{1}{15}b^3fx^{15} + \frac{1}{14}(b^3e + 3ab^2h)x^{14} + \frac{1}{13}(b^3d + 3ab^2g)x^{13} + \frac{1}{12}(b^3c + 3ab^2f)x^{12} + \frac{3}{11}(ab^2e + a^2b^2h)x^{11} + \frac{3}{10}(ab^2d + a^2b^2g)x^{10} + \frac{1}{3}(ab^2c + a^2b^2f)x^9 + \frac{1}{5}a^3x^5e + \frac{1}{8}(3a^2b^2e + a^3h)x^8 + \frac{1}{4}a^3dx^4 + \frac{1}{7}(3a^2b^2d + a^3g)x^7 + \frac{1}{3}a^3cx^3 + \frac{1}{6}(3a^2b^2c + a^3f)x^6$

mupad [B] time = 0.16, size = 205, normalized size = 0.97

$$x^6 \left(\frac{fa^3}{6} + \frac{bca^2}{2} \right) + x^{12} \left(\frac{cb^3}{12} + \frac{afb^2}{4} \right) + x^7 \left(\frac{ga^3}{7} + \frac{3bda^2}{7} \right) + x^{13} \left(\frac{db^3}{13} + \frac{3agb^2}{13} \right) + x^8 \left(\frac{ha^3}{8} + \frac{3bea^2}{8} \right) + x^{14} \left(\frac{ea^3}{8} + \frac{3bca^2}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)`

[Out] $x^6*((a^3f)/6 + (a^2bc)/2) + x^{12}*((b^3c)/12 + (ab^2f)/4) + x^7*((a^3g)/7 + (3a^2bd)/7) + x^{13}*((b^3d)/13 + (3ab^2g)/13) + x^8*((a^3h)/8 + (3a^2be)/8) + x^{14}*((b^3e)/14 + (3ab^2h)/14) + (a^3cx^3)/3 + (a^3dx^4)/4 + (a^3ex^5)/5 + (b^3fx^{15})/15 + (b^3gx^{16})/16 + (b^3hx^{17})/17 + (abx^9(b^3c + af))/3 + (3abx^{10}(bd + ag))/10 + (3abx^{11}(be + ah))/11$

sympy [A] time = 0.12, size = 246, normalized size = 1.16

$$\frac{a^3cx^3}{3} + \frac{a^3dx^4}{4} + \frac{a^3ex^5}{5} + \frac{b^3fx^{15}}{15} + \frac{b^3gx^{16}}{16} + \frac{b^3hx^{17}}{17} + x^{14} \left(\frac{3ab^2h}{14} + \frac{b^3e}{14} \right) + x^{13} \left(\frac{3ab^2g}{13} + \frac{b^3d}{13} \right) + x^{12} \left(\frac{ab^2f}{4} + \frac{b^3c}{12} \right) + x^{11} \left(\frac{a^3h}{8} + \frac{3a^2be}{8} \right) + x^{10} \left(\frac{b^3d}{13} + \frac{3ab^2g}{13} \right) + x^9 \left(\frac{b^3c}{12} + \frac{ab^2f}{4} \right) + x^8 \left(\frac{a^3g}{7} + \frac{3a^2bd}{7} \right) + x^7 \left(\frac{a^3f}{6} + \frac{a^2bc}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] $a**3*c*x**3/3 + a**3*d*x**4/4 + a**3*e*x**5/5 + b**3*f*x**15/15 + b**3*g*x**16/16 + b**3*h*x**17/17 + x**14*(3*a*b**2*h/14 + b**3*e/14) + x**13*(3*a*b**2*g/13 + b**3*d/13) + x**12*(a*b**2*f/4 + b**3*c/12) + x**11*(3*a**2*b*h/11 + 3*a*b**2*e/11) + x**10*(3*a**2*b*g/10 + 3*a*b**2*d/10) + x**9*(a**2*b*f/3 + a*b**2*c/3) + x**8*(a**3*h/8 + 3*a**2*b*e/8) + x**7*(a**3*g/7 + 3*a**2*b*d/7) + x**6*(a**3*f/6 + a**2*b*c/2)$

$$3.396 \quad \int x (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=212

$$\frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{1}{6}a^3gx^6 + \frac{1}{5}a^2x^5(af+3bc) + \frac{1}{7}a^2x^7(ah+3be) + \frac{1}{3}a^2bgx^9 + \frac{1}{11}b^2x^{11}(3af+bc) + \frac{1}{13}b^2x^{13}(3ah+be) + \frac{1}{4}ab^3fx^{14} + \frac{1}{15}b^3gx^{15} + \frac{1}{16}b^3hx^{16} + \frac{1}{12}d(bx^3+a)^4/b$$

[Out] $\frac{1}{2}a^3c*x^2 + \frac{1}{4}a^3e*x^4 + \frac{1}{5}a^2*(a*f+3*b*c)*x^5 + \frac{1}{6}a^3*g*x^6 + \frac{1}{7}a^2*(a*h+3*b*e)*x^7 + \frac{3}{8}a*b*(a*f+b*c)*x^8 + \frac{1}{3}a^2*b*g*x^9 + \frac{3}{10}a*b*(a*h+b*e)*x^{10} + \frac{1}{11}b^2*(3*a*f+b*c)*x^{11} + \frac{1}{4}a*b^2*g*x^{12} + \frac{1}{13}b^2*(3*a*h+b*e)*x^{13} + \frac{1}{14}b^3*f*x^{14} + \frac{1}{15}b^3*g*x^{15} + \frac{1}{16}b^3*h*x^{16} + \frac{1}{12}d*(b*x^3+a)^4/b$

Rubi [A] time = 0.18, antiderivative size = 212, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$, Rules used = {1582, 1850}

$$\frac{1}{5}a^2x^5(af+3bc) + \frac{1}{7}a^2x^7(ah+3be) + \frac{1}{3}a^2bgx^9 + \frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{1}{6}a^3gx^6 + \frac{1}{11}b^2x^{11}(3af+bc) + \frac{1}{13}b^2x^{13}(3ah+be) + \frac{1}{4}ab^3fx^{14} + \frac{1}{15}b^3gx^{15} + \frac{1}{16}b^3hx^{16} + \frac{1}{12}d(bx^3+a)^4/b$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $(a^3*c*x^2)/2 + (a^3*e*x^4)/4 + (a^2*(3*b*c + a*f)*x^5)/5 + (a^3*g*x^6)/6 + (a^2*(3*b*e + a*h)*x^7)/7 + (3*a*b*(b*c + a*f)*x^8)/8 + (a^2*b*g*x^9)/3 + (3*a*b*(b*e + a*h)*x^{10})/10 + (b^2*(b*c + 3*a*f)*x^{11})/11 + (a*b^2*g*x^{12})/4 + (b^2*(b*e + 3*a*h)*x^{13})/13 + (b^3*f*x^{14})/14 + (b^3*g*x^{15})/15 + (b^3*h*x^{16})/16 + (d*(a + b*x^3)^4)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_.))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)dx &= \frac{d(a+bx^3)^4}{12b} + \int (a+bx^3)^3(-dx^2+x(c+dx+ex^2+)) \\ &= \frac{d(a+bx^3)^4}{12b} + \int (a^3cx+a^3ex^3+a^2(3bc+af)x^4+a^3g \\ &= \frac{1}{2}a^3cx^2 + \frac{1}{4}a^3ex^4 + \frac{1}{5}a^2(3bc+af)x^5 + \frac{1}{6}a^3gx^6 + \frac{1}{7}a^2(3) \end{aligned}$$

Mathematica [A] time = 0.04, size = 223, normalized size = 1.05

$$\frac{1}{2}a^3cx^2 + \frac{1}{3}a^3dx^3 + \frac{1}{4}a^3ex^4 + \frac{1}{5}a^2x^5(af+3bc) + \frac{1}{6}a^2x^6(ag+3bd) + \frac{1}{7}a^2x^7(ah+3be) + \frac{1}{11}b^2x^{11}(3af+bc) + \frac{1}{12}b^2x^{12}(3ag+$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (a^3*c*x^2)/2 + (a^3*d*x^3)/3 + (a^3*e*x^4)/4 + (a^2*(3*b*c + a*f)*x^5)/5 + (a^2*(3*b*d + a*g)*x^6)/6 + (a^2*(3*b*e + a*h)*x^7)/7 + (3*a*b*(b*c + a*f)*x^8)/8 + (a*b*(b*d + a*g)*x^9)/3 + (3*a*b*(b*e + a*h)*x^10)/10 + (b^2*(b*c + 3*a*f)*x^11)/11 + (b^2*(b*d + 3*a*g)*x^12)/12 + (b^2*(b*e + 3*a*h)*x^13)/13 + (b^3*f*x^14)/14 + (b^3*g*x^15)/15 + (b^3*h*x^16)/16

fricas [A] time = 0.37, size = 229, normalized size = 1.08

$$\frac{1}{16}x^{16}hb^3 + \frac{1}{15}x^{15}gb^3 + \frac{1}{14}x^{14}fb^3 + \frac{1}{13}x^{13}eb^3 + \frac{3}{13}x^{13}hb^2a + \frac{1}{12}x^{12}db^3 + \frac{1}{4}x^{12}gb^2a + \frac{1}{11}x^{11}cb^3 + \frac{3}{11}x^{11}fb^2a + \frac{3}{10}x^{10}eb^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/16*x^16*h*b^3 + 1/15*x^15*g*b^3 + 1/14*x^14*f*b^3 + 1/13*x^13*e*b^3 + 3/13*x^13*h*b^2*a + 1/12*x^12*d*b^3 + 1/4*x^12*g*b^2*a + 1/11*x^11*c*b^3 + 3/11*x^11*f*b^2*a + 3/10*x^10*e*b^2*a + 3/10*x^10*h*b*a^2 + 1/3*x^9*d*b^2*a + 1/3*x^9*g*b*a^2 + 3/8*x^8*c*b^2*a + 3/8*x^8*f*b*a^2 + 3/7*x^7*e*b*a^2 + 1/7*x^7*h*a^3 + 1/2*x^6*d*b*a^2 + 1/6*x^6*g*a^3 + 3/5*x^5*c*b*a^2 + 1/5*x^5*f*a^3 + 1/4*x^4*e*a^3 + 1/3*x^3*d*a^3 + 1/2*x^2*c*a^3

giac [A] time = 0.17, size = 233, normalized size = 1.10

$$\frac{1}{16}b^3hx^{16} + \frac{1}{15}b^3gx^{15} + \frac{1}{14}b^3fx^{14} + \frac{3}{13}ab^2hx^{13} + \frac{1}{13}b^3x^{13}e + \frac{1}{12}b^3dx^{12} + \frac{1}{4}ab^2gx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{11}ab^2fx^{11} + \frac{3}{10}a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] $\frac{1}{16}b^3hx^{16} + \frac{1}{15}b^3gx^{15} + \frac{1}{14}b^3fx^{14} + \frac{3}{13}ab^2hx^{13} + \frac{1}{13}b^3ex^{13} + \frac{1}{12}b^3dx^{12} + \frac{1}{4}a^2b^2gx^{12} + \frac{1}{11}b^3cx^{11} + \frac{3}{11}ab^2fx^{11} + \frac{3}{10}a^2b^2hx^{10} + \frac{3}{10}ab^2ex^{10} + \frac{1}{3}ab^2dx^9 + \frac{1}{3}a^2b^2gx^9 + \frac{3}{8}ab^2cx^8 + \frac{3}{8}a^2b^2fx^8 + \frac{1}{7}a^3hx^7 + \frac{3}{7}a^2b^2ex^7 + \frac{1}{2}a^2b^2dx^6 + \frac{1}{6}a^3gx^6 + \frac{3}{5}a^2b^2cx^5 + \frac{1}{5}a^3fx^5 + \frac{1}{4}a^3ex^4 + \frac{1}{3}a^3dx^3 + \frac{1}{2}a^3cx^2$

maple [A] time = 0.04, size = 224, normalized size = 1.06

$$\frac{b^3hx^{16}}{16} + \frac{b^3gx^{15}}{15} + \frac{b^3fx^{14}}{14} + \frac{(3ab^2h + b^3e)x^{13}}{13} + \frac{(3ab^2g + b^3d)x^{12}}{12} + \frac{(3ab^2f + b^3c)x^{11}}{11} + \frac{(3a^2bh + 3aeb^2)x^{10}}{10} + \frac{(3a^2b^2g + 3a^2b^2d)x^9}{9} + \frac{(3a^2b^2fx + 3a^2b^2e)x^8}{8} + \frac{(a^3hx^7 + 3a^2b^2ex^6 + 3a^2b^2dx^5 + 3a^3gx^4 + 3a^2b^2cx^3 + 3a^3fx^2 + 3a^3ex + 3a^3d)x^3}{3} + \frac{3a^3cx^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] $\frac{1}{16}b^3hx^{16} + \frac{1}{15}b^3gx^{15} + \frac{1}{14}b^3fx^{14} + \frac{1}{13}(3ab^2h + b^3e)x^{13} + \frac{1}{12}(3ab^2g + b^3d)x^{12} + \frac{1}{11}(3ab^2f + b^3c)x^{11} + \frac{1}{10}(3a^2bh + 3aeb^2)x^{10} + \frac{1}{9}(3a^2b^2g + 3a^2b^2d)x^9 + \frac{1}{8}(3a^2b^2fx + 3a^2b^2e)x^8 + \frac{1}{7}(a^3hx^7 + 3a^2b^2ex^6 + 3a^2b^2dx^5 + 3a^3gx^4 + 3a^2b^2cx^3 + 3a^3fx^2 + 3a^3ex + 3a^3d)x^3 + \frac{3a^3cx^2}{2}$

maxima [A] time = 1.35, size = 217, normalized size = 1.02

$$\frac{1}{16}b^3hx^{16} + \frac{1}{15}b^3gx^{15} + \frac{1}{14}b^3fx^{14} + \frac{1}{13}(b^3e + 3ab^2h)x^{13} + \frac{1}{12}(b^3d + 3ab^2g)x^{12} + \frac{1}{11}(b^3c + 3ab^2f)x^{11} + \frac{3}{10}(ab^2e + a^2b^2h)x^{10} + \frac{3}{10}(ab^2d + a^2b^2g)x^9 + \frac{3}{8}(ab^2c + a^2b^2f)x^8 + \frac{1}{4}a^3ex^4 + \frac{1}{7}(3a^2b^2e + a^3h)x^7 + \frac{1}{3}a^3dx^3 + \frac{1}{6}(3a^2b^2d + a^3g)x^6 + \frac{1}{2}a^3cx^2 + \frac{1}{5}(3a^2b^2c + a^3f)x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] $\frac{1}{16}b^3hx^{16} + \frac{1}{15}b^3gx^{15} + \frac{1}{14}b^3fx^{14} + \frac{1}{13}(b^3e + 3ab^2h)x^{13} + \frac{1}{12}(b^3d + 3ab^2g)x^{12} + \frac{1}{11}(b^3c + 3ab^2f)x^{11} + \frac{3}{10}(ab^2e + a^2b^2h)x^{10} + \frac{1}{3}(ab^2d + a^2b^2g)x^9 + \frac{3}{8}(ab^2c + a^2b^2f)x^8 + \frac{1}{4}a^3ex^4 + \frac{1}{7}(3a^2b^2e + a^3h)x^7 + \frac{1}{3}a^3dx^3 + \frac{1}{6}(3a^2b^2d + a^3g)x^6 + \frac{1}{2}a^3cx^2 + \frac{1}{5}(3a^2b^2c + a^3f)x^5$

mupad [B] time = 0.16, size = 205, normalized size = 0.97

$$x^5 \left(\frac{fa^3}{5} + \frac{3bca^2}{5} \right) + x^{11} \left(\frac{cb^3}{11} + \frac{3afb^2}{11} \right) + x^6 \left(\frac{ga^3}{6} + \frac{bda^2}{2} \right) + x^{12} \left(\frac{db^3}{12} + \frac{agb^2}{4} \right) + x^7 \left(\frac{ha^3}{7} + \frac{3bea^2}{7} \right) + x^{13} \left(\frac{e}{1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x)`

[Out] $x^5*((a^3f)/5 + (3a^2bc)/5) + x^{11}*((b^3c)/11 + (3ab^2f)/11) + x^6*((a^3g)/6 + (a^2bd)/2) + x^{12}*((b^3d)/12 + (ab^2g)/4) + x^7*((a^3h)/7 + (3a^2be)/7) + x^{13}*((b^3e)/13 + (3ab^2h)/13) + (a^3cx^2)/2 + (a^3dx^3)/3 + (a^3ex^4)/4 + (b^3fx^{14})/14 + (b^3gx^{15})/15 + (b^3hx^{16})/16 + (3abx^8(bc + af))/8 + (abx^9(bd + ag))/3 + (3abx^{10}(be + ah))/10$

sympy [A] time = 0.11, size = 246, normalized size = 1.16

$$\frac{a^3cx^2}{2} + \frac{a^3dx^3}{3} + \frac{a^3ex^4}{4} + \frac{b^3fx^{14}}{14} + \frac{b^3gx^{15}}{15} + \frac{b^3hx^{16}}{16} + x^{13} \left(\frac{3ab^2h}{13} + \frac{b^3e}{13} \right) + x^{12} \left(\frac{ab^2g}{4} + \frac{b^3d}{12} \right) + x^{11} \left(\frac{3ab^2f}{11} + \frac{b^3c}{11} \right) + x^7 \left(\frac{a^3h}{7} + \frac{3a^2be}{7} \right) + x^6 \left(\frac{a^3g}{6} + \frac{a^2bd}{2} \right) + x^5 \left(\frac{a^3f}{5} + \frac{3a^2bc}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] $a**3*c*x**2/2 + a**3*d*x**3/3 + a**3*e*x**4/4 + b**3*f*x**14/14 + b**3*g*x**15/15 + b**3*h*x**16/16 + x**13*(3*a*b**2*h/13 + b**3*e/13) + x**12*(a*b**2*g/4 + b**3*d/12) + x**11*(3*a*b**2*f/11 + b**3*c/11) + x**10*(3*a**2*b*h/10 + 3*a*b**2*e/10) + x**9*(a**2*b*g/3 + a*b**2*d/3) + x**8*(3*a**2*b*f/8 + 3*a*b**2*c/8) + x**7*(a**3*h/7 + 3*a**2*b*e/7) + x**6*(a**3*g/6 + a**2*b*d/2) + x**5*(a**3*f/5 + 3*a**2*b*c/5)$

$$3.397 \quad \int (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx$$

Optimal. Leaf size=207

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{6}a^3hx^6 + \frac{1}{4}a^2x^4(af+3bc) + \frac{1}{5}a^2x^5(ag+3bd) + \frac{1}{3}a^2bhx^9 + \frac{1}{10}b^2x^{10}(3af+bc) + \frac{1}{11}b^2x^{11}(3ag+bd) + \frac{1}{4}ab^2x^{12} + \frac{1}{12}b^3gx^{13} + \frac{1}{14}b^3hx^{14} + \frac{1}{15}b^3ex^{15} + \frac{1}{12}e(bx^3+a)^4/b$$

[Out] $a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{6}a^3hx^6 + \frac{1}{4}a^2x^4(af+3bc) + \frac{1}{5}a^2x^5(ag+3bd) + \frac{1}{3}a^2bhx^9 + \frac{1}{10}b^2x^{10}(3af+bc) + \frac{1}{11}b^2x^{11}(3ag+bd) + \frac{1}{4}ab^2x^{12} + \frac{1}{12}b^3gx^{13} + \frac{1}{14}b^3hx^{14} + \frac{1}{15}b^3ex^{15} + \frac{1}{12}e(bx^3+a)^4/b$

Rubi [A] time = 0.18, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1582, 1850}

$$\frac{1}{4}a^2x^4(af+3bc) + \frac{1}{5}a^2x^5(ag+3bd) + \frac{1}{3}a^2bhx^9 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{6}a^3hx^6 + \frac{1}{10}b^2x^{10}(3af+bc) + \frac{1}{11}b^2x^{11}(3ag+bd) + \frac{1}{4}ab^2x^{12} + \frac{1}{12}b^3gx^{13} + \frac{1}{14}b^3hx^{14} + \frac{1}{15}b^3ex^{15} + \frac{1}{12}e(bx^3+a)^4/b$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x]

[Out] $a^3cx + (a^3dx^2)/2 + (a^2*(3b^3c + a^3f)*x^4)/4 + (a^2*(3b^3d + a^3g)*x^5)/5 + (a^3hx^6)/6 + (3a^2b*(b^3c + a^3f)*x^7)/7 + (3a^2b*(b^3d + a^3g)*x^8)/8 + (a^2b^2hx^9)/3 + (b^2*(b^3c + 3a^3f)*x^{10})/10 + (b^2*(b^3d + 3a^3g)*x^{11})/11 + (a^2b^2hx^{12})/4 + (b^3fx^{13})/13 + (b^3gx^{14})/14 + (b^3hx^{15})/15 + (e*(a + b*x^3)^4)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_.))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5) dx &= \frac{e(a + bx^3)^4}{12b} + \int (a + bx^3)^3 (c + dx + fx^3 + gx^4 + hx^5) dx \\ &= \frac{e(a + bx^3)^4}{12b} + \int (a^3c + a^3dx + a^2(3bc + af)x^3 + a^2(3bd + ag)x^5 + \dots) dx \\ &= a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{4}a^2(3bc + af)x^4 + \frac{1}{5}a^2(3bd + ag)x^5 + \frac{1}{6}a^2hx^6 + \dots \end{aligned}$$

Mathematica [A] time = 0.11, size = 170, normalized size = 0.82

$$x(2002a^3(60c + x(30d + x(20e + 15fx + 12gx^2 + 10hx^3))) + 143a^2bx^3(630c + x(504d + 5x(84e + x(72f + 7x(9g + 8hx)))))))/120120$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5),x]

[Out] (x*(13*a*b^2*x^6*(3960*c + 7*x*(495*d + 440*e*x + 6*x^2*(66*f + 60*g*x + 55*h*x^2))) + 2002*a^3*(60*c + x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3))) + 2*b^3*x^9*(6006*c + x*(5460*d + 11*x*(455*e + 420*f*x + 390*g*x^2 + 364*h*x^3))) + 143*a^2*b*x^3*(630*c + x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x)))))))/120120

fricas [A] time = 0.37, size = 226, normalized size = 1.09

$$\frac{1}{15}x^{15}hb^3 + \frac{1}{14}x^{14}gb^3 + \frac{1}{13}x^{13}fb^3 + \frac{1}{12}x^{12}eb^3 + \frac{1}{4}x^{12}hb^2a + \frac{1}{11}x^{11}db^3 + \frac{3}{11}x^{11}gb^2a + \frac{1}{10}x^{10}cb^3 + \frac{3}{10}x^{10}fb^2a + \frac{1}{3}x^9eb^2a + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] 1/15*x^15*h*b^3 + 1/14*x^14*g*b^3 + 1/13*x^13*f*b^3 + 1/12*x^12*e*b^3 + 1/4*x^12*h*b^2*a + 1/11*x^11*d*b^3 + 3/11*x^11*g*b^2*a + 1/10*x^10*c*b^3 + 3/10*x^10*f*b^2*a + 1/3*x^9*e*b^2*a + 1/3*x^9*h*b*a^2 + 3/8*x^8*d*b^2*a + 3/8*x^8*g*b*a^2 + 3/7*x^7*c*b^2*a + 3/7*x^7*f*b*a^2 + 1/2*x^6*e*b*a^2 + 1/6*x^6*h*a^3 + 3/5*x^5*d*b*a^2 + 1/5*x^5*g*a^3 + 3/4*x^4*c*b*a^2 + 1/4*x^4*f*a^3 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3

giac [A] time = 0.15, size = 230, normalized size = 1.11

$$\frac{1}{15} b^3 h x^{15} + \frac{1}{14} b^3 g x^{14} + \frac{1}{13} b^3 f x^{13} + \frac{1}{4} a b^2 h x^{12} + \frac{1}{12} b^3 x^{12} e + \frac{1}{11} b^3 d x^{11} + \frac{3}{11} a b^2 g x^{11} + \frac{1}{10} b^3 c x^{10} + \frac{3}{10} a b^2 f x^{10} + \frac{1}{3} a^2 b h x^9$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] 1/15*b^3*h*x^15 + 1/14*b^3*g*x^14 + 1/13*b^3*f*x^13 + 1/4*a*b^2*h*x^12 + 1/12*b^3*x^12*e + 1/11*b^3*d*x^11 + 3/11*a*b^2*g*x^11 + 1/10*b^3*c*x^10 + 3/10*a*b^2*f*x^10 + 1/3*a^2*b*h*x^9 + 1/3*a*b^2*x^9*e + 3/8*a*b^2*d*x^8 + 3/8*a^2*b*g*x^8 + 3/7*a*b^2*c*x^7 + 3/7*a^2*b*f*x^7 + 1/6*a^3*h*x^6 + 1/2*a^2*b*x^6*e + 3/5*a^2*b*d*x^5 + 1/5*a^3*g*x^5 + 3/4*a^2*b*c*x^4 + 1/4*a^3*f*x^4 + 1/3*a^3*x^3*e + 1/2*a^3*d*x^2 + a^3*c*x

maple [A] time = 0.04, size = 221, normalized size = 1.07

$$\frac{b^3 h x^{15}}{15} + \frac{b^3 g x^{14}}{14} + \frac{b^3 f x^{13}}{13} + \frac{(3 a b^2 h + b^3 e) x^{12}}{12} + \frac{(3 a b^2 g + b^3 d) x^{11}}{11} + \frac{(3 a b^2 f + b^3 c) x^{10}}{10} + \frac{(3 a^2 b h + 3 a e b^2) x^9}{9} + \frac{(3 a^2 b g + 3 a d b^2) x^8}{8} + \frac{(3 a^2 b f + 3 a^2 b^2 c) x^7}{7} + \frac{a^3 h x^6}{6} + \frac{a^2 b x^6 e}{2} + \frac{3 a^2 b d x^5}{5} + \frac{a^3 g x^5}{4} + \frac{3 a^2 b c x^4}{4} + \frac{a^3 f x^4}{4} + \frac{a^3 e x^3}{3} + \frac{a^3 d x^2}{2} + a^3 c x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] 1/15*b^3*h*x^15+1/14*b^3*g*x^14+1/13*b^3*f*x^13+1/12*(3*a*b^2*h+b^3*e)*x^12+1/11*(3*a*b^2*g+b^3*d)*x^11+1/10*(3*a*b^2*f+b^3*c)*x^10+1/9*(3*a^2*b*h+3*a*b^2*e)*x^9+1/8*(3*a^2*b*g+3*a*b^2*d)*x^8+1/7*(3*a^2*b*f+3*a*b^2*c)*x^7+1/6*(a^3*h+3*a^2*b*e)*x^6+1/5*(a^3*g+3*a^2*b*d)*x^5+1/4*(a^3*f+3*a^2*b*c)*x^4+1/3*a^3*e*x^3+1/2*a^3*d*x^2+a^3*c*x

maxima [A] time = 1.34, size = 214, normalized size = 1.03

$$\frac{1}{15} b^3 h x^{15} + \frac{1}{14} b^3 g x^{14} + \frac{1}{13} b^3 f x^{13} + \frac{1}{12} (b^3 e + 3 a b^2 h) x^{12} + \frac{1}{11} (b^3 d + 3 a b^2 g) x^{11} + \frac{1}{10} (b^3 c + 3 a b^2 f) x^{10} + \frac{1}{3} (a b^2 e + a^2 b h) x^9$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] 1/15*b^3*h*x^15 + 1/14*b^3*g*x^14 + 1/13*b^3*f*x^13 + 1/12*(b^3*e + 3*a*b^2*h)*x^12 + 1/11*(b^3*d + 3*a*b^2*g)*x^11 + 1/10*(b^3*c + 3*a*b^2*f)*x^10 + 1/3*(a*b^2*e + a^2*b*h)*x^9 + 3/8*(a*b^2*d + a^2*b*g)*x^8 + 3/7*(a*b^2*c + a^2*b*f)*x^7 + 1/3*a^3*e*x^3 + 1/6*(3*a^2*b*e + a^3*h)*x^6 + 1/2*a^3*d*x^2 + 1/5*(3*a^2*b*d + a^3*g)*x^5 + a^3*c*x + 1/4*(3*a^2*b*c + a^3*f)*x^4

mupad [B] time = 0.16, size = 202, normalized size = 0.98

$$x^4 \left(\frac{f a^3}{4} + \frac{3 b c a^2}{4} \right) + x^{10} \left(\frac{c b^3}{10} + \frac{3 a f b^2}{10} \right) + x^5 \left(\frac{g a^3}{5} + \frac{3 b d a^2}{5} \right) + x^{11} \left(\frac{d b^3}{11} + \frac{3 a g b^2}{11} \right) + x^6 \left(\frac{h a^3}{6} + \frac{b e a^2}{2} \right) + x^{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5), x)

[Out] x^4*((a^3*f)/4 + (3*a^2*b*c)/4) + x^10*((b^3*c)/10 + (3*a*b^2*f)/10) + x^5*((a^3*g)/5 + (3*a^2*b*d)/5) + x^11*((b^3*d)/11 + (3*a*b^2*g)/11) + x^6*((a^3*h)/6 + (a^2*b*e)/2) + x^12*((b^3*e)/12 + (a*b^2*h)/4) + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (b^3*f*x^13)/13 + (b^3*g*x^14)/14 + (b^3*h*x^15)/15 + a^3*c*x + (3*a*b*x^7*(b*c + a*f))/7 + (3*a*b*x^8*(b*d + a*g))/8 + (a*b*x^9*(b*e + a*h))/3

sympy [A] time = 0.12, size = 243, normalized size = 1.17

$$a^3cx + \frac{a^3dx^2}{2} + \frac{a^3ex^3}{3} + \frac{b^3fx^{13}}{13} + \frac{b^3gx^{14}}{14} + \frac{b^3hx^{15}}{15} + x^{12} \left(\frac{ab^2h}{4} + \frac{b^3e}{12} \right) + x^{11} \left(\frac{3ab^2g}{11} + \frac{b^3d}{11} \right) + x^{10} \left(\frac{3ab^2f}{10} + \frac{b^3c}{10} \right) + x^9$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c), x)

[Out] a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + b**3*f*x**13/13 + b**3*g*x**14/14 + b**3*h*x**15/15 + x**12*(a*b**2*h/4 + b**3*e/12) + x**11*(3*a*b**2*g/11 + b**3*d/11) + x**10*(3*a*b**2*f/10 + b**3*c/10) + x**9*(a**2*b*h/3 + a*b**2*e/3) + x**8*(3*a**2*b*g/8 + 3*a*b**2*d/8) + x**7*(3*a**2*b*f/7 + 3*a*b**2*c/7) + x**6*(a**3*h/6 + a**2*b*e/2) + x**5*(a**3*g/5 + 3*a**2*b*d/5) + x**4*(a**3*f/4 + 3*a**2*b*c/4)

$$3.398 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx$$

Optimal. Leaf size=200

$$a^3 c \log(x) + a^3 dx + \frac{1}{2} a^3 ex^2 + a^2 bcx^3 + \frac{1}{4} a^2 x^4 (ag+3bd) + \frac{1}{5} a^2 x^5 (ah+3be) + \frac{1}{2} ab^2 cx^6 + \frac{1}{10} b^2 x^{10} (3ag+bd) + \frac{1}{11} b^2 x^{11} (3ah+$$

[Out] $a^3 d x + \frac{1}{2} a^3 e x^2 + a^2 b c x^3 + \frac{1}{4} a^2 (a g + 3 b d) x^4 + \frac{1}{5} a^2 (a h + 3 b e) x^5 + \frac{1}{2} a b^2 c x^6 + \frac{3}{7} a b (a g + b d) x^7 + \frac{3}{8} a b (a h + b e) x^8 + \frac{1}{9} b^3 c x^9 + \frac{1}{10} b^2 (3 a g + b d) x^{10} + \frac{1}{11} b^2 (3 a h + b e) x^{11} + \frac{1}{13} b^3 g x^{13} + \frac{1}{14} b^3 h x^{14} + \frac{1}{12} f (b x^3 + a)^4 / b + a^3 c \ln(x)$

Rubi [A] time = 0.15, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$a^2 bcx^3 + \frac{1}{4} a^2 x^4 (ag+3bd) + \frac{1}{5} a^2 x^5 (ah+3be) + a^3 c \log(x) + a^3 dx + \frac{1}{2} a^3 ex^2 + \frac{1}{2} ab^2 cx^6 + \frac{1}{10} b^2 x^{10} (3ag+bd) + \frac{1}{11} b^2 x^{11} (3ah+$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] $a^3 d x + (a^3 e x^2) / 2 + a^2 b c x^3 + (a^2 (3 b d + a g) x^4) / 4 + (a^2 (3 b e + a h) x^5) / 5 + (a b^2 c x^6) / 2 + (3 a b (b d + a g) x^7) / 7 + (3 a b (b e + a h) x^8) / 8 + (b^3 c x^9) / 9 + (b^2 (b d + 3 a g) x^{10}) / 10 + (b^2 (b e + 3 a h) x^{11}) / 11 + (b^3 g x^{13}) / 13 + (b^3 h x^{14}) / 14 + (f (a + b x^3)^4) / (12 b) + a^3 c \text{Log}[x]$

Rule 1583

Int[(Px_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coe ff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coe ff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int \frac{(a+bx^3)^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{x} dx &= \frac{f(a+bx^3)^4}{12b} + \int \frac{(a+bx^3)^3(c+dx+ex^2+gx^4+hx^5)}{x} dx \\ &= \frac{f(a+bx^3)^4}{12b} + \int \left(a^3d + \frac{a^3c}{x} + a^3ex + 3a^2bcx^2 + a^2(3bd+ag)x^3 \right. \\ &\quad \left. + a^2(3be+ah)x^4 + \frac{1}{5}a^2(3ag+bh)x^5 \right) dx \\ &= a^3dx + \frac{1}{2}a^3ex^2 + a^2bcx^3 + \frac{1}{4}a^2(3bd+ag)x^4 + \frac{1}{5}a^2(3be+ah)x^5 + \frac{1}{10}a^2(3ag+bh)x^6 \end{aligned}$$

Mathematica [A] time = 0.13, size = 214, normalized size = 1.07

$$a^3c \log(x) + a^3dx + \frac{1}{2}a^3ex^2 + \frac{1}{3}a^2x^3(af+3bc) + \frac{1}{4}a^2x^4(ag+3bd) + \frac{1}{5}a^2x^5(ah+3be) + \frac{1}{9}b^2x^9(3af+bc) + \frac{1}{10}b^2x^{10}(3ag+bh)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x]

[Out] a^3*d*x + (a^3*e*x^2)/2 + (a^2*(3*b*c + a*f)*x^3)/3 + (a^2*(3*b*d + a*g)*x^4)/4 + (a^2*(3*b*e + a*h)*x^5)/5 + (a*b*(b*c + a*f)*x^6)/2 + (3*a*b*(b*d + a*g)*x^7)/7 + (3*a*b*(b*e + a*h)*x^8)/8 + (b^2*(b*c + 3*a*f)*x^9)/9 + (b^2*(b*d + 3*a*g)*x^10)/10 + (b^2*(b*e + 3*a*h)*x^11)/11 + (b^3*f*x^12)/12 + (b^3*g*x^13)/13 + (b^3*h*x^14)/14 + a^3*c*Log[x]

fricas [A] time = 0.42, size = 212, normalized size = 1.06

$$\frac{1}{14}b^3hx^{14} + \frac{1}{13}b^3gx^{13} + \frac{1}{12}b^3fx^{12} + \frac{1}{11}(b^3e + 3ab^2h)x^{11} + \frac{1}{10}(b^3d + 3ab^2g)x^{10} + \frac{1}{9}(b^3c + 3ab^2f)x^9 + \frac{3}{8}(ab^2e + a^2b^2h)x^8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="fricas")

[Out] 1/14*b^3*h*x^14 + 1/13*b^3*g*x^13 + 1/12*b^3*f*x^12 + 1/11*(b^3*e + 3*a*b^2*h)*x^11 + 1/10*(b^3*d + 3*a*b^2*g)*x^10 + 1/9*(b^3*c + 3*a*b^2*f)*x^9 + 3/8*(a*b^2*e + a^2*b^2*h)*x^8 + 3/7*(a*b^2*d + a^2*b^2*g)*x^7 + 1/2*(a*b^2*c + a^2*b^2*f)*x^6 + 1/2*a^3*e*x^2 + 1/5*(3*a^2*b*e + a^3*h)*x^5 + a^3*d*x + 1/4*(3*a^2*b*d + a^3*g)*x^4 + a^3*c*log(x) + 1/3*(3*a^2*b*c + a^3*f)*x^3

giac [A] time = 0.16, size = 228, normalized size = 1.14

$$\frac{1}{14}b^3hx^{14} + \frac{1}{13}b^3gx^{13} + \frac{1}{12}b^3fx^{12} + \frac{3}{11}ab^2hx^{11} + \frac{1}{11}b^3x^{11}e + \frac{1}{10}b^3dx^{10} + \frac{3}{10}ab^2gx^{10} + \frac{1}{9}b^3cx^9 + \frac{1}{3}ab^2fx^9 + \frac{3}{8}a^2bhx^8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="giac")

[Out] $\frac{1}{14}b^3hx^{14} + \frac{1}{13}b^3gx^{13} + \frac{1}{12}b^3fx^{12} + \frac{3}{11}a^3b^2hx^{11} + \frac{1}{11}b^3ex^{11} + \frac{1}{10}b^3dx^{10} + \frac{3}{10}a^3b^2gx^{10} + \frac{1}{9}b^3cx^9 + \frac{1}{3}a^3b^2fx^9 + \frac{3}{8}a^2b^3hx^8 + \frac{3}{8}a^3b^2ex^8 + \frac{3}{7}a^3b^2dx^7 + \frac{3}{7}a^2b^3gx^7 + \frac{1}{2}a^3b^2cx^6 + \frac{1}{2}a^2b^3fx^6 + \frac{1}{5}a^3h^2x^5 + \frac{3}{5}a^2b^3ex^5 + \frac{3}{4}a^2b^3dx^4 + \frac{1}{4}a^3g^2x^4 + a^2b^3cx^3 + \frac{1}{3}a^3fx^3 + \frac{1}{2}a^3x^2e + a^3dx + a^3c \cdot \log(\text{abs}(x))$

maple [A] time = 0.05, size = 224, normalized size = 1.12

$$\frac{b^3hx^{14}}{14} + \frac{b^3gx^{13}}{13} + \frac{b^3fx^{12}}{12} + \frac{3a^3b^2hx^{11}}{11} + \frac{b^3ex^{11}}{11} + \frac{3a^3b^2gx^{10}}{10} + \frac{b^3dx^{10}}{10} + \frac{a^3b^2fx^9}{3} + \frac{b^3cx^9}{9} + \frac{3a^2b^3hx^8}{8} + \frac{3a^3b^2ex^8}{8} + \frac{3a^3b^2dx^7}{8} + \frac{3a^2b^3gx^7}{8} + \frac{1}{2}a^3b^2cx^6 + \frac{1}{2}a^2b^3fx^6 + \frac{1}{5}a^3h^2x^5 + \frac{3}{5}a^2b^3ex^5 + \frac{3}{4}a^2b^3dx^4 + \frac{1}{4}a^3g^2x^4 + a^2b^3cx^3 + \frac{1}{3}a^3fx^3 + \frac{1}{2}a^3x^2e + a^3dx + a^3c \cdot \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x)

[Out] $\frac{1}{14}b^3hx^{14} + \frac{1}{13}b^3gx^{13} + \frac{1}{12}b^3fx^{12} + \frac{3}{11}a^3b^2hx^{11} + \frac{1}{11}b^3ex^{11} + \frac{1}{10}b^3dx^{10} + \frac{3}{10}a^3b^2gx^{10} + \frac{1}{9}b^3cx^9 + \frac{1}{3}a^3b^2fx^9 + \frac{3}{8}a^2b^3hx^8 + \frac{3}{8}a^3b^2ex^8 + \frac{3}{7}a^3b^2dx^7 + \frac{3}{7}a^2b^3gx^7 + \frac{1}{2}a^3b^2cx^6 + \frac{1}{2}a^2b^3fx^6 + \frac{1}{5}a^3h^2x^5 + \frac{3}{5}a^2b^3ex^5 + \frac{1}{4}a^3g^2x^4 + \frac{3}{4}a^2b^3dx^4 + \frac{1}{3}a^3fx^3 + \frac{1}{2}a^3x^2e + a^3dx + a^3c \cdot \ln(x)$

maxima [A] time = 1.42, size = 212, normalized size = 1.06

$$\frac{1}{14}b^3hx^{14} + \frac{1}{13}b^3gx^{13} + \frac{1}{12}b^3fx^{12} + \frac{1}{11}(b^3e + 3ab^2h)x^{11} + \frac{1}{10}(b^3d + 3ab^2g)x^{10} + \frac{1}{9}(b^3c + 3ab^2f)x^9 + \frac{3}{8}(ab^2e + a^2b^3h)x^8 + \frac{3}{8}(a^3b^2e + a^2b^3g)x^7 + \frac{1}{2}(a^3b^2c + a^2b^3f)x^6 + \frac{1}{2}a^3h^2x^5 + \frac{3}{5}(a^2b^3e + a^3b^2d)x^4 + \frac{1}{4}(3a^2b^3d + a^3g^2)x^4 + a^2b^3cx^3 + \frac{1}{3}a^3fx^3 + \frac{1}{2}a^3x^2e + a^3dx + a^3c \cdot \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="maxima")

[Out] $\frac{1}{14}b^3hx^{14} + \frac{1}{13}b^3gx^{13} + \frac{1}{12}b^3fx^{12} + \frac{1}{11}(b^3e + 3a^3b^2h)x^{11} + \frac{1}{10}(b^3d + 3a^3b^2g)x^{10} + \frac{1}{9}(b^3c + 3a^3b^2f)x^9 + \frac{3}{8}(a^3b^2e + a^2b^3h)x^8 + \frac{3}{8}(a^3b^2e + a^2b^3g)x^7 + \frac{1}{2}(a^3b^2c + a^2b^3f)x^6 + \frac{1}{2}a^3h^2x^5 + \frac{1}{5}(3a^2b^3e + a^3b^2d)x^4 + a^3dx + \frac{1}{4}(3a^2b^3d + a^3g^2)x^4 + a^3c \cdot \log(x) + \frac{1}{3}(3a^2b^3c + a^3f)x^3$

mupad [B] time = 5.11, size = 199, normalized size = 1.00

$$x^3 \left(\frac{fa^3}{3} + bca^2 \right) + x^9 \left(\frac{cb^3}{9} + \frac{afb^2}{3} \right) + x^4 \left(\frac{ga^3}{4} + \frac{3bda^2}{4} \right) + x^{10} \left(\frac{db^3}{10} + \frac{3agb^2}{10} \right) + x^5 \left(\frac{ha^3}{5} + \frac{3bea^2}{5} \right) + x^{11} \left(\frac{eba^3}{11} + \frac{3afba^2}{11} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x,x)`

[Out] $x^3*((a^3f)/3 + a^2bc) + x^9*((b^3c)/9 + (ab^2f)/3) + x^4*((a^3g)/4 + (3a^2bd)/4) + x^{10}*((b^3d)/10 + (3ab^2g)/10) + x^5*((a^3h)/5 + (3a^2be)/5) + x^{11}*((b^3e)/11 + (3ab^2h)/11) + (a^3ex^2)/2 + (b^3fx^{12})/12 + (b^3gx^{13})/13 + (b^3hx^{14})/14 + a^3c \log(x) + a^3dx + (ab^6x^6(b^3c + af))/2 + (3ab^7x^7(b^3d + ag))/7 + (3ab^8x^8(b^3e + ah))/8$

sympy [A] time = 0.54, size = 240, normalized size = 1.20

$$a^3c \log(x) + a^3dx + \frac{a^3ex^2}{2} + \frac{b^3fx^{12}}{12} + \frac{b^3gx^{13}}{13} + \frac{b^3hx^{14}}{14} + x^{11} \left(\frac{3ab^2h}{11} + \frac{b^3e}{11} \right) + x^{10} \left(\frac{3ab^2g}{10} + \frac{b^3d}{10} \right) + x^9 \left(\frac{ab^2f}{3} + \frac{b^3c}{9} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x,x)`

[Out] $a**3*c*\log(x) + a**3*d*x + a**3*e*x**2/2 + b**3*f*x**12/12 + b**3*g*x**13/13 + b**3*h*x**14/14 + x**11*(3*a*b**2*h/11 + b**3*e/11) + x**10*(3*a*b**2*g/10 + b**3*d/10) + x**9*(a*b**2*f/3 + b**3*c/9) + x**8*(3*a**2*b*h/8 + 3*a*b**2*e/8) + x**7*(3*a**2*b*g/7 + 3*a*b**2*d/7) + x**6*(a**2*b*f/2 + a*b**2*c/2) + x**5*(a**3*h/5 + 3*a**2*b*e/5) + x**4*(a**3*g/4 + 3*a**2*b*d/4) + x**3*(a**3*f/3 + a**2*b*c)$

$$3.399 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^2} dx$$

Optimal. Leaf size=198

$$-\frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{1}{2}a^2x^2(af+3bc) + a^2bdx^3 + \frac{1}{4}a^2x^4(ah+3be) + \frac{1}{8}b^2x^8(3af+bc) + \frac{1}{2}ab^2dx^6 + \frac{1}{10}b^2x^{10}(3ah+be)$$

[Out] $-a^3c/x + a^3e*x + 1/2*a^2*(a*f+3*b*c)*x^2 + a^2*b*d*x^3 + 1/4*a^2*(a*h+3*b*e)*x^4 + 3/5*a*b*(a*f+b*c)*x^5 + 1/2*a*b^2*d*x^6 + 3/7*a*b*(a*h+b*e)*x^7 + 1/8*b^2*(3*a*f+b*c)*x^8 + 1/9*b^3*d*x^9 + 1/10*b^2*(3*a*h+b*e)*x^{10} + 1/11*b^3*f*x^{11} + 1/13*b^3*h*x^{13} + 1/12*g*(b*x^3+a)^4/b + a^3*d*\ln(x)$

Rubi [A] time = 0.18, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$\frac{1}{2}a^2x^2(af+3bc) + a^2bdx^3 + \frac{1}{4}a^2x^4(ah+3be) - \frac{a^3c}{x} + a^3d \log(x) + a^3ex + \frac{1}{8}b^2x^8(3af+bc) + \frac{1}{2}ab^2dx^6 + \frac{1}{10}b^2x^{10}(3ah+be) +$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] $-((a^3*c)/x) + a^3*e*x + (a^2*(3*b*c + a*f)*x^2)/2 + a^2*b*d*x^3 + (a^2*(3*b*e + a*h)*x^4)/4 + (3*a*b*(b*c + a*f)*x^5)/5 + (a*b^2*d*x^6)/2 + (3*a*b*(b*e + a*h)*x^7)/7 + (b^2*(b*c + 3*a*f)*x^8)/8 + (b^3*d*x^9)/9 + (b^2*(b*e + 3*a*h)*x^{10})/10 + (b^3*f*x^{11})/11 + (b^3*h*x^{13})/13 + (g*(a + b*x^3)^4)/(12*b) + a^3*d*\text{Log}[x]$

Rule 1583

Int[(Px_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coe ff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coe ff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^2} dx = \frac{g(a + bx^3)^4}{12b} + \int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + hx^5)}{x^2} dx$$

$$= \frac{g(a + bx^3)^4}{12b} + \int \left(a^3e + \frac{a^3c}{x^2} + \frac{a^3d}{x} + a^2(3bc + af)x + 3a^2bx^2 \right) dx$$

$$= -\frac{a^3c}{x} + a^3ex + \frac{1}{2}a^2(3bc + af)x^2 + a^2bdx^3 + \frac{1}{4}a^2(3be + ah)x^4$$

Mathematica [A] time = 0.21, size = 172, normalized size = 0.87

$$a^3 \left(-\frac{c}{x} + ex + \frac{1}{12}x^2(6f + 4gx + 3hx^2) \right) + a^3d \log(x) + \frac{1}{140}a^2bx^2(210c + x(140d + x(105e + 84fx + 70gx^2 + 60hx^3)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x]

[Out] a^3*(-(c/x) + e*x + (x^2*(6*f + 4*g*x + 3*h*x^2))/12) + (b^3*x^8*(6435*c + 5720*d*x + 6*x^2*(858*e + 780*f*x + 715*g*x^2 + 660*h*x^3)))/51480 + (a^2*b*x^2*(210*c + x*(140*d + x*(105*e + 84*f*x + 70*g*x^2 + 60*h*x^3)))/140 + (a*b^2*x^5*(504*c + x*(420*d + x*(360*e + 315*f*x + 280*g*x^2 + 252*h*x^3)))/840 + a^3*d*Log[x]

fricas [A] time = 0.44, size = 219, normalized size = 1.11

$$27720 b^3 h x^{14} + 30030 b^3 g x^{13} + 32760 b^3 f x^{12} + 36036 (b^3 e + 3 a b^2 h) x^{11} + 40040 (b^3 d + 3 a b^2 g) x^{10} + 45045 (b^3 c + 3 a b^2 f) x^9 + 154440 (a b^2 e + a^2 b^2 h) x^8 + 180180 (a b^2 d + a^2 b^2 g) x^7 + 216216 (a b^2 c + a^2 b^2 f) x^6 + 360360 a^3 e x^5 + 90090 (3 a^2 b^2 e + a^3 h) x^5 + 360360 a^3 d x \log(x) + 120120 (3 a^2 b^2 d + a^3 g) x^4 - 360360 a^3 c + 180180 (3 a^2 b^2 c + a^3 f) x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="fricas")

[Out] 1/360360*(27720*b^3*h*x^14 + 30030*b^3*g*x^13 + 32760*b^3*f*x^12 + 36036*(b^3*e + 3*a*b^2*h)*x^11 + 40040*(b^3*d + 3*a*b^2*g)*x^10 + 45045*(b^3*c + 3*a*b^2*f)*x^9 + 154440*(a*b^2*e + a^2*b^2*h)*x^8 + 180180*(a*b^2*d + a^2*b^2*g)*x^7 + 216216*(a*b^2*c + a^2*b^2*f)*x^6 + 360360*a^3*e*x^5 + 90090*(3*a^2*b^2*e + a^3*h)*x^5 + 360360*a^3*d*x*log(x) + 120120*(3*a^2*b^2*d + a^3*g)*x^4 - 360360*a^3*c + 180180*(3*a^2*b^2*c + a^3*f)*x^3)/x

giac [A] time = 0.15, size = 228, normalized size = 1.15

$$\frac{1}{13} b^3 h x^{13} + \frac{1}{12} b^3 g x^{12} + \frac{1}{11} b^3 f x^{11} + \frac{3}{10} a b^2 h x^{10} + \frac{1}{10} b^3 x^{10} e + \frac{1}{9} b^3 d x^9 + \frac{1}{3} a b^2 g x^9 + \frac{1}{8} b^3 c x^8 + \frac{3}{8} a b^2 f x^8 + \frac{3}{7} a^2 b h x^7 + \frac{3}{7} a^3 e x^5 + \frac{3}{7} a^3 d x \log(x) + \frac{3}{7} a^3 g x^4 - \frac{3}{7} a^3 c + \frac{3}{7} a^2 b^2 f x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="giac")

[Out] $\frac{1}{13}b^3hx^{13} + \frac{1}{12}b^3gx^{12} + \frac{1}{11}b^3fx^{11} + \frac{3}{10}a^2b^2hx^{10} + \frac{1}{10}b^3ex^{10} + \frac{1}{9}b^3dx^9 + \frac{1}{3}a^2b^2gx^9 + \frac{1}{8}b^3cx^8 + \frac{3}{8}a^2b^2fx^8 + \frac{3}{7}a^2bhx^7 + \frac{3}{7}a^2b^2ex^7 + \frac{1}{2}a^2b^2dx^6 + \frac{1}{2}a^2b^2gx^6 + \frac{3}{5}a^2b^2cx^5 + \frac{3}{5}a^2b^2fx^5 + \frac{1}{4}a^3hx^4 + \frac{3}{4}a^2b^2ex^4 + a^2b^2dx^3 + \frac{1}{3}a^3gx^3 + \frac{3}{2}a^2b^2cx^2 + \frac{1}{2}a^3fx^2 + a^3ex + a^3d \log(\text{abs}(x)) - a^3c/x$

maple [A] time = 0.05, size = 224, normalized size = 1.13

$$\frac{b^3hx^{13}}{13} + \frac{b^3gx^{12}}{12} + \frac{b^3fx^{11}}{11} + \frac{3a^2b^2hx^{10}}{10} + \frac{b^3ex^{10}}{10} + \frac{a^2b^2gx^9}{3} + \frac{b^3dx^9}{9} + \frac{3a^2b^2fx^8}{8} + \frac{b^3cx^8}{8} + \frac{3a^2bhx^7}{7} + \frac{3a^2b^2ex^7}{7} + \frac{a^2b^2dx^6}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x)

[Out] $\frac{1}{13}b^3hx^{13} + \frac{1}{12}b^3gx^{12} + \frac{1}{11}b^3fx^{11} + \frac{3}{10}a^2b^2hx^{10} + \frac{1}{10}b^3ex^{10} + \frac{1}{9}b^3dx^9 + \frac{1}{3}a^2b^2gx^9 + \frac{1}{8}b^3cx^8 + \frac{3}{7}a^2bhx^7 + \frac{3}{7}a^2b^2ex^7 + \frac{1}{2}a^2b^2dx^6 + \frac{1}{2}a^2b^2gx^6 + \frac{3}{5}a^2b^2cx^5 + \frac{3}{5}a^2b^2fx^5 + \frac{1}{4}a^3hx^4 + \frac{3}{4}a^2b^2ex^4 + \frac{1}{3}a^3gx^3 + a^2b^2dx^3 + \frac{1}{2}a^3fx^2 + \frac{3}{2}a^2b^2cx^2 + a^3ex - a^3c/x + a^3d \ln(x)$

maxima [A] time = 1.29, size = 212, normalized size = 1.07

$$\frac{1}{13}b^3hx^{13} + \frac{1}{12}b^3gx^{12} + \frac{1}{11}b^3fx^{11} + \frac{1}{10}(b^3e + 3a^2b^2h)x^{10} + \frac{1}{9}(b^3d + 3a^2b^2g)x^9 + \frac{1}{8}(b^3c + 3a^2b^2f)x^8 + \frac{3}{7}(a^2b^2e + a^2bhx^7)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="maxima")

[Out] $\frac{1}{13}b^3hx^{13} + \frac{1}{12}b^3gx^{12} + \frac{1}{11}b^3fx^{11} + \frac{1}{10}(b^3e + 3a^2b^2h)x^{10} + \frac{1}{9}(b^3d + 3a^2b^2g)x^9 + \frac{1}{8}(b^3c + 3a^2b^2f)x^8 + \frac{3}{7}(a^2b^2e + a^2bhx^7) + \frac{1}{2}(a^2b^2d + a^2b^2g)x^6 + \frac{3}{5}(a^2b^2c + a^2b^2f)x^5 + a^3ex + \frac{1}{4}(3a^2b^2e + a^3h)x^4 + a^3d \log(x) + \frac{1}{3}(3a^2b^2d + a^3g)x^3 - a^3c/x + \frac{1}{2}(3a^2b^2c + a^3f)x^2$

mupad [B] time = 5.05, size = 199, normalized size = 1.01

$$x^2 \left(\frac{fa^3}{2} + \frac{3bca^2}{2} \right) + x^8 \left(\frac{cb^3}{8} + \frac{3afb^2}{8} \right) + x^3 \left(\frac{ga^3}{3} + bda^2 \right) + x^9 \left(\frac{db^3}{9} + \frac{agb^2}{3} \right) + x^4 \left(\frac{ha^3}{4} + \frac{3bea^2}{4} \right) + x^{10} \left(\frac{eb^3}{10} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^2,x)`

[Out] $x^2*((a^3f)/2 + (3a^2b^3c)/2) + x^8*((b^3c)/8 + (3ab^2f)/8) + x^3*((a^3g)/3 + a^2bd) + x^9*((b^3d)/9 + (ab^2g)/3) + x^4*((a^3h)/4 + (3a^2be)/4) + x^{10}*((b^3e)/10 + (3ab^2h)/10) - (a^3c)/x + (b^3fx^{11})/11 + (b^3gx^{12})/12 + (b^3hx^{13})/13 + a^3d\log(x) + a^3ex + (3ab^2x^5*(bc + af))/5 + (ab^2x^6*(bd + ag))/2 + (3ab^2x^7*(be + ah))/7$

sympy [A] time = 0.51, size = 236, normalized size = 1.19

$$-\frac{a^3c}{x} + a^3d\log(x) + a^3ex + \frac{b^3fx^{11}}{11} + \frac{b^3gx^{12}}{12} + \frac{b^3hx^{13}}{13} + x^{10}\left(\frac{3ab^2h}{10} + \frac{b^3e}{10}\right) + x^9\left(\frac{ab^2g}{3} + \frac{b^3d}{9}\right) + x^8\left(\frac{3ab^2f}{8} + \frac{b^3c}{8}\right) + x^7\left(\frac{3a^2bh}{7} + \frac{3a^2be}{7}\right) + x^6\left(\frac{a^2bg}{2} + \frac{a^2bd}{2}\right) + x^5\left(\frac{3a^2bf}{5} + \frac{3a^2bc}{5}\right) + x^4\left(\frac{a^3h}{4} + \frac{3a^2be}{4}\right) + x^3\left(\frac{a^3g}{3} + a^2bd\right) + x^2\left(\frac{a^3f}{2} + \frac{3a^2bc}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2,x)`

[Out] $-a^3c/x + a^3d\log(x) + a^3ex + b^3fx^{11}/11 + b^3gx^{12}/12 + b^3hx^{13}/13 + x^{10}(3ab^2h/10 + b^3e/10) + x^9(ab^2g/3 + b^3d/9) + x^8(3a^2bh/7 + 3a^2be/7) + x^7(3a^2bf/5 + 3a^2bc/5) + x^6(a^2bg/2 + a^2bd/2) + x^5(3a^2bf/5 + 3a^2bc/5) + x^4(a^3h/4 + 3a^2be/4) + x^3(a^3g/3 + a^2bd) + x^2(a^3f/2 + 3a^2bc/2)$

$$3.400 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^3} dx$$

Optimal. Leaf size=198

$$-\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + a^2x(af+3bc) + \frac{1}{2}a^2x^2(ag+3bd) + a^2bex^3 + \frac{1}{7}b^2x^7(3af+bc) + \frac{1}{8}b^2x^8(3ag+bd) + \frac{1}{2}ab^2ex^6 + \frac{3}{4}abx^4$$

[Out] $-1/2*a^3*c/x^2 - a^3*d/x + a^2*(a*f+3*b*c)*x + 1/2*a^2*(a*g+3*b*d)*x^2 + a^2*b*e*x^3 + 3/4*a*b*(a*f+b*c)*x^4 + 3/5*a*b*(a*g+b*d)*x^5 + 1/2*a*b^2*e*x^6 + 1/7*b^2*(3*a*f+b*c)*x^7 + 1/8*b^2*(3*a*g+b*d)*x^8 + 1/9*b^3*e*x^9 + 1/10*b^3*f*x^10 + 1/11*b^3*g*x^11 + 1/12*h*(b*x^3+a)^4/b + a^3*e*\ln(x)$

Rubi [A] time = 0.20, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1583, 1820}

$$a^2x(af+3bc) + \frac{1}{2}a^2x^2(ag+3bd) + a^2bex^3 - \frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^3e \log(x) + \frac{1}{7}b^2x^7(3af+bc) + \frac{1}{8}b^2x^8(3ag+bd) + \frac{1}{2}ab^2ex^6 + \frac{3}{4}abx^4$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3, x]

[Out] $-(a^3*c)/(2*x^2) - (a^3*d)/x + a^2*(3*b*c + a*f)*x + (a^2*(3*b*d + a*g)*x^2)/2 + a^2*b*e*x^3 + (3*a*b*(b*c + a*f)*x^4)/4 + (3*a*b*(b*d + a*g)*x^5)/5 + (a*b^2*e*x^6)/2 + (b^2*(b*c + 3*a*f)*x^7)/7 + (b^2*(b*d + 3*a*g)*x^8)/8 + (b^3*e*x^9)/9 + (b^3*f*x^10)/10 + (b^3*g*x^11)/11 + (h*(a + b*x^3)^4)/(12*b) + a^3*e*\text{Log}[x]$

Rule 1583

Int[(Px_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - m - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - m - 1]*x^(n - m - 1))*x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n - m, 0] && NeQ[Coeff[Px, x, n - m - 1], 0]

Rule 1820

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{x^3} dx = \frac{h(a + bx^3)^4}{12b} + \int \frac{(a + bx^3)^3 (c + dx + ex^2 + fx^3 + gx^4)}{x^3} dx$$

$$= \frac{h(a + bx^3)^4}{12b} + \int \left(a^2(3bc + af) + \frac{a^3c}{x^3} + \frac{a^3d}{x^2} + \frac{a^3e}{x} + a^2(3bd + ag)x^2 + a^2bex^3 \right) dx$$

$$= -\frac{a^3c}{2x^2} - \frac{a^3d}{x} + a^2(3bc + af)x + \frac{1}{2}a^2(3bd + ag)x^2 + a^2bex^3$$

Mathematica [A] time = 0.15, size = 174, normalized size = 0.88

$$\frac{a^3(-3c - 6dx + x^3(6f + 3gx + 2hx^2))}{6x^2} + a^3e \log(x) + \frac{1}{20}a^2bx(60c + x(30d + x(20e + 15fx + 12gx^2 + 10hx^3)))$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x]

[Out] (a^3*(-3*c - 6*d*x + x^3*(6*f + 3*g*x + 2*h*x^2)))/(6*x^2) + (b^3*x^7*(3960*c + 7*x*(495*d + 440*e*x + 6*x^2*(66*f + 60*g*x + 55*h*x^2))))/27720 + (a^2*b*x*(60*c + x*(30*d + x*(20*e + 15*f*x + 12*g*x^2 + 10*h*x^3))))/20 + (a*b^2*x^4*(630*c + x*(504*d + 5*x*(84*e + x*(72*f + 7*x*(9*g + 8*h*x))))))/84 + a^3*e*Log[x]

fricas [A] time = 0.47, size = 219, normalized size = 1.11

$$\frac{2310 b^3 h x^{14} + 2520 b^3 g x^{13} + 2772 b^3 f x^{12} + 3080 (b^3 e + 3 a b^2 h) x^{11} + 3465 (b^3 d + 3 a b^2 g) x^{10} + 3960 (b^3 c + 3 a b^2 f) x^9 + 13860 (a b^2 e + a^2 b^2 h) x^8 + 16632 (a b^2 d + a^2 b^2 g) x^7 + 20790 (a b^2 c + a^2 b^2 f) x^6 + 27720 a^3 e x^2 \log(x) + 9240 (3 a^2 b^2 e + a^3 h) x^5 - 27720 a^3 d x + 13860 (3 a^2 b^2 d + a^3 g) x^4 - 13860 a^3 c + 27720 (3 a^2 b^2 c + a^3 f) x^3}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="fricas")

[Out] 1/27720*(2310*b^3*h*x^14 + 2520*b^3*g*x^13 + 2772*b^3*f*x^12 + 3080*(b^3*e + 3*a*b^2*h)*x^11 + 3465*(b^3*d + 3*a*b^2*g)*x^10 + 3960*(b^3*c + 3*a*b^2*f)*x^9 + 13860*(a*b^2*e + a^2*b^2*h)*x^8 + 16632*(a*b^2*d + a^2*b^2*g)*x^7 + 20790*(a*b^2*c + a^2*b^2*f)*x^6 + 27720*a^3*e*x^2*log(x) + 9240*(3*a^2*b^2*e + a^3*h)*x^5 - 27720*a^3*d*x + 13860*(3*a^2*b^2*d + a^3*g)*x^4 - 13860*a^3*c + 27720*(3*a^2*b^2*c + a^3*f)*x^3)/x^2

giac [A] time = 0.16, size = 226, normalized size = 1.14

$$\frac{1}{12} b^3 h x^{12} + \frac{1}{11} b^3 g x^{11} + \frac{1}{10} b^3 f x^{10} + \frac{1}{3} a b^2 h x^9 + \frac{1}{9} b^3 x^9 e + \frac{1}{8} b^3 d x^8 + \frac{3}{8} a b^2 g x^8 + \frac{1}{7} b^3 c x^7 + \frac{3}{7} a b^2 f x^7 + \frac{1}{2} a^2 b h x^6 + \frac{1}{2} a b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="giac")

[Out] $\frac{1}{12}b^3hx^{12} + \frac{1}{11}b^3gx^{11} + \frac{1}{10}b^3fx^{10} + \frac{1}{3}a^2b^2hx^9 + \frac{1}{9}b^3x^9e + \frac{1}{8}b^3dx^8 + \frac{3}{8}a^2b^2gx^8 + \frac{1}{7}b^3cx^7 + \frac{3}{7}a^2b^2fx^7 + \frac{1}{2}a^2b^2hx^6 + \frac{1}{2}a^2b^2x^6e + \frac{3}{5}a^2b^2dx^5 + \frac{3}{5}a^2b^2gx^5 + \frac{3}{4}a^2b^2cx^4 + \frac{3}{4}a^2b^2fx^4 + \frac{1}{3}a^3hx^3 + a^2b^2x^3e + \frac{3}{2}a^2b^2dx^2 + \frac{1}{2}a^3gx^2 + 3a^2b^2cx + a^3fx + a^3e \log(\text{abs}(x)) - \frac{1}{2}(2a^3dx + a^3c)/x^2$

maple [A] time = 0.06, size = 222, normalized size = 1.12

$$\frac{b^3hx^{12}}{12} + \frac{b^3gx^{11}}{11} + \frac{b^3fx^{10}}{10} + \frac{a^2b^2hx^9}{3} + \frac{b^3ex^9}{9} + \frac{3a^2b^2gx^8}{8} + \frac{b^3dx^8}{8} + \frac{3a^2b^2fx^7}{7} + \frac{b^3cx^7}{7} + \frac{a^2b^2hx^6}{2} + \frac{a^2b^2ex^6}{2} + \frac{3a^2b^2gx^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x)

[Out] $\frac{1}{12}b^3hx^{12} + \frac{1}{11}b^3gx^{11} + \frac{1}{10}b^3fx^{10} + \frac{1}{3}x^9a^2b^2h + \frac{1}{9}b^3ex^9 + \frac{3}{8}x^8a^2b^2g + \frac{1}{8}b^3dx^8 + \frac{3}{7}x^7a^2b^2f + \frac{1}{7}b^3cx^7 + \frac{1}{2}x^6a^2b^2h + \frac{1}{2}a^2b^2ex^6 + \frac{3}{5}x^5a^2b^2g + \frac{3}{5}a^2b^2dx^5 + \frac{3}{4}x^4a^2b^2f + \frac{3}{4}a^2b^2cx^4 + \frac{1}{3}x^3a^3h + a^2b^2x^3e + \frac{1}{2}x^2a^3g + \frac{3}{2}a^2b^2dx^2 + a^3fx + 3a^2b^2cx - \frac{1}{2}a^3c/x^2 - a^3d/x + a^3e \ln(x)$

maxima [A] time = 1.38, size = 212, normalized size = 1.07

$$\frac{1}{12}b^3hx^{12} + \frac{1}{11}b^3gx^{11} + \frac{1}{10}b^3fx^{10} + \frac{1}{9}(b^3e + 3a^2b^2g)x^9 + \frac{1}{8}(b^3d + 3a^2b^2f)x^8 + \frac{1}{7}(b^3c + 3a^2b^2h)x^7 + \frac{1}{2}(a^2b^2e + a^2bh)x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="maxima")

[Out] $\frac{1}{12}b^3hx^{12} + \frac{1}{11}b^3gx^{11} + \frac{1}{10}b^3fx^{10} + \frac{1}{9}(b^3e + 3a^2b^2h)x^9 + \frac{1}{8}(b^3d + 3a^2b^2g)x^8 + \frac{1}{7}(b^3c + 3a^2b^2f)x^7 + \frac{1}{2}(a^2b^2e + a^2bh)x^6 + \frac{3}{5}(a^2b^2d + a^2b^2g)x^5 + \frac{3}{4}(a^2b^2c + a^2b^2f)x^4 + a^3e \log(x) + \frac{1}{3}(3a^2b^2e + a^3h)x^3 + \frac{1}{2}(3a^2b^2d + a^3g)x^2 + (3a^2b^2c + a^3f)x - \frac{1}{2}(2a^3dx + a^3c)/x^2$

mupad [B] time = 0.14, size = 199, normalized size = 1.01

$$x^7 \left(\frac{cb^3}{7} + \frac{3afb^2}{7} \right) + x^2 \left(\frac{ga^3}{2} + \frac{3bda^2}{2} \right) + x^8 \left(\frac{db^3}{8} + \frac{3agb^2}{8} \right) + x^3 \left(\frac{ha^3}{3} + bea^2 \right) + x^9 \left(\frac{eb^3}{9} + \frac{ahb^2}{3} \right) - \frac{\frac{a^3c}{2} + a^3}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^3,x)`

[Out] $x^7*((b^3*c)/7 + (3*a*b^2*f)/7) + x^2*((a^3*g)/2 + (3*a^2*b*d)/2) + x^8*((b^3*d)/8 + (3*a*b^2*g)/8) + x^3*((a^3*h)/3 + a^2*b*e) + x^9*((b^3*e)/9 + (a*b^2*h)/3) - ((a^3*c)/2 + a^3*d*x)/x^2 + x*(a^3*f + 3*a^2*b*c) + (b^3*f*x^{10})/10 + (b^3*g*x^{11})/11 + (b^3*h*x^{12})/12 + a^3*e*\log(x) + (3*a*b*x^4*(b*c + a*f))/4 + (3*a*b*x^5*(b*d + a*g))/5 + (a*b*x^6*(b*e + a*h))/2$

sympy [A] time = 0.59, size = 238, normalized size = 1.20

$$a^3e \log(x) + \frac{b^3fx^{10}}{10} + \frac{b^3gx^{11}}{11} + \frac{b^3hx^{12}}{12} + x^9 \left(\frac{ab^2h}{3} + \frac{b^3e}{9} \right) + x^8 \left(\frac{3ab^2g}{8} + \frac{b^3d}{8} \right) + x^7 \left(\frac{3ab^2f}{7} + \frac{b^3c}{7} \right) + x^6 \left(\frac{a^2bh}{2} + \frac{ab^2e}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3,x)`

[Out] $a**3*e*\log(x) + b**3*f*x**10/10 + b**3*g*x**11/11 + b**3*h*x**12/12 + x**9*(a*b**2*h/3 + b**3*e/9) + x**8*(3*a*b**2*g/8 + b**3*d/8) + x**7*(3*a*b**2*f/7 + b**3*c/7) + x**6*(a**2*b*h/2 + a*b**2*e/2) + x**5*(3*a**2*b*g/5 + 3*a*b**2*d/5) + x**4*(3*a**2*b*f/4 + 3*a*b**2*c/4) + x**3*(a**3*h/3 + a**2*b*e) + x**2*(a**3*g/2 + 3*a**2*b*d/2) + x*(a**3*f + 3*a**2*b*c) + (-a**3*c - 2*a**3*d*x)/(2*x**2)$

$$3.401 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx$$

Optimal. Leaf size=209

$$-\frac{a^3c}{3x^3} - \frac{a^3d}{2x^2} - \frac{a^3e}{x} + a^2 \log(x)(af+3bc) + a^2x(ag+3bd) + \frac{1}{2}a^2x^2(ah+3be) + \frac{1}{6}b^2x^6(3af+bc) + \frac{1}{7}b^2x^7(3ag+bd) + \frac{1}{8}b^2x^8(3ah$$

[Out] $-1/3*a^3*c/x^3 - 1/2*a^3*d/x^2 - a^3*e/x + a^2*(a*g+3*b*d)*x + 1/2*a^2*(a*h+3*b*e)*x^2 + a*b*(a*f+b*c)*x^3 + 3/4*a*b*(a*g+b*d)*x^4 + 3/5*a*b*(a*h+b*e)*x^5 + 1/6*b^2*(3*a*f+b*c)*x^6 + 1/7*b^2*(3*a*g+b*d)*x^7 + 1/8*b^2*(3*a*h+b*e)*x^8 + 1/9*b^3*f*x^9 + 1/10*b^3*g*x^10 + 1/11*b^3*h*x^11 + a^2*(a*f+3*b*c)*\ln(x)$

Rubi [A] time = 0.18, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$a^2 \log(x)(af+3bc) + a^2x(ag+3bd) + \frac{1}{2}a^2x^2(ah+3be) - \frac{a^3c}{3x^3} - \frac{a^3d}{2x^2} - \frac{a^3e}{x} + \frac{1}{6}b^2x^6(3af+bc) + \frac{1}{7}b^2x^7(3ag+bd) + \frac{1}{8}b^2x^8(3ah$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4, x]

[Out] $-(a^3*c)/(3*x^3) - (a^3*d)/(2*x^2) - (a^3*e)/x + a^2*(3*b*d + a*g)*x + (a^2*(3*b*e + a*h)*x^2)/2 + a*b*(b*c + a*f)*x^3 + (3*a*b*(b*d + a*g)*x^4)/4 + (3*a*b*(b*e + a*h)*x^5)/5 + (b^2*(b*c + 3*a*f)*x^6)/6 + (b^2*(b*d + 3*a*g)*x^7)/7 + (b^2*(b*e + 3*a*h)*x^8)/8 + (b^3*f*x^9)/9 + (b^3*g*x^10)/10 + (b^3*h*x^11)/11 + a^2*(3*b*c + a*f)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^4} dx = \int \left(a^2(3bd+ag) + \frac{a^3c}{x^4} + \frac{a^3d}{x^3} + \frac{a^3e}{x^2} + \frac{a^2(3bc+af)}{x} + a^2(3bd+ag)x + \frac{1}{2}a^2(3be+ah)x^2 + ab \right) dx$$

$$= -\frac{a^3c}{3x^3} - \frac{a^3d}{2x^2} - \frac{a^3e}{x} + a^2(3bd+ag)x + \frac{1}{2}a^2(3be+ah)x^2 + abx^3 + \frac{3}{4}ab^2x^4 + \frac{3}{5}ab^2x^5 + \frac{1}{6}b^2x^6(3af+bc) + \frac{1}{7}b^2x^7(3ag+bd) + \frac{1}{8}b^2x^8(3ah+3bf) + \frac{1}{9}b^3x^9f + \frac{1}{10}b^3x^{10}g + \frac{1}{11}b^3x^{11}h + a^2(a^2f+3b^2c)\ln(x)$$

Mathematica [A] time = 0.15, size = 172, normalized size = 0.82

$$\frac{a^3 \left(2c + 3x \left(d + 2ex - \left(x^3(2g + hx)\right)\right)\right)}{6x^3} + a^2 \log(x)(af + 3bc) + \frac{1}{20} a^2 bx \left(60d + x \left(30e + x \left(20f + 15gx + 12hx^2\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x]

[Out] -1/6*(a^3*(2*c + 3*x*(d + 2*e*x - x^3*(2*g + h*x)))/x^3 + (a^2*b*x*(60*d + x*(30*e + x*(20*f + 15*g*x + 12*h*x^2)))/20 + (a*b^2*x^3*(280*c + x*(210*d + x*(168*e + 140*f*x + 120*g*x^2 + 105*h*x^3)))/280 + (b^3*x^6*(4620*c + x*(3960*d + 7*x*(495*e + 4*x*(110*f + 99*g*x + 90*h*x^2))))/27720 + a^2*(3*b*c + a*f)*Log[x]

fricas [A] time = 0.45, size = 219, normalized size = 1.05

$$\frac{2520 b^3 h x^{14} + 2772 b^3 g x^{13} + 3080 b^3 f x^{12} + 3465 (b^3 e + 3 a b^2 h) x^{11} + 3960 (b^3 d + 3 a b^2 g) x^{10} + 4620 (b^3 c + 3 a b^2 f) x^9 + 16632 (a b^2 e + a^2 b h) x^8 + 20790 (a b^2 d + a^2 b g) x^7 + 27720 (a b^2 c + a^2 b f) x^6 - 27720 a^3 e x^2 + 13860 (3 a^2 b e + a^3 h) x^5 - 13860 a^3 d x + 27720 (3 a^2 b d + a^3 g) x^4 + 27720 (3 a^2 b c + a^3 f) x^3 \log(x) - 9240 a^3 c}{x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="fricas")

[Out] 1/27720*(2520*b^3*h*x^14 + 2772*b^3*g*x^13 + 3080*b^3*f*x^12 + 3465*(b^3*e + 3*a*b^2*h)*x^11 + 3960*(b^3*d + 3*a*b^2*g)*x^10 + 4620*(b^3*c + 3*a*b^2*f)*x^9 + 16632*(a*b^2*e + a^2*b*h)*x^8 + 20790*(a*b^2*d + a^2*b*g)*x^7 + 27720*(a*b^2*c + a^2*b*f)*x^6 - 27720*a^3*e*x^2 + 13860*(3*a^2*b*e + a^3*h)*x^5 - 13860*a^3*d*x + 27720*(3*a^2*b*d + a^3*g)*x^4 + 27720*(3*a^2*b*c + a^3*f)*x^3*log(x) - 9240*a^3*c)/x^3

giac [A] time = 0.19, size = 225, normalized size = 1.08

$$\frac{1}{11} b^3 h x^{11} + \frac{1}{10} b^3 g x^{10} + \frac{1}{9} b^3 f x^9 + \frac{3}{8} a b^2 h x^8 + \frac{1}{8} b^3 x^8 e + \frac{1}{7} b^3 d x^7 + \frac{3}{7} a b^2 g x^7 + \frac{1}{6} b^3 c x^6 + \frac{1}{2} a b^2 f x^6 + \frac{3}{5} a^2 b h x^5 + \frac{3}{5} a b^2 x^5 e + \frac{3}{5} a^2 b d x^4 + \frac{3}{4} a b^2 x^4 g + \frac{3}{4} a^2 b c x^3 + a^2 b f x^3 + \frac{1}{2} a^3 h x^2 + \frac{3}{2} a^2 b x^2 e + 3 a^2 b d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="giac")

[Out] 1/11*b^3*h*x^11 + 1/10*b^3*g*x^10 + 1/9*b^3*f*x^9 + 3/8*a*b^2*h*x^8 + 1/8*b^3*x^8*e + 1/7*b^3*d*x^7 + 3/7*a*b^2*g*x^7 + 1/6*b^3*c*x^6 + 1/2*a*b^2*f*x^6 + 3/5*a^2*b*h*x^5 + 3/5*a*b^2*x^5*e + 3/4*a*b^2*d*x^4 + 3/4*a^2*b*g*x^4 + a*b^2*c*x^3 + a^2*b*f*x^3 + 1/2*a^3*h*x^2 + 3/2*a^2*b*x^2*e + 3*a^2*b*d*x

$$+ a^3 g x + (3 a^2 b c + a^3 f) \log(\operatorname{abs}(x)) - 1/6 (6 a^3 x^2 e + 3 a^3 d x + 2 a^3 c) / x^3$$

maple [A] time = 0.05, size = 220, normalized size = 1.05

$$\frac{b^3 h x^{11}}{11} + \frac{b^3 g x^{10}}{10} + \frac{b^3 f x^9}{9} + \frac{3 a b^2 h x^8}{8} + \frac{b^3 e x^8}{8} + \frac{3 a b^2 g x^7}{7} + \frac{b^3 d x^7}{7} + \frac{a b^2 f x^6}{2} + \frac{b^3 c x^6}{6} + \frac{3 a^2 b h x^5}{5} + \frac{3 a b^2 e x^5}{5} + \frac{3 a^2 b g x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x)`

[Out] $1/11*b^3*h*x^{11}+1/10*b^3*g*x^{10}+1/9*b^3*f*x^9+3/8*x^8*a*b^2*h+1/8*x^8*b^3*e+3/7*x^7*a*b^2*g+1/7*x^7*b^3*d+1/2*x^6*a*b^2*f+1/6*x^6*b^3*c+3/5*x^5*a^2*b*h+3/5*x^5*a*b^2*e+3/4*x^4*a^2*b*g+3/4*x^4*a*b^2*d+x^3*a^2*b*f+a*b^2*c*x^3+1/2*x^2*a^3*h+3/2*x^2*a^2*b*e+a^3*g*x+3*a^2*d*b*x-1/3*a^3*c/x^3-1/2*a^3*d/x^2-a^3*e/x+\ln(x)*a^3*f+3*\ln(x)*a^2*b*c$

maxima [A] time = 1.36, size = 212, normalized size = 1.01

$$\frac{1}{11} b^3 h x^{11} + \frac{1}{10} b^3 g x^{10} + \frac{1}{9} b^3 f x^9 + \frac{1}{8} (b^3 e + 3 a b^2 h) x^8 + \frac{1}{7} (b^3 d + 3 a b^2 g) x^7 + \frac{1}{6} (b^3 c + 3 a b^2 f) x^6 + \frac{3}{5} (a b^2 e + a^2 b h) x^5 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="maxima")`

[Out] $1/11*b^3*h*x^{11} + 1/10*b^3*g*x^{10} + 1/9*b^3*f*x^9 + 1/8*(b^3*e + 3*a*b^2*h)*x^8 + 1/7*(b^3*d + 3*a*b^2*g)*x^7 + 1/6*(b^3*c + 3*a*b^2*f)*x^6 + 3/5*(a*b^2*e + a^2*b*h)*x^5 + 3/4*(a*b^2*d + a^2*b*g)*x^4 + (a*b^2*c + a^2*b*f)*x^3 + 1/2*(3*a^2*b*e + a^3*h)*x^2 + (3*a^2*b*d + a^3*g)*x + (3*a^2*b*c + a^3*f)*\log(x) - 1/6*(6*a^3*e*x^2 + 3*a^3*d*x + 2*a^3*c)/x^3$

mupad [B] time = 0.12, size = 199, normalized size = 0.95

$$x^6 \left(\frac{c b^3}{6} + \frac{a f b^2}{2} \right) + x^7 \left(\frac{d b^3}{7} + \frac{3 a g b^2}{7} \right) + x^2 \left(\frac{h a^3}{2} + \frac{3 b e a^2}{2} \right) + x^8 \left(\frac{e b^3}{8} + \frac{3 a h b^2}{8} \right) + \ln(x) (f a^3 + 3 b c a^2) - \frac{e a^3 x}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^4,x)`

[Out] $x^6*((b^3*c)/6 + (a*b^2*f)/2) + x^7*((b^3*d)/7 + (3*a*b^2*g)/7) + x^2*((a^3*h)/2 + (3*a^2*b*e)/2) + x^8*((b^3*e)/8 + (3*a*b^2*h)/8) + \log(x)*(a^3*f + 3*a^2*b*c) - ((a^3*c)/3 + a^3*e*x^2 + (a^3*d*x)/2)/x^3 + x*(a^3*g + 3*a^2*b$

*d) + (b³*f*x⁹)/9 + (b³*g*x¹⁰)/10 + (b³*h*x¹¹)/11 + a*b*x³*(b*c + a*f) + (3*a*b*x⁴*(b*d + a*g))/4 + (3*a*b*x⁵*(b*e + a*h))/5

sympy [A] time = 1.04, size = 236, normalized size = 1.13

$$a^2 (af + 3bc) \log(x) + \frac{b^3 f x^9}{9} + \frac{b^3 g x^{10}}{10} + \frac{b^3 h x^{11}}{11} + x^8 \left(\frac{3ab^2 h}{8} + \frac{b^3 e}{8} \right) + x^7 \left(\frac{3ab^2 g}{7} + \frac{b^3 d}{7} \right) + x^6 \left(\frac{ab^2 f}{2} + \frac{b^3 c}{6} \right) + x^5 \left(\frac{3a^2 b g}{4} + \frac{3a b^2 d}{4} \right) + x^4 \left(\frac{3a^2 b f}{5} + \frac{3a b^2 e}{5} \right) + x^3 \left(\frac{3a^2 b h}{5} + \frac{3a b^2 c}{5} \right) + x^2 \left(\frac{3a^2 b g}{4} + \frac{3a b^2 d}{4} \right) + x \left(\frac{3a^2 b f}{5} + \frac{3a b^2 e}{5} \right) + (-2a^3 c - 3a^3 d x - 6a^3 e x^2) / (6x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4,x)

[Out] a**2*(a*f + 3*b*c)*log(x) + b**3*f*x**9/9 + b**3*g*x**10/10 + b**3*h*x**11/11 + x**8*(3*a*b**2*h/8 + b**3*e/8) + x**7*(3*a*b**2*g/7 + b**3*d/7) + x**6*(a*b**2*f/2 + b**3*c/6) + x**5*(3*a**2*b*h/5 + 3*a*b**2*e/5) + x**4*(3*a**2*b*g/4 + 3*a*b**2*d/4) + x**3*(a**2*b*f + a*b**2*c) + x**2*(a**3*h/2 + 3*a**2*b*e/2) + x*(a**3*g + 3*a**2*b*d) + (-2*a**3*c - 3*a**3*d*x - 6*a**3*e*x**2)/(6*x**3)

$$3.402 \quad \int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx$$

Optimal. Leaf size=209

$$-\frac{a^3c}{4x^4} - \frac{a^3d}{3x^3} - \frac{a^3e}{2x^2} - \frac{a^2(af+3bc)}{x} + a^2 \log(x)(ag+3bd) + a^2x(ah+3be) + \frac{1}{5}b^2x^5(3af+bc) + \frac{1}{6}b^2x^6(3ag+bd) + \frac{1}{7}b^2x^7(3ah$$

[Out] $-1/4*a^3*c/x^4 - 1/3*a^3*d/x^3 - 1/2*a^3*e/x^2 - a^2*(a*f+3*b*c)/x + a^2*(a*h+3*b*e)*x + 3/2*a*b*(a*f+b*c)*x^2 + a*b*(a*g+b*d)*x^3 + 3/4*a*b*(a*h+b*e)*x^4 + 1/5*b^2*(3*a*f+b*c)*x^5 + 1/6*b^2*(3*a*g+b*d)*x^6 + 1/7*b^2*(3*a*h+b*e)*x^7 + 1/8*b^3*f*x^8 + 1/9*b^3*g*x^9 + 1/10*b^3*h*x^10 + a^2*(a*g+3*b*d)*\ln(x)$

Rubi [A] time = 0.18, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {1820}

$$-\frac{a^2(af+3bc)}{x} + a^2 \log(x)(ag+3bd) + a^2x(ah+3be) - \frac{a^3c}{4x^4} - \frac{a^3d}{3x^3} - \frac{a^3e}{2x^2} + \frac{1}{5}b^2x^5(3af+bc) + \frac{1}{6}b^2x^6(3ag+bd) + \frac{1}{7}b^2x^7(3ah$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5, x]

[Out] $-(a^3*c)/(4*x^4) - (a^3*d)/(3*x^3) - (a^3*e)/(2*x^2) - (a^2*(3*b*c + a*f))/x + a^2*(3*b*e + a*h)*x + (3*a*b*(b*c + a*f)*x^2)/2 + a*b*(b*d + a*g)*x^3 + (3*a*b*(b*e + a*h)*x^4)/4 + (b^2*(b*c + 3*a*f)*x^5)/5 + (b^2*(b*d + 3*a*g)*x^6)/6 + (b^2*(b*e + 3*a*h)*x^7)/7 + (b^3*f*x^8)/8 + (b^3*g*x^9)/9 + (b^3*h*x^10)/10 + a^2*(3*b*d + a*g)*\text{Log}[x]$

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\int \frac{(a+bx^3)^3 (c+dx+ex^2+fx^3+gx^4+hx^5)}{x^5} dx = \int \left(a^2(3be+ah) + \frac{a^3c}{x^5} + \frac{a^3d}{x^4} + \frac{a^3e}{x^3} + \frac{a^2(3bc+af)}{x^2} + \frac{a^2(3ag+bd)}{x} + a^2(3be+ah)x + \frac{3}{2}ab(l$$

Mathematica [A] time = 0.16, size = 170, normalized size = 0.81

$$a^2 \log(x)(ag+3bd) + \frac{-210a^3(3c+4dx+6x^2(e+2fx-2hx^3)) + 630a^2bx^3(x^2(12e+6fx+4gx^2+3hx^3) - 12c + x^2(12e+6fx+4gx^2+3hx^3)) + 18ab^2x^6(210c+x(140d+105ex+84fx^2+70gx^3+60hx^4)) + b^3x^9(504c+x(420d+360ex+315fx^2+280gx^3+252hx^4))}{(2520x^4) + a^2(3bd+a^2g)} \text{Log}[x]$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x]

[Out] (-210*a^3*(3*c + 4*d*x + 6*x^2*(e + 2*f*x - 2*h*x^3)) + 630*a^2*b*x^3*(-12*c + x^2*(12*e + 6*f*x + 4*g*x^2 + 3*h*x^3)) + 18*a*b^2*x^6*(210*c + x*(140*d + 105*e*x + 84*f*x^2 + 70*g*x^3 + 60*h*x^4)) + b^3*x^9*(504*c + x*(420*d + 360*e*x + 315*f*x^2 + 280*g*x^3 + 252*h*x^4)))/(2520*x^4) + a^2*(3*b*d + a*g)*Log[x]

fricas [A] time = 0.44, size = 219, normalized size = 1.05

$$\frac{252b^3hx^{14} + 280b^3gx^{13} + 315b^3fx^{12} + 360(b^3e + 3ab^2h)x^{11} + 420(b^3d + 3ab^2g)x^{10} + 504(b^3c + 3ab^2f)x^9}{(2520x^4) + a^2(3bd+a^2g)} \text{Log}[x]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="fricas")

[Out] 1/2520*(252*b^3*h*x^14 + 280*b^3*g*x^13 + 315*b^3*f*x^12 + 360*(b^3*e + 3*a*b^2*h)*x^11 + 420*(b^3*d + 3*a*b^2*g)*x^10 + 504*(b^3*c + 3*a*b^2*f)*x^9 + 1890*(a*b^2*e + a^2*b*h)*x^8 + 2520*(a*b^2*d + a^2*b*g)*x^7 + 3780*(a*b^2*c + a^2*b*f)*x^6 - 1260*a^3*e*x^2 + 2520*(3*a^2*b*e + a^3*h)*x^5 + 2520*(3*a^2*b*d + a^3*g)*x^4*log(x) - 840*a^3*d*x - 630*a^3*c - 2520*(3*a^2*b*c + a^3*f)*x^3)/x^4

giac [A] time = 0.15, size = 224, normalized size = 1.07

$$\frac{1}{10}b^3hx^{10} + \frac{1}{9}b^3gx^9 + \frac{1}{8}b^3fx^8 + \frac{3}{7}ab^2hx^7 + \frac{1}{7}b^3x^7e + \frac{1}{6}b^3dx^6 + \frac{1}{2}ab^2gx^6 + \frac{1}{5}b^3cx^5 + \frac{3}{5}ab^2fx^5 + \frac{3}{4}a^2bhx^4 + \frac{3}{4}ab^2x^4e + \frac{3}{4}a^2b^2hx^4 + \frac{3}{4}a^2b^2d^2x^4e + a^2b^2d^2x^3 + a^2b^2g^2x^3 + \frac{3}{2}a^2b^2cx^2 + \frac{3}{2}a^2b^2fx^2 + a^3hx + 3a^2b^2x^2e + (3a^2b^2d + a^3g)*\log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="giac")

[Out] 1/10*b^3*h*x^10 + 1/9*b^3*g*x^9 + 1/8*b^3*f*x^8 + 3/7*a*b^2*h*x^7 + 1/7*b^3*x^7*e + 1/6*b^3*d*x^6 + 1/2*a*b^2*g*x^6 + 1/5*b^3*c*x^5 + 3/5*a*b^2*f*x^5 + 3/4*a^2*b*h*x^4 + 3/4*a*b^2*x^4*e + a^2*b^2*d*x^3 + a^2*b^2*g*x^3 + 3/2*a*b^2*c*x^2 + 3/2*a^2*b*f*x^2 + a^3*h*x + 3*a^2*b*x^2*e + (3*a^2*b*d + a^3*g)*log(x)

abs(x)) - 1/12*(6*a^3*x^2*e + 4*a^3*d*x + 3*a^3*c + 12*(3*a^2*b*c + a^3*f)*x^3)/x^4

maple [A] time = 0.05, size = 220, normalized size = 1.05

$$\frac{b^3 h x^{10}}{10} + \frac{b^3 g x^9}{9} + \frac{b^3 f x^8}{8} + \frac{3 a b^2 h x^7}{7} + \frac{b^3 e x^7}{7} + \frac{a b^2 g x^6}{2} + \frac{b^3 d x^6}{6} + \frac{3 a b^2 f x^5}{5} + \frac{b^3 c x^5}{5} + \frac{3 a^2 b h x^4}{4} + \frac{3 a b^2 e x^4}{4} + a^2 b g x^3 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x)

[Out] 1/10*b^3*h*x^10+1/9*b^3*g*x^9+1/8*b^3*f*x^8+3/7*x^7*a*b^2*h+1/7*x^7*b^3*e+1/2*x^6*a*b^2*g+1/6*x^6*b^3*d+3/5*x^5*a*b^2*f+1/5*x^5*b^3*c+3/4*x^4*a^2*b*h+3/4*x^4*a*b^2*e+x^3*a^2*b*g+x^3*a*b^2*d+3/2*x^2*a^2*b*f+3/2*a*b^2*c*x^2+a^3*h*x+3*a^2*b*e*x-1/4*a^3*c/x^4-1/3*a^3*d/x^3-1/2*a^3*e/x^2-a^3/x*f-3*a^2/x*b*c+ln(x)*a^3*g+3*ln(x)*a^2*b*d

maxima [A] time = 1.39, size = 212, normalized size = 1.01

$$\frac{1}{10} b^3 h x^{10} + \frac{1}{9} b^3 g x^9 + \frac{1}{8} b^3 f x^8 + \frac{1}{7} (b^3 e + 3 a b^2 h) x^7 + \frac{1}{6} (b^3 d + 3 a b^2 g) x^6 + \frac{1}{5} (b^3 c + 3 a b^2 f) x^5 + \frac{3}{4} (a b^2 e + a^2 b h) x^4 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="maxima")

[Out] 1/10*b^3*h*x^10 + 1/9*b^3*g*x^9 + 1/8*b^3*f*x^8 + 1/7*(b^3*e + 3*a*b^2*h)*x^7 + 1/6*(b^3*d + 3*a*b^2*g)*x^6 + 1/5*(b^3*c + 3*a*b^2*f)*x^5 + 3/4*(a*b^2*e + a^2*b*h)*x^4 + (a*b^2*d + a^2*b*g)*x^3 + 3/2*(a*b^2*c + a^2*b*f)*x^2 + (3*a^2*b*e + a^3*h)*x + (3*a^2*b*d + a^3*g)*log(x) - 1/12*(6*a^3*e*x^2 + 4*a^3*d*x + 3*a^3*c + 12*(3*a^2*b*c + a^3*f)*x^3)/x^4

mapad [B] time = 5.03, size = 199, normalized size = 0.95

$$x^5 \left(\frac{c b^3}{5} + \frac{3 a f b^2}{5} \right) + x^6 \left(\frac{d b^3}{6} + \frac{a g b^2}{2} \right) + x^7 \left(\frac{e b^3}{7} + \frac{3 a h b^2}{7} \right) + \ln(x) (g a^3 + 3 b d a^2) - \frac{x^3 (f a^3 + 3 b c a^2) + \frac{a^3 c}{4}}{x^4} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/x^5,x)

[Out] x^5*((b^3*c)/5 + (3*a*b^2*f)/5) + x^6*((b^3*d)/6 + (a*b^2*g)/2) + x^7*((b^3*e)/7 + (3*a*b^2*h)/7) + log(x)*(a^3*g + 3*a^2*b*d) - (x^3*(a^3*f + 3*a^2*b*c) + (a^3*c)/4 + (a^3*e*x^2)/2 + (a^3*d*x)/3)/x^4 + x*(a^3*h + 3*a^2*b*e)

$$+ (b^3 f x^8)/8 + (b^3 g x^9)/9 + (b^3 h x^{10})/10 + (3 a b x^2 (b c + a f)) / 2 + a b x^3 (b d + a g) + (3 a b x^4 (b e + a h))/4$$

sympy [A] time = 3.14, size = 235, normalized size = 1.12

$$a^2 (ag + 3bd) \log(x) + \frac{b^3 f x^8}{8} + \frac{b^3 g x^9}{9} + \frac{b^3 h x^{10}}{10} + x^7 \left(\frac{3ab^2 h}{7} + \frac{b^3 e}{7} \right) + x^6 \left(\frac{ab^2 g}{2} + \frac{b^3 d}{6} \right) + x^5 \left(\frac{3ab^2 f}{5} + \frac{b^3 c}{5} \right) + x^4 \left(\frac{3a^2 b}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**5,x)

[Out] a**2*(a*g + 3*b*d)*log(x) + b**3*f*x**8/8 + b**3*g*x**9/9 + b**3*h*x**10/10 + x**7*(3*a*b**2*h/7 + b**3*e/7) + x**6*(a*b**2*g/2 + b**3*d/6) + x**5*(3*a*b**2*f/5 + b**3*c/5) + x**4*(3*a**2*b*h/4 + 3*a*b**2*e/4) + x**3*(a**2*b*g + a*b**2*d) + x**2*(3*a**2*b*f/2 + 3*a*b**2*c/2) + x*(a**3*h + 3*a**2*b*e) + (-3*a**3*c - 4*a**3*d*x - 6*a**3*e*x**2 + x**3*(-12*a**3*f - 36*a**2*b*c))/(12*x**4)

$$3.403 \quad \int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=331

$$\frac{a^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6b^{10/3}} + \frac{a^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3b^{10/3}}$$

[Out] $-a*(-a*h+b*e)*x/b^3+1/2*(-a*f+b*c)*x^2/b^2+1/3*(-a*g+b*d)*x^3/b^2+1/4*(-a*h+b*e)*x^4/b^2+1/5*f*x^5/b+1/6*g*x^6/b+1/7*h*x^7/b+1/3*a^{(2/3)}*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)}*(-a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(10/3)}-1/6*a^{(2/3)}*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)}*(-a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(10/3)}-1/3*a*(-a*g+b*d)*\ln(b*x^3+a)/b^3+1/3*a^{(2/3)}*(b^{(5/3)}*c-a^{(2/3)}*b*e-a*b^{(2/3)}*f+a^{(5/3)}*h)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(10/3)}*3^{(1/2)}$

Rubi [A] time = 1.07, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{a^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6b^{10/3}} + \frac{a^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3b^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] $-((a*(b*e - a*h)*x)/b^3) + ((b*c - a*f)*x^2)/(2*b^2) + ((b*d - a*g)*x^3)/(3*b^2) + ((b*e - a*h)*x^4)/(4*b^2) + (f*x^5)/(5*b) + (g*x^6)/(6*b) + (h*x^7)/(7*b) + (a^{(2/3)}*(b^{(5/3)}*c - a^{(2/3)}*b*e - a*b^{(2/3)}*f + a^{(5/3)}*h)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*b^{(10/3)}) + (a^{(2/3)}*(b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*b^{(10/3)}) - (a^{(2/3)}*(b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*b^{(10/3)}) - (a*(b*d - a*g)*\text{Log}[a + b*x^3])/(3*b^3)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1836

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne

$Q[a*B^3 - b*A^3, 0]$ && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^7}{7b} + \frac{\int \frac{x^4(7bc+7bdx+7(be-ah)x^2+7bfx^3+7bgx^4)}{a+bx^3} dx}{7b} \\
&= \frac{gx^6}{6b} + \frac{hx^7}{7b} + \frac{\int \frac{x^4(42b^2c+42b(bd-ag)x+42b(be-ah)x^2+42b^2fx^3)}{a+bx^3} dx}{42b^2} \\
&= \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} + \frac{\int \frac{x^4(210b^2(bc-af)+210b^2(bd-ag)x+210b^2(be-ah)x^2)}{a+bx^3} dx}{210b^3} \\
&= \frac{fx^5}{5b} + \frac{gx^6}{6b} + \frac{hx^7}{7b} + \frac{\int \left(-210a(be-ah) + 210b(bc-af)x + 210b^2 \right)}{210b^3} dx \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \dots \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \dots \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \dots \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \dots \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \dots \\
&= -\frac{a(be-ah)x}{b^3} + \frac{(bc-af)x^2}{2b^2} + \frac{(bd-ag)x^3}{3b^2} + \frac{(be-ah)x^4}{4b^2} + \frac{fx^5}{5b} + \dots
\end{aligned}$$

Mathematica [A] time = 0.56, size = 334, normalized size = 1.01

$$\frac{a^{2/3} \log \left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2 \right) \left(-a^{2/3} b e + a^{5/3} h + a b^{2/3} f - b^{5/3} c \right)}{6b^{10/3}} + \frac{a^{2/3} \log \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \left(a^{2/3} b e + a^{5/3} (-h) - a^{2/3} c \right)}{3b^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

```
[Out] (a*(-(b*e) + a*h)*x)/b^3 + ((b*c - a*f)*x^2)/(2*b^2) + ((b*d - a*g)*x^3)/(3
*b^2) + ((b*e - a*h)*x^4)/(4*b^2) + (f*x^5)/(5*b) + (g*x^6)/(6*b) + (h*x^7)
/(7*b) + (a^(2/3)*(b^(5/3)*c - a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*ArcTan
n[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]]/(Sqrt[3]*b^(10/3)) + (a^(2/3)*(b^(5
/3)*c + a^(2/3)*b*e - a*b^(2/3)*f - a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x]/(3
*b^(10/3)) + (a^(2/3)*(-b^(5/3)*c - a^(2/3)*b*e + a*b^(2/3)*f + a^(5/3)*h
)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*b^(10/3)) + (a*(-(b*d)
+ a*g)*Log[a + b*x^3])/(3*b^3)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")
```

[Out] Timed out

giac [A] time = 0.20, size = 380, normalized size = 1.15

$$\frac{(abd - a^2g) \log(|bx^3 + a|)}{3b^3} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} a^2h - (-ab^2)^{\frac{1}{3}} abe - (-ab^2)^{\frac{2}{3}} bc + (-ab^2)^{\frac{2}{3}} af \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")
```

```
[Out] -1/3*(a*b*d - a^2*g)*log(abs(b*x^3 + a))/b^3 - 1/3*sqrt(3)*((-a*b^2)^(1/3)*
a^2*h - (-a*b^2)^(1/3)*a*b*e - (-a*b^2)^(2/3)*b*c + (-a*b^2)^(2/3)*a*f)*arc
tan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^4 - 1/6*((-a*b^2)^(1/3)
)*a^2*h - (-a*b^2)^(1/3)*a*b*e + (-a*b^2)^(2/3)*b*c - (-a*b^2)^(2/3)*a*f)*l
og(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^4 + 1/420*(60*b^6*h*x^7 + 70*b^6*
g*x^6 + 84*b^6*f*x^5 - 105*a*b^5*h*x^4 + 105*b^6*x^4*e + 140*b^6*d*x^3 - 14
0*a*b^5*g*x^3 + 210*b^6*c*x^2 - 210*a*b^5*f*x^2 + 420*a^2*b^4*h*x - 420*a*b
^5*x*e)/b^7 + 1/3*(a*b^14*c*(-a/b)^(1/3) - a^2*b^13*f*(-a/b)^(1/3) + a^3*b^
12*h - a^2*b^13*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^15)
```

maple [B] time = 0.05, size = 533, normalized size = 1.61

$$\frac{hx^7}{7b} + \frac{gx^6}{6b} + \frac{fx^5}{5b} - \frac{ahx^4}{4b^2} + \frac{ex^4}{4b} - \frac{agx^3}{3b^2} + \frac{dx^3}{3b} - \frac{afx^2}{2b^2} + \frac{cx^2}{2b} - \frac{\sqrt{3} a^3 h \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^4} - \frac{a^3 h \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}} b^4} + a^3 h$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x)`

[Out] $\frac{1}{3}a^2/b^3 \cdot 3^{1/2}/(a/b)^{1/3} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1)) \cdot f - 1/3 \cdot a^3/b^4/(a/b)^{2/3} \cdot 3^{1/2} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1)) \cdot h - 1/3 \cdot a/b^2 \cdot 3^{1/2}/(a/b)^{1/3} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1)) \cdot c + 1/3 \cdot a^2/b^3/(a/b)^{2/3} \cdot 3^{1/2} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3} \cdot x - 1)) \cdot e - 1/2 \cdot a/b^2 \cdot f \cdot x^2 + 1/b^3 \cdot a^2 \cdot h \cdot x - 1/b^2 \cdot a \cdot e \cdot x - 1/3 \cdot b^2 \cdot x^3 \cdot a \cdot g - 1/3 \cdot a/b^2 \cdot \ln(b \cdot x^3 + a) \cdot d - 1/4 \cdot b^2 \cdot x^4 \cdot a \cdot h + 1/3 \cdot a^2/b^3 \cdot \ln(b \cdot x^3 + a) \cdot g - 1/6 \cdot a/b^2/(a/b)^{1/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) \cdot c - 1/6 \cdot a^2/b^3/(a/b)^{2/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) \cdot e - 1/3 \cdot a^2/b^3/(a/b)^{1/3} \cdot \ln(x + (a/b)^{1/3}) \cdot f + 1/3 \cdot a/b^2/(a/b)^{1/3} \cdot \ln(x + (a/b)^{1/3}) \cdot c + 1/6 \cdot a^2/b^3/(a/b)^{1/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) \cdot f + 1/6 \cdot a^3/b^4/(a/b)^{2/3} \cdot \ln(x^2 - (a/b)^{1/3} \cdot x + (a/b)^{2/3}) \cdot h - 1/3 \cdot a^3/b^4/(a/b)^{2/3} \cdot \ln(x + (a/b)^{1/3}) \cdot h + 1/3 \cdot a^2/b^3/(a/b)^{2/3} \cdot \ln(x + (a/b)^{1/3}) \cdot e + 1/4 \cdot b \cdot x^4 \cdot e + 1/3 \cdot b \cdot x^3 \cdot d + 1/2 \cdot b \cdot c \cdot x^2 + 1/5 \cdot b \cdot f \cdot x^5 + 1/6 \cdot g \cdot x^6/b + 1/7 \cdot h \cdot x^7/b$

maxima [A] time = 2.98, size = 378, normalized size = 1.14

$$\frac{\sqrt{3} \left(ab^2 c \left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2 b f \left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2 b e \left(\frac{a}{b}\right)^{\frac{1}{3}} + a^3 h \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 ab^3} + \frac{60 b^2 h x^7 + 70 b^2 g x^6 + 84 b^2 f x^5 + \dots}{3 ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")`

[Out] $-1/3 \cdot \sqrt{3} \cdot (a \cdot b^2 \cdot c \cdot (a/b)^{2/3} - a^2 \cdot b \cdot f \cdot (a/b)^{2/3} - a^2 \cdot b \cdot e \cdot (a/b)^{1/3} + a^3 \cdot h \cdot (a/b)^{1/3}) \cdot \arctan(1/3 \cdot \sqrt{3} \cdot (2 \cdot x - (a/b)^{1/3})/(a/b)^{1/3})/(a \cdot b^3) + 1/420 \cdot (60 \cdot b^2 \cdot h \cdot x^7 + 70 \cdot b^2 \cdot g \cdot x^6 + 84 \cdot b^2 \cdot f \cdot x^5 + 105 \cdot (b^2 \cdot e -$

$$a*b*h)*x^4 + 140*(b^2*d - a*b*g)*x^3 + 210*(b^2*c - a*b*f)*x^2 - 420*(a*b*e - a^2*h)*x)/b^3 - 1/6*(2*a*b^2*d*(a/b)^{(2/3)} - 2*a^2*b*g*(a/b)^{(2/3)} + a*b^2*c*(a/b)^{(1/3)} - a^2*b*f*(a/b)^{(1/3)} + a^2*b*e - a^3*h)*\log(x^2 - x*(a/b))^{(1/3)} + (a/b)^{(2/3)})/(b^4*(a/b)^{(2/3)}) - 1/3*(a*b^2*d*(a/b)^{(2/3)} - a^2*b*g*(a/b)^{(2/3)} - a*b^2*c*(a/b)^{(1/3)} + a^2*b*f*(a/b)^{(1/3)} - a^2*b*e + a^3*h)*\log(x + (a/b)^{(1/3)})/(b^4*(a/b)^{(2/3)})$$

mupad [B] time = 5.09, size = 1271, normalized size = 3.84

$$x^2 \left(\frac{c}{2b} - \frac{af}{2b^2} \right) + x^3 \left(\frac{d}{3b} - \frac{ag}{3b^2} \right) + x^4 \left(\frac{e}{4b} - \frac{ah}{4b^2} \right) + \left(\sum_{k=1}^3 \ln \left(\text{root} \left(27b^{10}z^3 + 27ab^8dz^2 - 27a^2b^7gz^2 - 9a^4b^4f^2 \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x)

[Out] x^2*(c/(2*b) - (a*f)/(2*b^2)) + x^3*(d/(3*b) - (a*g)/(3*b^2)) + x^4*(e/(4*b) - (a*h)/(4*b^2)) + symsum(log(root(27*b^10*z^3 + 27*a*b^8*d*z^2 - 27*a^2*b^7*g*z^2 - 9*a^4*b^4*f*h*z - 18*a^3*b^5*d*g*z + 9*a^3*b^5*e*f*z + 9*a^3*b^5*c*h*z - 9*a^2*b^6*c*e*z + 9*a^4*b^4*g^2*z + 9*a^2*b^6*d^2*z + 3*a^6*b*f*g*h - 3*a^5*b^2*e*f*g - 3*a^5*b^2*d*f*h - 3*a^5*b^2*c*g*h + 3*a^4*b^3*d*e*f + 3*a^4*b^3*c*e*g + 3*a^4*b^3*c*d*h - 3*a^3*b^4*c*d*e - 3*a^6*b*e*h^2 + 3*a^5*b^2*e^2*h + 3*a^5*b^2*d*g^2 - 3*a^4*b^3*d^2*g - 3*a^4*b^3*c*f^2 + 3*a^3*b^4*c^2*f + a^5*b^2*f^3 + a^3*b^4*d^3 + a^7*h^3 - a^4*b^3*e^3 - a^2*b^5*c^3 - a^6*b*g^3, z, k)*((6*a^2*b^4*d - 6*a^3*b^3*g)/b^4 + (x*(3*a^2*b^4*e - 3*a^3*b^3*h))/b^4 + 9*root(27*b^10*z^3 + 27*a*b^8*d*z^2 - 27*a^2*b^7*g*z^2 - 9*a^4*b^4*f*h*z - 18*a^3*b^5*d*g*z + 9*a^3*b^5*e*f*z + 9*a^3*b^5*c*h*z - 9*a^2*b^6*c*e*z + 9*a^4*b^4*g^2*z + 9*a^2*b^6*d^2*z + 3*a^6*b*f*g*h - 3*a^5*b^2*e*f*g - 3*a^5*b^2*d*f*h - 3*a^5*b^2*c*g*h + 3*a^4*b^3*d*e*f + 3*a^4*b^3*c*e*g + 3*a^4*b^3*c*d*h - 3*a^3*b^4*c*d*e - 3*a^6*b*e*h^2 + 3*a^5*b^2*e^2*h + 3*a^5*b^2*d*g^2 - 3*a^4*b^3*d^2*g - 3*a^4*b^3*c*f^2 + 3*a^3*b^4*c^2*f + a^5*b^2*f^3 + a^3*b^4*d^3 + a^7*h^3 - a^4*b^3*e^3 - a^2*b^5*c^3 - a^6*b*g^3, z, k)*a*b^2) + (a^5*g^2 + a^3*b^2*d^2 - a^5*f*h + a^4*b*c*h - 2*a^4*b*d*g + a^4*b*e*f - a^3*b^2*c*e)/b^4 + (x*(a^4*b*f^2 + a^2*b^3*c^2 + a^5*g*h - a^4*b*d*h - a^4*b*e*g - 2*a^3*b^2*c*f + a^3*b^2*d*e))/b^4)*root(27*b^10*z^3 + 27*a*b^8*d*z^2 - 27*a^2*b^7*g*z^2 - 9*a^4*b^4*f*h*z - 18*a^3*b^5*d*g*z + 9*a^3*b^5*e*f*z + 9*a^3*b^5*c*h*z - 9*a^2*b^6*c*e*z + 9*a^4*b^4*g^2*z + 9*a^2*b^6*d^2*z + 3*a^6*b*f*g*h - 3*a^5*b^2*e*f*g - 3*a^5*b^2*d*f*h - 3*a^5*b^2*c*g*h + 3*a^4*b^3*d*e*f + 3*a^4*b^3*c*e*g + 3*a^4*b^3*c*d*h - 3*a^3*b^4*c*d*e - 3*a^6*b*e*h^2 + 3*a^5*b^2*e^2*h + 3*a^5*b^2*d*g^2 - 3*a^4*b^3*d^2*g - 3*a^4*b^3*c*f^2 + 3*a^3*b^4*c^2*f + a^5*b^2*f^3 + a^3*b^4*d^3 + a^7*h^3 - a^4*b^3*e^3 - a^2*b^5*c^3 - a^6*b*g^3, z, k), k, 1, 3) + (f*x^5)/(5*b) + (g*x^6)/(6*b) + (h*x^7)/(7*b) - (a*x*(e/b - (a*h)/b^2))/b

sympy [B] time = 60.52, size = 881, normalized size = 2.66

$$x^4 \left(-\frac{ah}{4b^2} + \frac{e}{4b} \right) + x^3 \left(-\frac{ag}{3b^2} + \frac{d}{3b} \right) + x^2 \left(-\frac{af}{2b^2} + \frac{c}{2b} \right) + x \left(\frac{a^2h}{b^3} - \frac{ae}{b^2} \right) + \text{RootSum} \left(27t^3b^{10} + t^2(-27a^2b^7g + 27ab^8g + 27a^2b^7d - 27ab^8d) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a), x)

[Out] x**4*(-a*h/(4*b**2) + e/(4*b)) + x**3*(-a*g/(3*b**2) + d/(3*b)) + x**2*(-a*f/(2*b**2) + c/(2*b)) + x*(a**2*h/b**3 - a*e/b**2) + RootSum(27*_t**3*b**10 + _t**2*(-27*a**2*b**7*g + 27*a*b**8*d) + _t*(-9*a**4*b**4*f*h + 9*a**4*b**4*g**2 + 9*a**3*b**5*c*h - 18*a**3*b**5*d*g + 9*a**3*b**5*e*f - 9*a**2*b**6*c*e + 9*a**2*b**6*d**2) + a**7*h**3 - 3*a**6*b*e*h**2 + 3*a**6*b*f*g*h - a**6*b*g**3 - 3*a**5*b**2*c*g*h - 3*a**5*b**2*d*f*h + 3*a**5*b**2*d*g**2 + 3*a**5*b**2*e**2*h - 3*a**5*b**2*e*f*g + a**5*b**2*f**3 + 3*a**4*b**3*c*d*h + 3*a**4*b**3*c*e*g - 3*a**4*b**3*c*f**2 - 3*a**4*b**3*d**2*g + 3*a**4*b**3*d*e*f - a**4*b**3*e**3 + 3*a**3*b**4*c**2*f - 3*a**3*b**4*c*d*e + a**3*b**4*d**3 - a**2*b**5*c**3, Lambda(_t, _t*log(x + (-9*_t**2*a*b**7*f + 9*_t**2*b**8*c - 3*_t*a**4*b**3*h**2 + 6*_t*a**3*b**4*e*h + 6*_t*a**3*b**4*f*g - 6*_t*a**2*b**5*c*g - 6*_t*a**2*b**5*d*f - 3*_t*a**2*b**5*e**2 + 6*_t*a*b**6*c*d + a**6*g*h**2 - a**5*b*d*h**2 - 2*a**5*b*e*g*h + 2*a**5*b*f**2*h - a**5*b*f*g**2 - 4*a**4*b**2*c*f*h + a**4*b**2*c*g**2 + 2*a**4*b**2*d*e*h + 2*a**4*b**2*d*f*g + a**4*b**2*e**2*g - 2*a**4*b**2*e*f**2 + 2*a**3*b**3*c**2*h - 2*a**3*b**3*c*d*g + 4*a**3*b**3*c*e*f - a**3*b**3*d**2*f - a**3*b**3*d*e**2 - 2*a**2*b**4*c**2*e + a**2*b**4*c*d**2)/(a**6*h**3 - 3*a**5*b*e*h**2 + 3*a**4*b**2*e**2*h - a**4*b**2*f**3 + 3*a**3*b**3*c*f**2 - a**3*b**3*e**3 - 3*a**2*b**4*c**2*f + a*b**5*c**3))) + f*x**5/(5*b) + g*x**6/(6*b) + h*x**7/(7*b)

$$3.404 \quad \int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=313

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(a^{4/3}(-g) + \sqrt[3]{a}bd - a\sqrt[3]{b}\right)}{\sqrt{3}b^{8/3}}$$

[Out] $(-a*f+b*c)*x/b^2+1/2*(-a*g+b*d)*x^2/b^2+1/3*(-a*h+b*e)*x^3/b^2+1/4*f*x^4/b+1/5*g*x^5/b+1/6*h*x^6/b-1/3*a^{(1/3)}*(b^{(1/3)}*(-a*f+b*c)-a^{(1/3)}*(-a*g+b*d))*\ln(a^{(1/3)}+b^{(1/3)}*x)/b^{(8/3)}+1/6*a^{(1/3)}*(b^{(1/3)}*(-a*f+b*c)-a^{(1/3)}*(-a*g+b*d))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(8/3)}-1/3*a*(-a*h+b*e)*\ln(b*x^3+a)/b^3+1/3*a^{(1/3)}*(b^{(4/3)}*c+a^{(1/3)}*b*d-a*b^{(1/3)}*f-a^{(4/3)}*g)*\operatorname{arctan}(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/b^{(8/3)}*3^{(1/2)}$

Rubi [A] time = 0.99, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right) \left(a^{4/3}(-g) + \sqrt[3]{a}bd - a\sqrt[3]{b}\right)}{\sqrt{3}b^{8/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]$

[Out] $((b*c - a*f)*x)/b^2 + ((b*d - a*g)*x^2)/(2*b^2) + ((b*e - a*h)*x^3)/(3*b^2) + (f*x^4)/(4*b) + (g*x^5)/(5*b) + (h*x^6)/(6*b) + (a^{(1/3)}*(b^{(4/3)}*c + a^{(1/3)}*b*d - a*b^{(1/3)}*f - a^{(4/3)}*g)*\operatorname{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\operatorname{Sqrt}[3]*a^{(1/3)})]/(\operatorname{Sqrt}[3]*b^{(8/3)}) - (a^{(1/3)}*(b^{(1/3)}*(b*c - a*f) - a^{(1/3)}*(b*d - a*g))*\operatorname{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*b^{(8/3)}) + (a^{(1/3)}*(b^{(1/3)}*(b*c - a*f) - a^{(1/3)}*(b*d - a*g))*\operatorname{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*b^{(8/3)}) - (a*(b*e - a*h)*\operatorname{Log}[a + b*x^3])/ (3*b^3)$

Rule 31

$\operatorname{Int}[(a + b*x)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[a + b*x, x]]/b, x] /;$ $\operatorname{FreeQ}\{a, b\}, x]$

Rule 204

$\operatorname{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTan}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[-a, 2]]/(\operatorname{Rt}[-a, 2]*\operatorname{Rt}[-b, 2]), x] /;$ $\operatorname{FreeQ}\{a, b\}, x]$ && $\operatorname{PosQ}[a/b]$ && $\operatorname{LtQ}[$

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1836

Int[(Pq)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^6}{6b} + \frac{\int \frac{x^3(6bc + 6bdx + 6(be-ah)x^2 + 6bf x^3 + 6bgx^4)}{a + bx^3} dx}{6b} \\
&= \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\int \frac{x^3(30b^2c + 30b(bd-ag)x + 30b(be-ah)x^2 + 30b^2fx^3)}{a + bx^3} dx}{30b^2} \\
&= \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\int \frac{x^3(120b^2(bc-af) + 120b^2(bd-ag)x + 120b^2(be-ah)x^2)}{a + bx^3} dx}{120b^3} \\
&= \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\int \left(120b(bc-af) + 120b(bd-ag)x + 120b(be-ah)x^2 \right)}{120b^3} dx \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\int \frac{120b^3}{a + bx^3} dx}{120b^3} \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\int \frac{120b^3}{a + bx^3} dx}{120b^3} \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{a(l)}{120b^3} \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\sqrt[3]{a}}{120b^3} \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} - \frac{\sqrt[3]{a}}{120b^3} \\
&= \frac{(bc-af)x}{b^2} + \frac{(bd-ag)x^2}{2b^2} + \frac{(be-ah)x^3}{3b^2} + \frac{fx^4}{4b} + \frac{gx^5}{5b} + \frac{hx^6}{6b} + \frac{\sqrt[3]{a}}{120b^3}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 299, normalized size = 0.96

$$10\sqrt[3]{a}\sqrt[3]{b}\log\left(a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2\right)\left(a^{4/3}g-\sqrt[3]{a}bd-a\sqrt[3]{b}f+b^{4/3}c\right)-20\sqrt[3]{a}\sqrt[3]{b}\log\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)\left(a^{4/3}g-\sqrt[3]{a}bd-a\sqrt[3]{b}f+b^{4/3}c\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

```
[Out] (60*b*(b*c - a*f)*x + 30*b*(b*d - a*g)*x^2 + 20*b*(b*e - a*h)*x^3 + 15*b^2*
f*x^4 + 12*b^2*g*x^5 + 10*b^2*h*x^6 - 20*Sqrt[3]*a^(1/3)*b^(1/3)*(-(b^(4/3)
*c) - a^(1/3)*b*d + a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1
/3))/Sqrt[3]] - 20*a^(1/3)*b^(1/3)*(b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f +
a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x] + 10*a^(1/3)*b^(1/3)*(b^(4/3)*c - a^(1
/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3
)*x^2] + 20*a*(-(b*e) + a*h)*Log[a + b*x^3)]/(60*b^3)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas
s")
```

[Out] Timed out

giac [A] time = 0.18, size = 353, normalized size = 1.13

$$\frac{(a^2h - abe) \log(|bx^3 + a|)}{3b^3} + \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^2c - (-ab^2)^{\frac{1}{3}} abf - (-ab^2)^{\frac{2}{3}} bd + (-ab^2)^{\frac{2}{3}} ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac
")
```

```
[Out] 1/3*(a^2*h - a*b*e)*log(abs(b*x^3 + a))/b^3 - 1/3*sqrt(3)*((-a*b^2)^(1/3)*b
^2*c - (-a*b^2)^(1/3)*a*b*f - (-a*b^2)^(2/3)*b*d + (-a*b^2)^(2/3)*a*g)*arct
an(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^4 - 1/6*((-a*b^2)^(1/3)
*b^2*c - (-a*b^2)^(1/3)*a*b*f + (-a*b^2)^(2/3)*b*d - (-a*b^2)^(2/3)*a*g)*lo
g(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^4 + 1/60*(10*b^5*h*x^6 + 12*b^5*g*
x^5 + 15*b^5*f*x^4 - 20*a*b^4*h*x^3 + 20*b^5*x^3*e + 30*b^5*d*x^2 - 30*a*b^
4*g*x^2 + 60*b^5*c*x - 60*a*b^4*f*x)/b^6 + 1/3*(a*b^12*d*(-a/b)^(1/3) - a^2
*b^11*g*(-a/b)^(1/3) + a*b^12*c - a^2*b^11*f)*(-a/b)^(1/3)*log(abs(x - (-a/
b)^(1/3)))/(a*b^13)
```

maple [B] time = 0.05, size = 505, normalized size = 1.61

$$\frac{hx^6}{6b} + \frac{gx^5}{5b} + \frac{fx^4}{4b} - \frac{ahx^3}{3b^2} + \frac{ex^3}{3b} - \frac{agx^2}{2b^2} + \frac{dx^2}{2b} + \frac{\sqrt{3} a^2 f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3} + \frac{a^2 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3} - \frac{a^2 f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x)`

[Out] $\frac{1}{6}hx^6/b + \frac{1}{5}gx^5/b + \frac{1}{4}bfx^4 - \frac{1}{3}b^2x^3ah + \frac{1}{3}bex^3 - \frac{1}{2}b^2x^2ag + \frac{1}{2}bdx^2 - \frac{a}{b^2}fx + \frac{1}{b}cx + \frac{1}{3}\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2/b^3f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - \frac{1}{3}\left(\frac{a}{b}\right)^{\frac{2}{3}}a/b^2c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) - \frac{1}{6}\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2/b^3f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{1}{6}\left(\frac{a}{b}\right)^{\frac{2}{3}}a/b^2c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) + \frac{1}{3}\left(\frac{a}{b}\right)^{\frac{2}{3}}a^2/b^3f \arctan\left(\frac{1}{3}3^{\frac{1}{2}}\left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)x - 1\right) - \frac{1}{3}a/b^2\left(\frac{a}{b}\right)^{\frac{2}{3}}3^{\frac{1}{2}}\arctan\left(\frac{1}{3}3^{\frac{1}{2}}\left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)x - 1\right) * c - \frac{1}{3}a^2/b^3\left(\frac{a}{b}\right)^{\frac{1}{3}}\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) * g + \frac{1}{3}a/b^2\left(\frac{a}{b}\right)^{\frac{1}{3}}\ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right) * d + \frac{1}{6}a^2/b^3\left(\frac{a}{b}\right)^{\frac{1}{3}}\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) * x + \left(\frac{a}{b}\right)^{\frac{2}{3}} * g - \frac{1}{6}a/b^2\left(\frac{a}{b}\right)^{\frac{1}{3}}\ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{2}{3}}\right) * x + \left(\frac{a}{b}\right)^{\frac{2}{3}} * d + \frac{1}{3}a^2/b^3 * 3^{\frac{1}{2}}\left(\frac{a}{b}\right)^{\frac{1}{3}}\arctan\left(\frac{1}{3}3^{\frac{1}{2}}\left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)x - 1\right) * g - \frac{1}{3}3^{\frac{1}{2}}\left(\frac{a}{b}\right)^{\frac{1}{3}}a/b^2 * d * \arctan\left(\frac{1}{3}3^{\frac{1}{2}}\left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)x - 1\right) + \frac{1}{3}a^2/b^3 \ln(bx^3+a) * h - \frac{1}{3}a/b^2 * e * \ln(bx^3+a)$

maxima [A] time = 2.90, size = 332, normalized size = 1.06

$$\frac{10bhx^6 + 12bgx^5 + 15bfx^4 + 20(be - ah)x^3 + 30(bd - ag)x^2 + 60(bc - af)x}{60b^2} + \frac{\sqrt{3}\left(ab^2d\left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2bg\left(\frac{a}{b}\right)^{\frac{2}{3}} + a^2\right)}{60b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x, algorithm="maxima")`

[Out] $\frac{1}{60}(10b^2hx^6 + 12b^2gx^5 + 15b^2fx^4 + 20(b^2e - a^2h)x^3 + 30(b^2d - a^2g)x^2 + 60(b^2c - a^2f)x)/b^2 - \frac{1}{3}\sqrt{3}(a^2b^2d\left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2bg\left(\frac{a}{b}\right)^{\frac{2}{3}} + a^2)/b^2 + \frac{1}{3}a^2/b^3\left(\frac{a}{b}\right)^{\frac{1}{3}}\arctan\left(\frac{1}{3}\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)\right)/\left(\frac{a}{b}\right)^{\frac{1}{3}} - \frac{1}{6}(2a^2b^2e\left(\frac{a}{b}\right)^{\frac{2}{3}} - \dots)$

$$2*a^2*h*(a/b)^{(2/3)} + a*b*d*(a/b)^{(1/3)} - a^2*g*(a/b)^{(1/3)} - a*b*c + a^2*f) * \log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)}) / (b^3*(a/b)^{(2/3)}) - 1/3*(a*b*e*(a/b)^{(2/3)} - a^2*h*(a/b)^{(2/3)} - a*b*d*(a/b)^{(1/3)} + a^2*g*(a/b)^{(1/3)} + a*b*c - a^2*f) * \log(x + (a/b)^{(1/3)}) / (b^3*(a/b)^{(2/3)})$$

mupad [B] time = 4.99, size = 1236, normalized size = 3.95

$$x^2 \left(\frac{d}{2b} - \frac{ag}{2b^2} \right) + x^3 \left(\frac{e}{3b} - \frac{ah}{3b^2} \right) + \left(\sum_{k=1}^3 \ln \left(\text{root} \left(27b^9z^3 + 27ab^7ez^2 - 27a^2b^6hz^2 + 9ab^6cdz - 18a^3b^4ehz - \dots \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x)

[Out] x^2*(d/(2*b) - (a*g)/(2*b^2)) + x^3*(e/(3*b) - (a*h)/(3*b^2)) + symsum(log(root(27*b^9*z^3 + 27*a*b^7*e*z^2 - 27*a^2*b^6*h*z^2 + 9*a*b^6*c*d*z - 18*a^3*b^4*e*h*z + 9*a^3*b^4*f*g*z - 9*a^2*b^5*d*f*z - 9*a^2*b^5*c*g*z + 9*a^4*b^3*h^2*z + 9*a^2*b^5*e^2*z - 3*a^5*b*f*g*h + 3*a^4*b^2*e*f*g + 3*a^4*b^2*d*f*h + 3*a^4*b^2*c*g*h - 3*a^3*b^3*d*e*f - 3*a^3*b^3*c*e*g - 3*a^3*b^3*c*d*h + 3*a^2*b^4*c*d*e + 3*a^5*b*e*h^2 - 3*a^4*b^2*e^2*h - 3*a^4*b^2*d*g^2 + 3*a^3*b^3*d^2*g + 3*a^3*b^3*c*f^2 - 3*a^2*b^4*c^2*f + a^3*b^3*e^3 + a^5*b*g^3 + a*b^5*c^3 - a^4*b^2*f^3 - a^2*b^4*d^3 - a^6*h^3, z, k) * ((6*a^2*b^4*e - 6*a^3*b^3*h)/b^4 + (x*(3*a^2*b^3*f - 3*a*b^4*c))/b^3 + 9*root(27*b^9*z^3 + 27*a*b^7*e*z^2 - 27*a^2*b^6*h*z^2 + 9*a*b^6*c*d*z - 18*a^3*b^4*e*h*z + 9*a^3*b^4*f*g*z - 9*a^2*b^5*d*f*z - 9*a^2*b^5*c*g*z + 9*a^4*b^3*h^2*z + 9*a^2*b^5*e^2*z - 3*a^5*b*f*g*h + 3*a^4*b^2*e*f*g + 3*a^4*b^2*d*f*h + 3*a^4*b^2*c*g*h - 3*a^3*b^3*d*e*f - 3*a^3*b^3*c*e*g - 3*a^3*b^3*c*d*h + 3*a^2*b^4*c*d*e + 3*a^5*b*e*h^2 - 3*a^4*b^2*e^2*h - 3*a^4*b^2*d*g^2 + 3*a^3*b^3*d^2*g + 3*a^3*b^3*c*f^2 - 3*a^2*b^4*c^2*f + a^3*b^3*e^3 + a^5*b*g^3 + a*b^5*c^3 - a^4*b^2*f^3 - a^2*b^4*d^3 - a^6*h^3, z, k) * a*b^2) + (a^5*h^2 + a^3*b^2*e^2 - 2*a^4*b*e*h + a^4*b*f*g + a^2*b^3*c*d - a^3*b^2*c*g - a^3*b^2*d*f)/b^4 + (x*(a^4*g^2 + a^2*b^2*d^2 - a^4*f*h + a^3*b*c*h - 2*a^3*b*d*g + a^3*b*e*f - a^2*b^2*c*e))/b^3) * root(27*b^9*z^3 + 27*a*b^7*e*z^2 - 27*a^2*b^6*h*z^2 + 9*a*b^6*c*d*z - 18*a^3*b^4*e*h*z + 9*a^3*b^4*f*g*z - 9*a^2*b^5*d*f*z - 9*a^2*b^5*c*g*z + 9*a^4*b^3*h^2*z + 9*a^2*b^5*e^2*z - 3*a^5*b*f*g*h + 3*a^4*b^2*e*f*g + 3*a^4*b^2*d*f*h + 3*a^4*b^2*c*g*h - 3*a^3*b^3*d*e*f - 3*a^3*b^3*c*e*g - 3*a^3*b^3*c*d*h + 3*a^2*b^4*c*d*e + 3*a^5*b*e*h^2 - 3*a^4*b^2*e^2*h - 3*a^4*b^2*d*g^2 + 3*a^3*b^3*d^2*g + 3*a^3*b^3*c*f^2 - 3*a^2*b^4*c^2*f + a^3*b^3*e^3 + a^5*b*g^3 + a*b^5*c^3 - a^4*b^2*f^3 - a^2*b^4*d^3 - a^6*h^3, z, k), k, 1, 3) + x*(c/b - (a*f)/b^2) + (f*x^4)/(4*b) + (g*x^5)/(5*b) + (h*x^6)/(6*b)

sympy [B] time = 73.53, size = 845, normalized size = 2.70

$$x^3 \left(-\frac{ah}{3b^2} + \frac{e}{3b} \right) + x^2 \left(-\frac{ag}{2b^2} + \frac{d}{2b} \right) + x \left(-\frac{af}{b^2} + \frac{c}{b} \right) + \text{RootSum} \left(27t^3b^9 + t^2(-27a^2b^6h + 27ab^7e) + t(9a^4b^3h^2 - 18a^3b^4ehz - \dots) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a),x)`

[Out] $x^3(-a h/(3b^2) + e/(3b)) + x^2(-a g/(2b^2) + d/(2b)) + x(-a f/b^2 + c/b) + \text{RootSum}(27_t^3 b^9 + _t^2(-27 a^2 b^6 h + 27 a b^7 e) + _t(9 a^4 b^3 h^2 - 18 a^3 b^4 e h + 9 a^3 b^4 f g - 9 a^2 b^5 c g - 9 a^2 b^5 d f + 9 a^2 b^5 e^2 + 9 a b^6 c d) - a^6 h^3 + 3 a^5 b e h^2 - 3 a^5 b f g h + a^5 b g^3 + 3 a^4 b^2 c g h + 3 a^4 b^2 d f h - 3 a^4 b^2 d g^2 - 3 a^4 b^2 e^2 h + 3 a^4 b^2 e f g - a^4 b^2 f^3 - 3 a^3 b^3 c d h - 3 a^3 b^3 c e g + 3 a^3 b^3 c f^2 + 3 a^3 b^3 d^2 g - 3 a^3 b^3 d e f + a^3 b^3 e^3 - 3 a^2 b^4 c^2 f + 3 a^2 b^4 c d e - a^2 b^4 d^3 + a b^5 c^3, \text{Lambda}(_t, _t \log(x + (9 _t^2 a b^6 g - 9 _t^2 b^7 d - 6 _t a^3 b^3 g h + 6 _t a^2 b^4 d h + 6 _t a^2 b^4 e g + 3 _t a^2 b^4 f^2 - 6 _t a b^5 c f - 6 _t a b^5 d e + 3 _t b^6 c^2 + a^5 g h^2 - a^4 b d h^2 - 2 a^4 b e g h - a^4 b f^2 h + 2 a^4 b f g^2 + 2 a^3 b^2 c f h - 2 a^3 b^2 c g^2 + 2 a^3 b^2 d e h - 4 a^3 b^2 d f g + a^3 b^2 e^2 g + a^3 b^2 e f^2 - a^2 b^3 c^2 h + 4 a^2 b^3 c d g - 2 a^2 b^3 c e f + 2 a^2 b^3 d^2 f - a^2 b^3 d e^2 + a b^4 c^2 e - 2 a b^4 c d^2)/(a^4 b g^3 - 3 a^3 b^2 d g^2 + a^3 b^2 f^3 - 3 a^2 b^3 c f^2 + 3 a^2 b^3 d^2 g + 3 a b^4 c^2 f - a b^4 d^3 - b^5 c^3))) + f x^4/(4b) + g x^5/(5b) + h x^6/(6b)$

$$3.405 \quad \int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=294

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} (be - ah)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right) \left(a^{4/3}(-h) + \sqrt[3]{a} be - a\sqrt[3]{b} g\right)}{\sqrt{3} b^{8/3}}$$

[Out] $(-a*g+b*d)*x/b^2+1/2*(-a*h+b*e)*x^2/b^2+1/3*f*x^3/b+1/4*g*x^4/b+1/5*h*x^5/b$
 $-1/3*a^{(1/3)}*(b^{(1/3)}*(-a*g+b*d)-a^{(1/3)}*(-a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)}*x)/$
 $b^{(8/3)}+1/6*a^{(1/3)}*(b^{(1/3)}*(-a*g+b*d)-a^{(1/3)}*(-a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)}$
 $*b^{(1/3)}*x+b^{(2/3)}*x^2)/b^{(8/3)}+1/3*(-a*f+b*c)*\ln(b*x^3+a)/b^2+1/3*a^{(1/3)}$
 $*b^{(4/3)}*d+a^{(1/3)}*b*e-a*b^{(1/3)}*g-a^{(4/3)}*h)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}$
 $*x)/a^{(1/3)}*3^{(1/2)})/b^{(8/3)}*3^{(1/2)}$

Rubi [A] time = 0.98, antiderivative size = 294, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} (be - ah)\right)}{6b^{8/3}} + \frac{\sqrt[3]{a} \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right) \left(a^{4/3}(-h) + \sqrt[3]{a} be - a\sqrt[3]{b} g\right)}{\sqrt{3} b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] $((b*d - a*g)*x)/b^2 + ((b*e - a*h)*x^2)/(2*b^2) + (f*x^3)/(3*b) + (g*x^4)/(4*b)$
 $+ (h*x^5)/(5*b) + (a^{(1/3)}*(b^{(4/3)}*d + a^{(1/3)}*b*e - a*b^{(1/3)}*g - a^{(4/3)}$
 $*h)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*b^{(8/3)})$
 $- (a^{(1/3)}*(b^{(1/3)}*(b*d - a*g) - a^{(1/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)}$
 $*x]/(3*b^{(8/3)}) + (a^{(1/3)}*(b^{(1/3)}*(b*d - a*g) - a^{(1/3)}*(b*e - a*h))*\text{Log}[a^{(2/3)}$
 $- a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]/(6*b^{(8/3)}) + ((b*c - a*f)*\text{Log}[a + b*x^3])/(3*b^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1836

Int[(Pq)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^5}{5b} + \frac{\int \frac{x^2(5bc + 5bdx + 5(be-ah)x^2 + 5bf x^3 + 5bgx^4)}{a+bx^3} dx}{5b} \\
&= \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\int \frac{x^2(20b^2c + 20b(bd-ag)x + 20b(be-ah)x^2 + 20b^2fx^3)}{a+bx^3} dx}{20b^2} \\
&= \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\int \frac{x^2(60b^2(bc-af) + 60b^2(bd-ag)x + 60b^2(be-ah)x^2)}{a+bx^3} dx}{60b^3} \\
&= \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\int \left(60b(bd-ag) + 60b(be-ah)x - \frac{60(ab(bd-ag) + ab(be-ah)x^2)}{a+bx^3} \right) dx}{60b^3} \\
&= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\int \frac{ab(bd-ag) + ab(be-ah)x^2}{a+bx^3} dx}{b^3} \\
&= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\int \frac{ab(bd-ag) + ab(be-ah)x^2}{a+bx^3} dx}{b^3} \\
&= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{(bc-af) \log(a + bx^3)}{3b^2} \\
&= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} (bd-ag) \right)}{b^3} \\
&= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} - \frac{\sqrt[3]{a} \left(\sqrt[3]{b} (bd-ag) \right)}{b^3} \\
&= \frac{(bd-ag)x}{b^2} + \frac{(be-ah)x^2}{2b^2} + \frac{fx^3}{3b} + \frac{gx^4}{4b} + \frac{hx^5}{5b} + \frac{\sqrt[3]{a} \left(b^{4/3}d + \sqrt[3]{a}b \right)}{b^3}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 290, normalized size = 0.99

$$10\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3}x^2\right) \left(a^{4/3}h - \sqrt[3]{a}be - a\sqrt[3]{b}g + b^{4/3}d\right) + 20\sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \left(a^{4/3}(-h) + \sqrt[3]{a}b\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

```
[Out] (60*b^(2/3)*(b*d - a*g)*x + 30*b^(2/3)*(b*e - a*h)*x^2 + 20*b^(5/3)*f*x^3 +
15*b^(5/3)*g*x^4 + 12*b^(5/3)*h*x^5 - 20*Sqrt[3]*a^(1/3)*(-(b^(4/3)*d) - a
^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 20*a^(1/3)*(-(b^(4/3)*d) + a^(1/3)*b*e + a*b^(1/3)*g - a^(4/3)*h)*
Log[a^(1/3) + b^(1/3)*x] + 10*a^(1/3)*(b^(4/3)*d - a^(1/3)*b*e - a*b^(1/3)*g + a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2] + 20*b^(2/3)*
(b*c - a*f)*Log[a + b*x^3]/(60*b^(8/3))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")
```

[Out] Timed out

giac [A] time = 0.24, size = 333, normalized size = 1.13

$$\frac{(bc - af) \log(|bx^3 + a|)}{3b^2} - \frac{\sqrt{3} \left((-ab^2)^{\frac{1}{3}} b^2 d - (-ab^2)^{\frac{1}{3}} abg + (-ab^2)^{\frac{2}{3}} ah - (-ab^2)^{\frac{2}{3}} be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{3b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")
```

```
[Out] 1/3*(b*c - a*f)*log(abs(b*x^3 + a))/b^2 - 1/3*sqrt(3)*((-a*b^2)^(1/3)*b^2*d
- (-a*b^2)^(1/3)*a*b*g + (-a*b^2)^(2/3)*a*h - (-a*b^2)^(2/3)*b*e)*arctan(1
/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/b^4 - 1/6*((-a*b^2)^(1/3)*b^2
*d - (-a*b^2)^(1/3)*a*b*g - (-a*b^2)^(2/3)*a*h + (-a*b^2)^(2/3)*b*e)*log(x^
2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/b^4 + 1/60*(12*b^4*h*x^5 + 15*b^4*g*x^4
+ 20*b^4*f*x^3 - 30*a*b^3*h*x^2 + 30*b^4*x^2*e + 60*b^4*d*x - 60*a*b^3*g*x)
/b^5 - 1/3*(a^2*b^9*h*(-a/b)^(1/3) - a*b^10*(-a/b)^(1/3)*e - a*b^10*d + a^2
*b^9*g)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^11)
```

maple [B] time = 0.05, size = 483, normalized size = 1.64

$$\frac{hx^5}{5b} + \frac{gx^4}{4b} + \frac{fx^3}{3b} - \frac{ahx^2}{2b^2} + \frac{ex^2}{2b} + \frac{\sqrt{3} a^2 g \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} + \frac{a^2 g \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} - \frac{a^2 g \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x)`

[Out] $\frac{1}{5}hx^5/b + \frac{1}{4}gx^4/b + \frac{1}{3}bx^3 - \frac{1}{2}b^2x^2a/h + \frac{1}{2}bex^2 - \frac{1}{b^2}agx + \frac{1}{b}dx + \frac{1}{3}b^3/(a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * a^2g - \frac{1}{3}b^2/(a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * ad - \frac{1}{6}b^3/(a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)}x + (a/b)^{(2/3)}) * a^2g + \frac{1}{6}b^3/(a/b)^{(2/3)} * a/b^2 * d * \ln(x^2 - (a/b)^{(1/3)}x + (a/b)^{(2/3)}) + \frac{1}{3}b^3/(a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)}x - 1)) * a^2g - \frac{1}{3}b^3/(a/b)^{(2/3)} * 3^{(1/2)} * a/b^2 * d * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)}x - 1)) - \frac{1}{3}b^3/(a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) * a^2h + \frac{1}{3}b^2 * a * e / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) + \frac{1}{6}b^3/(a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)}x + (a/b)^{(2/3)}) * a^2h - \frac{1}{6}b^2 * a * e / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)}x + (a/b)^{(2/3)}) + \frac{1}{3}b^3 * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)}x - 1)) * a^2h - \frac{1}{3}b^2 * a * e * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)}x - 1)) - \frac{1}{3}b^2 * \ln(bx^3 + a) * af + \frac{1}{3}bc * \ln(bx^3 + a)$

maxima [A] time = 3.00, size = 313, normalized size = 1.06

$$\frac{\sqrt{3} \left(abe \left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2 h \left(\frac{a}{b}\right)^{\frac{2}{3}} + abd \left(\frac{a}{b}\right)^{\frac{1}{3}} - a^2 g \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 ab^2} + \frac{12 bhx^5 + 15 bgx^4 + 20 bfx^3 + 30 (be - ah)x^2 + 60 (bd - ag)x}{60 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x, algorithm="maxima")`

[Out] $-\frac{1}{3}\sqrt{3} * (a*b*e*(a/b)^{(2/3)} - a^2*h*(a/b)^{(2/3)} + a*b*d*(a/b)^{(1/3)} - a^2*g*(a/b)^{(1/3)}) * \arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)}) / (a*b^2) + \frac{1}{60} * (12*b*h*x^5 + 15*b*g*x^4 + 20*b*f*x^3 + 30*(b*e - a*h)*x^2 + 60*(b*d - a*g)*x) / b^2 + \frac{1}{6} * (2*b^2*c*(a/b)^{(2/3)} - 2*a*b*f*(a/b)^{(2/3)} - a*b*e*$

$$\begin{aligned} & (a/b)^{(1/3)} + a^2 h (a/b)^{(1/3)} + a b d - a^2 g \log(x^2 - x(a/b)^{(1/3)} + \\ & (a/b)^{(2/3)}) / (b^3 (a/b)^{(2/3)}) + 1/3 (b^2 c (a/b)^{(2/3)} - a b f (a/b)^{(2/3)} \\ & + a b e (a/b)^{(1/3)} - a^2 h (a/b)^{(1/3)} - a b d + a^2 g \log(x + (a/b)^{(1/3)}) / (b^3 (a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 5.02, size = 1170, normalized size = 3.98

$$x^2 \left(\frac{e}{2b} - \frac{ah}{2b^2} \right) + \left(\sum_{k=1}^3 \ln \left(\text{root} \left(27b^8 z^3 + 27ab^6 f z^2 - 27b^7 c z^2 - 18ab^5 c f z + 9ab^5 d e z + 9a^3 b^3 g h z - 9a^2 b^4 d h z + 9a^2 b^4 f^2 z + 9b^6 c^2 z + 3a^4 b f g h - 3a^3 b^4 c d e - 3a^3 b^2 e f g - 3a^3 b^2 d f h - 3a^3 b^2 c g h + 3a^2 b^3 d e f + 3a^2 b^3 c e g + 3a^2 b^3 c d h - 3a^4 b e h^2 + 3a^2 b^4 c^2 f + 3a^3 b^2 e^2 h + 3a^3 b^2 d g^2 - 3a^2 b^3 d^2 g - 3a^2 b^3 c f^2 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3, z, k \right) \right) \left(\frac{6a^2 b^3 f - 6a^3 b^4 c}{b^3} + \frac{x(3a^2 b^3 g - 3a^3 b^4 d)}{b^3} + 9 \text{root} \left(27b^8 z^3 + 27a^3 b^6 f z^2 - 27b^7 c z^2 - 18a^3 b^5 c f z + 9a^3 b^5 d e z + 9a^3 b^3 g h z - 9a^2 b^4 e g z - 9a^2 b^4 d h z + 9a^2 b^4 f^2 z + 9b^6 c^2 z + 3a^4 b f g h - 3a^3 b^4 c d e - 3a^3 b^2 e f g - 3a^3 b^2 d f h - 3a^3 b^2 c g h + 3a^2 b^3 d e f + 3a^2 b^3 c e g + 3a^2 b^3 c d h - 3a^4 b e h^2 + 3a^2 b^4 c^2 f + 3a^3 b^2 e^2 h + 3a^3 b^2 d g^2 - 3a^2 b^3 d^2 g - 3a^2 b^3 c f^2 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3, z, k \right) a b^2 \right) + \frac{a^2 b^3 c^2 + a^3 b f^2 + a^4 g h - a^3 b d h - a^3 b e g - 2a^2 b^2 c f + a^2 b^2 d e}{b^3} + \frac{x(a^4 h^2 + a^2 b^2 e^2 + a b^3 c d - 2a^3 b e h + a^3 b f g - a^2 b^2 c g - a^2 b^2 d f)}{b^3} \text{root} \left(27b^8 z^3 + 27a^3 b^6 f z^2 - 27b^7 c z^2 - 18a^3 b^5 c f z + 9a^3 b^5 d e z + 9a^3 b^3 g h z - 9a^2 b^4 e g z - 9a^2 b^4 d h z + 9a^2 b^4 f^2 z + 9b^6 c^2 z + 3a^4 b f g h - 3a^3 b^4 c d e - 3a^3 b^2 e f g - 3a^3 b^2 d f h - 3a^3 b^2 c g h + 3a^2 b^3 d e f + 3a^2 b^3 c e g + 3a^2 b^3 c d h - 3a^4 b e h^2 + 3a^2 b^4 c^2 f + 3a^3 b^2 e^2 h + 3a^3 b^2 d g^2 - 3a^2 b^3 d^2 g - 3a^2 b^3 c f^2 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3, z, k \right), k, 1, 3) + x \left(\frac{d}{b} - \frac{a g}{b^2} \right) + \frac{f x^3}{3b} + \frac{g x^4}{4b} + \frac{h x^5}{5b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x)

[Out] x^2*(e/(2*b) - (a*h)/(2*b^2)) + symsum(log(root(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g*h*z - 9*a^2*b^4*e*g*z - 9*a^2*b^4*d*h*z + 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b*f*g*h - 3*a^3*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a^2*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k)*((6*a^2*b^3*f - 6*a^3*b^4*c)/b^3 + (x*(3*a^2*b^3*g - 3*a^3*b^4*d))/b^3 + 9*root(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g*h*z - 9*a^2*b^4*e*g*z - 9*a^2*b^4*d*h*z + 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b*f*g*h - 3*a^3*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a^2*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k)*a*b^2) + (a*b^3*c^2 + a^3*b*f^2 + a^4*g*h - a^3*b*d*h - a^3*b*e*g - 2*a^2*b^2*c*f + a^2*b^2*d*e)/b^3 + (x*(a^4*h^2 + a^2*b^2*e^2 + a*b^3*c*d - 2*a^3*b*e*h + a^3*b*f*g - a^2*b^2*c*g - a^2*b^2*d*f))/b^3)*root(27*b^8*z^3 + 27*a*b^6*f*z^2 - 27*b^7*c*z^2 - 18*a*b^5*c*f*z + 9*a*b^5*d*e*z + 9*a^3*b^3*g*h*z - 9*a^2*b^4*e*g*z - 9*a^2*b^4*d*h*z + 9*a^2*b^4*f^2*z + 9*b^6*c^2*z + 3*a^4*b*f*g*h - 3*a^3*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a^2*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3, z, k), k, 1, 3) + x*(d/b - (a*g)/b^2) + (f*x^3)/(3*b) + (g*x^4)/(4*b) + (h*x^5)/(5*b)

sympy [B] time = 88.70, size = 790, normalized size = 2.69

$$x^2 \left(-\frac{ah}{2b^2} + \frac{e}{2b} \right) + x \left(-\frac{ag}{b^2} + \frac{d}{b} \right) + \text{RootSum} \left(27t^3 b^8 + t^2 (27ab^6 f - 27b^7 c) + t (9a^3 b^3 gh - 9a^2 b^4 dh - 9a^2 b^4 eg + 9a^2 b^4 fh - 9a^2 b^4 dg^2 - 9a^2 b^4 d^2 g - 9a^2 b^3 c f^2 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a),x)

[Out] $x^2(-a h/(2b^2) + e/(2b)) + x(-a g/b^2 + d/b) + \text{RootSum}(27_t^3 b^8 + _t^2(27 a b^6 f - 27 b^7 c) + _t(9 a^3 b^3 g h - 9 a^2 b^4 d h - 9 a^2 b^4 e g + 9 a^2 b^4 f^2 - 18 a b^5 c f + 9 a b^5 d e + 9 b^6 c^2) + a^5 h^3 - 3 a^4 b e h^2 + 3 a^4 b f g h - a^4 b g^3 - 3 a^3 b^2 c g h - 3 a^3 b^2 d f h + 3 a^3 b^2 d g^2 + 3 a^3 b^2 e^2 h - 3 a^3 b^2 e f g + a^3 b^2 f^3 + 3 a^2 b^3 c d h + 3 a^2 b^3 c e g - 3 a^2 b^3 c f^2 - 3 a^2 b^3 d^2 g + 3 a^2 b^3 d e f - a^2 b^3 e^3 + 3 a b^4 c^2 f - 3 a b^4 c d e + a b^4 d^3 - b^5 c^3, \text{Lambd} a(_t, _t \log(x + (9 _t^2 a b^5 h - 9 _t^2 b^6 e + 6 _t a^2 b^3 f h + 3 _t a^2 b^3 g^2 - 6 _t a b^4 c h - 6 _t a b^4 d g - 6 _t a b^4 e f + 6 _t b^5 c e + 3 _t b^5 d^2 + 2 a^4 g h^2 - 2 a^3 b d h^2 - 4 a^3 b e g h + a^3 b f^2 h + a^3 b f g^2 - 2 a^2 b^2 c f h - a^2 b^2 c g^2 + 4 a^2 b^2 d e h - 2 a^2 b^2 d f g + 2 a^2 b^2 e^2 g - a^2 b^2 e f^2 + a b^3 c^2 h + 2 a b^3 c d g + 2 a b^3 c e f + a b^3 d^2 f - 2 a b^3 d e^2 - b^4 c^2 e - b^4 c d^2)/(a^4 h^3 - 3 a^3 b e h^2 + a^3 b g^3 - 3 a^2 b^2 d g^2 + 3 a^2 b^2 e^2 h + 3 a b^3 d^2 g - a b^3 e^3 - b^4 d^3))) + f x^3/(3b) + g x^4/(4b) + h x^5/(5b)$

$$3.406 \quad \int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{a+bx^3} dx$$

Optimal. Leaf size=275

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6\sqrt[3]{a} b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3\sqrt[3]{a} b^{7/3}} + \text{ta}$$

[Out] $(-a*h+b*e)*x/b^2+1/2*f*x^2/b+1/3*g*x^3/b+1/4*h*x^4/b-1/3*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)*(-a*h+b*e)})*\ln(a^{(1/3)+b^{(1/3)}*x}/a^{(1/3)}/b^{(7/3)}+1/6*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)*(-a*h+b*e)})*\ln(a^{(2/3)-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(1/3)}/b^{(7/3)}+1/3*(-a*g+b*d)*\ln(b*x^3+a)/b^2-1/3*(b^{(5/3)}*c-a^{(2/3)*b*e-a*b^{(2/3)}*f+a^{(5/3)*h})*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(1/3)}/b^{(7/3)}*3^{(1/2)}$

Rubi [A] time = 0.92, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {1836, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6\sqrt[3]{a} b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3\sqrt[3]{a} b^{7/3}} + \text{ta}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x]

[Out] $((b*e - a*h)*x)/b^2 + (f*x^2)/(2*b) + (g*x^3)/(3*b) + (h*x^4)/(4*b) - ((b^{(5/3)}*c - a^{(2/3)*b*e - a*b^{(2/3)}*f + a^{(5/3)*h})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]) / (\text{Sqrt}[3]*a^{(1/3)}*b^{(7/3)}) - ((b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]) / (3*a^{(1/3)}*b^{(7/3)}) + ((b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2]) / (6*a^{(1/3)}*b^{(7/3)}) + ((b*d - a*g)*\text{Log}[a + b*x^3]) / (3*b^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1836

Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{a + bx^3} dx &= \frac{hx^4}{4b} + \frac{\int \frac{x(4bc + 4bdx + 4(be-ah)x^2 + 4bf x^3 + 4bgx^4)}{a + bx^3} dx}{4b} \\
&= \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{\int \frac{x(12b^2c + 12b(bd-ag)x + 12b(be-ah)x^2 + 12b^2fx^3)}{a + bx^3} dx}{12b^2} \\
&= \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{\int \frac{x(24b^2(bc-af) + 24b^2(bd-ag)x + 24b^2(be-ah)x^2)}{a + bx^3} dx}{24b^3} \\
&= \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{\int \left(24b(be-ah) - \frac{24(ab(be-ah) - b^2(bc-af)x - b^2(bd-ag)x^2)}{a + bx^3} \right) dx}{24b^3} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{\int \frac{ab(be-ah) - b^2(bc-af)x - b^2(bd-ag)x^2}{a + bx^3} dx}{b^3} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{\int \frac{ab(be-ah) - b^2(bc-af)x}{a + bx^3} dx}{b^3} + \frac{(bd-ag)}{b^3} \int \frac{dx}{a + bx^3} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} + \frac{(bd-ag) \log(a + bx^3)}{3b^2} - \frac{\int \frac{\sqrt[3]{a}(-)}{a + bx^3} dx}{\sqrt[3]{a}} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{(b^{2/3}(bc-af) + a^{2/3}(be-ah)) \log(a + bx^3)}{3\sqrt[3]{a} b^{7/3}} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{(b^{2/3}(bc-af) + a^{2/3}(be-ah)) \log(a + bx^3)}{3\sqrt[3]{a} b^{7/3}} \\
&= \frac{(be-ah)x}{b^2} + \frac{fx^2}{2b} + \frac{gx^3}{3b} + \frac{hx^4}{4b} - \frac{(b^{5/3}c - a^{2/3}be - ab^{2/3}f + a^{5/3}h) \log(a + bx^3)}{\sqrt{3} \sqrt[3]{a} b^{7/3}}
\end{aligned}$$

Mathematica [A] time = 0.48, size = 272, normalized size = 0.99

$$\frac{2 \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3} b e + a^{5/3} (-h) - a b^{2/3} f + b^{5/3} c\right)}{\sqrt[3]{a}} + \frac{4 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-a^{2/3} b e + a^{5/3} h + a b^{2/3} f - b^{5/3} c\right)}{\sqrt[3]{a}} - \frac{4 \sqrt{3} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt{3}}\right) \left(-a^{2/3} b e + a^{5/3} h + a b^{2/3} f - b^{5/3} c\right)}{\sqrt[3]{a}}$$

$$12b^{7/3}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3),x]

[Out] $(12*b^{(1/3)}*(b*e - a*h)*x + 6*b^{(4/3)}*f*x^2 + 4*b^{(4/3)}*g*x^3 + 3*b^{(4/3)}*h*x^4 - (4*\sqrt{3}*(b^{(5/3)}*c - a^{(2/3)}*b*e - a*b^{(2/3)}*f + a^{(5/3)}*h)*\operatorname{Arctan}[(1 - (2*b^{(1/3)}*x)/a^{(1/3)})/\sqrt{3}])/a^{(1/3)} + (4*(-(b^{(5/3)}*c) - a^{(2/3)}*b*e + a*b^{(2/3)}*f + a^{(5/3)}*h)*\operatorname{Log}[a^{(1/3)} + b^{(1/3)}*x])/a^{(1/3)} + (2*(b^{(5/3)}*c + a^{(2/3)}*b*e - a*b^{(2/3)}*f - a^{(5/3)}*h)*\operatorname{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/a^{(1/3)} + 4*b^{(1/3)}*(b*d - a*g)*\operatorname{Log}[a + b*x^3])/(12*b^{(7/3)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.28, size = 295, normalized size = 1.07

$$\frac{\sqrt{3} \left(a^2 h - a b e - (-a b^2)^{\frac{1}{3}} b c + (-a b^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{2}{3}} b} - \frac{\left(a^2 h - a b e + (-a b^2)^{\frac{1}{3}} b c - (-a b^2)^{\frac{1}{3}} a f \right) \log}{6 \left(-a b^2 \right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] $-1/3*\sqrt{3}*(a^2*h - a*b*e - (-a*b^2)^{(1/3)}*b*c + (-a*b^2)^{(1/3)}*a*f)*\operatorname{arctan}(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*b) - 1/6*(a^2*h - a*b*e + (-a*b^2)^{(1/3)}*b*c - (-a*b^2)^{(1/3)}*a*f)*\operatorname{log}(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*b) + 1/3*(b*d - a*g)*\operatorname{log}(\operatorname{abs}(b*x^3 + a))/b^2 + 1/12*(3*b^3*h*x^4 + 4*b^3*g*x^3 + 6*b^3*f*x^2 - 12*a*b^2*h*x + 12*b^3*x*e)/b^4 - 1/3*(b^9*c*(-a/b)^{(1/3)} - a*b^8*f*(-a/b)^{(1/3)} + a^2*b^7*h - a*b^8*e)*(-a/b)^{(1/3)}*\operatorname{log}(\operatorname{abs}(x - (-a/b)^{(1/3)}))/(a*b^9)$

maple [B] time = 0.04, size = 455, normalized size = 1.65

$$\frac{hx^4}{4b} + \frac{gx^3}{3b} + \frac{fx^2}{2b} + \frac{\sqrt{3} a^2 h \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} + \frac{a^2 h \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} - \frac{a^2 h \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{6 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^3} - \frac{\sqrt{3} a e \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{3 \left(\frac{a}{b}\right)^{\frac{2}{3}} b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x)

[Out] $\frac{1}{4} h x^4 / b + \frac{1}{3} g x^3 / b + \frac{1}{2} b f x^2 - \frac{1}{b^2} a h x + \frac{1}{b} e x + \frac{1}{3} b^3 / (a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * a^2 h - \frac{1}{3} / (a/b)^{(2/3)} * a/b^2 * e * \ln(x + (a/b)^{(1/3)}) - \frac{1}{6} / b^3 / (a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * a^2 h + \frac{1}{6} / (a/b)^{(2/3)} * a/b^2 * e * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + \frac{1}{3} / b^3 / (a/b)^{(2/3)} * 3^{(1/2)} * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) * a^2 h - \frac{1}{3} / (a/b)^{(2/3)} * 3^{(1/2)} * a/b^2 * e * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) + \frac{1}{3} / (a/b)^{(1/3)} * a/b^2 * f * \ln(x + (a/b)^{(1/3)}) - \frac{1}{3} / b / (a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) * c - \frac{1}{6} / (a/b)^{(1/3)} * a/b^2 * f * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + \frac{1}{6} / b / (a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * c - \frac{1}{3} * 3^{(1/2)} / (a/b)^{(1/3)} * a/b^2 * f * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) + \frac{1}{3} / b * 3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) * c - \frac{1}{3} / b^2 * \ln(b * x^3 + a) * a * g + \frac{1}{3} / b * d * \ln(b * x^3 + a)$

maxima [A] time = 3.03, size = 300, normalized size = 1.09

$$\frac{\sqrt{3} \left(b^2 c \left(\frac{a}{b}\right)^{\frac{2}{3}} - a b f \left(\frac{a}{b}\right)^{\frac{2}{3}} - a b e \left(\frac{a}{b}\right)^{\frac{1}{3}} + a^2 h \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a b^2} + \frac{3 b h x^4 + 4 b g x^3 + 6 b f x^2 + 12 (b e - a h) x}{12 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a), x, algorithm="maxima")

[Out] $\frac{1}{3} * \sqrt{3} * (b^2 * c * (a/b)^{(2/3)} - a * b * f * (a/b)^{(2/3)} - a * b * e * (a/b)^{(1/3)} + a^2 * h * (a/b)^{(1/3)}) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a * b^2) + \frac{1}{12} * (3 * b * h * x^4 + 4 * b * g * x^3 + 6 * b * f * x^2 + 12 * (b * e - a * h) * x) / b^2 + \frac{1}{6} * (2 * b^2 * d * (a/b)^{(2/3)} - 2 * a * b * g * (a/b)^{(2/3)} + b^2 * c * (a/b)^{(1/3)} - a * b * f * (a/b)^{(1/3)} + a * b * e - a^2 * h) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (b^3 * (a/b)^{(1/3)})$

$2/3)) + 1/3*(b^2*d*(a/b)^{(2/3)} - a*b*g*(a/b)^{(2/3)} - b^2*c*(a/b)^{(1/3)} + a*b*f*(a/b)^{(1/3)} - a*b*e + a^2*h)*\log(x + (a/b)^{(1/3)})/(b^3*(a/b)^{(2/3)})$

mupad [B] time = 4.99, size = 1161, normalized size = 4.22

$$\left(\sum_{k=1}^3 \ln \left(\text{root} \left(27 a b^7 z^3 - 27 a b^6 d z^2 + 27 a^2 b^5 g z^2 - 9 a b^5 c e z - 9 a^3 b^3 f h z - 18 a^2 b^4 d g z + 9 a^2 b^4 e f z + 9 a^2 b^4 c h z - 9 a^3 b^3 f^2 h z - 18 a^2 b^4 d^2 g z + 9 a^2 b^4 c^2 e f z + 9 a^2 b^4 c^2 h z + 9 a^3 b^5 d^2 z + 9 a^3 b^3 g^2 z - 3 a^4 b^2 f g h + 3 a^3 b^4 c d e + 3 a^3 b^2 e f g + 3 a^3 b^2 d f h + 3 a^3 b^2 c g h - 3 a^2 b^3 d e f - 3 a^2 b^3 c e g - 3 a^2 b^3 c d h + 3 a^4 b^2 e h^2 - 3 a^2 b^4 c^2 f - 3 a^3 b^2 e^2 h - 3 a^3 b^2 d g^2 + 3 a^2 b^3 d^2 g + 3 a^2 b^3 c f^2 + a^2 b^3 e^3 + a^4 b^2 g^3 + b^5 c^3 - a^3 b^2 f^3 - a b^4 d^3 - a^5 h^3, z, k \right) \right) * \left(\frac{6 a^2 b^2 g - 6 a b^3 d}{b^2} + \frac{x(3 a^2 b^2 h - 3 a b^3 e)}{b^2} + 9 \text{root} \left(27 a^3 b^7 z^3 - 27 a^3 b^6 d z^2 + 27 a^2 b^5 g z^2 - 9 a^2 b^5 c e z - 9 a^3 b^3 f^2 h z - 18 a^2 b^4 d^2 g z + 9 a^2 b^4 c^2 e f z + 9 a^2 b^4 c^2 h z + 9 a^3 b^5 d^2 z + 9 a^3 b^3 g^2 z - 3 a^4 b^2 f g h + 3 a^3 b^4 c d e + 3 a^3 b^2 e f g + 3 a^3 b^2 d f h + 3 a^3 b^2 c g h - 3 a^2 b^3 d e f - 3 a^2 b^3 c e g - 3 a^2 b^3 c d h + 3 a^4 b^2 e h^2 - 3 a^2 b^4 c^2 f - 3 a^3 b^2 e^2 h - 3 a^3 b^2 d g^2 + 3 a^2 b^3 d^2 g + 3 a^2 b^3 c f^2 + a^2 b^3 e^3 + a^4 b^2 g^3 + b^5 c^3 - a^3 b^2 f^3 - a b^4 d^3 - a^5 h^3, z, k \right) * a b^2 \right) + \frac{a^3 g^2 + a b^2 d^2 - a^3 f h - a b^2 c e + a^2 b c h - 2 a^2 b d g + a^2 b e f}{b^2} + \frac{x(b^3 c^2 + a^2 b f^2 + a^3 g h - 2 a b^2 c f + a b^2 d e - a^2 b d h - a^2 b e g)}{b^2} * \text{root} \left(27 a^3 b^7 z^3 - 27 a^3 b^6 d z^2 + 27 a^2 b^5 g z^2 - 9 a^2 b^5 c e z - 9 a^3 b^3 f^2 h z - 18 a^2 b^4 d^2 g z + 9 a^2 b^4 c^2 e f z + 9 a^2 b^4 c^2 h z + 9 a^3 b^5 d^2 z + 9 a^3 b^3 g^2 z - 3 a^4 b^2 f g h + 3 a^3 b^4 c d e + 3 a^3 b^2 e f g + 3 a^3 b^2 d f h + 3 a^3 b^2 c g h - 3 a^2 b^3 d e f - 3 a^2 b^3 c e g - 3 a^2 b^3 c d h + 3 a^4 b^2 e h^2 - 3 a^2 b^4 c^2 f - 3 a^3 b^2 e^2 h - 3 a^3 b^2 d g^2 + 3 a^2 b^3 d^2 g + 3 a^2 b^3 c f^2 + a^2 b^3 e^3 + a^4 b^2 g^3 + b^5 c^3 - a^3 b^2 f^3 - a b^4 d^3 - a^5 h^3, z, k \right), k, 1, 3) + x(e/b - (a*h)/b^2) + (f*x^2)/(2*b) + (g*x^3)/(3*b) + (h*x^4)/(4*b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3), x)`

[Out] `symsum(log(root(27*a*b^7*z^3 - 27*a*b^6*d*z^2 + 27*a^2*b^5*g*z^2 - 9*a*b^5*c*e*z - 9*a^3*b^3*f*h*z - 18*a^2*b^4*d*g*z + 9*a^2*b^4*e*f*z + 9*a^2*b^4*c*h*z + 9*a*b^5*d^2*z + 9*a^3*b^3*g^2*z - 3*a^4*b^2*f*g*h + 3*a^3*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b^2*e*h^2 - 3*a^2*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b^2*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k))*((6*a^2*b^2*g - 6*a*b^3*d)/b^2 + (x*(3*a^2*b^2*h - 3*a*b^3*e))/b^2 + 9*root(27*a*b^7*z^3 - 27*a*b^6*d*z^2 + 27*a^2*b^5*g*z^2 - 9*a*b^5*c*e*z - 9*a^3*b^3*f*h*z - 18*a^2*b^4*d*g*z + 9*a^2*b^4*e*f*z + 9*a^2*b^4*c*h*z + 9*a*b^5*d^2*z + 9*a^3*b^3*g^2*z - 3*a^4*b^2*f*g*h + 3*a^3*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b^2*e*h^2 - 3*a^2*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b^2*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k))*a*b^2) + (a^3*g^2 + a*b^2*d^2 - a^3*f*h - a*b^2*c*e + a^2*b*c*h - 2*a^2*b*d*g + a^2*b*e*f)/b^2 + (x*(b^3*c^2 + a^2*b*f^2 + a^3*g*h - 2*a*b^2*c*f + a*b^2*d*e - a^2*b*d*h - a^2*b*e*g))/b^2)*root(27*a*b^7*z^3 - 27*a*b^6*d*z^2 + 27*a^2*b^5*g*z^2 - 9*a*b^5*c*e*z - 9*a^3*b^3*f*h*z - 18*a^2*b^4*d*g*z + 9*a^2*b^4*e*f*z + 9*a^2*b^4*c*h*z + 9*a*b^5*d^2*z + 9*a^3*b^3*g^2*z - 3*a^4*b^2*f*g*h + 3*a^3*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b^2*e*h^2 - 3*a^2*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b^2*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k), k, 1, 3) + x*(e/b - (a*h)/b^2) + (f*x^2)/(2*b) + (g*x^3)/(3*b) + (h*x^4)/(4*b)`

sympy [B] time = 63.00, size = 811, normalized size = 2.95

$$x \left(-\frac{ah}{b^2} + \frac{e}{b} \right) + \text{RootSum} \left(27t^3 ab^7 + t^2 (27a^2 b^5 g - 27ab^6 d) + t (-9a^3 b^3 fh + 9a^3 b^3 g^2 + 9a^2 b^4 ch - 18a^2 b^4 dg + 9a^2 b^4 c^2 e f + 9a^2 b^4 c^2 h z + 9a^3 b^5 d^2 z + 9a^3 b^3 g^2 z - 3a^4 b^2 f g h + 3a^3 b^4 c d e + 3a^3 b^2 e f g + 3a^3 b^2 d f h + 3a^3 b^2 c g h - 3a^2 b^3 d e f - 3a^2 b^3 c e g - 3a^2 b^3 c d h + 3a^4 b^2 e h^2 - 3a^2 b^4 c^2 f - 3a^3 b^2 e^2 h - 3a^3 b^2 d g^2 + 3a^2 b^3 d^2 g + 3a^2 b^3 c f^2 + a^2 b^3 e^3 + a^4 b^2 g^3 + b^5 c^3 - a^3 b^2 f^3 - a b^4 d^3 - a^5 h^3, z, k) \right), k, 1, 3) + x(e/b - (a*h)/b^2) + (f*x^2)/(2*b) + (g*x^3)/(3*b) + (h*x^4)/(4*b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a), x)`


```
[Out] x*(-a*h/b**2 + e/b) + RootSum(27*_t**3*a*b**7 + _t**2*(27*a**2*b**5*g - 27*
a*b**6*d) + _t*(-9*a**3*b**3*f*h + 9*a**3*b**3*g**2 + 9*a**2*b**4*c*h - 18*
a**2*b**4*d*g + 9*a**2*b**4*e*f - 9*a*b**5*c*e + 9*a*b**5*d**2) - a**5*h**3
+ 3*a**4*b*e*h**2 - 3*a**4*b*f*g*h + a**4*b*g**3 + 3*a**3*b**2*c*g*h + 3*a
**3*b**2*d*f*h - 3*a**3*b**2*d*g**2 - 3*a**3*b**2*e**2*h + 3*a**3*b**2*e*f*
g - a**3*b**2*f**3 - 3*a**2*b**3*c*d*h - 3*a**2*b**3*c*e*g + 3*a**2*b**3*c*
f**2 + 3*a**2*b**3*d**2*g - 3*a**2*b**3*d*e*f + a**2*b**3*e**3 - 3*a*b**4*c
**2*f + 3*a*b**4*c*d*e - a*b**4*d**3 + b**5*c**3, Lambda(_t, _t*log(x + (-9
*_t**2*a**2*b**5*f + 9*_t**2*a*b**6*c + 3*_t*a**4*b**2*h**2 - 6*_t*a**3*b**
3*e*h - 6*_t*a**3*b**3*f*g + 6*_t*a**2*b**4*c*g + 6*_t*a**2*b**4*d*f + 3*_t
*a**2*b**4*e**2 - 6*_t*a*b**5*c*d + a**5*g*h**2 - a**4*b*d*h**2 - 2*a**4*b*
e*g*h + 2*a**4*b*f**2*h - a**4*b*f*g**2 - 4*a**3*b**2*c*f*h + a**3*b**2*c*g
**2 + 2*a**3*b**2*d*e*h + 2*a**3*b**2*d*f*g + a**3*b**2*e**2*g - 2*a**3*b**
2*e*f**2 + 2*a**2*b**3*c**2*h - 2*a**2*b**3*c*d*g + 4*a**2*b**3*c*e*f - a**
2*b**3*d**2*f - a**2*b**3*d*e**2 - 2*a*b**4*c**2*e + a*b**4*c*d**2)/(a**5*h
**3 - 3*a**4*b*e*h**2 + 3*a**3*b**2*e**2*h - a**3*b**2*f**3 + 3*a**2*b**3*c
*f**2 - a**2*b**3*e**3 - 3*a*b**4*c**2*f + b**5*c**3)))) + f*x**2/(2*b) + g
*x**3/(3*b) + h*x**4/(4*b)
```

$$3.407 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{a+bx^3} dx$$

Optimal. Leaf size=259

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (bc - af) - \sqrt[3]{a} (bd - ag)\right)}{6a^{2/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (bc - af) - \sqrt[3]{a} (bd - ag)\right)}{3a^{2/3} b^{5/3}}$$

[Out] f*x/b+1/2*g*x^2/b+1/3*h*x^3/b+1/3*(b^(1/3)*(-a*f+b*c)-a^(1/3)*(-a*g+b*d))*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(5/3)-1/6*(b^(1/3)*(-a*f+b*c)-a^(1/3)*(-a*g+b*d))*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(5/3)+1/3*(-a*h+b*e)*ln(b*x^3+a)/b^2-1/3*(b^(4/3)*c+a^(1/3)*b*d-a*b^(1/3)*f-a^(4/3)*g)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(5/3)*3^(1/2)

Rubi [A] time = 0.37, antiderivative size = 257, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a} (bd - ag)}{\sqrt[3]{b}} - af + bc\right)}{6a^{2/3} b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (bc - af) - \sqrt[3]{a} (bd - ag)\right)}{3a^{2/3} b^{5/3}} \tan^{-1}\left(\frac{\sqrt[3]{a} (bd - ag) - \sqrt[3]{b} (bc - af)}{\sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}\right)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3), x]

[Out] (f*x)/b + (g*x^2)/(2*b) + (h*x^3)/(3*b) - ((b^(4/3)*c + a^(1/3)*b*d - a*b^(1/3)*f - a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(Sqrt[3]*a^(2/3)*b^(5/3)) + ((b^(1/3)*(b*c - a*f) - a^(1/3)*(b*d - a*g))*Log[a^(1/3) + b^(1/3)*x]/(3*a^(2/3)*b^(5/3)) - ((b*c - a*f - (a^(1/3)*(b*d - a*g))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(6*a^(2/3)*b^(4/3)) + ((b*e - a*h)*Log[a + b*x^3]/(3*b^2))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

$\text{Int}[(x_)^{(m_.)}/((a_) + (b_.)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^n, x]]/(b*n), x] \text{ /; FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{EqQ}[m, n - 1]$

Rule 617

$\text{Int}[(a_) + (b_.)*(x_) + (c_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] \text{ /; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) \text{ /; FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_) + (e_.)*(x_)]/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] \text{ /; FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d_) + (e_.)*(x_)]/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \text{ /; FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1860

$\text{Int}[(A_) + (B_.)*(x_)]/((a_) + (b_.)*(x_)^3), x_Symbol] \rightarrow \text{With}[\{r = \text{Numerator}[\text{Rt}[a/b, 3]], s = \text{Denominator}[\text{Rt}[a/b, 3]]\}, -\text{Dist}[(r*(B*r - A*s))/(3*a*s), \text{Int}[1/(r + s*x), x], x] + \text{Dist}[r/(3*a*s), \text{Int}[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] \text{ /; FreeQ}[\{a, b, A, B\}, x] \ \&\& \ \text{NeQ}[a*B^3 - b*A^3, 0] \ \&\& \ \text{PosQ}[a/b]$

Rule 1871

$\text{Int}[(P2_)]/((a_) + (b_.)*(x_)^3), x_Symbol] \rightarrow \text{With}[\{A = \text{Coeff}[P2, x, 0], B = \text{Coeff}[P2, x, 1], C = \text{Coeff}[P2, x, 2]\}, \text{Int}[(A + B*x)/(a + b*x^3), x] + \text{Dist}[C, \text{Int}[x^2/(a + b*x^3), x], x] \text{ /; EqQ}[a*B^3 - b*A^3, 0] \ || \ !\text{RationalQ}[a/b] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[P2, x, 2]$

Rule 1887

$\text{Int}[(Pq_)]/((a_) + (b_.)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Pq/(a + b*x^n), x], x] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{a + bx^3} dx &= \int \left(\frac{f}{b} + \frac{gx}{b} + \frac{hx^2}{b} + \frac{bc - af + (bd - ag)x + (be - ah)x^2}{b(a + bx^3)} \right) dx \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\int \frac{bc - af + (bd - ag)x + (be - ah)x^2}{a + bx^3} dx}{b} \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\int \frac{bc - af + (bd - ag)x}{a + bx^3} dx}{b} + \frac{(be - ah) \int \frac{x^2}{a + bx^3} dx}{b} \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{(be - ah) \log(a + bx^3)}{3b^2} + \frac{\int \frac{\sqrt[3]{a} (2\sqrt[3]{b}(bc - af) + \sqrt[3]{a}(bd - ag))}{a^{2/3} - \sqrt[3]{a}x} dx}{3a^{2/3}} \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{4/3}} + \frac{(be - ah) \log(a + bx^3)}{3b^2} \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} + \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{2/3}b^{4/3}} - \frac{(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}}) \log(a + bx^3)}{3b^2} \\
&= \frac{fx}{b} + \frac{gx^2}{2b} + \frac{hx^3}{3b} - \frac{(b^{4/3}c + \sqrt[3]{a}bd - a\sqrt[3]{b}f - a^{4/3}g) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{2/3}b^{5/3}} + \frac{(be - ah) \log(a + bx^3)}{3b^2}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 254, normalized size = 0.98

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^{4/3}g - \sqrt[3]{a}bd - a\sqrt[3]{b}f + b^{4/3}c\right)}{a^{2/3}} + \frac{2\log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^{4/3}g - \sqrt[3]{a}bd - a\sqrt[3]{b}f + b^{4/3}c\right)}{a^{2/3}} + \frac{2\sqrt{3}\tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)\left(a^{4/3}g - \sqrt[3]{a}bd + b^{4/3}c\right)}{a^{2/3}}$$

$$6b^{5/3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3), x]

[Out] (6*b^(2/3)*f*x + 3*b^(2/3)*g*x^2 + 2*b^(2/3)*h*x^3 + (2*sqrt[3]*(-(b^(4/3)*c) - a^(1/3)*b*d + a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(2/3) + (2*(b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) - ((b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3) + (2*(b*e - a*h)*Log[a + b*x^3])/b^(1/3)/(6*b^(5/3))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 272, normalized size = 1.05

$$\frac{\sqrt{3} \left(b^2 c - a b f - (-a b^2)^{\frac{1}{3}} b d + (-a b^2)^{\frac{1}{3}} a g \right) \arctan \left(\frac{\sqrt{3} \left(2 x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-a b^2 \right)^{\frac{2}{3}} b} - \frac{\left(b^2 c - a b f + (-a b^2)^{\frac{1}{3}} b d - (-a b^2)^{\frac{1}{3}} a g \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-a b^2 \right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out]
$$-1/3 \sqrt{3} (b^2 c - a b f - (-a b^2)^{\frac{1}{3}} b d + (-a b^2)^{\frac{1}{3}} a g) \arctan \left(\frac{\sqrt{3} (2 x + (-\frac{a}{b})^{\frac{1}{3}})}{3 (-\frac{a}{b})^{\frac{1}{3}}} \right) - 1/6 (b^2 c - a b f + (-a b^2)^{\frac{1}{3}} b d - (-a b^2)^{\frac{1}{3}} a g) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right) + 1/3 (a h - b e) \log \left(\frac{b x^3 + a}{b^2} \right) + 1/6 (2 b^2 h x^3 + 3 b^2 g x^2 + 6 b^2 f x) / b^3 - 1/3 (b^7 d (-\frac{a}{b})^{\frac{1}{3}} - a b^6 g (-\frac{a}{b})^{\frac{1}{3}} + b^7 c - a b^6 f) (-\frac{a}{b})^{\frac{1}{3}} \log \left(\frac{\left| x - (-\frac{a}{b})^{\frac{1}{3}} \right|}{a b^7} \right)$$

maple [B] time = 0.05, size = 429, normalized size = 1.66

$$\frac{h x^3}{3 b} + \frac{g x^2}{2 b} - \frac{\sqrt{3} a f \arctan \left(\frac{\sqrt{3} \left(\frac{2 x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} - 1 \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{a f \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a f \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{\sqrt{3} a g \arctan \left(\frac{\sqrt{3} \left(\frac{2 x}{\left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x)

[Out] $\frac{1}{3}hx^3/b + \frac{1}{2}gx^2/b + \frac{1}{b}fx - \frac{1}{3}b^2/(a/b)^{(2/3)} * \ln(x + (a/b)^{(1/3)}) * a^f + \frac{1}{3}/(a/b)^{(2/3)}/b * c * \ln(x + (a/b)^{(1/3)}) + \frac{1}{6}/b^2/(a/b)^{(2/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * a^f - \frac{1}{6}/(a/b)^{(2/3)}/b * c * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) - \frac{1}{3}/(a/b)^{(2/3)} * 3^{(1/2)} * a/b^2 * f * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) + \frac{1}{3}/(a/b)^{(2/3)} * 3^{(1/2)}/b * c * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) + \frac{1}{3}/b^2/(a/b)^{(1/3)} * \ln(x + (a/b)^{(1/3)}) * a^g - \frac{1}{3}/(a/b)^{(1/3)}/b * d * \ln(x + (a/b)^{(1/3)}) - \frac{1}{6}/b^2/(a/b)^{(1/3)} * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) * a^g + \frac{1}{6}/(a/b)^{(1/3)}/b * d * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) - \frac{1}{3}/b^2 * 3^{(1/2)}/(a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) * a^g + \frac{1}{3} * 3^{(1/2)}/(a/b)^{(1/3)}/b * d * \arctan(1/3 * 3^{(1/2)} * (2/(a/b)^{(1/3)} * x - 1)) - \frac{1}{3}/b^2 * \ln(b * x^3 + a) * a^h + \frac{1}{3}/b * e * \ln(b * x^3 + a)$

maxima [A] time = 3.04, size = 266, normalized size = 1.03

$$\frac{2hx^3 + 3gx^2 + 6fx}{6b} + \frac{\sqrt{3} \left(b^2 d \left(\frac{a}{b} \right)^{\frac{2}{3}} - abg \left(\frac{a}{b} \right)^{\frac{2}{3}} + b^2 c \left(\frac{a}{b} \right)^{\frac{1}{3}} - abf \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3ab^2} + \left(2be \left(\frac{a}{b} \right)^{\frac{2}{3}} - 2ah \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] $\frac{1}{6} * (2 * h * x^3 + 3 * g * x^2 + 6 * f * x) / b + \frac{1}{3} * \sqrt{3} * (b^2 * d * (a/b)^{(2/3)} - a * b * g * (a/b)^{(2/3)} + b^2 * c * (a/b)^{(1/3)} - a * b * f * (a/b)^{(1/3)}) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a * b^2) + \frac{1}{6} * (2 * b * e * (a/b)^{(2/3)} - 2 * a * h * (a/b)^{(2/3)} + b * d * (a/b)^{(1/3)} - a * g * (a/b)^{(1/3)} - b * c + a * f) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (b^2 * (a/b)^{(2/3)}) + \frac{1}{3} * (b * e * (a/b)^{(2/3)} - a * h * (a/b)^{(2/3)} - b * d * (a/b)^{(1/3)} + a * g * (a/b)^{(1/3)} + b * c - a * f) * \log(x + (a/b)^{(1/3)}) / (b^2 * (a/b)^{(2/3)})$

mupad [B] time = 5.03, size = 1150, normalized size = 4.44

$$\left(\sum_{k=1}^3 \ln \left(\frac{a^3 h^2 + a b^2 e^2 + b^3 c d - a b^2 c g - a b^2 d f - 2 a^2 b e h + a^2 b f g}{b^2} \right) + \text{root} \left(27 a^2 b^6 z^3 + 27 a^3 b^4 h z^2 - 27 a^2 b^5 e z^2 + 9 a * b^5 * c * d * z - 18 a^3 * b^3 * e * h * z + 9 a^3 * b^3 * f * g * z - 9 a^2 * b^4 * d * f * z - 9 a^2 * b^4 * c * g * z + 9 a^4 * b^2 * h^2 * z + 9 a^2 * b^4 * e^2 * z + 3 a^4 * b * f * g * h - 3 a * b^4 * c * d * e - 3 a^3 * b^2 * e * f * g - 3 a^3 * b^2 * d * f * h - 3 a^3 * b^2 * c * g * h + 3 a^2 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3),x)

[Out] $\text{symsum}(\log((a^3 * h^2 + a * b^2 * e^2 + b^3 * c * d - a * b^2 * c * g - a * b^2 * d * f - 2 * a^2 * b * e * h + a^2 * b * f * g) / b^2 + \text{root}(27 * a^2 * b^6 * z^3 + 27 * a^3 * b^4 * h * z^2 - 27 * a^2 * b^5 * e * z^2 + 9 * a * b^5 * c * d * z - 18 * a^3 * b^3 * e * h * z + 9 * a^3 * b^3 * f * g * z - 9 * a^2 * b^4 * d * f * z - 9 * a^2 * b^4 * c * g * z + 9 * a^4 * b^2 * h^2 * z + 9 * a^2 * b^4 * e^2 * z + 3 * a^4 * b * f * g * h - 3 * a * b^4 * c * d * e - 3 * a^3 * b^2 * e * f * g - 3 * a^3 * b^2 * d * f * h - 3 * a^3 * b^2 * c * g * h + 3 * a^2$

$$\begin{aligned}
& b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 - 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 \\
& + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3, z, k) * ((6 a^2 b^2 h - 6 a b^3 e) / b^2 + (x * (3 b^3 c - 3 a b^2 f)) / b + 9 \operatorname{root}(\\
& 27 a^2 b^6 z^3 + 27 a^3 b^4 h z^2 - 27 a^2 b^5 e z^2 + 9 a b^5 c d z - 18 a^3 b^3 e h z + 9 a^3 b^3 f g z - 9 a^2 b^4 d f z - 9 a^2 b^4 c g z + 9 a^4 b^2 h^2 z + 9 a^2 b^4 e^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 e f g - 3 a^3 b^2 d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 - 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3, z, k) * a b^2) + (x * (b^2 d^2 + a^2 g^2 - b^2 c e - a^2 f h + a b c h - 2 a b d g + a b e f)) / b) * \operatorname{root}(27 a^2 b^6 z^3 + 27 a^3 b^4 h z^2 - 27 a^2 b^5 e z^2 + 9 a b^5 c d z - 18 a^3 b^3 e h z + 9 a^3 b^3 f g z - 9 a^2 b^4 d f z - 9 a^2 b^4 c g z + 9 a^4 b^2 h^2 z + 9 a^2 b^4 e^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 e f g - 3 a^3 b^2 d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 - 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3, z, k), k, 1, 3) + (g x^2) / (2 b) + (h x^3) / (3 b) + (f x) / b
\end{aligned}$$

sympy [B] time = 59.39, size = 804, normalized size = 3.10

$$\operatorname{RootSum}\left(27 t^3 a^2 b^6 + t^2(27 a^3 b^4 h - 27 a^2 b^5 e) + t(9 a^4 b^2 h^2 - 18 a^3 b^3 e h + 9 a^3 b^3 f g - 9 a^2 b^4 c g - 9 a^2 b^4 d f + 9 a^2 b^4 e f) + (g x^2) / (2 b) + (h x^3) / (3 b) + (f x) / b\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a),x)

[Out] RootSum(27*_t**3*a**2*b**6 + _t**2*(27*a**3*b**4*h - 27*a**2*b**5*e) + _t*(9*a**4*b**2*h**2 - 18*a**3*b**3*e*h + 9*a**3*b**3*f*g - 9*a**2*b**4*c*g - 9*a**2*b**4*d*f + 9*a**2*b**4*e**2 + 9*a*b**5*c*d) + a**5*h**3 - 3*a**4*b**e*h**2 + 3*a**4*b*f*g*h - a**4*b*g**3 - 3*a**3*b**2*c*g*h - 3*a**3*b**2*d*f*h + 3*a**3*b**2*d*g**2 + 3*a**3*b**2*e**2*h - 3*a**3*b**2*e*f*g + a**3*b**2*f**3 + 3*a**2*b**3*c*d*h + 3*a**2*b**3*c*e*g - 3*a**2*b**3*c*f**2 - 3*a**2*b**3*d**2*g + 3*a**2*b**3*d*e*f - a**2*b**3*e**3 + 3*a*b**4*c**2*f - 3*a*b**4*c*d*e + a*b**4*d**3 - b**5*c**3, Lambda(_t, _t*log(x + (9*_t**2*a**3*b**4*g - 9*_t**2*a**2*b**5*d + 6*_t*a**4*b**2*g*h - 6*_t*a**3*b**3*d*h - 6*_t*a**3*b**3*e*g - 3*_t*a**3*b**3*f**2 + 6*_t*a**2*b**4*c*f + 6*_t*a**2*b**4*d*e - 3*_t*a*b**5*c**2 + a**5*g*h**2 - a**4*b*d*h**2 - 2*a**4*b*e*g*h - a**4*b*f**2*h + 2*a**4*b*f*g**2 + 2*a**3*b**2*c*f*h - 2*a**3*b**2*c*g**2 + 2*a**3*b**2*d*e*h - 4*a**3*b**2*d*f*g + a**3*b**2*e**2*g + a**3*b**2*e*f**2 - a**2*b**3*c**2*h + 4*a**2*b**3*c*d*g - 2*a**2*b**3*c*e*f + 2*a**2*b**3*d**2*f - a**2*b**3*d*e**2 + a*b**4*c**2*e - 2*a*b**4*c*d**2) / (a**4*b*g**3 - 3*a**3*b**2*d*g**2 + a**3*b**2*f**3 - 3*a**2*b**3*c*f**2 + 3*a**2*b**3*d**2*g +

$$3*a*b**4*c**2*f - a*b**4*d**3 - b**5*c**3)))) + f*x/b + g*x**2/(2*b) + h*x**3/(3*b)$$

$$3.408 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)} dx$$

Optimal. Leaf size=258

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bd - ag) - \sqrt[3]{a}(be - ah)\right)}{6a^{2/3}b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bd - ag) - \sqrt[3]{a}(be - ah)\right)}{3a^{2/3}b^{5/3}}$$

[Out] $g*x/b+1/2*h*x^2/b+c*\ln(x)/a+1/3*(b^{(1/3)}*(-a*g+b*d)-a^{(1/3)}*(-a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)*x})/a^{(2/3)}/b^{(5/3)}-1/6*(b^{(1/3)}*(-a*g+b*d)-a^{(1/3)}*(-a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/a^{(2/3)}/b^{(5/3)}-1/3*(-a*f+b*c)*\ln(b*x^3+a)/a/b-1/3*(b^{(4/3)*d+a^{(1/3)*b*e-a*b^{(1/3)*g}-a^{(4/3)*h}}*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/a^{(2/3)}/b^{(5/3)*3^{(1/2)}}$

Rubi [A] time = 0.47, antiderivative size = 256, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a}(be-ah)}{\sqrt[3]{b}} - ag + bd\right)}{6a^{2/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bd - ag) - \sqrt[3]{a}(be - ah)\right)}{3a^{2/3}b^{5/3}} \tan^{-1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)), x]

[Out] $(g*x)/b + (h*x^2)/(2*b) - ((b^{(4/3)*d} + a^{(1/3)*b*e} - a*b^{(1/3)*g} - a^{(4/3)*h})*\text{ArcTan}[a^{(1/3)} - 2*b^{(1/3)*x}]/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*a^{(2/3)*b^{(5/3)}}) + (c*\text{Log}[x])/a + ((b^{(1/3)}*(b*d - a*g) - a^{(1/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)*x}]/(3*a^{(2/3)*b^{(5/3)}}) - ((b*d - a*g - (a^{(1/3)}*(b*e - a*h))/b^{(1/3)}))*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}}]/(6*a^{(2/3)*b^{(4/3)}}) - ((b*c - a*f)*\text{Log}[a + b*x^3])/ (3*a*b)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq)*((c_)*(x_)^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
```

/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x(a + bx^3)} dx &= \int \left(\frac{g}{b} + \frac{c}{ax} + \frac{hx}{b} + \frac{a(bd - ag) + a(be - ah)x - b(bc - af)x^2}{ab(a + bx^3)} \right) dx \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\int \frac{a(bd - ag) + a(be - ah)x - b(bc - af)x^2}{a + bx^3} dx}{ab} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\int \frac{a(bd - ag) + a(be - ah)x}{a + bx^3} dx}{ab} - \frac{(bc - af) \int \frac{x^2}{a + bx^3} dx}{a} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} - \frac{(bc - af) \log(a + bx^3)}{3ab} + \frac{\int \frac{\sqrt[3]{a} (2a \sqrt[3]{b} (bd - ag) + a^{4/3})}{a + bx^3} dx}{a} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\left(bd - ag - \frac{\sqrt[3]{a} (be - ah)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{4/3}} - \frac{(bc - af) \log(a + bx^3)}{3ab} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} + \frac{c \log(x)}{a} + \frac{\left(bd - ag - \frac{\sqrt[3]{a} (be - ah)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b} x)}{3a^{2/3} b^{4/3}} - \frac{(bc - af) \log(a + bx^3)}{3ab} \\
 &= \frac{gx}{b} + \frac{hx^2}{2b} - \frac{(b^{4/3} d + \sqrt[3]{a} be - a \sqrt[3]{b} g - a^{4/3} h) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}} \right)}{\sqrt{3} a^{2/3} b^{5/3}} + \frac{c \log(x)}{a}
 \end{aligned}$$

Mathematica [A] time = 0.31, size = 258, normalized size = 1.00

$$-\sqrt[3]{a} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^{4/3} h - \sqrt[3]{a} be - a \sqrt[3]{b} g + b^{4/3} d) + 2 \sqrt[3]{a} \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^{4/3} h - \sqrt[3]{a} be - a \sqrt[3]{b} g + b^{4/3} d)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)),x]

[Out] (6*a*b^(2/3)*g*x + 3*a*b^(2/3)*h*x^2 + 2*Sqrt[3]*a^(1/3)*(-(b^(4/3)*d) - a^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]] + 6*b^(5/3)*c*Log[x] + 2*a^(1/3)*(b^(4/3)*d - a^(1/3)*b*e - a*b^(1/3)*g + a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x] - a^(1/3)*(b^(4/3)*d - a^(1/3)*b*e

$$- a*b^{(1/3)}*g + a^{(4/3)}*h)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2] \\ - 2*b^{(2/3)}*(b*c - a*f)*\text{Log}[a + b*x^3]/(6*a*b^{(5/3)})$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 281, normalized size = 1.09

$$\frac{c \log(|x|)}{a} - \frac{\sqrt{3} \left(b^2 d - abg + (-ab^2)^{\frac{1}{3}} ah - (-ab^2)^{\frac{1}{3}} be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}} b} - \frac{\left(b^2 d - abg - (-ab^2)^{\frac{1}{3}} ah + (-ab^2)^{\frac{1}{3}} be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{6 \left(-ab^2 \right)^{\frac{2}{3}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="giac")

[Out] c*log(abs(x))/a - 1/3*sqrt(3)*(b^2*d - a*b*g + (-a*b^2)^(1/3)*a*h - (-a*b^2)^(1/3)*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b) - 1/6*(b^2*d - a*b*g - (-a*b^2)^(1/3)*a*h + (-a*b^2)^(1/3)*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b) - 1/3*(b*c - a*f)*log(abs(b*x^3 + a))/(a*b) + 1/2*(b*h*x^2 + 2*b*g*x)/b^2 + 1/3*(a^3*b^2*h*(-a/b)^(1/3) - a^2*b^3*(-a/b)^(1/3)*e - a^2*b^3*d + a^3*b^2*g)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^3)

maple [B] time = 0.05, size = 426, normalized size = 1.65

$$\frac{h x^2}{2b} - \frac{\sqrt{3} ag \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{ag \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{ag \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{\sqrt{3} ah \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} b^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a),x)`

[Out] $\frac{1}{2} \frac{h}{b} x^2 + \frac{1}{b} g x - \frac{1}{3} \frac{b^2 a}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) + \frac{1}{3} \frac{g}{(a/b)^{2/3}} \frac{1}{b^2 d} \ln(x + (a/b)^{1/3}) + \frac{1}{6} \frac{b^2 a}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + g - \frac{1}{6} \frac{b^2 a}{(a/b)^{2/3}} \frac{1}{b^2 d} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) - \frac{1}{3} \frac{b^2 a}{(a/b)^{2/3}} 3^{1/2} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3}} x - 1\right) + \frac{1}{3} \frac{g}{(a/b)^{2/3}} 3^{1/2} \frac{1}{b^2 d} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3}} x - 1\right) + \frac{1}{3} \frac{b^2 a}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) + h - \frac{1}{3} \frac{b^2 a}{(a/b)^{1/3}} \frac{1}{b^2 e} \ln(x + (a/b)^{1/3}) - \frac{1}{6} \frac{b^2 a}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + h + \frac{1}{6} \frac{b^2 a}{(a/b)^{1/3}} \frac{1}{b^2 e} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) - \frac{1}{3} \frac{b^2 a}{b^2 a} 3^{1/2} \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3}} x - 1\right) + h + \frac{1}{3} 3^{1/2} \frac{1}{(a/b)^{1/3}} \frac{1}{b^2 e} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3}} x - 1\right) + \frac{1}{3} \frac{b^2 f}{b^2 a} \ln(b^2 x^3 + a) - \frac{1}{3} \frac{a^2 c}{a^2 c} \ln(b^2 x^3 + a) + \frac{1}{a^2 c} \ln(x)$

maxima [A] time = 3.02, size = 290, normalized size = 1.12

$$\frac{\frac{c \log(x)}{a} + \frac{hx^2 + 2gx}{2b} + \frac{\sqrt{3} \left(abe \left(\frac{a}{b}\right)^{\frac{2}{3}} - a^2 h \left(\frac{a}{b}\right)^{\frac{2}{3}} + abd \left(\frac{a}{b}\right)^{\frac{1}{3}} - a^2 g \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3 \left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{3 a^2 b}}{\left(2 b^2 c \left(\frac{a}{b}\right)^{\frac{2}{3}} - 2 a\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a),x, algorithm="maxima")`

[Out] $c \log(x)/a + \frac{1}{2} \frac{h x^2 + 2 g x}{b} + \frac{1}{3} \sqrt{3} \frac{(a b e (a/b)^{2/3} - a^2 h (a/b)^{2/3} + a b d (a/b)^{1/3} - a^2 g (a/b)^{1/3}) \arctan(1/3 \sqrt{3} (2 x - (a/b)^{1/3}) / (a/b)^{1/3})}{a^2 b} - \frac{1}{6} \frac{(2 b^2 c (a/b)^{2/3} - 2 a b f (a/b)^{2/3} - a b e (a/b)^{1/3} + a^2 h (a/b)^{1/3} + a b d - a^2 g) \log(x^2 - x (a/b)^{1/3} + (a/b)^{2/3})}{a^2 b^2 (a/b)^{2/3}} - \frac{1}{3} \frac{(b^2 c (a/b)^{2/3} - a b f (a/b)^{2/3} + a b e (a/b)^{1/3} - a^2 h (a/b)^{1/3} - a b d + a^2 g) \log(x + (a/b)^{1/3})}{a^2 b^2 (a/b)^{2/3}}$

mupad [B] time = 5.10, size = 1731, normalized size = 6.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)),x)`

[Out] `symsum(log(b^2*c*d^2 - root(27*a^3*b^5*z^3 - 27*a^3*b^4*f*z^2 + 27*a^2*b^5*c*z^2 + 9*a^4*b^2*g*h*z - 9*a^3*b^3*e*g*z - 9*a^3*b^3*d*h*z - 18*a^2*b^4*c*f*z + 9*a^2*b^4*d*e*z + 9*a*b^5*c^2*z + 9*a^3*b^3*f^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*`

$$\begin{aligned}
& b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2 \\
& *f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 \\
& + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, \\
& k)*(a^3*g^2 - \text{root}(27*a^3*b^5*z^3 - 27*a^3*b^4*f*z^2 + 27*a^2*b^5*c*z^2 + \\
& 9*a^4*b^2*g*h*z - 9*a^3*b^3*e*g*z - 9*a^3*b^3*d*h*z - 18*a^2*b^4*c*f*z + 9* \\
& a^2*b^4*d*e*z + 9*a*b^5*c^2*z + 9*a^3*b^3*f^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c \\
& *d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e* \\
& f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a \\
& ^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^ \\
& 3*e^3 + a^4*b*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k))*((x* \\
& (33*a^2*b^4*f - 24*a*b^5*c))/b^2 + 3*a^2*b^2*e - 3*a^3*b*h - 36*\text{root}(27*a^3 \\
& *b^5*z^3 - 27*a^3*b^4*f*z^2 + 27*a^2*b^5*c*z^2 + 9*a^4*b^2*g*h*z - 9*a^3*b^ \\
& 3*e*g*z - 9*a^3*b^3*d*h*z - 18*a^2*b^4*c*f*z + 9*a^2*b^4*d*e*z + 9*a*b^5*c^ \\
& 2*z + 9*a^3*b^3*f^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3 \\
& *a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^ \\
& 2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d \\
& *g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^ \\
& 3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z, k)*a^2*b^3*x) + (x*(4*b^5*c^2 + 1 \\
& 0*a^2*b^3*f^2 - 14*a*b^4*c*f + 10*a*b^4*d*e - 10*a^2*b^3*d*h - 10*a^2*b^3*e \\
& *g + 10*a^3*b^2*g*h))/b^2 + a*b^2*d^2 - a^3*f*h + 2*a*b^2*c*e - 2*a^2*b*c*h \\
& - 2*a^2*b*d*g + a^2*b*e*f) - b^2*c^2*e + a^2*c*g^2 + (x*(b^4*d^3 + a^4*h^3 \\
& - a*b^3*e^3 - a^3*b*g^3 + b^4*c^2*f + a^2*b^2*f^3 + 3*a^2*b^2*d*g^2 + 3*a^ \\
& 2*b^2*e^2*h - 2*b^4*c*d*e - 2*a*b^3*c*f^2 - 3*a*b^3*d^2*g - 3*a^3*b*e*h^2 - \\
& 2*a^2*b^2*c*g*h - 3*a^2*b^2*d*f*h - 3*a^2*b^2*e*f*g + 2*a*b^3*c*d*h + 2*a* \\
& b^3*c*e*g + 3*a*b^3*d*e*f + 3*a^3*b*f*g*h))/b^2 + a*b*c^2*h - a^2*c*f*h - 2 \\
& *a*b*c*d*g + a*b*c*e*f)*\text{root}(27*a^3*b^5*z^3 - 27*a^3*b^4*f*z^2 + 27*a^2*b^5 \\
& *c*z^2 + 9*a^4*b^2*g*h*z - 9*a^3*b^3*e*g*z - 9*a^3*b^3*d*h*z - 18*a^2*b^4*c \\
& *f*z + 9*a^2*b^4*d*e*z + 9*a*b^5*c^2*z + 9*a^3*b^3*f^2*z - 3*a^4*b*f*g*h + \\
& 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2 \\
& *b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^ \\
& 2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 \\
& + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3, z \\
& , k), k, 1, 3) + (h*x^2)/(2*b) + (c*log(x))/a + (g*x)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x/(b*x**3+a), x)

[Out] Timed out

$$3.409 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)} dx$$

Optimal. Leaf size=253

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6a^{4/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3a^{4/3}b^{4/3}}$$

[Out] $-c/a/x+h*x/b+d*\ln(x)/a+1/3*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)}*(-a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)*x})/a^{(4/3)}/b^{(4/3)}-1/6*(b^{(2/3)}*(-a*f+b*c)+a^{(2/3)}*(-a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}}/a^{(4/3)}/b^{(4/3)}-1/3*(-a*g+b*d)*\ln(b*x^3+a)/a/b+1/3*(b^{(5/3)*c-a^{(2/3)*b*e-a*b^{(2/3)*f+a^{(5/3)*h}})*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}}/a^{(4/3)}/b^{(4/3)*3^{(1/2)}})$

Rubi [A] time = 0.45, antiderivative size = 253, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{6a^{4/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(be - ah) + b^{2/3}(bc - af)\right)}{3a^{4/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)), x]

[Out] $-(c/(a*x)) + (h*x)/b + ((b^{(5/3)*c} - a^{(2/3)*b*e} - a*b^{(2/3)*f} + a^{(5/3)*h})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*a^{(4/3)*b^{(4/3)}}) + (d*\text{Log}[x])/a + ((b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)*x}]/(3*a^{(4/3)*b^{(4/3)}}) - ((b^{(2/3)}*(b*c - a*f) + a^{(2/3)}*(b*e - a*h))*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}}]/(6*a^{(4/3)*b^{(4/3)}}) - ((b*d - a*g)*\text{Log}[a + b*x^3])/ (3*a*b)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

```
Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1834

```
Int[((Pq)*((c_)*(x_)^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
```


/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^2(a + bx^3)} dx &= \int \left(\frac{h}{b} + \frac{c}{ax^2} + \frac{d}{ax} + \frac{a(be - ah) - b(bc - af)x - b(bd - ag)x^2}{ab(a + bx^3)} \right) dx \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{\int \frac{a(be - ah) - b(bc - af)x - b(bd - ag)x^2}{a + bx^3} dx}{ab} \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{\int \frac{a(be - ah) - b(bc - af)x}{a + bx^3} dx}{ab} - \frac{(bd - ag) \int \frac{x^2}{a + bx^3} dx}{a} \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} - \frac{(bd - ag) \log(a + bx^3)}{3ab} + \frac{\int \frac{\sqrt[3]{a}(-\sqrt[3]{a}b(bc - af) + 2a^2)}{a + bx^3} dx}{a} \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{(b^{2/3}(bc - af) + a^{2/3}(be - ah)) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}b^{4/3}} \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{d \log(x)}{a} + \frac{(b^{2/3}(bc - af) + a^{2/3}(be - ah)) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{4/3}b^{4/3}} \\
 &= -\frac{c}{ax} + \frac{hx}{b} + \frac{(b^{5/3}c - a^{2/3}be - ab^{2/3}f + a^{5/3}h) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{4/3}b^{4/3}} + \frac{d \log(x)}{a}
 \end{aligned}$$

Mathematica [A] time = 0.32, size = 257, normalized size = 1.02

$$\frac{1}{6} \left(\frac{\log(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2)(-a^{2/3}be + a^{5/3}h + ab^{2/3}f - b^{5/3}c)}{a^{4/3}b^{4/3}} + \frac{2 \log(\sqrt[3]{a} + \sqrt[3]{b}x)(a^{2/3}be + a^{5/3}(-h) - ab^{2/3}f + a^{5/3}h)}{a^{4/3}b^{4/3}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)),x]

[Out] ((-6*c)/(a*x) + (6*h*x)/b + (2*Sqrt[3]*(b^(5/3)*c - a^(2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/(a^(4/3)*b^(4/3))

3)) + (6*d*Log[x])/a + (2*(b^(5/3)*c + a^(2/3)*b*e - a*b^(2/3)*f - a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x]/(a^(4/3)*b^(4/3)) + ((-b^(5/3)*c) - a^(2/3)*b*e + a*b^(2/3)*f + a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(a^(4/3)*b^(4/3)) + (2*(-b*d) + a*g)*Log[a + b*x^3]/(a*b))/6

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 277, normalized size = 1.09

$$\frac{hx}{b} + \frac{d \log(|x|)}{a} + \frac{\sqrt{3} \left(a^2 h - a b e - (-ab^2)^{\frac{1}{3}} b c + (-ab^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}} a} + \frac{\left(a^2 h - a b e + (-ab^2)^{\frac{1}{3}} b c - \dots \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="giac")

[Out] h*x/b + d*log(abs(x))/a + 1/3*sqrt(3)*(a^2*h - a*b*e - (-a*b^2)^(1/3)*b*c + (-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a) + 1/6*(a^2*h - a*b*e + (-a*b^2)^(1/3)*b*c - (-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a) - 1/3*(b*d - a*g)*log(abs(b*x^3 + a))/(a*b) - c/(a*x) + 1/3*(a*b^4*c*(-a/b)^(1/3) - a^2*b^3*f*(-a/b)^(1/3) + a^3*b^2*h - a^2*b^3*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^3)

maple [B] time = 0.06, size = 423, normalized size = 1.67

$$\frac{\sqrt{3} a h \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{a h \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} + \frac{a h \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} b^2} - \frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{c \ln \left(x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a),x)`

[Out]
$$\begin{aligned} & h*x/b - 1/3/b^2*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*h + 1/3/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e + 1/6/b^2*a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h - 1/6/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e - 1/3/b^2*a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*h + 1/3/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e - 1/3/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*f + 1/3/a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c + 1/6/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f - 1/6/a/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c + 1/3/b*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f - 1/3/a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c + 1/3/b*\ln(b*x^3+a)*g - 1/3/a*d*\ln(b*x^3+a) - 1/a*c/x + 1/a*d*\ln(x) \end{aligned}$$

maxima [A] time = 3.02, size = 290, normalized size = 1.15

$$\frac{\frac{hx}{b} + \frac{d \log(x)}{a} - \frac{\sqrt{3} \left(b^2 c \left(\frac{a}{b} \right)^{\frac{2}{3}} - abf \left(\frac{a}{b} \right)^{\frac{2}{3}} - abe \left(\frac{a}{b} \right)^{\frac{1}{3}} + a^2 h \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3a^2b} - \frac{c}{ax} \left(2b^2d \left(\frac{a}{b} \right)^{\frac{2}{3}} - 2abg \right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & h*x/b + d*\log(x)/a - 1/3*\sqrt{3}*(b^2*c*(a/b)^{(2/3)} - a*b*f*(a/b)^{(2/3)} - a*b*e*(a/b)^{(1/3)} + a^2*h*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^2*b) - c/(a*x) - 1/6*(2*b^2*d*(a/b)^{(2/3)} - 2*a*b*g*(a/b)^{(2/3)} + b^2*c*(a/b)^{(1/3)} - a*b*f*(a/b)^{(1/3)} + a*b*e - a^2*h)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^2*(a/b)^{(2/3)}) - 1/3*(b^2*d*(a/b)^{(2/3)} - a*b*g*(a/b)^{(2/3)} - b^2*c*(a/b)^{(1/3)} + a*b*f*(a/b)^{(1/3)} - a*b*e + a^2*h)*\log(x + (a/b)^{(1/3)})/(a*b^2*(a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 5.09, size = 1802, normalized size = 7.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)),x)`

[Out] `symsum(log((b^3*c*d^2 + a^3*d*h^2 + a*b^2*d*e^2 - a*b^2*d^2*f - a*b^2*c*d*g - 2*a^2*b*d*e*h + a^2*b*d*f*g)/a - root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2`

```

+ 27*a^3*b^4*d*z^2 - 9*a^4*b^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z +
  9*a^3*b^3*c*h*z - 9*a^2*b^4*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*
  a^4*b*f*g*h - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2
  *c*g*h + 3*a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^
  2 + 3*a*b^4*c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3
  *a^2*b^3*c*f^2 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^
  3 + a^5*h^3, z, k)*(root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2 + 27*a^3*b^4*d*z
  ^2 - 9*a^4*b^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3*c*h*z
  - 9*a^2*b^4*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*f*g*h - 3*
  a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b
  ^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*
  f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 -
  a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3, z,
  k)*((3*a^2*b^3*c - 3*a^3*b^2*f)/a + (x*(24*a^3*b^4*d - 33*a^4*b^3*g))/(a^2*
  b) + 36*root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2 + 27*a^3*b^4*d*z^2 - 9*a^4*b
  ^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3*c*h*z - 9*a^2*b^4
  *c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*f*g*h - 3*a*b^4*c*d*e
  - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*a^2*b^3*d*e*f + 3
  *a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4*c^2*f + 3*a^3*b^
  2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*f^2 - a^2*b^3*e^3
  - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3, z, k)*a^2*b^3*x
  ) + (a^4*h^2 + a^2*b^2*e^2 - 2*a*b^3*c*d - 2*a^3*b*e*h + a^3*b*f*g - a^2*b^
  2*c*g + 2*a^2*b^2*d*f)/a + (x*(4*a^2*b^4*d^2 + 10*a^4*b^2*g^2 - 10*a^2*b^4*
  c*e + 10*a^3*b^3*c*h - 14*a^3*b^3*d*g + 10*a^3*b^3*e*f - 10*a^4*b^2*f*h))/(
  a^2*b)) + (x*(b^5*c^3 - a^5*h^3 + a^4*b*g^3 + a^2*b^3*e^3 - a^3*b^2*f^3 + 3
  *a^2*b^3*c*f^2 + a^2*b^3*d^2*g - 2*a^3*b^2*d*g^2 - 3*a^3*b^2*e^2*h - 3*a*b^
  4*c^2*f + 3*a^4*b*e*h^2 - 2*a^2*b^3*c*d*h - 3*a^2*b^3*c*e*g - 2*a^2*b^3*d*e
  *f + 3*a^3*b^2*c*g*h + 2*a^3*b^2*d*f*h + 3*a^3*b^2*e*f*g + 2*a*b^4*c*d*e -
  3*a^4*b*f*g*h))/(a^2*b))*root(27*a^4*b^4*z^3 - 27*a^4*b^3*g*z^2 + 27*a^3*b^
  4*d*z^2 - 9*a^4*b^2*f*h*z - 18*a^3*b^3*d*g*z + 9*a^3*b^3*e*f*z + 9*a^3*b^3*
  c*h*z - 9*a^2*b^4*c*e*z + 9*a^4*b^2*g^2*z + 9*a^2*b^4*d^2*z + 3*a^4*b*f*g*h
  - 3*a*b^4*c*d*e - 3*a^3*b^2*e*f*g - 3*a^3*b^2*d*f*h - 3*a^3*b^2*c*g*h + 3*
  a^2*b^3*d*e*f + 3*a^2*b^3*c*e*g + 3*a^2*b^3*c*d*h - 3*a^4*b*e*h^2 + 3*a*b^4
  *c^2*f + 3*a^3*b^2*e^2*h + 3*a^3*b^2*d*g^2 - 3*a^2*b^3*d^2*g - 3*a^2*b^3*c*
  f^2 - a^2*b^3*e^3 - a^4*b*g^3 - b^5*c^3 + a^3*b^2*f^3 + a*b^4*d^3 + a^5*h^3
  , z, k), k, 1, 3) + (h*x)/b - c/(a*x) + (d*log(x))/a

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2/(b*x**3+a), x)

[Out] Timed out

$$3.410 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)} dx$$

Optimal. Leaf size=260

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{6a^{5/3}b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{3a^{5/3}b^{2/3}} + \dots$$

[Out] $-1/2*c/a/x^2-d/a/x+e*\ln(x)/a-1/3*(b^{(1/3)}*(-a*f+b*c)-a^{(1/3)}*(-a*g+b*d))*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}/b^{(2/3)}+1/6*(b^{(1/3)}*(-a*f+b*c)-a^{(1/3)}*(-a*g+b*d))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(2/3)}-1/3*(-a*h+b*e)*\ln(b*x^3+a)/a/b+1/3*(b^{(4/3)}*c+a^{(1/3)}*b*d-a*b^{(1/3)}*f-a^{(4/3)}*g)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.38, antiderivative size = 258, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a}(bd-ag)}{\sqrt[3]{b}} - af + bc\right)}{6a^{5/3}\sqrt[3]{b}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b}(bc - af) - \sqrt[3]{a}(bd - ag)\right)}{3a^{5/3}b^{2/3}} + \tan^{-1}\left(\dots\right)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)), x]

[Out] $-c/(2*a*x^2) - d/(a*x) + ((b^{(4/3)}*c + a^{(1/3)}*b*d - a*b^{(1/3)}*f - a^{(4/3)}*g)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*a^{(5/3)}*b^{(2/3)}) + (e*\text{Log}[x])/a - ((b^{(1/3)}*(b*c - a*f) - a^{(1/3)}*(b*d - a*g))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x]/(3*a^{(5/3)}*b^{(2/3)}) + ((b*c - a*f - (a^{(1/3)}*(b*d - a*g))/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*a^{(5/3)}*b^{(1/3)}) - ((b*e - a*h)*\text{Log}[a + b*x^3])/(3*a*b)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a

/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^3(a + bx^3)} dx &= \int \left(\frac{c}{ax^3} + \frac{d}{ax^2} + \frac{e}{ax} + \frac{-bc + af - (bd - ag)x - (be - ah)x^2}{a(a + bx^3)} \right) dx \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} + \frac{\int \frac{-bc + af - (bd - ag)x - (be - ah)x^2}{a + bx^3} dx}{a} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} + \frac{\int \frac{-bc + af + (-bd + ag)x}{a + bx^3} dx}{a} + \frac{(-be + ah) \int \frac{x^2}{a + bx^3} dx}{a} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{(be - ah) \log(a + bx^3)}{3ab} + \frac{\int \frac{\sqrt[3]{a} (2\sqrt[3]{b}(-bc + af) + \dots)}{\dots} dx}{\dots} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}\sqrt[3]{b}} - \frac{(be - ah) \log(a + bx^3)}{3ab} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{e \log(x)}{a} - \frac{\left(bc - af - \frac{\sqrt[3]{a}(bd - ag)}{\sqrt[3]{b}} \right) \log(\sqrt[3]{a} + \sqrt[3]{b}x)}{3a^{5/3}\sqrt[3]{b}} + \frac{(be - ah) \log(a + bx^3)}{3ab} \\
 &= -\frac{c}{2ax^2} - \frac{d}{ax} + \frac{\left(b^{4/3}c + \sqrt[3]{a}bd - a\sqrt[3]{b}f - a^{4/3}g \right) \tan^{-1} \left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}} \right)}{\sqrt{3}a^{5/3}b^{2/3}} + \frac{e \log(x)}{a}
 \end{aligned}$$

Mathematica [A] time = 0.46, size = 257, normalized size = 0.99

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2\right)\left(a^{4/3}g - \sqrt[3]{a}bd - a\sqrt[3]{b}f + b^{4/3}c\right)}{b^{2/3}} - \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)\left(a^{4/3}g - \sqrt[3]{a}bd - a\sqrt[3]{b}f + b^{4/3}c\right)}{b^{2/3}} + \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)\left(a^{4/3}(-g) + \sqrt[3]{a}b\right)}{6a^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)), x]

[Out] ((-3*a^(2/3)*c)/x^2 - (6*a^(2/3)*d)/x + (2*Sqrt[3]*(b^(4/3)*c + a^(1/3)*b*d - a*b^(1/3)*f - a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(2/3) + 6*a^(2/3)*e*Log[x] - (2*(b^(4/3)*c - a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(2/3)

$(4/3)*g)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/b^{(2/3)} + ((b^{(4/3)}*c - a^{(1/3)}*b*d - a*b^{(1/3)}*f + a^{(4/3)}*g)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/b^{(2/3)} + (2*a^{(2/3)}*(-(b*e) + a*h)*\text{Log}[a + b*x^3])/b)/(6*a^{(5/3)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.28, size = 269, normalized size = 1.03

$$\frac{e \log(|x|)}{a} + \frac{\sqrt{3} \left(b^2 c - a b f - (-a b^2)^{\frac{1}{3}} b d + (-a b^2)^{\frac{1}{3}} a g \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 (-a b^2)^{\frac{2}{3}} a} + \frac{\left(b^2 c - a b f + (-a b^2)^{\frac{1}{3}} b d - (-a b^2)^{\frac{1}{3}} a g \right) \log \left(x^2 + x \left(-\frac{a}{b} \right)^{\frac{1}{3}} + \left(-\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(-\frac{a}{b} \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="giac")

[Out] $e*\log(\text{abs}(x))/a + 1/3*\text{sqrt}(3)*(b^2*c - a*b*f - (-a*b^2)^{(1/3)}*b*d + (-a*b^2)^{(1/3)}*a*g)*\arctan(1/3*\text{sqrt}(3)*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a) + 1/6*(b^2*c - a*b*f + (-a*b^2)^{(1/3)}*b*d - (-a*b^2)^{(1/3)}*a*g)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a) + 1/3*(a*h - b*e)*\log(\text{abs}(b*x^3 + a))/(a*b) + 1/3*(a*b^2*d*(-a/b)^{(1/3)} - a^2*b*g*(-a/b)^{(1/3)} + a*b^2*c - a^2*b*f)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)})/(a^3*b) - 1/2*(2*d*x + c)/(a*x^2)$

maple [B] time = 0.05, size = 423, normalized size = 1.63

$$\frac{\sqrt{3} c \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} - \frac{c \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{c \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} - \frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a),x)`

[Out] $\frac{1}{3} \frac{b}{b} \left(\frac{a}{b} \right)^{\frac{2}{3}} \ln(x + \left(\frac{a}{b} \right)^{\frac{1}{3}}) * f - \frac{1}{3} \frac{b}{b} \left(\frac{a}{b} \right)^{\frac{2}{3}} / a * c * \ln(x + \left(\frac{a}{b} \right)^{\frac{1}{3}}) - \frac{1}{6} \frac{b}{b} \left(\frac{a}{b} \right)^{\frac{2}{3}} * \ln(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} * x + \left(\frac{a}{b} \right)^{\frac{2}{3}}) * f + \frac{1}{6} \frac{b}{b} \left(\frac{a}{b} \right)^{\frac{2}{3}} / a * c * \ln(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} * x + \left(\frac{a}{b} \right)^{\frac{2}{3}}) + \frac{1}{3} \frac{b}{b} \left(\frac{a}{b} \right)^{\frac{2}{3}} * 3^{\frac{1}{2}} * \arctan\left(\frac{1}{3} * 3^{\frac{1}{2}} * \left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}} * x - 1}\right)\right) * f - \frac{1}{3} \frac{b}{b} \left(\frac{a}{b} \right)^{\frac{2}{3}} * 3^{\frac{1}{2}} / a * c * \arctan\left(\frac{1}{3} * 3^{\frac{1}{2}} * \left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}} * x - 1}\right)\right) - \frac{1}{3} \frac{b}{b} \left(\frac{a}{b} \right)^{\frac{2}{3}} * \ln(x + \left(\frac{a}{b} \right)^{\frac{1}{3}}) * g + \frac{1}{3} \frac{b}{b} \left(\frac{a}{b} \right)^{\frac{2}{3}} / a * d * \ln(x + \left(\frac{a}{b} \right)^{\frac{1}{3}}) + \frac{1}{6} \frac{b}{b} \left(\frac{a}{b} \right)^{\frac{2}{3}} * \ln(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} * x + \left(\frac{a}{b} \right)^{\frac{2}{3}}) * g - \frac{1}{6} \frac{b}{b} \left(\frac{a}{b} \right)^{\frac{2}{3}} / a * d * \ln(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} * x + \left(\frac{a}{b} \right)^{\frac{2}{3}}) + \frac{1}{3} * 3^{\frac{1}{2}} / b \left(\frac{a}{b} \right)^{\frac{1}{3}} * \arctan\left(\frac{1}{3} * 3^{\frac{1}{2}} * \left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}} * x - 1}\right)\right) * g - \frac{1}{3} * 3^{\frac{1}{2}} / \left(\frac{a}{b} \right)^{\frac{1}{3}} / a * d * \arctan\left(\frac{1}{3} * 3^{\frac{1}{2}} * \left(\frac{2}{\left(\frac{a}{b}\right)^{\frac{1}{3}} * x - 1}\right)\right) + \frac{1}{3} \frac{b}{b} * \ln(b * x^3 + a) * h - \frac{1}{3} \frac{b}{b} / a * e * \ln(b * x^3 + a) + \frac{1}{a} * e * \ln(x) - \frac{1}{2} \frac{b}{b} / a * c / x^2 - \frac{1}{a} \frac{b}{b} / d / x$

maxima [A] time = 3.00, size = 271, normalized size = 1.04

$$\frac{e \log(x)}{a} - \frac{\sqrt{3} \left(b^2 d \left(\frac{a}{b} \right)^{\frac{2}{3}} - a b g \left(\frac{a}{b} \right)^{\frac{2}{3}} + b^2 c \left(\frac{a}{b} \right)^{\frac{1}{3}} - a b f \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a^2 b} - \frac{\left(2 b e \left(\frac{a}{b} \right)^{\frac{2}{3}} - 2 a h \left(\frac{a}{b} \right)^{\frac{2}{3}} + b d \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{3 a^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a),x, algorithm="maxima")`

[Out] $e * \log(x) / a - \frac{1}{3} * \sqrt{3} * (b^2 * d * \left(\frac{a}{b} \right)^{\frac{2}{3}} - a * b * g * \left(\frac{a}{b} \right)^{\frac{2}{3}} + b^2 * c * \left(\frac{a}{b} \right)^{\frac{1}{3}} - a * b * f * \left(\frac{a}{b} \right)^{\frac{1}{3}}) * \arctan\left(\frac{1}{3} * \sqrt{3} * \left(\frac{2 * x - \left(\frac{a}{b}\right)^{\frac{1}{3}}}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)\right) / (a^2 * b) - \frac{1}{6} * (2 * b * e * \left(\frac{a}{b}\right)^{\frac{2}{3}} - 2 * a * h * \left(\frac{a}{b}\right)^{\frac{2}{3}} + b * d * \left(\frac{a}{b}\right)^{\frac{2}{3}}) / (a * b * \left(\frac{a}{b}\right)^{\frac{2}{3}}) - \frac{1}{3} * (b * e * \left(\frac{a}{b}\right)^{\frac{2}{3}} - a * h * \left(\frac{a}{b}\right)^{\frac{2}{3}} - b * d * \left(\frac{a}{b}\right)^{\frac{2}{3}}) / (a * b * \left(\frac{a}{b}\right)^{\frac{2}{3}}) + a * g * \left(\frac{a}{b}\right)^{\frac{1}{3}} + b * c - a * f * \log(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}) / (a * b * \left(\frac{a}{b}\right)^{\frac{2}{3}}) - \frac{1}{2} * (2 * d * x + c) / (a * x^2)$

mupad [B] time = 5.20, size = 6948, normalized size = 26.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)),x)`

[Out] `symsum(log(-(b^5*c^3*x - a^5*h^3*x - a^2*b^3*d*e^2 + 36*root(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z`

$$\begin{aligned}
& *z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3* \\
& a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4 \\
& *b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^ \\
& 2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a \\
& ^4*b*g^3 + b^5*c^3, z, k)*a^3*b^3*e^2*x + 24*root(27*a^5*b^3*z^3 - 27*a^5*b \\
& ^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^ \\
& 3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2 \\
& *z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3* \\
& a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4 \\
& *b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^ \\
& 2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a \\
& ^4*b*g^3 + b^5*c^3, z, k)^2*a^4*b^3*e*x - 33*root(27*a^5*b^3*z^3 - 27*a^5*b \\
& ^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^ \\
& 3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2 \\
& *z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3* \\
& a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4 \\
& *b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^ \\
& 2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a \\
& ^4*b*g^3 + b^5*c^3, z, k)^2*a^5*b^2*h*x + 3*a^2*b^3*c*f^2*x + 3*a^2*b^3*d^2 \\
& *g*x - 3*a^3*b^2*d*g^2*x - a^3*b^2*e^2*h*x + root(27*a^5*b^3*z^3 - 27*a^5*b \\
& ^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^ \\
& 3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2 \\
& *z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3* \\
& a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4 \\
& *b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^ \\
& 2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a \\
& ^4*b*g^3 + b^5*c^3, z, k)*a^5*b*g*h - a^4*b*e*g*h - 2*root(27*a^5*b^3*z^3 - \\
& 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - \\
& 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^ \\
& 3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d \\
& *f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d* \\
& h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a \\
& ^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^ \\
& 3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^3*b^3*c*f - 2*root(27*a^5*b^3*z^3 - 27 \\
& *a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9* \\
& a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b \\
& ^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f* \\
& h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + \\
& 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2* \\
& b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e \\
& ^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^3*b^3*d*e - root(27*a^5*b^3*z^3 - 27*a^5* \\
& b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b \\
& ^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*e^ \\
& 2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3 \\
& *a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^
\end{aligned}$$

$$\begin{aligned}
& 4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + \\
& a^4*b*g^3 + b^5*c^3, z, k)*a^4*b^2*d*h + 2*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z \\
& - 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b \\
& *e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4 \\
& *b*g^3 + b^5*c^3, z, k)*a^4*b^2*e*g + 2*a*b^4*c*d*e*x - 3*a^4*b*f*g*h*x + 1 \\
& 0*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z \\
& + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3 \\
& *c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4 \\
& *d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^2*b^4*c*d*x - 1 \\
& 0*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z \\
& + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3 \\
& *c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4 \\
& *d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^3*b^3*c*g*x - 1 \\
& 0*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z \\
& + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3 \\
& *c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4 \\
& *d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^3*b^3*d*f*x - 1 \\
& 4*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z \\
& + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3 \\
& *c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4 \\
& *d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^4*b^2*e*h*x + 1 \\
& 0*\text{root}(27*a^5*b^3*z^3 - 27*a^5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z \\
& + 9*a^5*b*h^2*z + 9*a^3*b^3*e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h + 3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3 \\
& *c*e*g - 3*a^2*b^3*c*d*h + 3*a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4 \\
& *d^3 - a^5*h^3 + a^2*b^3*e^3 + a^4*b*g^3 + b^5*c^3, z, k)*a^4*b^2*f*g*x - 3
\end{aligned}$$

```

*a^2*b^3*c*d*h*x - 2*a^2*b^3*c*e*g*x - 2*a^2*b^3*d*e*f*x + 3*a^3*b^2*c*g*h*
x + 3*a^3*b^2*d*f*h*x + 2*a^3*b^2*e*f*g*x)/a^3)*root(27*a^5*b^3*z^3 - 27*a^
5*b^2*h*z^2 + 27*a^4*b^3*e*z^2 - 18*a^4*b^2*e*h*z + 9*a^4*b^2*f*g*z - 9*a^3
*b^3*d*f*z - 9*a^3*b^3*c*g*z + 9*a^2*b^4*c*d*z + 9*a^5*b*h^2*z + 9*a^3*b^3*
e^2*z - 3*a^4*b*f*g*h + 3*a*b^4*c*d*e + 3*a^3*b^2*e*f*g + 3*a^3*b^2*d*f*h +
3*a^3*b^2*c*g*h - 3*a^2*b^3*d*e*f - 3*a^2*b^3*c*e*g - 3*a^2*b^3*c*d*h + 3*
a^4*b*e*h^2 - 3*a*b^4*c^2*f - 3*a^3*b^2*e^2*h - 3*a^3*b^2*d*g^2 + 3*a^2*b^3
*d^2*g + 3*a^2*b^3*c*f^2 - a^3*b^2*f^3 - a*b^4*d^3 - a^5*h^3 + a^2*b^3*e^3
+ a^4*b*g^3 + b^5*c^3, z, k), k, 1, 3) - c/(2*a*x^2) - d/(a*x) + (e*log(x))
/a

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3/(b*x**3+a),x)

[Out] Timed out

$$3.411 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)} dx$$

Optimal. Leaf size=276

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} (be - ah))}{6a^{5/3} b^{2/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} (be - ah))}{3a^{5/3} b^{2/3}} + \tan^{-1} \left(\frac{\sqrt[3]{a} (be - ah) - \sqrt[3]{b} (bd - ag)}{\sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2} \right)$$

[Out] $-1/3*c/a/x^3-1/2*d/a/x^2-e/a/x-(-a*f+b*c)*\ln(x)/a^2-1/3*(b^{(1/3)}*(-a*g+b*d)-a^{(1/3)}*(-a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(5/3)}/b^{(2/3)}+1/6*(b^{(1/3)}*(-a*g+b*d)-a^{(1/3)}*(-a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(5/3)}/b^{(2/3)}+1/3*(-a*f+b*c)*\ln(b*x^3+a)/a^2+1/3*(b^{(4/3)}*d+a^{(1/3)}*b*e-a*b^{(1/3)}*g-a^{(4/3)}*h)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(5/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.44, antiderivative size = 274, normalized size of antiderivative = 0.99, number of steps used = 10, number of rules used = 9, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) \left(-\frac{\sqrt[3]{a} (be - ah)}{\sqrt[3]{b}} - ag + bd \right)}{6a^{5/3} \sqrt[3]{b}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (bd - ag) - \sqrt[3]{a} (be - ah))}{3a^{5/3} b^{2/3}} + \tan^{-1} \left(\frac{\sqrt[3]{a} (be - ah) - \sqrt[3]{b} (bd - ag)}{\sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2} \right)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)), x]

[Out] $-c/(3*a*x^3) - d/(2*a*x^2) - e/(a*x) + ((b^{(4/3)}*d + a^{(1/3)}*b*e - a*b^{(1/3)}*g - a^{(4/3)}*h)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})]/(\text{Sqrt}[3]*a^{(5/3)}*b^{(2/3)}) - ((b*c - a*f)*\text{Log}[x])/a^2 - ((b^{(1/3)}*(b*d - a*g) - a^{(1/3)}*(b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(3*a^{(5/3)}*b^{(2/3)}) + ((b*d - a*g - (a^{(1/3)}*(b*e - a*h))/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(6*a^{(5/3)}*b^{(1/3)}) + ((b*c - a*f)*\text{Log}[a + b*x^3])/(3*a^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di

st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^4(a + bx^3)} dx &= \int \left(\frac{c}{ax^4} + \frac{d}{ax^3} + \frac{e}{ax^2} + \frac{-bc + af}{a^2x} + \frac{-a(bd - ag) - a(be - ah)x + b(bc - af)x^2}{a^2(a + bx^3)} \right) dx \\
 &= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} + \frac{\int \frac{-a(bd - ag) - a(be - ah)x + b(bc - af)x^2}{a + bx^3} dx}{a^2} \\
 &= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} + \frac{\int \frac{-a(bd - ag) - a(be - ah)x}{a + bx^3} dx}{a^2} + \frac{b(bc - af)}{a^2} \int \frac{x^2}{a + bx^3} dx \\
 &= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} + \frac{(bc - af) \log(a + bx^3)}{3a^2} + \frac{\int \frac{x^2}{a + bx^3} dx}{a^2} \\
 &= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} - \frac{\left(bd - ag - \frac{\sqrt[3]{a}(be - ah)}{\sqrt[3]{b}} \right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{5/3}\sqrt[3]{b}} \\
 &= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} - \frac{(bc - af) \log(x)}{a^2} - \frac{\left(bd - ag - \frac{\sqrt[3]{a}(be - ah)}{\sqrt[3]{b}} \right) \log\left(\sqrt[3]{a} + \sqrt[3]{b}x\right)}{3a^{5/3}\sqrt[3]{b}} \\
 &= -\frac{c}{3ax^3} - \frac{d}{2ax^2} - \frac{e}{ax} + \frac{\left(b^{4/3}d + \sqrt[3]{a}be - a\sqrt[3]{b}g - a^{4/3}h \right) \tan^{-1}\left(\frac{\sqrt[3]{a} - 2\sqrt[3]{b}x}{\sqrt{3}\sqrt[3]{a}}\right)}{\sqrt{3}a^{5/3}b^{2/3}}
 \end{aligned}$$

Mathematica [A] time = 0.55, size = 264, normalized size = 0.96

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{4/3} h - \sqrt[3]{a} b e - a \sqrt[3]{b} g + b^{4/3} d\right)}{b^{2/3}} + \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{4/3} h - \sqrt[3]{a} b e - a \sqrt[3]{b} g + b^{4/3} d\right)}{b^{2/3}} + \frac{2 \sqrt{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right) \left(a^{4/3} h - \sqrt[3]{a} b e - a \sqrt[3]{b} g + b^{4/3} d\right)}{6 a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)), x]

[Out] -1/6*((2*a*c)/x^3 + (3*a*d)/x^2 + (6*a*e)/x + (2*sqrt[3]*a^(1/3)*(-b^(4/3)*d) - a^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))]

$(/3)/\text{Sqrt}[3])/b^{(2/3)} + 6*(b*c - a*f)*\text{Log}[x] + (2*a^{(1/3)}*(b^{(4/3)}*d - a^{(1/3)}*b*e - a*b^{(1/3)}*g + a^{(4/3)}*h)*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/b^{(2/3)} - (a^{(1/3)}*(b^{(4/3)}*d - a^{(1/3)}*b*e - a*b^{(1/3)}*g + a^{(4/3)}*h)*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/b^{(2/3)} - 2*(b*c - a*f)*\text{Log}[a + b*x^3])/a^2$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.23, size = 291, normalized size = 1.05

$$\frac{\sqrt{3} \left(b^2 d - abg + (-ab^2)^{\frac{1}{3}} ah - (-ab^2)^{\frac{1}{3}} be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 \left(-ab^2 \right)^{\frac{2}{3}} a} + \frac{\left(b^2 d - abg - (-ab^2)^{\frac{1}{3}} ah + (-ab^2)^{\frac{1}{3}} be \right) \log}{6 \left(-ab^2 \right)^{\frac{2}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a),x, algorithm="giac")

[Out] $\frac{1}{3} \sqrt{3} (b^2 d - a b g + (-a b^2)^{\frac{1}{3}} a h - (-a b^2)^{\frac{1}{3}} b e) \arctan \left(\frac{\sqrt{3} (2x + (-\frac{a}{b})^{\frac{1}{3}})}{3 (-\frac{a}{b})^{\frac{1}{3}}} \right) + \frac{1}{6} (b^2 d - a b g - (-a b^2)^{\frac{1}{3}} a h + (-a b^2)^{\frac{1}{3}} b e) \log(x^2 + x(-\frac{a}{b})^{\frac{1}{3}} + (-\frac{a}{b})^{\frac{2}{3}}) / ((-a b^2)^{\frac{2}{3}} a) + \frac{1}{3} (b c - a f) \log(\text{abs}(b x^3 + a)) / a^2 - (b c - a f) \log(\text{abs}(x)) / a^2 - \frac{1}{3} (a^4 b h (-\frac{a}{b})^{\frac{1}{3}} - a^3 b^2 (-\frac{a}{b})^{\frac{1}{3}} e - a^3 b^2 d + a^4 b g) (-\frac{a}{b})^{\frac{1}{3}} \log(\text{abs}(x - (-\frac{a}{b})^{\frac{1}{3}})) / (a^5 b) - \frac{1}{6} (6 a x^2 e + 3 a d x + 2 a c) / (a^2 x^3)$

maple [B] time = 0.06, size = 442, normalized size = 1.60

$$\frac{\sqrt{3} d \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{d \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{d \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{6 \left(\frac{a}{b} \right)^{\frac{2}{3}} a} + \frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} - 1} \right)}{3} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a} + \frac{e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a),x)`

[Out] $\frac{1}{3} \frac{b}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) * g - \frac{1}{3} \frac{a}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) * d - \frac{1}{6} \frac{b}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * g + \frac{1}{6} \frac{a}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * d + \frac{1}{3} \frac{b}{(a/b)^{2/3}} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * g - \frac{1}{3} \frac{a}{(a/b)^{2/3}} * 3^{1/2} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * d - \frac{1}{3} \frac{b}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) * h + \frac{1}{3} \frac{a}{(a/b)^{1/3}} * e * \ln(x + (a/b)^{1/3}) + \frac{1}{6} \frac{b}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * h - \frac{1}{6} \frac{a}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} * x + (a/b)^{2/3}) * e + \frac{1}{3} * 3^{1/2} / b / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * h - \frac{1}{3} * a * 3^{1/2} / (a/b)^{1/3} * \arctan(1/3 * 3^{1/2} * (2/(a/b)^{1/3} * x - 1)) * e - \frac{1}{3} * a * \ln(b * x^3 + a) * f + \frac{1}{3} * a^2 * b * \ln(b * x^3 + a) * c - \frac{1}{a} * e / x - \frac{1}{3} * a * c / x^3 - \frac{1}{2} * a * d / x^2 + \frac{1}{a} * \ln(x) * f - \frac{1}{a^2} * \ln(x) * b * c$

maxima [A] time = 3.08, size = 302, normalized size = 1.09

$$\frac{(bc - af) \log(x)}{a^2} + \frac{\sqrt{3} \left(abe \left(\frac{a}{b} \right)^{\frac{2}{3}} - a^2 h \left(\frac{a}{b} \right)^{\frac{2}{3}} + abd \left(\frac{a}{b} \right)^{\frac{1}{3}} - a^2 g \left(\frac{a}{b} \right)^{\frac{1}{3}} \right) \arctan \left(\frac{\sqrt{3} \left(2x - \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{3 a^3} + \frac{\left(2 b^2 c \left(\frac{a}{b} \right)^{\frac{2}{3}} - 2 a b f \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a),x, algorithm="maxima")`

[Out] $-(b*c - a*f) * \log(x) / a^2 - \frac{1}{3} * \sqrt{3} * (a*b*e * (a/b)^{2/3} - a^2 * h * (a/b)^{2/3}) + a*b*d * (a/b)^{1/3} - a^2 * g * (a/b)^{1/3} * \arctan(1/3 * \sqrt{3} * (2*x - (a/b)^{1/3}) / (a/b)^{1/3}) / a^3 + \frac{1}{6} * (2*b^2*c * (a/b)^{2/3} - 2*a*b*f * (a/b)^{2/3} - a*b*e * (a/b)^{1/3} + a^2 * h * (a/b)^{1/3} + a*b*d - a^2 * g) * \log(x^2 - x * (a/b)^{1/3} + (a/b)^{2/3}) / (a^2 * b * (a/b)^{2/3}) + \frac{1}{3} * (b^2 * c * (a/b)^{2/3} - a*b*f * (a/b)^{2/3} + a*b*e * (a/b)^{1/3} - a^2 * h * (a/b)^{1/3} - a*b*d + a^2 * g) * \log(x + (a/b)^{1/3}) / (a^2 * b * (a/b)^{2/3}) - \frac{1}{6} * (6*e*x^2 + 3*d*x + 2*c) / (a*x^3)$

mupad [B] time = 5.87, size = 1842, normalized size = 6.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)),x)`

[Out] `symsum(log(- (b^5*c*d^2 - b^5*c^2*e + a^2*b^3*c*g^2 - a^2*b^3*e*f^2 - a^3*b^2*f*g^2 + a^3*b^2*f^2*h - a*b^4*d^2*f + a*b^4*c^2*h - 2*a^2*b^3*c*f*h + 2*`

$$\begin{aligned}
& a^2 b^3 d f g - 2 a b^4 c d g + 2 a b^4 c e f) / a^3 - \text{root}(27 a^6 b^2 z^3 + 27 a^5 b^2 f z^2 - 27 a^4 b^3 c z^2 + 9 a^5 b g h z - 9 a^4 b^2 e g z - 9 a^4 b^2 d h z - 18 a^3 b^3 c f z + 9 a^3 b^3 d e z + 9 a^4 b^2 f^2 z + 9 a^2 b^4 c^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 e f g - 3 a^3 b^2 d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 - 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3, z, k) * ((a^2 b^4 d^2 + a^4 b^2 g^2 + 2 a^2 b^4 c e - 2 a^3 b^3 c h - 2 a^3 b^3 d g - 2 a^3 b^3 e f + 2 a^4 b^2 f h) / a^3 + \text{root}(27 a^6 b^2 z^3 + 27 a^5 b^2 f z^2 - 27 a^4 b^3 c z^2 + 9 a^5 b g h z - 9 a^4 b^2 e g z - 9 a^4 b^2 d h z - 18 a^3 b^3 c f z + 9 a^3 b^3 d e z + 9 a^4 b^2 f^2 z + 9 a^2 b^4 c^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 e f g - 3 a^3 b^2 d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 - 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3, z, k) * ((3 a^4 b^3 e - 3 a^5 b^2 h) / a^3 - (x * (24 a^3 b^4 c - 24 a^4 b^3 f)) / a^3 + 36 * \text{root}(27 a^6 b^2 z^3 + 27 a^5 b^2 f z^2 - 27 a^4 b^3 c z^2 + 9 a^5 b g h z - 9 a^4 b^2 e g z - 9 a^4 b^2 d h z - 18 a^3 b^3 c f z + 9 a^3 b^3 d e z + 9 a^4 b^2 f^2 z + 9 a^2 b^4 c^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 e f g - 3 a^3 b^2 d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 - 3 a^2 b^3 d^2 g - 2 a^2 b^3 c g h - 2 a^2 b^3 d f h - 2 a^2 b^3 e f g + 2 a^3 b^2 f g h + 2 a b^4 c d h + 2 a b^4 c e g + 2 a b^4 d e f)) / a^3) * \text{root}(27 a^6 b^2 z^3 + 27 a^5 b^2 f z^2 - 27 a^4 b^3 c z^2 + 9 a^5 b g h z - 9 a^4 b^2 e g z - 9 a^4 b^2 d h z - 18 a^3 b^3 c f z + 9 a^3 b^3 d e z + 9 a^4 b^2 f^2 z + 9 a^2 b^4 c^2 z + 3 a^4 b f g h - 3 a b^4 c d e - 3 a^3 b^2 e f g - 3 a^3 b^2 d f h - 3 a^3 b^2 c g h + 3 a^2 b^3 d e f + 3 a^2 b^3 c e g + 3 a^2 b^3 c d h - 3 a^4 b e h^2 + 3 a b^4 c^2 f + 3 a^3 b^2 e^2 h + 3 a^3 b^2 d g^2 - 3 a^2 b^3 d^2 g - 3 a^2 b^3 c f^2 - a^2 b^3 e^3 - a^4 b g^3 - b^5 c^3 + a^3 b^2 f^3 + a b^4 d^3 + a^5 h^3, z, k), k, 1, 3) - (c / (3 a) + (e * x^2) / a + (d * x) / (2 a)) / x^3 - (\log(x) * (b * c - a * f)) / a^2
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4/(b*x**3+a),x)

[Out] Timed out

$$3.412 \quad \int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=337

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right)}{18 \sqrt[3]{a} b^{10/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right)}{9 \sqrt[3]{a} b^{10/3}}$$

[Out] $(-2*a*h+b*e)*x/b^3+1/2*f*x^2/b^2+1/3*g*x^3/b^2+1/4*h*x^4/b^2+1/3*x*(a*(-a*h+b*e)-b*(-a*f+b*c))*x-b*(-a*g+b*d)*x^2)/b^3/(b*x^3+a)-1/9*(b^(2/3))*(-5*a*f+2*b*c)+a^(2/3)*(-7*a*h+4*b*e))*ln(a^(1/3)+b^(1/3)*x)/a^(1/3)/b^(10/3)+1/18*(b^(2/3))*(-5*a*f+2*b*c)+a^(2/3)*(-7*a*h+4*b*e))*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(1/3)/b^(10/3)+1/3*(-2*a*g+b*d)*ln(b*x^3+a)/b^3-1/9*(2*b^(5/3)*c-4*a^(2/3)*b*e-5*a*b^(2/3)*f+7*a^(5/3)*h)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(1/3)/b^(10/3)*3^(1/2)$

Rubi [A] time = 0.72, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1828, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right)}{18 \sqrt[3]{a} b^{10/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(4be - 7ah) + b^{2/3}(2bc - 5af)\right)}{9 \sqrt[3]{a} b^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] $((b*e - 2*a*h)*x)/b^3 + (f*x^2)/(2*b^2) + (g*x^3)/(3*b^2) + (h*x^4)/(4*b^2) + (x*(a*(b*e - a*h) - b*(b*c - a*f))*x - b*(b*d - a*g)*x^2)/(3*b^3*(a + b*x^3)) - ((2*b^(5/3)*c - 4*a^(2/3)*b*e - 5*a*b^(2/3)*f + 7*a^(5/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(1/3)*b^(10/3)) - ((b^(2/3)*(2*b*c - 5*a*f) + a^(2/3)*(4*b*e - 7*a*h))*Log[a^(1/3) + b^(1/3)*x]/(9*a^(1/3)*b^(10/3)) + ((b^(2/3)*(2*b*c - 5*a*f) + a^(2/3)*(4*b*e - 7*a*h))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(1/3)*b^(10/3)) + ((b*d - 2*a*g)*Log[a + b*x^3]/(3*b^3))$

Rule 31

Int[((a_) + (b_)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r

```
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} - \int \frac{a^2(be - ah) - 2ab(bc - af)x - b^2(bd - ag)x^2}{3b^3(a + bx^3)^2} dx \\
&= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} - \frac{\int (-3a(be - 2ah) - 3b(bc - af)x - 3b^2(bd - ag)x^2) dx}{3b^3(a + bx^3)^2} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)} \\
&= \frac{(be - 2ah)x}{b^3} + \frac{fx^2}{2b^2} + \frac{gx^3}{3b^2} + \frac{hx^4}{4b^2} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3b^3(a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.57, size = 334, normalized size = 0.99

$$\frac{2 \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(4a^{2/3} b^{4/3} e^{-7a^{5/3} \sqrt[3]{b} h - 5abf + 2b^2 c}\right)}{\sqrt[3]{a}} + \frac{4 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-4a^{2/3} b^{4/3} e^{7a^{5/3} \sqrt[3]{b} h + 5abf - 2b^2 c}\right)}{\sqrt[3]{a}} - \frac{4\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b} x}{\sqrt[3]{a}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]


```
[Out] (36*b^(2/3)*(b*e - 2*a*h)*x + 18*b^(5/3)*f*x^2 + 12*b^(5/3)*g*x^3 + 9*b^(5/3)*h*x^4 - (12*b^(2/3)*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x)))) / (a + b*x^3) - (4*Sqrt[3]*(2*b^2*c - 4*a^(2/3)*b^(4/3)*e - 5*a*b*f + 7*a^(5/3)*b^(1/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]]/a^(1/3) + (4*(-2*b^2*c - 4*a^(2/3)*b^(4/3)*e + 5*a*b*f + 7*a^(5/3)*b^(1/3)*h)*Log[a^(1/3) + b^(1/3)*x]/a^(1/3) + (2*(2*b^2*c + 4*a^(2/3)*b^(4/3)*e - 5*a*b*f - 7*a^(5/3)*b^(1/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/a^(1/3) + 12*b^(2/3)*(b*d - 2*a*g)*Log[a + b*x^3])/(36*b^(11/3))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")
```

[Out] Timed out

giac [A] time = 0.20, size = 357, normalized size = 1.06

$$\frac{\sqrt{3} \left(7a^2h - 4abe - 2(-ab^2)^{\frac{1}{3}}bc + 5(-ab^2)^{\frac{1}{3}}af \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}}b^2} \left(7a^2h - 4abe + 2(-ab^2)^{\frac{1}{3}}bc - 5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] -1/9*sqrt(3)*(7*a^2*h - 4*a*b*e - 2*(-a*b^2)^(1/3)*b*c + 5*(-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^2) - 1/18*(7*a^2*h - 4*a*b*e + 2*(-a*b^2)^(1/3)*b*c - 5*(-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b^2) + 1/3*(b*d - 2*a*g)*log(abs(b*x^3 + a))/b^3 + 1/3*(a*b*d - a^2*g - (b^2*c - a*b*f)*x^2 - (a^2*h - a*b*e)*x)/((b*x^3 + a)*b^3) - 1/9*(2*b^6*c*(-a/b)^(1/3) - 5*a*b^5*f*(-a/b)^(1/3) + 7*a^2*b^4*h - 4*a*b^5*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a*b^7) + 1/12*(3*b^6*h*x^4 + 4*b^6*g*x^3 + 6*b^6*f*x^2 - 24*a*b^5*h*x + 12*b^6*x*e)/b^8
```

maple [B] time = 0.06, size = 562, normalized size = 1.67

$7\sqrt{3} a^2 h \arctan$

$$\frac{hx^4}{4b^2} + \frac{afx^2}{3(bx^3+a)b^2} - \frac{cx^2}{3(bx^3+a)b} + \frac{gx^3}{3b^2} - \frac{a^2hx}{3(bx^3+a)b^3} + \frac{aex}{3(bx^3+a)b^2} + \frac{fx^2}{2b^2} - \frac{a^2g}{3(bx^3+a)b^3} + \frac{7\sqrt{3} a^2 h \arctan\left(\frac{a}{b}\right)}{9\left(\frac{a}{b}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x)`

[Out]
$$-5/9/b^3*a*f*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-4/9/b^3*e*a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+7/9/b^4*a^2*h/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-7/18/b^4*a^2*h/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-4/9/b^3*e*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+1/b^2*e*x-1/3/b/(b*x^3+a)*c*x^2-1/3/b^3/(b*x^3+a)*a^2*g+1/3/b^2/(b*x^3+a)*d*a-2/b^3*a*h*x-2/9/b^2*c/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/9/b^2*c/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-2/3/b^3*\ln(b*x^3+a)*a*g+2/9/b^2*c*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+2/9/b^3*e*a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+5/9/b^3*a*f/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})-5/18/b^3*a*f/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/3/b^2/(b*x^3+a)*x^2*a*f-1/3/b^3/(b*x^3+a)*a^2*h*x+1/3/b^2/(b*x^3+a)*a*e*x+7/9/b^4*a^2*h/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})+1/3/b^2*\ln(b*x^3+a)*d+1/2/b^2*f*x^2+1/3*g*x^3/b^2+1/4*h*x^4/b^2$$

maxima [A] time = 3.05, size = 364, normalized size = 1.08

$$\frac{abd - a^2g - (b^2c - abf)x^2 + (abe - a^2h)x}{3(b^4x^3 + ab^3)} + \frac{\sqrt{3} \left(2b^2c \left(\frac{a}{b}\right)^{\frac{2}{3}} - 5abf \left(\frac{a}{b}\right)^{\frac{2}{3}} - 4abe \left(\frac{a}{b}\right)^{\frac{1}{3}} + 7a^2h \left(\frac{a}{b}\right)^{\frac{1}{3}} \right) \arctan\left(\frac{\sqrt{3} \left(2x - (a/b)^{(1/3)} \right)}{3}\right)}{9ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")`

[Out]
$$1/3*(a*b*d - a^2*g - (b^2*c - a*b*f)*x^2 + (a*b*e - a^2*h)*x)/(b^4*x^3 + a*b^3) + 1/9*sqrt(3)*(2*b^2*c*(a/b)^{(2/3)} - 5*a*b*f*(a/b)^{(2/3)} - 4*a*b*e*(a/b)^{(1/3)} + 7*a^2*h*(a/b)^{(1/3)})*\arctan(1/3*sqrt(3)*(2*x - (a/b)^{(1/3)})/(a/b))$$

$$\begin{aligned} &)^{(1/3)} / (a*b^3) + 1/12*(3*b*h*x^4 + 4*b*g*x^3 + 6*b*f*x^2 + 12*(b*e - 2*a* \\ &h)*x)/b^3 + 1/18*(6*b^2*d*(a/b)^{(2/3)} - 12*a*b*g*(a/b)^{(2/3)} + 2*b^2*c*(a/b \\ &)^{(1/3)} - 5*a*b*f*(a/b)^{(1/3)} + 4*a*b*e - 7*a^2*h)*\log(x^2 - x*(a/b)^{(1/3)} \\ &+ (a/b)^{(2/3)}) / (b^4*(a/b)^{(2/3)}) + 1/9*(3*b^2*d*(a/b)^{(2/3)} - 6*a*b*g*(a/b \\ &)^{(2/3)} - 2*b^2*c*(a/b)^{(1/3)} + 5*a*b*f*(a/b)^{(1/3)} - 4*a*b*e + 7*a^2*h)*\log \\ &(x + (a/b)^{(1/3)}) / (b^4*(a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 5.11, size = 1241, normalized size = 3.68

$$\left(\sum_{k=1}^3 \ln \left(\text{root} \left(729 a b^{10} z^3 - 729 a b^8 d z^2 + 1458 a^2 b^7 g z^2 - 216 a b^6 c e z - 945 a^3 b^4 f h z - 972 a^2 b^5 d g z + 540 \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x)

[Out] symsum(log(root(729*a*b^10*z^3 - 729*a*b^8*d*z^2 + 1458*a^2*b^7*g*z^2 - 216*a*b^6*c*e*z - 945*a^3*b^4*f*h*z - 972*a^2*b^5*d*g*z + 540*a^2*b^5*e*f*z + 378*a^2*b^5*c*h*z + 243*a*b^6*d^2*z + 972*a^3*b^4*g^2*z - 630*a^4*b*f*g*h + 72*a*b^4*c*d*e + 360*a^3*b^2*e*f*g + 315*a^3*b^2*d*f*h + 252*a^3*b^2*c*g*h - 180*a^2*b^3*d*e*f - 144*a^2*b^3*c*e*g - 126*a^2*b^3*c*d*h + 588*a^4*b*e*h^2 - 60*a*b^4*c^2*f - 336*a^3*b^2*e^2*h - 324*a^3*b^2*d*g^2 + 162*a^2*b^3*d^2*g + 150*a^2*b^3*c*f^2 - 125*a^3*b^2*f^3 + 64*a^2*b^3*e^3 + 216*a^4*b*g^3 - 27*a*b^4*d^3 - 343*a^5*h^3 + 8*b^5*c^3, z, k)*((108*a^2*b^3*g - 54*a*b^4*d)/(9*b^4) + (x*(63*a^2*b^3*h - 36*a*b^4*e))/(9*b^4) + 9*root(729*a*b^10*z^3 - 729*a*b^8*d*z^2 + 1458*a^2*b^7*g*z^2 - 216*a*b^6*c*e*z - 945*a^3*b^4*f*h*z - 972*a^2*b^5*d*g*z + 540*a^2*b^5*e*f*z + 378*a^2*b^5*c*h*z + 243*a*b^6*d^2*z + 972*a^3*b^4*g^2*z - 630*a^4*b*f*g*h + 72*a*b^4*c*d*e + 360*a^3*b^2*e*f*g + 315*a^3*b^2*d*f*h + 252*a^3*b^2*c*g*h - 180*a^2*b^3*d*e*f - 144*a^2*b^3*c*e*g - 126*a^2*b^3*c*d*h + 588*a^4*b*e*h^2 - 60*a*b^4*c^2*f - 336*a^3*b^2*e^2*h - 324*a^3*b^2*d*g^2 + 162*a^2*b^3*d^2*g + 150*a^2*b^3*c*f^2 - 125*a^3*b^2*f^3 + 64*a^2*b^3*e^3 + 216*a^4*b*g^3 - 27*a*b^4*d^3 - 343*a^5*h^3 + 8*b^5*c^3, z, k)*a*b^2) + (36*a^3*g^2 + 9*a*b^2*d^2 - 35*a^3*f*h - 8*a*b^2*c*e + 14*a^2*b*c*h - 36*a^2*b*d*g + 20*a^2*b*e*f)/(9*b^4) + (x*(4*b^3*c^2 + 25*a^2*b*f^2 + 42*a^3*g*h - 20*a*b^2*c*f + 12*a*b^2*d*e - 21*a^2*b*d*h - 24*a^2*b*e*g))/(9*b^4))*root(729*a*b^10*z^3 - 729*a*b^8*d*z^2 + 1458*a^2*b^7*g*z^2 - 216*a*b^6*c*e*z - 945*a^3*b^4*f*h*z - 972*a^2*b^5*d*g*z + 540*a^2*b^5*e*f*z + 378*a^2*b^5*c*h*z + 243*a*b^6*d^2*z + 972*a^3*b^4*g^2*z - 630*a^4*b*f*g*h + 72*a*b^4*c*d*e + 360*a^3*b^2*e*f*g + 315*a^3*b^2*d*f*h + 252*a^3*b^2*c*g*h - 180*a^2*b^3*d*e*f - 144*a^2*b^3*c*e*g - 126*a^2*b^3*c*d*h + 588*a^4*b*e*h^2 - 60*a*b^4*c^2*f - 336*a^3*b^2*e^2*h - 324*a^3*b^2*d*g^2 + 162*a^2*b^3*d^2*g + 150*a^2*b^3*c*f^2 - 125*a^3*b^2*f^3 + 64*a^2*b^3*e^3 + 216*a^4*b*g^3 - 27*a*b^4*d^3 - 343*a^5*h^3 + 8*b^5*c^3, z, k), k, 1, 3) + x*(e/b^2 - (2*a*h)/b^3) - (x*((a^2*h)/3 - (a*b*e)/3) + (a^2*g)/3 + x^2

```
*((b^2*c)/3 - (a*b*f)/3) - (a*b*d)/3)/(a*b^3 + b^4*x^3) + (f*x^2)/(2*b^2) +  
(g*x^3)/(3*b^2) + (h*x^4)/(4*b^2)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.413 \quad \int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=311

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (bc - 4af) - \sqrt[3]{a} (2bd - 5ag))}{18a^{2/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (bc - 4af) - \sqrt[3]{a} (2bd - 5ag))}{9a^{2/3} b^{8/3}}$$

[Out] f*x/b^2+1/2*g*x^2/b^2+1/3*h*x^3/b^2-1/3*x*(b*c-a*f+(-a*g+b*d)*x+(-a*h+b*e)*x^2)/b^2/(b*x^3+a)+1/9*(b^(1/3)*(-4*a*f+b*c)-a^(1/3)*(-5*a*g+2*b*d))*ln(a^(1/3)+b^(1/3)*x)/a^(2/3)/b^(8/3)-1/18*(b^(1/3)*(-4*a*f+b*c)-a^(1/3)*(-5*a*g+2*b*d))*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(2/3)/b^(8/3)+1/3*(-2*a*h+b*e)*ln(b*x^3+a)/b^3-1/9*(b^(4/3)*c+2*a^(1/3)*b*d-4*a*b^(1/3)*f-5*a^(4/3)*g)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(2/3)/b^(8/3)*3^(1/2)

Rubi [A] time = 0.64, antiderivative size = 311, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1828, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (bc - 4af) - \sqrt[3]{a} (2bd - 5ag))}{18a^{2/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (bc - 4af) - \sqrt[3]{a} (2bd - 5ag))}{9a^{2/3} b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] (f*x)/b^2 + (g*x^2)/(2*b^2) + (h*x^3)/(3*b^2) - (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(3*b^2*(a + b*x^3)) - ((b^(4/3)*c + 2*a^(1/3)*b*d - 4*a*b^(1/3)*f - 5*a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(2/3)*b^(8/3)) + ((b^(1/3)*(b*c - 4*a*f) - a^(1/3)*(2*b*d - 5*a*g))*Log[a^(1/3) + b^(1/3)*x]/(9*a^(2/3)*b^(8/3)) - ((b^(1/3)*(b*c - 4*a*f) - a^(1/3)*(2*b*d - 5*a*g))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(2/3)*b^(8/3)) + ((b*e - 2*a*h)*Log[a + b*x^3]/(3*b^3))

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r

```
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= \frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2 (a + bx^3)} - \frac{\int \frac{-ab(bc-af)-2ab(bd-ag)x-3a}{(a+bx^3)^2} dx}{3b^2 (a + bx^3)} \\
&= \frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2 (a + bx^3)} - \frac{\int (-3abf - 3abgx - 3ab}{3b^2 (a + bx^3)} \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2 (a + bx^3)} + \frac{\int \frac{ab(bc}{(a+bx^3)^2} dx}{3b^2 (a + bx^3)} \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2 (a + bx^3)} + \frac{\int \frac{ab(bc}{(a+bx^3)^2} dx}{3b^2 (a + bx^3)} \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2 (a + bx^3)} + \frac{(be - 2}{3b^2 (a + bx^3)} \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2 (a + bx^3)} + \frac{(\sqrt[3]{b} (b}{3b^2 (a + bx^3)} \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2 (a + bx^3)} + \frac{(\sqrt[3]{b} (b}{3b^2 (a + bx^3)} \\
&= \frac{fx}{b^2} + \frac{gx^2}{2b^2} + \frac{hx^3}{3b^2} - \frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{3b^2 (a + bx^3)} - \frac{(b^{4/3} c}{3b^2 (a + bx^3)}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 294, normalized size = 0.95

$$\frac{\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx + b^{2/3}x^2}) (5a^{4/3}g - 2\sqrt[3]{a}bd - 4a\sqrt[3]{b}f + b^{4/3}c)}{a^{2/3}} + \frac{2\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b}x) (5a^{4/3}g - 2\sqrt[3]{a}bd - 4a\sqrt[3]{b}f + b^{4/3}c)}{a^{2/3}} + \frac{2\sqrt{3} \sqrt[3]{b} \tan^{-1} \left(\frac{1 - 2\sqrt[3]{b}}{\sqrt{3}} \right)}{18b}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] (18*b*f*x + 9*b*g*x^2 + 6*b*h*x^3 - (6*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x))))/(a + b*x^3) + (2*sqrt[3]*b^(1/3)*(-(b^(4/3)*c) - 2*a^(1/3)*b


```
*d + 4*a*b^(1/3)*f + 5*a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3
]]/a^(2/3) + (2*b^(1/3)*(b^(4/3)*c - 2*a^(1/3)*b*d - 4*a*b^(1/3)*f + 5*a^(
4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) - (b^(1/3)*(b^(4/3)*c - 2*a^(1/3)
)*b*d - 4*a*b^(1/3)*f + 5*a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/
3)*x^2])/a^(2/3) + 6*(b*e - 2*a*h)*Log[a + b*x^3]/(18*b^3)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fri
cas")
```

[Out] Timed out

giac [A] time = 0.21, size = 330, normalized size = 1.06

$$\frac{\sqrt{3} \left(b^2 c - 4 a b f - 2 (-a b^2)^{\frac{1}{3}} b d + 5 (-a b^2)^{\frac{1}{3}} a g \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-a b^2 \right)^{\frac{2}{3}} b^2} \left(b^2 c - 4 a b f + 2 (-a b^2)^{\frac{1}{3}} b d - 5 \left(-\frac{a}{b} \right)^{\frac{1}{3}} a g \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="gia
c")
```

```
[Out] -1/9*sqrt(3)*(b^2*c - 4*a*b*f - 2*(-a*b^2)^(1/3)*b*d + 5*(-a*b^2)^(1/3)*a*g
)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*b^2
) - 1/18*(b^2*c - 4*a*b*f + 2*(-a*b^2)^(1/3)*b*d - 5*(-a*b^2)^(1/3)*a*g)*lo
g(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*b^2) - 1/3*(2*a*h -
b*e)*log(abs(b*x^3 + a))/b^3 - 1/3*(a^2*h + (b^2*d - a*b*g)*x^2 - a*b*e + (
b^2*c - a*b*f)*x)/((b*x^3 + a)*b^3) - 1/9*(2*b^4*d*(-a/b)^(1/3) - 5*a*b^3*g
*(-a/b)^(1/3) + b^4*c - 4*a*b^3*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/
(a*b^5) + 1/6*(2*b^4*h*x^3 + 3*b^4*g*x^2 + 6*b^4*f*x)/b^6
```

maple [B] time = 0.06, size = 533, normalized size = 1.71

$$\frac{agx^2}{3(bx^3+a)b^2} - \frac{dx^2}{3(bx^3+a)b} + \frac{hx^3}{3b^2} + \frac{afx}{3(bx^3+a)b^2} - \frac{cx}{3(bx^3+a)b} + \frac{gx^2}{2b^2} - \frac{a^2h}{3(bx^3+a)b^3} + \frac{ae}{3(bx^3+a)b^2} - \frac{4\sqrt{3}a}{9ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x)`

[Out] $\frac{1}{3}hx^3/b^2 + \frac{1}{2}gx^2/b^2 + \frac{1}{b^2}fx + \frac{1}{3}b^2/(b*x^3+a)*x^2*ag - \frac{1}{3}b/(b*x^3+a)*x^2*d + \frac{1}{3}b^2/(b*x^3+a)*af*x - \frac{1}{3}b/(b*x^3+a)/b*c*x - \frac{1}{3}b^3/(b*x^3+a)*a^2*h + \frac{1}{3}b^2/(b*x^3+a)*ae - \frac{4}{9}b^3*af/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) + \frac{2}{9}b^3*af/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) - \frac{4}{9}b^3*af/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + \frac{1}{9}b^2*c/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)}) - \frac{1}{18}b^2*c/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + \frac{1}{9}b^2*c/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + \frac{5}{9}b^3*ag/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) - \frac{5}{18}b^3*ag/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) - \frac{5}{9}b^3*ag*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - \frac{2}{9}b^2*d/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)}) + \frac{1}{9}b^2*d/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + \frac{2}{9}b^2*d*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) - \frac{2}{3}b^3*\ln(b*x^3+a)*ah + \frac{1}{3}b^2*\ln(b*x^3+a)*e$

maxima [A] time = 3.14, size = 329, normalized size = 1.06

$$\frac{abe - a^2h - (b^2d - abg)x^2 - (b^2c - abf)x}{3(b^4x^3 + ab^3)} + \frac{2hx^3 + 3gx^2 + 6fx}{6b^2} + \frac{\sqrt{3}\left(2b^2d\left(\frac{a}{b}\right)^{\frac{2}{3}} - 5abg\left(\frac{a}{b}\right)^{\frac{2}{3}} + b^2c\left(\frac{a}{b}\right)^{\frac{1}{3}} - 4abf\right)}{9ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $\frac{1}{3}(a*b*e - a^2*h - (b^2*d - a*b*g)*x^2 - (b^2*c - a*b*f)*x)/(b^4*x^3 + a*b^3) + \frac{1}{6}(2*h*x^3 + 3*g*x^2 + 6*f*x)/b^2 + \frac{1}{9}\sqrt{3}*(2*b^2*d*(a/b)^{(2/3)} - 5*a*b*g*(a/b)^{(2/3)} + b^2*c*(a/b)^{(1/3)} - 4*a*b*f*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^3) + \frac{1}{18}(6*b*e*(a/b)^{(2/3)} - 4*b*f*(a/b)^{(1/3)} + b^2*c*(a/b)^{(1/3)} - 2*b^2*d*(a/b)^{(2/3)})/\sqrt{3}$

$$\begin{aligned} & /3) - 12*a*h*(a/b)^{(2/3)} + 2*b*d*(a/b)^{(1/3)} - 5*a*g*(a/b)^{(1/3)} - b*c + 4* \\ & a*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^3*(a/b)^{(2/3)}) + 1/9*(3*b*e* \\ & (a/b)^{(2/3)} - 6*a*h*(a/b)^{(2/3)} - 2*b*d*(a/b)^{(1/3)} + 5*a*g*(a/b)^{(1/3)} + b \\ & *c - 4*a*f)*\log(x + (a/b)^{(1/3)})/(b^3*(a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 0.15, size = 1229, normalized size = 3.95

$$\left(\sum_{k=1}^3 \ln \left(\frac{36a^3h^2 + 9ab^2e^2 + 2b^3cd - 5ab^2cg - 8ab^2df - 36a^2beh + 20a^2bfg}{9b^4} + \text{root}(729a^2b^9z^3 + 1458a^3b^6hz^2 - 729a^2b^7ez^2 + 54a^3b^6cdz - 972a^3b^4ehz + 540a^3b^4f*gz - 216a^2b^5d*fz - 135a^2b^5c*gz + 972a^4b^3h^2z + 243a^2b^5e^2z + 360a^4b*f*gh - 18a*b^4*c*d*e - 180a^3b^2e*f*g - 144a^3b^2d*f*h - 90a^3b^2c*g*h + 72a^2b^3d*e*f + 45a^2b^3c*e*g + 36a^2b^3c*d*h - 324a^4b*e*h^2 + 12a*b^4*c^2*f + 162a^3b^2e^2h + 150a^3b^2d*g^2 - 60a^2b^3d^2g - 48a^2b^3c*f^2 + 64a^3b^2f^3 - 27a^2b^3e^3 - 125a^4b*g^3 + 8a*b^4*d^3 + 216a^5h^3 - b^5c^3, z, k) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x)

[Out] symsum(log((36*a^3*h^2 + 9*a*b^2*e^2 + 2*b^3*c*d - 5*a*b^2*c*g - 8*a*b^2*d*f - 36*a^2*b*e*h + 20*a^2*b*f*g)/(9*b^4) + root(729*a^2*b^9*z^3 + 1458*a^3*b^6*h*z^2 - 729*a^2*b^7*e*z^2 + 54*a*b^6*c*d*z - 972*a^3*b^4*e*h*z + 540*a^3*b^4*f*g*z - 216*a^2*b^5*d*f*z - 135*a^2*b^5*c*g*z + 972*a^4*b^3*h^2*z + 243*a^2*b^5*e^2*z + 360*a^4*b*f*g*h - 18*a*b^4*c*d*e - 180*a^3*b^2*e*f*g - 144*a^3*b^2*d*f*h - 90*a^3*b^2*c*g*h + 72*a^2*b^3*d*e*f + 45*a^2*b^3*c*e*g + 36*a^2*b^3*c*d*h - 324*a^4*b*e*h^2 + 12*a*b^4*c^2*f + 162*a^3*b^2*e^2*h + 150*a^3*b^2*d*g^2 - 60*a^2*b^3*d^2g - 48*a^2*b^3c*f^2 + 64*a^3b^2f^3 - 27*a^2b^3e^3 - 125*a^4b*g^3 + 8*a*b^4*d^3 + 216*a^5h^3 - b^5*c^3, z, k) * ((108*a^2*b^3*h - 54*a*b^4*e)/(9*b^4) + (x*(9*b^4*c - 36*a*b^3*f))/(9*b^3) + 9*root(729*a^2*b^9*z^3 + 1458*a^3*b^6*h*z^2 - 729*a^2*b^7*e*z^2 + 54*a*b^6*c*d*z - 972*a^3*b^4*e*h*z + 540*a^3*b^4*f*g*z - 216*a^2*b^5*d*f*z - 135*a^2*b^5*c*g*z + 972*a^4*b^3*h^2*z + 243*a^2*b^5*e^2*z + 360*a^4*b*f*g*h - 18*a*b^4*c*d*e - 180*a^3*b^2*e*f*g - 144*a^3*b^2*d*f*h - 90*a^3*b^2*c*g*h + 72*a^2*b^3*d*e*f + 45*a^2*b^3*c*e*g + 36*a^2*b^3*c*d*h - 324*a^4*b*e*h^2 + 12*a*b^4*c^2*f + 162*a^3*b^2*e^2*h + 150*a^3*b^2*d*g^2 - 60*a^2*b^3*d^2g - 48*a^2*b^3c*f^2 + 64*a^3b^2f^3 - 27*a^2b^3e^3 - 125*a^4b*g^3 + 8*a*b^4*d^3 + 216*a^5h^3 - b^5*c^3, z, k) * a*b^2) + (x*(4*b^2*d^2 + 25*a^2*g^2 - 3*b^2*c*e - 24*a^2*f*h + 6*a*b*c*h - 20*a*b*d*g + 12*a*b*e*f))/(9*b^3) * root(729*a^2*b^9*z^3 + 1458*a^3*b^6*h*z^2 - 729*a^2*b^7*e*z^2 + 54*a*b^6*c*d*z - 972*a^3*b^4*e*h*z + 540*a^3*b^4*f*g*z - 216*a^2*b^5*d*f*z - 135*a^2*b^5*c*g*z + 972*a^4*b^3*h^2*z + 243*a^2*b^5*e^2*z + 360*a^4*b*f*g*h - 18*a*b^4*c*d*e - 180*a^3*b^2*e*f*g - 144*a^3*b^2*d*f*h - 90*a^3*b^2*c*g*h + 72*a^2*b^3*d*e*f + 45*a^2*b^3*c*e*g + 36*a^2*b^3*c*d*h - 324*a^4*b*e*h^2 + 12*a*b^4*c^2*f + 162*a^3*b^2*e^2*h + 150*a^3*b^2*d*g^2 - 60*a^2*b^3*d^2g - 48*a^2*b^3c*f^2 + 64*a^3b^2f^3 - 27*a^2b^3e^3 - 125*a^4b*g^3 + 8*a*b^4*d^3 + 216*a^5h^3 - b^5*c^3, z, k), k, 1, 3) - (x*((b*c)/3 - (a*f)/3) + (a^2*h - a*b*e)/(3*b) + x^2*((b*d)/3 - (a*g)/3))/(a*b^2 + b^3*x^3) + (g*x^2)/(2*b^2) + (h*x^3)/(3*b^2) + (f*x)/b^2

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)

[Out] Timed out

$$3.414 \quad \int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=290

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (bd - 4ag) - \sqrt[3]{a} (2be - 5ah))}{18a^{2/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (bd - 4ag) - \sqrt[3]{a} (2be - 5ah))}{9a^{2/3} b^{8/3}}$$

[Out] $4/3*g*x/b^2+5/6*h*x^2/b^2+1/3*(-h*x^5-g*x^4-f*x^3-e*x^2-d*x-c)/b/(b*x^3+a)+1/9*(b^{1/3}*(-4*a*g+b*d)-a^{1/3}*(-5*a*h+2*b*e))*\ln(a^{1/3}+b^{1/3}*x)/a^{2/3}/b^{8/3}-1/18*(b^{1/3}*(-4*a*g+b*d)-a^{1/3}*(-5*a*h+2*b*e))*\ln(a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/a^{2/3}/b^{8/3}+1/3*f*\ln(b*x^3+a)/b^2-1/9*(b^{4/3}*d+2*a^{1/3}*b*e-4*a*b^{1/3}*g-5*a^{4/3}*h)*\arctan(1/3*(a^{1/3}-2*b^{1/3}*x)/a^{1/3}*3^{1/2})/a^{2/3}/b^{8/3}*3^{1/2}$

Rubi [A] time = 0.50, antiderivative size = 288, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1823, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) \left(-\frac{\sqrt[3]{a} (2be-5ah)}{\sqrt[3]{b}} - 4ag + bd \right)}{18a^{2/3} b^{7/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (bd - 4ag) - \sqrt[3]{a} (2be - 5ah))}{9a^{2/3} b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] $(4*g*x)/(3*b^2) + (5*h*x^2)/(6*b^2) - (c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(3*b*(a + b*x^3)) - ((b^{4/3}*d + 2*a^{1/3}*b*e - 4*a*b^{1/3}*g - 5*a^{4/3}*h)*\text{ArcTan}[(a^{1/3} - 2*b^{1/3}*x)/(\text{Sqrt}[3]*a^{1/3})])/(3*\text{Sqrt}[3]*a^{2/3}*b^{8/3}) + ((b^{1/3}*(b*d - 4*a*g) - a^{1/3}*(2*b*e - 5*a*h))*\text{Log}[a^{1/3} + b^{1/3}*x])/(9*a^{2/3}*b^{8/3}) - ((b*d - 4*a*g - (a^{1/3}*(2*b*e - 5*a*h))/b^{1/3})*\text{Log}[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2])/(18*a^{2/3}*b^{7/3}) + (f*\text{Log}[a + b*x^3])/(3*b^2)$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1823

Int[(Pq)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= -\frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\int \frac{d+2ex+3fx^2+4gx^3+5hx^4}{a+bx^3} dx}{3b} \\
&= -\frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\int \left(\frac{4g}{b} + \frac{5hx}{b} + \frac{bd-4ag+(2be-5ah)x}{b(a+bx^3)} \right) dx}{3b} \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\int \frac{bd-4ag+(2be-5ah)x}{a+bx^3} dx}{3b^2} \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\int \frac{bd-4ag+(2be-5ah)x}{a+bx^3} dx}{3b^2} \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{f \log(a + bx^3)}{3b^2} \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\left(bd - 4ag - \frac{\sqrt[3]{a} (bd - 4ag)}{3} \right)}{3b^2} \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} + \frac{\left(bd - 4ag - \frac{\sqrt[3]{a} (bd - 4ag)}{3} \right)}{3b^2} \\
&= \frac{4gx}{3b^2} + \frac{5hx^2}{6b^2} - \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{3b(a + bx^3)} - \frac{\left(b^{4/3} d + 2\sqrt[3]{a} b e \right)}{3b^2}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 280, normalized size = 0.97

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(5a^{4/3} h - 2 \sqrt[3]{a} b e - 4a \sqrt[3]{b} g + b^{4/3} d\right)}{a^{2/3}} + \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(5a^{4/3} h - 2 \sqrt[3]{a} b e - 4a \sqrt[3]{b} g + b^{4/3} d\right)}{a^{2/3}} + \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b} x}{\sqrt[3]{a}}\right) \left(5a^{4/3} h - 2 \sqrt[3]{a} b e - 4a \sqrt[3]{b} g + b^{4/3} d\right)}{18b^{8/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

[Out] (18*b^(2/3)*g*x + 9*b^(2/3)*h*x^2 - (6*b^(2/3)*(b*(c + x*(d + e*x)) - a*(f + x*(g + h*x))))/(a + b*x^3) + (2*sqrt[3]*(-(b^(4/3)*d) - 2*a^(1/3)*b*e + 4*a*b^(1/3)*g + 5*a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(2/3) + (2*(b^(4/3)*d - 2*a^(1/3)*b*e - 4*a*b^(1/3)*g + 5*a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x])/a^(2/3) - ((b^(4/3)*d - 2*a^(1/3)*b*e - 4*a*b^(1/3)*g + 5*a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(2/3) + 6*b^(2/3)*f*Log[a + b*x^3]/(18*b^(8/3))

fricas [C] time = 4.79, size = 12153, normalized size = 41.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] 1/36*(18*b*h*x^5 + 36*b*g*x^4 - 6*(2*b*e - 5*a*h)*x^2 - 2*(b^3*x^3 + a*b^2)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^(1/3) - 6*f/b^2*log(-8*a*b^3*d*e^2 + 3*a*b^3*d^2*f - 18*a^2*b^2*e*f^2 + 48*a^3*b*f*g^2 - 1/4*(2*a^2*b^6*e - 5*a^3*b^5*h)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e +

$$\begin{aligned} & e + 20a^2g^*h + (9f^2 - 8e^*g - 5d^*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8a*b^3 \\ & 3e^3 - 12a*b^3*d^2*g + 48a^2*b^2*d*g^2 - 64a^3*b*g^3 - 60a^2*b^2*e^2*h \\ & + 150a^3*b*e*h^2 - 125a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125a^4*h^3 - 2*(3 \\ & 2*g^3 - 90f*g*h + 75e*h^2)*a^3*b + 3*(9f^3 - 24e*f*g + 20e^2*h + (16g \\ & ^2 - 15f*h)*d)*a^2*b^2 - 2*(4e^3 - 9d*e*f + 6d^2*g)*a*b^3)/(a^2*b^8))^(\\ & 1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54f^3/b^6 - 9*(2b^2*d*e + 20a^2*g*h \\ & + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8a*b^3*e^3 - 12a*b^3 \\ & 3*d^2*g + 48a^2*b^2*d*g^2 - 64a^3*b*g^3 - 60a^2*b^2*e^2*h + 150a^3*b*e* \\ & h^2 - 125a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125a^4*h^3 - 2*(32g^3 - 90f*g* \\ & h + 75e*h^2)*a^3*b + 3*(9f^3 - 24e*f*g + 20e^2*h + (16g^2 - 15f*h)*d) \\ & *a^2*b^2 - 2*(4e^3 - 9d*e*f + 6d^2*g)*a*b^3)/(a^2*b^8))^(1/3) - 6f/b^2) \\ & ^2 - 50*(a^3*b*d - 4a^4*g)*h^2 + 1/2*(a*b^5*d^2 - 12a^2*b^4*e*f - 8a^2*b \\ & ^4*d*g + 16a^3*b^3*g^2 + 30a^3*b^3*f*h)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(\\ & 9f^2/b^4 - (2b^2*d*e + 20a^2*g*h + (9f^2 - 8e*g - 5d*h)*a*b)/(a*b^5)) \\ & /((54f^3/b^6 - 9*(2b^2*d*e + 20a^2*g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(\\ & a*b^7) - (b^4*d^3 + 8a*b^3*e^3 - 12a*b^3*d^2*g + 48a^2*b^2*d*g^2 - 64a^ \\ & 3*b*g^3 - 60a^2*b^2*e^2*h + 150a^3*b*e*h^2 - 125a^4*h^3)/(a^2*b^8) + (b^ \\ & 4*d^3 + 125a^4*h^3 - 2*(32g^3 - 90f*g*h + 75e*h^2)*a^3*b + 3*(9f^3 - 2 \\ & 4e*f*g + 20e^2*h + (16g^2 - 15f*h)*d)*a^2*b^2 - 2*(4e^3 - 9d*e*f + 6* \\ & d^2*g)*a*b^3)/(a^2*b^8))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54f^3/b^6 - \\ & 9*(2b^2*d*e + 20a^2*g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a*b^7) - (b^4*d \\ & ^3 + 8a*b^3*e^3 - 12a*b^3*d^2*g + 48a^2*b^2*d*g^2 - 64a^3*b*g^3 - 60a^ \\ & 2*b^2*e^2*h + 150a^3*b*e*h^2 - 125a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125a^4 \\ & *h^3 - 2*(32g^3 - 90f*g*h + 75e*h^2)*a^3*b + 3*(9f^3 - 24e*f*g + 20e^ \\ & 2*h + (16g^2 - 15f*h)*d)*a^2*b^2 - 2*(4e^3 - 9d*e*f + 6d^2*g)*a*b^3)/(\\ & a^2*b^8))^(1/3) - 6f/b^2) + 8*(4a^2*b^2*e^2 - 3a^2*b^2*d*f)*g + 5*(8a^2 \\ & *b^2*d*e + 9a^3*b*f^2 - 32a^3*b*e*g)*h - (b^4*d^3 + 8a*b^3*e^3 - 12a*b^ \\ & 3*d^2*g + 48a^2*b^2*d*g^2 - 64a^3*b*g^3 - 60a^2*b^2*e^2*h + 150a^3*b*e* \\ & h^2 - 125a^4*h^3)*x) - 12b*c + 12a*f - 12*(b*d - 4a*g)*x + (18b*f*x^3 \\ & + (b^3*x^3 + a*b^2)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9f^2/b^4 - (2b^2*d*e \\ & + 20a^2*g*h + (9f^2 - 8e*g - 5d*h)*a*b)/(a*b^5)))/(54f^3/b^6 - 9*(2b^ \\ & 2*d*e + 20a^2*g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8* \\ & a*b^3*e^3 - 12a*b^3*d^2*g + 48a^2*b^2*d*g^2 - 64a^3*b*g^3 - 60a^2*b^2*e \\ & ^2*h + 150a^3*b*e*h^2 - 125a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125a^4*h^3 - \\ & 2*(32g^3 - 90f*g*h + 75e*h^2)*a^3*b + 3*(9f^3 - 24e*f*g + 20e^2*h + (\\ & 16g^2 - 15f*h)*d)*a^2*b^2 - 2*(4e^3 - 9d*e*f + 6d^2*g)*a*b^3)/(a^2*b^8 \\ &))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54f^3/b^6 - 9*(2b^2*d*e + 20a^2* \\ & g*h + (9f^2 - 8e*g - 5d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8a*b^3*e^3 - 12* \\ & a*b^3*d^2*g + 48a^2*b^2*d*g^2 - 64a^3*b*g^3 - 60a^2*b^2*e^2*h + 150a^3*b \\ & *e*h^2 - 125a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125a^4*h^3 - 2*(32g^3 - 90* \\ & f*g*h + 75e*h^2)*a^3*b + 3*(9f^3 - 24e*f*g + 20e^2*h + (16g^2 - 15f*h) \\ &)*d)*a^2*b^2 - 2*(4e^3 - 9d*e*f + 6d^2*g)*a*b^3)/(a^2*b^8))^(1/3) - 6f/ \\ & b^2) + 18a*f - 3*sqrt(1/3)*(b^3*x^3 + a*b^2)*sqrt(-((2*(1/2)^(2/3)*(-I*sqr \\ & t(3) + 1)*(9f^2/b^4 - (2b^2*d*e + 20a^2*g*h + (9f^2 - 8e*g - 5d*h)*a* \\ & b)/(a*b^5)))/(54f^3/b^6 - 9*(2b^2*d*e + 20a^2*g*h + (9f^2 - 8e*g - 5d* \\ & \end{aligned}$$

$$\begin{aligned}
 & h) * a * b) * f / (a * b^7) - (b^4 * d^3 + 8 * a * b^3 * e^3 - 12 * a * b^3 * d^2 * g + 48 * a^2 * b^2 * d * g^2 - 64 * a^3 * b * g^3 - 60 * a^2 * b^2 * e^2 * h + 150 * a^3 * b * e * h^2 - 125 * a^4 * h^3) / (a^2 * b^8) + (b^4 * d^3 + 125 * a^4 * h^3 - 2 * (32 * g^3 - 90 * f * g * h + 75 * e * h^2) * a^3 * b + 3 * (9 * f^3 - 24 * e * f * g + 20 * e^2 * h + (16 * g^2 - 15 * f * h) * d) * a^2 * b^2 - 2 * (4 * e^3 - 9 * d * e * f + 6 * d^2 * g) * a * b^3) / (a^2 * b^8))^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (54 * f^3 / b^6 - 9 * (2 * b^2 * d * e + 20 * a^2 * g * h + (9 * f^2 - 8 * e * g - 5 * d * h) * a * b) * f / (a * b^7) - (b^4 * d^3 + 8 * a * b^3 * e^3 - 12 * a * b^3 * d^2 * g + 48 * a^2 * b^2 * d * g^2 - 64 * a^3 * b * g^3 - 60 * a^2 * b^2 * e^2 * h + 150 * a^3 * b * e * h^2 - 125 * a^4 * h^3) / (a^2 * b^8) + (b^4 * d^3 + 125 * a^4 * h^3 - 2 * (32 * g^3 - 90 * f * g * h + 75 * e * h^2) * a^3 * b + 3 * (9 * f^3 - 24 * e * f * g + 20 * e^2 * h + (16 * g^2 - 15 * f * h) * d) * a^2 * b^2 - 2 * (4 * e^3 - 9 * d * e * f + 6 * d^2 * g) * a * b^3) / (a^2 * b^8))^{(1/3)} - 6 * f / b^2)^2 * a * b^5 + 12 * (2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (9 * f^2 / b^4 - (2 * b^2 * d * e + 20 * a^2 * g * h + (9 * f^2 - 8 * e * g - 5 * d * h) * a * b) / (a * b^5))) / (54 * f^3 / b^6 - 9 * (2 * b^2 * d * e + 20 * a^2 * g * h + (9 * f^2 - 8 * e * g - 5 * d * h) * a * b) * f / (a * b^7) - (b^4 * d^3 + 8 * a * b^3 * e^3 - 12 * a * b^3 * d^2 * g + 48 * a^2 * b^2 * d * g^2 - 64 * a^3 * b * g^3 - 60 * a^2 * b^2 * e^2 * h + 150 * a^3 * b * e * h^2 - 125 * a^4 * h^3) / (a^2 * b^8) + (b^4 * d^3 + 125 * a^4 * h^3 - 2 * (32 * g^3 - 90 * f * g * h + 75 * e * h^2) * a^3 * b + 3 * (9 * f^3 - 24 * e * f * g + 20 * e^2 * h + (16 * g^2 - 15 * f * h) * d) * a^2 * b^2 - 2 * (4 * e^3 - 9 * d * e * f + 6 * d^2 * g) * a * b^3) / (a^2 * b^8))^{(1/3)} - 6 * f / b^2)^2 * a * b^5 + 32 * b^2 * d * e + 36 * a * b * f^2 - 128 * a * b * e * g - 80 * (a * b * d - 4 * a^2 * g) * h) / (a * b^5))) * \log(8 * a * b^3 * d * e^2 - 3 * a * b^3 * d^2 * f + 18 * a^2 * b^2 * e * f^2 - 48 * a^3 * b * f * g^2 + 1/4 * (2 * a^2 * b^6 * e - 5 * a^3 * b^5 * h) * (2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (9 * f^2 / b^4 - (2 * b^2 * d * e + 20 * a^2 * g * h + (9 * f^2 - 8 * e * g - 5 * d * h) * a * b) / (a * b^5))) / (54 * f^3 / b^6 - 9 * (2 * b^2 * d * e + 20 * a^2 * g * h + (9 * f^2 - 8 * e * g - 5 * d * h) * a * b) * f / (a * b^7) - (b^4 * d^3 + 8 * a * b^3 * e^3 - 12 * a * b^3 * d^2 * g + 48 * a^2 * b^2 * d * g^2 - 64 * a^3 * b * g^3 - 60 * a^2 * b^2 * e^2 * h + 150 * a^3 * b * e * h^2 - 125 * a^4 * h^3) / (a^2 * b^8) + (b^4 * d^3 + 125 * a^4 * h^3 - 2 * (32 * g^3 - 90 * f * g * h + 75 * e * h^2) * a^3 * b + 3 * (9 * f^3 - 24 * e * f * g + 20 * e^2 * h + (16 * g^2 - 15 * f * h) * d) * a^2 * b^2 - 2 * (4 * e^3 - 9 * d * e * f + 6 * d^2 * g) * a * b^3) / (a^2 * b^8))^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (54 * f^3 / b^6 - 9 * (2 * b^2 * d * e + 20 * a^2 * g * h + (9 * f^2 - 8 * e * g - 5 * d * h) * a * b) * f / (a * b^7) - (b^4 * d^3 + 8 * a * b^3 * e^3 - 12 * a * b^3 * d^2 * g + 48 * a^2 * b^2 * d * g^2 - 64 * a^3 * b * g^3 - 60 * a^2 * b^2 * e^2 * h + 150 * a^3 * b * e * h^2 - 125 * a^4 * h^3) / (a^2 * b^8) + (b^4 * d^3 + 125 * a^4 * h^3 - 2 * (32 * g^3 - 90 * f * g * h + 75 * e * h^2) * a^3 * b + 3 * (9 * f^3 - 24 * e * f * g + 20 * e^2 * h + (16 * g^2 - 15 * f * h) * d) * a^2 * b^2 - 2 * (4 * e^3 - 9 * d * e * f + 6 * d^2 * g) * a * b^3) / (a^2 * b^8))^{(1/3)} - 6 * f / b^2)^2 + 50 * (a^3 * b * d - 4 * a^4 * g) * h^2 - 1/2 * (a * b^5 * d^2 - 12 * a^2 * b^4 * e * f - 8 * a^2 * b^4 * d * g + 16 * a^3 * b^3 * g^2 + 30 * a^3 * b^3 * f * h) * (2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (9 * f^2 / b^4 - (2 * b^2 * d * e + 20 * a^2 * g * h + (9 * f^2 - 8 * e * g - 5 * d * h) * a * b) / (a * b^5))) / (54 * f^3 / b^6 - 9 * (2 * b^2 * d * e + 20 * a^2 * g * h + (9 * f^2 - 8 * e * g - 5 * d * h) * a * b) * f / (a * b^7) - (b^4 * d^3 + 8 * a * b^3 * e^3 - 12 * a * b^3 * d^2 * g + 48 * a^2 * b^2 * d * g^2 - 64 * a^3 * b * g^3 - 60 * a^2 * b^2 * e^2 * h + 150 * a^3 * b * e * h^2 - 125 * a^4 * h^3) / (a^2 * b^8) + (b^4 * d^3 + 125 * a^4 * h^3
 \end{aligned}$$

$$\begin{aligned}
&^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2* \\
&h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^ \\
&2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20 \\
&*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 \\
&- 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150 \\
&*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 \\
&- 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 1 \\
&5*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - \\
&6*f/b^2) - 8*(4*a^2*b^2*e^2 - 3*a^2*b^2*d*f)*g - 5*(8*a^2*b^2*d*e + 9*a^3* \\
&b*f^2 - 32*a^3*b*e*g)*h - 2*(b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^ \\
&2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h \\
&^3)*x + 3/4*sqrt(1/3)*(2*a*b^5*d^2 + 12*a^2*b^4*e*f - 16*a^2*b^4*d*g + 32*a \\
&^3*b^3*g^2 - 30*a^3*b^3*f*h + (2*a^2*b^6*e - 5*a^3*b^5*h)*(2*(1/2)^{(2/3)}*(- \\
&I*sqrt(3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d* \\
&h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - \\
&5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b \\
&^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3) \\
&/ (a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3* \\
&b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^ \\
&3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1 \\
&)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/ \\
&(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a \\
&^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b \\
&^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - \\
&24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6 \\
&*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt(\\
&3) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b) \\
&/ (a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h) \\
&*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^ \\
&2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b \\
&^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(\\
&9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d \\
&*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*f \\
&^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) \\
&- (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^ \\
&3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 \\
&+ 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f* \\
&g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g) \\
&*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)^2*a*b^5 + 12*(2*(1/2)^{(2/3)}*(-I*sqrt(3) \\
&+ 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(\\
&a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a \\
&*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 \\
&- 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8 \\
&)) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9* \\
&f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e
\end{aligned}$$

$$\begin{aligned}
& *f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - \\
& (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + \\
& 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a \\
& *b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)*a*b^3*f + 32*b^2*d*e + 36*a*b*f^2 - 128*a \\
& *b*e*g - 80*(a*b*d - 4*a^2*g)*h)/(a*b^5))) + (18*b*f*x^3 + (b^3*x^3 + a*b^2 \\
&)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9 \\
& *f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h \\
& + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b \\
& ^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e \\
& *h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g \\
& *h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d \\
&)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(\\
& 1/3)}*(I*\sqrt{3} + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e \\
& *g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a \\
& ^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4* \\
& h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)* \\
& a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(\\
& 4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2) + 18*a*f + 3* \\
& \sqrt{1/3)*(b^3*x^3 + a*b^2)*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*f^2/b \\
& ^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^ \\
& 3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) \\
& - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 \\
& - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + \\
& 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g \\
& + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)* \\
& a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*f^3/b^6 - 9*(2*b^ \\
& 2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8* \\
& a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e \\
& ^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - \\
& 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (\\
& 16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8 \\
&))^{(1/3)} - 6*f/b^2)^2*a*b^5 + 12*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9*f^2/b^4 \\
& - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/ \\
& b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - \\
& (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - \\
& 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 1 \\
& 25*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + \\
& 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a* \\
& b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54*f^3/b^6 - 9*(2*b^2* \\
& d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a* \\
& b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2 \\
& *h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*
\end{aligned}$$

$$\begin{aligned}
& (32g^3 - 90f*g*h + 75e*h^2)*a^3*b + 3*(9f^3 - 24e*f*g + 20e^2*h + (16 \\
& *g^2 - 15f*h)*d)*a^2*b^2 - 2*(4e^3 - 9d*e*f + 6d^2*g)*a*b^3)/(a^2*b^8)) \\
& ^{(1/3)} - 6f/b^2)*a*b^3*f + 32*b^2*d*e + 36*a*b*f^2 - 128*a*b*e*g - 80*(a*b \\
& *d - 4*a^2*g)*h)/(a*b^5)))*\log(8*a*b^3*d*e^2 - 3*a*b^3*d^2*f + 18*a^2*b^2*e \\
& *f^2 - 48*a^3*b*f*g^2 + 1/4*(2*a^2*b^6*e - 5*a^3*b^5*h)*(2*(1/2)^{(2/3)}*(-I* \\
& \text{sqrt}(3) + 1)*(9f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9f^2 - 8*e*g - 5*d*h) \\
& *a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9f^2 - 8*e*g - 5 \\
& *d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2 \\
& *d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(\\
& a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b \\
& + 3*(9f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4e^3 \\
& - 9d*e*f + 6d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)* \\
& (54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9f^2 - 8*e*g - 5*d*h)*a*b)*f/(a \\
& *b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3 \\
& *b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4 \\
& *d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9f^3 - 24 \\
& *e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4e^3 - 9d*e*f + 6d \\
& ^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6f/b^2)^2 + 50*(a^3*b*d - 4*a^4*g)*h^2 - 1 \\
& /2*(a*b^5*d^2 - 12*a^2*b^4*e*f - 8*a^2*b^4*d*g + 16*a^3*b^3*g^2 + 30*a^3*b^ \\
& 3*f*h)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h \\
& + (9f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^ \\
& 2*g*h + (9f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 1 \\
& 2*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^ \\
& 3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 9 \\
& 0*f*g*h + 75*e*h^2)*a^3*b + 3*(9f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f \\
& *h)*d)*a^2*b^2 - 2*(4e^3 - 9d*e*f + 6d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1 \\
& /2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9f^2 \\
& - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + \\
& 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125 \\
& *a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e* \\
& h^2)*a^3*b + 3*(9f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 \\
& - 2*(4e^3 - 9d*e*f + 6d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6f/b^2) - 8*(4*a \\
& ^2*b^2*e^2 - 3*a^2*b^2*d*f)*g - 5*(8*a^2*b^2*d*e + 9*a^3*b*f^2 - 32*a^3*b*e \\
& *g)*h - 2*(b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a \\
& ^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)*x - 3/4*\text{sqrt}(1 \\
& /3)*(2*a*b^5*d^2 + 12*a^2*b^4*e*f - 16*a^2*b^4*d*g + 32*a^3*b^3*g^2 - 30*a^ \\
& 3*b^3*f*h + (2*a^2*b^6*e - 5*a^3*b^5*h)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(9f \\
& ^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(\\
& 54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9f^2 - 8*e*g - 5*d*h)*a*b)*f/(a \\
& *b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3* \\
& b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4* \\
& d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9f^3 - 24* \\
& e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4e^3 - 9d*e*f + 6d^ \\
& 2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(54*f^3/b^6 - 9* \\
& (2*b^2*d*e + 20*a^2*g*h + (9f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3
\end{aligned}$$

$$\begin{aligned}
& + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2))\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)^2*a*b^5 + 12*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(9*f^2/b^4 - (2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)/(a*b^5)))/(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(54*f^3/b^6 - 9*(2*b^2*d*e + 20*a^2*g*h + (9*f^2 - 8*e*g - 5*d*h)*a*b)*f/(a*b^7) - (b^4*d^3 + 8*a*b^3*e^3 - 12*a*b^3*d^2*g + 48*a^2*b^2*d*g^2 - 64*a^3*b*g^3 - 60*a^2*b^2*e^2*h + 150*a^3*b*e*h^2 - 125*a^4*h^3)/(a^2*b^8) + (b^4*d^3 + 125*a^4*h^3 - 2*(32*g^3 - 90*f*g*h + 75*e*h^2)*a^3*b + 3*(9*f^3 - 24*e*f*g + 20*e^2*h + (16*g^2 - 15*f*h)*d)*a^2*b^2 - 2*(4*e^3 - 9*d*e*f + 6*d^2*g)*a*b^3)/(a^2*b^8))^{(1/3)} - 6*f/b^2)*a*b^3*f + 32*b^2*d*e + 36*a*b*f^2 - 128*a*b*e*g - 80*(a*b*d - 4*a^2*g*h)/(a*b^5)))/(b^3*x^3 + a*b^2)
\end{aligned}$$

giac [A] time = 0.19, size = 307, normalized size = 1.06

$$\frac{f \log(|bx^3 + a|)}{3b^2} \frac{\sqrt{3} \left(b^2d - 4abg + 5(-ab^2)^{\frac{1}{3}}ah - 2(-ab^2)^{\frac{1}{3}}be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}}b^2} \left(b^2d - 4abg - 5(-a \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] $\frac{1}{3}f \log(\text{abs}(bx^3 + a))/b^2 - \frac{1}{9}\sqrt{3}(b^2d - 4abg + 5(-ab^2)^{1/3})ah - 2(-ab^2)^{1/3}b^2e \arctan\left(\frac{1}{3}\sqrt{3}(2x + (-a/b)^{1/3})/(-a/b)^{1/3}\right) / ((-ab^2)^{2/3}b^2) - \frac{1}{18}(b^2d - 4abg - 5(-ab^2)^{1/3})ah + 2(-ab^2)^{1/3}b^2e \log(x^2 + x(-a/b)^{1/3} + (-a/b)^{2/3}) / ((-ab^2)^{2/3}b^2) + \frac{1}{3}((ah - b^2e)x^2 - b^2c + af - (bd - ag)x) / ((bx^3 + a)b^2) + \frac{1}{2}(b^2hx^2 + 2b^2gx)/b^4 + \frac{1}{9}(5ab^3h(-a/b)^{1/3} - 2b^4(-a/b)^{1/3}e - b^4d + 4ab^3g)(-a/b)^{1/3} \log(\text{abs}(x - (-a/b)^{1/3})) / (ab^5)$

maple [B] time = 0.06, size = 506, normalized size = 1.74

$$\frac{\frac{ahx^2}{3(bx^3+a)b^2} - \frac{ex^2}{3(bx^3+a)b} + \frac{agx}{3(bx^3+a)b^2} - \frac{dx}{3(bx^3+a)b} + \frac{hx^2}{2b^2} + \frac{af}{3(bx^3+a)b^2}}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3} \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (x^2(hx^5+gx^4+fx^3+ex^2+dx+c))/(bx^3+a)^2, x$

[Out] $\frac{1}{2}hx^2/b^2+gx/b^2+1/3/b^2/(bx^3+a)x^2ah-1/3/b/(bx^3+a)x^2e+1/3/b^2/(bx^3+a)agx-1/3/b/(bx^3+a)xd+1/3/b^2/(bx^3+a)af-1/3/b/(bx^3+a)c-4/9/b^3ag/(a/b)^{2/3}\ln(x+(a/b)^{1/3})+2/9/b^3ag/(a/b)^{2/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3})-4/9/b^3ag/(a/b)^{2/3}3^{1/2}\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}x-1))+1/9/b^2d/(a/b)^{2/3}\ln(x+(a/b)^{1/3})-1/18/b^2*d/(a/b)^{2/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3})+1/9/(a/b)^{2/3}3^{1/2}/b^2*d*\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}x-1))+5/9/b^3*ah/(a/b)^{1/3}\ln(x+(a/b)^{1/3})-5/18/b^3*ah/(a/b)^{1/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3})-5/9/b^3*ah*3^{1/2}/(a/b)^{1/3}\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}x-1))-2/9/b^2*e/(a/b)^{1/3}\ln(x+(a/b)^{1/3})+1/9/b^2*e/(a/b)^{1/3}\ln(x^2-(a/b)^{1/3}x+(a/b)^{2/3})+2/9/b^2*e*3^{1/2}/(a/b)^{1/3}\arctan(1/3*3^{1/2}*(2/(a/b)^{1/3}x-1))+1/3/b^2*f*\ln(bx^3+a)$

maxima [A] time = 3.03, size = 283, normalized size = 0.98

$$\frac{(be-ah)x^2+bc-af+(bd-ag)x}{3(b^3x^3+ab^2)} + \frac{\sqrt{3}\left(2be\left(\frac{a}{b}\right)^{\frac{2}{3}}-5ah\left(\frac{a}{b}\right)^{\frac{2}{3}}+bd\left(\frac{a}{b}\right)^{\frac{1}{3}}-4ag\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)\arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9ab^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out]
$$-1/3*((b*e - a*h)*x^2 + b*c - a*f + (b*d - a*g)*x)/(b^3*x^3 + a*b^2) + 1/9*\sqrt{3}*(2*b*e*(a/b)^{(2/3)} - 5*a*h*(a/b)^{(2/3)} + b*d*(a/b)^{(1/3)} - 4*a*g*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^2) + 1/2*(h*x^2 + 2*g*x)/b^2 + 1/18*(6*b*f*(a/b)^{(2/3)} + 2*b*e*(a/b)^{(1/3)} - 5*a*h*(a/b)^{(1/3)} - b*d + 4*a*g)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(b^3*(a/b)^{(2/3)}) + 1/9*(3*b*f*(a/b)^{(2/3)} - 2*b*e*(a/b)^{(1/3)} + 5*a*h*(a/b)^{(1/3)} + b*d - 4*a*g)*\log(x + (a/b)^{(1/3)})/(b^3*(a/b)^{(2/3)})$$

mupad [B] time = 0.14, size = 816, normalized size = 2.81

$$\left(\sum_{k=1}^3 \ln \left(\frac{9abf^2 + 2b^2de + 20a^2gh - 5abd h - 8abeg}{9b^3} + \text{root} \left(729a^2b^8z^3 - 729a^2b^6fz^2 + 54ab^5dez + 54 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x)

[Out]
$$\text{symsum}(\log((9*a*b*f^2 + 2*b^2*d*e + 20*a^2*g*h - 5*a*b*d*h - 8*a*b*e*g)/(9*b^3) + \text{root}(729*a^2*b^8*z^3 - 729*a^2*b^6*f*z^2 + 54*a*b^5*d*e*z + 540*a^3*b^3*g*h*z - 216*a^2*b^4*e*g*z - 135*a^2*b^4*d*h*z + 243*a^2*b^4*f^2*z - 180*a^3*b*f*g*h - 18*a*b^3*d*e*f + 72*a^2*b^2*e*f*g + 45*a^2*b^2*d*f*h + 150*a^3*b*e*h^2 + 12*a*b^3*d^2*g - 60*a^2*b^2*e^2*h - 48*a^2*b^2*d*g^2 - 27*a^2*b^2*f^3 + 64*a^3*b*g^3 + 8*a*b^3*e^3 - 125*a^4*h^3 - b^4*d^3, z, k))*((x*(9*b^4*d - 36*a*b^3*g))/(9*b^3) - 6*a*f + 9*\text{root}(729*a^2*b^8*z^3 - 729*a^2*b^6*f*z^2 + 54*a*b^5*d*e*z + 540*a^3*b^3*g*h*z - 216*a^2*b^4*e*g*z - 135*a^2*b^4*d*h*z + 243*a^2*b^4*f^2*z - 180*a^3*b*f*g*h - 18*a*b^3*d*e*f + 72*a^2*b^2*e*f*g + 45*a^2*b^2*d*f*h + 150*a^3*b*e*h^2 + 12*a*b^3*d^2*g - 60*a^2*b^2*e^2*h - 48*a^2*b^2*d*g^2 - 27*a^2*b^2*f^3 + 64*a^3*b*g^3 + 8*a*b^3*e^3 - 125*a^4*h^3 - b^4*d^3, z, k))*a*b^2) + (x*(4*b^2*e^2 + 25*a^2*h^2 - 3*b^2*d*f - 20*a*b*e*h + 12*a*b*f*g))/(9*b^3))*\text{root}(729*a^2*b^8*z^3 - 729*a^2*b^6*f*z^2 + 54*a*b^5*d*e*z + 540*a^3*b^3*g*h*z - 216*a^2*b^4*e*g*z - 135*a^2*b^4*d*h*z + 243*a^2*b^4*f^2*z - 180*a^3*b*f*g*h - 18*a*b^3*d*e*f + 72*a^2*b^2*e*f*g + 45*a^2*b^2*d*f*h + 150*a^3*b*e*h^2 + 12*a*b^3*d^2*g - 60*a^2*b^2*e^2*h - 48*a^2*b^2*d*g^2 - 27*a^2*b^2*f^3 + 64*a^3*b*g^3 + 8*a*b^3*e^3 - 125*a^4*h^3 - b^4*d^3, z, k), k, 1, 3) - ((b*c)/3 - (a*f)/3 + x*((b*d)/3 - (a*g)/3) + x^2*((b*e)/3 - (a*h)/3))/(a*b^2 + b^3*x^3) + (h*x^2)/(2*b^2) + (g*x)/b^2$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(x**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.415 \quad \int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=289

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(2af + bc) - a^{2/3}(be - 4ah)\right)}{18a^{4/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(2af + bc) - a^{2/3}(be - 4ah)\right)}{9a^{4/3}b^{7/3}}$$

[Out] $h*x/b^2 - 1/3*x*(a*(-a*h+b*e) - b*(-a*f+b*c)*x - b*(-a*g+b*d)*x^2)/a/b^2/(b*x^3+a) - 1/9*(b^{(2/3)}*(2*a*f+b*c) - a^{(2/3)}*(-4*a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)*x})/a^{(4/3)}/b^{(7/3)} + 1/18*(b^{(2/3)}*(2*a*f+b*c) - a^{(2/3)}*(-4*a*h+b*e))*\ln(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/a^{(4/3)}/b^{(7/3)} + 1/3*g*\ln(b*x^3+a)/b^2 - 1/9*(b^{(5/3)}*c+a^{(2/3)}*b*e+2*a*b^{(2/3)}*f-4*a^{(5/3)}*h)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/a^{(4/3)}/b^{(7/3)*3^{(1/2)}}$

Rubi [A] time = 0.51, antiderivative size = 289, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {1828, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(2af + bc) - a^{2/3}(be - 4ah)\right)}{18a^{4/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(2af + bc) - a^{2/3}(be - 4ah)\right)}{9a^{4/3}b^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2, x]

[Out] $(h*x)/b^2 - (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(3*a*b^2*(a + b*x^3)) - ((b^{(5/3)}*c + a^{(2/3)}*b*e + 2*a*b^{(2/3)}*f - 4*a^{(5/3)}*h)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(4/3)}*b^{(7/3)}) - ((b^{(2/3)}*(b*c + 2*a*f) - a^{(2/3)}*(b*e - 4*a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)*x}])/(9*a^{(4/3)}*b^{(7/3)}) + ((b^{(2/3)}*(b*c + 2*a*f) - a^{(2/3)}*(b*e - 4*a*h))*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}}])/(18*a^{(4/3)}*b^{(7/3)}) + (g*\text{Log}[a + b*x^3])/(3*b^2)$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1828

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne

$Q[a*B^3 - b*A^3, 0]$ && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rule 1887

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^2} dx &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \frac{\int \frac{-a(be - ah) - b(bc + 2af)}{a + bx^3}}{3ab} \\
&= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \frac{\int (-3ah - \frac{a(be - 4ah)}{a + b})}{3a} \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} + \frac{\int \frac{a(be - 4ah) + b(bc + 2af)}{a + b}}{3a} \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} + \frac{\int \frac{a(be - 4ah) + b(bc + 2af)}{a + bx^3}}{3ab^2} \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} + \frac{g \log(a + bx^3)}{3b^2} \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \frac{(b^{2/3}(bc + 2af))}{a^{4/3}} \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \frac{(b^{2/3}(bc + 2af))}{a^{4/3}} \\
&= \frac{hx}{b^2} - \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3ab^2(a + bx^3)} - \frac{(b^{5/3}c + a^{2/3}be)}{a^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 285, normalized size = 0.99

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right)\left(-a^{2/3} b^{4/3} e + 4a^{5/3} \sqrt[3]{b} h + 2abf + b^2 c\right)}{a^{4/3}} - \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right)\left(-a^{2/3} b^{4/3} e + 4a^{5/3} \sqrt[3]{b} h + 2abf + b^2 c\right)}{a^{4/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b} x}{\sqrt[3]{a}}\right)}{\sqrt{3}} \left(a^2\right)}{18b^{8/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x]

```
[Out] (18*b^(2/3)*h*x + (6*b^(2/3)*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f
*x))))/(a*(a + b*x^3)) - (2*Sqrt[3]*(b^2*c + a^(2/3)*b^(4/3)*e + 2*a*b*f -
4*a^(5/3)*b^(1/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]]/a^(4/3) -
(2*(b^2*c - a^(2/3)*b^(4/3)*e + 2*a*b*f + 4*a^(5/3)*b^(1/3)*h)*Log[a^(1/3)
+ b^(1/3)*x])/a^(4/3) + ((b^2*c - a^(2/3)*b^(4/3)*e + 2*a*b*f + 4*a^(5/3)*
b^(1/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(4/3) + 6*b^(2
/3)*g*Log[a + b*x^3))/(18*b^(8/3))
```

fricas [C] time = 7.50, size = 12617, normalized size = 43.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] 1/36*(36*a*b*h*x^4 - 12*a*b*d + 12*a^2*g + 12*(b^2*c - a*b*f)*x^2 - 2*(a*b^
3*x^3 + a^2*b^2)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*g^2/b^4 - (b^2*c*e + (9
*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^2*b^4)))/(54*g^3/b^6 - 9*(b^2*c*
e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2
*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^
2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 6
4*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*
e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))
^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*
f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*
b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*
e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(
9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*
h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) - 6*g/b^
2)*log(-2*a*b^4*c^2*e - 8*a^2*b^3*c*e*f - 8*a^3*b^2*e*f^2 + 3*a^3*b^2*e^2*g
+ 48*a^5*g*h^2 - 1/4*(a^3*b^6*c + 2*a^4*b^5*f)*(2*(1/2)^(2/3)*(-I*sqrt(3)
+ 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^
2*b^4)))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*
b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2
+ 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7)
- (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*
a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2
- 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*g^3
/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6)
- (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3
- 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6
*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^
3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2
*b^3)/(a^4*b^7))^(1/3) - 6*g/b^2)^2 - 9*(a^3*b^2*c + 2*a^4*b*f)*g^2 + 1/2*(
```

$$\begin{aligned}
& a^3 b^4 e^2 - 8 a^4 b^3 e h + 16 a^5 b^2 h^2 - 6(a^3 b^4 c + 2 a^4 b^3 f) * \\
& g * (2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (9 g^2 / b^4 - (b^2 c e + (9 g^2 - 8 f h) * \\
& a^2 + 2 * (e f - 2 c h) * a b) / (a^2 b^4)) / (54 g^3 / b^6 - 9 * (b^2 c e + (9 g^2 - 8 \\
& f h) * a^2 + 2 * (e f - 2 c h) * a b) * g / (a^2 b^6) - (b^5 c^3 + a^2 b^3 e^3 + 6 a \\
& b^4 c^2 f + 12 a^2 b^3 c f^2 + 8 a^3 b^2 f^3 - 12 a^3 b^2 e^2 h + 48 a^4 b \\
& e h^2 - 64 a^5 h^3) / (a^4 b^7) - (b^5 c^3 + 6 a b^4 c^2 f + 64 a^5 h^3 - 3 * \\
& (9 g^3 - 24 f g h + 16 e h^2) * a^4 b + 2 * (4 f^3 - 9 e f g + 6 e^2 h + 18 c g \\
& h) * a^3 b^2 - (e^3 - 3 * (4 f^2 - 3 e g) * c) * a^2 b^3) / (a^4 b^7))^{(1/3)} + (1/2) \\
& ^{(1/3)} * (I * \text{sqrt}(3) + 1) * (54 g^3 / b^6 - 9 * (b^2 c e + (9 g^2 - 8 f h) * a^2 + 2 * (\\
& e f - 2 c h) * a b) * g / (a^2 b^6) - (b^5 c^3 + a^2 b^3 e^3 + 6 a b^4 c^2 f + 12 \\
& a^2 b^3 c f^2 + 8 a^3 b^2 f^3 - 12 a^3 b^2 e^2 h + 48 a^4 b e h^2 - 64 a^5 \\
& h^3) / (a^4 b^7) - (b^5 c^3 + 6 a b^4 c^2 f + 64 a^5 h^3 - 3 * (9 g^3 - 24 f g \\
& h + 16 e h^2) * a^4 b + 2 * (4 f^3 - 9 e f g + 6 e^2 h + 18 c g h) * a^3 b^2 - (\\
& e^3 - 3 * (4 f^2 - 3 e g) * c) * a^2 b^3) / (a^4 b^7))^{(1/3)} - 6 g / b^2) + 8 * (a^2 b^ \\
& 3 c^2 + 4 a^3 b^2 c f + 4 a^4 b f^2 - 3 a^4 b e g) * h - (b^5 c^3 + a^2 b^3 e \\
& ^3 + 6 a b^4 c^2 f + 12 a^2 b^3 c f^2 + 8 a^3 b^2 f^3 - 12 a^3 b^2 e^2 h + \\
& 48 a^4 b e h^2 - 64 a^5 h^3) * x) - 12 * (a b e - 4 a^2 h) * x + (18 a b g x^3 + \\
& 18 a^2 g + (a b^3 x^3 + a^2 b^2) * (2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (9 g^2 / b^4 \\
& - (b^2 c e + (9 g^2 - 8 f h) * a^2 + 2 * (e f - 2 c h) * a b) / (a^2 b^4)) / (54 g^3 \\
& / b^6 - 9 * (b^2 c e + (9 g^2 - 8 f h) * a^2 + 2 * (e f - 2 c h) * a b) * g / (a^2 b^6) \\
& - (b^5 c^3 + a^2 b^3 e^3 + 6 a b^4 c^2 f + 12 a^2 b^3 c f^2 + 8 a^3 b^2 f^3 \\
& - 12 a^3 b^2 e^2 h + 48 a^4 b e h^2 - 64 a^5 h^3) / (a^4 b^7) - (b^5 c^3 + 6 \\
& a b^4 c^2 f + 64 a^5 h^3 - 3 * (9 g^3 - 24 f g h + 16 e h^2) * a^4 b + 2 * (4 f^ \\
& 3 - 9 e f g + 6 e^2 h + 18 c g h) * a^3 b^2 - (e^3 - 3 * (4 f^2 - 3 e g) * c) * a^2 \\
& b^3) / (a^4 b^7))^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (54 g^3 / b^6 - 9 * (b^2 c \\
& e + (9 g^2 - 8 f h) * a^2 + 2 * (e f - 2 c h) * a b) * g / (a^2 b^6) - (b^5 c^3 + a^ \\
& 2 b^3 e^3 + 6 a b^4 c^2 f + 12 a^2 b^3 c f^2 + 8 a^3 b^2 f^3 - 12 a^3 b^2 e^ \\
& ^2 h + 48 a^4 b e h^2 - 64 a^5 h^3) / (a^4 b^7) - (b^5 c^3 + 6 a b^4 c^2 f + \\
& 64 a^5 h^3 - 3 * (9 g^3 - 24 f g h + 16 e h^2) * a^4 b + 2 * (4 f^3 - 9 e f g + 6 \\
& e^2 h + 18 c g h) * a^3 b^2 - (e^3 - 3 * (4 f^2 - 3 e g) * c) * a^2 b^3) / (a^4 b^7) \\
&)^{(1/3)} - 6 g / b^2) - 3 * \text{sqrt}(1/3) * (a b^3 x^3 + a^2 b^2) * \text{sqrt}(-((2 * (1/2)^{(2/3)} \\
&) * (-I * \text{sqrt}(3) + 1) * (9 g^2 / b^4 - (b^2 c e + (9 g^2 - 8 f h) * a^2 + 2 * (e f - 2 \\
& c h) * a b) / (a^2 b^4)) / (54 g^3 / b^6 - 9 * (b^2 c e + (9 g^2 - 8 f h) * a^2 + 2 * (e \\
& f - 2 c h) * a b) * g / (a^2 b^6) - (b^5 c^3 + a^2 b^3 e^3 + 6 a b^4 c^2 f + 12 * \\
& a^2 b^3 c f^2 + 8 a^3 b^2 f^3 - 12 a^3 b^2 e^2 h + 48 a^4 b e h^2 - 64 a^5 h^3) / (a^4 b^7) - \\
& (b^5 c^3 + 6 a b^4 c^2 f + 64 a^5 h^3 - 3 * (9 g^3 - 24 f g h + 16 e h^2) * a^4 b + 2 * (4 f^3 * \\
& g h + 16 e h^2) * a^4 b + 2 * (4 f^3 - 9 e f g + 6 e^2 h + 18 c g h) * a^3 b^2 - (e \\
& ^3 - 3 * (4 f^2 - 3 e g) * c) * a^2 b^3) / (a^4 b^7))^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) \\
&) + 1) * (54 g^3 / b^6 - 9 * (b^2 c e + (9 g^2 - 8 f h) * a^2 + 2 * (e f - 2 c h) * a b \\
&) * g / (a^2 b^6) - (b^5 c^3 + a^2 b^3 e^3 + 6 a b^4 c^2 f + 12 a^2 b^3 c f^2 + \\
& 8 a^3 b^2 f^3 - 12 a^3 b^2 e^2 h + 48 a^4 b e h^2 - 64 a^5 h^3) / (a^4 b^7) \\
& - (b^5 c^3 + 6 a b^4 c^2 f + 64 a^5 h^3 - 3 * (9 g^3 - 24 f g h + 16 e h^2) * a \\
& ^4 b + 2 * (4 f^3 - 9 e f g + 6 e^2 h + 18 c g h) * a^3 b^2 - (e^3 - 3 * (4 f^2 - \\
& 3 e g) * c) * a^2 b^3) / (a^4 b^7))^{(1/3)} - 6 g / b^2)^2 a^2 b^4 + 12 * (2 * (1/2)^{(2/ \\
& 3)} * (-I * \text{sqrt}(3) + 1) * (9 g^2 / b^4 - (b^2 c e + (9 g^2 - 8 f h) * a^2 + 2 * (e f -
\end{aligned}$$

$$\begin{aligned}
& 2*c*h)*a*b)/(a^2*b^4))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) - 6*g/b^2)*a^2*b^2*g + 16*b^2*c*e + 3*2*a*b*e*f + 36*a^2*g^2 - 64*(a*b*c + 2*a^2*f)*h)/(a^2*b^4)))*log(2*a*b^4*c^2*e + 8*a^2*b^3*c*e*f + 8*a^3*b^2*e*f^2 - 3*a^3*b^2*e^2*g - 48*a^5*g*h^2 + 1/4*(a^3*b^6*c + 2*a^4*b^5*f)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^2*b^4)))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) - 6*g/b^2)^2 + 9*(a^3*b^2*c + 2*a^4*b*f)*g^2 - 1/2*(a^3*b^4*e^2 - 8*a^4*b^3*e*h + 16*a^5*b^2*h^2 - 6*(a^3*b^4*c + 2*a^4*b^3*f)*g)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)/(a^2*b^4)))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) - 6*g/b^2) - 8*(a^2*b^3*c^2 + 4*a^3*b^2*c*f + 4*a^4*b*f^2 - 3*a^4*b*e*g)*h - 2*(b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)*x + 3/4*sqrt(1/3)*(2*a^3*b^4*e^2 - 16*a^4*b^3*e*h + 32*a^5*b^2
\end{aligned}$$

$$\begin{aligned}
& 3 - 12a^3b^2e^2h + 48a^4b^2e^2h - 64a^5h^3)/(a^4b^7) - (b^5c^3 + \\
& 6a^4b^2c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - \\
& 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7)^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54g^3/b^6 - 9(b^2c^2e + \\
& (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a^4b^2c^2f + 12a^2b^3c^2f + 8a^3b^2f^3 - 12a^3b^2e^2h + \\
& 48a^4b^2e^2h - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^4b^2c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + \\
& 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7)^{(1/3)} - 6g/b^2 + 3*\sqrt{1/3}*(a^3b^3x^3 + a^2b^2)*\sqrt{-((2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9g^2/b^4 - (b^2c^2e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)/(a^2b^4)))/(54g^3/b^6 - 9(b^2c^2e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a^4b^2c^2f + 12a^2b^3c^2f + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b^2e^2h - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^4b^2c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54g^3/b^6 - 9(b^2c^2e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a^4b^2c^2f + 12a^2b^3c^2f + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b^2e^2h - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^4b^2c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{(1/3)} - 6g/b^2)^2*a^2b^4 + 12*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9g^2/b^4 - (b^2c^2e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)/(a^2b^4)))/(54g^3/b^6 - 9(b^2c^2e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a^4b^2c^2f + 12a^2b^3c^2f + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b^2e^2h - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^4b^2c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54g^3/b^6 - 9(b^2c^2e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a^4b^2c^2f + 12a^2b^3c^2f + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b^2e^2h - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^4b^2c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{(1/3)} - 6g/b^2)*a^2b^2*g + 16b^2c^2e + 32a^2b^2e*f + 36a^2g^2 - 64(a*b*c + 2a^2f)*h)/(a^2b^4))*\log(2a^4b^2c^2e + 8a^2b^3c^2e*f + 8a^3b^2e^2f^2 - 3a^3b^2e^2g - 48a^5g^2h^2 + 1/4*(a^3b^6c + 2a^4b^5f)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9g^2/b^4 - (b^2c^2e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)/(a^2b^4)))/(54g^3/b^6 - 9(b^2c^2e + (9g^2 - 8f*h)*a^2 + 2(e*f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a^4b^2c^2f + 12a^2b^3c^2f + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b^2e^2h - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a^4b^2c^2f + 64a^5h^3 - 3(9g^3 - 24f*g*h + 16e^2h^2)*a^4b + 2(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{(1/3)} - 6g/b^2)
\end{aligned}$$

$$\begin{aligned}
&^3)/(a^4b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54g^3/b^6 - 9*(b^2c*e \\
&+ (9g^2 - 8f*h)*a^2 + 2*(ef - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2* \\
&b^3e^3 + 6a*b^4c^2f + 12a^2b^3c*f^2 + 8a^3b^2f^3 - 12a^3b^2e^2 \\
&*h + 48a^4b*e*h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a*b^4c^2f + 64 \\
&a^5h^3 - 3*(9g^3 - 24f*g*h + 16e*h^2)*a^4b + 2*(4f^3 - 9e*f*g + 6e \\
&^2h + 18c*g*h)*a^3b^2 - (e^3 - 3*(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{(\\
&(1/3)} - 6g/b^2)^2 + 9*(a^3b^2c + 2a^4b*f)*g^2 - 1/2*(a^3b^4e^2 - 8a \\
&^4b^3e*h + 16a^5b^2h^2 - 6*(a^3b^4c + 2a^4b^3f)*g)*(2*(1/2)^{(2/3)} \\
&)*(-I*\sqrt{3} + 1)*(9g^2/b^4 - (b^2c*e + (9g^2 - 8f*h)*a^2 + 2*(ef - 2 \\
&c*h)*a*b)/(a^2b^4)))/(54g^3/b^6 - 9*(b^2c*e + (9g^2 - 8f*h)*a^2 + 2*(ef \\
&f - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a*b^4c^2f + 12a \\
&^2b^3c*f^2 + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b*e*h^2 - 64a^5h \\
&^3)/(a^4b^7) - (b^5c^3 + 6a*b^4c^2f + 64a^5h^3 - 3*(9g^3 - 24f*g*h \\
&+ 16e*h^2)*a^4b + 2*(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^ \\
&3 - 3*(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} \\
&+ 1)*(54g^3/b^6 - 9*(b^2c*e + (9g^2 - 8f*h)*a^2 + 2*(ef - 2c*h)*a*b) \\
&*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a*b^4c^2f + 12a^2b^3c*f^2 + \\
&8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b*e*h^2 - 64a^5h^3)/(a^4b^7) - \\
&(b^5c^3 + 6a*b^4c^2f + 64a^5h^3 - 3*(9g^3 - 24f*g*h + 16e*h^2)*a^ \\
&4b + 2*(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3*(4f^2 - \\
&3e*g)*c)*a^2b^3)/(a^4b^7))^{(1/3)} - 6g/b^2) - 8*(a^2b^3c^2 + 4a^3b^2 \\
&*c*f + 4a^4b*f^2 - 3a^4b*e*g)*h - 2*(b^5c^3 + a^2b^3e^3 + 6a*b^4c^ \\
&2f + 12a^2b^3c*f^2 + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b*e*h^2 \\
&- 64a^5h^3)*x - 3/4*\sqrt{1/3}*(2a^3b^4e^2 - 16a^4b^3e*h + 32a^5b^ \\
&2h^2 + (a^3b^6c + 2a^4b^5f)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(9g^2/b^ \\
&4 - (b^2c*e + (9g^2 - 8f*h)*a^2 + 2*(ef - 2c*h)*a*b)/(a^2b^4)))/(54g^ \\
&3/b^6 - 9*(b^2c*e + (9g^2 - 8f*h)*a^2 + 2*(ef - 2c*h)*a*b)*g/(a^2b^6) \\
&- (b^5c^3 + a^2b^3e^3 + 6a*b^4c^2f + 12a^2b^3c*f^2 + 8a^3b^2f^ \\
&3 - 12a^3b^2e^2h + 48a^4b*e*h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + \\
&6a*b^4c^2f + 64a^5h^3 - 3*(9g^3 - 24f*g*h + 16e*h^2)*a^4b + 2*(4f \\
&^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3*(4f^2 - 3e*g)*c)*a^ \\
&2b^3)/(a^4b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(54g^3/b^6 - 9*(b^2c \\
&e + (9g^2 - 8f*h)*a^2 + 2*(ef - 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a \\
&^2b^3e^3 + 6a*b^4c^2f + 12a^2b^3c*f^2 + 8a^3b^2f^3 - 12a^3b^2e \\
&^2h + 48a^4b*e*h^2 - 64a^5h^3)/(a^4b^7) - (b^5c^3 + 6a*b^4c^2f + \\
&64a^5h^3 - 3*(9g^3 - 24f*g*h + 16e*h^2)*a^4b + 2*(4f^3 - 9e*f*g + \\
&6e^2h + 18c*g*h)*a^3b^2 - (e^3 - 3*(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7 \\
&))^{(1/3)} - 6g/b^2) + 6*(a^3b^4c + 2a^4b^3f)*g)*\sqrt{-((2*(1/2)^{(2/3)}* \\
&(-I*\sqrt{3} + 1)*(9g^2/b^4 - (b^2c*e + (9g^2 - 8f*h)*a^2 + 2*(ef - 2c \\
&*h)*a*b)/(a^2b^4)))/(54g^3/b^6 - 9*(b^2c*e + (9g^2 - 8f*h)*a^2 + 2*(ef \\
&- 2c*h)*a*b)*g/(a^2b^6) - (b^5c^3 + a^2b^3e^3 + 6a*b^4c^2f + 12a^ \\
&2b^3c*f^2 + 8a^3b^2f^3 - 12a^3b^2e^2h + 48a^4b*e*h^2 - 64a^5h^ \\
&3)/(a^4b^7) - (b^5c^3 + 6a*b^4c^2f + 64a^5h^3 - 3*(9g^3 - 24f*g*h \\
&+ 16e*h^2)*a^4b + 2*(4f^3 - 9e*f*g + 6e^2h + 18c*g*h)*a^3b^2 - (e^3 \\
&- 3*(4f^2 - 3e*g)*c)*a^2b^3)/(a^4b^7))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}
\end{aligned}$$

```

+ 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)*
g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8
*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) -
(b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^4
*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 - 3
*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) - 6*g/b^2)^2*a^2*b^4 + 12*(2*(1/2)^(2/3)
*(-I*sqrt(3) + 1)*(9*g^2/b^4 - (b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*
c*h)*a*b)/(a^2*b^4)))/(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*
f - 2*c*h)*a*b)*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a
^2*b^3*c*f^2 + 8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3
^3)/(a^4*b^7) - (b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h
+ 16*e*h^2)*a^4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^
3 - 3*(4*f^2 - 3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) + (1/2)^(1/3)*(I*sqrt(3)
+ 1)*(54*g^3/b^6 - 9*(b^2*c*e + (9*g^2 - 8*f*h)*a^2 + 2*(e*f - 2*c*h)*a*b)
*g/(a^2*b^6) - (b^5*c^3 + a^2*b^3*e^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 +
8*a^3*b^2*f^3 - 12*a^3*b^2*e^2*h + 48*a^4*b*e*h^2 - 64*a^5*h^3)/(a^4*b^7) -
(b^5*c^3 + 6*a*b^4*c^2*f + 64*a^5*h^3 - 3*(9*g^3 - 24*f*g*h + 16*e*h^2)*a^
4*b + 2*(4*f^3 - 9*e*f*g + 6*e^2*h + 18*c*g*h)*a^3*b^2 - (e^3 - 3*(4*f^2 -
3*e*g)*c)*a^2*b^3)/(a^4*b^7))^(1/3) - 6*g/b^2)*a^2*b^2*g + 16*b^2*c*e + 32*
a*b*e*f + 36*a^2*g^2 - 64*(a*b*c + 2*a^2*f)*h)/(a^2*b^4))))/(a*b^3*x^3 + a^
2*b^2)

```

giac [A] time = 0.20, size = 318, normalized size = 1.10

$$\frac{\frac{hx}{b^2} + \frac{g \log(|bx^3 + a|)}{3b^2} + \frac{\sqrt{3} \left(4a^2h - abe + (-ab^2)^{\frac{1}{3}} bc + 2(-ab^2)^{\frac{1}{3}} af \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}} ab}}{4a^2h - abe - (-a$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] h*x/b^2 + 1/3*g*log(abs(b*x^3 + a))/b^2 + 1/9*sqrt(3)*(4*a^2*h - a*b*e + (-
a*b^2)^(1/3)*b*c + 2*(-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(
1/3))/(-a/b)^(1/3))/((-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b) + 1/18*(4*a^2*h - a*b*e - (-a*b^2)
^(1/3)*b*c - 2*(-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))
/((-a*b^2)^(2/3)*a*b) - 1/3*(a*b*d - a^2*g - (b^2*c - a*b*f)*x^2 - (a^2*h -
a*b*e)*x)/((b*x^3 + a)*a*b^2) - 1/9*(a*b^5*c*(-a/b)^(1/3) + 2*a^2*b^4*f*(-
a/b)^(1/3) - 4*a^3*b^3*h + a^2*b^4*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)
)))/(a^3*b^5)

```

maple [B] time = 0.05, size = 502, normalized size = 1.74

$$\frac{\frac{cx^2}{3(bx^3+a)a} - \frac{fx^2}{3(bx^3+a)b} + \frac{ahx}{3(bx^3+a)b^2} - \frac{ex}{3(bx^3+a)b} + \frac{ag}{3(bx^3+a)b^2}}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}b^3} + \frac{4\sqrt{3}ah \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{1}{b}}-1\right)}{\frac{\left(\frac{a}{b}\right)^{\frac{1}{3}}}{3}}\right)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x)`

[Out] $h*x/b^2 - 1/3/(b*x^3+a)/b*f*x^2 + 1/3/(b*x^3+a)/a*x^2*c + 1/3/b^2/(b*x^3+a)*a*h*x - 1/3/b/(b*x^3+a)*e*x + 1/3/b^2/(b*x^3+a)*a*g - 1/3/b/(b*x^3+a)*d - 4/9/b^3*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*h + 1/9/b^2/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*e + 2/9/b^3*a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h - 1/18/b^2/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*e - 4/9/b^3*a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*h + 1/9/b^2/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*e - 2/9/(a/b)^{(1/3)}/b^2*f*\ln(x+(a/b)^{(1/3)}) - 1/9/b/a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c + 1/9/(a/b)^{(1/3)}/b^2*f*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + 1/18/(a/b)^{(1/3)}/a/b*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + 2/9*3^{(1/2)}/(a/b)^{(1/3)}/b^2*f*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1)) + 1/9/b/a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c + 1/3*g*\ln(b*x^3+a)/b^2$

maxima [A] time = 2.96, size = 311, normalized size = 1.08

$$\frac{\frac{abd - a^2g - (b^2c - abf)x^2 + (abe - a^2h)x}{3(ab^3x^3 + a^2b^2)} + \frac{hx}{b^2} + \frac{\sqrt{3}\left(b^2c\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2abf\left(\frac{a}{b}\right)^{\frac{2}{3}} + abe\left(\frac{a}{b}\right)^{\frac{1}{3}} - 4a^2h\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\frac{1}{b}}-1\right)}{\frac{\left(\frac{a}{b}\right)^{\frac{1}{3}}}{3}}\right)}{9a^2b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $-1/3*(a*b*d - a^2*g - (b^2*c - a*b*f)*x^2 + (a*b*e - a^2*h)*x)/(a*b^3*x^3 + a^2*b^2) + h*x/b^2 + 1/9*sqrt(3)*(b^2*c*(a/b)^{(2/3)} + 2*a*b*f*(a/b)^{(2/3)} + a*b*e*(a/b)^{(1/3)} - 4*a^2*h*(a/b)^{(1/3)})*\arctan(1/3*sqrt(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^2*b^2) + 1/18*(6*a*b*g*(a/b)^{(2/3)} + b^2*c*(a/b)^{(1/3)})$

3) + 2*a*b*f*(a/b)^(1/3) - a*b*e + 4*a^2*h)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^3*(a/b)^(2/3)) + 1/9*(3*a*b*g*(a/b)^(2/3) - b^2*c*(a/b)^(1/3) - 2*a*b*f*(a/b)^(1/3) + a*b*e - 4*a^2*h)*log(x + (a/b)^(1/3))/(a*b^3*(a/b)^(2/3))

mupad [B] time = 5.39, size = 827, normalized size = 2.86

$$\left(\sum_{k=1}^3 \ln \left(\frac{9a^2g^2 + b^2ce - 8a^2fh - 4abch + 2abef}{9ab^2} - \text{root}(729a^4b^7z^3 - 729a^4b^5gz^2 - 216a^4b^3fhz - 108a^4b^3c^2h^2 + 54a^3b^4cefz + 27a^2b^5c^2ez + 243a^4b^3g^2z + 72a^4b^3fg^2h + 36a^3b^2c^2gh - 18a^3b^2efg - 9a^2b^3c^2eg - 48a^4b^3e^2h^2 + 6a^4b^3c^2f + 12a^3b^2e^2h + 12a^2b^3c^2f^2 + 8a^3b^2f^3 - 27a^4b^3g^3 + 64a^5h^3 + b^5c^3 - a^2b^3e^3, z, k) \right) \right) * (6ag - be^2x + 4ahx - 9\text{root}(729a^4b^7z^3 - 729a^4b^5gz^2 - 216a^4b^3f*hz - 108a^3b^4c^2h^2 + 54a^3b^4cefz + 27a^2b^5c^2ez + 243a^4b^3g^2z + 72a^4b^3fg^2h + 36a^3b^2c^2gh - 18a^3b^2efg - 9a^2b^3c^2eg - 48a^4b^3e^2h^2 + 6a^4b^3c^2f + 12a^3b^2e^2h + 12a^2b^3c^2f^2 + 8a^3b^2f^3 - 27a^4b^3g^3 + 64a^5h^3 + b^5c^3 - a^2b^3e^3, z, k), k, 1, 3) - ((b*d)/3 - (a*g)/3 + x*((b*e)/3 - (a*h)/3) - (b*x^2*(b*c - a*f))/(3*a))/(a*b^2 + b^3*x^3) + (h*x)/b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^2,x)

[Out] symsum(log((9*a^2*g^2 + b^2*c*e - 8*a^2*f*h - 4*a*b*c*h + 2*a*b*e*f)/(9*a*b^2) - root(729*a^4*b^7*z^3 - 729*a^4*b^5*g*z^2 - 216*a^4*b^3*f*h*z - 108*a^3*b^4*c*h*z + 54*a^3*b^4*e*f*z + 27*a^2*b^5*c^2*e*z + 243*a^4*b^3*g^2*z + 72*a^4*b^3*f*g*h + 36*a^3*b^2*c^2*g*h - 18*a^3*b^2*e*f*g - 9*a^2*b^3*c^2*e*g - 48*a^4*b^3*e^2*h^2 + 6*a^4*b^3*c^2*f + 12*a^3*b^2*e^2*h + 12*a^2*b^3*c^2*f^2 + 8*a^3*b^2*f^3 - 27*a^4*b^3*g^3 + 64*a^5*h^3 + b^5*c^3 - a^2*b^3*e^3, z, k)*(6*a*g - b*e^2*x + 4*a*h*x - 9*root(729*a^4*b^7*z^3 - 729*a^4*b^5*g*z^2 - 216*a^4*b^3*f*hz - 108*a^3*b^4*c^2h^2 + 54*a^3*b^4cefz + 27*a^2*b^5c^2ez + 243*a^4b^3g^2z + 72*a^4b^3fg^2h + 36*a^3b^2c^2gh - 18*a^3b^2efg - 9*a^2b^3c^2eg - 48*a^4b^3e^2h^2 + 6*a^4b^3c^2f + 12*a^3b^2e^2h + 12*a^2b^3c^2f^2 + 8*a^3b^2f^3 - 27*a^4b^3g^3 + 64*a^5h^3 + b^5c^3 - a^2b^3e^3, z, k), k, 1, 3) - ((b*d)/3 - (a*g)/3 + x*((b*e)/3 - (a*h)/3) - (b*x^2*(b*c - a*f))/(3*a))/(a*b^2 + b^3*x^3) + (h*x)/b^2

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)

[Out] Timed out

$$3.416 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^2} dx$$

Optimal. Leaf size=276

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (af + 2bc) - \sqrt[3]{a} (2ag + bd)\right)}{18a^{5/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (af + 2bc) - \sqrt[3]{a} (2ag + bd)\right)}{9a^{5/3} b^{5/3}}$$

[Out] 1/3*x*(b*c-a*f+(-a*g+b*d)*x+(-a*h+b*e)*x^2)/a/b/(b*x^3+a)+1/9*(b^(1/3))*(a*f+2*b*c)-a^(1/3)*(2*a*g+b*d))*ln(a^(1/3)+b^(1/3)*x)/a^(5/3)/b^(5/3)-1/18*(b^(1/3)*(a*f+2*b*c)-a^(1/3)*(2*a*g+b*d))*ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(5/3)/b^(5/3)+1/3*h*ln(b*x^3+a)/b^2-1/9*(2*b^(4/3)*c+a^(1/3)*b*d+a*b^(1/3)*f+2*a^(4/3)*g)*arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(5/3)/b^(5/3)*3^(1/2)

Rubi [A] time = 0.37, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1858, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (af + 2bc) - \sqrt[3]{a} (2ag + bd)\right)}{18a^{5/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (af + 2bc) - \sqrt[3]{a} (2ag + bd)\right)}{9a^{5/3} b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^2,x]

[Out] (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(3*a*b*(a + b*x^3)) - ((2*b^(4/3)*c + a^(1/3)*b*d + a*b^(1/3)*f + 2*a^(4/3)*g)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(3*Sqrt[3]*a^(5/3)*b^(5/3)) + ((b^(1/3)*(2*b*c + a*f) - a^(1/3)*(b*d + 2*a*g))*Log[a^(1/3) + b^(1/3)*x])/(9*a^(5/3)*b^(5/3)) - ((b^(1/3)*(2*b*c + a*f) - a^(1/3)*(b*d + 2*a*g))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(5/3)*b^(5/3)) + (h*Log[a + b*x^3])/(3*b^2)

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1858

Int[(Pq)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^3)^2} dx &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} - \frac{\int \frac{-b(2bc+af) - b(bd+2ag)x - 3abhx^2}{a+bx^3} dx}{3ab^2} \\
 &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} - \frac{\int \frac{-b(2bc+af) - b(bd+2ag)x}{a+bx^3} dx}{3ab^2} + \frac{h}{3ab} \int \frac{x^2}{a+bx^3} dx \\
 &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} + \frac{h \log(a + bx^3)}{3b^2} - \frac{\int \frac{\sqrt[3]{a}(-2b^{4/3})}{a+bx^3} dx}{3ab^2} \\
 &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} + \frac{(\sqrt[3]{b}(2bc + af) - \sqrt[3]{a}(bd + 2ag))}{9a^{5/3}b^{5/3}} \\
 &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} + \frac{(\sqrt[3]{b}(2bc + af) - \sqrt[3]{a}(bd + 2ag))}{9a^{5/3}b^{5/3}} \\
 &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3ab(a + bx^3)} - \frac{(2b^{4/3}c + \sqrt[3]{a}bd + a\sqrt[3]{b}f + 2ag)}{3\sqrt{3}a^{5/3}b^{5/3}}
 \end{aligned}$$

Mathematica [A] time = 0.21, size = 268, normalized size = 0.97

$$\frac{\sqrt[3]{b} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(2a^{4/3} g + \sqrt[3]{a} b d - a \sqrt[3]{b} f - 2b^{4/3} c\right)}{a^{5/3}} + \frac{2 \sqrt[3]{b} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-2a^{4/3} g - \sqrt[3]{a} b d + a \sqrt[3]{b} f + 2b^{4/3} c\right)}{a^{5/3}} - \frac{2 \sqrt{3} \sqrt[3]{b} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt[3]{a}}\right)}{\sqrt{3}}$$

$18b^2$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^2, x]

```
[Out] ((6*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x)))/(a*(a + b*x^3)) - (2*sqrt[3]*b^(1/3)*(2*b^(4/3)*c + a^(1/3)*b*d + a*b^(1/3)*f + 2*a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/a^(5/3) + (2*b^(1/3)*(2*b^(4/3)*c - a^(1/3)*b*d + a*b^(1/3)*f - 2*a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) + (b^(1/3)*(-2*b^(4/3)*c + a^(1/3)*b*d - a*b^(1/3)*f + 2*a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/a^(5/3) + 6*h*Log[a + b*x^3)]/(18*b^2)
```

fricas [C] time = 3.64, size = 12636, normalized size = 45.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] -1/36*(12*a*b*e - 12*a^2*h - 12*(b^2*d - a*b*g)*x^2 + 2*(a*b^3*x^3 + a^2*b^2)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^(1/3) - 6*h/b^2*log(4*a*b^4*c*d^2 + 2*a^2*b^3*d^2*f + 1/4*(a^4*b^5*d + 2*a^5*b^4*g)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^(1/3) - 6*h/b^2)^2 + 8*(2*a^3*b^2*c + a^4*b*f)*g^2 + 9*(a^4*b*d + 2*a^5*g)*h^2 - 1/2*(4*a^2*b^5*c^2 + 4*a^3*b^4*c*f + a^4*b^
```

$$\begin{aligned}
& 3f^2 - 6(a^4b^3d + 2a^5b^2g)h \cdot (2(1/2)^{(2/3)}(-I\sqrt{3}) + 1) \cdot (9h^2/b^4 - (2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)/(a^3b^4)) / (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g^2 + 8a^4g^3)/(a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9fgh)a^4b + (f^3 + 36cgh - 3(4g^2 - 3fh)d)a^3b^2 - 6(d^2g - (f^2 + 3dh)c)a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{(1/3)} + (1/2)^{(1/3)}(I\sqrt{3}) + 1) \cdot (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g^2 + 8a^4g^3)/(a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9fgh)a^4b + (f^3 + 36cgh - 3(4g^2 - 3fh)d)a^3b^2 - 6(d^2g - (f^2 + 3dh)c)a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{(1/3)} - 6h/b^2) + 8(2a^2b^3cd + a^3b^2d^2f)g - 3(4a^2b^3c^2 + 4a^3b^2c^2f + a^4b^2f^2)h + (8b^5c^3 + ab^4d^3 + 12ab^4c^2f + 6a^2b^3c^2f^2 + a^3b^2f^3 + 6a^2b^3d^2g + 12a^3b^2d^2g^2 + 8a^4b^2g^3)x - 12(b^2c - abf)x - (18abhx^3 + 18a^2h + (ab^3x^3 + a^2b^2)(2(1/2)^{(2/3)}(-I\sqrt{3}) + 1) \cdot (9h^2/b^4 - (2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)/(a^3b^4)) / (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g^2 + 8a^4g^3)/(a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9fgh)a^4b + (f^3 + 36cgh - 3(4g^2 - 3fh)d)a^3b^2 - 6(d^2g - (f^2 + 3dh)c)a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{(1/3)} + (1/2)^{(1/3)}(I\sqrt{3}) + 1) \cdot (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g^2 + 8a^4g^3)/(a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9fgh)a^4b + (f^3 + 36cgh - 3(4g^2 - 3fh)d)a^3b^2 - 6(d^2g - (f^2 + 3dh)c)a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{(1/3)} - 6h/b^2) + 3\sqrt{1/3}(ab^3x^3 + a^2b^2)\sqrt{-((2(1/2)^{(2/3)}(-I\sqrt{3}) + 1) \cdot (9h^2/b^4 - (2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)/(a^3b^4)) / (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g^2 + 8a^4g^3)/(a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9fgh)a^4b + (f^3 + 36cgh - 3(4g^2 - 3fh)d)a^3b^2 - 6(d^2g - (f^2 + 3dh)c)a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{(1/3)} + (1/2)^{(1/3)}(I\sqrt{3}) + 1) \cdot (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g^2 + 8a^4g^3)/(a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9fgh)a^4b + (f^3 + 36cgh - 3(4g^2 - 3fh)d)a^3b^2 - 6(d^2g - (f^2 + 3dh)c)a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{(1/3)} - 6h/b^2)^2 a^3b^4 + 12(2(1/2)^{(2/3)}(-I\sqrt{3}) + 1) \cdot (9h^2/b^4 - (2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)/(a^3b^4)) / (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g^2 + 8a^4g^3)/(a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9fgh)a^4b + (f^3 + 36cgh - 3(4g^2 - 3fh)d)a^3b^2 - 6(d^2g - (f^2 + 3dh)c)a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{(1/3)} - 6h/b^2)
\end{aligned}$$

$$\begin{aligned}
& a^3b^4)) / (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c * g) * ab^2) * h / (a^3b^6) + (8b^4c^3 + a^3b^3d^3 + 12ab^3c^2f + 6a^2b^2 * c^2f^2 + a^3b^3f^3 + 6a^2b^2d^2g + 12a^3b^3d^2g^2 + 8a^4g^3) / (a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9f * g * h) * a^4b + (f^3 + 36c * g * h - 3(4g^2 - 3f * h) * d) * a^3b^2 - 6(d^2g - (f^2 + 3d * h) * c) * a^2b^3 - (d^3 - 12c^2f) * ab^4) / (a^5b^6))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (54h^3 / b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c * g) * ab^2) * h / (a^3b^6) + (8b^4c^3 + a^3b^3d^3 + 12ab^3c^2f + 6a^2b^2 * c^2f^2 + a^3b^3f^3 + 6a^2b^2d^2g + 12a^3b^3d^2g^2 + 8a^4g^3) / (a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9f * g * h) * a^4b + (f^3 + 36c * g * h - 3(4g^2 - 3f * h) * d) * a^3b^2 - 6(d^2g - (f^2 + 3d * h) * c) * a^2b^3 - (d^3 - 12c^2f) * ab^4) / (a^5b^6))^{1/3} - 6h/b^2) * a^3b^2 * h + 32b^3cd + 16ab^2 * df + 36a^3h^2 + 32(2ab^2 * c + a^2b * f) * g) / (a^3b^4)) * \log(-4ab^4 * c * d^2 - 2a^2b^3 * d^2 * f - 1/4(a^4b^5 * d + 2a^5b^4 * g) * (2(1/2)^{2/3} * (-I * \sqrt{3} + 1) * (9h^2/b^4 - (2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c * g) * ab^2) / (a^3b^4)) / (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c * g) * ab^2) * h / (a^3b^6) + (8b^4c^3 + a^3b^3d^3 + 12ab^3c^2f + 6a^2b^2 * c^2f^2 + a^3b^3f^3 + 6a^2b^2d^2g + 12a^3b^3d^2g^2 + 8a^4g^3) / (a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9f * g * h) * a^4b + (f^3 + 36c * g * h - 3(4g^2 - 3f * h) * d) * a^3b^2 - 6(d^2g - (f^2 + 3d * h) * c) * a^2b^3 - (d^3 - 12c^2f) * ab^4) / (a^5b^6))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c * g) * ab^2) * h / (a^3b^6) + (8b^4c^3 + a^3b^3d^3 + 12ab^3c^2f + 6a^2b^2 * c^2f^2 + a^3b^3f^3 + 6a^2b^2d^2g + 12a^3b^3d^2g^2 + 8a^4g^3) / (a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9f * g * h) * a^4b + (f^3 + 36c * g * h - 3(4g^2 - 3f * h) * d) * a^3b^2 - 6(d^2g - (f^2 + 3d * h) * c) * a^2b^3 - (d^3 - 12c^2f) * ab^4) / (a^5b^6))^{1/3} - 6h/b^2)^2 - 8(2a^3b^2 * c + a^4b * f) * g^2 - 9(a^4b * d + 2a^5g) * h^2 + 1/2(4a^2b^5 * c^2 + 4a^3b^4 * c * f + a^4b^3 * f^2 - 6(a^4b^3 * d + 2a^5b^2 * g) * h) * (2(1/2)^{2/3} * (-I * \sqrt{3} + 1) * (9h^2/b^4 - (2b^3 * c * d + 2a^2bfg + 9a^3h^2 + (df + 4c * g) * ab^2) / (a^3b^4)) / (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c * g) * ab^2) * h / (a^3b^6) + (8b^4c^3 + a^3b^3d^3 + 12ab^3c^2f + 6a^2b^2 * c^2f^2 + a^3b^3f^3 + 6a^2b^2d^2g + 12a^3b^3d^2g^2 + 8a^4g^3) / (a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9f * g * h) * a^4b + (f^3 + 36c * g * h - 3(4g^2 - 3f * h) * d) * a^3b^2 - 6(d^2g - (f^2 + 3d * h) * c) * a^2b^3 - (d^3 - 12c^2f) * ab^4) / (a^5b^6))^{1/3} + (1/2)^{1/3} * (I * \sqrt{3} + 1) * (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c * g) * ab^2) * h / (a^3b^6) + (8b^4c^3 + a^3b^3d^3 + 12ab^3c^2f + 6a^2b^2 * c^2f^2 + a^3b^3f^3 + 6a^2b^2d^2g + 12a^3b^3d^2g^2 + 8a^4g^3) / (a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9f * g * h) * a^4b + (f^3 + 36c * g * h - 3(4g^2 - 3f * h) * d) * a^3b^2 - 6(d^2g - (f^2 + 3d * h) * c) * a^2b^3 - (d^3 - 12c^2f) * ab^4) / (a^5b^6))^{1/3} - 6h/b^2) - 8(2a^2b^3 * c * d + a^3b^2 * d * f) * g + 3(4a^2b^3 * c^2 + 4a^3b^2 * c * f + a^4b * f^2) * h + 2(8b^5c^3 + a^3b^4 * d^3 + 12ab^4 * c^2 * f + 6a^2b^3 * c * f^2 + a^3b^2 * f^3 + 6a^2b^3 * d^2 * g + 12a^3b^2 * d * g^2 + 8a^4 * b * g^3) * x + 3/4 * \sqrt{1/3} * (8a^2b^5 * c^2 + 8a^3b^4 * c * f + 2a^4b^3 * f^2 + (a^4b^5 *
\end{aligned}$$

$$\begin{aligned}
& d + 2a^5b^4g) * (2(1/2)^{(2/3)} * (-I\sqrt{3}) + 1) * (9h^2/b^4 - (2b^3cd + \\
& 2a^2bfg + 9a^3h^2 + (df + 4c^2g) * ab^2) / (a^3b^4)) / (54h^3/b^6 - 9(\\
& 2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g) * ab^2) * h / (a^3b^6) + (8 \\
& b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2cf^2 + a^3b^3f^3 + 6a^2 \\
& b^2d^2g + 12a^3b^2d^2g + 8a^4g^3) / (a^5b^5) + (8b^5c^3 + 27a^5h^3 \\
& - 2(4g^3 - 9fgh) * a^4b + (f^3 + 36cgh - 3(4g^2 - 3fh) * d) * a^3 \\
& b^2 - 6(d^2g - (f^2 + 3dh) * c) * a^2b^3 - (d^3 - 12c^2f) * ab^4) / (a^5b^6) \\
&)^{(1/3)} + (1/2)^{(1/3)} * (I\sqrt{3}) + 1) * (54h^3/b^6 - 9(2b^3cd + 2a^2 \\
& bfg + 9a^3h^2 + (df + 4c^2g) * ab^2) * h / (a^3b^6) + (8b^4c^3 + ab^3d^3 \\
& + 12ab^3c^2f + 6a^2b^2cf^2 + a^3b^3f^3 + 6a^2b^2d^2g + 12a^3 \\
& b^2d^2g + 8a^4g^3) / (a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9f \\
& gh) * a^4b + (f^3 + 36cgh - 3(4g^2 - 3fh) * d) * a^3b^2 - 6(d^2g - (\\
& f^2 + 3dh) * c) * a^2b^3 - (d^3 - 12c^2f) * ab^4) / (a^5b^6))^{(1/3)} - 6h/b^2 \\
& + 6(a^4b^3d + 2a^5b^2g) * h) * \sqrt{-((2(1/2)^{(2/3)} * (-I\sqrt{3}) + 1) * \\
& (9h^2/b^4 - (2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g) * ab^2) / (a \\
& ^3b^4)) / (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2 \\
& g) * ab^2) * h / (a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2 \\
& cf^2 + a^3b^3f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g + 8a^4g^3) / (a^5b^5) \\
&) + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9fgh) * a^4b + (f^3 + 36cgh - \\
& 3(4g^2 - 3fh) * d) * a^3b^2 - 6(d^2g - (f^2 + 3dh) * c) * a^2b^3 - (d^3 \\
& - 12c^2f) * ab^4) / (a^5b^6))^{(1/3)} + (1/2)^{(1/3)} * (I\sqrt{3}) + 1) * (54h^3/b \\
& ^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g) * ab^2) * h / (a^3b \\
& ^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2cf^2 + a^3b^3f^3 \\
& + 6a^2b^2d^2g + 12a^3b^2d^2g + 8a^4g^3) / (a^5b^5) + (8b^5c^3 + 2 \\
& 7a^5h^3 - 2(4g^3 - 9fgh) * a^4b + (f^3 + 36cgh - 3(4g^2 - 3fh) \\
&) * d) * a^3b^2 - 6(d^2g - (f^2 + 3dh) * c) * a^2b^3 - (d^3 - 12c^2f) * ab^4) \\
& / (a^5b^6))^{(1/3)} - 6h/b^2)^2 * a^3b^4 + 12(2(1/2)^{(2/3)} * (-I\sqrt{3}) + 1) \\
& * (9h^2/b^4 - (2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g) * ab^2) / (\\
& a^3b^4)) / (54h^3/b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2 \\
& g) * ab^2) * h / (a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2 \\
& cf^2 + a^3b^3f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g + 8a^4g^3) / (a^5b^5) \\
& + (8b^5c^3 + 27a^5h^3 - 2(4g^3 - 9fgh) * a^4b + (f^3 + 36cgh - \\
& 3(4g^2 - 3fh) * d) * a^3b^2 - 6(d^2g - (f^2 + 3dh) * c) * a^2b^3 - (d^3 \\
& - 12c^2f) * ab^4) / (a^5b^6))^{(1/3)} + (1/2)^{(1/3)} * (I\sqrt{3}) + 1) * (54h^3/ \\
& b^6 - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g) * ab^2) * h / (a^3b \\
& ^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2cf^2 + a^3b^3f^3 \\
& + 6a^2b^2d^2g + 12a^3b^2d^2g + 8a^4g^3) / (a^5b^5) + (8b^5c^3 + \\
& 27a^5h^3 - 2(4g^3 - 9fgh) * a^4b + (f^3 + 36cgh - 3(4g^2 - 3fh) \\
&) * d) * a^3b^2 - 6(d^2g - (f^2 + 3dh) * c) * a^2b^3 - (d^3 - 12c^2f) * ab^4) \\
& / (a^5b^6))^{(1/3)} - 6h/b^2) * a^3b^2 * h + 32b^3cd + 16ab^2d^2f + 36a^3 \\
& h^2 + 32(2ab^2c + a^2b^2f) * g) / (a^3b^4)) - (18ab^2h^2 + 18a^2h \\
& + (ab^3x^3 + a^2b^2) * (2(1/2)^{(2/3)} * (-I\sqrt{3}) + 1) * (9h^2/b^4 - (2b^3 \\
& cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g) * ab^2) / (a^3b^4)) / (54h^3/b^6 \\
& - 9(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g) * ab^2) * h / (a^3b^6) \\
& + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2cf^2 + a^3b^3f^3
\end{aligned}$$

$$\begin{aligned}
& + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27 \\
& *a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)* \\
& d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/ \\
& (a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(54*h^3/b^6 - 9*(2*b^3*c*d + \\
& 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + \\
& a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g \\
& + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^ \\
& 3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^ \\
& 2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - \\
& 6*h/b^2) - 3*sqrt(1/3)*(a*b^3*x^3 + a^2*b^2)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sq \\
& rt(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g) \\
& *a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (\\
& d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + \\
& 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3) \\
&))/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + \\
& 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b \\
& ^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1) \\
& *(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2) \\
&)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 + \\
& a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b \\
& ^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g^ \\
& 2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^2 \\
& *f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^2)^2*a^3*b^4 + 12*(2*(1/2)^{(2/3)}*(-I*sq \\
& rt(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g) \\
&)*a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + \\
& (d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f \\
& + 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^ \\
& 3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + \\
& 36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2* \\
& b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1) \\
& *(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^ \\
& 2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 \\
& + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8 \\
& *b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g \\
& ^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c^ \\
& 2*f)*a*b^4)/(a^5*b^6))^{(1/3)} - 6*h/b^2)*a^3*b^2*h + 32*b^3*c*d + 16*a*b^2*d \\
& *f + 36*a^3*h^2 + 32*(2*a*b^2*c + a^2*b*f)*g)/(a^3*b^4))*log(-4*a*b^4*c*d^ \\
& 2 - 2*a^2*b^3*d^2*f - 1/4*(a^4*b^5*d + 2*a^5*b^4*g)*(2*(1/2)^{(2/3)}*(-I*sqrt \\
& (3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)* \\
& a*b^2)/(a^3*b^4)))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d \\
& *f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + \\
& 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3) \\
&))/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 3 \\
& 6*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^ \\
& 3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*
\end{aligned}$$

$$\begin{aligned}
& (54h^3/b^6 - 9*(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2) \\
& *h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + \\
& a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g + 8a^4g^3)/(a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2*(4g^3 - 9fgh) \\
& a^4b + (f^3 + 36c^2gh - 3*(4g^2 - 3f^2h)d) \\
& a^3b^2 - 6*(d^2g - (f^2 + 3d^2h)c) \\
& a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{1/3} - 6h/b^2)^2 - 8*(2a^3b^2c + a^4bf)g^2 - 9 \\
& *(a^4bd + 2a^5g)h^2 + 1/2*(4a^2b^5c^2 + 4a^3b^4c^2f + a^4b^3f^2 - 6(a^4b^3d + 2a^5b^2g)h) \\
& *(2*(1/2)^{2/3}*(-I\sqrt{3} + 1)*(9h^2/b^4 - (2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)/(a^3b^4)))/ \\
& (54h^3/b^6 - 9*(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2) \\
& *h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + \\
& a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g + 8a^4g^3)/(a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2*(4g^3 - 9fgh) \\
& a^4b + (f^3 + 36c^2gh - 3*(4g^2 - 3f^2h)d) \\
& a^3b^2 - 6*(d^2g - (f^2 + 3d^2h)c) \\
& a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{1/3} + (1/2)^{1/3}*(I\sqrt{3} + 1)*(54h^3/b^6 - 9*(2 \\
& b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)h/(a^3b^6) + (8 \\
& b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g + 8a^4g^3)/ \\
& (a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2*(4g^3 - 9fgh) \\
& a^4b + (f^3 + 36c^2gh - 3*(4g^2 - 3f^2h)d) \\
& a^3b^2 - 6*(d^2g - (f^2 + 3d^2h)c) \\
& a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{1/3} - 6h/b^2) - 8*(2a^2b^3cd + a^3b^2df)g + 3*(4a^2b^3c^2 \\
& + 4a^3b^2c^2f + a^4b^2f^2)h + 2*(8b^5c^3 + ab^4d^3 + 12ab^4c^2f + 6a^2b^3c^2f^2 + a^3b^2f^3 + 6a^2b^3d^2g + 12a^3b^2d^2g + 8a^4b^2g^3) \\
& *x - 3/4\sqrt{1/3}*(8a^2b^5c^2 + 8a^3b^4c^2f + 2a^4b^3f^2 + (a^4b^5d + 2a^5b^4g) \\
& *(2*(1/2)^{2/3}*(-I\sqrt{3} + 1)*(9h^2/b^4 - (2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)/(a^3b^4)))/ \\
& (54h^3/b^6 - 9*(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g + 8a^4g^3)/ \\
& (a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2*(4g^3 - 9fgh) \\
& a^4b + (f^3 + 36c^2gh - 3*(4g^2 - 3f^2h)d) \\
& a^3b^2 - 6*(d^2g - (f^2 + 3d^2h)c) \\
& a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{1/3} + (1/2)^{1/3}*(I\sqrt{3} + 1)*(54h^3/b^6 - 9*(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g + 8a^4g^3)/ \\
& (a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2*(4g^3 - 9fgh) \\
& a^4b + (f^3 + 36c^2gh - 3*(4g^2 - 3f^2h)d) \\
& a^3b^2 - 6*(d^2g - (f^2 + 3d^2h)c) \\
& a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{1/3} - 6h/b^2) + 6*(a^4b^3d + 2a^5b^2g)h) \\
& *sqrt(-((2*(1/2)^{2/3}*(-I\sqrt{3} + 1)*(9h^2/b^4 - (2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)/(a^3b^4)))/ \\
& (54h^3/b^6 - 9*(2b^3cd + 2a^2bfg + 9a^3h^2 + (df + 4c^2g)ab^2)h/(a^3b^6) + (8b^4c^3 + ab^3d^3 + 12ab^3c^2f + 6a^2b^2c^2f^2 + a^3b^2f^3 + 6a^2b^2d^2g + 12a^3b^2d^2g + 8a^4g^3)/ \\
& (a^5b^5) + (8b^5c^3 + 27a^5h^3 - 2*(4g^3 - 9fgh) \\
& a^4b + (f^3 + 36c^2gh - 3*(4g^2 - 3f^2h)d) \\
& a^3b^2 - 6*(d^2g - (f^2 + 3d^2h)c) \\
& a^2b^3 - (d^3 - 12c^2f)ab^4)/(a^5b^6))^{1/3} + (1/2)^{1/3}*(I\sqrt{3} + 1)
\end{aligned}$$

```

*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b^2
)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2 +
a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*b
^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g
^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c
^2*f)*a*b^4)/(a^5*b^6))^(1/3) - 6*h/b^2)^2*a^3*b^4 + 12*(2*(1/2)^(2/3)*(-I*sq
rt(3) + 1)*(9*h^2/b^4 - (2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g
)*a*b^2)/(a^3*b^4))/(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 +
(d*f + 4*c*g)*a*b^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f
+ 6*a^2*b^2*c*f^2 + a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g
^3)/(a^5*b^5) + (8*b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 +
36*c*g*h - 3*(4*g^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*
b^3 - (d^3 - 12*c^2*f)*a*b^4)/(a^5*b^6))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1
)*(54*h^3/b^6 - 9*(2*b^3*c*d + 2*a^2*b*f*g + 9*a^3*h^2 + (d*f + 4*c*g)*a*b
^2)*h/(a^3*b^6) + (8*b^4*c^3 + a*b^3*d^3 + 12*a*b^3*c^2*f + 6*a^2*b^2*c*f^2
+ a^3*b*f^3 + 6*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 + 8*a^4*g^3)/(a^5*b^5) + (8*
b^5*c^3 + 27*a^5*h^3 - 2*(4*g^3 - 9*f*g*h)*a^4*b + (f^3 + 36*c*g*h - 3*(4*g
^2 - 3*f*h)*d)*a^3*b^2 - 6*(d^2*g - (f^2 + 3*d*h)*c)*a^2*b^3 - (d^3 - 12*c
^2*f)*a*b^4)/(a^5*b^6))^(1/3) - 6*h/b^2)*a^3*b^2*h + 32*b^3*c*d + 16*a*b^2*d
*f + 36*a^3*h^2 + 32*(2*a*b^2*c + a^2*b*f)*g)/(a^3*b^4))))/(a*b^3*x^3 + a^2
*b^2)

```

giac [A] time = 0.19, size = 302, normalized size = 1.09

$$\frac{h \log(|bx^3 + a|)}{3b^2} \frac{\sqrt{3} \left(2b^2c + abf - (-ab^2)^{\frac{1}{3}}bd - 2(-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}}ab} \left(2b^2c + abf + (-ab^2)^{\frac{1}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

```

[Out] 1/3*h*log(abs(b*x^3 + a))/b^2 - 1/9*sqrt(3)*(2*b^2*c + a*b*f - (-a*b^2)^(1/
3)*b*d - 2*(-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3)))/(-a/
b)^(1/3))/((-a*b^2)^(2/3)*a*b) - 1/18*(2*b^2*c + a*b*f + (-a*b^2)^(1/3)*b*d
+ 2*(-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)
^(2/3)*a*b) + 1/3*((b*d - a*g)*x^2 + (b*c - a*f)*x + (a^2*h - a*b*e)/b)/((b
*x^3 + a)*a*b) - 1/9*(a*b^3*d*(-a/b)^(1/3) + 2*a^2*b^2*g*(-a/b)^(1/3) + 2*a
*b^3*c + a^2*b^2*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^3)

```


maple [B] time = 0.05, size = 462, normalized size = 1.67

$$\frac{2\sqrt{3} c \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} ab} + \frac{2c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} ab} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} ab} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} ab} - \frac{d \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{1}{3}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x)`

[Out] $(-1/3*(a*g-b*d)/a/b*x^2-1/3*(a*f-b*c)/a/b*x+1/3*(a*h-b*e)/b^2)/(b*x^3+a)+1/9/(a/b)^{(2/3)}/b^2*f*\ln(x+(a/b)^{(1/3)})+2/9/b/a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*c-1/18/(a/b)^{(2/3)}/b^2*f*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/9/b/a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+1/9/(a/b)^{(2/3)}*3^{(1/2)}/b^2*f*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+2/9/b/a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c-2/9/b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*g-1/9/b/a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*d+1/9/b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*g+1/18/b/a/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*d+2/9/b^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*g+1/9/b/a*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*d+1/3*h*\ln(b*x^3+a)/b^2$

maxima [A] time = 2.95, size = 292, normalized size = 1.06

$$\frac{abe - a^2h - (b^2d - abg)x^2 - (b^2c - abf)x}{3(ab^3x^3 + a^2b^2)} + \frac{\sqrt{3}\left(b^2d\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2abg\left(\frac{a}{b}\right)^{\frac{2}{3}} + 2b^2c\left(\frac{a}{b}\right)^{\frac{1}{3}} + abf\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] $-1/3*(a*b*e - a^2*h - (b^2*d - a*b*g)*x^2 - (b^2*c - a*b*f)*x)/(a*b^3*x^3 + a^2*b^2) + 1/9*\sqrt{3}*(b^2*d*(a/b)^{(2/3)} + 2*a*b*g*(a/b)^{(2/3)} + 2*b^2*c*(a/b)^{(1/3)} + a*b*f*(a/b)^{(1/3)})*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^2*b^2) + 1/18*(6*a*h*(a/b)^{(2/3)} + b*d*(a/b)^{(1/3)} + 2*a*g*(a/b)^{(1/3)} - 2*b*c - a*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^2*(a/b))$

$$\wedge(2/3)) + 1/9*(3*a*h*(a/b)\wedge(2/3) - b*d*(a/b)\wedge(1/3) - 2*a*g*(a/b)\wedge(1/3) + 2*b*c + a*f)*\log(x + (a/b)\wedge(1/3))/(a*b^2*(a/b)\wedge(2/3))$$

mupad [B] time = 5.54, size = 835, normalized size = 3.03

$$\left(\sum_{k=1}^3 \ln \left(\frac{\text{root}\left(729 a^5 b^6 z^3 - 729 a^5 b^4 h z^2 + 54 a^4 b^3 f g z + 108 a^3 b^4 c g z + 27 a^3 b^4 d f z + 54 a^2 b^5 c d z + 243 a^5\right)}{\dots}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^2,x)

[Out] symsum(log((root(729*a^5*b^6*z^3 - 729*a^5*b^4*h*z^2 + 54*a^4*b^3*f*g*z + 108*a^3*b^4*c*g*z + 27*a^3*b^4*d*f*z + 54*a^2*b^5*c*d*z + 243*a^5*b^2*h^2*z - 18*a^4*b*f*g*h - 36*a^3*b^2*c*g*h - 9*a^3*b^2*d*f*h - 18*a^2*b^3*c*d*h - 12*a*b^4*c^2*f + 12*a^3*b^2*d*g^2 + 6*a^2*b^3*d^2*g - 6*a^2*b^3*c*f^2 + 8*a^4*b*g^3 + a*b^4*d^3 - 27*a^5*h^3 - 8*b^5*c^3 - a^3*b^2*f^3, z, k)*(9*root(729*a^5*b^6*z^3 - 729*a^5*b^4*h*z^2 + 54*a^4*b^3*f*g*z + 108*a^3*b^4*c*g*z + 27*a^3*b^4*d*f*z + 54*a^2*b^5*c*d*z + 243*a^5*b^2*h^2*z - 18*a^4*b*f*g*h - 36*a^3*b^2*c*g*h - 9*a^3*b^2*d*f*h - 18*a^2*b^3*c*d*h - 12*a*b^4*c^2*f + 12*a^3*b^2*d*g^2 + 6*a^2*b^3*d^2*g - 6*a^2*b^3*c*f^2 + 8*a^4*b*g^3 + a*b^4*d^3 - 27*a^5*h^3 - 8*b^5*c^3 - a^3*b^2*f^3, z, k)*a^2*b^2 - 6*a^2*h + 2*b^2*c*x + a*b*f*x))/a + (9*a^3*h^2 + 2*b^3*c*d + 4*a*b^2*c*g + a*b^2*d*f + 2*a^2*b*f*g)/(9*a^2*b^2) + (x*(b^2*d^2 + 4*a^2*g^2 - 3*a^2*f*h - 6*a*b*c*h + 4*a*b*d*g))/(9*a^2*b))*root(729*a^5*b^6*z^3 - 729*a^5*b^4*h*z^2 + 54*a^4*b^3*f*g*z + 108*a^3*b^4*c*g*z + 27*a^3*b^4*d*f*z + 54*a^2*b^5*c*d*z + 243*a^5*b^2*h^2*z - 18*a^4*b*f*g*h - 36*a^3*b^2*c*g*h - 9*a^3*b^2*d*f*h - 18*a^2*b^3*c*d*h - 12*a*b^4*c^2*f + 12*a^3*b^2*d*g^2 + 6*a^2*b^3*d^2*g - 6*a^2*b^3*c*f^2 + 8*a^4*b*g^3 + a*b^4*d^3 - 27*a^5*h^3 - 8*b^5*c^3 - a^3*b^2*f^3, z, k), k, 1, 3) + ((x*(b*c - a*f))/(3*a*b) - (b*e - a*h)/(3*b^2) + (x^2*(b*d - a*g))/(3*a*b))/(a + b*x^3)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**2,x)

[Out] Timed out

$$3.417 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^2} dx$$

Optimal. Leaf size=289

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (ag + 2bd) - \sqrt[3]{a} (2ah + be))}{18a^{5/3} b^{5/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (ag + 2bd) - \sqrt[3]{a} (2ah + be))}{9a^{5/3} b^{5/3}}$$

[Out] $1/3*x*(a*(-a*g+b*d)+a*(-a*h+b*e))*x-b*(-a*f+b*c)*x^2/a^2/b/(b*x^3+a)+c*\ln(x)/a^2+1/9*(b^(1/3)*(a*g+2*b*d)-a^(1/3)*(2*a*h+b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(5/3)/b^(5/3)-1/18*(b^(1/3)*(a*g+2*b*d)-a^(1/3)*(2*a*h+b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(5/3)/b^(5/3)-1/3*c*\ln(b*x^3+a)/a^2-1/9*(2*b^(4/3)*d+a^(1/3)*b*e+a*b^(1/3)*g+2*a^(4/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(5/3)/b^(5/3)*3^(1/2)$

Rubi [A] time = 0.56, antiderivative size = 287, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) \left(-\frac{\sqrt[3]{a} (2ah+be)}{\sqrt[3]{b}} + ag + 2bd \right)}{18a^{5/3} b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (ag + 2bd) - \sqrt[3]{a} (2ah + be))}{9a^{5/3} b^{5/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^2), x]$

[Out] $(x*(a*(b*d - a*g) + a*(b*e - a*h)*x - b*(b*c - a*f)*x^2))/(3*a^2*b*(a + b*x^3)) - ((2*b^(4/3)*d + a^(1/3)*b*e + a*b^(1/3)*g + 2*a^(4/3)*h)*\text{ArcTan}[a^(1/3) - 2*b^(1/3)*x]/(\text{Sqrt}[3]*a^(1/3))]/(3*\text{Sqrt}[3]*a^(5/3)*b^(5/3)) + (c*\text{Log}[x])/a^2 + ((b^(1/3)*(2*b*d + a*g) - a^(1/3)*(b*e + 2*a*h))*\text{Log}[a^(1/3) + b^(1/3)*x]/(9*a^(5/3)*b^(5/3)) - ((2*b*d + a*g - (a^(1/3)*(b*e + 2*a*h))/b^(1/3))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(18*a^(5/3)*b^(4/3)) - (c*\text{Log}[a + b*x^3])/(3*a^2))$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[\text{Rt}[-a, 2], \text{Rt}[-b, 2]])$

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x(a + bx^3)^2} dx &= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} - \frac{\int \frac{-3b^2c - b(2bd + ag)x - b(be + 2ah)}{x(a + bx^3)} dx}{3ab^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} - \frac{\int \left(-\frac{3b^2c}{ax} + \frac{b(-a(2bd + ag) - a(be + 2ah))}{a(a + bx^3)} \right) dx}{3ab^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{\int \frac{-a(2bd + ag) - a(be + 2ah)}{a + bx^3} dx}{3a^2b} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{\int \frac{-a(2bd + ag) - a(be + 2ah)}{a + bx^3} dx}{3a^2b} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} - \frac{c \log(a + bx^3)}{3a^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2bd + ag - \sqrt[3]{b}g - \sqrt[3]{a}be)}{3a^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} + \frac{c \log(x)}{a^2} + \frac{(2bd + ag - \sqrt[3]{b}g - \sqrt[3]{a}be)}{3a^2} \\
&= \frac{x(a(bd - ag) + a(be - ah)x - b(bc - af)x^2)}{3a^2b(a + bx^3)} - \frac{(2b^{4/3}d + \sqrt[3]{a}be + a\sqrt[3]{b}g - 2b^{4/3}d)}{3\sqrt{3}a}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 269, normalized size = 0.93

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(2a^{4/3} h + \sqrt[3]{a} b e - a \sqrt[3]{b} g - 2b^{4/3} d\right)}{b^{5/3}} + \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-2a^{4/3} h - \sqrt[3]{a} b e + a \sqrt[3]{b} g + 2b^{4/3} d\right)}{b^{5/3}} - \frac{2 \sqrt{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt[3]{a}}\right)}{\sqrt{3}}}{18a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^2), x]

```
[Out] ((-6*a*(-(b*(c + x*(d + e*x))) + a*(f + x*(g + h*x))))/(b*(a + b*x^3)) - (2
*sqrt[3]*a^(1/3)*(2*b^(4/3)*d + a^(1/3)*b*e + a*b^(1/3)*g + 2*a^(4/3)*h)*Ar
cTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(5/3) + 18*c*Log[x] + (2*a^(1/
3)*(2*b^(4/3)*d - a^(1/3)*b*e + a*b^(1/3)*g - 2*a^(4/3)*h)*Log[a^(1/3) + b^(
1/3)*x])/b^(5/3) + (a^(1/3)*(-2*b^(4/3)*d + a^(1/3)*b*e - a*b^(1/3)*g + 2*
a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(5/3) - 6*c*Lo
g[a + b*x^3])/(18*a^2)
```

fricas [C] time = 55.19, size = 12541, normalized size = 43.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] 1/324*(108*a*b*c - 108*a^2*f + 108*(a*b*e - a^2*h)*x^2 - 2*(a^2*b^2*x^3 + a
^3*b)*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h +
(e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^
2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 +
a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h
+ 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 -
(g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^
2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1
/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e +
2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^
3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3
*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 1
2*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*
(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54
*c/a^2)*log(12*b^4*c*d^2 + 9*b^4*c^2*e + 4*a*b^3*d*e^2 + 3*a^2*b^2*c*g^2 +
1/324*(a^4*b^4*e + 2*a^5*b^3*h)*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b^3*c^2 +
2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 +
1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b
^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^
3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*
(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g
*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c
*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(
9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/
1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3
+ 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*
c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*
b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*
b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)^2 + 8*(2*a^3*b*d + a^4*g)*h^2 - 1/18*(4*a
```

$$\begin{aligned}
& ^2*b^4*d^2 + 6*a^2*b^4*c*e + 4*a^3*b^3*d*g + a^4*b^2*g^2 + 12*a^3*b^3*c*h) * \\
& ((-I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g \\
& + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e \\
& + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3* \\
& e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a \\
& ^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - \\
& 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + \\
& 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + \\
& 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3* \\
& g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12 \\
& *a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h \\
& ^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^ \\
& 2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + \\
& 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2 \\
&) + 2*(6*a*b^3*c*d + a^2*b^2*e^2)*g + 2*(9*a*b^3*c^2 + 8*a^2*b^2*d*e + 4*a^ \\
& 3*b*e*g)*h + (8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^ \\
& 3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)*x) + 108*(a*b*d - a \\
& ^2*g)*x - (162*b^2*c*x^3 + 162*a*b*c - (a^2*b^2*x^3 + a^3*b))*((-I*\sqrt{3}) + \\
& 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b) \\
&)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + \\
& (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3 \\
& *d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8 \\
& *a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4 \\
& *b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h) \\
&)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\sqrt{3}) \\
& + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4 \\
& *d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + \\
& 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3) \\
&)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(\\
& d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2 \\
& *b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2) - 3*\sqrt{1/3} \\
&)*(a^2*b^2*x^3 + a^3*b)*\sqrt{-(((I*\sqrt{3}) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + \\
& 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + \\
& 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^ \\
& 3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3 \\
& *b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(\\
& 27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g* \\
& h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c* \\
& d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*c^3/a^6 + 1/162*(9 \\
& *b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/ \\
& 1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + \\
& 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c \\
& ^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b \\
& ^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b \\
& ^4)/(a^6*b^5))^(1/3) + 54*c/a^2)^2*a^4*b^3 - 108*((-I*\sqrt{3}) + 1)*(9*c^2/a
\end{aligned}$$

$$\begin{aligned}
&^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)) \\
&/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h) \\
&)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a \\
&^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a \\
&^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 \\
&2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 \\
&- 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27* \\
&c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b) \\
&)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d \\
&*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) \\
&- 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2* \\
&h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4* \\
&d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)*a^2*b^3*c + 2916*b^3*c^2 \\
&+ 2592*a*b^2*d*e + 1296*a^2*b*e*g + 2592*(2*a^2*b*d + a^3*g)*h)/(a^4*b^3)) \\
&)*log(-12*b^4*c*d^2 - 9*b^4*c^2*e - 4*a*b^3*d*e^2 - 3*a^2*b^2*c*g^2 - 1/324 \\
&*(a^4*b^4*e + 2*a^5*b^3*h))*((-I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a* \\
&b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3))/(-1/27*c^3/a^6 + 1/16 \\
&2*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + \\
&1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g \\
&^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b \\
&^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a \\
&^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e) \\
&)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3 \\
&*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458* \\
&(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a \\
&^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + \\
&8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + \\
&(e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/ \\
&(a^6*b^5))^(1/3) + 54*c/a^2)^2 - 8*(2*a^3*b*d + a^4*g)*h^2 + 1/18*(4*a^2*b^ \\
&4*d^2 + 6*a^2*b^4*c*e + 4*a^3*b^3*d*g + a^4*b^2*g^2 + 12*a^3*b^3*c*h))*((-I* \\
&sqrt(3) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d \\
&h)*a^2*b)/(a^4*b^3))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a \\
&^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + \\
&12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b* \\
&e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e \\
&*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e* \\
&g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I \\
&*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + \\
&(e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^ \\
&3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + \\
&8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^ \\
&4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d* \\
&h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2) - 2 \\
&*(6*a*b^3*c*d + a^2*b^2*e^2)*g - 2*(9*a*b^3*c^2 + 8*a^2*b^2*d*e + 4*a^3*b*e \\
&*g)*h + 2*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b
\end{aligned}$$

$$\begin{aligned}
& *g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)*x + 1/108*\text{sqrt}(1/3)*(7 \\
& 2*a^2*b^4*d^2 - 54*a^2*b^4*c*e + 72*a^3*b^3*d*g + 18*a^4*b^2*g^2 - 108*a^3* \\
& b^3*c*h + (a^4*b^4*e + 2*a^5*b^3*h)*((-I*\text{sqrt}(3) + 1)*(9*c^2/a^4 - (9*b^3*c \\
& ^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a \\
& ^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a \\
& ^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 \\
& + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1 \\
& 458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3 \\
& *c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - \\
& 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\text{sqrt}(3) + 1)*(-1/27*c^3/a^6 + 1/1 \\
& 62*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) \\
& + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b* \\
& g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27* \\
& b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)* \\
& a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e) \\
&)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)*\text{sqrt}(-(((I*\text{sqrt}(3) + 1)*(9*c^2/a^4 \\
& - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)/(a^4*b^3)))/(- \\
& 1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a \\
& ^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2* \\
& b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5* \\
& b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - \\
& e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - \\
& 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\text{sqrt}(3) + 1)*(-1/27*c^3 \\
& /a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/ \\
& (a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^ \\
& 2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1 \\
& /1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - \\
& 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 \\
& - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)^2*a^4*b^3 - 108*((I*\text{sqrt}(3) \\
&) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)*a^ \\
& 2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h \\
& + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a* \\
& b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 \\
& + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)* \\
& a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4 \\
& d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 81*(I*\text{sqrt}(\\
& 3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g \\
& + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2* \\
& g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4* \\
& h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - \\
& 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)* \\
& a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^(1/3) + 54*c/a^2)*a^2*b^3*c \\
& + 2916*b^3*c^2 + 2592*a*b^2*d*e + 1296*a^2*b*e*g + 2592*(2*a^2*b*d + a^3*g \\
&)*h)/(a^4*b^3))) - (162*b^2*c*x^3 + 162*a*b*c - (a^2*b^2*x^3 + a^3*b))*((-I* \\
& \text{sqrt}(3) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d
\end{aligned}$$

$$\begin{aligned}
& h) * a^2 * b) / (a^4 * b^3) / (-1/27 * c^3 / a^6 + 1/162 * (9 * b^3 * c^2 + 2 * a * b^2 * d * e + 2 * a \\
& ^3 * g * h + (e * g + 4 * d * h) * a^2 * b) * c / (a^6 * b^3) + 1/1458 * (8 * b^4 * d^3 + a * b^3 * e^3 + \\
& 12 * a * b^3 * d^2 * g + 6 * a^2 * b^2 * d * g^2 + a^3 * b * g^3 + 6 * a^2 * b^2 * e^2 * h + 12 * a^3 * b * e * h^2 + \\
& 8 * a^4 * h^3) / (a^5 * b^5) - 1/1458 * (27 * b^5 * c^3 + 8 * a^5 * h^3 - (g^3 - 12 * e * h^2) * a^4 * b - 6 * (d * g^2 - e^2 * h - 3 * c * g * h) * a^3 * b^2 + (e^3 - 12 * d^2 * g + 9 * (e * g + 4 * d * h) * c) * a^2 * b^3 - 2 * (4 * d^3 - 9 * c * d * e) * a * b^4) / (a^6 * b^5))^{(1/3)} + 81 * (I * \text{sqrt}(3) + 1) * (-1/27 * c^3 / a^6 + 1/162 * (9 * b^3 * c^2 + 2 * a * b^2 * d * e + 2 * a^3 * g * h + (e * g + 4 * d * h) * a^2 * b) * c / (a^6 * b^3) + 1/1458 * (8 * b^4 * d^3 + a * b^3 * e^3 + 12 * a * b^3 * d^2 * g + 6 * a^2 * b^2 * d * g^2 + a^3 * b * g^3 + 6 * a^2 * b^2 * e^2 * h + 12 * a^3 * b * e * h^2 + 8 * a^4 * h^3) / (a^5 * b^5) - 1/1458 * (27 * b^5 * c^3 + 8 * a^5 * h^3 - (g^3 - 12 * e * h^2) * a^4 * b - 6 * (d * g^2 - e^2 * h - 3 * c * g * h) * a^3 * b^2 + (e^3 - 12 * d^2 * g + 9 * (e * g + 4 * d * h) * c) * a^2 * b^3 - 2 * (4 * d^3 - 9 * c * d * e) * a * b^4) / (a^6 * b^5))^{(1/3)} + 54 * c / a^2) + 3 * \text{sqrt}(1/3) * (a^2 * b^2 * x^3 + a^3 * b) * \text{sqrt}(-(((-I * \text{sqrt}(3) + 1) * (9 * c^2 / a^4 - (9 * b^3 * c^2 + 2 * a * b^2 * d * e + 2 * a^3 * g * h + (e * g + 4 * d * h) * a^2 * b) / (a^4 * b^3)) / (-1/27 * c^3 / a^6 + 1/162 * (9 * b^3 * c^2 + 2 * a * b^2 * d * e + 2 * a^3 * g * h + (e * g + 4 * d * h) * a^2 * b) * c / (a^6 * b^3) + 1/1458 * (8 * b^4 * d^3 + a * b^3 * e^3 + 12 * a * b^3 * d^2 * g + 6 * a^2 * b^2 * d * g^2 + a^3 * b * g^3 + 6 * a^2 * b^2 * e^2 * h + 12 * a^3 * b * e * h^2 + 8 * a^4 * h^3) / (a^5 * b^5) - 1/1458 * (27 * b^5 * c^3 + 8 * a^5 * h^3 - (g^3 - 12 * e * h^2) * a^4 * b - 6 * (d * g^2 - e^2 * h - 3 * c * g * h) * a^3 * b^2 + (e^3 - 12 * d^2 * g + 9 * (e * g + 4 * d * h) * c) * a^2 * b^3 - 2 * (4 * d^3 - 9 * c * d * e) * a * b^4) / (a^6 * b^5))^{(1/3)} + 81 * (I * \text{sqrt}(3) + 1) * (-1/27 * c^3 / a^6 + 1/162 * (9 * b^3 * c^2 + 2 * a * b^2 * d * e + 2 * a^3 * g * h + (e * g + 4 * d * h) * a^2 * b) * c / (a^6 * b^3) + 1/1458 * (8 * b^4 * d^3 + a * b^3 * e^3 + 12 * a * b^3 * d^2 * g + 6 * a^2 * b^2 * d * g^2 + a^3 * b * g^3 + 6 * a^2 * b^2 * e^2 * h + 12 * a^3 * b * e * h^2 + 8 * a^4 * h^3) / (a^5 * b^5) - 1/1458 * (27 * b^5 * c^3 + 8 * a^5 * h^3 - (g^3 - 12 * e * h^2) * a^4 * b - 6 * (d * g^2 - e^2 * h - 3 * c * g * h) * a^3 * b^2 + (e^3 - 12 * d^2 * g + 9 * (e * g + 4 * d * h) * c) * a^2 * b^3 - 2 * (4 * d^3 - 9 * c * d * e) * a * b^4) / (a^6 * b^5))^{(1/3)} + 54 * c / a^2) * a^4 * b^3 - 108 * ((-I * \text{sqrt}(3) + 1) * (9 * c^2 / a^4 - (9 * b^3 * c^2 + 2 * a * b^2 * d * e + 2 * a^3 * g * h + (e * g + 4 * d * h) * a^2 * b) / (a^4 * b^3)) / (-1/27 * c^3 / a^6 + 1/162 * (9 * b^3 * c^2 + 2 * a * b^2 * d * e + 2 * a^3 * g * h + (e * g + 4 * d * h) * a^2 * b) * c / (a^6 * b^3) + 1/1458 * (8 * b^4 * d^3 + a * b^3 * e^3 + 12 * a * b^3 * d^2 * g + 6 * a^2 * b^2 * d * g^2 + a^3 * b * g^3 + 6 * a^2 * b^2 * e^2 * h + 12 * a^3 * b * e * h^2 + 8 * a^4 * h^3) / (a^5 * b^5) - 1/1458 * (27 * b^5 * c^3 + 8 * a^5 * h^3 - (g^3 - 12 * e * h^2) * a^4 * b - 6 * (d * g^2 - e^2 * h - 3 * c * g * h) * a^3 * b^2 + (e^3 - 12 * d^2 * g + 9 * (e * g + 4 * d * h) * c) * a^2 * b^3 - 2 * (4 * d^3 - 9 * c * d * e) * a * b^4) / (a^6 * b^5))^{(1/3)} + 81 * (I * \text{sqrt}(3) + 1) * (-1/27 * c^3 / a^6 + 1/162 * (9 * b^3 * c^2 + 2 * a * b^2 * d * e + 2 * a^3 * g * h + (e * g + 4 * d * h) * a^2 * b) * c / (a^6 * b^3) + 1/1458 * (8 * b^4 * d^3 + a * b^3 * e^3 + 12 * a * b^3 * d^2 * g + 6 * a^2 * b^2 * d * g^2 + a^3 * b * g^3 + 6 * a^2 * b^2 * e^2 * h + 12 * a^3 * b * e * h^2 + 8 * a^4 * h^3) / (a^5 * b^5) - 1/1458 * (27 * b^5 * c^3 + 8 * a^5 * h^3 - (g^3 - 12 * e * h^2) * a^4 * b - 6 * (d * g^2 - e^2 * h - 3 * c * g * h) * a^3 * b^2 + (e^3 - 12 * d^2 * g + 9 * (e * g + 4 * d * h) * c) * a^2 * b^3 - 2 * (4 * d^3 - 9 * c * d * e) * a * b^4) / (a^6 * b^5))^{(1/3)} + 54 * c / a^2) * a^2 * b^3 * c + 291 * 6 * b^3 * c^2 + 2592 * a * b^2 * d * e + 1296 * a^2 * b * e * g + 2592 * (2 * a^2 * b * d + a^3 * g) * h) / (a^4 * b^3))) * \log(-12 * b^4 * c * d^2 - 9 * b^4 * c^2 * e - 4 * a * b^3 * d * e^2 - 3 * a^2 * b^2 * c * g^2 - 1/324 * (a^4 * b^4 * e + 2 * a^5 * b^3 * h) * ((-I * \text{sqrt}(3) + 1) * (9 * c^2 / a^4 - (9 * b^3 * c^2 + 2 * a * b^2 * d * e + 2 * a^3 * g * h + (e * g + 4 * d * h) * a^2 * b) / (a^4 * b^3)) / (-1/27 * c^3 / a^6 + 1/162 * (9 * b^3 * c^2 + 2 * a * b^2 * d * e + 2 * a^3 * g * h + (e * g + 4 * d * h) * a^2 * b) * c / (a^6 * b^3) + 1/1458 * (8 * b^4 * d^3 + a * b^3 * e^3 + 12 * a * b^3 * d^2 * g + 6 * a^2 * b^2 * d * g^2
\end{aligned}$$

$$\begin{aligned}
& + a^3 b g^3 + 6 a^2 b^2 e^2 h + 12 a^3 b e h^2 + 8 a^4 h^3) / (a^5 b^5) - 1 / 1458 * (27 b^5 c^3 + 8 a^5 h^3 - (g^3 - 12 e h^2) a^4 b - 6 (d g^2 - e^2 h - 3 c g h) a^3 b^2 + (e^3 - 12 d^2 g + 9 (e g + 4 d h) c) a^2 b^3 - 2 (4 d^3 - 9 c d e) a b^4) / (a^6 b^5)^{(1/3)} + 81 (I \sqrt{3} + 1) (-1 / 27 c^3 / a^6 + 1 / 162 * (9 b^3 c^2 + 2 a b^2 d e + 2 a^3 g h + (e g + 4 d h) a^2 b) c / (a^6 b^3) + 1 / 1458 * (8 b^4 d^3 + a b^3 e^3 + 12 a b^3 d^2 g + 6 a^2 b^2 d g^2 + a^3 b g^3 + 6 a^2 b^2 e^2 h + 12 a^3 b e h^2 + 8 a^4 h^3) / (a^5 b^5) - 1 / 1458 * (27 b^5 c^3 + 8 a^5 h^3 - (g^3 - 12 e h^2) a^4 b - 6 (d g^2 - e^2 h - 3 c g h) a^3 b^2 + (e^3 - 12 d^2 g + 9 (e g + 4 d h) c) a^2 b^3 - 2 (4 d^3 - 9 c d e) a b^4) / (a^6 b^5)^{(1/3)} + 54 c / a^2)^2 - 8 (2 a^3 b d + a^4 g) h^2 + 1 / 18 * (4 a^2 b^4 d^2 + 6 a^2 b^4 c e + 4 a^3 b^3 d g + a^4 b^2 g^2 + 12 a^3 b^3 c h) * ((-I \sqrt{3} + 1) (9 c^2 / a^4 - (9 b^3 c^2 + 2 a b^2 d e + 2 a^3 g h + (e g + 4 d h) a^2 b) / (a^4 b^3)) / (-1 / 27 c^3 / a^6 + 1 / 162 * (9 b^3 c^2 + 2 a b^2 d e + 2 a^3 g h + (e g + 4 d h) a^2 b) c / (a^6 b^3) + 1 / 1458 * (8 b^4 d^3 + a b^3 e^3 + 12 a b^3 d^2 g + 6 a^2 b^2 d g^2 + a^3 b g^3 + 6 a^2 b^2 e^2 h + 12 a^3 b e h^2 + 8 a^4 h^3) / (a^5 b^5) - 1 / 1458 * (27 b^5 c^3 + 8 a^5 h^3 - (g^3 - 12 e h^2) a^4 b - 6 (d g^2 - e^2 h - 3 c g h) a^3 b^2 + (e^3 - 12 d^2 g + 9 (e g + 4 d h) c) a^2 b^3 - 2 (4 d^3 - 9 c d e) a b^4) / (a^6 b^5)^{(1/3)} + 81 (I \sqrt{3} + 1) (-1 / 27 c^3 / a^6 + 1 / 162 * (9 b^3 c^2 + 2 a b^2 d e + 2 a^3 g h + (e g + 4 d h) a^2 b) c / (a^6 b^3) + 1 / 1458 * (8 b^4 d^3 + a b^3 e^3 + 12 a b^3 d^2 g + 6 a^2 b^2 d g^2 + a^3 b g^3 + 6 a^2 b^2 e^2 h + 12 a^3 b e h^2 + 8 a^4 h^3) / (a^5 b^5) - 1 / 1458 * (27 b^5 c^3 + 8 a^5 h^3 - (g^3 - 12 e h^2) a^4 b - 6 (d g^2 - e^2 h - 3 c g h) a^3 b^2 + (e^3 - 12 d^2 g + 9 (e g + 4 d h) c) a^2 b^3 - 2 (4 d^3 - 9 c d e) a b^4) / (a^6 b^5)^{(1/3)} + 54 c / a^2) - 2 (6 a b^3 c d + a^2 b^2 e^2) g - 2 (9 a b^3 c^2 + 8 a^2 b^2 d e + 4 a^3 b e g) h + 2 (8 b^4 d^3 + a b^3 e^3 + 12 a b^3 d^2 g + 6 a^2 b^2 d g^2 + a^3 b g^3 + 6 a^2 b^2 e^2 h + 12 a^3 b e h^2 + 8 a^4 h^3) * x - 1 / 108 * \sqrt[3]{(72 a^2 b^4 d^2 - 54 a^2 b^4 c e + 72 a^3 b^3 d g + 18 a^4 b^2 g^2 - 108 a^3 b^3 c h + (a^4 b^4 e + 2 a^5 b^3 h) * ((-I \sqrt{3} + 1) (9 c^2 / a^4 - (9 b^3 c^2 + 2 a b^2 d e + 2 a^3 g h + (e g + 4 d h) a^2 b) / (a^4 b^3)) / (-1 / 27 c^3 / a^6 + 1 / 162 * (9 b^3 c^2 + 2 a b^2 d e + 2 a^3 g h + (e g + 4 d h) a^2 b) c / (a^6 b^3) + 1 / 1458 * (8 b^4 d^3 + a b^3 e^3 + 12 a b^3 d^2 g + 6 a^2 b^2 d g^2 + a^3 b g^3 + 6 a^2 b^2 e^2 h + 12 a^3 b e h^2 + 8 a^4 h^3) / (a^5 b^5) - 1 / 1458 * (27 b^5 c^3 + 8 a^5 h^3 - (g^3 - 12 e h^2) a^4 b - 6 (d g^2 - e^2 h - 3 c g h) a^3 b^2 + (e^3 - 12 d^2 g + 9 (e g + 4 d h) c) a^2 b^3 - 2 (4 d^3 - 9 c d e) a b^4) / (a^6 b^5)^{(1/3)} + 81 (I \sqrt{3} + 1) (-1 / 27 c^3 / a^6 + 1 / 162 * (9 b^3 c^2 + 2 a b^2 d e + 2 a^3 g h + (e g + 4 d h) a^2 b) c / (a^6 b^3) + 1 / 1458 * (8 b^4 d^3 + a b^3 e^3 + 12 a b^3 d^2 g + 6 a^2 b^2 d g^2 + a^3 b g^3 + 6 a^2 b^2 e^2 h + 12 a^3 b e h^2 + 8 a^4 h^3) / (a^5 b^5) - 1 / 1458 * (27 b^5 c^3 + 8 a^5 h^3 - (g^3 - 12 e h^2) a^4 b - 6 (d g^2 - e^2 h - 3 c g h) a^3 b^2 + (e^3 - 12 d^2 g + 9 (e g + 4 d h) c) a^2 b^3 - 2 (4 d^3 - 9 c d e) a b^4) / (a^6 b^5)^{(1/3)} + 54 c / a^2)} * \sqrt{-(((-I \sqrt{3} + 1) (9 c^2 / a^4 - (9 b^3 c^2 + 2 a b^2 d e + 2 a^3 g h + (e g + 4 d h) a^2 b) / (a^4 b^3)) / (-1 / 27 c^3 / a^6 + 1 / 162 * (9 b^3 c^2 + 2 a b^2 d e + 2 a^3 g h + (e g + 4 d h) a^2 b) c / (a^6 b^3) + 1 / 1458 * (8 b^4 d^3 + a b^3 e^3 + 12 a b^3 d^2 g + 6 a^2 b^2 d g^2 + a^3 b g^3 + 6 a^2 b^2 e^2 h + 12 a^3 b e h^2 + 8 a^4 h^3) / (a^5 b^5) - 1 / 1458 * (27 b^5 c^3 + 8 a^5 h^3 - (g^3 - 12 e h^2) a^4 b - 6 (d g^2 - e^2 h - 3 c g h) a^3 b^2 + (e^3 - 12 d^2 g + 9 (e g + 4 d h) c) a^2 b^3 - 2 (4 d^3 - 9 c d e) a b^4) / (a^6 b^5)^{(1/3)} + 54 c / a^2)}}
\end{aligned}$$

$$\begin{aligned}
& + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6 \\
& *(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81*(I*sqrt(3) + 1)*(- \\
& -1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + 4*d*h)* \\
& a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a*b^3*d^2*g + 6*a^2 \\
& *b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 + 8*a^4*h^3)/(a^5 \\
& *b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2)*a^4*b - 6*(d*g^2 \\
& - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4*d*h)*c)*a^2*b^3 - \\
& 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2)^2*a^4*b^3 - 108*((\\
& -I*sqrt(3) + 1)*(9*c^2/a^4 - (9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g*h + (e*g + \\
& 4*d*h)*a^2*b)/(a^4*b^3)))/(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + \\
& 2*a^3*g*h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 \\
& + 12*a*b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3 \\
& *b*e*h^2 + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 1 \\
& 2*e*h^2)*a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9* \\
& (e*g + 4*d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 81 \\
& *(I*sqrt(3) + 1)*(-1/27*c^3/a^6 + 1/162*(9*b^3*c^2 + 2*a*b^2*d*e + 2*a^3*g* \\
& h + (e*g + 4*d*h)*a^2*b)*c/(a^6*b^3) + 1/1458*(8*b^4*d^3 + a*b^3*e^3 + 12*a \\
& *b^3*d^2*g + 6*a^2*b^2*d*g^2 + a^3*b*g^3 + 6*a^2*b^2*e^2*h + 12*a^3*b*e*h^2 \\
& + 8*a^4*h^3)/(a^5*b^5) - 1/1458*(27*b^5*c^3 + 8*a^5*h^3 - (g^3 - 12*e*h^2) \\
& *a^4*b - 6*(d*g^2 - e^2*h - 3*c*g*h)*a^3*b^2 + (e^3 - 12*d^2*g + 9*(e*g + 4 \\
& *d*h)*c)*a^2*b^3 - 2*(4*d^3 - 9*c*d*e)*a*b^4)/(a^6*b^5))^{(1/3)} + 54*c/a^2)* \\
& a^2*b^3*c + 2916*b^3*c^2 + 2592*a*b^2*d*e + 1296*a^2*b*e*g + 2592*(2*a^2*b*d \\
& + a^3*g)*h)/(a^4*b^3))) + 324*(b^2*c*x^3 + a*b*c)*log(x))/(a^2*b^2*x^3 + \\
& a^3*b)
\end{aligned}$$

giac [A] time = 0.20, size = 319, normalized size = 1.10

$$\frac{\frac{c \log(|bx^3 + a|)}{3a^2} + \frac{c \log(|x|)}{a^2} - \frac{\sqrt{3} \left(2b^2d + abg - 2(-ab^2)^{\frac{1}{3}}ah - (-ab^2)^{\frac{1}{3}}be \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}}ab}}{2b^2d + a^3b}}{9(-ab^2)^{\frac{2}{3}}ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/3*c*log(abs(b*x^3 + a))/a^2 + c*log(abs(x))/a^2 - 1/9*sqrt(3)*(2*b^2*d + a*b*g - 2*(-a*b^2)^(1/3)*a*h - (-a*b^2)^(1/3)*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b) - 1/18*(2*b^2*d + a*b*g + 2*(-a*b^2)^(1/3)*a*h + (-a*b^2)^(1/3)*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b) + 1/3*(a*b*c - a^2*f - (a^2*h - a*b*e)*x^2

$$+ (a*b*d - a^2*g)*x)/((b*x^3 + a)*a^2*b) - 1/9*(2*a^4*b^2*h*(-a/b)^(1/3) + a^3*b^3*(-a/b)^(1/3)*e + 2*a^3*b^3*d + a^4*b^2*g)*(-a/b)^(1/3)*\log(\text{abs}(x - (-a/b)^(1/3)))/(a^5*b^3)$$

maple [B] time = 0.06, size = 507, normalized size = 1.75

$$\frac{ex^2}{3(bx^3+a)a} - \frac{hx^2}{3(bx^3+a)b} + \frac{dx}{3(bx^3+a)a} - \frac{gx}{3(bx^3+a)b} + \frac{2\sqrt{3} d \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{2d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} - \frac{d \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^2,x)

[Out] $-1/3/(b*x^3+a)/b*x^2*h+1/3/(b*x^3+a)/a*e*x^2-1/3/(b*x^3+a)/b*x*g+1/3/a*x/(b*x^3+a)*d-1/3/(b*x^3+a)/b*f+1/3/a/(b*x^3+a)*c+1/9/b^2/(a/b)^(2/3)*\ln(x+(a/b)^(1/3))*g+2/9/a/b*d/(a/b)^(2/3)*\ln(x+(a/b)^(1/3))-1/18/b^2/(a/b)^(2/3)*\ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g-1/9/(a/b)^(2/3)/a/b*d*\ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+1/9/b^2/(a/b)^(2/3)*3^(1/2)*\arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g+2/9/a/b*d/(a/b)^(2/3)*3^(1/2)*\arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-2/9/b^2/(a/b)^(1/3)*\ln(x+(a/b)^(1/3))*h-1/9/(a/b)^(1/3)/a/b*e*\ln(x+(a/b)^(1/3))+1/9/b^2/(a/b)^(1/3)*\ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*h+1/18/(a/b)^(1/3)/a/b*e*\ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/9/b^2*3^(1/2)/(a/b)^(1/3)*\arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*h+1/9*3^(1/2)/(a/b)^(1/3)/a/b*e*\arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/a^2*c*\ln(b*x^3+a)+1/a^2*c*\ln(x)$

maxima [A] time = 3.04, size = 302, normalized size = 1.04

$$\frac{(be-ah)x^2+bc-af+(bd-ag)x}{3(ab^2x^3+a^2b)} + \frac{c \log(x)}{a^2} + \frac{\sqrt{3}\left(abe\left(\frac{a}{b}\right)^{\frac{2}{3}}+2a^2h\left(\frac{a}{b}\right)^{\frac{2}{3}}+2abd\left(\frac{a}{b}\right)^{\frac{1}{3}}+a^2g\left(\frac{a}{b}\right)^{\frac{1}{3}}\right) \arctan\left(\frac{\sqrt{3}\left(2x-\left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3}\right)}{9a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^2,x, algorithm="maxima")

[Out] $1/3*((b*e - a*h)*x^2 + b*c - a*f + (b*d - a*g)*x)/(a*b^2*x^3 + a^2*b) + c*\log(x)/a^2 + 1/9*\sqrt{3}*(a*b*e*(a/b)^(2/3) + 2*a^2*h*(a/b)^(2/3) + 2*a*b*d*$

$$\begin{aligned} & \left(\frac{a}{b}\right)^{1/3} + a^2 g \left(\frac{a}{b}\right)^{1/3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - \left(\frac{a}{b}\right)^{1/3}) / \left(\frac{a}{b}\right)^{1/3}\right) / \left(a^3 b - \frac{1}{18} (6b^2 c \left(\frac{a}{b}\right)^{2/3} - a b e \left(\frac{a}{b}\right)^{1/3} - 2a^2 h \left(\frac{a}{b}\right)^{1/3} + 2a b d + a^2 g) \log(x^2 - x \left(\frac{a}{b}\right)^{1/3} + \left(\frac{a}{b}\right)^{2/3}) / (a^2 b^2 \left(\frac{a}{b}\right)^{2/3}) - \frac{1}{9} (3b^2 c \left(\frac{a}{b}\right)^{2/3} + a b e \left(\frac{a}{b}\right)^{1/3} + 2a^2 h \left(\frac{a}{b}\right)^{1/3} - 2a b d - a^2 g) \log(x + \left(\frac{a}{b}\right)^{1/3}) / (a^2 b^2 \left(\frac{a}{b}\right)^{2/3})\right) \end{aligned}$$

mupad [B] time = 5.60, size = 1660, normalized size = 5.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + dx + ex^2 + fx^3 + gx^4 + hx^5)/(x(a + bx^3)^2), x)$

[Out] $\left(\frac{bc - af}{3ab} + \frac{x(bd - ag)}{3ab} + \frac{x^2(be - ah)}{3ab}\right) / (a + bx^3) + \text{symsum}(\log((c(4b^2d^2 + a^2g^2 - 3b^2ce - 6abch + 4abdg)) / (9a^3) - (\text{root}(729a^6b^5z^3 + 729a^4b^5cz^2 + 54a^5b^2ghz + 108a^4b^3dhz + 27a^4b^3egz + 54a^3b^4deez + 243a^2b^5c^2z + 18ab^4cde + 18a^3b^2cgh + 36a^2b^3cdh + 9a^2b^3ceeg + 12a^4b^2eh^2 + 6a^3b^2e^2h - 12a^2b^3d^2g - 6a^3b^2d^2g^2 - a^4b^2g^3 - 8ab^4d^3 + 8a^5h^3 + 27b^5c^3 + a^2b^3e^3, z, k)(a^3g^2 + 4ab^2d^2 + 36b^3c^2x + 324\text{root}(729a^6b^5z^3 + 729a^4b^5cz^2 + 54a^5b^2ghz + 108a^4b^3dhz + 27a^4b^3egz + 54a^3b^4deez + 243a^2b^5c^2z + 18ab^4cde + 18a^3b^2cgh + 36a^2b^3cdh + 9a^2b^3ceeg + 12a^4b^2eh^2 + 6a^3b^2e^2h - 12a^2b^3d^2g - 6a^3b^2d^2g^2 - a^4b^2g^3 - 8ab^4d^3 + 8a^5h^3 + 27b^5c^3 + a^2b^3e^3, z, k))^2 a^4 b^3 x - 18\text{root}(729a^6b^5z^3 + 729a^4b^5cz^2 + 54a^5b^2ghz + 108a^4b^3dhz + 27a^4b^3egz + 54a^3b^4deez + 243a^2b^5c^2z + 18ab^4cde + 18a^3b^2cgh + 36a^2b^3cdh + 9a^2b^3ceeg + 12a^4b^2eh^2 + 6a^3b^2e^2h - 12a^2b^3d^2g - 6a^3b^2d^2g^2 - a^4b^2g^3 - 8ab^4d^3 + 8a^5h^3 + 27b^5c^3 + a^2b^3e^3, z, k) a^4 b h + 6a b^2 c e + 12a^2 b c h + 4a^2 b d g + 20a^3 g h x - 9\text{root}(729a^6b^5z^3 + 729a^4b^5cz^2 + 54a^5b^2ghz + 108a^4b^3dhz + 27a^4b^3egz + 54a^3b^4deez + 243a^2b^5c^2z + 18ab^4cde + 18a^3b^2cgh + 36a^2b^3cdh + 9a^2b^3ceeg + 12a^4b^2eh^2 + 6a^3b^2e^2h - 12a^2b^3d^2g - 6a^3b^2d^2g^2 - a^4b^2g^3 - 8ab^4d^3 + 8a^5h^3 + 27b^5c^3 + a^2b^3e^3, z, k) a^2 b^3 c x + 20a b^2 d e x + 40a^2 b d h x + 10a^2 b e g x)) / (9a^2) - (x(8a^4 h^3 - 8b^4 d^3 + a b^3 e^3 - a^3 b g^3 - 6a^2 b^2 d^2 g^2 + 6a^2 b^2 e^2 h + 12b^4 c d e - 12a b^3 d^2 g + 12a^3 b e h^2 + 12a^2 b^2 c g h + 24a b^3 c d h + 6a b^3 c e g)) / (27a^3 b^2)) \text{root}(729a^6b^5z^3 + 729$

```
*a^4*b^5*c*z^2 + 54*a^5*b^2*g*h*z + 108*a^4*b^3*d*h*z + 27*a^4*b^3*e*g*z +
54*a^3*b^4*d*e*z + 243*a^2*b^5*c^2*z + 18*a*b^4*c*d*e + 18*a^3*b^2*c*g*h +
36*a^2*b^3*c*d*h + 9*a^2*b^3*c*e*g + 12*a^4*b*e*h^2 + 6*a^3*b^2*e^2*h - 12*
a^2*b^3*d^2*g - 6*a^3*b^2*d*g^2 - a^4*b*g^3 - 8*a*b^4*d^3 + 8*a^5*h^3 + 27*
b^5*c^3 + a^2*b^3*e^3, z, k), k, 1, 3) + (c*log(x))/a^2
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```


$$3.418 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^2} dx$$

Optimal. Leaf size=301

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^{2/3}(ah + 2be) + b^{2/3}(4bc - af))}{18a^{7/3}b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^{2/3}(ah + 2be) + b^{2/3}(4bc - af))}{9a^{7/3}b^{4/3}}$$

[Out] $-c/a^2/x+1/3*x*(a*(-a*h+b*e)-b*(-a*f+b*c)*x-b*(-a*g+b*d)*x^2)/a^2/b/(b*x^3+a)+d*\ln(x)/a^2+1/9*(b^(2/3)*(-a*f+4*b*c)+a^(2/3)*(a*h+2*b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(7/3)/b^(4/3)-1/18*(b^(2/3)*(-a*f+4*b*c)+a^(2/3)*(a*h+2*b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(7/3)/b^(4/3)-1/3*d*\ln(b*x^3+a)/a^2+1/9*(4*b^(5/3)*c-2*a^(2/3)*b*e-a*b^(2/3)*f-a^(5/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(7/3)/b^(4/3)*3^(1/2)$

Rubi [A] time = 0.59, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^{2/3}(ah + 2be) + b^{2/3}(4bc - af))}{18a^{7/3}b^{4/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^{2/3}(ah + 2be) + b^{2/3}(4bc - af))}{9a^{7/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^2), x]

[Out] $-(c/(a^2*x)) + (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(3*a^2*b*(a + b*x^3)) + ((4*b^(5/3)*c - 2*a^(2/3)*b*e - a*b^(2/3)*f - a^(5/3)*h)*\text{ArcTan}[a^(1/3) - 2*b^(1/3)*x]/(\text{Sqrt}[3]*a^(1/3)))/(3*\text{Sqrt}[3]*a^(7/3)*b^(4/3)) + (d*\text{Log}[x])/a^2 + ((b^(2/3)*(4*b*c - a*f) + a^(2/3)*(2*b*e + a*h))*\text{Log}[a^(1/3) + b^(1/3)*x])/(9*a^(7/3)*b^(4/3)) - ((b^(2/3)*(4*b*c - a*f) + a^(2/3)*(2*b*e + a*h))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(18*a^(7/3)*b^(4/3)) - (d*\text{Log}[a + b*x^3])/(3*a^2)$

Rule 31

Int[((a_) + (b_)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(−1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^2(a + bx^3)^2} dx &= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} - \int \frac{-3b^2c - 3b^2dx - b(2be + ah)x^2 + b^2x^3}{x^2(a + bx^3)} dx \\
&= \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} - \int \left(-\frac{3b^2c}{ax^2} - \frac{3b^2d}{ax} + \frac{b(-a(2be + ah)x^2 + b^2x^3)}{x^2(a + bx^3)} \right) dx \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} - \int \frac{-a(2be + ah)x^2 + b^2x^3}{x^2(a + bx^3)} dx \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} - \int \frac{-a(2be + ah)x^2 + b^2x^3}{x^2(a + bx^3)} dx \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} - \frac{d \log(x)}{a^2} + \frac{d \log(x)}{a^2} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{(b^{2/3}(4b^{5/3}c - 2a^{2/3}be - ab^{5/3}d + a^2b^{2/3}h - ab^{2/3}f + 4b^{5/3}c))}{b^{4/3}} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{d \log(x)}{a^2} + \frac{(b^{2/3}(4b^{5/3}c - 2a^{2/3}be - ab^{5/3}d + a^2b^{2/3}h - ab^{2/3}f + 4b^{5/3}c))}{b^{4/3}} \\
&= -\frac{c}{a^2x} + \frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{3a^2b(a + bx^3)} + \frac{(4b^{5/3}c - 2a^{2/3}be - ab^{5/3}d + a^2b^{2/3}h - ab^{2/3}f + 4b^{5/3}c)}{b^{4/3}}
\end{aligned}$$

Mathematica [A] time = 0.40, size = 285, normalized size = 0.95

$$\frac{a^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) (2a^{2/3}be + a^{5/3}h - ab^{2/3}f + 4b^{5/3}c)}{b^{4/3}} - \frac{2a^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) (2a^{2/3}be + a^{5/3}h - ab^{2/3}f + 4b^{5/3}c)}{b^{4/3}} + \frac{2\sqrt{3} a^{2/3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{b^{4/3}}$$

18a³

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^2), x]

```
[Out] -1/18*((18*a*c)/x + (6*a*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x))
)))/(b*(a + b*x^3)) + (2*Sqrt[3]*a^(2/3)*(-4*b^(5/3)*c + 2*a^(2/3)*b*e + a*b
^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]]/b^(4/3)
- 18*a*d*Log[x] - (2*a^(2/3)*(4*b^(5/3)*c + 2*a^(2/3)*b*e - a*b^(2/3)*f + a
^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x])/b^(4/3) + (a^(2/3)*(4*b^(5/3)*c + 2*a^(
2/3)*b*e - a*b^(2/3)*f + a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/
3)*x^2])/b^(4/3) + 6*a*d*Log[a + b*x^3])/a^3
```

fricas [C] time = 59.49, size = 12556, normalized size = 41.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="fri
cas")
```

```
[Out] -1/324*(108*(4*b^2*c - a*b*f)*x^3 + 324*a*b*c - 108*(a*b*e - a^2*h)*x^2 + 2
*(a^2*b^2*x^4 + a^3*b*x)*((-I*sqrt(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f -
2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f
*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^
5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 1
2*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 +
6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 -
9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^
4)/(a^7*b^4)^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h +
2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3
- 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3
*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^
4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e
*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a
^7*b^4)^(1/3) + 54*d/a^2)*log(-36*a*b^4*c*d^2 + 64*a*b^4*c^2*e + 12*a^2*b^
3*d*e^2 + 4*a^3*b^2*e*f^2 + 3*a^4*b*d*h^2 - 1/324*(4*a^5*b^4*c - a^6*b^3*f)
*(-I*sqrt(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8
*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b
+ (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 -
48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*
b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3
- (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)
)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^(1/3) + 81
*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9
*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*
b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h
^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f
^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*
a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4)^(1/3) + 54*d/a^
```

$$\begin{aligned}
& 2)^2 + 1/18*(24*a^3*b^4*c*d - 4*a^4*b^3*e^2 - 6*a^4*b^3*d*f - 4*a^5*b^2*e*h \\
& - a^6*b*h^2)*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b \\
& + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f \\
& - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a \\
& ^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e \\
& ^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e* \\
& h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6 \\
& *(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4 \\
&))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2* \\
& c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^ \\
& 3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h \\
& - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + \\
& a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 \\
& + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1 \\
& /3) + 54*d/a^2) + (9*a^2*b^3*d^2 - 32*a^2*b^3*c*e)*f + 2*(16*a^2*b^3*c^2 + \\
& 6*a^3*b^2*d*e - 8*a^3*b^2*c*f + a^4*b*f^2)*h - (64*b^5*c^3 - 8*a^2*b^3*e^3 \\
& - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^ \\
& 4*b*e*h^2 - a^5*h^3)*x) - 108*(a*b*d - a^2*g)*x + (162*b^2*d*x^4 + 162*a*b* \\
& d*x - (a^2*b^2*x^4 + a^3*b*x))*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(\\
& e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(\\
& a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(\\
& 64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^ \\
& 3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c \\
& ^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e \\
& ^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f) \\
& *a*b^4)/(a^7*b^4))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f \\
& *h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^ \\
& 5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 1 \\
& 2*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + \\
& 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - \\
& 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^ \\
& 4)/(a^7*b^4))^(1/3) + 54*d/a^2) - 3*sqrt(1/3)*(a^2*b^2*x^4 + a^3*b*x)*sqrt(\\
& -(((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - \\
& 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a \\
& b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - \\
& 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4 \\
& *b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^ \\
& 3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d* \\
& h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 8 \\
& 1*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (\\
& 9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a \\
& *b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e* \\
& h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (\\
& f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c) \\
& *a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 54*d/a
\end{aligned}$$

$$\begin{aligned}
&^2)^2*a^4*b^2 - 108*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 54*d/a^2)*a^2*b^2*d + 2916*b^2*d^2 - 10368*b^2*c*e + 2592*a*b*e*f - 1296*(4*a*b*c - a^2*f)*h)/(a^4*b^2))*log(36*a*b^4*c*d^2 - 64*a*b^4*c^2*e - 12*a^2*b^3*d*e^2 - 4*a^3*b^2*e*f^2 - 3*a^4*b*d*h^2 + 1/324*(4*a^5*b^4*c - a^6*b^3*f)*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 54*d/a^2)^2 - 1/18*(24*a^3*b^4*c*d - 4*a^4*b^3*e^2 - 6*a^4*b^3*d*f - 4*a^5*b^2*e*h - a^6*b*h^2)*((-I*\sqrt{3}) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h))*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 54*d/a^2) - (9*a^2*b^3*d^2 - 32*a^2*b^3*c*e)*f - 2*(16*a^2*b^3*c^2 + 6*a^3*b^2*d*e - 8*a^3*b^2*c*f + a^4*b*f^2)*h - 2*(64*b^5*c^3
\end{aligned}$$

$$\begin{aligned}
& - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3* \\
& *b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)*x + 1/108*\text{sqrt}(1/3)*(216*a^3*b^4*c*d \\
& + 72*a^4*b^3*e^2 - 54*a^4*b^3*d*f + 72*a^5*b^2*e*h + 18*a^6*b*b*h^2 - (4*a^5* \\
& b^4*c - a^6*b^3*f)*((-I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h) \\
&)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2 \\
& *(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 \\
& - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3* \\
& b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4* \\
& *b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e* \\
& f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^ \\
& 7*b^4))^(1/3) + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f \\
& - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a \\
& ^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e \\
& ^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e* \\
& h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6 \\
& *(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4 \\
&))^(1/3) + 54*d/a^2))*\text{sqrt}(-(((I*\text{sqrt}(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e \\
& *f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a \\
& ^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(6 \\
& 4*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 \\
& - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c \\
& ^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^ \\
& 3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)* \\
& a*b^4)/(a^7*b^4))^(1/3) + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f* \\
& h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5 \\
& *c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12 \\
& *a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + \\
& 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9 \\
& *d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4 \\
&))/(a^7*b^4))^(1/3) + 54*d/a^2)^2*a^4*b^2 - 108*((I*\text{sqrt}(3) + 1)*(9*d^2/a^4 \\
& - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27* \\
& d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^ \\
& 6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c \\
& *f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) \\
& + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h) \\
&)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24* \\
& c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 81*(I*\text{sqrt}(3) + 1)*(-1/27*d^3/a \\
& ^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2 \\
&) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 \\
& - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/ \\
& 1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3* \\
& b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e \\
& + 16*c^2*f)*a*b^4)/(a^7*b^4))^(1/3) + 54*d/a^2)*a^2*b^2*d + 2916*b^2*d^2 - \\
& 10368*b^2*c*e + 2592*a*b*e*f - 1296*(4*a*b*c - a^2*f)*h)/(a^4*b^2))) + (16 \\
& 2*b^2*d*x^4 + 162*a*b*d*x - (a^2*b^2*x^4 + a^3*b*x))*((-I*\text{sqrt}(3) + 1)*(9*d^
\end{aligned}$$

$$\begin{aligned}
& 2/a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2))/(- \\
& 1/27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)* \\
& d/(a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2* \\
& b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7* \\
& b^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d \\
& *f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 \\
& - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27* \\
& d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^ \\
& 6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c \\
& *f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) \\
& + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h) \\
& *a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24* \\
& c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2) + 3*sqrt(1/3)*(a^2*b^ \\
& 2*x^4 + a^3*b*x)*sqrt(-(((-I*sqrt(3) + 1)*(9*d^2/a^4 - (a^2*f*h + 2*(e*f - \\
& 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + 1/162*(a^2*f*h \\
& h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5 \\
& *c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12 \\
& *a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + \\
& 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9 \\
& *d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4 \\
&)/(a^7*b^4))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/162*(a^2*f*h + 2 \\
& *(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/1458*(64*b^5*c^3 \\
& - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3* \\
& b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b^5*c^3 + 6*a^4 \\
& *b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e* \\
& f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2*f)*a*b^4)/(a^ \\
& 7*b^4))^{(1/3)} + 54*d/a^2)^2*a^4*b^2 - 108*((-I*sqrt(3) + 1)*(9*d^2/a^4 - (a \\
& ^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a \\
& ^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2 \\
&) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 \\
& - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1 \\
& 458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3* \\
& b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e \\
& + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + \\
& 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1 \\
& /1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3 \\
& *b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(\\
& 64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + \\
& 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16 \\
& *c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2)*a^2*b^2*d + 2916*b^2*d^2 - 1036 \\
& 8*b^2*c*e + 2592*a*b*e*f - 1296*(4*a*b*c - a^2*f)*h)/(a^4*b^2))*log(36*a*b \\
& ^4*c*d^2 - 64*a*b^4*c^2*e - 12*a^2*b^3*d*e^2 - 4*a^3*b^2*e*f^2 - 3*a^4*b*d* \\
& h^2 + 1/324*(4*a^5*b^4*c - a^6*b^3*f)*((-I*sqrt(3) + 1)*(9*d^2/a^4 - (a^2*f \\
& *h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^6 + \\
& 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) -
\end{aligned}$$

$$\begin{aligned}
& 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458* \\
& (64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 \\
& + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 1 \\
& 6*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1/16 \\
& 2*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/145 \\
& 8*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3*b^2 \\
& *f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(64*b \\
& ^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + 2*(\\
& 4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16*c^2 \\
& *f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2)^2 - 1/18*(24*a^3*b^4*c*d - 4*a^4*b^ \\
& 3*e^2 - 6*a^4*b^3*d*f - 4*a^5*b^2*e*h - a^6*b*b*h^2)*((-I*sqrt(3) + 1)*(9*d^2 \\
& /a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1 \\
& /27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d \\
& / (a^6*b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b \\
& ^3*c*f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b \\
& ^4) + 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d* \\
& f*h)*a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - \\
& 24*c*d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*d \\
& ^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6 \\
& *b^2) - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c* \\
& f^2 - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + \\
& 1/1458*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)* \\
& a^3*b^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c \\
& *d*e + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2) - (9*a^2*b^3*d^2 - 32* \\
& a^2*b^3*c*e)*f - 2*(16*a^2*b^3*c^2 + 6*a^3*b^2*d*e - 8*a^3*b^2*c*f + a^4*b* \\
& f^2)*h - 2*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 \\
& - a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)*x - 1/108*sqrt(\\
& 1/3)*(216*a^3*b^4*c*d + 72*a^4*b^3*e^2 - 54*a^4*b^3*d*f + 72*a^5*b^2*e*h + \\
& 18*a^6*b*b*h^2 - (4*a^5*b^4*c - a^6*b^3*f)*((-I*sqrt(3) + 1)*(9*d^2/a^4 - (a^ \\
& 2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1/27*d^3/a^ \\
& 6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) \\
& - 1/1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - \\
& a^3*b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/14 \\
& 58*(64*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b \\
& ^2 + 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e \\
& + 16*c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*d^3/a^6 + 1 \\
& /162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d/(a^6*b^2) - 1/ \\
& 1458*(64*b^5*c^3 - 8*a^2*b^3*e^3 - 48*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 - a^3* \\
& b^2*f^3 - 12*a^3*b^2*e^2*h - 6*a^4*b*e*h^2 - a^5*h^3)/(a^7*b^4) + 1/1458*(6 \\
& 4*b^5*c^3 + 6*a^4*b*e*h^2 + a^5*h^3 - (f^3 - 12*e^2*h + 9*d*f*h)*a^3*b^2 + \\
& 2*(4*e^3 - 9*d*e*f + 6*(f^2 + 3*d*h)*c)*a^2*b^3 - 3*(9*d^3 - 24*c*d*e + 16* \\
& c^2*f)*a*b^4)/(a^7*b^4))^{(1/3)} + 54*d/a^2))*sqrt(-(((I*sqrt(3) + 1)*(9*d^2 \\
& /a^4 - (a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)/(a^4*b^2)))/(-1 \\
& /27*d^3/a^6 + 1/162*(a^2*f*h + 2*(e*f - 2*c*h)*a*b + (9*d^2 - 8*c*e)*b^2)*d
\end{aligned}$$

$$\frac{1}{(a^6 b^2)} - \frac{1}{1458} (64 b^5 c^3 - 8 a^2 b^3 e^3 - 48 a b^4 c^2 f + 12 a^2 b^3 c f^2 - a^3 b^2 f^3 - 12 a^3 b^2 e^2 h - 6 a^4 b e h^2 - a^5 h^3) / (a^7 b^4) + \frac{1}{1458} (64 b^5 c^3 + 6 a^4 b e h^2 + a^5 h^3 - (f^3 - 12 e^2 h + 9 d f h) a^3 b^2 + 2(4 e^3 - 9 d e f + 6(f^2 + 3 d h) c) a^2 b^3 - 3(9 d^3 - 24 c d e + 16 c^2 f) a b^4) / (a^7 b^4)^{1/3} + 81 (I \sqrt{3} + 1) (-1/27 d^3/a^6 + 1/162 (a^2 f h + 2(e f - 2 c h) a b + (9 d^2 - 8 c e) b^2) d) / (a^6 b^2) - \frac{1}{1458} (64 b^5 c^3 - 8 a^2 b^3 e^3 - 48 a b^4 c^2 f + 12 a^2 b^3 c f^2 - a^3 b^2 f^3 - 12 a^3 b^2 e^2 h - 6 a^4 b e h^2 - a^5 h^3) / (a^7 b^4) + \frac{1}{1458} (64 b^5 c^3 + 6 a^4 b e h^2 + a^5 h^3 - (f^3 - 12 e^2 h + 9 d f h) a^3 b^2 + 2(4 e^3 - 9 d e f + 6(f^2 + 3 d h) c) a^2 b^3 - 3(9 d^3 - 24 c d e + 16 c^2 f) a b^4) / (a^7 b^4)^{1/3} + 54 d / a^2)^2 a^4 b^2 - 108 ((-I \sqrt{3} + 1) (9 d^2 / a^4 - (a^2 f h + 2(e f - 2 c h) a b + (9 d^2 - 8 c e) b^2) d) / (a^4 b^2)) / (-1/27 d^3/a^6 + 1/162 (a^2 f h + 2(e f - 2 c h) a b + (9 d^2 - 8 c e) b^2) d) / (a^6 b^2) - \frac{1}{1458} (64 b^5 c^3 - 8 a^2 b^3 e^3 - 48 a b^4 c^2 f + 12 a^2 b^3 c f^2 - a^3 b^2 f^3 - 12 a^3 b^2 e^2 h - 6 a^4 b e h^2 - a^5 h^3) / (a^7 b^4) + \frac{1}{1458} (64 b^5 c^3 + 6 a^4 b e h^2 + a^5 h^3 - (f^3 - 12 e^2 h + 9 d f h) a^3 b^2 + 2(4 e^3 - 9 d e f + 6(f^2 + 3 d h) c) a^2 b^3 - 3(9 d^3 - 24 c d e + 16 c^2 f) a b^4) / (a^7 b^4)^{1/3} + 81 (I \sqrt{3} + 1) (-1/27 d^3/a^6 + 1/162 (a^2 f h + 2(e f - 2 c h) a b + (9 d^2 - 8 c e) b^2) d) / (a^6 b^2) - \frac{1}{1458} (64 b^5 c^3 - 8 a^2 b^3 e^3 - 48 a b^4 c^2 f + 12 a^2 b^3 c f^2 - a^3 b^2 f^3 - 12 a^3 b^2 e^2 h - 6 a^4 b e h^2 - a^5 h^3) / (a^7 b^4) + \frac{1}{1458} (64 b^5 c^3 + 6 a^4 b e h^2 + a^5 h^3 - (f^3 - 12 e^2 h + 9 d f h) a^3 b^2 + 2(4 e^3 - 9 d e f + 6(f^2 + 3 d h) c) a^2 b^3 - 3(9 d^3 - 24 c d e + 16 c^2 f) a b^4) / (a^7 b^4)^{1/3} + 54 d / a^2) a^2 b^2 d + 2916 b^2 d^2 - 10368 b^2 c e + 2592 a b e f - 1296 (4 a b c - a^2 f) h) / (a^4 b^2)) - 324 (b^2 d x^4 + a b d x) \log(x) / (a^2 b^2 x^4 + a^3 b x)$$

giac [A] time = 0.20, size = 328, normalized size = 1.09

$$\frac{\frac{d \log(|bx^3 + a|)}{3a^2} + \frac{d \log(|x|)}{a^2}}{9(-ab^2)^{\frac{2}{3}} a^2} - \frac{\sqrt{3} \left(a^2 h + 2 a b e + 4 (-ab^2)^{\frac{1}{3}} b c - (-ab^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{\left(a^2 h + 2 a b e + 4 (-ab^2)^{\frac{1}{3}} b c - (-ab^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/3*d*log(abs(b*x^3 + a))/a^2 + d*log(abs(x))/a^2 - 1/9*sqrt(3)*(a^2*h + 2*a*b*e + 4*(-a*b^2)^(1/3)*b*c - (-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2) - 1/18*(a^2*h + 2*a*b*e - 4*(-a*b^2)^(1/3)*b*c + (-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/3) + (-

$$\frac{a/b^{2/3}}{((-a*b^2)^{2/3}*a^2) - 1/3*(4*b^2*c*x^3 - a*b*f*x^3 + a^2*h*x^2 - a*b*x^2*e - a*b*d*x + a^2*g*x + 3*a*b*c)} + \frac{1/9*(4*a^2*b^4*c*(-a/b)^{1/3} - a^3*b^3*f*(-a/b)^{1/3} - a^4*b^2*h - 2*a^3*b^3*e)*(-a/b)^{1/3}*\log(\text{abs}(x - (-a/b)^{1/3}))}{(b*x^4 + a*x)*a^2*b}$$

maple [B] time = 0.06, size = 517, normalized size = 1.72

$$\frac{\frac{f x^2}{3(b x^3 + a) a} - \frac{b c x^2}{3(b x^3 + a) a^2} + \frac{e x}{3(b x^3 + a) a} - \frac{h x}{3(b x^3 + a) b} + \frac{2\sqrt{3} e \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b} + \frac{2e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b} - \frac{e \ln\left(x - \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b}}{3(b x^3 + a) a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x)`

[Out] $\frac{1}{3} \frac{a}{(b x^3 + a)} x^2 f - \frac{1}{3} \frac{a^2}{(b x^3 + a)} b c x^2 - \frac{1}{3} \frac{a}{(b x^3 + a)} b x h + \frac{1}{3} \frac{(b x^3 + a)}{a} e x - \frac{1}{3} \frac{a}{(b x^3 + a)} b g + \frac{1}{3} \frac{a}{(b x^3 + a)} d + \frac{1}{9} \frac{b^2}{b^2} \left(\frac{a}{b}\right)^{2/3} \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + \frac{2}{9} \frac{a}{b} \left(\frac{a}{b}\right)^{2/3} \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) - \frac{1}{18} \frac{b^2}{b^2} \left(\frac{a}{b}\right)^{2/3} \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right) + \frac{h}{19} \frac{a}{b} \left(\frac{a}{b}\right)^{2/3} \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right) + \frac{1}{9} \frac{b^2}{b^2} \left(\frac{a}{b}\right)^{2/3} 3^{1/2} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{\left(\frac{a}{b}\right)^{1/3}} (x-1)\right) + \frac{h}{2} \frac{a}{b} \left(\frac{a}{b}\right)^{2/3} 3^{1/2} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{\left(\frac{a}{b}\right)^{1/3}} (x-1)\right) - \frac{1}{9} \frac{a}{b} \left(\frac{a}{b}\right)^{2/3} \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + \frac{4}{9} \frac{a^2}{a^2} \left(\frac{a}{b}\right)^{1/3} \ln\left(x + \left(\frac{a}{b}\right)^{1/3}\right) + \frac{c}{18} \frac{a}{b} \left(\frac{a}{b}\right)^{1/3} \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right) + \frac{f}{2} \frac{a^2}{a^2} \left(\frac{a}{b}\right)^{1/3} \ln\left(x^2 - \left(\frac{a}{b}\right)^{1/3} x + \left(\frac{a}{b}\right)^{2/3}\right) + \frac{1}{9} 3^{1/2} \left(\frac{a}{b}\right)^{1/3} \frac{a}{b} f \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{\left(\frac{a}{b}\right)^{1/3}} (x-1)\right) - \frac{4}{9} \frac{a^2}{a^2} 3^{1/2} \left(\frac{a}{b}\right)^{1/3} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{\left(\frac{a}{b}\right)^{1/3}} (x-1)\right) + \frac{c}{1} \frac{a^2}{a^2} d \ln(b x^3 + a) - \frac{1}{a^2} \frac{c}{x} + \frac{1}{a^2} d \ln(x)$

maxima [A] time = 3.13, size = 329, normalized size = 1.09

$$\frac{(4b^2c - abf)x^3 + 3abc - (abe - a^2h)x^2 - (abd - a^2g)x + d \log(x)}{3(a^2b^2x^4 + a^3bx)} + \frac{\sqrt{3}\left(4b^2c\left(\frac{a}{b}\right)^{\frac{2}{3}} - abf\left(\frac{a}{b}\right)^{\frac{2}{3}} - 2abe\left(\frac{a}{b}\right)^{\frac{1}{3}} - a^2\right)}{9a^3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="maxima")`

```
[Out] -1/3*((4*b^2*c - a*b*f)*x^3 + 3*a*b*c - (a*b*e - a^2*h)*x^2 - (a*b*d - a^2*
g)*x)/(a^2*b^2*x^4 + a^3*b*x) + d*log(x)/a^2 - 1/9*sqrt(3)*(4*b^2*c*(a/b)^(
2/3) - a*b*f*(a/b)^(2/3) - 2*a*b*e*(a/b)^(1/3) - a^2*h*(a/b)^(1/3))*arctan(
1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^3*b) - 1/18*(6*b^2*d*(a/b)^(
2/3) + 4*b^2*c*(a/b)^(1/3) - a*b*f*(a/b)^(1/3) + 2*a*b*e + a^2*h)*log(x^2
- x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b^2*(a/b)^(2/3)) - 1/9*(3*b^2*d*(a/b)^(
2/3) - 4*b^2*c*(a/b)^(1/3) + a*b*f*(a/b)^(1/3) - 2*a*b*e - a^2*h)*log(x + (
a/b)^(1/3))/(a^2*b^2*(a/b)^(2/3))
```

mupad [B] time = 5.77, size = 1684, normalized size = 5.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^2),x)
```

```
[Out] symsum(log((d*(a^3*h^2 + 4*a*b^2*e^2 + 12*b^3*c*d - 3*a*b^2*d*f + 4*a^2*b*e
*h))/(9*a^4) - (root(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z
- 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d
^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e
*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 -
8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k)*(
a^3*h^2 + 4*a*b^2*e^2 + 36*b^3*d^2*x - 24*b^3*c*d + 324*root(729*a^7*b^4*z^
3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e
*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d
*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f
- 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5
*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z, k)^2*a^4*b^3*x + 6*a*b^2*d*f + 4*a^2*b*
e*h - 80*b^3*c*e*x + 36*root(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b
^2*f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a
^3*b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2
*b^3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3
*c*f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3,
z, k)*a^2*b^3*c - 9*root(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*
f*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*
b^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^
3*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*
f^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z,
k)*a^3*b^2*f + 216*root(729*a^7*b^4*z^3 + 729*a^5*b^4*d*z^2 + 27*a^5*b^2*f
*h*z - 108*a^4*b^3*c*h*z + 54*a^4*b^3*e*f*z - 216*a^3*b^4*c*e*z + 243*a^3*b
^4*d^2*z - 72*a*b^4*c*d*e + 9*a^3*b^2*d*f*h - 36*a^2*b^3*c*d*h + 18*a^2*b^3
*d*e*f - 6*a^4*b*e*h^2 + 48*a*b^4*c^2*f - 12*a^3*b^2*e^2*h - 12*a^2*b^3*c*f
^2 - 8*a^2*b^3*e^3 + 27*a*b^4*d^3 - a^5*h^3 - 64*b^5*c^3 + a^3*b^2*f^3, z,
k)*a^2*b^3*d*x - 40*a*b^2*c*h*x + 20*a*b^2*e*f*x + 10*a^2*b*f*h*x))/(9*a^2)
+ (x*(64*b^5*c^3 + a^5*h^3 + 8*a^2*b^3*e^3 - a^3*b^2*f^3 + 12*a^2*b^3*c*f^
```

$$\frac{2 + 12a^3b^2e^2h - 48ab^4c^2f + 6a^4b^2e^2h^2 + 24a^2b^3c^2d^2h - 12a^2b^3d^2e^2f - 6a^3b^2d^2f^2h + 48ab^4c^2d^2e}{(27a^5b)} \cdot \text{root}(729a^7b^4z^3 + 729a^5b^4d^2z^2 + 27a^5b^2f^2h^2z - 108a^4b^3c^2h^2z + 54a^4b^3e^2f^2z - 216a^3b^4c^2e^2z + 243a^3b^4d^2z - 72a^2b^4c^2d^2e + 9a^3b^2d^2f^2h - 36a^2b^3c^2d^2h + 18a^2b^3d^2e^2f - 6a^4b^2e^2h^2 + 48ab^4c^2f - 12a^3b^2e^2h - 12a^2b^3c^2f^2 - 8a^2b^3e^2h^2 + 27ab^4d^2 - a^5h^3 - 64b^5c^3 + a^3b^2f^3, z, k), k, 1, 3) - (c/a + (x^3(4bc - af))/(3a^2) - (x(bd - ag))/(3ab) - (x^2(be - ah))/(3ab)) / (ax + bx^4) + (d \log(x))/a^2$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2/(b*x**3+a)**2,x)

[Out] Timed out

$$3.419 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^2} dx$$

Optimal. Leaf size=306

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (5bc - 2af) - \sqrt[3]{a} (4bd - ag)\right)}{18a^{8/3} b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (5bc - 2af) - \sqrt[3]{a} (4bd - ag)\right)}{9a^{8/3} b^{2/3}}$$

[Out] $-1/2*c/a^2/x^2-d/a^2/x-1/3*x*(b*c-a*f+(-a*g+b*d)*x+(-a*h+b*e)*x^2)/a^2/(b*x^3+a)+e*\ln(x)/a^2-1/9*(b^{(1/3)}*(-2*a*f+5*b*c)-a^{(1/3)}*(-a*g+4*b*d))*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(8/3)}/b^{(2/3)}+1/18*(b^{(1/3)}*(-2*a*f+5*b*c)-a^{(1/3)}*(-a*g+4*b*d))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(8/3)}/b^{(2/3)}-1/3*e*\ln(b*x^3+a)/a^2+1/9*(5*b^{(4/3)}*c+4*a^{(1/3)}*b*d-2*a*b^{(1/3)}*f-a^{(4/3)}*g)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(8/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.58, antiderivative size = 304, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a} (4bd-ag)}{\sqrt[3]{b}} - 2af + 5bc\right)}{18a^{8/3} \sqrt[3]{b}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (5bc - 2af) - \sqrt[3]{a} (4bd - ag)\right)}{9a^{8/3} b^{2/3}} +$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^2), x]

[Out] $-c/(2*a^2*x^2) - d/(a^2*x) - (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(3*a^2*(a + b*x^3)) + ((5*b^{(4/3)}*c + 4*a^{(1/3)}*b*d - 2*a*b^{(1/3)}*f - a^{(4/3)}*g)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(8/3)}*b^{(2/3)}) + (e*\text{Log}[x])/a^2 - ((b^{(1/3)}*(5*b*c - 2*a*f) - a^{(1/3)}*(4*b*d - a*g))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(8/3)}*b^{(2/3)}) + ((5*b*c - 2*a*f - (a^{(1/3)}*(4*b*d - a*g))/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(8/3)}*b^{(1/3)}) - (e*\text{Log}[a + b*x^3])/(3*a^2)$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

```
Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^3(a + bx^3)^2} dx &= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} - \frac{\int \frac{-3b^2c - 3b^2dx - 3b^2ex^2 + 2b^2\left(\frac{bc}{a} - f\right)x^3}{x^3(a + bx^3)} dx}{3ab^2} \\
&= -\frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} - \frac{\int \left(-\frac{3b^2c}{ax^3} - \frac{3b^2d}{ax^2} - \frac{3b^2e}{ax} + \frac{b^2(5bc - af)}{a^2}\right) dx}{3ab^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{\int \frac{b^2(5bc - af)}{a^2} dx}{3ab^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{\int \frac{b^2(5bc - af)}{a^2} dx}{3ab^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{e \log(x)}{a^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{e \log(x)}{a^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{e \log(x)}{a^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{e \log(x)}{a^2} - \frac{e \log(x)}{a^2} \\
&= -\frac{c}{2a^2x^2} - \frac{d}{a^2x} - \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{3a^2(a + bx^3)} + \frac{(5b^{4/3}c + 4\sqrt[3]{a}) \log(x)}{a^2} - \frac{e \log(x)}{a^2}
\end{aligned}$$

Mathematica [A] time = 0.54, size = 292, normalized size = 0.95

$$-\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{4/3} g - 4 \sqrt[3]{a} b d - 2 a \sqrt[3]{b} f + 5 b^{4/3} c\right)}{b^{2/3}} + \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{4/3} g - 4 \sqrt[3]{a} b d - 2 a \sqrt[3]{b} f + 5 b^{4/3} c\right)}{b^{2/3}} + \frac{2 \sqrt{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2 \sqrt{3} \sqrt[3]{a} x}{\sqrt{3} \sqrt[3]{a} + \sqrt[3]{b} x}\right)}{18 a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^2), x]

```
[Out] -1/18*((9*a*c)/x^2 + (18*a*d)/x + (6*a*(a^2*h + b^2*x*(c + d*x) - a*b*(e +
x*(f + g*x))))/(b*(a + b*x^3)) + (2*sqrt[3]*a^(1/3)*(-5*b^(4/3)*c - 4*a^(1/
3)*b*d + 2*a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt
[3]])/b^(2/3) - 18*a*e*Log[x] + (2*a^(1/3)*(5*b^(4/3)*c - 4*a^(1/3)*b*d - 2
*a*b^(1/3)*f + a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) - (a^(1/3)*(5*b
^(4/3)*c - 4*a^(1/3)*b*d - 2*a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)
*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) + 6*a*e*Log[a + b*x^3])/a^3
```

fricas [C] time = 43.40, size = 12231, normalized size = 39.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="fri
cas")
```

```
[Out] -1/324*(108*(4*b^2*d - a*b*g)*x^4 + 324*a*b*d*x + 54*(5*b^2*c - 2*a*b*f)*x^
3 + 162*a*b*c - 108*(a*b*e - a^2*h)*x^2 + 2*(a^2*b^2*x^5 + a^3*b*x^2)*((-I*
sqrt(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)
*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*
d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^
3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^
2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g
+ 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a
^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 81*(I*s
qrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f
- 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c
^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 -
a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g +
6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*
b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 54*e/a^2)*
log(-160*a*b^3*c*d^2 + 75*a*b^3*c^2*e - 36*a^2*b^2*d*e^2 + 12*a^3*b*e*f^2 -
1/324*(4*a^6*b^2*d - a^7*b*g)*((-I*sqrt(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d +
2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(
20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(1
25*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^
3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^
4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f
+ 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*
f)*a*b^3)/(a^8*b^2))^(1/3) + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*
b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*
b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 -
48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c
^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f +
16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*
```

$$\begin{aligned}
& a^3b^3/(a^8b^2)^{1/3} + 54e/a^2)^2 - 2*(5a^3b^3c - 2a^4f)*g^2 - 1/18* \\
& (25a^3b^3c^2 - 24a^4b^2d^2e - 20a^4b^2c^2f + 4a^5b^2f^2 + 6a^5b^2e \\
& *g)*((-I*\sqrt{3}) + 1)*(9e^2/a^4 - (20b^2c^2d + 2a^2f^2g + (9e^2 - 8d^2f \\
& - 5c^2g)*a*b)/(a^5b)))/(-1/27e^3/a^6 + 1/162*(20b^2c^2d + 2a^2f^2g + (9 \\
& e^2 - 8d^2f - 5c^2g)*a*b)*e/(a^7b) - 1/1458*(125b^4c^3 + 64a^3b^3d^3 - \\
& 150a^3b^3c^2f + 60a^2b^2c^2f^2 - 8a^3b^3f^3 - 48a^2b^2d^2g + 12a^3 \\
& b^3d^2g^2 - a^4g^3)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 - 2*(4f^3 \\
& - 9e^2f^2g + 6d^2g^2)*a^3b + 3*(9e^3 - 24d^2ef + 16d^2g + 5*(4f^2 - 3e \\
& *g)*c)*a^2b^2 - 2*(32d^3 - 90c^2de + 75c^2f)*a*b^3)/(a^8b^2)^{1/3} \\
& + 81*(I*\sqrt{3}) + 1)*(-1/27e^3/a^6 + 1/162*(20b^2c^2d + 2a^2f^2g + (9e^2 \\
& - 8d^2f - 5c^2g)*a*b)*e/(a^7b) - 1/1458*(125b^4c^3 + 64a^3b^3d^3 - 15 \\
& 0a^3b^3c^2f + 60a^2b^2c^2f^2 - 8a^3b^3f^3 - 48a^2b^2d^2g + 12a^3b^3 \\
& b^3d^2g^2 - a^4g^3)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9 \\
& e^2f^2g + 6d^2g^2)*a^3b + 3*(9e^3 - 24d^2ef + 16d^2g + 5*(4f^2 - 3e \\
& *g)*c)*a^2b^2 - 2*(32d^3 - 90c^2de + 75c^2f)*a*b^3)/(a^8b^2)^{1/3} + 5 \\
& 4e/a^2) + 4*(16a^2b^2d^2 - 15a^2b^2c^2e)*f + (80a^2b^2c^2d + 9a^3b^2 \\
& b^2e^2 - 32a^3b^2d^2f)*g - (125b^4c^3 + 64a^3b^3d^3 - 150a^3b^3c^2f + 6 \\
& 0a^2b^2c^2f^2 - 8a^3b^3f^3 - 48a^2b^2d^2g + 12a^3b^3d^2g^2 - a^4g^3 \\
&)*x) + (162b^2e^2x^5 + 162a^2b^2e^2x^2 - (a^2b^2x^5 + a^3b^2x^2))*((-I*\sqrt{3} \\
& (3) + 1)*(9e^2/a^4 - (20b^2c^2d + 2a^2f^2g + (9e^2 - 8d^2f - 5c^2g)*a*b \\
&)/(a^5b)))/(-1/27e^3/a^6 + 1/162*(20b^2c^2d + 2a^2f^2g + (9e^2 - 8d^2f \\
& - 5c^2g)*a*b)*e/(a^7b) - 1/1458*(125b^4c^3 + 64a^3b^3d^3 - 150a^3b^3c^2 \\
& f + 60a^2b^2c^2f^2 - 8a^3b^3f^3 - 48a^2b^2d^2g + 12a^3b^3d^2g^2 - \\
& a^4g^3)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9e^2f^2g + 6 \\
& d^2g^2)*a^3b + 3*(9e^3 - 24d^2ef + 16d^2g + 5*(4f^2 - 3e*g)*c)*a^2b^2 \\
& ^2 - 2*(32d^3 - 90c^2de + 75c^2f)*a*b^3)/(a^8b^2)^{1/3} + 81*(I*\sqrt{3} \\
& (3) + 1)*(-1/27e^3/a^6 + 1/162*(20b^2c^2d + 2a^2f^2g + (9e^2 - 8d^2f - 5 \\
& c^2g)*a*b)*e/(a^7b) - 1/1458*(125b^4c^3 + 64a^3b^3d^3 - 150a^3b^3c^2f \\
& + 60a^2b^2c^2f^2 - 8a^3b^3f^3 - 48a^2b^2d^2g + 12a^3b^3d^2g^2 - a^4 \\
& *g^3)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9e^2f^2g + 6d^2 \\
& g^2)*a^3b + 3*(9e^3 - 24d^2ef + 16d^2g + 5*(4f^2 - 3e*g)*c)*a^2b^2 \\
& - 2*(32d^3 - 90c^2de + 75c^2f)*a*b^3)/(a^8b^2)^{1/3} + 54e/a^2) - 3* \\
& \sqrt{1/3}*(a^2b^2x^5 + a^3b^2x^2)*\sqrt{-(((I*\sqrt{3}) + 1)*(9e^2/a^4 - (\\
& 20b^2c^2d + 2a^2f^2g + (9e^2 - 8d^2f - 5c^2g)*a*b)/(a^5b)))/(-1/27e^3/a^ \\
& ^6 + 1/162*(20b^2c^2d + 2a^2f^2g + (9e^2 - 8d^2f - 5c^2g)*a*b)*e/(a^7b) \\
& - 1/1458*(125b^4c^3 + 64a^3b^3d^3 - 150a^3b^3c^2f + 60a^2b^2c^2f^2 \\
& - 8a^3b^3f^3 - 48a^2b^2d^2g + 12a^3b^3d^2g^2 - a^4g^3)/(a^8b^2) - 1/ \\
& 1458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9e^2f^2g + 6d^2g^2)*a^3b + 3*(9e^ \\
& 3 - 24d^2ef + 16d^2g + 5*(4f^2 - 3e*g)*c)*a^2b^2 - 2*(32d^3 - 90c^2d \\
& *e + 75c^2f)*a*b^3)/(a^8b^2)^{1/3} + 81*(I*\sqrt{3}) + 1)*(-1/27e^3/a^6 \\
& + 1/162*(20b^2c^2d + 2a^2f^2g + (9e^2 - 8d^2f - 5c^2g)*a*b)*e/(a^7b) - \\
& 1/1458*(125b^4c^3 + 64a^3b^3d^3 - 150a^3b^3c^2f + 60a^2b^2c^2f^2 - 8 \\
& a^3b^3f^3 - 48a^2b^2d^2g + 12a^3b^3d^2g^2 - a^4g^3)/(a^8b^2) - 1/145 \\
& 8*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9e^2f^2g + 6d^2g^2)*a^3b + 3*(9e^3 - \\
& 24d^2ef + 16d^2g + 5*(4f^2 - 3e*g)*c)*a^2b^2 - 2*(32d^3 - 90c^2de
\end{aligned}$$

$$\begin{aligned}
& + 75c^2f)ab^3)/(a^8b^2))^{1/3} + 54e/a^2)^2a^5b - 108*((-I\sqrt{3}) \\
& + 1)*(9e^2/a^4 - (20b^2cd + 2a^2fg + (9e^2 - 8df - 5cg)ab)/(a \\
& ^5b))/(-1/27e^3/a^6 + 1/162*(20b^2cd + 2a^2fg + (9e^2 - 8df - 5c \\
& cg)ab)*e/(a^7b) - 1/1458*(125b^4c^3 + 64ab^3d^3 - 150ab^3c^2f \\
& + 60a^2b^2cf^2 - 8a^3b^2f^3 - 48a^2b^2d^2g + 12a^3b^2d^2g^2 - a^4g^3 \\
& g^3)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9efg + 6d^2g \\
& ^2)a^3b + 3*(9e^3 - 24def + 16d^2g + 5*(4f^2 - 3eg)c)a^2b^2 - \\
& 2*(32d^3 - 90cde + 75c^2f)ab^3)/(a^8b^2))^{1/3} + 81*(I\sqrt{3}) + \\
& 1)*(-1/27e^3/a^6 + 1/162*(20b^2cd + 2a^2fg + (9e^2 - 8df - 5cg) \\
&)ab)*e/(a^7b) - 1/1458*(125b^4c^3 + 64ab^3d^3 - 150ab^3c^2f + 6 \\
& 0a^2b^2cf^2 - 8a^3b^2f^3 - 48a^2b^2d^2g + 12a^3b^2d^2g^2 - a^4g^3 \\
&)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9efg + 6d^2g^2) \\
& *a^3b + 3*(9e^3 - 24def + 16d^2g + 5*(4f^2 - 3eg)c)a^2b^2 - 2* \\
& (32d^3 - 90cde + 75c^2f)ab^3)/(a^8b^2))^{1/3} + 54e/a^2)a^3b^2e \\
& + 25920b^2cd + 2916ab^2e^2 - 10368abcd - 1296*(5abc - 2a^2f)g \\
&)/(a^5b))\log(160ab^3cd^2 - 75ab^3c^2e + 36a^2b^2d^2e^2 - 12a^ \\
& 3b^2ef^2 + 1/324*(4a^6b^2d - a^7b^2g)*((-I\sqrt{3}) + 1)*(9e^2/a^4 - (2 \\
& 0b^2cd + 2a^2fg + (9e^2 - 8df - 5cg)ab)/(a^5b))/(-1/27e^3/a^ \\
& 6 + 1/162*(20b^2cd + 2a^2fg + (9e^2 - 8df - 5cg)ab)*e/(a^7b) \\
& - 1/1458*(125b^4c^3 + 64ab^3d^3 - 150ab^3c^2f + 60a^2b^2cf^2 - \\
& 8a^3b^2f^3 - 48a^2b^2d^2g + 12a^3b^2d^2g^2 - a^4g^3)/(a^8b^2) - 1/1 \\
& 458*(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9efg + 6d^2g^2)a^3b + 3*(9e^3 \\
& - 24def + 16d^2g + 5*(4f^2 - 3eg)c)a^2b^2 - 2*(32d^3 - 90cde \\
& e + 75c^2f)ab^3)/(a^8b^2))^{1/3} + 81*(I\sqrt{3}) + 1)*(-1/27e^3/a^6 + \\
& 1/162*(20b^2cd + 2a^2fg + (9e^2 - 8df - 5cg)ab)*e/(a^7b) - 1 \\
& /1458*(125b^4c^3 + 64ab^3d^3 - 150ab^3c^2f + 60a^2b^2cf^2 - 8* \\
& a^3b^2f^3 - 48a^2b^2d^2g + 12a^3b^2d^2g^2 - a^4g^3)/(a^8b^2) - 1/1458 \\
& *(125b^4c^3 + a^4g^3 - 2*(4f^3 - 9efg + 6d^2g^2)a^3b + 3*(9e^3 - \\
& 24def + 16d^2g + 5*(4f^2 - 3eg)c)a^2b^2 - 2*(32d^3 - 90cde + \\
& 75c^2f)ab^3)/(a^8b^2))^{1/3} + 54e/a^2)^2 + 2*(5a^3b^2c - 2a^4f)* \\
& g^2 + 1/18*(25a^3b^3c^2 - 24a^4b^2d^2e - 20a^4b^2cf + 4a^5b^2f^2 \\
& + 6a^5b^2efg)*((-I\sqrt{3}) + 1)*(9e^2/a^4 - (20b^2cd + 2a^2fg + (9e \\
& ^2 - 8df - 5cg)ab)/(a^5b))/(-1/27e^3/a^6 + 1/162*(20b^2cd + 2a \\
& ^2fg + (9e^2 - 8df - 5cg)ab)*e/(a^7b) - 1/1458*(125b^4c^3 + 64* \\
& ab^3d^3 - 150ab^3c^2f + 60a^2b^2cf^2 - 8a^3b^2f^3 - 48a^2b^2d^2 \\
& ^2g + 12a^3b^2d^2g^2 - a^4g^3)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 \\
& - 2*(4f^3 - 9efg + 6d^2g^2)a^3b + 3*(9e^3 - 24def + 16d^2g + 5* \\
& (4f^2 - 3eg)c)a^2b^2 - 2*(32d^3 - 90cde + 75c^2f)ab^3)/(a^8b \\
& ^2))^{1/3} + 81*(I\sqrt{3}) + 1)*(-1/27e^3/a^6 + 1/162*(20b^2cd + 2a^2 \\
& fg + (9e^2 - 8df - 5cg)ab)*e/(a^7b) - 1/1458*(125b^4c^3 + 64ab \\
& ^3d^3 - 150ab^3c^2f + 60a^2b^2cf^2 - 8a^3b^2f^3 - 48a^2b^2d^2* \\
& g + 12a^3b^2d^2g^2 - a^4g^3)/(a^8b^2) - 1/1458*(125b^4c^3 + a^4g^3 - 2 \\
& *(4f^3 - 9efg + 6d^2g^2)a^3b + 3*(9e^3 - 24def + 16d^2g + 5*(4 \\
& f^2 - 3eg)c)a^2b^2 - 2*(32d^3 - 90cde + 75c^2f)ab^3)/(a^8b^2) \\
&)^{1/3} + 54e/a^2) - 4*(16a^2b^2d^2 - 15a^2b^2ce)*f - (80a^2b^2c
\end{aligned}$$

$$\begin{aligned}
& *d + 9*a^3*b*e^2 - 32*a^3*b*d*f)*g - 2*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a* \\
& b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d* \\
& g^2 - a^4*g^3)*x + 1/108*\sqrt{1/3}*(450*a^3*b^3*c^2 + 216*a^4*b^2*d*e - 360 \\
& *a^4*b^2*c*f + 72*a^5*b*f^2 - 54*a^5*b*e*g - (4*a^6*b^2*d - a^7*b*g)*((-I*s \\
& \text{qrt}(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)* \\
& a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d \\
& *f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3 \\
& *c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 \\
& - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g \\
& + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^ \\
& 2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 81*(I*s\text{q} \\
& \text{rt}(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f \\
& - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^ \\
& 2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - \\
& a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6 \\
& *d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b \\
& ^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 54*e/a^2))* \\
& \sqrt{-(((I*\text{sqrt}(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8* \\
& d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + \\
& (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^ \\
& 3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 1 \\
& 2*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f \\
& ^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - \\
& 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^(1/ \\
& 3) + 81*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9 \\
& *e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - \\
& 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a \\
& ^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 \\
& - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3* \\
& e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) \\
& + 54*e/a^2)^2*a^5*b - 108*((-I*\text{sqrt}(3) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^ \\
& 2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^ \\
& 2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^ \\
& 4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 4 \\
& 8*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 \\
& + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16 \\
& *d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a* \\
& b^3)/(a^8*b^2))^(1/3) + 81*(I*\text{sqrt}(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c \\
& *d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c \\
& ^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a \\
& ^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + \\
& a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^ \\
& 2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3 \\
&)/(a^8*b^2))^(1/3) + 54*e/a^2)*a^3*b*e + 25920*b^2*c*d + 2916*a*b*e^2 - 103 \\
& 68*a*b*d*f - 1296*(5*a*b*c - 2*a^2*f)*g)/(a^5*b))) + (162*b^2*e*x^5 + 162*a
\end{aligned}$$

$$\begin{aligned}
& *b*e*x^2 - (a^2*b^2*x^5 + a^3*b*x^2)*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2 \\
& *c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b))/(-1/27*e^3/a^6 + 1 \\
& /162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1 \\
& 458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^ \\
& 3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(\\
& 125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24 \\
& *d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 7 \\
& 5*c^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/16 \\
& 2*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458 \\
& *(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b \\
& *f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125 \\
& *b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d \\
& e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c \\
& ^2*f)*a*b^3)/(a^8*b^2))^(1/3) + 54*e/a^2) + 3*\sqrt{1/3)*(a^2*b^2*x^5 + a^3* \\
& b*x^2)*\sqrt{-(((I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e \\
& ^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^ \\
& 2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a \\
& *b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^ \\
& 2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - \\
& 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(\\
& 4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^ \\
& 2))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f \\
& *g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^ \\
& 3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g \\
& + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2* \\
& (4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f \\
& ^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2)) \\
& ^{(1/3) + 54*e/a^2)^2*a^5*b - 108*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d \\
& + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b))/(-1/27*e^3/a^6 + 1/162 \\
& *(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458* \\
& (125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b* \\
& f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125* \\
& b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e \\
& *f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^ \\
& 2*f)*a*b^3)/(a^8*b^2))^(1/3) + 81*(I*\sqrt{3}) + 1)*(-1/27*e^3/a^6 + 1/162*(2 \\
& 0*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(12 \\
& 5*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 \\
& - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4 \\
& *c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f \\
& + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f \\
&)*a*b^3)/(a^8*b^2))^(1/3) + 54*e/a^2)*a^3*b*e + 25920*b^2*c*d + 2916*a*b*e^ \\
& 2 - 10368*a*b*d*f - 1296*(5*a*b*c - 2*a^2*f)*g)/(a^5*b)))*\log(160*a*b^3*c*d \\
& ^2 - 75*a*b^3*c^2*e + 36*a^2*b^2*d*e^2 - 12*a^3*b*e*f^2 + 1/324*(4*a^6*b^2* \\
& d - a^7*b*g)*((-I*\sqrt{3}) + 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^ \\
& 2 - 8*d*f - 5*c*g)*a*b)/(a^5*b))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2
\end{aligned}$$

$$\begin{aligned}
& *f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a* \\
& b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2 \\
& *g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - \\
& 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4 \\
& *f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2 \\
&))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f* \\
& g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3 \\
& *d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g \\
& + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(\\
& 4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^ \\
& 2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(\\
& 1/3)} + 54*e/a^2)^2 + 2*(5*a^3*b*c - 2*a^4*f)*g^2 + 1/18*(25*a^3*b^3*c^2 - \\
& 24*a^4*b^2*d*e - 20*a^4*b^2*c*f + 4*a^5*b*f^2 + 6*a^5*b*e*g)*((-I*sqrt(3) + \\
& 1)*(9*e^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^ \\
& 5*b)))/(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c \\
& *g)*a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + \\
& 60*a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^ \\
& ^3)/(a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^ \\
& 2)*a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - \\
& 2*(32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*sqrt(3) + \\
& 1)*(-1/27*e^3/a^6 + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g) \\
& *a*b)*e/(a^7*b) - 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60 \\
& *a^2*b^2*c*f^2 - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3) \\
& / (a^8*b^2) - 1/1458*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)* \\
& a^3*b + 3*(9*e^3 - 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(\\
& 32*d^3 - 90*c*d*e + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2) - 4*(16*a \\
& ^2*b^2*d^2 - 15*a^2*b^2*c*e)*f - (80*a^2*b^2*c*d + 9*a^3*b*e^2 - 32*a^3*b*d \\
& *f)*g - 2*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 \\
& - 8*a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)*x - 1/108*sqrt \\
& (1/3)*(450*a^3*b^3*c^2 + 216*a^4*b^2*d*e - 360*a^4*b^2*c*f + 72*a^5*b*f^2 - \\
& 54*a^5*b*e*g - (4*a^6*b^2*d - a^7*b*g)*((-I*sqrt(3) + 1)*(9*e^2/a^4 - (20* \\
& b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-1/27*e^3/a^6 \\
& + 1/162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - \\
& 1/1458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8 \\
& *a^3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/145 \\
& 8*(125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - \\
& 24*d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e \\
& + 75*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 81*(I*sqrt(3) + 1)*(-1/27*e^3/a^6 + 1 \\
& /162*(20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)*e/(a^7*b) - 1/1 \\
& 458*(125*b^4*c^3 + 64*a*b^3*d^3 - 150*a*b^3*c^2*f + 60*a^2*b^2*c*f^2 - 8*a^ \\
& 3*b*f^3 - 48*a^2*b^2*d^2*g + 12*a^3*b*d*g^2 - a^4*g^3)/(a^8*b^2) - 1/1458*(\\
& 125*b^4*c^3 + a^4*g^3 - 2*(4*f^3 - 9*e*f*g + 6*d*g^2)*a^3*b + 3*(9*e^3 - 24 \\
& *d*e*f + 16*d^2*g + 5*(4*f^2 - 3*e*g)*c)*a^2*b^2 - 2*(32*d^3 - 90*c*d*e + 7 \\
& 5*c^2*f)*a*b^3)/(a^8*b^2))^{(1/3)} + 54*e/a^2))*sqrt(-(((I*sqrt(3) + 1)*(9*e \\
& ^2/a^4 - (20*b^2*c*d + 2*a^2*f*g + (9*e^2 - 8*d*f - 5*c*g)*a*b)/(a^5*b)))/(-
\end{aligned}$$

$$\frac{1}{27}e^3/a^6 + \frac{1}{162}(20b^2cd + 2a^2fg + (9e^2 - 8df - 5cg)ab) \cdot e/(a^7b) - \frac{1}{1458}(125b^4c^3 + 64a^3b^3d^3 - 150ab^3c^2f + 60a^2b^2c^2f^2 - 8a^3b^3f^3 - 48a^2b^2d^2g + 12a^3b^3d^2g^2 - a^4g^3)/(a^8b^2) - \frac{1}{1458}(125b^4c^3 + a^4g^3 - 2(4f^3 - 9efg + 6d^2g^2)a^3b + 3(9e^3 - 24d^2ef + 16d^2g + 5(4f^2 - 3eg)c)a^2b^2 - 2(32d^3 - 90cd^2e + 75c^2f)ab^3)/(a^8b^2))^{1/3} + 81(I\sqrt{3} + 1)(-1/27e^3/a^6 + 1/162(20b^2cd + 2a^2fg + (9e^2 - 8df - 5cg)ab) \cdot e/(a^7b) - 1/1458(125b^4c^3 + 64a^3b^3d^3 - 150ab^3c^2f + 60a^2b^2c^2f^2 - 8a^3b^3f^3 - 48a^2b^2d^2g + 12a^3b^3d^2g^2 - a^4g^3)/(a^8b^2) - 1/1458(125b^4c^3 + a^4g^3 - 2(4f^3 - 9efg + 6d^2g^2)a^3b + 3(9e^3 - 24d^2ef + 16d^2g + 5(4f^2 - 3eg)c)a^2b^2 - 2(32d^3 - 90cd^2e + 75c^2f)ab^3)/(a^8b^2))^{1/3} + 54e/a^2)^2a^5b - 108((-I\sqrt{3} + 1)(9e^2/a^4 - (20b^2cd + 2a^2fg + (9e^2 - 8df - 5cg)ab)/(a^5b)))/(-1/27e^3/a^6 + 1/162(20b^2cd + 2a^2fg + (9e^2 - 8df - 5cg)ab) \cdot e/(a^7b) - 1/1458(125b^4c^3 + 64a^3b^3d^3 - 150ab^3c^2f + 60a^2b^2c^2f^2 - 8a^3b^3f^3 - 48a^2b^2d^2g + 12a^3b^3d^2g^2 - a^4g^3)/(a^8b^2) - 1/1458(125b^4c^3 + a^4g^3 - 2(4f^3 - 9efg + 6d^2g^2)a^3b + 3(9e^3 - 24d^2ef + 16d^2g + 5(4f^2 - 3eg)c)a^2b^2 - 2(32d^3 - 90cd^2e + 75c^2f)ab^3)/(a^8b^2))^{1/3} + 81(I\sqrt{3} + 1)(-1/27e^3/a^6 + 1/162(20b^2cd + 2a^2fg + (9e^2 - 8df - 5cg)ab) \cdot e/(a^7b) - 1/1458(125b^4c^3 + 64a^3b^3d^3 - 150ab^3c^2f + 60a^2b^2c^2f^2 - 8a^3b^3f^3 - 48a^2b^2d^2g + 12a^3b^3d^2g^2 - a^4g^3)/(a^8b^2) - 1/1458(125b^4c^3 + a^4g^3 - 2(4f^3 - 9efg + 6d^2g^2)a^3b + 3(9e^3 - 24d^2ef + 16d^2g + 5(4f^2 - 3eg)c)a^2b^2 - 2(32d^3 - 90cd^2e + 75c^2f)ab^3)/(a^8b^2))^{1/3} + 54e/a^2) \cdot a^3b \cdot e + 25920b^2cd + 2916a^3b^2e^2 - 10368abd^2f - 1296(5a^3bc - 2a^2fg)g)/(a^5b))) - 324(b^2e^2x^5 + ab^2e^2x^2) \cdot \log(x))/(a^2b^2x^5 + a^3bx^2)$$

giac [A] time = 0.19, size = 336, normalized size = 1.10

$$\frac{\frac{e \log(|bx^3 + a|)}{3a^2} + \frac{e \log(|x|)}{a^2} + \frac{\sqrt{3} \left(5b^2c - 2abf - 4(-ab^2)^{\frac{1}{3}}bd + (-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3(-\frac{a}{b})^{\frac{1}{3}}} \right)}{9(-ab^2)^{\frac{2}{3}}a^2}}{1} + \left(5b^2c \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="giac")

[Out] -1/3*e*log(abs(b*x^3 + a))/a^2 + e*log(abs(x))/a^2 + 1/9*sqrt(3)*(5*b^2*c - 2*a*b*f - 4*(-a*b^2)^(1/3)*b*d + (-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2) + 1/18*(5*b^2*c - 2*a

$*b*f + 4*(-a*b^2)^{(1/3)}*b*d - (-a*b^2)^{(1/3)}*a*g)*\log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2) + 1/9*(4*a^2*b^2*d*(-a/b)^{(1/3)} - a^3*b*g*(-a/b)^{(1/3)} + 5*a^2*b^2*c - 2*a^3*b*f)*(-a/b)^{(1/3)}*\log(\text{abs}(x - (-a/b)^{(1/3)}))/a^5*b - 1/6*(2*(4*b^2*d - a*b*g)*x^4 + 6*a*b*d*x + (5*b^2*c - 2*a*b*f)*x^3 + 3*a*b*c + 2*(a^2*h - a*b*e)*x^2)/((b*x^3 + a)*a^2*b*x^2)$

maple [B] time = 0.07, size = 527, normalized size = 1.72

$$\frac{\frac{g x^2}{3(b x^3 + a) a} - \frac{b d x^2}{3(b x^3 + a) a^2} + \frac{f x}{3(b x^3 + a) a} - \frac{b c x}{3(b x^3 + a) a^2} + \frac{2\sqrt{3} f \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{1}-1\right)}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b} + \frac{2 f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} a b} f$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x)`

[Out] $1/3/a/(b*x^3+a)*x^2*g-1/3/(b*x^3+a)/a^2*b*d*x^2+1/3/a/(b*x^3+a)*f*x-1/3/(b*x^3+a)/a^2*b*c*x-1/3/(b*x^3+a)/b*h+1/3/(b*x^3+a)/a*e-5/9/(a/b)^{(2/3)}/a^2*c*\ln(x+(a/b)^{(1/3)})+5/18/(a/b)^{(2/3)}/a^2*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-5/9/(a/b)^{(2/3)}*3^{(1/2)}/a^2*c*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+2/9/(a/b)^{(2/3)}/a/b*f*\ln(x+(a/b)^{(1/3)})-1/9/a*f/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/9/a*f/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+4/9/(a/b)^{(1/3)}/a^2*d*\ln(x+(a/b)^{(1/3)})-2/9/(a/b)^{(1/3)}/a^2*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-4/9*3^{(1/2)}/(a/b)^{(1/3)}/a^2*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/9/a*g/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/18/a*g/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/9/a*g*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/3/a^2*e*\ln(b*x^3+a)-1/a^2*d/x+1/a^2*e*\ln(x)-1/2/a^2*c/x^2$

maxima [A] time = 3.06, size = 316, normalized size = 1.03

$$\frac{2(4b^2d - abg)x^4 + 6abdx + (5b^2c - 2abf)x^3 + 3abc - 2(abe - a^2h)x^2}{6(a^2b^2x^5 + a^3bx^2)} + \frac{e \log(x)}{a^2} - \frac{\sqrt{3}\left(4bd\left(\frac{a}{b}\right)^{\frac{2}{3}} - ag\left(\frac{a}{b}\right)^{\frac{2}{3}} + \dots\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="maxima")`

```
[Out] -1/6*(2*(4*b^2*d - a*b*g)*x^4 + 6*a*b*d*x + (5*b^2*c - 2*a*b*f)*x^3 + 3*a*b*c - 2*(a*b*e - a^2*h)*x^2)/(a^2*b^2*x^5 + a^3*b*x^2) + e*log(x)/a^2 - 1/9*sqrt(3)*(4*b*d*(a/b)^(2/3) - a*g*(a/b)^(2/3) + 5*b*c*(a/b)^(1/3) - 2*a*f*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/a^3 - 1/18*(6*b*e*(a/b)^(2/3) + 4*b*d*(a/b)^(1/3) - a*g*(a/b)^(1/3) - 5*b*c + 2*a*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a^2*b*(a/b)^(2/3)) - 1/9*(3*b*e*(a/b)^(2/3) - 4*b*d*(a/b)^(1/3) + a*g*(a/b)^(1/3) + 5*b*c - 2*a*f)*log(x + (a/b)^(1/3))/(a^2*b*(a/b)^(2/3))
```

mupad [B] time = 5.71, size = 1632, normalized size = 5.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^2),x)
```

```
[Out] symsum(log((b^2*e*(25*b^2*c^2 + 4*a^2*f^2 - 3*a^2*e*g - 20*a*b*c*f + 12*a*b*d*e))/(9*a^5) - (root(729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k)*b^2*(25*b^2*c^2 + 4*a^2*f^2 - 9*root(729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k)*a^4*g + 6*a^2*e*g + 36*root(729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k))^2*a^5*b*x - 20*a*b*c*f - 24*a*b*d*e - 50*a*b*c*g*x - 80*a*b*d*f*x + 216*root(729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k)*a^3*b*e*x))/(9*a^3) - (b*x*(125*b^4*c^3 + a^4*g^3 - 64*a*b^3*d^3 - 8*a^3*b*f^3 + 60*a^2*b^2
```

$$2*c*f^2 + 48*a^2*b^2*d^2*g - 150*a*b^3*c^2*f - 12*a^3*b*d*g^2 - 30*a^2*b^2*c*e*g - 48*a^2*b^2*d*e*f + 120*a*b^3*c*d*e + 12*a^3*b*e*f*g)/(27*a^6)*\text{root}(729*a^8*b^2*z^3 + 729*a^6*b^2*e*z^2 + 54*a^5*b*f*g*z - 216*a^4*b^2*d*f*z - 135*a^4*b^2*c*g*z + 540*a^3*b^3*c*d*z + 243*a^4*b^2*e^2*z + 18*a^3*b*e*f*g + 180*a*b^3*c*d*e - 72*a^2*b^2*d*e*f - 45*a^2*b^2*c*e*g - 12*a^3*b*d*g^2 - 150*a*b^3*c^2*f + 48*a^2*b^2*d^2*g + 60*a^2*b^2*c*f^2 + 27*a^2*b^2*e^3 - 8*a^3*b*f^3 - 64*a*b^3*d^3 + 125*b^4*c^3 + a^4*g^3, z, k), k, 1, 3) - (c/(2*a) + (x^3*(5*b*c - 2*a*f))/(6*a^2) + (x^4*(4*b*d - a*g))/(3*a^2) + (d*x)/a - (x^2*(b*e - a*h))/(3*a*b))/(a*x^2 + b*x^5) + (e*log(x))/a^2$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3/(b*x**3+a)**2,x)

[Out] Timed out

$$3.420 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^2} dx$$

Optimal. Leaf size=338

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (5bd - 2ag) - \sqrt[3]{a} (4be - ah)\right)}{18a^{8/3} b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (5bd - 2ag) - \sqrt[3]{a} (4be - ah)\right)}{9a^{8/3} b^{2/3}}$$

[Out] $-1/3*c/a^2/x^3-1/2*d/a^2/x^2-e/a^2/x-1/3*x*(b*d-a*g+(-a*h+b*e)*x-b*(b*c/a-f)*x^2)/a^2/(b*x^3+a)-(-a*f+2*b*c)*\ln(x)/a^3-1/9*(b^{(1/3)}*(-2*a*g+5*b*d)-a^{(1/3)}*(-a*h+4*b*e))*\ln(a^{(1/3)}+b^{(1/3)}*x)/a^{(8/3)}/b^{(2/3)}+1/18*(b^{(1/3)}*(-2*a*g+5*b*d)-a^{(1/3)}*(-a*h+4*b*e))*\ln(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/a^{(8/3)}/b^{(2/3)}+1/3*(-a*f+2*b*c)*\ln(b*x^3+a)/a^3+1/9*(5*b^{(4/3)}*d+4*a^{(1/3)}*b*e-2*a*b^{(1/3)}*g-a^{(4/3)}*h)*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)}*x)/a^{(1/3)}*3^{(1/2)})/a^{(8/3)}/b^{(2/3)}*3^{(1/2)}$

Rubi [A] time = 0.73, antiderivative size = 336, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a} (4be - ah)}{\sqrt[3]{b}} - 2ag + 5bd\right)}{18a^{8/3} \sqrt[3]{b}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (5bd - 2ag) - \sqrt[3]{a} (4be - ah)\right)}{9a^{8/3} b^{2/3}} +$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^2), x]

[Out] $-c/(3*a^2*x^3) - d/(2*a^2*x^2) - e/(a^2*x) - (x*(b*d - a*g + (b*e - a*h)*x - b*((b*c)/a - f)*x^2))/(3*a^2*(a + b*x^3)) + ((5*b^{(4/3)}*d + 4*a^{(1/3)}*b*e - 2*a*b^{(1/3)}*g - a^{(4/3)}*h)*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)}*x)/(\text{Sqrt}[3]*a^{(1/3)})])/(3*\text{Sqrt}[3]*a^{(8/3)}*b^{(2/3)}) - ((2*b*c - a*f)*\text{Log}[x])/a^3 - ((b^{(1/3)}*(5*b*d - 2*a*g) - a^{(1/3)}*(4*b*e - a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)}*x])/(9*a^{(8/3)}*b^{(2/3)}) + ((5*b*d - 2*a*g - (a^{(1/3)}*(4*b*e - a*h))/b^{(1/3)})*\text{Log}[a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2])/(18*a^{(8/3)}*b^{(1/3)}) + ((2*b*c - a*f)*\text{Log}[a + b*x^3])/(3*a^3)$

Rule 31

Int[((a_) + (b_)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[(n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m)]/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[(Pq_)*((c_.)*(x_)^(m_.))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
```

& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_.)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{x^4 (a + bx^3)^2} dx &= -\frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2 (a + bx^3)} - \int \frac{-3b^2c - 3b^2dx - 3b^2ex^2 + 3b^2 \left(\frac{bc}{a} - f \right) x^3}{x^4 (a + bx^3)^2} dx \\
&= -\frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2 (a + bx^3)} - \int \left(-\frac{3b^2c}{ax^4} - \frac{3b^2d}{ax^3} - \frac{3b^2e}{ax^2} - \frac{3b^2 \left(\frac{bc}{a} - f \right)}{ax} \right) dx \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2 (a + bx^3)} - \frac{2b^2 \left(\frac{bc}{a} - f \right)}{a} \ln|x + \frac{bx^3}{a}| \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2 (a + bx^3)} - \frac{2b^2 \left(\frac{bc}{a} - f \right)}{a} \ln|x + \frac{bx^3}{a}| \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2 (a + bx^3)} - \frac{2b^2 \left(\frac{bc}{a} - f \right)}{a} \ln|x + \frac{bx^3}{a}| \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2 (a + bx^3)} - \frac{2b^2 \left(\frac{bc}{a} - f \right)}{a} \ln|x + \frac{bx^3}{a}| \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2 (a + bx^3)} - \frac{2b^2 \left(\frac{bc}{a} - f \right)}{a} \ln|x + \frac{bx^3}{a}| \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2 (a + bx^3)} - \frac{2b^2 \left(\frac{bc}{a} - f \right)}{a} \ln|x + \frac{bx^3}{a}| \\
&= -\frac{c}{3a^2x^3} - \frac{d}{2a^2x^2} - \frac{e}{a^2x} - \frac{x \left(bd - ag + (be - ah)x - b \left(\frac{bc}{a} - f \right) x^2 \right)}{3a^2 (a + bx^3)} + \frac{2b^2 \left(\frac{bc}{a} - f \right)}{a} \ln|x + \frac{bx^3}{a}|
\end{aligned}$$

Mathematica [A] time = 0.62, size = 303, normalized size = 0.90

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{4/3} h - 4 \sqrt[3]{a} b e - 2 a \sqrt[3]{b} g + 5 b^{4/3} d\right)}{b^{2/3}} - \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{4/3} h - 4 \sqrt[3]{a} b e - 2 a \sqrt[3]{b} g + 5 b^{4/3} d\right)}{b^{2/3}} - \frac{2 \sqrt{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt{3} \sqrt[3]{a}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^2), x]


```
[Out] ((-6*a*c)/x^3 - (9*a*d)/x^2 - (18*a*e)/x + (a*(-6*b*(c + x*(d + e*x)) + 6*a
*(f + x*(g + h*x))))/(a + b*x^3) - (2*sqrt[3]*a^(1/3)*(-5*b^(4/3)*d - 4*a^(
1/3)*b*e + 2*a*b^(1/3)*g + a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sq
rt[3]]/b^(2/3) + 18*(-2*b*c + a*f)*Log[x] - (2*a^(1/3)*(5*b^(4/3)*d - 4*a^(
1/3)*b*e - 2*a*b^(1/3)*g + a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) +
(a^(1/3)*(5*b^(4/3)*d - 4*a^(1/3)*b*e - 2*a*b^(1/3)*g + a^(4/3)*h)*Log[a^(2
/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) + 6*(2*b*c - a*f)*Log[a + b
*x^3])/(18*a^3)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="fri
cas")
```

[Out] Timed out

giac [A] time = 0.23, size = 363, normalized size = 1.07

$$\frac{\sqrt{3} \left(5b^2d - 2abg + (-ab^2)^{\frac{1}{3}} ah - 4(-ab^2)^{\frac{1}{3}} be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{9 \left(-ab^2 \right)^{\frac{2}{3}} a^2} + \frac{\left(5b^2d - 2abg - (-ab^2)^{\frac{1}{3}} ah + 4(-ab^2)^{\frac{1}{3}} be \right)}{18 \left(-ab^2 \right)^{\frac{2}{3}} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="gia
c")
```

```
[Out] 1/9*sqrt(3)*(5*b^2*d - 2*a*b*g + (-a*b^2)^(1/3)*a*h - 4*(-a*b^2)^(1/3)*b*e)
*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2)
+ 1/18*(5*b^2*d - 2*a*b*g - (-a*b^2)^(1/3)*a*h + 4*(-a*b^2)^(1/3)*b*e)*log
(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2) + 1/3*(2*b*c - a
*f)*log(abs(b*x^3 + a))/a^3 - (2*b*c - a*f)*log(abs(x))/a^3 - 1/9*(a^5*b*h*
(-a/b)^(1/3) - 4*a^4*b^2*(-a/b)^(1/3)*e - 5*a^4*b^2*d + 2*a^5*b*g)*(-a/b)^(
1/3)*log(abs(x - (-a/b)^(1/3)))/(a^7*b) + 1/6*(2*(a^2*h - 4*a*b*e)*x^5 - (5
*a*b*d - 2*a^2*g)*x^4 - 6*a^2*x^2*e - 3*a^2*d*x - 2*(2*a*b*c - a^2*f)*x^3 -
2*a^2*c)/((b*x^3 + a)*a^3*x^3)
```

maple [B] time = 0.06, size = 561, normalized size = 1.66

$$\frac{\frac{hx^2}{3(bx^3+a)a} - \frac{bex^2}{3(bx^3+a)a^2} + \frac{gx}{3(bx^3+a)a} - \frac{bdx}{3(bx^3+a)a^2} + \frac{2\sqrt{3}g \arctan\left(\frac{\sqrt{3}\left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} + \frac{2g \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{9\left(\frac{a}{b}\right)^{\frac{2}{3}}ab} g}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x)`

[Out]
$$-1/2/a^2*d/x^2-1/a^2*e/x+1/3/a/(b*x^3+a)*x^2*h+1/3/a/(b*x^3+a)*g*x+4/9/(a/b)^{(1/3)}/a^2*e*\ln(x+(a/b)^{(1/3)})+5/18/(a/b)^{(2/3)}/a^2*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-5/9/(a/b)^{(2/3)}/a^2*d*\ln(x+(a/b)^{(1/3)})-2/9/(a/b)^{(1/3)}/a^2*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-4/9/a^2*e*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/a^2*\ln(x)*f+1/3/a/(b*x^3+a)*f-1/3/a^2*\ln(b*x^3+a)*f-1/3/a^2*c/x^3-1/3/(b*x^3+a)/a^2*b*c+2/9/a*g/b/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+1/9/a*h*3^{(1/2)}/b/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/9/a*h/b/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})+1/18/a*h/b/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+2/9/a*g/b/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})-5/9/(a/b)^{(2/3)}*3^{(1/2)}/a^2*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/9/a*g/b/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-1/3/a^2/(b*x^3+a)*b*e*x^2-1/3/(b*x^3+a)/a^2*b*d*x-2/a^3*b*c*\ln(x)+2/3/a^3*b*c*\ln(b*x^3+a)$$

maxima [A] time = 3.08, size = 365, normalized size = 1.08

$$\frac{2(4be - ah)x^5 + (5bd - 2ag)x^4 + 6aex^2 + 2(2bc - af)x^3 + 3adx + 2ac}{6(a^2bx^6 + a^3x^3)} - \frac{(2bc - af)\log(x)}{a^3} + \sqrt{3}\left(4abe\left(\frac{a}{b}\right)^{\frac{2}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^2,x, algorithm="maxima")`

[Out]
$$-1/6*(2*(4*b*e - a*h)*x^5 + (5*b*d - 2*a*g)*x^4 + 6*a*e*x^2 + 2*(2*b*c - a*f)*x^3 + 3*a*d*x + 2*a*c)/(a^2*b*x^6 + a^3*x^3) - (2*b*c - a*f)*\log(x)/a^3 - 1/9*\sqrt{3}*(4*a*b*e*(a/b)^{(2/3)} - a^2*h*(a/b)^{(2/3)} + 5*a*b*d*(a/b)^{(1/3)})$$

$$\begin{aligned} &) - 2*a^2*g*(a/b)^{(1/3)}*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)}) \\ &)/a^4 + 1/18*(12*b^2*c*(a/b)^{(2/3)} - 6*a*b*f*(a/b)^{(2/3)} - 4*a*b*e*(a/b)^{(1/3)} \\ & + a^2*h*(a/b)^{(1/3)} + 5*a*b*d - 2*a^2*g)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)}) \\ &)/(a^3*b*(a/b)^{(2/3)}) + 1/9*(6*b^2*c*(a/b)^{(2/3)} - 3*a*b*f*(a/b)^{(2/3)} \\ & + 4*a*b*e*(a/b)^{(1/3)} - a^2*h*(a/b)^{(1/3)} - 5*a*b*d + 2*a^2*g)*\log(x + (a/b)^{(1/3)}) \\ &)/(a^3*b*(a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 5.96, size = 1924, normalized size = 5.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^2), x)$

[Out] $\text{symsum}(\log(- (50*b^5*c*d^2 - 48*b^5*c^2*e + 8*a^2*b^3*c*g^2 - 12*a^2*b^3*e*f^2 - 4*a^3*b^2*f*g^2 + 3*a^3*b^2*f^2*h - 25*a*b^4*d^2*f + 12*a*b^4*c^2*h - 12*a^2*b^3*c*f*h + 20*a^2*b^3*d*f*g - 40*a*b^4*c*d*g + 48*a*b^4*c*e*f)/(9*a^6) - \text{root}(729*a^9*b^2*z^3 + 729*a^7*b^2*f*z^2 - 1458*a^6*b^3*c*z^2 + 54*a^6*b*g*h*z - 216*a^5*b^2*e*g*z - 135*a^5*b^2*d*h*z - 972*a^4*b^3*c*f*z + 540*a^4*b^3*d*e*z + 243*a^5*b^2*f^2*z + 972*a^3*b^4*c^2*z + 18*a^4*b*f*g*h - 360*a*b^4*c*d*e - 72*a^3*b^2*e*f*g - 45*a^3*b^2*d*f*h - 36*a^3*b^2*c*g*h + 180*a^2*b^3*d*e*f + 144*a^2*b^3*c*e*g + 90*a^2*b^3*c*d*h - 12*a^4*b*e*h^2 + 324*a*b^4*c^2*f + 48*a^3*b^2*e^2*h - 150*a^2*b^3*d^2*g + 60*a^3*b^2*d*g^2 - 162*a^2*b^3*c*f^2 + 27*a^3*b^2*f^3 - 64*a^2*b^3*e^3 - 8*a^4*b*g^3 + 125*a*b^4*d^3 - 216*b^5*c^3 + a^5*h^3, z, k)*((25*a^3*b^4*d^2 + 4*a^5*b^2*g^2 + 48*a^3*b^4*c*e - 12*a^4*b^3*c*h - 20*a^4*b^3*d*g - 24*a^4*b^3*e*f + 6*a^5*b^2*f*h)/(9*a^6) + \text{root}(729*a^9*b^2*z^3 + 729*a^7*b^2*f*z^2 - 1458*a^6*b^3*c*z^2 + 54*a^6*b*g*h*z - 216*a^5*b^2*e*g*z - 135*a^5*b^2*d*h*z - 972*a^4*b^3*c*f*z + 540*a^4*b^3*d*e*z + 243*a^5*b^2*f^2*z + 972*a^3*b^4*c^2*z + 18*a^4*b*f*g*h - 360*a*b^4*c*d*e - 72*a^3*b^2*e*f*g - 45*a^3*b^2*d*f*h - 36*a^3*b^2*c*g*h + 180*a^2*b^3*d*e*f + 144*a^2*b^3*c*e*g + 90*a^2*b^3*c*d*h - 12*a^4*b*e*h^2 + 324*a*b^4*c^2*f + 48*a^3*b^2*e^2*h - 150*a^2*b^3*d^2*g + 60*a^3*b^2*d*g^2 - 162*a^2*b^3*c*f^2 + 27*a^3*b^2*f^3 - 64*a^2*b^3*e^3 - 8*a^4*b*g^3 + 125*a*b^4*d^3 - 216*b^5*c^3 + a^5*h^3, z, k)*((36*a^6*b^3*e - 9*a^7*b^2*h)/(9*a^6) - (x*(1296*a^5*b^4*c - 648*a^6*b^3*f))/(27*a^6) + 36*\text{root}(729*a^9*b^2*z^3 + 729*a^7*b^2*f*z^2 - 1458*a^6*b^3*c*z^2 + 54*a^6*b*g*h*z - 216*a^5*b^2*e*g*z - 135*a^5*b^2*d*h*z - 972*a^4*b^3*c*f*z + 540*a^4*b^3*d*e*z + 243*a^5*b^2*f^2*z + 972*a^3*b^4*c^2*z + 18*a^4*b*f*g*h - 360*a*b^4*c*d*e - 72*a^3*b^2*e*f*g - 45*a^3*b^2*d*f*h - 36*a^3*b^2*c*g*h + 180*a^2*b^3*d*e*f + 144*a^2*b^3*c*e*g + 90*a^2*b^3*c*d*h - 12*a^4*b*e*h^2 + 324*a*b^4*c^2*f + 48*a^3*b^2*e^2*h - 150*a^2*b^3*d^2*g + 60*a^3*b^2*d*g^2 - 162*a^2*b^3*c*f^2 + 27*a^3*b^2*f^3 - 64*a^2*b^3*e^3 - 8*a^4*b*g^3 + 125*a*b^4*d^3 - 216*b^5*c^3 + a^5*h^3, z, k)*a^2*b^3*x) + (x*(432*a^2*b^5*c^2 + 108*a^4*b^3*f^2 - 432*a^3*b^4*c*f + 600*a^3*b^4*d*e - 150*a^4*b^3*d*h - 240*a^4*b^3*e*g + 60*a^5*b^2*g*h))/(27*a^6)) - (x*(125*b^5*d^3 - 64*a*b^4*e^3 + a^4*b*h^3 - 8$

```

*a^3*b^2*g^3 + 60*a^2*b^3*d*g^2 + 48*a^2*b^3*e^2*h - 12*a^3*b^2*e*h^2 - 240
*b^5*c*d*e - 150*a*b^4*d^2*g - 24*a^2*b^3*c*g*h - 30*a^2*b^3*d*f*h - 48*a^2
*b^3*e*f*g + 12*a^3*b^2*f*g*h + 60*a*b^4*c*d*h + 96*a*b^4*c*e*g + 120*a*b^4
*d*e*f)/(27*a^6))*root(729*a^9*b^2*z^3 + 729*a^7*b^2*f*z^2 - 1458*a^6*b^3*
c*z^2 + 54*a^6*b*g*h*z - 216*a^5*b^2*e*g*z - 135*a^5*b^2*d*h*z - 972*a^4*b^
3*c*f*z + 540*a^4*b^3*d*e*z + 243*a^5*b^2*f^2*z + 972*a^3*b^4*c^2*z + 18*a^
4*b*f*g*h - 360*a*b^4*c*d*e - 72*a^3*b^2*e*f*g - 45*a^3*b^2*d*f*h - 36*a^3*
b^2*c*g*h + 180*a^2*b^3*d*e*f + 144*a^2*b^3*c*e*g + 90*a^2*b^3*c*d*h - 12*a
^4*b*e*h^2 + 324*a*b^4*c^2*f + 48*a^3*b^2*e^2*h - 150*a^2*b^3*d^2*g + 60*a^
3*b^2*d*g^2 - 162*a^2*b^3*c*f^2 + 27*a^3*b^2*f^3 - 64*a^2*b^3*e^3 - 8*a^4*b
*g^3 + 125*a*b^4*d^3 - 216*b^5*c^3 + a^5*h^3, z, k), k, 1, 3) - (c/(3*a) +
(e*x^2)/a + (x^3*(2*b*c - a*f))/(3*a^2) + (x^4*(5*b*d - 2*a*g))/(6*a^2) + (
x^5*(4*b*e - a*h))/(3*a^2) + (d*x)/(2*a))/(a*x^3 + b*x^6) - (log(x)*(2*b*c
- a*f))/a^3

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4/(b*x**3+a)**2,x)
```

```
[Out] Timed out
```

$$3.421 \quad \int \frac{x^4(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=345

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(5af + bc) - 2a^{2/3}(be - 7ah)\right)}{54a^{4/3}b^{10/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(5af + bc) - 2a^{2/3}(be - 7ah)\right)}{27a^{4/3}b^{10/3}}$$

[Out] $h*x/b^3+1/6*x*(a*(-a*h+b*e)-b*(-a*f+b*c))*x-b*(-a*g+b*d)*x^2/b^3/(b*x^3+a)^3-1/18*x*(a*(-13*a*h+7*b*e)-2*b*(-4*a*f+b*c))*x-3*b*(-3*a*g+b*d)*x^2/a/b^3/(b*x^3+a)-1/27*(b^(2/3)*(5*a*f+b*c)-2*a^(2/3)*(-7*a*h+b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(4/3)/b^(10/3)+1/54*(b^(2/3)*(5*a*f+b*c)-2*a^(2/3)*(-7*a*h+b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(4/3)/b^(10/3)+1/3*g*\ln(b*x^3+a)/b^3-1/27*(b^(5/3)*c+2*a^(2/3)*b*e+5*a*b^(2/3)*f-14*a^(5/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(4/3)/b^(10/3)*3^(1/2)$

Rubi [A] time = 0.89, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.290$, Rules used = {1828, 1858, 1887, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(5af + bc) - 2a^{2/3}(be - 7ah)\right)}{54a^{4/3}b^{10/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(5af + bc) - 2a^{2/3}(be - 7ah)\right)}{27a^{4/3}b^{10/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] $(h*x)/b^3 + (x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(6*b^3*(a + b*x^3)^2) - (x*(a*(7*b*e - 13*a*h) - 2*b*(b*c - 4*a*f)*x - 3*b*(b*d - 3*a*g)*x^2))/(18*a*b^3*(a + b*x^3)) - ((b^(5/3)*c + 2*a^(2/3)*b*e + 5*a*b^(2/3)*f - 14*a^(5/3)*h)*\text{ArcTan}[a^(1/3) - 2*b^(1/3)*x]/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(4/3)*b^(10/3)) - ((b^(2/3)*(b*c + 5*a*f) - 2*a^(2/3)*(b*e - 7*a*h))*\text{Log}[a^(1/3) + b^(1/3)*x]/(27*a^(4/3)*b^(10/3)) + ((b^(2/3)*(b*c + 5*a*f) - 2*a^(2/3)*(b*e - 7*a*h))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(4/3)*b^(10/3)) + (g*\text{Log}[a + b*x^3]))/(3*b^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1828

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q = Expon[Pq,

```
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rule 1887

```
Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[Pq/(a
+ b*x^n), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx &= \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{\int \frac{a^2(be-ah)-2ab(bc-af)x-}{(a+bx^3)^3} dx}{6b^3 (a + bx^3)^2} \\
&= \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2b^2c)}{18ab^3 (a + bx^3)^2} \\
&= \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2b^2c)}{18ab^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2b^2c)}{18ab^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2b^2c)}{18ab^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2b^2c)}{18ab^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2b^2c)}{18ab^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2b^2c)}{18ab^3 (a + bx^3)^2} \\
&= \frac{hx}{b^3} + \frac{x (a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6b^3 (a + bx^3)^2} - \frac{x (a(7be - 13ah) - 2b^2c)}{18ab^3 (a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.38, size = 342, normalized size = 0.99

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-2a^{2/3} b^{4/3} e + 14a^{5/3} \sqrt[3]{b} h + 5abf + b^2c\right)}{a^{4/3}} - \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-2a^{2/3} b^{4/3} e + 14a^{5/3} \sqrt[3]{b} h + 5abf + b^2c\right)}{a^{4/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b}x}{\sqrt[3]{a}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]
[Out] (54*b^(2/3)*h*x - (9*b^(2/3)*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f
*x))))/(a + b*x^3)^2 + (3*b^(2/3)*(2*b^2*c*x^2 + a^2*(12*g + 13*h*x) - a*b*
(6*d + x*(7*e + 8*f*x))))/(a*(a + b*x^3)) - (2*sqrt[3]*(b^2*c + 2*a^(2/3)*b
^(4/3)*e + 5*a*b*f - 14*a^(5/3)*b^(1/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3
))/sqrt[3]]/a^(4/3) - (2*(b^2*c - 2*a^(2/3)*b^(4/3)*e + 5*a*b*f + 14*a^(5/
3)*b^(1/3)*h)*Log[a^(1/3) + b^(1/3)*x]/a^(4/3) + ((b^2*c - 2*a^(2/3)*b^(4/
3)*e + 5*a*b*f + 14*a^(5/3)*b^(1/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b
^(2/3)*x^2]/a^(4/3) + 18*b^(2/3)*g*Log[a + b*x^3]/(54*b^(11/3))
fricas [C] time = 7.81, size = 12967, normalized size = 37.59
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fri
cas")
[Out] 1/108*(108*a*b^2*h*x^7 + 12*(b^3*c - 4*a*b^2*f)*x^5 - 42*(a*b^2*e - 7*a^2*b
*h)*x^4 - 18*a^2*b*d + 54*a^3*g - 36*(a*b^2*d - 2*a^2*b*g)*x^3 - 6*(a*b^2*c
+ 5*a^2*b*f)*x^2 - 2*(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*(2*(1/2)^(2/3)*
(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f
- 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h
)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*
a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176
*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*
a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g
+ 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)
/(a^4*b^10))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*
c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3
+ 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 16
8*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 +
15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b +
(125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2
- 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^(1/3) - 18*g/b^3)*log(-4*a*b^4*c^2*e - 4
0*a^2*b^3*c*e*f - 100*a^3*b^2*e*f^2 + 36*a^3*b^2*e^2*g + 1764*a^5*g*h^2 - 1
/4*(a^3*b^8*c + 5*a^4*b^7*f)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(81*g^2/b^6 -
(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(145
8*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*
g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2
+ 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a
^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*
```

$$\begin{aligned}
& h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 \\
& - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)} \\
& *(I*\text{sqrt}(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2 \\
& *(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2 \\
& *f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 \\
& - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - \\
& 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2 \\
& *h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10) \\
&)^{(1/3)} - 18*g/b^3)^2 - 81*(a^3*b^2*c + 5*a^4*b*f)*g^2 + (2*a^3*b^5*e^2 - \\
& 28*a^4*b^4*e*h + 98*a^5*b^3*h^2 - 9*(a^3*b^5*c + 5*a^4*b^4*f)*g)*(2*(1/2)^{(2/3)} \\
& *(-I*\text{sqrt}(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2 \\
& *(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - \\
& 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 \\
& + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h \\
& + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + \\
& 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270* \\
& e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2 \\
& *b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(1458*g^3/b^9 - 27*(\\
& 2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b \\
& ^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - \\
& 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c \\
& ^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a \\
& ^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(\\
& 25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) + 28*(a^2*b^3*c^2 \\
& + 10*a^3*b^2*c*f + 25*a^4*b*f^2 - 18*a^4*b*e*g)*h - (b^5*c^3 + 8*a^2*b^3* \\
& e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2 \\
& *h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)*x) - 24*(a^2*b*e - 7*a^3*h)*x + (54*a \\
& *b^2*g*x^6 + 108*a^2*b*g*x^3 + 54*a^3*g + (a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3* \\
& b^3)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 7 \\
& 0*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c* \\
& e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + \\
& 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168* \\
& a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15 \\
& *a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (\\
& 125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - \\
& 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(1458* \\
& g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/ \\
& (a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + \\
& 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4 \\
& *b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h \\
& + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 \\
& - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) - \\
& 3*\text{sqrt}(1/3)*(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*\text{sqrt}(-((2*(1/2)^{(2/3)}*(-I \\
& *\text{sqrt}(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - \\
& 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a
\end{aligned}$$

$$\begin{aligned}
& 2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6))/(1458*g^3/b^9 - 27*(2*b \\
& ^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5* \\
& c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - \\
& 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 \\
& + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4* \\
& b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25* \\
& f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(\\
& 1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a* \\
& b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f \\
& ^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3) \\
& /(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f \\
& *g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3 \\
& *b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^(1/3) - 18*g/b^ \\
& 3) - 28*(a^2*b^3*c^2 + 10*a^3*b^2*c*f + 25*a^4*b*f^2 - 18*a^4*b*e*g)*h - 2* \\
& (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2* \\
& f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)*x + 3/4*sqrt(1/3 \\
&)*(8*a^3*b^5*e^2 - 112*a^4*b^4*e*h + 392*a^5*b^3*h^2 + (a^3*b^8*c + 5*a^4*b \\
& ^7*f)*(2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - \\
& 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6))/(1458*g^3/b^9 - 27*(2*b^2*c \\
& *e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 \\
& + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168 \\
& *a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 1 \\
& 5*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + \\
& (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 \\
& - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^(1/3) + (1/2)^(1/3)*(I*sqrt(3) + 1)*(1458 \\
& *g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g \\
& /(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + \\
& 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^ \\
& 4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h \\
& + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 \\
& - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^(1/3) - 18*g/b^3) + \\
& 18*(a^3*b^5*c + 5*a^4*b^4*f)*g*sqrt(-((2*(1/2)^(2/3)*(-I*sqrt(3) + 1)*(81 \\
& *g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2 \\
& *b^6))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7 \\
& *c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2 \\
& *b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744* \\
& a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 \\
& - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c* \\
& g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^(1/3) + \\
& (1/2)^(1/3)*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f \\
& *h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 1 \\
& 5*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 11 \\
& 76*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 274 \\
& 4*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f* \\
& g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^
\end{aligned}$$

$$\begin{aligned}
& 3)/(a^4b^{10})^{1/3} - 18g/b^3)^2a^2b^6 + 36(2(1/2)^{2/3})(-I\sqrt{3} \\
& + 1)(81g^2/b^6 - (2b^2c^2e + (81g^2 - 70f^2h)a^2 + 2(5e^2f - 7c^2h)ab) \\
& *b)/(a^2b^6))/(1458g^3/b^9 - 27(2b^2c^2e + (81g^2 - 70f^2h)a^2 + 2(5 \\
& *e^2f - 7c^2h)ab)g/(a^2b^9) - (b^5c^3 + 8a^2b^3e^3 + 15ab^4c^2f \\
& + 75a^2b^3c^2f^2 + 125a^3b^2f^3 - 168a^3b^2e^2h + 1176a^4b^2e^2h^2 \\
& - 2744a^5h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^4c^2f + 2744a^5h^3 - 3 \\
& (243g^3 - 630f^2g^2h + 392e^2h^2)a^4b + (125f^3 - 270e^2f^2g + 168e^2h^2 \\
& + 378c^2g^2h)a^3b^2 - (8e^3 - 3(25f^2 - 18e^2g)c)a^2b^3)/(a^4b^{10}) \\
&)^{1/3} + (1/2)^{1/3}(I\sqrt{3} + 1)(1458g^3/b^9 - 27(2b^2c^2e + (81g^2 \\
& - 70f^2h)a^2 + 2(5e^2f - 7c^2h)ab)g/(a^2b^9) - (b^5c^3 + 8a^2b^3e^3 \\
& + 15ab^4c^2f + 75a^2b^3c^2f^2 + 125a^3b^2f^3 - 168a^3b^2e^2h \\
& + 1176a^4b^2e^2h^2 - 2744a^5h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^4c^2f \\
& *f + 2744a^5h^3 - 3(243g^3 - 630f^2g^2h + 392e^2h^2)a^4b + (125f^3 - \\
& 270e^2f^2g + 168e^2h^2 + 378c^2g^2h)a^3b^2 - (8e^3 - 3(25f^2 - 18e^2g)c) \\
&)a^2b^3)/(a^4b^{10})^{1/3} - 18g/b^3)a^2b^3g + 32b^2c^2e + 160ab^2e \\
& *f + 324a^2g^2 - 224(ab^2c + 5a^2f)h)/(a^2b^6)) + (54ab^2g^2x^6 + \\
& 108a^2b^2g^2x^3 + 54a^3g + (ab^5x^6 + 2a^2b^4x^3 + a^3b^3))(2(1/2) \\
&)^{2/3})(-I\sqrt{3} + 1)(81g^2/b^6 - (2b^2c^2e + (81g^2 - 70f^2h)a^2 + \\
& 2(5e^2f - 7c^2h)ab)/(a^2b^6))/(1458g^3/b^9 - 27(2b^2c^2e + (81g^2 \\
& - 70f^2h)a^2 + 2(5e^2f - 7c^2h)ab)g/(a^2b^9) - (b^5c^3 + 8a^2b^3e^3 \\
& + 15ab^4c^2f + 75a^2b^3c^2f^2 + 125a^3b^2f^3 - 168a^3b^2e^2h \\
& + 1176a^4b^2e^2h^2 - 2744a^5h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^4c^2f \\
& + 2744a^5h^3 - 3(243g^3 - 630f^2g^2h + 392e^2h^2)a^4b + (125f^3 - 27 \\
& 0e^2f^2g + 168e^2h^2 + 378c^2g^2h)a^3b^2 - (8e^3 - 3(25f^2 - 18e^2g)c) \\
&)a^2b^3)/(a^4b^{10})^{1/3} + (1/2)^{1/3}(I\sqrt{3} + 1)(1458g^3/b^9 - 27 \\
& *(2b^2c^2e + (81g^2 - 70f^2h)a^2 + 2(5e^2f - 7c^2h)ab)g/(a^2b^9) - \\
& (b^5c^3 + 8a^2b^3e^3 + 15ab^4c^2f + 75a^2b^3c^2f^2 + 125a^3b^2f^3 - 168a^3b^2e^2h \\
& + 1176a^4b^2e^2h^2 - 2744a^5h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^4c^2f \\
& + 2744a^5h^3 - 3(243g^3 - 630f^2g^2h + 392e^2h^2)a^4b + (125f^3 - 27 \\
& 0e^2f^2g + 168e^2h^2 + 378c^2g^2h)a^3b^2 - (8e^3 - 3(25f^2 - 18e^2g)c) \\
&)a^2b^3)/(a^4b^{10})^{1/3} - 18g/b^3) + 3\sqrt{1/3} \\
& (ab^5x^6 + 2a^2b^4x^3 + a^3b^3)\sqrt{-((2(1/2)^{2/3})(-I\sqrt{3} + 1) \\
&)(81g^2/b^6 - (2b^2c^2e + (81g^2 - 70f^2h)a^2 + 2(5e^2f - 7c^2h)ab) \\
& /a^2b^6))/(1458g^3/b^9 - 27(2b^2c^2e + (81g^2 - 70f^2h)a^2 + 2(5e^2f \\
& - 7c^2h)ab)g/(a^2b^9) - (b^5c^3 + 8a^2b^3e^3 + 15ab^4c^2f + 7 \\
& 5a^2b^3c^2f^2 + 125a^3b^2f^3 - 168a^3b^2e^2h + 1176a^4b^2e^2h^2 - \\
& 2744a^5h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^4c^2f + 2744a^5h^3 - 3(24 \\
& 3g^3 - 630f^2g^2h + 392e^2h^2)a^4b + (125f^3 - 270e^2f^2g + 168e^2h^2 + 3 \\
& 78c^2g^2h)a^3b^2 - (8e^3 - 3(25f^2 - 18e^2g)c)a^2b^3)/(a^4b^{10}) \\
&)^{1/3} + (1/2)^{1/3}(I\sqrt{3} + 1)(1458g^3/b^9 - 27(2b^2c^2e + (81g^2 - \\
& 70f^2h)a^2 + 2(5e^2f - 7c^2h)ab)g/(a^2b^9) - (b^5c^3 + 8a^2b^3e^3 \\
& + 15ab^4c^2f + 75a^2b^3c^2f^2 + 125a^3b^2f^3 - 168a^3b^2e^2h \\
& + 1176a^4b^2e^2h^2 - 2744a^5h^3)/(a^4b^{10}) - (b^5c^3 + 15ab^4c^2f \\
& + 2744a^5h^3 - 3(243g^3 - 630f^2g^2h + 392e^2h^2)a^4b + (125f^3 - 270 \\
& *e^2f^2g + 168e^2h^2 + 378c^2g^2h)a^3b^2 - (8e^3 - 3(25f^2 - 18e^2g)c)a
\end{aligned}$$

$$\begin{aligned}
& \sqrt[3]{(2*b^3)/(a^4*b^{10})} - 18*g/b^3)^2*a^2*b^6 + 36*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^{10}) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^{10})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^{10}) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^{10})^{(1/3)} - 18*g/b^3)*a^2*b^3*g + 32*b^2*c*e + 160*a*b*e*f + 324*a^2*g^2 - 224*(a*b*c + 5*a^2*f)*h)/(a^2*b^6)))*\log(4*a*b^4*c^2*e + 40*a^2*b^3*c*e*f + 100*a^3*b^2*e*f^2 - 36*a^3*b^2*e^2*g - 1764*a^5*g*h^2 + 1/4*(a^3*b^8*c + 5*a^4*b^7*f)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^{10}) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^{10})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^{10}) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^{10})^{(1/3)} - 18*g/b^3)^2 + 81*(a^3*b^2*c + 5*a^4*b*f)*g^2 - (2*a^3*b^5*e^2 - 28*a^4*b^4*e*h + 98*a^5*b^3*h^2 - 9*(a^3*b^5*c + 5*a^4*b^4*f)*g)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3} + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^{10}) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^{10})^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3} + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^{10}) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e
\end{aligned}$$

$$\begin{aligned}
& *h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) - 28*(a^2 *b^3*c^2 + 10*a^3*b^2*c*f + 25*a^4*b*f^2 - 18*a^4*b*e*g)*h - 2*(b^5*c^3 + 8 *a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)*x - 3/4*sqrt(1/3)*(8*a^3*b^5 *e^2 - 112*a^4*b^4*e*h + 392*a^5*b^3*h^2 + (a^3*b^8*c + 5*a^4*b^7*f)*(2*(1/ 2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 2 70*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 2 7*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^4*b^10) - (b ^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3) + 18*(a^3*b^5 *c + 5*a^4*b^4*f)*g)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2/b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6)))/(1458 *g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g / (a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5*h^3)/(a^ 4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/2)^{(1/3)} *(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2* (5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h ^2 - 2744*a^5*h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 630*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2* h + 378*c*g*h)*a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} - 18*g/b^3)^2*a^2*b^6 + 36*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*g^2 /b^6 - (2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)/(a^2*b^6))/(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)*a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a*b^4*c^2*f + 75*a^2*b^3 *c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a^4*b*e*h^2 - 2744*a^5* h^3)/(a^4*b^10) - (b^5*c^3 + 15*a*b^4*c^2*f + 2744*a^5*h^3 - 3*(243*g^3 - 6 30*f*g*h + 392*e*h^2)*a^4*b + (125*f^3 - 270*e*f*g + 168*e^2*h + 378*c*g*h) *a^3*b^2 - (8*e^3 - 3*(25*f^2 - 18*e*g)*c)*a^2*b^3)/(a^4*b^10))^{(1/3)} + (1/ 2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*g^3/b^9 - 27*(2*b^2*c*e + (81*g^2 - 70*f*h)* a^2 + 2*(5*e*f - 7*c*h)*a*b)*g/(a^2*b^9) - (b^5*c^3 + 8*a^2*b^3*e^3 + 15*a* b^4*c^2*f + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 168*a^3*b^2*e^2*h + 1176*a
\end{aligned}$$

$$\frac{h^4 b^2 e^2 - 2744 a^5 h^3}{(a^4 b^{10})} - \frac{(b^5 c^3 + 15 a b^4 c^2 f + 2744 a^5 h^3 - 3(243 g^3 - 630 f g h + 392 e h^2) a^4 b + (125 f^3 - 270 e f g + 168 e^2 h + 378 c g h) a^3 b^2 - (8 e^3 - 3(25 f^2 - 18 e g) c) a^2 b^3)}{(a^4 b^{10})^{1/3} - 18 g / b^3} \frac{a^2 b^3 g + 32 b^2 c e + 160 a b e f + 324 a^2 g^2 - 224 (a b c + 5 a^2 f) h}{(a^2 b^6)} \Bigg) \Bigg/ (a b^5 x^6 + 2 a^2 b^4 x^3 + a^3 b^3)$$

giac [A] time = 0.21, size = 385, normalized size = 1.12

$$\frac{hx}{b^3} + \frac{g \log(|bx^3 + a|)}{3b^3} + \frac{\sqrt{3} \left(14 a^2 h - 2 a b e + (-ab^2)^{\frac{1}{3}} b c + 5 (-ab^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} a b^2} + \frac{\left(14 a^2 h - 2 a b e \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] h*x/b^3 + 1/3*g*log(abs(b*x^3 + a))/b^3 + 1/27*sqrt(3)*(14*a^2*h - 2*a*b*e + (-a*b^2)^(1/3)*b*c + 5*(-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b^2) + 1/54*(14*a^2*h - 2*a*b*e - (-a*b^2)^(1/3)*b*c - 5*(-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b^2) + 1/18*(2*(b^3*c - 4*a*b^2*f)*x^5 + (13*a^2*b*h - 7*a*b^2*e)*x^4 - 3*a^2*b*d + 9*a^3*g - 6*(a*b^2*d - 2*a^2*b*g)*x^3 - (a*b^2*c + 5*a^2*b*f)*x^2 + 2*(5*a^3*h - 2*a^2*b*e)*x)/((b*x^3 + a)^2*a*b^3) - 1/27*(a*b^6*c*(-a/b)^(1/3) + 5*a^2*b^5*f*(-a/b)^(1/3) - 14*a^3*b^4*h + 2*a^2*b^5*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^7)

maple [B] time = 0.06, size = 619, normalized size = 1.79

$$\frac{c x^5}{9 (b x^3 + a)^2 a} - \frac{4 f x^5}{9 (b x^3 + a)^2 b} + \frac{13 a h x^4}{18 (b x^3 + a)^2 b^2} - \frac{7 e x^4}{18 (b x^3 + a)^2 b} + \frac{2 a g x^3}{3 (b x^3 + a)^2 b^2} - \frac{d x^3}{3 (b x^3 + a)^2 b} - \frac{5 a f x^2}{18 (b x^3 + a)^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out] $\frac{1}{27}b^2/a^3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*c+1/2/b^3/(b*x^3+a)^2*a^2*g+5/54/b^3/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*f-5/27/b^3/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*f-4/9/b/(b*x^3+a)^2*f*x^5-1/3/b/(b*x^3+a)^2*x^3*d-1/6/b^2/(b*x^3+a)^2*d*a-1/18/b/(b*x^3+a)^2*x^2*c-14/27/b^4*a/(a/b)^{(2/3)}*3^{(1/2)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*h+1/9/(b*x^3+a)^2/a*c*x^5-1/27/(a/b)^{(2/3)}/b^3*e*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-7/18/(b*x^3+a)^2/b*e*x^4+2/27/(a/b)^{(2/3)}/b^3*e*\ln(x+(a/b)^{(1/3)})+1/3*g*\ln(b*x^3+a)/b^3-5/18/b^2/(b*x^3+a)^2*x^2*a*f+2/3/b^2/(b*x^3+a)^2*x^3*a*g+5/27/b^3*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*f-14/27/b^4*a/(a/b)^{(2/3)}*\ln(x+(a/b)^{(1/3)})*h-1/27/b^2/a/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*c+1/54/b^2/a/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*c+5/9/b^3/(b*x^3+a)^2*a^2*h*x+13/18/b^2/(b*x^3+a)^2*x^4*a*h+7/27/b^4*a/(a/b)^{(2/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*h-2/9/(b*x^3+a)^2*a/b^2*e*x+2/27/(a/b)^{(2/3)}*3^{(1/2)}/b^3*e*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+h*x/b^3$

maxima [A] time = 3.13, size = 391, normalized size = 1.13

$$\frac{2(b^3c - 4ab^2f)x^5 - (7ab^2e - 13a^2bh)x^4 - 3a^2bd + 9a^3g - 6(ab^2d - 2a^2bg)x^3 - (ab^2c + 5a^2bf)x^2 - 2(2a^2b^2c - ab^2d)x - 2a^2c}{18(ab^5x^6 + 2a^2b^4x^3 + a^3b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{18}*(2*(b^3*c - 4*a*b^2*f)*x^5 - (7*a*b^2*e - 13*a^2*b*h)*x^4 - 3*a^2*b*d + 9*a^3*g - 6*(a*b^2*d - 2*a^2*b*g)*x^3 - (a*b^2*c + 5*a^2*b*f)*x^2 - 2*(2*a^2*b*e - 5*a^3*h)*x)/(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3) + h*x/b^3 + 1/2*7*sqrt(3)*(b^2*c*(a/b)^{(2/3)} + 5*a*b*f*(a/b)^{(2/3)} + 2*a*b*e*(a/b)^{(1/3)} - 14*a^2*h*(a/b)^{(1/3)})*\arctan(1/3*sqrt(3)*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^2*b^3) + 1/54*(18*a*b*g*(a/b)^{(2/3)} + b^2*c*(a/b)^{(1/3)} + 5*a*b*f*(a/b)^{(1/3)} - 2*a*b*e + 14*a^2*h)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^4*(a/b)^{(2/3)}) + 1/27*(9*a*b*g*(a/b)^{(2/3)} - b^2*c*(a/b)^{(1/3)} - 5*a*b*f*(a/b)^{(1/3)} + 2*a*b*e - 14*a^2*h)*\log(x + (a/b)^{(1/3)})/(a*b^4*(a/b)^{(2/3)})$

mupad [B] time = 0.58, size = 916, normalized size = 2.66

$$\left(\sum_{k=1}^3 \ln \left(\text{root} \left(19683 a^4 b^{10} z^3 - 19683 a^4 b^7 g z^2 - 5670 a^4 b^4 f h z - 1134 a^3 b^5 c h z + 810 a^3 b^5 e f z + 162 a^2 b^6 c \right) \right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x)`

[Out] `symsum(log(root(19683*a^4*b^10*z^3 - 19683*a^4*b^7*g*z^2 - 5670*a^4*b^4*f*h*z - 1134*a^3*b^5*c*h*z + 810*a^3*b^5*e*f*z + 162*a^2*b^6*c*e*z + 6561*a^4*b^4*g^2*z + 1890*a^4*b*f*g*h + 378*a^3*b^2*c*g*h - 270*a^3*b^2*e*f*g - 54*a^2*b^3*c*e*g - 1176*a^4*b*e*h^2 + 15*a*b^4*c^2*f + 168*a^3*b^2*e^2*h + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 8*a^2*b^3*e^3 - 729*a^4*b*g^3 + 2744*a^5*h^3 + b^5*c^3, z, k)*(9*root(19683*a^4*b^10*z^3 - 19683*a^4*b^7*g*z^2 - 5670*a^4*b^4*f*h*z - 1134*a^3*b^5*c*h*z + 810*a^3*b^5*e*f*z + 162*a^2*b^6*c*e*z + 6561*a^4*b^4*g^2*z + 1890*a^4*b*f*g*h + 378*a^3*b^2*c*g*h - 270*a^3*b^2*e*f*g - 54*a^2*b^3*c*e*g - 1176*a^4*b*e*h^2 + 15*a*b^4*c^2*f + 168*a^3*b^2*e^2*h + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 8*a^2*b^3*e^3 - 729*a^4*b*g^3 + 2744*a^5*h^3 + b^5*c^3, z, k))*a*b^2 - (6*a*g)/b + (x*(54*a^2*b^4*e - 378*a^3*b^3*h))/(81*a^2*b^4)) + (81*a^2*g^2 + 2*b^2*c*e - 70*a^2*f*h - 14*a*b*c*h + 10*a*b*e*f)/(81*a*b^4) + (x*(b^3*c^2 + 25*a^2*b*f^2 + 126*a^3*g*h + 10*a*b^2*c*f - 18*a^2*b*e*g))/(81*a^2*b^4))*root(19683*a^4*b^10*z^3 - 19683*a^4*b^7*g*z^2 - 5670*a^4*b^4*f*h*z - 1134*a^3*b^5*c*h*z + 810*a^3*b^5*e*f*z + 162*a^2*b^6*c*e*z + 6561*a^4*b^4*g^2*z + 1890*a^4*b*f*g*h + 378*a^3*b^2*c*g*h - 270*a^3*b^2*e*f*g - 54*a^2*b^3*c*e*g - 1176*a^4*b*e*h^2 + 15*a*b^4*c^2*f + 168*a^3*b^2*e^2*h + 75*a^2*b^3*c*f^2 + 125*a^3*b^2*f^3 - 8*a^2*b^3*e^3 - 729*a^4*b*g^3 + 2744*a^5*h^3 + b^5*c^3, z, k), k, 1, 3) - (x^2*((b^2*c)/18 + (5*a*b*f)/18) - (a^2*g)/2 - x*((5*a^2*h)/9 - (2*a*b*e)/9) + x^3*((b^2*d)/3 - (2*a*b*g)/3) + (b*x^4*(7*b*e - 13*a*h))/18 + (a*b*d)/6 - (b*x^5*(b^2*c - 4*a*b*f))/(9*a))/(a^2*b^3 + b^5*x^6 + 2*a*b^4*x^3) + (h*x)/b^3`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)`

[Out] Timed out

$$3.422 \quad \int \frac{x^3(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=325

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd)\right)}{54a^{5/3} b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd)\right)}{27a^{5/3} b^{8/3}}$$

[Out] $-1/6*x*(b*c-a*f+(-a*g+b*d)*x+(-a*h+b*e)*x^2)/b^2/(b*x^3+a)^2+1/18*x*(b*c-7*a*f+2*(-4*a*g+b*d)*x+3*(-3*a*h+b*e)*x^2)/a/b^2/(b*x^3+a)+1/27*(b^(1/3)*(2*a*f+b*c)-a^(1/3)*(5*a*g+b*d))*\ln(a^(1/3)+b^(1/3)*x)/a^(5/3)/b^(8/3)-1/54*(b^(1/3)*(2*a*f+b*c)-a^(1/3)*(5*a*g+b*d))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(5/3)/b^(8/3)+1/3*h*\ln(b*x^3+a)/b^3-1/27*(b^(4/3)*c+a^(1/3)*b*d+2*a*b^(1/3)*f+5*a^(4/3)*g)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(5/3)/b^(8/3)*3^(1/2)$

Rubi [A] time = 0.64, antiderivative size = 325, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1828, 1858, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd)\right)}{54a^{5/3} b^{8/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (2af + bc) - \sqrt[3]{a} (5ag + bd)\right)}{27a^{5/3} b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] $-(x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(6*b^2*(a + b*x^3)^2) + (x*(b*c - 7*a*f + 2*(b*d - 4*a*g)*x + 3*(b*e - 3*a*h)*x^2))/(18*a*b^2*(a + b*x^3)) - ((b^(4/3)*c + a^(1/3)*b*d + 2*a*b^(1/3)*f + 5*a^(4/3)*g)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(5/3)*b^(8/3)) + ((b^(1/3)*(b*c + 2*a*f) - a^(1/3)*(b*d + 5*a*g))*\text{Log}[a^(1/3) + b^(1/3)*x])/(27*a^(5/3)*b^(8/3)) - ((b^(1/3)*(b*c + 2*a*f) - a^(1/3)*(b*d + 5*a*g))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(5/3)*b^(8/3)) + (h*\text{Log}[a + b*x^3])/(3*b^3)$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1828

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1858

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q = Expon[Pq,

```
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx &= \frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2 (a + bx^3)^2} - \int \frac{-ab(bc-af)-2ab(bd-ag)x-3a}{(a + bx^3)^3} dx \\
&= -\frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2 (a + bx^3)^2} + \frac{x (bc - 7af + 2(bd - 4ag)x + (be - ah)x^2)}{18ab^2 (a + bx^3)^2} \\
&= -\frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2 (a + bx^3)^2} + \frac{x (bc - 7af + 2(bd - 4ag)x + (be - ah)x^2)}{18ab^2 (a + bx^3)^2} \\
&= -\frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2 (a + bx^3)^2} + \frac{x (bc - 7af + 2(bd - 4ag)x + (be - ah)x^2)}{18ab^2 (a + bx^3)^2} \\
&= -\frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2 (a + bx^3)^2} + \frac{x (bc - 7af + 2(bd - 4ag)x + (be - ah)x^2)}{18ab^2 (a + bx^3)^2} \\
&= -\frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2 (a + bx^3)^2} + \frac{x (bc - 7af + 2(bd - 4ag)x + (be - ah)x^2)}{18ab^2 (a + bx^3)^2} \\
&= -\frac{x (bc - af + (bd - ag)x + (be - ah)x^2)}{6b^2 (a + bx^3)^2} + \frac{x (bc - 7af + 2(bd - 4ag)x + (be - ah)x^2)}{18ab^2 (a + bx^3)^2}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 315, normalized size = 0.97

$$\frac{\sqrt[3]{b} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(5a^{4/3} g + \sqrt[3]{a} b d - 2a \sqrt[3]{b} f - b^{4/3} c\right)}{a^{5/3}} + \frac{2 \sqrt[3]{b} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-5a^{4/3} g - \sqrt[3]{a} b d + 2a \sqrt[3]{b} f + b^{4/3} c\right)}{a^{5/3}} - \frac{2 \sqrt{3} \sqrt[3]{b} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{b} x}{\sqrt[3]{a}}\right)}{\sqrt{3}}$$

54b³

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] ((-9*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x)))/(a + b*x^3)^2 + (36*a^2*h + 3*b^2*x*(c + 2*d*x) - 3*a*b*(6*e + x*(7*f + 8*g*x)))/(a*(a + b*x^3

$$\begin{aligned} &)) - (2\sqrt{3} * b^{(1/3)} * (b^{(4/3)} * c + a^{(1/3)} * b * d + 2 * a * b^{(1/3)} * f + 5 * a^{(4/3)} * g) * \text{ArcTan}[(1 - (2 * b^{(1/3)} * x) / a^{(1/3)}) / \sqrt{3}]) / a^{(5/3)} + (2 * b^{(1/3)} * (b^{(4/3)} * c - a^{(1/3)} * b * d + 2 * a * b^{(1/3)} * f - 5 * a^{(4/3)} * g) * \text{Log}[a^{(1/3)} + b^{(1/3)} * x]) / a^{(5/3)} + (b^{(1/3)} * (-b^{(4/3)} * c) + a^{(1/3)} * b * d - 2 * a * b^{(1/3)} * f + 5 * a^{(4/3)} * g) * \text{Log}[a^{(2/3)} - a^{(1/3)} * b^{(1/3)} * x + b^{(2/3)} * x^2]) / a^{(5/3)} + 18 * h * \text{Log}[a + b * x^3]) / (54 * b^3) \end{aligned}$$

fricas [C] time = 6.17, size = 12939, normalized size = 39.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} &1/108 * (12 * (b^3 * d - 4 * a * b^2 * g) * x^5 + 6 * (b^3 * c - 7 * a * b^2 * f) * x^4 - 18 * a^2 * b * e \\ &+ 54 * a^3 * h - 36 * (a * b^2 * e - 2 * a^2 * b * h) * x^3 - 6 * (a * b^2 * d + 5 * a^2 * b * g) * x^2 - 2 \\ &* (a * b^5 * x^6 + 2 * a^2 * b^4 * x^3 + a^3 * b^3) * (2 * (1/2)^{(2/3)} * (-I * \text{sqrt}(3) + 1) * (81 * \\ &h^2 / b^6 - (b^3 * c * d + 10 * a^2 * b * f * g + 81 * a^3 * h^2 + (2 * d * f + 5 * c * g) * a * b^2) / (a^3 * b^6)) / (1458 * h^3 / b^9 - 27 * (b^3 * c * d + 10 * a^2 * b * f * g + 81 * a^3 * h^2 + (2 * d * f + \\ &5 * c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * c^2 * f + 12 * a^2 * b \\ &^2 * c * f^2 + 8 * a^3 * b * f^3 + 15 * a^2 * b^2 * d^2 * g + 75 * a^3 * b * d * g^2 + 125 * a^4 * g^3) / (\\ &a^5 * b^8) + (b^5 * c^3 + 729 * a^5 * h^3 - 5 * (25 * g^3 - 54 * f * g * h) * a^4 * b + (8 * f^3 + \\ &135 * c * g * h - 3 * (25 * g^2 - 18 * f * h) * d) * a^3 * b^2 - 3 * (5 * d^2 * g - (4 * f^2 + 9 * d * h) * c) \\ &) * a^2 * b^3 - (d^3 - 6 * c^2 * f) * a * b^4) / (a^5 * b^9))^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) \\ &+ 1) * (1458 * h^3 / b^9 - 27 * (b^3 * c * d + 10 * a^2 * b * f * g + 81 * a^3 * h^2 + (2 * d * f + 5 \\ &* c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * c^2 * f + 12 * a^2 * b \\ &^2 * c * f^2 + 8 * a^3 * b * f^3 + 15 * a^2 * b^2 * d^2 * g + 75 * a^3 * b * d * g^2 + 125 * a^4 * g^3) / (a \\ &^5 * b^8) + (b^5 * c^3 + 729 * a^5 * h^3 - 5 * (25 * g^3 - 54 * f * g * h) * a^4 * b + (8 * f^3 + 1 \\ &35 * c * g * h - 3 * (25 * g^2 - 18 * f * h) * d) * a^3 * b^2 - 3 * (5 * d^2 * g - (4 * f^2 + 9 * d * h) * c) \\ &) * a^2 * b^3 - (d^3 - 6 * c^2 * f) * a * b^4) / (a^5 * b^9))^{(1/3)} - 18 * h / b^3 * \text{log}(2 * a * b^4 * \\ &c * d^2 + 4 * a^2 * b^3 * d^2 * f + 1/4 * (a^4 * b^7 * d + 5 * a^5 * b^6 * g) * (2 * (1/2)^{(2/3)} * (-I * \\ &\text{sqrt}(3) + 1) * (81 * h^2 / b^6 - (b^3 * c * d + 10 * a^2 * b * f * g + 81 * a^3 * h^2 + (2 * d * f + \\ &5 * c * g) * a * b^2) / (a^3 * b^6)) / (1458 * h^3 / b^9 - 27 * (b^3 * c * d + 10 * a^2 * b * f * g + 81 * a^3 * \\ &h^2 + (2 * d * f + 5 * c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * \\ &c^2 * f + 12 * a^2 * b^2 * c * f^2 + 8 * a^3 * b * f^3 + 15 * a^2 * b^2 * d^2 * g + 75 * a^3 * b * d * g^2 \\ &+ 125 * a^4 * g^3) / (a^5 * b^8) + (b^5 * c^3 + 729 * a^5 * h^3 - 5 * (25 * g^3 - 54 * f * g * h) * \\ &a^4 * b + (8 * f^3 + 135 * c * g * h - 3 * (25 * g^2 - 18 * f * h) * d) * a^3 * b^2 - 3 * (5 * d^2 * g - \\ &(4 * f^2 + 9 * d * h) * c) * a^2 * b^3 - (d^3 - 6 * c^2 * f) * a * b^4) / (a^5 * b^9))^{(1/3)} + (1/2)^{(1/3)} * (I * \text{sqrt}(3) + 1) * (1458 * h^3 / b^9 - 27 * (b^3 * c * d + 10 * a^2 * b * f * g + 81 * a^3 * \\ &h^2 + (2 * d * f + 5 * c * g) * a * b^2) * h / (a^3 * b^9) + (b^4 * c^3 + a * b^3 * d^3 + 6 * a * b^3 * \\ &c^2 * f + 12 * a^2 * b^2 * c * f^2 + 8 * a^3 * b * f^3 + 15 * a^2 * b^2 * d^2 * g + 75 * a^3 * b * d * g^2 \\ &+ 125 * a^4 * g^3) / (a^5 * b^8) + (b^5 * c^3 + 729 * a^5 * h^3 - 5 * (25 * g^3 - 54 * f * g * h) * a^4 * b + (8 * f^3 + 135 * c * g * h - 3 * (25 * g^2 - 18 * f * h) * d) * a^3 * b^2 - 3 * (5 * d^2 * g - (\\ &4 * f^2 + 9 * d * h) * c) * a^2 * b^3 - (d^3 - 6 * c^2 * f) * a * b^4) / (a^5 * b^9))^{(1/3)} - 18 * h / \end{aligned}$$

$$\begin{aligned}
& b^3)^2 + 50*(a^3*b^2*c + 2*a^4*b*f)*g^2 + 81*(a^4*b*d + 5*a^5*g)*h^2 - 1/2* \\
& (a^2*b^6*c^2 + 4*a^3*b^5*c*f + 4*a^4*b^4*f^2 - 18*(a^4*b^4*d + 5*a^5*b^3*g) \\
& *h)*(2*(1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + \\
& 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d \\
& + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 \\
& + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2 \\
& *d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - \\
& 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)* \\
& a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/ \\
& (a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d \\
& + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 \\
& + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2 \\
& *g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - \\
& 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a \\
& ^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(\\
& a^5*b^9))^{(1/3)} - 18*h/b^3) + 20*(a^2*b^3*c*d + 2*a^3*b^2*d*f)*g - 9*(a^2*b \\
& ^3*c^2 + 4*a^3*b^2*c*f + 4*a^4*b*f^2)*h + (b^5*c^3 + a*b^4*d^3 + 6*a*b^4*c^ \\
& 2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 + 15*a^2*b^3*d^2*g + 75*a^3*b^2*d*g^ \\
& 2 + 125*a^4*b*g^3)*x - 12*(a*b^2*c + 2*a^2*b*f)*x + (54*a*b^2*h*x^6 + 108* \\
& a^2*b*h*x^3 + 54*a^3*h + (a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*(2*(1/2)^{(2/ \\
& 3)}*(-I*\text{sqrt}(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2 \\
& *d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g \\
& + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + \\
& 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b \\
& *d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54* \\
& f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d \\
& ^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} \\
& + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + \\
& 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6 \\
& *a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b \\
& *d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f \\
& *g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d \\
& ^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} \\
& - 18*h/b^3) + 3*\text{sqrt}(1/3)*(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)*\text{sqrt}(-((2*(\\
& 1/2)^{(2/3)}*(-I*\text{sqrt}(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3* \\
& h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^ \\
& 2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^ \\
& 3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + \\
& 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g \\
& ^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 \\
& - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9 \\
&))^{(1/3)} + (1/2)^{(1/3)}*(I*\text{sqrt}(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2 \\
& *b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3 \\
& *d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + \\
& 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^
\end{aligned}$$

$$\begin{aligned}
& 3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - \\
& 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9) \\
&)^{(1/3)} - 18*h/b^3)^2*a^3*b^6 + 36*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*h^2/ \\
& b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2))/(a^3*b^ \\
& 6))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c* \\
& g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c \\
& *f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5* \\
& b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135* \\
& c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^ \\
& 2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + \\
& 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g \\
&)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c* \\
& f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b \\
& ^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c \\
& *g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2 \\
& *b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3)*a^3*b^3*h + 16*b \\
& ^3*c*d + 32*a*b^2*d*f + 324*a^3*h^2 + 80*(a*b^2*c + 2*a^2*b*f)*g)/(a^3*b^6) \\
&))*log(-2*a*b^4*c*d^2 - 4*a^2*b^3*d^2*f - 1/4*(a^4*b^7*d + 5*a^5*b^6*g)*(2* \\
& (1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3 \\
& *h^2 + (2*d*f + 5*c*g)*a*b^2))/(a^3*b^6))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a \\
& ^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b \\
& ^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g \\
& + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g \\
& ^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 \\
& - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^ \\
& 9))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^ \\
& 2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^ \\
& 3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + \\
& 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g \\
& ^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 \\
& - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9 \\
&))^{(1/3)} - 18*h/b^3)^2 - 50*(a^3*b^2*c + 2*a^4*b*f)*g^2 - 81*(a^4*b*d + 5*a \\
& ^5*g)*h^2 + 1/2*(a^2*b^6*c^2 + 4*a^3*b^5*c*f + 4*a^4*b^4*f^2 - 18*(a^4*b^4* \\
& d + 5*a^5*b^3*g)*h)*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d \\
& + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2))/(a^3*b^6))/(1458*h^3/b \\
& ^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^ \\
& 3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f \\
& ^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 \\
& + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g \\
& ^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - \\
& 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^ \\
& 9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3 \\
& *b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f \\
& ^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 \\
& + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^
\end{aligned}$$

$$\begin{aligned}
& 2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6 \\
& *c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3) - 20*(a^2*b^3*c*d + 2*a^3*b^2*d \\
& *f)*g + 9*(a^2*b^3*c^2 + 4*a^3*b^2*c*f + 4*a^4*b*f^2)*h + 2*(b^5*c^3 + a*b^ \\
& 4*d^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 + 15*a^2*b^3*d^2*g \\
& + 75*a^3*b^2*d*g^2 + 125*a^4*b*g^3)*x + 3/4*sqrt(1/3)*(2*a^2*b^6*c^2 + 8*a \\
& ^3*b^5*c*f + 8*a^4*b^4*f^2 + (a^4*b^7*d + 5*a^5*b^6*g)*(2*(1/2)^{(2/3)}*(-I*s \\
& qrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5 \\
& *c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3 \\
& *h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c \\
& ^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 \\
& + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a \\
& ^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (\\
& 4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2) \\
& ^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3* \\
& h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c \\
& ^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + \\
& 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a \\
& ^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4 \\
& *f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b \\
& ^3) + 18*(a^4*b^4*d + 5*a^5*b^3*g)*h)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1 \\
&)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^ \\
& 2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2* \\
& d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12 \\
& *a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4* \\
& g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f \\
& ^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9* \\
& d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I* \\
& sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d \\
& *f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12* \\
& a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g \\
& ^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f \\
& ^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d \\
& *h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3)^2*a^3* \\
& b^6 + 36*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b* \\
& f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^ \\
& 3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b \\
& ^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^ \\
& 2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5* \\
& h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h \\
&)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a* \\
& b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3 \\
& *c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b \\
& ^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2 \\
& *b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h \\
& ^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)
\end{aligned}$$

$$\begin{aligned}
& *d) *a^3 *b^2 - 3*(5*d^2 *g - (4*f^2 + 9*d*h) *c) *a^2 *b^3 - (d^3 - 6*c^2 *f) *a *b \\
& ^4)/(a^5 *b^9))^{(1/3)} - 18*h/b^3) *a^3 *b^3 *h + 16*b^3 *c *d + 32*a *b^2 *d *f + 32 \\
& 4*a^3 *h^2 + 80*(a *b^2 *c + 2*a^2 *b *f) *g)/(a^3 *b^6))) + (54*a *b^2 *h *x^6 + 108 \\
& *a^2 *b *h *x^3 + 54*a^3 *h + (a *b^5 *x^6 + 2*a^2 *b^4 *x^3 + a^3 *b^3) * (2*(1/2)^{(2 \\
& /3) * (-I *sqrt(3) + 1) * (81*h^2/b^6 - (b^3 *c *d + 10*a^2 *b *f *g + 81*a^3 *h^2 + (\\
& 2*d *f + 5*c *g) *a *b^2)/(a^3 *b^6)))/(1458*h^3/b^9 - 27*(b^3 *c *d + 10*a^2 *b *f *g \\
& + 81*a^3 *h^2 + (2*d *f + 5*c *g) *a *b^2) *h/(a^3 *b^9) + (b^4 *c^3 + a *b^3 *d^3 + \\
& 6*a *b^3 *c^2 *f + 12*a^2 *b^2 *c *f^2 + 8*a^3 *b *f^3 + 15*a^2 *b^2 *d^2 *g + 75*a^3 \\
& *b *d *g^2 + 125*a^4 *g^3)/(a^5 *b^8) + (b^5 *c^3 + 729*a^5 *h^3 - 5*(25*g^3 - 54 \\
& *f *g *h) *a^4 *b + (8*f^3 + 135*c *g *h - 3*(25*g^2 - 18*f *h) *d) *a^3 *b^2 - 3*(5*d \\
& ^2 *g - (4*f^2 + 9*d *h) *c) *a^2 *b^3 - (d^3 - 6*c^2 *f) *a *b^4)/(a^5 *b^9))^{(1/3)} \\
&) + (1/2)^{(1/3) * (I *sqrt(3) + 1) * (1458*h^3/b^9 - 27*(b^3 *c *d + 10*a^2 *b *f *g \\
& + 81*a^3 *h^2 + (2*d *f + 5*c *g) *a *b^2) *h/(a^3 *b^9) + (b^4 *c^3 + a *b^3 *d^3 + \\
& 6*a *b^3 *c^2 *f + 12*a^2 *b^2 *c *f^2 + 8*a^3 *b *f^3 + 15*a^2 *b^2 *d^2 *g + 75*a^3 \\
& b *d *g^2 + 125*a^4 *g^3)/(a^5 *b^8) + (b^5 *c^3 + 729*a^5 *h^3 - 5*(25*g^3 - 54 * \\
& f *g *h) *a^4 *b + (8*f^3 + 135*c *g *h - 3*(25*g^2 - 18*f *h) *d) *a^3 *b^2 - 3*(5*d \\
& ^2 *g - (4*f^2 + 9*d *h) *c) *a^2 *b^3 - (d^3 - 6*c^2 *f) *a *b^4)/(a^5 *b^9))^{(1/3)} \\
& - 18*h/b^3) - 3*sqrt(1/3) * (a *b^5 *x^6 + 2*a^2 *b^4 *x^3 + a^3 *b^3) *sqrt(-((2 * \\
& (1/2)^{(2/3) * (-I *sqrt(3) + 1) * (81*h^2/b^6 - (b^3 *c *d + 10*a^2 *b *f *g + 81*a^3 \\
& *h^2 + (2*d *f + 5*c *g) *a *b^2)/(a^3 *b^6)))/(1458*h^3/b^9 - 27*(b^3 *c *d + 10*a \\
& ^2 *b *f *g + 81*a^3 *h^2 + (2*d *f + 5*c *g) *a *b^2) *h/(a^3 *b^9) + (b^4 *c^3 + a *b \\
& ^3 *d^3 + 6*a *b^3 *c^2 *f + 12*a^2 *b^2 *c *f^2 + 8*a^3 *b *f^3 + 15*a^2 *b^2 *d^2 *g \\
& + 75*a^3 *b *d *g^2 + 125*a^4 *g^3)/(a^5 *b^8) + (b^5 *c^3 + 729*a^5 *h^3 - 5*(25 *g \\
& ^3 - 54 *f *g *h) *a^4 *b + (8*f^3 + 135*c *g *h - 3*(25*g^2 - 18*f *h) *d) *a^3 *b^2 \\
& - 3*(5*d^2 *g - (4*f^2 + 9*d *h) *c) *a^2 *b^3 - (d^3 - 6*c^2 *f) *a *b^4)/(a^5 *b^ \\
& 9))^{(1/3)} + (1/2)^{(1/3) * (I *sqrt(3) + 1) * (1458*h^3/b^9 - 27*(b^3 *c *d + 10*a^ \\
& 2 *b *f *g + 81*a^3 *h^2 + (2*d *f + 5*c *g) *a *b^2) *h/(a^3 *b^9) + (b^4 *c^3 + a *b^ \\
& 3 *d^3 + 6*a *b^3 *c^2 *f + 12*a^2 *b^2 *c *f^2 + 8*a^3 *b *f^3 + 15*a^2 *b^2 *d^2 *g + \\
& 75*a^3 *b *d *g^2 + 125*a^4 *g^3)/(a^5 *b^8) + (b^5 *c^3 + 729*a^5 *h^3 - 5*(25 *g \\
& ^3 - 54 *f *g *h) *a^4 *b + (8*f^3 + 135*c *g *h - 3*(25*g^2 - 18*f *h) *d) *a^3 *b^2 \\
& - 3*(5*d^2 *g - (4*f^2 + 9*d *h) *c) *a^2 *b^3 - (d^3 - 6*c^2 *f) *a *b^4)/(a^5 *b^9 \\
&))^{(1/3)} - 18*h/b^3) ^2 *a^3 *b^6 + 36*(2*(1/2)^{(2/3) * (-I *sqrt(3) + 1) * (81*h^2 \\
& /b^6 - (b^3 *c *d + 10*a^2 *b *f *g + 81*a^3 *h^2 + (2*d *f + 5*c *g) *a *b^2)/(a^3 *b \\
& ^6)))/(1458*h^3/b^9 - 27*(b^3 *c *d + 10*a^2 *b *f *g + 81*a^3 *h^2 + (2*d *f + 5*c \\
& *g) *a *b^2) *h/(a^3 *b^9) + (b^4 *c^3 + a *b^3 *d^3 + 6*a *b^3 *c^2 *f + 12*a^2 *b^2 * \\
& c *f^2 + 8*a^3 *b *f^3 + 15*a^2 *b^2 *d^2 *g + 75*a^3 *b *d *g^2 + 125*a^4 *g^3)/(a^5 \\
& *b^8) + (b^5 *c^3 + 729*a^5 *h^3 - 5*(25*g^3 - 54 *f *g *h) *a^4 *b + (8*f^3 + 135 \\
& *c *g *h - 3*(25*g^2 - 18*f *h) *d) *a^3 *b^2 - 3*(5*d^2 *g - (4*f^2 + 9*d *h) *c) *a \\
& ^2 *b^3 - (d^3 - 6*c^2 *f) *a *b^4)/(a^5 *b^9))^{(1/3)} + (1/2)^{(1/3) * (I *sqrt(3) + \\
& 1) * (1458*h^3/b^9 - 27*(b^3 *c *d + 10*a^2 *b *f *g + 81*a^3 *h^2 + (2*d *f + 5*c * \\
& g) *a *b^2) *h/(a^3 *b^9) + (b^4 *c^3 + a *b^3 *d^3 + 6*a *b^3 *c^2 *f + 12*a^2 *b^2 *c \\
& *f^2 + 8*a^3 *b *f^3 + 15*a^2 *b^2 *d^2 *g + 75*a^3 *b *d *g^2 + 125*a^4 *g^3)/(a^5 * \\
& b^8) + (b^5 *c^3 + 729*a^5 *h^3 - 5*(25*g^3 - 54 *f *g *h) *a^4 *b + (8*f^3 + 135 * \\
& c *g *h - 3*(25*g^2 - 18*f *h) *d) *a^3 *b^2 - 3*(5*d^2 *g - (4*f^2 + 9*d *h) *c) *a^ \\
& 2 *b^3 - (d^3 - 6*c^2 *f) *a *b^4)/(a^5 *b^9))^{(1/3)} - 18*h/b^3) *a^3 *b^3 *h + 16*
\end{aligned}$$

$$\begin{aligned}
& b^3*c*d + 32*a*b^2*d*f + 324*a^3*h^2 + 80*(a*b^2*c + 2*a^2*b*f)*g)/(a^3*b^6 \\
&))*\log(-2*a*b^4*c*d^2 - 4*a^2*b^3*d^2*f - 1/4*(a^4*b^7*d + 5*a^5*b^6*g)*(2 \\
& *(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^ \\
& 3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6))/(1458*h^3/b^9 - 27*(b^3*c*d + 10* \\
& a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a* \\
& b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g \\
& + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25 \\
& *g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^ \\
& 2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b \\
& ^9))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a \\
& ^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b \\
& ^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g \\
& + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25 \\
& *g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 \\
& - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^ \\
& 9))^{(1/3)} - 18*h/b^3)^2 - 50*(a^3*b^2*c + 2*a^4*b*f)*g^2 - 81*(a^4*b*d + 5* \\
& a^5*g)*h^2 + 1/2*(a^2*b^6*c^2 + 4*a^3*b^5*c*f + 4*a^4*b^4*f^2 - 18*(a^4*b^4 \\
& *d + 5*a^5*b^3*g)*h)*(2*(1/2)^{(2/3)}*(-I*\sqrt{3}) + 1)*(81*h^2/b^6 - (b^3*c*d \\
& + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6))/(1458*h^3/ \\
& b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a \\
& ^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b* \\
& f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 \\
& + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25* \\
& g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - \\
& 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*(1458*h^3/b \\
& ^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^ \\
& 3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b* \\
& f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 \\
& + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25* \\
& g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - \\
& 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 20*(a^2*b^3*c*d + 2*a^3*b^2* \\
& d*f)*g + 9*(a^2*b^3*c^2 + 4*a^3*b^2*c*f + 4*a^4*b*f^2)*h + 2*(b^5*c^3 + a*b \\
& ^4*d^3 + 6*a*b^4*c^2*f + 12*a^2*b^3*c*f^2 + 8*a^3*b^2*f^3 + 15*a^2*b^3*d^2* \\
& g + 75*a^3*b^2*d*g^2 + 125*a^4*b*g^3)*x - 3/4*\sqrt{1/3}*(2*a^2*b^6*c^2 + 8* \\
& a^3*b^5*c*f + 8*a^4*b^4*f^2 + (a^4*b^7*d + 5*a^5*b^6*g)*(2*(1/2)^{(2/3)}*(-I* \\
& \sqrt{3}) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + \\
& 5*c*g)*a*b^2)/(a^3*b^6))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^ \\
& 3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3 \\
& *c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 \\
& + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)* \\
& a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - \\
& (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2 \\
&)^{(1/3)}*(I*\sqrt{3}) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3 \\
& *h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3* \\
& c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2
\end{aligned}$$

$$\begin{aligned}
& + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3) + 18*(a^4*b^4*d + 5*a^5*b^3*g)*h)*sqrt(-((2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3)^2*a^3*b^6 + 36*(2*(1/2)^{(2/3)}*(-I*sqrt(3) + 1)*(81*h^2/b^6 - (b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)/(a^3*b^6)))/(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} + (1/2)^{(1/3)}*(I*sqrt(3) + 1)*(1458*h^3/b^9 - 27*(b^3*c*d + 10*a^2*b*f*g + 81*a^3*h^2 + (2*d*f + 5*c*g)*a*b^2)*h/(a^3*b^9) + (b^4*c^3 + a*b^3*d^3 + 6*a*b^3*c^2*f + 12*a^2*b^2*c*f^2 + 8*a^3*b*f^3 + 15*a^2*b^2*d^2*g + 75*a^3*b*d*g^2 + 125*a^4*g^3)/(a^5*b^8) + (b^5*c^3 + 729*a^5*h^3 - 5*(25*g^3 - 54*f*g*h)*a^4*b + (8*f^3 + 135*c*g*h - 3*(25*g^2 - 18*f*h)*d)*a^3*b^2 - 3*(5*d^2*g - (4*f^2 + 9*d*h)*c)*a^2*b^3 - (d^3 - 6*c^2*f)*a*b^4)/(a^5*b^9))^{(1/3)} - 18*h/b^3)*a^3*b^3*h + 16*b^3*c*d + 32*a*b^2*d*f + 324*a^3*h^2 + 80*(a*b^2*c + 2*a^2*b*f)*g)/(a^3*b^6))))/(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3)
\end{aligned}$$

giac [A] time = 0.78, size = 363, normalized size = 1.12

$$\frac{h \log(|bx^3 + a|)}{3b^3} \frac{\sqrt{3} \left(b^2c + 2abf - (-ab^2)^{\frac{1}{3}}bd - 5(-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} ab^2} \left(b^2c + 2abf + (-ab^2)^{\frac{1}{3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="gia

c")

```
[Out] 1/3*h*log(abs(b*x^3 + a))/b^3 - 1/27*sqrt(3)*(b^2*c + 2*a*b*f - (-a*b^2)^(1/3)*b*d - 5*(-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b^2) - 1/54*(b^2*c + 2*a*b*f + (-a*b^2)^(1/3)*b*d + 5*(-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b^2) + 1/18*(2*(b^2*d - 4*a*b*g)*x^5 + (b^2*c - 7*a*b*f)*x^4 + 6*(2*a^2*h - a*b*e)*x^3 - (a*b*d + 5*a^2*g)*x^2 - 2*(a*b*c + 2*a^2*f)*x + 3*(3*a^3*h - a^2*b*e)/b)/((b*x^3 + a)^2*a*b^2) - 1/27*(a*b^4*d*(-a/b)^(1/3) + 5*a^2*b^3*g*(-a/b)^(1/3) + a*b^4*c + 2*a^2*b^3*f)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^5)
```

maple [A] time = 0.06, size = 515, normalized size = 1.58

$$\frac{\sqrt{3} c \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27 \left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{c \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27 \left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} - \frac{c \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54 \left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27 \left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2} - \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27 \left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)
```

```
[Out] (-1/9*(4*a*g-b*d)/a/b*x^5-1/18*(7*a*f-b*c)/a/b*x^4+1/3*(2*a*h-b*e)/b^2*x^3-1/18*(5*a*g+b*d)/b^2*x^2-1/9*(2*a*f+b*c)/b^2*x+1/6*a*(3*a*h-b*e)/b^3)/(b*x^3+a)^2+2/27/(a/b)^(2/3)/b^3*f*ln(x+(a/b)^(1/3))+1/27/a/b^2/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*c-1/27/(a/b)^(2/3)/b^3*f*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))-1/54/a/b^2/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*c+2/27/(a/b)^(2/3)*3^(1/2)/b^3*f*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/27/a/b^2/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*c-5/27/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*g-1/27/(a/b)^(1/3)/a/b^2*d*ln(x+(a/b)^(1/3))+5/54/b^3/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g+1/54/(a/b)^(1/3)/a/b^2*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+5/27/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g+1/27*3^(1/2)/(a/b)^(1/3)/a/b^2*d*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))+1/3*h*ln(b*x^3+a)/b^3
```

maxima [A] time = 3.12, size = 366, normalized size = 1.13

$$\frac{2(b^3d - 4ab^2g)x^5 + (b^3c - 7ab^2f)x^4 - 3a^2be + 9a^3h - 6(ab^2e - 2a^2bh)x^3 - (ab^2d + 5a^2bg)x^2 - 2(ab^2c + 2a^2b^3g)x + a^3h}{18(ab^5x^6 + 2a^2b^4x^3 + a^3b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] 1/18*(2*(b^3*d - 4*a*b^2*g)*x^5 + (b^3*c - 7*a*b^2*f)*x^4 - 3*a^2*b*e + 9*a^3*h - 6*(a*b^2*e - 2*a^2*b*h)*x^3 - (a*b^2*d + 5*a^2*b*g)*x^2 - 2*(a*b^2*c + 2*a^2*b*f)*x)/(a*b^5*x^6 + 2*a^2*b^4*x^3 + a^3*b^3) + 1/27*sqrt(3)*(b^2*d*(a/b)^(2/3) + 5*a*b*g*(a/b)^(2/3) + b^2*c*(a/b)^(1/3) + 2*a*b*f*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/b)^(1/3))/(a/b)^(1/3))/(a^2*b^3) + 1/54*(18*a*h*(a/b)^(2/3) + b*d*(a/b)^(1/3) + 5*a*g*(a/b)^(1/3) - b*c - 2*a*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3))/(a*b^3*(a/b)^(2/3)) + 1/27*(9*a*h*(a/b)^(2/3) - b*d*(a/b)^(1/3) - 5*a*g*(a/b)^(1/3) + b*c + 2*a*f)*log(x + (a/b)^(1/3))/(a*b^3*(a/b)^(2/3))

mupad [B] time = 5.66, size = 908, normalized size = 2.79

$$\frac{\frac{3a^2h-ab e}{6b^3} - \frac{x(bc+2af)}{9b^2} - \frac{x^2(bd+5ag)}{18b^2} - \frac{x^3(be-2ah)}{3b^2} + \frac{x^4(bc-7af)}{18ab} + \frac{x^5(bd-4ag)}{9ab}}{a^2 + 2abx^3 + b^2x^6} + \left(\sum_{k=1}^3 \ln \left(\text{root} \left(19683 a^5 b^9 z^3 - 19683 a^5 b^6 h z^2 + 810 a^4 b^4 f g z + 405 a^3 b^5 c g z + 162 a^3 b^5 d f z + 81 a^2 b^6 c d z + 6561 a^5 b^3 h^2 z - 270 a^4 b f g h - 135 a^3 b^2 c g h - 54 a^3 b^2 d f h - 27 a^2 b^3 c d h - 6 a b^4 c^2 f + 75 a^3 b^2 d g^2 + 15 a^2 b^3 d^2 g - 12 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 + 125 a^4 b g^3 + a b^4 d^3 - 729 a^5 h^3 - b^5 c^3, z, k \right) \right) * (9 * \text{root} \left(19683 a^5 b^9 z^3 - 19683 a^5 b^6 h z^2 + 810 a^4 b^4 f g z + 405 a^3 b^5 c g z + 162 a^3 b^5 d f z + 81 a^2 b^6 c d z + 6561 a^5 b^3 h^2 z - 270 a^4 b f g h - 135 a^3 b^2 c g h - 54 a^3 b^2 d f h - 27 a^2 b^3 c d h - 6 a b^4 c^2 f + 75 a^3 b^2 d g^2 + 15 a^2 b^3 d^2 g - 12 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 + 125 a^4 b g^3 + a b^4 d^3 - 729 a^5 h^3 - b^5 c^3, z, k \right) * a b^2 - (6 a h) / b + (x * (54 a^2 b^3 f + 27 a b^4 c)) / (81 a^2 b^3)) + (81 a^3 h^2 + b^3 c d + 5 a b^2 c g + 2 a b^2 d f + 10 a^2 b f g) / (81 a^2 b^4) + (x * (b^2 d^2 + 25 a^2 g^2 - 18 a^2 f h - 9 a b c h + 10 a b d g)) / (81 a^2 b^3) * \text{root} \left(19683 a^5 b^9 z^3 - 19683 a^5 b^6 h z^2 + 810 a^4 b^4 f g z + 405 a^3 b^5 c g z + 162 a^3 b^5 d f z + 81 a^2 b^6 c d z + 6561 a^5 b^3 h^2 z - 270 a^4 b f g h - 135 a^3 b^2 c g h - 54 a^3 b^2 d f h - 27 a^2 b^3 c d h - 6 a b^4 c^2 f + 75 a^3 b^2 d g^2 + 15 a^2 b^3 d^2 g - 12 a^2 b^3 c f^2 - 8 a^3 b^2 f^3 + 125 a^4 b g^3 + a b^4 d^3 - 729 a^5 h^3 - b^5 c^3, z, k \right), k, 1, 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x)

[Out] ((3*a^2*h - a*b*e)/(6*b^3) - (x*(b*c + 2*a*f))/(9*b^2) - (x^2*(b*d + 5*a*g))/(18*b^2) - (x^3*(b*e - 2*a*h))/(3*b^2) + (x^4*(b*c - 7*a*f))/(18*a*b) + (x^5*(b*d - 4*a*g))/(9*a*b))/(a^2 + b^2*x^6 + 2*a*b*x^3) + symsum(log(root(19683*a^5*b^9*z^3 - 19683*a^5*b^6*h*z^2 + 810*a^4*b^4*f*g*z + 405*a^3*b^5*c*g*z + 162*a^3*b^5*d*f*z + 81*a^2*b^6*c*d*z + 6561*a^5*b^3*h^2*z - 270*a^4*b*f*g*h - 135*a^3*b^2*c*g*h - 54*a^3*b^2*d*f*h - 27*a^2*b^3*c*d*h - 6*a*b^4*c^2*f + 75*a^3*b^2*d*g^2 + 15*a^2*b^3*d^2*g - 12*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 + 125*a^4*b*g^3 + a*b^4*d^3 - 729*a^5*h^3 - b^5*c^3, z, k))*(9*root(19683*a^5*b^9*z^3 - 19683*a^5*b^6*h*z^2 + 810*a^4*b^4*f*g*z + 405*a^3*b^5*c*g*z + 162*a^3*b^5*d*f*z + 81*a^2*b^6*c*d*z + 6561*a^5*b^3*h^2*z - 270*a^4*b*f*g*h - 135*a^3*b^2*c*g*h - 54*a^3*b^2*d*f*h - 27*a^2*b^3*c*d*h - 6*a*b^4*c^2*f + 75*a^3*b^2*d*g^2 + 15*a^2*b^3*d^2*g - 12*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 + 125*a^4*b*g^3 + a*b^4*d^3 - 729*a^5*h^3 - b^5*c^3, z, k))*a*b^2 - (6*a*h)/b + (x*(54*a^2*b^3*f + 27*a*b^4*c))/(81*a^2*b^3)) + (81*a^3*h^2 + b^3*c*d + 5*a*b^2*c*g + 2*a*b^2*d*f + 10*a^2*b*f*g)/(81*a^2*b^4) + (x*(b^2*d^2 + 25*a^2*g^2 - 18*a^2*f*h - 9*a*b*c*h + 10*a*b*d*g))/(81*a^2*b^3))*root(19683*a^5*b^9*z^3 - 19683*a^5*b^6*h*z^2 + 810*a^4*b^4*f*g*z + 405*a^3*b^5*c*g*z + 162*a^3*b^5*d*f*z + 81*a^2*b^6*c*d*z + 6561*a^5*b^3*h^2*z - 270*a^4*b*f*g*h - 135*a^3*b^2*c*g*h - 54*a^3*b^2*d*f*h - 27*a^2*b^3*c*d*h - 6*a*b^4*c^2*f + 75*a^3*b^2*d*g^2 + 15*a^2*b^3*d^2*g - 12*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 + 125*a^4*b*g^3 + a*b^4*d^3 - 729*a^5*h^3 - b^5*c^3, z, k), k, 1, 3)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)`

[Out] Timed out

$$3.423 \quad \int \frac{x^2(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=297

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{54a^{5/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{27a^{5/3} b^{8/3}}$$

[Out] $1/18*x*(b*d-4*a*g+(-5*a*h+2*b*e)*x+3*b*f*x^2)/a/b^2/(b*x^3+a)+1/6*(-h*x^5-g*x^4-f*x^3-e*x^2-d*x-c)/b/(b*x^3+a)^2+1/27*(b^(1/3)*(2*a*g+b*d)-a^(1/3)*(5*a*h+b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(5/3)/b^(8/3)-1/54*(b^(1/3)*(2*a*g+b*d)-a^(1/3)*(5*a*h+b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(5/3)/b^(8/3)-1/27*(b^(4/3)*d+a^(1/3)*b*e+2*a*b^(1/3)*g+5*a^(4/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(5/3)/b^(8/3)*3^(1/2)$

Rubi [A] time = 0.43, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {1823, 1858, 1860, 31, 634, 617, 204, 628}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{54a^{5/3} b^{8/3}} + \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (\sqrt[3]{b} (2ag + bd) - \sqrt[3]{a} (5ah + be))}{27a^{5/3} b^{8/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] $(x*(b*d - 4*a*g + (2*b*e - 5*a*h)*x + 3*b*f*x^2))/(18*a*b^2*(a + b*x^3)) - (c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(6*b*(a + b*x^3)^2) - ((b^(4/3)*d + a^(1/3)*b*e + 2*a*b^(1/3)*g + 5*a^(4/3)*h)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(5/3)*b^(8/3)) + ((b^(1/3)*(b*d + 2*a*g) - a^(1/3)*(b*e + 5*a*h))*\text{Log}[a^(1/3) + b^(1/3)*x]/(27*a^(5/3)*b^(8/3)) - ((b^(1/3)*(b*d + 2*a*g) - a^(1/3)*(b*e + 5*a*h))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(5/3)*b^(8/3)))$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
```

s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{x^2 (c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx &= -\frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{6b(a + bx^3)^2} + \frac{\int \frac{d+2ex+3fx^2+4gx^3+5hx^4}{(a+bx^3)^2} dx}{6b} \\ &= \frac{x (bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2 (a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b (a + bx^3)^2} \\ &= \frac{x (bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2 (a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b (a + bx^3)^2} \\ &= \frac{x (bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2 (a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b (a + bx^3)^2} \\ &= \frac{x (bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2 (a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b (a + bx^3)^2} \\ &= \frac{x (bd - 4ag + (2be - 5ah)x + 3bfx^2)}{18ab^2 (a + bx^3)} - \frac{c + dx + ex^2 + fx^3 + gx^4}{6b (a + bx^3)^2} \end{aligned}$$

Mathematica [A] time = 0.30, size = 287, normalized size = 0.97

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(5a^{4/3} h + \sqrt[3]{a} b e - 2a \sqrt[3]{b} g - b^{4/3} d\right)}{a^{5/3}} + \frac{2 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(-5a^{4/3} h - \sqrt[3]{a} b e + 2a \sqrt[3]{b} g + b^{4/3} d\right)}{a^{5/3}} - \frac{2\sqrt{3} \tan^{-1}\left(\frac{1 - 2\sqrt[3]{b} x}{\sqrt[3]{a}}\right) \left(5a^{4/3} h + b^{4/3} d\right)}{a^{5/3}}$$

$$54b^{8/3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

```
[Out] ((-9*b^(2/3)*(b*(c + x*(d + e*x)) - a*(f + x*(g + h*x))))/(a + b*x^3)^2 + (
3*b^(2/3)*(b*x*(d + 2*e*x) - a*(6*f + x*(7*g + 8*h*x)))/(a*(a + b*x^3)) -
(2*sqrt[3]*(b^(4/3)*d + a^(1/3)*b*e + 2*a*b^(1/3)*g + 5*a^(4/3)*h)*ArcTan[(
1 - (2*b^(1/3)*x)/a^(1/3)]/sqrt[3])/a^(5/3) + (2*(b^(4/3)*d - a^(1/3)*b*e
+ 2*a*b^(1/3)*g - 5*a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x])/a^(5/3) + ((-(b^(4
/3)*d) + a^(1/3)*b*e - 2*a*b^(1/3)*g + 5*a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b
^(1/3)*x + b^(2/3)*x^2])/a^(5/3))/(54*b^(8/3))
```

fricas [C] time = 4.32, size = 6926, normalized size = 23.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fri
cas")
```

```
[Out] -1/108*(36*a*b*f*x^3 - 12*(b^2*e - 4*a*b*h)*x^5 - 6*(b^2*d - 7*a*b*g)*x^4 +
18*a*b*c + 18*a^2*f + 6*(a*b*e + 5*a^2*h)*x^2 + 2*(a*b^4*x^6 + 2*a^2*b^3*x
^3 + a^3*b^2)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*
d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2
+ 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*
b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^(1/3)
- 2*(1/2)^(2/3)*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*sqrt(3) +
1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a
^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^
4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*
b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^(1/3))*log(2*a*b^3*d*e^2 + 4*a^2*b
^2*e^2*g + 1/4*(a^4*b^6*e + 5*a^5*b^5*h)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^4
*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*
b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^
3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2
*g)*a*b^3)/(a^5*b^8))^(1/3) - 2*(1/2)^(2/3)*(b^2*d*e + 10*a^2*g*h + (2*e*g
+ 5*d*h)*a*b)*(-I*sqrt(3) + 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2
*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 1
25*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b +
3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^(1/3))
^2 + 50*(a^3*b*d + 2*a^4*g)*h^2 - 1/2*(a^2*b^5*d^2 + 4*a^3*b^4*d*g + 4*a^4*b
^3*g^2)*((1/2)^(1/3)*(I*sqrt(3) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g
+ 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*
a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*
(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^(1/3) - 2*(
1/2)^(2/3)*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*sqrt(3) + 1)/(a
^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g
^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3
- 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 -
```

$$\begin{aligned}
& ((e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)}) + 20*(a^2*b^2*d*e + 2*a^3*b*e*g)* \\
& h + (b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + \\
& 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)*x) + 12*(a*b*d + 2*a^2*g) \\
& *x - ((a*b^4*x^6 + 2*a^2*b^3*x^3 + a^3*b^2)*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((\\
& b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a \\
& ^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4 \\
& *h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6* \\
& d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} - 2*(1/2)^{(2/3)}*(b^2*d*e + 10*a^2*g*h + (2*e \\
& *g + 5*d*h)*a*b)*(-I*\sqrt{3}) + 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3* \\
& d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 \\
& + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3* \\
& b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} \\
&)) + 3*\sqrt{1/3}*(a*b^4*x^6 + 2*a^2*b^3*x^3 + a^3*b^2)*\sqrt{-(((1/2)^{(1/3)}* \\
& (I*\sqrt{3}) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + \\
& 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + \\
& (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a \\
& ^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} - 2*(1/2)^{(2/3)}*(b^2*d*e + \\
& 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*\sqrt{3}) + 1)/(a^3*b^5*((b^4*d^3 + a* \\
& b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h \\
& + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^ \\
& 3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3 \\
&)/(a^5*b^8))^{(1/3))}^2*a^3*b^5 + 16*b^2*d*e + 32*a*b*e*g + 80*(a*b*d + 2*a^ \\
& 2*g)*h)/(a^3*b^5))*\log(-2*a*b^3*d*e^2 - 4*a^2*b^2*e^2*g - 1/4*(a^4*b^6*e + \\
& 5*a^5*b^5*h)*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3* \\
& d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 \\
& + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3* \\
& b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} \\
& - 2*(1/2)^{(2/3)}*(b^2*d*e + 10*a^2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*\sqrt{3}) + \\
& 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a \\
& ^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^ \\
& 4*d^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2* \\
& b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3))}^2 - 50*(a^3*b*d + 2*a^4*g)* \\
& h^2 + 1/2*(a^2*b^5*d^2 + 4*a^3*b^4*d*g + 4*a^4*b^3*g^2)*((1/2)^{(1/3)}*(I*\sqrt{ \\
& t(3) + 1)*((b^4*d^3 + a*b^3*e^3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3* \\
& b*g^3 + 15*a^2*b^2*e^2*h + 75*a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d \\
& ^3 - 125*a^4*h^3 + (8*g^3 - 75*e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 \\
& - (e^3 - 6*d^2*g)*a*b^3)/(a^5*b^8))^{(1/3)} - 2*(1/2)^{(2/3)}*(b^2*d*e + 10*a^ \\
& 2*g*h + (2*e*g + 5*d*h)*a*b)*(-I*\sqrt{3}) + 1)/(a^3*b^5*((b^4*d^3 + a*b^3*e^ \\
& 3 + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75* \\
& a^3*b*e*h^2 + 125*a^4*h^3)/(a^5*b^8) + (b^4*d^3 - 125*a^4*h^3 + (8*g^3 - 75 \\
& *e*h^2)*a^3*b + 3*(4*d*g^2 - 5*e^2*h)*a^2*b^2 - (e^3 - 6*d^2*g)*a*b^3)/(a^5 \\
& *b^8))^{(1/3)}) - 20*(a^2*b^2*d*e + 2*a^3*b*e*g)*h + 2*(b^4*d^3 + a*b^3*e^3 \\
& + 6*a*b^3*d^2*g + 12*a^2*b^2*d*g^2 + 8*a^3*b*g^3 + 15*a^2*b^2*e^2*h + 75*a^ \\
& 3*b*e*h^2 + 125*a^4*h^3)*x + 3/4*\sqrt{1/3}*(2*a^2*b^5*d^2 + 8*a^3*b^4*d*g + \\
& 8*a^4*b^3*g^2 + (a^4*b^6*e + 5*a^5*b^5*h)*((1/2)^{(1/3)}*(I*\sqrt{3}) + 1)*((b
\end{aligned}$$

$$\begin{aligned}
& h^2 a^3 b + 3(4d g^2 - 5e^2 h) a^2 b^2 - (e^3 - 6d^2 g) a b^3 / (a^5 b^8)^{1/3} \\
& - 50(a^3 b d + 2a^4 g) h^2 + 1/2(a^2 b^5 d^2 + 4a^3 b^4 d g + 4a^4 b^3 g^2) \left(\frac{1}{2} \right)^{1/3} (I \sqrt{3} + 1) \left((b^4 d^3 + a b^3 e^3 + 6 a^2 b^3 d^2 g + 12 a^2 b^2 d g^2 + 8 a^3 b g^3 + 15 a^2 b^2 e^2 h + 75 a^3 b e h^2 + 125 a^4 h^3) / (a^5 b^8) \right. \\
& \left. + (b^4 d^3 - 125 a^4 h^3 + (8 g^3 - 75 e h^2) a^3 b + 3(4 d g^2 - 5 e^2 h) a^2 b^2 - (e^3 - 6 d^2 g) a b^3) / (a^5 b^8) \right)^{1/3} \\
& - 2 \left(\frac{1}{2} \right)^{2/3} (b^2 d e + 10 a^2 g h + (2 e g + 5 d h) a b) (-I \sqrt{3} + 1) / (a^3 b^5 \left((b^4 d^3 + a b^3 e^3 + 6 a^2 b^3 d^2 g + 12 a^2 b^2 d g^2 + 8 a^3 b g^3 + 15 a^2 b^2 e^2 h + 75 a^3 b e h^2 + 125 a^4 h^3) / (a^5 b^8) \right. \\
& \left. + (b^4 d^3 - 125 a^4 h^3 + (8 g^3 - 75 e h^2) a^3 b + 3(4 d g^2 - 5 e^2 h) a^2 b^2 - (e^3 - 6 d^2 g) a b^3) / (a^5 b^8) \right)^{1/3} \\
& - 20(a^2 b^2 d e + 2 a^3 b e g) h + 2(b^4 d^3 + a b^3 e^3 + 6 a^2 b^3 d^2 g + 12 a^2 b^2 d g^2 + 8 a^3 b g^3 + 15 a^2 b^2 e^2 h + 75 a^3 b e h^2 + 125 a^4 h^3) x - 3/4 \sqrt{3} \\
& \left(\frac{1}{2} \right)^{1/3} (2 a^2 b^5 d^2 + 8 a^3 b^4 d g + 8 a^4 b^3 g^2 + (a^4 b^6 e + 5 a^5 b^5 h) \left(\frac{1}{2} \right)^{1/3} (I \sqrt{3} + 1) \left((b^4 d^3 + a b^3 e^3 + 6 a^2 b^3 d^2 g + 12 a^2 b^2 d g^2 + 8 a^3 b g^3 + 15 a^2 b^2 e^2 h + 75 a^3 b e h^2 + 125 a^4 h^3) / (a^5 b^8) \right. \\
& \left. + (b^4 d^3 - 125 a^4 h^3 + (8 g^3 - 75 e h^2) a^3 b + 3(4 d g^2 - 5 e^2 h) a^2 b^2 - (e^3 - 6 d^2 g) a b^3) / (a^5 b^8) \right)^{1/3} - 2 \left(\frac{1}{2} \right)^{2/3} (b^2 d e + 10 a^2 g h + (2 e g + 5 d h) a b) (-I \sqrt{3} + 1) / (a^3 b^5 \left((b^4 d^3 + a b^3 e^3 + 6 a^2 b^3 d^2 g + 12 a^2 b^2 d g^2 + 8 a^3 b g^3 + 15 a^2 b^2 e^2 h + 75 a^3 b e h^2 + 125 a^4 h^3) / (a^5 b^8) \right. \\
& \left. + (b^4 d^3 - 125 a^4 h^3 + (8 g^3 - 75 e h^2) a^3 b + 3(4 d g^2 - 5 e^2 h) a^2 b^2 - (e^3 - 6 d^2 g) a b^3) / (a^5 b^8) \right)^{1/3} \\
& \left. \right) \sqrt{-\left(\left(\frac{1}{2} \right)^{1/3} (I \sqrt{3} + 1) \left((b^4 d^3 + a b^3 e^3 + 6 a^2 b^3 d^2 g + 12 a^2 b^2 d g^2 + 8 a^3 b g^3 + 15 a^2 b^2 e^2 h + 75 a^3 b e h^2 + 125 a^4 h^3) / (a^5 b^8) \right. \right. \\
& \left. \left. + (b^4 d^3 - 125 a^4 h^3 + (8 g^3 - 75 e h^2) a^3 b + 3(4 d g^2 - 5 e^2 h) a^2 b^2 - (e^3 - 6 d^2 g) a b^3) / (a^5 b^8) \right)^{1/3} - 2 \left(\frac{1}{2} \right)^{2/3} (b^2 d e + 10 a^2 g h + (2 e g + 5 d h) a b) (-I \sqrt{3} + 1) / (a^3 b^5 \left((b^4 d^3 + a b^3 e^3 + 6 a^2 b^3 d^2 g + 12 a^2 b^2 d g^2 + 8 a^3 b g^3 + 15 a^2 b^2 e^2 h + 75 a^3 b e h^2 + 125 a^4 h^3) / (a^5 b^8) \right. \right. \\
& \left. \left. + (b^4 d^3 - 125 a^4 h^3 + (8 g^3 - 75 e h^2) a^3 b + 3(4 d g^2 - 5 e^2 h) a^2 b^2 - (e^3 - 6 d^2 g) a b^3) / (a^5 b^8) \right)^{1/3} \right)^2 a^3 b^5 + 16 b^2 d e + 32 a b e g + 80 (a b d + 2 a^2 g) h) / (a^3 b^5) \Big) / (a b^4 x^6 + 2 a^2 b^3 x^3 + a^3 b^2)
\end{aligned}$$

giac [A] time = 0.23, size = 320, normalized size = 1.08

$$\frac{\sqrt{3} \left(b^2 d + 2 a b g - 5 (-ab^2)^{\frac{1}{3}} a h - (-ab^2)^{\frac{1}{3}} b e \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} a b^2} \left(b^2 d + 2 a b g + 5 (-ab^2)^{\frac{1}{3}} a h + (-ab^2)^{\frac{1}{3}} b e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="gia

c")

```
[Out] -1/27*sqrt(3)*(b^2*d + 2*a*b*g - 5*(-a*b^2)^(1/3)*a*h - (-a*b^2)^(1/3)*b*e)
*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a*b^
2) - 1/54*(b^2*d + 2*a*b*g + 5*(-a*b^2)^(1/3)*a*h + (-a*b^2)^(1/3)*b*e)*log
(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a*b^2) - 1/27*(5*a*h*
(-a/b)^(1/3) + b*(-a/b)^(1/3)*e + b*d + 2*a*g)*(-a/b)^(1/3)*log(abs(x - (-a
/b)^(1/3)))/(a^2*b^2) - 1/18*(8*a*b*h*x^5 - 2*b^2*x^5*e - b^2*d*x^4 + 7*a*b
*g*x^4 + 6*a*b*f*x^3 + 5*a^2*h*x^2 + a*b*x^2*e + 2*a*b*d*x + 4*a^2*g*x + 3*
a*b*c + 3*a^2*f)/((b*x^3 + a)^2*a*b^2)
```

maple [A] time = 0.06, size = 490, normalized size = 1.65

$$\frac{\sqrt{3} d \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{d \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} - \frac{d \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54\left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{\sqrt{3} e \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2} - \frac{e \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27\left(\frac{a}{b}\right)^{\frac{1}{3}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)
```

```
[Out] (-1/9*(4*a*h-b*e)/a/b*x^5-1/18*(7*a*g-b*d)/a/b*x^4-1/3/b*f*x^3-1/18*(5*a*h+
b*e)/b^2*x^2-1/9*(2*a*g+b*d)/b^2*x-1/6*(a*f+b*c)/b^2)/(b*x^3+a)^2+2/27/b^3/
(a/b)^(2/3)*ln(x+(a/b)^(1/3))*g+1/27/(a/b)^(2/3)/a/b^2*d*ln(x+(a/b)^(1/3))-
1/27/b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*g-1/54/(a/b)^(2/3)/a
/b^2*d*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/27/b^3/(a/b)^(2/3)*3^(1/2)*arcta
n(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*g+1/27/(a/b)^(2/3)*3^(1/2)/a/b^2*d*arcta
n(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-5/27/b^3/(a/b)^(1/3)*ln(x+(a/b)^(1/3))*h
-1/27/(a/b)^(1/3)/a/b^2*e*ln(x+(a/b)^(1/3))+5/54/b^3/(a/b)^(1/3)*ln(x^2-(a/
b)^(1/3)*x+(a/b)^(2/3))*h+1/54/(a/b)^(1/3)/a/b^2*e*ln(x^2-(a/b)^(1/3)*x+(a/
b)^(2/3))+5/27/b^3*3^(1/2)/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-
1))*h+1/27*3^(1/2)/(a/b)^(1/3)/a/b^2*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-
1))
```

maxima [A] time = 3.05, size = 308, normalized size = 1.04

$$\frac{6 a b f x^3 - 2 (b^2 e - 4 a b h) x^5 - (b^2 d - 7 a b g) x^4 + 3 a b c + 3 a^2 f + (a b e + 5 a^2 h) x^2 + 2 (a b d + 2 a^2 g) x}{18 (a b^4 x^6 + 2 a^2 b^3 x^3 + a^3 b^2)} + \frac{\sqrt{3} \left(b e \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{18 (a b^4 x^6 + 2 a^2 b^3 x^3 + a^3 b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$-1/18*(6*a*b*f*x^3 - 2*(b^2*e - 4*a*b*h)*x^5 - (b^2*d - 7*a*b*g)*x^4 + 3*a*b*c + 3*a^2*f + (a*b*e + 5*a^2*h)*x^2 + 2*(a*b*d + 2*a^2*g)*x)/(a*b^4*x^6 + 2*a^2*b^3*x^3 + a^3*b^2) + 1/27*\sqrt{3}*(b*e*(a/b)^{(1/3)} + 5*a*h*(a/b)^{(1/3)} + b*d + 2*a*g)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a*b^3*(a/b)^{(2/3)}) + 1/54*(b*e*(a/b)^{(1/3)} + 5*a*h*(a/b)^{(1/3)} - b*d - 2*a*g)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a*b^3*(a/b)^{(2/3)}) - 1/27*(b*e*(a/b)^{(1/3)} + 5*a*h*(a/b)^{(1/3)} - b*d - 2*a*g)*\log(x + (a/b)^{(1/3)})/(a*b^3*(a/b)^{(2/3)})$$

mupad [B] time = 5.69, size = 627, normalized size = 2.11

$$\left(\sum_{k=1}^3 \ln \left(\text{root} \left(19683 a^5 b^8 z^3 + 810 a^4 b^3 g h z + 405 a^3 b^4 d h z + 162 a^3 b^4 e g z + 81 a^2 b^5 d e z + 75 a^3 b e h^2 - 6 a \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x)

[Out]
$$\text{symsum}(\log(\text{root}(19683*a^5*b^8*z^3 + 810*a^4*b^3*g*h*z + 405*a^3*b^4*d*h*z + 162*a^3*b^4*e*g*z + 81*a^2*b^5*d*e*z + 75*a^3*b*e*h^2 - 6*a*b^3*d^2*g + 15*a^2*b^2*e^2*h - 12*a^2*b^2*d*g^2 - 8*a^3*b*g^3 + a*b^3*e^3 + 125*a^4*h^3 - b^4*d^3, z, k)*(9*\text{root}(19683*a^5*b^8*z^3 + 810*a^4*b^3*g*h*z + 405*a^3*b^4*d*h*z + 162*a^3*b^4*e*g*z + 81*a^2*b^5*d*e*z + 75*a^3*b*e*h^2 - 6*a*b^3*d^2*g + 15*a^2*b^2*e^2*h - 12*a^2*b^2*d*g^2 - 8*a^3*b*g^3 + a*b^3*e^3 + 125*a^4*h^3 - b^4*d^3, z, k)*a*b^2 + (x*(54*a^2*b^3*g + 27*a*b^4*d))/(81*a^2*b^3)) + (b^2*d*e + 10*a^2*g*h + 5*a*b*d*h + 2*a*b*e*g)/(81*a^2*b^3) + (x*(b^2*e^2 + 25*a^2*h^2 + 10*a*b*e*h))/(81*a^2*b^3))*\text{root}(19683*a^5*b^8*z^3 + 810*a^4*b^3*g*h*z + 405*a^3*b^4*d*h*z + 162*a^3*b^4*e*g*z + 81*a^2*b^5*d*e*z + 75*a^3*b*e*h^2 - 6*a*b^3*d^2*g + 15*a^2*b^2*e^2*h - 12*a^2*b^2*d*g^2 - 8*a^3*b*g^3 + a*b^3*e^3 + 125*a^4*h^3 - b^4*d^3, z, k), k, 1, 3) - ((b*c + a*f)/(6*b^2) + (x*(b*d + 2*a*g))/(9*b^2) + (f*x^3)/(3*b) + (x^2*(b*e + 5*a*h))/(18*b^2) - (x^4*(b*d - 7*a*g))/(18*a*b) - (x^5*(b*e - 4*a*h))/(9*a*b))/(a^2 + b^2*x^6 + 2*a*b*x^3)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.424 \quad \int \frac{x(c+dx+ex^2+fx^3+gx^4+hx^5)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=323

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(af + 2bc) - a^{2/3}(2ah + be)\right)}{54a^{7/3}b^{7/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(b^{2/3}(af + 2bc) - a^{2/3}(2ah + be)\right)}{27a^{7/3}b^{7/3}}$$

[Out] $-1/6*x*(a*(-a*h+b*e)-b*(-a*f+b*c)*x-b*(-a*g+b*d)*x^2)/a/b^2/(b*x^3+a)^{2+1/1}$
 $8*x*(a*(-7*a*h+b*e)+2*b*(a*f+2*b*c)*x+3*b*(a*g+b*d)*x^2)/a^2/b^2/(b*x^3+a)-$
 $1/27*(b^{(2/3)}*(a*f+2*b*c)-a^{(2/3)}*(2*a*h+b*e))*\ln(a^{(1/3)}+b^{(1/3)*x})/a^{(7/3)}$
 $) / b^{(7/3)} + 1/54*(b^{(2/3)}*(a*f+2*b*c)-a^{(2/3)}*(2*a*h+b*e))*\ln(a^{(2/3)}-a^{(1/3)}$
 $*b^{(1/3)*x}+b^{(2/3)*x^2})/a^{(7/3)}/b^{(7/3)} - 1/27*(2*b^{(5/3)*c}+a^{(2/3)*b*e}+a*b^{(2/3)*f}$
 $+2*a^{(5/3)*h})*\arctan(1/3*(a^{(1/3)}-2*b^{(1/3)*x})/a^{(1/3)*3^{(1/2)}})/a^{(7/3)}/b^{(7/3)*3^{(1/2)}}$

Rubi [A] time = 0.48, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1828, 1858, 1860, 31, 634, 617, 204, 628}

$$\frac{x(2bx(af + 2bc) + 3bx^2(ag + bd) + a(be - 7ah))}{18a^2b^2(a + bx^3)} + \frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(b^{2/3}(af + 2bc) - a^{2/3}(2ah + be)\right)}{54a^{7/3}b^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out] $-(x*(a*(b*e - a*h) - b*(b*c - a*f)*x - b*(b*d - a*g)*x^2))/(6*a*b^2*(a + b*x^3)^2) + (x*(a*(b*e - 7*a*h) + 2*b*(2*b*c + a*f)*x + 3*b*(b*d + a*g)*x^2)) / (18*a^2*b^2*(a + b*x^3)) - ((2*b^{(5/3)*c} + a^{(2/3)*b*e} + a*b^{(2/3)*f} + 2*a^{(5/3)*h})*\text{ArcTan}[(a^{(1/3)} - 2*b^{(1/3)*x})/(\text{Sqrt}[3]*a^{(1/3)})]) / (9*\text{Sqrt}[3]*a^{(7/3)*b^{(7/3)}}) - ((b^{(2/3)}*(2*b*c + a*f) - a^{(2/3)}*(b*e + 2*a*h))*\text{Log}[a^{(1/3)} + b^{(1/3)*x}] / (27*a^{(7/3)*b^{(7/3)}}) + ((b^{(2/3)}*(2*b*c + a*f) - a^{(2/3)}*(b*e + 2*a*h))*\text{Log}[a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2}}] / (54*a^{(7/3)*b^{(7/3)}})$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1858

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
```

;/ FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1860

Int[((A_) + (B_.)*(x_))/((a_) + (b_.)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{x(c + dx + ex^2 + fx^3 + gx^4 + hx^5)}{(a + bx^3)^3} dx &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} - \int \frac{-a(be - ah) - 2b(2bc + af)}{(a + bx^3)^3} dx \\ &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b(2bc + af))}{18ab^2(a + bx^3)} \\ &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b(2bc + af))}{18ab^2(a + bx^3)} \\ &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b(2bc + af))}{18ab^2(a + bx^3)} \\ &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b(2bc + af))}{18ab^2(a + bx^3)} \\ &= -\frac{x(a(be - ah) - b(bc - af)x - b(bd - ag)x^2)}{6ab^2(a + bx^3)^2} + \frac{x(a(be - 7ah) + 2b(2bc + af))}{18ab^2(a + bx^3)} \end{aligned}$$

Mathematica [A] time = 0.36, size = 297, normalized size = 0.92

$$\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-a^{2/3} b e - 2a^{5/3} h + ab^{2/3} f + 2b^{5/3} c\right) + 2 \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3} b e + 2a^{5/3} h - ab^{2/3} f\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x]

[Out]
$$\frac{((-3a^{1/3}b^{1/3}(-4b^2cx^2 - abx(e + 2fx) + a^2(6g + 7hx)))/(a + b^3x^3) + (9a^{4/3}b^{1/3}(b^2cx^2 + a^2(g + hx) - ab(d + x(e + fx))))/(a + b^3x^3)^2 - 2\sqrt{3}(2b^{5/3}c + a^{2/3}be + ab^{2/3}f + 2a^{5/3}h)\text{ArcTan}[(1 - (2b^{1/3}x)/a^{1/3})/\sqrt{3}] + 2(-2b^{5/3}c + a^{2/3}be - ab^{2/3}f + 2a^{5/3}h)\text{Log}[a^{1/3} + b^{1/3}x] + (2b^{5/3}c - a^{2/3}be + ab^{2/3}f - 2a^{5/3}h)\text{Log}[a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2])/(54a^{7/3}b^{7/3})}$$

fricas [C] time = 5.63, size = 7190, normalized size = 22.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/108*(36a^2bgx^3 - 12(2b^3c + ab^2f)x^5 - 6(ab^2e - 7a^2bh)x^4 + 18a^2bd + 18a^3g - 6(7ab^2c - a^2bf)x^2 + 2(a^2b^4x^6 + 2a^3b^3x^3 + a^4b^2)((1/2)^{1/3}(I\sqrt{3} + 1)((8b^5c^3 + a^2b^3e^3 + 12ab^4c^2f + 6a^2b^3cf^2 + a^3b^2f^3 + 6a^3b^2e^2h + 12a^4b^2eh^2 + 8a^5h^3)/(a^7b^7) - (8b^5c^3 + 12ab^4c^2f - 12a^4b^2eh^2 - 8a^5h^3 + (f^3 - 6e^2h)a^3b^2 - (e^3 - 6cf^2)a^2b^3)/(a^7b^7))^{1/3} - 2(1/2)^{2/3}(2b^2ce + 2a^2fh + (ef + 4ch)ab)(-I\sqrt{3} + 1)/(a^4b^4((8b^5c^3 + a^2b^3e^3 + 12ab^4c^2f + 6a^2b^3cf^2 + a^3b^2f^3 + 6a^3b^2e^2h + 12a^4b^2eh^2 + 8a^5h^3)/(a^7b^7) - (8b^5c^3 + 12ab^4c^2f - 12a^4b^2eh^2 - 8a^5h^3 + (f^3 - 6e^2h)a^3b^2 - (e^3 - 6cf^2)a^2b^3)/(a^7b^7))^{1/3}))\log(8ab^4c^2e + 8a^2b^3cef + 2a^3b^2ef^2 + 1/4(2a^5b^6c + a^6b^5f)((1/2)^{1/3}(I\sqrt{3} + 1)((8b^5c^3 + a^2b^3e^3 + 12ab^4c^2f + 6a^2b^3cf^2 + a^3b^2f^3 + 6a^3b^2e^2h + 12a^4b^2eh^2 + 8a^5h^3)/(a^7b^7) - (8b^5c^3 + 12ab^4c^2f - 12a^4b^2eh^2 - 8a^5h^3 + (f^3 - 6e^2h)a^3b^2 - (e^3 - 6cf^2)a^2b^3)/(a^7b^7))^{1/3} - 2(1/2)^{2/3}(2b^2ce + 2a^2fh + (ef + 4ch)ab)(-I\sqrt{3} + 1)/(a^4b^4((8b^5c^3 + a^2b^3e^3 + 12ab^4c^2f + 6a^2b^3cf^2 + a^3b^2f^3 + 6a^3b^2e^2h + 12a^4b^2eh^2 + 8a^5h^3)/(a^7b^7) - (8b^5c^3 + 12ab^4c^2f - 12a^4b^2eh^2 - 8a^5h^3 + (f^3 - 6e^2h)a^3b^2 - (e^3 - 6cf^2)a^2b^3)/(a^7b^7))^{1/3}))^2 - 1/2(a^4b^4e^2 + 4a^5b^3eh + 4a^6b^2h^2)((1/2)^{1/3}(I\sqrt{3} + 1)((8b^5c^3 + a^2b^3e^3 + 12ab^4c^2f + 6a^2b^3cf^2 + a^3b^2f^3 + 6a^3b^2e^2h + 12a^4b^2eh^2 + 8a^5h^3)/(a^7b^7) - (8b^5c^3 + 12ab^4c^2f - 12a^4b^2eh^2 - 8a^5h^3 + (f^3 - 6e^2h)a^3b^2 - (e^3 - 6cf^2)a^2b^3)/(a^7b^7))^{1/3} - 2(1/2)^{2/3}(2b^2ce + 2a^2fh + (ef + 4ch)ab)(-I\sqrt{3} + 1)/(a^4b^4((8b^5c^3 + a^2b^3e^3 + 12ab^4c^2f + 6a^2b^3cf^2 + a^3b^2f^3 + 6a^3b^2e^2h + 12a^4b^2eh^2 + 8a^5h^3)/(a^7b^7) - (8b^5c^3 + 12ab^4c^2f - 12a^4b^2eh^2 - 8a^5h^3 + (f^3 - 6e^2h)a^3b^2 - (e^3 - 6cf^2)a^2b^3)/(a^7b^7))^{1/3})) \end{aligned}$$

$$\begin{aligned}
& /((a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a* \\
& b)*(-I*\sqrt{3} + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6 \\
& *a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3 \\
&)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f \\
& ^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)}) + 4*(4* \\
& a^2*b^3*c^2 + 4*a^3*b^2*c*f + a^4*b*f^2)*h + (8*b^5*c^3 + a^2*b^3*e^3 + 12* \\
& a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e* \\
& h^2 + 8*a^5*h^3)*x) + 12*(a^2*b*e + 2*a^3*h)*x - ((a^2*b^4*x^6 + 2*a^3*b^3* \\
& x^3 + a^4*b^2)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + 12* \\
& a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e* \\
& h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - \\
& 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*\sqrt{3} \\
& + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f \\
& ^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) \\
& - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h) \\
&)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)}) + 3*\sqrt{1/3}*(a^2* \\
& b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*\sqrt{-(((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((8* \\
& b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6* \\
& a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b \\
& ^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6* \\
& c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (\\
& e*f + 4*c*h)*a*b)*(-I*\sqrt{3} + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12* \\
& a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e* \\
& h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - \\
& 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)}) \\
& ^2*a^4*b^4 + 32*b^2*c*e + 16*a*b*e*f + 32*(2*a*b*c + a^2*f)*h)/(a^4* \\
& b^4))*\log(-8*a*b^4*c^2*e - 8*a^2*b^3*c*e*f - 2*a^3*b^2*e*f^2 - 1/4*(2*a^5* \\
& b^6*c + a^6*b^5*f)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((8*b^5*c^3 + a^2*b^3*e^3 + \\
& 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4* \\
& b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h \\
& ^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^ \\
& 7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*s \\
& \sqrt{3} + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3 \\
& *c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b \\
& ^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e \\
& ^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)})^2 + 1/2*(a^4*b^ \\
& 4*e^2 + 4*a^5*b^3*e*h + 4*a^6*b^2*h^2)*((1/2)^{(1/3)}*(I*\sqrt{3} + 1))*((8*b^5 \\
& *c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3 \\
& *b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4* \\
& c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f \\
& ^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f \\
& + 4*c*h)*a*b)*(-I*\sqrt{3} + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b \\
& ^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 \\
& + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*
\end{aligned}$$

$$\begin{aligned}
& a^5 h^3 + (f^3 - 6e^2 h) a^3 b^2 - (e^3 - 6c f^2) a^2 b^3 / (a^7 b^7)^{(1/3)} \\
& - 4(4a^2 b^3 c^2 + 4a^3 b^2 c f + a^4 b f^2) h + 2(8b^5 c^3 + a^2 \\
& b^3 e^3 + 12a b^4 c^2 f + 6a^2 b^3 c f^2 + a^3 b^2 f^3 + 6a^3 b^2 e^2 h \\
& + 12a^4 b e h^2 + 8a^5 h^3) x + 3/4 \sqrt{1/3} (2a^4 b^4 e^2 + 8a^5 b^3 \\
& e h + 8a^6 b^2 h^2 + (2a^5 b^6 c + a^6 b^5 f) * ((1/2)^{(1/3)} * (I \sqrt{3}) + \\
& 1) * ((8b^5 c^3 + a^2 b^3 e^3 + 12a b^4 c^2 f + 6a^2 b^3 c f^2 + a^3 b^2 f^3 \\
& + 6a^3 b^2 e^2 h + 12a^4 b e h^2 + 8a^5 h^3) / (a^7 b^7) - (8b^5 c^3 + \\
& 12a b^4 c^2 f - 12a^4 b e h^2 - 8a^5 h^3 + (f^3 - 6e^2 h) a^3 b^2 - (e^3 - \\
& 6c f^2) a^2 b^3) / (a^7 b^7)^{(1/3)} - 2(1/2)^{(2/3)} * (2b^2 c e + 2a^2 f h \\
& + (e f + 4c h) a b) * (-I \sqrt{3}) + 1) / (a^4 b^4 * ((8b^5 c^3 + a^2 b^3 e^3 \\
& + 12a b^4 c^2 f + 6a^2 b^3 c f^2 + a^3 b^2 f^3 + 6a^3 b^2 e^2 h + 12a^4 b e h^2 \\
& + 8a^5 h^3) / (a^7 b^7) - (8b^5 c^3 + 12a b^4 c^2 f - 12a^4 b e h^2 - 8a^5 h^3 \\
& + (f^3 - 6e^2 h) a^3 b^2 - (e^3 - 6c f^2) a^2 b^3) / (a^7 b^7)^{(1/3)})) * \sqrt{-(((1/2)^{(1/3)} * (I \sqrt{3}) + 1) * ((8b^5 c^3 + a^2 b^3 e^3 \\
& + 12a b^4 c^2 f + 6a^2 b^3 c f^2 + a^3 b^2 f^3 + 6a^3 b^2 e^2 h + 12a^4 b e h^2 \\
& + 8a^5 h^3) / (a^7 b^7) - (8b^5 c^3 + 12a b^4 c^2 f - 12a^4 b e h^2 - 8a^5 h^3 \\
& + (f^3 - 6e^2 h) a^3 b^2 - (e^3 - 6c f^2) a^2 b^3) / (a^7 b^7)^{(1/3)} - 2(1/2)^{(2/3)} * (2b^2 c e + 2a^2 f h \\
& + (e f + 4c h) a b) * (-I \sqrt{3}) + 1) / (a^4 b^4 * ((8b^5 c^3 + a^2 b^3 e^3 + 12a b^4 c^2 f + 6a^2 \\
& b^3 c f^2 + a^3 b^2 f^3 + 6a^3 b^2 e^2 h + 12a^4 b e h^2 + 8a^5 h^3) / (a^7 b^7) - (8b^5 c^3 + 12a b^4 c^2 f - 12a^4 b e h^2 - 8a^5 h^3 + (f^3 - \\
& 6e^2 h) a^3 b^2 - (e^3 - 6c f^2) a^2 b^3) / (a^7 b^7)^{(1/3)})) ^2 a^4 b^4 + \\
& 32 b^2 c e + 16 a b e f + 32(2a b c + a^2 f) h) / (a^4 b^4)) - ((a^2 b^4 x^6 \\
& + 2a^3 b^3 x^3 + a^4 b^2) * ((1/2)^{(1/3)} * (I \sqrt{3}) + 1) * ((8b^5 c^3 + a^2 b^3 e^3 \\
& + 12a b^4 c^2 f + 6a^2 b^3 c f^2 + a^3 b^2 f^3 + 6a^3 b^2 e^2 h + 12a^4 b e h^2 \\
& + 8a^5 h^3) / (a^7 b^7) - (8b^5 c^3 + 12a b^4 c^2 f - 12a^4 b e h^2 - 8a^5 h^3 \\
& + (f^3 - 6e^2 h) a^3 b^2 - (e^3 - 6c f^2) a^2 b^3) / (a^7 b^7)^{(1/3)} - 2(1/2)^{(2/3)} * (2b^2 c e + 2a^2 f h \\
& + (e f + 4c h) a b) * (-I \sqrt{3}) + 1) / (a^4 b^4 * ((8b^5 c^3 + a^2 b^3 e^3 + 12a b^4 c^2 f \\
& + 6a^2 b^3 c f^2 + a^3 b^2 f^3 + 6a^3 b^2 e^2 h + 12a^4 b e h^2 + 8a^5 h^3) / (a^7 b^7) - (8b^5 c^3 + 12a b^4 c^2 f - 12a^4 b e h^2 - 8a^5 h^3 \\
& + (f^3 - 6e^2 h) a^3 b^2 - (e^3 - 6c f^2) a^2 b^3) / (a^7 b^7)^{(1/3)})) - 3 \\
& * \sqrt{1/3} * (a^2 b^4 x^6 + 2a^3 b^3 x^3 + a^4 b^2) * \sqrt{-(((1/2)^{(1/3)} * (I \sqrt{3}) + 1) * ((8b^5 c^3 + a^2 b^3 e^3 + 12a b^4 c^2 f + 6a^2 b^3 c f^2 + \\
& a^3 b^2 f^3 + 6a^3 b^2 e^2 h + 12a^4 b e h^2 + 8a^5 h^3) / (a^7 b^7) - (8b^5 c^3 + 12a b^4 c^2 f - 12a^4 b e h^2 - 8a^5 h^3 + (f^3 - 6e^2 h) a^3 \\
& b^2 - (e^3 - 6c f^2) a^2 b^3) / (a^7 b^7)^{(1/3)} - 2(1/2)^{(2/3)} * (2b^2 c e + 2a^2 f h + (e f + 4c h) a b) * (-I \sqrt{3}) + 1) / (a^4 b^4 * ((8b^5 c^3 + a^2 b^3 e^3 + 12a b^4 c^2 f \\
& + 6a^2 b^3 c f^2 + a^3 b^2 f^3 + 6a^3 b^2 e^2 h + 12a^4 b e h^2 + 8a^5 h^3) / (a^7 b^7) - (8b^5 c^3 + 12a b^4 c^2 f - 12a^4 b e h^2 - 8a^5 h^3 + (f^3 - 6e^2 h) a^3 \\
& b^2 - (e^3 - 6c f^2) a^2 b^3) / (a^7 b^7)^{(1/3)})) ^2 a^4 b^4 + 32 b^2 c e + 16 a b e f + 32(2a b c + a^2 f) h) / (a^4 b^4)) * \log(-8a b^4 c^2 e - 8a^2 b^3 c e f - 2a^3 b^2 e f^2 \\
& - 1/4(2a^5 b^6 c + a^6 b^5 f) * ((1/2)^{(1/3)} * (I \sqrt{3}) + 1) * ((8b^5 c^3 + a^2 b^3 e^3 + 12a b^4 c^2 f + 6a^2 b^3 c f^2 + a^3 b^2 f^3 + 6a^3 b^2 e^2 h \\
& + 8a^5 h^3) / (a^7 b^7) - (8b^5 c^3 + 12a b^4 c^2 f - 12a^4 b e h^2 - 8a^5 h^3 + (f^3 - 6e^2 h) a^3 b^2 - (e^3 - 6c f^2) a^2 b^3) / (a^7 b^7)^{(1/3)}))
\end{aligned}$$

$$\begin{aligned}
& *e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2* \\
& f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)* \\
& a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f + 4 \\
& *c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c \\
& ^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8 \\
& *a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5* \\
& h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3))) \\
& ^2 + 1/2*(a^4*b^4*e^2 + 4*a^5*b^3*e*h + 4*a^6*b^2*h^2)*((1/2)^{(1/3)}*(I*sqrt \\
& (3) + 1)*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3 \\
& *b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5 \\
& *c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^ \\
& ^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + \\
& 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2* \\
& b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h \\
& + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12* \\
& a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3 \\
&)/(a^7*b^7))^{(1/3))) - 4*(4*a^2*b^3*c^2 + 4*a^3*b^2*c*f + a^4*b*f^2)*h + 2* \\
& (8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + \\
& 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)*x - 3/4*sqrt(1/3)*(2*a^4*b^4 \\
& *e^2 + 8*a^5*b^3*e*h + 8*a^6*b^2*h^2 + (2*a^5*b^6*c + a^6*b^5*f)*((1/2)^{(1/ \\
& 3)}*(I*sqrt(3) + 1)*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c \\
& *f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7 \\
&) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2 \\
& *h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2* \\
& b^2*c*e + 2*a^2*f*h + (e*f + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5* \\
& c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3* \\
& b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c \\
& ^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^ \\
& ^2)*a^2*b^3)/(a^7*b^7))^{(1/3))) *sqrt(-(((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((8*b^5 \\
& *c^3 + a^2*b^3*e^3 + 12*a*b^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3 \\
& *b^2*e^2*h + 12*a^4*b*e*h^2 + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4* \\
& c^2*f - 12*a^4*b*e*h^2 - 8*a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f \\
& ^2)*a^2*b^3)/(a^7*b^7))^{(1/3)} - 2*(1/2)^{(2/3)}*(2*b^2*c*e + 2*a^2*f*h + (e*f \\
& + 4*c*h)*a*b)*(-I*sqrt(3) + 1)/(a^4*b^4*((8*b^5*c^3 + a^2*b^3*e^3 + 12*a*b \\
& ^4*c^2*f + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 + 6*a^3*b^2*e^2*h + 12*a^4*b*e*h^2 \\
& + 8*a^5*h^3)/(a^7*b^7) - (8*b^5*c^3 + 12*a*b^4*c^2*f - 12*a^4*b*e*h^2 - 8* \\
& a^5*h^3 + (f^3 - 6*e^2*h)*a^3*b^2 - (e^3 - 6*c*f^2)*a^2*b^3)/(a^7*b^7))^{(1/ \\
& 3)))^2*a^4*b^4 + 32*b^2*c*e + 16*a*b*e*f + 32*(2*a*b*c + a^2*f)*h)/(a^4*b^4 \\
&)))))/(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)
\end{aligned}$$

giac [A] time = 0.21, size = 340, normalized size = 1.05

$$\frac{\sqrt{3} \left(2 a^2 h + a b e - 2 (-ab^2)^{\frac{1}{3}} b c - (-ab^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 \left(-ab^2 \right)^{\frac{2}{3}} a^2 b} \left(2 a^2 h + a b e + 2 (-ab^2)^{\frac{1}{3}} b c + (-ab^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2 x + \left(-\frac{a}{b} \right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right) + \frac{54 \left(-ab^2 \right)^{\frac{2}{3}} a^2 b \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{27 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2} + \frac{54 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2 \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2} + \frac{54 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2 \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{27 \left(\frac{a}{b} \right)^{\frac{1}{3}} a b^2} + \frac{54 \left(\frac{a}{b} \right)^{\frac{1}{3}} a b^2 \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{27 \left(\frac{a}{b} \right)^{\frac{1}{3}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/27*sqrt(3)*(2*a^2*h + a*b*e - 2*(-a*b^2)^(1/3)*b*c - (-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2*b) - 1/54*(2*a^2*h + a*b*e + 2*(-a*b^2)^(1/3)*b*c + (-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2*b) - 1/27*(2*b^2*c*(-a/b)^(1/3) + a*b*f*(-a/b)^(1/3) + 2*a^2*h + a*b*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^3*b^2) + 1/18*(4*b^3*c*x^5 + 2*a*b^2*f*x^5 - 7*a^2*b*h*x^4 + a*b^2*x^4*e - 6*a^2*b*g*x^3 + 7*a*b^2*c*x^2 - a^2*b*f*x^2 - 4*a^3*h*x - 2*a^2*b*x*e - 3*a^2*b*d - 3*a^3*g)/(b*x^3 + a)^2*a^2*b^2)

maple [A] time = 0.06, size = 498, normalized size = 1.54

$$\frac{\sqrt{3} e \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} } - 1 \right)}{3} \right)}{27 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2} + \frac{e \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{27 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2} - \frac{e \ln \left(x^2 - \left(\frac{a}{b} \right)^{\frac{1}{3}} x + \left(\frac{a}{b} \right)^{\frac{2}{3}} \right)}{54 \left(\frac{a}{b} \right)^{\frac{2}{3}} a b^2} + \frac{\sqrt{3} f \arctan \left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b} \right)^{\frac{1}{3}} } - 1 \right)}{3} \right)}{27 \left(\frac{a}{b} \right)^{\frac{1}{3}} a b^2} - \frac{f \ln \left(x + \left(\frac{a}{b} \right)^{\frac{1}{3}} \right)}{27 \left(\frac{a}{b} \right)^{\frac{1}{3}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out] (1/9*(a*f+2*b*c)/a^2*x^5-1/18*(7*a*h-b*e)/a/b*x^4-1/3/b*g*x^3-1/18*(a*f-7*b*c)/a/b*x^2-1/9*(2*a*h+b*e)/b^2*x-1/6*(a*g+b*d)/b^2)/(b*x^3+a)^2+2/27/b^3/(a/b)^(2/3)*ln(x+(a/b)^(1/3))*h+1/27/(a/b)^(2/3)/a/b^2*e*ln(x+(a/b)^(1/3))-1/27/b^3/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))*h-1/54/(a/b)^(2/3)/a/b^2*e*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+2/27/b^3/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))*h+1/27/(a/b)^(2/3)*3^(1/2)/a/b^2*e*arctan(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/27/(a/b)^(1/3)/a/b^2*f*ln(x+(a/b)^(1/3))-2/27/(a/b)^(1/3)/a^2/b*c*ln(x+(a/b)^(1/3))+1/54/b^2/a/(a/b)^(1/3)*ln(x^2-

$(a/b)^{(1/3)} * x + (a/b)^{(2/3)} * f + 1/27 / (a/b)^{(1/3)} / a^2 / b * c * \ln(x^2 - (a/b)^{(1/3)} * x + (a/b)^{(2/3)}) + 1/27 / b^2 / a^3^{(1/2)} / (a/b)^{(1/3)} * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1)) * f + 2/27 * 3^{(1/2)} / (a/b)^{(1/3)} / a^2 / b * c * \arctan(1/3 * 3^{(1/2)} * (2 / (a/b)^{(1/3)} * x - 1))$

maxima [A] time = 3.07, size = 344, normalized size = 1.07

$$\frac{6a^2bgx^3 - 2(2b^3c + ab^2f)x^5 - (ab^2e - 7a^2bh)x^4 + 3a^2bd + 3a^3g - (7ab^2c - a^2bf)x^2 + 2(a^2be + 2a^3h)x}{18(a^2b^4x^6 + 2a^3b^3x^3 + a^4b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] $-1/18 * (6 * a^2 * b * g * x^3 - 2 * (2 * b^3 * c + a * b^2 * f) * x^5 - (a * b^2 * e - 7 * a^2 * b * h) * x^4 + 3 * a^2 * b * d + 3 * a^3 * g - (7 * a * b^2 * c - a^2 * b * f) * x^2 + 2 * (a^2 * b * e + 2 * a^3 * h) * x) / (a^2 * b^4 * x^6 + 2 * a^3 * b^3 * x^3 + a^4 * b^2) + 1/27 * \sqrt{3} * (2 * b^2 * c * (a/b)^{(1/3)} + a * b * f * (a/b)^{(1/3)} + a * b * e + 2 * a^2 * h) * \arctan(1/3 * \sqrt{3} * (2 * x - (a/b)^{(1/3)}) / (a/b)^{(1/3)}) / (a^2 * b^3 * (a/b)^{(2/3)}) + 1/54 * (2 * b^2 * c * (a/b)^{(1/3)} + a * b * f * (a/b)^{(1/3)} - a * b * e - 2 * a^2 * h) * \log(x^2 - x * (a/b)^{(1/3)} + (a/b)^{(2/3)}) / (a^2 * b^3 * (a/b)^{(2/3)}) - 1/27 * (2 * b^2 * c * (a/b)^{(1/3)} + a * b * f * (a/b)^{(1/3)} - a * b * e - 2 * a^2 * h) * \log(x + (a/b)^{(1/3)}) / (a^2 * b^3 * (a/b)^{(2/3)})$

mupad [B] time = 5.36, size = 640, normalized size = 1.98

$$\left(\sum_{k=1}^3 \ln \left(\text{root} \left(19683 a^7 b^7 z^3 + 162 a^5 b^3 f h z + 324 a^4 b^4 c h z + 81 a^4 b^4 e f z + 162 a^3 b^5 c e z - 12 a^4 b e h^2 + 12 a^4 b e h^2 + 12 a^4 b e h^2 \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5))/(a + b*x^3)^3,x)

[Out] $\text{symsum}(\log(\text{root}(19683 * a^7 * b^7 * z^3 + 162 * a^5 * b^3 * f * h * z + 324 * a^4 * b^4 * c * h * z + 81 * a^4 * b^4 * e * f * z + 162 * a^3 * b^5 * c * e * z - 12 * a^4 * b * e * h^2 + 12 * a * b^4 * c^2 * f - 6 * a^3 * b^2 * e^2 * h + 6 * a^2 * b^3 * c * f^2 + a^3 * b^2 * f^3 - 8 * a^5 * h^3 + 8 * b^5 * c^3 - a^2 * b^3 * e^3, z, k) * (9 * \text{root}(19683 * a^7 * b^7 * z^3 + 162 * a^5 * b^3 * f * h * z + 324 * a^4 * b^4 * c * h * z + 81 * a^4 * b^4 * e * f * z + 162 * a^3 * b^5 * c * e * z - 12 * a^4 * b * e * h^2 + 12 * a * b^4 * c^2 * f - 6 * a^3 * b^2 * e^2 * h + 6 * a^2 * b^3 * c * f^2 + a^3 * b^2 * f^3 - 8 * a^5 * h^3 + 8 * b^5 * c^3 - a^2 * b^3 * e^3, z, k) * a * b^2 + (x * (27 * a^3 * b^2 * e + 54 * a^4 * b * h)) / (81 * a^4 * b^2)) + (2 * b^2 * c * e + 2 * a^2 * f * h + 4 * a * b * c * h + a * b * e * f) / (81 * a^3 * b^2) + (x * (4 * b^2 * c^2 + a^2 * f^2 + 4 * a * b * c * f)) / (81 * a^4 * b)) * \text{root}(19683 * a^7 * b^7 * z^3 + 162 * a^5 * b^3 * f * h * z + 324 * a^4 * b^4 * c * h * z + 81 * a^4 * b^4 * e * f * z + 162 * a^3 * b^5 * c * e * z - 12 * a^4 * b * e * h^2 + 12 * a * b^4 * c^2 * f - 6 * a^3 * b^2 * e^2 * h + 6 * a^2 * b^3 * c * f^2 + a^3 * b^2 * f^3 - 8 * a^5 * h^3 + 8 * b^5 * c^3 - a^2 * b^3 * e^3, z, k)$

$$\begin{aligned} &^3f*hz + 324*a^4*b^4*c*hz + 81*a^4*b^4*e*f*z + 162*a^3*b^5*c*e*z - 12*a^4*b*e*h^2 + 12*a*b^4*c^2*f - 6*a^3*b^2*e^2*h + 6*a^2*b^3*c*f^2 + a^3*b^2*f^3 \\ &- 8*a^5*h^3 + 8*b^5*c^3 - a^2*b^3*e^3, z, k), k, 1, 3) - ((b*d + a*g)/(6*b^2) + (x*(b*e + 2*a*h))/(9*b^2) + (g*x^3)/(3*b) - (x^5*(2*b*c + a*f))/(9*a^2) \\ &- (x^2*(7*b*c - a*f))/(18*a*b) - (x^4*(b*e - 7*a*h))/(18*a*b))/(a^2 + b^2*x^6 + 2*a*b*x^3) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.425 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{(a+bx^3)^3} dx$$

Optimal. Leaf size=313

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (af + 5bc) - \sqrt[3]{a} (ag + 2bd)\right)}{54a^{8/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (af + 5bc) - \sqrt[3]{a} (ag + 2bd)\right)}{27a^{8/3} b^{5/3}}$$

[Out] $1/6*x*(b*c-a*f+(-a*g+b*d)*x+(-a*h+b*e)*x^2)/a/b/(b*x^3+a)^2+1/18*(-3*a*(a*h+b*e)+b*x*(5*b*c+a*f+2*(a*g+2*b*d)*x))/a^2/b^2/(b*x^3+a)+1/27*(b^(1/3)*(a*f+5*b*c)-a^(1/3)*(a*g+2*b*d))*\ln(a^(1/3)+b^(1/3)*x)/a^(8/3)/b^(5/3)-1/54*(b^(1/3)*(a*f+5*b*c)-a^(1/3)*(a*g+2*b*d))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)/b^(5/3)-1/27*(5*b^(4/3)*c+2*a^(1/3)*b*d+a*b^(1/3)*f+a^(4/3)*g)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)/b^(5/3)*3^(1/2)$

Rubi [A] time = 0.43, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {1858, 1854, 1860, 31, 634, 617, 204, 628}

$$\frac{3a(ah + be) - bx(2x(ag + 2bd) + af + 5bc)}{18a^2b^2(a + bx^3)} - \frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (af + 5bc) - \sqrt[3]{a} (ag + 2bd)\right)}{54a^{8/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (af + 5bc) - \sqrt[3]{a} (ag + 2bd)\right)}{27a^{8/3} b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^3,x]

[Out] $(x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(6*a*b*(a + b*x^3)^2) - (3*a*(b*e + a*h) - b*x*(5*b*c + a*f + 2*(2*b*d + a*g)*x))/(18*a^2*b^2*(a + b*x^3)) - ((5*b^(4/3)*c + 2*a^(1/3)*b*d + a*b^(1/3)*f + a^(4/3)*g)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(8/3)*b^(5/3)) + ((b^(1/3)*(5*b*c + a*f) - a^(1/3)*(2*b*d + a*g))*\text{Log}[a^(1/3) + b^(1/3)*x])/ (27*a^(8/3)*b^(5/3)) - ((b^(1/3)*(5*b*c + a*f) - a^(1/3)*(2*b*d + a*g))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/ (54*a^(8/3)*b^(5/3))$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(−1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1854

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1858

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*

s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3 + gx^4 + hx^5}{(a + bx^3)^3} dx &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \int \frac{-b(5bc+af)-2b(2bd+ag)x-3b(be+ah)}{(a+bx^3)^2} dx \\
 &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2g)}{18a^2b^2(a + bx^3)} \\
 &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2g)}{18a^2b^2(a + bx^3)} \\
 &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2g)}{18a^2b^2(a + bx^3)} \\
 &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2g)}{18a^2b^2(a + bx^3)} \\
 &= \frac{x(bc - af + (bd - ag)x + (be - ah)x^2)}{6ab(a + bx^3)^2} - \frac{3a(be + ah) - bx(5bc + af + 2g)}{18a^2b^2(a + bx^3)}
 \end{aligned}$$

Mathematica [A] time = 0.28, size = 295, normalized size = 0.94

$$\sqrt[3]{b} \log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (a^{4/3} g + 2\sqrt[3]{a} bd - a\sqrt[3]{b} f - 5b^{4/3} c) + 2\sqrt[3]{b} \log(\sqrt[3]{a} + \sqrt[3]{b} x) (a^{4/3}(-g) - 2\sqrt[3]{a} bc)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^3, x]

```
[Out] ((3*a^(2/3)*(-6*a^2*h + b^2*x*(5*c + 4*d*x) + a*b*x*(f + 2*g*x)))/(a + b*x^3) + (9*a^(5/3)*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x)))/(a + b*x^3)^2 - 2*sqrt(3)*b^(1/3)*(5*b^(4/3)*c + 2*a^(1/3)*b*d + a*b^(1/3)*f + a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt(3)] + 2*b^(1/3)*(5*b^(4/3)*c - 2*a^(1/3)*b*d + a*b^(1/3)*f - a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x] + b^(1/3)*(-5*b^(4/3)*c + 2*a^(1/3)*b*d - a*b^(1/3)*f + a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(8/3)*b^2)
```

fricas [C] time = 4.87, size = 6984, normalized size = 22.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] -1/108*(36*a^2*b*h*x^3 - 12*(2*b^3*d + a*b^2*g)*x^5 - 6*(5*b^3*c + a*b^2*f)*x^4 + 18*a^2*b*e + 18*a^3*h - 6*(7*a*b^2*d - a^2*b*g)*x^2 + 2*(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2)*((1/2)^(1/3)*(I*sqrt(3) + 1))*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^(1/3) - 2*(1/2)^(2/3)*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^(1/3))) * log(40*a*b^3*c*d^2 + 8*a^2*b^2*d^2*f + 1/4*(2*a^6*b^4*d + a^7*b^3*g)*((1/2)^(1/3)*(I*sqrt(3) + 1))*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^(1/3)) - 2*(1/2)^(2/3)*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^(1/3)))^2 + 2*(5*a^3*b*c + a^4*f)*g^2 - 1/2*(25*a^3*b^4*c^2 + 10*a^4*b^3*c*f + a^5*b^2*f^2)*((1/2)^(1/3)*(I*sqrt(3) + 1))*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^(1/3) - 2*(1/2)^(2/3)*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^(1/3)))
```


$$\begin{aligned}
& g) * a^2 * b^2 - (8 * d^3 - 75 * c^2 * f) * a * b^3 / (a^8 * b^5)^{(1/3)}) + 8 * (5 * a^2 * b^2 * c * \\
& d + a^3 * b * d * f) * g + (125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 \\
& * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) * x - 12 * (4 \\
& * a * b^2 * c - a^2 * b * f) * x - ((a^2 * b^4 * x^6 + 2 * a^3 * b^3 * x^3 + a^4 * b^2) * ((1/2)^{(1/3)} * (I * \sqrt{3} + 1) * ((125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) / (a^8 * b^5) \\
& + (125 * b^4 * c^3 - a^4 * g^3 + (f^3 - 6 * d * g^2) * a^3 * b + 3 * (5 * c * f^2 - 4 * d^2 * g) * a^2 * b^2 - (8 * d^3 - 75 * c^2 * f) * a * b^3) / (a^8 * b^5)^{(1/3)} - 2 * (1/2)^{(2/3)} * (10 * b^2 * c * d + a^2 * f * g + (2 * d * f + 5 * c * g) * a * b) * (-I * \sqrt{3} + 1) / (a^5 * b^3 * ((125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) / (a^8 * b^5) + (125 * b^4 * c^3 - a^4 * g^3 + (f^3 - 6 * d * g^2) * a^3 * b + 3 * (5 * c * f^2 - 4 * d^2 * g) * a^2 * b^2 - (8 * d^3 - 75 * c^2 * f) * a * b^3) / (a^8 * b^5)^{(1/3)})) + 3 * \sqrt{1/3} * (a^2 * b^4 * x^6 + 2 * a^3 * b^3 * x^3 + a^4 * b^2) * \sqrt{-(((1/2)^{(1/3)} * (I * \sqrt{3} + 1) * ((125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) / (a^8 * b^5) + (125 * b^4 * c^3 - a^4 * g^3 + (f^3 - 6 * d * g^2) * a^3 * b + 3 * (5 * c * f^2 - 4 * d^2 * g) * a^2 * b^2 - (8 * d^3 - 75 * c^2 * f) * a * b^3) / (a^8 * b^5)^{(1/3)})) + 2 * (1/2)^{(2/3)} * (10 * b^2 * c * d + a^2 * f * g + (2 * d * f + 5 * c * g) * a * b) * (-I * \sqrt{3} + 1) / (a^5 * b^3 * ((125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) / (a^8 * b^5) + (125 * b^4 * c^3 - a^4 * g^3 + (f^3 - 6 * d * g^2) * a^3 * b + 3 * (5 * c * f^2 - 4 * d^2 * g) * a^2 * b^2 - (8 * d^3 - 75 * c^2 * f) * a * b^3) / (a^8 * b^5)^{(1/3)})) + 2 * (1/2)^{(2/3)} * (10 * b^2 * c * d + a^2 * f * g + (2 * d * f + 5 * c * g) * a * b) * (-I * \sqrt{3} + 1) / (a^5 * b^3 * ((125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) / (a^8 * b^5) + (125 * b^4 * c^3 - a^4 * g^3 + (f^3 - 6 * d * g^2) * a^3 * b + 3 * (5 * c * f^2 - 4 * d^2 * g) * a^2 * b^2 - (8 * d^3 - 75 * c^2 * f) * a * b^3) / (a^8 * b^5)^{(1/3)})) + 160 * b^2 * c * d + 32 * a * b * d * f + 16 * (5 * a * b * c + a^2 * f) * g) / (a^5 * b^3)) * \log(-40 * a * b^3 * c * d^2 - 8 * a^2 * b^2 * d^2 * f - 1/4 * (2 * a^6 * b^4 * d + a^7 * b^3 * g) * ((1/2)^{(1/3)} * (I * \sqrt{3} + 1) * ((125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) / (a^8 * b^5) + (125 * b^4 * c^3 - a^4 * g^3 + (f^3 - 6 * d * g^2) * a^3 * b + 3 * (5 * c * f^2 - 4 * d^2 * g) * a^2 * b^2 - (8 * d^3 - 75 * c^2 * f) * a * b^3) / (a^8 * b^5)^{(1/3)})) + 2 * (1/2)^{(2/3)} * (10 * b^2 * c * d + a^2 * f * g + (2 * d * f + 5 * c * g) * a * b) * (-I * \sqrt{3} + 1) / (a^5 * b^3 * ((125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) / (a^8 * b^5) + (125 * b^4 * c^3 - a^4 * g^3 + (f^3 - 6 * d * g^2) * a^3 * b + 3 * (5 * c * f^2 - 4 * d^2 * g) * a^2 * b^2 - (8 * d^3 - 75 * c^2 * f) * a * b^3) / (a^8 * b^5)^{(1/3)})) + 2 * (5 * a^3 * b * c + a^4 * f) * g^2 + 1/2 * (25 * a^3 * b^4 * c^2 + 10 * a^4 * b^3 * c * f + a^5 * b^2 * f^2) * ((1/2)^{(1/3)} * (I * \sqrt{3} + 1) * ((125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) / (a^8 * b^5) + (125 * b^4 * c^3 - a^4 * g^3 + (f^3 - 6 * d * g^2) * a^3 * b + 3 * (5 * c * f^2 - 4 * d^2 * g) * a^2 * b^2 - (8 * d^3 - 75 * c^2 * f) * a * b^3) / (a^8 * b^5)^{(1/3)})) - 2 * (1/2)^{(2/3)} * (10 * b^2 * c * d + a^2 * f * g + (2 * d * f + 5 * c * g) * a * b) * (-I * \sqrt{3} + 1) / (a^5 * b^3 * ((125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) / (a^8 * b^5) + (125 * b^4 * c^3 - a^4 * g^3 + (f^3 - 6 * d * g^2) * a^3 * b + 3 * (5 * c * f^2 - 4 * d^2 * g) * a^2 * b^2 - (8 * d^3 - 75 * c^2 * f) * a * b^3) / (a^8 * b^5)^{(1/3)})) - 8 * (5 * a^2 * b^2 * c * d + a^3 * b * d * f) * g + 2 * (125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) * x + 3/4 * \sqrt{1/3} * (50 * a^3 * b^4 * c^2 + 20 * a^4 * b^3 * c * f + 2 * a^5 * b^2 * f^2 + (2 * a^6 * b^4 * d + a^7 * b^3 * g) * ((1/2)^{(1/3)} * (I * \sqrt{3} + 1) * ((125 * b^4 * c^3 + 8 * a * b^3 * d^3 + 75 * a * b^3 * c^2 * f + 15 * a^2 * b^2 * c * f^2 + a^3 * b * f^3 + 12 * a^2 * b^2 * d^2 * g + 6 * a^3 * b * d * g^2 + a^4 * g^3) / (a^8 * b^5) + (125 * b^4 * c^3 - a^4 * g^3 + (f^3 - 6 * d * g^2) * a^3 * b + 3 * (5 * c * f^2 - 4 * d^2 * g) * a^2 * b^2 - (8 * d^3 - 75 * c^2 * f) * a * b^3) / (a^8 * b^5)^{(1/3)}))
\end{aligned}$$

$$\begin{aligned} &)^{(1/3)} \cdot (I\sqrt{3} + 1) \cdot \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} - 2 \cdot (1/2)^{(2/3)} \cdot (1 \\ & 0b^2cd + a^2fg + (2df + 5cg)a^2b) \cdot (-I\sqrt{3} + 1)/(a^5b^3 \cdot \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} \bigg) \cdot \sqrt{-\left((1/2)^{(1/3)} \cdot (I\sqrt{3} + 1) \cdot \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} \bigg)} \\ & \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} \\ & \left. - 2 \cdot (1/2)^{(2/3)} \cdot (10b^2cd + a^2fg + (2df + 5cg)a^2b) \cdot (-I\sqrt{3} + 1)/(a^5b^3 \cdot \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} \bigg) \right)^2 a^5b^3 \\ & + 160b^2cd + 32a^2b^2d^2g + 16(5a^2b^2c + a^2f)g)/(a^5b^3) \bigg) - \left((a^2b^4x^6 + 2a^3b^3x^3 + a^4b^2) \cdot \left((1/2)^{(1/3)} \cdot (I\sqrt{3} + 1) \cdot \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \right. \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} \\ & \left. - 2 \cdot (1/2)^{(2/3)} \cdot (10b^2cd + a^2fg + (2df + 5cg)a^2b) \cdot (-I\sqrt{3} + 1)/(a^5b^3 \cdot \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \right. \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} \bigg) \bigg) \\ & - 3 \cdot \sqrt{1/3} \cdot (a^2b^4x^6 + 2a^3b^3x^3 + a^4b^2) \cdot \sqrt{-\left((1/2)^{(1/3)} \cdot (I\sqrt{3} + 1) \cdot \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} \bigg)} \\ & \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} \\ & \left. - 2 \cdot (1/2)^{(2/3)} \cdot (10b^2cd + a^2fg + (2df + 5cg)a^2b) \cdot (-I\sqrt{3} + 1)/(a^5b^3 \cdot \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \right. \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} \bigg) \bigg) \\ & \cdot \log(-40a^2b^2cd^2 - 8a^2b^2d^2f - 1/4(2a^6b^4d + a^7b^3g) \cdot \left((1/2)^{(1/3)} \cdot (I\sqrt{3} + 1) \cdot \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} \\ & \left. - 2 \cdot (1/2)^{(2/3)} \cdot (10b^2cd + a^2fg + (2df + 5cg)a^2b) \cdot (-I\sqrt{3} + 1)/(a^5b^3 \cdot \left((125b^4c^3 + 8a^3b^3d^3 + 75a^2b^3c^2f + 15a^2b^2cf^2 + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) \right. \right. \right. \\ & + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \bigg)^{(1/3)} \bigg) \bigg) \right. \\ & \left. + a^3b^2f^3 + 12a^2b^2d^2g + 6a^3b^2d^2g + a^4g^3)/(a^8b^5) + (125b^4c^3 - a^4g^3 + (f^3 - 6d^2g^2)a^3b + 3(5c^2f^2 - 4d^2g^2)a^2b^2 - (8d^3 - 75c^2f)a^2b^3)/(a^8b^5) \right)^{(1/3)} \end{aligned}$$

$$\begin{aligned}
& *b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 \\
& - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)})^2 - 2*(5*a^3*b*c + a^4*f)*g^2 \\
& + 1/2*(25*a^3*b^4*c^2 + 10*a^4*b^3*c*f + a^5*b^2*f^2)*((1/2)^{(1/3)}*(I*sqrt \\
& t(3) + 1)*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + \\
& a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b \\
& ^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - \\
& (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(10*b^2*c*d + a^ \\
& 2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a* \\
& b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g \\
& + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d* \\
& g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8 \\
& *b^5))^{(1/3)}) - 8*(5*a^2*b^2*c*d + a^3*b*d*f)*g + 2*(125*b^4*c^3 + 8*a*b^3 \\
& *d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6 \\
& *a^3*b*d*g^2 + a^4*g^3)*x - 3/4*sqrt(1/3)*(50*a^3*b^4*c^2 + 20*a^4*b^3*c*f \\
& + 2*a^5*b^2*f^2 + (2*a^6*b^4*d + a^7*b^3*g)*((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((\\
& 125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + \\
& 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4 \\
& *g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75* \\
& c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)} - 2*(1/2)^{(2/3)}*(10*b^2*c*d + a^2*f*g + (2*d \\
& *f + 5*c*g)*a*b)*(-I*sqrt(3) + 1)/(a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75 \\
& *a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d* \\
& g^2 + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + \\
& 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)} \\
&))*sqrt(-(((1/2)^{(1/3)}*(I*sqrt(3) + 1)*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a* \\
& b^3*c^2*f + 15*a^2*b^2*c*f^2 + a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 \\
& + a^4*g^3)/(a^8*b^5) + (125*b^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3* \\
& (5*c*f^2 - 4*d^2*g)*a^2*b^2 - (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)} - \\
& 2*(1/2)^{(2/3)}*(10*b^2*c*d + a^2*f*g + (2*d*f + 5*c*g)*a*b)*(-I*sqrt(3) + 1) \\
& / (a^5*b^3*((125*b^4*c^3 + 8*a*b^3*d^3 + 75*a*b^3*c^2*f + 15*a^2*b^2*c*f^2 + \\
& a^3*b*f^3 + 12*a^2*b^2*d^2*g + 6*a^3*b*d*g^2 + a^4*g^3)/(a^8*b^5) + (125*b \\
& ^4*c^3 - a^4*g^3 + (f^3 - 6*d*g^2)*a^3*b + 3*(5*c*f^2 - 4*d^2*g)*a^2*b^2 - \\
& (8*d^3 - 75*c^2*f)*a*b^3)/(a^8*b^5))^{(1/3)})^2*a^5*b^3 + 160*b^2*c*d + 32*a \\
& *b*d*f + 16*(5*a*b*c + a^2*f)*g)/(a^5*b^3)))/ (a^2*b^4*x^6 + 2*a^3*b^3*x^3 \\
& + a^4*b^2)
\end{aligned}$$

giac [A] time = 0.22, size = 330, normalized size = 1.05

$$\frac{\sqrt{3} \left(5b^2c + abf - 2(-ab^2)^{\frac{1}{3}}bd - (-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27(-ab^2)^{\frac{2}{3}}a^2b} \left(5b^2c + abf + 2(-ab^2)^{\frac{1}{3}}bd + (-ab^2) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out]
$$\frac{-1/27*\sqrt{3}*(5*b^2*c + a*b*f - 2*(-a*b^2)^{(1/3)}*b*d - (-a*b^2)^{(1/3)}*a*g) * \arctan(1/3*\sqrt{3}*(2*x + (-a/b)^{(1/3)})/(-a/b)^{(1/3)})/((-a*b^2)^{(2/3)}*a^2*b) - 1/54*(5*b^2*c + a*b*f + 2*(-a*b^2)^{(1/3)}*b*d + (-a*b^2)^{(1/3)}*a*g) * \log(x^2 + x*(-a/b)^{(1/3)} + (-a/b)^{(2/3)})/((-a*b^2)^{(2/3)}*a^2*b) - 1/27*(2*b*d*(-a/b)^{(1/3)} + a*g*(-a/b)^{(1/3)} + 5*b*c + a*f)*(-a/b)^{(1/3)} * \log(\text{abs}(x - (-a/b)^{(1/3)})))/(a^3*b) + 1/18*(4*b^3*d*x^5 + 2*a*b^2*g*x^5 + 5*b^3*c*x^4 + a*b^2*f*x^4 - 6*a^2*b*h*x^3 + 7*a*b^2*d*x^2 - a^2*b*g*x^2 + 8*a*b^2*c*x - 2*a^2*b*f*x - 3*a^3*h - 3*a^2*b*e)/(b*x^3 + a)^2*a^2*b^2}$$

maple [A] time = 0.06, size = 506, normalized size = 1.62

$$\frac{\sqrt{3} f \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27 \left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{f \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27 \left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} - \frac{f \ln\left(x^2 - \left(\frac{a}{b}\right)^{\frac{1}{3}} x + \left(\frac{a}{b}\right)^{\frac{2}{3}}\right)}{54 \left(\frac{a}{b}\right)^{\frac{2}{3}} a b^2} + \frac{\sqrt{3} g \arctan\left(\frac{\sqrt{3} \left(\frac{2x}{\left(\frac{a}{b}\right)^{\frac{1}{3}}}-1\right)}{3}\right)}{27 \left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2} - \frac{g \ln\left(x + \left(\frac{a}{b}\right)^{\frac{1}{3}}\right)}{27 \left(\frac{a}{b}\right)^{\frac{1}{3}} a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x)

[Out]
$$\frac{(1/9*(a*g+2*b*d)/a^2*x^5+1/18*(a*f+5*b*c)/a^2*x^4-1/3/b*h*x^3-1/18*(a*g-7*b*d)/a/b*x^2-1/9*(a*f-4*b*c)/a/b*x-1/6*(a*h+b*e)/b^2)/(b*x^3+a)^2+1/27/(a/b)^{(2/3)}/a/b^2*f*\ln(x+(a/b)^{(1/3)})+5/27/(a/b)^{(2/3)}/a^2/b*c*\ln(x+(a/b)^{(1/3)})-1/54/(a/b)^{(2/3)}/a/b^2*f*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})-5/54/(a/b)^{(2/3)}/a^2/b*c*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/27/(a/b)^{(2/3)}*3^{(1/2)}/a/b^2*f*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))+5/27/(a/b)^{(2/3)}*3^{(1/2)}/a^2/b*c*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))-1/27/a/b^2/(a/b)^{(1/3)}*\ln(x+(a/b)^{(1/3)})*g-2/27/(a/b)^{(1/3)}/a^2/b*d*\ln(x+(a/b)^{(1/3)})+1/54/a/b^2/(a/b)^{(1/3)}*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})*g+1/27/(a/b)^{(1/3)}/a^2/b*d*\ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)})+1/27/a/b^2*3^{(1/2)}/(a/b)^{(1/3)}*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))*g+2/27*3^{(1/2)}/(a/b)^{(1/3)}/a^2/b*d*\arctan(1/3*3^{(1/2)}*(2/(a/b)^{(1/3)}*x-1))}$$

maxima [A] time = 3.11, size = 327, normalized size = 1.04

$$\frac{6 a^2 b h x^3 - 2 (2 b^3 d + a b^2 g) x^5 - (5 b^3 c + a b^2 f) x^4 + 3 a^2 b e + 3 a^3 h - (7 a b^2 d - a^2 b g) x^2 - 2 (4 a b^2 c - a^2 b f) x}{18 (a^2 b^4 x^6 + 2 a^3 b^3 x^3 + a^4 b^2)} + \sqrt{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/18*(6*a^2*b*h*x^3 - 2*(2*b^3*d + a*b^2*g)*x^5 - (5*b^3*c + a*b^2*f)*x^4 \\ & + 3*a^2*b*e + 3*a^3*h - (7*a*b^2*d - a^2*b*g)*x^2 - 2*(4*a*b^2*c - a^2*b*f) \\ & *x)/(a^2*b^4*x^6 + 2*a^3*b^3*x^3 + a^4*b^2) + 1/27*\sqrt{3}*(2*b*d*(a/b)^{(1/3)} \\ & + a*g*(a/b)^{(1/3)} + 5*b*c + a*f)*\arctan(1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/ \\ & (a/b)^{(1/3)})/(a^2*b^2*(a/b)^{(2/3)}) + 1/54*(2*b*d*(a/b)^{(1/3)} + a*g*(a/b)^{(1/3)} \\ & - 5*b*c - a*f)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^2*b^2*(a/b)^{(2/3)}) \\ & - 1/27*(2*b*d*(a/b)^{(1/3)} + a*g*(a/b)^{(1/3)} - 5*b*c - a*f)*\log(x + (a/b)^{(1/3)})/(a^2*b^2*(a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 0.43, size = 630, normalized size = 2.01

$$\frac{\frac{x^4(5bc+af)}{18a^2} - \frac{hx^3}{3b} - \frac{be+ah}{6b^2} + \frac{x^5(2bd+ag)}{9a^2} + \frac{x(4bc-af)}{9ab} + \frac{x^2(7bd-ag)}{18ab}}{a^2 + 2abx^3 + b^2x^6} + \left(\sum_{k=1}^3 \ln \left(\text{root} \left(19683a^8b^5z^3 + 81a^5b^2fgz + \dots \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(a + b*x^3)^3,x)

[Out]
$$\begin{aligned} & ((x^4*(5*b*c + a*f))/(18*a^2) - (h*x^3)/(3*b) - (b*e + a*h)/(6*b^2) + (x^5*(2*b*d + a*g))/(9*a^2) \\ & + (x*(4*b*c - a*f))/(9*a*b) + (x^2*(7*b*d - a*g))/(18*a*b))/(a^2 + b^2*x^6 + 2*a*b*x^3) + \text{symsum}(\log(\text{root}(19683*a^8*b^5*z^3 + 81*a^5*b^2*f*g*z \\ & + 405*a^4*b^3*c*g*z + 162*a^4*b^3*d*f*z + 810*a^3*b^4*c*d*z + 6*a^3*b*d*g^2 - 75*a*b^3*c^2*f \\ & + 12*a^2*b^2*d^2*g - 15*a^2*b^2*c*f^2 + 8*a*b^3*d^3 + a^4*g^3 - 125*b^4*c^3 - a^3*b*f^3, z, k)*(9*\text{root}(19683*a^8*b^5*z^3 \\ & + 81*a^5*b^2*f*g*z + 405*a^4*b^3*c*g*z + 162*a^4*b^3*d*f*z + 810*a^3*b^4*c*d*z + 6*a^3*b*d*g^2 - 75*a*b^3*c^2*f \\ & + 12*a^2*b^2*d^2*g - 15*a^2*b^2*c*f^2 + 8*a*b^3*d^3 + a^4*g^3 - 125*b^4*c^3 - a^3*b*f^3, z, k))*a*b^2 + (x*(135*a^2*b^3*c \\ & + 27*a^3*b^2*f))/(81*a^4*b) + (10*b^2*c*d + a^2*f*g + 5*a*b*c*g + 2*a*b*d*f)/(81*a^4*b) + (x*(4*b^2*d^2 + a^2*g^2 + 4*a*b*d*g))/(81*a^4*b) \\ & * \text{root}(19683*a^8*b^5*z^3 + 81*a^5*b^2*f*g*z + 405*a^4*b^3*c*g*z + 162*a^4*b^3*d*f*z + 810*a^3*b^4*c*d*z + 6*a^3*b*d*g^2 - 75*a*b^3*c^2*f \\ & + 12*a^2*b^2*d^2*g - 15*a^2*b^2*c*f^2 + 8*a*b^3*d^3 + a^4*g^3 - 125*b^4*c^3 - a^3*b*f^3, z, k), k, 1, 3) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.426 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x(a+bx^3)^3} dx$$

Optimal. Leaf size=347

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(\sqrt[3]{b} (ag + 5bd) - \sqrt[3]{a} (ah + 2be)\right)}{54a^{8/3} b^{5/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (ag + 5bd) - \sqrt[3]{a} (ah + 2be)\right)}{27a^{8/3} b^{5/3}}$$

[Out] $1/6*x*(a*(-a*g+b*d)+a*(-a*h+b*e))*x-b*(-a*f+b*c)*x^2/a^2/b/(b*x^3+a)^2+1/18*x*(a*(a*g+5*b*d)+2*a*(a*h+2*b*e))*x-3*b*(-a*f+3*b*c)*x^2/a^3/b/(b*x^3+a)+c*\ln(x)/a^3+1/27*(b^(1/3)*(a*g+5*b*d)-a^(1/3)*(a*h+2*b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(8/3)/b^(5/3)-1/54*(b^(1/3)*(a*g+5*b*d)-a^(1/3)*(a*h+2*b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(8/3)/b^(5/3)-1/3*c*\ln(b*x^3+a)/a^3-1/27*(5*b^(4/3)*d+2*a^(1/3)*b*e+a*b^(1/3)*g+a^(4/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(8/3)/b^(5/3)*3^(1/2)$

Rubi [A] time = 0.72, antiderivative size = 345, normalized size of antiderivative = 0.99, number of steps used = 12, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{\sqrt[3]{a} (ah+2be)}{\sqrt[3]{b}} + ag + 5bd\right)}{54a^{8/3} b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(\sqrt[3]{b} (ag + 5bd) - \sqrt[3]{a} (ah + 2be)\right)}{27a^{8/3} b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^3), x]

[Out] $(x*(a*(b*d - a*g) + a*(b*e - a*h)*x - b*(b*c - a*f)*x^2))/(6*a^2*b*(a + b*x^3)^2) + (x*(a*(5*b*d + a*g) + 2*a*(2*b*e + a*h)*x - 3*b*(3*b*c - a*f)*x^2))/(18*a^3*b*(a + b*x^3)) - ((5*b^(4/3)*d + 2*a^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(8/3)*b^(5/3)) + (c*\text{Log}[x])/a^3 + ((b^(1/3)*(5*b*d + a*g) - a^(1/3)*(2*b*e + a*h))*\text{Log}[a^(1/3) + b^(1/3)*x])/(27*a^(8/3)*b^(5/3)) - ((5*b*d + a*g - (a^(1/3)*(2*b*e + a*h))/b^(1/3))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/(54*a^(8/3)*b^(4/3)) - (c*\text{Log}[a + b*x^3])/(3*a^3)$

Rule 31

Int[((a_) + (b_)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[(Pq_)*((c_.)*(x_)^(m_.))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
```


& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] :> With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] :> With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

Mathematica [A] time = 0.35, size = 311, normalized size = 0.90

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{4/3} h + 2 \sqrt[3]{a} b e - a \sqrt[3]{b} g - 5 b^{4/3} d\right)}{b^{5/3}} + \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{4/3} (-h) - 2 \sqrt[3]{a} b e + a \sqrt[3]{b} g + 5 b^{4/3} d\right)}{b^{5/3}} - \frac{2 \sqrt{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1 - 2 \sqrt[3]{a} \sqrt[3]{b} x}{\sqrt{3}}\right)}{b^{5/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^3), x]
[Out] ((3*a*(6*b*c + b*x*(5*d + 4*e*x)) + a*x*(g + 2*h*x))/(b*(a + b*x^3)) - (9*a^2*(-(b*(c + x*(d + e*x))) + a*(f + x*(g + h*x)))/(b*(a + b*x^3)^2) - (2*sqrt[3]*a^(1/3)*(5*b^(4/3)*d + 2*a^(1/3)*b*e + a*b^(1/3)*g + a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]])/b^(5/3) + 54*c*Log[x] + (2*a^(1/3)*(5*b^(4/3)*d - 2*a^(1/3)*b*e + a*b^(1/3)*g - a^(4/3)*h)*Log[a^(1/3) + b^(1/3)*x])/b^(5/3) + (a^(1/3)*(-5*b^(4/3)*d + 2*a^(1/3)*b*e - a*b^(1/3)*g + a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(5/3) - 18*c*Log[a + b*x^3))/(54*a^3)
```

fricas [C] time = 55.84, size = 12815, normalized size = 36.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] 1/2916*(972*a*b^2*c*x^3 + 324*(2*a*b^2*e + a^2*b*h)*x^5 + 162*(5*a*b^2*d + a^2*b*g)*x^4 + 1458*a^2*b*c - 486*a^3*f + 162*(7*a^2*b*e - a^3*h)*x^2 - 2*(a^3*b^3*x^6 + 2*a^4*b^2*x^3 + a^5*b)*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^
```

$$\begin{aligned}
& 3) * \log(225*b^4*c*d^2 + 162*b^4*c^2*e + 40*a*b^3*d*e^2 + 9*a^2*b^2*c*g^2 + 1 \\
& /2916*(2*a^6*b^4*e + a^7*b^3*h)*((-I*\sqrt{3}) + 1)*(81*c^2/a^6 - (81*b^3*c^2 \\
& + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3))/(-1/27*c^3/a^ \\
& 9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/ \\
& (a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^ \\
& 2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) \\
& - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4* \\
& e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^ \\
& 3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I*\sqrt{3}) + 1)*(-1 \\
& /27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h) \\
& *a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + \\
& 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3) \\
& / (a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5* \\
& d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h) \\
& *c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^3)^2 \\
& + 2*(5*a^3*b*d + a^4*g)*h^2 - 1/54*(25*a^3*b^4*d^2 + 36*a^3*b^4*c*e + 10*a^ \\
& 4*b^3*d*g + a^5*b^2*g^2 + 18*a^4*b^3*c*h)*((-I*\sqrt{3}) + 1)*(81*c^2/a^6 - (\\
& 81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3))/(-1 \\
& /27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h) \\
& *a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + \\
& 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3) \\
& / (a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5* \\
& d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h) \\
& *c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I*\sqrt{3} \\
&) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e* \\
& g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b \\
& ^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 \\
& + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4 \\
& *b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e* \\
& g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486 \\
& *c/a^3) + 2*(45*a*b^3*c*d + 4*a^2*b^2*e^2)*g + (81*a*b^3*c^2 + 40*a^2*b^2*d \\
& *e + 8*a^3*b*e*g)*h + (125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2* \\
& b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)*x) + 32 \\
& 4*(4*a^2*b*d - a^3*g)*x - (1458*b^3*c*x^6 + 2916*a*b^2*c*x^3 + 1458*a^2*b*c \\
& - (a^3*b^3*x^6 + 2*a^4*b^2*x^3 + a^5*b))*((-I*\sqrt{3}) + 1)*(81*c^2/a^6 - (8 \\
& 1*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3))/(-1/ \\
& 27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)* \\
& a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + \\
& 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/ \\
& (a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d \\
& *g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)* \\
& c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 729*(I*\sqrt{3}) \\
& + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g \\
& + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^ \\
& 3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 +
\end{aligned}$$

$$\begin{aligned}
& a^4 h^3 / (a^8 b^5) - 1/39366 \cdot (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3(5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27(2 e g + 5 d h) c) a^2 b^3 - 5(25 d^3 - 54 c d e) a b^4) / (a^9 b^5)^{1/3} + 486 c / a^3 - 3 \sqrt{1/3} (a^3 b^3 x^6 + 2 a^4 b^2 x^3 + a^5 b) \sqrt{-(((-I \sqrt{3} + 1)(81 c^2 / a^6 - (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) / (a^6 b^3)) / (-1/27 c^3 / a^9 + 1/1458 (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 b^4 d^3 + 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3(5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27(2 e g + 5 d h) c) a^2 b^3 - 5(25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 729 (I \sqrt{3} + 1) (-1/27 c^3 / a^9 + 1/1458 (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 b^4 d^3 + 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3(5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27(2 e g + 5 d h) c) a^2 b^3 - 5(25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 486 c / a^3)^2 a^6 b^3 - 972 ((-I \sqrt{3} + 1) (81 c^2 / a^6 - (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) / (a^6 b^3)) / (-1/27 c^3 / a^9 + 1/1458 (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 b^4 d^3 + 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3(5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27(2 e g + 5 d h) c) a^2 b^3 - 5(25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 729 (I \sqrt{3} + 1) (-1/27 c^3 / a^9 + 1/1458 (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 b^4 d^3 + 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3(5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27(2 e g + 5 d h) c) a^2 b^3 - 5(25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 486 c / a^3)^2 a^3 b^3 c + 236196 b^3 c^2 + 116640 a b^2 d e + 23328 a^2 b e g + 11664 (5 a^2 b d + a^3 g) h) / (a^6 b^3)) \log(-225 b^4 c d^2 - 162 b^4 c^2 e - 40 a b^3 d e^2 - 9 a^2 b^2 c g^2 - 1/2916 (2 a^6 b^4 e + a^7 b^3 h) * ((-I \sqrt{3} + 1) (81 c^2 / a^6 - (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) / (a^6 b^3)) / (-1/27 c^3 / a^9 + 1/1458 (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 b^4 d^3 + 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3(5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27(2 e g + 5 d h) c) a^2 b^3 - 5(25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 729 (I \sqrt{3} + 1) (-1/27 c^3 / a^9 + 1/1458 (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 b^4 d^3 + 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3(5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27(2 e g + 5 d h) c) a^2 b^3 - 5(25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 486 c / a^3)^2 a^3 b^3 c + 236196 b^3 c^2 + 116640 a b^2 d e + 23328 a^2 b e g + 11664 (5 a^2 b d + a^3 g) h) / (a^6 b^3)) * \log(-225 b^4 c d^2 - 162 b^4 c^2 e - 40 a b^3 d e^2 - 9 a^2 b^2 c g^2 - 1/2916 (2 a^6 b^4 e + a^7 b^3 h) * ((-I \sqrt{3} + 1) (81 c^2 / a^6 - (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) / (a^6 b^3)) / (-1/27 c^3 / a^9 + 1/1458 (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 b^4 d^3 + 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3(5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27(2 e g + 5 d h) c) a^2 b^3 - 5(25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 729 (I \sqrt{3} + 1) (-1/27 c^3 / a^9 + 1/1458 (81 b^3 c^2 + 10 a b^2 d e + a^3 g h + (2 e g + 5 d h) a^2 b) c / (a^9 b^3) + 1/39366 (125 b^4 d^3 + 8 a b^3 e^3 + 75 a b^3 d^2 g + 15 a^2 b^2 d g^2 + a^3 b g^3 + 12 a^2 b^2 e^2 h + 6 a^3 b e h^2 + a^4 h^3) / (a^8 b^5) - 1/39366 (729 b^5 c^3 + a^5 h^3 - (g^3 - 6 e h^2) a^4 b - 3(5 d g^2 - 4 e^2 h - 9 c g h) a^3 b^2 + (8 e^3 - 75 d^2 g + 27(2 e g + 5 d h) c) a^2 b^3 - 5(25 d^3 - 54 c d e) a b^4) / (a^9 b^5))^{1/3} + 486 c / a^3)^2 a^3 b^3 c + 236196 b^3 c^2 + 116640 a b^2 d e + 23328 a^2 b e g + 11664 (5 a^2 b d + a^3 g) h) / (a^6 b^3))
\end{aligned}$$

$$\begin{aligned}
& \sqrt[3]{a^3 + a^5h^3 - (g^3 - 6*eh^2)*a^4b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4} / (a^9*b^5)^{1/3} + 486*c/a^3)^2 - 2*(5*a^3*b*d + a^4*g)*h^2 + 1/54*(25*a^3*b^4*d^2 + 36*a^3*b^4*c*e + 10*a^4*b^3*d*g + a^5*b^2*g^2 + 18*a^4*b^3*c*h)*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*eh^2)*a^4b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5)^{1/3} + 486*c/a^3)^2 - 2*(45*a*b^3*c*d + 4*a^2*b^2*e^2)*g - (81*a*b^3*c^2 + 40*a^2*b^2*d*e + 8*a^3*b*e*g)*h + 2*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)*x + 1/972*sqrt(1/3)*(1350*a^3*b^4*d^2 - 972*a^3*b^4*c*e + 540*a^4*b^3*d*g + 54*a^5*b^2*g^2 - 486*a^4*b^3*c*h + (2*a^6*b^4*e + a^7*b^3*h)*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*eh^2)*a^4b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5)^{1/3} + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*eh^2)*a^4b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5)^{1/3} + 486*c/a^3)*sqrt(-(((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*eh^2)*a^4b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5)^{1/3} + 486*c/a^3))
\end{aligned}$$

$$\begin{aligned}
& 2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) \\
& - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4* \\
& e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 \\
& - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3)^2*a^6*b^3 - \\
& 972*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + \\
& (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10* \\
& a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4 \\
& *d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2 \\
& *b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5 \\
& *h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (\\
& 8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a* \\
& b^4)/(a^9*b^5))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3 \\
& *c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/3936 \\
& 6*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2 \\
& *b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5 \\
& *h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (\\
& 8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a* \\
& b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3)*a^3*b^3*c + 236196*b^3*c^2 + 1 \\
& 16640*a*b^2*d*e + 23328*a^2*b*e*g + 11664*(5*a^2*b*d + a^3*g)*h)/(a^6*b^3)) \\
&)*log(-225*b^4*c*d^2 - 162*b^4*c^2*e - 40*a*b^3*d*e^2 - 9*a^2*b^2*c*g^2 - 1 \\
& /2916*(2*a^6*b^4*e + a^7*b^3*h))*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 \\
& + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^ \\
& 9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/ \\
& (a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^ \\
& 2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) \\
& - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4* \\
& e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 \\
& - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1 \\
& /27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h) \\
& *a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + \\
& 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3) \\
& / (a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5* \\
& d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h) \\
& *c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3)^2 \\
& - 2*(5*a^3*b*d + a^4*g)*h^2 + 1/54*(25*a^3*b^4*d^2 + 36*a^3*b^4*c*e + 10*a^ \\
& 4*b^3*d*g + a^5*b^2*g^2 + 18*a^4*b^3*c*h))*((-I*sqrt(3) + 1)*(81*c^2/a^6 - (\\
& 81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1 \\
& /27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h) \\
& *a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + \\
& 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3) \\
& / (a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5* \\
& d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h) \\
& *c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*sqrt(3) \\
&) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e* \\
& g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b
\end{aligned}$$

$$\begin{aligned}
&^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 \\
&+ a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4 \\
&*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e* \\
&g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486 \\
&*c/a^3) - 2*(45*a*b^3*c*d + 4*a^2*b^2*e^2)*g - (81*a*b^3*c^2 + 40*a^2*b^2*d \\
&*e + 8*a^3*b*e*g)*h + 2*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^ \\
&2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)*x - 1 \\
&/972*sqrt(1/3)*(1350*a^3*b^4*d^2 - 972*a^3*b^4*c*e + 540*a^4*b^3*d*g + 54*a \\
&^5*b^2*g^2 - 486*a^4*b^3*c*h + (2*a^6*b^4*e + a^7*b^3*h)*((-I*sqrt(3) + 1)* \\
&(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b) \\
&)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + \\
&(2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 7 \\
&5*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e \\
&*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2 \\
&))*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27* \\
&(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} \\
&+ 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + \\
&a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b \\
&^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + \\
&6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 \\
&- 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d \\
&^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^ \\
&5))^{(1/3)} + 486*c/a^3)*sqrt(-(((I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 \\
&+ 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 \\
&+ 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(\\
&a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2 \\
&*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) \\
&- 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e \\
&^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 \\
&- 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/ \\
&27*c^3/a^9 + 1/1458*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)* \\
&a^2*b)*c/(a^9*b^3) + 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + \\
&15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/ \\
&(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d \\
&*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)* \\
&c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 486*c/a^3)^2*a \\
&^6*b^3 - 972*((I*sqrt(3) + 1)*(81*c^2/a^6 - (81*b^3*c^2 + 10*a*b^2*d*e + a \\
&^3*g*h + (2*e*g + 5*d*h)*a^2*b)/(a^6*b^3)))/(-1/27*c^3/a^9 + 1/1458*(81*b^3* \\
&c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3) + 1/39366 \\
&*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 \\
&+ 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5 \\
&*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^ \\
&3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54* \\
&c*d*e)*a*b^4)/(a^9*b^5))^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*c^3/a^9 + 1/145 \\
&8*(81*b^3*c^2 + 10*a*b^2*d*e + a^3*g*h + (2*e*g + 5*d*h)*a^2*b)*c/(a^9*b^3)
\end{aligned}$$

+ 1/39366*(125*b^4*d^3 + 8*a*b^3*e^3 + 75*a*b^3*d^2*g + 15*a^2*b^2*d*g^2 + a^3*b*g^3 + 12*a^2*b^2*e^2*h + 6*a^3*b*e*h^2 + a^4*h^3)/(a^8*b^5) - 1/39366*(729*b^5*c^3 + a^5*h^3 - (g^3 - 6*e*h^2)*a^4*b - 3*(5*d*g^2 - 4*e^2*h - 9*c*g*h)*a^3*b^2 + (8*e^3 - 75*d^2*g + 27*(2*e*g + 5*d*h)*c)*a^2*b^3 - 5*(25*d^3 - 54*c*d*e)*a*b^4)/(a^9*b^5))^(1/3) + 486*c/a^3)*a^3*b^3*c + 236196*b^3*c^2 + 116640*a*b^2*d*e + 23328*a^2*b*e*g + 11664*(5*a^2*b*d + a^3*g)*h)/(a^6*b^3))) + 2916*(b^3*c*x^6 + 2*a*b^2*c*x^3 + a^2*b*c)*log(x))/(a^3*b^3*x^6 + 2*a^4*b^2*x^3 + a^5*b)

giac [A] time = 0.27, size = 376, normalized size = 1.08

$$\frac{\frac{c \log(|bx^3 + a|)}{3a^3} + \frac{c \log(|x|)}{a^3}}{27(-ab^2)^{\frac{2}{3}}a^2b} \sqrt{3} \left(5b^2d + abg - (-ab^2)^{\frac{1}{3}}ah - 2(-ab^2)^{\frac{1}{3}}be \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{\left(5b^2d + a \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/3*c*log(abs(b*x^3 + a))/a^3 + c*log(abs(x))/a^3 - 1/27*sqrt(3)*(5*b^2*d + a*b*g - (-a*b^2)^(1/3)*a*h - 2*(-a*b^2)^(1/3)*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^2*b) - 1/54*(5*b^2*d + a*b*g + (-a*b^2)^(1/3)*a*h + 2*(-a*b^2)^(1/3)*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^2*b) + 1/18*(6*a*b^2*c*x^3 + 2*(a^2*b*h + 2*a*b^2*e)*x^5 + (5*a*b^2*d + a^2*b*g)*x^4 + 9*a^2*b*c - 3*a^3*f - (a^3*h - 7*a^2*b*e)*x^2 + 2*(4*a^2*b*d - a^3*g)*x)/((b*x^3 + a)^2*a^3*b) - 1/27*(a^5*b^2*h*(-a/b)^(1/3) + 2*a^4*b^3*(-a/b)^(1/3)*e + 5*a^4*b^3*d + a^5*b^2*g)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^7*b^3)

maple [B] time = 0.07, size = 618, normalized size = 1.78

$$\frac{hx^5}{9(bx^3 + a)^2 a} + \frac{2be x^5}{9(bx^3 + a)^2 a^2} + \frac{gx^4}{18(bx^3 + a)^2 a} + \frac{5bd x^4}{18(bx^3 + a)^2 a^2} + \frac{bc x^3}{3(bx^3 + a)^2 a^2} + \frac{7ex^2}{18(bx^3 + a)^2 a} - \frac{hx^2}{18(bx^3 + a)^2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^3,x)$

[Out] $\frac{1}{9} \frac{1}{a} (b*x^3+a)^{2*x^5*h+1} + \frac{1}{18} \frac{1}{a} (b*x^3+a)^{2*x^4*g-1} + \frac{1}{18} \frac{1}{(b*x^3+a)^2} \frac{1}{b*x^{2*h-1}} + \frac{1}{9} \frac{1}{(b*x^3+a)^2} \frac{1}{b*x*g} + \frac{5}{27} \frac{1}{(a/b)^{(2/3)}*3^{(1/2)}} \frac{1}{a^2} \frac{1}{b*d} \arctan\left(\frac{1}{3} 3^{(1/2)} * \left(\frac{2}{(a/b)^{(1/3)}*x-1}\right)\right) + \frac{2}{27} 3^{(1/2)} \frac{1}{(a/b)^{(1/3)}} \frac{1}{a^2} \frac{1}{b*e} \arctan\left(\frac{1}{3} 3^{(1/2)} * \left(\frac{2}{(a/b)^{(1/3)}*x-1}\right)\right) + \frac{4}{9} \frac{1}{(b*x^3+a)^2} \frac{1}{a*d*x} + \frac{7}{18} \frac{1}{(b*x^3+a)^2} \frac{1}{a*e*x^2} + \frac{1}{2} \frac{1}{(b*x^3+a)^2} \frac{1}{a*c} + \frac{5}{27} \frac{1}{(a/b)^{(2/3)}} \frac{1}{a^2} \frac{1}{b*d} \ln(x+(a/b)^{(1/3)}) - \frac{2}{27} \frac{1}{(a/b)^{(1/3)}} \frac{1}{a^2} \frac{1}{b*e} \ln(x+(a/b)^{(1/3)}) + \frac{1}{27} \frac{1}{(a/b)^{(1/3)}} \frac{1}{a^2} \frac{1}{b*e} \ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + \frac{1}{3} \frac{1}{(b*x^3+a)^2} \frac{1}{a^2} \frac{1}{b*c*x^3} + \frac{2}{9} \frac{1}{(b*x^3+a)^2} \frac{1}{a^2} \frac{1}{b*e*x^5} - \frac{1}{6} \frac{1}{(b*x^3+a)^2} \frac{1}{b*f} + \frac{1}{a^3} \frac{1}{c} \ln(x) - \frac{1}{3} \frac{1}{a^3} \frac{1}{c} \ln(b*x^3+a) + \frac{1}{27} \frac{1}{a/b^2} \frac{1}{(a/b)^{(2/3)}*3^{(1/2)}} \arctan\left(\frac{1}{3} 3^{(1/2)} * \left(\frac{2}{(a/b)^{(1/3)}*x-1}\right)\right) * g + \frac{1}{27} \frac{1}{a/b^2} \frac{1}{3^{(1/2)}} \frac{1}{(a/b)^{(1/3)}} \arctan\left(\frac{1}{3} 3^{(1/2)} * \left(\frac{2}{(a/b)^{(1/3)}*x-1}\right)\right) * h + \frac{5}{18} \frac{1}{(b*x^3+a)^2} \frac{1}{a^2} \frac{1}{b*d} x^4 - \frac{5}{54} \frac{1}{(a/b)^{(2/3)}} \frac{1}{a^2} \frac{1}{b*d} \ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) + \frac{1}{54} \frac{1}{a/b^2} \frac{1}{(a/b)^{(1/3)}} \ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) * h + \frac{1}{27} \frac{1}{a/b^2} \frac{1}{(a/b)^{(2/3)}} \ln(x+(a/b)^{(1/3)}) * g - \frac{1}{54} \frac{1}{a/b^2} \frac{1}{(a/b)^{(2/3)}} \ln(x^2-(a/b)^{(1/3)}*x+(a/b)^{(2/3)}) * g - \frac{1}{27} \frac{1}{a/b^2} \frac{1}{(a/b)^{(1/3)}} \ln(x+(a/b)^{(1/3)}) * h$

maxima [A] time = 3.11, size = 368, normalized size = 1.06

$$\frac{6b^2cx^3 + 2(2b^2e + abh)x^5 + (5b^2d + abg)x^4 + 9abc - 3a^2f + (7abe - a^2h)x^2 + 2(4abd - a^2g)x}{18(a^2b^3x^6 + 2a^3b^2x^3 + a^4b)} + \frac{c \log(x)}{a^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x/(b*x^3+a)^3,x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{18} * (6*b^2*c*x^3 + 2*(2*b^2*e + a*b*h)*x^5 + (5*b^2*d + a*b*g)*x^4 + 9*a*b*c - 3*a^2*f + (7*a*b*e - a^2*h)*x^2 + 2*(4*a*b*d - a^2*g)*x) / (a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b) + c*\log(x)/a^3 + \frac{1}{27}*\sqrt{3}*(2*a*b*e*(a/b)^{(2/3)} + a^2*h*(a/b)^{(2/3)} + 5*a*b*d*(a/b)^{(1/3)} + a^2*g*(a/b)^{(1/3)})*\arctan(\frac{1}{3}*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/(a^4*b) - \frac{1}{54}*(18*b^2*c*(a/b)^{(2/3)} - 2*a*b*e*(a/b)^{(1/3)} - a^2*h*(a/b)^{(1/3)} + 5*a*b*d + a^2*g)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^3*b^2*(a/b)^{(2/3)}) - \frac{1}{27}*(9*b^2*c*(a/b)^{(2/3)} + 2*a*b*e*(a/b)^{(1/3)} + a^2*h*(a/b)^{(1/3)} - 5*a*b*d - a^2*g)*\log(x + (a/b)^{(1/3)})/(a^3*b^2*(a/b)^{(2/3)})$

mupad [B] time = 5.70, size = 1716, normalized size = 4.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x*(a + b*x^3)^3),x)`

[Out] `((3*b*c - a*f)/(6*a*b) + (x^4*(5*b*d + a*g))/(18*a^2) + (x^5*(2*b*e + a*h))/(9*a^2) + (x*(4*b*d - a*g))/(9*a*b) + (x^2*(7*b*e - a*h))/(18*a*b) + (b*c*x^3)/(3*a^2))/(a^2 + b^2*x^6 + 2*a*b*x^3) + symsum(log((c*(25*b^2*d^2 + a^2*g^2 - 18*b^2*c*e - 9*a*b*c*h + 10*a*b*d*g))/(81*a^6) - (root(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c*z^2 + 81*a^6*b^2*g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^4*d*e*z + 6561*a^3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2*b^3*c*d*h + 54*a^2*b^3*c*e*g + 6*a^4*b*e*h^2 + 12*a^3*b^2*e^2*h - 75*a^2*b^3*d^2*g - 15*a^3*b^2*d*g^2 + 8*a^2*b^3*e^3 - a^4*b*g^3 - 125*a*b^4*d^3 + 729*b^5*c^3 + a^5*h^3, z, k)*(a^3*g^2 + 25*a*b^2*d^2 + 324*b^3*c^2*x + 2916*root(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c*z^2 + 81*a^6*b^2*g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^4*d*e*z + 6561*a^3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2*b^3*c*d*h + 54*a^2*b^3*c*e*g + 6*a^4*b*e*h^2 + 12*a^3*b^2*e^2*h - 75*a^2*b^3*d^2*g - 15*a^3*b^2*d*g^2 + 8*a^2*b^3*e^3 - a^4*b*g^3 - 125*a*b^4*d^3 + 729*b^5*c^3 + a^5*h^3, z, k)^2*a^6*b^3*x - 27*root(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c*z^2 + 81*a^6*b^2*g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^4*d*e*z + 6561*a^3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2*b^3*c*d*h + 54*a^2*b^3*c*e*g + 6*a^4*b*e*h^2 + 12*a^3*b^2*e^2*h - 75*a^2*b^3*d^2*g - 15*a^3*b^2*d*g^2 + 8*a^2*b^3*e^3 - a^4*b*g^3 - 125*a*b^4*d^3 + 729*b^5*c^3 + a^5*h^3, z, k)*a^5*b*h + 36*a*b^2*c*e + 18*a^2*b*c*h + 10*a^2*b*d*g + 10*a^3*g*h*x - 54*root(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c*z^2 + 81*a^6*b^2*g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^4*d*e*z + 6561*a^3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2*b^3*c*d*h + 54*a^2*b^3*c*e*g + 6*a^4*b*e*h^2 + 12*a^3*b^2*e^2*h - 75*a^2*b^3*d^2*g - 15*a^3*b^2*d*g^2 + 8*a^2*b^3*e^3 - a^4*b*g^3 - 125*a*b^4*d^3 + 729*b^5*c^3 + a^5*h^3, z, k)*a^4*b^2*e + 1944*root(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c*z^2 + 81*a^6*b^2*g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^4*d*e*z + 6561*a^3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2*b^3*c*d*h + 54*a^2*b^3*c*e*g + 6*a^4*b*e*h^2 + 12*a^3*b^2*e^2*h - 75*a^2*b^3*d^2*g - 15*a^3*b^2*d*g^2 + 8*a^2*b^3*e^3 - a^4*b*g^3 - 125*a*b^4*d^3 + 729*b^5*c^3 + a^5*h^3, z, k)*a^3*b^3*c*x + 100*a*b^2*d*e*x + 50*a^2*b*d*h*x + 20*a^2*b*e*g*x))/(81*a^4) - (x*(a^4*h^3 - 125*b^4*d^3 + 8*a*b^3*e^3 - a^3*b*g^3 - 15*a^2*b^2*d*g^2 + 12*a^2*b^2*e^2*h + 180*b^4*c*d*e - 75*a*b^3*d^2*g + 6*a^3*b*e*h^2 + 18*a^2*b^2*c*g*h + 90*a*b^3*c*d*h + 36*a*b^3*c*e*g))/(729*a^6*b^2))*root(19683*a^9*b^5*z^3 + 19683*a^6*b^5*c*z^2 + 81*a^6*b^2*g*h*z + 405*a^5*b^3*d*h*z + 162*a^5*b^3*e*g*z + 810*a^4*b^4*d*e*z + 6561*a^3*b^5*c^2*z + 270*a*b^4*c*d*e + 27*a^3*b^2*c*g*h + 135*a^2*b^3*c*d*h + 54*a^2*b^3*c*e*g + 6*a^4*b*e*h^2 + 12*a^3*b^2*e^2*h - 75*a^2*b^3*d^2*g - 15*a^3*b^2*d*g^2 + 8*a^2*b^3*e^3 - a^4*b*g^3 - 125*a*b^4*d^3 + 729*b^5*c^3 + a^5*h^3, z, k), k, 1, 3) + (c*log(x))/a^3`

`sympy [F(-1)]` time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```

$$3.427 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^2(a+bx^3)^3} dx$$

Optimal. Leaf size=362

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{54a^{10/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{27a^{10/3}b^{4/3}}$$

[Out] $-c/a^3/x + 1/6*x*(a*(-a*h+b*e) - b*(-a*f+b*c))*x - b*(-a*g+b*d)*x^2/a^2/b/(b*x^3+a)^2 + 1/18*x*(a*(a*h+5*b*e) - 2*b*(-2*a*f+5*b*c))*x - 3*b*(-a*g+3*b*d)*x^2/a^3/b/(b*x^3+a) + d*\ln(x)/a^3 + 1/27*(2*b^(2/3)*(-a*f+7*b*c) + a^(2/3)*(a*h+5*b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(10/3)/b^(4/3) - 1/54*(2*b^(2/3)*(-a*f+7*b*c) + a^(2/3)*(a*h+5*b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(10/3)/b^(4/3) - 1/3*d*\ln(b*x^3+a)/a^3 + 1/27*(14*b^(5/3)*c - 5*a^(2/3)*b*e - 2*a*b^(2/3)*f - a^(5/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(10/3)/b^(4/3)*3^(1/2)$

Rubi [A] time = 0.83, antiderivative size = 362, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{54a^{10/3}b^{4/3}} + \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(a^{2/3}(ah + 5be) + 2b^{2/3}(7bc - af)\right)}{27a^{10/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^3), x]

[Out] $-(c/(a^3*x)) + (x*(a*(b*e - a*h) - b*(b*c - a*f))*x - b*(b*d - a*g)*x^2)/(6*a^2*b*(a + b*x^3)^2) + (x*(a*(5*b*e + a*h) - 2*b*(5*b*c - 2*a*f))*x - 3*b*(3*b*d - a*g)*x^2)/(18*a^3*b*(a + b*x^3)) + ((14*b^(5/3)*c - 5*a^(2/3)*b*e - 2*a*b^(2/3)*f - a^(5/3)*h)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(10/3)*b^(4/3)) + (d*\text{Log}[x])/a^3 + ((2*b^(2/3)*(7*b*c - a*f) + a^(2/3)*(5*b*e + a*h))*\text{Log}[a^(1/3) + b^(1/3)*x]/(27*a^(10/3)*b^(4/3)) - ((2*b^(2/3)*(7*b*c - a*f) + a^(2/3)*(5*b*e + a*h))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(10/3)*b^(4/3)) - (d*\text{Log}[a + b*x^3])/(3*a^3))$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[(Pq_)*((c_)*(x_)^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E

```
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

Mathematica [A] time = 0.78, size = 336, normalized size = 0.93

$$\frac{a^{2/3} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) (5a^{2/3} b e + a^{5/3} h - 2ab^{2/3} f + 14b^{5/3} c)}{b^{4/3}} - \frac{2a^{2/3} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) (5a^{2/3} b e + a^{5/3} h - 2ab^{2/3} f + 14b^{5/3} c)}{b^{4/3}} + \frac{2\sqrt{3} a^{2/3} \tan^{-1}\left(\frac{1-2}{\dots}\right)}{\dots}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^2*(a + b*x^3)^3), x]
[Out] -1/54*((54*a*c)/x + (9*a^2*(b^2*c*x^2 + a^2*(g + h*x) - a*b*(d + x*(e + f*x
))))/(b*(a + b*x^3)^2) - (3*a*(a^2*h*x - 10*b^2*c*x^2 + a*b*(6*d + x*(5*e +
4*f*x))))/(b*(a + b*x^3)) + (2*sqrt[3]*a^(2/3)*(-14*b^(5/3)*c + 5*a^(2/3)*
b*e + 2*a*b^(2/3)*f + a^(5/3)*h)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/sqrt[3]
])/b^(4/3) - 54*a*d*Log[x] - (2*a^(2/3)*(14*b^(5/3)*c + 5*a^(2/3)*b*e - 2*a
*b^(2/3)*f + a^(5/3)*h)*Log[a^(1/3) + b^(1/3)*x])/b^(4/3) + (a^(2/3)*(14*b^
(5/3)*c + 5*a^(2/3)*b*e - 2*a*b^(2/3)*f + a^(5/3)*h)*Log[a^(2/3) - a^(1/3)*
b^(1/3)*x + b^(2/3)*x^2])/b^(4/3) + 18*a*d*Log[a + b*x^3])/a^4
```

fricas [C] time = 54.03, size = 12951, normalized size = 35.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="fri
cas")
[Out] 1/2916*(972*a*b^2*d*x^4 - 648*(7*b^3*c - a*b^2*f)*x^6 + 162*(5*a*b^2*e + a^
2*b*h)*x^5 - 2916*a^2*b*c - 1134*(7*a*b^2*c - a^2*b*f)*x^3 + 324*(4*a^2*b*e
- a^3*h)*x^2 - 2*(a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b*x)*((-I*sqrt(3) + 1)
*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)/
(a^6*b^2))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81
*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 -
1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h -
15*a^4*b*e*h^2 - a^5*h^3)/(a^10*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h
^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f
+ 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^
4)/(a^10*b^4)^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f
*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(
2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a
^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^10*b^4) + 1/39
366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)
)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d
```

$$\begin{aligned}
&^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)*\log(-1134 \\
&*a*b^4*c*d^2 + 1960*a*b^4*c^2*e + 225*a^2*b^3*d*e^2 + 40*a^3*b^2*e*f^2 + 9* \\
&a^4*b*d*h^2 - 1/1458*(7*a^7*b^4*c - a^8*b^3*f)*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/ \\
&(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c \\
&*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4 \\
&*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e* \\
&h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 \\
&- (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 \\
&+ 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e \\
&*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 \\
&- 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 \\
&- 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b \\
&^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + \\
&(125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c* \\
&d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)^2 + 1/54*(252*a^4*b^ \\
&4*c*d - 25*a^5*b^3*e^2 - 36*a^5*b^3*d*f - 10*a^6*b^2*e*h - a^7*b*h^2)*((-I* \\
&\sqrt{3}) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 7 \\
&0*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c* \\
&h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a \\
&^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3* \\
&b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + \\
&15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 \\
&- 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392 \\
&*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/a^9 + 1/1 \\
&458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) \\
&- 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3 \\
&*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10} \\
&*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2* \\
&h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^ \\
&3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^ \\
&3) + 2*(81*a^2*b^3*d^2 - 280*a^2*b^3*c*e)*f + 2*(196*a^2*b^3*c^2 + 45*a^3*b \\
&^2*d*e - 56*a^3*b^2*c*f + 4*a^4*b*f^2)*h - (2744*b^5*c^3 - 125*a^2*b^3*e^3 \\
&- 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - \\
&15*a^4*b*e*h^2 - a^5*h^3)*x) + 486*(3*a^2*b*d - a^3*g)*x - (1458*b^3*d*x^7 \\
&+ 2916*a*b^2*d*x^4 + 1458*a^2*b*d*x - (a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b \\
&*x)*((-I*\sqrt{3}) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (8 \\
&1*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e \\
&*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^ \\
&3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 \\
&- 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b \\
&^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + \\
&(125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c* \\
&d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(-1/27*d^3/
\end{aligned}$$

$$\begin{aligned}
& a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d/ \\
& (a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 16 \\
& 8*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3) \\
& / (a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 \\
& - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)* \\
& c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4) / (a^{10}*b^4)^{(1/3)} + \\
& 486*d/a^3) - 3*sqrt(1/3)*(a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b*x)*sqrt(-(((\\
& -I*sqrt(3) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 \\
& - 70*c*e)*b^2) / (a^6*b^2)) / (-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7 \\
& *c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d / (a^9*b^2) - 1/39366*(2744*b^5*c^3 - 12 \\
& 5*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a \\
& ^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3) / (a^{10}*b^4) + 1/39366*(2744*b^5*c^3 \\
& + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125* \\
& e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + \\
& 392*c^2*f)*a*b^4) / (a^{10}*b^4)^{(1/3)} + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + \\
& 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d / (a^9*b \\
& ^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2* \\
& b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3) / (a \\
& ^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e \\
& ^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2 \\
& *b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4) / (a^{10}*b^4)^{(1/3)} + 486*d \\
& / a^3)^2*a^6*b^2 - 972*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f \\
& - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2) / (a^6*b^2)) / (-1/27*d^3/a^9 + 1/1458*(\\
& 2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d / (a^9*b^2) - 1/ \\
& 39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^ \\
& 2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3) / (a^{10}*b^4) \\
& + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 5 \\
& 4*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3 \\
& *(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4) / (a^{10}*b^4)^{(1/3)} + 729*(I*sqrt(3 \\
&) + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 \\
& - 70*c*e)*b^2)*d / (a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 117 \\
& 6*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a \\
& ^4*b*e*h^2 - a^5*h^3) / (a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + \\
& a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 4 \\
& 2*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4) / (\\
& a^{10}*b^4)^{(1/3)} + 486*d/a^3)*a^3*b^2*d + 236196*b^2*d^2 - 816480*b^2*c*e + \\
& 116640*a*b*e*f - 23328*(7*a*b*c - a^2*f)*h) / (a^6*b^2))) * log(1134*a*b^4*c*d \\
& ^2 - 1960*a*b^4*c^2*e - 225*a^2*b^3*d*e^2 - 40*a^3*b^2*e*f^2 - 9*a^4*b*d*h^ \\
& 2 + 1/1458*(7*a^7*b^4*c - a^8*b^3*f)*((-I*sqrt(3) + 1)*(81*d^2/a^6 - (2*a^2 \\
& *f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2) / (a^6*b^2)) / (-1/27*d^3 \\
& / a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h))*a*b + (81*d^2 - 70*c*e)*b^2)*d \\
& / (a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 1 \\
& 68*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5* \\
& h^3) / (a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 \\
& - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)
\end{aligned}$$

$$\begin{aligned}
& *c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} \\
& + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h) \\
&)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2 \\
& *b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2 \\
& *e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 1 \\
& 5*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 \\
& - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392* \\
& c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)^2 - 1/54*(252*a^4*b^4*c*d - 25 \\
& *a^5*b^3*e^2 - 36*a^5*b^3*d*f - 10*a^6*b^2*e*h - a^7*b*h^2)*((-I*\sqrt{3} + \\
& 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2) \\
&)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (\\
& 81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 \\
& - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h \\
& - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e \\
& *h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e \\
& *f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a* \\
& b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2 \\
& *f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366 \\
& *(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8 \\
& *a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/ \\
& 39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f \\
& *h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243 \\
& *d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3) - 2*(81 \\
& *a^2*b^3*d^2 - 280*a^2*b^3*c*e)*f - 2*(196*a^2*b^3*c^2 + 45*a^3*b^2*d*e - 5 \\
& 6*a^3*b^2*c*f + 4*a^4*b*f^2)*h - 2*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a \\
& *b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4* \\
& b*e*h^2 - a^5*h^3)*x + 1/486*\sqrt{1/3}*(3402*a^4*b^4*c*d + 675*a^5*b^3*e^2 \\
& - 486*a^5*b^3*d*f + 270*a^6*b^2*e*h + 27*a^7*b*h^2 - (7*a^7*b^4*c - a^8*b^3 \\
& *f)*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (8 \\
& 1*d^2 - 70*c*e)*b^2))/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e \\
& *f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^ \\
& 3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 \\
& - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b \\
& ^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + \\
& (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c* \\
& d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/ \\
& a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/ \\
& (a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 16 \\
& 8*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h \\
& ^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 \\
& - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)* \\
& c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + \\
& 486*d/a^3))*\sqrt{-(((I*\sqrt{3} + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - \\
& 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2))/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2* \\
& a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39
\end{aligned}$$

$$\begin{aligned}
& 366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 \\
& - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + \\
& 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)^2*a^6*b^2 - 972*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)*a^3*b^2*d + 236196*b^2*d^2 - 816480*b^2*c*e + 116640*a*b*e*f - 23328*(7*a*b*c - a^2*f)*h)/(a^6*b^2))) - (1458*b^3*d*x^7 + 2916*a*b^2*d*x^4 + 1458*a^2*b*d*x - (a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b*x)*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3) + 3*sqrt(1/3)*(a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b*x)*sqrt(-(((-I*\sqrt{3} + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a
\end{aligned}$$

$$\begin{aligned}
&^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2*d/(a^9*b^2) - 1/393 \\
&66*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - \\
&8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + \\
&1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d \\
&*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(2 \\
&43*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3} + \\
&1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - \\
&70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a \\
&*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4* \\
&b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^ \\
&5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(\\
&4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{1 \\
&0*b^4))^{(1/3)} + 486*d/a^3)^2*a^6*b^2 - 972*((-I*\sqrt{3} + 1)*(81*d^2/a^6 - \\
&(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)/(a^6*b^2)))/(-1/ \\
&27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)* \\
&b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2 \\
&*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 \\
&- a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - \\
&(8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + \\
&9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{ \\
&(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - \\
&7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - \\
&125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75 \\
&*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c \\
&^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (12 \\
&5*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e \\
&+ 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)*a^3*b^2*d + 236196*b^2*d \\
&^2 - 816480*b^2*c*e + 116640*a*b*e*f - 23328*(7*a*b*c - a^2*f)*h)/(a^6*b^2) \\
&))*\log(1134*a*b^4*c*d^2 - 1960*a*b^4*c^2*e - 225*a^2*b^3*d*e^2 - 40*a^3*b^2 \\
&*e*f^2 - 9*a^4*b*d*h^2 + 1/1458*(7*a^7*b^4*c - a^8*b^3*f))*((-I*\sqrt{3} + 1) \\
&*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)/ \\
&(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81 \\
&*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - \\
&1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - \\
&15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h \\
&^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f \\
&+ 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^ \\
&4)/(a^{10}*b^4))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*d^3/a^9 + 1/1458*(2*a^2*f \\
&*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(\\
&2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a \\
&^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^{10}*b^4) + 1/39 \\
&366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h) \\
&)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d \\
&^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^{10}*b^4))^{(1/3)} + 486*d/a^3)^2 - 1/54* \\
&(252*a^4*b^4*c*d - 25*a^5*b^3*e^2 - 36*a^5*b^3*d*f - 10*a^6*b^2*e*h - a^7*b
\end{aligned}$$

$$\begin{aligned}
& h^2) * ((-I \sqrt{3}) + 1) * (81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)) * a*b + \\
& (81*d^2 - 70*c*e) * b^2) / (a^6*b^2) / (-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5 \\
& *e*f - 7*c*h)) * a*b + (81*d^2 - 70*c*e) * b^2) * d / (a^9*b^2) - 1/39366*(2744*b^5*c^3 \\
& - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 \\
& - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3) / (a^10*b^4) + 1/39366*(2744 \\
& *b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h) * a^3*b^2 \\
& + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h) * c) * a^2*b^3 - 3*(243*d^3 - 630* \\
& c*d*e + 392*c^2*f) * a*b^4) / (a^10*b^4))^{(1/3)} + 729*(I \sqrt{3}) + 1) * (-1/27*d^3/a^9 \\
& + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)) * a*b + (81*d^2 - 70*c*e) * b^2) * \\
& d / (a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + \\
& 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5 \\
& *h^3) / (a^10*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 \\
& - 75*e^2*h + 54*d*f*h) * a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h) \\
&) * c) * a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f) * a*b^4) / (a^10*b^4))^{(1/3)} \\
& + 486*d/a^3) - 2*(81*a^2*b^3*d^2 - 280*a^2*b^3*c*e) * f - 2*(196*a^2*b^3*c^2 \\
& + 45*a^3*b^2*d*e - 56*a^3*b^2*c*f + 4*a^4*b*f^2) * h - 2*(2744*b^5*c^3 - 125 \\
& *a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3 \\
& *b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3) * x - 1/486*\sqrt{1/3} * (3402*a^4*b^4*c \\
& *d + 675*a^5*b^3*e^2 - 486*a^5*b^3*d*f + 270*a^6*b^2*e*h + 27*a^7*b*h^2 - (\\
& 7*a^7*b^4*c - a^8*b^3*f) * ((-I \sqrt{3}) + 1) * (81*d^2/a^6 - (2*a^2*f*h + 2*(5* \\
& e*f - 7*c*h)) * a*b + (81*d^2 - 70*c*e) * b^2) / (a^6*b^2) / (-1/27*d^3/a^9 + 1/145 \\
& 8*(2*a^2*f*h + 2*(5*e*f - 7*c*h)) * a*b + (81*d^2 - 70*c*e) * b^2) * d / (a^9*b^2) - \\
& 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c \\
& *f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3) / (a^10*b \\
& ^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h \\
& + 54*d*f*h) * a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h) * c) * a^2*b^3 \\
& - 3*(243*d^3 - 630*c*d*e + 392*c^2*f) * a*b^4) / (a^10*b^4))^{(1/3)} + 729*(I \sqrt{3} \\
& t(3) + 1) * (-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)) * a*b + (81* \\
& d^2 - 70*c*e) * b^2) * d / (a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - \\
& 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 1 \\
& 5*a^4*b*e*h^2 - a^5*h^3) / (a^10*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^ \\
& 2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h) * a^3*b^2 + (125*e^3 - 270*d*e*f \\
& + 42*(4*f^2 + 9*d*h) * c) * a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f) * a*b^4 \\
&) / (a^10*b^4))^{(1/3)} + 486*d/a^3) * \sqrt{-(((-I \sqrt{3}) + 1) * (81*d^2/a^6 - (2 \\
& *a^2*f*h + 2*(5*e*f - 7*c*h)) * a*b + (81*d^2 - 70*c*e) * b^2) / (a^6*b^2) / (-1/27 \\
& *d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)) * a*b + (81*d^2 - 70*c*e) * b^ \\
& 2) * d / (a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f \\
& + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - \\
& a^5*h^3) / (a^10*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8 \\
& *f^3 - 75*e^2*h + 54*d*f*h) * a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9* \\
& d*h) * c) * a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*f) * a*b^4) / (a^10*b^4))^{(1 \\
& /3)} + 729*(I \sqrt{3}) + 1) * (-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7 \\
& *c*h)) * a*b + (81*d^2 - 70*c*e) * b^2) * d / (a^9*b^2) - 1/39366*(2744*b^5*c^3 - 12 \\
& 5*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a \\
& ^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3) / (a^10*b^4) + 1/39366*(2744*b^5*c^3
\end{aligned}$$


```

+ 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*
e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e +
392*c^2*f)*a*b^4)/(a^10*b^4)^(1/3) + 486*d/a^3)^2*a^6*b^2 - 972*((-I*sqrt(
3) + 1)*(81*d^2/a^6 - (2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e
)*b^2)/(a^6*b^2)))/(-1/27*d^3/a^9 + 1/1458*(2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*
b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/39366*(2744*b^5*c^3 - 125*a^2*b^
3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e
^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^10*b^4) + 1/39366*(2744*b^5*c^3 + 15*a^
4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 54*d*f*h)*a^3*b^2 + (125*e^3 - 27
0*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3*(243*d^3 - 630*c*d*e + 392*c^2*
f)*a*b^4)/(a^10*b^4)^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*d^3/a^9 + 1/1458*(
2*a^2*f*h + 2*(5*e*f - 7*c*h)*a*b + (81*d^2 - 70*c*e)*b^2)*d/(a^9*b^2) - 1/
39366*(2744*b^5*c^3 - 125*a^2*b^3*e^3 - 1176*a*b^4*c^2*f + 168*a^2*b^3*c*f^
2 - 8*a^3*b^2*f^3 - 75*a^3*b^2*e^2*h - 15*a^4*b*e*h^2 - a^5*h^3)/(a^10*b^4)
+ 1/39366*(2744*b^5*c^3 + 15*a^4*b*e*h^2 + a^5*h^3 - (8*f^3 - 75*e^2*h + 5
4*d*f*h)*a^3*b^2 + (125*e^3 - 270*d*e*f + 42*(4*f^2 + 9*d*h)*c)*a^2*b^3 - 3
*(243*d^3 - 630*c*d*e + 392*c^2*f)*a*b^4)/(a^10*b^4)^(1/3) + 486*d/a^3)*a^
3*b^2*d + 236196*b^2*d^2 - 816480*b^2*c*e + 116640*a*b*e*f - 23328*(7*a*b*c
- a^2*f)*h)/(a^6*b^2))) + 2916*(b^3*d*x^7 + 2*a*b^2*d*x^4 + a^2*b*d*x)*log
(x))/(a^3*b^3*x^7 + 2*a^4*b^2*x^4 + a^5*b*x)

```

giac [A] time = 0.22, size = 390, normalized size = 1.08

$$\frac{\frac{d \log(|bx^3 + a|)}{3a^3} + \frac{d \log(|x|)}{a^3} - \frac{\sqrt{3} \left(a^2 h + 5 a b e + 14 (-ab^2)^{\frac{1}{3}} b c - 2 (-ab^2)^{\frac{1}{3}} a f \right) \arctan \left(\frac{\sqrt{3} \left(2x + (-\frac{a}{b})^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b} \right)^{\frac{1}{3}}} \right)}{27 (-ab^2)^{\frac{2}{3}} a^3}}{a^2 h}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="giac")

```

[Out] -1/3*d*log(abs(b*x^3 + a))/a^3 + d*log(abs(x))/a^3 - 1/27*sqrt(3)*(a^2*h +
5*a*b*e + 14*(-a*b^2)^(1/3)*b*c - 2*(-a*b^2)^(1/3)*a*f)*arctan(1/3*sqrt(3)*
(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^3) - 1/54*(a^2*h + 5*a
*b*e - 14*(-a*b^2)^(1/3)*b*c + 2*(-a*b^2)^(1/3)*a*f)*log(x^2 + x*(-a/b)^(1/
3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3) + 1/18*(6*a*b^2*d*x^4 - 4*(7*b^3*c
- a*b^2*f)*x^6 + (a^2*b*h + 5*a*b^2*e)*x^5 - 18*a^2*b*c - 7*(7*a*b^2*c - a^
2*b*f)*x^3 - 2*(a^3*h - 4*a^2*b*e)*x^2 + 3*(3*a^2*b*d - a^3*g)*x)/((b*x^3 +
a)^2*a^3*b*x) + 1/27*(14*a^3*b^4*c*(-a/b)^(1/3) - 2*a^4*b^3*f*(-a/b)^(1/3)
- a^5*b^2*h - 5*a^4*b^3*e)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^7*b^
3)

```

maple [B] time = 0.06, size = 622, normalized size = 1.72

$$\frac{2bfx^5}{9(bx^3 + a)^2 a^2} - \frac{5b^2cx^5}{9(bx^3 + a)^2 a^3} + \frac{hx^4}{18(bx^3 + a)^2 a} + \frac{5bex^4}{18(bx^3 + a)^2 a^2} + \frac{bdx^3}{3(bx^3 + a)^2 a^2} + \frac{7fx^2}{18(bx^3 + a)^2 a} - \frac{13b}{18(bx^3 + a)^2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x)`

[Out] $\frac{1}{2}(b^2x^3+a)^2/a^2d + 1/18/a/(b^2x^3+a)^2x^4h + 7/18/a/(b^2x^3+a)^2fx^2 - 1/9/(b^2x^3+a)^2/bx^3h - 5/9/(b^2x^3+a)^2/a^3b^2cx^5 + 4/9/(b^2x^3+a)^2/a^2ex - 7/27/(a/b)^{1/3}/a^3c \cdot \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) + 14/27/(a/b)^{1/3}/a^3c \cdot \ln(x + (a/b)^{1/3}) + 5/18/(b^2x^3+a)^2/a^2b^2ex^4 - 5/54/(a/b)^{2/3}/a^2/b^2e \cdot \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) - 1/a^3c/x - 14/27 \cdot 3^{1/2}/(a/b)^{1/3}/a^3c \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3}x - 1)) + 2/9/a^2/(b^2x^3+a)^2x^5bf - 1/6/(b^2x^3+a)^2/bg + 1/3/(b^2x^3+a)^2/a^2b^2dx^3 + 5/27/(a/b)^{2/3} \cdot 3^{1/2}/a^2/b^2e \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3}x - 1)) + 1/27/a/b^2/(a/b)^{2/3} \cdot 3^{1/2} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3}x - 1)) \cdot h + 2/27/a^2/b^3 \cdot 3^{1/2}/(a/b)^{1/3} \cdot \arctan(1/3 \cdot 3^{1/2} \cdot (2/(a/b)^{1/3}x - 1)) \cdot f + 1/a^3d \cdot \ln(x) - 1/3/a^3d \cdot \ln(b^2x^3+a) - 13/18/(b^2x^3+a)^2/a^2b^2cx^2 + 5/27/(a/b)^{2/3}/a^2/b^2e \cdot \ln(x + (a/b)^{1/3}) + 1/27/a/b^2/(a/b)^{2/3} \cdot \ln(x + (a/b)^{1/3}) \cdot h - 1/54/a/b^2/(a/b)^{2/3} \cdot \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) \cdot h - 2/27/a^2/b/(a/b)^{1/3} \cdot \ln(x + (a/b)^{1/3}) \cdot f + 1/27/a^2/b/(a/b)^{1/3} \cdot \ln(x^2 - (a/b)^{1/3}x + (a/b)^{2/3}) \cdot f$

maxima [A] time = 3.07, size = 400, normalized size = 1.10

$$\frac{6ab^2dx^4 - 4(7b^3c - ab^2f)x^6 + (5ab^2e + a^2bh)x^5 - 18a^2bc - 7(7ab^2c - a^2bf)x^3 + 2(4a^2be - a^3h)x^2 + 3(3a^2b^2d - a^3c)x}{18(a^3b^3x^7 + 2a^4b^2x^4 + a^5bx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^2/(b*x^3+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{18}(6a^2b^2d^2x^4 - 4(7b^3c - a^2b^2f)x^6 + (5a^2b^2e + a^2b^2h)x^5 - 18a^2b^2c - 7(7a^2b^2c - a^2b^2f)x^3 + 2(4a^2b^2e - a^3h)x^2 + 3(3a^2b^2d - a^3c)x)$

$$\frac{(3a^2bd - a^3g)x}{(a^3b^3x^7 + 2a^4b^2x^4 + a^5bx)} + d \log(x) / a^3 - \frac{1}{27} \sqrt{3} (14b^2c(a/b)^{2/3} - 2abf(a/b)^{2/3} - 5abe(a/b)^{1/3} - a^2h(a/b)^{1/3}) \arctan(1/3 \sqrt{3} (2x - (a/b)^{1/3})) / (a/b)^{1/3} - \frac{1}{54} (18b^2d(a/b)^{2/3} + 14b^2c(a/b)^{1/3} - 2abf(a/b)^{1/3} + 5abe + a^2h) \log(x^2 - x(a/b)^{1/3} + (a/b)^{2/3}) / (a^3b^2(a/b)^{2/3}) - \frac{1}{27} (9b^2d(a/b)^{2/3} - 14b^2c(a/b)^{1/3} + 2abf(a/b)^{1/3} - 5abe - a^2h) \log(x + (a/b)^{1/3}) / (a^3b^2(a/b)^{2/3})$$

mupad [B] time = 5.75, size = 1747, normalized size = 4.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + dx + ex^2 + fx^3 + gx^4 + hx^5)/(x^2(a + bx^3)^3), x)$

[Out] $\text{symsum}(\log((d(a^3h^2 + 25ab^2e^2 + 126b^3cd - 18ab^2df + 10a^2bee^h)) / (81a^7) - \text{root}(19683a^{10}b^4z^3 + 19683a^7b^4dz^2 + 162a^6b^2f^2hz - 1134a^5b^3c^2hz + 810a^5b^3e^2fz - 5670a^4b^4c^2ez + 6561a^4b^4d^2z - 1890ab^4c^2de + 54a^3b^2d^2fh - 378a^2b^3c^2dh + 270a^2b^3d^2ef - 15a^4bee^h^2 + 1176ab^4c^2f - 75a^3b^2e^2h - 168a^2b^3c^2f^2 + 8a^3b^2f^3 - 125a^2b^3e^3 + 729ab^4d^3 - a^5h^3 - 2744b^5c^3, z, k) \cdot (a^3h^2 + 25ab^2e^2 + 324b^3d^2x - 252b^3cd + 2916 \text{root}(19683a^{10}b^4z^3 + 19683a^7b^4dz^2 + 162a^6b^2f^2hz - 1134a^5b^3c^2hz + 810a^5b^3e^2fz - 5670a^4b^4c^2ez + 6561a^4b^4d^2z - 1890ab^4c^2de + 54a^3b^2d^2fh - 378a^2b^3c^2dh + 270a^2b^3d^2ef - 15a^4bee^h^2 + 1176ab^4c^2f - 75a^3b^2e^2h - 168a^2b^3c^2f^2 + 8a^3b^2f^3 - 125a^2b^3e^3 + 729ab^4d^3 - a^5h^3 - 2744b^5c^3, z, k))^2 a^6b^3x + 36ab^2df + 10a^2bee^h - 700b^3c^2e^x + 378 \text{root}(19683a^{10}b^4z^3 + 19683a^7b^4dz^2 + 162a^6b^2f^2hz - 1134a^5b^3c^2hz + 810a^5b^3e^2fz - 5670a^4b^4c^2ez + 6561a^4b^4d^2z - 1890ab^4c^2de + 54a^3b^2d^2fh - 378a^2b^3c^2dh + 270a^2b^3d^2ef - 15a^4bee^h^2 + 1176ab^4c^2f - 75a^3b^2e^2h - 168a^2b^3c^2f^2 + 8a^3b^2f^3 - 125a^2b^3e^3 + 729ab^4d^3 - a^5h^3 - 2744b^5c^3, z, k) a^3b^3c - 54 \text{root}(19683a^{10}b^4z^3 + 19683a^7b^4dz^2 + 162a^6b^2f^2hz - 1134a^5b^3c^2hz + 810a^5b^3e^2fz - 5670a^4b^4c^2ez + 6561a^4b^4d^2z - 1890ab^4c^2de + 54a^3b^2d^2fh - 378a^2b^3c^2dh + 270a^2b^3d^2ef - 15a^4bee^h^2 + 1176ab^4c^2f - 75a^3b^2e^2h - 168a^2b^3c^2f^2 + 8a^3b^2f^3 - 125a^2b^3e^3 + 729ab^4d^3 - a^5h^3 - 2744b^5c^3, z, k) a^4b^2f + 1944 \text{root}(19683a^{10}b^4z^3 + 19683a^7b^4dz^2 + 162a^6b^2f^2hz - 1134a^5b^3c^2hz + 810a^5b^3e^2fz - 5670a^4b^4c^2ez + 6561a^4b^4d^2z - 1890ab^4c^2de + 54a^3b^2d^2fh - 378a^2b^3c^2dh + 270a^2b^3d^2ef - 15a^4bee^h^2 + 1176ab^4c^2f - 75a^3b^2e^2h - 168a^2b^3c^2f^2 + 8a^3b^2f^3 - 125a^2b^3e^3 + 729ab^4d^3 - a^5h^3 - 2744b^5c^3, z, k) a^5$

$$\begin{aligned}
& 3*b^3*d*x - 140*a*b^2*c*h*x + 100*a*b^2*e*f*x + 20*a^2*b*f*h*x) / (81*a^4) + \\
& (x*(2744*b^5*c^3 + a^5*h^3 + 125*a^2*b^3*e^3 - 8*a^3*b^2*f^3 + 168*a^2*b^3 \\
& *c*f^2 + 75*a^3*b^2*e^2*h - 1176*a*b^4*c^2*f + 15*a^4*b*e*h^2 + 252*a^2*b^3 \\
& *c*d*h - 180*a^2*b^3*d*e*f - 36*a^3*b^2*d*f*h + 1260*a*b^4*c*d*e)) / (729*a^8 \\
& *b)) * \text{root}(19683*a^{10}*b^4*z^3 + 19683*a^7*b^4*d*z^2 + 162*a^6*b^2*f*h*z - 11 \\
& 34*a^5*b^3*c*h*z + 810*a^5*b^3*e*f*z - 5670*a^4*b^4*c*e*z + 6561*a^4*b^4*d^ \\
& 2*z - 1890*a*b^4*c*d*e + 54*a^3*b^2*d*f*h - 378*a^2*b^3*c*d*h + 270*a^2*b^3 \\
& *d*e*f - 15*a^4*b*e*h^2 + 1176*a*b^4*c^2*f - 75*a^3*b^2*e^2*h - 168*a^2*b^3 \\
& *c*f^2 + 8*a^3*b^2*f^3 - 125*a^2*b^3*e^3 + 729*a*b^4*d^3 - a^5*h^3 - 2744*b \\
& ^5*c^3, z, k), k, 1, 3) + ((x^5*(5*b*e + a*h)) / (18*a^2) - (7*x^3*(7*b*c - a \\
& *f)) / (18*a^2) - c/a - (2*b*x^6*(7*b*c - a*f)) / (9*a^3) + (x*(3*b*d - a*g)) / (\\
& 6*a*b) + (x^2*(4*b*e - a*h)) / (9*a*b) + (b*d*x^4) / (3*a^2)) / (a^2*x + b^2*x^7 \\
& + 2*a*b*x^4) + (d*log(x)) / a^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**2/(b*x**3+a)**3,x)

[Out] Timed out

$$3.428 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^3(a+bx^3)^3} dx$$

Optimal. Leaf size=360

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(5\sqrt[3]{b}(4bc - af) - 2\sqrt[3]{a}(7bd - ag)\right)}{54a^{11/3}b^{2/3}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(5\sqrt[3]{b}(4bc - af) - 2\sqrt[3]{a}(7bd - ag)\right)}{27a^{11/3}b^{2/3}}$$

[Out] $-1/2*c/a^3/x^2-d/a^3/x-1/6*x*(b*c-a*f+(-a*g+b*d)*x+(-a*h+b*e)*x^2)/a^2/(b*x^3+a)^2-1/18*x*(11*b*c-5*a*f+2*(-2*a*g+5*b*d)*x+3*(-a*h+3*b*e)*x^2)/a^3/(b*x^3+a)+e*\ln(x)/a^3-1/27*(5*b^(1/3)*(-a*f+4*b*c)-2*a^(1/3)*(-a*g+7*b*d))*\ln(a^(1/3)+b^(1/3)*x)/a^(11/3)/b^(2/3)+1/54*(5*b^(1/3)*(-a*f+4*b*c)-2*a^(1/3)*(-a*g+7*b*d))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)/b^(2/3)-1/3*e*\ln(b*x^3+a)/a^3+1/27*(20*b^(4/3)*c+14*a^(1/3)*b*d-5*a*b^(1/3)*f-2*a^(4/3)*g)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)/b^(2/3)*3^(1/2)$

Rubi [A] time = 0.81, antiderivative size = 357, normalized size of antiderivative = 0.99, number of steps used = 12, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(-\frac{2\sqrt[3]{a}(7bd-ag)}{\sqrt[3]{b}} - 5af + 20bc\right)}{54a^{11/3}\sqrt[3]{b}} - \frac{\log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(5\sqrt[3]{b}(4bc - af) - 2\sqrt[3]{a}(7bd - ag)\right)}{27a^{11/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^3), x]

[Out] $-c/(2*a^3*x^2) - d/(a^3*x) - (x*(b*c - a*f + (b*d - a*g)*x + (b*e - a*h)*x^2))/(6*a^2*(a + b*x^3)^2) - (x*(11*b*c - 5*a*f + 2*(5*b*d - 2*a*g)*x + 3*(3*b*e - a*h)*x^2))/(18*a^3*(a + b*x^3)) + ((20*b^(4/3)*c + 14*a^(1/3)*b*d - 5*a*b^(1/3)*f - 2*a^(4/3)*g)*\text{ArcTan}[(a^(1/3) - 2*b^(1/3)*x)/(\text{Sqrt}[3]*a^(1/3))]/(9*\text{Sqrt}[3]*a^(11/3)*b^(2/3)) + (e*\text{Log}[x])/a^3 - ((5*b^(1/3)*(4*b*c - a*f) - 2*a^(1/3)*(7*b*d - a*g))*\text{Log}[a^(1/3) + b^(1/3)*x]/(27*a^(11/3)*b^(2/3)) + ((20*b*c - 5*a*f - (2*a^(1/3)*(7*b*d - a*g))/b^(1/3))*\text{Log}[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/(54*a^(11/3)*b^(1/3)) - (e*\text{Log}[a + b*x^3])/(3*a^3))$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1829

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(-p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1834

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Int[E
```

xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] & & PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]

Rule 1860

Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numerator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r - A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && NeQ[a*B^3 - b*A^3, 0] && PosQ[a/b]

Rule 1871

Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B = Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Dist[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]

Rubi steps

Mathematica [A] time = 0.71, size = 337, normalized size = 0.94

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(2a^{4/3} g - 14 \sqrt[3]{a} b d - 5a \sqrt[3]{b} f + 20b^{4/3} c\right)}{b^{2/3}} + \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(2a^{4/3} g - 14 \sqrt[3]{a} b d - 5a \sqrt[3]{b} f + 20b^{4/3} c\right)}{b^{2/3}} + \frac{2\sqrt{3} \sqrt[3]{a} \operatorname{arctan}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt[3]{a} - \sqrt[3]{b} x}\right)}{b^{2/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^3), x]
[Out] -1/54*((27*a*c)/x^2 + (54*a*d)/x - (3*a*(6*a*e - b*x*(11*c + 10*d*x) + a*x*(5*f + 4*g*x)))/(a + b*x^3) + (9*a^2*(a^2*h + b^2*x*(c + d*x) - a*b*(e + x*(f + g*x)))/(b*(a + b*x^3)^2) + (2*Sqrt[3]*a^(1/3)*(-20*b^(4/3)*c - 14*a^(1/3)*b*d + 5*a*b^(1/3)*f + 2*a^(4/3)*g)*ArcTan[(1 - (2*b^(1/3)*x)/a^(1/3))/Sqrt[3]])/b^(2/3) - 54*a*e*Log[x] + (2*a^(1/3)*(20*b^(4/3)*c - 14*a^(1/3)*b*d - 5*a*b^(1/3)*f + 2*a^(4/3)*g)*Log[a^(1/3) + b^(1/3)*x])/b^(2/3) - (a^(1/3)*(20*b^(4/3)*c - 14*a^(1/3)*b*d - 5*a*b^(1/3)*f + 2*a^(4/3)*g)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) + 18*a*e*Log[a + b*x^3])/a^4
```

fricas [C] time = 37.17, size = 12435, normalized size = 34.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] 1/2916*(972*a*b^2*e*x^5 - 648*(7*b^3*d - a*b^2*g)*x^7 - 810*(4*b^3*c - a*b^2*f)*x^6 - 2916*a^2*b*d*x - 1134*(7*a*b^2*d - a^2*b*g)*x^4 - 1458*a^2*b*c - 1296*(4*a*b^2*c - a^2*b*f)*x^3 + 486*(3*a^2*b*e - a^3*h)*x^2 - 2*(a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2)*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d
```

$$\begin{aligned}
& d*ef + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d* \\
& e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3)*\log(-7840*a*b^3*c*d^2 \\
& + 3600*a*b^3*c^2*e - 1134*a^2*b^2*d*e^2 + 225*a^3*b*e*f^2 - 1/1458*(7*a^8*b \\
& ^2*d - a^9*b*g)*((-I*\sqrt{3}) + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + \\
& (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2* \\
& c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(80 \\
& 00*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a \\
& ^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1 \\
& /39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b \\
& + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8* \\
& (343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*\sqrt{3}) \\
& + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f \\
& - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a \\
& *b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168* \\
& a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (\\
& 125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g \\
& + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a* \\
& b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3)^2 - 40*(4*a^3*b*c - a^4*f)*g^2 - 1/54*(\\
& 400*a^4*b^3*c^2 - 252*a^5*b^2*d*e - 200*a^5*b^2*c*f + 25*a^6*b*f^2 + 36*a^6 \\
& *b*e*g)*((-I*\sqrt{3}) + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 \\
& - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10 \\
& *a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c \\
& ^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 \\
& - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(\\
& 8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243 \\
& *e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 \\
& - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*\sqrt{3}) + 1)*(- \\
& 1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g) \\
&)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2 \\
& *f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d* \\
& g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 \\
& - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(2 \\
& 5*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^ \\
& 11*b^2))^{(1/3)} + 486*e/a^3) + 40*(49*a^2*b^2*d^2 - 45*a^2*b^2*c*e)*f + 2*(1 \\
& 120*a^2*b^2*c*d + 81*a^3*b*e^2 - 280*a^3*b*d*f)*g - (8000*b^4*c^3 + 2744*a* \\
& b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2* \\
& b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)*x) - (1458*b^3*e*x^8 + 2916*a*b^2* \\
& e*x^5 + 1458*a^2*b*e*x^2 - (a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2))*((-I*s \\
& qrt(3) + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40 \\
& *c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81 \\
& *e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^ \\
& 3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^ \\
& 2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + \\
& 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e \\
& *f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e +
\end{aligned}$$

$$\begin{aligned}
& 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + \\
& 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10} \\
& *b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2* \\
& b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^ \\
& 3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + \\
& 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g \\
&)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} \\
& + 486*e/a^3) - 3*\sqrt{1/3}*(a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2)*\sqrt{ \\
& -(((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70* \\
& d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f \\
& *g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2 \\
& 744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 117 \\
& 6*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b \\
& ^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - \\
& 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945 \\
& *c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 729*(I*\sqrt{3} + 1)*(-1/27*e \\
& ^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b) \\
& *e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1 \\
& 500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - \\
& 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270* \\
& e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 \\
& - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2 \\
&))^{(1/3)} + 486*e/a^3)^2*a^7*b - 972*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^ \\
& 2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^ \\
& 9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a \\
& ^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a \\
& ^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4 \\
& *g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g \\
& + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18* \\
& e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1 \\
& /3)} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g \\
& + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 274 \\
& 4*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176* \\
& a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4 \\
& *c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 6 \\
& 30*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c \\
& *d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{(1/3)} + 486*e/a^3)*a^4*b*e + 3265920*b \\
& ^2*c*d + 236196*a*b*e^2 - 816480*a*b*d*f - 116640*(4*a*b*c - a^2*f)*g)/(a^7 \\
& *b))) * \log(7840*a*b^3*c*d^2 - 3600*a*b^3*c^2*e + 1134*a^2*b^2*d*e^2 - 225*a^ \\
& 3*b*e*f^2 + 1/1458*(7*a^8*b^2*d - a^9*b*g)*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - \\
& (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27 \\
& *e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a* \\
& b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + \\
& 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 \\
& - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 27
\end{aligned}$$

$$\begin{aligned}
& 0 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243 * e^3 - 630 * d * e * f + 392 * d^2 * g + 20 * (25 * f^2 - 18 * e * g) * c) * a^2 * b^2 - 8 * (343 * d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^2)^{(1/3)} + 729 * (I * \text{sqrt}(3) + 1) * (-1/27 * e^3 / a^9 + 1/1458 * (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - 6000 * a * b^3 * c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g + 168 * a^3 * b * d * g^2 - 8 * a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000 * b^4 * c^3 + 8 * a^4 * g^3 - (125 * f^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243 * e^3 - 630 * d * e * f + 392 * d^2 * g + 20 * (25 * f^2 - 18 * e * g) * c) * a^2 * b^2 - 8 * (343 * d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^2)^{(1/3)} + 486 * e / a^3)^2 + 40 * (4 * a^3 * b * c - a^4 * f) * g^2 + 1/54 * (400 * a^4 * b^3 * c^2 - 252 * a^5 * b^2 * d * e - 200 * a^5 * b^2 * c * f + 25 * a^6 * b * f^2 + 36 * a^6 * b * e * g) * ((-I * \text{sqrt}(3) + 1) * (81 * e^2 / a^6 - (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) / (a^7 * b)) / (-1/27 * e^3 / a^9 + 1/1458 * (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - 6000 * a * b^3 * c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g + 168 * a^3 * b * d * g^2 - 8 * a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000 * b^4 * c^3 + 8 * a^4 * g^3 - (125 * f^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243 * e^3 - 630 * d * e * f + 392 * d^2 * g + 20 * (25 * f^2 - 18 * e * g) * c) * a^2 * b^2 - 8 * (343 * d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^2)^{(1/3)} + 729 * (I * \text{sqrt}(3) + 1) * (-1/27 * e^3 / a^9 + 1/1458 * (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - 6000 * a * b^3 * c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g + 168 * a^3 * b * d * g^2 - 8 * a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000 * b^4 * c^3 + 8 * a^4 * g^3 - (125 * f^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243 * e^3 - 630 * d * e * f + 392 * d^2 * g + 20 * (25 * f^2 - 18 * e * g) * c) * a^2 * b^2 - 8 * (343 * d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^2)^{(1/3)} + 486 * e / a^3) - 40 * (49 * a^2 * b^2 * d^2 - 45 * a^2 * b^2 * c * e) * f - 2 * (1120 * a^2 * b^2 * c * d + 81 * a^3 * b * e^2 - 280 * a^3 * b * d * f) * g - 2 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - 6000 * a * b^3 * c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g + 168 * a^3 * b * d * g^2 - 8 * a^4 * g^3) * x + 1/486 * \text{sqrt}(1/3) * (10800 * a^4 * b^3 * c^2 + 3402 * a^5 * b^2 * d * e - 5400 * a^5 * b^2 * c * f + 675 * a^6 * b * f^2 - 486 * a^6 * b * e * g - (7 * a^8 * b^2 * d - a^9 * b * g) * ((-I * \text{sqrt}(3) + 1) * (81 * e^2 / a^6 - (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) / (a^7 * b)) / (-1/27 * e^3 / a^9 + 1/1458 * (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - 6000 * a * b^3 * c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g + 168 * a^3 * b * d * g^2 - 8 * a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000 * b^4 * c^3 + 8 * a^4 * g^3 - (125 * f^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243 * e^3 - 630 * d * e * f + 392 * d^2 * g + 20 * (25 * f^2 - 18 * e * g) * c) * a^2 * b^2 - 8 * (343 * d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^2)^{(1/3)} + 729 * (I * \text{sqrt}(3) + 1) * (-1/27 * e^3 / a^9 + 1/1458 * (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - 6000 * a * b^3 * c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g + 168 * a^3 * b * d * g^2 - 8 * a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000 * b^4 * c^3 + 8 * a^4 * g^3 - (125 * f^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243 * e^3 - 630 * d * e * f + 392 * d^2 * g + 20 * (25 * f^2 - 18 * e * g) * c) * a^2 * b^2 - 8 * (343 * d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^2)^{(1/3)} + 486 * e / a^3)) * \text{sqrt}(-(((-I * \text{sqrt}(3) + 1) * (81 * e^2 / a^6 - (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) / (a^7 * b)) / (-1/27 * e^3 / a^9 + 1/1458 * (280 * b^2 * c * d + 10 * a^2 * f * g + (81 * e^2 - 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000 * b^4 * c^3 + 2744 * a * b^3 * d^3 - 6000 * a * b^3 * c^2 * f + 1500 * a^2 * b^2 * c * f^2 - 125 * a^3 * b * f^3 - 1176 * a^2 * b^2 * d^2 * g + 168 * a^3 * b * d * g^2 - 8 * a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000 * b^4 * c^3 + 8 * a^4 * g^3 - (125 * f^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243 * e^3 - 630 * d * e * f + 392 * d^2 * g + 20 * (25 * f^2 - 18 * e * g) * c) * a^2 * b^2 - 8 * (343 * d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^2)^{(1/3)} + 486 * e / a^3))
\end{aligned}$$

$$\begin{aligned}
& - 70*d*f - 40*c*g)*a*b)/(a^7*b))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10 \\
& *a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c \\
& ^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 \\
& - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(\\
& 8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243 \\
& *e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 \\
& - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*(- \\
& 1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g) \\
&)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2 \\
& *f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d* \\
& g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 \\
& - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(2 \\
& 5*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^ \\
& 11*b^2))^(1/3) + 486*e/a^3)^2*a^7*b - 972*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (\\
& 280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b))/(-1/27* \\
& e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b \\
&)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + \\
& 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - \\
& 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270 \\
& *e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 \\
& - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^ \\
& 2))^(1/3) + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a \\
& ^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 \\
& + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - \\
& 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(80 \\
& 00*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e \\
& ^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - \\
& 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 486*e/a^3)*a^4*b*e + 326 \\
& 5920*b^2*c*d + 236196*a*b*e^2 - 816480*a*b*d*f - 116640*(4*a*b*c - a^2*f)*g \\
&)/(a^7*b))) - (1458*b^3*e*x^8 + 2916*a*b^2*e*x^5 + 1458*a^2*b*e*x^2 - (a^3* \\
& b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2))*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b \\
& ^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b))/(-1/27*e^3/a \\
& ^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(\\
& a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500* \\
& a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^ \\
& 4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f* \\
& g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18 \\
& *e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(\\
& 1/3) + 729*(I*sqrt(3) + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f* \\
& g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 27 \\
& 44*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176 \\
& *a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^ \\
& 4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - \\
& 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945* \\
& c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 486*e/a^3) + 3*sqrt(1/3)*(a^3
\end{aligned}$$

$$\begin{aligned}
& *b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x^2)*\sqrt{-(((-I*\sqrt{3} + 1)*(81*e^2/a^6 \\
& - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/ \\
& 27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)* \\
& a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f \\
& + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 \\
& - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - \\
& 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25* \\
& f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11} \\
& *b^2))^{\frac{1}{3}} + 729*(I*\sqrt{3} + 1)*(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 1 \\
& 0*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4* \\
& c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - \\
& 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366* \\
& (8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(24 \\
& 3*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 \\
& - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{\frac{1}{3}} + 486*e/a^3)^2*a^7*b - \\
& 972*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 7 \\
& 0*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2 \\
& *f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + \\
& 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1 \\
& 176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000 \\
& *b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 \\
& - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 9 \\
& 45*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{\frac{1}{3}} + 729*(I*\sqrt{3} + 1)*(-1/27 \\
& *e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a* \\
& b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + \\
& 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 \\
& - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 27 \\
& 0*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^ \\
& 2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b \\
& ^2))^{\frac{1}{3}} + 486*e/a^3)*a^4*b*e + 3265920*b^2*c*d + 236196*a*b*e^2 - 816480 \\
& *a*b*d*f - 116640*(4*a*b*c - a^2*f)*g)/(a^7*b))*\log(7840*a*b^3*c*d^2 - 360 \\
& 0*a*b^3*c^2*e + 1134*a^2*b^2*d*e^2 - 225*a^3*b*e*f^2 + 1/1458*(7*a^8*b^2*d \\
& - a^9*b*g))*((-I*\sqrt{3} + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81* \\
& e^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + \\
& 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^ \\
& 4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b* \\
& f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/3936 \\
& 6*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(\\
& 243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343* \\
& d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^{11}*b^2))^{\frac{1}{3}} + 729*(I*\sqrt{3} + 1) \\
& *(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40* \\
& c*g)*a*b)*e/(a^{10}*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3* \\
& c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b \\
& *d*g^2 - 8*a^4*g^3)/(a^{11}*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f \\
& ^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20
\end{aligned}$$

$$\begin{aligned}
& * (25f^2 - 18eg) * c * a^2 b^2 - 8 * (343d^3 - 945c * d * e + 750c^2 * f) * a * b^3 / \\
& (a^{11} b^2)^{(1/3)} + 486e / a^3)^2 + 40 * (4a^3 * b * c - a^4 * f) * g^2 + 1/54 * (400a \\
& ^4 * b^3 * c^2 - 252a^5 * b^2 * d * e - 200a^5 * b^2 * c * f + 25a^6 * b * f^2 + 36a^6 * b * e * \\
& g) * ((-I * \text{sqrt}(3) + 1) * (81e^2 / a^6 - (280b^2 * c * d + 10a^2 * f * g + (81e^2 - 70 \\
& * d * f - 40 * c * g) * a * b) / (a^7 * b)) / (-1/27 * e^3 / a^9 + 1/1458 * (280b^2 * c * d + 10a^2 * \\
& f * g + (81e^2 - 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000b^4 * c^3 + \\
& 2744a * b^3 * d^3 - 6000a * b^3 * c^2 * f + 1500a^2 * b^2 * c * f^2 - 125a^3 * b * f^3 - 11 \\
& 76a^2 * b^2 * d^2 * g + 168a^3 * b * d * g^2 - 8a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000 * \\
& b^4 * c^3 + 8a^4 * g^3 - (125f^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243e^3 \\
& - 630 * d * e * f + 392 * d^2 * g + 20 * (25f^2 - 18eg) * c) * a^2 * b^2 - 8 * (343d^3 - 94 \\
& 5 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^2)^{(1/3)} + 729 * (I * \text{sqrt}(3) + 1) * (-1/27 * \\
& e^3 / a^9 + 1/1458 * (280b^2 * c * d + 10a^2 * f * g + (81e^2 - 70 * d * f - 40 * c * g) * a * b \\
&) * e / (a^{10} * b) - 1/39366 * (8000b^4 * c^3 + 2744a * b^3 * d^3 - 6000a * b^3 * c^2 * f + \\
& 1500a^2 * b^2 * c * f^2 - 125a^3 * b * f^3 - 1176a^2 * b^2 * d^2 * g + 168a^3 * b * d * g^2 - \\
& 8a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000b^4 * c^3 + 8a^4 * g^3 - (125f^3 - 270 \\
& * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243e^3 - 630 * d * e * f + 392 * d^2 * g + 20 * (25f^2 \\
& - 18eg) * c) * a^2 * b^2 - 8 * (343d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^ \\
& 2))^{(1/3)} + 486e / a^3) - 40 * (49a^2 * b^2 * d^2 - 45a^2 * b^2 * c * e) * f - 2 * (1120a \\
& ^2 * b^2 * c * d + 81a^3 * b * e^2 - 280a^3 * b * d * f) * g - 2 * (8000b^4 * c^3 + 2744a * b^3 \\
& * d^3 - 6000a * b^3 * c^2 * f + 1500a^2 * b^2 * c * f^2 - 125a^3 * b * f^3 - 1176a^2 * b^2 \\
& * d^2 * g + 168a^3 * b * d * g^2 - 8a^4 * g^3) * x - 1/486 * \text{sqrt}(1/3) * (10800a^4 * b^3 * c^ \\
& 2 + 3402a^5 * b^2 * d * e - 5400a^5 * b^2 * c * f + 675a^6 * b * f^2 - 486a^6 * b * e * g - (\\
& 7a^8 * b^2 * d - a^9 * b * g) * ((-I * \text{sqrt}(3) + 1) * (81e^2 / a^6 - (280b^2 * c * d + 10a^ \\
& 2 * f * g + (81e^2 - 70 * d * f - 40 * c * g) * a * b) / (a^7 * b)) / (-1/27 * e^3 / a^9 + 1/1458 * (2 \\
& 80b^2 * c * d + 10a^2 * f * g + (81e^2 - 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39 \\
& 366 * (8000b^4 * c^3 + 2744a * b^3 * d^3 - 6000a * b^3 * c^2 * f + 1500a^2 * b^2 * c * f^2 \\
& - 125a^3 * b * f^3 - 1176a^2 * b^2 * d^2 * g + 168a^3 * b * d * g^2 - 8a^4 * g^3) / (a^{11} * b \\
& ^2) - 1/39366 * (8000b^4 * c^3 + 8a^4 * g^3 - (125f^3 - 270 * e * f * g + 168 * d * g^2) \\
& * a^3 * b + 3 * (243e^3 - 630 * d * e * f + 392 * d^2 * g + 20 * (25f^2 - 18eg) * c) * a^2 * b \\
& ^2 - 8 * (343d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) / (a^{11} * b^2)^{(1/3)} + 729 * (I * \\
& \text{sqrt}(3) + 1) * (-1/27 * e^3 / a^9 + 1/1458 * (280b^2 * c * d + 10a^2 * f * g + (81e^2 - \\
& 70 * d * f - 40 * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000b^4 * c^3 + 2744a * b^3 * d^3 - \\
& 6000a * b^3 * c^2 * f + 1500a^2 * b^2 * c * f^2 - 125a^3 * b * f^3 - 1176a^2 * b^2 * d^2 * g \\
& + 168a^3 * b * d * g^2 - 8a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000b^4 * c^3 + 8a^4 * \\
& g^3 - (125f^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243e^3 - 630 * d * e * f + 39 \\
& 2 * d^2 * g + 20 * (25f^2 - 18eg) * c) * a^2 * b^2 - 8 * (343d^3 - 945 * c * d * e + 750 * c^ \\
& 2 * f) * a * b^3) / (a^{11} * b^2)^{(1/3)} + 486e / a^3) * \text{sqrt}(-(((-I * \text{sqrt}(3) + 1) * (81e^ \\
& 2 / a^6 - (280b^2 * c * d + 10a^2 * f * g + (81e^2 - 70 * d * f - 40 * c * g) * a * b) / (a^7 * b) \\
&)) / (-1/27 * e^3 / a^9 + 1/1458 * (280b^2 * c * d + 10a^2 * f * g + (81e^2 - 70 * d * f - 40 \\
& * c * g) * a * b) * e / (a^{10} * b) - 1/39366 * (8000b^4 * c^3 + 2744a * b^3 * d^3 - 6000a * b^3 \\
& * c^2 * f + 1500a^2 * b^2 * c * f^2 - 125a^3 * b * f^3 - 1176a^2 * b^2 * d^2 * g + 168a^3 * \\
& b * d * g^2 - 8a^4 * g^3) / (a^{11} * b^2) - 1/39366 * (8000b^4 * c^3 + 8a^4 * g^3 - (125 * \\
& f^3 - 270 * e * f * g + 168 * d * g^2) * a^3 * b + 3 * (243e^3 - 630 * d * e * f + 392 * d^2 * g + 2 \\
& 0 * (25f^2 - 18eg) * c) * a^2 * b^2 - 8 * (343d^3 - 945 * c * d * e + 750 * c^2 * f) * a * b^3) \\
& / (a^{11} * b^2)^{(1/3)} + 729 * (I * \text{sqrt}(3) + 1) * (-1/27 * e^3 / a^9 + 1/1458 * (280b^2 * c
\end{aligned}$$

```

*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(800
0*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^
3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/
39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b +
3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(
343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 486*e/a^3)^2*a^
7*b - 972*((-I*sqrt(3) + 1)*(81*e^2/a^6 - (280*b^2*c*d + 10*a^2*f*g + (81*e
^2 - 70*d*f - 40*c*g)*a*b)/(a^7*b)))/(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d +
10*a^2*f*g + (81*e^2 - 70*d*f - 40*c*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4
*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f
^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366
*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(2
43*e^3 - 630*d*e*f + 392*d^2*g + 20*(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d
^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(a^11*b^2))^(1/3) + 729*(I*sqrt(3) + 1)*
(-1/27*e^3/a^9 + 1/1458*(280*b^2*c*d + 10*a^2*f*g + (81*e^2 - 70*d*f - 40*c
*g)*a*b)*e/(a^10*b) - 1/39366*(8000*b^4*c^3 + 2744*a*b^3*d^3 - 6000*a*b^3*c
^2*f + 1500*a^2*b^2*c*f^2 - 125*a^3*b*f^3 - 1176*a^2*b^2*d^2*g + 168*a^3*b*
d*g^2 - 8*a^4*g^3)/(a^11*b^2) - 1/39366*(8000*b^4*c^3 + 8*a^4*g^3 - (125*f^
3 - 270*e*f*g + 168*d*g^2)*a^3*b + 3*(243*e^3 - 630*d*e*f + 392*d^2*g + 20*
(25*f^2 - 18*e*g)*c)*a^2*b^2 - 8*(343*d^3 - 945*c*d*e + 750*c^2*f)*a*b^3)/(
a^11*b^2))^(1/3) + 486*e/a^3)*a^4*b*e + 3265920*b^2*c*d + 236196*a*b*e^2 -
816480*a*b*d*f - 116640*(4*a*b*c - a^2*f)*g)/(a^7*b))) + 2916*(b^3*e*x^8 +
2*a*b^2*e*x^5 + a^2*b*e*x^2)*log(x))/(a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^5*b*x
^2)

```

giac [A] time = 0.23, size = 399, normalized size = 1.11

$$\frac{e \log(|bx^3 + a|)}{3a^3} + \frac{e \log(|x|)}{a^3} + \frac{\sqrt{3} \left(20b^2c - 5abf - 14(-ab^2)^{\frac{1}{3}}bd + 2(-ab^2)^{\frac{1}{3}}ag \right) \arctan \left(\frac{\sqrt{3} \left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}} \right)}{3 \left(-\frac{a}{b}\right)^{\frac{1}{3}}} \right)}{27(-ab^2)^{\frac{2}{3}}a^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="giac")

[Out] -1/3*e*log(abs(b*x^3 + a))/a^3 + e*log(abs(x))/a^3 + 1/27*sqrt(3)*(20*b^2*c - 5*a*b*f - 14*(-a*b^2)^(1/3)*b*d + 2*(-a*b^2)^(1/3)*a*g)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)*a^3) + 1/54*(20*b^2*c - 5*a*b*f + 14*(-a*b^2)^(1/3)*b*d - 2*(-a*b^2)^(1/3)*a*g)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3) - 1/18*(28*b^3*d*x^7 - 4*a*b^2*g*x^7 + 20*b^3*c*x^6 - 5*a*b^2*f*x^6 - 6*a*b^2*x^5*e + 49*a*b^2*d*x^4 - 7*a^2*b*g*x^4 + 32*a*b^2*c*x^3 - 8*a^2*b*f*x^3 + 3*a^3*h*x^2 - 9*a^2*b*x^2*e

$$+ 18a^2bdx + 9a^2bc) / ((bx^4 + ax)^2 a^3 b) + 1/27 * (14a^3 b^2 d * (-a/b)^{1/3} - 2a^4 b g * (-a/b)^{1/3} + 20a^3 b^2 c - 5a^4 b f) * (-a/b)^{1/3} * \log(\text{abs}(x - (-a/b)^{1/3})) / (a^7 b)$$

maple [B] time = 0.07, size = 626, normalized size = 1.74

$$\frac{2bgx^5}{9(bx^3+a)^2 a^2} - \frac{5b^2dx^5}{9(bx^3+a)^2 a^3} + \frac{5bf x^4}{18(bx^3+a)^2 a^2} - \frac{11b^2c x^4}{18(bx^3+a)^2 a^3} + \frac{be x^3}{3(bx^3+a)^2 a^2} + \frac{7g x^2}{18(bx^3+a)^2 a} - \frac{1}{18(bx^3+a)^2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x)

[Out] $\frac{10}{27} \frac{a^3 c}{(a/b)^{2/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{14}{27} \frac{a^3 d}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) - \frac{7}{27} \frac{a^3 d}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{7}{18} \frac{a}{(b x^3 + a)^2} x^2 g - \frac{20}{27} \frac{a^3 c}{(a/b)^{2/3}} \ln(x + (a/b)^{1/3}) + \frac{4}{9} \frac{1}{(b x^3 + a)^2} a f x + \frac{5}{27} \frac{1}{(a/b)^{2/3}} 3^{1/2} \frac{1}{a^2} b f \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3} x - 1}\right) - \frac{1}{6} \frac{1}{(b x^3 + a)^2} b h + \frac{1}{2} \frac{1}{(b x^3 + a)^2} e + \frac{5}{18} \frac{1}{(b x^3 + a)^2} \frac{1}{a^2} b f x^4 + \frac{2}{27} \frac{1}{a^2} g 3^{1/2} \frac{1}{b} \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3} x - 1}\right) - \frac{1}{a^3} \frac{d}{x} + \frac{1}{a^3} e \ln(x) - \frac{1}{3} \frac{1}{a^3} e \ln(b x^3 + a) - \frac{20}{27} \frac{a^3 c}{(a/b)^{2/3}} 3^{1/2} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3} x - 1}\right) - \frac{2}{27} \frac{1}{a^2} \frac{g}{b} \frac{1}{(a/b)^{1/3}} \ln(x + (a/b)^{1/3}) + \frac{1}{27} \frac{1}{a^2} \frac{g}{b} \frac{1}{(a/b)^{1/3}} \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) - \frac{14}{27} \frac{1}{a^3} \frac{d}{3^{1/2}} \frac{1}{(a/b)^{1/3}} \arctan\left(\frac{1}{3} 3^{1/2} \frac{2}{(a/b)^{1/3} x - 1}\right) - \frac{1}{2} \frac{1}{a^3} \frac{c}{x^2} + \frac{5}{27} \frac{1}{(a/b)^{2/3}} \frac{1}{a^2} b f \ln(x + (a/b)^{1/3}) - \frac{5}{54} \frac{1}{(a/b)^{2/3}} \frac{1}{a^2} b f \ln(x^2 - (a/b)^{1/3} x + (a/b)^{2/3}) + \frac{2}{9} \frac{1}{a^2} \frac{1}{(b x^3 + a)^2} x^5 b g - \frac{5}{9} \frac{1}{a^3} \frac{1}{(b x^3 + a)^2} b^2 d x^5 - \frac{11}{18} \frac{1}{a^3} \frac{1}{(b x^3 + a)^2} b^2 c x^4 + \frac{1}{3} \frac{1}{a^2} \frac{1}{(b x^3 + a)^2} x^3 b e - \frac{13}{18} \frac{1}{a^2} \frac{1}{(b x^3 + a)^2} b d x^2 - \frac{7}{9} \frac{1}{a^2} \frac{1}{(b x^3 + a)^2} b c x$

maxima [A] time = 3.10, size = 390, normalized size = 1.08

$$\frac{6ab^2ex^5 - 4(7b^3d - ab^2g)x^7 - 5(4b^3c - ab^2f)x^6 - 18a^2bdx - 7(7ab^2d - a^2bg)x^4 - 9a^2bc - 8(4ab^2c - a^2bf)}{18(a^3b^3x^8 + 2a^4b^2x^5 + a^5bx^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^3/(b*x^3+a)^3,x, algorithm="maxima")

```
[Out] 1/18*(6*a*b^2*e*x^5 - 4*(7*b^3*d - a*b^2*g)*x^7 - 5*(4*b^3*c - a*b^2*f)*x^6
- 18*a^2*b*d*x - 7*(7*a*b^2*d - a^2*b*g)*x^4 - 9*a^2*b*c - 8*(4*a*b^2*c -
a^2*b*f)*x^3 + 3*(3*a^2*b*e - a^3*h)*x^2)/(a^3*b^3*x^8 + 2*a^4*b^2*x^5 + a^
5*b*x^2) + e*log(x)/a^3 - 1/27*sqrt(3)*(14*b*d*(a/b)^(2/3) - 2*a*g*(a/b)^(2
/3) + 20*b*c*(a/b)^(1/3) - 5*a*f*(a/b)^(1/3))*arctan(1/3*sqrt(3)*(2*x - (a/
b)^(1/3))/(a/b)^(1/3))/a^4 - 1/54*(18*b*e*(a/b)^(2/3) + 14*b*d*(a/b)^(1/3)
- 2*a*g*(a/b)^(1/3) - 20*b*c + 5*a*f)*log(x^2 - x*(a/b)^(1/3) + (a/b)^(2/3)
)/(a^3*b*(a/b)^(2/3)) - 1/27*(9*b*e*(a/b)^(2/3) - 14*b*d*(a/b)^(1/3) + 2*a*
g*(a/b)^(1/3) + 20*b*c - 5*a*f)*log(x + (a/b)^(1/3))/(a^3*b*(a/b)^(2/3))
```

mupad [B] time = 5.66, size = 1697, normalized size = 4.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^3*(a + b*x^3)^3), x)
```

```
[Out] symsum(log((b^2*e*(400*b^2*c^2 + 25*a^2*f^2 - 18*a^2*e*g - 200*a*b*c*f + 12
6*a*b*d*e))/(81*a^8) - (root(19683*a^11*b^2*z^3 + 19683*a^8*b^2*e*z^2 + 810
*a^6*b*f*g*z - 5670*a^5*b^2*d*f*z - 3240*a^5*b^2*c*g*z + 22680*a^4*b^3*c*d*
z + 6561*a^5*b^2*e^2*z + 270*a^3*b*e*f*g + 7560*a*b^3*c*d*e - 1890*a^2*b^2*
d*e*f - 1080*a^2*b^2*c*e*g - 168*a^3*b*d*g^2 - 6000*a*b^3*c^2*f + 1176*a^2*
b^2*d^2*g + 1500*a^2*b^2*c*f^2 + 729*a^2*b^2*e^3 - 125*a^3*b*f^3 - 2744*a*b
^3*d^3 + 8*a^4*g^3 + 8000*b^4*c^3, z, k)*b^2*(400*b^2*c^2 + 25*a^2*f^2 - 54
*root(19683*a^11*b^2*z^3 + 19683*a^8*b^2*e*z^2 + 810*a^6*b*f*g*z - 5670*a^5
*b^2*d*f*z - 3240*a^5*b^2*c*g*z + 22680*a^4*b^3*c*d*z + 6561*a^5*b^2*e^2*z
+ 270*a^3*b*e*f*g + 7560*a*b^3*c*d*e - 1890*a^2*b^2*d*e*f - 1080*a^2*b^2*c*
e*g - 168*a^3*b*d*g^2 - 6000*a*b^3*c^2*f + 1176*a^2*b^2*d^2*g + 1500*a^2*b^
2*c*f^2 + 729*a^2*b^2*e^3 - 125*a^3*b*f^3 - 2744*a*b^3*d^3 + 8*a^4*g^3 + 80
00*b^4*c^3, z, k)*a^5*g + 36*a^2*e*g + 378*root(19683*a^11*b^2*z^3 + 19683*
a^8*b^2*e*z^2 + 810*a^6*b*f*g*z - 5670*a^5*b^2*d*f*z - 3240*a^5*b^2*c*g*z +
22680*a^4*b^3*c*d*z + 6561*a^5*b^2*e^2*z + 270*a^3*b*e*f*g + 7560*a*b^3*c*
d*e - 1890*a^2*b^2*d*e*f - 1080*a^2*b^2*c*e*g - 168*a^3*b*d*g^2 - 6000*a*b^
3*c^2*f + 1176*a^2*b^2*d^2*g + 1500*a^2*b^2*c*f^2 + 729*a^2*b^2*e^3 - 125*a
^3*b*f^3 - 2744*a*b^3*d^3 + 8*a^4*g^3 + 8000*b^4*c^3, z, k)^2*a^7*b*x
- 200*a*b*c*f - 252*a*b*d*e - 400*a*b*c*g*x - 700*a*b*d*f*x + 1944*root(19
683*a^11*b^2*z^3 + 19683*a^8*b^2*e*z^2 + 810*a^6*b*f*g*z - 5670*a^5*b^2*d*f
*z - 3240*a^5*b^2*c*g*z + 22680*a^4*b^3*c*d*z + 6561*a^5*b^2*e^2*z + 270*a^
3*b*e*f*g + 7560*a*b^3*c*d*e - 1890*a^2*b^2*d*e*f - 1080*a^2*b^2*c*e*g - 16
```

$$\begin{aligned}
& 8a^3bdg^2 - 6000ab^3c^2f + 1176a^2b^2d^2g + 1500a^2b^2c^2f^2 \\
& + 729a^2b^2e^3 - 125a^3b^3f^3 - 2744ab^3d^3 + 8a^4g^3 + 8000b^4c^3 \\
& + 729a^2b^2e^3 - 125a^3b^3f^3 - 2744ab^3d^3 + 8a^4g^3 + 8000b^4c^3, z, k) \cdot a^4b^3e^3x) / (81a^5) - (b^3x^3(8000b^4c^3 + 8a^4g^3 - 2744ab^3d^3 - 125a^3b^3f^3 + 1500a^2b^2c^2f^2 + 1176a^2b^2d^2g - 6000ab^3c^2f - 168a^3bdg^2 - 720a^2b^2c^2eg - 1260a^2b^2d^2ef + 5040ab^3c^2de + 180a^3b^3e^3fg)) / (729a^9) \cdot \text{root}(19683a^{11}b^2z^3 + 19683a^8b^2e^2z^2 + 810a^6b^3f^3gz - 5670a^5b^2d^2f^2z - 3240a^5b^2c^2g^2z + 22680a^4b^3c^2dz + 6561a^5b^2e^2z^2 + 270a^3b^3e^3fg + 7560ab^3c^2de - 1890a^2b^2d^2ef - 1080a^2b^2c^2eg - 168a^3bdg^2 - 6000ab^3c^2f + 1176a^2b^2d^2g + 1500a^2b^2c^2f^2 + 729a^2b^2e^3 - 125a^3b^3f^3 - 2744ab^3d^3 + 8a^4g^3 + 8000b^4c^3, z, k), k, 1, 3) - (c/(2a) + (4x^3(4bc - af))/(9a^2) + (7x^4(7bd - ag))/(18a^2) + (dx)/a + (5bx^6(4bc - af))/(18a^3) + (2bx^7(7bd - ag))/(9a^3) - (x^2(3be - ah))/(6ab) - (bex^5)/(3a^2))/(a^2x^2 + b^2x^8 + 2abx^5) + (e \log(x))/a^3
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**3/(b*x**3+a)**3,x)

[Out] Timed out

$$3.429 \quad \int \frac{c+dx+ex^2+fx^3+gx^4+hx^5}{x^4(a+bx^3)^3} dx$$

Optimal. Leaf size=395

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) (5\sqrt[3]{b} (4bd - ag) - 2\sqrt[3]{a} (7be - ah))}{54a^{11/3} b^{2/3}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (5\sqrt[3]{b} (4bd - ag) - 2\sqrt[3]{a} (7be - ah))}{27a^{11/3} b^{2/3}}$$

[Out] $-1/3*c/a^3/x^3-1/2*d/a^3/x^2-e/a^3/x-1/6*x*(b*d-a*g+(-a*h+b*e))*x-b*(b*c/a-f)*x^2/a^2/(b*x^3+a)^2-1/18*x*(11*b*d-5*a*g+2*(-2*a*h+5*b*e))*x-3*b*(5*b*c/a-3*f)*x^2/a^3/(b*x^3+a)-(-a*f+3*b*c)*\ln(x)/a^4-1/27*(5*b^(1/3)*(-a*g+4*b*d)-2*a^(1/3)*(-a*h+7*b*e))*\ln(a^(1/3)+b^(1/3)*x)/a^(11/3)/b^(2/3)+1/54*(5*b^(1/3)*(-a*g+4*b*d)-2*a^(1/3)*(-a*h+7*b*e))*\ln(a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/a^(11/3)/b^(2/3)+1/3*(-a*f+3*b*c)*\ln(b*x^3+a)/a^4+1/27*(20*b^(4/3)*d+14*a^(1/3)*b*e-5*a*b^(1/3)*g-2*a^(4/3)*h)*\arctan(1/3*(a^(1/3)-2*b^(1/3)*x)/a^(1/3)*3^(1/2))/a^(11/3)/b^(2/3)*3^(1/2)$

Rubi [A] time = 1.01, antiderivative size = 392, normalized size of antiderivative = 0.99, number of steps used = 12, number of rules used = 10, integrand size = 38, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1829, 1834, 1871, 1860, 31, 634, 617, 204, 628, 260}

$$\frac{\log(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2) \left(-\frac{2\sqrt[3]{a}(7be-ah)}{\sqrt[3]{b}} - 5ag + 20bd \right)}{54a^{11/3} \sqrt[3]{b}} - \frac{\log(\sqrt[3]{a} + \sqrt[3]{b} x) (5\sqrt[3]{b} (4bd - ag) - 2\sqrt[3]{a} (7be - ah))}{27a^{11/3} b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^3), x]

[Out] $-c/(3*a^3*x^3) - d/(2*a^3*x^2) - e/(a^3*x) - (x*(b*d - a*g + (b*e - a*h))*x - b*((b*c)/a - f)*x^2)/(6*a^2*(a + b*x^3)^2) - (x*(11*b*d - 5*a*g + 2*(5*b*e - 2*a*h)*x - 3*b*((5*b*c)/a - 3*f)*x^2))/(18*a^3*(a + b*x^3)) + ((20*b^(4/3)*d + 14*a^(1/3)*b*e - 5*a*b^(1/3)*g - 2*a^(4/3)*h)*ArcTan[(a^(1/3) - 2*b^(1/3)*x)/(Sqrt[3]*a^(1/3))]/(9*Sqrt[3]*a^(11/3)*b^(2/3)) - ((3*b*c - a*f)*Log[x])/a^4 - ((5*b^(1/3)*(4*b*d - a*g) - 2*a^(1/3)*(7*b*e - a*h))*Log[a^(1/3) + b^(1/3)*x])/27*a^(11/3)*b^(2/3) + ((20*b*d - 5*a*g - (2*a^(1/3)*(7*b*e - a*h))/b^(1/3))*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/54*a^(11/3)*b^(1/3) + ((3*b*c - a*f)*Log[a + b*x^3])/3*a^4$

Rule 31

Int[((a_) + (b_.)*(x_))^(−1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1834

Int[(Pq_)*((c_)*(x_)^(m_))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Int[E

```
xpandIntegrand[((c*x)^m*Pq)/(a + b*x^n), x], x] /; FreeQ[{a, b, c, m}, x] &
& PolyQ[Pq, x] && IntegerQ[n] && !IGtQ[m, 0]
```

Rule 1860

```
Int[((A_) + (B_)*(x_))/((a_) + (b_)*(x_)^3), x_Symbol] := With[{r = Numer
ator[Rt[a/b, 3]], s = Denominator[Rt[a/b, 3]]}, -Dist[(r*(B*r - A*s))/(3*a*
s), Int[1/(r + s*x), x], x] + Dist[r/(3*a*s), Int[(r*(B*r + 2*A*s) + s*(B*r
- A*s)*x)/(r^2 - r*s*x + s^2*x^2), x], x]] /; FreeQ[{a, b, A, B}, x] && Ne
Q[a*B^3 - b*A^3, 0] && PosQ[a/b]
```

Rule 1871

```
Int[(P2_)/((a_) + (b_)*(x_)^3), x_Symbol] := With[{A = Coeff[P2, x, 0], B
= Coeff[P2, x, 1], C = Coeff[P2, x, 2]}, Int[(A + B*x)/(a + b*x^3), x] + Di
st[C, Int[x^2/(a + b*x^3), x], x] /; EqQ[a*B^3 - b*A^3, 0] || !RationalQ[a
/b]] /; FreeQ[{a, b}, x] && PolyQ[P2, x, 2]
```

Rubi steps

Mathematica [A] time = 0.79, size = 352, normalized size = 0.89

$$\frac{\sqrt[3]{a} \log\left(a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2\right) \left(2a^{4/3} h - 14 \sqrt[3]{a} b e - 5a \sqrt[3]{b} g + 20b^{4/3} d\right)}{b^{2/3}} - \frac{2 \sqrt[3]{a} \log\left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \left(2a^{4/3} h - 14 \sqrt[3]{a} b e - 5a \sqrt[3]{b} g + 20b^{4/3} d\right)}{b^{2/3}} + \frac{2\sqrt{3} \sqrt[3]{a} \tan^{-1}\left(\frac{1}{\sqrt{3} \sqrt[3]{a} + \sqrt[3]{b} x}\right)}{b^{2/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^3), x]
[Out] ((-18*a*c)/x^3 - (27*a*d)/x^2 - (54*a*e)/x + (3*a*(-12*b*c + 6*a*f - b*x*(1
1*d + 10*e*x) + a*x*(5*g + 4*h*x)))/(a + b*x^3) + (a^2*(-9*b*(c + x*(d + e
x)) + 9*a*(f + x*(g + h*x)))/(a + b*x^3)^2 + (2*Sqrt[3]*a^(1/3)*(20*b^(4/3
)*d + 14*a^(1/3)*b*e - 5*a*b^(1/3)*g - 2*a^(4/3)*h)*ArcTan[(1 - (2*b^(1/3)*
x)/a^(1/3))/Sqrt[3]])/b^(2/3) + 54*(-3*b*c + a*f)*Log[x] - (2*a^(1/3)*(20*b
^(4/3)*d - 14*a^(1/3)*b*e - 5*a*b^(1/3)*g + 2*a^(4/3)*h)*Log[a^(1/3) + b^(1
/3)*x])/b^(2/3) + (a^(1/3)*(20*b^(4/3)*d - 14*a^(1/3)*b*e - 5*a*b^(1/3)*g +
2*a^(4/3)*h)*Log[a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/b^(2/3) + 18*
(3*b*c - a*f)*Log[a + b*x^3])/(54*a^4)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="fri
cas")
```

```
[Out] Timed out
```

giac [A] time = 0.20, size = 431, normalized size = 1.09

$$\frac{\sqrt{3} \left(20b^2d - 5abg + 2(-ab^2)^{\frac{1}{3}}ah - 14(-ab^2)^{\frac{1}{3}}be\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{2}{3}}a^3} + \frac{\left(20b^2d - 5abg - 2(-ab^2)^{\frac{1}{3}}ah + 14(-ab^2)^{\frac{1}{3}}be\right) \arctan\left(\frac{\sqrt{3}\left(2x + \left(-\frac{a}{b}\right)^{\frac{1}{3}}\right)}{3\left(-\frac{a}{b}\right)^{\frac{1}{3}}}\right)}{27(-ab^2)^{\frac{2}{3}}a^3}$$

54

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="gia
c")
```



```
[Out] 1/27*sqrt(3)*(20*b^2*d - 5*a*b*g + 2*(-a*b^2)^(1/3)*a*h - 14*(-a*b^2)^(1/3)
*b*e)*arctan(1/3*sqrt(3)*(2*x + (-a/b)^(1/3))/(-a/b)^(1/3))/((-a*b^2)^(2/3)
*a^3) + 1/54*(20*b^2*d - 5*a*b*g - 2*(-a*b^2)^(1/3)*a*h + 14*(-a*b^2)^(1/3)
*b*e)*log(x^2 + x*(-a/b)^(1/3) + (-a/b)^(2/3))/((-a*b^2)^(2/3)*a^3) + 1/3*(
3*b*c - a*f)*log(abs(b*x^3 + a))/a^4 - (3*b*c - a*f)*log(abs(x))/a^4 - 1/27
*(2*a^6*b*h*(-a/b)^(1/3) - 14*a^5*b^2*(-a/b)^(1/3)*e - 20*a^5*b^2*d + 5*a^6
*b*g)*(-a/b)^(1/3)*log(abs(x - (-a/b)^(1/3)))/(a^9*b) + 1/18*(4*(a^2*b*h -
7*a*b^2*e)*x^8 - 5*(4*a*b^2*d - a^2*b*g)*x^7 - 6*(3*a*b^2*c - a^2*b*f)*x^6
+ 7*(a^3*h - 7*a^2*b*e)*x^5 - 18*a^3*x^2*e - 9*a^3*d*x - 8*(4*a^2*b*d - a^3
*g)*x^4 - 6*a^3*c - 9*(3*a^2*b*c - a^3*f)*x^3)/((b*x^3 + a)^2*a^4*x^3)
```

maple [B] time = 0.07, size = 680, normalized size = 1.72

$$\frac{2bhx^5}{9(bx^3+a)^2a^2} - \frac{5b^2ex^5}{9(bx^3+a)^2a^3} + \frac{5bgx^4}{18(bx^3+a)^2a^2} - \frac{11b^2dx^4}{18(bx^3+a)^2a^3} + \frac{bfx^3}{3(bx^3+a)^2a^2} - \frac{2b^2cx^3}{3(bx^3+a)^2a^3} + \frac{7}{18(bx^3+a)^2a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x)
```

```
[Out] -5/9/(b*x^3+a)^2/a^3*b^2*e*x^5-14/27*3^(1/2)/(a/b)^(1/3)/a^3*e*arctan(1/3*3
^(1/2)*(2/(a/b)^(1/3)*x-1))-7/27/(a/b)^(1/3)/a^3*e*ln(x^2-(a/b)^(1/3)*x+(a/
b)^(2/3))+14/27/(a/b)^(1/3)/a^3*e*ln(x+(a/b)^(1/3))-5/6/(b*x^3+a)^2/a^2*b*c
-20/27/(a/b)^(2/3)/a^3*d*ln(x+(a/b)^(1/3))+10/27/(a/b)^(2/3)/a^3*d*ln(x^2-(
a/b)^(1/3)*x+(a/b)^(2/3))+1/a^3*ln(x)*f+1/2/a/(b*x^3+a)^2*f-1/3/a^3*ln(b*x^
3+a)*f-11/18/(b*x^3+a)^2/a^3*b^2*d*x^4-20/27/(a/b)^(2/3)*3^(1/2)/a^3*d*arct
an(1/3*3^(1/2)*(2/(a/b)^(1/3)*x-1))-1/3/a^3*c/x^3+7/18/a/(b*x^3+a)^2*x^2*h+
4/9/a/(b*x^3+a)^2*g*x+2/27/a^2*h*3^(1/2)/b/(a/b)^(1/3)*arctan(1/3*3^(1/2)*(
2/(a/b)^(1/3)*x-1))+5/27/a^2*g/b/(a/b)^(2/3)*3^(1/2)*arctan(1/3*3^(1/2)*(2/
(a/b)^(1/3)*x-1))-1/2/a^3*d/x^2-1/a^3*e/x-13/18/(b*x^3+a)^2/a^2*b*e*x^2-5/5
4/a^2*g/b/(a/b)^(2/3)*ln(x^2-(a/b)^(1/3)*x+(a/b)^(2/3))+5/27/a^2*g/b/(a/b)^(
2/3)*ln(x+(a/b)^(1/3))-7/9/(b*x^3+a)^2/a^2*b*d*x+5/18/a^2/(b*x^3+a)^2*x^4*
b*g+1/3/a^2/(b*x^3+a)^2*x^3*b*f+2/9/a^2/(b*x^3+a)^2*x^5*b*h-2/27/a^2*h/b/(a
/b)^(1/3)*ln(x+(a/b)^(1/3))+1/27/a^2*h/b/(a/b)^(1/3)*ln(x^2-(a/b)^(1/3)*x+(
a/b)^(2/3))-2/3/(b*x^3+a)^2/a^3*b^2*c*x^3-3/a^4*b*c*ln(x)+1/a^4*b*c*ln(b*x^
3+a)
```

maxima [A] time = 3.09, size = 444, normalized size = 1.12

$$\frac{4(7b^2e - abh)x^8 + 5(4b^2d - abg)x^7 + 6(3b^2c - abf)x^6 + 7(7abe - a^2h)x^5 + 18a^2ex^2 + 8(4abd - a^2g)x^4 + 9a^2c}{18(a^3b^2x^9 + 2a^4bx^6 + a^5x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x^5+g*x^4+f*x^3+e*x^2+d*x+c)/x^4/(b*x^3+a)^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/18*(4*(7*b^2*e - a*b*h)*x^8 + 5*(4*b^2*d - a*b*g)*x^7 + 6*(3*b^2*c - a*b*f)*x^6 + 7*(7*a*b*e - a^2*h)*x^5 + 18*a^2*e*x^2 + 8*(4*a*b*d - a^2*g)*x^4 \\ & + 9*a^2*d*x + 9*(3*a*b*c - a^2*f)*x^3 + 6*a^2*c)/(a^3*b^2*x^9 + 2*a^4*b*x^6 + a^5*x^3) - (3*b*c - a*f)*\log(x)/a^4 - 1/27*\sqrt{3}*(14*a*b*e*(a/b)^{(2/3)} \\ & - 2*a^2*h*(a/b)^{(2/3)} + 20*a*b*d*(a/b)^{(1/3)} - 5*a^2*g*(a/b)^{(1/3)})*\arctan \\ & (1/3*\sqrt{3}*(2*x - (a/b)^{(1/3)})/(a/b)^{(1/3)})/a^5 + 1/54*(54*b^2*c*(a/b)^{(2/3)} - 18*a*b*f*(a/b)^{(2/3)} - 14*a*b*e*(a/b)^{(1/3)} + 2*a^2*h*(a/b)^{(1/3)} + 2 \\ & 0*a*b*d - 5*a^2*g)*\log(x^2 - x*(a/b)^{(1/3)} + (a/b)^{(2/3)})/(a^4*b*(a/b)^{(2/3)}) + 1/27*(27*b^2*c*(a/b)^{(2/3)} - 9*a*b*f*(a/b)^{(2/3)} + 14*a*b*e*(a/b)^{(1/3)} \\ & - 2*a^2*h*(a/b)^{(1/3)} - 20*a*b*d + 5*a^2*g)*\log(x + (a/b)^{(1/3)})/(a^4*b*(a/b)^{(2/3)}) \end{aligned}$$

mupad [B] time = 6.32, size = 1994, normalized size = 5.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3 + g*x^4 + h*x^5)/(x^4*(a + b*x^3)^3), x)

[Out]
$$\begin{aligned} & \text{symsum}(\log(- (1200*b^5*c*d^2 - 1134*b^5*c^2*e + 75*a^2*b^3*c*g^2 - 126*a^2*b^3*e*f^2 - 25*a^3*b^2*f*g^2 + 18*a^3*b^2*f^2*h - 400*a*b^4*d^2*f + 162*a*b^4*c^2*h - 108*a^2*b^3*c*f*h + 200*a^2*b^3*d*f*g - 600*a*b^4*c*d*g + 756*a*b^4*c*e*f)/(81*a^9) - \text{root}(19683*a^{12}*b^2*z^3 + 19683*a^9*b^2*f*z^2 - 59049*a^8*b^3*c*z^2 + 810*a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - 3240*a^6*b^2*d*h*z - 39366*a^5*b^3*c*f*z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^2*f^2*z + 59049*a^4*b^4*c^2*z + 270*a^4*b*f*g*h - 22680*a*b^4*c*d*e - 1890*a^3*b^2*e*f*g - 1080*a^3*b^2*d*f*h - 810*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e*f + 5670*a^2*b^3*c*e*g + 3240*a^2*b^3*c*d*h - 168*a^4*b*e*h^2 + 19683*a*b^4*c^2*f + 1176*a^3*b^2*e^2*h - 6000*a^2*b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 6561*a^2*b^3*c*f^2 + 729*a^3*b^2*f^3 - 2744*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000*a*b^4*d^3 + 8*a^5*h^3 - 19683*b^5*c^3, z, k)*((400*a^4*b^4*d^2 + 25*a^6*b^2*g^2 + 756*a^4*b^4 \end{aligned}$$

$$\begin{aligned}
& *c*e - 108*a^5*b^3*c*h - 200*a^5*b^3*d*g - 252*a^5*b^3*e*f + 36*a^6*b^2*f*h \\
&)/(81*a^9) + \text{root}(19683*a^{12}*b^2*z^3 + 19683*a^9*b^2*f*z^2 - 59049*a^8*b^3* \\
& c*z^2 + 810*a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - 3240*a^6*b^2*d*h*z - 39366*a \\
& ^5*b^3*c*f*z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^2*f^2*z + 59049*a^4*b^4*c^2 \\
& *z + 270*a^4*b*f*g*h - 22680*a*b^4*c*d*e - 1890*a^3*b^2*e*f*g - 1080*a^3*b^ \\
& 2*d*f*h - 810*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e*f + 5670*a^2*b^3*c*e*g + 324 \\
& 0*a^2*b^3*c*d*h - 168*a^4*b*e*h^2 + 19683*a*b^4*c^2*f + 1176*a^3*b^2*e^2*h \\
& - 6000*a^2*b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 6561*a^2*b^3*c*f^2 + 729*a^3*b^ \\
& 2*f^3 - 2744*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000*a*b^4*d^3 + 8*a^5*h^3 - 196 \\
& 83*b^5*c^3, z, k)*((378*a^8*b^3*e - 54*a^9*b^2*h)/(81*a^9) - (x*(52488*a^7* \\
& b^4*c - 17496*a^8*b^3*f))/(729*a^9) + 36*\text{root}(19683*a^{12}*b^2*z^3 + 19683*a^ \\
& 9*b^2*f*z^2 - 59049*a^8*b^3*c*z^2 + 810*a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - \\
& 3240*a^6*b^2*d*h*z - 39366*a^5*b^3*c*f*z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^ \\
& ^2*f^2*z + 59049*a^4*b^4*c^2*z + 270*a^4*b*f*g*h - 22680*a*b^4*c*d*e - 1890 \\
& *a^3*b^2*e*f*g - 1080*a^3*b^2*d*f*h - 810*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e* \\
& f + 5670*a^2*b^3*c*e*g + 3240*a^2*b^3*c*d*h - 168*a^4*b*e*h^2 + 19683*a*b^4 \\
& *c^2*f + 1176*a^3*b^2*e^2*h - 6000*a^2*b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 656 \\
& 1*a^2*b^3*c*f^2 + 729*a^3*b^2*f^3 - 2744*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000 \\
& *a*b^4*d^3 + 8*a^5*h^3 - 19683*b^5*c^3, z, k)*a^2*b^3*x) + (x*(26244*a^3*b^ \\
& 5*c^2 + 2916*a^5*b^3*f^2 - 17496*a^4*b^4*c*f + 25200*a^4*b^4*d*e - 3600*a^5 \\
& *b^3*d*h - 6300*a^5*b^3*e*g + 900*a^6*b^2*g*h))/(729*a^9) - (x*(8000*b^5*d \\
& ^3 - 2744*a*b^4*e^3 + 8*a^4*b*h^3 - 125*a^3*b^2*g^3 + 1500*a^2*b^3*d*g^2 + \\
& 1176*a^2*b^3*e^2*h - 168*a^3*b^2*e*h^2 - 15120*b^5*c*d*e - 6000*a*b^4*d^2*g \\
& - 540*a^2*b^3*c*g*h - 720*a^2*b^3*d*f*h - 1260*a^2*b^3*e*f*g + 180*a^3*b^2 \\
& *f*g*h + 2160*a*b^4*c*d*h + 3780*a*b^4*c*e*g + 5040*a*b^4*d*e*f))/(729*a^9) \\
&)*\text{root}(19683*a^{12}*b^2*z^3 + 19683*a^9*b^2*f*z^2 - 59049*a^8*b^3*c*z^2 + 810 \\
& *a^7*b*g*h*z - 5670*a^6*b^2*e*g*z - 3240*a^6*b^2*d*h*z - 39366*a^5*b^3*c*f* \\
& z + 22680*a^5*b^3*d*e*z + 6561*a^6*b^2*f^2*z + 59049*a^4*b^4*c^2*z + 270*a^ \\
& 4*b*f*g*h - 22680*a*b^4*c*d*e - 1890*a^3*b^2*e*f*g - 1080*a^3*b^2*d*f*h - 8 \\
& 10*a^3*b^2*c*g*h + 7560*a^2*b^3*d*e*f + 5670*a^2*b^3*c*e*g + 3240*a^2*b^3*c \\
& *d*h - 168*a^4*b*e*h^2 + 19683*a*b^4*c^2*f + 1176*a^3*b^2*e^2*h - 6000*a^2* \\
& b^3*d^2*g + 1500*a^3*b^2*d*g^2 - 6561*a^2*b^3*c*f^2 + 729*a^3*b^2*f^3 - 274 \\
& 4*a^2*b^3*e^3 - 125*a^4*b*g^3 + 8000*a*b^4*d^3 + 8*a^5*h^3 - 19683*b^5*c^3, \\
& z, k), k, 1, 3) - (c/(3*a) + (e*x^2)/a + (x^3*(3*b*c - a*f))/(2*a^2) + (4* \\
& x^4*(4*b*d - a*g))/(9*a^2) + (7*x^5*(7*b*e - a*h))/(18*a^2) + (d*x)/(2*a) + \\
& (b*x^6*(3*b*c - a*f))/(3*a^3) + (5*b*x^7*(4*b*d - a*g))/(18*a^3) + (2*b*x^ \\
& 8*(7*b*e - a*h))/(9*a^3))/(a^2*x^3 + b^2*x^9 + 2*a*b*x^6) - (\log(x)*(3*b*c \\
& - a*f))/a^4
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x**5+g*x**4+f*x**3+e*x**2+d*x+c)/x**4/(b*x**3+a)**3,x)

[Out] Timed out

$$3.430 \quad \int \frac{x^3(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=583

$$4\sqrt{2+\sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a} \sqrt[3]{b} x+b^{2/3} x^2}{\left((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x\right)^2}} \left(7\sqrt[3]{b} c - 10(1-\sqrt{3}) \sqrt[3]{a} d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x+(1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x+(1+\sqrt{3}) \sqrt[3]{a}}\right)\right) - 7 - 4$$

$$35\sqrt[4]{3} b^{5/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{\left((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x\right)^2}} \sqrt{a+bx^3}$$

[Out] $-4/9*a*e*(b*x^3+a)^{(1/2)}/b^2+2/5*c*x*(b*x^3+a)^{(1/2)}/b+2/7*d*x^2*(b*x^3+a)^{(1/2)}/b+2/9*e*x^3*(b*x^3+a)^{(1/2)}/b-8/7*a*d*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+4/7*3^{(1/4)}*a^{(4/3)}*d*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-4/105*a*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(7*b^{(1/3)}*c-10*a^{(1/3)}*d*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}*3^{(3/4)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.73, antiderivative size = 583, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1888, 1594, 1886, 261, 1878, 218, 1877}

$$4\sqrt{2+\sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{b} x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a} \sqrt[3]{b} x+b^{2/3} x^2}{\left((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x\right)^2}} \left(7\sqrt[3]{b} c - 10(1-\sqrt{3}) \sqrt[3]{a} d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x+(1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x+(1+\sqrt{3}) \sqrt[3]{a}}\right)\right) - 7 - 4$$

$$35\sqrt[4]{3} b^{5/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b} x\right)}{\left((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x\right)^2}} \sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] $(-4*a*e*\text{Sqrt}[a + b*x^3])/(9*b^2) + (2*c*x*\text{Sqrt}[a + b*x^3])/(5*b) + (2*d*x^2*\text{Sqrt}[a + b*x^3])/(7*b) + (2*e*x^3*\text{Sqrt}[a + b*x^3])/(9*b) - (8*a*d*\text{Sqrt}[a + b*x^3])/(7*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) + (4*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(4/3)}*d*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[\frac{\sqrt[3]{b} x+(1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x+(1+\sqrt{3}) \sqrt[3]{a}}]]) - 7 - 4$

$$\frac{((1 - \sqrt{3})a^{1/3} + b^{1/3}x)/((1 + \sqrt{3})a^{1/3} + b^{1/3}x), -7 - 4\sqrt{3}}{(7b^{5/3}\sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x))}/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2)\sqrt{a + b^2x^3}} - \frac{(4\sqrt{2 + \sqrt{3}}a^{7/3}b^{1/3}c - 10(1 - \sqrt{3})a^{1/3}d)(a^{1/3} + b^{1/3}x)\sqrt{(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2)}}{((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3})a^{1/3} + b^{1/3}x}{(1 + \sqrt{3})a^{1/3} + b^{1/3}x}], -7 - 4\sqrt{3}]/(35 \cdot 3^{1/4} b^{5/3} \sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x))}/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2)\sqrt{a + b^2x^3}$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2)*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3])*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2)], x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 1594

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^n_, x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2)*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3])*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2)], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
```

$[a + b*x^3], x], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1886

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Dist}[\text{Coeff}[Pq, x, n - 1], \text{Int}[x^(n - 1)*(a + b*x^n)^p, x], x] + \text{Int}[\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{Expon}[Pq, x] == n - 1$

Rule 1888

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{With}[\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b*(q + n*p + 1)), \text{Int}[\text{ExpandToSum}[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + \text{Simp}[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; \text{NeQ}[q + n*p + 1, 0] \ \&\& \ q - n \geq 0 \ \&\& \ (\text{IntegerQ}[2*p] \ || \ \text{IntegerQ}[p + (q + 1)/(2*n)])] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2)}{\sqrt{a + bx^3}} dx &= \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{2 \int \frac{-3aex^2 + \frac{9}{2}bcx^3 + \frac{9}{2}bdx^4}{\sqrt{a+bx^3}} dx}{9b} \\
&= \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{2 \int \frac{x^2(-3ae + \frac{9}{2}bcx + \frac{9}{2}bdx^2)}{\sqrt{a+bx^3}} dx}{9b} \\
&= \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{4 \int \frac{-9abdx - \frac{21}{2}abex^2 + \frac{63}{4}b^2cx^3}{\sqrt{a+bx^3}} dx}{63b^2} \\
&= \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{4 \int \frac{x(-9abd - \frac{21}{2}abex + \frac{63}{4}b^2cx^2)}{\sqrt{a+bx^3}} dx}{63b^2} \\
&= \frac{2cx\sqrt{a + bx^3}}{5b} + \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{8 \int \frac{-\frac{63}{4}ab^2c - \frac{45}{2}ab^2dx - \frac{105}{4}ab^2ex^2}{\sqrt{a+bx^3}} dx}{315b^3} \\
&= \frac{2cx\sqrt{a + bx^3}}{5b} + \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} + \frac{8 \int \frac{-\frac{63}{4}ab^2c - \frac{45}{2}ab^2dx}{\sqrt{a+bx^3}} dx}{315b^3} - \frac{(2ae) \int \frac{1}{\sqrt{a+bx^3}} dx}{3b} \\
&= -\frac{4ae\sqrt{a + bx^3}}{9b^2} + \frac{2cx\sqrt{a + bx^3}}{5b} + \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} - \frac{(4ad) \int \frac{(1-\sqrt{3})\sqrt[3]{a}}{\sqrt{a+bx^3}} dx}{7b^{4/3}} \\
&= -\frac{4ae\sqrt{a + bx^3}}{9b^2} + \frac{2cx\sqrt{a + bx^3}}{5b} + \frac{2dx^2\sqrt{a + bx^3}}{7b} + \frac{2ex^3\sqrt{a + bx^3}}{9b} - \frac{8ad\sqrt{a + bx^3}}{7b^{5/3}((1 + \sqrt{3}))}
\end{aligned}$$

Mathematica [C] time = 0.21, size = 132, normalized size = 0.23

$$\frac{-2(a + bx^3)(70ae - bx(63c + 5x(9d + 7ex))) - 126abcx\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, -\frac{bx^3}{a}\right) - 90abd^2x^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, -\frac{bx^3}{a}\right)}{315b^2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] (-2*(a + b*x^3)*(70*a*e - b*x*(63*c + 5*x*(9*d + 7*e*x))) - 126*a*b*c*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] - 90*a*b*d*

$x^2 \sqrt{1 + (bx^3)/a} \text{Hypergeometric2F1}[1/2, 2/3, 5/3, -((bx^3)/a)] / (315b^2 \sqrt{a + bx^3})$

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^5 + dx^4 + cx^3}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^3(e*x^2+d*x+c)/(b*x^3+a)^{(1/2)}$, x, algorithm="fricas")

[Out] integral(($e*x^5 + d*x^4 + c*x^3$)/sqrt($b*x^3 + a$), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^3}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^3(e*x^2+d*x+c)/(b*x^3+a)^{(1/2)}$, x, algorithm="giac")

[Out] integrate(($e*x^2 + d*x + c$)* x^3 /sqrt($b*x^3 + a$), x)

maple [A] time = 0.08, size = 793, normalized size = 1.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int($x^3(e*x^2+d*x+c)/(b*x^3+a)^{(1/2)}$, x)

[Out] $e*(2/9/b*x^3*(b*x^3+a)^{(1/2)} - 4/9*a*(b*x^3+a)^{(1/2)}/b^2) + d*(2/7*(b*x^3+a)^{(1/2)}/b*x^2 + 8/21*I*a/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x - (-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}) + (-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})) + c*(2/5*(b*x^3+a)^{(1/2)}/b*x + 4/15*I*a/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x - (-a*b$

$$\begin{aligned} & \left((-a*b^2)^{(1/3)/b} / (-3/2*(-a*b^2)^{(1/3)/b} + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}) \right)^{(1/2)} * \\ & (-I*(x+1/2*(-a*b^2)^{(1/3)/b} + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}) * 3^{(1/2)} / (-a*b^2)^{(1/3)*b})^{(1/2)} / (b*x^3+a)^{(1/2)} * \text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b} - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}) * 3^{(1/2)} / (-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)} / (-3/2*(-a*b^2)^{(1/3)/b} + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^3}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*x^3/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (ex^2 + dx + c)}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2))/(a + b*x^3)^(1/2),x)

[Out] int((x^3*(c + d*x + e*x^2))/(a + b*x^3)^(1/2), x)

sympy [A] time = 3.92, size = 129, normalized size = 0.22

$$e \left(\begin{cases} -\frac{4a\sqrt{a+bx^3}}{9b^2} + \frac{2x^3\sqrt{a+bx^3}}{9b} & \text{for } b \neq 0 \\ \frac{x^6}{6\sqrt{a}} & \text{otherwise} \end{cases} \right) + \frac{cx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{7}{3}\right)} + \frac{dx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(e*x**2+d*x+c)/(b*x**3+a)**(1/2),x)

[Out] e*Piecewise((-4*a*sqrt(a + b*x**3)/(9*b**2) + 2*x**3*sqrt(a + b*x**3)/(9*b), Ne(b, 0)), (x**6/(6*sqrt(a)), True)) + c*x**4*gamma(4/3)*hyper((1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(7/3)) + d*x**5*gamma(5/3)*hyper((1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(8/3))

$$3.431 \quad \int \frac{x^2(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=560

$$4\sqrt{2+\sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} (7\sqrt[3]{b}d - 10(1-\sqrt{3})\sqrt[3]{a}e) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4$$

$$35\sqrt[4]{3}b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}$$

[Out] $2/3*c*(b*x^3+a)^{(1/2)}/b+2/5*d*x*(b*x^3+a)^{(1/2)}/b+2/7*e*x^2*(b*x^3+a)^{(1/2)}/b-8/7*a*e*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+4/7*3^{(1/4)}*a^{(4/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))^{(1/2)}-4/105*a*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(7*b^{(1/3)}*d-10*a^{(1/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))^{(1/2)}*3^{(3/4)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))^{(1/2)}$

Rubi [A] time = 0.48, antiderivative size = 560, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1888, 1594, 1886, 261, 1878, 218, 1877}

$$4\sqrt{2+\sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} (7\sqrt[3]{b}d - 10(1-\sqrt{3})\sqrt[3]{a}e) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4$$

$$35\sqrt[4]{3}b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] $(2*c*\text{Sqrt}[a + b*x^3])/(3*b) + (2*d*x*\text{Sqrt}[a + b*x^3])/(5*b) + (2*e*x^2*\text{Sqrt}[a + b*x^3])/(7*b) - (8*a*e*\text{Sqrt}[a + b*x^3])/(7*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) + (4*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(4/3)}*e*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)])/(7*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x))$

+ Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(7*b^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) - (4*Sqrt[2 + Sqrt[3]]*a*(7*b^(1/3)*d - 10*(1 - Sqrt[3])*a^(1/3)*e)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(35*3^(1/4)*b^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

Rule 218

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3])*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2)], x] /; FreeQ[{a, b}, x] && PosQ[a]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1594

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt

$[a + b*x^3], x], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1886

$\text{Int}[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Dist}[\text{Coeff}[Pq, x, n - 1], \text{Int}[x^(n - 1)*(a + b*x^n)^p, x], x] + \text{Int}[\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{Expon}[Pq, x] == n - 1$

Rule 1888

$\text{Int}[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{With}[\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b*(q + n*p + 1)), \text{Int}[\text{ExpandToSum}[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + \text{Simp}[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; \text{NeQ}[q + n*p + 1, 0] \ \&\& \ q - n \geq 0 \ \&\& \ (\text{IntegerQ}[2*p] \ || \ \text{IntegerQ}[p + (q + 1)/(2*n)])] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c + dx + ex^2)}{\sqrt{a + bx^3}} dx &= \frac{2ex^2\sqrt{a + bx^3}}{7b} + \frac{2 \int \frac{-2aex + \frac{7}{2}bcx^2 + \frac{7}{2}bdx^3}{\sqrt{a + bx^3}} dx}{7b} \\
&= \frac{2ex^2\sqrt{a + bx^3}}{7b} + \frac{2 \int \frac{x(-2ae + \frac{7bcx}{2} + \frac{7bdx^2}{2})}{\sqrt{a + bx^3}} dx}{7b} \\
&= \frac{2dx\sqrt{a + bx^3}}{5b} + \frac{2ex^2\sqrt{a + bx^3}}{7b} + \frac{4 \int \frac{-\frac{7}{2}abd - 5abex + \frac{35}{4}b^2cx^2}{\sqrt{a + bx^3}} dx}{35b^2} \\
&= \frac{2dx\sqrt{a + bx^3}}{5b} + \frac{2ex^2\sqrt{a + bx^3}}{7b} + \frac{4 \int \frac{-\frac{7}{2}abd - 5abex}{\sqrt{a + bx^3}} dx}{35b^2} + c \int \frac{x^2}{\sqrt{a + bx^3}} dx \\
&= \frac{2c\sqrt{a + bx^3}}{3b} + \frac{2dx\sqrt{a + bx^3}}{5b} + \frac{2ex^2\sqrt{a + bx^3}}{7b} - \frac{(4ae) \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{7b^{4/3}} - \frac{(2a(7\sqrt[3]{b}))}{4\sqrt[4]{3}} \\
&= \frac{2c\sqrt{a + bx^3}}{3b} + \frac{2dx\sqrt{a + bx^3}}{5b} + \frac{2ex^2\sqrt{a + bx^3}}{7b} - \frac{8ae\sqrt{a + bx^3}}{7b^{5/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} + \frac{4\sqrt[4]{3}}{7b^{5/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)}
\end{aligned}$$

Mathematica [C] time = 0.17, size = 121, normalized size = 0.22

$$\frac{2(a + bx^3)(35c + 3x(7d + 5ex)) - 42adx\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) - 30aex^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right)}{105b\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] (2*(a + b*x^3)*(35*c + 3*x*(7*d + 5*e*x)) - 42*a*d*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] - 30*a*e*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)])/(105*b*Sqrt[a + b*x^3])

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^4 + dx^3 + cx^2}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral((e*x^4 + d*x^3 + c*x^2)/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^2}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x^2/sqrt(b*x^3 + a), x)

maple [A] time = 0.06, size = 773, normalized size = 1.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x)

[Out] e*(2/7*(b*x^3+a)^(1/2)/b*x^2+8/21*I*a/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+d*(2/5*(b*x^3+a)^(1/2)/b*x+4/15*I*a/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+2/3*c*(b*x^3+a)^(1/2)/b

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2\sqrt{bx^3+ac}}{3b} + \int \frac{ex^4+dx^3}{\sqrt{bx^3+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] 2/3*sqrt(b*x^3 + a)*c/b + integrate((e*x^4 + d*x^3)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (e x^2 + d x + c)}{\sqrt{b x^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^(1/2), x)

[Out] int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^(1/2), x)

sympy [A] time = 3.67, size = 107, normalized size = 0.19

$$c \left(\begin{array}{l} \frac{x^3}{3\sqrt{a}} \\ \frac{2\sqrt{a+bx^3}}{3b} \end{array} \begin{array}{l} \text{for } b = 0 \\ \text{otherwise} \end{array} \right) + \frac{dx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{7}{3}\right)} + \frac{ex^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a} \Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a)**(1/2), x)

[Out] c*Piecewise((x**3/(3*sqrt(a)), Eq(b, 0)), (2*sqrt(a + b*x**3)/(3*b), True)) + d*x**4*gamma(4/3)*hyper((1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(7/3)) + e*x**5*gamma(5/3)*hyper((1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(8/3))

$$3.432 \quad \int \frac{x(c+dx+ex^2)}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=537

$$2\sqrt{2+\sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} (2a^{2/3}e + 5(1-\sqrt{3})b^{2/3}c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right) - \frac{5\sqrt[4]{3}b^{4/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

[Out] $2/3*d*(b*x^3+a)^{(1/2)}/b+2/5*e*x*(b*x^3+a)^{(1/2)}/b+2*c*(b*x^3+a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})-3^{(1/4)*a^{(1/3)*c*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(1/2*6^{(1/2)-1/2*2^{(1/2)})*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2}^{(1/2)}/b^{(2/3)/(b*x^3+a)^{(1/2)/(a^{(1/3)*a^{(1/3)+b^{(1/3)*x)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2}^{(1/2)-2/15*3^{(3/4)*a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I)*(2*a^{(2/3)*e+5*b^{(2/3)*c*(1-3^{(1/2)})})*(1/2*6^{(1/2)+1/2*2^{(1/2)})*((a^{(2/3)-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2}^{(1/2)}/b^{(4/3)/(b*x^3+a)^{(1/2)/(a^{(1/3)*a^{(1/3)+b^{(1/3)*x)/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2}^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 537, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$, Rules used = {1888, 1886, 261, 1878, 218, 1877}

$$2\sqrt{2+\sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} (2a^{2/3}e + 5(1-\sqrt{3})b^{2/3}c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right) - \frac{5\sqrt[4]{3}b^{4/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] $(2*d*\text{Sqrt}[a + b*x^3])/(3*b) + (2*e*x*\text{Sqrt}[a + b*x^3])/(5*b) + (2*c*\text{Sqrt}[a + b*x^3])/(b^{(2/3)*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})} - (3^{(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)*c*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3])]/(b^{(2/3)*\text{Sqrt}[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})])$

$$\begin{aligned} & (1/3) + b^{(1/3)*x}^2] * \text{Sqrt}[a + b*x^3]) - (2*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(1/3)}*(5*(1 \\ & - \text{Sqrt}[3])*b^{(2/3)*c} + 2*a^{(2/3)*e})*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - \\ & a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Ell} \\ & \text{ipticF}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 + \text{Sqrt}[3])*a^{(1/3)} + \\ & b^{(1/3)*x}}], -7 - 4*\text{Sqrt}[3]])/(5*3^{(1/4)}*b^{(4/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b \\ & ^{(1/3)*x}))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) \end{aligned}$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n -
1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x
, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq
```

, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1888

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \frac{x(c + dx + ex^2)}{\sqrt{a + bx^3}} dx &= \frac{2ex\sqrt{a + bx^3}}{5b} + \frac{2 \int \frac{-ae + \frac{5bcx}{2} + \frac{5}{2}bdx^2}{\sqrt{a + bx^3}} dx}{5b} \\ &= \frac{2ex\sqrt{a + bx^3}}{5b} + \frac{2 \int \frac{-ae + \frac{5bcx}{2}}{\sqrt{a + bx^3}} dx}{5b} + d \int \frac{x^2}{\sqrt{a + bx^3}} dx \\ &= \frac{2d\sqrt{a + bx^3}}{3b} + \frac{2ex\sqrt{a + bx^3}}{5b} + \frac{c \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{\sqrt[3]{b}} - \frac{(\sqrt[3]{a} (5(1 - \sqrt{3})b^{2/3}c + 2a^{2/3}))}{5b} \\ &= \frac{2d\sqrt{a + bx^3}}{3b} + \frac{2ex\sqrt{a + bx^3}}{5b} + \frac{2c\sqrt{a + bx^3}}{b^{2/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{\sqrt[3]{3}\sqrt{2 - \sqrt{3}}\sqrt[3]{a}c(\sqrt[3]{a})}{5b} \end{aligned}$$

Mathematica [C] time = 0.07, size = 114, normalized size = 0.21

$$\frac{15bcx^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4(a + bx^3)(5d + 3ex) - 12aex\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{30b\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/Sqrt[a + b*x^3], x]

[Out] (4*(5*d + 3*e*x)*(a + b*x^3) - 12*a*e*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 15*b*c*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)])/(30*b*Sqrt[a + b*x^3])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^3 + dx^2 + cx}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral((e*x^3 + d*x^2 + c*x)/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x/sqrt(b*x^3 + a), x)

maple [A] time = 0.05, size = 753, normalized size = 1.40

$$\left(\frac{4i\sqrt{3} (-ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right) \sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x - \frac{(-ab^2)^{\frac{1}{3}}}{b}}{\frac{3(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{i\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right) \sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} a \operatorname{EllipticF} \right) \frac{15\sqrt{bx^3 + ab^2}}{15\sqrt{bx^3 + ab^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (x(e*x^2+d*x+c)/(b*x^3+a)^{(1/2)}, x)$

[Out] $e*(2/5*(b*x^3+a)^{(1/2)}/b*x+4/15*I*a/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*\operatorname{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+2/3*d*(b*x^3+a)^{(1/2)}/b-2/3*I*c*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\operatorname{EllipticE}(1/3*3^{(1/2)}*(I*(x+$

$\frac{1}{2}*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}$
 $*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-$
 $a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*$
 $(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{($
 $1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^$
 $2)^{(1/3)}/b)/b)^{(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*x/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x (e x^2 + d x + c)}{\sqrt{b x^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2))/(a + b*x^3)^(1/2),x)

[Out] int((x*(c + d*x + e*x^2))/(a + b*x^3)^(1/2), x)

sympy [A] time = 3.52, size = 107, normalized size = 0.20

$$d \left(\begin{cases} \frac{x^3}{3\sqrt{a}} & \text{for } b = 0 \\ \frac{2\sqrt{a+bx^3}}{3b} & \text{otherwise} \end{cases} \right) + \frac{cx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)} + \frac{ex^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{4}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**(1/2),x)

[Out] d*Piecewise((x**3/(3*sqrt(a)), Eq(b, 0)), (2*sqrt(a + b*x**3)/(3*b), True))
+ c*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3
*sqrt(a)*gamma(5/3)) + e*x**4*gamma(4/3)*hyper((1/2, 4/3), (7/3,), b*x**3*
xp_polar(I*pi)/a)/(3*sqrt(a)*gamma(7/3))

$$3.433 \quad \int \frac{c+dx+ex^2}{\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=509

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \left(\sqrt[3]{b}c - (1-\sqrt{3})\sqrt[3]{a}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \sqrt{a+bx^3}}$$

[Out] $2/3 * e * (b * x^3 + a)^{(1/2)} / b + 2 * d * (b * x^3 + a)^{(1/2)} / b^{(2/3)} / (b^{(1/3)} * x + a^{(1/3)}) * (1 + 3^{(1/2)}) - 3^{(1/4)} * a^{(1/3)} * d * (a^{(1/3)} + b^{(1/3)} * x) * \text{EllipticE}((b^{(1/3)} * x + a^{(1/3)}) * (1 - 3^{(1/2)})) / (b^{(1/3)} * x + a^{(1/3)}) * (1 + 3^{(1/2)}), I * 3^{(1/2)} + 2 * I) * (1/2 * 6^{(1/2)} - 1/2 * 2^{(1/2)}) * ((a^{(2/3)} - a^{(1/3)} * b^{(1/3)} * x + b^{(2/3)} * x^2) / (b^{(1/3)} * x + a^{(1/3)}) * (1 + 3^{(1/2)}))^{(1/2)} / b^{(2/3)} / (b * x^3 + a)^{(1/2)} / (a^{(1/3)} * (a^{(1/3)} + b^{(1/3)} * x) / (b^{(1/3)} * x + a^{(1/3)}) * (1 + 3^{(1/2)}))^{(1/2)} + 2/3 * (a^{(1/3)} + b^{(1/3)} * x) * \text{EllipticF}((b^{(1/3)} * x + a^{(1/3)}) * (1 - 3^{(1/2)})) / (b^{(1/3)} * x + a^{(1/3)}) * (1 + 3^{(1/2)}), I * 3^{(1/2)} + 2 * I) * (b^{(1/3)} * c - a^{(1/3)} * d * (1 - 3^{(1/2)})) * (1/2 * 6^{(1/2)} + 1/2 * 2^{(1/2)}) * ((a^{(2/3)} - a^{(1/3)} * b^{(1/3)} * x + b^{(2/3)} * x^2) / (b^{(1/3)} * x + a^{(1/3)}) * (1 + 3^{(1/2)}))^{(1/2)} * 3^{(3/4)} / b^{(2/3)} / (b * x^3 + a)^{(1/2)} / (a^{(1/3)} * (a^{(1/3)} + b^{(1/3)} * x) / (b^{(1/3)} * x + a^{(1/3)}) * (1 + 3^{(1/2)}))^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 509, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1886, 261, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \left(\sqrt[3]{b}c - (1-\sqrt{3})\sqrt[3]{a}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/Sqrt[a + b*x^3], x]

[Out] $(2 * e * \text{Sqrt}[a + b * x^3]) / (3 * b) + (2 * d * \text{Sqrt}[a + b * x^3]) / (b^{(2/3)} * ((1 + \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)} * x)) - (3^{(1/4)} * \text{Sqrt}[2 - \text{Sqrt}[3]] * a^{(1/3)} * d * (a^{(1/3)} + b^{(1/3)} * x) * \text{Sqrt}[(a^{(2/3)} - a^{(1/3)} * b^{(1/3)} * x + b^{(2/3)} * x^2) / ((1 + \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)} * x)^2] * \text{EllipticE}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)} * x}{(1 + \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)} * x}], -7 - 4 * \text{Sqrt}[3]]) / (b^{(2/3)} * \text{Sqrt}[(a^{(1/3)} * (a^{(1/3)} + b^{(1/3)} * x)) / ((1 + \text{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)} * x)^2] * \text{Sqrt}[a + b$

```
*x^3)) + (2*Sqrt[2 + Sqrt[3]]*(b^(1/3)*c - (1 - Sqrt[3])*a^(1/3)*d)*(a^(1/3)
) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[
3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/
3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*b^(2/
3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x
^2)*Sqrt[a + b*x^3])
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n -
1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x
, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq
```


, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{\sqrt{a + bx^3}} dx &= e \int \frac{x^2}{\sqrt{a + bx^3}} dx + \int \frac{c + dx}{\sqrt{a + bx^3}} dx \\ &= \frac{2e\sqrt{a + bx^3}}{3b} + \frac{d \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{\sqrt[3]{b}} + \left(c - \frac{(1-\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{1}{\sqrt{a + bx^3}} dx \\ &= \frac{2e\sqrt{a + bx^3}}{3b} + \frac{2d\sqrt{a + bx^3}}{b^{2/3} \left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x \right)} - \frac{\sqrt[4]{3} \sqrt{2 - \sqrt{3}} \sqrt[3]{a} d \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{b^{2/3} \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}}{\left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x \right)}}} \end{aligned}$$

Mathematica [C] time = 0.05, size = 107, normalized size = 0.21

$$\frac{6bcx\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 3bdx^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4e(a + bx^3)}{6b\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/Sqrt[a + b*x^3], x]

[Out] (4*e*(a + b*x^3) + 6*b*c*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 3*b*d*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/2, 2/3, 5/3, -((b*x^3)/a)])/(6*b*Sqrt[a + b*x^3])

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^2 + dx + c}{\sqrt{bx^3 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral((e*x^2 + d*x + c)/sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/sqrt(b*x^3 + a), x)

maple [A] time = 0.05, size = 735, normalized size = 1.44

$$2i\sqrt{3} (-ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} - \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} \sqrt{\frac{x - \frac{(-ab^2)^{\frac{1}{3}}}{b}}{-\frac{3(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}} \sqrt{\frac{i\left(x + \frac{(-ab^2)^{\frac{1}{3}}}{2b} + \frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}} c \operatorname{EllipticF} \left(\frac{\sqrt{\dots}}{3\sqrt{bx^3 + a} b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^3+a)^(1/2),x)

[Out] $\frac{2}{3}(bx^3+a)^{1/2}/b e^{-2/3} I d 3^{1/2} (-ab^2)^{1/3}/b (I(x+1/2(-ab^2)^{1/3})/b - 1/2 I 3^{1/2} (-ab^2)^{1/3}/b) 3^{1/2}/(-ab^2)^{1/3} b^{1/2} ((x - (-ab^2)^{1/3}/b)/(-3/2(-ab^2)^{1/3}/b + 1/2 I 3^{1/2} (-ab^2)^{1/3}/b))^{1/2} (-I(x+1/2(-ab^2)^{1/3})/b + 1/2 I 3^{1/2} (-ab^2)^{1/3}/b) 3^{1/2}/(-ab^2)^{1/3} b^{1/2} (bx^3+a)^{1/2} ((-3/2(-ab^2)^{1/3}/b + 1/2 I 3^{1/2} (-ab^2)^{1/3}/b) (-ab^2)^{1/3}/b) \operatorname{EllipticE}(1/3 3^{1/2} (I(x+1/2(-ab^2)^{1/3})/b - 1/2 I 3^{1/2} (-ab^2)^{1/3}/b) 3^{1/2}/(-ab^2)^{1/3} b^{1/2}, (I 3^{1/2} (-ab^2)^{1/3}/(-3/2(-ab^2)^{1/3}/b + 1/2 I 3^{1/2} (-ab^2)^{1/3}/b)/b)^{1/2}) + (-ab^2)^{1/3}/b \operatorname{EllipticF}(1/3 3^{1/2} (I(x+1/2(-ab^2)^{1/3})/b - 1/2 I 3^{1/2} (-ab^2)^{1/3}/b) 3^{1/2}/(-ab^2)^{1/3} b^{1/2}, (I 3^{1/2} (-ab^2)^{1/3}/(-3/2(-ab^2)^{1/3}/b + 1/2 I 3^{1/2} (-ab^2)^{1/3}/b)/b)^{1/2}, (I 3^{1/2} (-ab^2)^{1/3}/(-3/2(-ab^2)^{1/3}/b + 1/2 I 3^{1/2} (-ab^2)^{1/3}/b)/b)^{1/2})$

$(1/3)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}-2/3$
 $*I*c*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*$
 $b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*($
 $-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^$
 $(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*$
 $x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}$
 $*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}$
 $)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3)^(1/2), x)

[Out] int((c + d*x + e*x^2)/(a + b*x^3)^(1/2), x)

sympy [A] time = 2.53, size = 105, normalized size = 0.21

$$e \left(\begin{array}{ll} \frac{x^3}{3\sqrt{a}} & \text{for } b = 0 \\ \frac{2\sqrt{a+bx^3}}{3b} & \text{otherwise} \end{array} \right) + \frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a)**(1/2),x)

[Out] e*Piecewise((x**3/(3*sqrt(a)), Eq(b, 0)), (2*sqrt(a + b*x**3)/(3*b), True))
+ c*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sq
rt(a)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_
polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3))

$$3.434 \quad \int \frac{c+dx+ex^2}{x\sqrt{a+bx^3}} dx$$

Optimal. Leaf size=518

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \left(\sqrt[3]{b}d - (1-\sqrt{3})\sqrt[3]{a}e\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3*c*\operatorname{arctanh}((b*x^3+a)^{1/2}/a^{1/2})/a^{1/2}+2*e*(b*x^3+a)^{1/2}/b^{2/3}/(b^{1/3}*x+a^{1/3}*(1+3^{1/2}))^{-3^{1/4}}*a^{1/3}*e*(a^{1/3}+b^{1/3}*x)*\operatorname{EllipticE}((b^{1/3}*x+a^{1/3}*(1-3^{1/2}))/((b^{1/3}*x+a^{1/3}*(1+3^{1/2}))), I*3^{1/2}+2*I)*(1/2*6^{1/2}-1/2*2^{1/2})*((a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/(b^{1/3}*x+a^{1/3}*(1+3^{1/2}))^2)^{1/2}/b^{2/3}/(b*x^3+a)^{1/2}/(a^{1/3}*(a^{1/3}+b^{1/3}*x)/(b^{1/3}*x+a^{1/3}*(1+3^{1/2}))^2)^{1/2}+2/3*(a^{1/3}+b^{1/3}*x)*\operatorname{EllipticF}((b^{1/3}*x+a^{1/3}*(1-3^{1/2}))/((b^{1/3}*x+a^{1/3}*(1+3^{1/2}))), I*3^{1/2}+2*I)*(b^{1/3}*d-a^{1/3}*e*(1-3^{1/2}))*(1/2*6^{1/2}+1/2*2^{1/2})*((a^{2/3}-a^{1/3}*b^{1/3}*x+b^{2/3}*x^2)/(b^{1/3}*x+a^{1/3}*(1+3^{1/2}))^2)^{1/2}*3^{3/4}/b^{2/3}/(b*x^3+a)^{1/2}/(a^{1/3}*(a^{1/3}+b^{1/3}*x)/(b^{1/3}*x+a^{1/3}*(1+3^{1/2}))^2)^{1/2}$

Rubi [A] time = 0.20, antiderivative size = 518, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \left(\sqrt[3]{b}d - (1-\sqrt{3})\sqrt[3]{a}e\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3}b^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*sqrt[a + b*x^3]), x]

[Out] $(2*e*\operatorname{sqrt}[a + b*x^3])/((b^{2/3}*((1 + \operatorname{sqrt}[3])*a^{1/3} + b^{1/3}*x)) - (2*c*\operatorname{ArcTanh}[\operatorname{sqrt}[a + b*x^3]/\operatorname{sqrt}[a]])/(3*\operatorname{sqrt}[a]) - (3^{1/4}*\operatorname{sqrt}[2 - \operatorname{sqrt}[3]]*a^{1/3}*e*(a^{1/3} + b^{1/3}*x)*\operatorname{sqrt}[(a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2)/((1 + \operatorname{sqrt}[3])*a^{1/3} + b^{1/3}*x)^2]*\operatorname{EllipticE}[\operatorname{ArcSin}[(1 - \operatorname{sqrt}[3])*a^{1/3} + b^{1/3}*x]/((1 + \operatorname{sqrt}[3])*a^{1/3} + b^{1/3}*x)], -7 - 4*\operatorname{sqrt}[3]))/(b^{2/3}*\operatorname{sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3}*x))/((1 + \operatorname{sqrt}[3])*a^{1/3} + b^{1/3}*x)])$

$$\begin{aligned} & \sqrt[3]{x}^2 \sqrt{a + bx^3} + (2\sqrt{2 + \sqrt{3}})(b^{1/3}d - (1 - \sqrt{3})a^{1/3}e)(a^{1/3} + b^{1/3}x)\sqrt{(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2)/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \\ & \text{EllipticF}\left[\text{ArcSin}\left[\frac{(1 - \sqrt{3})a^{1/3} + b^{1/3}x}{(1 + \sqrt{3})a^{1/3} + b^{1/3}x}\right], -7 - 4\sqrt{3}\right] \\ & \sqrt[3]{3}^{1/4}b^{2/3}\sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x))/(1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \sqrt{a + bx^3} \end{aligned}$$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - sqrt[3])*s
+ r*x)/((1 + sqrt[3])*s + r*x)], -7 - 4*sqrt[3]])/(3^(1/4)*r*sqrt[a + b*x^3
]*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1832

```
Int[(Pq_)/((x_)*sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - sqrt[3])*d)/c]], s = Denom[Simplify[((1 - sqrt[3])*d)/c
```

]], Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{x\sqrt{a + bx^3}} dx &= c \int \frac{1}{x\sqrt{a + bx^3}} dx + \int \frac{d + ex}{\sqrt{a + bx^3}} dx \\ &= \frac{1}{3}c \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a + bx}} dx, x, x^3\right) + \frac{e \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{\sqrt[3]{b}} + \left(d - \frac{(1-\sqrt{3})\sqrt[3]{a}e}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt{a + bx^3}} dx \\ &= \frac{2e\sqrt{a + bx^3}}{b^{2/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}}\sqrt[3]{a}e(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}}}{b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}} E\left(\sin^{-1}\left(\frac{\sqrt{a + bx^3}}{\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}}}\right)\right) \\ &= \frac{2e\sqrt{a + bx^3}}{b^{2/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{2c \tanh^{-1}\left(\frac{\sqrt{a+bx^3}}{\sqrt{a}}\right)}{3\sqrt{a}} - \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}}\sqrt[3]{a}e(\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a}\sqrt[3]{b}x + b^{2/3}x^2}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}}}{b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}}} \end{aligned}$$

Mathematica [C] time = 0.20, size = 128, normalized size = 0.25

$$-\frac{2c \tanh^{-1}\left(\frac{\sqrt{a+bx^3}}{\sqrt{a}}\right)}{3\sqrt{a}} + \frac{dx\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{\sqrt{a + bx^3}} + \frac{ex^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right)}{2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*Sqrt[a + b*x^3]),x]

[Out] $(-2*c*\text{ArcTanh}[\text{Sqrt}[a + b*x^3]/\text{Sqrt}[a]])/(3*\text{Sqrt}[a]) + (d*x*\text{Sqrt}[1 + (b*x^3)/a]*\text{Hypergeometric2F1}[1/3, 1/2, 4/3, -((b*x^3)/a)]/\text{Sqrt}[a + b*x^3] + (e*x^2*\text{Sqrt}[1 + (b*x^3)/a]*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, -((b*x^3)/a)])/(2*\text{Sqrt}[a + b*x^3])$

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3 + a}(ex^2 + dx + c)}{bx^4 + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^2 + d*x + c)/(b*x^4 + a*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + ax}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x), x)

maple [A] time = 0.05, size = 740, normalized size = 1.43

$$\frac{2c \operatorname{arctanh}\left(\frac{\sqrt{bx^3+a}}{\sqrt{a}}\right)}{3\sqrt{a}} + \frac{2i\sqrt{3}(-ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}-\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}}}{3\sqrt{ab^2x^3+a}} + \frac{\sqrt{\frac{x-\frac{(-ab^2)^{\frac{1}{3}}}{b}}{\frac{3(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}}}{3\sqrt{ab^2x^3+a}} + \frac{\sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)}{(-ab^2)^{\frac{1}{3}}}}}{3\sqrt{ab^2x^3+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)/x/(b*x^3+a)^(1/2),x)`

[Out]
$$\begin{aligned} & -2/3*I*e*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}* \\ & (-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3 \\ & /2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b \\ & ^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)} \\ & / (b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*E \\ & llipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/ \\ & /b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2) \\ &)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*Ellipt \\ & icF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)* \\ & 3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1 \\ & /3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))-2/3*I*d*3^{(1/2)}*(-a*b^2)^{(\\ & 1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(\\ & -a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3 \\ & ^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(\\ & -a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(\\ & 1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1 \\ & /2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/ \\ & b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))-2/3*c*arctanh((b*x^3+a)^{(1/2)}/a \\ & ^{(1/2)})/a^{(1/2)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + ax}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + dx + c}{x\sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)^(1/2)),x)

[Out] int((c + d*x + e*x^2)/(x*(a + b*x^3)^(1/2)), x)

sympy [A] time = 4.10, size = 105, normalized size = 0.20

$$-\frac{2c \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^{\frac{3}{2}}}}\right)}{3\sqrt{a}} + \frac{dx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)} + \frac{ex^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{1}{2}, \frac{2}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\sqrt{a}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a)**(1/2),x)

[Out] -2*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a)) + d*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3)) + e*x**2*gamma(2/3)*hyper((1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(5/3))

$$3.435 \quad \int \frac{c+dx+ex^2}{x^2 \sqrt{a+bx^3}} dx$$

Optimal. Leaf size=547

$$\frac{\sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \left((1-\sqrt{3}) b^{2/3} c - 2a^{2/3} e \right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3}) \sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3} a^{2/3} \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3*d*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-c*(b*x^3+a)^{(1/2)}/a/x+b^{(1/3)}*c*(b*x^3+a)^{(1/2)}/a/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-1/2*3^{(1/4)}*b^{(1/3)}*c*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)})))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-1/3*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)})))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(-2*a^{(2/3)}*e+b^{(2/3)}*c*(1-3^{(1/2)}))*((1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}*3^{(3/4)}/a^{(2/3)}/b^{(1/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 547, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$, Rules used = {1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{\sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \left((1-\sqrt{3}) b^{2/3} c - 2a^{2/3} e \right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3}) \sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{\sqrt[4]{3} a^{2/3} \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*Sqrt[a + b*x^3]),x]

[Out] $-\left(\frac{c*\operatorname{Sqrt}[a + b*x^3]}{a*x}\right) + \frac{b^{(1/3)}*c*\operatorname{Sqrt}[a + b*x^3]}{a*((1 + \operatorname{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)}*x)} - \frac{(2*d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]]}{3*\operatorname{Sqrt}[a]} - \frac{(3^{(1/4)}*\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*b^{(1/3)}*c*(a^{(1/3)} + b^{(1/3)}*x)*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)]}{((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2} * \operatorname{EllipticE}[\operatorname{ArcSin}[\frac{(1 - \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x}{(1 + \operatorname{Sqrt}[3])*a^{(1/3}}$

$$\left. \right) + b^{(1/3)*x}], -7 - 4*\text{Sqrt}[3]]/(2*a^{(2/3)*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) - (\text{Sqrt}[2 + \text{Sqrt}[3]]*((1 - \text{Sqrt}[3])*b^{(2/3)*c} - 2*a^{(2/3)*e})*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]]/(3^{(1/4)}*a^{(2/3)*b^{(1/3)*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3])$$

Rule 63

$$\text{Int}[(a_.) + (b_.)*(x_)^m]*((c_.) + (d_.)*(x_)^n), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$$

Rule 208

$$\text{Int}[(a_.) + (b_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$$

Rule 218

$$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_)^3], x_Symbol] \rightarrow \text{With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]]/(3^{(1/4)}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a]$$

Rule 266

$$\text{Int}[(x_)^m*((a_.) + (b_.)*(x_)^n)^p], x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$$

Rule 1832

$$\text{Int}[(Pq_)/((x_)*\text{Sqrt}[(a_.) + (b_.)*(x_)^n]), x_Symbol] \rightarrow \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\text{Sqrt}[a + b*x^n]), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq, x, 0])/x, x]/\text{Sqrt}[a + b*x^n], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$$

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^2\sqrt{a + bx^3}} dx &= -\frac{c\sqrt{a + bx^3}}{ax} - \frac{\int \frac{-2ad - 2aex - bcx^2}{x\sqrt{a + bx^3}} dx}{2a} \\
&= -\frac{c\sqrt{a + bx^3}}{ax} - \frac{\int \frac{-2ae - bcx}{\sqrt{a + bx^3}} dx}{2a} + d \int \frac{1}{x\sqrt{a + bx^3}} dx \\
&= -\frac{c\sqrt{a + bx^3}}{ax} + \frac{(b^{2/3}c) \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{2a} + \frac{1}{3}d \text{Subst} \left(\int \frac{1}{x\sqrt{a + bx}} dx, x, x^3 \right) - \frac{1}{2} \left(\frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} \right) \\
&= -\frac{c\sqrt{a + bx^3}}{ax} + \frac{\sqrt[3]{b}c\sqrt{a + bx^3}}{a((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}}\sqrt[3]{b}c(\sqrt[3]{a} + \sqrt[3]{b}x)}{2a^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{(1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}}} \\
&= -\frac{c\sqrt{a + bx^3}}{ax} + \frac{\sqrt[3]{b}c\sqrt{a + bx^3}}{a((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{2d \tanh^{-1}\left(\frac{\sqrt{a + bx^3}}{\sqrt{a}}\right)}{3\sqrt{a}} - \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}}\sqrt[3]{b}c(\sqrt[3]{a} + \sqrt[3]{b}x)}{2a^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{(1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}}}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 126, normalized size = 0.23

$$-\frac{c\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; -\frac{bx^3}{a}\right)}{x\sqrt{a + bx^3}} - \frac{2d \tanh^{-1}\left(\frac{\sqrt{a + bx^3}}{\sqrt{a}}\right)}{3\sqrt{a}} + \frac{ex\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*Sqrt[a + b*x^3]),x]

[Out] (-2*d*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]/(3*Sqrt[a]) - (c*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-1/3, 1/2, 2/3, -((b*x^3)/a)]/(x*Sqrt[a + b*x^3])) + (e*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)]/Sqrt[a + b*x^3])

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3 + a}(ex^2 + dx + c)}{bx^5 + ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^2 + d*x + c)/(b*x^5 + a*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + ax^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x^2), x)

maple [A] time = 0.06, size = 759, normalized size = 1.39

$$\frac{2d \operatorname{arctanh}\left(\frac{\sqrt{bx^3+a}}{\sqrt{a}}\right)}{3\sqrt{a}} - \frac{2i\sqrt{3} (-ab^2)^{\frac{1}{3}} \sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}-\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}}}{3\sqrt{bx^3+a}} \sqrt{\frac{x-\frac{(-ab^2)^{\frac{1}{3}}}{b}}{-\frac{3(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}}}{(-ab^2)^{\frac{1}{3}}}} \sqrt{\frac{i\left(x+\frac{(-ab^2)^{\frac{1}{3}}}{2b}+\frac{i\sqrt{3}(-ab^2)^{\frac{1}{3}}}{2b}\right)\sqrt{3}b}{(-ab^2)^{\frac{1}{3}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d*x+c)/x^2/(b*x^3+a)^(1/2), x)`

[Out] `-2/3*I*e*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2), 1/3)`

$$\frac{1}{2}*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b})}^{(1/2))}+c*(-(b*x^3+a)^{(1/2)/a/x-1/3*I/a*3^{(1/2)*(-a*b^2)^{(1/3)*I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b})*3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2))*((x-(-a*b^2)^{(1/3)/b)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b})}^{(1/2))}*(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b})*3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)/(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b})}^{(1/2))*(-a*b^2)^{(1/3)/b})*EllipticE(1/3*3^{(1/2)*I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b})*3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b})}^{(1/2))}+(-a*b^2)^{(1/3)/b}*EllipticF(1/3*3^{(1/2)*I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b})*3^{(1/2)/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b})}^{(1/2))}))))-2/3*d*arctanh((b*x^3+a)^{(1/2)/a^{(1/2)})/a^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + ax^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x^2), x)

mupad [B] time = 5.96, size = 121, normalized size = 0.22

$$\frac{d \ln \left(\frac{(\sqrt{bx^3+a}-\sqrt{a})^3 (\sqrt{bx^3+a}+\sqrt{a})}{x^6} \right)}{3\sqrt{a}} - \frac{2c\sqrt{\frac{a}{bx^3}+1} {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; -\frac{a}{bx^3}\right)}{5x\sqrt{bx^3+a}} + \frac{ex\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{\sqrt{bx^3+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^(1/2)),x)

[Out] (d*log((((a + b*x^3)^(1/2) - a^(1/2))^3*((a + b*x^3)^(1/2) + a^(1/2))))/x^6)/(3*a^(1/2)) - (2*c*(a/(b*x^3) + 1)^(1/2)*hypergeom([1/2, 5/6], 11/6, -a/(b*x^3)))/(5*x*(a + b*x^3)^(1/2)) + (e*x*((b*x^3)/a + 1)^(1/2)*hypergeom([1/3, 1/2], 4/3, -(b*x^3)/a))/(a + b*x^3)^(1/2)

sympy [A] time = 3.24, size = 107, normalized size = 0.20

$$\frac{c\Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{3}, \frac{1}{2} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\sqrt{a}x\Gamma\left(\frac{2}{3}\right)} - \frac{2d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{\frac{3}{2}}}\right)}{3\sqrt{a}} + \frac{ex\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} \frac{1}{3}, \frac{1}{2} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\sqrt{a}\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**(1/2),x)

[Out] c*gamma(-1/3)*hyper((-1/3, 1/2), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*x*gamma(2/3)) - 2*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a)) + e*x*gamma(1/3)*hyper((1/3, 1/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*gamma(4/3))

$$3.436 \quad \int \frac{c+dx+ex^2}{x^3 \sqrt{a+bx^3}} dx$$

Optimal. Leaf size=569

$$\frac{\sqrt{2+\sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (2(1-\sqrt{3}) \sqrt[3]{a} d + \sqrt[3]{b} c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3}) \sqrt[3]{a}}\right)\right) - 7 - 4\sqrt{3}}{2\sqrt[4]{3} a \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3 * e * \operatorname{arctanh}((b * x^3 + a)^{1/2} / a^{1/2}) / a^{1/2} - 1/2 * c * (b * x^3 + a)^{1/2} / a / x^2 - d * (b * x^3 + a)^{1/2} / a / x + b^{1/3} * d * (b * x^3 + a)^{1/2} / a / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})) - 1/2 * 3^{1/4} * b^{1/3} * d * (a^{1/3} + b^{1/3} * x) * \operatorname{EllipticE}((b^{1/3} * x + a^{1/3} * (1 - 3^{1/2}))) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})), I * 3^{1/2} + 2 * I) * (1/2 * 6^{1/2} - 1/2 * 2^{1/2}) * ((a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2} / a^{2/3} / (b * x^3 + a)^{1/2} / (a^{1/3} * (a^{1/3} + b^{1/3} * x) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2} - 1/6 * 3^{3/4} * b^{1/3} * (a^{1/3} + b^{1/3} * x) * \operatorname{EllipticF}((b^{1/3} * x + a^{1/3} * (1 - 3^{1/2}))) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})), I * 3^{1/2} + 2 * I) * (b^{1/3} * c + 2 * a^{1/3} * d * (1 - 3^{1/2})) * (1/2 * 6^{1/2} + 1/2 * 2^{1/2}) * ((a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2} / a / (b * x^3 + a)^{1/2} / (a^{1/3} * (a^{1/3} + b^{1/3} * x) / (b^{1/3} * x + a^{1/3} * (1 + 3^{1/2})))^2)^{1/2}$

Rubi [A] time = 0.46, antiderivative size = 569, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$, Rules used = {1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{\sqrt{2+\sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (2(1-\sqrt{3}) \sqrt[3]{a} d + \sqrt[3]{b} c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3}) \sqrt[3]{a}}\right)\right) - 7 - 4\sqrt{3}}{2\sqrt[4]{3} a \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d * x + e * x^2) / (x^3 * \operatorname{Sqrt}[a + b * x^3]), x]$

[Out] $-(c * \operatorname{Sqrt}[a + b * x^3]) / (2 * a * x^2) - (d * \operatorname{Sqrt}[a + b * x^3]) / (a * x) + (b^{1/3} * d * \operatorname{Sqrt}[a + b * x^3]) / (a * ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)) - (2 * e * \operatorname{ArcTanh}[\operatorname{Sqrt}[a + b * x^3] / \operatorname{Sqrt}[a]]) / (3 * \operatorname{Sqrt}[a]) - (3^{1/4} * \operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]] * b^{1/3} * d * (a^{1/3} + b^{1/3} * x) * \operatorname{Sqrt}[(a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2]) * \operatorname{EllipticE}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x) / (a^{1/3} + b^{1/3} * x))]) / (3 * \operatorname{Sqrt}[a]) - (3^{1/4} * \operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]] * b^{1/3} * d * (a^{1/3} + b^{1/3} * x) * \operatorname{Sqrt}[(a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / ((1 + \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2]) * \operatorname{EllipticF}[\operatorname{ArcSin}(((1 - \operatorname{Sqrt}[3]) * a^{1/3} + b^{1/3} * x) / (a^{1/3} + b^{1/3} * x))]) / (3 * \operatorname{Sqrt}[a])$

$$\frac{(1/3)*x)/((1 + \sqrt{3})*a^{(1/3)} + b^{(1/3)*x}), -7 - 4*\sqrt{3}]/(2*a^{(2/3)*\sqrt{3}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/((1 + \sqrt{3})*a^{(1/3)} + b^{(1/3)*x})^2]*\sqrt{a + b*x^3}) - (\sqrt{2 + \sqrt{3}})*b^{(1/3)}*(b^{(1/3)*c} + 2*(1 - \sqrt{3}))*a^{(1/3)*d}*(a^{(1/3)} + b^{(1/3)*x})*\sqrt{(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2})/((1 + \sqrt{3})*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \sqrt{3})*a^{(1/3)} + b^{(1/3)*x})/((1 + \sqrt{3})*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\sqrt{3}]/(2*3^{(1/4)}*a*\sqrt{(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/((1 + \sqrt{3})*a^{(1/3)} + b^{(1/3)*x})^2}*\sqrt{a + b*x^3})$$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[(1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x^3 \sqrt{a + bx^3}} dx &= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{\int \frac{-4ad - 4aex + bcx^2}{x^2 \sqrt{a + bx^3}} dx}{4a} \\
&= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{d\sqrt{a + bx^3}}{ax} + \frac{\int \frac{8a^2e - 2abcx + 4abdx^2}{x\sqrt{a + bx^3}} dx}{8a^2} \\
&= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{d\sqrt{a + bx^3}}{ax} + \frac{\int \frac{-2abc + 4abdx}{\sqrt{a + bx^3}} dx}{8a^2} + e \int \frac{1}{x\sqrt{a + bx^3}} dx \\
&= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{d\sqrt{a + bx^3}}{ax} + \frac{(b^{2/3}d) \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{2a} - \frac{(b^{2/3}(\sqrt[3]{b}c + 2(1 - \sqrt{3})\sqrt[3]{a}d))}{4a} \\
&= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{d\sqrt{a + bx^3}}{ax} + \frac{\sqrt[3]{b}d\sqrt{a + bx^3}}{a((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}}\sqrt[3]{b}d(\sqrt[3]{a} + \sqrt[3]{b}x)}{2a^2} \\
&= -\frac{c\sqrt{a + bx^3}}{2ax^2} - \frac{d\sqrt{a + bx^3}}{ax} + \frac{\sqrt[3]{b}d\sqrt{a + bx^3}}{a((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{2e \tanh^{-1}\left(\frac{\sqrt{a + bx^3}}{\sqrt{a}}\right)}{3\sqrt{a}} - \frac{\sqrt[4]{3}\sqrt{2 - \sqrt{3}}}{2a^2}
\end{aligned}$$

Mathematica [C] time = 0.22, size = 131, normalized size = 0.23

$$-\frac{c\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, -\frac{bx^3}{a}\right)}{2x^2\sqrt{a + bx^3}} - \frac{d\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, -\frac{bx^3}{a}\right)}{x\sqrt{a + bx^3}} - \frac{2e \tanh^{-1}\left(\frac{\sqrt{a + bx^3}}{\sqrt{a}}\right)}{3\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^3*Sqrt[a + b*x^3]), x]

[Out] (-2*e*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]/(3*Sqrt[a]) - (c*Sqrt[1 + (b*x^3)/a])*Hypergeometric2F1[-2/3, 1/2, 1/3, -((b*x^3)/a)]/(2*x^2*Sqrt[a + b*x^3]) - (d*Sqrt[1 + (b*x^3)/a])*Hypergeometric2F1[-1/3, 1/2, 2/3, -((b*x^3)/a)]/(x*Sqrt[a + b*x^3])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3 + a}(ex^2 + dx + c)}{bx^6 + ax^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^2 + d*x + c)/(b*x^6 + a*x^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + ax^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x^3), x)

maple [A] time = 0.06, size = 778, normalized size = 1.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^3/(b*x^3+a)^(1/2),x)

[Out] $c*(-1/2*(b*x^3+a)^{(1/2)}/a/x^2+1/6*I/a^3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)})*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+d*(-(b*x^3+a)^{(1/2)}/a/x-1/3*I/a^3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*$

$b^{2/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}$
 $), (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})))-2/3*e*arctanh((b*x^3+a)^{1/2}/a^{1/2})/a^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{\sqrt{bx^3 + ax^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^3/(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/(sqrt(b*x^3 + a)*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + dx + c}{x^3 \sqrt{bx^3 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^(1/2)),x)

[Out] int((c + d*x + e*x^2)/(x^3*(a + b*x^3)^(1/2)), x)

sympy [A] time = 3.43, size = 112, normalized size = 0.20

$$\frac{c\Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, \frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\sqrt{a} x^2 \Gamma\left(\frac{1}{3}\right)} + \frac{d\Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{3}, \frac{1}{2} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\sqrt{a} x \Gamma\left(\frac{2}{3}\right)} - \frac{2e \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^3}}\right)}{3\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**3/(b*x**3+a)**(1/2),x)

[Out] c*gamma(-2/3)*hyper((-2/3, 1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*x**2*gamma(1/3)) + d*gamma(-1/3)*hyper((-1/3, 1/2), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*sqrt(a)*x*gamma(2/3)) - 2*e*asinh(sqrt(a)/sqrt(b*x**3/2))/(3*sqrt(a))

$$3.437 \quad \int \frac{x^5(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=594

$$16\sqrt{2+\sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} (14\sqrt[3]{b}d - 25(1-\sqrt{3})\sqrt[3]{a}e) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4$$

$$105\sqrt[4]{3}b^{8/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}$$

[Out] $\frac{2}{3}x^2(-b^2cx^2+ae^2x+ad)/b^2+(bx^3+a)^{1/2}+4/3c(bx^3+a)^{1/2}/b^2+2/5d^2x^2(bx^3+a)^{1/2}/b^2+2/7e^2x^2(bx^3+a)^{1/2}/b^2-80/21ae(bx^3+a)^{1/2}/b^{8/3}/(b^{1/3}x+a^{1/3}(1+3^{1/2}))+40/21a^{4/3}e(a^{1/3}+b^{1/3}x)*\text{EllipticE}((b^{1/3}x+a^{1/3}(1-3^{1/2}))/((b^{1/3}x+a^{1/3}(1+3^{1/2}))), I*3^{1/2}+2*I)*(1/2*6^{1/2}-1/2*2^{1/2})*((a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/(b^{1/3}x+a^{1/3}(1+3^{1/2})))^2)^{1/2}*3^{1/4}/b^{8/3}/(bx^3+a)^{1/2}/(a^{1/3}*(a^{1/3}+b^{1/3}x)/(b^{1/3}x+a^{1/3}(1+3^{1/2})))^2)^{1/2}-16/315a*(a^{1/3}+b^{1/3}x)*\text{EllipticF}((b^{1/3}x+a^{1/3}(1-3^{1/2}))/((b^{1/3}x+a^{1/3}(1+3^{1/2}))), I*3^{1/2}+2*I)*(14*b^{1/3}d-25*a^{1/3}e*(1-3^{1/2}))*((1/2*6^{1/2}+1/2*2^{1/2})*((a^{2/3}-a^{1/3}b^{1/3}x+b^{2/3}x^2)/(b^{1/3}x+a^{1/3}(1+3^{1/2})))^2)^{1/2}*3^{3/4}/b^{8/3}/(bx^3+a)^{1/2}/(a^{1/3}*(a^{1/3}+b^{1/3}x)/(b^{1/3}x+a^{1/3}(1+3^{1/2})))^2)^{1/2}$

Rubi [A] time = 0.64, antiderivative size = 594, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1828, 1888, 1886, 261, 1878, 218, 1877}

$$16\sqrt{2+\sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} (14\sqrt[3]{b}d - 25(1-\sqrt{3})\sqrt[3]{a}e) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4$$

$$105\sqrt[4]{3}b^{8/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] $\frac{(2*x*(a*d + a*e*x - b^2*c*x^2))/(3*b^2*\text{Sqrt}[a + b*x^3]) + (4*c*\text{Sqrt}[a + b*x^3])/(3*b^2) + (2*d*x*\text{Sqrt}[a + b*x^3])/(5*b^2) + (2*e*x^2*\text{Sqrt}[a + b*x^3])/(7*b^2) - (80*a*e*\text{Sqrt}[a + b*x^3])/(21*b^{8/3}*((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}/(3*x))) + (40*\text{Sqrt}[2 - \text{Sqrt}[3])*a^{4/3}*e*(a^{1/3} + b^{1/3}*x)*\text{Sqrt}[(a^{2/3}$

$$\begin{aligned} & - a^{1/3} b^{1/3} x + b^{2/3} x^2 / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)^2 \\ & * \text{EllipticE}[\text{ArcSin}[\frac{(1 - \sqrt{3}) a^{1/3} + b^{1/3} x}{(1 + \sqrt{3}) a^{1/3} + b^{1/3} x}], -7 - 4\sqrt{3}] / (7 \cdot 3^{3/4} b^{8/3} \sqrt{(a^{1/3} (a^{1/3} + b^{1/3} x)) / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)^2} \sqrt{a + b x^3}) - (1 \\ & 6 \sqrt{2 + \sqrt{3}} a (14 b^{1/3} d - 25 (1 - \sqrt{3}) a^{1/3} e) (a^{1/3} + b^{1/3} x) \sqrt{(a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)^2} \\ & * \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3}) a^{1/3} + b^{1/3} x}{(1 + \sqrt{3}) a^{1/3} + b^{1/3} x}], -7 - 4\sqrt{3}] / (105 \cdot 3^{1/4} b^{8/3} \sqrt{(a^{1/3} (a^{1/3} + b^{1/3} x)) / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)^2} \sqrt{a + b x^3}) \end{aligned}$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
```

$Q[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1878

$\text{Int}[\frac{(c_.) + (d_.)*(x_.)}{\text{Sqrt}[(a_.) + (b_.)*(x_.)^3]}, x_Symbol] \rightarrow \text{With}[\{r = \text{N umer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r - (1 - \text{Sqrt}[3])*d*s)/r, \text{Int}[1/\text{Sqrt}[a + b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[\frac{(1 - \text{Sqrt}[3])*s + r*x}{\text{Sqrt}[a + b*x^3]}, x], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{PosQ}[a] \&\& \text{NeQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1886

$\text{Int}[(Pq_)*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[\text{Coeff}[Pq, x, n - 1], \text{Int}[x^{(n - 1)}*(a + b*x^n)^p, x], x] + \text{Int}[\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x, n - 1]*x^{(n - 1)}, x]*(a + b*x^n)^p, x] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{Expon}[Pq, x] == n - 1$

Rule 1888

$\text{Int}[(Pq_)*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{With}[\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b*(q + n*p + 1)), \text{Int}[\text{ExpandToSum}[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^{(q - n)}, x]*(a + b*x^n)^p, x], x] + \text{Simp}[(Pqq*x^{(q - n + 1)}*(a + b*x^n)^{(p + 1)})/(b*(q + n*p + 1)), x]] /; \text{NeQ}[q + n*p + 1, 0] \&\& q - n \geq 0 \&\& (\text{IntegerQ}[2*p] || \text{IntegerQ}[p + (q + 1)/(2*n)])] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{x^5(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx &= \frac{2x(ad+aex-bcx^2)}{3b^2\sqrt{a+bx^3}} - \frac{2 \int \frac{a^2bd+2a^2bex-3ab^2cx^2-\frac{3}{2}ab^2dx^3-\frac{3}{2}ab^2ex^4}{\sqrt{a+bx^3}} dx}{3ab^3} \\
&= \frac{2x(ad+aex-bcx^2)}{3b^2\sqrt{a+bx^3}} + \frac{2ex^2\sqrt{a+bx^3}}{7b^2} - \frac{4 \int \frac{\frac{7}{2}a^2b^2d+10a^2b^2ex-\frac{21}{2}ab^3cx^2-\frac{21}{4}ab^3dx^3}{\sqrt{a+bx^3}} dx}{21ab^4} \\
&= \frac{2x(ad+aex-bcx^2)}{3b^2\sqrt{a+bx^3}} + \frac{2dx\sqrt{a+bx^3}}{5b^2} + \frac{2ex^2\sqrt{a+bx^3}}{7b^2} - \frac{8 \int \frac{14a^2b^3d+25a^2b^3ex-\frac{105}{4}ab^4cx^2}{\sqrt{a+bx^3}} dx}{105ab^5} \\
&= \frac{2x(ad+aex-bcx^2)}{3b^2\sqrt{a+bx^3}} + \frac{2dx\sqrt{a+bx^3}}{5b^2} + \frac{2ex^2\sqrt{a+bx^3}}{7b^2} - \frac{8 \int \frac{14a^2b^3d+25a^2b^3ex}{\sqrt{a+bx^3}} dx}{105ab^5} + \dots \\
&= \frac{2x(ad+aex-bcx^2)}{3b^2\sqrt{a+bx^3}} + \frac{4c\sqrt{a+bx^3}}{3b^2} + \frac{2dx\sqrt{a+bx^3}}{5b^2} + \frac{2ex^2\sqrt{a+bx^3}}{7b^2} - \frac{(40ae) \int \frac{1}{\sqrt{a+bx^3}} dx}{21b^{8/3}} \\
&= \frac{2x(ad+aex-bcx^2)}{3b^2\sqrt{a+bx^3}} + \frac{4c\sqrt{a+bx^3}}{3b^2} + \frac{2dx\sqrt{a+bx^3}}{5b^2} + \frac{2ex^2\sqrt{a+bx^3}}{7b^2} - \frac{80ae}{21b^{8/3}} \left(\left(1 + \dots\right) \right)
\end{aligned}$$

Mathematica [C] time = 0.13, size = 134, normalized size = 0.23

$$\frac{2 \left(-56adx \sqrt{\frac{bx^3}{a}} + 1 {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right) + 150aex^2 \sqrt{\frac{bx^3}{a}} + 1 {}_2F_1 \left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a} \right) + 70ac + 56adx - 150aex^2 + 35bcx^3 \right)}{105b^2\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] (2*(70*a*c + 56*a*d*x - 150*a*e*x^2 + 35*b*c*x^3 + 21*b*d*x^4 + 15*b*e*x^5 - 56*a*d*x*sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a]) + 150*a*e*x^2*sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -(b*x^3)/a]))/(105*b^2*sqrt[a + b*x^3])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^7 + dx^6 + cx^5)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="fricas")

[Out] integral((e*x^7 + d*x^6 + c*x^5)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^5}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x^5/(b*x^3 + a)^(3/2), x)

maple [A] time = 0.09, size = 836, normalized size = 1.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x)

[Out] e*(2/3/b^2*a*x^2/((x^3+a/b)*b)^(1/2)+2/7*(b*x^3+a)^(1/2)/b^2*x^2+80/63*I*a/b^3*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+d*(2/3/((x^3+a/b)*b)^(1/2)*a/b^2*x+2/5*(b*x^3+a)^(1/2)/b^2*x+32/45*I*a/b^3*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*

$(-a*b^2)^{(1/3)/b}/b^{(1/2)})) + c*(2/3/b^2*a/((x^3+a/b)*b)^{(1/2)} + 2/3*(b*x^3+a)^{(1/2)/b^2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2}{3}c \left(\frac{\sqrt{bx^3 + a}}{b^2} + \frac{a}{\sqrt{bx^3 + a}b^2} \right) + \int \frac{(ex^7 + dx^6)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] 2/3*c*(sqrt(b*x^3 + a)/b^2 + a/(sqrt(b*x^3 + a)*b^2)) + integrate((e*x^7 + d*x^6)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (e x^2 + d x + c)}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(c + d*x + e*x^2))/(a + b*x^3)^(3/2),x)

[Out] int((x^5*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)

sympy [A] time = 20.59, size = 129, normalized size = 0.22

$$c \left(\begin{cases} \frac{4a}{3b^2\sqrt{a+bx^3}} + \frac{2x^3}{3b\sqrt{a+bx^3}} & \text{for } b \neq 0 \\ \frac{x^6}{6a^2} & \text{otherwise} \end{cases} \right) + \frac{dx^7\Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\frac{3}{2}, \frac{7}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{10}{3}\right)} + \frac{ex^8\Gamma\left(\frac{8}{3}\right) {}_2F_1\left(\frac{3}{2}, \frac{8}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{11}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(e*x**2+d*x+c)/(b*x**3+a)**(3/2),x)

[Out] c*Piecewise((4*a/(3*b**2*sqrt(a + b*x**3)) + 2*x**3/(3*b*sqrt(a + b*x**3)), Ne(b, 0)), (x**6/(6*a**(3/2)), True)) + d*x**7*gamma(7/3)*hyper((3/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(10/3)) + e*x**8*gamma(8/3)*hyper((3/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(11/3))

$$3.438 \quad \int \frac{x^4(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=574

$$\frac{8\sqrt{2+\sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} (4a^{2/3}e + 5(1-\sqrt{3})b^{2/3}c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4\sqrt{3}}{15\sqrt[4]{3} b^{7/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

[Out] $2/3*x*(-b*d*x^2-b*c*x+a*e)/b^2/(b*x^3+a)^(1/2)+4/3*d*(b*x^3+a)^(1/2)/b^2+2/5*e*x*(b*x^3+a)^(1/2)/b^2+8/3*c*(b*x^3+a)^(1/2)/b^(5/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-4/3*a^(1/3)*c*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)*3^(1/4)/b^(5/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)-8/45*a^(1/3)*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(4*a^(2/3)*e+5*b^(2/3)*c*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)*3^(3/4)/b^(7/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)$

Rubi [A] time = 0.47, antiderivative size = 574, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1828, 1888, 1886, 261, 1878, 218, 1877}

$$\frac{8\sqrt{2+\sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} (4a^{2/3}e + 5(1-\sqrt{3})b^{2/3}c) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3})\sqrt[3]{a}}\right)\right) - 7 - 4\sqrt{3}}{15\sqrt[4]{3} b^{7/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] $(2*x*(a*e - b*c*x - b*d*x^2))/(3*b^2*\text{Sqrt}[a + b*x^3]) + (4*d*\text{Sqrt}[a + b*x^3])/((3*b^2) + (2*e*x*\text{Sqrt}[a + b*x^3])/(5*b^2) + (8*c*\text{Sqrt}[a + b*x^3])/(3*b^(5/3)*((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)) - (4*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^(1/3)*c*(a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1$

```

+ Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3)
+ b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(3^(3/4)
)*b^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(
1/3)*x)^2]*Sqrt[a + b*x^3]) - (8*Sqrt[2 + Sqrt[3]]*a^(1/3)*(5*(1 - Sqrt[3])
)*b^(2/3)*c + 4*a^(2/3)*e)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(
1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcS
in[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)]
, -7 - 4*Sqrt[3]]/(15*3^(1/4)*b^(7/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))
/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

```

Rule 218

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
& PosQ[a]

```

Rule 261

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]

```

Rule 1828

```

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]

```

Rule 1877

```

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((
1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq

```

$Q[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1878

$\text{Int}[\frac{(c_.) + (d_.)*(x_.)}{\text{Sqrt}[(a_.) + (b_.)*(x_.)^3]}, x_Symbol] \rightarrow \text{With}[\{r = \text{N} \\ \text{umer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r - (1 - \text{Sqrt}[3])*d*s)/r, \\ \text{Int}[1/\text{Sqrt}[a + b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[\frac{(1 - \text{Sqrt}[3])*s + r*x}{\text{Sqrt} \\ [a + b*x^3]}, x], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{PosQ}[a] \&\& \text{NeQ}[b*c^3 - 2* \\ (5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1886

$\text{Int}[(Pq_)*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[\text{Coeff}[Pq, x, n - \\ 1], \text{Int}[x^{(n - 1)}*(a + b*x^n)^p, x], x] + \text{Int}[\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x \\ , n - 1]*x^{(n - 1)}, x]*(a + b*x^n)^p, x] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{PolyQ}[Pq \\ , x] \&\& \text{IGtQ}[n, 0] \&\& \text{Expon}[Pq, x] == n - 1$

Rule 1888

$\text{Int}[(Pq_)*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x \\]\}, \text{With}[\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b*(q + n*p + 1)), \text{Int}[\text{ExpandToSum} \\ [b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^{(q - n)}, x]*(a + b*x^ \\ n)^p, x], x] + \text{Simp}[(Pqq*x^{(q - n + 1)}*(a + b*x^n)^{(p + 1)})/(b*(q + n*p + 1 \\)), x]] /; \text{NeQ}[q + n*p + 1, 0] \&\& q - n \geq 0 \&\& (\text{IntegerQ}[2*p] || \text{IntegerQ}[\\ p + (q + 1)/(2*n)])] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{x^4(c + dx + ex^2)}{(a + bx^3)^{3/2}} dx &= \frac{2x(ae - bcx - bdx^2)}{3b^2\sqrt{a + bx^3}} - \frac{2 \int \frac{a^2e - 2abcx - 3abdx^2 - \frac{3}{2}abex^3}{\sqrt{a+bx^3}} dx}{3ab^2} \\
&= \frac{2x(ae - bcx - bdx^2)}{3b^2\sqrt{a + bx^3}} + \frac{2ex\sqrt{a + bx^3}}{5b^2} - \frac{4 \int \frac{4a^2be - 5ab^2cx - \frac{15}{2}ab^2dx^2}{\sqrt{a+bx^3}} dx}{15ab^3} \\
&= \frac{2x(ae - bcx - bdx^2)}{3b^2\sqrt{a + bx^3}} + \frac{2ex\sqrt{a + bx^3}}{5b^2} - \frac{4 \int \frac{4a^2be - 5ab^2cx}{\sqrt{a+bx^3}} dx}{15ab^3} + \frac{(2d) \int \frac{x^2}{\sqrt{a+bx^3}} dx}{b} \\
&= \frac{2x(ae - bcx - bdx^2)}{3b^2\sqrt{a + bx^3}} + \frac{4d\sqrt{a + bx^3}}{3b^2} + \frac{2ex\sqrt{a + bx^3}}{5b^2} + \frac{(4c) \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{3b^{4/3}} - \frac{(4c) \int \frac{(1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{3b^{4/3}} \\
&= \frac{2x(ae - bcx - bdx^2)}{3b^2\sqrt{a + bx^3}} + \frac{4d\sqrt{a + bx^3}}{3b^2} + \frac{2ex\sqrt{a + bx^3}}{5b^2} + \frac{8c\sqrt{a + bx^3}}{3b^{5/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)}
\end{aligned}$$

Mathematica [C] time = 0.13, size = 127, normalized size = 0.22

$$\frac{2 \left(-15bcx^2 \sqrt{\frac{bx^3}{a}} + 1 {}_2F_1 \left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a} \right) - 8aex \sqrt{\frac{bx^3}{a}} + 1 {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right) \right) + 10ad + 8aex + 15bcx^2 + 5bdx^3 + 3}{15b^2\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] (2*(10*a*d + 8*a*e*x + 15*b*c*x^2 + 5*b*d*x^3 + 3*b*e*x^4 - 8*a*e*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] - 15*b*c*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -((b*x^3)/a)]))/(15*b^2*Sqrt[a + b*x^3])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^6 + dx^5 + cx^4)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="fricas")

[Out] integral((e*x^6 + d*x^5 + c*x^4)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^4}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x^4/(b*x^3 + a)^(3/2), x)

maple [A] time = 0.05, size = 817, normalized size = 1.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x)

[Out] e*(2/3/((x^3+a/b)*b)^(1/2)*a/b^2*x+2/5*(b*x^3+a)^(1/2)/b^2*x+32/45*I*a/b^3*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + d*(2/3/((x^3+a/b)*b)^(1/2)*a/b^2+2/3*(b*x^3+a)^(1/2)/b^2)+c*(-2/3/((x^3+a/b)*b)^(1/2)/b*x^2-8/9*I/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + (-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^4}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*x^4/(b*x^3 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (e x^2 + d x + c)}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x + e*x^2))/(a + b*x^3)^(3/2),x)

[Out] int((x^4*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)

sympy [A] time = 15.27, size = 129, normalized size = 0.22

$$d \left(\begin{array}{l} \left(\frac{4a}{3b^2\sqrt{a+bx^3}} + \frac{2x^3}{3b\sqrt{a+bx^3}} \right) \text{ for } b \neq 0 \\ \frac{x^6}{6a^2} \text{ otherwise} \end{array} \right) + \frac{cx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{3}{2}, \frac{5}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{8}{3}\right)} + \frac{ex^7\Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\frac{3}{2}, \frac{7}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{10}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(e*x**2+d*x+c)/(b*x**3+a)**(3/2),x)

[Out] d*Piecewise((4*a/(3*b**2*sqrt(a + b*x**3)) + 2*x**3/(3*b*sqrt(a + b*x**3)), Ne(b, 0)), (x**6/(6*a**(3/2)), True)) + c*x**5*gamma(5/3)*hyper((3/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(8/3)) + e*x**7*gamma(7/3)*hyper((3/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(10/3))

$$3.439 \quad \int \frac{x^3(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=542

$$\frac{4\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(\sqrt[3]{b}c-2(1-\sqrt{3})\sqrt[3]{a}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3^4\sqrt[3]{3}b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

[Out] $-2/3*x*(e*x^2+d*x+c)/b/(b*x^3+a)^{(1/2)}+4/3*e*(b*x^3+a)^{(1/2)}/b^2+8/3*d*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}-4/3*a^{(1/3)*d*(a^{(1/3)+b^{(1/3)*x}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})},I*3^{(1/2)+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)*3^{(1/4)}/b^{(5/3)/(b*x^3+a)^{(1/2)/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)+4/9*(a^{(1/3)+b^{(1/3)*x}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})},I*3^{(1/2)+2*I)*(b^{(1/3)*c-2*a^{(1/3)*d*(1-3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)*3^{(3/4)}/b^{(5/3)/(b*x^3+a)^{(1/2)/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}$

Rubi [A] time = 0.33, antiderivative size = 542, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1828, 1886, 261, 1878, 218, 1877}

$$\frac{4\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(\sqrt[3]{b}c-2(1-\sqrt{3})\sqrt[3]{a}d)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3^4\sqrt[3]{3}b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] $(-2*x*(c + d*x + e*x^2))/(3*b*\text{Sqrt}[a + b*x^3]) + (4*e*\text{Sqrt}[a + b*x^3])/(3*b^2) + (8*d*\text{Sqrt}[a + b*x^3])/(3*b^{(5/3)*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})} - (4*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)*d*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})])$

$$\frac{1/3*x)], -7 - 4*\sqrt{3}]]/(3^{3/4}*b^{5/3}*\sqrt{[a^{1/3}*(a^{1/3} + b^{1/3})*x]}/((1 + \sqrt{3})*a^{1/3} + b^{1/3})*x)^2]*\sqrt{a + b*x^3}) + (4*\sqrt{2 + \sqrt{3}}]*(b^{1/3}*c - 2*(1 - \sqrt{3})*a^{1/3}*d)*(a^{1/3} + b^{1/3})*x)*\sqrt{[a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3}*x^2]}/((1 + \sqrt{3})*a^{1/3} + b^{1/3})*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \sqrt{3})*a^{1/3} + b^{1/3}]/((1 + \sqrt{3})*a^{1/3} + b^{1/3})*x)], -7 - 4*\sqrt{3}]]/(3*3^{1/4}*b^{5/3}*\sqrt{[a^{1/3}*(a^{1/3} + b^{1/3})*x]}/((1 + \sqrt{3})*a^{1/3} + b^{1/3})*x)^2]*\sqrt{a + b*x^3})$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2)*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2)*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2)}{(a + bx^3)^{3/2}} dx &= -\frac{2x(c + dx + ex^2)}{3b\sqrt{a + bx^3}} - \frac{2 \int \frac{-abc - 2abdx - 3abex^2}{\sqrt{a + bx^3}} dx}{3ab^2} \\
&= -\frac{2x(c + dx + ex^2)}{3b\sqrt{a + bx^3}} - \frac{2 \int \frac{-abc - 2abdx}{\sqrt{a + bx^3}} dx}{3ab^2} + \frac{(2e) \int \frac{x^2}{\sqrt{a + bx^3}} dx}{b} \\
&= -\frac{2x(c + dx + ex^2)}{3b\sqrt{a + bx^3}} + \frac{4e\sqrt{a + bx^3}}{3b^2} + \frac{(4d) \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{3b^{4/3}} + \frac{2(\sqrt[3]{b}c - 2(1 - \sqrt{3}))}{3b^4} \\
&= -\frac{2x(c + dx + ex^2)}{3b\sqrt{a + bx^3}} + \frac{4e\sqrt{a + bx^3}}{3b^2} + \frac{8d\sqrt{a + bx^3}}{3b^{5/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{4\sqrt{2 - \sqrt{3}}\sqrt[3]{a}d}{3b^4}
\end{aligned}$$

Mathematica [C] time = 0.12, size = 118, normalized size = 0.22

$$\frac{2 \left(bcx \sqrt{\frac{bx^3}{a}} + 1 {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right) - 3bdx^2 \sqrt{\frac{bx^3}{a}} + 1 {}_2F_1 \left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a} \right) + 2ae - bcx + 3bdx^2 + bex^3 \right)}{3b^2 \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] (2*(2*a*e - b*c*x + 3*b*d*x^2 + b*e*x^3 + b*c*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] - 3*b*d*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -((b*x^3)/a)])/(3*b^2*Sqrt[a + b*x^3])

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^5 + dx^4 + cx^3)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="fricas")

[Out] integral((e*x^5 + d*x^4 + c*x^3)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^3}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x^3/(b*x^3 + a)^(3/2), x)

maple [A] time = 0.05, size = 800, normalized size = 1.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x)

[Out] e*(2/3/((x^3+a/b)*b)^(1/2)*a/b^2+2/3*(b*x^3+a)^(1/2)/b^2)+d*(-2/3/((x^3+a/b)*b)^(1/2)/b*x^2-8/9*I/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2

)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+c*(-2/3/((x^3+a/b)*b)^(1/2)/b*x-4/9*I/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^3}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*x^3/(b*x^3 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (e x^2 + d x + c)}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)

[Out] int((x^3*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)

sympy [A] time = 12.50, size = 129, normalized size = 0.24

$$e \left(\begin{array}{l} \left(\frac{4a}{3b^2\sqrt{a+bx^3}} + \frac{2x^3}{3b\sqrt{a+bx^3}} \right) \text{ for } b \neq 0 \\ \left(\frac{x^6}{\frac{3}{6a^2}} \right) \text{ otherwise} \end{array} \right) + \frac{cx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{7}{3}\right)} + \frac{dx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{3}{2}, \frac{5}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(x**3*(e*x**2+d*x+c)/(b*x**3+a)**(3/2),x)
```

```
[Out] e*Piecewise((4*a/(3*b**2*sqrt(a + b*x**3)) + 2*x**3/(3*b*sqrt(a + b*x**3)),  
Ne(b, 0)), (x**6/(6*a**(3/2)), True)) + c*x**4*gamma(4/3)*hyper((4/3, 3/2),  
(7/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(7/3)) + d*x**5*gamma(  
5/3)*hyper((3/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(  
8/3))
```

$$3.440 \quad \int \frac{x^2(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=522

$$\frac{4\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}(\sqrt[3]{b}d-2(1-\sqrt{3})\sqrt[3]{a}e)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3\sqrt[3]{3}b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

[Out] $-2/3*(e*x^2+d*x+c)/b/(b*x^3+a)^{(1/2)}+8/3*e*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-4/3*a^{(1/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}*3^{(1/4)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}+4/9*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(b^{(1/3)}*d-2*a^{(1/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}*3^{(3/4)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 522, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1823, 1878, 218, 1877}

$$\frac{4\sqrt{2+\sqrt{3}}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}(\sqrt[3]{b}d-2(1-\sqrt{3})\sqrt[3]{a}e)F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{3\sqrt[3]{3}b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^{(3/2)}, x]$

[Out] $(-2*(c + d*x + e*x^2))/(3*b*\text{Sqrt}[a + b*x^3]) + (8*e*\text{Sqrt}[a + b*x^3])/(3*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) - (4*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(1/3)}*e*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3])]/(3^{(3/4)}$

$$) * b^{5/3} * \text{Sqrt}[(a^{1/3} * (a^{1/3} + b^{1/3} * x)) / ((1 + \text{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2] * \text{Sqrt}[a + b * x^3] + (4 * \text{Sqrt}[2 + \text{Sqrt}[3]] * (b^{1/3} * d - 2 * (1 - \text{Sqrt}[3]) * a^{1/3} * e) * (a^{1/3} + b^{1/3} * x) * \text{Sqrt}[(a^{2/3} - a^{1/3} * b^{1/3} * x + b^{2/3} * x^2) / ((1 + \text{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2] * \text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3]) * a^{1/3} + b^{1/3} * x] / ((1 + \text{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)], -7 - 4 * \text{Sqrt}[3]]) / (3 * 3^{1/4} * b^{5/3} * \text{Sqrt}[(a^{1/3} * (a^{1/3} + b^{1/3} * x)) / ((1 + \text{Sqrt}[3]) * a^{1/3} + b^{1/3} * x)^2] * \text{Sqrt}[a + b * x^3])$$

Rule 218

$$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^3], x_Symbol] \text{ :> With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2 * \text{Sqrt}[2 + \text{Sqrt}[3]] * (s + r * x) * \text{Sqrt}[(s^2 - r * s * x + r^2 * x^2) / ((1 + \text{Sqrt}[3]) * s + r * x)^2] * \text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3]) * s + r * x] / ((1 + \text{Sqrt}[3]) * s + r * x)], -7 - 4 * \text{Sqrt}[3]]) / (3^{1/4} * r * \text{Sqrt}[a + b * x^3] * \text{Sqrt}[(s * (s + r * x)) / ((1 + \text{Sqrt}[3]) * s + r * x)^2]), x]] \text{ /; FreeQ}\{a, b\}, x] \& \& \text{PosQ}[a]$$

Rule 1823

$$\text{Int}[(\text{Pq}_*) * (x_)^{(m_*)} * ((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \text{ :> Simp}[(\text{Pq} * (a + b * x^n)^{(p + 1}) / (b * n * (p + 1)), x] - \text{Dist}[1 / (b * n * (p + 1)), \text{Int}[D[\text{Pq}, x] * (a + b * x^n)^{(p + 1)}, x], x] \text{ /; FreeQ}\{a, b, m, n\}, x] \& \& \text{PolyQ}[\text{Pq}, x] \& \& \text{EqQ}[m - n + 1, 0] \& \& \text{LtQ}[p, -1]$$

Rule 1877

$$\text{Int}[(c_) + (d_)*(x_)] / \text{Sqrt}[(a_) + (b_)*(x_)^3], x_Symbol] \text{ :> With}[\{r = \text{Numer}[\text{Simplify}[(1 - \text{Sqrt}[3]) * d] / c], s = \text{Denom}[\text{Simplify}[(1 - \text{Sqrt}[3]) * d] / c]\}, \text{Simp}[(2 * d * s^3 * \text{Sqrt}[a + b * x^3]) / (a * r^2 * ((1 + \text{Sqrt}[3]) * s + r * x)), x] - \text{Simp}[(3^{1/4} * \text{Sqrt}[2 - \text{Sqrt}[3]] * d * s * (s + r * x) * \text{Sqrt}[(s^2 - r * s * x + r^2 * x^2) / ((1 + \text{Sqrt}[3]) * s + r * x)^2] * \text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3]) * s + r * x] / ((1 + \text{Sqrt}[3]) * s + r * x)], -7 - 4 * \text{Sqrt}[3]]) / (r^2 * \text{Sqrt}[a + b * x^3] * \text{Sqrt}[(s * (s + r * x)) / ((1 + \text{Sqrt}[3]) * s + r * x)^2]), x]] \text{ /; FreeQ}\{a, b, c, d\}, x] \& \& \text{PosQ}[a] \& \& \text{EqQ}[b * c^3 - 2 * (5 - 3 * \text{Sqrt}[3]) * a * d^3, 0]$$

Rule 1878

$$\text{Int}[(c_) + (d_)*(x_)] / \text{Sqrt}[(a_) + (b_)*(x_)^3], x_Symbol] \text{ :> With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c * r - (1 - \text{Sqrt}[3]) * d * s) / r, \text{Int}[1/\text{Sqrt}[a + b * x^3], x], x] + \text{Dist}[d/r, \text{Int}[(1 - \text{Sqrt}[3]) * s + r * x] / \text{Sqrt}[a + b * x^3], x], x]] \text{ /; FreeQ}\{a, b, c, d\}, x] \& \& \text{PosQ}[a] \& \& \text{NeQ}[b * c^3 - 2 * (5 - 3 * \text{Sqrt}[3]) * a * d^3, 0]$$

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (c + dx + ex^2)}{(a + bx^3)^{3/2}} dx &= -\frac{2(c + dx + ex^2)}{3b\sqrt{a + bx^3}} + \frac{2 \int \frac{d+2ex}{\sqrt{a+bx^3}} dx}{3b} \\
&= -\frac{2(c + dx + ex^2)}{3b\sqrt{a + bx^3}} + \frac{(4e) \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a+bx^3}} dx}{3b^{4/3}} + \frac{\left(2\left(d - \frac{2(1-\sqrt{3})\sqrt[3]{a}e}{\sqrt[3]{b}}\right)\right) \int \frac{1}{\sqrt{a+bx^3}} dx}{3b} \\
&= -\frac{2(c + dx + ex^2)}{3b\sqrt{a + bx^3}} + \frac{8e\sqrt{a + bx^3}}{3b^{5/3} \left((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x\right)} - \frac{4\sqrt{2 - \sqrt{3}} \sqrt[3]{a}e \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^2}{\left(\left(\frac{1 + \sqrt{3}}{2}\right)^2 - 3\right)^{3/4} b^{5/3}}}}{3^{3/4} b^{5/3}}
\end{aligned}$$

Mathematica [C] time = 0.10, size = 107, normalized size = 0.20

$$\frac{2dx\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) - 2\left(3ex^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) + c + x(d - 3ex)\right)}{3b\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] (2*d*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] - 2*(c + x*(d - 3*e*x) + 3*e*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -((b*x^3)/a)]))/(3*b*Sqrt[a + b*x^3])

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^4 + dx^3 + cx^2)\sqrt{bx^3 + a}}{b^2x^6 + 2abx^3 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="fricas")

[Out] integral((e*x^4 + d*x^3 + c*x^2)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x^2}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x^2/(b*x^3 + a)^(3/2), x)

maple [B] time = 0.06, size = 779, normalized size = 1.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x)

[Out]
$$e*(-2/3/((x^3+a/b)*b)^{(1/2)}/b*x^2-8/9*I/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+d*(-2/3/((x^3+a/b)*b)^{(1/2)}/b*x-4/9*I/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))-2/3*c/b/(b*x^3+a)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{2c}{3\sqrt{bx^3+ab}} + \int \frac{(ex^4 + dx^3)\sqrt{bx^3+a}}{b^2x^6 + 2abx^3 + a^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out]
$$-2/3*c/(sqrt(b*x^3 + a)*b) + integrate((e*x^4 + d*x^3)*sqrt(b*x^3 + a)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (e x^2 + d x + c)}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)`

[Out] `int((x^2*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)`

sympy [A] time = 11.43, size = 109, normalized size = 0.21

$$c \left(\begin{cases} -\frac{2}{3b\sqrt{a+bx^3}} & \text{for } b \neq 0 \\ \frac{x^3}{3a^{\frac{3}{2}}} & \text{otherwise} \end{cases} \right) + \frac{dx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}} \Gamma\left(\frac{7}{3}\right)} + \frac{ex^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{5}{3}, \frac{5}{3} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}} \Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d*x+c)/(b*x**3+a)**(3/2), x)`

[Out] `c*Piecewise((-2/(3*b*sqrt(a + b*x**3)), Ne(b, 0)), (x**3/(3*a**(3/2)), True)) + d*x**4*gamma(4/3)*hyper((4/3, 3/2), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(7/3)) + e*x**5*gamma(5/3)*hyper((3/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(8/3))`

$$3.441 \quad \int \frac{x(c+dx+ex^2)}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=561

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \left(2a^{2/3}e + b^{2/3}(c - \sqrt{3}c)\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{3\sqrt[4]{3} a^{2/3} b^{4/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3*x*(-b*d*x^2-b*c*x+a*e)/a/b/(b*x^3+a)^{(1/2)}-2/3*d*(b*x^3+a)^{(1/2)}/a/b-2/3*c*(b*x^3+a)^{(1/2)}/a/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})+1/3*c*(a^{(1/3)+b^{(1/3)*x}}*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}*3^{(1/4)}/a^{(2/3)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}+2/9*(a^{(1/3)+b^{(1/3)*x}}*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}, I*3^{(1/2)+2*I}*(2*a^{(2/3)}*e+b^{(2/3)*(c-c*3^{(1/2)})})*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}*3^{(3/4)}/a^{(2/3)}/b^{(4/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})^2})^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 561, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$, Rules used = {1828, 1886, 261, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \left(2a^{2/3}e + b^{2/3}(c - \sqrt{3}c)\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{3\sqrt[4]{3} a^{2/3} b^{4/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] $(-2*x*(a*e - b*c*x - b*d*x^2))/(3*a*b*\text{Sqrt}[a + b*x^3]) - (2*d*\text{Sqrt}[a + b*x^3])/(3*a*b) - (2*c*\text{Sqrt}[a + b*x^3])/(3*a*b^{(2/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (\text{Sqrt}[2 - \text{Sqrt}[3]]*c*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Elliptic}$

```
icE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(3^(3/4)*a^(2/3)*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (2*Sqrt[2 + Sqrt[3]]*(b^(2/3)*(c - Sqrt[3]*c) + 2*a^(2/3)*e)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]]/(3*3^(1/4)*a^(2/3)*b^(4/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3])*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 1828

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
```


Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rubi steps

$$\begin{aligned} \int \frac{x(c + dx + ex^2)}{(a + bx^3)^{3/2}} dx &= -\frac{2x(ae - bcx - bdx^2)}{3ab\sqrt{a + bx^3}} - \frac{2 \int \frac{-ae + \frac{bcx}{2} + \frac{3}{2}bdx^2}{\sqrt{a + bx^3}} dx}{3ab} \\ &= -\frac{2x(ae - bcx - bdx^2)}{3ab\sqrt{a + bx^3}} - \frac{2 \int \frac{-ae + \frac{bcx}{2}}{\sqrt{a + bx^3}} dx}{3ab} - \frac{d \int \frac{x^2}{\sqrt{a + bx^3}} dx}{a} \\ &= -\frac{2x(ae - bcx - bdx^2)}{3ab\sqrt{a + bx^3}} - \frac{2d\sqrt{a + bx^3}}{3ab} - \frac{c \int \frac{(1 - \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{3a\sqrt[3]{b}} + \frac{\left(\frac{(1 - \sqrt{3})b^{2/3}c}{a^{2/3}} + 2e\right) \int \frac{1}{\sqrt{a + bx^3}} dx}{3b} \\ &= -\frac{2x(ae - bcx - bdx^2)}{3ab\sqrt{a + bx^3}} - \frac{2d\sqrt{a + bx^3}}{3ab} - \frac{2c\sqrt{a + bx^3}}{3ab^{2/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} + \frac{\sqrt{2 - \sqrt{3}}c}{3b} \int \frac{1}{\sqrt{a + bx^3}} dx \end{aligned}$$

Mathematica [C] time = 0.08, size = 108, normalized size = 0.19

$$\frac{3bcx^2 \sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4aex \sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) - 4a(d + ex)}{6ab\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x]

[Out] (-4*a*(d + e*x) + 4*a*e*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 3*b*c*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -((b*x^3)/a)]/(6*a*b*Sqrt[a + b*x^3])

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^3 + a} (ex^3 + dx^2 + cx)}{b^2x^6 + 2abx^3 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^3 + d*x^2 + c*x)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*x/(b*x^3 + a)^(3/2), x)

maple [A] time = 0.13, size = 782, normalized size = 1.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)/(b*x^3+a)^(3/2), x)

[Out] e*(-2/3/((x^3+a/b)*b)^(1/2)/b*x-4/9*I/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)

$$-a*b^2)^{(1/3)/b)/b)^{(1/2)))-2/3*d/b/(b*x^3+a)^{(1/2)+c*(2/3/((x^3+a/b)*b)^{(1/2)/a*x^2+2/9*I/a*3^{(1/2)*(-a*b^2)^{(1/3)/b*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)*(x-(-a*b^2)^{(1/3)/b)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b))^{(1/2)*(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)/(b*x^3+a)^{(1/2)*((-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)*EllipticE(1/3*3^{(1/2)*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)/b)^{(1/2))+(-a*b^2)^{(1/3)/b}*EllipticF(1/3*3^{(1/2)*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)/b)/b)^{(1/2))}})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + dx + c)x}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*x/(b*x^3 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x (e x^2 + d x + c)}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2))/(a + b*x^3)^(3/2),x)

[Out] int((x*(c + d*x + e*x^2))/(a + b*x^3)^(3/2), x)

sympy [A] time = 11.08, size = 109, normalized size = 0.19

$$d \left(\begin{array}{l} \left(-\frac{2}{3b\sqrt{a+bx^3}} \right) \text{ for } b \neq 0 \\ \left(\frac{x^3}{3a^2} \right) \text{ otherwise} \end{array} \right) + \frac{cx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{5}{3}\right)} + \frac{ex^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x**2+d*x+c)/(b*x**3+a)**(3/2),x)
```

```
[Out] d*Piecewise((-2/(3*b*sqrt(a + b*x**3)), Ne(b, 0)), (x**3/(3*a**(3/2)), True)) + c*x**2*gamma(2/3)*hyper((2/3, 3/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(5/3)) + e*x**4*gamma(4/3)*hyper((4/3, 3/2), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(7/3))
```

$$3.442 \quad \int \frac{c+dx+ex^2}{(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=532

$$\frac{2\sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \left((1-\sqrt{3})\sqrt[3]{a}d + \sqrt[3]{b}c \right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{3\sqrt[4]{3}ab^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3*(a*e-b*x*(d*x+c))/a/b/(b*x^3+a)^(1/2)-2/3*d*(b*x^3+a)^(1/2)/a/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))+1/3*d*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)*3^(1/4)/a^(2/3)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)+2/9*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(b^(1/3)*c+a^(1/3)*d*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)*3^(3/4)/a/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)$

Rubi [A] time = 0.25, antiderivative size = 532, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1854, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \left((1-\sqrt{3})\sqrt[3]{a}d + \sqrt[3]{b}c \right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{3\sqrt[4]{3}ab^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(a + b*x^3)^(3/2), x]

[Out] $(-2*d*\text{Sqrt}[a + b*x^3])/(3*a*b^(2/3)*((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)) - (2*(a*e - b*x*(c + d*x)))/(3*a*b*\text{Sqrt}[a + b*x^3]) + (\text{Sqrt}[2 - \text{Sqrt}[3]]*d*(a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2)*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x]/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*\text{Sqrt}[3]]/(3^(3/4)*$

$$a^{2/3}b^{2/3}\sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x))/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \sqrt{a + b^2x^3} + (2\sqrt{2 + \sqrt{3}})(b^{1/3}c + (1 - \sqrt{3})a^{1/3}d)(a^{1/3} + b^{1/3}x)\sqrt{(a^{2/3} - a^{1/3}b^{1/3}x + b^{2/3}x^2)/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3})a^{1/3} + b^{1/3}x}{(1 + \sqrt{3})a^{1/3} + b^{1/3}x}], -7 - 4\sqrt{3}]/(3^{3/4}ab^{2/3}\sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x))/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \sqrt{a + b^2x^3})$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - sqrt[3])*s + r*x)/((1 + sqrt[3])*s + r*x)], -7 - 4*sqrt[3]])/(3^(1/4)*r*sqrt[a + b*x^3]*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}](a + b*x^n)^(p + 1), x], x] /; q == n - 1 /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - sqrt[3])*d)/c]], s = Denom[Simplify[((1 - sqrt[3])*d)/c]]}, Simp[(2*d*s^3*sqrt[a + b*x^3])/(a*r^2*((1 + sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*sqrt[2 - sqrt[3]]*d*s*(s + r*x)*sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - sqrt[3])*s + r*x)/((1 + sqrt[3])*s + r*x)], -7 - 4*sqrt[3]])/(r^2*sqrt[a + b*x^3]*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - sqrt[3])*d*s)/r, Int[1/sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - sqrt[3])*s + r*x)/sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{(a + bx^3)^{3/2}} dx &= -\frac{2(ae - bx(c + dx))}{3ab\sqrt{a + bx^3}} - \frac{2 \int \frac{-\frac{c}{2} + \frac{dx}{2}}{\sqrt{a + bx^3}} dx}{3a} \\
&= -\frac{2(ae - bx(c + dx))}{3ab\sqrt{a + bx^3}} - \frac{d \int \frac{(1-\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt{a + bx^3}} dx}{3a\sqrt[3]{b}} + \frac{\left(c + \frac{(1-\sqrt{3})\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{1}{\sqrt{a + bx^3}} dx}{3a} \\
&= -\frac{2d\sqrt{a + bx^3}}{3ab^{2/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{2(ae - bx(c + dx))}{3ab\sqrt{a + bx^3}} + \frac{\sqrt{2 - \sqrt{3}} d (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a}}{(1 + \sqrt{3})}}}{3^{3/4}a^{2/3}b^{2/3}}
\end{aligned}$$

Mathematica [C] time = 0.08, size = 109, normalized size = 0.20

$$\frac{2bcx\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 3bdx^2\sqrt{\frac{bx^3}{a} + 1} {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 4ae + 4bcx}{6ab\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(a + b*x^3)^(3/2), x]

[Out] (-4*a*e + 4*b*c*x + 2*b*c*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -(b*x^3)/a] + 3*b*d*x^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -(b*x^3)/a])/(6*a*b*Sqrt[a + b*x^3])

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3 + a}(ex^2 + dx + c)}{b^2x^6 + 2abx^3 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^2 + d*x + c)/(b^2*x^6 + 2*a*b*x^3 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/(b*x^3 + a)^(3/2), x)

maple [A] time = 0.05, size = 785, normalized size = 1.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/(b*x^3+a)^(3/2),x)

[Out]
$$\begin{aligned} & -2/3*e/b/(b*x^3+a)^{(1/2)}+d*(2/3/((x^3+a/b)*b)^{(1/2)}/a*x^2+2/9*I/a^3^{(1/2)}*(\\ & -a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)* \\ & 3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/ \\ & b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^ \\ & 3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*(\\ & (-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)} \\ &)*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^ \\ & 2)^{(1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{ \\ & (1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I \\ & *(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(\\ & 1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)} \\ &)*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+c*(2/3/((x^3+a/b)*b)^{(1/2)}/a*x-2/9*I/a^3^{(1 \\ & /2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3) \\ &)/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(\\ & 1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1 \\ & /2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1 \\ & /2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2) \\ & ^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(\\ & -a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/(b*x^3 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{e x^2 + d x + c}{(b x^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(a + b*x^3)^(3/2), x)

[Out] int((c + d*x + e*x^2)/(a + b*x^3)^(3/2), x)

sympy [A] time = 10.86, size = 107, normalized size = 0.20

$$e \left(\begin{array}{l} -\frac{2}{3b\sqrt{a+bx^3}} \quad \text{for } b \neq 0 \\ \frac{x^3}{3a^2} \quad \text{otherwise} \end{array} \right) + \frac{cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{4}{3}\right)} + \frac{dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, \frac{3}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3a^{\frac{3}{2}}\Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/(b*x**3+a)**(3/2),x)

[Out] e*Piecewise((-2/(3*b*sqrt(a + b*x**3)), Ne(b, 0)), (x**3/(3*a**(3/2)), True)) + c*x*gamma(1/3)*hyper((1/3, 3/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(4/3)) + d*x**2*gamma(2/3)*hyper((2/3, 3/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(5/3))

$$3.443 \quad \int \frac{c+dx+ex^2}{x(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=579

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \left(\left(1-\sqrt{3}\right)\sqrt[3]{a}e + \sqrt[3]{b}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{3^4\sqrt{3}ab^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3*c*\operatorname{arctanh}\left(\frac{(b*x^3+a)^{1/2}}{a^{1/2}}\right)/a^{3/2}+2/3*x*(-b*c*x^2+a*e*x+a*d)/a^{2/2}/(b*x^3+a)^{1/2}+2/3*c*(b*x^3+a)^{1/2}/a^{2-2/3}*e*(b*x^3+a)^{1/2}/a/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{1/2})}})+1/3*e*(a^{(1/3)+b^{(1/3)*x}})*\operatorname{EllipticE}\left(\frac{b^{(1/3)*x+a^{(1/3)*(1-3^{1/2})}}}{b^{(1/3)*x+a^{(1/3)*(1+3^{1/2})}}\right), I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{1/2})}})^2)^{(1/2)}*3^{(1/4)}/a^{(2/3)}/b^{(2/3)}/(b*x^3+a)^{1/2}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{1/2})}})^2)^{(1/2)}+2/9*(a^{(1/3)+b^{(1/3)*x}})*\operatorname{EllipticF}\left(\frac{b^{(1/3)*x+a^{(1/3)*(1-3^{1/2})}}}{b^{(1/3)*x+a^{(1/3)*(1+3^{1/2})}}\right), I*3^{(1/2)+2*I}*(b^{(1/3)*d+a^{(1/3)*e*(1-3^{1/2})}}*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{1/2})}})^2)^{(1/2)}*3^{(3/4)}/a/b^{(2/3)}/(b*x^3+a)^{1/2}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{1/2})}})^2)^{(1/2)}$

Rubi [A] time = 0.40, antiderivative size = 579, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1829, 1832, 266, 63, 208, 1886, 261, 1878, 218, 1877}

$$\frac{2\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b}x\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \left(\left(1-\sqrt{3}\right)\sqrt[3]{a}e + \sqrt[3]{b}d\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{3^4\sqrt{3}ab^{2/3} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{b}x\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x*(a + b*x^3)^(3/2)), x]

[Out] $(2*x*(a*d + a*e*x - b*c*x^2))/(3*a^2*\operatorname{Sqrt}[a + b*x^3]) + (2*c*\operatorname{Sqrt}[a + b*x^3])/((3*a^2) - (2*e*\operatorname{Sqrt}[a + b*x^3])/(3*a*b^{(2/3)}*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) - (2*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(3*a^{(3/2)}) + (\operatorname{Sqrt}[2 - \operatorname{Sqrt}[3]]*e*(a^{(1/3)} + b^{(1/3)*x})*\operatorname{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)})])$

```
) * x^2) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)^2) * EllipticE[ArcSin[((1 - Sqrt[3]) * a^(1/3) + b^(1/3) * x) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)], -7 - 4 * Sqrt[3]]] / (3^(3/4) * a^(2/3) * b^(2/3) * Sqrt[(a^(1/3) * (a^(1/3) + b^(1/3) * x)) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)^2] * Sqrt[a + b * x^3]) + (2 * Sqrt[2 + Sqrt[3]]) * (b^(1/3) * d + (1 - Sqrt[3]) * a^(1/3) * e) * (a^(1/3) + b^(1/3) * x) * Sqrt[(a^(2/3) - a^(1/3) * b^(1/3) * x + b^(2/3) * x^2) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)^2] * EllipticF[ArcSin[((1 - Sqrt[3]) * a^(1/3) + b^(1/3) * x) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)], -7 - 4 * Sqrt[3]]] / (3 * 3^(1/4) * a * b^(2/3) * Sqrt[(a^(1/3) * (a^(1/3) + b^(1/3) * x)) / ((1 + Sqrt[3]) * a^(1/3) + b^(1/3) * x)^2] * Sqrt[a + b * x^3])
```

Rule 63

```
Int[((a_.) + (b_.) * (x_)^m) * ((c_.) + (d_.) * (x_)^n), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1) * (c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.) * (x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2] * ArcTanh[x / Rt[-(a/b), 2]]) / a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.) * (x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2 * Sqrt[2 + Sqrt[3]]) * (s + r * x) * Sqrt[(s^2 - r * s * x + r^2 * x^2) / ((1 + Sqrt[3]) * s + r * x)^2] * EllipticF[ArcSin[((1 - Sqrt[3]) * s + r * x) / ((1 + Sqrt[3]) * s + r * x)], -7 - 4 * Sqrt[3]]] / (3^(1/4) * r * Sqrt[a + b * x^3] * Sqrt[(s * (s + r * x)) / ((1 + Sqrt[3]) * s + r * x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 261

```
Int[(x_)^m * ((a_) + (b_.) * (x_)^n)^p, x_Symbol] := Simp[(a + b * x^n)^(p + 1) / (b * n * (p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 266

```
Int[(x_)^m * ((a_) + (b_.) * (x_)^n)^p, x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1) * (a + b * x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1829

```

Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

Rule 1832

```

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

```

Rule 1877

```

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rule 1878

```

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rule 1886

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Dist[Coeff[Pq, x, n -
1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x
, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq
, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2}{x(a + bx^3)^{3/2}} dx &= \frac{2x(ad + aex - bcx^2)}{3a^2\sqrt{a + bx^3}} - \frac{2 \int \frac{\frac{3bc}{2} - \frac{bdx}{2} + \frac{1}{2}bex^2 - \frac{3b^2cx^3}{2a}}{x\sqrt{a+bx^3}} dx}{3ab} \\
&= \frac{2x(ad + aex - bcx^2)}{3a^2\sqrt{a + bx^3}} - \frac{2 \int \frac{\frac{bd}{2} + \frac{bex}{2} - \frac{3b^2cx^2}{2a}}{\sqrt{a+bx^3}} dx}{3ab} + \frac{c \int \frac{1}{x\sqrt{a+bx^3}} dx}{a} \\
&= \frac{2x(ad + aex - bcx^2)}{3a^2\sqrt{a + bx^3}} - \frac{2 \int \frac{\frac{bd}{2} + \frac{bex}{2}}{\sqrt{a+bx^3}} dx}{3ab} + \frac{c \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a+bx}} dx, x, x^3\right)}{3a} + \frac{(bc) \int \frac{x^2}{\sqrt{a+bx^3}} dx}{a^2} \\
&= \frac{2x(ad + aex - bcx^2)}{3a^2\sqrt{a + bx^3}} + \frac{2c\sqrt{a + bx^3}}{3a^2} + \frac{(2c) \operatorname{Subst}\left(\int \frac{1}{\frac{-a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a + bx^3}\right)}{3ab} - \frac{e \int \frac{(1-\sqrt{3})}{\sqrt{a+bx^3}} dx}{3a} \\
&= \frac{2x(ad + aex - bcx^2)}{3a^2\sqrt{a + bx^3}} + \frac{2c\sqrt{a + bx^3}}{3a^2} - \frac{2e\sqrt{a + bx^3}}{3ab^{2/3} \left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)} - \frac{2c \tanh^{-1}\left(\frac{\sqrt{a+bx^3}}{\sqrt{a}}\right)}{3a^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.12, size = 119, normalized size = 0.21

$$\frac{4c {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^3}{a} + 1\right) + x\left(2d\sqrt{\frac{bx^3}{a}} + 1 {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 3ex\sqrt{\frac{bx^3}{a}} + 1 {}_2F_1\left(\frac{2}{3}, \frac{3}{2}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4d\right)}{6a\sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x*(a + b*x^3)^(3/2)), x]

[Out] (4*c*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*x^3)/a] + x*(4*d + 2*d*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)] + 3*e*x*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2/3, 3/2, 5/3, -((b*x^3)/a)])/(6*a*Sqrt[a + b*x^3])

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{bx^3 + a}(ex^2 + dx + c)}{b^2x^7 + 2abx^4 + a^2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^2 + d*x + c)/(b^2*x^7 + 2*a*b*x^4 + a^2*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/((b*x^3 + a)^(3/2)*x), x)

maple [A] time = 0.05, size = 810, normalized size = 1.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x/(b*x^3+a)^(3/2),x)

[Out] e*(2/3/((x^3+a/b)*b)^(1/2)/a*x^2+2/9*I/a^3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+d*(2/3/((x^3+a/b)*b)^(1/2)/a*x-2/9*I/a^3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+c*(2/3/a/((x^3+a/b)*b)^(1/2)-2/3*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(3/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/((b*x^3 + a)^(3/2)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + dx + c}{x(bx^3 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x*(a + b*x^3)^(3/2)),x)

[Out] int((c + d*x + e*x^2)/(x*(a + b*x^3)^(3/2)), x)

sympy [A] time = 16.57, size = 265, normalized size = 0.46

$$c \left(\frac{2a^3 \sqrt{1 + \frac{bx^3}{a}}}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} + \frac{a^3 \log\left(\frac{bx^3}{a}\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} - \frac{2a^3 \log\left(\sqrt{1 + \frac{bx^3}{a}} + 1\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} + \frac{a^2bx^3 \log\left(\frac{bx^3}{a}\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} - \frac{2a^2bx^3 \log\left(\sqrt{1 + \frac{bx^3}{a}} + 1\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x/(b*x**3+a)**(3/2),x)

[Out] c*(2*a**3*sqrt(1 + b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) + a**3*log(b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) - 2*a**3*log(sqrt(1 + b*x**3/a) + 1)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) + a**2*b*x**3*log(b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) - 2*a**2*b*x**3*log(sqrt(1 + b*x**3/a) + 1)/(3*a**(9/2) + 3*a**(7/2)*b*x**3)) + d*x*gamma(1/3)*hyper((1/3, 3/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(4/3)) + e*x**2*gamma(2/3)*hyper((2/3, 3/2), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(5/3))

$$3.444 \quad \int \frac{c+dx+ex^2}{x^2(a+bx^3)^{3/2}} dx$$

Optimal. Leaf size=607

$$\frac{\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a} \sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \left(5(1-\sqrt{3})b^{2/3}c-2a^{2/3}e\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{3^4\sqrt{3} a^{5/3} \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}}$$

[Out] $-2/3*d*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}+2/3*x*(-b*d*x^2-b*c*x+a*e)/a^2/(b*x^3+a)^{(1/2)}+2/3*d*(b*x^3+a)^{(1/2)}/a^2-c*(b*x^3+a)^{(1/2)}/a^2/x+5/3*b^{(1/3)}*c*(b*x^3+a)^{(1/2)}/a^2/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-5/6*b^{(1/3)}*c*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}*3^{(1/4)}/a^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-1/9*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(-2*a^{(2/3)}*e+5*b^{(2/3)}*c*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}*3^{(3/4)}/a^{(5/3)}/b^{(1/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.56, antiderivative size = 607, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1829, 1835, 1832, 266, 63, 208, 1886, 261, 1878, 218, 1877}

$$\frac{\sqrt{2+\sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{bx}\right) \sqrt{\frac{a^{2/3}-\sqrt[3]{a} \sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \left(5(1-\sqrt{3})b^{2/3}c-2a^{2/3}e\right) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7-4\sqrt{3}\right)}{3^4\sqrt{3} a^{5/3} \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}} \sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^(3/2)), x]

[Out] $(2*x*(a*e - b*c*x - b*d*x^2))/(3*a^2*\operatorname{Sqrt}[a + b*x^3]) + (2*d*\operatorname{Sqrt}[a + b*x^3])/((3*a^2) - (c*\operatorname{Sqrt}[a + b*x^3])/(a^2*x) + (5*b^{(1/3)}*c*\operatorname{Sqrt}[a + b*x^3]))/(3$

$$\begin{aligned}
& *a^2*((1 + \sqrt{3})a^{1/3} + b^{1/3}x) - (2*d*\text{ArcTanh}[\sqrt{a + b*x^3}/\sqrt{a}]/(3*a^{3/2}) - (5*\sqrt{2 - \sqrt{3}}*b^{1/3}*c*(a^{1/3} + b^{1/3}x)* \\
& \sqrt{[a^{2/3} - a^{1/3}*b^{1/3}x + b^{2/3}*x^2]/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2})*\text{EllipticE}[\text{ArcSin}[(1 - \sqrt{3})a^{1/3} + b^{1/3}x]/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)], -7 - 4*\sqrt{3}]/(2*3^{3/4}*a^{5/3}*\sqrt{[a^{1/3}*(a^{1/3} + b^{1/3}x)]/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2})*\sqrt{a + b*x^3}) - (\sqrt{2 + \sqrt{3}}*(5*(1 - \sqrt{3})*b^{2/3}*c - 2*a^{2/3}*e)*(a^{1/3} + b^{1/3}x)*\sqrt{[a^{2/3} - a^{1/3}*b^{1/3}x + b^{2/3}*x^2]/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2})*\text{EllipticF}[\text{ArcSin}[(1 - \sqrt{3})a^{1/3} + b^{1/3}x]/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)], -7 - 4*\sqrt{3}]/(3*3^{1/4}*a^{5/3}*b^{1/3}*\sqrt{[a^{1/3}*(a^{1/3} + b^{1/3}x)]/((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2})*\sqrt{a + b*x^3})
\end{aligned}$$

Rule 63

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 218

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s
*x + r^2*x^2)]/((1 + sqrt[3])*s + r*x)^2)*EllipticF[ArcSin[(1 - sqrt[3])*s
+ r*x]/((1 + sqrt[3])*s + r*x)], -7 - 4*sqrt[3]]/(3^(1/4)*r*sqrt[a + b*x^3
]*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]

```

Rule 261

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]

```

Rule 266

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b

```

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1829

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_.)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
```

$[a + b*x^3], x], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1886

$\text{Int}[(\text{Pq}_*)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] \ :> \ \text{Dist}[\text{Coeff}[\text{Pq}, x, n - 1], \text{Int}[x^(n - 1)*(a + b*x^n)^p, x], x] + \text{Int}[\text{ExpandToSum}[\text{Pq} - \text{Coeff}[\text{Pq}, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[\text{Pq}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{Expon}[\text{Pq}, x] == n - 1$

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2}{x^2 (a + bx^3)^{3/2}} dx &= \frac{2x (ae - bcx - bdx^2)}{3a^2 \sqrt{a + bx^3}} - \frac{2 \int \frac{\frac{3bc}{2} - \frac{3bdx}{2} - \frac{1}{2} bex^2 - \frac{b^2 cx^3}{2a} - \frac{3b^2 dx^4}{2a}}{x^2 \sqrt{a + bx^3}} dx}{3ab} \\ &= \frac{2x (ae - bcx - bdx^2)}{3a^2 \sqrt{a + bx^3}} - \frac{c \sqrt{a + bx^3}}{a^2 x} + \frac{\int \frac{3abd + abex + \frac{5}{2} b^2 cx^2 + 3b^2 dx^3}{x \sqrt{a + bx^3}} dx}{3a^2 b} \\ &= \frac{2x (ae - bcx - bdx^2)}{3a^2 \sqrt{a + bx^3}} - \frac{c \sqrt{a + bx^3}}{a^2 x} + \frac{\int \frac{abe + \frac{5}{2} b^2 cx + 3b^2 dx^2}{\sqrt{a + bx^3}} dx}{3a^2 b} + \frac{d \int \frac{1}{x \sqrt{a + bx^3}} dx}{a} \\ &= \frac{2x (ae - bcx - bdx^2)}{3a^2 \sqrt{a + bx^3}} - \frac{c \sqrt{a + bx^3}}{a^2 x} + \frac{\int \frac{abe + \frac{5}{2} b^2 cx}{\sqrt{a + bx^3}} dx}{3a^2 b} + \frac{d \text{Subst} \left(\int \frac{1}{x \sqrt{a + bx}} dx, x, x^3 \right)}{3a} + \dots \\ &= \frac{2x (ae - bcx - bdx^2)}{3a^2 \sqrt{a + bx^3}} + \frac{2d \sqrt{a + bx^3}}{3a^2} - \frac{c \sqrt{a + bx^3}}{a^2 x} + \frac{(5b^{2/3} c) \int \frac{(1 - \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x}{\sqrt{a + bx^3}} dx}{6a^2} + \dots \\ &= \frac{2x (ae - bcx - bdx^2)}{3a^2 \sqrt{a + bx^3}} + \frac{2d \sqrt{a + bx^3}}{3a^2} - \frac{c \sqrt{a + bx^3}}{a^2 x} + \frac{5 \sqrt[3]{b} c \sqrt{a + bx^3}}{3a^2 ((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)} - \frac{2d \text{ta}}{\dots} \end{aligned}$$

Mathematica [C] time = 0.11, size = 121, normalized size = 0.20

$$\frac{-3c \sqrt{\frac{bx^3}{a} + 1} {}_2F_1 \left(-\frac{1}{3}, \frac{3}{2}; \frac{2}{3}; -\frac{bx^3}{a} \right) + 2dx {}_2F_1 \left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^3}{a} + 1 \right) + ex^2 \left(\sqrt{\frac{bx^3}{a} + 1} {}_2F_1 \left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; -\frac{bx^3}{a} \right) + 2 \right)}{3ax \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)/(x^2*(a + b*x^3)^(3/2)),x]

[Out] (2*d*x*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*x^3)/a] - 3*c*sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-1/3, 3/2, 2/3, -((b*x^3)/a)] + e*x^2*(2 + sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[1/3, 1/2, 4/3, -((b*x^3)/a)]))/(3*a*x*sqrt[a + b*x^3])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^3 + a}(ex^2 + dx + c)}{b^2x^8 + 2abx^5 + a^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^3 + a)*(e*x^2 + d*x + c)/(b^2*x^8 + 2*a*b*x^5 + a^2*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)/((b*x^3 + a)^(3/2)*x^2), x)

maple [A] time = 0.06, size = 825, normalized size = 1.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)/x^2/(b*x^3+a)^(3/2),x)

[Out] e*(2/3/((x^3+a/b)*b)^(1/2)/a*x-2/9*I/a*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)

$$\begin{aligned}
 & *b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)} / (-3/2*(-a*b^2)^{(1/3)} / b + 1/2*I*3^{(1/2)}*(- \\
 & a*b^2)^{(1/3)} / b) / b)^{(1/2)}) + c * (-2/3 / ((x^3+a/b)*b)^{(1/2)} / a^2*b*x^2 - (b*x^3+a)^{(1/2)} / a^2/x - 5/9*I/a^2*3^{(1/2)}*(-a*b^2)^{(1/3)} * (I*(x+1/2*(-a*b^2)^{(1/3)} / b - 1/2 \\
 & *I*3^{(1/2)}*(-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a*b^2)^{(1/3)} / b) / (-3/2*(-a*b^2)^{(1/3)} / b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)} / b))^{(1/2)} * (-I*(\\
 & x + 1/2*(-a*b^2)^{(1/3)} / b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} / (b*x^3+a)^{(1/2)} * ((-3/2*(-a*b^2)^{(1/3)} / b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)} / b) * \\
 & EllipticE(1/3*3^{(1/2)} * (I*(x+1/2*(-a*b^2)^{(1/3)} / b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)} / (- \\
 & 3/2*(-a*b^2)^{(1/3)} / b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)} / b) / b)^{(1/2)}) + (-a*b^2)^{(1/3)} / b * EllipticF(1/3*3^{(1/2)} * (I*(x+1/2*(-a*b^2)^{(1/3)} / b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)} / (-3/2 * \\
 & (-a*b^2)^{(1/3)} / b + 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)} / b) / b)^{(1/2)})) + d * (2/3 / ((x^3+a/b)*b)^{(1/2)} / a - 2/3 * arctanh((b*x^3+a)^{(1/2)} / a)^{(1/2)} / a^{(3/2)})
 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + dx + c}{(bx^3 + a)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)/x^2/(b*x^3+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)/((b*x^3 + a)^(3/2)*x^2), x)

mupad [B] time = 5.80, size = 136, normalized size = 0.22

$$\frac{2d}{3a\sqrt{bx^3+a}} + \frac{d \ln\left(\frac{(\sqrt{bx^3+a}-\sqrt{a})^3(\sqrt{bx^3+a}+\sqrt{a})}{x^6}\right)}{3a^{3/2}} - \frac{2c\left(\frac{a}{bx^3}+1\right)^{3/2} {}_2F_1\left(\frac{3}{2}, \frac{11}{6}; \frac{17}{6}; -\frac{a}{bx^3}\right)}{11x(bx^3+a)^{3/2}} + \frac{ex\left(\frac{bx^3}{a}+1\right)^{3/2} {}_2F_1\left(\frac{1}{3}, \frac{11}{6}; \frac{17}{6}; -\frac{a}{bx^3}\right)}{(bx^3+a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2)/(x^2*(a + b*x^3)^(3/2)),x)

[Out] (2*d)/(3*a*(a + b*x^3)^(1/2)) + (d*log((((a + b*x^3)^(1/2) - a^(1/2))^3*((a + b*x^3)^(1/2) + a^(1/2))))/x^6)/(3*a^(3/2)) - (2*c*(a/(b*x^3) + 1)^(3/2)*hypergeom([3/2, 11/6], 17/6, -a/(b*x^3)))/(11*x*(a + b*x^3)^(3/2)) + (e*x*((b*x^3)/a + 1)^(3/2)*hypergeom([1/3, 3/2], 4/3, -(b*x^3)/a))/(a + b*x^3)^(3/2)

sympy [A] time = 18.30, size = 267, normalized size = 0.44

$$d \left(\frac{2a^3 \sqrt{1 + \frac{bx^3}{a}}}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} + \frac{a^3 \log\left(\frac{bx^3}{a}\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} - \frac{2a^3 \log\left(\sqrt{1 + \frac{bx^3}{a}} + 1\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} + \frac{a^2 bx^3 \log\left(\frac{bx^3}{a}\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} - \frac{2a^2 bx^3 \log\left(\sqrt{1 + \frac{bx^3}{a}} + 1\right)}{3a^{\frac{9}{2}} + 3a^{\frac{7}{2}}bx^3} \right) + c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d*x+c)/x**2/(b*x**3+a)**(3/2), x)

[Out] d*(2*a**3*sqrt(1 + b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) + a**3*log(b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) - 2*a**3*log(sqrt(1 + b*x**3/a) + 1)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) + a**2*b*x**3*log(b*x**3/a)/(3*a**(9/2) + 3*a**(7/2)*b*x**3) - 2*a**2*b*x**3*log(sqrt(1 + b*x**3/a) + 1)/(3*a**(9/2) + 3*a**(7/2)*b*x**3)) + c*gamma(-1/3)*hyper((-1/3, 3/2), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*x*gamma(2/3)) + e*x*gamma(1/3)*hyper((1/3, 3/2), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*a**(3/2)*gamma(4/3))

3.445 $\int x^3 \sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx$

Optimal. Leaf size=733

$$\frac{12\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{7/3}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}(19bd-10ag)E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{1729b^{8/3}\sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}\sqrt{a+bx^3}}$$

[Out] $-4/45*a^2*e*(b*x^3+a)^{(1/2)}/b^2+6/935*a*(-8*a*f+17*b*c)*x*(b*x^3+a)^{(1/2)}/b^2+6/1729*a*(-10*a*g+19*b*d)*x^2*(b*x^3+a)^{(1/2)}/b^2+2/45*a*e*x^3*(b*x^3+a)^{(1/2)}/b+6/187*a*f*x^4*(b*x^3+a)^{(1/2)}/b+6/247*a*g*x^5*(b*x^3+a)^{(1/2)}/b+2/692835*x^3*(36465*g*x^5+40755*f*x^4+46189*e*x^3+53295*d*x^2+62985*c*x)*(b*x^3+a)^{(1/2)}-24/1729*a^2*(-10*a*g+19*b*d)*(b*x^3+a)^{(1/2)}/b^{(8/3)}/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})+12/1729*3^{(1/4)}*a^{(7/3)}*(-10*a*g+19*b*d)*(a^{(1/3)}+b^{(1/3)*x})*EllipticE((b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}/b^{(8/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}-4/1616615*3^{(3/4)}*a^2*(a^{(1/3)}+b^{(1/3)*x})*EllipticF((b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2)})})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})}), I*3^{(1/2)}+2*I)*(1729*b^{(1/3)}*(-8*a*f+17*b*c)-1870*a^{(1/3)}*(-10*a*g+19*b*d)*(1-3^{(1/2)}))*((1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}/b^{(8/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2)})})^2)^{(1/2)}$

Rubi [A] time = 1.91, antiderivative size = 733, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1836, 1888, 1594, 1886, 261, 1878, 218, 1877}

$$\frac{4\sqrt[3]{3/4}\sqrt{2+\sqrt{3}}a^2\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)(1729\sqrt[3]{b}(17bc-8g))}{1616615b^{8/3}\sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*\text{Sqrt}[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]$

[Out] $(-4*a^2*e*\text{Sqrt}[a + b*x^3])/(45*b^2) + (6*a*(17*b*c - 8*a*f)*x*\text{Sqrt}[a + b*x^3])/(935*b^2) + (6*a*(19*b*d - 10*a*g)*x^2*\text{Sqrt}[a + b*x^3])/(1729*b^2) + (2$

```

*a*e*x^3*Sqrt[a + b*x^3])/(45*b) + (6*a*f*x^4*Sqrt[a + b*x^3])/(187*b) + (6
*a*g*x^5*Sqrt[a + b*x^3])/(247*b) - (24*a^2*(19*b*d - 10*a*g)*Sqrt[a + b*x^
3])/(1729*b^(8/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) + (2*x^3*Sqrt[a + b*
x^3]*(62985*c*x + 53295*d*x^2 + 46189*e*x^3 + 40755*f*x^4 + 36465*g*x^5))/6
92835 + (12*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(7/3)*(19*b*d - 10*a*g)*(a^(1/3) +
b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*
a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x
)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(1729*b^(8/3)*Sqr
t[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqr
t[a + b*x^3]) - (4*3^(3/4)*Sqrt[2 + Sqrt[3]]*a^2*(1729*b^(1/3)*(17*b*c - 8*
a*f) - 1870*(1 - Sqrt[3])*a^(1/3)*(19*b*d - 10*a*g))*(a^(1/3) + b^(1/3)*x)*
Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b
^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqr
t[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(1616615*b^(8/3)*Sqrt[(a^(1/3
)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*
x^3])

```

Rule 218

```

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]

```

Rule 261

```

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]

```

Rule 1594

```

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))^(n_), x
_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a
, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

```

Rule 1826

```

Int[(Pq)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&

```


GtQ[p, 0]

Rule 1836

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[
```

$p + (q + 1)/(2*n)] /; \text{FreeQ}\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx &= \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + \dots)}{692835} \\
&= \frac{6agx^5 \sqrt{a + bx^3}}{247b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx + 53295dx^2 + 46189ex^3 + \dots)}{692835} \\
&= \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{6agx^5 \sqrt{a + bx^3}}{247b} + \frac{2x^3 \sqrt{a + bx^3} (62985cx - \dots)}{692835} \\
&= \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{6agx^5 \sqrt{a + bx^3}}{247b} + \frac{2x^3 \sqrt{a + bx^3} (\dots)}{692835} \\
&= \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{6agx^5 \sqrt{a + bx^3}}{247b} + \frac{2x^3 \sqrt{a + bx^3} (\dots)}{692835} \\
&= \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (\dots)}{692835} \\
&= \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (\dots)}{692835} \\
&= \frac{6a(17bc - 8af)x \sqrt{a + bx^3}}{935b^2} + \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (\dots)}{692835} \\
&= \frac{6a(17bc - 8af)x \sqrt{a + bx^3}}{935b^2} + \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (\dots)}{692835} \\
&= -\frac{4a^2e \sqrt{a + bx^3}}{45b^2} + \frac{6a(17bc - 8af)x \sqrt{a + bx^3}}{935b^2} + \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (\dots)}{692835} \\
&= -\frac{4a^2e \sqrt{a + bx^3}}{45b^2} + \frac{6a(17bc - 8af)x \sqrt{a + bx^3}}{935b^2} + \frac{6a(19bd - 10ag)x^2 \sqrt{a + bx^3}}{1729b^2} + \frac{2aex^3 \sqrt{a + bx^3}}{45b} + \frac{6afx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^3 \sqrt{a + bx^3} (\dots)}{692835}
\end{aligned}$$

Mathematica [C] time = 0.46, size = 172, normalized size = 0.23

$$2\sqrt{a+bx^3} \left(-(a+bx^3) \sqrt{\frac{bx^3}{a}} + 1 \left(a(92378e + 90x(988f + 935gx)) - 3bx(62985c + 11x(4845d + 13x(323e + 2$$

2078505b²√

Antiderivative was successfully verified.

[In] Integrate[x³*Sqrt[a + b*x³]*(c + d*x + e*x² + f*x³ + g*x⁴),x]

[Out] (2*Sqrt[a + b*x³]*(-(a + b*x³)*Sqrt[1 + (b*x³)/a]*(a*(92378*e + 90*x*(988*f + 935*g*x)) - 3*b*x*(62985*c + 11*x*(4845*d + 13*x*(323*e + 285*f*x + 255*g*x²)))) + 11115*a*(-17*b*c + 8*a*f)*x*Hypergeometric2F1[-1/2, 1/3, 4/3, -((b*x³)/a)] + 8415*a*(-19*b*d + 10*a*g)*x²*Hypergeometric2F1[-1/2, 2/3, 5/3, -((b*x³)/a)])/(2078505*b²*Sqrt[1 + (b*x³)/a])

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(gx^7 + fx^6 + ex^5 + dx^4 + cx^3\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x³*(g*x⁴+f*x³+e*x²+d*x+c)*(b*x³+a)^(1/2),x, algorithm="fricas")

[Out] integral((g*x⁷ + f*x⁶ + e*x⁵ + d*x⁴ + c*x³)*sqrt(b*x³ + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x³*(g*x⁴+f*x³+e*x²+d*x+c)*(b*x³+a)^(1/2),x, algorithm="giac")

[Out] integrate((g*x⁴ + f*x³ + e*x² + d*x + c)*sqrt(b*x³ + a)*x³, x)

maple [B] time = 0.09, size = 1674, normalized size = 2.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x³*(g*x⁴+f*x³+e*x²+d*x+c)*(b*x³+a)^(1/2),x)

```
[Out] g*(2/19*(b*x^3+a)^(1/2)*x^8+6/247*(b*x^3+a)^(1/2)*a/b*x^5-60/1729*(b*x^3+a)^(1/2)*a^2/b^2*x^2-80/1729*I*a^3/b^3*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))
+f*(2/17*(b*x^3+a)^(1/2)*x^7+6/187*(b*x^3+a)^(1/2)*a/b*x^4-48/935*(b*x^3+a)^(1/2)*a^2/b^2*x-32/935*I*a^3/b^3*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+e*(2/15*x^6*(b*x^3+a)^(1/2)+2/45*a/b*x^3*(b*x^3+a)^(1/2)-4/45*a^2/b^2*(b*x^3+a)^(1/2))+d*(2/13*(b*x^3+a)^(1/2)*x^5+6/91*(b*x^3+a)^(1/2)*a/b*x^2+8/91*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))
+c*(2/11*(b*x^3+a)^(1/2)*x^4+6/55*(b*x^3+a)^(1/2)*a/b*x+4/55*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + ax^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)*x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int(x^3*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 5.84, size = 238, normalized size = 0.32

$$\frac{\sqrt{a} cx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{\sqrt{a} dx^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{8}{3}\right)} + \frac{\sqrt{a} fx^7 \Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{3} \\ \frac{10}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{10}{3}\right)} + \frac{\sqrt{a} gx^8 \Gamma\left(\frac{8}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{8}{3} \\ \frac{11}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{11}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2),x)

[Out] sqrt(a)*c*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*d*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*f*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*g*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + e*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True))

$$3.446 \quad \int x^2 \sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx$$

Optimal. Leaf size=681

$$\frac{12\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{7/3}e(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right)-7-4\sqrt{3}}{91b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}} \quad \frac{24a^2e\sqrt{a}}{91b^{5/3}((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}$$

[Out] $2/45*a*(-2*a*f+5*b*c)*(b*x^3+a)^{(1/2)}/b^2+6/935*a*(-8*a*g+17*b*d)*x*(b*x^3+a)^{(1/2)}/b^2+6/91*a*e*x^2*(b*x^3+a)^{(1/2)}/b+2/45*a*f*x^3*(b*x^3+a)^{(1/2)}/b+6/187*a*g*x^4*(b*x^3+a)^{(1/2)}/b+2/109395*x^2*(6435*g*x^5+7293*f*x^4+8415*e*x^3+9945*d*x^2+12155*c*x)*(b*x^3+a)^{(1/2)}-24/91*a^2*e*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+12/91*3^{(1/4)}*a^{(7/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*EllipticE((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))),I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-4/85085*3^{(3/4)}*a^2*(a^{(1/3)}+b^{(1/3)}*x)*EllipticF((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))),I*3^{(1/2)+2*I}*(1547*b*d-728*a*g-1870*a^{(1/3)}*b^{(2/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/b^{(7/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.42, antiderivative size = 681, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1836, 1888, 1594, 1886, 261, 1878, 218, 1877}

$$\frac{4\sqrt[3]{3}^4\sqrt{2+\sqrt{3}}a^2(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(-1870(1-\sqrt{3})\sqrt[3]{a}b^{2/3}e-728ag+1547bd)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\right)}{85085b^{7/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[x^2*Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] $(2*a*(5*b*c-2*a*f)*\text{Sqrt}[a+b*x^3])/(45*b^2)+(6*a*(17*b*d-8*a*g)*x*\text{Sqrt}[a+b*x^3])/(935*b^2)+(6*a*e*x^2*\text{Sqrt}[a+b*x^3])/(91*b)+(2*a*f*x^3*\text{Sqrt}[a+b*x^3])/(45*b)+(6*a*g*x^4*\text{Sqrt}[a+b*x^3])/(187*b)-(24*a^2*e*S$

```

qrt[a + b*x^3]/(91*b^(5/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) + (2*x^2*S
qrt[a + b*x^3]*(12155*c*x + 9945*d*x^2 + 8415*e*x^3 + 7293*f*x^4 + 6435*g*x
^5))/109395 + (12*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(7/3)*e*(a^(1/3) + b^(1/3)*x)
*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) +
b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sq
rt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(91*b^(5/3)*Sqrt[(a^(1/3)*(a
^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]
) - (4*3^(3/4)*Sqrt[2 + Sqrt[3]]*a^2*(1547*b*d - 1870*(1 - Sqrt[3])*a^(1/3)
*b^(2/3)*e - 728*a*g)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)
*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[(
(1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7
- 4*Sqrt[3]])/(85085*b^(7/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sq
rt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

```

Rule 218

```

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]

```

Rule 261

```

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]

```

Rule 1594

```

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))^(n_), x
_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a
, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

```

Rule 1826

```

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]
*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]

```

Rule 1836


```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^(m)*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

```

Rule 1877

```

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}], Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rule 1878

```

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}], Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rule 1886

```

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

```

Rule 1888

```

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

```

Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx &= \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6435gx^5)}{109395} \\
&= \frac{6agx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3)}{109395} \\
&= \frac{2afx^3 \sqrt{a + bx^3}}{45b} + \frac{6agx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3)}{109395} \\
&= \frac{6aex^2 \sqrt{a + bx^3}}{91b} + \frac{2afx^3 \sqrt{a + bx^3}}{45b} + \frac{6agx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3)}{109395} \\
&= \frac{6aex^2 \sqrt{a + bx^3}}{91b} + \frac{2afx^3 \sqrt{a + bx^3}}{45b} + \frac{6agx^4 \sqrt{a + bx^3}}{187b} + \frac{2x^2 \sqrt{a + bx^3} (12155cx + 9945dx^2 + 8415ex^3)}{109395} \\
&= \frac{6a(17bd - 8ag)x \sqrt{a + bx^3}}{935b^2} + \frac{6aex^2 \sqrt{a + bx^3}}{91b} + \frac{2afx^3 \sqrt{a + bx^3}}{45b} \\
&= \frac{6a(17bd - 8ag)x \sqrt{a + bx^3}}{935b^2} + \frac{6aex^2 \sqrt{a + bx^3}}{91b} + \frac{2afx^3 \sqrt{a + bx^3}}{45b} \\
&= \frac{2a(5bc - 2af) \sqrt{a + bx^3}}{45b^2} + \frac{6a(17bd - 8ag)x \sqrt{a + bx^3}}{935b^2} + \frac{6aex^2 \sqrt{a + bx^3}}{91b} \\
&= \frac{2a(5bc - 2af) \sqrt{a + bx^3}}{45b^2} + \frac{6a(17bd - 8ag)x \sqrt{a + bx^3}}{935b^2} + \frac{6aex^2 \sqrt{a + bx^3}}{91b}
\end{aligned}$$

Mathematica [C] time = 0.30, size = 158, normalized size = 0.23

$$\frac{2\sqrt{a + bx^3} \left(- (a + bx^3) \sqrt{\frac{bx^3}{a} + 1} (26a(187f + 180gx) - b(12155c + 9945dx + 33x^2(255e + 13x(17f + 15gx)))) \right)}{109395b^2 \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] (2*Sqrt[a + b*x^3]*(-(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*(26*a*(187*f + 180*g*x) - b*(12155*c + 9945*d*x + 33*x^2*(255*e + 13*x*(17*f + 15*g*x)))) + 585*a*(-17*b*d + 8*a*g)*x*Hypergeometric2F1[-1/2, 1/3, 4/3, -(b*x^3)/a] - 84*15*a*b*e*x^2*Hypergeometric2F1[-1/2, 2/3, 5/3, -(b*x^3)/a]))/(109395*b^2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(gx^6 + fx^5 + ex^4 + dx^3 + cx^2\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="fricas")

[Out] integral((g*x^6 + f*x^5 + e*x^4 + d*x^3 + c*x^2)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)*x^2, x)

maple [B] time = 0.06, size = 1197, normalized size = 1.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x)

[Out] g*(2/17*(b*x^3+a)^(1/2)*x^7+6/187*(b*x^3+a)^(1/2)*a/b*x^4-48/935*(b*x^3+a)^(1/2)*a^2/b^2*x-32/935*I*a^3/b^3*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)

$$\frac{1}{3}/b)/b)^{(1/2))}+f*(2/15*(b*x^3+a)^{(1/2)}*x^6+2/45*(b*x^3+a)^{(1/2)}*a/b*x^3-4/45*(b*x^3+a)^{(1/2)}*a^2/b^2)+e*(2/13*(b*x^3+a)^{(1/2)}*x^5+6/91*(b*x^3+a)^{(1/2)}*a/b*x^2+8/91*I*a^2/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)})/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))})))d*(2/11*(b*x^3+a)^{(1/2)}*x^4+6/55*(b*x^3+a)^{(1/2)}*a/b*x+4/55*I*a^2/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2))}))+2/9*c/b*(b*x^3+a)^{(3/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2(bx^3 + a)^{\frac{3}{2}}c}{9b} + \int (gx^6 + fx^5 + ex^4 + dx^3)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] 2/9*(b*x^3 + a)^(3/2)*c/b + integrate((g*x^6 + f*x^5 + e*x^4 + d*x^3)*sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int(x^2*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 5.69, size = 223, normalized size = 0.33

$$\frac{\sqrt{a} dx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{\sqrt{a} ex^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{8}{3}\right)} + \frac{\sqrt{a} gx^7 \Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{3} \\ \frac{10}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{10}{3}\right)} + c \left(\begin{matrix} \frac{\sqrt{a} x^3}{3} \\ \frac{2(a+bx^3)^{\frac{3}{2}}}{9b} \end{matrix} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2),x)

[Out] sqrt(a)*d*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*e*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*g*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + c*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + f*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True))

$$3.447 \quad \int x \sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx$$

Optimal. Leaf size=667

$$2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{4/3} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (182a^{2/3} \sqrt[3]{b} e + 55(1 - \sqrt{3})(13bc - 4af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + \sqrt[3]{a}}{\sqrt[3]{bx} + \sqrt[3]{a}}\right)\right)$$

$$5005b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}$$

[Out] $\frac{2}{45} a (-2ag + 5bd) (bx^3 + a)^{1/2} / b^2 + \frac{6}{55} a e x (bx^3 + a)^{1/2} / b + \frac{6}{91} a f x^2 (bx^3 + a)^{1/2} / b + \frac{2}{45} a g x^3 (bx^3 + a)^{1/2} / b + \frac{2}{45045} x^4 (3003 g x^5 + 3465 f x^4 + 4095 e x^3 + 5005 d x^2 + 6435 c x) (bx^3 + a)^{1/2} + \frac{6}{91} a (-4af + 13bc) (bx^3 + a)^{1/2} / b^{5/3} / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})) - \frac{3}{91} 3^{1/4} a^{4/3} (-4af + 13bc) (a^{1/3} + b^{1/3} x) \text{EllipticE}((b^{1/3} x + a^{1/3} (1 - 3^{1/2})) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2}))), I \cdot 3^{1/2} + 2I) \cdot (1/2 \cdot 6^{1/2} - 1/2 \cdot 2^{1/2}) \cdot ((a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})))^2)^{1/2} / b^{5/3} / (bx^3 + a)^{1/2} / (a^{1/3} (a^{1/3} + b^{1/3} x) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})))^2)^{1/2} - \frac{2}{5005} 3^{3/4} a^{4/3} (a^{1/3} + b^{1/3} x) \text{EllipticF}((b^{1/3} x + a^{1/3} (1 - 3^{1/2})) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2}))), I \cdot 3^{1/2} + 2I) \cdot (182 a^{2/3} b^{1/3} e + 55 (-4af + 13bc) (1 - 3^{1/2})) \cdot (1/2 \cdot 6^{1/2} + 1/2 \cdot 2^{1/2}) \cdot ((a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})))^2)^{1/2} / b^{5/3} / (bx^3 + a)^{1/2} / (a^{1/3} (a^{1/3} + b^{1/3} x) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})))^2)^{1/2}$

Rubi [A] time = 1.05, antiderivative size = 667, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {1826, 1836, 1888, 1886, 261, 1878, 218, 1877}

$$2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{4/3} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (182a^{2/3} \sqrt[3]{b} e + 55(1 - \sqrt{3})(13bc - 4af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + \sqrt[3]{a}}{\sqrt[3]{bx} + \sqrt[3]{a}}\right)\right)$$

$$5005b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[x*Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] $\frac{(2a(5bd - 2ag) \text{Sqrt}[a + bx^3]) / (45b^2) + (6aex \text{Sqrt}[a + bx^3]) / (55b) + (6afx^2 \text{Sqrt}[a + bx^3]) / (91b) + (2agx^3 \text{Sqrt}[a + bx^3]) / (45b) + (6a(13bc - 4af) \text{Sqrt}[a + bx^3]) / (91b^{5/3} ((1 + \text{Sqrt}[3]) a^{1/3} + b^{1/3} x)) + (2x \text{Sqrt}[a + bx^3] (6435cx + 5005dx^2 + 4095e$

$$\begin{aligned} & *x^3 + 3465*f*x^4 + 3003*g*x^5)/45045 - (3*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(4/3)} \\ & *(13*b*c - 4*a*f)*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} \\ & + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 - \\ & 4*\text{Sqrt}[3]])/(91*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 + \text{Sqrt}[3]) \\ &)*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) - (2*3^{(3/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a \\ & ^{(4/3)}*(182*a^{(2/3)*b^{(1/3)*e}} + 55*(1 - \text{Sqrt}[3])*(13*b*c - 4*a*f))*(a^{(1/3)} \\ & + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3] \\ &)*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)} \\ &)*x}{(1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}}], -7 - 4*\text{Sqrt}[3]])/(5005*b^{(5/3)}* \\ & \text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]* \\ & \text{Sqrt}[a + b*x^3]) \end{aligned}$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 1826

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wi
th[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p
+ 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m +
q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /;
NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q
```

+ 1)/(2*n)]]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1888

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int x\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx &= \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045} \\
&= \frac{2agx^3\sqrt{a+bx^3}}{45b} + \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045} \\
&= \frac{6afx^2\sqrt{a+bx^3}}{91b} + \frac{2agx^3\sqrt{a+bx^3}}{45b} + \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045} \\
&= \frac{6aex\sqrt{a+bx^3}}{55b} + \frac{6afx^2\sqrt{a+bx^3}}{91b} + \frac{2agx^3\sqrt{a+bx^3}}{45b} + \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045} \\
&= \frac{6aex\sqrt{a+bx^3}}{55b} + \frac{6afx^2\sqrt{a+bx^3}}{91b} + \frac{2agx^3\sqrt{a+bx^3}}{45b} + \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045} \\
&= \frac{2a(5bd-2ag)\sqrt{a+bx^3}}{45b^2} + \frac{6aex\sqrt{a+bx^3}}{55b} + \frac{6afx^2\sqrt{a+bx^3}}{91b} + \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045} \\
&= \frac{2a(5bd-2ag)\sqrt{a+bx^3}}{45b^2} + \frac{6aex\sqrt{a+bx^3}}{55b} + \frac{6afx^2\sqrt{a+bx^3}}{91b} + \frac{2x\sqrt{a+bx^3} (6435cx+5005dx^2+4095ex^3+3465fx^4+3003gx^5)}{45045}
\end{aligned}$$

Mathematica [C] time = 0.36, size = 143, normalized size = 0.21

$$\frac{\sqrt{a+bx^3} \left(495bx^2(13bc-4af) {}_2F_1\left(-\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) - 4(a+bx^3)\sqrt{\frac{bx^3}{a}+1} (286ag-b(715d+585ex+495fx^2)) \right)}{12870b^2\sqrt{\frac{bx^3}{a}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] (Sqrt[a + b*x^3]*(-4*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*(286*a*g - b*(715*d + 585*e*x + 495*f*x^2 + 429*g*x^3)) - 2340*a*b*e*x*Hypergeometric2F1[-1/2, 1/3, 4/3, -(b*x^3)/a] + 495*b*(13*b*c - 4*a*f)*x^2*Hypergeometric2F1[-1/2, 2/3, 5/3, -(b*x^3)/a]))/(12870*b^2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(gx^5 + fx^4 + ex^3 + dx^2 + cx\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="fricas")`

[Out] `integral((g*x^5 + f*x^4 + e*x^3 + d*x^2 + c*x)*sqrt(b*x^3 + a), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="giac")`

[Out] `integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)*x, x)`

maple [B] time = 0.05, size = 1311, normalized size = 1.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x)`

[Out] `g*(2/15*(b*x^3+a)^(1/2)*x^6+2/45*(b*x^3+a)^(1/2)*a/b*x^3-4/45*(b*x^3+a)^(1/2)*a^2/b^2)+f*(2/13*(b*x^3+a)^(1/2)*x^5+6/91*(b*x^3+a)^(1/2)*a/b*x^2+8/91*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+e*(2/11*(b*x^3+a)^(1/2)*x^4+6/55*(b*x^3+a)^(1/2)*a/b*x+4/55*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))`

$(1/3/b)^{(1/2)} * (-I * (x + 1/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} / (b * x^3 + a)^{(1/2)} * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)}) + 2/9 * d / b * (b * x^3 + a)^{(3/2)} + c * (2/7 * (b * x^3 + a)^{(1/2)} * x^2 - 2/7 * I * a * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a * b^2)^{(1/3)} / b) / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} / (b * x^3 + a)^{(1/2)} * ((-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * \text{EllipticE}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)}) + (-a * b^2)^{(1/3)} / b * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)*x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int(x*(a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 5.39, size = 223, normalized size = 0.33

$$\frac{\sqrt{a} c x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{2}{3}}{\frac{5}{3}} \left| \frac{b x^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{5}{3}\right)} + \frac{\sqrt{a} e x^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{4}{3}}{\frac{7}{3}} \left| \frac{b x^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{7}{3}\right)} + \frac{\sqrt{a} f x^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{5}{3}}{\frac{8}{3}} \left| \frac{b x^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{8}{3}\right)} + d \left\{ \begin{array}{l} \frac{\sqrt{a} x^3}{3} \\ \frac{2(a + b x^3)^{\frac{3}{2}}}{9b} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2),x)
```

```
[Out] sqrt(a)*c*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)
/a)/(3*gamma(5/3)) + sqrt(a)*e*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b
*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*f*x**5*gamma(5/3)*hyper((
-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + d*Piecewise(
(sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + g*Piecew
ise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b)
+ 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True))
```

3.448 $\int \sqrt{a + bx^3} (c + dx + ex^2 + fx^3 + gx^4) dx$

Optimal. Leaf size=639

$$2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{bx} \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx} \right)^2}} F \left(\sin^{-1} \left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1 + \sqrt{3}) \sqrt[3]{a}} \right) \middle| -7 - 4\sqrt{3} \right) (91 \sqrt[3]{b} (11bc - 2af) -$$

$$5005b^{5/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx} \right)^2}} \sqrt{a + bx^3}$$

[Out] $2/9*a*e*(b*x^3+a)^{(1/2)}/b+6/55*a*f*x*(b*x^3+a)^{(1/2)}/b+6/91*a*g*x^2*(b*x^3+a)^{(1/2)}/b+2/45045*(3465*g*x^5+4095*f*x^4+5005*e*x^3+6435*d*x^2+9009*c*x)*(b*x^3+a)^{(1/2)}/b+6/91*a*(-4*a*g+13*b*d)*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})}})-3/91*3^{(1/4)}*a^{(4/3)}*(-4*a*g+13*b*d)*(a^{(1/3)+b^{(1/3)*x}})*EllipticE((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})}}), I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})}})^2)^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})}})^2)^{(1/2)}+2/5005*3^{(3/4)}*a*(a^{(1/3)+b^{(1/3)*x}})*EllipticF((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})}}), I*3^{(1/2)+2*I}*(91*b^{(1/3)*(-2*a*f+11*b*c)}-55*a^{(1/3)*(-4*a*g+13*b*d)}*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*(a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})}})^2)^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})}})^2)^{(1/2)}$

Rubi [A] time = 0.72, antiderivative size = 639, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {1853, 1888, 1886, 261, 1878, 218, 1877}

$$2 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{bx} \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx} \right)^2}} F \left(\sin^{-1} \left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1 + \sqrt{3}) \sqrt[3]{a}} \right) \middle| -7 - 4\sqrt{3} \right) (91 \sqrt[3]{b} (11bc - 2af) -$$

$$5005b^{5/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx} \right)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] $(2*a*e*\text{Sqrt}[a + b*x^3])/(9*b) + (6*a*f*x*\text{Sqrt}[a + b*x^3])/(55*b) + (6*a*g*x^2*\text{Sqrt}[a + b*x^3])/(91*b) + (6*a*(13*b*d - 4*a*g)*\text{Sqrt}[a + b*x^3])/(91*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (2*\text{Sqrt}[a + b*x^3]*(9009*c*x + 6435*d*x^2 + 5005*e*x^3 + 4095*f*x^4 + 3465*g*x^5))/45045 - (3*3^{(1/4)}*\text{Sqrt}$

```
[2 - Sqrt[3]]*a^(4/3)*(13*b*d - 4*a*g)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3)
- a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*E
llipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3)
+ b^(1/3)*x)], -7 - 4*Sqrt[3]]/(91*b^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)
)*x)]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (2*3^(3/4)*
Sqrt[2 + Sqrt[3]]*a*(91*b^(1/3)*(11*b*c - 2*a*f) - 55*(1 - Sqrt[3])*a^(1/3)
*(13*b*d - 4*a*g))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x
+ b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1
- Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 -
4*Sqrt[3]]/(5005*b^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x)]/((1 + Sqrt[3]
])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 1853

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq
, x], i}, Simp[(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(n*p + i + 1),
{i, 0, q}], x] + Dist[a*n*p, Int[(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*
x^i)/(n*p + i + 1), {i, 0, q}], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x]
&& IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)]) /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4) dx &= \frac{2\sqrt{a+bx^3} (9009cx+6435dx^2+5005ex^3+4095fx^4+3465gx^5)}{45045} \\
&= \frac{6agx^2\sqrt{a+bx^3}}{91b} + \frac{2\sqrt{a+bx^3} (9009cx+6435dx^2+5005ex^3+4095fx^4+3465gx^5)}{45045} \\
&= \frac{6afx\sqrt{a+bx^3}}{55b} + \frac{6agx^2\sqrt{a+bx^3}}{91b} + \frac{2\sqrt{a+bx^3} (9009cx+6435dx^2+5005ex^3+4095fx^4+3465gx^5)}{45045} \\
&= \frac{6afx\sqrt{a+bx^3}}{55b} + \frac{6agx^2\sqrt{a+bx^3}}{91b} + \frac{2\sqrt{a+bx^3} (9009cx+6435dx^2+5005ex^3+4095fx^4+3465gx^5)}{45045} \\
&= \frac{2ae\sqrt{a+bx^3}}{9b} + \frac{6afx\sqrt{a+bx^3}}{55b} + \frac{6agx^2\sqrt{a+bx^3}}{91b} + \frac{2\sqrt{a+bx^3} (9009cx+6435dx^2+5005ex^3+4095fx^4+3465gx^5)}{45045} \\
&= \frac{2ae\sqrt{a+bx^3}}{9b} + \frac{6afx\sqrt{a+bx^3}}{55b} + \frac{6agx^2\sqrt{a+bx^3}}{91b} + \frac{6a(13bd-4ag)\sqrt{a+bx^3}}{91b^{5/3} \left(1 + \frac{bx^3}{a}\right)}
\end{aligned}$$

Mathematica [C] time = 0.19, size = 135, normalized size = 0.21

$$\frac{\sqrt{a+bx^3} \left(234x(11bc-2af) {}_2F_1\left(-\frac{1}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 99x^2(13bd-4ag) {}_2F_1\left(-\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4(a+bx^3) \sqrt{\frac{bx^3}{a}+1} \right)}{2574b\sqrt{\frac{bx^3}{a}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]

[Out] (Sqrt[a + b*x^3]*(4*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*(143*e + 9*x*(13*f + 11*g*x)) + 234*(11*b*c - 2*a*f)*x*Hypergeometric2F1[-1/2, 1/3, 4/3, -((b*x^3)/a)] + 99*(13*b*d - 4*a*g)*x^2*Hypergeometric2F1[-1/2, 2/3, 5/3, -((b*x^3)/a)]))/(2574*b*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(gx^4 + fx^3 + ex^2 + dx + c\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="fricas")`

[Out] `integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="giac")`

[Out] `integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a), x)`

maple [B] time = 0.05, size = 1557, normalized size = 2.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x)`

[Out] `g*(2/13*(b*x^3+a)^(1/2)*x^5+6/91*(b*x^3+a)^(1/2)*a/b*x^2+8/91*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+f*(2/11*(b*x^3+a)^(1/2)*x^4+6/55*(b*x^3+a)^(1/2)*a/b*x+4/55*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+2/9*e/b*(b*x^3+a)^(3/2)+d*(2/7*(b*x^3+a)^(1/2)*x^2-2/7*I*a*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))`

$$\begin{aligned} & \left(\frac{(-a^2)^{1/3}}{b} + \frac{1}{2} I \sqrt{3} \frac{(-a^2)^{1/3}}{b} \right)^{1/2} \left(-I \sqrt{x + \frac{1}{2} (-a^2)^{1/3}} \right. \\ & \left. \frac{(-a^2)^{1/3}}{b} + \frac{1}{2} I \sqrt{3} \frac{(-a^2)^{1/3}}{b} \right)^{1/2} \sqrt{3} \frac{(-a^2)^{1/3}}{b} \frac{1}{(-a^2)^{1/3}} \sqrt{b x^3 + a} \\ & \left(\frac{(-3/2) (-a^2)^{1/3}}{b} + \frac{1}{2} I \sqrt{3} \frac{(-a^2)^{1/3}}{b} \right) \text{EllipticE} \left(\frac{1/3 \sqrt{3} (-a^2)^{1/3}}{b} \right. \\ & \left. \frac{I \sqrt{x + \frac{1}{2} (-a^2)^{1/3}}}{b} - \frac{1/2 I \sqrt{3} (-a^2)^{1/3}}{b} \right) \sqrt{3} \frac{(-a^2)^{1/3}}{b} \frac{1}{(-a^2)^{1/3}} \sqrt{b x^3 + a} \\ & \left(\frac{I \sqrt{3} (-a^2)^{1/3}}{b} \right) \frac{1}{(-3/2) (-a^2)^{1/3}} \frac{1}{b} + \frac{1}{2} I \sqrt{3} \frac{(-a^2)^{1/3}}{b} \frac{1}{b} \text{EllipticF} \left(\frac{1/3 \sqrt{3} (-a^2)^{1/3}}{b} \right. \\ & \left. \frac{I \sqrt{x + \frac{1}{2} (-a^2)^{1/3}}}{b} - \frac{1/2 I \sqrt{3} (-a^2)^{1/3}}{b} \right) \sqrt{3} \frac{(-a^2)^{1/3}}{b} \frac{1}{(-a^2)^{1/3}} \sqrt{b x^3 + a} \\ & \left(\frac{I \sqrt{3} (-a^2)^{1/3}}{b} \right) \frac{1}{(-3/2) (-a^2)^{1/3}} \frac{1}{b} + \frac{1}{2} I \sqrt{3} \frac{(-a^2)^{1/3}}{b} \frac{1}{b} \left. \right) + c \frac{2}{5} \sqrt{b x^3 + a} \\ & \frac{1}{2} x - \frac{2}{5} I \sqrt{3} \frac{(-a^2)^{1/3}}{b} \frac{1}{b} \left(\frac{I \sqrt{x + \frac{1}{2} (-a^2)^{1/3}}}{b} - \frac{1/2 I \sqrt{3} (-a^2)^{1/3}}{b} \right) \sqrt{3} \frac{(-a^2)^{1/3}}{b} \frac{1}{(-a^2)^{1/3}} \sqrt{b x^3 + a} \\ & \left(\frac{(-x - (-a^2)^{1/3}}{b} \right) \frac{1}{(-3/2) (-a^2)^{1/3}} \frac{1}{b} + \frac{1}{2} I \sqrt{3} \frac{(-a^2)^{1/3}}{b} \left. \right)^{1/2} \left(-I \sqrt{x + \frac{1}{2} (-a^2)^{1/3}} \right. \\ & \left. \frac{(-a^2)^{1/3}}{b} + \frac{1}{2} I \sqrt{3} \frac{(-a^2)^{1/3}}{b} \right)^{1/2} \sqrt{3} \frac{(-a^2)^{1/3}}{b} \frac{1}{(-a^2)^{1/3}} \sqrt{b x^3 + a} \\ & \left(\frac{1/3 \sqrt{3} (-a^2)^{1/3}}{b} \right) \text{EllipticF} \left(\frac{1/3 \sqrt{3} (-a^2)^{1/3}}{b} \right) \frac{I \sqrt{x + \frac{1}{2} (-a^2)^{1/3}}}{b} - \frac{1/2 I \sqrt{3} (-a^2)^{1/3}}{b} \right) \sqrt{3} \frac{(-a^2)^{1/3}}{b} \frac{1}{(-a^2)^{1/3}} \sqrt{b x^3 + a} \\ & \left(\frac{I \sqrt{3} (-a^2)^{1/3}}{b} \right) \frac{1}{(-3/2) (-a^2)^{1/3}} \frac{1}{b} + \frac{1}{2} I \sqrt{3} \frac{(-a^2)^{1/3}}{b} \frac{1}{b} \left. \right) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (g x^4 + f x^3 + e x^2 + d x + c) \sqrt{b x^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{b x^3 + a} (g x^4 + f x^3 + e x^2 + d x + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 5.12, size = 194, normalized size = 0.30

$$\frac{\sqrt{a} c x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{1}{3}}{\frac{4}{3}} \middle| \frac{b x^3 e^{i \pi}}{a}\right)}{3 \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{a} d x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{2}{3}}{\frac{5}{3}} \middle| \frac{b x^3 e^{i \pi}}{a}\right)}{3 \Gamma\left(\frac{5}{3}\right)} + \frac{\sqrt{a} f x^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{4}{3}}{\frac{7}{3}} \middle| \frac{b x^3 e^{i \pi}}{a}\right)}{3 \Gamma\left(\frac{7}{3}\right)} + \frac{\sqrt{a} g x^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{5}{3}}{\frac{8}{3}} \middle| \frac{b x^3 e^{i \pi}}{a}\right)}{3 \Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2),x)
```

```
[Out] sqrt(a)*c*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)
/(3*gamma(4/3)) + sqrt(a)*d*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x*
**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*f*x**4*gamma(4/3)*hyper((-1/
2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*g*x**5*
gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/
3)) + e*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b),
True))
```

$$3.449 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x} dx$$

Optimal. Leaf size=620

$$2^{3/4} \sqrt{2 + \sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (-55(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e - 14ag + 77bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3})}{\sqrt[3]{bx} + (1 + \sqrt{3})}\right)\right)$$

$$385b^{4/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}$$

[Out] $-2/3*c*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+2/9*a*f*(b*x^3+a)^{(1/2)}/b+6/55*a*g*x*(b*x^3+a)^{(1/2)}/b+2/3465*(315*g*x^5+385*f*x^4+495*e*x^3+693*d*x^2+1155*c*x)*(b*x^3+a)^{(1/2)}/x+6/7*a*e*(b*x^3+a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}-3/7*3^{(1/4)}*a^{(4/3)}*e*(a^{(1/3)}+b^{(1/3)*x})*\operatorname{EllipticE}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}+2/385*3^{(3/4)}*a*(a^{(1/3)}+b^{(1/3)*x})*\operatorname{EllipticF}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)}+2*I)*(77*b*d-14*a*g-55*a^{(1/3)}*b^{(2/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}/b^{(4/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*x})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^2)^{(1/2)}$

Rubi [A] time = 0.55, antiderivative size = 620, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {1826, 1832, 266, 63, 208, 1888, 1886, 261, 1878, 218, 1877}

$$2^{3/4} \sqrt{2 + \sqrt{3}} a (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (-55(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e - 14ag + 77bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3})}{\sqrt[3]{bx} + (1 + \sqrt{3})}\right)\right)$$

$$385b^{4/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x]

[Out] $(2*a*f*\operatorname{Sqrt}[a + b*x^3])/(9*b) + (6*a*g*x*\operatorname{Sqrt}[a + b*x^3])/(55*b) + (6*a*e*\operatorname{Sqrt}[a + b*x^3])/(7*b^{(2/3)}*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (2*\operatorname{Sqrt}[a + b*x^3]*(1155*c*x + 693*d*x^2 + 495*e*x^3 + 385*f*x^4 + 315*g*x^5))/(3465$

```
*x) - (2*Sqrt[a]*c*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]])/3 - (3*3^(1/4)*Sqrt[2
- Sqrt[3]]*a^(4/3)*e*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*
x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((
1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7
- 4*Sqrt[3]])/(7*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3]
)*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (2*3^(3/4)*Sqrt[2 + Sqrt[3]]*a
*(77*b*d - 55*(1 - Sqrt[3])*a^(1/3)*b^(2/3)*e - 14*a*g)*(a^(1/3) + b^(1/3)*
x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3)
+ b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 +
Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(385*b^(4/3)*Sqrt[(a^(1/3)
*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x
^3])
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
```

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1826

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1888

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]
}], With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum
[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^
n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1
)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[
p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x} dx = \frac{2\sqrt{a+bx^3} (1155cx+693dx^2+495ex^3+385fx^4+315gx^5)}{3465x} + \frac{1}{2}$$

$$= \frac{2\sqrt{a+bx^3} (1155cx+693dx^2+495ex^3+385fx^4+315gx^5)}{3465x} + \frac{1}{2}$$

$$= \frac{6agx\sqrt{a+bx^3}}{55b} + \frac{2\sqrt{a+bx^3} (1155cx+693dx^2+495ex^3+385fx^4+315gx^5)}{3465x}$$

$$= \frac{6agx\sqrt{a+bx^3}}{55b} + \frac{2\sqrt{a+bx^3} (1155cx+693dx^2+495ex^3+385fx^4+315gx^5)}{3465x}$$

$$= \frac{2af\sqrt{a+bx^3}}{9b} + \frac{6agx\sqrt{a+bx^3}}{55b} + \frac{2\sqrt{a+bx^3} (1155cx+693dx^2+495ex^3+385fx^4+315gx^5)}{3465x}$$

$$= \frac{2af\sqrt{a+bx^3}}{9b} + \frac{6agx\sqrt{a+bx^3}}{55b} + \frac{6ae\sqrt{a+bx^3}}{7b^{2/3}((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})} + \frac{1}{2}$$

Mathematica [C] time = 0.43, size = 185, normalized size = 0.30

$$\frac{4\sqrt{\frac{bx^3}{a}+1} \left(\sqrt{a+bx^3} (11af+9agx+33bc+11bfx^3+9bgx^4) - 33\sqrt{a}bc \tanh^{-1} \left(\frac{\sqrt{a+bx^3}}{\sqrt{a}} \right) \right) + 18x\sqrt{a+bx^3} (11af+9agx+33bc+11bfx^3+9bgx^4)}{198b\sqrt{\frac{bx^3}{a}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x]

[Out] (4*Sqrt[1 + (b*x^3)/a]*(Sqrt[a + b*x^3]*(33*b*c + 11*a*f + 9*a*g*x + 11*b*f*x^3 + 9*b*g*x^4) - 33*Sqrt[a]*b*c*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]) + 18*(11*b*d - 2*a*g)*x*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, 1/3, 4/3, -((b*x^3)/a)] + 99*b*e*x^2*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, 2/3, 5/3, -((b*x^3)/a)])/(198*b*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x, x)

maple [B] time = 0.06, size = 1118, normalized size = 1.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x,x)

[Out] g*(2/11*(b*x^3+a)^(1/2)*x^4+6/55*(b*x^3+a)^(1/2)*a/b*x+4/55*I*a^2/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+2/9*f/b*(b*x^3+a)^(1/2)

$$\begin{aligned} & \frac{3}{2} + e \cdot \left(\frac{2}{7} (bx^3 + a)^{1/2} x^2 - \frac{2}{7} I a^{3/2} (-ab^2)^{1/3} / b \cdot \left(I(x + 1/2) (-ab^2)^{1/3} / b - 1/2 I^3 (-ab^2)^{1/3} / b \right) \cdot 3^{1/2} / (-ab^2)^{1/3} \cdot b \right)^{1/2} \\ & \cdot \left(\frac{x - (-ab^2)^{1/3} / b}{(-3/2) (-ab^2)^{1/3} / b + 1/2 I^3 (-ab^2)^{1/3} / b} \right)^{1/2} \cdot \left(-I(x + 1/2) (-ab^2)^{1/3} / b + 1/2 I^3 (-ab^2)^{1/3} / b \right) \cdot 3^{1/2} \\ & \cdot \left(\frac{3^{1/2}}{(-ab^2)^{1/3} \cdot b} \right)^{1/2} / (bx^3 + a)^{1/2} \cdot \left(\frac{-3/2 (-ab^2)^{1/3} / b + 1/2 I^3 (-ab^2)^{1/3} / b}{(-ab^2)^{1/3} / b} \right) \cdot \text{EllipticE} \left(\frac{1}{3} \cdot 3^{1/2} \cdot \left(I(x + 1/2) (-ab^2)^{1/3} / b - 1/2 I^3 (-ab^2)^{1/3} / b \right) \cdot 3^{1/2} / (-ab^2)^{1/3} \cdot b \right)^{1/2}, \\ & \left(I^3 (-ab^2)^{1/3} / (-3/2) (-ab^2)^{1/3} / b + 1/2 I^3 (-ab^2)^{1/3} / b \right) / b \right)^{1/2} \Big) + (-ab^2)^{1/3} / b \cdot \text{EllipticF} \left(\frac{1}{3} \cdot 3^{1/2} \cdot \left(I(x + 1/2) (-ab^2)^{1/3} / b - 1/2 I^3 (-ab^2)^{1/3} / b \right) \cdot 3^{1/2} / (-ab^2)^{1/3} \cdot b \right)^{1/2}, \\ & \left(I^3 (-ab^2)^{1/3} / (-3/2) (-ab^2)^{1/3} / b + 1/2 I^3 (-ab^2)^{1/3} / b \right) / b \right)^{1/2} \Big) + (-ab^2)^{1/3} / b \cdot \text{EllipticF} \left(\frac{1}{3} \cdot 3^{1/2} \cdot \left(I(x + 1/2) (-ab^2)^{1/3} / b - 1/2 I^3 (-ab^2)^{1/3} / b \right) \cdot 3^{1/2} / (-ab^2)^{1/3} \cdot b \right)^{1/2}, \\ & \left(I^3 (-ab^2)^{1/3} / (-3/2) (-ab^2)^{1/3} / b + 1/2 I^3 (-ab^2)^{1/3} / b \right) / b \right)^{1/2} \Big) \Big) + d \cdot \left(\frac{2}{5} (bx^3 + a)^{1/2} x - \frac{2}{5} I a^{3/2} (-ab^2)^{1/3} / b \cdot \left(I(x + 1/2) (-ab^2)^{1/3} / b - 1/2 I^3 (-ab^2)^{1/3} / b \right) \cdot 3^{1/2} / (-ab^2)^{1/3} \cdot b \right)^{1/2} \\ & \cdot \left(\frac{x - (-ab^2)^{1/3} / b}{(-3/2) (-ab^2)^{1/3} / b + 1/2 I^3 (-ab^2)^{1/3} / b} \right)^{1/2} \cdot \left(-I(x + 1/2) (-ab^2)^{1/3} / b + 1/2 I^3 (-ab^2)^{1/3} / b \right) \cdot 3^{1/2} \\ & \cdot \left(\frac{3^{1/2}}{(-ab^2)^{1/3} \cdot b} \right)^{1/2} / (bx^3 + a)^{1/2} \cdot \text{EllipticF} \left(\frac{1}{3} \cdot 3^{1/2} \cdot \left(I(x + 1/2) (-ab^2)^{1/3} / b - 1/2 I^3 (-ab^2)^{1/3} / b \right) \cdot 3^{1/2} / (-ab^2)^{1/3} \cdot b \right)^{1/2}, \\ & \left(I^3 (-ab^2)^{1/3} / (-3/2) (-ab^2)^{1/3} / b + 1/2 I^3 (-ab^2)^{1/3} / b \right) / b \right)^{1/2} \Big) + c \cdot \left(-\frac{2}{3} \cdot \text{arctanh} \left(\frac{(bx^3 + a)^{1/2}}{a^{1/2}} \right) \cdot a^{1/2} \right) \\ & + \frac{2}{3} (bx^3 + a)^{1/2} \Big) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x, x)

sympy [A] time = 10.85, size = 235, normalized size = 0.38

$$\frac{2\sqrt{a}c \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{\frac{3}{2}}}\right)}{3} + \frac{\sqrt{a}dx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{a}ex^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{\sqrt{a}gx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x,x)

[Out] -2*sqrt(a)*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + sqrt(a)*d*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*e*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*g*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + 2*a*c/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*sqrt(b)*c*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + f*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True))

$$3.450 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^2} dx$$

Optimal. Leaf size=638

$$3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} (14a^{2/3} \sqrt[3]{b}e - 5(1 - \sqrt{3})(2af + 7bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})}{\sqrt[3]{b}x+(1+\sqrt{3})}\right)\right)$$

$$35b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

[Out] $-2/3*d*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+2/9*a*g*(b*x^3+a)^{(1/2)}/b-3*c*(b*x^3+a)^{(1/2)}/x+2/315*(35*g*x^5+45*f*x^4+63*e*x^3+105*d*x^2+315*c*x)*(b*x^3+a)^{(1/2)}/x^2+3/7*(2*a*f+7*b*c)*(b*x^3+a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}-3/14*3^{(1/4)}*a^{(1/3)}*(2*a*f+7*b*c)*(a^{(1/3)+b^{(1/3)*x}})*\operatorname{EllipticE}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)+2*I}*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})})/\operatorname{EllipticF}((b^{(1/3)*x+a^{(1/3)*(1-3^{(1/2)})})}/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})}), I*3^{(1/2)+2*I}*(14*a^{(2/3)*b^{(1/3)*e}}-5*(2*a*f+7*b*c)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)*(a^{(1/3)+b^{(1/3)*x}})})/(b^{(1/3)*x+a^{(1/3)*(1+3^{(1/2)})})})^{(1/2)}$

Rubi [A] time = 0.65, antiderivative size = 638, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1886, 261, 1878, 218, 1877}

$$3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} (14a^{2/3} \sqrt[3]{b}e - 5(1 - \sqrt{3})(2af + 7bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})}{\sqrt[3]{b}x+(1+\sqrt{3})}\right)\right)$$

$$35b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2, x]$

[Out] $(2*a*g*\operatorname{Sqrt}[a + b*x^3])/(9*b) - (3*c*\operatorname{Sqrt}[a + b*x^3])/x + (3*(7*b*c + 2*a*f)*\operatorname{Sqrt}[a + b*x^3])/(7*b^{(2/3)}*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (2*\operatorname{Sqrt}[a + b*x^3]*(315*c*x + 105*d*x^2 + 63*e*x^3 + 45*f*x^4 + 35*g*x^5))/(315*x$

$$\begin{aligned} &^2) - (2\sqrt{a} * d * \text{ArcTanh}[\sqrt{a + b*x^3}/\sqrt{a}])/3 - (3*3^{(1/4)}*\sqrt{2} \\ &- \sqrt{3}]*a^{(1/3)}*(7*b*c + 2*a*f)*(a^{(1/3)} + b^{(1/3)*x})*\sqrt{(a^{(2/3)} - a^{(1/3)}*b^{(1/3)*x} + b^{(2/3)*x^2})}/((1 + \sqrt{3})*a^{(1/3)} + b^{(1/3)*x})^2 * \text{Ellip} \\ &\text{ticE}[\text{ArcSin}[\frac{(1 - \sqrt{3})*a^{(1/3)} + b^{(1/3)*x}}{(1 + \sqrt{3})*a^{(1/3)} + b^{(1/3)*x}}], -7 - 4*\sqrt{3}]/(14*b^{(2/3)}*\sqrt{(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})}) \\ &)/((1 + \sqrt{3})*a^{(1/3)} + b^{(1/3)*x})^2 * \sqrt{a + b*x^3} + (3^{(3/4)}*\sqrt{2} \\ &+ \sqrt{3})*a^{(1/3)}*(14*a^{(2/3)}*b^{(1/3)*e} - 5*(1 - \sqrt{3})*(7*b*c + 2*a*f) \\ &)*(a^{(1/3)} + b^{(1/3)*x})*\sqrt{(a^{(2/3)} - a^{(1/3)}*b^{(1/3)*x} + b^{(2/3)*x^2})}/((1 + \sqrt{3})*a^{(1/3)} + b^{(1/3)*x})^2 * \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3})*a^{(1/3)} + b^{(1/3)*x}}{(1 + \sqrt{3})*a^{(1/3)} + b^{(1/3)*x}}], -7 - 4*\sqrt{3}]/(35*b^{(2/3)}*\sqrt{(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})}) \\ &)/((1 + \sqrt{3})*a^{(1/3)} + b^{(1/3)*x})^2 * \sqrt{a + b*x^3} \end{aligned}$$
Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s
*x + r^2*x^2)]/((1 + sqrt[3])*s + r*x)^2 * EllipticF[ArcSin[\frac{(1 - sqrt[3])*s + r*x}{(1 + sqrt[3])*s + r*x}], -7 - 4*sqrt[3]]]/(3^(1/4)*r*sqrt[a + b*x^3] * sqrt[(s*(s + r*x))/(1 + sqrt[3])*s + r*x]^2)], x]] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 261

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
```

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1826

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1835

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*

(5 - 3*sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^2} dx &= \frac{2\sqrt{a+bx^3} (315cx+105dx^2+63ex^3+45fx^4+35gx^5)}{315x^2} + \frac{1}{2}(3a) \int \frac{\sqrt{a+bx^3}}{x} dx \\
 &= -\frac{3c\sqrt{a+bx^3}}{x} + \frac{2\sqrt{a+bx^3} (315cx+105dx^2+63ex^3+45fx^4+35gx^5)}{315x^2} \\
 &= -\frac{3c\sqrt{a+bx^3}}{x} + \frac{2\sqrt{a+bx^3} (315cx+105dx^2+63ex^3+45fx^4+35gx^5)}{315x^2} \\
 &= -\frac{3c\sqrt{a+bx^3}}{x} + \frac{2\sqrt{a+bx^3} (315cx+105dx^2+63ex^3+45fx^4+35gx^5)}{315x^2} \\
 &= \frac{2ag\sqrt{a+bx^3}}{9b} - \frac{3c\sqrt{a+bx^3}}{x} + \frac{2\sqrt{a+bx^3} (315cx+105dx^2+63ex^3+45fx^4+35gx^5)}{315x^2} \\
 &= \frac{2ag\sqrt{a+bx^3}}{9b} - \frac{3c\sqrt{a+bx^3}}{x} + \frac{3(7bc+2af)\sqrt{a+bx^3}}{7b^{2/3}((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx^3})} + \frac{2\sqrt{a+bx^3}}{x}
 \end{aligned}$$

Mathematica [C] time = 0.29, size = 211, normalized size = 0.33

$$-\frac{c\sqrt{a+bx^3} {}_2F_1\left(-\frac{1}{2}, -\frac{1}{3}; \frac{2}{3}; -\frac{bx^3}{a}\right)}{x\sqrt{\frac{bx^3}{a}+1}} + \frac{2}{3}d\left(\sqrt{a+bx^3} - \sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a+bx^3}}{\sqrt{a}}\right)\right) + \frac{ex\sqrt{a+bx^3} {}_2F_1\left(-\frac{1}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{\sqrt{\frac{bx^3}{a}+1}} + \frac{2\sqrt{a+bx^3}}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2,x]

[Out] (2*g*(a + b*x^3)^(3/2))/(9*b) + (2*d*(Sqrt[a + b*x^3] - Sqrt[a]*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]))/3 - (c*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, -1/3, 2/3, -((b*x^3)/a)])/(x*Sqrt[1 + (b*x^3)/a]) + (e*x*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, 1/3, 4/3, -((b*x^3)/a)]/Sqrt[1 + (b*x^3)/a] + (f*x^2*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, 2/3, 5/3, -((b*x^3)/a)])/(2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^2,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^2,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^2, x)

maple [B] time = 0.06, size = 1248, normalized size = 1.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^2,x)

[Out] 2/9*g/b*(b*x^3+a)^(3/2)+f*(2/7*(b*x^3+a)^(1/2)*x^2-2/7*I*a^3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x

$$\begin{aligned}
& +1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)} \\
&)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2) \\
& *(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b} \\
& ^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+e*(2/5*(b*x^3+a)^{(1/2)}*x-2/5*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}/b \\
& *(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)} \\
& *(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+c*(-(b*x^3+a)^{(1/2)}/x-I*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+d*(-2/3*arctanh((b*x^3+a)^{(1/2)}/a)^{(1/2)})*a^{(1/2)}+2/3*(b*x^3+a)^{(1/2))}
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^2,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2,x)

[Out] $\int ((a + b*x^3)^{(1/2)}*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2, x)$

sympy [A] time = 6.77, size = 236, normalized size = 0.37

$$\frac{\sqrt{a} c \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x \Gamma\left(\frac{2}{3}\right)} - \frac{2\sqrt{a} d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{3/2}}\right)}{3} + \frac{\sqrt{a} e x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3 \Gamma\left(\frac{4}{3}\right)} + \frac{\sqrt{a} f x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3 \Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**2,x)`

[Out] `sqrt(a)*c*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*sqrt(a)*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + sqrt(a)*e*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*f*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + 2*a*d/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3)+1)) + 2*sqrt(b)*d*x**(3/2)/(3*sqrt(a/(b*x**3)+1)) + g*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True))`

$$3.451 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^3} dx$$

Optimal. Leaf size=640

$$3^{3/4} \sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \middle| -7-4\sqrt{3}\right) (7\sqrt[3]{b}(4af+5bc) - 10(1 - \frac{70b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}}{1}))$$

[Out] $-2/3 * e * \operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)}) * a^{(1/2)} + 3/2 * c * (b*x^3+a)^{(1/2)}/x^{2-3} * d * (b*x^3+a)^{(1/2)}/x - 2/105 * (-15 * g * x^5 - 21 * f * x^4 - 35 * e * x^3 - 105 * d * x^2 + 105 * c * x) * (b*x^3+a)^{(1/2)}/x^3 + 3/7 * (2 * a * g + 7 * b * d) * (b*x^3+a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)} * x + a^{(1/3)} * (1+3^{(1/2)})) - 3/14 * 3^{(1/4)} * a^{(1/3)} * (2 * a * g + 7 * b * d) * (a^{(1/3)} + b^{(1/3)} * x) * \operatorname{EllipticE}((b^{(1/3)} * x + a^{(1/3)} * (1-3^{(1/2)}))/(b^{(1/3)} * x + a^{(1/3)} * (1+3^{(1/2)})), I * 3^{(1/2)} + 2 * I) * (1/2 * 6^{(1/2)} - 1/2 * 2^{(1/2)}) * ((a^{(2/3)} - a^{(1/3)} * b^{(1/3)} * x + b^{(2/3)} * x^2)/(b^{(1/3)} * x + a^{(1/3)} * (1+3^{(1/2)})))^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)} * (a^{(1/3)} + b^{(1/3)} * x)/(b^{(1/3)} * x + a^{(1/3)} * (1+3^{(1/2)})))^{(1/2)} + 1/70 * 3^{(3/4)} * (a^{(1/3)} + b^{(1/3)} * x) * \operatorname{EllipticF}((b^{(1/3)} * x + a^{(1/3)} * (1-3^{(1/2)}))/(b^{(1/3)} * x + a^{(1/3)} * (1+3^{(1/2)})), I * 3^{(1/2)} + 2 * I) * (7 * b^{(1/3)} * (4 * a * f + 5 * b * c) - 10 * a^{(1/3)} * (2 * a * g + 7 * b * d) * (1-3^{(1/2)})) * (1/2 * 6^{(1/2)} + 1/2 * 2^{(1/2)}) * ((a^{(2/3)} - a^{(1/3)} * b^{(1/3)} * x + b^{(2/3)} * x^2)/(b^{(1/3)} * x + a^{(1/3)} * (1+3^{(1/2)})))^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)} * (a^{(1/3)} + b^{(1/3)} * x)/(b^{(1/3)} * x + a^{(1/3)} * (1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.76, antiderivative size = 640, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$3^{3/4} \sqrt{2+\sqrt{3}} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx+b^{2/3}x^2}}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right) \middle| -7-4\sqrt{3}\right) (7\sqrt[3]{b}(4af+5bc) - 10(1 - \frac{70b^{2/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}}}{1}))$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*x^3] * (c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3, x]$

[Out] $(3 * c * \operatorname{Sqrt}[a + b*x^3]) / (2 * x^2) - (3 * d * \operatorname{Sqrt}[a + b*x^3]) / x + (3 * (7 * b * d + 2 * a * g) * \operatorname{Sqrt}[a + b*x^3]) / (7 * b^{(2/3)} * ((1 + \operatorname{Sqrt}[3]) * a^{(1/3)} + b^{(1/3)} * x)) - (2 * \operatorname{Sqrt}[a + b*x^3] * (105 * c * x - 105 * d * x^2 - 35 * e * x^3 - 21 * f * x^4 - 15 * g * x^5)) / (105 * x^3)$

$$\begin{aligned} &^3) - (2\sqrt{a} * e * \text{ArcTanh}[\sqrt{a + b*x^3}/\sqrt{a}])/3 - (3*3^{(1/4)} * \sqrt{2} \\ &- \sqrt{3}] * a^{(1/3)} * (7*b*d + 2*a*g) * (a^{(1/3)} + b^{(1/3)*x}) * \sqrt{(a^{(2/3)} - a^{(1/3)} * b^{(1/3)*x} \\ &+ b^{(2/3)*x^2}) / ((1 + \sqrt{3}) * a^{(1/3)} + b^{(1/3)*x})^2 * \text{EllipticE}[\text{ArcSin}[\frac{(1 - \sqrt{3}) * a^{(1/3)} + b^{(1/3)*x}}{(1 + \sqrt{3}) * a^{(1/3)} + b^{(1/3)*x}}], \\ &-7 - 4*\sqrt{3}]] / (14*b^{(2/3)} * \sqrt{(a^{(1/3)} * (a^{(1/3)} + b^{(1/3)*x})) / ((1 + \sqrt{3}) * a^{(1/3)} + b^{(1/3)*x})^2 * \sqrt{a + b*x^3}) \\ &+ (3^{(3/4)} * \sqrt{2} + \sqrt{3}] * (7*b^{(1/3)} * (5*b*c + 4*a*f) - 10*(1 - \sqrt{3}) * a^{(1/3)} * (7*b*d + 2*a*g)) * (a^{(1/3)} + b^{(1/3)*x}) * \sqrt{(a^{(2/3)} - a^{(1/3)} * b^{(1/3)*x} + b^{(2/3)*x^2}) / ((1 + \sqrt{3}) * a^{(1/3)} + b^{(1/3)*x})^2 * \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3}) * a^{(1/3)} + b^{(1/3)*x}}{(1 + \sqrt{3}) * a^{(1/3)} + b^{(1/3)*x}}], \\ &-7 - 4*\sqrt{3}]] / (70*b^{(2/3)} * \sqrt{(a^{(1/3)} * (a^{(1/3)} + b^{(1/3)*x})) / ((1 + \sqrt{3}) * a^{(1/3)} + b^{(1/3)*x})^2 * \sqrt{a + b*x^3}) \end{aligned}$$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[(((1 - sqrt[3])*s
+ r*x)/((1 + sqrt[3])*s + r*x)], -7 - 4*sqrt[3]])/(3^(1/4)*r*sqrt[a + b*x^3
]*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1826

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
```

+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1832

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)])], x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

Rule 1835

Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rule 1877

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)]], -7 - 4*Sqrt[3])]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^3} dx &= -\frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} + \frac{1}{2}(3a) \\
&= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} \\
&= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{3d\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} \\
&= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{3d\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} \\
&= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{3d\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3}(105cx-105dx^2-35ex^3-21fx^4-15gx^5)}{105x^3} \\
&= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{3d\sqrt{a+bx^3}}{x} + \frac{3(7bd+2ag)\sqrt{a+bx^3}}{7b^{2/3}((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)} - \frac{2\sqrt{a+bx^3}}{x} \\
&= \frac{3c\sqrt{a+bx^3}}{2x^2} - \frac{3d\sqrt{a+bx^3}}{x} + \frac{3(7bd+2ag)\sqrt{a+bx^3}}{7b^{2/3}((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)} - \frac{2\sqrt{a+bx^3}}{x}
\end{aligned}$$

Mathematica [C] time = 0.50, size = 218, normalized size = 0.34

$$x \left(x \left(4e\sqrt{\frac{bx^3}{a}} + 1 \left(\sqrt{a+bx^3} - \sqrt{a} \tanh^{-1} \left(\frac{\sqrt{a+bx^3}}{\sqrt{a}} \right) \right) \right) + 6fx\sqrt{a+bx^3} {}_2F_1 \left(-\frac{1}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a} \right) + 3gx^2\sqrt{a+bx^3} {}_2F_1 \left(-\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) \right) \sqrt{\frac{bx^3}{a} + 1}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3,x]

[Out] (-3*c*Sqrt[a + b*x^3]*Hypergeometric2F1[-2/3, -1/2, 1/3, -(b*x^3)/a]) + x*(-6*d*Sqrt[a + b*x^3]*Hypergeometric2F1[-1/2, -1/3, 2/3, -(b*x^3)/a]) + x*

$$(4*e*\text{Sqrt}[1 + (b*x^3)/a]*(\text{Sqrt}[a + b*x^3] - \text{Sqrt}[a]*\text{ArcTanh}[\text{Sqrt}[a + b*x^3]/\text{Sqrt}[a]]) + 6*f*x*\text{Sqrt}[a + b*x^3]*\text{Hypergeometric2F1}[-1/2, 1/3, 4/3, -((b*x^3)/a)] + 3*g*x^2*\text{Sqrt}[a + b*x^3]*\text{Hypergeometric2F1}[-1/2, 2/3, 5/3, -((b*x^3)/a)])))/(6*x^2*\text{Sqrt}[1 + (b*x^3)/a])$$

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^3,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^3,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^3, x)

maple [B] time = 0.06, size = 1529, normalized size = 2.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^3,x)

[Out] $g*(2/7*(b*x^3+a)^{(1/2)}*x^2-2/7*I*a^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^{3^{(1/2)}}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})$

$3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2}))$
 $+f*(2/5*(b*x^3+a)^{1/2}*x-2/5*I*a*3^{1/2}*(-a*b^2)^{1/3}/b*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*$
 $((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}$
 $)/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2},$
 $(I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})))+c*(-1/2*(b*x^3+a)^{1/2}/x^2-1/2*I*3^{1/2}*(-a*b^2)^{1/3}$
 $*I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}$
 $*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*EllipticF(1/3$
 $*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1$
 $/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})))+d*(-(b*x^3+a)^{1/2}/x-I*3^{1/2}*(-a*b^2)^{1/3}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}$
 $/(-a*b^2)^{1/3}*b)^{1/2}*((x-(-a*b^2)^{1/3}/b)/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b))^{1/2}*(-I*(x+1/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}$
 $/(-a*b^2)^{1/3}*b)^{1/2}/(b*x^3+a)^{1/2}*((-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*EllipticE(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)$
 $^{1/3}*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})))+(-a*b^2)^{1/3}/b*EllipticF(1/3*3^{1/2}*(I*(x+1/2*(-a*b^2)^{1/3}/b-1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)*3^{1/2}/(-a*b^2)^{1/3}$
 $*b)^{1/2}, (I*3^{1/2}*(-a*b^2)^{1/3}/(-3/2*(-a*b^2)^{1/3}/b+1/2*I*3^{1/2}*(-a*b^2)^{1/3}/b)/b)^{1/2})))+e*(-2/3*arctanh((b*x^3+a)^{1/2}/a^{1/2}))*a^{1/2}+2/3*(b*x^3+a)^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^3,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3,x)`

[Out] `int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3, x)`

sympy [A] time = 7.05, size = 255, normalized size = 0.40

$$\frac{\sqrt{a} c \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} + \frac{\sqrt{a} d \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x \Gamma\left(\frac{2}{3}\right)} - \frac{2\sqrt{a} e \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{\frac{3}{2}}}\right)}{3} + \frac{\sqrt{a} f x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3 \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**3,x)`

[Out] `sqrt(a)*c*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*d*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*sqrt(a)*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + sqrt(a)*f*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*g*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + 2*a*e/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*sqrt(b)*e*x**(3/2)/(3*sqrt(a/(b*x**3) + 1))`

$$3.452 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^4} dx$$

Optimal. Leaf size=637

$$3^{3/4} \sqrt{2 + \sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \left(-10(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e + 4ag + 5bd \right) F \left(\sin^{-1} \left(\frac{\sqrt[3]{b} x + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1+\sqrt{3}) \sqrt[3]{a}} \right) \right)$$

$$10 \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}$$

[Out] $-1/3*(2*a*f+b*c)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+1/3*c*(b*x^3+a)^{(1/2)}/x^3+3/2*d*(b*x^3+a)^{(1/2)}/x^2-3*e*(b*x^3+a)^{(1/2)}/x-2/15*(-3*g*x^5-5*f*x^4-15*e*x^3+15*d*x^2+5*c*x)*(b*x^3+a)^{(1/2)}/x^4+3*b^{(1/3)}*e*(b*x^3+a)^{(1/2)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-3/2*3^{(1/4)}*a^{(1/3)}*b^{(1/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}(b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}+1/10*3^{(3/4)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}(b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(5*b*d+4*a*g-10*a^{(1/3)}*b^{(2/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/b^{(1/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.84, antiderivative size = 637, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$3^{3/4} \sqrt{2 + \sqrt{3}} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \left(-10(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e + 4ag + 5bd \right) F \left(\sin^{-1} \left(\frac{\sqrt[3]{b} x + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1+\sqrt{3}) \sqrt[3]{a}} \right) \right)$$

$$10 \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4, x]$

[Out] $(c*\operatorname{Sqrt}[a + b*x^3])/(3*x^3) + (3*d*\operatorname{Sqrt}[a + b*x^3])/(2*x^2) - (3*e*\operatorname{Sqrt}[a + b*x^3])/x + (3*b^{(1/3)}*e*\operatorname{Sqrt}[a + b*x^3])/((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x) - (2*\operatorname{Sqrt}[a + b*x^3]*(5*c*x + 15*d*x^2 - 15*e*x^3 - 5*f*x^4 - 3*g*x^5))/(15*x^4) - ((b*c + 2*a*f)*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^3]/\operatorname{Sqrt}[a]])/(3*\operatorname{Sqrt}[a]) -$

$$(3 \cdot 3^{1/4} \cdot \sqrt{2 - \sqrt{3}} \cdot a^{1/3} \cdot b^{1/3} \cdot e^{(a^{1/3} + b^{1/3} \cdot x) \cdot \sqrt{a^{2/3} - a^{1/3} \cdot b^{1/3} \cdot x + b^{2/3} \cdot x^2}} / ((1 + \sqrt{3}) \cdot a^{1/3} + b^{1/3} \cdot x)^2 \cdot \text{EllipticE}[\text{ArcSin}[\frac{(1 - \sqrt{3}) \cdot a^{1/3} + b^{1/3} \cdot x}{(1 + \sqrt{3}) \cdot a^{1/3} + b^{1/3} \cdot x}], -7 - 4 \cdot \sqrt{3}]) / (2 \cdot \sqrt{a^{1/3} \cdot (a^{1/3} + b^{1/3} \cdot x)}) / ((1 + \sqrt{3}) \cdot a^{1/3} + b^{1/3} \cdot x)^2 \cdot \sqrt{a + b \cdot x^3}) + (3^{3/4} \cdot \sqrt{2 + \sqrt{3}} \cdot (5 \cdot b \cdot d - 10 \cdot (1 - \sqrt{3}) \cdot a^{1/3} \cdot b^{2/3} \cdot e + 4 \cdot a \cdot g) \cdot (a^{1/3} + b^{1/3} \cdot x) \cdot \sqrt{a^{2/3} - a^{1/3} \cdot b^{1/3} \cdot x + b^{2/3} \cdot x^2}) / ((1 + \sqrt{3}) \cdot a^{1/3} + b^{1/3} \cdot x)^2 \cdot \text{EllipticF}[\text{ArcSin}[\frac{(1 - \sqrt{3}) \cdot a^{1/3} + b^{1/3} \cdot x}{(1 + \sqrt{3}) \cdot a^{1/3} + b^{1/3} \cdot x}], -7 - 4 \cdot \sqrt{3}]) / (10 \cdot b^{1/3} \cdot \sqrt{a^{1/3} \cdot (a^{1/3} + b^{1/3} \cdot x)}) / ((1 + \sqrt{3}) \cdot a^{1/3} + b^{1/3} \cdot x)^2 \cdot \sqrt{a + b \cdot x^3})$$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - sqrt[3])*s
+ r*x)/((1 + sqrt[3])*s + r*x)], -7 - 4*sqrt[3]])/(3^(1/4)*r*sqrt[a + b*x^3
]*sqrt[(s*(s + r*x)/((1 + sqrt[3])*s + r*x)^2)], x]] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1826

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
```

$x], x]] /; \text{FreeQ}\{a, b, c, m\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[(n - 1)/2, 0] \ \&\& \ \text{GtQ}[p, 0]$

Rule 1832

$\text{Int}[(Pq_)/((x_)*\text{Sqrt}[(a_)+(b_)*(x_)^{(n_)}]), x_Symbol] \ :> \ \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\text{Sqrt}[a + b*x^n]), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq, x, 0])/x, x]/\text{Sqrt}[a + b*x^n], x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$

Rule 1835

$\text{Int}[(Pq_)*((c_)*(x_))^{(m_)}*((a_)+(b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \ :> \ \text{With}\{Pq0 = \text{Coeff}[Pq, x, 0]\}, \text{Simp}[(Pq0*(c*x)^{(m+1)}*(a + b*x^n)^{(p+1)})/(a*c*(m+1)), x] + \text{Dist}[1/(2*a*c*(m+1)), \text{Int}[(c*x)^{(m+1)}*\text{ExpandToSum}[(2*a*(m+1)*(Pq - Pq0))/x - 2*b*Pq0*(m+n*(p+1)+1)*x^{(n-1)}, x]*(a + b*x^n)^p, x], x] /; \text{NeQ}[Pq0, 0] /; \text{FreeQ}\{a, b, c, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{LeQ}[n - 1, \text{Expon}[Pq, x]]$

Rule 1877

$\text{Int}[(c_)+(d_)*(x_)]/\text{Sqrt}[(a_)+(b_)*(x_)^3], x_Symbol] \ :> \ \text{With}\{r = \text{Numerator}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c], s = \text{Denom}[\text{Simplify}[(1 - \text{Sqrt}[3])*d]/c]\}, \text{Simp}[(2*d*s^3*\text{Sqrt}[a + b*x^3])/(a*r^2*((1 + \text{Sqrt}[3])*s + r*x)), x] - \text{Simp}[(3^{1/4}*\text{Sqrt}[2 - \text{Sqrt}[3]]*d*s*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/(1 + \text{Sqrt}[3])*s + r*x]^2)*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]])/(r^2*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/(1 + \text{Sqrt}[3])*s + r*x]^2), x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{EqQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1878

$\text{Int}[(c_)+(d_)*(x_)]/\text{Sqrt}[(a_)+(b_)*(x_)^3], x_Symbol] \ :> \ \text{With}\{r = \text{Numerator}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r - (1 - \text{Sqrt}[3])*d*s)/r, \text{Int}[1/\text{Sqrt}[a + b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[(1 - \text{Sqrt}[3])*s + r*x]/\text{Sqrt}[a + b*x^3], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^4} dx &= -\frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} + \frac{1}{2}(3a) \int \frac{-\frac{2c}{3}}{x^3} dx \\
&= \frac{c\sqrt{a+bx^3}}{3x^3} - \frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} - \frac{1}{2}(3a) \int \frac{-\frac{2c}{3}}{x^3} dx \\
&= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} - \frac{1}{2}(3a) \int \frac{-\frac{2c}{3}}{x^3} dx \\
&= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{3e\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} - \frac{1}{2}(3a) \int \frac{-\frac{2c}{3}}{x^3} dx \\
&= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{3e\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} - \frac{1}{2}(3a) \int \frac{-\frac{2c}{3}}{x^3} dx \\
&= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{3e\sqrt{a+bx^3}}{x} - \frac{2\sqrt{a+bx^3} (5cx+15dx^2-15ex^3-5fx^4-3gx^5)}{15x^4} - \frac{1}{2}(3a) \int \frac{-\frac{2c}{3}}{x^3} dx \\
&= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{3e\sqrt{a+bx^3}}{x} + \frac{3\sqrt[3]{b}e\sqrt{a+bx^3}}{(1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x} \\
&= \frac{c\sqrt{a+bx^3}}{3x^3} + \frac{3d\sqrt{a+bx^3}}{2x^2} - \frac{3e\sqrt{a+bx^3}}{x} + \frac{3\sqrt[3]{b}e\sqrt{a+bx^3}}{(1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x}
\end{aligned}$$

Mathematica [C] time = 0.44, size = 254, normalized size = 0.40

$$\frac{bc \left(\frac{a+bx^3}{bx^3} + \sqrt{\frac{bx^3}{a} + 1} \tanh^{-1} \left(\sqrt{\frac{bx^3}{a} + 1} \right) \right)}{3\sqrt{a+bx^3}} - \frac{d\sqrt{a+bx^3} {}_2F_1 \left(-\frac{2}{3}, -\frac{1}{2}; \frac{1}{3}; -\frac{bx^3}{a} \right)}{2x^2 \sqrt{\frac{bx^3}{a} + 1}} - \frac{e\sqrt{a+bx^3} {}_2F_1 \left(-\frac{1}{2}, -\frac{1}{3}; \frac{2}{3}; -\frac{bx^3}{a} \right)}{x \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4, x]

[Out] $(2*f*(\text{Sqrt}[a + b*x^3] - \text{Sqrt}[a]*\text{ArcTanh}[\text{Sqrt}[a + b*x^3]/\text{Sqrt}[a]]))/3 - (b*c*((a + b*x^3)/(b*x^3) + \text{Sqrt}[1 + (b*x^3)/a]*\text{ArcTanh}[\text{Sqrt}[1 + (b*x^3)/a]]))/ (3*\text{Sqrt}[a + b*x^3]) - (d*\text{Sqrt}[a + b*x^3]*\text{Hypergeometric2F1}[-2/3, -1/2, 1/3, -((b*x^3)/a)])/(2*x^2*\text{Sqrt}[1 + (b*x^3)/a]) - (e*\text{Sqrt}[a + b*x^3]*\text{Hypergeometric2F1}[-1/2, -1/3, 2/3, -((b*x^3)/a)])/(x*\text{Sqrt}[1 + (b*x^3)/a]) + (g*x*\text{Sqrt}[a + b*x^3]*\text{Hypergeometric2F1}[-1/2, 1/3, 4/3, -((b*x^3)/a)])/\text{Sqrt}[1 + (b*x^3)/a]$

fricas [F] time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^4,x, algorithm="fricas")`

[Out] `integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^4, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^4,x, algorithm="giac")`

[Out] `integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^4, x)`

maple [B] time = 0.06, size = 1114, normalized size = 1.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^4,x)`

[Out] $g*(2/5*(b*x^3+a)^(1/2)*x-2/5*I*a^{3/2}*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^{3/2}*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^{3/2}*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^{3/2}*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*\text{EllipticF}(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^{3/2}*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)$

/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + c*(-1/3*b*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(1/2)-1/3*(b*x^3+a)^(1/2)/x^3+d*(-1/2*(b*x^3+a)^(1/2)/x^2-1/2*I*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + e*(-(b*x^3+a)^(1/2)/x-I*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + (-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + f*(-2/3*arctanh((b*x^3+a)^(1/2)/a^(1/2))*a^(1/2)+2/3*(b*x^3+a)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^4,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4, x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4, x)

sympy [A] time = 8.09, size = 265, normalized size = 0.42

$$\frac{\sqrt{a} d \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} + \frac{\sqrt{a} e \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x \Gamma\left(\frac{2}{3}\right)} - \frac{2\sqrt{a} f \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{\frac{3}{2}}}\right)}{3} + \frac{\sqrt{a} g x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3 \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**4,x)

[Out] sqrt(a)*d*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*e*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*sqrt(a)*f*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + sqrt(a)*g*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + 2*a*f/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) - sqrt(b)*c*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*sqrt(b)*f*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) - b*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a))

$$3.453 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^5} dx$$

Optimal. Leaf size=694

$$3^{3/4} \sqrt{2+\sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (4a^{2/3} \sqrt[3]{b} e - (1-\sqrt{3})(8af+bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3}) \sqrt[3]{a}}\right)\right) \Big|$$

$$8a^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}$$

[Out] $-1/3*(2*a*g+b*d)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+3/20*c*(b*x^3+a)^{(1/2)}/x^4+1/3*d*(b*x^3+a)^{(1/2)}/x^3+3/2*e*(b*x^3+a)^{(1/2)}/x^2-3/8*(8*a*f+b*c)*(b*x^3+a)^{(1/2)}/a/x-2/15*(-5*g*x^5-15*f*x^4+15*e*x^3+5*d*x^2+3*c*x)*(b*x^3+a)^{(1/2)}/x^5+3/8*b^{(1/3)}*(8*a*f+b*c)*(b*x^3+a)^{(1/2)}/a/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-3/16*3^{(1/4)}*b^{(1/3)}*(8*a*f+b*c)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}+1/8*3^{(3/4)}*b^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))), I*3^{(1/2)}+2*I)*(4*a^{(2/3)}*b^{(1/3)}*e-(8*a*f+b*c)*(1-3^{(1/2)}))*((1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.08, antiderivative size = 694, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$3^{3/4} \sqrt{2+\sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (4a^{2/3} \sqrt[3]{b} e - (1-\sqrt{3})(8af+bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1+\sqrt{3}) \sqrt[3]{a}}\right)\right) \Big|$$

$$8a^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5, x]$

[Out] $(3*c*\operatorname{Sqrt}[a + b*x^3])/(20*x^4) + (d*\operatorname{Sqrt}[a + b*x^3])/(3*x^3) + (3*e*\operatorname{Sqrt}[a + b*x^3])/(2*x^2) - (3*(b*c + 8*a*f)*\operatorname{Sqrt}[a + b*x^3])/(8*a*x) + (3*b^{(1/3)}*(b*c + 8*a*f)*\operatorname{Sqrt}[a + b*x^3])/(8*a*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)) -$

$$\begin{aligned} & (2\sqrt{a + b x^3} (3c x + 5d x^2 + 15e x^3 - 15f x^4 - 5g x^5)) / (15x^5) \\ & - ((b d + 2a g) \operatorname{ArcTanh}[\sqrt{a + b x^3} / \sqrt{a}]) / (3\sqrt{a}) - (3^3 (1/4) \sqrt{2 - \sqrt{3}} b^{1/3} (b c + 8a f) (a^{1/3} + b^{1/3} x) \sqrt{(a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2)} / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)^2) \\ & * \operatorname{EllipticE}[\operatorname{ArcSin}(((1 - \sqrt{3}) a^{1/3} + b^{1/3} x) / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)), -7 - 4\sqrt{3}]] / (16 a^{2/3} \sqrt{(a^{1/3} (a^{1/3} + b^{1/3} x)) / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)^2} \sqrt{a + b x^3}) \\ & + (3^3 (3/4) \sqrt{2 + \sqrt{3}} b^{1/3} (4a^{2/3} b^{1/3} e - (1 - \sqrt{3}) (b c + 8a f)) (a^{1/3} + b^{1/3} x) \sqrt{(a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2)} / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)^2) \\ & * \operatorname{EllipticF}[\operatorname{ArcSin}(((1 - \sqrt{3}) a^{1/3} + b^{1/3} x) / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)), -7 - 4\sqrt{3}]] / (8 a^{2/3} \sqrt{(a^{1/3} (a^{1/3} + b^{1/3} x)) / ((1 + \sqrt{3}) a^{1/3} + b^{1/3} x)^2} \sqrt{a + b x^3}) \end{aligned}$$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s
*x + r^2*x^2)]/((1 + sqrt[3])*s + r*x)^2)*EllipticF[ArcSin[((1 - sqrt[3])*s
+ r*x)/((1 + sqrt[3])*s + r*x)], -7 - 4*sqrt[3]]]/(3^(1/4)*r*sqrt[a + b*x^3
]*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1826

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
```

```
] * x^(i + 1)) / (m + n * p + i + 1), {i, 0, q}], x] + Dist[a * n * p, Int[(c * x)^m * (a + b * x^n)^(p - 1) * Sum[(Coeff[Pq, x, i] * x^i) / (m + n * p + i + 1), {i, 0, q}], x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1) / 2, 0] && GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_) / ((x_) * Sqrt[(a_) + (b_.) * (x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1 / (x * Sqrt[a + b * x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0]) / x, x] / Sqrt[a + b * x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_) * ((c_.) * (x_))^(m_) * ((a_) + (b_.) * (x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0 * (c * x)^(m + 1) * (a + b * x^n)^(p + 1)) / (a * c * (m + 1)), x] + Dist[1 / (2 * a * c * (m + 1)), Int[(c * x)^(m + 1) * ExpandToSum[(2 * a * (m + 1) * (Pq - Pq0)) / x - 2 * b * Pq0 * (m + n * (p + 1) + 1) * x^(n - 1), x] * (a + b * x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.) * (x_)) / Sqrt[(a_) + (b_.) * (x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3]) * d) / c]], s = Denom[Simplify[((1 - Sqrt[3]) * d) / c]]}, Simp[(2 * d * s^3 * Sqrt[a + b * x^3]) / (a * r^2 * ((1 + Sqrt[3]) * s + r * x)), x] - Simp[(3^(1/4) * Sqrt[2 - Sqrt[3]] * d * s * (s + r * x) * Sqrt[(s^2 - r * s * x + r^2 * x^2) / ((1 + Sqrt[3]) * s + r * x)^2] * EllipticE[ArcSin[((1 - Sqrt[3]) * s + r * x) / ((1 + Sqrt[3]) * s + r * x)]], -7 - 4 * Sqrt[3]]) / (r^2 * Sqrt[a + b * x^3] * Sqrt[(s * (s + r * x)) / ((1 + Sqrt[3]) * s + r * x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b * c^3 - 2 * (5 - 3 * Sqrt[3]) * a * d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.) * (x_)) / Sqrt[(a_) + (b_.) * (x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c * r - (1 - Sqrt[3]) * d * s) / r, Int[1 / Sqrt[a + b * x^3], x], x] + Dist[d / r, Int[((1 - Sqrt[3]) * s + r * x) / Sqrt[a + b * x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b * c^3 - 2 * (5 - 3 * Sqrt[3]) * a * d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^5} dx &= -\frac{2\sqrt{a+bx^3} (3cx+5dx^2+15ex^3-15fx^4-5gx^5)}{15x^5} + \frac{1}{2}(3a) \int \frac{-}{x^5} \\
&= \frac{3c\sqrt{a+bx^3}}{20x^4} - \frac{2\sqrt{a+bx^3} (3cx+5dx^2+15ex^3-15fx^4-5gx^5)}{15x^5} \\
&= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} - \frac{2\sqrt{a+bx^3} (3cx+5dx^2+15ex^3-15fx^4-5gx^5)}{15x^5} \\
&= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{2\sqrt{a+bx^3} (3cx+5dx^2+15ex^3-15fx^4-5gx^5)}{15x^5} \\
&= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{3(bc+8af)\sqrt{a+bx^3}}{8ax} \\
&= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{3(bc+8af)\sqrt{a+bx^3}}{8ax} \\
&= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{3(bc+8af)\sqrt{a+bx^3}}{8ax} \\
&= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{3(bc+8af)\sqrt{a+bx^3}}{8ax} \\
&= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{3(bc+8af)\sqrt{a+bx^3}}{8ax} \\
&= \frac{3c\sqrt{a+bx^3}}{20x^4} + \frac{d\sqrt{a+bx^3}}{3x^3} + \frac{3e\sqrt{a+bx^3}}{2x^2} - \frac{3(bc+8af)\sqrt{a+bx^3}}{8ax}
\end{aligned}$$

Mathematica [C] time = 0.46, size = 253, normalized size = 0.36

$$-3c(a+bx^3) {}_2F_1\left(-\frac{4}{3}, -\frac{1}{2}; -\frac{1}{3}; -\frac{bx^3}{a}\right) - 4dx\sqrt{\frac{bx^3}{a}+1} \left(bx^3\sqrt{\frac{bx^3}{a}+1} \tanh^{-1}\left(\sqrt{\frac{bx^3}{a}+1}\right) + a+bx^3\right) - 6ex^2(a+bx^3)$$

12x

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5,x]

[Out] (8*g*x^4*Sqrt[a + b*x^3]*Sqrt[1 + (b*x^3)/a]*(Sqrt[a + b*x^3] - Sqrt[a]*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]) - 4*d*x*Sqrt[1 + (b*x^3)/a]*(a + b*x^3 + b*x^3*Sqrt[1 + (b*x^3)/a]*ArcTanh[Sqrt[1 + (b*x^3)/a]]) - 3*c*(a + b*x^3)*Hypergeometric2F1[-4/3, -1/2, -1/3, -((b*x^3)/a)] - 6*e*x^2*(a + b*x^3)*Hypergeometric2F1[-2/3, -1/2, 1/3, -((b*x^3)/a)] - 12*f*x^3*(a + b*x^3)*Hypergeometric2F1[-1/2, -1/3, 2/3, -((b*x^3)/a)]/(12*x^4*Sqrt[a + b*x^3]*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.96, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^5,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^5, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^5,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^5, x)

maple [B] time = 0.07, size = 1286, normalized size = 1.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^5,x)

[Out] c*(-1/4*(b*x^3+a)^(1/2)/x^4-3/8*(b*x^3+a)^(1/2)/a*b/x-1/8*I*b/a^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/

$$2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+d*(-1/3*b*\text{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)}))/a^{(1/2)}-1/3*(b*x^3+a)^{(1/2)}/x^3)+e*(-1/2*(b*x^3+a)^{(1/2)}/x^2-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+f*(-(b*x^3+a)^{(1/2)}/x-I*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+g*(-2/3*\text{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})))*a^{(1/2)}+2/3*(b*x^3+a)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^5,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^5, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5, x)`

[Out] `int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5, x)`

sympy [A] time = 8.27, size = 274, normalized size = 0.39

$$\frac{\sqrt{a} c \Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right) + \sqrt{a} e \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right) + \sqrt{a} f \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right) + 2\sqrt{a} g \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{3/2}}\right)}{3x^4 \Gamma\left(-\frac{1}{3}\right) + 3x^2 \Gamma\left(\frac{1}{3}\right) + 3x \Gamma\left(\frac{2}{3}\right) + 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**5, x)`

[Out] `sqrt(a)*c*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*e*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*f*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*sqrt(a)*g*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + 2*a*g/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) - sqrt(b)*d*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*sqrt(b)*g*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) - b*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a))`

$$3.454 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^6} dx$$

Optimal. Leaf size=652

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1+\sqrt{3}) \sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (2 \sqrt[3]{b} (bc - 10af) + 40a \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}}{}$$

[Out] $-1/3*b*e*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/60*(12*c/x^5+15*d/x^4+20*e/x^3+30*f/x^2+60*g/x)*(b*x^3+a)^{(1/2)}-3/20*b*c*(b*x^3+a)^{(1/2)}/a/x^2-3/8*b*d*(b*x^3+a)^{(1/2)}/a/x+3/8*b^{(1/3)}*(8*a*g+b*d)*(b*x^3+a)^{(1/2)}/a/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-3/16*3^{(1/4)}*b^{(1/3)}*(8*a*g+b*d)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-1/40*3^{(3/4)}*b^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(2*b^{(1/3)}*(-10*a*f+b*c)+5*a^{(1/3)}*(8*a*g+b*d)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.79, antiderivative size = 652, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1+\sqrt{3}) \sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (2 \sqrt[3]{b} (bc - 10af) + 40a \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}}{}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6, x]$

[Out] $-(((12*c)/x^5 + (15*d)/x^4 + (20*e)/x^3 + (30*f)/x^2 + (60*g)/x)*\operatorname{Sqrt}[a + b*x^3])/60 - (3*b*c*\operatorname{Sqrt}[a + b*x^3])/(20*a*x^2) - (3*b*d*\operatorname{Sqrt}[a + b*x^3])/(8*a*x) + (3*b^{(1/3)}*(b*d + 8*a*g)*\operatorname{Sqrt}[a + b*x^3])/(8*a*((1 + \operatorname{Sqrt}[3]))*a^{(1/3)})$

$$3) + b^{(1/3)*x}) - (b*e*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]])/(3*Sqrt[a]) - (3*3^{(1/4)*Sqrt[2 - Sqrt[3]]*b^{(1/3)*(b*d + 8*a*g)*(a^{(1/3)} + b^{(1/3)*x})} * Sqrt[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})^2] * EllipticE[ArcSin[((1 - Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})/((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*Sqrt[3]])/(16*a^{(2/3)*Sqrt[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})})/((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})^2] * Sqrt[a + b*x^3]) - (3^{(3/4)*Sqrt[2 + Sqrt[3]]*b^{(1/3)*(2*b^{(1/3)*(b*c - 10*a*f) + 5*(1 - Sqrt[3])*a^{(1/3)*(b*d + 8*a*g)}*(a^{(1/3)} + b^{(1/3)*x})} * Sqrt[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})^2] * EllipticF[ArcSin[((1 - Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})/((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*Sqrt[3]])/(40*a*Sqrt[(a^{(1/3)*(a^{(1/3)} + b^{(1/3)*x})})/((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)*x})^2] * Sqrt[a + b*x^3])$$

Rule 14

$$\text{Int}[(u_)*((c_)*(x_))^{(m_)}, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}\{c, m\}, x \ \&\& \ \text{SumQ}[u] \ \&\& \ !\text{LinearQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (a_ + (b_)*(v_)) /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{InverseFunctionQ}[v]$$

Rule 63

$$\text{Int}[(a_ + (b_)*(x_))^{(m_)*((c_ + (d_)*(x_))^{(n_)}), x_Symbol] := \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n}, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$$

Rule 208

$$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b]$$

Rule 218

$$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^3], x_Symbol] := \text{With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2] * \text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x)/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]])/(3^{(1/4)*r*\text{Sqrt}[a + b*x^3]} * \text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a]$$

Rule 266

$$\text{Int}[(x_)^{(m_)*((a_ + (b_)*(x_)^{n_}))^{(p_)}), x_Symbol] := \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b$$

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)
*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^6} dx &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{1}{2}(3b) \int \frac{-\frac{c}{5} -}{x^5} dx \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2} \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2} \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2} \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2} \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2} \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) \sqrt{a+bx^3} - \frac{3bc\sqrt{a+bx^3}}{20ax^2}
\end{aligned}$$

Mathematica [C] time = 0.35, size = 180, normalized size = 0.28

$$\frac{\sqrt{a+bx^3} \left(12ac {}_2F_1 \left(-\frac{5}{3}, -\frac{1}{2}; -\frac{2}{3}; -\frac{bx^3}{a} \right) + 5x \left(3ad {}_2F_1 \left(-\frac{4}{3}, -\frac{1}{2}; -\frac{1}{3}; -\frac{bx^3}{a} \right) + 2x \left(2ae \sqrt{\frac{bx^3}{a} + 1} + 2bex^3 \tanh^{-1} \left(\sqrt{\frac{bx^3}{a} + 1} \right) \right) \right)}{60ax^5 \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6, x]

[Out] $-1/60*(\text{Sqrt}[a + b*x^3]*(12*a*c*\text{Hypergeometric2F1}[-5/3, -1/2, -2/3, -((b*x^3)/a)] + 5*x*(3*a*d*\text{Hypergeometric2F1}[-4/3, -1/2, -1/3, -((b*x^3)/a)] + 2*x*(2*a*e*\text{Sqrt}[1 + (b*x^3)/a] + 2*b*e*x^3*\text{ArcTanh}[\text{Sqrt}[1 + (b*x^3)/a]] + 3*a*f*x*\text{Hypergeometric2F1}[-2/3, -1/2, 1/3, -((b*x^3)/a)] + 6*a*g*x^2*\text{Hypergeometric2F1}[-1/2, -1/3, 2/3, -((b*x^3)/a)])))/(a*x^5*\text{Sqrt}[1 + (b*x^3)/a])$

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^6,x, algorithm="fricas")`

[Out] `integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^6, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^6,x, algorithm="giac")`

[Out] `integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^6, x)`

maple [B] time = 0.06, size = 1571, normalized size = 2.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^6,x)`

[Out] $c*(-1/5*(b*x^3+a)^{(1/2)}/x^5-3/20*(b*x^3+a)^{(1/2)}/a*b/x^2+1/20*I*b/a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*E\text{llipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+d*(-1/4*(b*x^3+a)^{(1/2)}/x^4+1/20*(b*x^3+a)^{(1/2)}/a*b/x^2+1/20*I*b/a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*E\text{llipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+e*(1/20*(b*x^3+a)^{(1/2)}/a*b/x^2+1/20*I*b/a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*E\text{llipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+f*(1/20*(b*x^3+a)^{(1/2)}/a*b/x^2+1/20*I*b/a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*E\text{llipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+g*(1/20*(b*x^3+a)^{(1/2)}/a*b/x^2+1/20*I*b/a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*E\text{llipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))$

$$\begin{aligned}
& 2)/x^4 - 3/8*(b*x^3+a)^{(1/2)}/a*b/x - 1/8*I*b/a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2) \\
& *(-a*b^2)^{(1/3)}/b - 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b} \\
& ^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)) \\
& ^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b) \\
& *3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/ \\
& 2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/ \\
&)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)} \\
& /2)*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b \\
&)^{(1/2)}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b- \\
& 1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}* \\
& (-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2) \\
&))+e*(-1/3*b*\text{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/3*(b*x^3+a)^{(1/2)}/x^3)+f*(-1/2*(b*x^3+a)^{(1/2)}/x^2-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2* \\
& (-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}* \\
& ((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)) \\
& ^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)* \\
& 3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x \\
& +1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3) \\
&)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(- \\
& -a*b^2)^{(1/3)}/b)/b)^{(1/2)}+g*(-(b*x^3+a)^{(1/2)}/x-I*3^{(1/2)}*(-a*b^2)^{(1/3)}* \\
& (I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2) \\
& ^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}* \\
& (-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2) \\
& ^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b) \\
& *\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2) \\
&), (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2) \\
& ^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I \\
& *3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^6,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6, x)

sympy [A] time = 7.54, size = 240, normalized size = 0.37

$$\frac{\sqrt{a} c \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^5 \Gamma\left(-\frac{2}{3}\right)} + \frac{\sqrt{a} d \Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^4 \Gamma\left(-\frac{1}{3}\right)} + \frac{\sqrt{a} f \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} + \sqrt{a} g \Gamma\left(-\frac{1}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**6,x)

[Out] sqrt(a)*c*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*d*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*f*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*g*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - sqrt(b)*e*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a))

$$3.455 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^7} dx$$

Optimal. Leaf size=659

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} b^{2/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (5(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e - 20ag + 2bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right)}{40a \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

[Out] $\frac{1}{12} b (-4 a f + b c) \operatorname{arctanh}\left(\frac{(b x^3 + a)^{1/2}}{a^{1/2}}\right) / a^{3/2} - \frac{1}{60} (10 c / x^6 + 12 d / x^5 + 15 e / x^4 + 20 f / x^3 + 30 g / x^2) (b x^3 + a)^{1/2} - \frac{1}{12} b c (b x^3 + a)^{1/2} / a / x^3 - \frac{3}{20} b d (b x^3 + a)^{1/2} / a / x^2 - \frac{3}{8} b e (b x^3 + a)^{1/2} / a / x + \frac{3}{8} b^{4/3} e (b x^3 + a)^{1/2} / a / (b^{1/3} x + a^{1/3} (1 + 3^{1/2})) - \frac{3}{16} 3^{1/4} b^{4/3} e (a^{1/3} + b^{1/3} x) \operatorname{EllipticE}\left(\frac{b^{1/3} x + a^{1/3} (1 - 3^{1/2})}{b^{1/3} x + a^{1/3} (1 + 3^{1/2})}\right) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2}))^2 - \frac{1}{2} 3^{1/2} (1 + 2 I) \left(\frac{1}{2} 3^{1/2} - \frac{1}{2} 2^{1/2}\right) \left(\frac{a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2}{(b^{1/3} x + a^{1/3} (1 + 3^{1/2}))^2}\right)^{1/2} / a^{2/3} / (b x^3 + a)^{1/2} / (a^{1/3} (a^{1/3} + b^{1/3} x) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2}))^2)^{1/2} - \frac{1}{40} 3^{3/4} b^{2/3} (a^{1/3} + b^{1/3} x) \operatorname{EllipticF}\left(\frac{b^{1/3} x + a^{1/3} (1 - 3^{1/2})}{b^{1/3} x + a^{1/3} (1 + 3^{1/2})}\right) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2}))^2 - \frac{1}{2} 3^{1/2} (1 + 2 I) \left(\frac{1}{2} 3^{1/2} + \frac{1}{2} 2^{1/2}\right) \left(\frac{a^{2/3} - a^{1/3} b^{1/3} x + b^{2/3} x^2}{(b^{1/3} x + a^{1/3} (1 + 3^{1/2}))^2}\right)^{1/2} / a^{2/3} / (b x^3 + a)^{1/2} / (a^{1/3} (a^{1/3} + b^{1/3} x) / (b^{1/3} x + a^{1/3} (1 + 3^{1/2}))^2)^{1/2}$

Rubi [A] time = 0.98, antiderivative size = 659, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} b^{2/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (5(1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e - 20ag + 2bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right)}{40a \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\frac{\sqrt{a + b x^3} (c + d x + e x^2 + f x^3 + g x^4)}{x^7}, x\right]$

[Out] $-\left(\frac{10 c}{x^6} + \frac{12 d}{x^5} + \frac{15 e}{x^4} + \frac{20 f}{x^3} + \frac{30 g}{x^2}\right) \sqrt{a + b x^3} / 60 - \frac{b c \sqrt{a + b x^3}}{(12 a x^3) - (3 b d \sqrt{a + b x^3}) / (20 a x^2) - (3 b e \sqrt{a + b x^3}) / (8 a x) + (3 b^{4/3} e \sqrt{a + b x^3}) /$

$$(8*a*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (b*(b*c - 4*a*f)*\text{ArcTanh}[\text{Sqrt}[a + b*x^3]/\text{Sqrt}[a]])/(12*a^{(3/2)}) - (3*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*b^{(4/3)}*e*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(16*a^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) - (3^{(3/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*b^{(2/3)}*(2*b*d + 5*(1 - \text{Sqrt}[3])*a^{(1/3)}*b^{(2/3)}*e - 20*a*g)*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)*x} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(40*a*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x}))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3])$$

Rule 14

$$\text{Int}[(u_*)*((c_*)*(x_))^{(m_*)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \&\& \text{SumQ}[u] \&\& !\text{LinearQ}[u, x] \&\& !\text{MatchQ}[u, (a_*) + (b_*)*(v_*)] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{InverseFunctionQ}[v]$$

Rule 63

$$\text{Int}[(a_*) + (b_*)*(x_))^{(m_*)}*((c_*) + (d_*)*(x_))^{(n_*)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$$

Rule 208

$$\text{Int}[(a_*) + (b_*)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$$

Rule 218

$$\text{Int}[1/\text{Sqrt}[(a_*) + (b_*)*(x_)^3], x_Symbol] \rightarrow \text{With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]])/(3^{(1/4)}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a]$$

Rule 266

$$\text{Int}[(x_)^{(m_*)}*((a_*) + (b_*)*(x_)^{(n_*)})^{(p_*)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)}*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}[\{a, b$$

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)
]*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_.)]), x_Symbol] :> Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```


Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx^3}(c+dx+ex^2+fx^3+gx^4)}{x^7} dx &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{1}{2}(3b) \int \frac{-c}{6} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) \sqrt{a+bx^3} - \frac{bc\sqrt{a+bx^3}}{12ax^3}
\end{aligned}$$

Mathematica [C] time = 0.53, size = 211, normalized size = 0.32

$$\frac{\sqrt{a+bx^3} \left(36a^3 d {}_2F_1 \left(-\frac{5}{3}, -\frac{1}{2}; -\frac{2}{3}; -\frac{bx^3}{a} \right) + 5x \left(9a^3 e {}_2F_1 \left(-\frac{4}{3}, -\frac{1}{2}; -\frac{1}{3}; -\frac{bx^3}{a} \right) + 2x \left(9a^3 g x {}_2F_1 \left(-\frac{2}{3}, -\frac{1}{2}; \frac{1}{3}; -\frac{bx^3}{a} \right) + 180a^3 x^5 \sqrt{\frac{bx^3}{a}} \right) \right)}{180a^3 x^5 \sqrt{\frac{bx^3}{a}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7,x]

[Out]
$$-1/180*(\text{Sqrt}[a + b*x^3]*(36*a^3*d*\text{Hypergeometric2F1}[-5/3, -1/2, -2/3, -((b*x^3)/a)] + 5*x*(9*a^3*e*\text{Hypergeometric2F1}[-4/3, -1/2, -1/3, -((b*x^3)/a)] + 2*x*(6*a^2*f*(a*\text{Sqrt}[1 + (b*x^3)/a] + b*x^3*\text{ArcTanh}[\text{Sqrt}[1 + (b*x^3)/a]]) + 9*a^3*g*x*\text{Hypergeometric2F1}[-2/3, -1/2, 1/3, -((b*x^3)/a)] + 4*b^2*c*x^3*(a + b*x^3)*\text{Sqrt}[1 + (b*x^3)/a]*\text{Hypergeometric2F1}[3/2, 3, 5/2, 1 + (b*x^3)/a])))/(a^3*x^5*\text{Sqrt}[1 + (b*x^3)/a])$$

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^7}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^7,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^7, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^7,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^7, x)

maple [B] time = 0.06, size = 1180, normalized size = 1.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^7,x)

[Out]
$$d*(-1/5*(b*x^3+a)^{(1/2)}/x^5-3/20*(b*x^3+a)^{(1/2)}/a*b/x^2+1/20*I*b/a^3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*E\text{llipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)$$

$$\begin{aligned} &)/b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)}) + e * (-1/4 * (b * x^3 + a)^{(1/2)} / x^4 - 3/8 * (b * x^3 + a)^{(1/2)} / a * b / x - 1/8 * I * b / a * 3^{(1/2)} * (-a * b^2)^{(1/3)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a * b^2)^{(1/3)} / b) / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} / (b * x^3 + a)^{(1/2)} * ((-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * EllipticE(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)}) + (-a * b^2)^{(1/3)} / b * EllipticF(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)})) + f * (-1/3 * b * arctanh((b * x^3 + a)^{(1/2)} / a^{(1/2)}) / a^{(1/2)} - 1/3 * (b * x^3 + a)^{(1/2)} / x^3) + g * (-1/2 * (b * x^3 + a)^{(1/2)} / x^2 - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a * b^2)^{(1/3)} / b) / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)} / (b * x^3 + a)^{(1/2)} * EllipticF(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a * b^2)^{(1/3)} / b - 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a * b^2)^{(1/3)} * b)^{(1/2)}, (I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / (-3/2 * (-a * b^2)^{(1/3)} / b + 1/2 * I * 3^{(1/2)} * (-a * b^2)^{(1/3)} / b) / b)^{(1/2)})) + c * (1/12 * b^2 * arctanh((b * x^3 + a)^{(1/2)} / a^{(1/2)}) / a^{(3/2)} - 1/6 * (b * x^3 + a)^{(1/2)} / x^6 - 1/12 * (b * x^3 + a)^{(1/2)} / a * b / x^3) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{24} \left(\frac{b^2 \log\left(\frac{\sqrt{bx^3+a}-\sqrt{a}}{\sqrt{bx^3+a}+\sqrt{a}}\right)}{a^{\frac{3}{2}}} + \frac{2\left(\left(bx^3+a\right)^{\frac{3}{2}}b^2 + \sqrt{bx^3+a}ab^2\right)}{\left(bx^3+a\right)^2a - 2\left(bx^3+a\right)a^2 + a^3} \right) c + \int \frac{\sqrt{bx^3+a}(gx^3+fx^2+ex+d)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^7,x, algorithm="maxima")

[Out] -1/24*(b^2*log((sqrt(b*x^3+a)-sqrt(a))/(sqrt(b*x^3+a)+sqrt(a)))/a^(3/2)+2*((b*x^3+a)^(3/2)*b^2+sqrt(b*x^3+a)*a*b^2)/((b*x^3+a)^2*a-2*(b*x^3+a)*a^2+a^3))*c+integrate(sqrt(b*x^3+a)*(g*x^3+f*x^2+e*x+d)/x^6,x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3+a}(gx^4+fx^3+ex^2+dx+c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7, x)`

[Out] `int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7, x)`

sympy [A] time = 10.71, size = 304, normalized size = 0.46

$$\frac{\sqrt{a} d \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(-\frac{5}{3}, -\frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^5 \Gamma\left(-\frac{2}{3}\right)} + \frac{\sqrt{a} e \Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(-\frac{4}{3}, -\frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^4 \Gamma\left(-\frac{1}{3}\right)} + \frac{\sqrt{a} g \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(-\frac{2}{3}, -\frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} - \frac{ac}{6\sqrt{b} x^{\frac{15}{2}} \sqrt{\frac{a}{bx^3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**7, x)`

[Out] `sqrt(a)*d*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*e*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*g*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) - a*c/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - sqrt(b)*c/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - sqrt(b)*f*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*c/(12*a*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b*f*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a)) + b**2*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(12*a**(3/2))`

$$3.456 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^8} dx$$

Optimal. Leaf size=711

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (28a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(5bc - 14af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right)}{560a^{5/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

[Out] $1/12*b*(-4*a*g+b*d)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/420*(60*c/x^7+70*d/x^6+84*e/x^5+105*f/x^4+140*g/x^3)*(b*x^3+a)^{(1/2)}-3/56*b*c*(b*x^3+a)^{(1/2)}/a/x^4-1/12*b*d*(b*x^3+a)^{(1/2)}/a/x^3-3/20*b*e*(b*x^3+a)^{(1/2)}/a/x^2+3/112*b*(-14*a*f+5*b*c)*(b*x^3+a)^{(1/2)}/a^2/x-3/112*b^{(4/3)}*(-14*a*f+5*b*c)*(b*x^3+a)^{(1/2)}/a^2/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+3/224*3^{(1/4)}*b^{(4/3)}*(-14*a*f+5*b*c)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-1/560*3^{(3/4)}*b^{(4/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(28*a^{(2/3)}*b^{(1/3)}*e-5*(-14*a*f+5*b*c)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.12, antiderivative size = 711, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (28a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(5bc - 14af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right)}{560a^{5/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8, x]$

[Out] $-(((60*c)/x^7 + (70*d)/x^6 + (84*e)/x^5 + (105*f)/x^4 + (140*g)/x^3)*\operatorname{Sqrt}[a + b*x^3])/420 - (3*b*c*\operatorname{Sqrt}[a + b*x^3])/(56*a*x^4) - (b*d*\operatorname{Sqrt}[a + b*x^3])$

$$\begin{aligned} & /((12*a*x^3) - (3*b*e*Sqrt[a + b*x^3]))/(20*a*x^2) + (3*b*(5*b*c - 14*a*f)*Sqrt[a + b*x^3])/(112*a^2*x) - (3*b^(4/3)*(5*b*c - 14*a*f)*Sqrt[a + b*x^3])/(112*a^2*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) + (b*(b*d - 4*a*g)*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]])/(12*a^(3/2)) + (3*3^(1/4)*Sqrt[2 - Sqrt[3]]*b^(4/3)*(5*b*c - 14*a*f)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(224*a^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) - (3^(3/4)*Sqrt[2 + Sqrt[3]]*b^(4/3)*(28*a^(2/3)*b^(1/3)*e - 5*(1 - Sqrt[3])*(5*b*c - 14*a*f))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/(1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(560*a^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) \end{aligned}$$

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2))/((1 + Sqrt[3])*s + r*x)^2*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] && PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n
)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_.)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
```


Mathematica [C] time = 0.52, size = 213, normalized size = 0.30

$$\sqrt{a + bx^3} \left(180a^3 c {}_2F_1 \left(-\frac{7}{3}, -\frac{1}{2}; -\frac{4}{3}; -\frac{bx^3}{a} \right) + 7x^2 \left(36a^3 e {}_2F_1 \left(-\frac{5}{3}, -\frac{1}{2}; -\frac{2}{3}; -\frac{bx^3}{a} \right) + 5x \left(9a^3 f {}_2F_1 \left(-\frac{4}{3}, -\frac{1}{2}; -\frac{1}{3}; -\frac{bx^3}{a} \right) + 8b^2 d x^4 (a + bx^3) \sqrt{1 + (bx^3)/a} \right) \right) \right) / (a^3 x^7 \sqrt{1 + (bx^3)/a})$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8,x]

[Out] -1/1260*(Sqrt[a + b*x^3]*(180*a^3*c*Hypergeometric2F1[-7/3, -1/2, -4/3, -((b*x^3)/a)] + 7*x^2*(36*a^3*e*Hypergeometric2F1[-5/3, -1/2, -2/3, -((b*x^3)/a)] + 5*x*(12*a^2*g*x*(a*Sqrt[1 + (b*x^3)/a] + b*x^3*ArcTanh[Sqrt[1 + (b*x^3)/a]]) + 9*a^3*f*Hypergeometric2F1[-4/3, -1/2, -1/3, -((b*x^3)/a)] + 8*b^2*d*x^4*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[3/2, 3, 5/2, 1 + (b*x^3)/a])))/(a^3*x^7*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.55, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^8}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^8,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^8, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^8,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^8, x)

maple [B] time = 0.06, size = 1376, normalized size = 1.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^8,x)

[Out] e*(-1/5*(b*x^3+a)^(1/2)/x^5-3/20*(b*x^3+a)^(1/2)/a*b/x^2+1/20*I*b/a*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2),(I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+f*(-1/4*(b*x^3+a)^(1/2)/x^4-3/8*(b*x^3+a)^(1/2)/a*b/x-1/8*I*b/a*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2),(I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2),(I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+g*(-1/3*b*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(1/2)-1/3*(b*x^3+a)^(1/2)/x^3)+c*(-1/7*(b*x^3+a)^(1/2)/x^7-3/56/a*b*(b*x^3+a)^(1/2)/x^4+15/112/a^2*b^2*(b*x^3+a)^(1/2)/x+5/112*I*b^2/a^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2),(I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2),(I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))))+d*(1/12*b^2*arctanh((b*x^3+a)^(1/2)/a^(1/2))/a^(3/2)-1/6*(b*x^3+a)^(1/2)/x^6-1/12*(b*x^3+a)^(1/2)/a*b/x^3)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^8,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^8, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8, x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8, x)

sympy [A] time = 11.60, size = 308, normalized size = 0.43

$$\frac{\sqrt{a} c \Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{3}, -\frac{1}{2} \\ -\frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right) + \sqrt{a} e \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right) + \sqrt{a} f \Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^7 \Gamma\left(-\frac{4}{3}\right) + 3x^5 \Gamma\left(-\frac{2}{3}\right) + 3x^4 \Gamma\left(-\frac{1}{3}\right)} - \frac{ad}{6\sqrt{b} x^{\frac{15}{2}} \sqrt{\frac{a}{bx^3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**8,x)

[Out] sqrt(a)*c*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + sqrt(a)*e*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*f*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) - a*d/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - sqrt(b)*d/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - sqrt(b)*g*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*d/(12*a*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b*g*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(3*sqrt(a)) + b**2*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(12*a**(3/2))

$$3.457 \quad \int \frac{\sqrt{a+bx^3} (c+dx+ex^2+fx^3+gx^4)}{x^9} dx$$

Optimal. Leaf size=743

$$\frac{3\sqrt[3]{3}\sqrt{2-\sqrt{3}}b^{4/3}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}(5bd-14ag)E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\middle| -7-4\sqrt{3}\right)+b^2e\tan^{-1}\left(\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}\sqrt{a+bx^3}\right)}{224a^{5/3}\sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}\sqrt{a+bx^3}}$$

[Out] $1/12*b^2*e*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/840*(105*c/x^8+120*d/x^7+140*e/x^6+168*f/x^5+210*g/x^4)*(b*x^3+a)^{(1/2)}-3/80*b*c*(b*x^3+a)^{(1/2)}/a/x^5-3/56*b*d*(b*x^3+a)^{(1/2)}/a/x^4-1/12*b*e*(b*x^3+a)^{(1/2)}/a/x^3+3/320*b*(-16*a*f+7*b*c)*(b*x^3+a)^{(1/2)}/a^2/x^2+3/112*b*(-14*a*g+5*b*d)*(b*x^3+a)^{(1/2)}/a^2/x-3/112*b^{(4/3)}*(-14*a*g+5*b*d)*(b*x^3+a)^{(1/2)}/a^2/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+3/224*3^{(1/4)}*b^{(4/3)}*(-14*a*g+5*b*d)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/a^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}+1/2240*3^{(3/4)}*b^{(4/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))),I*3^{(1/2)}+2*I)*(7*b^{(1/3)}*(-16*a*f+7*b*c)+20*a^{(1/3)}*(-14*a*g+5*b*d)*(1-3^{(1/2)})))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/a^2/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 1.33, antiderivative size = 743, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{3^{3/4}\sqrt{2+\sqrt{3}}b^{4/3}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\middle| -7-4\sqrt{3}\right)(7\sqrt[3]{b}(7bc-16af)+2b^2e\tan^{-1}\left(\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}\sqrt{a+bx^3}\right)}{2240a^2\sqrt{\frac{\sqrt[3]{a}\left(\sqrt[3]{a}+\sqrt[3]{bx}\right)}{\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9,x]

[Out] -(((105*c)/x^8 + (120*d)/x^7 + (140*e)/x^6 + (168*f)/x^5 + (210*g)/x^4)*Sqrt[a + b*x^3])/840 - (3*b*c*Sqrt[a + b*x^3])/(80*a*x^5) - (3*b*d*Sqrt[a + b*x^3])/840 - (3*b*e*Sqrt[a + b*x^3])/840 - (3*b*f*Sqrt[a + b*x^3])/840 - (3*b*g*Sqrt[a + b*x^3])/840

$$\begin{aligned} & x^3)/(56*a*x^4) - (b*e*Sqrt[a + b*x^3])/(12*a*x^3) + (3*b*(7*b*c - 16*a*f) \\ & *Sqrt[a + b*x^3])/(320*a^2*x^2) + (3*b*(5*b*d - 14*a*g)*Sqrt[a + b*x^3])/(1 \\ & 12*a^2*x) - (3*b^(4/3)*(5*b*d - 14*a*g)*Sqrt[a + b*x^3])/(112*a^2*((1 + Sqr \\ & t[3])*a^(1/3) + b^(1/3)*x)) + (b^2*e*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]])/(12* \\ & a^(3/2)) + (3*3^(1/4)*Sqrt[2 - Sqrt[3]]*b^(4/3)*(5*b*d - 14*a*g)*(a^(1/3) + \\ & b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3]) \\ & *a^(1/3) + b^(1/3)*x)^2)*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)* \\ & x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(224*a^(5/3)*Sqrt \\ & [(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqr \\ & t[a + b*x^3]) + (3^(3/4)*Sqrt[2 + Sqrt[3]]*b^(4/3)*(7*b^(1/3)*(7*b*c - 16*a \\ & *f) + 20*(1 - Sqrt[3])*a^(1/3)*(5*b*d - 14*a*g))*(a^(1/3) + b^(1/3)*x)*Sqrt \\ & [(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/ \\ & 3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3] \\ &)*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(2240*a^2*Sqrt[(a^(1/3)*(a^(1/3) \\ & + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) \end{aligned}$$

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_
+ (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n
)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_.)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
```

$(5 - 3\sqrt{3})a^3d^3, 0]$

Rubi steps

Mathematica [C] time = 0.25, size = 192, normalized size = 0.26

$$\frac{\sqrt{a+bx^3} \left(14x^3 \left(36a^3 f {}_2F_1 \left(-\frac{5}{3}, -\frac{1}{2}; -\frac{2}{3}; -\frac{bx^3}{a} \right) + 45a^3 gx {}_2F_1 \left(-\frac{4}{3}, -\frac{1}{2}; -\frac{1}{3}; -\frac{bx^3}{a} \right) + 40b^2 ex^5 (a+bx^3) \sqrt{\frac{bx^3}{a} + 1} \right)}{2520a^3 x^8 \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*x^3]*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9,x]

[Out] -1/2520*(Sqrt[a + b*x^3]*(315*a^3*c*Hypergeometric2F1[-8/3, -1/2, -5/3, -((b*x^3)/a)] + 360*a^3*d*x*Hypergeometric2F1[-7/3, -1/2, -4/3, -((b*x^3)/a)] + 14*x^3*(36*a^3*f*Hypergeometric2F1[-5/3, -1/2, -2/3, -((b*x^3)/a)] + 45*a^3*g*x*Hypergeometric2F1[-4/3, -1/2, -1/3, -((b*x^3)/a)] + 40*b^2*e*x^5*(a + b*x^3)*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[3/2, 3, 5/2, 1 + (b*x^3)/a]))/(a^3*x^8*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^9}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^9,x, algorithm="fricas")

[Out] integral((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^9, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^9,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^9, x)

maple [B] time = 0.06, size = 1679, normalized size = 2.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^{(1/2)}/x^9,x)$

[Out] $f*(-1/5*(b*x^3+a)^{(1/2)}/x^5-3/20*(b*x^3+a)^{(1/2)}/a*b/x^2+1/20*I*b/a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*E\text{llipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+g*(-1/4*(b*x^3+a)^{(1/2)}/x^4-3/8*(b*x^3+a)^{(1/2)}/a*b/x-1/8*I*b/a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*E\text{llipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*E\text{llipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+c*(-1/8*(b*x^3+a)^{(1/2)}/x^8-3/80*(b*x^3+a)^{(1/2)}/a*b/x^5+21/320*(b*x^3+a)^{(1/2)}/a^2*b^2/x^2-7/320*I*b^2/a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*E\text{llipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*E\text{llipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*E\text{llipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+d*(-1/7*(b*x^3+a)^{(1/2)}/x^7-3/56*(b*x^3+a)^{(1/2)}/a*b/x^4+15/112*(b*x^3+a)^{(1/2)}/a^2*b^2/x+5/112*I*b^2/a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*E\text{llipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*E\text{llipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+e*(1/12*b^2*\text{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/6*(b*x^3+a)^{(1/2)}/x^6-1/12*(b*x^3+a)^{(1/2)}/a*b/x^3)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)\sqrt{bx^3 + a}}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x^4+f*x^3+e*x^2+d*x+c)*(b*x^3+a)^(1/2)/x^9,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*sqrt(b*x^3 + a)/x^9, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^3 + a} (gx^4 + fx^3 + ex^2 + dx + c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9,x)

[Out] int(((a + b*x^3)^(1/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9, x)

sympy [A] time = 11.54, size = 304, normalized size = 0.41

$$\frac{\sqrt{a} c \Gamma\left(-\frac{8}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{8}{3}, -\frac{1}{2} \\ -\frac{5}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^8 \Gamma\left(-\frac{5}{3}\right)} + \frac{\sqrt{a} d \Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{3}, -\frac{1}{2} \\ -\frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^7 \Gamma\left(-\frac{4}{3}\right)} + \frac{\sqrt{a} f \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^5 \Gamma\left(-\frac{2}{3}\right)} + \frac{\sqrt{a} g \Gamma\left(-\frac{4}{3}\right)}{3x^4 \Gamma\left(-\frac{1}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x**4+f*x**3+e*x**2+d*x+c)*(b*x**3+a)**(1/2)/x**9,x)

[Out] sqrt(a)*c*gamma(-8/3)*hyper((-8/3, -1/2), (-5/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**8*gamma(-5/3)) + sqrt(a)*d*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + sqrt(a)*f*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*g*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) - a*e/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - sqrt(b)*e/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - b**(3/2)*e/(12*a*x**(3/2)*sqrt(a/(b*x**3) + 1)) + b**2*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(12*a**(3/2))

$$3.458 \quad \int x^3 (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$$

Optimal. Leaf size=791

$$108\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{10/3}(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(5bd-2ag)E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)$$

$$8645b^{8/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}$$

[Out] 2/3900225*x^3*(b*x^3+a)^(3/2)*(156009*g*x^5+169575*f*x^4+185725*e*x^3+205275*d*x^2+229425*c*x)-4/105*a^3*e*(b*x^3+a)^(1/2)/b^2+54/21505*a^2*(-8*a*f+23*b*c)*x*(b*x^3+a)^(1/2)/b^2+54/8645*a^2*(-2*a*g+5*b*d)*x^2*(b*x^3+a)^(1/2)/b^2+2/105*a^2*e*x^3*(b*x^3+a)^(1/2)/b+54/4301*a^2*f*x^4*(b*x^3+a)^(1/2)/b+54/6175*a^2*g*x^5*(b*x^3+a)^(1/2)/b+2/185910725*a*x^3*(3522519*g*x^5+4279275*f*x^4+5311735*e*x^3+6774075*d*x^2+8947575*c*x)*(b*x^3+a)^(1/2)-216/8645*a^3*(-2*a*g+5*b*d)*(b*x^3+a)^(1/2)/b^(8/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))+108/8645*3^(1/4)*a^(10/3)*(-2*a*g+5*b*d)*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(8/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)-36/37182145*3^(3/4)*a^3*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1729*b^(1/3)*(-8*a*f+23*b*c)-8602*a^(1/3)*(-2*a*g+5*b*d)*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(8/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)

Rubi [A] time = 2.11, antiderivative size = 791, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1836, 1888, 1594, 1886, 261, 1878, 218, 1877}

$$36\sqrt[3]{3}\sqrt{2+\sqrt{3}}a^3(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)(1729\sqrt[3]{b}(23bc-8602a^{1/3})$$

$$37182145b^{8/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

```
[Out] (-4*a^3*e*Sqrt[a + b*x^3])/(105*b^2) + (54*a^2*(23*b*c - 8*a*f)*x*Sqrt[a +
b*x^3])/(21505*b^2) + (54*a^2*(5*b*d - 2*a*g)*x^2*Sqrt[a + b*x^3])/(8645*b^
2) + (2*a^2*e*x^3*Sqrt[a + b*x^3])/(105*b) + (54*a^2*f*x^4*Sqrt[a + b*x^3])
/(4301*b) + (54*a^2*g*x^5*Sqrt[a + b*x^3])/(6175*b) - (216*a^3*(5*b*d - 2*a
*g)*Sqrt[a + b*x^3])/(8645*b^(8/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) + (
2*x^3*(a + b*x^3)^(3/2)*(229425*c*x + 205275*d*x^2 + 185725*e*x^3 + 169575*
f*x^4 + 156009*g*x^5))/3900225 + (2*a*x^3*Sqrt[a + b*x^3]*(8947575*c*x + 67
74075*d*x^2 + 5311735*e*x^3 + 4279275*f*x^4 + 3522519*g*x^5))/185910725 + (
108*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(10/3)*(5*b*d - 2*a*g)*(a^(1/3) + b^(1/3)*x
)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) +
b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + S
qrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(8645*b^(8/3)*Sqrt[(a^(1/3)
*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x
^3]) - (36*3^(3/4)*Sqrt[2 + Sqrt[3]]*a^3*(1729*b^(1/3)*(23*b*c - 8*a*f) - 8
602*(1 - Sqrt[3])*a^(1/3)*(5*b*d - 2*a*g))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2
/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^
2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1
/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(37182145*b^(8/3)*Sqrt[(a^(1/3)*(a^(1/3
) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2)*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 1594

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^(n_.), x
_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a
, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]
```

Rule 1826

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
```

+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]

Rule 1836

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rule 1877

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1878

Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

Rule 1886

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1888

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

```

n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1
)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[
p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

```

Rubi steps

$$\begin{aligned}
\int x^3 (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx &= \frac{2x^3 (a + bx^3)^{3/2} (229425cx + 205275dx^2 + 185725ex^3 + 1695}{3900225} \\
&= \frac{2x^3 (a + bx^3)^{3/2} (229425cx + 205275dx^2 + 185725ex^3 + 1695}{3900225} \\
&= \frac{54a^2gx^5\sqrt{a + bx^3}}{6175b} + \frac{2x^3 (a + bx^3)^{3/2} (229425cx + 205275dx^2}{390} \\
&= \frac{54a^2fx^4\sqrt{a + bx^3}}{4301b} + \frac{54a^2gx^5\sqrt{a + bx^3}}{6175b} + \frac{2x^3 (a + bx^3)^{3/2} (2}{ \\
&= \frac{2a^2ex^3\sqrt{a + bx^3}}{105b} + \frac{54a^2fx^4\sqrt{a + bx^3}}{4301b} + \frac{54a^2gx^5\sqrt{a + bx^3}}{6175b} + \\
&= \frac{2a^2ex^3\sqrt{a + bx^3}}{105b} + \frac{54a^2fx^4\sqrt{a + bx^3}}{4301b} + \frac{54a^2gx^5\sqrt{a + bx^3}}{6175b} + \\
&= \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2} + \frac{2a^2ex^3\sqrt{a + bx^3}}{105b} + \frac{54a^2fx^4\sqrt{a + bx^3}}{430} \\
&= \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2} + \frac{2a^2ex^3\sqrt{a + bx^3}}{105b} + \frac{54a^2fx^4\sqrt{a + bx^3}}{430} \\
&= \frac{54a^2(23bc - 8af)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2} \\
&= \frac{54a^2(23bc - 8af)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2} \\
&= -\frac{4a^3e\sqrt{a + bx^3}}{105b^2} + \frac{54a^2(23bc - 8af)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2} \\
&= -\frac{4a^3e\sqrt{a + bx^3}}{105b^2} + \frac{54a^2(23bc - 8af)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2(5bd - 2ag)x^2\sqrt{a + bx^3}}{8645b^2}
\end{aligned}$$

Mathematica [C] time = 0.65, size = 179, normalized size = 0.23

$$2\sqrt{a+bx^3} \left(9975a^2x(8af-23bc) {}_2F_1\left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 41055a^2x^2(2ag-5bd) {}_2F_1\left(-\frac{3}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) - (a+bx^3)^2 \right)$$

3900225b

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] (2*sqrt[a + b*x^3]*(-(a + b*x^3)^2*sqrt[1 + (b*x^3)/a]*(10*a*(7429*e + 21*x*(380*f + 391*g*x)) - b*x*(229425*c + 17*x*(12075*d + 19*x*(575*e + 525*f*x + 483*g*x^2)))) + 9975*a^2*(-23*b*c + 8*a*f)*x*Hypergeometric2F1[-3/2, 1/3, 4/3, -(b*x^3)/a] + 41055*a^2*(-5*b*d + 2*a*g)*x^2*Hypergeometric2F1[-3/2, 2/3, 5/3, -(b*x^3)/a]))/(3900225*b^2*sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bgx^{10} + bfx^9 + bex^8 + (bd + ag)x^7 + aex^5 + (bc + af)x^6 + adx^4 + acx^3\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] integral((b*g*x^10 + b*f*x^9 + b*e*x^8 + (b*d + a*g)*x^7 + a*e*x^5 + (b*c + a*f)*x^6 + a*d*x^4 + a*c*x^3)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)*x^3, x)

maple [B] time = 0.08, size = 1764, normalized size = 2.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3*(b*x^3+a)^{(3/2)}*(g*x^4+f*x^3+e*x^2+d*x+c), x)$

[Out] $g*(2/25*b*x^{11}*(b*x^3+a)^{(1/2)}+56/475*(b*x^3+a)^{(1/2)}*a*x^8+54/6175*(b*x^3+a)^{(1/2)}*a^2/b*x^5-108/8645*(b*x^3+a)^{(1/2)}*a^3/b^2*x^2-144/8645*I*a^4/b^3*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+f*(2/23*(b*x^3+a)^{(1/2)}*b*x^{10}+52/391*(b*x^3+a)^{(1/2)}*a*x^7+54/4301*(b*x^3+a)^{(1/2)}*a^2/b*x^4-432/21505*(b*x^3+a)^{(1/2)}*a^3/b^2*x-288/21505*I*a^4/b^3*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+e*(2/21*b*x^9*(b*x^3+a)^{(1/2)}+16/105*a*x^6*(b*x^3+a)^{(1/2)}+2/105*a^2/b*x^3*(b*x^3+a)^{(1/2)}-4/105*a^3/b^2*(b*x^3+a)^{(1/2)}+d*(2/19*b*x^8*(b*x^3+a)^{(1/2)}+44/247*(b*x^3+a)^{(1/2)}*a*x^5+54/1729*(b*x^3+a)^{(1/2)}*a^2/b*x^2+72/1729*I*a^3/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+c*(2/17*b*x^7*(b*x^3+a)^{(1/2)}+40/187*(b*x^3+a)^{(1/2)}*a*x^4+54/935*(b*x^3+a)^{(1/2)}*a^2/b*x+36/935*I*a^3/b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))$

/b)/b)^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}} x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)*x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 (bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int(x^3*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 13.01, size = 512, normalized size = 0.65

$$\frac{a^{\frac{3}{2}} cx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{3}{2}} dx^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{8}{3}\right)} + \frac{a^{\frac{3}{2}} fx^7 \Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{3} \\ \frac{10}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{10}{3}\right)} + \frac{a^{\frac{3}{2}} gx^8 \Gamma\left(\frac{8}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{8}{3} \\ \frac{11}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{11}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**(3/2)*c*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(3/2)*d*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + a**(3/2)*f*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + a**(3/2)*g*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + sqrt(a)*b*c*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*b*d*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + sqrt(a)*b*f*x**10*gamma(10/3)*hyper((-1/2, 10/3), (13/3,), b*x**3*exp_polar(I*pi)/a)

```

)/(3*gamma(13/3)) + sqrt(a)*b*g*x**11*gamma(11/3)*hyper((-1/2, 11/3), (14/3
, ), b*x**3*exp_polar(I*pi)/a)/(3*gamma(14/3)) + a*e*Piecewise((-4*a**2*sqrt
(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a +
b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True)) + b*e*Piecewise((16*a**3*sq
rt(a + b*x**3)/(315*b**3) - 8*a**2*x**3*sqrt(a + b*x**3)/(315*b**2) + 2*a*x
**6*sqrt(a + b*x**3)/(105*b) + 2*x**9*sqrt(a + b*x**3)/21, Ne(b, 0)), (sqrt
(a)*x**9/9, True))

```

$$3.459 \quad \int x^2 (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$$

Optimal. Leaf size=742

$$\frac{108\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{10/3}e(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{1729b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}} + \frac{216a^3}{1729b^{5/3}\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}$$

[Out] $2/780045*x^2*(b*x^3+a)^{(3/2)}*(33915*g*x^5+37145*f*x^4+41055*e*x^3+45885*d*x^2+52003*c*x)+2/105*a^2*(-2*a*f+7*b*c)*(b*x^3+a)^{(1/2)}/b^2+54/21505*a^2*(-8*a*g+23*b*d)*x*(b*x^3+a)^{(1/2)}/b^2+54/1729*a^2*e*x^2*(b*x^3+a)^{(1/2)}/b+2/105*a^2*f*x^3*(b*x^3+a)^{(1/2)}/b+54/4301*a^2*g*x^4*(b*x^3+a)^{(1/2)}/b+2/111546435*a*x^2*(2567565*g*x^5+3187041*f*x^4+4064445*e*x^3+5368545*d*x^2+7436429*c*x)*(b*x^3+a)^{(1/2)}-216/1729*a^3*e*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+108/1729*3^{(1/4)}*a^{(10/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*EllipticE((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}+36/37182145*3^{(3/4)}*a^3*(a^{(1/3)}+b^{(1/3)}*x)*EllipticF((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(13832*a*g-39767*b*d+43010*a^{(1/3)}*b^{(2/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(7/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 1.55, antiderivative size = 742, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1836, 1888, 1594, 1886, 261, 1878, 218, 1877}

$$\frac{2a^2\sqrt{a+bx^3}(7bc-2af)}{105b^2} + \frac{36\cdot 3^{3/4}\sqrt{2+\sqrt{3}}a^3(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(43010(1-\sqrt{3})\sqrt[3]{a}b^{2/3}e-1729c)}{1729b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}} + \frac{37182145b^{7/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}{1729b^{5/3}\left((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx}\right)^2}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]

[Out] $(2*a^2*(7*b*c - 2*a*f)*\text{Sqrt}[a + b*x^3])/(105*b^2) + (54*a^2*(23*b*d - 8*a*g)*x*\text{Sqrt}[a + b*x^3])/(21505*b^2) + (54*a^2*e*x^2*\text{Sqrt}[a + b*x^3])/(1729*b)$

$$\begin{aligned}
& + (2*a^2*f*x^3*\text{Sqrt}[a + b*x^3])/(105*b) + (54*a^2*g*x^4*\text{Sqrt}[a + b*x^3])/(4301*b) - (216*a^3*e*\text{Sqrt}[a + b*x^3])/(1729*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) \\
& + (2*x^2*(a + b*x^3)^{(3/2)}*(52003*c*x + 45885*d*x^2 + 41055*e*x^3 + 37145*f*x^4 + 33915*g*x^5))/780045 + (2*a*x^2*\text{Sqrt}[a + b*x^3]*(7436429*c*x + 5368545*d*x^2 + 4064445*e*x^3 + 3187041*f*x^4 + 2567565*g*x^5))/111546435 \\
& + (108*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(10/3)}*e*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2] \\
& * \text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(1729*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2] \\
& *\text{Sqrt}[a + b*x^3]) + (36*3^{(3/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^3*(43010*(1 - \text{Sqrt}[3])*a^{(1/3)*b^{(2/3)*e}} - 1729*(23*b*d - 8*a*g))*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2] \\
& * \text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3]])/(37182145*b^{(7/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2] \\
& *\text{Sqrt}[a + b*x^3])
\end{aligned}$$

Rule 218

```

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & PosQ[a]

```

Rule 261

```

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

```

Rule 1594

```

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_) + (c_)*(x_)^(r_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

```

Rule 1826

```

Int[(Pq_)*((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&

```

GtQ[p, 0]

Rule 1836

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(m + q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*(c*x)^(m + q - n + 1)*(a + b*x^n)^(p + 1))/(b*c^(q - n + 1)*(m + q + n*p + 1)), x]] /; NeQ[m + q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[
```

$p + (q + 1)/(2*n)]]) /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[\text{Pq}, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned}
 \int x^2 (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx &= \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045} \\
 &= \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045} \\
 &= \frac{54a^2gx^4\sqrt{a + bx^3}}{4301b} + \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045} \\
 &= \frac{2a^2fx^3\sqrt{a + bx^3}}{105b} + \frac{54a^2gx^4\sqrt{a + bx^3}}{4301b} + \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045} \\
 &= \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2fx^3\sqrt{a + bx^3}}{105b} + \frac{54a^2gx^4\sqrt{a + bx^3}}{4301b} + \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045} \\
 &= \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2fx^3\sqrt{a + bx^3}}{105b} + \frac{54a^2gx^4\sqrt{a + bx^3}}{4301b} + \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045} \\
 &= \frac{54a^2(23bd - 8ag)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2fx^3\sqrt{a + bx^3}}{105b} + \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045} \\
 &= \frac{54a^2(23bd - 8ag)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2fx^3\sqrt{a + bx^3}}{105b} + \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045} \\
 &= \frac{2a^2(7bc - 2af)\sqrt{a + bx^3}}{105b^2} + \frac{54a^2(23bd - 8ag)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2fx^3\sqrt{a + bx^3}}{105b} + \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045} \\
 &= \frac{2a^2(7bc - 2af)\sqrt{a + bx^3}}{105b^2} + \frac{54a^2(23bd - 8ag)x\sqrt{a + bx^3}}{21505b^2} + \frac{54a^2ex^2\sqrt{a + bx^3}}{1729b} + \frac{2a^2fx^3\sqrt{a + bx^3}}{105b} + \frac{2x^2 (a + bx^3)^{3/2} (52003cx + 45885dx^2 + 41055ex^3 + 37145fx^4)}{780045}
 \end{aligned}$$

Mathematica [C] time = 0.41, size = 162, normalized size = 0.22

$$\frac{2 \left(1995 a^3 x \sqrt{\frac{b x^3}{a} + 1} (8 a g - 23 b d) {}_2F_1 \left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{b x^3}{a} \right) - 41055 a^3 b e x^2 \sqrt{\frac{b x^3}{a} + 1} {}_2F_1 \left(-\frac{3}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{b x^3}{a} \right) + (a + b x^3)^3 \right)}{780045 b^2 \sqrt{a + b x^3}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] (2*((a + b*x^3)^3*(52003*b*c - 38*a*(391*f + 420*g*x) + 5*b*x*(9177*d + 17*x*(483*e + 19*x*(23*f + 21*g*x)))) + 1995*a^3*(-23*b*d + 8*a*g)*x*sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-3/2, 1/3, 4/3, -(b*x^3)/a] - 41055*a^3*b*e*x^2*sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-3/2, 2/3, 5/3, -(b*x^3)/a]))/(780045*b^2*sqrt[a + b*x^3])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b g x^9 + b f x^8 + b e x^7 + (b d + a g) x^6 + a e x^4 + (b c + a f) x^5 + a d x^3 + a c x^2\right) \sqrt{b x^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] integral((b*g*x^9 + b*f*x^8 + b*e*x^7 + (b*d + a*g)*x^6 + a*e*x^4 + (b*c + a*f)*x^5 + a*d*x^3 + a*c*x^2)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (g x^4 + f x^3 + e x^2 + d x + c) (b x^3 + a)^{\frac{3}{2}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)*x^2, x)

maple [B] time = 0.06, size = 1269, normalized size = 1.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x)

```
[Out] g*(2/23*(b*x^3+a)^(1/2)*b*x^10+52/391*(b*x^3+a)^(1/2)*a*x^7+54/4301*(b*x^3+
a)^(1/2)*a^2/b*x^4-432/21505*(b*x^3+a)^(1/2)*a^3/b^2*x-288/21505*I*a^4/b^3*
3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1
/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)
^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b
+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(
1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^
2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2
*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + f*(2/21*(b*x^3
+a)^(1/2)*b*x^9+16/105*(b*x^3+a)^(1/2)*a*x^6+2/105*(b*x^3+a)^(1/2)*a^2/b*x^
3-4/105*(b*x^3+a)^(1/2)*a^3/b^2)+e*(2/19*(b*x^3+a)^(1/2)*b*x^8+44/247*(b*x^
3+a)^(1/2)*a*x^5+54/1729*(b*x^3+a)^(1/2)*a^2/b*x^2+72/1729*I*a^3/b^2*3^(1/2
)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)
*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)
/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I
*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*
((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/
2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b
^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3
^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(
I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(
1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/
2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))) + d*(2/17*(b*x^3+a)^(1/2)*b*x^7+40/187*(b*x^
3+a)^(1/2)*a*x^4+54/935*(b*x^3+a)^(1/2)*a^2/b*x+36/935*I*a^3/b^2*3^(1/2)*(-
a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(
1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1
/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(
1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*Elli
pticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)
)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(
1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))) + 2/15*c/b*(b*x^3+a)^(5/2)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2(bx^3 + a)^{\frac{5}{2}}c}{15b} + \int (bgx^9 + bfx^8 + bex^7 + afx^5 + (bd + ag)x^6 + aex^4 + adx^3)\sqrt{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxim
a")
```

```
[Out] 2/15*(b*x^3 + a)^(5/2)*c/b + integrate((b*g*x^9 + b*f*x^8 + b*e*x^7 + a*f*x
^5 + (b*d + a*g)*x^6 + a*e*x^4 + a*d*x^3)*sqrt(b*x^3 + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)`

[Out] `int(x^2*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)`

sympy [A] time = 11.69, size = 525, normalized size = 0.71

$$\frac{a^{\frac{3}{2}} dx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right) + a^{\frac{3}{2}} ex^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right) + a^{\frac{3}{2}} gx^7 \Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{3} \\ \frac{10}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a} \right) + \sqrt{a} b dx^7 \Gamma\left(\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{3} \\ \frac{10}{3} \end{matrix} \right)}{3\Gamma\left(\frac{7}{3}\right) + 3\Gamma\left(\frac{8}{3}\right) + 3\Gamma\left(\frac{10}{3}\right) + 3\Gamma\left(\frac{10}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c),x)`

[Out] `a**(3/2)*d*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(3/2)*e*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + a**(3/2)*g*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*b*d*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*b*e*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + sqrt(a)*b*g*x**10*gamma(10/3)*hyper((-1/2, 10/3), (13/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(13/3)) + a*c*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + a*f*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True)) + b*c*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True)) + b*f*Piecewise((16*a**3*sqrt(a + b*x**3)/(315*b**3) - 8*a**2*x**3*sqrt(a + b*x**3)/(315*b**2) + 2*a*x**6*sqrt(a + b*x**3)/(105*b) + 2*x**9*sqrt(a + b*x**3)/21, Ne(b, 0)), (sqrt(a)*x**9/9, True))`

$$3.460 \quad \int x (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$$

Optimal. Leaf size=723

$$18 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{7/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} (3458a^{2/3} \sqrt[3]{b}e + 935(1 - \sqrt{3})(19bc - 4af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a} + \sqrt[3]{b}x}\right)\right)$$

$$1616615b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

[Out] $2/440895*x*(b*x^3+a)^{(3/2)}*(20995*g*x^5+23205*f*x^4+25935*e*x^3+29393*d*x^2+33915*c*x)+2/105*a^2*(-2*a*g+7*b*d)*(b*x^3+a)^{(1/2)}/b^2+54/935*a^2*e*x*(b*x^3+a)^{(1/2)}/b+54/1729*a^2*f*x^2*(b*x^3+a)^{(1/2)}/b+2/105*a^2*g*x^3*(b*x^3+a)^{(1/2)}/b+2/4849845*a*x*(138567*g*x^5+176715*f*x^4+233415*e*x^3+323323*d*x^2+479655*c*x)*(b*x^3+a)^{(1/2)}+54/1729*a^2*(-4*a*f+19*b*c)*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/1729*3^{(1/4)}*a^{(7/3)}*(-4*a*f+19*b*c)*(a^{(1/3)}+b^{(1/3)}*x)*EllipticE((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)})))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-18/1616615*3^{(3/4)}*a^{(7/3)}*(a^{(1/3)}+b^{(1/3)}*x)*EllipticF((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)})))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(3458*a^{(2/3)}*b^{(1/3)}*e+935*(-4*a*f+19*b*c)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.24, antiderivative size = 723, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {1826, 1836, 1888, 1886, 261, 1878, 218, 1877}

$$18 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{7/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} (3458a^{2/3} \sqrt[3]{b}e + 935(1 - \sqrt{3})(19bc - 4af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{a} + \sqrt[3]{b}x}{\sqrt[3]{a} + \sqrt[3]{b}x}\right)\right)$$

$$1616615b^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] $(2*a^2*(7*b*d - 2*a*g)*\text{Sqrt}[a + b*x^3])/(105*b^2) + (54*a^2*e*x*\text{Sqrt}[a + b*x^3])/(935*b) + (54*a^2*f*x^2*\text{Sqrt}[a + b*x^3])/(1729*b) + (2*a^2*g*x^3*\text{Sqrt}[a + b*x^3])/(105*b)$

$$\begin{aligned} & [a + b*x^3]/(105*b) + (54*a^2*(19*b*c - 4*a*f)*\text{Sqrt}[a + b*x^3])/(1729*b^{(5/3)}*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})) + (2*x*(a + b*x^3)^{(3/2)}*(33915*c*x + 29393*d*x^2 + 25935*e*x^3 + 23205*f*x^4 + 20995*g*x^5))/440895 + (2*a*x*\text{Sqrt}[a + b*x^3]*(479655*c*x + 323323*d*x^2 + 233415*e*x^3 + 176715*f*x^4 + 138567*g*x^5))/4849845 - (27*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(7/3)}*(19*b*c - 4*a*f)*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2})]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}), -7 - 4*\text{Sqrt}[3]])/(1729*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) - (18*3^{(3/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{(7/3)}*(3458*a^{(2/3)*b^{(1/3)*e}} + 935*(1 - \text{Sqrt}[3])*(19*b*c - 4*a*f))*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x}} + b^{(2/3)*x^2})]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x}), -7 - 4*\text{Sqrt}[3]])/(1616615*b^{(5/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})]/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) \end{aligned}$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)]/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]]]/(3^(1/4)*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] & & PosQ[a]
```

Rule 261

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 1826

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1836

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(m + q + n*p + 1)), Int[(c*x)^m*ExpandToSum[b*(m + q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*
```

$(m + q - n + 1)x^{(q - n)}, x](a + bx^n)^p, x] + \text{Simp}[(\text{Pqq}(cx)^{(m + q - n + 1)}(a + bx^n)^{(p + 1)})/(b^m c^{(q - n + 1)}(m + q + n^p + 1)), x] /;$
 $\text{NeQ}[m + q + n^p + 1, 0] \ \&\& \ q - n \geq 0 \ \&\& \ (\text{IntegerQ}[2^p] \ || \ \text{IntegerQ}[p + (q + 1)/(2^n)]) /;$
 $\text{FreeQ}\{a, b, c, m, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rule 1877

$\text{Int}[(c_ + (d_)(x_))/\text{Sqrt}[a_ + (b_)(x_)^3], x_Symbol] \ :> \ \text{With}\{r = \text{N}$
 $\text{umer}[\text{Simplify}[(1 - \text{Sqrt}[3])d]/c], s = \text{Denom}[\text{Simplify}[(1 - \text{Sqrt}[3])d]/c]$
 $\}, \text{Simp}[(2^m d^3 \text{Sqrt}[a + bx^3])/(a^m r^2 ((1 + \text{Sqrt}[3])s + rx)), x] - \text{S}$
 $\text{imp}[(3^{1/4})\text{Sqrt}[2 - \text{Sqrt}[3]]d^m (s + rx)\text{Sqrt}[(s^2 - r^m s x + r^{2m} x^2)/($
 $(1 + \text{Sqrt}[3])s + rx]^2 \text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])s + rx]/((1 + \text{Sq}$
 $\text{rt}[3])s + rx)], -7 - 4\text{Sqrt}[3]])/(r^{2m} \text{Sqrt}[a + bx^3] \text{Sqrt}[(s(s + rx))/$
 $((1 + \text{Sqrt}[3])s + rx)^2]), x] /;$
 $\text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{Eq}$
 $\text{Q}[b^m c^3 - 2^m (5 - 3\text{Sqrt}[3])a^m d^3, 0]$

Rule 1878

$\text{Int}[(c_ + (d_)(x_))/\text{Sqrt}[a_ + (b_)(x_)^3], x_Symbol] \ :> \ \text{With}\{r = \text{N}$
 $\text{umer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c^m r - (1 - \text{Sqrt}[3])d^m s)/r,$
 $\text{Int}[1/\text{Sqrt}[a + bx^3], x], x] + \text{Dist}[d/r, \text{Int}[(1 - \text{Sqrt}[3])s + rx]/\text{Sqrt}$
 $[a + bx^3], x], x] /;$
 $\text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b^m c^3 - 2^m$
 $(5 - 3\text{Sqrt}[3])a^m d^3, 0]$

Rule 1886

$\text{Int}[(Pq_)((a_ + (b_)(x_)^{(n_)})^{(p_)}, x_Symbol] \ :> \ \text{Dist}[\text{Coeff}[Pq, x, n -$
 $1], \text{Int}[x^{(n - 1)}(a + bx^n)^p, x], x] + \text{Int}[\text{ExpandToSum}[Pq - \text{Coeff}[Pq, x$
 $, n - 1]x^{(n - 1)}, x](a + bx^n)^p, x] /;$
 $\text{FreeQ}\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{Expon}[Pq, x] == n - 1$

Rule 1888

$\text{Int}[(Pq_)((a_ + (b_)(x_)^{(n_)})^{(p_)}, x_Symbol] \ :> \ \text{With}\{q = \text{Expon}[Pq, x$
 $]\}, \text{With}\{Pqq = \text{Coeff}[Pq, x, q]\}, \text{Dist}[1/(b^m (q + n^p + 1)), \text{Int}[\text{ExpandToSum}$
 $[b^m (q + n^p + 1)(Pq - Pqq x^q) - a^m Pqq (q - n + 1)x^{(q - n)}, x](a + bx^n)^p,$
 $x] + \text{Simp}[(Pqq x^{(q - n + 1)}(a + bx^n)^{(p + 1)})/(b^m (q + n^p + 1$
 $)), x] /;$
 $\text{NeQ}[q + n^p + 1, 0] \ \&\& \ q - n \geq 0 \ \&\& \ (\text{IntegerQ}[2^p] \ || \ \text{IntegerQ}[p + (q + 1)/(2^n)]) /;$
 $\text{FreeQ}\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned}
\int x(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)dx &= \frac{2x(a+bx^3)^{3/2}(33915cx+29393dx^2+25935ex^3+23205fx^4)}{440895} \\
&= \frac{2x(a+bx^3)^{3/2}(33915cx+29393dx^2+25935ex^3+23205fx^4)}{440895} \\
&= \frac{2a^2gx^3\sqrt{a+bx^3}}{105b} + \frac{2x(a+bx^3)^{3/2}(33915cx+29393dx^2+25935ex^3+23205fx^4)}{440895} \\
&= \frac{54a^2fx^2\sqrt{a+bx^3}}{1729b} + \frac{2a^2gx^3\sqrt{a+bx^3}}{105b} + \frac{2x(a+bx^3)^{3/2}(33915cx+29393dx^2+25935ex^3+23205fx^4)}{440895} \\
&= \frac{54a^2ex\sqrt{a+bx^3}}{935b} + \frac{54a^2fx^2\sqrt{a+bx^3}}{1729b} + \frac{2a^2gx^3\sqrt{a+bx^3}}{105b} + \frac{2x(a+bx^3)^{3/2}(33915cx+29393dx^2+25935ex^3+23205fx^4)}{440895} \\
&= \frac{54a^2ex\sqrt{a+bx^3}}{935b} + \frac{54a^2fx^2\sqrt{a+bx^3}}{1729b} + \frac{2a^2gx^3\sqrt{a+bx^3}}{105b} + \frac{2x(a+bx^3)^{3/2}(33915cx+29393dx^2+25935ex^3+23205fx^4)}{440895} \\
&= \frac{2a^2(7bd-2ag)\sqrt{a+bx^3}}{105b^2} + \frac{54a^2ex\sqrt{a+bx^3}}{935b} + \frac{54a^2fx^2\sqrt{a+bx^3}}{1729b} + \frac{2x(a+bx^3)^{3/2}(33915cx+29393dx^2+25935ex^3+23205fx^4)}{440895} \\
&= \frac{2a^2(7bd-2ag)\sqrt{a+bx^3}}{105b^2} + \frac{54a^2ex\sqrt{a+bx^3}}{935b} + \frac{54a^2fx^2\sqrt{a+bx^3}}{1729b} + \frac{2x(a+bx^3)^{3/2}(33915cx+29393dx^2+25935ex^3+23205fx^4)}{440895}
\end{aligned}$$

Mathematica [C] time = 0.37, size = 148, normalized size = 0.20

$$\frac{\sqrt{a+bx^3} \left(7980a^2bex {}_2F_1\left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right) + 1785abx^2(4af-19bc) {}_2F_1\left(-\frac{3}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right) + 4(a+bx^3)^2 \sqrt{\frac{bx^3}{a}} + 67830b^2 \sqrt{\frac{bx^3}{a} + 1} \right)}{67830b^2 \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]

[Out] -1/67830*(Sqrt[a + b*x^3]*(4*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*(-2261*b*d + 646*a*g - 5*b*x*(399*e + 17*x*(21*f + 19*g*x))) + 7980*a^2*b*e*x*Hypergeom

etric2F1[-3/2, 1/3, 4/3, -((b*x^3)/a)] + 1785*a*b*(-19*b*c + 4*a*f)*x^2*Hypergeometric2F1[-3/2, 2/3, 5/3, -((b*x^3)/a)))/(b^2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.65, size = 0, normalized size = 0.00

integral((b*g*x^8 + b*f*x^7 + b*e*x^6 + (b*d + a*g)*x^5 + a*e*x^3 + (b*c + a*f)*x^4 + a*d*x^2 + a*c*x)*sqrt(b*x^3 + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] integral((b*g*x^8 + b*f*x^7 + b*e*x^6 + (b*d + a*g)*x^5 + a*e*x^3 + (b*c + a*f)*x^4 + a*d*x^2 + a*c*x)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)*x, x)

maple [B] time = 0.05, size = 1383, normalized size = 1.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] g*(2/21*(b*x^3+a)^(1/2)*b*x^9+16/105*(b*x^3+a)^(1/2)*a*x^6+2/105*(b*x^3+a)^(1/2)*a^2/b*x^3-4/105*(b*x^3+a)^(1/2)*a^3/b^2)+f*(2/19*(b*x^3+a)^(1/2)*b*x^8+44/247*(b*x^3+a)^(1/2)*a*x^5+54/1729*(b*x^3+a)^(1/2)*a^2/b*x^2+72/1729*I*a^3/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)

$$\begin{aligned} & /b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+e*(2/17*(b*x^3+a)^{(1/2)*b*x^7+40/187*(b*x^3+a)^{(1/2)*a*x^4+54/935*(b*x^3+a)^{(1/2)*a^2/b*x+36/935*I*a^3/b^2*3^{(1/2)*(-a*b^2)^{(1/3)*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b))^{(1/2)*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)/(b*x^3+a)^{(1/2)*EllipticF(1/3*3^{(1/2)*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+2/15*d/b*(b*x^3+a)^{(5/2)+c*(2/13*b*x^5*(b*x^3+a)^{(1/2)+32/91*(b*x^3+a)^{(1/2)*a*x^2-18/91*I*a^2*3^{(1/2)*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b))^{(1/2)*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)/(b*x^3+a)^{(1/2)*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)*E llipticE(1/3*3^{(1/2)*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*Ellip ticF(1/3*3^{(1/2)*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))))
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)*x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x (bx^3 + a)^{\frac{3}{2}} (gx^4 + fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int(x*(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 10.78, size = 525, normalized size = 0.73

$$\frac{a^{\frac{3}{2}}cx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}}ex^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{3}{2}}fx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{8}{3}\right)} + \frac{\sqrt{a}bcx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**(3/2)*c*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + a**(3/2)*e*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(3/2)*f*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*b*c*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*b*e*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*b*f*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + a*d*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + a*g*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True)) + b*d*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True)) + b*g*Piecewise((16*a**3*sqrt(a + b*x**3)/(315*b**3) - 8*a**2*x**3*sqrt(a + b*x**3)/(315*b**2) + 2*a*x**6*sqrt(a + b*x**3)/(105*b) + 2*x**9*sqrt(a + b*x**3)/21, Ne(b, 0)), (sqrt(a)*x**9/9, True))

$$3.461 \quad \int (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx$$

Optimal. Leaf size=694

$$\frac{27\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{7/3}(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}(19bd-4ag)E\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{1729b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

[Out] $2/692835*(b*x^3+a)^{(3/2)}*(36465*g*x^5+40755*f*x^4+46189*e*x^3+53295*d*x^2+62985*c*x)+2/15*a^2*e*(b*x^3+a)^{(1/2)}/b+54/935*a^2*f*x*(b*x^3+a)^{(1/2)}/b+54/1729*a^2*g*x^2*(b*x^3+a)^{(1/2)}/b+2/4849845*a*(176715*g*x^5+233415*f*x^4+323323*e*x^3+479655*d*x^2+793611*c*x)*(b*x^3+a)^{(1/2)}/b+54/1729*a^2*(-4*a*g+19*b*d)*(b*x^3+a)^{(1/2)}/b^{(5/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/1729*3^{(1/4)}*a^{(7/3)}*(-4*a*g+19*b*d)*(a^{(1/3)}+b^{(1/3)}*x)*EllipticE((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}+18/1616615*3^{(3/4)}*a^2*(a^{(1/3)}+b^{(1/3)}*x)*EllipticF((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))),I*3^{(1/2)}+2*I)*(1729*b^{(1/3)}*(-2*a*f+17*b*c)-935*a^{(1/3)}*(-4*a*g+19*b*d)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/b^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 0.90, antiderivative size = 694, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {1853, 1888, 1886, 261, 1878, 218, 1877}

$$18\sqrt[3]{3}\sqrt{2+\sqrt{3}}a^2(\sqrt[3]{a}+\sqrt[3]{b}x)\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{b}x+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)(1729\sqrt[3]{b}(17bc-2a^2))}{1616615b^{5/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{b}x)^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x]

[Out] $(2*a^2*e*\text{Sqrt}[a + b*x^3])/(15*b) + (54*a^2*f*x*\text{Sqrt}[a + b*x^3])/(935*b) + (54*a^2*g*x^2*\text{Sqrt}[a + b*x^3])/(1729*b) + (54*a^2*(19*b*d - 4*a*g)*\text{Sqrt}[a +$

$$\begin{aligned} & b*x^3)/(1729*b^{(5/3)*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})} + (2*(a + b*x^3) \\ & ^{(3/2)*(62985*c*x + 53295*d*x^2 + 46189*e*x^3 + 40755*f*x^4 + 36465*g*x^5)) \\ & /692835 + (2*a*\text{Sqrt}[a + b*x^3]*(793611*c*x + 479655*d*x^2 + 323323*e*x^3 + \\ & 233415*f*x^4 + 176715*g*x^5))/4849845 - (27*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(7/ \\ & 3)*(19*b*d - 4*a*g)*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} \\ & + b^{(2/3)*x^2})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticE}[\text{ArcSin}[(1 \\ & - \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - \\ & 4*\text{Sqrt}[3]))/(1729*b^{(5/3)*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})]/((1 + \text{Sqrt}[\\ & 3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) + (18*3^{(3/4)}*\text{Sqrt}[2 + \text{Sqrt}[3] \\ &]*a^{(1/3)*((1729*b^{(1/3)}*(17*b*c - 2*a*f) - 935*(1 - \text{Sqrt}[3])*a^{(1/3)}*(19*b*d - \\ & 4*a*g)))*(a^{(1/3)} + b^{(1/3)*x})*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)*b^{(1/3)*x} + b^{(2/3)*x} \\ & ^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])* \\ & a^{(1/3)} + b^{(1/3)*x})/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)*x})], -7 - 4*\text{Sqrt}[3])) \\ & /((1616615*b^{(5/3)*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)*x})]/((1 + \text{Sqrt}[3])*a^{(1/ \\ & 3)} + b^{(1/3)*x})^2]*\text{Sqrt}[a + b*x^3]) \end{aligned}$$

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]
```

Rule 1853

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Module[{q = Expon[Pq
, x], i}, Simp[(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(n*p + i + 1),
{i, 0, q}], x] + Dist[a*n*p, Int[(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*
x^i)/(n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x]
&& IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
```

```
rt[3])*s + r*x]], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n -
1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x
, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq
, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x
]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum
[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^
n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1
)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[
p + (q + 1)/(2*n)]) /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4) dx &= \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 32400gx^5)}{692835} \\
&= \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 32400gx^5)}{692835} \\
&= \frac{54a^2gx^2\sqrt{a + bx^3}}{1729b} + \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 32400gx^5)}{692835} \\
&= \frac{54a^2fx\sqrt{a + bx^3}}{935b} + \frac{54a^2gx^2\sqrt{a + bx^3}}{1729b} + \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 32400gx^5)}{692835} \\
&= \frac{54a^2fx\sqrt{a + bx^3}}{935b} + \frac{54a^2gx^2\sqrt{a + bx^3}}{1729b} + \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 32400gx^5)}{692835} \\
&= \frac{2a^2e\sqrt{a + bx^3}}{15b} + \frac{54a^2fx\sqrt{a + bx^3}}{935b} + \frac{54a^2gx^2\sqrt{a + bx^3}}{1729b} + \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 32400gx^5)}{692835} \\
&= \frac{2a^2e\sqrt{a + bx^3}}{15b} + \frac{54a^2fx\sqrt{a + bx^3}}{935b} + \frac{54a^2gx^2\sqrt{a + bx^3}}{1729b} + \frac{2(a + bx^3)^{3/2} (62985cx + 53295dx^2 + 46189ex^3 + 40755fx^4 + 32400gx^5)}{692835}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 139, normalized size = 0.20

$$\frac{\sqrt{a + bx^3} \left(-570ax(2af - 17bc) {}_2F_1 \left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a} \right) - 255ax^2(4ag - 19bd) {}_2F_1 \left(-\frac{3}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a} \right) + 4(a + bx^3)^2 \sqrt{\frac{bx^3}{a}} \right)}{9690b\sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x]

[Out] (Sqrt[a + b*x^3]*(4*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*(323*e + 15*x*(19*f + 17*g*x)) - 570*a*(-17*b*c + 2*a*f)*x*Hypergeometric2F1[-3/2, 1/3, 4/3, -(b*x^3)/a] - 255*a*(-19*b*d + 4*a*g)*x^2*Hypergeometric2F1[-3/2, 2/3, 5/3, -(b*x^3)/a]))/(9690*b*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac\right)\sqrt{bx^3 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2), x)

maple [B] time = 0.06, size = 1629, normalized size = 2.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x)

[Out] g*(2/19*(b*x^3+a)^(1/2)*b*x^8+44/247*(b*x^3+a)^(1/2)*a*x^5+54/1729*(b*x^3+a)^(1/2)*a^2/b*x^2+72/1729*I*a^3/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+f*(2/17*(b*x^3+a)^(1/2)*b*x^7+40/187*(b*x^3+a)^(1/2)*a*x^4+54/935*(b*x^3+a)^(1/2)*a^2/b*x+36/935*I*a^3/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)

$$\frac{1}{2} * (-I * (x + 1/2 * (-a * b^2)^{1/3}) / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2} / (b * x^3 + a)^{1/2} * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3}) / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2})) + 2/15 * e / b * (b * x^3 + a)^{5/2} + d * (2/13 * (b * x^3 + a)^{1/2} * b * x^5 + 32/91 * (b * x^3 + a)^{1/2} * a * x^2 - 18/91 * I * a^2 * 3^{1/2} * (-a * b^2)^{1/3} / b * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} * ((x - (-a * b^2)^{1/3} / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b))^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} / (b * x^3 + a)^{1/2} * ((-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * \text{EllipticE}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2})) + (-a * b^2)^{1/3} / b * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2})) + c * (2/11 * (b * x^3 + a)^{1/2} * b * x^4 + 28/55 * (b * x^3 + a)^{1/2} * a * x - 18/55 * I * a^2 * 3^{1/2} * (-a * b^2)^{1/3} / b * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} * ((x - (-a * b^2)^{1/3} / b) / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b))^{1/2} * (-I * (x + 1/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2} / (b * x^3 + a)^{1/2} * \text{EllipticF}(1/3 * 3^{1/2} * (I * (x + 1/2 * (-a * b^2)^{1/3} / b - 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) * 3^{1/2} / (-a * b^2)^{1/3} * b)^{1/2}, (I * 3^{1/2} * (-a * b^2)^{1/3} / (-3/2 * (-a * b^2)^{1/3} / b + 1/2 * I * 3^{1/2} * (-a * b^2)^{1/3} / b) / b)^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (g x^4 + f x^3 + e x^2 + d x + c) (b x^3 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c),x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (b x^3 + a)^{\frac{3}{2}} (g x^4 + f x^3 + e x^2 + d x + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4),x)

[Out] int((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4), x)

sympy [A] time = 10.13, size = 444, normalized size = 0.64

$$\frac{a^{\frac{3}{2}}cx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}}dx^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}}fx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^{\frac{3}{2}}gx^5\Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{3} \\ \frac{8}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{8}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c),x)

[Out] a**(3/2)*c*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + a**(3/2)*d*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + a**(3/2)*f*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**(3/2)*g*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*b*c*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*b*d*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + sqrt(a)*b*f*x**7*gamma(7/3)*hyper((-1/2, 7/3), (10/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(10/3)) + sqrt(a)*b*g*x**8*gamma(8/3)*hyper((-1/2, 8/3), (11/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(11/3)) + a*e*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + b*e*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True))

$$3.462 \quad \int \frac{(a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4)}{x} dx$$

Optimal. Leaf size=676

$$\frac{27\sqrt[4]{3}\sqrt{2-\sqrt{3}}a^{7/3}e(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{91b^{2/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}} - \frac{2}{3}a^{3/2}c \tanh^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)$$

[Out] 2/109395*(b*x^3+a)^(3/2)*(6435*g*x^5+7293*f*x^4+8415*e*x^3+9945*d*x^2+12155*c*x)/x-2/3*a^(3/2)*c*arctanh((b*x^3+a)^(1/2)/a^(1/2))+2/15*a^2*f*(b*x^3+a)^(1/2)/b+54/935*a^2*g*x*(b*x^3+a)^(1/2)/b+2/255255*a*(12285*g*x^5+17017*f*x^4+25245*e*x^3+41769*d*x^2+85085*c*x)*(b*x^3+a)^(1/2)/x+54/91*a^2*e*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-27/91*3^(1/4)*a^(7/3)*e*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)+18/85085*3^(3/4)*a^2*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1547*b*d-182*a*g-935*a^(1/3)*b^(2/3)*e*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/b^(4/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)

Rubi [A] time = 0.71, antiderivative size = 676, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {1826, 1832, 266, 63, 208, 1888, 1886, 261, 1878, 218, 1877}

$$18\sqrt[3]{3}\sqrt{2+\sqrt{3}}a^2(\sqrt[3]{a}+\sqrt[3]{bx})\sqrt{\frac{a^{2/3}-\sqrt[3]{a}\sqrt[3]{bx}+b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}(-935(1-\sqrt{3})\sqrt[3]{a}b^{2/3}e-182ag+1547bd)F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx}+(1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{bx}+(1+\sqrt{3})\sqrt[3]{a}}\right)\middle| -7-4\sqrt{3}\right)}{85085b^{4/3}\sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a}+\sqrt[3]{bx})}{((1+\sqrt{3})\sqrt[3]{a}+\sqrt[3]{bx})^2}}\sqrt{a+bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x]

[Out] (2*a^2*f*Sqrt[a + b*x^3])/(15*b) + (54*a^2*g*x*Sqrt[a + b*x^3])/(935*b) + (54*a^2*e*Sqrt[a + b*x^3])/(91*b^(2/3)*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x))

$$\begin{aligned}
& + (2*(a + b*x^3)^{(3/2)}*(12155*c*x + 9945*d*x^2 + 8415*e*x^3 + 7293*f*x^4 + \\
& 6435*g*x^5))/(109395*x) + (2*a*Sqrt[a + b*x^3]*(85085*c*x + 41769*d*x^2 + 2 \\
& 5245*e*x^3 + 17017*f*x^4 + 12285*g*x^5))/(255255*x) - (2*a^{(3/2)}*c*ArcTanh[\\
& Sqrt[a + b*x^3]/Sqrt[a]]/3 - (27*3^{(1/4)}*Sqrt[2 - Sqrt[3]]*a^{(7/3)}*e*(a^{(1 \\
& /3)} + b^{(1/3)}*x)*Sqrt[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + Sqr \\
& t[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^{(1/3)} + b^{(\\
& 1/3)}*x)/((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*Sqrt[3]])/(91*b^{(2/3)}* \\
& Sqrt[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)}*x)^2] \\
& *Sqrt[a + b*x^3]) + (18*3^{(3/4)}*Sqrt[2 + Sqrt[3]]*a^2*(1547*b*d - 935*(1 - \\
& Sqrt[3])*a^{(1/3)}*b^{(2/3)}*e - 182*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*Sqrt[(a^{(2/3)} - \\
& a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*El \\
& lipticF[ArcSin[((1 - Sqrt[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + Sqrt[3])*a^{(1/3)} + \\
& b^{(1/3)}*x)], -7 - 4*Sqrt[3]])/(85085*b^{(4/3)}*Sqrt[(a^{(1/3)}*(a^{(1/3)} + b^{(1 \\
& /3)*x))/((1 + Sqrt[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*Sqrt[a + b*x^3])
\end{aligned}$$

Rule 63

```

Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 218

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^{(1/4)}*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]

```

Rule 261

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]

```

Rule 266

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[

```

```
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1826

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && EqQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r, Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1886

```
Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1
```

Rule 1888

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x} dx &= \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6415gx^5)}{109395x} \\
 &= \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6415gx^5)}{109395x} \\
 &= \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4 + 6415gx^5)}{109395x} \\
 &= \frac{54a^2gx\sqrt{a + bx^3}}{935b} + \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4)}{109395x} \\
 &= \frac{54a^2gx\sqrt{a + bx^3}}{935b} + \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3 + 7293fx^4)}{109395x} \\
 &= \frac{2a^2f\sqrt{a + bx^3}}{15b} + \frac{54a^2gx\sqrt{a + bx^3}}{935b} + \frac{2(a + bx^3)^{3/2} (12155cx + 9945dx^2 + 8415ex^3)}{109395x} \\
 &= \frac{2a^2f\sqrt{a + bx^3}}{15b} + \frac{54a^2gx\sqrt{a + bx^3}}{935b} + \frac{54a^2e\sqrt{a + bx^3}}{91b^{2/3}((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{a})}
 \end{aligned}$$

Mathematica [C] time = 0.58, size = 215, normalized size = 0.32

$$\frac{4\sqrt{\frac{bx^3}{a}} + 1 \left(\sqrt{a + bx^3} (a^2(51f + 45gx) + 2ab(170c + 51fx^3 + 45gx^4) + b^2x^3(85c + 51fx^3 + 45gx^4)) - 255a^{3/2}b \right)}{1530b\sqrt{\frac{bx^3}{a}}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x]

[Out] (4*Sqrt[1 + (b*x^3)/a]*(Sqrt[a + b*x^3]*(a^2*(51*f + 45*g*x) + b^2*x^3*(85*c + 51*f*x^3 + 45*g*x^4) + 2*a*b*(170*c + 51*f*x^3 + 45*g*x^4)) - 255*a^(3/2)*b*c*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]) - 90*a*(-17*b*d + 2*a*g)*x*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, 1/3, 4/3, -((b*x^3)/a)] + 765*a*b*e*x^2*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, 2/3, 5/3, -((b*x^3)/a)]/(1530*b*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x, x)

maple [B] time = 0.06, size = 1188, normalized size = 1.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x,x)`

[Out] `g*(2/17*(b*x^3+a)^(1/2)*b*x^7+40/187*(b*x^3+a)^(1/2)*a*x^4+54/935*(b*x^3+a)^(1/2)*a^2/b*x+36/935*I*a^3/b^2*3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+2/15*f/b*(b*x^3+a)^(5/2)+e*(2/13*(b*x^3+a)^(1/2)*b*x^5+32/91*(b*x^3+a)^(1/2)*a*x^2-18/91*I*a^2*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+(-a*b^2)^(1/3)/b*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+d*(2/11*(b*x^3+a)^(1/2)*b*x^4+28/55*(b*x^3+a)^(1/2)*a*x-18/55*I*a^2*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2), (I*3^(1/2)*(-a*b^2)^(1/3)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)/b)^(1/2)))+c*(2/9*(b*x^3+a)^(1/2)*b*x^3+8/9*(b*x^3+a)^(1/2)*a-2/3*a^(3/2)*arctanh((b*x^3+a)^(1/2)/a^(1/2)))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x,x, algorithm="maxima")`

[Out] `integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x, x)

sympy [A] time = 23.74, size = 473, normalized size = 0.70

$$\frac{2a^{\frac{3}{2}}c \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{\frac{3}{2}}}\right)}{3} + \frac{a^{\frac{3}{2}}dx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}}ex^2\Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}}gx^4\Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{4}{3} \\ \frac{7}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3\Gamma\left(\frac{7}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x,x)

[Out] $-2*a^{3/2}*c*\operatorname{asinh}(\operatorname{sqrt}(a)/(\operatorname{sqrt}(b)*x^{3/2}))/3 + a^{3/2}*d*x*\operatorname{gamma}(1/3)*\operatorname{hyper}((-1/2, 1/3), (4/3,), b*x^{3/2}*\operatorname{exp_polar}(I*\pi)/a)/(3*\operatorname{gamma}(4/3)) + a^{3/2}*e*x^2*\operatorname{gamma}(2/3)*\operatorname{hyper}((-1/2, 2/3), (5/3,), b*x^{3/2}*\operatorname{exp_polar}(I*\pi)/a)/(3*\operatorname{gamma}(5/3)) + a^{3/2}*g*x^4*\operatorname{gamma}(4/3)*\operatorname{hyper}((-1/2, 4/3), (7/3,), b*x^{3/2}*\operatorname{exp_polar}(I*\pi)/a)/(3*\operatorname{gamma}(7/3)) + \operatorname{sqrt}(a)*b*d*x^4*\operatorname{gamma}(4/3)*\operatorname{hyper}((-1/2, 4/3), (7/3,), b*x^{3/2}*\operatorname{exp_polar}(I*\pi)/a)/(3*\operatorname{gamma}(7/3)) + \operatorname{sqrt}(a)*b*e*x^5*\operatorname{gamma}(5/3)*\operatorname{hyper}((-1/2, 5/3), (8/3,), b*x^{3/2}*\operatorname{exp_polar}(I*\pi)/a)/(3*\operatorname{gamma}(8/3)) + \operatorname{sqrt}(a)*b*g*x^7*\operatorname{gamma}(7/3)*\operatorname{hyper}((-1/2, 7/3), (10/3,), b*x^{3/2}*\operatorname{exp_polar}(I*\pi)/a)/(3*\operatorname{gamma}(10/3)) + 2*a**2*c/(3*\operatorname{sqrt}(b)*x^{3/2}*\operatorname{sqrt}(a/(b*x^{3/2} + 1))) + 2*a*\operatorname{sqrt}(b)*c*x^{3/2}/(3*\operatorname{sqrt}(a/(b*x^{3/2} + 1))) + a*f*\operatorname{Piecewise}((\operatorname{sqrt}(a)*x^{3/3}, \operatorname{Eq}(b, 0)), (2*(a + b*x^{3/2})/(9*b), \operatorname{True})) + b*c*\operatorname{Piecewise}((\operatorname{sqrt}(a)*x^{3/3}, \operatorname{Eq}(b, 0)), (2*(a + b*x^{3/2})/(9*b), \operatorname{True})) + b*f*\operatorname{Piecewise}((-4*a**2*\operatorname{sqrt}(a + b*x^{3/2})/(45*b**2) + 2*a*x^{3/2}*\operatorname{sqrt}(a + b*x^{3/2})/(45*b) + 2*x^6*\operatorname{sqrt}(a + b*x^{3/2})/15, \operatorname{Ne}(b, 0)), (\operatorname{sqrt}(a)*x^{6/6}, \operatorname{True}))$

$$3.463 \quad \int \frac{(a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4)}{x^2} dx$$

Optimal. Leaf size=692

$$\frac{9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{4/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (182 a^{2/3} \sqrt[3]{b} e - 55 (1 - \sqrt{3}) (2af + 13bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + \sqrt[3]{a}}{\sqrt[3]{b} x + \sqrt[3]{a}}\right)\right)}{5005 b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

[Out] $2/45045*(b*x^3+a)^{(3/2)}*(3003*g*x^5+3465*f*x^4+4095*e*x^3+5005*d*x^2+6435*c*x)/x^2-2/3*a^{(3/2)}*d*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})+2/15*a^2*g*(b*x^3+a)^{(1/2)}/b-27/7*a*c*(b*x^3+a)^{(1/2)}/x+2/15015*a*(1001*g*x^5+1485*f*x^4+2457*e*x^3+5005*d*x^2+19305*c*x)*(b*x^3+a)^{(1/2)}/x^2+27/91*a*(2*a*f+13*b*c)*(b*x^3+a)^{(1/2)}/b^{(2/3)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/182*3^{(1/4)}*a^{(4/3)}*(2*a*f+13*b*c)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)})))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))^{(1/2)}+9/5005*3^{(3/4)}*a^{(4/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)})))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(182*a^{(2/3)}*b^{(1/3)}*e-55*(2*a*f+13*b*c)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*(a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))^{(1/2)}/b^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))^{(1/2)}$

Rubi [A] time = 0.79, antiderivative size = 692, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1886, 261, 1878, 218, 1877}

$$\frac{9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a^{4/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (182 a^{2/3} \sqrt[3]{b} e - 55 (1 - \sqrt{3}) (2af + 13bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + \sqrt[3]{a}}{\sqrt[3]{b} x + \sqrt[3]{a}}\right)\right)}{5005 b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*x^3)^{(3/2)}*(c + d*x + e*x^2 + f*x^3 + g*x^4)/x^2, x]$

[Out] $(2*a^2*g*\operatorname{Sqrt}[a + b*x^3])/(15*b) - (27*a*c*\operatorname{Sqrt}[a + b*x^3])/(7*x) + (27*a*(13*b*c + 2*a*f)*\operatorname{Sqrt}[a + b*x^3])/(91*b^{(2/3)}*((1 + \operatorname{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}$

```

3)*x)) + (2*a*Sqrt[a + b*x^3]*(19305*c*x + 5005*d*x^2 + 2457*e*x^3 + 1485*f
*x^4 + 1001*g*x^5))/(15015*x^2) + (2*(a + b*x^3)^(3/2)*(6435*c*x + 5005*d*x
^2 + 4095*e*x^3 + 3465*f*x^4 + 3003*g*x^5))/(45045*x^2) - (2*a^(3/2)*d*ArcT
anh[Sqrt[a + b*x^3]/Sqrt[a]])/3 - (27*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(4/3)*(13
*b*c + 2*a*f)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(
2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqr
t[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqr
t[3]])/(182*b^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(
1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (9*3^(3/4)*Sqrt[2 + Sqrt[3]]*a^(4/3
)*(182*a^(2/3)*b^(1/3)*e - 55*(1 - Sqrt[3])*(13*b*c + 2*a*f))*(a^(1/3) + b^
(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^
(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/
((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(5005*b^(2/3)*Sqrt[(
a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[
a + b*x^3])

```

Rule 63

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 218

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]

```

Rule 261

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)
^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&
NeQ[p, -1]

```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1826

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
```

$[a + b*x^3], x], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1886

$\text{Int}[(\text{Pq}_*)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] \ :> \ \text{Dist}[\text{Coeff}[\text{Pq}, x, n - 1], \text{Int}[x^(n - 1)*(a + b*x^n)^p, x] + \text{Int}[\text{ExpandToSum}[\text{Pq} - \text{Coeff}[\text{Pq}, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; \text{FreeQ}[\{a, b, p\}, x] \ \&\& \ \text{PolyQ}[\text{Pq}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{Expon}[\text{Pq}, x] == n - 1$

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^2} dx &= \frac{2(a + bx^3)^{3/2} (6435cx + 5005dx^2 + 4095ex^3 + 3465fx^4 + 3003g)}{45045x^2} \\ &= \frac{2a\sqrt{a + bx^3} (19305cx + 5005dx^2 + 2457ex^3 + 1485fx^4 + 1001g)}{15015x^2} \\ &= -\frac{27ac\sqrt{a + bx^3}}{7x} + \frac{2a\sqrt{a + bx^3} (19305cx + 5005dx^2 + 2457ex^3)}{15015x^2} \\ &= -\frac{27ac\sqrt{a + bx^3}}{7x} + \frac{2a\sqrt{a + bx^3} (19305cx + 5005dx^2 + 2457ex^3)}{15015x^2} \\ &= -\frac{27ac\sqrt{a + bx^3}}{7x} + \frac{2a\sqrt{a + bx^3} (19305cx + 5005dx^2 + 2457ex^3)}{15015x^2} \\ &= \frac{2a^2g\sqrt{a + bx^3}}{15b} - \frac{27ac\sqrt{a + bx^3}}{7x} + \frac{2a\sqrt{a + bx^3} (19305cx + 5005dx^2 + 2457ex^3)}{15015x^2} \\ &= \frac{2a^2g\sqrt{a + bx^3}}{15b} - \frac{27ac\sqrt{a + bx^3}}{7x} + \frac{27a(13bc + 2af)\sqrt{a + bx^3}}{91b^{2/3} ((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx^3})} \end{aligned}$$

Mathematica [C] time = 0.45, size = 224, normalized size = 0.32

$$\frac{2}{9}d \left(\sqrt{a+bx^3} (4a+bx^3) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a+bx^3}}{\sqrt{a}} \right) \right) - \frac{ac\sqrt{a+bx^3} {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{3}; \frac{2}{3}; -\frac{bx^3}{a} \right)}{x\sqrt{\frac{bx^3}{a}+1}} + \frac{aex\sqrt{a+bx^3} {}_2F_1 \left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a} \right)}{\sqrt{\frac{bx^3}{a}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2,x]

[Out] (2*g*(a + b*x^3)^(5/2))/(15*b) + (2*d*(Sqrt[a + b*x^3]*(4*a + b*x^3) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]))/9 - (a*c*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -1/3, 2/3, -((b*x^3)/a)])/(x*Sqrt[1 + (b*x^3)/a]) + (a*e*x*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, 1/3, 4/3, -((b*x^3)/a)]/Sqrt[1 + (b*x^3)/a]) + (a*f*x^2*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, 2/3, 5/3, -((b*x^3)/a)])/(2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^2, x)

maple [B] time = 0.06, size = 1317, normalized size = 1.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x^3+a)^{(3/2)}*(g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x)$

[Out] $2/15*g/b*(b*x^3+a)^{(5/2)}+f*(2/13*(b*x^3+a)^{(1/2)}*b*x^5+32/91*(b*x^3+a)^{(1/2)}*a*x^2-18/91*I*a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+e*(2/11*(b*x^3+a)^{(1/2)}*b*x^4+28/55*(b*x^3+a)^{(1/2)}*a*x-18/55*I*a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+c*(-a*(b*x^3+a)^{(1/2)}/x+2/7*(b*x^3+a)^{(1/2)}*b*x^2-9/7*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)})))+d*(2/9*(b*x^3+a)^{(1/2)}*b*x^3+8/9*(b*x^3+a)^{(1/2)}*a-2/3*a^{(3/2)}*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^2,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^2, x)

sympy [A] time = 13.43, size = 474, normalized size = 0.68

$$\frac{a^{\frac{3}{2}} c \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x \Gamma\left(\frac{2}{3}\right)} - \frac{2a^{\frac{3}{2}} d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^3}}\right)}{3} + \frac{a^{\frac{3}{2}} e x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3 \Gamma\left(\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}} f x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{2}{3} \\ \frac{5}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3 \Gamma\left(\frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**2,x)

[Out] a**(3/2)*c*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*a**(3/2)*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + a**(3/2)*e*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + a**(3/2)*f*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*c*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*e*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*b*f*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + 2*a**2*d/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*a*sqrt(b)*d*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + a*g*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + b*d*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True)) + b*g*Piecewise((-4*a**2*sqrt(a + b*x**3)/(45*b**2) + 2*a*x**3*sqrt(a + b*x**3)/(45*b) + 2*x**6*sqrt(a + b*x**3)/15, Ne(b, 0)), (sqrt(a)*x**6/6, True))

$$3.464 \quad \int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^3} dx$$

Optimal. Leaf size=694

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{bx} \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} F \left(\sin^{-1} \left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1 + \sqrt{3}) \sqrt[3]{a}} \right) \middle| -7 - 4\sqrt{3} \right) (91 \sqrt[3]{b} (4af + 11bc) - 1$$

$$10010b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}$$

[Out] 2/45045*(b*x^3+a)^(3/2)*(3465*g*x^5+4095*f*x^4+5005*e*x^3+6435*d*x^2+9009*c*x)/x^3-2/3*a^(3/2)*e*arctanh((b*x^3+a)^(1/2)/a^(1/2))+27/10*a*c*(b*x^3+a)^(1/2)/x^2-27/7*a*d*(b*x^3+a)^(1/2)/x-2/15015*a*(-1485*g*x^5-2457*f*x^4-5005*e*x^3-19305*d*x^2+27027*c*x)*(b*x^3+a)^(1/2)/x^3+27/91*a*(2*a*g+13*b*d)*(b*x^3+a)^(1/2)/b^(2/3)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-27/182*3^(1/4)*a^(4/3)*(2*a*g+13*b*d)*(a^(1/3)+b^(1/3)*x)*EllipticE((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)+9/10010*3^(3/4)*a*(a^(1/3)+b^(1/3)*x)*EllipticF((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))),I*3^(1/2)+2*I)*(91*b^(1/3)*(4*a*f+11*b*c)-110*a^(1/3)*(2*a*g+13*b*d)*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)/b^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^2)^(1/2)

Rubi [A] time = 0.89, antiderivative size = 694, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{bx} \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} F \left(\sin^{-1} \left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{bx} + (1 + \sqrt{3}) \sqrt[3]{a}} \right) \middle| -7 - 4\sqrt{3} \right) (91 \sqrt[3]{b} (4af + 11bc) - 1$$

$$10010b^{2/3} \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{bx})}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3,x]

[Out] (27*a*c*Sqrt[a + b*x^3])/(10*x^2) - (27*a*d*Sqrt[a + b*x^3])/(7*x) + (27*a*(13*b*d + 2*a*g)*Sqrt[a + b*x^3])/(91*b^(2/3)*((1 + Sqrt[3])*a^(1/3) + b^(1

$$\begin{aligned} & /3)x)) - (2*a*\text{Sqrt}[a + b*x^3]*(27027*c*x - 19305*d*x^2 - 5005*e*x^3 - 2457 \\ & *f*x^4 - 1485*g*x^5))/(15015*x^3) + (2*(a + b*x^3)^{(3/2)}*(9009*c*x + 6435*d \\ & *x^2 + 5005*e*x^3 + 4095*f*x^4 + 3465*g*x^5))/(45045*x^3) - (2*a^{(3/2)}*e*\text{Ar} \\ & \text{cTanh}[\text{Sqrt}[a + b*x^3]/\text{Sqrt}[a]])/3 - (27*3^{(1/4)}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{(4/3)}*(\\ & 13*b*d + 2*a*g)*(a^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b \\ & ^{(2/3)}*x^2)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticE}[\text{ArcSin}[(1 - \text{S} \\ & \text{qrt}[3])*a^{(1/3)} + b^{(1/3)}*x)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{S} \\ & \text{qrt}[3]])/(182*b^{(2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a \\ & ^{(1/3)} + b^{(1/3)}*x)^2]*\text{Sqrt}[a + b*x^3]) + (9*3^{(3/4)}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a*(9 \\ & 1*b^{(1/3)}*(11*b*c + 4*a*f) - 110*(1 - \text{Sqrt}[3])*a^{(1/3)}*(13*b*d + 2*a*g))*(a \\ & ^{(1/3)} + b^{(1/3)}*x)*\text{Sqrt}[(a^{(2/3)} - a^{(1/3)}*b^{(1/3)}*x + b^{(2/3)}*x^2)/((1 + \\ & \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{(1/3)} + \\ & b^{(1/3)}*x)/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)}*x)], -7 - 4*\text{Sqrt}[3]])/(10010*b^{(\\ & 2/3)}*\text{Sqrt}[(a^{(1/3)}*(a^{(1/3)} + b^{(1/3)}*x))/((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)} \\ & *x)^2]*\text{Sqrt}[a + b*x^3]) \end{aligned}$$

Rule 63

$$\text{Int}[(a_. + (b_.)*(x_.))^m*((c_.) + (d_.)*(x_.))^n, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$$

Rule 208

$$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$$

Rule 218

$$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^3], x_Symbol] \rightarrow \text{With}[\{r = \text{Numer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Simp}[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s + r*x)/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]])/(3^{(1/4)}*r*\text{Sqrt}[a + b*x^3]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a]$$

Rule 266

$$\text{Int}[(x_)^m*((a_) + (b_.)*(x_)^n)^p, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p, x}], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$$

Rule 1826

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^3} dx &= \frac{2(a + bx^3)^{3/2} (9009cx + 6435dx^2 + 5005ex^3 + 4095fx^4 + 346}{45045x^3} \\
&= -\frac{2a\sqrt{a + bx^3} (27027cx - 19305dx^2 - 5005ex^3 - 2457fx^4 - 14}{15015x^3} \\
&= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{2a\sqrt{a + bx^3} (27027cx - 19305dx^2 - 5005ex^3}{15015x^3} \\
&= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{27ad\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (27027cx - 19}{15015x^3} \\
&= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{27ad\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (27027cx - 19}{15015x^3} \\
&= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{27ad\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (27027cx - 19}{15015x^3} \\
&= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{27ad\sqrt{a + bx^3}}{7x} + \frac{27a(13bd + 2ag)\sqrt{a + bx^3}}{91b^{2/3} \left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} \right)} \\
&= \frac{27ac\sqrt{a + bx^3}}{10x^2} - \frac{27ad\sqrt{a + bx^3}}{7x} + \frac{27a(13bd + 2ag)\sqrt{a + bx^3}}{91b^{2/3} \left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} \right)}
\end{aligned}$$

Mathematica [C] time = 0.43, size = 232, normalized size = 0.33

$$\frac{4ex^2\sqrt{\frac{bx^3}{a}} + 1 \left(\sqrt{a + bx^3} (4a + bx^3) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a+bx^3}}{\sqrt{a}} \right) \right) - 9ac\sqrt{a + bx^3} {}_2F_1 \left(-\frac{3}{2}, -\frac{2}{3}; \frac{1}{3}; -\frac{bx^3}{a} \right) - 18adx\sqrt{a + bx^3}}{18x^2\sqrt{\frac{bx^3}{a}}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3,x]

[Out] $(4e*x^2*\sqrt{1 + (b*x^3)/a}*(\sqrt{a + b*x^3}*(4*a + b*x^3) - 3*a^{(3/2)}*\text{ArcTanh}[\sqrt{a + b*x^3}/\sqrt{a}]) - 9*a*c*\sqrt{a + b*x^3}*\text{Hypergeometric2F1}[-3/2, -2/3, 1/3, -((b*x^3)/a)] - 18*a*d*x*\sqrt{a + b*x^3}*\text{Hypergeometric2F1}[-3/2, -1/3, 2/3, -((b*x^3)/a)] + 18*a*f*x^3*\sqrt{a + b*x^3}*\text{Hypergeometric2F1}[-3/2, 1/3, 4/3, -((b*x^3)/a)] + 9*a*g*x^4*\sqrt{a + b*x^3}*\text{Hypergeometric2F1}[-3/2, 2/3, 5/3, -((b*x^3)/a)])/(18*x^2*\sqrt{1 + (b*x^3)/a})$

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="fricas")`

[Out] `integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^3, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="giac")`

[Out] `integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^3, x)`

maple [B] time = 0.06, size = 1613, normalized size = 2.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x)`

[Out] `g*(2/13*(b*x^3+a)^(1/2)*b*x^5+32/91*(b*x^3+a)^(1/2)*a*x^2-18/91*I*a^2*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*((-3/2*(-a*b^2)^(1/3)/b+1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*EllipticE(1/3*3^(1/2)*(-a*b^2)^(1/3)/b)`

$(1/2)*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b^{(1/2)})+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b^{(1/2)})))+f*(2/11*(b*x^3+a)^{(1/2)}*b*x^4+28/55*(b*x^3+a)^{(1/2)}*a*x-18/55*I*a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}/b*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b^{(1/2)})))+c*(-1/2*a*(b*x^3+a)^{(1/2)}/x^2+2/5*(b*x^3+a)^{(1/2)}*b*x-9/10*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b^{(1/2)})))+d*(-(b*x^3+a)^{(1/2)}*a/x+2/7*(b*x^3+a)^{(1/2)}*b*x^2-9/7*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b^{(1/2)}))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b}^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b^{(1/2)})))+e*(2/9*(b*x^3+a)^{(1/2)}*b*x^3+8/9*(b*x^3+a)^{(1/2)}*a-2/3*a^{(3/2)}*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^3,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3, x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^3, x)

sympy [A] time = 12.85, size = 462, normalized size = 0.67

$$\frac{a^{\frac{3}{2}} c \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x \Gamma\left(\frac{2}{3}\right)} - \frac{2a^{\frac{3}{2}} e \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^2}}\right)}{3} + \frac{a^{\frac{3}{2}} f x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3 \Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**3,x)

[Out] a**(3/2)*c*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + a**(3/2)*d*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*a**(3/2)*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + a**(3/2)*f*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + a**(3/2)*g*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*c*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*b*d*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*f*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + sqrt(a)*b*g*x**5*gamma(5/3)*hyper((-1/2, 5/3), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + 2*a**2*e/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*a*sqrt(b)*e*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + b*e*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True))

$$3.465 \quad \int \frac{(a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4)}{x^4} dx$$

Optimal. Leaf size=692

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}} \left(-110 (1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e + 28ag + 77bd \right) F \left(\sin^{-1} \left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}} \right) \right) \\ \frac{770 \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}} \sqrt{a + bx^3}}$$

[Out] $2/3465*(b*x^3+a)^{(3/2)}*(315*g*x^5+385*f*x^4+495*e*x^3+693*d*x^2+1155*c*x)/x^4-1/3*(2*a*f+3*b*c)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+a*c*(b*x^3+a)^{(1/2)}/x^3+27/10*a*d*(b*x^3+a)^{(1/2)}/x^2-27/7*a*e*(b*x^3+a)^{(1/2)}/x-2/1155*a*(-189*g*x^5-385*f*x^4-1485*e*x^3+2079*d*x^2+1155*c*x)*(b*x^3+a)^{(1/2)}/x^4+27/7*a*b^{(1/3)}*e*(b*x^3+a)^{(1/2)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/14*3^{(1/4)}*a^{(4/3)}*b^{(1/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}+9/770*3^{(3/4)}*a*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(77*b*d+28*a*g-110*a^{(1/3)}*b^{(2/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/b^{(1/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.96, antiderivative size = 692, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} a \left(\sqrt[3]{a} + \sqrt[3]{b} x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}} \left(-110 (1 - \sqrt{3}) \sqrt[3]{a} b^{2/3} e + 28ag + 77bd \right) F \left(\sin^{-1} \left(\frac{\sqrt[3]{b} x + (1 - \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}} \right) \right) \\ \frac{770 \sqrt[3]{b} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b} x \right)}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x \right)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int} \left[\frac{(a + b*x^3)^{(3/2)}*(c + d*x + e*x^2 + f*x^3 + g*x^4)}{x^4}, x \right]$

[Out] $(a*c*\operatorname{Sqrt}[a + b*x^3])/x^3 + (27*a*d*\operatorname{Sqrt}[a + b*x^3])/(10*x^2) - (27*a*e*\operatorname{Sqrt}[a + b*x^3])/(7*x) + (27*a*b^{(1/3)}*e*\operatorname{Sqrt}[a + b*x^3])/(7*((1 + \operatorname{Sqrt}[3]))*a^{(1/3)})$

$$\begin{aligned} & \left(\frac{1}{3} + b^{1/3}x \right) - \left(2a\sqrt{a + bx^3} \frac{(1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{(1155x^4)} + \frac{2(a + bx^3)^{3/2} (1155cx + 693dx^2 + 495ex^3 + 385fx^4 + 315gx^5)}{(3465x^4)} - \frac{\sqrt{a} (3bc + 2af) \operatorname{ArcTanh}\left[\frac{\sqrt{a + bx^3}}{\sqrt{a}}\right]}{3} - \frac{(27 \cdot 3^{1/4}) \sqrt{2 - \sqrt{3}} a^{4/3} b^{1/3} e (a^{1/3} + b^{1/3}x) \sqrt{(a^{2/3} - a^{1/3}b^{1/3})x + b^{2/3}x^2}}{(1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2} \operatorname{EllipticE}\left[\operatorname{ArcSin}\left[\frac{(1 - \sqrt{3})a^{1/3} + b^{1/3}x}{(1 + \sqrt{3})a^{1/3} + b^{1/3}x}\right], -7 - 4\sqrt{3}\right]}{(14\sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x))} / ((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2)} \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\frac{(1 - \sqrt{3})a^{1/3} + b^{1/3}x}{(1 + \sqrt{3})a^{1/3} + b^{1/3}x}\right], -7 - 4\sqrt{3}\right]}{(770b^{1/3}\sqrt{(a^{1/3}(a^{1/3} + b^{1/3}x))} / ((1 + \sqrt{3})a^{1/3} + b^{1/3}x)^2)} \sqrt{a + bx^3} \right) \end{aligned}$$

Rule 63

```
Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*sqrt[2 + sqrt[3]]*(s + r*x)*sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - sqrt[3])*s
+ r*x)/((1 + sqrt[3])*s + r*x)], -7 - 4*sqrt[3]])/(3^(1/4)*r*sqrt[a + b*x^3
]*sqrt[(s*(s + r*x))/((1 + sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1826

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_), x_Symbol] := M
```



```
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^4} dx &= \frac{2(a + bx^3)^{3/2} (1155cx + 693dx^2 + 495ex^3 + 385fx^4 + 315gx^5)}{3465x^4} \\
&= -\frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\
&= \frac{ac\sqrt{a + bx^3}}{x^3} - \frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\
&= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\
&= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{27ae\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\
&= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{27ae\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\
&= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{27ae\sqrt{a + bx^3}}{7x} - \frac{2a\sqrt{a + bx^3} (1155cx + 2079dx^2 - 1485ex^3 - 385fx^4 - 189gx^5)}{1155x^4} \\
&= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{27ae\sqrt{a + bx^3}}{7x} + \frac{27a\sqrt[3]{b}e\sqrt{a + bx^3}}{7((1 + \sqrt{3})\sqrt{a + bx^3})} \\
&= \frac{ac\sqrt{a + bx^3}}{x^3} + \frac{27ad\sqrt{a + bx^3}}{10x^2} - \frac{27ae\sqrt{a + bx^3}}{7x} + \frac{27a\sqrt[3]{b}e\sqrt{a + bx^3}}{7((1 + \sqrt{3})\sqrt{a + bx^3})}
\end{aligned}$$

Mathematica [C] time = 0.80, size = 243, normalized size = 0.35

$$\begin{aligned}
&-45a^3d\sqrt{a + bx^3} {}_2F_1\left(-\frac{3}{2}, -\frac{2}{3}; \frac{1}{3}; -\frac{bx^3}{a}\right) - 90a^3ex\sqrt{a + bx^3} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{3}; \frac{2}{3}; -\frac{bx^3}{a}\right) + 90a^3gx^3\sqrt{a + bx^3} {}_2F_1\left(-\frac{3}{2}, \frac{1}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right) \\
&\quad - 90a^2cx^2\sqrt{a + bx^3} {}_2F_1\left(-\frac{3}{2}, \frac{2}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right)
\end{aligned}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4,x]

[Out] (-45*a^3*d*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -2/3, 1/3, -((b*x^3)/a)] - 90*a^3*e*x*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -1/3, 2/3, -((b*x^3)/a)] + 90*a^3*g*x^3*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, 1/3, 4/3, -((b*x^3)/a)] + 4*x^2*Sqrt[1 + (b*x^3)/a]*(5*a^2*f*(Sqrt[a + b*x^3]*(4*a + b*x^3) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]) + 3*b*c*(a + b*x^3)^(5/2)*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^3)/a]))/(90*a^2*x^2*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.90, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^4, x)

maple [B] time = 0.06, size = 1193, normalized size = 1.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x)

[Out] g*(2/11*(b*x^3+a)^(1/2)*b*x^4+28/55*(b*x^3+a)^(1/2)*a*x-18/55*I*a^2*3^(1/2)*(-a*b^2)^(1/3)/b*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)

$$\begin{aligned} &)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b})^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*} \\ & I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)/(b*x^3+a)^{(1/2)} \\ & *EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b} \\ &)^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*} \\ & I*3^{(1/2)}*(-a*b^2)^{(1/3)/b)/b)^{(1/2)})))+c*(-1/3*(b*x^3+a)^{(1/2)*a/x^3+2/3*(b*x^3+a)^{(1/2)*b-b*arctanh((b*x^3+a)^{(1/2)/a^{(1/2)}*} \\ & a^{(1/2)})+d*(-1/2*(b*x^3+a)^{(1/2)*a/x^2+2/5*(b*x^3+a)^{(1/2)*b*x-9/10*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)*} \\ & (I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)}* \\ & ((x-(-a*b^2)^{(1/3)/b)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)} \\ &)^{(1/2)*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b} \\ &)^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b)/b)^{(1/2)})))+e*(-(b*x^3+a)^{(1/2)*a/x+2/7*(b*x^3+a)^{(1/2)*b*x^2-9/7*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)*} \\ & (I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)}*((x-(-a*b^2)^{(1/3)/b)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b)/b)^{(1/2)})))+(-a*b^2)^{(1/3)/b}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b}*3^{(1/2)/(-a*b^2)^{(1/3)*b})^{(1/2)},(I*3^{(1/2)}*(-a*b^2)^{(1/3)/(-3/2*(-a*b^2)^{(1/3)/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)/b)/b)^{(1/2)})))+f*(2/9*(b*x^3+a)^{(1/2)*b*x^3+8/9*(b*x^3+a)^{(1/2)*a-2/3*a^{(3/2)*}arctanh((b*x^3+a)^{(1/2)/a^{(1/2)}))} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^4,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{\frac{3}{2}} (gx^4 + fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4, x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^4, x)

sympy [A] time = 14.27, size = 484, normalized size = 0.70

$$\frac{a^{\frac{3}{2}}d\Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right) + a^{\frac{3}{2}}e\Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right) - 2a^{\frac{3}{2}}f \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^{\frac{3}{2}}}\right) + a^{\frac{3}{2}}gx\Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{3} \\ \frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a} \right)}{3x^2\Gamma\left(\frac{1}{3}\right) + 3x\Gamma\left(\frac{2}{3}\right) - 3 + 3\Gamma\left(\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**4, x)

[Out] a**(3/2)*d*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + a**(3/2)*e*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*a**(3/2)*f*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + a**(3/2)*g*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) - sqrt(a)*b*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2))) + sqrt(a)*b*d*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*b*e*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + sqrt(a)*b*g*x**4*gamma(4/3)*hyper((-1/2, 4/3), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + 2*a**2*f/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*c*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*a*sqrt(b)*c/(3*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*a*sqrt(b)*f*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + 2*b**(3/2)*c*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + b*f*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True))

3.466
$$\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^5} dx$$

Optimal. Leaf size=741

$$\frac{9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (28a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(8af + 7bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right)}{280 \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

[Out] $2/315*(b*x^3+a)^{(3/2)}*(35*g*x^5+45*f*x^4+63*e*x^3+105*d*x^2+315*c*x)/x^5-1/3*(2*a*g+3*b*d)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+27/20*a*c*(b*x^3+a)^{(1/2)}/x^4+a*d*(b*x^3+a)^{(1/2)}/x^3+27/10*a*e*(b*x^3+a)^{(1/2)}/x^2-27/56*(8*a*f+7*b*c)*(b*x^3+a)^{(1/2)}/x-2/105*a*(-35*g*x^5-135*f*x^4+189*e*x^3+105*d*x^2+189*c*x)*(b*x^3+a)^{(1/2)}/x^5+27/56*b^{(1/3)}*(8*a*f+7*b*c)*(b*x^3+a)^{(1/2)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/112*3^{(1/4)}*a^{(1/3)}*b^{(1/3)}*(8*a*f+7*b*c)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}(b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}+9/280*3^{(3/4)}*a^{(1/3)}*b^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}(b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(28*a^{(2/3)}*b^{(1/3)}*e-5*(8*a*f+7*b*c)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.24, antiderivative size = 741, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 35, number of rules / integrand size = 0.257, Rules used = {1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{a} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} (28a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(8af + 7bc)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1 + \sqrt{3}) \sqrt[3]{a}}\right)\right)}{280 \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5, x]

[Out] $(27*a*c*\operatorname{Sqrt}[a + b*x^3])/(20*x^4) + (a*d*\operatorname{Sqrt}[a + b*x^3])/x^3 + (27*a*e*\operatorname{Sqrt}[a + b*x^3])/(10*x^2) - (27*(7*b*c + 8*a*f)*\operatorname{Sqrt}[a + b*x^3])/(56*x) + (27*$

$$b^{1/3}*(7*b*c + 8*a*f)*\text{Sqrt}[a + b*x^3]/(56*((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)) - (2*a*\text{Sqrt}[a + b*x^3]*(189*c*x + 105*d*x^2 + 189*e*x^3 - 135*f*x^4 - 35*g*x^5))/(105*x^5) + (2*(a + b*x^3)^{3/2}*(315*c*x + 105*d*x^2 + 63*e*x^3 + 45*f*x^4 + 35*g*x^5))/(315*x^5) - (\text{Sqrt}[a]*(3*b*d + 2*a*g)*\text{ArcTanh}[\text{Sqrt}[a + b*x^3]/\text{Sqrt}[a]])/3 - (27*3^{1/4}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{1/3}*b^{1/3}*(7*b*c + 8*a*f)*(a^{1/3} + b^{1/3}*x)*\text{Sqrt}[(a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3})*x^2]/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2)*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x]/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)], -7 - 4*\text{Sqrt}[3]]/(112*\text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3}*x))/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2]*\text{Sqrt}[a + b*x^3]) + (9*3^{3/4}*\text{Sqrt}[2 + \text{Sqrt}[3]]*a^{1/3}*b^{1/3}*(28*a^{2/3}*b^{1/3}*e - 5*(1 - \text{Sqrt}[3])*(7*b*c + 8*a*f))*(a^{1/3} + b^{1/3}*x)*\text{Sqrt}[(a^{2/3} - a^{1/3}*b^{1/3}*x + b^{2/3})*x^2]/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2)*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x]/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)], -7 - 4*\text{Sqrt}[3]]/(280*\text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3}*x))/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}*x)^2]*\text{Sqrt}[a + b*x^3])$$
Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/\text{Sqrt}[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s
*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*s
+ r*x]/((1 + \text{Sqrt}[3])*s + r*x)], -7 - 4*\text{Sqrt}[3]]/(3^{1/4}*r*\text{Sqrt}[a + b*x^3
]*\text{Sqrt}[(s*(s + r*x))/((1 + \text{Sqrt}[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1826

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]]/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^5} dx &= \frac{2(a + bx^3)^{3/2} (315cx + 105dx^2 + 63ex^3 + 45fx^4 + 35gx^5)}{315x^5} + \frac{1}{2} \\
&= -\frac{2a\sqrt{a + bx^3} (189cx + 105dx^2 + 189ex^3 - 135fx^4 - 35gx^5)}{105x^5} + \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} - \frac{2a\sqrt{a + bx^3} (189cx + 105dx^2 + 189ex^3 - 135fx^4 - 35gx^5)}{105x^5} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} - \frac{2a\sqrt{a + bx^3} (189cx + 105dx^2 + 189ex^3 - 135fx^4 - 35gx^5)}{105x^5} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} + \frac{27ae\sqrt{a + bx^3}}{10x^2} - \frac{2a\sqrt{a + bx^3} (189cx + 105dx^2 + 189ex^3 - 135fx^4 - 35gx^5)}{105x^5} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} + \frac{27ae\sqrt{a + bx^3}}{10x^2} - \frac{27(7bc + 8a)}{50} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} + \frac{27ae\sqrt{a + bx^3}}{10x^2} - \frac{27(7bc + 8a)}{50} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} + \frac{27ae\sqrt{a + bx^3}}{10x^2} - \frac{27(7bc + 8a)}{50} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} + \frac{27ae\sqrt{a + bx^3}}{10x^2} - \frac{27(7bc + 8a)}{50} \\
&= \frac{27ac\sqrt{a + bx^3}}{20x^4} + \frac{ad\sqrt{a + bx^3}}{x^3} + \frac{27ae\sqrt{a + bx^3}}{10x^2} - \frac{27(7bc + 8a)}{50}
\end{aligned}$$

Mathematica [C] time = 0.76, size = 246, normalized size = 0.33

$$-45a^3c\sqrt{a+bx^3} {}_2F_1\left(-\frac{3}{2}, -\frac{4}{3}; -\frac{1}{3}; -\frac{bx^3}{a}\right) - 90a^3ex^2\sqrt{a+bx^3} {}_2F_1\left(-\frac{3}{2}, -\frac{2}{3}; \frac{1}{3}; -\frac{bx^3}{a}\right) + 4x^3\left(2x\sqrt{\frac{bx^3}{a}} + 1\left(5a^2g\left(\sqrt{a+bx^3}\right)\right)\right)$$

180

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5,x]

[Out] (-45*a^3*c*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -4/3, -1/3, -((b*x^3)/a)] - 90*a^3*e*x^2*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -2/3, 1/3, -((b*x^3)/a)] + 4*x^3*(-45*a^3*f*Sqrt[a + b*x^3]*Hypergeometric2F1[-3/2, -1/3, 2/3, -((b*x^3)/a)] + 2*x*Sqrt[1 + (b*x^3)/a]*(5*a^2*g*(Sqrt[a + b*x^3]*(4*a + b*x^3) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]]) + 3*b*d*(a + b*x^3)^(5/2)*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^3)/a]))/(180*a^2*x^4*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^5, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^5, x)

maple [B] time = 0.06, size = 1342, normalized size = 1.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x^3+a)^{(3/2)}*(g*x^4+f*x^3+e*x^2+d*x+c)/x^5, x)$

[Out] $c*(-1/4*a*(b*x^3+a)^{(1/2)}/x^4-11/8*(b*x^3+a)^{(1/2)}*b/x-9/8*I*b*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+d*(-1/3*(b*x^3+a)^{(1/2)}*a/x^3+2/3*(b*x^3+a)^{(1/2)}*b-b*\text{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})+e*(-1/2*(b*x^3+a)^{(1/2)}*a/x^2+2/5*(b*x^3+a)^{(1/2)}*b*x-9/10*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+f*(-(b*x^3+a)^{(1/2)}*a/x+2/7*(b*x^3+a)^{(1/2)}*b*x^2-9/7*I*a*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*\text{EllipticE}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*\text{EllipticF}(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+g*(2/9*(b*x^3+a)^{(1/2)}*b*x^3+8/9*(b*x^3+a)^{(1/2)}*a-2/3*a^{(3/2)}*\text{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2))}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^5,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^5, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^5, x)

sympy [A] time = 14.64, size = 495, normalized size = 0.67

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^4\Gamma\left(-\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^2\Gamma\left(\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}}f\Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{3} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x\Gamma\left(\frac{2}{3}\right)} - \frac{2a^{\frac{3}{2}}g \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^3+a}}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**5,x)

[Out] a**(3/2)*c*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + a**(3/2)*e*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + a**(3/2)*f*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - 2*a*(3/2)*g*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/3 + sqrt(a)*b*c*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - sqrt(a)*b*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2))) + sqrt(a)*b*e*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*b*f*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + 2*a**2*g/(3*sqrt(b)*x**(3/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*d*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*a*sqrt(b)*d/(3*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*a*sqrt(b)*g*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + 2*b**(3/2)*d*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) + b*g*Piecewise((sqrt(a)*x**3/3, Eq(b, 0)), (2*(a + b*x**3)**(3/2)/(9*b), True))

$$3.467 \quad \int \frac{(a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4)}{x^6} dx$$

Optimal. Leaf size=689

$$\frac{9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (14\sqrt[3]{b}(2af + bc) - 280 \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}{14\sqrt[3]{b}(2af + bc) - 280 \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}$$

[Out] $-1/60*(12*c/x^5+15*d/x^4+20*e/x^3+30*f/x^2+60*g/x)*(b*x^3+a)^{(3/2)}-b*e*\arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+27/20*b*c*(b*x^3+a)^{(1/2)}/x^2-27/8*b*d*(b*x^3+a)^{(1/2)}/x-1/140*b*(-180*g*x^5-126*f*x^4-140*e*x^3-315*d*x^2+252*c*x)*(b*x^3+a)^{(1/2)}/x^3+27/56*b^{(1/3)}*(8*a*g+7*b*d)*(b*x^3+a)^{(1/2)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/112*3^{(1/4)}*a^{(1/3)}*b^{(1/3)}*(8*a*g+7*b*d)*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}+9/280*3^{(3/4)}*b^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\text{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(14*b^{(1/3)}*(2*a*f+b*c)-5*a^{(1/3)}*(8*a*g+7*b*d)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 0.92, antiderivative size = 689, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {14, 1825, 1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} \sqrt[3]{b} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1-\sqrt{3})\sqrt[3]{a}}{\sqrt[3]{b}x + (1+\sqrt{3})\sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (14\sqrt[3]{b}(2af + bc) - 280 \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}{14\sqrt[3]{b}(2af + bc) - 280 \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x^3)^{(3/2)}*(c + d*x + e*x^2 + f*x^3 + g*x^4)/x^6, x]$

[Out] $(27*b*c*\text{Sqrt}[a + b*x^3])/(20*x^2) - (27*b*d*\text{Sqrt}[a + b*x^3])/(8*x) + (27*b^{(1/3)}*(7*b*d + 8*a*g)*\text{Sqrt}[a + b*x^3])/(56*((1 + \text{Sqrt}[3])*a^{(1/3)} + b^{(1/3)})$

```

*x)) - (((12*c)/x^5 + (15*d)/x^4 + (20*e)/x^3 + (30*f)/x^2 + (60*g)/x)*(a +
b*x^3)^(3/2))/60 - (b*Sqrt[a + b*x^3]*(252*c*x - 315*d*x^2 - 140*e*x^3 - 1
26*f*x^4 - 180*g*x^5))/(140*x^3) - Sqrt[a]*b*e*ArcTanh[Sqrt[a + b*x^3]/Sqrt
[a]] - (27*3^(1/4)*Sqrt[2 - Sqrt[3]]*a^(1/3)*b^(1/3)*(7*b*d + 8*a*g)*(a^(1/
3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt
[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1
/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(112*Sqrt[(a^
(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a
+ b*x^3]) + (9*3^(3/4)*Sqrt[2 + Sqrt[3]]*b^(1/3)*(14*b^(1/3)*(b*c + 2*a*f)
- 5*(1 - Sqrt[3])*a^(1/3)*(7*b*d + 8*a*g))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2
/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^
2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1
/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(280*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x
))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])

```

Rule 14

```

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_
+ (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

```

Rule 63

```

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 208

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 218

```

Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]

```

Rule 266

```

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[

```

```
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1826

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
```

$Q[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1878

$\text{Int}[\frac{(c_.) + (d_.)(x_.)}{\text{Sqrt}[a_ + (b_.)(x_)^3]}, x_Symbol] \text{ :> With}[\{r = \text{N} \\ \text{umer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r - (1 - \text{Sqrt}[3])*d*s)/r, \\ \text{Int}[1/\text{Sqrt}[a + b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[\frac{(1 - \text{Sqrt}[3])*s + r*x}{\text{Sqrt}} \\ [a + b*x^3], x], x]] \text{ /; FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b*c^3 - 2* \\ (5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3)^{3/2} (c + dx + ex^2 + fx^3 + gx^4)}{x^6} dx &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} - \frac{1}{2}(9b) \int \frac{b\sqrt{a + bx^3}}{x^6} dx \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} - \frac{b\sqrt{a + bx^3}}{20x^2} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{27bd\sqrt{a + bx^3}}{8x} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{27bd\sqrt{a + bx^3}}{8x} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{27bd\sqrt{a + bx^3}}{8x} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} + \frac{60g}{x} \right) (a + bx^3)^{3/2} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{27bd\sqrt{a + bx^3}}{8x} + \frac{27\sqrt[3]{b}(7bd + 8ag)\sqrt{a + bx^3}}{56((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)} \\
&= \frac{27bc\sqrt{a + bx^3}}{20x^2} - \frac{27bd\sqrt{a + bx^3}}{8x} + \frac{27\sqrt[3]{b}(7bd + 8ag)\sqrt{a + bx^3}}{56((1 + \sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)}
\end{aligned}$$

Mathematica [C] time = 0.28, size = 191, normalized size = 0.28

$$\frac{\sqrt{a + bx^3} \left(-12a^3 c {}_2F_1 \left(-\frac{5}{3}, -\frac{3}{2}; -\frac{2}{3}; -\frac{bx^3}{a} \right) - 15a^3 dx {}_2F_1 \left(-\frac{3}{2}, -\frac{4}{3}; -\frac{1}{3}; -\frac{bx^3}{a} \right) - 30a^3 fx^3 {}_2F_1 \left(-\frac{3}{2}, -\frac{2}{3}; \frac{1}{3}; -\frac{bx^3}{a} \right) - 60a^3 gx^4 {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{3}; \frac{2}{3}; -\frac{bx^3}{a} \right) \right)}{60a^2 x^5 \sqrt{\frac{bx^3}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6,x]

[Out] (Sqrt[a + b*x^3]*(-12*a^3*c*Hypergeometric2F1[-5/3, -3/2, -2/3, -((b*x^3)/a)] - 15*a^3*d*x*Hypergeometric2F1[-3/2, -4/3, -1/3, -((b*x^3)/a)] - 30*a^3*f*x^3*Hypergeometric2F1[-3/2, -2/3, 1/3, -((b*x^3)/a)] - 60*a^3*g*x^4*Hypergeometric2F1[-3/2, -1/3, 2/3, -((b*x^3)/a)] + 8*b*e*x^5*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^3)/a]))/(60*a^2*x^5*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^6}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^6,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^6, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^6,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^6, x)

maple [B] time = 0.06, size = 1606, normalized size = 2.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^6,x)

[Out] c*(-1/5*a*(b*x^3+a)^(1/2)/x^5-13/20*(b*x^3+a)^(1/2)*b/x^2-9/20*I*b^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)*((x-(-a*b^2)^(1/3)/b)/(-3/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b))^(1/2)*(-I*(x+1/2*(-a*b^2)^(1/3)/b+1/2*I^3^(1/2)*(-a*b^2)^(1/3)/b)*3^(1/2)/(-a*b^2)^(1/3)*b)^(1/2)/(b*x^3+a)^(1/2)*EllipticF(1/3*3^(1/2)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I^3^(1/2)*(-a*b^2)^(1/3)

$$\frac{1}{b} \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b^{1/2}, (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b^{1/2}))) + d \cdot (-1/4 \cdot (b \cdot x^3 + a)^{1/2}) \cdot a / x^4 - 11/8 \cdot (b \cdot x^3 + a)^{1/2} \cdot b / x - 9/8 \cdot I \cdot b \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3} / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} \cdot ((x - (-a \cdot b^2)^{1/3} / b) / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b))^{1/2} \cdot (-I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} / (b \cdot x^3 + a)^{1/2} \cdot ((-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b) \cdot \text{EllipticE}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3} / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2}))) + (-a \cdot b^2)^{1/3} / b \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3} / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2}))) + e \cdot (-1/3 \cdot (b \cdot x^3 + a)^{1/2}) \cdot a / x^3 + 2/3 \cdot (b \cdot x^3 + a)^{1/2} \cdot b \cdot b \cdot \text{arctanh}((b \cdot x^3 + a)^{1/2} / a^{1/2}) \cdot a^{1/2} + f \cdot (-1/2 \cdot (b \cdot x^3 + a)^{1/2}) \cdot a / x^2 + 2/5 \cdot (b \cdot x^3 + a)^{1/2} \cdot b \cdot x - 9/10 \cdot I \cdot a \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3} / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} \cdot ((x - (-a \cdot b^2)^{1/3} / b) / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b))^{1/2} \cdot (-I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} / (b \cdot x^3 + a)^{1/2} \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3} / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2}))) + g \cdot (- (b \cdot x^3 + a)^{1/2}) \cdot a / x + 2/7 \cdot (b \cdot x^3 + a)^{1/2} \cdot b \cdot x^2 - 9/7 \cdot I \cdot a \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3} / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} \cdot ((x - (-a \cdot b^2)^{1/3} / b) / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b))^{1/2} \cdot (-I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2} / (b \cdot x^3 + a)^{1/2} \cdot ((-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b) \cdot \text{EllipticE}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3} / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2}))) + (-a \cdot b^2)^{1/3} / b \cdot \text{EllipticF}(1/3 \cdot 3^{1/2} \cdot (I \cdot (x + 1/2 \cdot (-a \cdot b^2)^{1/3} / b - 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b) \cdot 3^{1/2} / (-a \cdot b^2)^{1/3} \cdot b)^{1/2}, (I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / (-3/2 \cdot (-a \cdot b^2)^{1/3} / b + 1/2 \cdot I \cdot 3^{1/2} \cdot (-a \cdot b^2)^{1/3} / b) / b)^{1/2})))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^6,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6, x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^6, x)

sympy [A] time = 14.43, size = 476, normalized size = 0.69

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^5\Gamma\left(-\frac{2}{3}\right)} + \frac{a^{\frac{3}{2}}d\Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^4\Gamma\left(-\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}}f\Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{2}{3}, -\frac{1}{2} \\ \frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^2\Gamma\left(\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}}g\Gamma\left(-\frac{1}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{3}, -\frac{1}{2} \\ \frac{2}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x\Gamma\left(\frac{2}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**6, x)

[Out] a**(3/2)*c*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + a**(3/2)*d*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + a**(3/2)*f*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + a**(3/2)*g*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) + sqrt(a)*b*c*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*b*d*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - sqrt(a)*b*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2))) + sqrt(a)*b*f*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + sqrt(a)*b*g*x**2*gamma(2/3)*hyper((-1/2, 2/3), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) - a*sqrt(b)*e*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*a*sqrt(b)*e/(3*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*b**(3/2)*e*x**(3/2)/(3*sqrt(a/(b*x**3) + 1))

$$3.468 \quad \int \frac{(a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4)}{x^7} dx$$

Optimal. Leaf size=692

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{2/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (-5(1-\sqrt{3})\sqrt[3]{a} b^{2/3}e + 4ag + 2bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})}{\sqrt[3]{b}x+(1+\sqrt{3})}\right)\right)$$

$$40 \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

[Out] $-1/60*(10*c/x^6+12*d/x^5+15*e/x^4+20*f/x^3+30*g/x^2)*(b*x^3+a)^{(3/2)}-1/4*b*(4*a*f+b*c)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+1/4*b*c*(b*x^3+a)^{(1/2)}/x^3+27/20*b*d*(b*x^3+a)^{(1/2)}/x^2-27/8*b*e*(b*x^3+a)^{(1/2)}/x-1/20*b*(-18*g*x^5-20*f*x^4-45*e*x^3+36*d*x^2+10*c*x)*(b*x^3+a)^{(1/2)}/x^4+27/8*b^{(4/3)}*e*(b*x^3+a)^{(1/2)}/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/16*3^{(1/4)}*a^{(1/3)}*b^{(4/3)}*e*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(2)}^{(1/2)}+9/40*3^{(3/4)}*b^{(2/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(2*b*d+4*a*g-5*a^{(1/3)}*b^{(2/3)}*e*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.00, antiderivative size = 692, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {14, 1825, 1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{2/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (-5(1-\sqrt{3})\sqrt[3]{a} b^{2/3}e + 4ag + 2bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x+(1-\sqrt{3})}{\sqrt[3]{b}x+(1+\sqrt{3})}\right)\right)$$

$$40 \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}(((a + b*x^3)^{(3/2)}*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7, x)$

[Out] $(b*c*\operatorname{Sqrt}[a + b*x^3])/(4*x^3) + (27*b*d*\operatorname{Sqrt}[a + b*x^3])/(20*x^2) - (27*b*e*\operatorname{Sqrt}[a + b*x^3])/(8*x) + (27*b^{(4/3)}*e*\operatorname{Sqrt}[a + b*x^3])/(8*((1 + \operatorname{Sqrt}[3]))*$

$$\begin{aligned}
& a^{1/3} + b^{1/3}x) - (((10*c)/x^6 + (12*d)/x^5 + (15*e)/x^4 + (20*f)/x^3 \\
& + (30*g)/x^2)*(a + b*x^3)^{(3/2)}/60 - (b*\text{Sqrt}[a + b*x^3]*(10*c*x + 36*d*x^2 \\
& - 45*e*x^3 - 20*f*x^4 - 18*g*x^5))/(20*x^4) - (b*(b*c + 4*a*f)*\text{ArcTanh}[\text{Sqrt}[a + b*x^3]/\text{Sqrt}[a]])/(4*\text{Sqrt}[a]) - (27*3^{1/4}*\text{Sqrt}[2 - \text{Sqrt}[3]]*a^{1/3} \\
& *b^{4/3}*e*(a^{1/3} + b^{1/3}x)*\text{Sqrt}[(a^{2/3} - a^{1/3}*b^{1/3}x + b^{2/3})*x^2]/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x)^2*\text{EllipticE}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{1/3} + b^{1/3}x]/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x)], -7 - 4*\text{Sqrt}[3]])/(16*\text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3}x))/(1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x]^2)*\text{Sqrt}[a + b*x^3]) + (9*3^{3/4}*\text{Sqrt}[2 + \text{Sqrt}[3]]*b^{2/3}*(2*b*d - 5*(1 - \text{Sqrt}[3])*a^{1/3}*b^{2/3}*e + 4*a*g)*(a^{1/3} + b^{1/3}x)*\text{Sqrt}[(a^{2/3} - a^{1/3}*b^{1/3}x + b^{2/3})*x^2]/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x)^2)*\text{EllipticF}[\text{ArcSin}[(1 - \text{Sqrt}[3])*a^{1/3} + b^{1/3}x]/((1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x)], -7 - 4*\text{Sqrt}[3]])/(40*\text{Sqrt}[(a^{1/3}*(a^{1/3} + b^{1/3}x))/(1 + \text{Sqrt}[3])*a^{1/3} + b^{1/3}x]^2)*\text{Sqrt}[a + b*x^3])
\end{aligned}$$

Rule 14

```

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

```

Rule 63

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rule 218

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^{1/4}*r*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] && PosQ[a]

```

Rule 266

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[

```

```
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1826

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a + b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}], x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] && GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq, x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq, x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_)*(x_))/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - Simp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
```

$Q[b*c^3 - 2*(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rule 1878

$\text{Int}[\frac{(c_.) + (d_.)*(x_.)}{\text{Sqrt}[(a_.) + (b_.)*(x_.)^3]}, x_Symbol] \text{ :> With}[\{r = \text{N}$
 $\text{umer}[\text{Rt}[b/a, 3]], s = \text{Denom}[\text{Rt}[b/a, 3]]\}, \text{Dist}[(c*r - (1 - \text{Sqrt}[3])*d*s)/r,$
 $\text{Int}[1/\text{Sqrt}[a + b*x^3], x], x] + \text{Dist}[d/r, \text{Int}[\frac{(1 - \text{Sqrt}[3])*s + r*x}{\text{Sqrt}}$
 $[a + b*x^3], x], x]] \text{ /; FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{PosQ}[a] \ \&\& \ \text{NeQ}[b*c^3 - 2*$
 $(5 - 3*\text{Sqrt}[3])*a*d^3, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx^3)^{3/2}(c+dx+ex^2+fx^3+gx^4)}{x^7} dx &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) (a+bx^3)^{3/2} - \frac{1}{2}(9b) \int \frac{1}{x} dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) (a+bx^3)^{3/2} - \frac{b\sqrt{a+bx^3}}{2} \\
&= \frac{bc\sqrt{a+bx^3}}{4x^3} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} + \frac{30g}{x^2} \right) (a+bx^3)^{3/2} \\
&= \frac{bc\sqrt{a+bx^3}}{4x^3} + \frac{27bd\sqrt{a+bx^3}}{20x^2} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a+bx^3)^{3/2} \\
&= \frac{bc\sqrt{a+bx^3}}{4x^3} + \frac{27bd\sqrt{a+bx^3}}{20x^2} - \frac{27be\sqrt{a+bx^3}}{8x} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a+bx^3)^{3/2} \\
&= \frac{bc\sqrt{a+bx^3}}{4x^3} + \frac{27bd\sqrt{a+bx^3}}{20x^2} - \frac{27be\sqrt{a+bx^3}}{8x} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a+bx^3)^{3/2} \\
&= \frac{bc\sqrt{a+bx^3}}{4x^3} + \frac{27bd\sqrt{a+bx^3}}{20x^2} - \frac{27be\sqrt{a+bx^3}}{8x} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a+bx^3)^{3/2} \\
&= \frac{bc\sqrt{a+bx^3}}{4x^3} + \frac{27bd\sqrt{a+bx^3}}{20x^2} - \frac{27be\sqrt{a+bx^3}}{8x} + \frac{27b^{4/3}e\sqrt{a+bx^3}}{8((1+\sqrt{3}))} \\
&= \frac{bc\sqrt{a+bx^3}}{4x^3} + \frac{27bd\sqrt{a+bx^3}}{20x^2} - \frac{27be\sqrt{a+bx^3}}{8x} + \frac{27b^{4/3}e\sqrt{a+bx^3}}{8((1+\sqrt{3}))}
\end{aligned}$$

Mathematica [C] time = 0.73, size = 240, normalized size = 0.35

$$\frac{12a^2d\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{5}{3}, -\frac{3}{2}; -\frac{2}{3}; -\frac{bx^3}{a}\right)}{x^5} - \frac{15a^2e\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{3}{2}, -\frac{4}{3}; -\frac{1}{3}; -\frac{bx^3}{a}\right)}{x^4} + \frac{8bf(a+bx^3)^3 {}_2F_1\left(2, \frac{5}{2}; \frac{7}{2}; \frac{bx^3}{a}+1\right)}{a^2} - \frac{30a^2g\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{2}; -\frac{1}{2}; -\frac{bx^3}{a}\right)}{x^2}$$

$$60\sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7,x]

[Out] ((-15*b*c*(a + b*x^3))/x^3 - (10*c*(a + b*x^3)^2)/x^6 - 15*b^2*c*Sqrt[1 + (b*x^3)/a]*ArcTanh[Sqrt[1 + (b*x^3)/a]] - (12*a^2*d*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-5/3, -3/2, -2/3, -((b*x^3)/a)])/x^5 - (15*a^2*e*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-3/2, -4/3, -1/3, -((b*x^3)/a)])/x^4 - (30*a^2*g*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-3/2, -2/3, 1/3, -((b*x^3)/a)])/x^2 + (8*b*f*(a + b*x^3)^3*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^3)/a])/a^2)/(60*Sqrt[a + b*x^3])

fricas [F] time = 0.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^7}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^7,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^7, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^7,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^7, x)

maple [B] time = 0.07, size = 1196, normalized size = 1.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^7,x)

[Out] d*(-1/5*(b*x^3+a)^(1/2)*a/x^5-13/20*(b*x^3+a)^(1/2)*b/x^2-9/20*I*b^3^(1/2)*(-a*b^2)^(1/3)*(I*(x+1/2*(-a*b^2)^(1/3)/b-1/2*I*3^(1/2)*(-a*b^2)^(1/3)/b)*3

$$\begin{aligned} &^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a*b^2)^{(1/3)} / b) / (-3/2 * (-a*b^2)^{(1/3)} / b \\ &+ 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b)^{(1/2)} * (-I * (x + 1/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I^3 \\ &^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} / (b*x^3 + a)^{(1/2)} * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)} / b - 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} \\ &/ b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / (-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b)^{(1/2)}) \\ &+ e * (-1/4 * (b*x^3 + a)^{(1/2)} * a / x^4 - 11/8 * (b*x^3 + a)^{(1/2)} * b / x - 9/8 * I * b * 3^{(1/2)} * (-a*b^2)^{(1/3)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)} / b - 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} \\ & * ((x - (-a*b^2)^{(1/3)} / b) / (-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} / (b*x^3 + a)^{(1/2)} * ((-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b) * \text{EllipticE}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)} / b - 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / (-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b) / b)^{(1/2)} \\ &+ (-a*b^2)^{(1/3)} / b * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)} / b - 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / (-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b) / b)^{(1/2)} \\ &+ f * (-1/3 * (b*x^3 + a)^{(1/2)} * a / x^3 + 2/3 * (b*x^3 + a)^{(1/2)} * b * \text{arctanh}((b*x^3 + a)^{(1/2)} / a^{(1/2)}) * a^{(1/2)}) + g * (-1/2 * (b*x^3 + a)^{(1/2)} * a / x^2 + 2/5 * (b*x^3 + a)^{(1/2)} * b * x - 9/10 * I * a * 3^{(1/2)} * (-a*b^2)^{(1/3)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)} / b - 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} * ((x - (-a*b^2)^{(1/3)} / b) / (-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b))^{(1/2)} * (-I * (x + 1/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)} / (b*x^3 + a)^{(1/2)} * \text{EllipticF}(1/3 * 3^{(1/2)} * (I * (x + 1/2 * (-a*b^2)^{(1/3)} / b - 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b) * 3^{(1/2)} / (-a*b^2)^{(1/3)} * b)^{(1/2)}, (I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / (-3/2 * (-a*b^2)^{(1/3)} / b + 1/2 * I^3)^{(1/2)} * (-a*b^2)^{(1/3)} / b) / b)^{(1/2)} \\ &+ c * (-1/6 * a * (b*x^3 + a)^{(1/2)} / x^6 - 5/12 * (b*x^3 + a)^{(1/2)} * b / x^3 - 1/4 * b^2 * \text{arctanh}((b*x^3 + a)^{(1/2)} / a^{(1/2)}) / a^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{24} \left(\frac{3b^2 \log\left(\frac{\sqrt{bx^3+a}-\sqrt{a}}{\sqrt{bx^3+a}+\sqrt{a}}\right)}{\sqrt{a}} - \frac{2\left(5(bx^3+a)^{\frac{3}{2}}b^2 - 3\sqrt{bx^3+a}ab^2\right)}{(bx^3+a)^2 - 2(bx^3+a)a + a^2} \right) c + \int \frac{(bgx^6 + bfx^5 + bex^4 + afx^2 + (bd + ag)x^3 + a^2d)}{x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^7,x, algorithm="maxima")

[Out] 1/24*(3*b^2*log((sqrt(b*x^3 + a) - sqrt(a))/(sqrt(b*x^3 + a) + sqrt(a)))/sqrt(a) - 2*(5*(b*x^3 + a)^(3/2)*b^2 - 3*sqrt(b*x^3 + a)*a*b^2)/((b*x^3 + a)^2 - 2*(b*x^3 + a)*a + a^2)*c + integrate((b*g*x^6 + b*f*x^5 + b*e*x^4 + a*f*x^2 + (b*d + a*g)*x^3 + a*e*x + a*d)*sqrt(b*x^3 + a)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7, x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^7, x)

sympy [A] time = 17.92, size = 524, normalized size = 0.76

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(-\frac{5}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^5 \Gamma\left(-\frac{2}{3}\right)} + \frac{a^{\frac{3}{2}} e \Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(-\frac{4}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^4 \Gamma\left(-\frac{1}{3}\right)} + \frac{a^{\frac{3}{2}} g \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(-\frac{2}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^2 \Gamma\left(\frac{1}{3}\right)} + \frac{\sqrt{a} b d \Gamma\left(-\frac{2}{3}\right) {}_2F_1\left(-\frac{2}{3}, -\frac{1}{2} \left| \frac{bx^3 e^{i\pi}}{a} \right. \right)}{3x^2 \Gamma\left(\frac{1}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**7, x)

[Out] a**(3/2)*d*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + a**(3/2)*e*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + a**(3/2)*g*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*b*d*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*b*e*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - sqrt(a)*b*f*asinh(sqrt(a)/(sqrt(b)*x**(3/2))) + sqrt(a)*b*g*x*gamma(1/3)*hyper((-1/2, 1/3), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) - a**2*c/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*c/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*f*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*a*sqrt(b)*f/(3*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b**(3/2)*c*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*c/(12*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*b**(3/2)*f*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) - b**2*c*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(4*sqrt(a))

$$3.469 \quad \int \frac{(a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4)}{x^8} dx$$

Optimal. Leaf size=746

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} \left(\sqrt[3]{a} + \sqrt[3]{b}x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x \right)^2}} \left(28a^{2/3} \sqrt[3]{b}e - 5(1 - \sqrt{3})(14af + bc) \right) F \left(\sin^{-1} \left(\frac{\sqrt[3]{b}x + (1 - \sqrt{3})}{\sqrt[3]{b}x + (1 + \sqrt{3})} \right) \right)$$

$$560a^{2/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x \right)^2}} \sqrt{a + bx^3}$$

[Out] $-1/420*(60*c/x^7+70*d/x^6+84*e/x^5+105*f/x^4+140*g/x^3)*(b*x^3+a)^{(3/2)}-1/4*b*(4*a*g+b*d)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+27/280*b*c*(b*x^3+a)^{(1/2)}/x^4+1/4*b*d*(b*x^3+a)^{(1/2)}/x^3+27/20*b*e*(b*x^3+a)^{(1/2)}/x^2-27/112*b*(14*a*f+b*c)*(b*x^3+a)^{(1/2)}/a/x-1/140*b*(-140*g*x^5-315*f*x^4+252*e*x^3+70*d*x^2+36*c*x)*(b*x^3+a)^{(1/2)}/x^5+27/112*b^{(4/3)}*(14*a*f+b*c)*(b*x^3+a)^{(1/2)}/a/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/224*3^{(1/4)}*b^{(4/3)}*(14*a*f+b*c)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}+9/560*3^{(3/4)}*b^{(4/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})),I*3^{(1/2)}+2*I)*(28*a^{(2/3)}*b^{(1/3)}*e-5*(14*a*f+b*c)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^2)^{(1/2)}$

Rubi [A] time = 1.28, antiderivative size = 746, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {14, 1825, 1826, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} \left(\sqrt[3]{a} + \sqrt[3]{b}x \right) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x \right)^2}} \left(28a^{2/3} \sqrt[3]{b}e - 5(1 - \sqrt{3})(14af + bc) \right) F \left(\sin^{-1} \left(\frac{\sqrt[3]{b}x + (1 - \sqrt{3})}{\sqrt[3]{b}x + (1 + \sqrt{3})} \right) \right)$$

$$560a^{2/3} \sqrt{\frac{\sqrt[3]{a} \left(\sqrt[3]{a} + \sqrt[3]{b}x \right)}{\left((1 + \sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b}x \right)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8,x]

```
[Out] (27*b*c*Sqrt[a + b*x^3])/(280*x^4) + (b*d*Sqrt[a + b*x^3])/(4*x^3) + (27*b*
e*Sqrt[a + b*x^3])/(20*x^2) - (27*b*(b*c + 14*a*f)*Sqrt[a + b*x^3])/(112*a*
x) + (27*b^(4/3)*(b*c + 14*a*f)*Sqrt[a + b*x^3])/(112*a*((1 + Sqrt[3])*a^(1
/3) + b^(1/3)*x)) - (((60*c)/x^7 + (70*d)/x^6 + (84*e)/x^5 + (105*f)/x^4 +
(140*g)/x^3)*(a + b*x^3)^(3/2))/420 - (b*Sqrt[a + b*x^3]*(36*c*x + 70*d*x^2
+ 252*e*x^3 - 315*f*x^4 - 140*g*x^5))/(140*x^5) - (b*(b*d + 4*a*g)*ArcTanh
[Sqrt[a + b*x^3]/Sqrt[a]])/(4*Sqrt[a]) - (27*3^(1/4)*Sqrt[2 - Sqrt[3]]*b^(4
/3)*(b*c + 14*a*f)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x
+ b^(2/3)*x^2])/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticE[ArcSin[((1
- Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 -
4*Sqrt[3]])/(224*a^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3]
)*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (9*3^(3/4)*Sqrt[2 + Sqrt[3]]*b
^(4/3)*(28*a^(2/3)*b^(1/3)*e - 5*(1 - Sqrt[3])*(b*c + 14*a*f))*(a^(1/3) + b
^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2])/((1 + Sqrt[3])*a
^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)
/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(560*a^(2/3)*Sqrt[(
a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[
a + b*x^3])
```

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2))/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
```

& PosQ[a]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n
)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1826

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := M
odule[{q = Expon[Pq, x], i}, Simp[(c*x)^m*(a + b*x^n)^p*Sum[(Coeff[Pq, x, i
]*x^(i + 1))/(m + n*p + i + 1), {i, 0, q}], x] + Dist[a*n*p, Int[(c*x)^m*(a
+ b*x^n)^(p - 1)*Sum[(Coeff[Pq, x, i]*x^i)/(m + n*p + i + 1), {i, 0, q}],
x], x]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[(n - 1)/2, 0] &&
GtQ[p, 0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_.)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
```

```

]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rule 1878

```

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] :> With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rubi steps

Mathematica [C] time = 1.07, size = 240, normalized size = 0.32

$$\frac{60a^2c\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{7}{3}, -\frac{3}{2}; -\frac{4}{3}; -\frac{bx^3}{a}\right)}{x^7} - \frac{84a^2e\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{5}{3}, -\frac{3}{2}; -\frac{2}{3}; -\frac{bx^3}{a}\right)}{x^5} - \frac{105a^2f\sqrt{\frac{bx^3}{a}+1} {}_2F_1\left(-\frac{3}{2}, -\frac{4}{3}; -\frac{1}{3}; -\frac{bx^3}{a}\right)}{x^4} + \frac{56bg(a+bx^3)^3 {}_2F_1\left(2, \frac{5}{2}; \frac{7}{2}; 1 + \frac{bx^3}{a}\right)}{a^2}$$

$$420\sqrt{a+bx^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8, x]

[Out] ((-105*b*d*(a + b*x^3))/x^3 - (70*d*(a + b*x^3)^2)/x^6 - 105*b^2*d*Sqrt[1 + (b*x^3)/a]*ArcTanh[Sqrt[1 + (b*x^3)/a]] - (60*a^2*c*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-7/3, -3/2, -4/3, -(b*x^3)/a])/x^7 - (84*a^2*e*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-5/3, -3/2, -2/3, -(b*x^3)/a])/x^5 - (105*a^2*f*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[-3/2, -4/3, -1/3, -(b*x^3)/a])/x^4 + (56*b*g*(a + b*x^3)^3*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^3)/a])/a^2)/(420*Sqrt[a + b*x^3])

fricas [F] time = 0.97, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^8}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^8, x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^8, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^8, x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^8, x)

maple [B] time = 0.06, size = 1375, normalized size = 1.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x^3+a)^{(3/2)}*(g*x^4+f*x^3+e*x^2+d*x+c)/x^8, x)$

[Out]
$$e*(-1/5*(b*x^3+a)^{(1/2)}*a/x^5-13/20*(b*x^3+a)^{(1/2)}*b/x^2-9/20*I*b^3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+f*(-1/4*(b*x^3+a)^{(1/2)}*a/x^4-11/8*(b*x^3+a)^{(1/2)}*b/x-9/8*I*b^3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+g*(-1/3*(b*x^3+a)^{(1/2)}*a/x^3+2/3*(b*x^3+a)^{(1/2)}*b*b*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+c*(-1/7*a*(b*x^3+a)^{(1/2)}/x^7-17/56*b*(b*x^3+a)^{(1/2)}/x^4-27/112*b^2/a*(b*x^3+a)^{(1/2)}/x-9/112*I/a*b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)^3^{(1/2)}/(-a*b^2)^{(1/3)*b)^{(1/2)}, (I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+d*(-1/6*(b*x^3+a)^{(1/2)}*a/x^6-5/12*(b*x^3+a)^{(1/2)}*b/x^3-1/4*b^2*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^8,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^8, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^8, x)

sympy [A] time = 18.71, size = 536, normalized size = 0.72

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{3}, -\frac{1}{2} \\ -\frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^7\Gamma\left(-\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^5\Gamma\left(-\frac{2}{3}\right)} + \frac{a^{\frac{3}{2}}f\Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^4\Gamma\left(-\frac{1}{3}\right)} + \frac{\sqrt{a}bc\Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^4\Gamma\left(-\frac{1}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**8,x)

[Out] a**(3/2)*c*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + a**(3/2)*e*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + a**(3/2)*f*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*b*c*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*b*e*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*b*f*gamma(-1/3)*hyper((-1/2, -1/3), (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - sqrt(a)*b*g*asinh(sqrt(a)/(sqrt(b)*x**(3/2))) - a**2*d/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*d/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*g*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) + 2*a*sqrt(b)*g/(3*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b**(3/2)*d*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*d/(12*x**(3/2)*sqrt(a/(b*x**3) + 1)) + 2*b**(3/2)*g*x**(3/2)/(3*sqrt(a/(b*x**3) + 1)) - b**2*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(4*sqrt(a))

$$3.470 \quad \int \frac{(a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4)}{x^9} dx$$

Optimal. Leaf size=705

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1+\sqrt{3}) \sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (7 \sqrt[3]{b} (bc - 16af))$$

$$2240a \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}$$

[Out] $-1/840*(105*c/x^8+120*d/x^7+140*e/x^6+168*f/x^5+210*g/x^4)*(b*x^3+a)^{(3/2)}-1/4*b^2*e*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/560*b*(63*c/x^5+90*d/x^4+140*e/x^3+252*f/x^2+630*g/x)*(b*x^3+a)^{(1/2)}-27/320*b^2*c*(b*x^3+a)^{(1/2)}/a/x^2-27/112*b^2*d*(b*x^3+a)^{(1/2)}/a/x+27/112*b^{(4/3)}*(14*a*g+b*d)*(b*x^3+a)^{(1/2)}/a/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))-27/224*3^{(1/4)}*b^{(4/3)}*(14*a*g+b*d)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(2/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}-9/2240*3^{(3/4)}*b^{(4/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}((b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(7*b^{(1/3)}*(-16*a*f+b*c)+20*a^{(1/3)}*(14*a*g+b*d)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.01, antiderivative size = 705, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{4/3} (\sqrt[3]{a} + \sqrt[3]{b} x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b} x + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} F\left(\sin^{-1}\left(\frac{\sqrt[3]{b} x + (1-\sqrt{3}) \sqrt[3]{a}}{\sqrt[3]{b} x + (1+\sqrt{3}) \sqrt[3]{a}}\right) \mid -7 - 4\sqrt{3}\right) (7 \sqrt[3]{b} (bc - 16af))$$

$$2240a \sqrt{\frac{\sqrt[3]{a} (\sqrt[3]{a} + \sqrt[3]{b} x)}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{b} x)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}(((a + b*x^3)^{(3/2)}*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9, x)$

[Out] $-(b*((63*c)/x^5 + (90*d)/x^4 + (140*e)/x^3 + (252*f)/x^2 + (630*g)/x)*\operatorname{Sqrt}[a + b*x^3])/560 - (27*b^2*c*\operatorname{Sqrt}[a + b*x^3])/(320*a*x^2) - (27*b^2*d*\operatorname{Sqrt}[a$

$$\begin{aligned} & + b*x^3)/(112*a*x) + (27*b^(4/3)*(b*d + 14*a*g)*\text{Sqrt}[a + b*x^3])/(112*a*(\\ & (1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)) - (((105*c)/x^8 + (120*d)/x^7 + (140*e) \\ & /x^6 + (168*f)/x^5 + (210*g)/x^4)*(a + b*x^3)^(3/2))/840 - (b^2*e*\text{ArcTanh}[\text{S} \\ & \text{qrt}[a + b*x^3]/\text{Sqrt}[a])/(4*\text{Sqrt}[a]) - (27*3^(1/4)*\text{Sqrt}[2 - \text{Sqrt}[3]]*b^(4/3) \\ &)*(b*d + 14*a*g)*(a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + \\ & b^(2/3)*x^2)/((1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2]*\text{EllipticE}[\text{ArcSin}[\frac{(1 - \\ & \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x}{(1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x}], -7 - 4* \\ & \text{Sqrt}[3]])/(224*a^(2/3)*\text{Sqrt}[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/(1 + \text{Sqrt}[3])* \\ & a^(1/3) + b^(1/3)*x]^2*\text{Sqrt}[a + b*x^3]) - (9*3^(3/4)*\text{Sqrt}[2 + \text{Sqrt}[3]]*b^(\\ & 4/3)*(7*b^(1/3)*(b*c - 16*a*f) + 20*(1 - \text{Sqrt}[3])*a^(1/3)*(b*d + 14*a*g))*(\\ & a^(1/3) + b^(1/3)*x)*\text{Sqrt}[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + \\ & \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x)^2]*\text{EllipticF}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*a^(1/3) + \\ & b^(1/3)*x}{(1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x}], -7 - 4*\text{Sqrt}[3]])/(2240*a* \\ & \text{Sqrt}[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/(1 + \text{Sqrt}[3])*a^(1/3) + b^(1/3)*x]^2) \\ & *\text{Sqrt}[a + b*x^3]) \end{aligned}$$

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*\text{ArcTanh}[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/\text{Sqrt}[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*\text{Sqrt}[2 + \text{Sqrt}[3]]*(s + r*x)*\text{Sqrt}[(s^2 - r*s
*x + r^2*x^2)/((1 + \text{Sqrt}[3])*s + r*x)^2]*\text{EllipticF}[\text{ArcSin}[\frac{(1 - \text{Sqrt}[3])*s
+ r*x}{(1 + \text{Sqrt}[3])*s + r*x}], -7 - 4*\text{Sqrt}[3]])/(3^(1/4)*r*\text{Sqrt}[a + b*x^3
]*\text{Sqrt}[(s*(s + r*x))/(1 + \text{Sqrt}[3])*s + r*x]^2), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)
*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_.)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
```


Mathematica [C] time = 0.60, size = 202, normalized size = 0.29

$$\frac{\sqrt{a+bx^3} \left(2x \left(7x \left(5 \left(3a^2gx^2 {}_2F_1 \left(-\frac{3}{2}, -\frac{4}{3}; -\frac{1}{3}; -\frac{bx^3}{a} \right) + 3b^2ex^6 \tanh^{-1} \left(\sqrt{\frac{bx^3}{a} + 1} \right) + ae(2a+5bx^3) \sqrt{\frac{bx^3}{a} + 1} \right) \right) \right)}{840ax^8 \sqrt{\frac{bx^3}{a}}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9,x]

[Out] -1/840*(Sqrt[a + b*x^3]*(105*a^2*c*Hypergeometric2F1[-8/3, -3/2, -5/3, -(b*x^3)/a] + 2*x*(60*a^2*d*Hypergeometric2F1[-7/3, -3/2, -4/3, -(b*x^3)/a] + 7*x*(12*a^2*f*x*Hypergeometric2F1[-5/3, -3/2, -2/3, -(b*x^3)/a] + 5*(a*e*(2*a + 5*b*x^3)*Sqrt[1 + (b*x^3)/a] + 3*b^2*e*x^6*ArcTanh[Sqrt[1 + (b*x^3)/a]] + 3*a^2*g*x^2*Hypergeometric2F1[-3/2, -4/3, -1/3, -(b*x^3)/a])))))/(a*x^8*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^9}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^9,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^9, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^9,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^9, x)

maple [B] time = 0.06, size = 1663, normalized size = 2.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x^3+a)^{(3/2)}*(g*x^4+f*x^3+e*x^2+d*x+c)/x^9,x)$

[Out] $f*(-1/5*(b*x^3+a)^{(1/2)}*a/x^5-13/20*(b*x^3+a)^{(1/2)}*b/x^2-9/20*I*b^3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+g*(-1/4*(b*x^3+a)^{(1/2)}*a/x^4-11/8*(b*x^3+a)^{(1/2)}*b/x-9/8*I*b^3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+c*(-1/8*a*(b*x^3+a)^{(1/2)}/x^8-19/80*b*(b*x^3+a)^{(1/2)}/x^5-27/320*b^2/a*(b*x^3+a)^{(1/2)}/x^2+9/320*I/a*b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+d*(-1/7*(b*x^3+a)^{(1/2)}*a/x^7-17/56*(b*x^3+a)^{(1/2)}*b/x^4-27/112*(b*x^3+a)^{(1/2)}/a*b^2/x-9/112*I/a*b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+e*(-1/6*(b*x^3+a)^{(1/2)}*a/x^6-5/12*(b*x^3+a)^{(1/2)}*b/x^3-1/4*b^2*arctanh((b*x^3+a)^{(1/2)}/a^(1/2)))/a^(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^9,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^9, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^9, x)

sympy [A] time = 17.28, size = 527, normalized size = 0.75

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{8}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{8}{3}, -\frac{1}{2} \\ -\frac{5}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^8\Gamma\left(-\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}}d\Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{3}, -\frac{1}{2} \\ -\frac{4}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^7\Gamma\left(-\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}}f\Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{3}, -\frac{1}{2} \\ -\frac{2}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^5\Gamma\left(-\frac{2}{3}\right)} + \frac{a^{\frac{3}{2}}g\Gamma\left(-\frac{4}{3}\right) {}_2F_1\left(\begin{matrix} -\frac{4}{3}, -\frac{1}{2} \\ -\frac{1}{3} \end{matrix} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^4\Gamma\left(-\frac{1}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**9,x)

[Out] a**(3/2)*c*gamma(-8/3)*hyper((-8/3, -1/2), (-5/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**8*gamma(-5/3)) + a**(3/2)*d*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + a**(3/2)*f*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + a**(3/2)*g*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*b*c*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*b*d*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) + sqrt(a)*b*f*gamma(-2/3)*hyper((-2/3, -1/2), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*b*g*gamma(-1/3)*hyper((-1/2, -1/3), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3)) + sqrt(a)*b*g*gamma(-1/3)*hyper((-1/2, -1/3), (1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**2*gamma(1/3))

```

, (2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x*gamma(2/3)) - a**2*e/(6*sqrt(b)*x*
*(15/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*e/(4*x**(9/2)*sqrt(a/(b*x**3) + 1
)) - b**(3/2)*e*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*e/(12*x**(3/2)
*sqrt(a/(b*x**3) + 1)) - b**2*e*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(4*sqrt(a
))

```

$$3.471 \quad \int \frac{(a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4)}{x^{10}} dx$$

Optimal. Leaf size=714

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{5/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (20(1-\sqrt{3})\sqrt[3]{a}b^{2/3}e - 112ag + 7bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1-\sqrt[3]{b}x)}{\sqrt[3]{b}x + (1+\sqrt[3]{b}x)}\right)\right)$$

$$2240a \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

[Out] $-1/2520*(280*c/x^9+315*d/x^8+360*e/x^7+420*f/x^6+504*g/x^5)*(b*x^3+a)^(3/2)+1/24*b^2*(-6*a*f+b*c)*\operatorname{arctanh}((b*x^3+a)^(1/2)/a^(1/2))/a^(3/2)-1/1680*b*(140*c/x^6+189*d/x^5+270*e/x^4+420*f/x^3+756*g/x^2)*(b*x^3+a)^(1/2)-1/24*b^2*c*(b*x^3+a)^(1/2)/a/x^3-27/320*b^2*d*(b*x^3+a)^(1/2)/a/x^2-27/112*b^2*e*(b*x^3+a)^(1/2)/a/x+27/112*b^(7/3)*e*(b*x^3+a)^(1/2)/a/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))-27/224*3^(1/4)*b^(7/3)*e*(a^(1/3)+b^(1/3)*x)*\operatorname{EllipticE}((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(1/2*6^(1/2)-1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2)))^2)^(1/2)/a^(2/3)/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)-9/2240*3^(3/4)*b^(5/3)*(a^(1/3)+b^(1/3)*x)*\operatorname{EllipticF}((b^(1/3)*x+a^(1/3)*(1-3^(1/2)))/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))), I*3^(1/2)+2*I)*(7*b*d-112*a*g+20*a^(1/3)*b^(2/3)*e*(1-3^(1/2)))*(1/2*6^(1/2)+1/2*2^(1/2))*((a^(2/3)-a^(1/3)*b^(1/3)*x+b^(2/3)*x^2)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)/a/(b*x^3+a)^(1/2)/(a^(1/3)*(a^(1/3)+b^(1/3)*x)/(b^(1/3)*x+a^(1/3)*(1+3^(1/2))))^(1/2)$

Rubi [A] time = 1.12, antiderivative size = 714, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{b^2(bc - 6af) \tanh^{-1}\left(\frac{\sqrt{a+bx^3}}{\sqrt{a}}\right)}{24a^{3/2}} \cdot 9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{5/3} (\sqrt[3]{a} + \sqrt[3]{b}x) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{b}x + b^{2/3}x^2}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} (20(1-\sqrt{3})\sqrt[3]{a}b^{2/3}e - 112ag + 7bd) F\left(\sin^{-1}\left(\frac{\sqrt[3]{b}x + (1-\sqrt[3]{b}x)}{\sqrt[3]{b}x + (1+\sqrt[3]{b}x)}\right)\right) + 2240a \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{b}x)}{((1+\sqrt{3})\sqrt[3]{a} + \sqrt[3]{b}x)^2}} \sqrt{a + bx^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^10,x]

[Out] $-(b*((140*c)/x^6 + (189*d)/x^5 + (270*e)/x^4 + (420*f)/x^3 + (756*g)/x^2))*\operatorname{Sqrt}[a + b*x^3]/1680 - (b^2*c*\operatorname{Sqrt}[a + b*x^3])/(24*a*x^3) - (27*b^2*d*\operatorname{Sqrt}[$

$$\begin{aligned} & a + b*x^3]/(320*a*x^2) - (27*b^2*e*Sqrt[a + b*x^3])/(112*a*x) + (27*b^(7/3) \\ &)*e*Sqrt[a + b*x^3]/(112*a*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) - (((280*c \\ &)/x^9 + (315*d)/x^8 + (360*e)/x^7 + (420*f)/x^6 + (504*g)/x^5)*(a + b*x^3)^(\\ & (3/2))/2520 + (b^2*(b*c - 6*a*f)*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]])/(24*a^(3 \\ & /2)) - (27*3^(1/4)*Sqrt[2 - Sqrt[3]]*b^(7/3)*e*(a^(1/3) + b^(1/3)*x)*Sqrt[(\\ & a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3) \\ & *x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])* \\ & a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(224*a^(2/3)*Sqrt[(a^(1/3)*(a^(1/3) \\ & + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) - (9 \\ & *3^(3/4)*Sqrt[2 + Sqrt[3]]*b^(5/3)*(7*b*d + 20*(1 - Sqrt[3])*a^(1/3)*b^(2/3) \\ &)*e - 112*a*g)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(\\ & (2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[((1 - Sq \\ & rt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sq \\ & rt[3]])/(2240*a*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) \\ & + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) \end{aligned}$$

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)
*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_.)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
```


Mathematica [C] time = 0.82, size = 226, normalized size = 0.32

$$\sqrt{a + bx^3} \left(105a^5 d {}_2F_1 \left(-\frac{8}{3}, -\frac{3}{2}; -\frac{5}{3}; -\frac{bx^3}{a} \right) + 2x \left(60a^5 e {}_2F_1 \left(-\frac{7}{3}, -\frac{3}{2}; -\frac{4}{3}; -\frac{bx^3}{a} \right) + 7x \left(12a^5 g x {}_2F_1 \left(-\frac{5}{3}, -\frac{3}{2}; -\frac{2}{3}; -\frac{bx^3}{a} \right) \right) \right)$$

840

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^10,x]

[Out] -1/840*(Sqrt[a + b*x^3]*(105*a^5*d*Hypergeometric2F1[-8/3, -3/2, -5/3, -(b*x^3)/a]) + 2*x*(60*a^5*e*Hypergeometric2F1[-7/3, -3/2, -4/3, -(b*x^3)/a]) + 7*x*(5*a^3*f*(a*(2*a + 5*b*x^3)*Sqrt[1 + (b*x^3)/a] + 3*b^2*x^6*ArcTanh[Sqrt[1 + (b*x^3)/a]])) + 12*a^5*g*x*Hypergeometric2F1[-5/3, -3/2, -2/3, -(b*x^3)/a]) - 8*b^3*c*x^6*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[5/2, 4, 7/2, 1 + (b*x^3)/a]))/(a^4*x^8*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^{10}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^10,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^10, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^10,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^10, x)

maple [B] time = 0.10, size = 1273, normalized size = 1.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x^3+a)^{(3/2)}*(g*x^4+f*x^3+e*x^2+d*x+c)/x^{10},x)$

[Out] $g*(-1/5*(b*x^3+a)^{(1/2)}*a/x^5-13/20*(b*x^3+a)^{(1/2)}*b/x^2-9/20*I*b^3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+d*(-1/8*(b*x^3+a)^{(1/2)}*a/x^8-19/80*(b*x^3+a)^{(1/2)}*b/x^5-27/320*(b*x^3+a)^{(1/2)}/a*b^2/x^2+9/320*I/a*b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+c*(-1/9*a*(b*x^3+a)^{(1/2)}/x^9-7/36*b*(b*x^3+a)^{(1/2)}/x^6-1/24*b^2/a*(b*x^3+a)^{(1/2)}/x^3+1/24/a^{(3/2)}*b^3*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)))+e*(-1/7*(b*x^3+a)^{(1/2)}*a/x^7-17/56*(b*x^3+a)^{(1/2)}*b/x^4-27/112*(b*x^3+a)^{(1/2)}/a*b^2/x-9/112*I/a*b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)},(I^3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I^3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+f*(-1/6*(b*x^3+a)^{(1/2)}*a/x^6-5/12*(b*x^3+a)^{(1/2)}*b/x^3-1/4*b^2*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)))/a^{(1/2))}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{144} \left(\frac{3b^3 \log\left(\frac{\sqrt{bx^3+a}-\sqrt{a}}{\sqrt{bx^3+a}+\sqrt{a}}\right)}{a^{\frac{3}{2}}} + \frac{2\left(3(bx^3+a)^{\frac{5}{2}}b^3 + 8(bx^3+a)^{\frac{3}{2}}ab^3 - 3\sqrt{bx^3+a}a^2b^3\right)}{(bx^3+a)^3a - 3(bx^3+a)^2a^2 + 3(bx^3+a)a^3 - a^4} \right) c + \int \frac{(bgx^6 + bfx^5 + be}{$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^10,x, algorithm="maxima")

[Out]
$$\frac{-1/144*(3*b^3*\log(\sqrt{b*x^3+a}-\sqrt{a})/(\sqrt{b*x^3+a}+\sqrt{a}))/a^{3/2}+2*(3*(b*x^3+a)^{5/2}*b^3+8*(b*x^3+a)^{3/2}*a*b^3-3*\sqrt{b*x^3+a}*a^2*b^3)/((b*x^3+a)^3*a-3*(b*x^3+a)^2*a^2+3*(b*x^3+a)*a^3-a^4)*c+\int (b*g*x^6+b*f*x^5+b*e*x^4+a*f*x^2+(b*d+a*g)*x^3+a*e*x+a*d)*\sqrt{b*x^3+a}/x^9, x}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3+a)^{3/2} (gx^4+fx^3+ex^2+dx+c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a+b*x^3)^(3/2)*(c+d*x+e*x^2+f*x^3+g*x^4))/x^10,x)

[Out] int(((a+b*x^3)^(3/2)*(c+d*x+e*x^2+f*x^3+g*x^4))/x^10, x)

sympy [A] time = 25.79, size = 573, normalized size = 0.80

$$\frac{a^{\frac{3}{2}}d\Gamma\left(-\frac{8}{3}\right) {}_2F_1\left(-\frac{8}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^8\Gamma\left(-\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(-\frac{7}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^7\Gamma\left(-\frac{4}{3}\right)} + \frac{a^{\frac{3}{2}}g\Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(-\frac{5}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^5\Gamma\left(-\frac{2}{3}\right)} + \frac{\sqrt{a}bd\Gamma\left(-\frac{5}{3}\right) {}_2F_1\left(-\frac{5}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^5\Gamma\left(-\frac{2}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**10,x)

[Out]
$$\begin{aligned} & a^{3/2}d*\gamma(-8/3)*\text{hyper}((-8/3, -1/2), (-5/3,), b*x**3*\exp_polar(I*\pi)/a)/(3*x**8*\gamma(-5/3)) + a^{3/2}e*\gamma(-7/3)*\text{hyper}((-7/3, -1/2), (-4/3,), b*x**3*\exp_polar(I*\pi)/a)/(3*x**7*\gamma(-4/3)) + a^{3/2}g*\gamma(-5/3)*\text{hyper}((-5/3, -1/2), (-2/3,), b*x**3*\exp_polar(I*\pi)/a)/(3*x**5*\gamma(-2/3)) \\ & + \sqrt{a}*b*d*\gamma(-5/3)*\text{hyper}((-5/3, -1/2), (-2/3,), b*x**3*\exp_polar(I*\pi)/a)/(3*x**5*\gamma(-2/3)) + \sqrt{a}*b*e*\gamma(-4/3)*\text{hyper}((-4/3, -1/2), (-1/3,), b*x**3*\exp_polar(I*\pi)/a)/(3*x**4*\gamma(-1/3)) + \sqrt{a}*b*g*\gamma(-2/3)*\text{hyper}((-2/3, -1/2), (1/3,), b*x**3*\exp_polar(I*\pi)/a)/(3*x**2*\gamma(1/3)) \\ & - a^{3/2}*c/(9*\sqrt{b}*x**(21/2)*\sqrt{a/(b*x**3)+1}) - a^{3/2}*f/(6*\sqrt{b}*x**(15/2)*\sqrt{a/(b*x**3)+1}) - 11*a*\sqrt{b}*c/(36*x**(15/2)*\sqrt{a/(b*x**3)+1}) \\ & - a*\sqrt{b}*f/(4*x**(9/2)*\sqrt{a/(b*x**3)+1}) - 17*b**(3/2)*c/(72*x**(9/2)*\sqrt{a/(b*x**3)+1}) - b**(3/2)*f*\sqrt{a/(b*x**3)+1}/(3*x**(3/2)) \\ & - b**(3/2)*f/(12*x**(3/2)*\sqrt{a/(b*x**3)+1}) - b**(5/2)*c/(24*a*x**(3/2)*\sqrt{a/(b*x**3)+1}) - b**2*f*asinh(\sqrt{a}/(\sqrt{b}*x**(3/2)))/(4*\sqrt{a}) + b**3*c*asinh(\sqrt{a}/(\sqrt{b}*x**(3/2)))/(24*a**(3/2)) \end{aligned}$$

$$3.472 \quad \int \frac{(a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4)}{x^{11}} dx$$

Optimal. Leaf size=764

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{7/3} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (7a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(bc - 4af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3})}{\sqrt[3]{bx} + (1 + \sqrt{3})}\right)\right)$$

$$\frac{2240a^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}}$$

[Out] $-1/2520*(252*c/x^{10}+280*d/x^9+315*e/x^8+360*f/x^7+420*g/x^6)*(b*x^3+a)^{(3/2)}$
 $+1/24*b^2*(-6*a*g+b*d)*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/1680*b*($
 $108*c/x^7+140*d/x^6+189*e/x^5+270*f/x^4+420*g/x^3)*(b*x^3+a)^{(1/2)}-27/1120*$
 $b^2*c*(b*x^3+a)^{(1/2)}/a/x^4-1/24*b^2*d*(b*x^3+a)^{(1/2)}/a/x^3-27/320*b^2*e*($
 $b*x^3+a)^{(1/2)}/a/x^2+27/448*b^2*(-4*a*f+b*c)*(b*x^3+a)^{(1/2)}/a^2/x-27/448*b$
 $^{(7/3)*(-4*a*f+b*c)*(b*x^3+a)^{(1/2)}/a^2/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})+27/$
 $896*3^{(1/4)*b^{(7/3)*(-4*a*f+b*c)*(a^{(1/3)}+b^{(1/3)*x})*\operatorname{EllipticE}((b^{(1/3)*x+a^{(1/3)}$
 $^{(1/3)}*(1-3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))}), I*3^{(1/2)+2*I}*(1/2*6^{($
 $1/2)-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)*x+a^{(1/3)}$
 $^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}/a^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)*$
 $x)/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}-9/2240*3^{(3/4)*b^{(7/3)*(a^{(1/3)}$
 $+b^{(1/3)*x})*\operatorname{EllipticF}((b^{(1/3)*x+a^{(1/3)}*(1-3^{(1/2))})/(b^{(1/3)*x+a^{(1/3)}*(1$
 $+3^{(1/2))}), I*3^{(1/2)+2*I}*(7*a^{(2/3)*b^{(1/3)*e-5*(-4*a*f+b*c)*(1-3^{(1/2))})*$
 $(1/2*6^{(1/2)+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)*b^{(1/3)*x}+b^{(2/3)*x^2})/(b^{(1/3)}$
 $*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}/a^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+$
 $b^{(1/3)*x)/(b^{(1/3)*x+a^{(1/3)}*(1+3^{(1/2))})^2)^{(1/2)}$

Rubi [A] time = 1.33, antiderivative size = 764, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$9 \cdot 3^{3/4} \sqrt{2 + \sqrt{3}} b^{7/3} (\sqrt[3]{a} + \sqrt[3]{bx}) \sqrt{\frac{a^{2/3} - \sqrt[3]{a} \sqrt[3]{bx} + b^{2/3} x^2}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} (7a^{2/3} \sqrt[3]{b} e - 5(1 - \sqrt{3})(bc - 4af)) F\left(\sin^{-1}\left(\frac{\sqrt[3]{bx} + (1 - \sqrt{3})}{\sqrt[3]{bx} + (1 + \sqrt{3})}\right)\right)$$

$$\frac{2240a^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{a} + \sqrt[3]{bx})}{((1+\sqrt{3}) \sqrt[3]{a} + \sqrt[3]{bx})^2}} \sqrt{a + bx^3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*x^3)^{(3/2)}*(c + d*x + e*x^2 + f*x^3 + g*x^4)/x^{11}, x]$

[Out] $-(b*((108*c)/x^7 + (140*d)/x^6 + (189*e)/x^5 + (270*f)/x^4 + (420*g)/x^3)*\operatorname{Sqrt}[a + b*x^3])/1680 - (27*b^2*c*\operatorname{Sqrt}[a + b*x^3])/(1120*a*x^4) - (b^2*d*\operatorname{Sqrt}$

$$\begin{aligned} & t[a + b*x^3]/(24*a*x^3) - (27*b^2*e*Sqrt[a + b*x^3])/(320*a*x^2) + (27*b^2 \\ & *(b*c - 4*a*f)*Sqrt[a + b*x^3])/(448*a^2*x) - (27*b^(7/3)*(b*c - 4*a*f)*Sqr \\ & t[a + b*x^3])/(448*a^2*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) - (((252*c)/x^1 \\ & 0 + (280*d)/x^9 + (315*e)/x^8 + (360*f)/x^7 + (420*g)/x^6)*(a + b*x^3)^(3/2) \\ &))/2520 + (b^2*(b*d - 6*a*g)*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]])/(24*a^(3/2)) \\ & + (27*3^(1/4)*Sqrt[2 - Sqrt[3]]*b^(7/3)*(b*c - 4*a*f)*(a^(1/3) + b^(1/3)*x \\ &)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3)*x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + \\ & b^(1/3)*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + S \\ & qrt[3])*a^(1/3) + b^(1/3)*x)], -7 - 4*Sqrt[3]])/(896*a^(5/3)*Sqrt[(a^(1/3)* \\ & (a^(1/3) + b^(1/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^ \\ & 3]) - (9*3^(3/4)*Sqrt[2 + Sqrt[3]]*b^(7/3)*(7*a^(2/3)*b^(1/3)*e - 5*(1 - Sq \\ & rt[3])*(b*c - 4*a*f))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/3) \\ & *x + b^(2/3)*x^2)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin[(\\ & (1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)], -7 \\ & - 4*Sqrt[3]])/(2240*a^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqr \\ & t[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) \end{aligned}$$

Rule 14

```
Int[(u_)*((c_)*(x_)^(m_)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_
+ (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 63

```
Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x] /; FreeQ[{a, b}, x] &
& PosQ[a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n
)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_.)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
```

```
Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rubi steps

Mathematica [C] time = 0.72, size = 227, normalized size = 0.30

$$\sqrt{a + bx^3} \left(84a^5 c {}_2F_1 \left(-\frac{10}{3}, -\frac{3}{2}; -\frac{7}{3}; -\frac{bx^3}{a} \right) + 105a^5 ex^2 {}_2F_1 \left(-\frac{8}{3}, -\frac{3}{2}; -\frac{5}{3}; -\frac{bx^3}{a} \right) + 2x^3 \left(60a^5 f {}_2F_1 \left(-\frac{7}{3}, -\frac{3}{2}; -\frac{4}{3}; -\frac{bx^3}{a} \right) \right. \right.$$

840

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^11,x]

[Out] -1/840*(Sqrt[a + b*x^3]*(84*a^5*c*Hypergeometric2F1[-10/3, -3/2, -7/3, -((b*x^3)/a)] + 105*a^5*e*x^2*Hypergeometric2F1[-8/3, -3/2, -5/3, -((b*x^3)/a)] + 2*x^3*(35*a^3*g*x*(a*(2*a + 5*b*x^3)*Sqrt[1 + (b*x^3)/a] + 3*b^2*x^6*ArcTanh[Sqrt[1 + (b*x^3)/a]]) + 60*a^5*f*Hypergeometric2F1[-7/3, -3/2, -4/3, -((b*x^3)/a)] - 56*b^3*d*x^7*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[5/2, 4, 7/2, 1 + (b*x^3)/a]))/(a^4*x^10*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^{11}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^11,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^11, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^11,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^11, x)

maple [B] time = 0.06, size = 1470, normalized size = 1.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((b*x^3+a)^{(3/2)}*(g*x^4+f*x^3+e*x^2+d*x+c)/x^{11}, x)$

[Out] $e*(-1/8*(b*x^3+a)^{(1/2)}*a/x^8-19/80*(b*x^3+a)^{(1/2)}*b/x^5-27/320*(b*x^3+a)^{(1/2)}/a*b^2/x^2+9/320*I/a*b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+c*(-1/10*a*(b*x^3+a)^{(1/2)}/x^{10}-23/140*b*(b*x^3+a)^{(1/2)}/x^7-27/1120*b^2/a*(b*x^3+a)^{(1/2)}/x^4+27/448*b^3/a^2*(b*x^3+a)^{(1/2)}/x+9/448*I*b^3/a^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+d*(-1/9*(b*x^3+a)^{(1/2)}*a/x^9-7/36*(b*x^3+a)^{(1/2)}*b/x^6-1/24*(b*x^3+a)^{(1/2)}/a*b^2/x^3+1/24/a^{(3/2)}*b^3*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)))+f*(-1/7*(b*x^3+a)^{(1/2)}*a/x^7-17/56*(b*x^3+a)^{(1/2)}*b/x^4-27/112*(b*x^3+a)^{(1/2)}/a*b^2/x-9/112*I/a*b^2*3^{(1/2)}*(-a*b^2)^{(1/3)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}*((x-(-a*b^2)^{(1/3)}/b)/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b))^{(1/2)}*(-I*(x+1/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}/(b*x^3+a)^{(1/2)}*((-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*EllipticE(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+(-a*b^2)^{(1/3)}/b*EllipticF(1/3*3^{(1/2)}*(I*(x+1/2*(-a*b^2)^{(1/3)}/b-1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)*3^{(1/2)}/(-a*b^2)^{(1/3)}*b)^{(1/2)}, (I*3^{(1/2)}*(-a*b^2)^{(1/3)}/(-3/2*(-a*b^2)^{(1/3)}/b+1/2*I*3^{(1/2)}*(-a*b^2)^{(1/3)}/b)/b)^{(1/2)))+g*(-1/6*(b*x^3+a)^{(1/2)}*a/x^6-5/12*(b*x^3+a)^{(1/2)}*b/x^3-1/4*b^2*arctanh((b*x^3+a)^{(1/2)}/a^{(1/2)))/a^{(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^11,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^11, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{3/2} (gx^4 + fx^3 + ex^2 + dx + c)}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^11,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^11, x)

sympy [A] time = 26.66, size = 576, normalized size = 0.75

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{10}{3}\right) {}_2F_1\left(-\frac{10}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^{10}\Gamma\left(-\frac{7}{3}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{8}{3}\right) {}_2F_1\left(-\frac{8}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^8\Gamma\left(-\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}}f\Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(-\frac{7}{3}, -\frac{1}{2} \middle| \frac{bx^3e^{i\pi}}{a}\right)}{3x^7\Gamma\left(-\frac{4}{3}\right)} + \frac{\sqrt{a}bc\Gamma\left(-\frac{7}{3}\right)}{3x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**11,x)

[Out] a**(3/2)*c*gamma(-10/3)*hyper((-10/3, -1/2), (-7/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**10*gamma(-7/3)) + a**(3/2)*e*gamma(-8/3)*hyper((-8/3, -1/2), (-5/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**8*gamma(-5/3)) + a**(3/2)*f*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + sqrt(a)*b*c*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + sqrt(a)*b*e*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + sqrt(a)*b*f*gamma(-4/3)*hyper((-4/3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) - a**2*d/(9*sqrt(b)*x**(21/2)*sqrt(a/(b*x**3) + 1)) - a**2*g/(6*sqrt(b)*x**(15/2)*sqrt(a/(b*x**3) + 1)) - 11*a*sqrt(b)*d/(36*x**(15/2)*sqrt(a/(b*x**3) + 1)) - a*sqrt(b)*g/(4*x**(9/2)*sqrt(a/(b*x**3) + 1)) - 17*b**(3/2)*d/(72*x**(9/2)*sqrt(a/(b*x**3) + 1)) - b**(3/2)*g*sqrt(a/(b*x**3) + 1)/(3*x**(3/2)) - b**(3/2)*g/(12*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b**(5/2)*d/(24*a*x**(3/2)*sqrt(a/(b*x**3) + 1)) - b**2*g*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(4*sqrt(a)) + b**3*d*asinh(sqrt(a)/(sqrt(b)*x**(3/2)))/(24*a**(3/2))

$$3.473 \quad \int \frac{(a+bx^3)^{3/2} (c+dx+ex^2+fx^3+gx^4)}{x^{12}} dx$$

Optimal. Leaf size=796

$$\frac{e \tanh^{-1}\left(\frac{\sqrt{bx^3+a}}{\sqrt{a}}\right) b^3 \sqrt{27\sqrt[4]{3}} \sqrt{2-\sqrt{3}} (bd-4ag) (\sqrt[3]{b}x + \sqrt[3]{a}) \sqrt{\frac{b^{2/3}x^2 - \sqrt[3]{a} \sqrt[3]{bx+a}^{2/3}}{(\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}})^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\right) - 7}{24a^{3/2}} + \frac{896a^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{bx+\sqrt[3]{a}})}{(\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}})^2}} \sqrt{bx^3+a}}{896a^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{bx+\sqrt[3]{a}})}{(\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}})^2}} \sqrt{bx^3+a}}$$

[Out] $-1/27720*(2520*c/x^{11}+2772*d/x^{10}+3080*e/x^9+3465*f/x^8+3960*g/x^7)*(b*x^3+a)^{(3/2)}+1/24*b^3*e*\operatorname{arctanh}((b*x^3+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/18480*b*(945*c/x^8+1188*d/x^7+1540*e/x^6+2079*f/x^5+2970*g/x^4)*(b*x^3+a)^{(1/2)}-27/1760*b^2*c*(b*x^3+a)^{(1/2)}/a/x^5-27/1120*b^2*d*(b*x^3+a)^{(1/2)}/a/x^4-1/24*b^2*e*(b*x^3+a)^{(1/2)}/a/x^3+27/7040*b^2*(-22*a*f+7*b*c)*(b*x^3+a)^{(1/2)}/a^2/x^2+27/448*b^2*(-4*a*g+b*d)*(b*x^3+a)^{(1/2)}/a^2/x-27/448*b^{(7/3)}*(-4*a*g+b*d)*(b*x^3+a)^{(1/2)}/a^2/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)}))+27/896*3^{(1/4)}*b^{(7/3)}*(-4*a*g+b*d)*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticE}(b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(1/2*6^{(1/2)}-1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^{(5/3)}/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}+9/49280*3^{(3/4)}*b^{(7/3)}*(a^{(1/3)}+b^{(1/3)}*x)*\operatorname{EllipticF}(b^{(1/3)}*x+a^{(1/3)}*(1-3^{(1/2)}))/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})), I*3^{(1/2)}+2*I)*(7*b^{(1/3)}*(-22*a*f+7*b*c)+110*a^{(1/3)}*(-4*a*g+b*d)*(1-3^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})*((a^{(2/3)}-a^{(1/3)}*b^{(1/3)}*x+b^{(2/3)}*x^2)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}/a^2/(b*x^3+a)^{(1/2)}/(a^{(1/3)}*(a^{(1/3)}+b^{(1/3)}*x)/(b^{(1/3)}*x+a^{(1/3)}*(1+3^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.53, antiderivative size = 796, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {14, 1825, 1835, 1832, 266, 63, 208, 1878, 218, 1877}

$$\frac{e \tanh^{-1}\left(\frac{\sqrt{bx^3+a}}{\sqrt{a}}\right) b^3 \sqrt{27\sqrt[4]{3}} \sqrt{2-\sqrt{3}} (bd-4ag) (\sqrt[3]{b}x + \sqrt[3]{a}) \sqrt{\frac{b^{2/3}x^2 - \sqrt[3]{a} \sqrt[3]{bx+a}^{2/3}}{(\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}})^2}} E\left(\sin^{-1}\left(\frac{\sqrt[3]{bx+(1-\sqrt{3})\sqrt[3]{a}}}{\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}}}\right)\right) - 7}{24a^{3/2}} + \frac{896a^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{bx+\sqrt[3]{a}})}{(\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}})^2}} \sqrt{bx^3+a}}{896a^{5/3} \sqrt{\frac{\sqrt[3]{a}(\sqrt[3]{bx+\sqrt[3]{a}})}{(\sqrt[3]{bx+(1+\sqrt{3})\sqrt[3]{a}})^2}} \sqrt{bx^3+a}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^12,x]

```
[Out] -(b*((945*c)/x^8 + (1188*d)/x^7 + (1540*e)/x^6 + (2079*f)/x^5 + (2970*g)/x^
4)*Sqrt[a + b*x^3])/18480 - (27*b^2*c*Sqrt[a + b*x^3])/(1760*a*x^5) - (27*b
^2*d*Sqrt[a + b*x^3])/(1120*a*x^4) - (b^2*e*Sqrt[a + b*x^3])/(24*a*x^3) + (
27*b^2*(7*b*c - 22*a*f)*Sqrt[a + b*x^3])/(7040*a^2*x^2) + (27*b^2*(b*d - 4*
a*g)*Sqrt[a + b*x^3])/(448*a^2*x) - (27*b^(7/3)*(b*d - 4*a*g)*Sqrt[a + b*x^
3])/(448*a^2*((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)) - (((2520*c)/x^11 + (2772
*d)/x^10 + (3080*e)/x^9 + (3465*f)/x^8 + (3960*g)/x^7)*(a + b*x^3)^(3/2))/2
7720 + (b^3*e*ArcTanh[Sqrt[a + b*x^3]/Sqrt[a]])/(24*a^(3/2)) + (27*3^(1/4)*
Sqrt[2 - Sqrt[3]]*b^(7/3)*(b*d - 4*a*g)*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3)
- a^(1/3)*b^(1/3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*
EllipticE[ArcSin[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3)
+ b^(1/3)*x)], -7 - 4*Sqrt[3]])/(896*a^(5/3)*Sqrt[(a^(1/3)*(a^(1/3) + b^(1
/3)*x))/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3]) + (9*3^(3/4)
)*Sqrt[2 + Sqrt[3]]*b^(7/3)*(7*b^(1/3)*(7*b*c - 22*a*f) + 110*(1 - Sqrt[3])
*a^(1/3)*(b*d - 4*a*g))*(a^(1/3) + b^(1/3)*x)*Sqrt[(a^(2/3) - a^(1/3)*b^(1/
3)*x + b^(2/3)*x^2]/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)^2]*EllipticF[ArcSin
[((1 - Sqrt[3])*a^(1/3) + b^(1/3)*x)/((1 + Sqrt[3])*a^(1/3) + b^(1/3)*x)],
-7 - 4*Sqrt[3]])/(49280*a^2*Sqrt[(a^(1/3)*(a^(1/3) + b^(1/3)*x))/((1 + Sqrt
[3])*a^(1/3) + b^(1/3)*x)^2]*Sqrt[a + b*x^3])
```

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_
+ (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 218

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(2*Sqrt[2 + Sqrt[3]]*(s + r*x)*Sqrt[(s^2 - r*s
*x + r^2*x^2)/((1 + Sqrt[3])*s + r*x)^2]*EllipticF[ArcSin[((1 - Sqrt[3])*s
+ r*x)/((1 + Sqrt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(3^(1/4)*r*Sqrt[a + b*x^3
]*Sqrt[(s*(s + r*x))/((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b}, x] &
```

& PosQ[a]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n
)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_.)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1835

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]
```

Rule 1877

```
Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Simplify[((1 - Sqrt[3])*d)/c]], s = Denom[Simplify[((1 - Sqrt[3])*d)/c
]]}, Simp[(2*d*s^3*Sqrt[a + b*x^3])/(a*r^2*((1 + Sqrt[3])*s + r*x)), x] - S
imp[(3^(1/4)*Sqrt[2 - Sqrt[3]]*d*s*(s + r*x)*Sqrt[(s^2 - r*s*x + r^2*x^2)/(
(1 + Sqrt[3])*s + r*x)^2]*EllipticE[ArcSin[((1 - Sqrt[3])*s + r*x)/((1 + Sq
rt[3])*s + r*x)], -7 - 4*Sqrt[3]])/(r^2*Sqrt[a + b*x^3]*Sqrt[(s*(s + r*x))/
((1 + Sqrt[3])*s + r*x)^2]), x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && Eq
Q[b*c^3 - 2*(5 - 3*Sqrt[3])*a*d^3, 0]
```

Rule 1878

```

Int[((c_) + (d_.)*(x_))/Sqrt[(a_) + (b_.)*(x_)^3], x_Symbol] := With[{r = N
umer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Dist[(c*r - (1 - Sqrt[3])*d*s)/r,
  Int[1/Sqrt[a + b*x^3], x], x] + Dist[d/r, Int[((1 - Sqrt[3])*s + r*x)/Sqrt
[a + b*x^3], x], x]] /; FreeQ[{a, b, c, d}, x] && PosQ[a] && NeQ[b*c^3 - 2*
(5 - 3*Sqrt[3])*a*d^3, 0]

```

Rubi steps

Mathematica [C] time = 0.47, size = 194, normalized size = 0.24

$$\frac{\sqrt{a + bx^3} \left(11x^3 \left(-105a^5 f {}_2F_1 \left(-\frac{8}{3}, -\frac{3}{2}; -\frac{5}{3}; -\frac{bx^3}{a} \right) - 120a^5 gx {}_2F_1 \left(-\frac{7}{3}, -\frac{3}{2}; -\frac{4}{3}; -\frac{bx^3}{a} \right) + 112b^3 ex^8 (a + bx^3)^2 \sqrt{\frac{bx^3}{a}} \right)}{9240a^4 x^{11} \sqrt{\frac{bx^3}{a} + a}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^12,x]

[Out] (Sqrt[a + b*x^3]*(-840*a^5*c*Hypergeometric2F1[-11/3, -3/2, -8/3, -((b*x^3)/a)] - 924*a^5*d*x*Hypergeometric2F1[-10/3, -3/2, -7/3, -((b*x^3)/a)] + 11*x^3*(-105*a^5*f*Hypergeometric2F1[-8/3, -3/2, -5/3, -((b*x^3)/a)] - 120*a^5*g*x*Hypergeometric2F1[-7/3, -3/2, -4/3, -((b*x^3)/a)] + 112*b^3*e*x^8*(a + b*x^3)^2*Sqrt[1 + (b*x^3)/a]*Hypergeometric2F1[5/2, 4, 7/2, 1 + (b*x^3)/a]))/(9240*a^4*x^11*Sqrt[1 + (b*x^3)/a])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bgx^7 + bfx^6 + bex^5 + (bd + ag)x^4 + aex^2 + (bc + af)x^3 + adx + ac)\sqrt{bx^3 + a}}{x^{12}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^12,x, algorithm="fricas")

[Out] integral((b*g*x^7 + b*f*x^6 + b*e*x^5 + (b*d + a*g)*x^4 + a*e*x^2 + (b*c + a*f)*x^3 + a*d*x + a*c)*sqrt(b*x^3 + a)/x^12, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^12,x, algorithm="giac")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^12, x)

maple [B] time = 0.10, size = 1773, normalized size = 2.23

result too large to display

$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^{12}} dx$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^4 + fx^3 + ex^2 + dx + c)(bx^3 + a)^{\frac{3}{2}}}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^(3/2)*(g*x^4+f*x^3+e*x^2+d*x+c)/x^12,x, algorithm="maxima")

[Out] integrate((g*x^4 + f*x^3 + e*x^2 + d*x + c)*(b*x^3 + a)^(3/2)/x^12, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^3 + a)^{\frac{3}{2}} (gx^4 + fx^3 + ex^2 + dx + c)}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^12,x)

[Out] int(((a + b*x^3)^(3/2)*(c + d*x + e*x^2 + f*x^3 + g*x^4))/x^12, x)

sympy [A] time = 24.05, size = 541, normalized size = 0.68

$$\frac{a^{\frac{3}{2}} c \Gamma\left(-\frac{11}{3}\right) {}_2F_1\left(-\frac{11}{3}, -\frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^{11} \Gamma\left(-\frac{8}{3}\right)} + \frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{10}{3}\right) {}_2F_1\left(-\frac{10}{3}, -\frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^{10} \Gamma\left(-\frac{7}{3}\right)} + \frac{a^{\frac{3}{2}} f \Gamma\left(-\frac{8}{3}\right) {}_2F_1\left(-\frac{8}{3}, -\frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^8 \Gamma\left(-\frac{5}{3}\right)} + \frac{a^{\frac{3}{2}} g \Gamma\left(-\frac{7}{3}\right) {}_2F_1\left(-\frac{7}{3}, -\frac{1}{2} \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3x^7 \Gamma\left(-\frac{4}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**(3/2)*(g*x**4+f*x**3+e*x**2+d*x+c)/x**12,x)

[Out] a**(3/2)*c*gamma(-11/3)*hyper((-11/3, -1/2), (-8/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**11*gamma(-8/3)) + a**(3/2)*d*gamma(-10/3)*hyper((-10/3, -1/2), (-7/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**10*gamma(-7/3)) + a**(3/2)*f*gamma(-8/3)*hyper((-8/3, -1/2), (-5/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**8*gamma(-5/3)) + a**(3/2)*g*gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7*gamma(-4/3)) + sqrt(a)*b*c*gamma(-8/3)*hyper((-8/3, -1/2), (-5/3,), b*x**3*exp_polar(I*pi)/a)

$$\begin{aligned}
& 2), (-5/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**8*gamma(-5/3)) + \sqrt{a}*b*d* \\
& gamma(-7/3)*hyper((-7/3, -1/2), (-4/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**7* \\
& gamma(-4/3)) + \sqrt{a}*b*f*gamma(-5/3)*hyper((-5/3, -1/2), (-2/3,), b*x**3* \\
& xp_polar(I*pi)/a)/(3*x**5*gamma(-2/3)) + \sqrt{a}*b*g*gamma(-4/3)*hyper((-4/ \\
& 3, -1/2), (-1/3,), b*x**3*exp_polar(I*pi)/a)/(3*x**4*gamma(-1/3)) - a**2*e/ \\
& (9*\sqrt{b}*x**(21/2)*\sqrt{a/(b*x**3) + 1}) - 11*a*\sqrt{b}*e/(36*x**(15/2)* \\
& \sqrt{a/(b*x**3) + 1}) - 17*b**(3/2)*e/(72*x**(9/2)*\sqrt{a/(b*x**3) + 1}) - b \\
& *(5/2)*e/(24*a*x**(3/2)*\sqrt{a/(b*x**3) + 1}) + b**3*e*asinh(\sqrt{a}/(\sqrt{ \\
& (b)*x**(3/2)}))/(24*a**(3/2))
\end{aligned}$$

$$3.474 \quad \int (c + dx + ex^2) (a + bx^3)^p dx$$

Optimal. Leaf size=102

$$\frac{cx(a+bx^3)^{p+1} {}_2F_1\left(1, p + \frac{4}{3}; \frac{4}{3}; -\frac{bx^3}{a}\right)}{a} + \frac{dx^2(a+bx^3)^{p+1} {}_2F_1\left(1, p + \frac{5}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right)}{2a} + \frac{e(a+bx^3)^{p+1}}{3b(p+1)}$$

[Out] $\frac{1}{3}e*(b*x^3+a)^{(1+p)}/b/(1+p)+c*x*(b*x^3+a)^{(1+p)}*\text{hypergeom}([1, 4/3+p], [4/3], -b*x^3/a)/a+1/2*d*x^2*(b*x^3+a)^{(1+p)}*\text{hypergeom}([1, 5/3+p], [5/3], -b*x^3/a)/a$

Rubi [A] time = 0.08, antiderivative size = 120, normalized size of antiderivative = 1.18, number of steps used = 8, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1886, 261, 1893, 246, 245, 365, 364}

$$cx(a+bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{3}, -p; \frac{4}{3}; -\frac{bx^3}{a}\right) + \frac{1}{2}dx^2(a+bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{2}{3}, -p; \frac{5}{3}; -\frac{bx^3}{a}\right) + \frac{e(a+bx^3)^{p+1}}{3b(p+1)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2)*(a + b*x^3)^p, x]

[Out] $(e*(a + b*x^3)^{(1 + p)})/(3*b*(1 + p)) + (c*x*(a + b*x^3)^p*\text{Hypergeometric2F1}[1/3, -p, 4/3, -((b*x^3)/a)])/(1 + (b*x^3)/a)^p + (d*x^2*(a + b*x^3)^p*\text{Hypergeometric2F1}[2/3, -p, 5/3, -((b*x^3)/a)])/(2*(1 + (b*x^3)/a)^p)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 246

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] &&

NeQ[p, -1]

Rule 364

Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1886

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[Coeff[Pq, x, n - 1], Int[x^(n - 1)*(a + b*x^n)^p, x], x] + Int[ExpandToSum[Pq - Coeff[Pq, x, n - 1]*x^(n - 1), x]*(a + b*x^n)^p, x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && Expon[Pq, x] == n - 1

Rule 1893

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n])

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2)(a + bx^3)^p dx &= e \int x^2 (a + bx^3)^p dx + \int (c + dx)(a + bx^3)^p dx \\
&= \frac{e(a + bx^3)^{1+p}}{3b(1+p)} + \int \left(c(a + bx^3)^p + dx(a + bx^3)^p \right) dx \\
&= \frac{e(a + bx^3)^{1+p}}{3b(1+p)} + c \int (a + bx^3)^p dx + d \int x(a + bx^3)^p dx \\
&= \frac{e(a + bx^3)^{1+p}}{3b(1+p)} + \left(c(a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} \right) \int \left(1 + \frac{bx^3}{a} \right)^p dx + \left(d(a + bx^3)^p \right) \\
&= \frac{e(a + bx^3)^{1+p}}{3b(1+p)} + cx(a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} {}_2F_1 \left(\frac{1}{3}, -p; \frac{4}{3}; -\frac{bx^3}{a} \right) + \frac{1}{2} dx^2 (a +
\end{aligned}$$

Mathematica [A] time = 0.07, size = 114, normalized size = 1.12

$$\frac{(a + bx^3)^p \left(\frac{bx^3}{a} + 1 \right)^{-p} \left(6bc(p+1)x {}_2F_1 \left(\frac{1}{3}, -p; \frac{4}{3}; -\frac{bx^3}{a} \right) + 3bd(p+1)x^2 {}_2F_1 \left(\frac{2}{3}, -p; \frac{5}{3}; -\frac{bx^3}{a} \right) + 2e(a + bx^3) \left(\frac{bx^3}{a} + 1 \right)^{-p} \right)}{6b(p+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2)*(a + b*x^3)^p,x]

[Out] ((a + b*x^3)^p*(2*e*(a + b*x^3)*(1 + (b*x^3)/a)^p + 6*b*c*(1 + p)*x*Hypergeometric2F1[1/3, -p, 4/3, -((b*x^3)/a)] + 3*b*d*(1 + p)*x^2*Hypergeometric2F1[2/3, -p, 5/3, -((b*x^3)/a)])/(6*b*(1 + p)*(1 + (b*x^3)/a)^p)

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(ex^2 + dx + c\right)\left(bx^3 + a\right)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="fricas")

[Out] integral((e*x^2 + d*x + c)*(b*x^3 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)(bx^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*(b*x^3 + a)^p, x)

maple [F] time = 0.46, size = 0, normalized size = 0.00

$$\int (e x^2 + d x + c) (b x^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d*x+c)*(b*x^3+a)^p,x)

[Out] int((e*x^2+d*x+c)*(b*x^3+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e x^2 + d x + c) (b x^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*(b*x^3 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (b x^3 + a)^p (e x^2 + d x + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^3)^p*(c + d*x + e*x^2),x)

[Out] int((a + b*x^3)^p*(c + d*x + e*x^2), x)

sympy [A] time = 59.33, size = 112, normalized size = 1.10

$$\frac{a^p c x \Gamma\left(\frac{1}{3}\right) {}_2F_1\left(\frac{1}{3}, -p \left| \frac{b x^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{4}{3}\right)} + \frac{a^p d x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, -p \left| \frac{b x^3 e^{i\pi}}{a} \right. \right)}{3 \Gamma\left(\frac{5}{3}\right)} + e \left(\begin{array}{l} \left(\frac{a^p x^3}{3} \right) \text{ for } b = 0 \\ \left(\frac{(a + b x^3)^{p+1}}{p+1} \right) \text{ for } p \neq -1 \\ \left(\frac{\log(a + b x^3)}{3b} \right) \text{ otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d*x+c)*(b*x**3+a)**p,x)
```

```
[Out] a**p*c*x*gamma(1/3)*hyper((1/3, -p), (4/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(4/3)) + a**p*d*x**2*gamma(2/3)*hyper((2/3, -p), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + e*Piecewise((a**p*x**3/3, Eq(b, 0)), (Piecewise(e(((a + b*x**3)**(p + 1)/(p + 1), Ne(p, -1)), (log(a + b*x**3), True)))/(3*b), True))
```

3.475 $\int x (c + dx + ex^2) (a + bx^3)^p dx$

Optimal. Leaf size=107

$$\frac{cx^2 (a + bx^3)^{p+1} {}_2F_1\left(1, p + \frac{5}{3}; \frac{5}{3}; -\frac{bx^3}{a}\right)}{2a} + \frac{d(a + bx^3)^{p+1}}{3b(p+1)} + \frac{ex^4 (a + bx^3)^{p+1} {}_2F_1\left(1, p + \frac{7}{3}; \frac{7}{3}; -\frac{bx^3}{a}\right)}{4a}$$

[Out] $\frac{1}{3}d*(b*x^3+a)^{(1+p)}/b/(1+p)+\frac{1}{2}c*x^2*(b*x^3+a)^{(1+p)}*\text{hypergeom}([1, 5/3+p], [5/3], -b*x^3/a)/a+\frac{1}{4}e*x^4*(b*x^3+a)^{(1+p)}*\text{hypergeom}([1, 7/3+p], [7/3], -b*x^3/a)/a$

Rubi [A] time = 0.09, antiderivative size = 125, normalized size of antiderivative = 1.17, number of steps used = 7, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {1893, 365, 364, 261}

$$\frac{1}{2}cx^2 (a + bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{2}{3}, -p; \frac{5}{3}; -\frac{bx^3}{a}\right) + \frac{d(a + bx^3)^{p+1}}{3b(p+1)} + \frac{1}{4}ex^4 (a + bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[x*(c + d*x + e*x^2)*(a + b*x^3)^p,x]

[Out] $(d*(a + b*x^3)^{(1 + p)})/(3*b*(1 + p)) + (c*x^2*(a + b*x^3)^p*\text{Hypergeometric2F1}[2/3, -p, 5/3, -((b*x^3)/a)])/(2*(1 + (b*x^3)/a)^p) + (e*x^4*(a + b*x^3)^p*\text{Hypergeometric2F1}[4/3, -p, 7/3, -((b*x^3)/a)])/(4*(1 + (b*x^3)/a)^p)$

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 364

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^p*IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^(m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]

&& !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1893

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n])

Rubi steps

$$\begin{aligned}
 \int x(c + dx + ex^2)(a + bx^3)^p dx &= \int (cx(a + bx^3)^p + dx^2(a + bx^3)^p + ex^3(a + bx^3)^p) dx \\
 &= c \int x(a + bx^3)^p dx + d \int x^2(a + bx^3)^p dx + e \int x^3(a + bx^3)^p dx \\
 &= \frac{d(a + bx^3)^{1+p}}{3b(1+p)} + \left(c(a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} \right) \int x \left(1 + \frac{bx^3}{a} \right)^p dx + \left(e(a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} \right) \int x^3 \left(1 + \frac{bx^3}{a} \right)^p dx \\
 &= \frac{d(a + bx^3)^{1+p}}{3b(1+p)} + \frac{1}{2} cx^2 (a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} {}_2F_1 \left(\frac{2}{3}, -p; \frac{5}{3}; -\frac{bx^3}{a} \right) + \frac{1}{4} ex^4 (a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} {}_2F_1 \left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a} \right)
 \end{aligned}$$

Mathematica [A] time = 0.10, size = 116, normalized size = 1.08

$$\frac{(a + bx^3)^p \left(\frac{bx^3}{a} + 1 \right)^{-p} \left(6bc(p+1)x^2 {}_2F_1 \left(\frac{2}{3}, -p; \frac{5}{3}; -\frac{bx^3}{a} \right) + 4d(a + bx^3) \left(\frac{bx^3}{a} + 1 \right)^p + 3be(p+1)x^4 {}_2F_1 \left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a} \right) \right)}{12b(p+1)}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2)*(a + b*x^3)^p,x]

[Out] ((a + b*x^3)^p*(4*d*(a + b*x^3)*(1 + (b*x^3)/a)^p + 6*b*c*(1 + p)*x^2*Hypergeometric2F1[2/3, -p, 5/3, -((b*x^3)/a)] + 3*b*e*(1 + p)*x^4*Hypergeometric2F1[4/3, -p, 7/3, -((b*x^3)/a)])/(12*b*(1 + p)*(1 + (b*x^3)/a)^p)

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral} \left((ex^3 + dx^2 + cx)(bx^3 + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="fricas")

[Out] integral((e*x^3 + d*x^2 + c*x)*(b*x^3 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)(bx^3 + a)^p x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="giac")

[Out] integrate((e*x^2 + d*x + c)*(b*x^3 + a)^p*x, x)

maple [F] time = 0.47, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)x(bx^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d*x+c)*(b*x^3+a)^p,x)

[Out] int(x*(e*x^2+d*x+c)*(b*x^3+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)(bx^3 + a)^p x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="maxima")

[Out] integrate((e*x^2 + d*x + c)*(b*x^3 + a)^p*x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x(bx^3 + a)^p (ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^3)^p*(c + d*x + e*x^2),x)

[Out] int(x*(a + b*x^3)^p*(c + d*x + e*x^2), x)

sympy [A] time = 88.35, size = 114, normalized size = 1.07

$$\frac{a^p c x^2 \Gamma\left(\frac{2}{3}\right) {}_2F_1\left(\frac{2}{3}, -p \middle| \frac{b x^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{5}{3}\right)} + \frac{a^p e x^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, -p \middle| \frac{b x^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + d \left(\begin{array}{l} \frac{a^p x^3}{3} \quad \text{for } b = 0 \\ \frac{(a + b x^3)^{p+1}}{p+1} \quad \text{for } p \neq -1 \\ \frac{\log(a + b x^3)}{3b} \quad \text{otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d*x+c)*(b*x**3+a)**p,x)

[Out] a**p*c*x**2*gamma(2/3)*hyper((2/3, -p), (5/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(5/3)) + a**p*e*x**4*gamma(4/3)*hyper((4/3, -p), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + d*Piecewise((a**p*x**3/3, Eq(b, 0)), (Piecewise(((a + b*x**3)**(p + 1)/(p + 1), Ne(p, -1)), (log(a + b*x**3), True)))/(3*b), True))

$$3.476 \quad \int x^2 (c + dx + ex^2) (a + bx^3)^p dx$$

Optimal. Leaf size=107

$$\frac{c(a + bx^3)^{p+1}}{3b(p+1)} + \frac{dx^4(a + bx^3)^{p+1} {}_2F_1\left(1, p + \frac{7}{3}; \frac{7}{3}; -\frac{bx^3}{a}\right)}{4a} + \frac{ex^5(a + bx^3)^{p+1} {}_2F_1\left(1, p + \frac{8}{3}; \frac{8}{3}; -\frac{bx^3}{a}\right)}{5a}$$

[Out] $1/3*c*(b*x^3+a)^(1+p)/b/(1+p)+1/4*d*x^4*(b*x^3+a)^(1+p)*\text{hypergeom}([1, 7/3+p], [7/3], -b*x^3/a)/a+1/5*e*x^5*(b*x^3+a)^(1+p)*\text{hypergeom}([1, 8/3+p], [8/3], -b*x^3/a)/a$

Rubi [A] time = 0.11, antiderivative size = 125, normalized size of antiderivative = 1.17, number of steps used = 7, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {1893, 261, 365, 364}

$$\frac{c(a + bx^3)^{p+1}}{3b(p+1)} + \frac{1}{4} dx^4 (a + bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a}\right) + \frac{1}{5} ex^5 (a + bx^3)^p \left(\frac{bx^3}{a} + 1\right)^{-p} {}_2F_1\left(\frac{5}{3}, -p; \frac{8}{3}; -\frac{bx^3}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[x^2*(c + d*x + e*x^2)*(a + b*x^3)^p,x]

[Out] $(c*(a + b*x^3)^(1 + p))/(3*b*(1 + p)) + (d*x^4*(a + b*x^3)^p*\text{Hypergeometric2F1}[4/3, -p, 7/3, -((b*x^3)/a)])/(4*(1 + (b*x^3)/a)^p) + (e*x^5*(a + b*x^3)^p*\text{Hypergeometric2F1}[5/3, -p, 8/3, -((b*x^3)/a)])/(5*(1 + (b*x^3)/a)^p)$

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 364

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^p*IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^(m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]

&& !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1893

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n])

Rubi steps

$$\begin{aligned} \int x^2 (c + dx + ex^2) (a + bx^3)^p dx &= \int (cx^2 (a + bx^3)^p + dx^3 (a + bx^3)^p + ex^4 (a + bx^3)^p) dx \\ &= c \int x^2 (a + bx^3)^p dx + d \int x^3 (a + bx^3)^p dx + e \int x^4 (a + bx^3)^p dx \\ &= \frac{c(a + bx^3)^{1+p}}{3b(1+p)} + \left(d(a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} \right) \int x^3 \left(1 + \frac{bx^3}{a} \right)^p dx + \left(e(a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} \right) \int x^4 \left(1 + \frac{bx^3}{a} \right)^p dx \\ &= \frac{c(a + bx^3)^{1+p}}{3b(1+p)} + \frac{1}{4} dx^4 (a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} {}_2F_1 \left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a} \right) + \frac{1}{5} ex^5 (a + bx^3)^p \left(1 + \frac{bx^3}{a} \right)^{-p} {}_2F_1 \left(\frac{5}{3}, -p; \frac{8}{3}; -\frac{bx^3}{a} \right) \end{aligned}$$

Mathematica [A] time = 0.12, size = 116, normalized size = 1.08

$$\frac{(a + bx^3)^p \left(\frac{bx^3}{a} + 1 \right)^{-p} \left(20c(a + bx^3) \left(\frac{bx^3}{a} + 1 \right)^p + 15bd(p+1)x^4 {}_2F_1 \left(\frac{4}{3}, -p; \frac{7}{3}; -\frac{bx^3}{a} \right) + 12be(p+1)x^5 {}_2F_1 \left(\frac{5}{3}, -p; \frac{8}{3}; -\frac{bx^3}{a} \right) \right)}{60b(p+1)}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2)*(a + b*x^3)^p,x]

[Out] ((a + b*x^3)^p*(20*c*(a + b*x^3)*(1 + (b*x^3)/a)^p + 15*b*d*(1 + p)*x^4*Hypergeometric2F1[4/3, -p, 7/3, -((b*x^3)/a)] + 12*b*e*(1 + p)*x^5*Hypergeometric2F1[5/3, -p, 8/3, -((b*x^3)/a)])/(60*b*(1 + p)*(1 + (b*x^3)/a)^p)

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral} \left((ex^4 + dx^3 + cx^2)(bx^3 + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="fricas")

[Out] `integral((e*x^4 + d*x^3 + c*x^2)*(b*x^3 + a)^p, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)(bx^3 + a)^p x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="giac")`

[Out] `integrate((e*x^2 + d*x + c)*(b*x^3 + a)^p*x^2, x)`

maple [F] time = 0.48, size = 0, normalized size = 0.00

$$\int (ex^2 + dx + c)x^2 (bx^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^p,x)`

[Out] `int(x^2*(e*x^2+d*x+c)*(b*x^3+a)^p,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bx^3 + a)^{p+1}c}{3b(p+1)} + \int (ex^4 + dx^3)(bx^3 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x^2+d*x+c)*(b*x^3+a)^p,x, algorithm="maxima")`

[Out] `1/3*(b*x^3 + a)^(p + 1)*c/(b*(p + 1)) + integrate((e*x^4 + d*x^3)*(b*x^3 + a)^p, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (bx^3 + a)^p (ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*x^3)^p*(c + d*x + e*x^2),x)`

[Out] `int(x^2*(a + b*x^3)^p*(c + d*x + e*x^2), x)`

sympy [A] time = 124.19, size = 114, normalized size = 1.07

$$\frac{a^p dx^4 \Gamma\left(\frac{4}{3}\right) {}_2F_1\left(\frac{4}{3}, -p \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{7}{3}\right)} + \frac{a^p ex^5 \Gamma\left(\frac{5}{3}\right) {}_2F_1\left(\frac{5}{3}, -p \middle| \frac{bx^3 e^{i\pi}}{a}\right)}{3\Gamma\left(\frac{8}{3}\right)} + c \left(\begin{array}{l} \frac{a^p x^3}{3} \quad \text{for } b = 0 \\ \frac{(a+bx^3)^{p+1}}{p+1} \quad \text{for } p \neq -1 \\ \frac{\log(a+bx^3)}{3b} \quad \text{otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d*x+c)*(b*x**3+a)**p,x)

[Out] a**p*d*x**4*gamma(4/3)*hyper((4/3, -p), (7/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(7/3)) + a**p*e*x**5*gamma(5/3)*hyper((5/3, -p), (8/3,), b*x**3*exp_polar(I*pi)/a)/(3*gamma(8/3)) + c*Piecewise((a**p*x**3/3, Eq(b, 0)), (Piecewise(((a + b*x**3)**(p + 1)/(p + 1), Ne(p, -1)), (log(a + b*x**3), True)))/(3*b), True))

$$3.477 \quad \int (c + dx + ex^2 + fx^3)(a + bx^4) dx$$

Optimal. Leaf size=68

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8$$

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*a*f*x^4+1/5*b*c*x^5+1/6*b*d*x^6+1/7*b*e*x^7+1/8*b*f*x^8

Rubi [A] time = 0.04, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1850}

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (a*f*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7 + (b*f*x^8)/8

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int (c + dx + ex^2 + fx^3)(a + bx^4) dx &= \int (ac + adx + aex^2 + afx^3 + bcx^4 + bdx^5 + bex^6 + bfx^7) dx \\ &= acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8 \end{aligned}$$

Mathematica [A] time = 0.01, size = 68, normalized size = 1.00

$$acx + \frac{1}{2}adx^2 + \frac{1}{3}aex^3 + \frac{1}{4}afx^4 + \frac{1}{5}bcx^5 + \frac{1}{6}bdx^6 + \frac{1}{7}bex^7 + \frac{1}{8}bfx^8$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4), x]

[Out] a*c*x + (a*d*x^2)/2 + (a*e*x^3)/3 + (a*f*x^4)/4 + (b*c*x^5)/5 + (b*d*x^6)/6 + (b*e*x^7)/7 + (b*f*x^8)/8

fricas [A] time = 0.37, size = 54, normalized size = 0.79

$$\frac{1}{8}x^8fb + \frac{1}{7}x^7eb + \frac{1}{6}x^6db + \frac{1}{5}x^5cb + \frac{1}{4}x^4fa + \frac{1}{3}x^3ea + \frac{1}{2}x^2da + xca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a), x, algorithm="fricas")

[Out] 1/8*x^8*f*b + 1/7*x^7*e*b + 1/6*x^6*d*b + 1/5*x^5*c*b + 1/4*x^4*f*a + 1/3*x^3*e*a + 1/2*x^2*d*a + x*c*a

giac [A] time = 0.15, size = 56, normalized size = 0.82

$$\frac{1}{8}bfx^8 + \frac{1}{7}bx^7e + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}afx^4 + \frac{1}{3}ax^3e + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a), x, algorithm="giac")

[Out] 1/8*b*f*x^8 + 1/7*b*x^7*e + 1/6*b*d*x^6 + 1/5*b*c*x^5 + 1/4*a*f*x^4 + 1/3*a*x^3*e + 1/2*a*d*x^2 + a*c*x

maple [A] time = 0.04, size = 55, normalized size = 0.81

$$\frac{1}{8}bfx^8 + \frac{1}{7}bex^7 + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}afx^4 + \frac{1}{3}aex^3 + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a), x)

[Out] a*c*x+1/2*a*d*x^2+1/3*a*e*x^3+1/4*a*f*x^4+1/5*b*c*x^5+1/6*b*d*x^6+1/7*b*e*x^7+1/8*b*f*x^8

maxima [A] time = 1.32, size = 54, normalized size = 0.79

$$\frac{1}{8}bfx^8 + \frac{1}{7}bex^7 + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}afx^4 + \frac{1}{3}aex^3 + \frac{1}{2}adx^2 + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a), x, algorithm="maxima")

[Out] $\frac{1}{8}bfx^8 + \frac{1}{7}bex^7 + \frac{1}{6}bdx^6 + \frac{1}{5}bcx^5 + \frac{1}{4}afx^4 + \frac{1}{3}aex^3 + \frac{1}{2}adx^2 + acx$

mupad [B] time = 0.04, size = 54, normalized size = 0.79

$$\frac{bfx^8}{8} + \frac{bex^7}{7} + \frac{bdx^6}{6} + \frac{bcx^5}{5} + \frac{afx^4}{4} + \frac{aex^3}{3} + \frac{adx^2}{2} + acx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $acx + \frac{a*d*x^2}{2} + \frac{b*c*x^5}{5} + \frac{a*e*x^3}{3} + \frac{b*d*x^6}{6} + \frac{a*f*x^4}{4} + \frac{b*e*x^7}{7} + \frac{b*f*x^8}{8}$

sympy [A] time = 0.08, size = 63, normalized size = 0.93

$$acx + \frac{adx^2}{2} + \frac{aex^3}{3} + \frac{afx^4}{4} + \frac{bcx^5}{5} + \frac{bdx^6}{6} + \frac{bex^7}{7} + \frac{bfx^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a),x)`

[Out] $acx + \frac{a*d*x**2}{2} + \frac{a*e*x**3}{3} + \frac{a*f*x**4}{4} + \frac{b*c*x**5}{5} + \frac{b*d*x**6}{6} + \frac{b*e*x**7}{7} + \frac{b*f*x**8}{8}$

$$3.478 \quad \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4) dx$$

Optimal. Leaf size=73

$$\frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bfx^{11}$$

[Out] 1/4*a*c*x^4+1/5*a*d*x^5+1/6*a*e*x^6+1/7*a*f*x^7+1/8*b*c*x^8+1/9*b*d*x^9+1/10*b*e*x^10+1/11*b*f*x^11

Rubi [A] time = 0.06, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$, Rules used = {1820}

$$\frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bfx^{11}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4),x]

[Out] (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + (a*f*x^7)/7 + (b*c*x^8)/8 + (b*d*x^9)/9 + (b*e*x^10)/10 + (b*f*x^11)/11

Rule 1820

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :>
Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned} \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4) dx &= \int (acx^3 + adx^4 + aex^5 + afx^6 + bcx^7 + bdx^8 + bex^9 + bfx^{10}) dx \\ &= \frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bfx^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 73, normalized size = 1.00

$$\frac{1}{4}acx^4 + \frac{1}{5}adx^5 + \frac{1}{6}aex^6 + \frac{1}{7}afx^7 + \frac{1}{8}bcx^8 + \frac{1}{9}bdx^9 + \frac{1}{10}bex^{10} + \frac{1}{11}bfx^{11}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4),x]

[Out] (a*c*x^4)/4 + (a*d*x^5)/5 + (a*e*x^6)/6 + (a*f*x^7)/7 + (b*c*x^8)/8 + (b*d*x^9)/9 + (b*e*x^10)/10 + (b*f*x^11)/11

fricas [A] time = 0.38, size = 57, normalized size = 0.78

$$\frac{1}{11}x^{11}fb + \frac{1}{10}x^{10}eb + \frac{1}{9}x^9db + \frac{1}{8}x^8cb + \frac{1}{7}x^7fa + \frac{1}{6}x^6ea + \frac{1}{5}x^5da + \frac{1}{4}x^4ca$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a),x, algorithm="fricas")

[Out] 1/11*x^11*f*b + 1/10*x^10*e*b + 1/9*x^9*d*b + 1/8*x^8*c*b + 1/7*x^7*f*a + 1/6*x^6*e*a + 1/5*x^5*d*a + 1/4*x^4*c*a

giac [A] time = 0.16, size = 59, normalized size = 0.81

$$\frac{1}{11}bfx^{11} + \frac{1}{10}bx^{10}e + \frac{1}{9}bdx^9 + \frac{1}{8}bcx^8 + \frac{1}{7}afx^7 + \frac{1}{6}ax^6e + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a),x, algorithm="giac")

[Out] 1/11*b*f*x^11 + 1/10*b*x^10*e + 1/9*b*d*x^9 + 1/8*b*c*x^8 + 1/7*a*f*x^7 + 1/6*a*x^6*e + 1/5*a*d*x^5 + 1/4*a*c*x^4

maple [A] time = 0.04, size = 58, normalized size = 0.79

$$\frac{1}{11}bfx^{11} + \frac{1}{10}bex^{10} + \frac{1}{9}bdx^9 + \frac{1}{8}bcx^8 + \frac{1}{7}afx^7 + \frac{1}{6}aex^6 + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a),x)

[Out] 1/4*a*c*x^4+1/5*a*d*x^5+1/6*a*e*x^6+1/7*a*f*x^7+1/8*b*c*x^8+1/9*b*d*x^9+1/10*b*e*x^10+1/11*b*f*x^11

maxima [A] time = 1.33, size = 57, normalized size = 0.78

$$\frac{1}{11}bfx^{11} + \frac{1}{10}bex^{10} + \frac{1}{9}bdx^9 + \frac{1}{8}bcx^8 + \frac{1}{7}afx^7 + \frac{1}{6}aex^6 + \frac{1}{5}adx^5 + \frac{1}{4}acx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a),x, algorithm="maxima")

[Out] $1/11*b*f*x^{11} + 1/10*b*e*x^{10} + 1/9*b*d*x^9 + 1/8*b*c*x^8 + 1/7*a*f*x^7 + 1/6*a*e*x^6 + 1/5*a*d*x^5 + 1/4*a*c*x^4$

mupad [B] time = 0.03, size = 57, normalized size = 0.78

$$\frac{bfx^{11}}{11} + \frac{bex^{10}}{10} + \frac{bdx^9}{9} + \frac{bcx^8}{8} + \frac{afx^7}{7} + \frac{aex^6}{6} + \frac{adx^5}{5} + \frac{acx^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^4)*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $(a*c*x^4)/4 + (a*d*x^5)/5 + (b*c*x^8)/8 + (a*e*x^6)/6 + (b*d*x^9)/9 + (a*f*x^7)/7 + (b*e*x^{10})/10 + (b*f*x^{11})/11$

sympy [A] time = 0.07, size = 66, normalized size = 0.90

$$\frac{acx^4}{4} + \frac{adx^5}{5} + \frac{aex^6}{6} + \frac{afx^7}{7} + \frac{bcx^8}{8} + \frac{bdx^9}{9} + \frac{bex^{10}}{10} + \frac{bfx^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a),x)`

[Out] $a*c*x^{**4}/4 + a*d*x^{**5}/5 + a*e*x^{**6}/6 + a*f*x^{**7}/7 + b*c*x^{**8}/8 + b*d*x^{**9}/9 + b*e*x^{**10}/10 + b*f*x^{**11}/11$

$$3.479 \quad \int (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx$$

Optimal. Leaf size=109

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a+bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

[Out] $a^2c*x+1/2*a^2*d*x^2+1/3*a^2*e*x^3+2/5*a*b*c*x^5+1/3*a*b*d*x^6+2/7*a*b*e*x^7+1/9*b^2*c*x^9+1/10*b^2*d*x^{10}+1/11*b^2*e*x^{11}+1/12*f*(b*x^4+a)^3/b$

Rubi [A] time = 0.07, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{f(a+bx^4)^3}{12b} + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] $a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (b^2*c*x^9)/9 + (b^2*d*x^{10})/10 + (b^2*e*x^{11})/11 + (f*(a + b*x^4)^3)/(12*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^2 dx &= \frac{f(a + bx^4)^3}{12b} + \int (c + dx + ex^2)(a + bx^4)^2 dx \\
&= \frac{f(a + bx^4)^3}{12b} + \int (a^2c + a^2dx + a^2ex^2 + 2abcx^4 + 2abdx^5 + 2abex^6 + \dots) dx \\
&= a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 124, normalized size = 1.14

$$a^2cx + \frac{1}{2}a^2dx^2 + \frac{1}{3}a^2ex^3 + \frac{1}{4}a^2fx^4 + \frac{2}{5}abcx^5 + \frac{1}{3}abdx^6 + \frac{2}{7}abex^7 + \frac{1}{4}abfx^8 + \frac{1}{9}b^2cx^9 + \frac{1}{10}b^2dx^{10} + \frac{1}{11}b^2ex^{11} + \frac{1}{12}b^2fx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] a^2*c*x + (a^2*d*x^2)/2 + (a^2*e*x^3)/3 + (a^2*f*x^4)/4 + (2*a*b*c*x^5)/5 + (a*b*d*x^6)/3 + (2*a*b*e*x^7)/7 + (a*b*f*x^8)/4 + (b^2*c*x^9)/9 + (b^2*d*x^10)/10 + (b^2*e*x^11)/11 + (b^2*f*x^12)/12

fricas [A] time = 0.36, size = 102, normalized size = 0.94

$$\frac{1}{12}x^{12}fb^2 + \frac{1}{11}x^{11}eb^2 + \frac{1}{10}x^{10}db^2 + \frac{1}{9}x^9cb^2 + \frac{1}{4}x^8fba + \frac{2}{7}x^7eba + \frac{1}{3}x^6dba + \frac{2}{5}x^5cba + \frac{1}{4}x^4fa^2 + \frac{1}{3}x^3ea^2 + \frac{1}{2}x^2da^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="fricas")

[Out] 1/12*x^12*f*b^2 + 1/11*x^11*e*b^2 + 1/10*x^10*d*b^2 + 1/9*x^9*c*b^2 + 1/4*x^8*f*b*a + 2/7*x^7*e*b*a + 1/3*x^6*d*b*a + 2/5*x^5*c*b*a + 1/4*x^4*f*a^2 + 1/3*x^3*e*a^2 + 1/2*x^2*d*a^2 + x*c*a^2

giac [A] time = 0.16, size = 105, normalized size = 0.96

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2x^{11}e + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abx^7e + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2x^3e + \frac{1}{2}a^2dx^2 + xca^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$

maple [A] time = 0.04, size = 103, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x)`

[Out] $\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$

maxima [A] time = 1.36, size = 102, normalized size = 0.94

$$\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}abfx^8 + \frac{2}{7}abex^7 + \frac{1}{3}abdx^6 + \frac{2}{5}abcx^5 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="maxima")`

[Out] $\frac{1}{12}b^2fx^{12} + \frac{1}{11}b^2ex^{11} + \frac{1}{10}b^2dx^{10} + \frac{1}{9}b^2cx^9 + \frac{1}{4}a^2fx^4 + \frac{1}{3}a^2ex^3 + \frac{1}{2}a^2dx^2 + a^2cx$

mupad [B] time = 0.08, size = 102, normalized size = 0.94

$$\frac{f a^2 x^4}{4} + \frac{e a^2 x^3}{3} + \frac{d a^2 x^2}{2} + c a^2 x + \frac{f a b x^8}{4} + \frac{2 e a b x^7}{7} + \frac{d a b x^6}{3} + \frac{2 c a b x^5}{5} + \frac{f b^2 x^{12}}{12} + \frac{e b^2 x^{11}}{11} + \frac{d b^2 x^{10}}{10} + \frac{c b^2 x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)^2*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $(a^2dx^2)/2 + (b^2cx^9)/9 + (a^2ex^3)/3 + (b^2dx^{10})/10 + (a^2fx^4)/4 + (b^2ex^{11})/11 + (b^2fx^{12})/12 + a^2cx + (2abcx^5)/5 + (abdx^6)/3 + (2abex^7)/7 + (abfx^8)/4$

sympy [A] time = 0.09, size = 121, normalized size = 1.11

$$a^2cx + \frac{a^2dx^2}{2} + \frac{a^2ex^3}{3} + \frac{a^2fx^4}{4} + \frac{2abcx^5}{5} + \frac{abdx^6}{3} + \frac{2abex^7}{7} + \frac{abfx^8}{4} + \frac{b^2cx^9}{9} + \frac{b^2dx^{10}}{10} + \frac{b^2ex^{11}}{11} + \frac{b^2fx^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**2,x)

[Out] a**2*c*x + a**2*d*x**2/2 + a**2*e*x**3/3 + a**2*f*x**4/4 + 2*a*b*c*x**5/5 +
a*b*d*x**6/3 + 2*a*b*e*x**7/7 + a*b*f*x**8/4 + b**2*c*x**9/9 + b**2*d*x**1
0/10 + b**2*e*x**11/11 + b**2*f*x**12/12

$$3.480 \quad \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx$$

Optimal. Leaf size=114

$$\frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a^2fx^7 + \frac{c(a+bx^4)^3}{12b} + \frac{2}{9}abdx^9 + \frac{1}{5}abex^{10} + \frac{2}{11}abfx^{11} + \frac{1}{13}b^2dx^{13} + \frac{1}{14}b^2ex^{14} + \frac{1}{15}b^2fx^{15}$$

[Out] 1/5*a^2*d*x^5+1/6*a^2*e*x^6+1/7*a^2*f*x^7+2/9*a*b*d*x^9+1/5*a*b*e*x^10+2/11*a*b*f*x^11+1/13*b^2*d*x^13+1/14*b^2*e*x^14+1/15*b^2*f*x^15+1/12*c*(b*x^4+a)^3/b

Rubi [A] time = 0.08, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1582, 1850}

$$\frac{1}{5}a^2dx^5 + \frac{1}{6}a^2ex^6 + \frac{1}{7}a^2fx^7 + \frac{c(a+bx^4)^3}{12b} + \frac{2}{9}abdx^9 + \frac{1}{5}abex^{10} + \frac{2}{11}abfx^{11} + \frac{1}{13}b^2dx^{13} + \frac{1}{14}b^2ex^{14} + \frac{1}{15}b^2fx^{15}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a^2*f*x^7)/7 + (2*a*b*d*x^9)/9 + (a*b*e*x^10)/5 + (2*a*b*f*x^11)/11 + (b^2*d*x^13)/13 + (b^2*e*x^14)/14 + (b^2*f*x^15)/15 + (c*(a + b*x^4)^3)/(12*b)

Rule 1582

```
Int[(Px_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_.))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]
```

Rule 1850

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])
```

Rubi steps

$$\begin{aligned} \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^2 dx &= \frac{c(a + bx^4)^3}{12b} + \int (a + bx^4)^2 (-cx^3 + x^3(c + dx + ex^2 + fx^3)) dx \\ &= \frac{c(a + bx^4)^3}{12b} + \int (a^2 dx^4 + a^2 ex^5 + a^2 fx^6 + 2abdx^8 + 2abex^9 + 2abfx^{11}) dx \\ &= \frac{1}{5} a^2 dx^5 + \frac{1}{6} a^2 ex^6 + \frac{1}{7} a^2 fx^7 + \frac{2}{9} abdx^9 + \frac{1}{5} abex^{10} + \frac{2}{11} abfx^{11} + \frac{1}{13} ab^2 cx^{12} + \frac{1}{13} b^2 dx^{13} + \frac{1}{14} b^2 ex^{14} + \frac{1}{15} b^2 fx^{15} \end{aligned}$$

Mathematica [A] time = 0.01, size = 129, normalized size = 1.13

$$\frac{1}{4} a^2 cx^4 + \frac{1}{5} a^2 dx^5 + \frac{1}{6} a^2 ex^6 + \frac{1}{7} a^2 fx^7 + \frac{1}{4} abcx^8 + \frac{2}{9} abdx^9 + \frac{1}{5} abex^{10} + \frac{2}{11} abfx^{11} + \frac{1}{12} b^2 cx^{12} + \frac{1}{13} b^2 dx^{13} + \frac{1}{14} b^2 ex^{14} + \frac{1}{15} b^2 fx^{15}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^2,x]

[Out] (a^2*c*x^4)/4 + (a^2*d*x^5)/5 + (a^2*e*x^6)/6 + (a^2*f*x^7)/7 + (a*b*c*x^8)/4 + (2*a*b*d*x^9)/9 + (a*b*e*x^10)/5 + (2*a*b*f*x^11)/11 + (b^2*c*x^12)/12 + (b^2*d*x^13)/13 + (b^2*e*x^14)/14 + (b^2*f*x^15)/15

fricas [A] time = 0.34, size = 105, normalized size = 0.92

$$\frac{1}{15} x^{15} f b^2 + \frac{1}{14} x^{14} e b^2 + \frac{1}{13} x^{13} d b^2 + \frac{1}{12} x^{12} c b^2 + \frac{2}{11} x^{11} f b a + \frac{1}{5} x^{10} e b a + \frac{2}{9} x^9 d b a + \frac{1}{4} x^8 c b a + \frac{1}{7} x^7 f a^2 + \frac{1}{6} x^6 e a^2 + \frac{1}{5} x^5 d a^2 + \frac{1}{4} x^4 c a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="fricas")

[Out] 1/15*x^15*f*b^2 + 1/14*x^14*e*b^2 + 1/13*x^13*d*b^2 + 1/12*x^12*c*b^2 + 2/11*x^11*f*b*a + 1/5*x^10*e*b*a + 2/9*x^9*d*b*a + 1/4*x^8*c*b*a + 1/7*x^7*f*a^2 + 1/6*x^6*e*a^2 + 1/5*x^5*d*a^2 + 1/4*x^4*c*a^2

giac [A] time = 0.15, size = 108, normalized size = 0.95

$$\frac{1}{15} b^2 f x^{15} + \frac{1}{14} b^2 x^{14} e + \frac{1}{13} b^2 d x^{13} + \frac{1}{12} b^2 c x^{12} + \frac{2}{11} a b f x^{11} + \frac{1}{5} a b x^{10} e + \frac{2}{9} a b d x^9 + \frac{1}{4} a b c x^8 + \frac{1}{7} a^2 f x^7 + \frac{1}{6} a^2 x^6 e + \frac{1}{5} a^2 d x^5 + \frac{1}{4} a^2 c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{1}{15}b^2fx^{15} + \frac{1}{14}b^2ex^{14} + \frac{1}{13}b^2dx^{13} + \frac{1}{12}b^2cx^{12} + \frac{2}{11}abfx^{11} + \frac{1}{5}abex^{10} + \frac{2}{9}abdx^9 + \frac{1}{4}abcx^8 + \frac{1}{7}a^2fx^7 + \frac{1}{6}a^2ex^6 + \frac{1}{5}a^2dx^5 + \frac{1}{4}a^2cx^4$

maple [A] time = 0.04, size = 106, normalized size = 0.93

$$\frac{1}{15}b^2fx^{15} + \frac{1}{14}b^2ex^{14} + \frac{1}{13}b^2dx^{13} + \frac{1}{12}b^2cx^{12} + \frac{2}{11}abfx^{11} + \frac{1}{5}abex^{10} + \frac{2}{9}abdx^9 + \frac{1}{4}abcx^8 + \frac{1}{7}a^2fx^7 + \frac{1}{6}a^2ex^6 + \frac{1}{5}a^2dx^5 + \frac{1}{4}a^2cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x)`

[Out] $\frac{1}{15}b^2fx^{15} + \frac{1}{14}b^2ex^{14} + \frac{1}{13}b^2dx^{13} + \frac{1}{12}b^2cx^{12} + \frac{2}{11}abfx^{11} + \frac{1}{5}abex^{10} + \frac{2}{9}abdx^9 + \frac{1}{4}abcx^8 + \frac{1}{7}a^2fx^7 + \frac{1}{6}a^2ex^6 + \frac{1}{5}a^2dx^5 + \frac{1}{4}a^2cx^4$

maxima [A] time = 1.33, size = 105, normalized size = 0.92

$$\frac{1}{15}b^2fx^{15} + \frac{1}{14}b^2ex^{14} + \frac{1}{13}b^2dx^{13} + \frac{1}{12}b^2cx^{12} + \frac{2}{11}abfx^{11} + \frac{1}{5}abex^{10} + \frac{2}{9}abdx^9 + \frac{1}{4}abcx^8 + \frac{1}{7}a^2fx^7 + \frac{1}{6}a^2ex^6 + \frac{1}{5}a^2dx^5 + \frac{1}{4}a^2cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^2,x, algorithm="maxima")`

[Out] $\frac{1}{15}b^2fx^{15} + \frac{1}{14}b^2ex^{14} + \frac{1}{13}b^2dx^{13} + \frac{1}{12}b^2cx^{12} + \frac{2}{11}abfx^{11} + \frac{1}{5}abex^{10} + \frac{2}{9}abdx^9 + \frac{1}{4}abcx^8 + \frac{1}{7}a^2fx^7 + \frac{1}{6}a^2ex^6 + \frac{1}{5}a^2dx^5 + \frac{1}{4}a^2cx^4$

mupad [B] time = 0.07, size = 105, normalized size = 0.92

$$\frac{f a^2 x^7}{7} + \frac{e a^2 x^6}{6} + \frac{d a^2 x^5}{5} + \frac{c a^2 x^4}{4} + \frac{2 f a b x^{11}}{11} + \frac{e a b x^{10}}{5} + \frac{2 d a b x^9}{9} + \frac{c a b x^8}{4} + \frac{f b^2 x^{15}}{15} + \frac{e b^2 x^{14}}{14} + \frac{d b^2 x^{13}}{13} + \frac{c b^2 x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^4)^2*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $\frac{a^2cx^4}{4} + \frac{a^2dx^5}{5} + \frac{b^2cx^{12}}{12} + \frac{a^2ex^6}{6} + \frac{b^2dx^{13}}{13} + \frac{a^2fx^7}{7} + \frac{b^2ex^{14}}{14} + \frac{b^2fx^{15}}{15} + \frac{a^2bx^8}{4} + \frac{2a^2bdx^9}{9} + \frac{a^2bex^{10}}{5} + \frac{2a^2bfx^{11}}{11}$

sympy [A] time = 0.09, size = 124, normalized size = 1.09

$$\frac{a^2cx^4}{4} + \frac{a^2dx^5}{5} + \frac{a^2ex^6}{6} + \frac{a^2fx^7}{7} + \frac{abcx^8}{4} + \frac{2abdx^9}{9} + \frac{abex^{10}}{5} + \frac{2abfx^{11}}{11} + \frac{b^2cx^{12}}{12} + \frac{b^2dx^{13}}{13} + \frac{b^2ex^{14}}{14} + \frac{b^2fx^{15}}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**2,x)
```

```
[Out] a**2*c*x**4/4 + a**2*d*x**5/5 + a**2*e*x**6/6 + a**2*f*x**7/7 + a*b*c*x**8/4 + 2*a*b*d*x**9/9 + a*b*e*x**10/5 + 2*a*b*f*x**11/11 + b**2*c*x**12/12 + b**2*d*x**13/13 + b**2*e*x**14/14 + b**2*f*x**15/15
```

$$3.481 \quad \int (c + dx + ex^2 + fx^3) (a + bx^4)^3 dx$$

Optimal. Leaf size=151

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a+bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13}$$

[Out] a^3*c*x+1/2*a^3*d*x^2+1/3*a^3*e*x^3+3/5*a^2*b*c*x^5+1/2*a^2*b*d*x^6+3/7*a^2*b*e*x^7+1/3*a*b^2*c*x^9+3/10*a*b^2*d*x^10+3/11*a*b^2*e*x^11+1/13*b^3*c*x^13+1/14*b^3*d*x^14+1/15*b^3*e*x^15+1/16*f*(b*x^4+a)^4/b

Rubi [A] time = 0.11, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$\frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{f(a+bx^4)^4}{16b} + \frac{1}{13}b^3cx^{13}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (b^3*c*x^13)/13 + (b^3*d*x^14)/14 + (b^3*e*x^15)/15 + (f*(a + b*x^4)^4)/(16*b)

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[Expand[Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^3 dx &= \frac{f(a + bx^4)^4}{16b} + \int (c + dx + ex^2)(a + bx^4)^3 dx \\
&= \frac{f(a + bx^4)^4}{16b} + \int (a^3c + a^3dx + a^3ex^2 + 3a^2bcx^4 + 3a^2bdx^5 + 3a^2bex^6 \\
&= a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{1}{3}ab^2cx^9 -
\end{aligned}$$

Mathematica [A] time = 0.01, size = 180, normalized size = 1.19

$$a^3cx + \frac{1}{2}a^3dx^2 + \frac{1}{3}a^3ex^3 + \frac{1}{4}a^3fx^4 + \frac{3}{5}a^2bcx^5 + \frac{1}{2}a^2bdx^6 + \frac{3}{7}a^2bex^7 + \frac{3}{8}a^2bfx^8 + \frac{1}{3}ab^2cx^9 + \frac{3}{10}ab^2dx^{10} + \frac{3}{11}ab^2ex^{11} + \frac{1}{4}a$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] a^3*c*x + (a^3*d*x^2)/2 + (a^3*e*x^3)/3 + (a^3*f*x^4)/4 + (3*a^2*b*c*x^5)/5 + (a^2*b*d*x^6)/2 + (3*a^2*b*e*x^7)/7 + (3*a^2*b*f*x^8)/8 + (a*b^2*c*x^9)/3 + (3*a*b^2*d*x^10)/10 + (3*a*b^2*e*x^11)/11 + (a*b^2*f*x^12)/4 + (b^3*c*x^13)/13 + (b^3*d*x^14)/14 + (b^3*e*x^15)/15 + (b^3*f*x^16)/16

fricas [A] time = 0.39, size = 150, normalized size = 0.99

$$\frac{1}{16}x^{16}fb^3 + \frac{1}{15}x^{15}eb^3 + \frac{1}{14}x^{14}db^3 + \frac{1}{13}x^{13}cb^3 + \frac{1}{4}x^{12}fb^2a + \frac{3}{11}x^{11}eb^2a + \frac{3}{10}x^{10}db^2a + \frac{1}{3}x^9cb^2a + \frac{3}{8}x^8fba^2 + \frac{3}{7}x^7eba^2 + \frac{1}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="fricas")

[Out] 1/16*x^16*f*b^3 + 1/15*x^15*e*b^3 + 1/14*x^14*d*b^3 + 1/13*x^13*c*b^3 + 1/4*x^12*f*b^2*a + 3/11*x^11*e*b^2*a + 3/10*x^10*d*b^2*a + 1/3*x^9*c*b^2*a + 3/8*x^8*f*b*a^2 + 3/7*x^7*e*b*a^2 + 1/2*x^6*d*b*a^2 + 3/5*x^5*c*b*a^2 + 1/4*x^4*f*a^3 + 1/3*x^3*e*a^3 + 1/2*x^2*d*a^3 + x*c*a^3

giac [A] time = 0.16, size = 154, normalized size = 1.02

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3x^{15}e + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}ab^2fx^{12} + \frac{3}{11}ab^2x^{11}e + \frac{3}{10}ab^2dx^{10} + \frac{1}{3}ab^2cx^9 + \frac{3}{8}a^2bfx^8 + \frac{3}{7}a^2bx^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="giac")

[Out] $\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}a^3b^2fx^{12} + \frac{3}{11}a^3b^2ex^{11} + \frac{3}{10}a^3b^2dx^{10} + \frac{1}{3}a^3b^2cx^9 + \frac{3}{8}a^3b^2fx^8 + \frac{3}{7}a^3b^2ex^7 + \frac{1}{2}a^3b^2dx^6 + \frac{3}{5}a^3b^2cx^5 + \frac{1}{4}a^3b^2fx^4 + \frac{1}{3}a^3b^2ex^3 + \frac{1}{2}a^3b^2dx^2 + a^3b^2cx$

maple [A] time = 0.04, size = 151, normalized size = 1.00

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}a^3b^2fx^{12} + \frac{3}{11}a^3b^2ex^{11} + \frac{3}{10}a^3b^2dx^{10} + \frac{1}{3}a^3b^2cx^9 + \frac{3}{8}a^3b^2fx^8 + \frac{3}{7}a^3b^2ex^7 + \frac{1}{2}a^3b^2dx^6 + \frac{3}{5}a^3b^2cx^5 + \frac{1}{4}a^3b^2fx^4 + \frac{1}{3}a^3b^2ex^3 + \frac{1}{2}a^3b^2dx^2 + a^3b^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x)`

[Out] $\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}a^3b^2fx^{12} + \frac{3}{11}a^3b^2ex^{11} + \frac{3}{10}a^3b^2dx^{10} + \frac{1}{3}a^3b^2cx^9 + \frac{3}{8}a^3b^2fx^8 + \frac{3}{7}a^3b^2ex^7 + \frac{1}{2}a^3b^2dx^6 + \frac{3}{5}a^3b^2cx^5 + \frac{1}{4}a^3b^2fx^4 + \frac{1}{3}a^3b^2ex^3 + \frac{1}{2}a^3b^2dx^2 + a^3b^2cx$

maxima [A] time = 1.37, size = 150, normalized size = 0.99

$$\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}a^3b^2fx^{12} + \frac{3}{11}a^3b^2ex^{11} + \frac{3}{10}a^3b^2dx^{10} + \frac{1}{3}a^3b^2cx^9 + \frac{3}{8}a^3b^2fx^8 + \frac{3}{7}a^3b^2ex^7 + \frac{1}{2}a^3b^2dx^6 + \frac{3}{5}a^3b^2cx^5 + \frac{1}{4}a^3b^2fx^4 + \frac{1}{3}a^3b^2ex^3 + \frac{1}{2}a^3b^2dx^2 + a^3b^2cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{16}b^3fx^{16} + \frac{1}{15}b^3ex^{15} + \frac{1}{14}b^3dx^{14} + \frac{1}{13}b^3cx^{13} + \frac{1}{4}a^3b^2fx^{12} + \frac{3}{11}a^3b^2ex^{11} + \frac{3}{10}a^3b^2dx^{10} + \frac{1}{3}a^3b^2cx^9 + \frac{3}{8}a^3b^2fx^8 + \frac{3}{7}a^3b^2ex^7 + \frac{1}{2}a^3b^2dx^6 + \frac{3}{5}a^3b^2cx^5 + \frac{1}{4}a^3b^2fx^4 + \frac{1}{3}a^3b^2ex^3 + \frac{1}{2}a^3b^2dx^2 + a^3b^2cx$

mupad [B] time = 0.16, size = 150, normalized size = 0.99

$$\frac{f a^3 x^4}{4} + \frac{e a^3 x^3}{3} + \frac{d a^3 x^2}{2} + c a^3 x + \frac{3 f a^2 b x^8}{8} + \frac{3 e a^2 b x^7}{7} + \frac{d a^2 b x^6}{2} + \frac{3 c a^2 b x^5}{5} + \frac{f a b^2 x^{12}}{4} + \frac{3 e a b^2 x^{11}}{11} + \frac{3 d a b^2 x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)^3*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $\frac{a^3 d x^2}{2} + \frac{b^3 c x^{13}}{13} + \frac{a^3 e x^3}{3} + \frac{b^3 d x^{14}}{14} + \frac{a^3 f x^4}{4} + \frac{b^3 e x^{15}}{15} + \frac{b^3 f x^{16}}{16} + a^3 c x + \frac{3 a^2 b c x^5}{5} + \frac{3 a b^2 c x^9}{3} + \frac{a^2 b d x^6}{2} + \frac{3 a a b^2 d x^{10}}{10} + \frac{3 a^2 b e x^7}{7} + \frac{3 a a b^2 e x^{11}}{11} + \frac{3 a b^2 f x^8}{8} + \frac{a b^2 f x^{12}}{4}$

sympy [A] time = 0.10, size = 180, normalized size = 1.19

$$a^3cx + \frac{a^3dx^2}{2} + \frac{a^3ex^3}{3} + \frac{a^3fx^4}{4} + \frac{3a^2bcx^5}{5} + \frac{a^2bdx^6}{2} + \frac{3a^2bex^7}{7} + \frac{3a^2bfx^8}{8} + \frac{ab^2cx^9}{3} + \frac{3ab^2dx^{10}}{10} + \frac{3ab^2ex^{11}}{11} + \frac{ab^2fx^{12}}{4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**3,x)

[Out] a**3*c*x + a**3*d*x**2/2 + a**3*e*x**3/3 + a**3*f*x**4/4 + 3*a**2*b*c*x**5/5 + a**2*b*d*x**6/2 + 3*a**2*b*e*x**7/7 + 3*a**2*b*f*x**8/8 + a*b**2*c*x**9/3 + 3*a*b**2*d*x**10/10 + 3*a*b**2*e*x**11/11 + a*b**2*f*x**12/4 + b**3*c*x**13/13 + b**3*d*x**14/14 + b**3*e*x**15/15 + b**3*f*x**16/16

$$3.482 \quad \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^3 dx$$

Optimal. Leaf size=156

$$\frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^3fx^7 + \frac{1}{3}a^2bdx^9 + \frac{3}{10}a^2bex^{10} + \frac{3}{11}a^2bfx^{11} + \frac{3}{13}ab^2dx^{13} + \frac{3}{14}ab^2ex^{14} + \frac{1}{5}ab^2fx^{15} + \frac{c(a+bx^4)^4}{16b} + \frac{1}{16b}$$

[Out] 1/5*a^3*d*x^5+1/6*a^3*e*x^6+1/7*a^3*f*x^7+1/3*a^2*b*d*x^9+3/10*a^2*b*e*x^10+3/11*a^2*b*f*x^11+3/13*a*b^2*d*x^13+3/14*a*b^2*e*x^14+1/5*a*b^2*f*x^15+1/17*b^3*d*x^17+1/18*b^3*e*x^18+1/19*b^3*f*x^19+1/16*c*(b*x^4+a)^4/b

Rubi [A] time = 0.11, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1582, 1850}

$$\frac{1}{3}a^2bdx^9 + \frac{3}{10}a^2bex^{10} + \frac{3}{11}a^2bfx^{11} + \frac{1}{5}a^3dx^5 + \frac{1}{6}a^3ex^6 + \frac{1}{7}a^3fx^7 + \frac{3}{13}ab^2dx^{13} + \frac{3}{14}ab^2ex^{14} + \frac{1}{5}ab^2fx^{15} + \frac{c(a+bx^4)^4}{16b} + \frac{1}{16b}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] (a^3*d*x^5)/5 + (a^3*e*x^6)/6 + (a^3*f*x^7)/7 + (a^2*b*d*x^9)/3 + (3*a^2*b*e*x^10)/10 + (3*a^2*b*f*x^11)/11 + (3*a*b^2*d*x^13)/13 + (3*a*b^2*e*x^14)/14 + (a*b^2*f*x^15)/5 + (b^3*d*x^17)/17 + (b^3*e*x^18)/18 + (b^3*f*x^19)/19 + (c*(a + b*x^4)^4)/(16*b)

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^3 dx &= \frac{c(a + bx^4)^4}{16b} + \int (a + bx^4)^3 (-cx^3 + x^3(c + dx + ex^2 + fx^3)) dx \\
&= \frac{c(a + bx^4)^4}{16b} + \int (a^3 dx^4 + a^3 ex^5 + a^3 fx^6 + 3a^2 b dx^8 + 3a^2 b ex^9 + 3a^2 b fx^{10} + 3a^2 b dx^{12} + 3a^2 b ex^{13} + 3a^2 b fx^{14}) dx \\
&= \frac{1}{5} a^3 dx^5 + \frac{1}{6} a^3 ex^6 + \frac{1}{7} a^3 fx^7 + \frac{1}{3} a^2 b dx^9 + \frac{3}{10} a^2 b ex^{10} + \frac{3}{11} a^2 b fx^{11} + \frac{3}{4} a^2 b dx^{12} + \frac{3}{13} a^2 b ex^{13} + \frac{3}{14} a^2 b fx^{14} + \frac{3}{15} a^2 b dx^{16} + \frac{3}{16} a^2 b ex^{17} + \frac{3}{17} a^2 b fx^{19}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 185, normalized size = 1.19

$$\frac{1}{4} a^3 cx^4 + \frac{1}{5} a^3 dx^5 + \frac{1}{6} a^3 ex^6 + \frac{1}{7} a^3 fx^7 + \frac{3}{8} a^2 bcx^8 + \frac{1}{3} a^2 b dx^9 + \frac{3}{10} a^2 b ex^{10} + \frac{3}{11} a^2 b fx^{11} + \frac{1}{4} a^2 b cx^{12} + \frac{3}{13} a^2 b dx^{13} + \frac{3}{14} a^2 b ex^{14} + \frac{3}{15} a^2 b dx^{16} + \frac{3}{16} a^2 b ex^{17} + \frac{3}{17} a^2 b fx^{19}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^3,x]

[Out] (a^3*c*x^4)/4 + (a^3*d*x^5)/5 + (a^3*e*x^6)/6 + (a^3*f*x^7)/7 + (3*a^2*b*c*x^8)/8 + (a^2*b*d*x^9)/3 + (3*a^2*b*e*x^10)/10 + (3*a^2*b*f*x^11)/11 + (a*b^2*c*x^12)/4 + (3*a*b^2*d*x^13)/13 + (3*a*b^2*e*x^14)/14 + (a*b^2*f*x^15)/5 + (b^3*c*x^16)/16 + (b^3*d*x^17)/17 + (b^3*e*x^18)/18 + (b^3*f*x^19)/19

fricas [A] time = 0.35, size = 153, normalized size = 0.98

$$\frac{1}{19} x^{19} f b^3 + \frac{1}{18} x^{18} e b^3 + \frac{1}{17} x^{17} d b^3 + \frac{1}{16} x^{16} c b^3 + \frac{1}{5} x^{15} f b^2 a + \frac{3}{14} x^{14} e b^2 a + \frac{3}{13} x^{13} d b^2 a + \frac{1}{4} x^{12} c b^2 a + \frac{3}{11} x^{11} f b a^2 + \frac{3}{10} x^{10} e b a^2 + \frac{3}{9} x^9 d b a^2 + \frac{3}{8} x^8 c b a^2 + \frac{1}{7} x^7 f a^3 + \frac{1}{6} x^6 e a^3 + \frac{1}{5} x^5 d a^3 + \frac{1}{4} x^4 c a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="fricas")

[Out] 1/19*x^19*f*b^3 + 1/18*x^18*e*b^3 + 1/17*x^17*d*b^3 + 1/16*x^16*c*b^3 + 1/5*x^15*f*b^2*a + 3/14*x^14*e*b^2*a + 3/13*x^13*d*b^2*a + 1/4*x^12*c*b^2*a + 3/11*x^11*f*b*a^2 + 3/10*x^10*e*b*a^2 + 1/3*x^9*d*b*a^2 + 3/8*x^8*c*b*a^2 + 1/7*x^7*f*a^3 + 1/6*x^6*e*a^3 + 1/5*x^5*d*a^3 + 1/4*x^4*c*a^3

giac [A] time = 0.16, size = 157, normalized size = 1.01

$$\frac{1}{19} b^3 f x^{19} + \frac{1}{18} b^3 x^{18} e + \frac{1}{17} b^3 dx^{17} + \frac{1}{16} b^3 cx^{16} + \frac{1}{5} ab^2 fx^{15} + \frac{3}{14} ab^2 x^{14} e + \frac{3}{13} ab^2 dx^{13} + \frac{1}{4} ab^2 cx^{12} + \frac{3}{11} a^2 b f x^{11} + \frac{3}{10} a^2 b e x^{10} + \frac{3}{9} a^2 b d x^9 + \frac{3}{8} a^2 b c x^8 + \frac{1}{7} a^3 f x^7 + \frac{1}{6} a^3 e x^6 + \frac{1}{5} a^3 d x^5 + \frac{1}{4} a^3 c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="giac")

[Out] $\frac{1}{19}b^3fx^{19} + \frac{1}{18}b^3ex^{18} + \frac{1}{17}b^3dx^{17} + \frac{1}{16}b^3cx^{16} + \frac{1}{5}a^2b^2fx^{15} + \frac{3}{14}a^2b^2ex^{14} + \frac{3}{13}a^2b^2dx^{13} + \frac{1}{4}a^2b^2cx^{12} + \frac{3}{11}a^2b^2fx^{11} + \frac{3}{10}a^2b^2ex^{10} + \frac{1}{3}a^2b^2dx^9 + \frac{3}{8}a^2b^2cx^8 + \frac{1}{7}a^3fx^7 + \frac{1}{6}a^3ex^6 + \frac{1}{5}a^3dx^5 + \frac{1}{4}a^3cx^4$

maple [A] time = 0.04, size = 154, normalized size = 0.99

$$\frac{1}{19}b^3fx^{19} + \frac{1}{18}b^3ex^{18} + \frac{1}{17}b^3dx^{17} + \frac{1}{16}b^3cx^{16} + \frac{1}{5}a^2b^2fx^{15} + \frac{3}{14}a^2b^2ex^{14} + \frac{3}{13}a^2b^2dx^{13} + \frac{1}{4}a^2b^2cx^{12} + \frac{3}{11}a^2b^2fx^{11} + \frac{3}{10}a^2b^2ex^{10} + \frac{1}{3}a^2b^2dx^9 + \frac{3}{8}a^2b^2cx^8 + \frac{1}{7}a^3fx^7 + \frac{1}{6}a^3ex^6 + \frac{1}{5}a^3dx^5 + \frac{1}{4}a^3cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x)`

[Out] $\frac{1}{19}b^3fx^{19} + \frac{1}{18}b^3ex^{18} + \frac{1}{17}b^3dx^{17} + \frac{1}{16}b^3cx^{16} + \frac{1}{5}a^2b^2fx^{15} + \frac{3}{14}a^2b^2ex^{14} + \frac{3}{13}a^2b^2dx^{13} + \frac{1}{4}a^2b^2cx^{12} + \frac{3}{11}a^2b^2fx^{11} + \frac{3}{10}a^2b^2ex^{10} + \frac{1}{3}a^2b^2dx^9 + \frac{3}{8}a^2b^2cx^8 + \frac{1}{7}a^3fx^7 + \frac{1}{6}a^3ex^6 + \frac{1}{5}a^3dx^5 + \frac{1}{4}a^3cx^4$

maxima [A] time = 1.38, size = 153, normalized size = 0.98

$$\frac{1}{19}b^3fx^{19} + \frac{1}{18}b^3ex^{18} + \frac{1}{17}b^3dx^{17} + \frac{1}{16}b^3cx^{16} + \frac{1}{5}a^2b^2fx^{15} + \frac{3}{14}a^2b^2ex^{14} + \frac{3}{13}a^2b^2dx^{13} + \frac{1}{4}a^2b^2cx^{12} + \frac{3}{11}a^2b^2fx^{11} + \frac{3}{10}a^2b^2ex^{10} + \frac{1}{3}a^2b^2dx^9 + \frac{3}{8}a^2b^2cx^8 + \frac{1}{7}a^3fx^7 + \frac{1}{6}a^3ex^6 + \frac{1}{5}a^3dx^5 + \frac{1}{4}a^3cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{19}b^3fx^{19} + \frac{1}{18}b^3ex^{18} + \frac{1}{17}b^3dx^{17} + \frac{1}{16}b^3cx^{16} + \frac{1}{5}a^2b^2fx^{15} + \frac{3}{14}a^2b^2ex^{14} + \frac{3}{13}a^2b^2dx^{13} + \frac{1}{4}a^2b^2cx^{12} + \frac{3}{11}a^2b^2fx^{11} + \frac{3}{10}a^2b^2ex^{10} + \frac{1}{3}a^2b^2dx^9 + \frac{3}{8}a^2b^2cx^8 + \frac{1}{7}a^3fx^7 + \frac{1}{6}a^3ex^6 + \frac{1}{5}a^3dx^5 + \frac{1}{4}a^3cx^4$

mupad [B] time = 0.16, size = 153, normalized size = 0.98

$$\frac{f a^3 x^7}{7} + \frac{e a^3 x^6}{6} + \frac{d a^3 x^5}{5} + \frac{c a^3 x^4}{4} + \frac{3 f a^2 b x^{11}}{11} + \frac{3 e a^2 b x^{10}}{10} + \frac{d a^2 b x^9}{3} + \frac{3 c a^2 b x^8}{8} + \frac{f a b^2 x^{15}}{5} + \frac{3 e a b^2 x^{14}}{14} + \frac{3 d a b^2 x^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^4)^3*(c + d*x + e*x^2 + f*x^3),x)`

[Out] $\frac{a^3cx^4}{4} + \frac{a^3dx^5}{5} + \frac{b^3cx^{16}}{16} + \frac{a^3ex^6}{6} + \frac{b^3dx^{17}}{17} + \frac{a^3fx^7}{7} + \frac{b^3ex^{18}}{18} + \frac{b^3fx^{19}}{19} + \frac{(3a^2b^2cx^8)}{8} + \frac{(a^2b^2cx^{12})}{4} + \frac{(a^2b^2dx^9)}{3} + \frac{(3a^2b^2dx^{13})}{13} + \frac{(3a^2b^2ex^{10})}{10} + \frac{(3a^2b^2fx^{11})}{11} + \frac{(a^2b^2fx^{15})}{5}$

sympy [A] time = 0.10, size = 184, normalized size = 1.18

$$\frac{a^3cx^4}{4} + \frac{a^3dx^5}{5} + \frac{a^3ex^6}{6} + \frac{a^3fx^7}{7} + \frac{3a^2bcx^8}{8} + \frac{a^2bdx^9}{3} + \frac{3a^2bex^{10}}{10} + \frac{3a^2bfx^{11}}{11} + \frac{ab^2cx^{12}}{4} + \frac{3ab^2dx^{13}}{13} + \frac{3ab^2ex^{14}}{14} + \frac{ab^2fx^{15}}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**3,x)

[Out] a**3*c*x**4/4 + a**3*d*x**5/5 + a**3*e*x**6/6 + a**3*f*x**7/7 + 3*a**2*b*c*x**8/8 + a**2*b*d*x**9/3 + 3*a**2*b*e*x**10/10 + 3*a**2*b*f*x**11/11 + a*b**2*c*x**12/4 + 3*a*b**2*d*x**13/13 + 3*a*b**2*e*x**14/14 + a*b**2*f*x**15/5 + b**3*c*x**16/16 + b**3*d*x**17/17 + b**3*e*x**18/18 + b**3*f*x**19/19

$$3.483 \quad \int (c + dx + ex^2 + fx^3) (a + bx^4)^4 dx$$

Optimal. Leaf size=193

$$a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^2b^2cx^9 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{13}ab^3cx^{13} + \frac{2}{7}ab^3dx^{14} -$$

[Out] $a^4c*x + 1/2*a^4*d*x^2 + 1/3*a^4*e*x^3 + 4/5*a^3*b*c*x^5 + 2/3*a^3*b*d*x^6 + 4/7*a^3*b*e*x^7 + 2/3*a^2*b^2*c*x^9 + 3/5*a^2*b^2*d*x^{10} + 6/11*a^2*b^2*e*x^{11} + 4/13*a*b^3*c*x^{13} + 2/7*a*b^3*d*x^{14} + 4/15*a*b^3*e*x^{15} + 1/17*b^4*c*x^{17} + 1/18*b^4*d*x^{18} + 1/19*b^4*e*x^{19} + 1/20*f*(b*x^4+a)^5/b$

Rubi [A] time = 0.16, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1582, 1657}

$$\frac{2}{3}a^2b^2cx^9 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{4}{13}ab^3cx^{13} + \frac{2}{7}ab^3dx^{14} -$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4,x]

[Out] $a^4c*x + (a^4*d*x^2)/2 + (a^4*e*x^3)/3 + (4*a^3*b*c*x^5)/5 + (2*a^3*b*d*x^6)/3 + (4*a^3*b*e*x^7)/7 + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^{10})/5 + (6*a^2*b^2*e*x^{11})/11 + (4*a*b^3*c*x^{13})/13 + (2*a*b^3*d*x^{14})/7 + (4*a*b^3*e*x^{15})/15 + (b^4*c*x^{17})/17 + (b^4*d*x^{18})/18 + (b^4*e*x^{19})/19 + (f*(a + b*x^4)^5)/(20*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_) /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1657

Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^4 dx &= \frac{f(a + bx^4)^5}{20b} + \int (c + dx + ex^2)(a + bx^4)^4 dx \\
&= \frac{f(a + bx^4)^5}{20b} + \int (a^4c + a^4dx + a^4ex^2 + 4a^3bcx^4 + 4a^3bdx^5 + 4a^3bex^6 \\
&= a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{4}{5}a^4fx^4 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{1}{2}a^3bfx^8 + \frac{2}{3}a^2b^2cx^9 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{1}{2}a^2b^2fx^{12}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 236, normalized size = 1.22

$$a^4cx + \frac{1}{2}a^4dx^2 + \frac{1}{3}a^4ex^3 + \frac{1}{4}a^4fx^4 + \frac{4}{5}a^3bcx^5 + \frac{2}{3}a^3bdx^6 + \frac{4}{7}a^3bex^7 + \frac{1}{2}a^3bfx^8 + \frac{2}{3}a^2b^2cx^9 + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{1}{2}a^2b^2fx^{12}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4,x]

[Out] a^4*c*x + (a^4*d*x^2)/2 + (a^4*e*x^3)/3 + (a^4*f*x^4)/4 + (4*a^3*b*c*x^5)/5 + (2*a^3*b*d*x^6)/3 + (4*a^3*b*e*x^7)/7 + (a^3*b*f*x^8)/2 + (2*a^2*b^2*c*x^9)/3 + (3*a^2*b^2*d*x^10)/5 + (6*a^2*b^2*e*x^11)/11 + (a^2*b^2*f*x^12)/2 + (4*a*b^3*c*x^13)/13 + (2*a*b^3*d*x^14)/7 + (4*a*b^3*e*x^15)/15 + (a*b^3*f*x^16)/4 + (b^4*c*x^17)/17 + (b^4*d*x^18)/18 + (b^4*e*x^19)/19 + (b^4*f*x^20)/20

fricas [A] time = 0.37, size = 198, normalized size = 1.03

$$\frac{1}{20}x^{20}fb^4 + \frac{1}{19}x^{19}eb^4 + \frac{1}{18}x^{18}db^4 + \frac{1}{17}x^{17}cb^4 + \frac{1}{4}x^{16}fb^3a + \frac{4}{15}x^{15}eb^3a + \frac{2}{7}x^{14}db^3a + \frac{4}{13}x^{13}cb^3a + \frac{1}{2}x^{12}fb^2a^2 + \frac{6}{11}x^{11}eb^2a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="fricas")

[Out] 1/20*x^20*f*b^4 + 1/19*x^19*e*b^4 + 1/18*x^18*d*b^4 + 1/17*x^17*c*b^4 + 1/4*x^16*f*b^3*a + 4/15*x^15*e*b^3*a + 2/7*x^14*d*b^3*a + 4/13*x^13*c*b^3*a + 1/2*x^12*f*b^2*a^2 + 6/11*x^11*e*b^2*a^2 + 3/5*x^10*d*b^2*a^2 + 2/3*x^9*c*b^2*a^2 + 1/2*x^8*f*b*a^3 + 4/7*x^7*e*b*a^3 + 2/3*x^6*d*b*a^3 + 4/5*x^5*c*b*a^3 + 1/4*x^4*f*a^4 + 1/3*x^3*e*a^4 + 1/2*x^2*d*a^4 + x*c*a^4

giac [A] time = 0.17, size = 203, normalized size = 1.05

$$\frac{1}{20}b^4fx^{20} + \frac{1}{19}b^4x^{19}e + \frac{1}{18}b^4dx^{18} + \frac{1}{17}b^4cx^{17} + \frac{1}{4}ab^3fx^{16} + \frac{4}{15}ab^3x^{15}e + \frac{2}{7}ab^3dx^{14} + \frac{4}{13}ab^3cx^{13} + \frac{1}{2}a^2b^2fx^{12} + \frac{6}{11}a^2b^2ex^{11} + \frac{3}{5}a^2b^2dx^{10} + \frac{6}{11}a^2b^2ex^{11} + \frac{1}{2}a^2b^2fx^{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="giac")

[Out] $\frac{1}{20}b^4fx^{20} + \frac{1}{19}b^4ex^{19} + \frac{1}{18}b^4dx^{18} + \frac{1}{17}b^4cx^{17} + \frac{1}{4}ab^3fx^{16} + \frac{4}{15}ab^3ex^{15} + \frac{2}{7}ab^3dx^{14} + \frac{4}{13}ab^3cx^{13} + \frac{1}{2}a^2b^2fx^{12} + \frac{6}{11}a^2b^2ex^{11} + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3bfx^8 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^3bdx^6 + \frac{4}{5}a^3b^2cx^5 + \frac{1}{4}a^4fx^4 + \frac{1}{3}a^4ex^3 + \frac{1}{2}a^4dx^2 + a^4cx$

maple [A] time = 0.04, size = 199, normalized size = 1.03

$$\frac{1}{20}b^4fx^{20} + \frac{1}{19}b^4ex^{19} + \frac{1}{18}b^4dx^{18} + \frac{1}{17}b^4cx^{17} + \frac{1}{4}ab^3fx^{16} + \frac{4}{15}ab^3ex^{15} + \frac{2}{7}ab^3dx^{14} + \frac{4}{13}ab^3cx^{13} + \frac{1}{2}a^2b^2fx^{12} + \frac{6}{11}a^2b^2ex^{11} + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3bfx^8 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^3bdx^6 + \frac{4}{5}a^3b^2cx^5 + \frac{1}{4}a^4fx^4 + \frac{1}{3}a^4ex^3 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x)

[Out] $\frac{1}{20}f*b^4*x^{20} + \frac{1}{19}b^4*e*x^{19} + \frac{1}{18}b^4*d*x^{18} + \frac{1}{17}b^4*c*x^{17} + \frac{1}{4}f*a*b^3*x^{16} + \frac{4}{15}a*b^3*e*x^{15} + \frac{2}{7}a*b^3*d*x^{14} + \frac{4}{13}a*b^3*c*x^{13} + \frac{1}{2}f*b^2*a^2*x^{12} + \frac{6}{11}a^2*b^2*e*x^{11} + \frac{3}{5}a^2*b^2*d*x^{10} + \frac{2}{3}a^2*b^2*c*x^9 + \frac{1}{2}a^3*b*f*x^8 + \frac{4}{7}a^3*b*e*x^7 + \frac{2}{3}a^3*b*d*x^6 + \frac{4}{5}a^3*b^2*c*x^5 + \frac{1}{4}a^4*f*x^4 + \frac{1}{3}a^4*e*x^3 + \frac{1}{2}a^4*d*x^2 + a^4*c*x$

maxima [A] time = 1.33, size = 198, normalized size = 1.03

$$\frac{1}{20}b^4fx^{20} + \frac{1}{19}b^4ex^{19} + \frac{1}{18}b^4dx^{18} + \frac{1}{17}b^4cx^{17} + \frac{1}{4}ab^3fx^{16} + \frac{4}{15}ab^3ex^{15} + \frac{2}{7}ab^3dx^{14} + \frac{4}{13}ab^3cx^{13} + \frac{1}{2}a^2b^2fx^{12} + \frac{6}{11}a^2b^2ex^{11} + \frac{3}{5}a^2b^2dx^{10} + \frac{2}{3}a^2b^2cx^9 + \frac{1}{2}a^3bfx^8 + \frac{4}{7}a^3bex^7 + \frac{2}{3}a^3bdx^6 + \frac{4}{5}a^3b^2cx^5 + \frac{1}{4}a^4fx^4 + \frac{1}{3}a^4ex^3 + \frac{1}{2}a^4dx^2 + a^4cx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{20}b^4*f*x^{20} + \frac{1}{19}b^4*e*x^{19} + \frac{1}{18}b^4*d*x^{18} + \frac{1}{17}b^4*c*x^{17} + \frac{1}{4}a*b^3*f*x^{16} + \frac{4}{15}a*b^3*e*x^{15} + \frac{2}{7}a*b^3*d*x^{14} + \frac{4}{13}a*b^3*c*x^{13} + \frac{1}{2}a^2*b^2*f*x^{12} + \frac{6}{11}a^2*b^2*e*x^{11} + \frac{3}{5}a^2*b^2*d*x^{10} + \frac{2}{3}a^2*b^2*c*x^9 + \frac{1}{2}a^3*b*f*x^8 + \frac{4}{7}a^3*b*e*x^7 + \frac{2}{3}a^3*b*d*x^6 + \frac{4}{5}a^3*b^2*c*x^5 + \frac{1}{4}a^4*f*x^4 + \frac{1}{3}a^4*e*x^3 + \frac{1}{2}a^4*d*x^2 + a^4*c*x$

mupad [B] time = 5.08, size = 198, normalized size = 1.03

$$\frac{f a^4 x^4}{4} + \frac{e a^4 x^3}{3} + \frac{d a^4 x^2}{2} + c a^4 x + \frac{f a^3 b x^8}{2} + \frac{4 e a^3 b x^7}{7} + \frac{2 d a^3 b x^6}{3} + \frac{4 c a^3 b x^5}{5} + \frac{f a^2 b^2 x^{12}}{2} + \frac{6 e a^2 b^2 x^{11}}{11} + \frac{3 d a^2 b^2 x^{10}}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^4*(c + d*x + e*x^2 + f*x^3),x)

[Out] $(a^4 d x^2)/2 + (b^4 c x^{17})/17 + (a^4 e x^3)/3 + (b^4 d x^{18})/18 + (a^4 f x^4)/4 + (b^4 e x^{19})/19 + (b^4 f x^{20})/20 + a^4 c x + (2 a^2 b^2 c x^9)/3 + (3 a^2 b^2 d x^{10})/5 + (6 a^2 b^2 e x^{11})/11 + (a^2 b^2 f x^{12})/2 + (4 a^3 b c x^5)/5 + (4 a^3 b^3 c x^{13})/13 + (2 a^3 b d x^6)/3 + (2 a^3 b^3 d x^{14})/7 + (4 a^3 b e x^7)/7 + (4 a^3 b^3 e x^{15})/15 + (a^3 b f x^8)/2 + (a^3 b^3 f x^{16})/4$

sympy [A] time = 0.10, size = 241, normalized size = 1.25

$$a^4 c x + \frac{a^4 d x^2}{2} + \frac{a^4 e x^3}{3} + \frac{a^4 f x^4}{4} + \frac{4 a^3 b c x^5}{5} + \frac{2 a^3 b d x^6}{3} + \frac{4 a^3 b e x^7}{7} + \frac{a^3 b f x^8}{2} + \frac{2 a^2 b^2 c x^9}{3} + \frac{3 a^2 b^2 d x^{10}}{5} + \frac{6 a^2 b^2 e x^{11}}{11} + \frac{a^2 b^2 f x^{12}}{2} + \frac{4 a^3 b^3 c x^{13}}{13} + \frac{2 a^3 b^3 d x^{14}}{7} + \frac{4 a^3 b^3 e x^{15}}{15} + \frac{a^3 b^3 f x^{16}}{4} + \frac{b^4 c x^{17}}{17} + \frac{b^4 d x^{18}}{18} + \frac{b^4 e x^{19}}{19} + \frac{b^4 f x^{20}}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**4,x)

[Out] $a**4*c*x + a**4*d*x**2/2 + a**4*e*x**3/3 + a**4*f*x**4/4 + 4*a**3*b*c*x**5/5 + 2*a**3*b*d*x**6/3 + 4*a**3*b*e*x**7/7 + a**3*b*f*x**8/2 + 2*a**2*b**2*c*x**9/3 + 3*a**2*b**2*d*x**10/5 + 6*a**2*b**2*e*x**11/11 + a**2*b**2*f*x**12/2 + 4*a*b**3*c*x**13/13 + 2*a*b**3*d*x**14/7 + 4*a*b**3*e*x**15/15 + a*b**3*f*x**16/4 + b**4*c*x**17/17 + b**4*d*x**18/18 + b**4*e*x**19/19 + b**4*f*x**20/20$

$$3.484 \quad \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^4 dx$$

Optimal. Leaf size=198

$$\frac{1}{5}a^4dx^5 + \frac{1}{6}a^4ex^6 + \frac{1}{7}a^4fx^7 + \frac{4}{9}a^3bdx^9 + \frac{2}{5}a^3bex^{10} + \frac{4}{11}a^3bfx^{11} + \frac{6}{13}a^2b^2dx^{13} + \frac{3}{7}a^2b^2ex^{14} + \frac{2}{5}a^2b^2fx^{15} + \frac{4}{17}ab^3dx^{17} + \frac{2}{9}ab^3ex^{18}$$

[Out] $\frac{1}{5}a^4d*x^5 + \frac{1}{6}a^4*e*x^6 + \frac{1}{7}a^4*f*x^7 + \frac{4}{9}a^3*b*d*x^9 + \frac{2}{5}a^3*b*e*x^{10} + \frac{4}{11}a^3*b*f*x^{11} + \frac{6}{13}a^2*b^2*d*x^{13} + \frac{3}{7}a^2*b^2*e*x^{14} + \frac{2}{5}a^2*b^2*f*x^{15} + \frac{4}{17}a*b^3*d*x^{17} + \frac{2}{9}a*b^3*e*x^{18} + \frac{4}{19}a*b^3*f*x^{19} + \frac{1}{21}b^4*d*x^{21} + \frac{1}{22}b^4*e*x^{22} + \frac{1}{23}b^4*f*x^{23} + \frac{1}{20}c*(b*x^4+a)^5/b$

Rubi [A] time = 0.15, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1582, 1850}

$$\frac{6}{13}a^2b^2dx^{13} + \frac{3}{7}a^2b^2ex^{14} + \frac{2}{5}a^2b^2fx^{15} + \frac{4}{9}a^3bdx^9 + \frac{2}{5}a^3bex^{10} + \frac{4}{11}a^3bfx^{11} + \frac{1}{5}a^4dx^5 + \frac{1}{6}a^4ex^6 + \frac{1}{7}a^4fx^7 + \frac{4}{17}ab^3dx^{17} + \frac{2}{9}ab^3ex^{18}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4,x]

[Out] $(a^4*d*x^5)/5 + (a^4*e*x^6)/6 + (a^4*f*x^7)/7 + (4*a^3*b*d*x^9)/9 + (2*a^3*b*e*x^{10})/5 + (4*a^3*b*f*x^{11})/11 + (6*a^2*b^2*d*x^{13})/13 + (3*a^2*b^2*e*x^{14})/7 + (2*a^2*b^2*f*x^{15})/5 + (4*a*b^3*d*x^{17})/17 + (2*a*b^3*e*x^{18})/9 + (4*a*b^3*f*x^{19})/19 + (b^4*d*x^{21})/21 + (b^4*e*x^{22})/22 + (b^4*f*x^{23})/23 + (c*(a + b*x^4)^5)/(20*b)$

Rule 1582

Int[(Px_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Coeff[Px, x, n - 1]*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] + Int[(Px - Coeff[Px, x, n - 1]*x^(n - 1))*(a + b*x^n)^p, x] /; FreeQ[{a, b}, x] && PolyQ[Px, x] && IGtQ[p, 1] && IGtQ[n, 1] && NeQ[Coeff[Px, x, n - 1], 0] && NeQ[Px, Coeff[Px, x, n - 1]*x^(n - 1)] && !MatchQ[Px, (Qx_.)*((c_) + (d_.)*x^(m_))^(q_)] /; FreeQ[{c, d}, x] && PolyQ[Qx, x] && IGtQ[q, 1] && IGtQ[m, 1] && NeQ[Coeff[Qx*(a + b*x^n)^p, x, m - 1], 0] && GtQ[m*q, n*p]]

Rule 1850

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])

Rubi steps

$$\begin{aligned}
\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^4 dx &= \frac{c(a + bx^4)^5}{20b} + \int (a + bx^4)^4 (-cx^3 + x^3(c + dx + ex^2 + fx^3)) dx \\
&= \frac{c(a + bx^4)^5}{20b} + \int (a^4 dx^4 + a^4 ex^5 + a^4 fx^6 + 4a^3 b dx^8 + 4a^3 b ex^9 + 4a^3 b fx^{10} + 4a^3 b^2 dx^{12} + 4a^3 b^2 ex^{13} + 4a^3 b^2 fx^{14} + 4a^3 b^3 dx^{16} + 4a^3 b^3 ex^{17} + 4a^3 b^3 fx^{18} + 4a^3 b^4 dx^{20} + 4a^3 b^4 ex^{21} + 4a^3 b^4 fx^{22} + 4a^3 b^4^2 dx^{24} + 4a^3 b^4^2 ex^{25} + 4a^3 b^4^2 fx^{26}) dx \\
&= \frac{1}{5} a^4 dx^5 + \frac{1}{6} a^4 ex^6 + \frac{1}{7} a^4 fx^7 + \frac{4}{9} a^3 b dx^9 + \frac{2}{5} a^3 b ex^{10} + \frac{4}{11} a^3 b fx^{11} + \frac{1}{2} a^2 b^2 cx^{12} + \frac{6}{13} a^2 b^2 dx^{13} + \frac{3}{7} a^2 b^2 ex^{14} + \frac{4}{15} a^2 b^2 fx^{15} + \frac{1}{2} a b^3 cx^{16} + \frac{2}{9} a b^3 dx^{17} + \frac{1}{4} a b^3 ex^{18} + \frac{1}{5} a b^3 fx^{19} + \frac{1}{20} a b^4 cx^{20} + \frac{1}{15} a b^4 dx^{21} + \frac{1}{12} a b^4 ex^{22} + \frac{1}{10} a b^4 fx^{23} + \frac{1}{20} a^2 b^4^2 dx^{24} + \frac{1}{15} a^2 b^4^2 ex^{25} + \frac{1}{12} a^2 b^4^2 fx^{26} + \frac{1}{20} a^3 b^4^2 dx^{28} + \frac{1}{15} a^3 b^4^2 ex^{29} + \frac{1}{12} a^3 b^4^2 fx^{30}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 241, normalized size = 1.22

$$\frac{1}{4} a^4 cx^4 + \frac{1}{5} a^4 dx^5 + \frac{1}{6} a^4 ex^6 + \frac{1}{7} a^4 fx^7 + \frac{1}{2} a^3 b cx^8 + \frac{4}{9} a^3 b dx^9 + \frac{2}{5} a^3 b ex^{10} + \frac{4}{11} a^3 b fx^{11} + \frac{1}{2} a^2 b^2 cx^{12} + \frac{6}{13} a^2 b^2 dx^{13} + \frac{3}{7} a^2 b^2 ex^{14} + \frac{4}{15} a^2 b^2 fx^{15} + \frac{1}{2} a b^3 cx^{16} + \frac{2}{9} a b^3 dx^{17} + \frac{1}{4} a b^3 ex^{18} + \frac{1}{5} a b^3 fx^{19} + \frac{1}{20} a b^4 cx^{20} + \frac{1}{15} a b^4 dx^{21} + \frac{1}{12} a b^4 ex^{22} + \frac{1}{10} a b^4 fx^{23} + \frac{1}{20} a^2 b^4^2 dx^{24} + \frac{1}{15} a^2 b^4^2 ex^{25} + \frac{1}{12} a^2 b^4^2 fx^{26} + \frac{1}{20} a^3 b^4^2 dx^{28} + \frac{1}{15} a^3 b^4^2 ex^{29} + \frac{1}{12} a^3 b^4^2 fx^{30}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^4,x]

[Out] (a^4*c*x^4)/4 + (a^4*d*x^5)/5 + (a^4*e*x^6)/6 + (a^4*f*x^7)/7 + (a^3*b*c*x^8)/2 + (4*a^3*b*d*x^9)/9 + (2*a^3*b*e*x^10)/5 + (4*a^3*b*f*x^11)/11 + (a^2*b^2*c*x^12)/2 + (6*a^2*b^2*d*x^13)/13 + (3*a^2*b^2*e*x^14)/7 + (2*a^2*b^2*f*x^15)/5 + (a*b^3*c*x^16)/4 + (4*a*b^3*d*x^17)/17 + (2*a*b^3*e*x^18)/9 + (4*a*b^3*f*x^19)/19 + (b^4*c*x^20)/20 + (b^4*d*x^21)/21 + (b^4*e*x^22)/22 + (b^4*f*x^23)/23

fricas [A] time = 0.39, size = 201, normalized size = 1.02

$$\frac{1}{23} x^{23} f b^4 + \frac{1}{22} x^{22} e b^4 + \frac{1}{21} x^{21} d b^4 + \frac{1}{20} x^{20} c b^4 + \frac{4}{19} x^{19} f b^3 a + \frac{2}{9} x^{18} e b^3 a + \frac{4}{17} x^{17} d b^3 a + \frac{1}{4} x^{16} c b^3 a + \frac{2}{5} x^{15} f b^2 a^2 + \frac{3}{7} x^{14} e b^2 a^2 + \frac{4}{15} x^{13} d b^2 a^2 + \frac{1}{2} x^{12} c b^2 a^2 + \frac{4}{11} x^{11} f b a^3 + \frac{2}{5} x^{10} e b a^3 + \frac{4}{9} x^9 d b a^3 + \frac{1}{2} x^8 c b a^3 + \frac{1}{7} x^7 f a^4 + \frac{1}{6} x^6 e a^4 + \frac{1}{5} x^5 d a^4 + \frac{1}{4} x^4 c a^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="fricas")

[Out] 1/23*x^23*f*b^4 + 1/22*x^22*e*b^4 + 1/21*x^21*d*b^4 + 1/20*x^20*c*b^4 + 4/19*x^19*f*b^3*a + 2/9*x^18*e*b^3*a + 4/17*x^17*d*b^3*a + 1/4*x^16*c*b^3*a + 2/5*x^15*f*b^2*a^2 + 3/7*x^14*e*b^2*a^2 + 6/13*x^13*d*b^2*a^2 + 1/2*x^12*c*b^2*a^2 + 4/11*x^11*f*b*a^3 + 2/5*x^10*e*b*a^3 + 4/9*x^9*d*b*a^3 + 1/2*x^8*c*b*a^3 + 1/7*x^7*f*a^4 + 1/6*x^6*e*a^4 + 1/5*x^5*d*a^4 + 1/4*x^4*c*a^4

giac [A] time = 0.19, size = 206, normalized size = 1.04

$$\frac{1}{23} b^4 f x^{23} + \frac{1}{22} b^4 x^{22} e + \frac{1}{21} b^4 d x^{21} + \frac{1}{20} b^4 c x^{20} + \frac{4}{19} a b^3 f x^{19} + \frac{2}{9} a b^3 x^{18} e + \frac{4}{17} a b^3 d x^{17} + \frac{1}{4} a b^3 c x^{16} + \frac{2}{5} a^2 b^2 f x^{15} + \frac{3}{7} a^2 b^2 x^{14} e + \frac{6}{13} a^2 b^2 d x^{13} + \frac{1}{2} a^2 b^2 c x^{12} + \frac{4}{11} a^2 b a^3 f x^{11} + \frac{2}{5} a^2 b a^3 x^{10} e + \frac{4}{9} a^2 b a^3 d x^9 + \frac{1}{2} a^2 b a^3 c x^8 + \frac{1}{7} a^3 f x^7 + \frac{1}{6} a^3 x^6 e + \frac{1}{5} a^3 d x^5 + \frac{1}{4} a^3 c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="giac")

[Out] $\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4ex^{22} + \frac{1}{21}b^4dx^{21} + \frac{1}{20}b^4cx^{20} + \frac{4}{19}a^3b^3fx^{19} + \frac{2}{9}a^3b^3ex^{18} + \frac{4}{17}a^3b^3dx^{17} + \frac{1}{4}a^3b^3cx^{16} + \frac{2}{5}a^2b^2fx^{15} + \frac{3}{7}a^2b^2ex^{14} + \frac{6}{13}a^2b^2dx^{13} + \frac{1}{2}a^2b^2cx^{12} + \frac{4}{11}a^3bfx^{11} + \frac{2}{5}a^3bex^{10} + \frac{4}{9}a^3bdx^9 + \frac{1}{2}a^3b^2cx^8 + \frac{1}{7}a^4fx^7 + \frac{1}{6}a^4ex^6 + \frac{1}{5}a^4dx^5 + \frac{1}{4}a^4cx^4$

maple [A] time = 0.04, size = 202, normalized size = 1.02

$$\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4ex^{22} + \frac{1}{21}b^4dx^{21} + \frac{1}{20}b^4cx^{20} + \frac{4}{19}ab^3fx^{19} + \frac{2}{9}ab^3ex^{18} + \frac{4}{17}ab^3dx^{17} + \frac{1}{4}ab^3cx^{16} + \frac{2}{5}a^2b^2fx^{15} + \frac{3}{7}a^2b^2ex^{14} + \frac{6}{13}a^2b^2dx^{13} + \frac{1}{2}a^2b^2cx^{12} + \frac{4}{11}a^3bfx^{11} + \frac{2}{5}a^3bex^{10} + \frac{4}{9}a^3bdx^9 + \frac{1}{2}a^3b^2cx^8 + \frac{1}{7}a^4fx^7 + \frac{1}{6}a^4ex^6 + \frac{1}{5}a^4dx^5 + \frac{1}{4}a^4cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x)

[Out] $\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4ex^{22} + \frac{1}{21}b^4dx^{21} + \frac{1}{20}b^4cx^{20} + \frac{4}{19}a^3b^3fx^{19} + \frac{2}{9}a^3b^3ex^{18} + \frac{4}{17}a^3b^3dx^{17} + \frac{1}{4}a^3b^3cx^{16} + \frac{2}{5}a^2b^2fx^{15} + \frac{3}{7}a^2b^2ex^{14} + \frac{6}{13}a^2b^2dx^{13} + \frac{1}{2}a^2b^2cx^{12} + \frac{4}{11}a^3bfx^{11} + \frac{2}{5}a^3bex^{10} + \frac{4}{9}a^3bdx^9 + \frac{1}{2}a^3b^2cx^8 + \frac{1}{7}a^4fx^7 + \frac{1}{6}a^4ex^6 + \frac{1}{5}a^4dx^5 + \frac{1}{4}a^4cx^4$

maxima [A] time = 1.37, size = 201, normalized size = 1.02

$$\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4ex^{22} + \frac{1}{21}b^4dx^{21} + \frac{1}{20}b^4cx^{20} + \frac{4}{19}ab^3fx^{19} + \frac{2}{9}ab^3ex^{18} + \frac{4}{17}ab^3dx^{17} + \frac{1}{4}ab^3cx^{16} + \frac{2}{5}a^2b^2fx^{15} + \frac{3}{7}a^2b^2ex^{14} + \frac{6}{13}a^2b^2dx^{13} + \frac{1}{2}a^2b^2cx^{12} + \frac{4}{11}a^3bfx^{11} + \frac{2}{5}a^3bex^{10} + \frac{4}{9}a^3bdx^9 + \frac{1}{2}a^3b^2cx^8 + \frac{1}{7}a^4fx^7 + \frac{1}{6}a^4ex^6 + \frac{1}{5}a^4dx^5 + \frac{1}{4}a^4cx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^4,x, algorithm="maxima")

[Out] $\frac{1}{23}b^4fx^{23} + \frac{1}{22}b^4ex^{22} + \frac{1}{21}b^4dx^{21} + \frac{1}{20}b^4cx^{20} + \frac{4}{19}a^3b^3fx^{19} + \frac{2}{9}a^3b^3ex^{18} + \frac{4}{17}a^3b^3dx^{17} + \frac{1}{4}a^3b^3cx^{16} + \frac{2}{5}a^2b^2fx^{15} + \frac{3}{7}a^2b^2ex^{14} + \frac{6}{13}a^2b^2dx^{13} + \frac{1}{2}a^2b^2cx^{12} + \frac{4}{11}a^3bfx^{11} + \frac{2}{5}a^3bex^{10} + \frac{4}{9}a^3bdx^9 + \frac{1}{2}a^3b^2cx^8 + \frac{1}{7}a^4fx^7 + \frac{1}{6}a^4ex^6 + \frac{1}{5}a^4dx^5 + \frac{1}{4}a^4cx^4$

mupad [B] time = 0.36, size = 201, normalized size = 1.02

$$\frac{f a^4 x^7}{7} + \frac{e a^4 x^6}{6} + \frac{d a^4 x^5}{5} + \frac{c a^4 x^4}{4} + \frac{4 f a^3 b x^{11}}{11} + \frac{2 e a^3 b x^{10}}{5} + \frac{4 d a^3 b x^9}{9} + \frac{c a^3 b x^8}{2} + \frac{2 f a^2 b^2 x^{15}}{5} + \frac{3 e a^2 b^2 x^{14}}{7} + \frac{6 d a^2 b^2 x^{13}}{13} + \frac{1}{2} a^2 b^2 c x^{12} + \frac{4}{11} a^3 b f x^{11} + \frac{2}{5} a^3 b e x^{10} + \frac{4}{9} a^3 b d x^9 + \frac{1}{2} a^3 b^2 c x^8 + \frac{1}{7} a^4 f x^7 + \frac{1}{6} a^4 e x^6 + \frac{1}{5} a^4 d x^5 + \frac{1}{4} a^4 c x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)^4*(c + d*x + e*x^2 + f*x^3),x)

[Out] $(a^4*c*x^4)/4 + (a^4*d*x^5)/5 + (b^4*c*x^{20})/20 + (a^4*e*x^6)/6 + (b^4*d*x^{21})/21 + (a^4*f*x^7)/7 + (b^4*e*x^{22})/22 + (b^4*f*x^{23})/23 + (a^2*b^2*c*x^{12})/2 + (6*a^2*b^2*d*x^{13})/13 + (3*a^2*b^2*e*x^{14})/7 + (2*a^2*b^2*f*x^{15})/5 + (a^3*b*c*x^8)/2 + (a*b^3*c*x^{16})/4 + (4*a^3*b*d*x^9)/9 + (4*a*b^3*d*x^{17})/17 + (2*a^3*b*e*x^{10})/5 + (2*a*b^3*e*x^{18})/9 + (4*a^3*b*f*x^{11})/11 + (4*a*b^3*f*x^{19})/19$

sympy [A] time = 0.11, size = 245, normalized size = 1.24

$$\frac{a^4cx^4}{4} + \frac{a^4dx^5}{5} + \frac{a^4ex^6}{6} + \frac{a^4fx^7}{7} + \frac{a^3bcx^8}{2} + \frac{4a^3bdx^9}{9} + \frac{2a^3bex^{10}}{5} + \frac{4a^3bfx^{11}}{11} + \frac{a^2b^2cx^{12}}{2} + \frac{6a^2b^2dx^{13}}{13} + \frac{3a^2b^2ex^{14}}{7} + \frac{2a^2b^2fx^{15}}{5} + \frac{a^3b^2cx^{16}}{4} + \frac{4a^3b^2dx^{17}}{17} + \frac{2a^3b^2ex^{18}}{9} + \frac{4a^3b^2fx^{19}}{19} + \frac{b^4c^2x^{20}}{20} + \frac{b^4d^2x^{21}}{21} + \frac{b^4e^2x^{22}}{22} + \frac{b^4f^2x^{23}}{23}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**4,x)`

[Out] $a**4*c*x**4/4 + a**4*d*x**5/5 + a**4*e*x**6/6 + a**4*f*x**7/7 + a**3*b*c*x**8/2 + 4*a**3*b*d*x**9/9 + 2*a**3*b*e*x**10/5 + 4*a**3*b*f*x**11/11 + a**2*b**2*c*x**12/2 + 6*a**2*b**2*d*x**13/13 + 3*a**2*b**2*e*x**14/7 + 2*a**2*b**2*f*x**15/5 + a*b**3*c*x**16/4 + 4*a*b**3*d*x**17/17 + 2*a*b**3*e*x**18/9 + 4*a*b**3*f*x**19/19 + b**4*c*x**20/20 + b**4*d*x**21/21 + b**4*e*x**22/22 + b**4*f*x**23/23$

$$3.485 \quad \int \frac{c+dx+ex^2+fx^3}{a-bx^4} dx$$

Optimal. Leaf size=133

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a - bx^4)}{4b}$$

[Out] $-1/4*f*\ln(-b*x^4+a)/b+1/2*d*\arctanh(x^2*b^(1/2)/a^(1/2))/a^(1/2)/b^(1/2)+1/2*\arctan(b^(1/4)*x/a^(1/4))*(-e*a^(1/2)+c*b^(1/2))/a^(3/4)/b^(3/4)+1/2*\arctanh(b^(1/4)*x/a^(1/4))*(e*a^(1/2)+c*b^(1/2))/a^(3/4)/b^(3/4)$

Rubi [A] time = 0.12, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1876, 1167, 205, 208, 1248, 635, 260}

$$\frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}e + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{a}\sqrt{b}} - \frac{f \log(a - bx^4)}{4b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4), x]

[Out] $((\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*\text{ArcTan}[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4)) + ((\text{Sqrt}[b]*c + \text{Sqrt}[a]*e)*\text{ArcTanh}[(b^(1/4)*x)/a^(1/4)]/(2*a^(3/4)*b^(3/4)) + (d*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*\text{Sqrt}[b]) - (f*\text{Log}[a - b*x^4])/(4*b)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3}{a - bx^4} dx &= \int \left(\frac{c + ex^2}{a - bx^4} + \frac{x(d + fx^2)}{a - bx^4} \right) dx \\
 &= \int \frac{c + ex^2}{a - bx^4} dx + \int \frac{x(d + fx^2)}{a - bx^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a - bx^2} dx, x, x^2 \right) + \frac{1}{2} \left(-\frac{\sqrt{b}c}{\sqrt{a}} + e \right) \int \frac{1}{-\sqrt{a}\sqrt{b} - bx^2} dx + \frac{1}{2} \left(\frac{\sqrt{b}c}{\sqrt{a}} + e \right) \int \frac{1}{\sqrt{a}\sqrt{b} + bx^2} dx \\
 &= \frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{b}c + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a - bx^2} dx, x, x^2 \right) \\
 &= \frac{(\sqrt{b}c - \sqrt{a}e) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{b}c + \sqrt{a}e) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{f}{2\sqrt{a}\sqrt{b}}
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 214, normalized size = 1.61

$$\frac{\log\left(\sqrt[4]{a} - \sqrt[4]{b}x\right)\left(a^{3/4}e + \sqrt[4]{a}\sqrt{b}c + \sqrt{a}\sqrt[4]{b}d\right)}{4ab^{3/4}} - \frac{\log\left(\sqrt[4]{a} + \sqrt[4]{b}x\right)\left(-a^{3/4}e - \sqrt[4]{a}\sqrt{b}c + \sqrt{a}\sqrt[4]{b}d\right)}{4ab^{3/4}} + \frac{\left(\sqrt[4]{a}\sqrt{b}c - a^{3/4}e\right)}{2a^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a - b*x^4), x]

[Out] ((a^(1/4)*Sqrt[b]*c - a^(3/4)*e)*ArcTan[(b^(1/4)*x)/a^(1/4)]/(2*a*b^(3/4)) - ((a^(1/4)*Sqrt[b]*c + Sqrt[a]*b^(1/4)*d + a^(3/4)*e)*Log[a^(1/4) - b^(1/4)*x]/(4*a*b^(3/4)) - ((-a^(1/4)*Sqrt[b]*c) + Sqrt[a]*b^(1/4)*d - a^(3/4)*e)*Log[a^(1/4) + b^(1/4)*x]/(4*a*b^(3/4)) + (d*Log[Sqrt[a] + Sqrt[b]*x^2])/(4*Sqrt[a]*Sqrt[b]) - (f*Log[a - b*x^4])/(4*b)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 280, normalized size = 2.11

$$\frac{\sqrt{2}\left(b^2c - \sqrt{2}\left(-ab^3\right)^{\frac{1}{4}}bd + \sqrt{-ab}be\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(-ab^3\right)^{\frac{3}{4}}} - \frac{\sqrt{2}\left(b^2c + \sqrt{2}\left(-ab^3\right)^{\frac{1}{4}}bd - \sqrt{-ab}be\right)\arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(-ab^3\right)^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="giac")

[Out] -1/4*sqrt(2)*(b^2*c - sqrt(2)*(-a*b^3)^(1/4)*b*d + sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/4*sqrt(2)*(b^2*c + sqrt(2)*(-a*b^3)^(1/4)*b*d - sqrt(-a*b)*b*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/8*sqrt(2)*(b^2*c - sqrt(-a*b)*b*e)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) + 1/8*sqrt(2)*(b^2*c - sqrt(-a*b)*b*e)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) - 1/4*f*log(abs(b*x^4 - a))/b

maple [A] time = 0.05, size = 177, normalized size = 1.33

$$\frac{d \ln \left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a} \right)}{4\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan \left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln \left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{4a} - \frac{e \arctan \left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{2 \left(\frac{a}{b}\right)^{\frac{1}{4}} b} + \frac{e \ln \left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{b}\right)^{\frac{1}{4}} b} - \frac{f \ln (bx^4 - a)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x)

[Out] 1/4*c*(a/b)^(1/4)/a*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/2*c*(a/b)^(1/4)/a*arctan(1/(a/b)^(1/4)*x)-1/4/(a*b)^(1/2)*d*ln(((a*b)^(1/2)*x^2-a)/(-(a*b)^(1/2)*x^2-a))-1/2*e/b/(a/b)^(1/4)*arctan(1/(a/b)^(1/4)*x)+1/4*e/b/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))-1/4*f/b*ln(b*x^4-a)

maxima [A] time = 3.03, size = 174, normalized size = 1.31

$$\frac{(\sqrt{b}c - \sqrt{a}e) \arctan \left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}} \right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} + \frac{(\sqrt{b}d - \sqrt{a}f) \log(\sqrt{b}x^2 + \sqrt{a})}{4\sqrt{ab}} - \frac{(\sqrt{b}d + \sqrt{a}f) \log(\sqrt{b}x^2 - \sqrt{a})}{4\sqrt{ab}} - \frac{(\sqrt{b}c + \sqrt{a}e) \ln(bx^4 - a)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="maxima")

[Out] 1/2*(sqrt(b)*c - sqrt(a)*e)*arctan(sqrt(b)*x/sqrt(sqrt(a)*sqrt(b)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b)) + 1/4*(sqrt(b)*d - sqrt(a)*f)*log(sqrt(b)*x^2 + sqrt(a))/(sqrt(a)*b) - 1/4*(sqrt(b)*d + sqrt(a)*f)*log(sqrt(b)*x^2 - sqrt(a))/(sqrt(a)*b) - 1/4*(sqrt(b)*c + sqrt(a)*e)*log((sqrt(b)*x - sqrt(sqrt(a)*sqrt(b)))/(sqrt(b)*x + sqrt(sqrt(a)*sqrt(b))))/(sqrt(a)*sqrt(sqrt(a)*sqrt(b))*sqrt(b))

mupad [B] time = 5.66, size = 1970, normalized size = 14.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a - b*x^4), x)

[Out] symsum(log(b^2*c^2*e - b^2*c*d^2 - b^2*d^3*x - a*b*e^3 - a*b*c*f^2 - 16*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^

```

2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2
*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*
c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)^2*a*b^3*c - 4*ro
ot(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^
2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a
^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^
2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2
*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)*b^3*c^2*x - b^2
*c^2*f*x + 16*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2
+ 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^
2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*
b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d
^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)
^2*a*b^3*d*x - 4*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*
z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2
*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a
^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*
b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z,
k)*a*b^2*e^2*x + 2*a*b*d*e*f - 8*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3
- 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2
*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*
a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2
*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*
e^4 - b^3*c^4, z, k)*a*b^2*c*f + 8*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3
- 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^
2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16
*a^3*b*f^3*z + 4*a^2*b*d*e^2*f - 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^
2*c*d^2*e - 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b
*e^4 - b^3*c^4, z, k)*a*b^2*d*e + a*b*d*f^2*x - a*b*e^2*f*x + 2*b^2*c*d*e*x
+ 8*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3
*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z
+ 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f
- 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 +
2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k)*a*b^2*d*
f*x)*root(256*a^3*b^4*z^4 + 256*a^3*b^3*f*z^3 - 64*a^2*b^3*c*e*z^2 + 96*a^3
*b^2*f^2*z^2 - 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z
+ 16*a^2*b^2*d*e^2*z + 16*a*b^3*c^2*d*z + 16*a^3*b*f^3*z + 4*a^2*b*d*e^2*f
- 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e - 2*a^2*b*d^2*f^2 +
2*a*b^2*c^2*e^2 + a*b^2*d^4 + a^3*f^4 - a^2*b*e^4 - b^3*c^4, z, k), k, 1, 4
)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)
```

```
[Out] Timed out
```

$$3.486 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{a-bx^4} dx$$

Optimal. Leaf size=162

$$\frac{\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f) \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2b^{7/4}} + \frac{\sqrt[4]{a} (\sqrt{a} f + \sqrt{b} d) \tanh^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2b^{7/4}} + \frac{\sqrt{a} e \tanh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2b^{3/2}} - \frac{c \log(a - bx^4)}{4b} - \frac{dx}{b} - \frac{ex^2}{2b}$$

[Out] $-d*x/b-1/2*e*x^2/b-1/3*f*x^3/b-1/4*c*\ln(-b*x^4+a)/b+1/2*e*\operatorname{arctanh}(x^2*b^{(1/2)}/a^{(1/2)})*a^{(1/2)}/b^{(3/2)}+1/2*a^{(1/4)}*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})*(-f*a^{(1/2)}+d*b^{(1/2)})/b^{(7/4)}+1/2*a^{(1/4)}*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(f*a^{(1/2)}+d*b^{(1/2)})/b^{(7/4)}$

Rubi [A] time = 0.20, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.310$, Rules used = {1831, 1252, 774, 635, 208, 260, 1280, 1167, 205}

$$\frac{\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f) \tan^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2b^{7/4}} + \frac{\sqrt[4]{a} (\sqrt{a} f + \sqrt{b} d) \tanh^{-1} \left(\frac{\sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2b^{7/4}} + \frac{\sqrt{a} e \tanh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2b^{3/2}} - \frac{c \log(a - bx^4)}{4b} - \frac{dx}{b} - \frac{ex^2}{2b}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3*(c + d*x + e*x^2 + f*x^3))/(a - b*x^4), x]$

[Out] $-((d*x)/b) - (e*x^2)/(2*b) - (f*x^3)/(3*b) + (a^{(1/4)}*(\operatorname{Sqrt}[b]*d - \operatorname{Sqrt}[a]*f)*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*b^{(7/4)}) + (a^{(1/4)}*(\operatorname{Sqrt}[b]*d + \operatorname{Sqrt}[a]*f)*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*b^{(7/4)}) + (\operatorname{Sqrt}[a]*e*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a]])/(2*b^{(3/2)}) - (c*\operatorname{Log}[a - b*x^4])/(4*b)$

Rule 205

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 208

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b]$

Rule 260

$\operatorname{Int}[(x_)^{(m_)} / ((a_ + (b_)*(x_)^{(n_)}), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[a + b*x^n, x]] / (b*n), x] /; \operatorname{FreeQ}\{a, b, m, n\}, x] \ \&\& \ \operatorname{EqQ}[m, n - 1]$

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 774

Int[(((d_) + (e_)*(x_))*((f_) + (g_)*(x_)))/((a_) + (c_)*(x_)^2), x_Symbol] := Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + c*(e*f + d*g)*x]/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x]

Rule 1167

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1280

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1831

Int[((Pq_)*((c_)*(x_)^(m_)))/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2 + fx^3)}{a - bx^4} dx &= \int \left(\frac{x^3 (c + ex^2)}{a - bx^4} + \frac{x^4 (d + fx^2)}{a - bx^4} \right) dx \\
&= \int \frac{x^3 (c + ex^2)}{a - bx^4} dx + \int \frac{x^4 (d + fx^2)}{a - bx^4} dx \\
&= -\frac{fx^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \frac{x(c + ex)}{a - bx^2} dx, x, x^2 \right) + \frac{\int \frac{x^2(3af+3bdx^2)}{a-bx^4} dx}{3b} \\
&= -\frac{dx}{b} - \frac{ex^2}{2b} - \frac{fx^3}{3b} + \frac{\int \frac{3abd+3abfx^2}{a-bx^4} dx}{3b^2} - \frac{\text{Subst} \left(\int \frac{-ae-bcx}{a-bx^2} dx, x, x^2 \right)}{2b} \\
&= -\frac{dx}{b} - \frac{ex^2}{2b} - \frac{fx^3}{3b} + \frac{1}{2}c \text{Subst} \left(\int \frac{x}{a - bx^2} dx, x, x^2 \right) + \frac{(ae) \text{Subst} \left(\int \frac{1}{a-bx^2} dx, x, x^2 \right)}{2b} \\
&= -\frac{dx}{b} - \frac{ex^2}{2b} - \frac{fx^3}{3b} + \frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2b^{7/4}} + \frac{\sqrt[4]{a} (\sqrt{b}d + \sqrt{a}f) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2b^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 221, normalized size = 1.36

$$\frac{-3 \log(\sqrt[4]{a} - \sqrt[4]{b}x) (a^{3/4}f + \sqrt[4]{a} \sqrt{b}d + \sqrt{a} \sqrt[4]{b}e) + 3 \log(\sqrt[4]{a} + \sqrt[4]{b}x) (a^{3/4}f + \sqrt[4]{a} \sqrt{b}d - \sqrt{a} \sqrt[4]{b}e) + 6 (\sqrt[4]{a} \sqrt{b}d + \sqrt{a} \sqrt[4]{b}e)}{12b^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a - b*x^4), x]

[Out] (-12*b^(3/4)*d*x - 6*b^(3/4)*e*x^2 - 4*b^(3/4)*f*x^3 + 6*(a^(1/4)*Sqrt[b]*d - a^(3/4)*f)*ArcTan[(b^(1/4)*x)/a^(1/4)] - 3*(a^(1/4)*Sqrt[b]*d + Sqrt[a]*b^(1/4)*e + a^(3/4)*f)*Log[a^(1/4) - b^(1/4)*x] + 3*(a^(1/4)*Sqrt[b]*d - Sqrt[a]*b^(1/4)*e + a^(3/4)*f)*Log[a^(1/4) + b^(1/4)*x] + 3*Sqrt[a]*b^(1/4)*e*Log[Sqrt[a] + Sqrt[b]*x^2] - 3*b^(3/4)*c*Log[a - b*x^4]/(12*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.19, size = 328, normalized size = 2.02

$$\frac{c \log(|bx^4 - a|)}{4b} - \frac{\sqrt{2} \left(\sqrt{2} \sqrt{-ab} b^2 e - (-ab^3)^{\frac{1}{4}} b^2 d - (-ab^3)^{\frac{3}{4}} f \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(-\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(-\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4b^4} - \frac{\sqrt{2} \left(\sqrt{2} \sqrt{-ab} b^2 e - (-ab^3)^{\frac{1}{4}} b^2 d - (-ab^3)^{\frac{3}{4}} f \right)}{4b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="giac")

[Out] $-1/4*c*\log(\text{abs}(b*x^4 - a))/b - 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(-a*b)*b^2*e - (-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\arctan(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/b^4 - 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(-a*b)*b^2*e - (-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\arctan(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/b^4 + 1/8*\text{sqrt}(2)*((-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\log(x^2 + \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/b^4 - 1/8*\text{sqrt}(2)*((-a*b^3)^{(1/4)}*b^2*d - (-a*b^3)^{(3/4)}*f)*\log(x^2 - \text{sqrt}(2)*x*(-a/b)^{(1/4)} + \text{sqrt}(-a/b))/b^4 - 1/6*(2*b^2*f*x^3 + 3*b^2*x^2*e + 6*b^2*d*x)/b^3$

maple [A] time = 0.04, size = 208, normalized size = 1.28

$$\frac{f x^3}{3b} - \frac{ae \ln\left(\frac{\sqrt{ab} x^2 - a}{-\sqrt{ab} x^2 - a}\right)}{4\sqrt{ab} b} - \frac{e x^2}{2b} - \frac{af \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2} + \frac{af \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b^2} - \frac{c \ln(bx^4 - a)}{4b} - \frac{dx}{b} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} d \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2b} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x)

[Out] $-1/3/b*f*x^3 - 1/2/b*e*x^2 - 1/b*d*x + 1/2/b*d*(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x) + 1/4/b*d*(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/b*a*e/(a*b)^{(1/2)}*\ln(((a*b)^{(1/2)}*x^2 - a)/(-(a*b)^{(1/2)}*x^2 - a)) - 1/2/b^2*a*f/(a/b)^{(1/4)}*\arctan(1/(a/b)^{(1/4)}*x) + 1/4/b^2*a*f/(a/b)^{(1/4)}*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)})) - 1/4/b*c*\ln(b*x^4 - a)$

maxima [A] time = 2.98, size = 208, normalized size = 1.28

$$\frac{2fx^3 + 3ex^2 + 6dx}{6b} + \frac{2\left(a\sqrt{b}d - a^{\frac{3}{2}}f\right)\arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - \frac{(\sqrt{a}bc - a\sqrt{b}e)\log(\sqrt{b}x^2 + \sqrt{a})}{\sqrt{a}b} - \frac{(\sqrt{a}bc + a\sqrt{b}e)\log(\sqrt{b}x^2 - \sqrt{a})}{\sqrt{a}b} - \frac{(a\sqrt{b}d)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] $-1/6*(2*f*x^3 + 3*e*x^2 + 6*d*x)/b + 1/4*(2*(a*\sqrt{b}*d - a^{(3/2)}*f)*\arctan(\sqrt{b}*x/\sqrt{a*\sqrt{b}})/(\sqrt{a}*\sqrt{a*\sqrt{b}}*\sqrt{b}) - (\sqrt{a}*b*c - a*\sqrt{b}*e)*\log(\sqrt{b}*x^2 + \sqrt{a})/(\sqrt{a}*b) - (\sqrt{a}*b*c + a*\sqrt{b}*e)*\log(\sqrt{b}*x^2 - \sqrt{a})/(\sqrt{a}*b) - (a*\sqrt{b}*d + a^{(3/2)}*f)*\log((\sqrt{b}*x - \sqrt{a*\sqrt{b}})/(\sqrt{b}*x + \sqrt{a*\sqrt{b}}))/(\sqrt{a}*\sqrt{a*\sqrt{b}}*\sqrt{b})/b$

mupad [B] time = 4.85, size = 846, normalized size = 5.22

$$\left(\sum_{k=1}^4 \ln \left(-\frac{a^4 f^3 - 2 a^3 b c e f - a^3 b d^2 f + a^3 b d e^2 + a^2 b^2 c^2 d}{b^2} - \text{root}(256 b^7 z^4 + 256 b^6 c z^3 - 64 a b^4 d f z^2 - 32 \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a - b*x^4),x)

[Out] $\text{symsum}(\log(- (a^4*f^3 + a^2*b^2*c^2*d + a^3*b*d*e^2 - a^3*b*d^2*f - 2*a^3*b*c*e*f)/b^2 - \text{root}(256*b^7*z^4 + 256*b^6*c*z^3 - 64*a*b^4*d*f*z^2 - 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z + 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z + 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 - 4*a*b^2*c^2*d*f + 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 - 2*a*b^2*c^2*e^2 + a^2*b*e^4 + b^3*c^4 - a*b^2*d^4 - a^3*f^4, z, k)*(\text{root}(256*b^7*z^4 + 256*b^6*c*z^3 - 64*a*b^4*d*f*z^2 - 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z + 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z + 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 - 4*a*b^2*c^2*d*f + 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 - 2*a*b^2*c^2*e^2 + a^2*b*e^4 + b^3*c^4 - a*b^2*d^4 - a^3*f^4, z, k)*(16*a^2*b^2*d - 16*a^2*b^2*e*x) + (8*a^2*b^3*c*d - 8*a^3*b^2*e*f)/b^2 + (x*(4*a^3*b*f^2 + 4*a^2*b^2*d^2 - 8*a^2*b^2*c*e))/b) - (x*(a^3*e^3 + a^3*c*f^2 - 2*a^3*d*e*f + a^2*b*c*d^2 - a^2*b*c^2*e))/b)*\text{root}(256*b^7*z^4 + 256*b^6*c*z^3 - 64*a*b^4*d*f*z^2 - 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^3*c*d*f*z + 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z + 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 - 4*a*b^2*c^2*d*f + 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 - 2*a*b^2*c^2*e^2 + a^2*b*e^4 + b^3*c^4 - a*b^2*d^4 - a^3*f^4, z, k), k, 1, 4) - (e*x^2)/(2*b) - (f*x^3)/(3*b) - (d*x)/b$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(-b*x**4+a),x)

[Out] Timed out

$$3.487 \quad \int \frac{c+dx+ex^2+fx^3}{a+bx^4} dx$$

Optimal. Leaf size=293

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}}$$

[Out] $\frac{1}{4} f \ln(b x^4 + a) / b + \frac{1}{2} d \arctan(x^2 b^{1/2} / a^{1/2}) / a^{1/2} / b^{1/2} - \frac{1}{8} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-e a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2} + \frac{1}{8} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (-e a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2} + \frac{1}{4} \arctan(-1 + b^{1/4} x^2 / a^{1/4}) * (e a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2} + \frac{1}{4} \arctan(1 + b^{1/4} x^2 / a^{1/4}) * (e a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4} * 2^{1/2}$

Rubi [A] time = 0.22, antiderivative size = 293, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1876, 1168, 1162, 617, 204, 1165, 628, 1248, 635, 205, 260}

$$\frac{(\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ae} + \sqrt{bc}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4), x]

[Out] $(d \operatorname{ArcTan}[\frac{\sqrt{b} x^2}{\sqrt{a}}]) / (2 \sqrt{a} \sqrt{b}) - ((\sqrt{b} c + \sqrt{a} e) \operatorname{ArcTan}[1 - (\sqrt{2} \sqrt[4]{b} x) / \sqrt[4]{a}]) / (2 \sqrt{2} a^{3/4} b^{3/4}) + ((\sqrt{b} c + \sqrt{a} e) \operatorname{ArcTan}[1 + (\sqrt{2} \sqrt[4]{b} x) / \sqrt[4]{a}]) / (2 \sqrt{2} a^{3/4} b^{3/4}) - ((\sqrt{b} c - \sqrt{a} e) \operatorname{Log}[\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (4 \sqrt{2} a^{3/4} b^{3/4}) + ((\sqrt{b} c - \sqrt{a} e) \operatorname{Log}[\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2]) / (4 \sqrt{2} a^{3/4} b^{3/4}) + (f \operatorname{Log}[a + b x^4]) / (4 b)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D

```
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_)*(x_)^n), x_Symbol] :> With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3}{a + bx^4} dx &= \int \left(\frac{c + ex^2}{a + bx^4} + \frac{x(d + fx^2)}{a + bx^4} \right) dx \\
 &= \int \frac{c + ex^2}{a + bx^4} dx + \int \frac{x(d + fx^2)}{a + bx^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{a + bx^2} dx, x, x^2 \right) + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{\sqrt{a}\sqrt{b-bx^2}}{a+bx^4} dx}{2b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{\sqrt{a}\sqrt{b+bx^2}}{a+bx^4} dx}{2b} \\
 &= \frac{1}{2} d \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right) + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{b}} + x^2} dx}{4b} + \frac{\left(\frac{\sqrt{bc}}{\sqrt{a}} - e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{b}} + x^2} dx}{4b} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{a}e) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} \\
 &= \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2\sqrt{a}\sqrt{b}} - \frac{(\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}e) \tan^{-1} \left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}a^{3/4}b^{3/4}}
 \end{aligned}$$

Mathematica [A] time = 0.23, size = 296, normalized size = 1.01

$$-\sqrt{2} \sqrt[4]{b} \left(\sqrt[4]{a} \sqrt{b} c - a^{3/4} e \right) \log \left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2 \right) + \sqrt{2} \sqrt[4]{b} \left(\sqrt[4]{a} \sqrt{b} c - a^{3/4} e \right) \log \left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4), x]

[Out] $(-2*a^{1/4}*b^{1/4}*(\text{Sqrt}[2]*\text{Sqrt}[b]*c + 2*a^{1/4}*b^{1/4}*d + \text{Sqrt}[2]*\text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{1/4}*x)/a^{1/4}] + 2*a^{1/4}*b^{1/4}*(\text{Sqrt}[2]*\text{Sqrt}[b]*c - 2*a^{1/4}*b^{1/4}*d + \text{Sqrt}[2]*\text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{1/4}*x)/a^{1/4}] - \text{Sqrt}[2]*b^{1/4}*(a^{1/4}*\text{Sqrt}[b]*c - a^{3/4}*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{1/4}*b^{1/4}*x + \text{Sqrt}[b]*x^2] + \text{Sqrt}[2]*b^{1/4}*(a^{1/4}*\text{Sqrt}[b]*c - a^{3/4}*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{1/4}*b^{1/4}*x + \text{Sqrt}[b]*x^2] + 2*a*f*\text{Log}[a + b*x^4])/(8*a*b)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 290, normalized size = 0.99

$$\frac{f \log(|bx^4 + a|)}{4b} - \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3} - \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 d - (ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="giac")

[Out] $1/4*f*\log(\text{abs}(b*x^4 + a))/b - 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d - (a*b^3)^{1/4}*b^2*c - (a*b^3)^{3/4}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{1/4}))/ (a/b)^{1/4} / (a*b^3) - 1/4*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d - (a*b^3)^{1/4}*b^2*c - (a*b^3)^{3/4}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{1/4}))/ (a/b)^{1/4} / (a*b^3) + 1/8*\text{sqrt}(2)*((a*b^3)^{1/4}*b^2*c - (a*b^3)^{3/4}*e)*\log(x^2 + \text{sqrt}(2)*x*(a/b)^{1/4} + \text{sqrt}(a/b)) / (a*b^3) - 1/8*\text{sqrt}(2)*((a*b^3)^{1/4}*b^2*c - (a*b^3)^{3/4}*e)*\log(x^2 - \text{sqrt}(2)*x*(a/b)^{1/4} + \text{sqrt}(a/b)) / (a*b^3)$

maple [A] time = 0.05, size = 294, normalized size = 1.00

$$\frac{d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{2\sqrt{ab}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a), x)

[Out] 1/8*c*(a/b)^(1/4)/a*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4*c*(a/b)^(1/4)/a*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4*(a/b)^(1/4)*2^(1/2)/a*c*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/2*d/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)+1/8*e/b/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4*e/b/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4/b*f*ln(b*x^4+a)

maxima [A] time = 3.03, size = 277, normalized size = 0.95

$$\frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{1}{4}} f + bc - \sqrt{a} \sqrt{b} e \right) \log \left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{8 a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{1}{4}} f - bc + \sqrt{a} \sqrt{b} e \right) \log \left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{8 a^{\frac{3}{4}} b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a), x, algorithm="maxima")

[Out] 1/8*sqrt(2)*(sqrt(2)*a^(3/4)*b^(1/4)*f + b*c - sqrt(a)*sqrt(b)*e)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4)) + 1/8*sqrt(2)*(sqrt(2)*a^(3/4)*b^(1/4)*f - b*c + sqrt(a)*sqrt(b)*e)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(5/4)) + 1/4*(sqrt(2)*a^(1/4)*b^(5/4)*c + sqrt(2)*a^(3/4)*b^(3/4)*e - 2*sqrt(a)*b*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4)) + 1/4*(sqrt(2)*a^(1/4)*b^(5/4)*c + sqrt(2)*a^(3/4)*b^(3/4)*e + 2*sqrt(a)*b*d)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(5/4))

mupad [B] time = 0.93, size = 1952, normalized size = 6.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((c + d*x + e*x^2 + f*x^3)/(a + b*x^4), x)$

[Out] $\text{symsum}(\log(b^2*c*d^2 - b^2*c^2*e + b^2*d^3*x - a*b*e^3 - a*b*c*f^2 - 16*\text{root}(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)^2*a*b^3*c - 4*\text{root}(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*b^3*c^2*x + b^2*c^2*f*x + 16*\text{root}(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)^2*a*b^3*d*x + 4*\text{root}(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*a*b^2*e^2*x + 2*a*b*d*e*f + 8*\text{root}(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*a*b^2*c*f - 8*\text{root}(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*a*b^2*d*e + a*b*d*f^2*x - a*b*e^2*f*x - 2*b^2*c*d*e*x - 8*\text{root}(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)*a*b^2*d*f*x)*\text{root}(256*a^3*b^4*z^4 - 256*a^3*b^3*f*z^3 + 64*a^2*b^3*c*e*z^2 + 96*a^3*b^2*f^2*z^2 + 32*a^2*b^3*d^2*z^2 - 32*a^2*b^2*c*e*f*z - 16*a^2*b^2*d^2*f*z + 16*a^2*b^2*d*e^2*z - 16*a*b^3*c^2*d*z - 16*a^3*b*f^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k)$

$2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k), k, 1, 4$
)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a),x)

[Out] Timed out

$$3.488 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{a+bx^4} dx$$

Optimal. Leaf size=321

$$\frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2}b^{7/4}} - \frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2}b^{7/4}} + \frac{\sqrt[4]{a}}{\sqrt[4]{a}}$$

[Out] d*x/b+1/2*e*x^2/b+1/3*f*x^3/b+1/4*c*ln(b*x^4+a)/b-1/2*e*arctan(x^2*b^(1/2)/a^(1/2))*a^(1/2)/b^(3/2)+1/8*a^(1/4)*ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-f*a^(1/2)+d*b^(1/2))/b^(7/4)*2^(1/2)-1/8*a^(1/4)*ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-f*a^(1/2)+d*b^(1/2))/b^(7/4)*2^(1/2)-1/4*a^(1/4)*arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(f*a^(1/2)+d*b^(1/2))/b^(7/4)*2^(1/2)-1/4*a^(1/4)*arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(f*a^(1/2)+d*b^(1/2))/b^(7/4)*2^(1/2)

Rubi [A] time = 0.33, antiderivative size = 321, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 13, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$, Rules used = {1831, 1252, 774, 635, 205, 260, 1280, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2}b^{7/4}} - \frac{\sqrt[4]{a} (\sqrt{b}d - \sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2}b^{7/4}} + \frac{\sqrt[4]{a}}{\sqrt[4]{a}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4), x]

[Out] (d*x)/b + (e*x^2)/(2*b) + (f*x^3)/(3*b) - (Sqrt[a]*e*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(2*b^(3/2)) + (a^(1/4)*(Sqrt[b]*d + Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*b^(7/4)) - (a^(1/4)*(Sqrt[b]*d + Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*b^(7/4)) + (a^(1/4)*(Sqrt[b]*d - Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*b^(7/4)) - (a^(1/4)*(Sqrt[b]*d - Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(4*Sqrt[2]*b^(7/4)) + (c*Log[a + b*x^4])/(4*b)

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 774

Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + c*(e*f + d*g)*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1280

```
Int[((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
])
```

Rule 1831

```
Int[((Pq_)*((c_.)*(x_)^(m_.)))/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := With[
{v = Sum[((c*x)^(m + ii)*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2
)))/(c^ii*(a + b*x^n)), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{
a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx + ex^2 + fx^3)}{a + bx^4} dx &= \int \left(\frac{x^3(c + ex^2)}{a + bx^4} + \frac{x^4(d + fx^2)}{a + bx^4} \right) dx \\
&= \int \frac{x^3(c + ex^2)}{a + bx^4} dx + \int \frac{x^4(d + fx^2)}{a + bx^4} dx \\
&= \frac{fx^3}{3b} + \frac{1}{2} \text{Subst} \left(\int \frac{x(c + ex)}{a + bx^2} dx, x, x^2 \right) - \frac{\int \frac{x^2(3af - 3bdx^2)}{a + bx^4} dx}{3b} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} + \frac{\int \frac{-3abd - 3abfx^2}{a + bx^4} dx}{3b^2} + \frac{\text{Subst} \left(\int \frac{-ae + bcx}{a + bx^2} dx, x, x^2 \right)}{2b} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} + \frac{1}{2} c \text{Subst} \left(\int \frac{x}{a + bx^2} dx, x, x^2 \right) - \frac{(ae) \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{2b} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} - \frac{\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2b^{3/2}} + \frac{c \log(a + bx^4)}{4b} + \frac{(\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f))}{4\sqrt{2}} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} - \frac{\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2b^{3/2}} + \frac{\sqrt[4]{a} (\sqrt{b} d - \sqrt{a} f) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x)}{4\sqrt{2} b^{7/4}} \\
&= \frac{dx}{b} + \frac{ex^2}{2b} + \frac{fx^3}{3b} - \frac{\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{2b^{3/2}} + \frac{\sqrt[4]{a} (\sqrt{b} d + \sqrt{a} f) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} \right)}{2\sqrt{2} b^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 311, normalized size = 0.97

$$-3\sqrt{2} (a^{3/4} f - \sqrt[4]{a} \sqrt{b} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2) + 3\sqrt{2} (a^{3/4} f - \sqrt[4]{a} \sqrt{b} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4),x]

[Out] (24*b^(3/4)*d*x + 12*b^(3/4)*e*x^2 + 8*b^(3/4)*f*x^3 + 6*a^(1/4)*(Sqrt[2]*Sqrt[b]*d + 2*a^(1/4)*b^(1/4)*e + Sqrt[2]*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - 6*a^(1/4)*(Sqrt[2]*Sqrt[b]*d - 2*a^(1/4)*b^(1/4)*e + Sqrt[2]*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - 3*Sqrt[2]*(-a^(1/4)*Sqrt[b]*d + a^(3/4)*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[2]*a^(1/4)*b^(1/4)*x]

$b*x^2] + 3*\text{Sqrt}[2]*(-(a^{(1/4)}*\text{Sqrt}[b]*d) + a^{(3/4)}*f)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2] + 6*b^{(3/4)}*c*\text{Log}[a + b*x^4]/(24*b^{(7/4)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="fricas")`

[Out] Timed out

giac [A] time = 0.19, size = 308, normalized size = 0.96

$$\frac{c \log(|bx^4 + a|)}{4b} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 e - (ab^3)^{\frac{1}{4}} b^2 d - (ab^3)^{\frac{3}{4}} f \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4b^4} + \frac{\sqrt{2} \left(\sqrt{2} \sqrt{ab} b^2 e - (ab^3)^{\frac{1}{4}} b^2 d - (ab^3)^{\frac{3}{4}} f \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4b^4} + \frac{\sqrt{2} a f \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="giac")`

[Out] $\frac{1}{4}c*\log(\text{abs}(b*x^4 + a))/b + \frac{1}{4}*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*e - (a*b^3)^{(1/4)}*b^2*d - (a*b^3)^{(3/4)}*f)*\arctan(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/b^4 + \frac{1}{4}*\text{sqrt}(2)*(\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*e - (a*b^3)^{(1/4)}*b^2*d - (a*b^3)^{(3/4)}*f)*\arctan(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/b^4 - \frac{1}{8}*\text{sqrt}(2)*((a*b^3)^{(1/4)}*b^2*d - (a*b^3)^{(3/4)}*f)*\log(x^2 + \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/b^4 + \frac{1}{8}*\text{sqrt}(2)*((a*b^3)^{(1/4)}*b^2*d - (a*b^3)^{(3/4)}*f)*\log(x^2 - \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/b^4 + \frac{1}{6}*(2*b^2*f*x^3 + 3*b^2*x^2*e + 6*b^2*d*x)/b^3$

maple [A] time = 0.05, size = 325, normalized size = 1.01

$$\frac{f x^3}{3b} - \frac{ae \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{2\sqrt{ab} b} + \frac{e x^2}{2b} - \frac{\sqrt{2} a f \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2} - \frac{\sqrt{2} a f \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2} - \frac{\sqrt{2} a f \ln \left(\frac{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8 \left(\frac{a}{b} \right)^{\frac{1}{4}} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a),x)`

[Out] $\frac{1}{3} \frac{f x^3 + 3 e x^2 + 6 d x}{b} + \frac{1}{8} \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} c - a b d + a^{\frac{3}{2}} \sqrt{b} f \right) \log \left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} c + a b d - a^{\frac{3}{2}} \sqrt{b} f \right) \log \left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}}$

maxima [A] time = 3.01, size = 305, normalized size = 0.95

$$\frac{2 f x^3 + 3 e x^2 + 6 d x}{6 b} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} c - a b d + a^{\frac{3}{2}} \sqrt{b} f \right) \log \left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a} \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{\sqrt{2} \left(\sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} c + a b d - a^{\frac{3}{2}} \sqrt{b} f \right) \log \left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x \right)}{a^{\frac{3}{4}} b^{\frac{5}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{6} \frac{(2 f x^3 + 3 e x^2 + 6 d x)}{b} + \frac{1}{8} \frac{(\sqrt{2} \sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} c - a b d + a^{\frac{3}{2}} \sqrt{b} f) \log(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a})}{a^{\frac{3}{4}} b^{\frac{5}{4}}} + \frac{(\sqrt{2} \sqrt{2} a^{\frac{3}{4}} b^{\frac{5}{4}} c + a b d - a^{\frac{3}{2}} \sqrt{b} f) \log(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a})}{a^{\frac{3}{4}} b^{\frac{5}{4}}} - \frac{2(\sqrt{2} a^{\frac{5}{4}} b^{\frac{5}{4}} d + \sqrt{2} a^{\frac{7}{4}} b^{\frac{3}{4}} f - 2 a^{\frac{3}{2}} b e) \arctan\left(\frac{1}{2} \sqrt{2} (2 \sqrt{b} x + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}})\right)}{\sqrt{a} \sqrt{b}} \frac{1}{a^{\frac{3}{4}} \sqrt{a} \sqrt{b}} - \frac{2(\sqrt{2} a^{\frac{5}{4}} b^{\frac{5}{4}} d + \sqrt{2} a^{\frac{7}{4}} b^{\frac{3}{4}} f + 2 a^{\frac{3}{2}} b e) \arctan\left(\frac{1}{2} \sqrt{2} (2 \sqrt{b} x - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}})\right)}{\sqrt{a} \sqrt{b}} \frac{1}{a^{\frac{3}{4}} \sqrt{a} \sqrt{b}}$

mupad [B] time = 4.85, size = 838, normalized size = 2.61

$$\left(\sum_{k=1}^4 \ln \left(\frac{a^4 f^3 + 2 a^3 b c e f + a^3 b d^2 f - a^3 b d e^2 + a^2 b^2 c^2 d}{b^2} \right) + \text{root} \left(256 b^7 z^4 - 256 b^6 c z^3 + 64 a b^4 d f z^2 + 32 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4),x)

[Out] $\frac{\text{symsum}(\log((a^4 f^3 + a^2 b^2 c^2 d - a^3 b d e^2 + a^3 b d^2 f + 2 a^3 b c e f)/b^2 + \text{root}(256 b^7 z^4 - 256 b^6 c z^3 + 64 a b^4 d f z^2 + 32 a b^4 e^2 z^2 + 96 b^5 c^2 z^2 - 32 a b^3 c d f z - 16 a^2 b^2 e f^2 z + 16 a b^3 d^2 e z - 16 a b^3 c e^2 z - 16 b^4 c^3 z - 4 a^2 b d e^2 f + 4 a^2 b c e e^2))}{a + b x^4}}$

$$\begin{aligned}
& f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 \\
& + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 + b^3*c^4, z, k) * (\text{root}(256*b^7*z^4 - 256 \\
& *b^6*c*z^3 + 64*a*b^4*d*f*z^2 + 32*a*b^4*e^2*z^2 + 96*b^5*c^2*z^2 - 32*a*b^ \\
& 3*c*d*f*z - 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c*e^2*z - 16*b \\
& ^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f - 4*a*b^2*c* \\
& d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d^4 + a^3*f^4 \\
& + b^3*c^4, z, k) * (16*a^2*b^2*d - 16*a^2*b^2*e*x) - (8*a^2*b^3*c*d + 8*a^3* \\
& b^2*e*f)/b^2 + (x*(4*a^3*b*f^2 - 4*a^2*b^2*d^2 + 8*a^2*b^2*c*e))/b - (x*(a \\
& ^3*e^3 + a^3*c*f^2 - 2*a^3*d*e*f - a^2*b*c*d^2 + a^2*b*c^2*e))/b) * \text{root}(256* \\
& b^7*z^4 - 256*b^6*c*z^3 + 64*a*b^4*d*f*z^2 + 32*a*b^4*e^2*z^2 + 96*b^5*c^2* \\
& z^2 - 32*a*b^3*c*d*f*z - 16*a^2*b^2*e*f^2*z + 16*a*b^3*d^2*e*z - 16*a*b^3*c \\
& *e^2*z - 16*b^4*c^3*z - 4*a^2*b*d*e^2*f + 4*a^2*b*c*e*f^2 + 4*a*b^2*c^2*d*f \\
& - 4*a*b^2*c*d^2*e + 2*a^2*b*d^2*f^2 + 2*a*b^2*c^2*e^2 + a^2*b*e^4 + a*b^2*d \\
& ^4 + a^3*f^4 + b^3*c^4, z, k), k, 1, 4) + (e*x^2)/(2*b) + (f*x^3)/(3*b) + \\
& (d*x)/b
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a), x)

[Out] Timed out

$$3.489 \quad \int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^2} dx$$

Optimal. Leaf size=318

$$\frac{(3\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{ae} + \dots)}{16\sqrt{2} a^{7/4} b^{3/4}}$$

[Out] $\frac{1}{4} * (-a * f + b * x * (e * x^2 + d * x + c)) / a / b / (b * x^4 + a) + \frac{1}{4} * d * \arctan(x^2 * b^{(1/2)} / a^{(1/2)}) / a^{(3/2)} / b^{(1/2)} - \frac{1}{32} * \ln(-a^{(1/4)} * b^{(1/4)} * x^2^{(1/2)} + a^{(1/2)} + x^2 * b^{(1/2)}) * (-e * a^{(1/2)} + 3 * c * b^{(1/2)}) / a^{(7/4)} / b^{(3/4)} * 2^{(1/2)} + \frac{1}{32} * \ln(a^{(1/4)} * b^{(1/4)} * x^2^{(1/2)} + a^{(1/2)} + x^2 * b^{(1/2)}) * (-e * a^{(1/2)} + 3 * c * b^{(1/2)}) / a^{(7/4)} / b^{(3/4)} * 2^{(1/2)} + \frac{1}{16} * \arctan(-1 + b^{(1/4)} * x^2^{(1/2)} / a^{(1/4)}) * (e * a^{(1/2)} + 3 * c * b^{(1/2)}) / a^{(7/4)} / b^{(3/4)} * 2^{(1/2)} + \frac{1}{16} * \arctan(1 + b^{(1/4)} * x^2^{(1/2)} / a^{(1/4)}) * (e * a^{(1/2)} + 3 * c * b^{(1/2)}) / a^{(7/4)} / b^{(3/4)} * 2^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 318, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1854, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(3\sqrt{bc} - \sqrt{ae}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{16\sqrt{2} a^{7/4} b^{3/4}} + \frac{(3\sqrt{bc} - \sqrt{ae}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{bx^2})}{16\sqrt{2} a^{7/4} b^{3/4}} - \frac{(\sqrt{ae} + \dots)}{16\sqrt{2} a^{7/4} b^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^2, x]

[Out] $-(a * f - b * x * (c + d * x + e * x^2)) / (4 * a * b * (a + b * x^4)) + (d * \text{ArcTan}[(\text{Sqrt}[b] * x^2) / \text{Sqrt}[a]]) / (4 * a^{(3/2)} * \text{Sqrt}[b]) - ((3 * \text{Sqrt}[b] * c + \text{Sqrt}[a] * e) * \text{ArcTan}[1 - (\text{Sqrt}[2] * b^{(1/4)} * x) / a^{(1/4)}]) / (8 * \text{Sqrt}[2] * a^{(7/4)} * b^{(3/4)}) + ((3 * \text{Sqrt}[b] * c + \text{Sqrt}[a] * e) * \text{ArcTan}[1 + (\text{Sqrt}[2] * b^{(1/4)} * x) / a^{(1/4)}]) / (8 * \text{Sqrt}[2] * a^{(7/4)} * b^{(3/4)}) - ((3 * \text{Sqrt}[b] * c - \text{Sqrt}[a] * e) * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / (16 * \text{Sqrt}[2] * a^{(7/4)} * b^{(3/4)}) + ((3 * \text{Sqrt}[b] * c - \text{Sqrt}[a] * e) * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2] * a^{(1/4)} * b^{(1/4)} * x + \text{Sqrt}[b] * x^2]) / (16 * \text{Sqrt}[2] * a^{(7/4)} * b^{(3/4)})$

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*

c)]

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
  x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
  q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
  [Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]*(a + b*x^n)^(p
  + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
  0] && LtQ[p, -1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
  [Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
  }]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
  0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^2} dx &= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} - \frac{\int \frac{-3c - 2dx - ex^2}{a + bx^4} dx}{4a} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} - \frac{\int \left(-\frac{2dx}{a + bx^4} + \frac{-3c - ex^2}{a + bx^4} \right) dx}{4a} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} - \frac{\int \frac{-3c - ex^2}{a + bx^4} dx}{4a} + \frac{d \int \frac{x}{a + bx^4} dx}{2a} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \operatorname{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{4a} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} - e \right) \int \frac{\sqrt{a}\sqrt{b} - bx^2}{a + bx^4} dx}{8ab} + \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} + e \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16ab} + \frac{\left(\frac{3\sqrt{b}c}{\sqrt{a}} \right)}{\sqrt{a}} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{b}c - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a})}{16\sqrt{2}a^{7/4}b^{3/4}} \\
&= -\frac{af - bx(c + dx + ex^2)}{4ab(a + bx^4)} + \frac{d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4a^{3/2}\sqrt{b}} - \frac{(3\sqrt{b}c + \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}a^{7/4}b^{3/4}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.41, size = 315, normalized size = 0.99

$$\sqrt{2}\sqrt[4]{b} \left(a^{3/4}e - 3\sqrt[4]{a}\sqrt{b}c \right) \log \left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2 \right) + \sqrt{2}\sqrt[4]{b} \left(3\sqrt[4]{a}\sqrt{b}c - a^{3/4}e \right) \log \left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^2, x]

[Out] ((-8*a*(a*f - b*x*(c + x*(d + e*x)))/(a + b*x^4) - 2*a^(1/4)*b^(1/4)*(3*Sqrt[2]*Sqrt[b]*c + 4*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*a^(1/4)*b^(1/4)*(3*Sqrt[2]*Sqrt[b]*c - 4*a^(1/4)*b^(1/4)*d + Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + Sqrt[2]*b^(1/4)*(-3*a^(1/4)*Sqrt[b]*c + a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^

$(1/4)*b^{(1/4)}*x + \text{Sqrt}[b]*x^2 + \text{Sqrt}[2]*b^{(1/4)}*(3*a^{(1/4)}*\text{Sqrt}[b]*c - a^{(3/4)}*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2]/(32*a^2*b)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.18, size = 316, normalized size = 0.99

$$\frac{bx^3e + bdx^2 + bcx - af}{4(bx^4 + a)ab} + \frac{\sqrt{2} \left(2\sqrt{2} \sqrt{ab} b^2 d + 3(ab^3)^{\frac{1}{4}} b^2 c + (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 a^2 b^3} + \frac{\sqrt{2} \left(2\sqrt{2} \sqrt{ab} b^2 d + 3(ab^3)^{\frac{1}{4}} b^2 c + (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{16 a^2 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] $1/4*(b*x^3*e + b*d*x^2 + b*c*x - a*f)/((b*x^4 + a)*a*b) + 1/16*\text{sqrt}(2)*(2*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 3*(a*b^3)^{(1/4)}*b^2*c + (a*b^3)^{(3/4)}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^3) + 1/16*\text{sqrt}(2)*(2*\text{sqrt}(2)*\text{sqrt}(a*b)*b^2*d + 3*(a*b^3)^{(1/4)}*b^2*c + (a*b^3)^{(3/4)}*e)*\text{arctan}(1/2*\text{sqrt}(2)*(2*x - \text{sqrt}(2)*(a/b)^{(1/4)})/(a/b)^{(1/4)})/(a^2*b^3) + 1/32*\text{sqrt}(2)*(3*(a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(3/4)}*e)*\text{log}(x^2 + \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a^2*b^3) - 1/32*\text{sqrt}(2)*(3*(a*b^3)^{(1/4)}*b^2*c - (a*b^3)^{(3/4)}*e)*\text{log}(x^2 - \text{sqrt}(2)*x*(a/b)^{(1/4)} + \text{sqrt}(a/b))/(a^2*b^3)$

maple [A] time = 0.05, size = 362, normalized size = 1.14

$$\frac{f x^4}{4(b x^4 + a) a} + \frac{e x^3}{4(b x^4 + a) a} + \frac{d x^2}{4(b x^4 + a) a} + \frac{c x}{4(b x^4 + a) a} + \frac{d \arctan \left(\sqrt{\frac{b}{a}} x^2 \right)}{4 \sqrt{a b} a} + \frac{\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} a b} + \frac{\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{16 \left(\frac{a}{b} \right)^{\frac{1}{4}} a b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] $\frac{1}{4} \frac{1}{(bx^4+a)^2} \frac{1}{a} \frac{1}{c} \frac{1}{x} + \frac{3}{32} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a^2} \frac{1}{c} \ln\left(\frac{x^2+(a/b)^{1/4} \cdot 2^{1/2}}{x+(a/b)^{1/2}}\right) + \frac{3}{16} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a^2} \frac{1}{c} \arctan\left(\frac{2^{1/2}}{(a/b)^{1/4} \cdot x + 1}\right) + \frac{3}{16} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a^2} \frac{1}{c} \arctan\left(\frac{2^{1/2}}{(a/b)^{1/4} \cdot x - 1}\right) + \frac{1}{4} \frac{1}{(bx^4+a)^2} \frac{1}{a} \frac{1}{d} \frac{1}{x^2} + \frac{1}{4} \frac{1}{(ab)^{1/2}} \frac{1}{a} \frac{1}{d} \frac{1}{x^2} \arctan\left(\frac{(1/a \cdot b)^{1/2} \cdot x^2}{1}\right) + \frac{1}{4} \frac{1}{(bx^4+a)^2} \frac{1}{a} \frac{1}{e} \frac{1}{x^3} + \frac{1}{32} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a} \frac{1}{b} \frac{1}{e} \ln\left(\frac{x^2-(a/b)^{1/4} \cdot 2^{1/2}}{x+(a/b)^{1/2}}\right) + \frac{1}{16} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a} \frac{1}{b} \frac{1}{e} \arctan\left(\frac{2^{1/2}}{(a/b)^{1/4} \cdot x + 1}\right) + \frac{1}{16} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a} \frac{1}{b} \frac{1}{e} \arctan\left(\frac{2^{1/2}}{(a/b)^{1/4} \cdot x - 1}\right) + \frac{1}{4} \frac{1}{f} \frac{1}{x^4} \frac{1}{(bx^4+a)^2}$

maxima [A] time = 3.06, size = 305, normalized size = 0.96

$$\frac{bx^3 + bdx^2 + bcx - af}{4(ab^2x^4 + a^2b)} + \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}\right)}{a^3b^3} - \frac{\sqrt{2}(3\sqrt{b}c - \sqrt{a}e) \log\left(\sqrt{b}x^2 - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}\right)}{a^3b^3} + \frac{2\left(3\sqrt{2}a^{1/4}b^{3/4}\right)}{a^3b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{4} \frac{1}{(bx^4+a)^2} \frac{1}{a} \frac{1}{c} \frac{1}{x} + \frac{1}{32} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a^2} \frac{1}{c} \left(3\sqrt{b}c - \sqrt{a}e \right) \log\left(\frac{\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}}{a^{3/4}b^{3/4}}\right) - \frac{1}{32} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a^2} \frac{1}{c} \left(3\sqrt{b}c - \sqrt{a}e \right) \log\left(\frac{\sqrt{b}x^2 - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a}}{a^{3/4}b^{3/4}}\right) + \frac{2}{a^{3/4}b^{3/4}} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a^2} \frac{1}{c} \left(3\sqrt{b}c - \sqrt{a}e \right) \frac{1}{x} + \frac{1}{4} \frac{1}{(bx^4+a)^2} \frac{1}{a} \frac{1}{d} \frac{1}{x^2} + \frac{1}{4} \frac{1}{(ab)^{1/2}} \frac{1}{a} \frac{1}{d} \frac{1}{x^2} \arctan\left(\frac{1/2 \sqrt{2} \sqrt{b} x + \sqrt{2} a^{1/4} b^{1/4}}{\sqrt{a} \sqrt{b}}\right) + \frac{1}{4} \frac{1}{(bx^4+a)^2} \frac{1}{a} \frac{1}{e} \frac{1}{x^3} + \frac{1}{32} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a^2} \frac{1}{b} \frac{1}{e} \ln\left(\frac{x^2-(a/b)^{1/4} \cdot 2^{1/2}}{x+(a/b)^{1/2}}\right) + \frac{1}{16} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a} \frac{1}{b} \frac{1}{e} \arctan\left(\frac{2^{1/2}}{(a/b)^{1/4} \cdot x + 1}\right) + \frac{1}{16} \frac{1}{(a/b)^{1/4}} \frac{1}{2} \frac{1}{a} \frac{1}{b} \frac{1}{e} \arctan\left(\frac{2^{1/2}}{(a/b)^{1/4} \cdot x - 1}\right) + \frac{1}{4} \frac{1}{f} \frac{1}{x^4} \frac{1}{(bx^4+a)^2}$

mupad [B] time = 0.36, size = 478, normalized size = 1.50

$$\left(\sum_{k=1}^4 \ln\left(-\text{root}\left(65536 a^7 b^3 z^4 + 3072 a^4 b^2 c e z^2 + 2048 a^4 b^2 d^2 z^2 - 1152 a^2 b^2 c^2 d z + 128 a^3 b d e^2 z - 48 a b c d^2\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^2,x)

[Out] $\frac{\text{symsum}\left(\log\left(\frac{x(2b^2d^3 - 3b^2cde)}{16a^3}\right) - (9b^2c^2e - 12b^2cde^2 + abe^3)/(64a^3) - \text{root}\left(65536a^7b^3z^4 + 3072a^4b^2c^2e^2 + \dots\right)}{64a^3} - \frac{\text{root}\left(65536a^7b^3z^4 + 3072a^4b^2c^2e^2 + \dots\right)}{64a^3}$

```

2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*
d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z, k)*(root(655
36*a^7*b^3*z^4 + 3072*a^4*b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2
*c^2*d*z + 128*a^3*b*d*e^2*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4
+ 81*b^2*c^4 + a^2*e^4, z, k)*(12*b^3*c - 8*b^3*d*x) + (x*(36*a*b^3*c^2 -
4*a^2*b^2*e^2))/(16*a^3) + (b^2*d*e)/a))*root(65536*a^7*b^3*z^4 + 3072*a^4*
b^2*c*e*z^2 + 2048*a^4*b^2*d^2*z^2 - 1152*a^2*b^2*c^2*d*z + 128*a^3*b*d*e^2
*z - 48*a*b*c*d^2*e + 18*a*b*c^2*e^2 + 16*a*b*d^4 + 81*b^2*c^4 + a^2*e^4, z
, k), k, 1, 4) + ((d*x^2)/(4*a) - f/(4*b) + (e*x^3)/(4*a) + (c*x)/(4*a))/(a
+ b*x^4)

```

sympy [A] time = 22.32, size = 517, normalized size = 1.63

$$\text{RootSum}\left(65536t^4a^7b^3 + t^2(3072a^4b^2ce + 2048a^4b^2d^2) + t(128a^3bde^2 - 1152a^2b^2c^2d) + a^2e^4 + 18abc^2e^2 - 48abcd^2e + 18a^2b^2c^2e^2 + 16a^2bd^4 + 81b^2c^4 + a^2e^4, z, k)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2,x)
```

```
[Out] RootSum(65536*_t**4*a**7*b**3 + _t**2*(3072*a**4*b**2*c*e + 2048*a**4*b**2*
d**2) + _t*(128*a**3*b*d*e**2 - 1152*a**2*b**2*c**2*d) + a**2*e**4 + 18*a*b
*c**2*e**2 - 48*a*b*c*d**2*e + 16*a*b*d**4 + 81*b**2*c**4, Lambda(_t, _t*lo
g(x + (4096*_t**3*a**7*b**2*e**3 - 36864*_t**3*a**6*b**3*c**2*e + 98304*_t
**3*a**6*b**3*c*d**2 + 4608*_t**2*a**5*b**2*c*d*e**2 - 4096*_t**2*a**5*b**2*
d**3*e + 13824*_t**2*a**4*b**3*c**3*d + 144*_t*a**4*b*c*e**4 + 192*_t*a**4*
b*d**2*e**3 - 1728*_t*a**3*b**2*c**3*e**2 + 5184*_t*a**3*b**2*c**2*d**2*e +
1536*_t*a**3*b**2*c*d**4 + 3888*_t*a**2*b**3*c**5 + 6*a**3*d*e**5 + 120*a*
**2*b*c*d**3*e**2 - 64*a**2*b*d**5*e + 810*a*b**2*c**4*d*e - 1080*a*b**2*c**
3*d**3)/(a**3*e**6 - 9*a**2*b*c**2*e**4 + 96*a**2*b*c*d**2*e**3 - 64*a**2*b
*d**4*e**2 - 81*a*b**2*c**4*e**2 + 864*a*b**2*c**3*d**2*e - 576*a*b**2*c**2
*d**4 + 729*b**3*c**6)))) + (-a*f + b*c*x + b*d*x**2 + b*e*x**3)/(4*a**2*b
+ 4*a*b**2*x**4)

```

$$3.490 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^2} dx$$

Optimal. Leaf size=310

$$\frac{(\sqrt{b}d - 3\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} + \frac{(\sqrt{b}d - 3\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} - \frac{(3\sqrt{a}f + \dots)}{16\sqrt{2} a^{3/4} b^{7/4}}$$

[Out] $1/4*(-f*x^3-e*x^2-d*x-c)/b/(b*x^4+a)+1/4*e*\arctan(x^2*b^(1/2)/a^(1/2))/b^(3/2)/a^(1/2)-1/32*\ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-3*f*a^(1/2)+d*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)+1/32*\ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-3*f*a^(1/2)+d*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)+1/16*\arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(3*f*a^(1/2)+d*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)+1/16*\arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(3*f*a^(1/2)+d*b^(1/2))/a^(3/4)/b^(7/4)*2^(1/2)$

Rubi [A] time = 0.27, antiderivative size = 310, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {1823, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{b}d - 3\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} + \frac{(\sqrt{b}d - 3\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{16\sqrt{2} a^{3/4} b^{7/4}} - \frac{(3\sqrt{a}f + \dots)}{16\sqrt{2} a^{3/4} b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^2,x]

[Out] $-(c + d*x + e*x^2 + f*x^3)/(4*b*(a + b*x^4)) + (e*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]])/(4*\text{Sqrt}[a]*b^(3/2)) - ((\text{Sqrt}[b]*d + 3*\text{Sqrt}[a]*f)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(8*\text{Sqrt}[2]*a^(3/4)*b^(7/4)) + ((\text{Sqrt}[b]*d + 3*\text{Sqrt}[a]*f)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^(1/4)*x)/a^(1/4)])/(8*\text{Sqrt}[2]*a^(3/4)*b^(7/4)) - ((\text{Sqrt}[b]*d - 3*\text{Sqrt}[a]*f)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^(3/4)*b^(7/4)) + ((\text{Sqrt}[b]*d - 3*\text{Sqrt}[a]*f)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^(1/4)*b^(1/4)*x + \text{Sqrt}[b]*x^2])/(16*\text{Sqrt}[2]*a^(3/4)*b^(7/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

$\text{Int}[\frac{(a_ + (b_ \cdot x_)^2)^{-1}}{a, x} ; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 275

$\text{Int}[(x_)^{m_ } \cdot ((a_) + (b_ \cdot x_)^{n_ })^{p_ }, x_Symbol] \ :> \ \text{With}[\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{(m+1)/k - 1} \cdot (a + b \cdot x^{n/k})^p, x], x, x^k], x] \ ; \ k \neq 1] \ ; \ \text{FreeQ}\{a, b, p\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IntegerQ}[m]$

Rule 617

$\text{Int}[(a_ + (b_ \cdot x_) + (c_ \cdot x_)^2)^{-1}, x_Symbol] \ :> \ \text{With}[\{q = 1 - 4 \cdot \text{Simplify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] \ ; \ \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4 \cdot a \cdot c])] \ ; \ \text{FreeQ}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$

Rule 628

$\text{Int}[\frac{(d_ + (e_ \cdot x_))}{(a_ + (b_ \cdot x_) + (c_ \cdot x_)^2)}, x_Symbol] \ :> \ \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] \ ; \ \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

Rule 1162

$\text{Int}[\frac{(d_ + (e_ \cdot x_)^2)}{(a_ + (c_ \cdot x_)^4)}, x_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e + q \cdot x + x^2, x], x], x] + \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e - q \cdot x + x^2, x], x], x]] \ ; \ \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{PosQ}[d \cdot e]$

Rule 1165

$\text{Int}[\frac{(d_ + (e_ \cdot x_)^2)}{(a_ + (c_ \cdot x_)^4)}, x_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[-(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q - 2 \cdot x)/\text{Simp}[d/e + q \cdot x - x^2, x], x], x] + \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q + 2 \cdot x)/\text{Simp}[d/e - q \cdot x - x^2, x], x], x]] \ ; \ \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{NegQ}[d \cdot e]$

Rule 1168

$\text{Int}[\frac{(d_ + (e_ \cdot x_)^2)}{(a_ + (c_ \cdot x_)^4)}, x_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[a \cdot c, 2]\}, \text{Dist}[(d \cdot q + a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q + c \cdot x^2)/(a + c \cdot x^4), x], x] + \text{Dist}[(d \cdot q - a \cdot e)/(2 \cdot a \cdot c), \text{Int}[(q - c \cdot x^2)/(a + c \cdot x^4), x], x]] \ ; \ \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c \cdot d^2 + a \cdot e^2, 0] \ \&\& \ \text{NeQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{NegQ}[-(a \cdot c)]$

Rule 1823

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]

Rule 1876

Int[(Pq_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
 \int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx^4)^2} dx &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{\int \frac{d+2ex+3fx^2}{a+bx^4} dx}{4b} \\
 &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{\int \left(\frac{2ex}{a+bx^4} + \frac{d+3fx^2}{a+bx^4} \right) dx}{4b} \\
 &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{\int \frac{d+3fx^2}{a+bx^4} dx}{4b} + \frac{e \int \frac{x}{a+bx^4} dx}{2b} \\
 &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{e \operatorname{Subst} \left(\int \frac{1}{a+bx^2} dx, x, x^2 \right)}{4b} + \frac{\left(\frac{\sqrt{b}d}{\sqrt{a}} - 3f \right) \int \frac{\sqrt{a} \sqrt{b-bx^2}}{a+bx^4} dx}{8b^2} \\
 &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{e \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4\sqrt{a} b^{3/2}} + \frac{\left(\frac{\sqrt{b}d}{\sqrt{a}} + 3f \right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2} \sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx}{16b^2} + \frac{\left(\frac{\sqrt{b}d}{\sqrt{a}} - 3f \right) \int \frac{\sqrt{a} \sqrt{b-bx^2}}{a+bx^4} dx}{8b^2} \\
 &= -\frac{c + dx + ex^2 + fx^3}{4b(a + bx^4)} + \frac{e \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{4\sqrt{a} b^{3/2}} - \frac{(\sqrt{b}d - 3\sqrt{a}f) \log \left(\sqrt{a} - \sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x \right)}{16\sqrt{2} a^{3/4} b^{7/4}} + \frac{(\sqrt{b}d + 3\sqrt{a}f) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{8\sqrt{2} a^{3/4} b^{7/4}} + \frac{(\sqrt{b}d - 3\sqrt{a}f) \int \frac{\sqrt{a} \sqrt{b-bx^2}}{a+bx^4} dx}{8b^2}
 \end{aligned}$$

Mathematica [A] time = 0.38, size = 294, normalized size = 0.95

$$\frac{2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right) \left(4 \sqrt[4]{a} \sqrt[4]{b} e + 3 \sqrt{2} \sqrt{a} f + \sqrt{2} \sqrt{b} d\right)}{a^{3/4}} + \frac{2 \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right) \left(-4 \sqrt[4]{a} \sqrt[4]{b} e + 3 \sqrt{2} \sqrt{a} f + \sqrt{2} \sqrt{b} d\right)}{a^{3/4}} + \frac{\sqrt{2} (3 \sqrt{a} f - \sqrt{b} d) \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt[4]{a}\right)}{32 b^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^2,x]

[Out] $\left(\frac{-8 b^{3/4} (c + x(d + x(e + f x)))}{(a + b x^4)} - (2 \sqrt{2} \sqrt{b} d + 4 a^{1/4} b^{1/4} e + 3 \sqrt{2} \sqrt{a} f) \operatorname{ArcTan}\left[\frac{1 - \sqrt{2} b^{1/4} x}{a^{1/4}}\right] + (2 \sqrt{2} \sqrt{b} d - 4 a^{1/4} b^{1/4} e + 3 \sqrt{2} \sqrt{a} f) \operatorname{ArcTan}\left[\frac{1 + \sqrt{2} b^{1/4} x}{a^{1/4}}\right] + \sqrt{2} (-\sqrt{b} d + 3 \sqrt{a} f) \operatorname{Log}\left[\frac{\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2}{\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2}\right]\right) / (32 b^{7/4})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.22, size = 303, normalized size = 0.98

$$\frac{f x^3 + x^2 e + d x + c}{4 (b x^4 + a) b} + \frac{\sqrt{2} \left(2 \sqrt{2} \sqrt{a b} b^2 e + (a b^3)^{\frac{1}{4}} b^2 d + 3 (a b^3)^{\frac{3}{4}} f\right) \arctan\left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2 \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16 a b^4} + \frac{\sqrt{2} \left(2 \sqrt{2} \sqrt{a b} b^2 e + (a b^3)^{\frac{1}{4}} b^2 d + 3 (a b^3)^{\frac{3}{4}} f\right) \arctan\left(\frac{\sqrt{2} \left(2 x - \sqrt{2} \left(\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2 \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{16 a b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="giac")

[Out] $-\frac{1}{4} (f x^3 + x^2 e + d x + c) / ((b x^4 + a) b) + \frac{1}{16} \sqrt{2} (2 \sqrt{2} \sqrt{a b} b^2 e + (a b^3)^{\frac{1}{4}} b^2 d + 3 (a b^3)^{\frac{3}{4}} f) \operatorname{arctan}\left(\frac{1}{2} \sqrt{2} (2 x + \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}\right) / (a b^4) + \frac{1}{16} \sqrt{2} (2 \sqrt{2} \sqrt{a b} b^2 e + (a b^3)^{\frac{1}{4}} b^2 d + 3 (a b^3)^{\frac{3}{4}} f) \operatorname{arctan}\left(\frac{1}{2} \sqrt{2} (2 x - \sqrt{2} (a/b)^{\frac{1}{4}}) / (a/b)^{\frac{1}{4}}\right) / (a b^4) + \frac{1}{32} \sqrt{2} ((a b^3)^{\frac{1}{4}} b^2 d - 3 (a b^3)^{\frac{3}{4}} f) \log(x^2 + \sqrt{2} x (a/b)^{\frac{1}{4}} + \sqrt{a})$

/b))/(a*b^4) - 1/32*sqrt(2)*((a*b^3)^(1/4)*b^2*d - 3*(a*b^3)^(3/4)*f)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^4)

maple [A] time = 0.05, size = 334, normalized size = 1.08

$$\frac{e \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{4\sqrt{ab} b} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{16ab} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{16ab} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} d \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{32ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x)

[Out] (-1/4/b*f*x^3-1/4/b*e*x^2-1/4/b*d*x-1/4/b*c)/(b*x^4+a)+1/32/b*d*(a/b)^(1/4)/a^2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/16/b*d*(a/b)^(1/4)/a^2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/16/b*d*(a/b)^(1/4)/a^2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/4/b*e/(a*b)^(1/2)*arctan((1/a*b)^(1/2)*x^2)+3/32/b^2*f/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+3/16/b^2*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+3/16/b^2*f/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 3.02, size = 294, normalized size = 0.95

$$\frac{fx^3 + ex^2 + dx + c}{4(b^2x^4 + ab)} + \frac{\sqrt{2}(\sqrt{b}d - 3\sqrt{a}f) \log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{\sqrt{2}(\sqrt{b}d - 3\sqrt{a}f) \log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} + \frac{2\left(\sqrt{2}a^{\frac{1}{4}}b^{\frac{3}{4}}d + 3\right)}{32ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^2,x, algorithm="maxima")

[Out] -1/4*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^4 + a*b) + 1/32*(sqrt(2)*(sqrt(b)*d - 3*sqrt(a)*f)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) - sqrt(2)*(sqrt(b)*d - 3*sqrt(a)*f)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/(a^(3/4)*b^(3/4)) + 2*(sqrt(2)*a^(1/4)*b^(3/4)*d + 3*sqrt(2)*a^(3/4)*b^(1/4)*f - 4*sqrt(a)*sqrt(b)*e)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x + sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4)) + 2*(sqrt(2)*a^(1/4)*b^(3/4)*d + 3*sqrt(2)*a^(3/4)*b^(1/4)*f + 4*sqrt(a)*sqrt(b)*e)*arctan(1/2*sqrt(2)*(2*sqrt(b)*x - sqrt(2)*a^(1/4)*b^(1/4))/sqrt(sqrt(a)*sqrt(b)))/(a^(3/4)*sqrt(sqrt(a)*sqrt(b))*b^(3/4))

$$2) * a^{(1/4)} * b^{(1/4)} / \sqrt{\sqrt{a} * \sqrt{b}} / (a^{(3/4)} * \sqrt{\sqrt{a} * \sqrt{b}} * b^{(3/4)}) / b$$

mupad [B] time = 5.10, size = 559, normalized size = 1.80

$$\left(\sum_{k=1}^4 \ln \left(\frac{x (2e^3 - 3def)}{16b} - \frac{3bd^2f - 4bde^2 + 27af^3}{64b^2} - \text{root}(65536a^3b^7z^4 + 3072a^2b^4dfz^2 + 2048a^2b^4e^2z^2 + 1152a^2b^2e^2f^2z - 128ab^3d^2ez - 48abd^2e^2f + 18ab^2d^2f^2 + 16ab^2e^4 + 81a^2f^4 + b^2d^4, z, k) * (3aef + (bd^2x)/4 - (9af^2x)/4 + 4\text{root}(65536a^3b^7z^4 + 3072a^2b^4dfz^2 + 2048a^2b^4e^2z^2 + 1152a^2b^2e^2f^2z - 128ab^3d^2ez - 48abd^2e^2f + 18ab^2d^2f^2 + 16ab^2e^4 + 81a^2f^4 + b^2d^4, z, k)) * ab^2d - 8\text{root}(65536a^3b^7z^4 + 3072a^2b^4dfz^2 + 2048a^2b^4e^2z^2 + 1152a^2b^2e^2f^2z - 128ab^3d^2ez - 48abd^2e^2f + 18ab^2d^2f^2 + 16ab^2e^4 + 81a^2f^4 + b^2d^4, z, k)) * ab^2e * x) \right) * \text{root}(65536a^3b^7z^4 + 3072a^2b^4dfz^2 + 2048a^2b^4e^2z^2 + 1152a^2b^2e^2f^2z - 128ab^3d^2ez - 48abd^2e^2f + 18ab^2d^2f^2 + 16ab^2e^4 + 81a^2f^4 + b^2d^4, z, k), k, 1, 4) - (c/(4b) + (e*x^2)/(4b) + (f*x^3)/(4b) + (d*x)/(4b)) / (a + b*x^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^2, x)

[Out] symsum(log((x*(2*e^3 - 3*d*e*f))/(16*b) - (27*a*f^3 - 4*b*d*e^2 + 3*b*d^2*f)/(64*b^2) - root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e^2*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k)*(3*a*e*f + (b*d^2*x)/4 - (9*a*f^2*x)/4 + 4*root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e^2*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k))*a*b^2*d - 8*root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e^2*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k))*a*b^2*e*x)) * root(65536*a^3*b^7*z^4 + 3072*a^2*b^4*d*f*z^2 + 2048*a^2*b^4*e^2*z^2 + 1152*a^2*b^2*e^2*f^2*z - 128*a*b^3*d^2*e*z - 48*a*b*d*e^2*f + 18*a*b*d^2*f^2 + 16*a*b*e^4 + 81*a^2*f^4 + b^2*d^4, z, k), k, 1, 4) - (c/(4*b) + (e*x^2)/(4*b) + (f*x^3)/(4*b) + (d*x)/(4*b)) / (a + b*x^4)

sympy [A] time = 44.23, size = 510, normalized size = 1.65

$$\text{RootSum} \left(65536t^4a^3b^7 + t^2 (3072a^2b^4df + 2048a^2b^4e^2) + t (1152a^2b^2ef^2 - 128ab^3d^2e) + 81a^2f^4 + 18abd^2f^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**2, x)

[Out] RootSum(65536*_t**4*a**3*b**7 + _t**2*(3072*a**2*b**4*d*f + 2048*a**2*b**4*e**2) + _t*(1152*a**2*b**2*e*f**2 - 128*a*b**3*d**2*e) + 81*a**2*f**4 + 18*a*b*d**2*f**2 - 48*a*b*d*e**2*f + 16*a*b*e**4 + b**2*d**4, Lambda(_t, _t*log(x + (110592*_t**3*a**4*b**5*f**3 - 12288*_t**3*a**3*b**6*d**2*f + 32768*_t**3*a**3*b**6*d*e**2 + 13824*_t**2*a**3*b**4*d*e*f**2 - 12288*_t**2*a**3*b**4*e**3*f + 512*_t**2*a**2*b**5*d**3*e + 3888*_t*a**3*b**2*d*f**4 + 5184*_t*a**3*b**2*e**2*f**3 - 576*_t*a**2*b**3*d**3*f**2 + 1728*_t*a**2*b**3*d**2*e**2*f + 512*_t*a**2*b**3*d*e**4 + 16*_t*a*b**4*d**5 + 1458*a**3*e*f**5 + 360*a**2*b*d*e**3*f**2 - 192*a**2*b*e**5*f + 30*a*b**2*d**4*e*f - 40*a*b**2

$$\frac{d^3 e^3}{(729 a^3 f^6 - 81 a^2 b d^2 f^4 + 864 a^2 b d e^2 f^3 - 576 a^2 b e^4 f^2 - 9 a b^2 d^4 f^2 + 96 a b^2 d^3 e^2 f - 64 a b^2 d^2 e^4 + b^3 d^6))} + \frac{(-c - d x - e x^2 - f x^3)}{(4 a b + 4 b^2 x^4)}$$

$$3.491 \quad \int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^3} dx$$

Optimal. Leaf size=351

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} \quad (5v)$$

[Out] 1/32*x*(5*e*x^2+6*d*x+7*c)/a^2/(b*x^4+a)+1/8*(-a*f+b*x*(e*x^2+d*x+c))/a/b/(b*x^4+a)^2+3/16*d*arctan(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(1/2)-1/256*ln(-a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)+1/256*ln(a^(1/4)*b^(1/4)*x*2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)+1/128*arctan(-1+b^(1/4)*x*2^(1/2)/a^(1/4))*(5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)+1/128*arctan(1+b^(1/4)*x*2^(1/2)/a^(1/4))*(5*e*a^(1/2)+21*c*b^(1/2))/a^(11/4)/b^(3/4)*2^(1/2)

Rubi [A] time = 0.32, antiderivative size = 351, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} + \frac{(21\sqrt{b}c - 5\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2} a^{11/4} b^{3/4}} \quad (5v)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^3, x]

[Out] (x*(7*c + 6*d*x + 5*e*x^2))/(32*a^2*(a + b*x^4)) - (a*f - b*x*(c + d*x + e*x^2))/(8*a*b*(a + b*x^4)^2) + (3*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(5/2)*Sqrt[b]) - ((21*Sqrt[b]*c + 5*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(3/4)) + ((21*Sqrt[b]*c + 5*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(11/4)*b^(3/4)) - ((21*Sqrt[b]*c - 5*Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(3/4)) + ((21*Sqrt[b]*c - 5*Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(11/4)*b^(3/4))

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,

c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
  x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
  q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
  [Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
  + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
  0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
  ^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
  + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
  & PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
  [Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2))]/(a + b*x^n), {ii, 0, n/2 - 1
  }]}], Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
  0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^3} dx &= -\frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} - \frac{\int \frac{-7c - 6dx - 5ex^2}{(a + bx^4)^2} dx}{8a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{\int \frac{21c + 12dx + 5ex^2}{a + bx^4} dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{\int \left(\frac{12dx}{a + bx^4} + \frac{21c + 5ex^2}{a + bx^4} \right) dx}{32a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{\int \frac{21c + 5ex^2}{a + bx^4} dx}{32a^2} + \frac{(3d) \int \frac{x}{a + bx^4} dx}{8a^2} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{(3d) \text{Subst} \left(\int \frac{1}{a + bx^2} dx, x, x^2 \right)}{16a^2} + \frac{\left(\frac{21c}{\sqrt{a}} - 5e \right) \int \frac{1}{\sqrt{a + bx^4}} dx}{128\sqrt{2}a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \int \frac{1}{\sqrt{a + bx^4}} dx}{128\sqrt{2}a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{\left(\frac{21\sqrt{b}c}{\sqrt{a}} - 5e \right) \log \left(\frac{\sqrt{a + bx^4} + \sqrt{a}}{\sqrt{a + bx^4} - \sqrt{a}} \right)}{128\sqrt{2}a} \\
&= \frac{x(7c + 6dx + 5ex^2)}{32a^2(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{8ab(a + bx^4)^2} + \frac{3d \tan^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{16a^{5/2}\sqrt{b}} - \frac{(21\sqrt{b}c + 5\sqrt{a}e) \log \left(\frac{\sqrt{a + bx^4} + \sqrt{a}}{\sqrt{a + bx^4} - \sqrt{a}} \right)}{64\sqrt{2}a}
\end{aligned}$$

Mathematica [A] time = 0.44, size = 347, normalized size = 0.99

$$\frac{\sqrt{2} (5a^{3/4} e^{-21} \sqrt[4]{a} \sqrt{bc}) \log \left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2 \right)}{b^{3/4}} + \frac{\sqrt{2} (21 \sqrt[4]{a} \sqrt{bc} - 5a^{3/4} e) \log \left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2 \right)}{b^{3/4}} - \frac{32a^2 (af - bx(c + x(d + ex)))}{b(a + bx^4)^2} - \frac{(21\sqrt{b}c + 5\sqrt{a}e) \log \left(\frac{\sqrt{a + bx^4} + \sqrt{a}}{\sqrt{a + bx^4} - \sqrt{a}} \right)}{64\sqrt{2}a}$$

256

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^3, x]

```
[Out] ((8*a*x*(7*c + x*(6*d + 5*e*x)))/(a + b*x^4) - (32*a^2*(a*f - b*x*(c + x*(d
+ e*x))))/(b*(a + b*x^4)^2) - (2*a^(1/4)*(21*Sqrt[2]*Sqrt[b]*c + 24*a^(1/4
)*b^(1/4)*d + 5*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])
/b^(3/4) + (2*a^(1/4)*(21*Sqrt[2]*Sqrt[b]*c - 24*a^(1/4)*b^(1/4)*d + 5*Sqrt
[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (Sqrt[2]*
(-21*a^(1/4)*Sqrt[b]*c + 5*a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4
)*x + Sqrt[b]*x^2])/b^(3/4) + (Sqrt[2]*(21*a^(1/4)*Sqrt[b]*c - 5*a^(3/4)*e)*
Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4))/(256*a^3)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")
```

[Out] Timed out

giac [A] time = 0.19, size = 354, normalized size = 1.01

$$\frac{\sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + 21 (ab^3)^{\frac{1}{4}} b^2 c + 5 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{128 a^3 b^3} + \frac{\sqrt{2} \left(12 \sqrt{2} \sqrt{ab} b^2 d + 21 (ab^3)^{\frac{1}{4}} b^2 c \right)}{128 a^3 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")
```

```
[Out] 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 21*(a*b^3)^(1/4)*b^2*c + 5*(a*b
^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a
^3*b^3) + 1/128*sqrt(2)*(12*sqrt(2)*sqrt(a*b)*b^2*d + 21*(a*b^3)^(1/4)*b^2*
c + 5*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)
^(1/4))/(a^3*b^3) + 1/256*sqrt(2)*(21*(a*b^3)^(1/4)*b^2*c - 5*(a*b^3)^(3/4)
*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^3) - 1/256*sqrt(2)*
(21*(a*b^3)^(1/4)*b^2*c - 5*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4
) + sqrt(a/b))/(a^3*b^3) + 1/32*(5*b^2*x^7*e + 6*b^2*d*x^6 + 7*b^2*c*x^5 +
9*a*b*x^3*e + 10*a*b*d*x^2 + 11*a*b*c*x - 4*a^2*f)/((b*x^4 + a)^2*a^2*b)
```

maple [A] time = 0.05, size = 432, normalized size = 1.23

$$\frac{f x^4}{8 (b x^4 + a)^2 a} + \frac{e x^3}{8 (b x^4 + a)^2 a} + \frac{f x^4}{8 (b x^4 + a) a^2} + \frac{d x^2}{8 (b x^4 + a)^2 a} + \frac{5 e x^3}{32 (b x^4 + a) a^2} + \frac{c x}{8 (b x^4 + a)^2 a} + \frac{3 d x^2}{16 (b x^4 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3, x)$

[Out] $\frac{1}{8}c*x/a/(b*x^4+a)^2 + \frac{7}{32}c/a^2*x/(b*x^4+a) + \frac{21}{256}(a/b)^{1/4}*2^{1/2}/a^3 * c * \ln((x^2+(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))/((x^2-(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2})) + \frac{21}{128}(a/b)^{1/4}*2^{1/2}/a^3 * c * \arctan(2^{1/2}/(a/b)^{1/4}*x+1) + \frac{21}{128}(a/b)^{1/4}*2^{1/2}/a^3 * c * \arctan(2^{1/2}/(a/b)^{1/4}*x-1) + \frac{1}{8}d*x^2/a/(b*x^4+a)^2 + \frac{3}{16}d/a^2*x^2/(b*x^4+a) + \frac{3}{16}/(a*b)^{1/2}/a^2 * d * \arctan((1/a*b)^{1/2}*x^2) + \frac{1}{8}e*x^3/a/(b*x^4+a)^2 + \frac{5}{32}e/a^2*x^3/(b*x^4+a) + \frac{5}{256}(a/b)^{1/4}*2^{1/2}/a^2/b * e * \ln((x^2-(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2}))/((x^2+(a/b)^{1/4}*2^{1/2}*x+(a/b)^{1/2})) + \frac{5}{128}/(a/b)^{1/4}*2^{1/2}/a^2/b * e * \arctan(2^{1/2}/(a/b)^{1/4}*x+1) + \frac{5}{128}/(a/b)^{1/4}*2^{1/2}/a^2/b * e * \arctan(2^{1/2}/(a/b)^{1/4}*x-1) + \frac{1}{8}f*x^4/a/(b*x^4+a)^2 + \frac{1}{8}f/a^2*x^4/(b*x^4+a)$

maxima [A] time = 3.02, size = 355, normalized size = 1.01

$$\frac{5b^2ex^7 + 6b^2dx^6 + 7b^2cx^5 + 9abex^3 + 10abdx^2 + 11abcx - 4a^2f}{32(a^2b^3x^8 + 2a^3b^2x^4 + a^4b)} + \frac{\sqrt{2}(21\sqrt{b}c - 5\sqrt{a}e) \log(\sqrt{b}x^2 + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{a})}{a^{3/4}b^{3/4}} - \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3, x, \text{algorithm}="maxima")$

[Out] $\frac{1}{32}(5*b^2*e*x^7 + 6*b^2*d*x^6 + 7*b^2*c*x^5 + 9*a*b*e*x^3 + 10*a*b*d*x^2 + 11*a*b*c*x - 4*a^2*f)/(a^2*b^3*x^8 + 2*a^3*b^2*x^4 + a^4*b) + \frac{1}{256}(\sqrt{2}*(21*\sqrt{b}*c - 5*\sqrt{a}*e)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{a}))/a^{3/4}*b^{3/4} - \sqrt{2}*(21*\sqrt{b}*c - 5*\sqrt{a}*e)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{1/4}*b^{1/4}*x + \sqrt{a}))/a^{3/4}*b^{3/4} + 2*(21*\sqrt{2}*a^{1/4}*b^{3/4}*c + 5*\sqrt{2}*a^{3/4}*b^{1/4}*e - 24*\sqrt{a}*\sqrt{b}*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{1/4}*b^{1/4}))/\sqrt{a}*\sqrt{b}))/a^{3/4}*\sqrt{a}*\sqrt{b})*b^{3/4} + 2*(21*\sqrt{2}*a^{1/4}*b^{3/4}*c + 5*\sqrt{2}*a^{3/4}*b^{1/4}*e + 24*\sqrt{a}*\sqrt{b}*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{1/4}*b^{1/4}))/\sqrt{a}*\sqrt{b}))/a^{3/4}*\sqrt{a}*\sqrt{b})*b^{3/4}))/a^2$

mupad [B] time = 5.20, size = 832, normalized size = 2.37

$$\left(\sum_{k=1}^4 \ln \left(- \frac{b \left(125 a e^3 - 3024 b c d^2 + 2205 b c^2 e - 1728 b d^3 x + \text{root} \left(268435456 a^{11} b^3 z^4 + 6881280 a^6 b^2 c e z^2 + \dots \right) \right)}{\dots} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^3,x)`

[Out] `symsum(log(-(b*(125*a*e^3 - 3024*b*c*d^2 + 2205*b*c^2*e - 1728*b*d^3*x + 344064*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)^2*a^5*b^2*c - 3200*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)*a^3*b*e^2*x + 2520*b*c*d*e*x + 56448*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)*a^2*b^2*c^2*x - 196608*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)^2*a^5*b^2*d*x + 15360*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k)*a^3*b*d*e))/(32768*a^6))*root(268435456*a^11*b^3*z^4 + 6881280*a^6*b^2*c*e*z^2 + 4718592*a^6*b^2*d^2*z^2 - 2709504*a^3*b^2*c^2*d*z + 153600*a^4*b*d*e^2*z - 60480*a*b*c*d^2*e + 22050*a*b*c^2*e^2 + 20736*a*b*d^4 + 625*a^2*e^4 + 194481*b^2*c^4, z, k), k, 1, 4) + ((5*d*x^2)/(16*a) - f/(8*b) + (9*e*x^3)/(32*a) + (11*c*x)/(32*a) + (7*b*c*x^5)/(32*a^2) + (3*b*d*x^6)/(16*a^2) + (5*b*e*x^7)/(32*a^2))/(a^2 + b^2*x^8 + 2*a*b*x^4)`

sympy [A] time = 108.47, size = 578, normalized size = 1.65

$$\text{RootSum}\left(268435456t^4a^{11}b^3 + t^2(6881280a^6b^2ce + 4718592a^6b^2d^2) + t(153600a^4bde^2 - 2709504a^3b^2c^2d) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3,x)`

[Out] `RootSum(268435456*_t**4*a**11*b**3 + _t**2*(6881280*a**6*b**2*c*e + 4718592*a**6*b**2*d**2) + _t*(153600*a**4*b*d*e**2 - 2709504*a**3*b**2*c**2*d) + 625*a**2*e**4 + 22050*a*b*c**2*e**2 - 60480*a*b*c*d**2*e + 20736*a*b*d**4 + 194481*b**2*c**4, Lambda(_t, _t*log(x + (262144000*_t**3*a**10*b**2*e**3 - 4624220160*_t**3*a**9*b**3*c**2*e + 12683575296*_t**3*a**9*b**3*c*d**2 + 309657600*_t**2*a**7*b**2*c*d*e**2 - 283115520*_t**2*a**7*b**2*d**3*e + 1820786688*_t**2*a**6*b**3*c**3*d + 5040000*_t*a**5*b*c*e**4 + 6912000*_t*a**5*b*d**2*e**3 - 118540800*_t*a**4*b**2*c**3*e**2 + 365783040*_t*a**4*b**2*c**2*d**2*e + 111476736*_t*a**4*b**2*c*d**4 + 522764928*_t*a**3*b**3*c**5 + 112`

$$\begin{aligned}
& 500*a**3*d*e**5 + 4536000*a**2*b*c*d**3*e**2 - 2488320*a**2*b*d**5*e + 5834 \\
& 4300*a*b**2*c**4*d*e - 80015040*a*b**2*c**3*d**3)/(15625*a**3*e**6 - 275625 \\
& *a**2*b*c**2*e**4 + 3024000*a**2*b*c*d**2*e**3 - 2073600*a**2*b*d**4*e**2 - \\
& 4862025*a*b**2*c**4*e**2 + 53343360*a*b**2*c**3*d**2*e - 36578304*a*b**2*c \\
& **2*d**4 + 85766121*b**3*c**6))) + (-4*a**2*f + 11*a*b*c*x + 10*a*b*d*x**2 \\
& + 9*a*b*e*x**3 + 7*b**2*c*x**5 + 6*b**2*d*x**6 + 5*b**2*e*x**7)/(32*a**4*b \\
& + 64*a**3*b**2*x**4 + 32*a**2*b**3*x**8)
\end{aligned}$$

$$3.492 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^3} dx$$

Optimal. Leaf size=340

$$\frac{3(\sqrt{b}d - \sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2}a^{7/4}b^{7/4}} + \frac{3(\sqrt{b}d - \sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2}a^{7/4}b^{7/4}} - \frac{3(\sqrt{a}}{128\sqrt{2}a^{7/4}b^{7/4}}$$

[Out] 1/8*(-f*x^3-e*x^2-d*x-c)/b/(b*x^4+a)^2+1/32*x*(3*f*x^2+2*e*x+d)/a/b/(b*x^4+a)+1/16*e*arctan(x^2*b^(1/2)/a^(1/2))/a^(3/2)/b^(3/2)-3/256*ln(-a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-f*a^(1/2)+d*b^(1/2))/a^(7/4)/b^(7/4)*2^(1/2)+3/256*ln(a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(f*a^(1/2)+d*b^(1/2))/a^(7/4)/b^(7/4)*2^(1/2)+3/128*arctan(-1+b^(1/4)*x^2^(1/2)/a^(1/4))*(f*a^(1/2)+d*b^(1/2))/a^(7/4)/b^(7/4)*2^(1/2)+3/128*arctan(1+b^(1/4)*x^2^(1/2)/a^(1/4))*(f*a^(1/2)+d*b^(1/2))/a^(7/4)/b^(7/4)*2^(1/2)

Rubi [A] time = 0.33, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {1823, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{3(\sqrt{b}d - \sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2}a^{7/4}b^{7/4}} + \frac{3(\sqrt{b}d - \sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{128\sqrt{2}a^{7/4}b^{7/4}} - \frac{3(\sqrt{a}}{128\sqrt{2}a^{7/4}b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^3,x]

[Out] -(c + d*x + e*x^2 + f*x^3)/(8*b*(a + b*x^4)^2) + (x*(d + 2*e*x + 3*f*x^2))/(32*a*b*(a + b*x^4)) + (e*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(16*a^(3/2)*b^(3/2)) - (3*(Sqrt[b]*d + Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(7/4)*b^(7/4)) + (3*(Sqrt[b]*d + Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(64*Sqrt[2]*a^(7/4)*b^(7/4)) - (3*(Sqrt[b]*d - Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(7/4)*b^(7/4)) + (3*(Sqrt[b]*d - Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(128*Sqrt[2]*a^(7/4)*b^(7/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,

c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1823

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Simp[(Pq*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && EqQ[m - n + 1, 0] && LtQ[p, -1]

Rule 1855

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> -Simp[(x*Pq*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p + 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]

Rule 1876

Int[(Pq_)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> With[{v = Sum[(x^ii*(Coeff[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1}]}, Int[v, x] /; SumQ[v] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && Expon[Pq, x] < n

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx^4)^3} dx &= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{\int \frac{d+2ex+3fx^2}{(a+bx^4)^2} dx}{8b} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} - \frac{\int \frac{-3d-4ex-3fx^2}{a+bx^4} dx}{32ab} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} - \frac{\int \left(-\frac{4ex}{a+bx^4} + \frac{-3d-3fx^2}{a+bx^4}\right) dx}{32ab} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} - \frac{\int \frac{-3d-3fx^2}{a+bx^4} dx}{32ab} + \frac{e \int \frac{x}{a+bx^4} dx}{8ab} \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \operatorname{Subst}\left(\int \frac{1}{a+bx^2} dx, x, x^2\right)}{16ab} + \frac{3\left(\frac{\sqrt{b}d}{\sqrt{a}} + f\right)}{128} \int \frac{1}{\sqrt{a+bx^4}} dx \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{3/2}b^{3/2}} + \frac{3\left(\frac{\sqrt{b}d}{\sqrt{a}} + f\right)}{128} \int \frac{1}{\sqrt{a+bx^4}} dx \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{3/2}b^{3/2}} - \frac{3(\sqrt{b}d - \sqrt{a}f)}{64\sqrt{2}} \int \frac{1}{\sqrt{a+bx^4}} dx \\
&= -\frac{c + dx + ex^2 + fx^3}{8b(a + bx^4)^2} + \frac{x(d + 2ex + 3fx^2)}{32ab(a + bx^4)} + \frac{e \tan^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16a^{3/2}b^{3/2}} - \frac{3(\sqrt{b}d + \sqrt{a}f)}{64\sqrt{2}} \int \frac{1}{\sqrt{a+bx^4}} dx
\end{aligned}$$

Mathematica [A] time = 0.39, size = 329, normalized size = 0.97

$$\frac{2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right) \left(8 \sqrt[4]{a} \sqrt[4]{b} e + 3 \sqrt{2} \sqrt{a} f + 3 \sqrt{2} \sqrt{b} d\right)}{a^{7/4}} + \frac{2 \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right) \left(-8 \sqrt[4]{a} \sqrt[4]{b} e + 3 \sqrt{2} \sqrt{a} f + 3 \sqrt{2} \sqrt{b} d\right)}{a^{7/4}} + \frac{3 \sqrt{2} (\sqrt{a} f - \sqrt{b} d) \log\left(-\sqrt{2}\right)}{a^{7/4}}$$

256b^{7/4}

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^3, x]

```
[Out] ((8*b^(3/4)*x*(d + x*(2*e + 3*f*x)))/(a*(a + b*x^4)) - (32*b^(3/4)*(c + x*(d + x*(e + f*x)))/(a + b*x^4)^2 - (2*(3*Sqrt[2]*Sqrt[b]*d + 8*a^(1/4)*b^(1/4)*e + 3*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (2*(3*Sqrt[2]*Sqrt[b]*d - 8*a^(1/4)*b^(1/4)*e + 3*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/a^(7/4) + (3*Sqrt[2]*(-(Sqrt[b]*d) + Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(7/4) + (3*Sqrt[2]*(Sqrt[b]*d - Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(7/4))/(256*b^(7/4))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [A] time = 0.29, size = 338, normalized size = 0.99

$$\frac{3bfx^7 + 2bx^6e + bdx^5 - afx^3 - 2ax^2e - 3adx - 4ac}{32(bx^4 + a)^2 ab} + \frac{\sqrt{2} \left(4\sqrt{2}\sqrt{ab}b^2e + 3(ab^3)^{\frac{1}{4}}b^2d + 3(ab^3)^{\frac{3}{4}}f \right) \arctan\left(\frac{\sqrt{2}x}{\sqrt{a/b}}\right)}{128a^2b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, algorithm="giac")
```

```
[Out] 1/32*(3*b*f*x^7 + 2*b*x^6*e + b*d*x^5 - a*f*x^3 - 2*a*x^2*e - 3*a*d*x - 4*a*c)/((b*x^4 + a)^2*a*b) + 1/128*sqrt(2)*(4*sqrt(2)*sqrt(a*b)*b^2*e + 3*(a*b^3)^(1/4)*b^2*d + 3*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^4) + 1/128*sqrt(2)*(4*sqrt(2)*sqrt(a*b)*b^2*e + 3*(a*b^3)^(1/4)*b^2*d + 3*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^2*b^4) + 3/256*sqrt(2)*((a*b^3)^(1/4)*b^2*d - (a*b^3)^(3/4)*f)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^4) - 3/256*sqrt(2)*((a*b^3)^(1/4)*b^2*d - (a*b^3)^(3/4)*f)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^2*b^4)
```

maple [A] time = 0.06, size = 373, normalized size = 1.10

$$\frac{e \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{16\sqrt{ab} ab} + \frac{3\sqrt{2} f \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} f \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{128 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} + \frac{3\sqrt{2} f \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{256 \left(\frac{a}{b}\right)^{\frac{1}{4}} a b^2} + \frac{3 \left(\frac{a}{b}\right)^{\frac{1}{4}}}{128 a b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x)$

[Out] $(3/32*f/a*x^7+1/16/a*e*x^6+1/32*d/a*x^5-1/32/b*f*x^3-1/16/b*e*x^2-3/32/b*d*x-1/8/b*c)/(b*x^4+a)^2+3/256/b/a^2*d*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)})*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+3/128/b/a^2*d*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+3/128/b/a^2*d*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/16/b/a*e/(a*b)^{(1/2)}*\arctan((1/a*b)^{(1/2)}*x^2)+3/256/b^2/a*f/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/b)^{(1/4)})*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)}))+3/128/b^2/a*f/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+3/128/b^2/a*f/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)$

maxima [A] time = 3.08, size = 343, normalized size = 1.01

$$\frac{3bfx^7 + 2bex^6 + bdx^5 - afx^3 - 2aex^2 - 3adx - 4ac}{32(ab^3x^8 + 2a^2b^2x^4 + a^3b)} + \frac{3\sqrt{2}(\sqrt{b}d - \sqrt{a}f)\log\left(\sqrt{b}x^2 + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}} - \frac{3\sqrt{2}(\sqrt{b}d - \sqrt{a}f)\log\left(\sqrt{b}x^2 - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}b^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^3,x, \text{algorithm}=\text{"maxima"})$

[Out] $1/32*(3*b*f*x^7 + 2*b*e*x^6 + b*d*x^5 - a*f*x^3 - 2*a*e*x^2 - 3*a*d*x - 4*a*c)/(a*b^3*x^8 + 2*a^2*b^2*x^4 + a^3*b) + 1/256*(3*\sqrt{2}*(\sqrt{b}*d - \sqrt{a}*f)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} - 3*\sqrt{2}*(\sqrt{b}*d - \sqrt{a}*f)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} + 2*(3*\sqrt{2}*a^{(1/4)}*b^{(3/4)}*d + 3*\sqrt{2}*a^{(3/4)}*b^{(1/4)}*f - 8*\sqrt{a}*\sqrt{b}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{a}*\sqrt{b}))/a^{(3/4)}*\sqrt{a}*\sqrt{b} + 2*(3*\sqrt{2}*a^{(1/4)}*b^{(3/4)}*d + 3*\sqrt{2}*a^{(3/4)}*b^{(1/4)}*f + 8*\sqrt{a}*\sqrt{b}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{a}*\sqrt{b}))/a^{(3/4)}*\sqrt{a}*\sqrt{b}))/a*b$

mupad [B] time = 0.40, size = 521, normalized size = 1.53

$$\left(\sum_{k=1}^4 \ln\left(-\text{root}\left(268435456 a^7 b^7 z^4 + 589824 a^4 b^4 d f z^2 + 524288 a^4 b^4 e^2 z^2 + 18432 a^3 b^2 e f^2 z - 18432 a^2 b^3 d^2\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^3(c + dx + ex^2 + fx^3))/(a + bx^4)^3, x)$

[Out] $\text{symsum}(\log((x*(8e^3 - 9d*ef))/(4096a^3b) - (3*(9a*f^3 - 16b*d*e^2 + 9*b*d^2*f))/(32768a^3b^2) - \text{root}(268435456a^7b^7z^4 + 589824a^4b^4d*f*z^2 + 524288a^4b^4e^2z^2 + 18432a^3b^2e*f^2z - 18432a^2b^3d^2e*z - 576a*b*d*e^2f + 162a*b*d^2f^2 + 256a*b*e^4 + 81a^2f^4 + 81b^2d^4, z, k)*(\text{root}(268435456a^7b^7z^4 + 589824a^4b^4d*f*z^2 + 524288a^4b^4e^2z^2 + 18432a^3b^2e*f^2z - 18432a^2b^3d^2e*z - 576a*b*d*e^2f + 162a*b*d^2f^2 + 256a*b*e^4 + 81a^2f^4 + 81b^2d^4, z, k))*((3*b^2d)/2 - 2*b^2e*x) + (3*ef)/(32a) + (x*(144a*b^2d^2 - 144a^2b*f^2))/(4096a^3b)))*\text{root}(268435456a^7b^7z^4 + 589824a^4b^4d*f*z^2 + 524288a^4b^4e^2z^2 + 18432a^3b^2e*f^2z - 18432a^2b^3d^2e*z - 576a*b*d*e^2f + 162a*b*d^2f^2 + 256a*b*e^4 + 81a^2f^4 + 81b^2d^4, z, k), k, 1, 4) - (c/(8b) - (d*x^5)/(32a) - (e*x^6)/(16a) + (e*x^2)/(16b) - (3*f*x^7)/(32a) + (f*x^3)/(32b) + (3*d*x)/(32b))/(a^2 + b^2*x^8 + 2*a*b*x^4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**3, x)$

[Out] Timed out

$$3.493 \quad \int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^4} dx$$

Optimal. Leaf size=382

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} \quad (15)$$

[Out] $1/96*x*(9*e*x^2+10*d*x+11*c)/a^2/(b*x^4+a)^2+1/384*x*(45*e*x^2+60*d*x+77*c)/a^3/(b*x^4+a)+1/12*(-a*f+b*x*(e*x^2+d*x+c))/a/b/(b*x^4+a)^3+5/32*d*arctan(x^2*b^(1/2)/a^(1/2))/a^(7/2)/b^(1/2)-1/1024*\ln(-a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/1024*\ln(a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/512*arctan(-1+b^(1/4)*x^2^(1/2)/a^(1/4))*((15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2)+1/512*arctan(1+b^(1/4)*x^2^(1/2)/a^(1/4))*((15*e*a^(1/2)+77*c*b^(1/2))/a^(15/4)/b^(3/4)*2^(1/2))$

Rubi [A] time = 0.41, antiderivative size = 382, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {1854, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} + \frac{(77\sqrt{b}c - 15\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{15/4}b^{3/4}} \quad (15)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^4, x]

[Out] $(x*(11*c + 10*d*x + 9*e*x^2))/(96*a^2*(a + b*x^4)^2) + (x*(77*c + 60*d*x + 45*e*x^2))/(384*a^3*(a + b*x^4)) - (a*f - b*x*(c + d*x + e*x^2))/(12*a*b*(a + b*x^4)^3) + (5*d*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(7/2)*Sqrt[b]) - ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c + 15*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)])/(256*Sqrt[2]*a^(15/4)*b^(3/4)) - ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4)) + ((77*Sqrt[b]*c - 15*Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(512*Sqrt[2]*a^(15/4)*b^(3/4))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,

c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
[Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1})*(a + b*x^n)^(p
+ 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^4} dx &= -\frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \frac{-11c - 10dx - 9ex^2}{(a + bx^4)^3} dx}{12a} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{\int \frac{77c + 60dx + 45ex^2}{(a + bx^4)^2} dx}{96a^2} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \frac{-231}{a}}{3} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \left(-\frac{1}{a}\right)}{3} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} - \frac{\int \frac{-231}{a}}{3} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{(5d) \tan}{32} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{5d \tan}{32} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{5d \tan}{32} \\
&= \frac{x(11c + 10dx + 9ex^2)}{96a^2(a + bx^4)^2} + \frac{x(77c + 60dx + 45ex^2)}{384a^3(a + bx^4)} - \frac{af - bx(c + dx + ex^2)}{12ab(a + bx^4)^3} + \frac{5d \tan}{32}
\end{aligned}$$

Mathematica [A] time = 0.44, size = 379, normalized size = 0.99

$$\frac{3\sqrt{2}(15a^{3/4}e^{-77\sqrt[4]{a}}\sqrt{bc})\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{b^{3/4}} + \frac{3\sqrt{2}(77\sqrt[4]{a}\sqrt{bc}-15a^{3/4}e)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x+\sqrt{a}+\sqrt{b}x^2\right)}{b^{3/4}} - \frac{256a^3(af-bx(c+x(dx+ex^2)))}{b(a+bx^4)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^4,x]

[Out] ((8*a*x*(77*c + 15*x*(4*d + 3*e*x)))/(a + b*x^4) + (32*a^2*x*(11*c + x*(10*d + 9*e*x)))/(a + b*x^4)^2 - (256*a^3*(a*f - b*x*(c + x*(d + e*x)))/(b*(a + b*x^4)^3) - (6*a^(1/4)*(77*Sqrt[2]*Sqrt[b]*c + 80*a^(1/4)*b^(1/4)*d + 15*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (6*a^(1/4)*(77*Sqrt[2]*Sqrt[b]*c - 80*a^(1/4)*b^(1/4)*d + 15*Sqrt[2]*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/b^(3/4) + (3*Sqrt[2]*(-77*a^(1/4)*Sqrt[b]*c + 15*a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4) + (3*Sqrt[2]*(77*a^(1/4)*Sqrt[b]*c - 15*a^(3/4)*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/b^(3/4))/(3072*a^4)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.33, size = 391, normalized size = 1.02

$$\frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4 b^3} + \frac{\sqrt{2} \left(40 \sqrt{2} \sqrt{ab} b^2 d + 77 (ab^3)^{\frac{1}{4}} b^2 c + 15 (ab^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^4 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/512*sqrt(2)*(40*sqrt(2)*sqrt(a*b)*b^2*d + 77*(a*b^3)^(1/4)*b^2*c + 15*(a*b^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^4*b^3) + 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) - 1/1024*sqrt(2)*(77*(a*b^3)^(1/4)*b^2*c - 15*(a*b^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^4*b^3) + 1/384*(45*b^3*x^11*e + 60*b^3*d*x^10 + 77*b^3*c*x^9 + 126*a*b^2*x^7*e + 160*a*b^2*d*x^6 + 198*a*b^2*c*x^5 + 113*a^2*b*x^3*e + 132*a^2*b*d*x^2 + 153*a^2*b*c*x - 32*a^3*f)/((b*x^4 + a)^3*a^3*b)

maple [A] time = 0.06, size = 400, normalized size = 1.05

$$\frac{5d \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{32\sqrt{ab} a^3} + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{512\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{15\sqrt{2} e \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{1024\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b} + \frac{77}{1024\left(\frac{a}{b}\right)^{\frac{1}{4}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)`

[Out] $(15/128/a^3*b^2*e*x^{11} + 5/32*d/a^3*b^2*x^{10} + 77/384*c/a^3*b^2*x^9 + 21/64/a^2*b^2*e*x^7 + 5/12/a^2*d*b*x^6 + 33/64/a^2*c*b*x^5 + 113/384/a*e*x^3 + 11/32*d/a*x^2 + 51/128*c/a*x - 1/12/b*f)/(b*x^4+a)^3 + 77/1024/a^4*c*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})) + 77/512/a^4*c*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1) + 77/512/a^4*c*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1) + 5/32/a^3*d/(a*b)^{(1/2)}*\arctan((1/a*b)^{(1/2)}*x^2) + 15/1024/a^3*e/b/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*2^{(1/2)}*x+(a/b)^{(1/2)})) + 15/512/a^3*e/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1) + 15/512/a^3*e/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)$

maxima [A] time = 3.09, size = 402, normalized size = 1.05

$$\frac{45 b^3 e x^{11} + 60 b^3 d x^{10} + 77 b^3 c x^9 + 126 a b^2 e x^7 + 160 a b^2 d x^6 + 198 a b^2 c x^5 + 113 a^2 b e x^3 + 132 a^2 b d x^2 + 153 a^2 b c x - 32 a^3 f}{384 (a^3 b^4 x^{12} + 3 a^4 b^3 x^8 + 3 a^5 b^2 x^4 + a^6 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")`

[Out] $1/384*(45*b^3*e*x^{11} + 60*b^3*d*x^{10} + 77*b^3*c*x^9 + 126*a*b^2*e*x^7 + 160*a*b^2*d*x^6 + 198*a*b^2*c*x^5 + 113*a^2*b*e*x^3 + 132*a^2*b*d*x^2 + 153*a^2*b*c*x - 32*a^3*f)/(a^3*b^4*x^{12} + 3*a^4*b^3*x^8 + 3*a^5*b^2*x^4 + a^6*b) + 1/1024*(\sqrt{2}*(77*\sqrt{b}*c - 15*\sqrt{a}*e)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} - \sqrt{2}*(77*\sqrt{b}*c - 15*\sqrt{a}*e)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} + 2*(77*\sqrt{2}*a^{(1/4)}*b^{(3/4)}*c + 15*\sqrt{2}*a^{(3/4)}*b^{(1/4)}*e - 80*\sqrt{a}*\sqrt{b}*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{b}}))/a^{(3/4)}*\sqrt{\sqrt{a}*\sqrt{b}}*b^{(3/4)} + 2*($

$77\sqrt{2}a^{1/4}b^{3/4}c + 15\sqrt{2}a^{3/4}b^{1/4}e + 80\sqrt{a}\sqrt{b}d \arctan\left(\frac{1/2\sqrt{2}(2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4})/\sqrt{\sqrt{a}\sqrt{b}}}{a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}b^{3/4}}\right)/a^3$

mupad [B] time = 5.25, size = 879, normalized size = 2.30

$$\left(\sum_{k=1}^4 \ln \left(\frac{b \left(3375 a e^3 - 123200 b c d^2 + 88935 b c^2 e - 64000 b d^3 x + \text{root} \left(68719476736 a^{15} b^3 z^4 + 1211105280 \right. \right. \right. \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^4,x)`

[Out] `symsum(log(-(b*(3375*a*e^3 - 123200*b*c*d^2 + 88935*b*c^2*e - 64000*b*d^3*x + 20185088*root(68719476736*a^15*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)^2*a^7*b^2*c - 115200*root(68719476736*a^15*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^4*b*e^2*x + 92400*b*c*d*e*x + 3035648*root(68719476736*a^15*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^3*b^2*c^2*x - 10485760*root(68719476736*a^15*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)^2*a^7*b^2*d*x + 614400*root(68719476736*a^15*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k)*a^4*b*d*e)))/(2097152*a^9))*root(68719476736*a^15*b^3*z^4 + 1211105280*a^8*b^2*c*e*z^2 + 838860800*a^8*b^2*d^2*z^2 - 485703680*a^4*b^2*c^2*d*z + 18432000*a^5*b*d*e^2*z - 7392000*a*b*c*d^2*e + 2668050*a*b*c^2*e^2 + 2560000*a*b*d^4 + 35153041*b^2*c^4 + 50625*a^2*e^4, z, k), k, 1, 4) + ((11*d*x^2)/(32*a) - f/(12*b) + (113*e*x^3)/(384*a) + (51*c*x)/(128*a) + (77*b^2*c*x^9)/(384*a^3) + (5*b^2*d*x^10)/(32*a^3) + (15*b^2*e*x^11)/(128*a^3) + (33*b*c*x^5)/(64*a^2) + (5*b*d*x^6)/(12*a^2) + (21*b*e*x^7)/(64*a^2))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)
```

```
[Out] Timed out
```

$$3.494 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^4} dx$$

Optimal. Leaf size=380

$$\frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{11/4}b^{7/4}} + \frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{11/4}b^{7/4}} - \frac{(5\sqrt{a}f)}{512\sqrt{2}a^{11/4}b^{7/4}}$$

[Out] 1/12*(-f*x^3-e*x^2-d*x-c)/b/(b*x^4+a)^3+1/96*x*(3*f*x^2+2*e*x+d)/a/b/(b*x^4+a)^2+1/384*x*(15*f*x^2+12*e*x+7*d)/a^2/b/(b*x^4+a)+1/32*e*arctan(x^2*b^(1/2)/a^(1/2))/a^(5/2)/b^(3/2)-1/1024*ln(-a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*f*a^(1/2)+7*d*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)+1/1024*ln(a^(1/4)*b^(1/4)*x^2^(1/2)+a^(1/2)+x^2*b^(1/2))*(-5*f*a^(1/2)+7*d*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)+1/512*arctan(-1+b^(1/4)*x^2^(1/2)/a^(1/4))*(5*f*a^(1/2)+7*d*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)+1/512*arctan(1+b^(1/4)*x^2^(1/2)/a^(1/4))*(5*f*a^(1/2)+7*d*b^(1/2))/a^(11/4)/b^(7/4)*2^(1/2)

Rubi [A] time = 0.40, antiderivative size = 380, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {1823, 1855, 1876, 275, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{11/4}b^{7/4}} + \frac{(7\sqrt{b}d - 5\sqrt{a}f) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{512\sqrt{2}a^{11/4}b^{7/4}} - \frac{(5\sqrt{a}f)}{512\sqrt{2}a^{11/4}b^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^4, x]

[Out] -(c + d*x + e*x^2 + f*x^3)/(12*b*(a + b*x^4)^3) + (x*(d + 2*e*x + 3*f*x^2))/(96*a*b*(a + b*x^4)^2) + (x*(7*d + 12*e*x + 15*f*x^2))/(384*a^2*b*(a + b*x^4)) + (e*ArcTan[(Sqrt[b]*x^2)/Sqrt[a]])/(32*a^(5/2)*b^(3/2)) - ((7*Sqrt[b]*d + 5*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(256*Sqrt[2]*a^(11/4)*b^(7/4)) + ((7*Sqrt[b]*d + 5*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/(256*Sqrt[2]*a^(11/4)*b^(7/4)) - ((7*Sqrt[b]*d - 5*Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2]/(512*Sqrt[2]*a^(11/4)*b^(7/4)) + ((7*Sqrt[b]*d - 5*Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2]/(512*Sqrt[2]*a^(11/4)*b^(7/4))

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 275

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1823

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(Pq*(
a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*
(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, m, n}, x] && PolyQ[Pq, x] && Eq
Q[m - n + 1, 0] && LtQ[p, -1]
```

Rule 1855

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*Pq*(a + b*x
^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int[ExpandToSum[n*(p
+ 1)*Pq + D[x*Pq, x], x]*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] &
& PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && LtQ[Expon[Pq, x], n - 1]
```

Rule 1876

```
Int[(Pq_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = Sum[(x^ii*(Coeff
[Pq, x, ii] + Coeff[Pq, x, n/2 + ii]*x^(n/2)))/(a + b*x^n), {ii, 0, n/2 - 1
}]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n/2,
0] && Expon[Pq, x] < n
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx^4)^4} dx &= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{\int \frac{d+2ex+3fx^2}{(a+bx^4)^3} dx}{12b} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} - \frac{\int \frac{-7d-12ex-15fx^2}{(a+bx^4)^2} dx}{96ab} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{\int \frac{21d+2}{a+bx^4} dx}{384} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{\int \left(\frac{24ex}{a+bx^4} \right) dx}{384} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{\int \frac{21d+1}{a+b} dx}{384} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{e \operatorname{Subst} \left(\frac{21d+1}{a+b}, x, \sqrt[4]{a+bx^4} \right)}{384} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{e \tan^{-1} \left(\frac{\sqrt[4]{a+bx^4}}{\sqrt[4]{a}} \right)}{32a^5} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{e \tan^{-1} \left(\frac{\sqrt[4]{a+bx^4}}{\sqrt[4]{a}} \right)}{32a^5} \\
&= -\frac{c + dx + ex^2 + fx^3}{12b (a + bx^4)^3} + \frac{x(d + 2ex + 3fx^2)}{96ab (a + bx^4)^2} + \frac{x(7d + 12ex + 15fx^2)}{384a^2b (a + bx^4)} + \frac{e \tan^{-1} \left(\frac{\sqrt[4]{a+bx^4}}{\sqrt[4]{a}} \right)}{32a^5}
\end{aligned}$$

Mathematica [A] time = 0.46, size = 366, normalized size = 0.96

$$-\frac{6 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{bx}}{\sqrt[4]{a}} \right) \left(16 \sqrt[4]{a} \sqrt[4]{be} + 5 \sqrt{2} \sqrt{a} f + 7 \sqrt{2} \sqrt{b} d \right)}{a^{11/4}} + \frac{6 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{bx}}{\sqrt[4]{a}} + 1 \right) \left(-16 \sqrt[4]{a} \sqrt[4]{be} + 5 \sqrt{2} \sqrt{a} f + 7 \sqrt{2} \sqrt{b} d \right)}{a^{11/4}} + \frac{3 \sqrt{2} (5 \sqrt{a} f - 7 \sqrt{b} d) \log \left(\frac{\sqrt[4]{a+bx^4}}{\sqrt[4]{a}} \right)}{32a^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^4,x]

[Out] ((32*b^(3/4)*x*(d + x*(2*e + 3*f*x)))/(a*(a + b*x^4)^2) + (8*b^(3/4)*x*(7*d + 3*x*(4*e + 5*f*x)))/(a^2*(a + b*x^4)) - (256*b^(3/4)*(c + x*(d + x*(e + f*x)))/(a + b*x^4)^3 - (6*(7*Sqrt[2]*Sqrt[b]*d + 16*a^(1/4)*b^(1/4)*e + 5*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/a^(11/4) + (6*(7*Sqrt[2]*Sqrt[b]*d - 16*a^(1/4)*b^(1/4)*e + 5*Sqrt[2]*Sqrt[a]*f)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]/a^(11/4) + (3*Sqrt[2]*(-7*Sqrt[b]*d + 5*Sqrt[a]*f)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(11/4) + (3*Sqrt[2]*(7*Sqrt[b]*d - 5*Sqrt[a]*f)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/a^(11/4))/(3072*b^(7/4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.19, size = 380, normalized size = 1.00

$$\frac{\sqrt{2} \left(8 \sqrt{2} \sqrt{ab} b^2 e + 7 (ab^3)^{\frac{1}{4}} b^2 d + 5 (ab^3)^{\frac{3}{4}} f \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^3 b^4} + \frac{\sqrt{2} \left(8 \sqrt{2} \sqrt{ab} b^2 e + 7 (ab^3)^{\frac{1}{4}} b^2 d + 5 (ab^3)^{\frac{3}{4}} f \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{512 a^3 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="giac")

[Out] 1/512*sqrt(2)*(8*sqrt(2)*sqrt(a*b)*b^2*e + 7*(a*b^3)^(1/4)*b^2*d + 5*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^4) + 1/512*sqrt(2)*(8*sqrt(2)*sqrt(a*b)*b^2*e + 7*(a*b^3)^(1/4)*b^2*d + 5*(a*b^3)^(3/4)*f)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a^3*b^4) + 1/1024*sqrt(2)*(7*(a*b^3)^(1/4)*b^2*d - 5*(a*b^3)^(3/4)*f)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^4) - 1/1024*sqrt(2)*(7*(a*b^3)^(1/4)*b^2*d - 5*(a*b^3)^(3/4)*f)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a^3*b^4) + 1/384*(15*b^2*f*x^11 + 12*b^2*x^10*e + 7*b^2*d*x^9 + 42*a*b*f*x^7 + 32*a*b*x^6*e + 18*a*b*d*x^5 - 5*a^2*f*x^3 - 12*a^2*x^2*e - 21*a^2*d*x - 32*a^2*c)/((b*x^4 + a)^3*a^2*b)

maple [A] time = 0.06, size = 403, normalized size = 1.06

$$\frac{e \arctan\left(\sqrt{\frac{b}{a}} x^2\right)}{32\sqrt{ab} a^2 b} + \frac{5\sqrt{2} f \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1\right)}{512 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} + \frac{5\sqrt{2} f \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1\right)}{512 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} + \frac{5\sqrt{2} f \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}\right)}{1024 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2} + \frac{7 \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2}}{1024 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x)`

[Out] $(5/128*f/a^2*b*x^{11} + 1/32/a^2*b*e*x^{10} + 7/384/a^2*d*b*x^9 + 7/64/a*f*x^7 + 1/12/a*e*x^6 + 3/64/a*d*x^5 - 5/384/b*f*x^3 - 1/32/b*e*x^2 - 7/128/b*d*x - 1/12/b*c)/(b*x^4 + a)^3 + 7/1024/a^3/b*d*(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2 + (a/b)^{(1/4)}*2^{(1/2)}*x + (a/b)^{(1/2)})/(x^2 - (a/b)^{(1/4)}*2^{(1/2)}*x + (a/b)^{(1/2)})) + 7/512/a^3/b*d*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x + 1) + 7/512/a^3/b*d*(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x - 1) + 1/32/a^2/b*e/(a*b)^{(1/2)}*\arctan((1/a*b)^{(1/2)}*x^2) + 5/1024/a^2/b^2*f/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2 - (a/b)^{(1/4)}*2^{(1/2)}*x + (a/b)^{(1/2)})/(x^2 + (a/b)^{(1/4)}*2^{(1/2)}*x + (a/b)^{(1/2)})) + 5/512/a^2/b^2*f/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x + 1) + 5/512/a^2/b^2*f/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x - 1)$

maxima [A] time = 3.12, size = 396, normalized size = 1.04

$$\frac{15 b^2 f x^{11} + 12 b^2 e x^{10} + 7 b^2 d x^9 + 42 a b f x^7 + 32 a b e x^6 + 18 a b d x^5 - 5 a^2 f x^3 - 12 a^2 e x^2 - 21 a^2 d x - 32 a^2 c}{384 (a^2 b^4 x^{12} + 3 a^3 b^3 x^8 + 3 a^4 b^2 x^4 + a^5 b)} + \frac{\sqrt{2}}{1024 \left(\frac{a}{b}\right)^{\frac{1}{4}} a^2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^4,x, algorithm="maxima")`

[Out] $1/384*(15*b^2*f*x^{11} + 12*b^2*e*x^{10} + 7*b^2*d*x^9 + 42*a*b*f*x^7 + 32*a*b*e*x^6 + 18*a*b*d*x^5 - 5*a^2*f*x^3 - 12*a^2*e*x^2 - 21*a^2*d*x - 32*a^2*c)/(a^2*b^4*x^{12} + 3*a^3*b^3*x^8 + 3*a^4*b^2*x^4 + a^5*b) + 1/1024*(\sqrt{2}*(7*\sqrt{b}*d - 5*\sqrt{a}*f)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} - \sqrt{2}*(7*\sqrt{b}*d - 5*\sqrt{a}*f)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a}))/a^{(3/4)}*b^{(3/4)} + 2*(7*\sqrt{2}*a^{(1/4)}*b^{(3/4)}*d + 5*\sqrt{2}*a^{(3/4)}*b^{(1/4)}*f - 16*\sqrt{a}*\sqrt{b}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{a}*\sqrt{b}))/a^{(3/4)}*\sqrt{a}*\sqrt{b})*b^{(3/4)} + 2*(7*\sqrt{2}*a^{(1/4)}*b^{(3/4)}*$

$$d + 5\sqrt{2}a^{3/4}b^{1/4}f + 16\sqrt{a}\sqrt{b}e \cdot \arctan\left(\frac{1}{2}\sqrt{2}\left(\frac{2\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4}}{\sqrt{\sqrt{a}\sqrt{b}}}\right)\right) / \left(a^{3/4}\sqrt{\sqrt{a}\sqrt{b}}\right) / \left(a^{3/4}\sqrt{b}\right) / \left(a^{2b}\right)$$

mupad [B] time = 0.48, size = 888, normalized size = 2.34

$$\frac{\frac{3dx^5}{64a} - \frac{c}{12b} + \frac{ex^6}{12a} - \frac{ex^2}{32b} + \frac{7fx^7}{64a} - \frac{5fx^3}{384b} - \frac{7dx}{128b} + \frac{7bdx^9}{384a^2} + \frac{bex^{10}}{32a^2} + \frac{5bfx^{11}}{128a^2}}{a^3 + 3a^2bx^4 + 3ab^2x^8 + b^3x^{12}} + \left(\sum_{k=1}^4 \ln\left(-\frac{125af^3 - 448bde^2 + 245bd}{\dots}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^4,x)

[Out] ((3*d*x^5)/(64*a) - c/(12*b) + (e*x^6)/(12*a) - (e*x^2)/(32*b) + (7*f*x^7)/(64*a) - (5*f*x^3)/(384*b) - (7*d*x)/(128*b) + (7*b*d*x^9)/(384*a^2) + (b*e*x^10)/(32*a^2) + (5*b*f*x^11)/(128*a^2))/(a^3 + b^3*x^12 + 3*a^2*b*x^4 + 3*a*b^2*x^8) + symsum(log(-(125*a*f^3 - 448*b*d*e^2 + 245*b*d^2*f - 512*b*e^3*x + 1835008*root(68719476736*a^11*b^7*z^4 + 36700160*a^6*b^4*d*f*z^2 + 33554432*a^6*b^4*e^2*z^2 + 409600*a^4*b^2*e*f^2*z - 802816*a^3*b^3*d^2*e*z - 8960*a*b*d*e^2*f + 2450*a*b*d^2*f^2 + 4096*a*b*e^4 + 625*a^2*f^4 + 2401*b^2*d^4, z, k)^2*a^5*b^4*d + 560*b*d*e*f*x + 25088*root(68719476736*a^11*b^7*z^4 + 36700160*a^6*b^4*d*f*z^2 + 33554432*a^6*b^4*e^2*z^2 + 409600*a^4*b^2*e*f^2*z - 802816*a^3*b^3*d^2*e*z - 8960*a*b*d*e^2*f + 2450*a*b*d^2*f^2 + 4096*a*b*e^4 + 625*a^2*f^4 + 2401*b^2*d^4, z, k)*a^2*b^3*d^2*x - 2097152*root(68719476736*a^11*b^7*z^4 + 36700160*a^6*b^4*d*f*z^2 + 33554432*a^6*b^4*e^2*z^2 + 409600*a^4*b^2*e*f^2*z - 802816*a^3*b^3*d^2*e*z - 8960*a*b*d*e^2*f + 2450*a*b*d^2*f^2 + 4096*a*b*e^4 + 625*a^2*f^4 + 2401*b^2*d^4, z, k)^2*a^5*b^4*e*x - 12800*root(68719476736*a^11*b^7*z^4 + 36700160*a^6*b^4*d*f*z^2 + 33554432*a^6*b^4*e^2*z^2 + 409600*a^4*b^2*e*f^2*z - 802816*a^3*b^3*d^2*e*z - 8960*a*b*d*e^2*f + 2450*a*b*d^2*f^2 + 4096*a*b*e^4 + 625*a^2*f^4 + 2401*b^2*d^4, z, k)*a^3*b^2*f^2*x + 40960*root(68719476736*a^11*b^7*z^4 + 36700160*a^6*b^4*d*f*z^2 + 33554432*a^6*b^4*e^2*z^2 + 409600*a^4*b^2*e*f^2*z - 802816*a^3*b^3*d^2*e*z - 8960*a*b*d*e^2*f + 2450*a*b*d^2*f^2 + 4096*a*b*e^4 + 625*a^2*f^4 + 2401*b^2*d^4, z, k)*a^3*b^2*e*f)/(2097152*a^6*b^2))*root(68719476736*a^11*b^7*z^4 + 36700160*a^6*b^4*d*f*z^2 + 33554432*a^6*b^4*e^2*z^2 + 409600*a^4*b^2*e*f^2*z - 802816*a^3*b^3*d^2*e*z - 8960*a*b*d*e^2*f + 2450*a*b*d^2*f^2 + 4096*a*b*e^4 + 625*a^2*f^4 + 2401*b^2*d^4, z, k), k, 1, 4)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**4,x)

[Out] Timed out

$$3.495 \quad \int x^4 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$$

Optimal. Leaf size=418

$$\frac{a^{7/4} (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2a^{9/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{1}{2}\right)}{105b^{7/4}\sqrt{a+bx^4} + 15b^{7/4}\sqrt{a+bx^4}}$$

[Out] $1/10*f*x^4*(b*x^4+a)^{(3/2)}/b-1/120*(-15*b*d*x^2+8*a*f)*(b*x^4+a)^{(3/2)}/b^2-1/16*a^2*d*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+2/21*a*c*x*(b*x^4+a)^{(1/2)}/b-1/16*a*d*x^2*(b*x^4+a)^{(1/2)}/b+2/45*a*e*x^3*(b*x^4+a)^{(1/2)}/b+1/63*x^5*(7*e*x^2+9*c)*(b*x^4+a)^{(1/2)}-2/15*a^2*e*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+2/15*a^{(9/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}-1/105*a^{(7/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(7*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.38, antiderivative size = 418, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1833, 1274, 1280, 1198, 220, 1196, 1252, 833, 780, 195, 217, 206}

$$\frac{a^{7/4} (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + a^2 d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + 2a^2 e x \sqrt{a+bx^4}}{105b^{7/4}\sqrt{a+bx^4} + 16b^{3/2} + 15b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^4*(c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4], x]$

[Out] $(2*a*c*x*\operatorname{Sqrt}[a + b*x^4])/(21*b) - (a*d*x^2*\operatorname{Sqrt}[a + b*x^4])/(16*b) + (2*a*e*x^3*\operatorname{Sqrt}[a + b*x^4])/(45*b) - (2*a^2*e*x*\operatorname{Sqrt}[a + b*x^4])/(15*b^{(3/2)}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (x^5*(9*c + 7*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/63 + (f*x^4*(a + b*x^4)^{(3/2)})/(10*b) - ((8*a*f - 15*b*d*x^2)*(a + b*x^4)^{(3/2)})/(120*b^2) - (a^2*d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(16*b^{(3/2)}) + (2*a^{(9/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (a^{(7/4)}*(5*\operatorname{Sqrt}[b]*c + 7*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(105*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x]
, 1/2])/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 780

```
Int[((d_) + (e_.)*(x_))*((f_) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 833

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
  ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
  x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1274

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x
  _Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p
  + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p
  + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p +
  3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ[
  p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (I
  ntegerQ[p] || IntegerQ[m])
```

Rule 1280

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
  Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
  x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
  1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
  m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
  ])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Mo
  dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
  (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
  n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
```

] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int x^4 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx &= \int \left(x^4 (c + ex^2) \sqrt{a + bx^4} + x^5 (d + fx^2) \sqrt{a + bx^4} \right) dx \\
&= \int x^4 (c + ex^2) \sqrt{a + bx^4} dx + \int x^5 (d + fx^2) \sqrt{a + bx^4} dx \\
&= \frac{1}{63} x^5 (9c + 7ex^2) \sqrt{a + bx^4} + \frac{1}{2} \text{Subst} \left(\int x^2 (d + fx) \sqrt{a + bx^2} dx, x, x \right) \\
&= \frac{2aex^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9c + 7ex^2) \sqrt{a + bx^4} + \frac{fx^4 (a + bx^4)^{3/2}}{10b} + \frac{Su}{\dots} \\
&= \frac{2acx \sqrt{a + bx^4}}{21b} + \frac{2aex^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9c + 7ex^2) \sqrt{a + bx^4} + \frac{fx^4}{\dots} \\
&= \frac{2acx \sqrt{a + bx^4}}{21b} - \frac{adx^2 \sqrt{a + bx^4}}{16b} + \frac{2aex^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9c + 7ex^2) \sqrt{a + bx^4} \\
&= \frac{2acx \sqrt{a + bx^4}}{21b} - \frac{adx^2 \sqrt{a + bx^4}}{16b} + \frac{2aex^3 \sqrt{a + bx^4}}{45b} - \frac{2a^2 ex \sqrt{a + bx^4}}{15b^{3/2} (\sqrt{a} + \sqrt{bx^4})} \\
&= \frac{2acx \sqrt{a + bx^4}}{21b} - \frac{adx^2 \sqrt{a + bx^4}}{16b} + \frac{2aex^3 \sqrt{a + bx^4}}{45b} - \frac{2a^2 ex \sqrt{a + bx^4}}{15b^{3/2} (\sqrt{a} + \sqrt{bx^4})}
\end{aligned}$$

Mathematica [C] time = 0.73, size = 202, normalized size = 0.48

$$\frac{\sqrt{a + bx^4} \left(-\frac{315a^{3/2} \sqrt{b} d \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{\sqrt{\frac{bx^4}{a} + 1}} - \frac{720abcx {}_2F_1 \left(-\frac{1}{2}, \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} + 720bcx (a + bx^4) + 315bdx^2 (a + 2bx^4) - \frac{560abex^3 {}_2F_1 \left(\dots \right)}{\sqrt{\frac{bx^4}{a} + 1}} \right)}{5040b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4],x]

[Out] (Sqrt[a + b*x^4]*(720*b*c*x*(a + b*x^4) + 560*b*e*x^3*(a + b*x^4) + 315*b*d*x^2*(a + 2*b*x^4) + 168*f*(a + b*x^4)*(-2*a + 3*b*x^4) - (315*a^(3/2))*Sqrt

$[b]*d*\text{ArcSinh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]]/\text{Sqrt}[1 + (b*x^4)/a] - (720*a*b*c*x*\text{Hypergeometric2F1}[-1/2, 1/4, 5/4, -((b*x^4)/a)]/\text{Sqrt}[1 + (b*x^4)/a] - (560*a*b*e*x^3*\text{Hypergeometric2F1}[-1/2, 3/4, 7/4, -((b*x^4)/a)]/\text{Sqrt}[1 + (b*x^4)/a])]/(5040*b^2)$

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(fx^7 + ex^6 + dx^5 + cx^4\right)\sqrt{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral((f*x^7 + e*x^6 + d*x^5 + c*x^4)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x^4, x)

maple [C] time = 0.21, size = 390, normalized size = 0.93

$$\frac{\sqrt{bx^4 + a} ex^7}{9} + \frac{\sqrt{bx^4 + a} cx^5}{7} + \frac{2\sqrt{bx^4 + a} aex^3}{45b} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{5}{2}} \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b^{\frac{3}{2}}} - 2i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x)

[Out] $-1/30*f*(b*x^4+a)^{(3/2)}*(-3*b*x^4+2*a)/b^2+1/9*e*x^7*(b*x^4+a)^{(1/2)}+2/45*a*e*x^3*(b*x^4+a)^{(1/2)}/b-2/15*I*e*a^{(5/2)}/b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+2/15*I*e*a^{(5/2)}/b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/8*d*x^2*(b*x^4+a)^{(3/2)}/b-1/16*a*d*x^2*(b*x^4+a)^{(1/2)}/b-1/16*d*a^2/b^{(3/2)}*ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})+1/7*c*x^5*(b*x^4+a)^{(1/2)}+2/21*a*c*x*(b*x^4+a)^{(1/2)}/b-2/21*c*a^2/b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1$

)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x^4*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 8.54, size = 252, normalized size = 0.60

$$\frac{a^{\frac{3}{2}} dx^2}{16b\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} cx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{3\sqrt{a} dx^6}{16\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} ex^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{7}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{11}{4}\right)} - \frac{a^2 d \operatorname{asinh}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{16b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2),x)

[Out] a**(3/2)*d*x**2/(16*b*sqrt(1 + b*x**4/a)) + sqrt(a)*c*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 3*sqrt(a)*d*x**6/(16*sqrt(1 + b*x**4/a)) + sqrt(a)*e*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) - a**2*d*asinh(sqrt(b)*x**2/sqrt(a))/(16*b**(3/2)) + f*Piecewise((-a**2*sqrt(a + b*x**4)/(15*b**2) + a*x**4*sqrt(a + b*x**4)/(30*b) + x**8*sqrt(a + b*x**4)/10, Ne(b, 0)), (sqrt(a)*x**8/8, True)) + b*d*x**10/(8*sqrt(a)*sqrt(1 + b*x**4/a))

$$3.496 \quad \int x^3 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$$

Optimal. Leaf size=394

$$\frac{a^{7/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{7/4}\sqrt{a+bx^4}} + \frac{2a^{9/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E}{15b^{7/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{24}*(3*e*x^2+4*c)*(b*x^4+a)^{(3/2)}/b-1/16*a^2*e*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+2/21*a*d*x*(b*x^4+a)^{(1/2)}/b-1/16*a*e*x^2*(b*x^4+a)^{(1/2)}/b+2/45*a*f*x^3*(b*x^4+a)^{(1/2)}/b+1/63*x^5*(7*f*x^2+9*d)*(b*x^4+a)^{(1/2)}-2/15*a^2*f*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+2/15*a^{(9/4)}*f*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}-1/105*a^{(7/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(7*f*a^{(1/2)}+5*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.33, antiderivative size = 394, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1252, 780, 195, 217, 206, 1274, 1280, 1198, 220, 1196}

$$\frac{a^{7/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{7/4}\sqrt{a+bx^4}} - \frac{a^2e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{16b^{3/2}} - \frac{2a^2fx\sqrt{a+bx^4}}{15b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3*(c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4], x]$

[Out] $(2*a*d*x*\operatorname{Sqrt}[a + b*x^4])/(21*b) - (a*e*x^2*\operatorname{Sqrt}[a + b*x^4])/(16*b) + (2*a*f*x^3*\operatorname{Sqrt}[a + b*x^4])/(45*b) - (2*a^2*f*x*\operatorname{Sqrt}[a + b*x^4])/(15*b^{(3/2)}*(\operatorname{Sqrt}[a + \operatorname{Sqrt}[b]*x^2])) + (x^5*(9*d + 7*f*x^2)*\operatorname{Sqrt}[a + b*x^4])/63 + ((4*c + 3*e*x^2)*(a + b*x^4)^{(3/2)})/(24*b) - (a^2*e*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(16*b^{(3/2)}) + (2*a^{(9/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (a^{(7/4)}*(5*\operatorname{Sqrt}[b]*d + 7*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(105*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x]
, 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 780

```
Int[((d_) + (e_.)*(x_))*((f_) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
```

Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1274

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p + 3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1280

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^n)^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int x^3 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx &= \int \left(x^3 (c + ex^2) \sqrt{a + bx^4} + x^4 (d + fx^2) \sqrt{a + bx^4} \right) dx \\
&= \int x^3 (c + ex^2) \sqrt{a + bx^4} dx + \int x^4 (d + fx^2) \sqrt{a + bx^4} dx \\
&= \frac{1}{63} x^5 (9d + 7fx^2) \sqrt{a + bx^4} + \frac{1}{2} \text{Subst} \left(\int x(c + ex) \sqrt{a + bx^2} dx, x, bx^2 \right) \\
&= \frac{2afx^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9d + 7fx^2) \sqrt{a + bx^4} + \frac{(4c + 3ex^2)(a + bx^4)}{24b} \\
&= \frac{2adx \sqrt{a + bx^4}}{21b} - \frac{aex^2 \sqrt{a + bx^4}}{16b} + \frac{2afx^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9d + 7fx^2) \sqrt{a + bx^4} \\
&= \frac{2adx \sqrt{a + bx^4}}{21b} - \frac{aex^2 \sqrt{a + bx^4}}{16b} + \frac{2afx^3 \sqrt{a + bx^4}}{45b} + \frac{1}{63} x^5 (9d + 7fx^2) \sqrt{a + bx^4} \\
&= \frac{2adx \sqrt{a + bx^4}}{21b} - \frac{aex^2 \sqrt{a + bx^4}}{16b} + \frac{2afx^3 \sqrt{a + bx^4}}{45b} - \frac{2a^2 fx \sqrt{a + bx^4}}{15b^{3/2} (\sqrt{a} + \sqrt{bx^4})}
\end{aligned}$$

Mathematica [C] time = 0.66, size = 215, normalized size = 0.55

$$\frac{\sqrt{a + bx^4} \left(63e \left(\sqrt{b} x^2 (a + 2bx^4) - \frac{a^{3/2} \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right)}{\sqrt{\frac{bx^4}{a} + 1}} \right) + 168\sqrt{b} c (a + bx^4) - \frac{144a\sqrt{b} dx {}_2F_1 \left(-\frac{1}{2}, \frac{1}{4}, \frac{5}{4}, -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} + 144\sqrt{b} dx (a + bx^4) \right)}{1008b^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4],x]

[Out] (Sqrt[a + b*x^4]*(168*Sqrt[b]*c*(a + b*x^4) + 144*Sqrt[b]*d*x*(a + b*x^4) + 112*Sqrt[b]*f*x^3*(a + b*x^4) + 63*e*(Sqrt[b]*x^2*(a + 2*b*x^4) - (a^(3/2)*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/Sqrt[1 + (b*x^4)/a]) - (144*a*Sqrt[b]*d*x*Hypergeometric2F1[-1/2, 1/4, 5/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a] - (112*a*Sqrt[b]*f*x^3*Hypergeometric2F1[-1/2, 3/4, 7/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a))/(1008*b^(3/2))

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left((fx^6 + ex^5 + dx^4 + cx^3) \sqrt{bx^4 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral((f*x^6 + e*x^5 + d*x^4 + c*x^3)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x^3, x)

maple [C] time = 0.19, size = 380, normalized size = 0.96

$$\frac{\sqrt{bx^4+a}fx^7}{9} + \frac{\sqrt{bx^4+a}dx^5}{7} + \frac{2\sqrt{bx^4+a}afx^3}{45b} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}a^{\frac{5}{2}}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x)

[Out] $\frac{1}{9}fx^7(bx^4+a)^{1/2} + \frac{2}{45}a^2fx^3(bx^4+a)^{1/2} - \frac{2}{15}I^2fa^{5/2}b^{3/2}(I/a^{1/2}b^{1/2})^{1/2}(-I/a^{1/2}b^{1/2}x^2+1)^{1/2}(I/a^{1/2}b^{1/2}x^2+1)^{1/2}/(bx^4+a)^{1/2} + \frac{2}{15}I^2fa^{5/2}b^{3/2}(I/a^{1/2}b^{1/2})^{1/2}(-I/a^{1/2}b^{1/2}x^2+1)^{1/2}(I/a^{1/2}b^{1/2}x^2+1)^{1/2}/(bx^4+a)^{1/2} + \frac{2}{15}I^2fa^{5/2}b^{3/2}(I/a^{1/2}b^{1/2})^{1/2}(-I/a^{1/2}b^{1/2}x^2+1)^{1/2}(I/a^{1/2}b^{1/2}x^2+1)^{1/2}/(bx^4+a)^{1/2} + \frac{1}{8}e^2x^2(bx^4+a)^{3/2} - \frac{1}{16}a^2e^2x^2(bx^4+a)^{1/2} - \frac{1}{16}a^2e^2x^2/b^{3/2} \ln(b^{1/2}x^2+(bx^4+a)^{1/2}) + \frac{1}{7}d^2x^5(bx^4+a)^{1/2} + \frac{2}{21}ad^2x^2(bx^4+a)^{1/2} - \frac{2}{21}da^2/b(I/a^{1/2}b^{1/2})^{1/2}(-I/a^{1/2}b^{1/2}x^2+1)^{1/2}(I/a^{1/2}b^{1/2}x^2+1)^{1/2}/(bx^4+a)^{1/2} + \frac{1}{6}c/b(bx^4+a)^{3/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bx^4+a)^{\frac{3}{2}}c}{6b} + \int (fx^6 + ex^5 + dx^4)\sqrt{bx^4+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] 1/6*(b*x^4 + a)^(3/2)*c/b + integrate((f*x^6 + e*x^5 + d*x^4)*sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x^3*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 7.51, size = 212, normalized size = 0.54

$$\frac{a^{\frac{3}{2}}ex^2}{16b\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} dx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{3\sqrt{a} ex^6}{16\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} fx^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{4} \\ \frac{11}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{11}{4}\right)} - \frac{a^2 e \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{16b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2),x)

[Out] a**(3/2)*e*x**2/(16*b*sqrt(1 + b*x**4/a)) + sqrt(a)*d*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 3*sqrt(a)*e*x**6/(16*sqrt(1 + b*x**4/a)) + sqrt(a)*f*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) - a**2*e*asinh(sqrt(b)*x**2/sqrt(a))/(16*b**(3/2)) + c*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True)) + b*e*x**10/(8*sqrt(a)*sqrt(1 + b*x**4/a))

$$3.497 \quad \int x^2 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$$

Optimal. Leaf size=369

$$\frac{a^{5/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{b}c - 5\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2a^{5/4}c (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{5/4}\sqrt{a+bx^4} + 5b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{24} (3fx^2 + 4d)(bx^4 + a)^{3/2} / b - 1/16 a^2 f \operatorname{arctanh}(x^2 b^{1/2} / (bx^4 + a)^{1/2}) / b^{3/2} + 2/21 a e x (bx^4 + a)^{1/2} / b - 1/16 a f x^2 (bx^4 + a)^{1/2} / b + 1/35 x^3 (5e x^2 + 7c) (bx^4 + a)^{1/2} + 2/5 a c x (bx^4 + a)^{1/2} / b^{1/2} / (a^{1/2} + x^2 b^{1/2}) - 2/5 a^{5/4} c (\cos(2 \arctan(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \arctan(b^{1/4} x / a^{1/4})) * \operatorname{EllipticE}(\sin(2 \arctan(b^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((bx^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / b^{3/4} / (bx^4 + a)^{1/2} + 1/105 a^{5/4} c (\cos(2 \arctan(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \arctan(b^{1/4} x / a^{1/4})) * \operatorname{EllipticF}(\sin(2 \arctan(b^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (-5e a^{1/2} + 21c b^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((bx^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / b^{5/4} / (bx^4 + a)^{1/2}$

Rubi [A] time = 0.30, antiderivative size = 369, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1274, 1280, 1198, 220, 1196, 1252, 780, 195, 217, 206}

$$\frac{a^{5/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{b}c - 5\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2a^{5/4}c (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{5/4}\sqrt{a+bx^4} + 5b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2(c + dx + ex^2 + fx^3) \operatorname{Sqrt}[a + bx^4], x]$

[Out] $(2a e x \operatorname{Sqrt}[a + bx^4]) / (21b) - (a f x^2 \operatorname{Sqrt}[a + bx^4]) / (16b) + (2a c x \operatorname{Sqrt}[a + bx^4]) / (5 \operatorname{Sqrt}[b] (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)) + (x^3 (7c + 5e x^2) \operatorname{Sqrt}[a + bx^4]) / 35 + ((4d + 3f x^2) (a + bx^4)^{3/2}) / (24b) - (a^2 f \operatorname{ArcTanh}(\operatorname{Sqrt}[b] x^2 / \operatorname{Sqrt}[a + bx^4])) / (16b^{3/2}) - (2a^{5/4} c (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + bx^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2] * \operatorname{EllipticE}[2 \operatorname{ArcTan}[(b^{1/4} x) / a^{1/4}], 1/2]) / (5b^{3/4} \operatorname{Sqrt}[a + bx^4]) + (a^{5/4} c (21 \operatorname{Sqrt}[b] c - 5 \operatorname{Sqrt}[a] e) (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + bx^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2] * \operatorname{EllipticF}[2 \operatorname{ArcTan}[(b^{1/4} x) / a^{1/4}], 1/2]) / (105 b^{5/4} \operatorname{Sqrt}[a + bx^4])$

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x],
1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 780

```
Int[((d_) + (e_.)*(x_))*((f_) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
```

d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1274

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/(4*p + m + 1)*(m + 4*p + 3), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p + 3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1280

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^n)^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int x^2 (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx &= \int \left(x^2 (c + ex^2) \sqrt{a + bx^4} + x^3 (d + fx^2) \sqrt{a + bx^4} \right) dx \\
&= \int x^2 (c + ex^2) \sqrt{a + bx^4} dx + \int x^3 (d + fx^2) \sqrt{a + bx^4} dx \\
&= \frac{1}{35} x^3 (7c + 5ex^2) \sqrt{a + bx^4} + \frac{1}{2} \text{Subst} \left(\int x(d + fx) \sqrt{a + bx^2} dx, x, x^2 \right) \\
&= \frac{2aex\sqrt{a + bx^4}}{21b} + \frac{1}{35} x^3 (7c + 5ex^2) \sqrt{a + bx^4} + \frac{(4d + 3fx^2)(a + bx^4)^{3/2}}{24b} \\
&= \frac{2aex\sqrt{a + bx^4}}{21b} - \frac{afx^2\sqrt{a + bx^4}}{16b} + \frac{1}{35} x^3 (7c + 5ex^2) \sqrt{a + bx^4} + \frac{(4d + 3fx^2)(a + bx^4)^{3/2}}{24b} \\
&= \frac{2aex\sqrt{a + bx^4}}{21b} - \frac{afx^2\sqrt{a + bx^4}}{16b} + \frac{2acx\sqrt{a + bx^4}}{5\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{1}{35} x^3 (7c + 5ex^2) \sqrt{a + bx^4} \\
&= \frac{2aex\sqrt{a + bx^4}}{21b} - \frac{afx^2\sqrt{a + bx^4}}{16b} + \frac{2acx\sqrt{a + bx^4}}{5\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{1}{35} x^3 (7c + 5ex^2) \sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.78, size = 182, normalized size = 0.49

$$\frac{1}{336} \sqrt{a + bx^4} \left(-\frac{21a^{3/2} f \sinh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{b^{3/2} \sqrt{\frac{bx^4}{a} + 1}} + \frac{112cx^3 {}_2F_1 \left(-\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} + \frac{56d(a + bx^4)}{b} - \frac{48aex {}_2F_1 \left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{b \sqrt{\frac{bx^4}{a} + 1}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4], x]

[Out] (Sqrt[a + b*x^4]*((56*d*(a + b*x^4))/b + (48*e*x*(a + b*x^4))/b + (21*f*x^2*(a + 2*b*x^4))/b - (21*a^(3/2)*f*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/(b^(3/2)*Sqrt[1 + (b*x^4)/a]) - (48*a*e*x*Hypergeometric2F1[-1/2, 1/4, 5/4, -((b*x^4)/a)]/(b*Sqrt[1 + (b*x^4)/a]) + (112*c*x^3*Hypergeometric2F1[-1/2, 3/4, 7/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a]))/336

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral} \left((fx^5 + ex^4 + dx^3 + cx^2) \sqrt{bx^4 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral((f*x^5 + e*x^4 + d*x^3 + c*x^2)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x^2, x)

maple [C] time = 0.17, size = 361, normalized size = 0.98

$$\frac{\sqrt{bx^4+a} ex^5}{7} + \frac{\sqrt{bx^4+a} cx^3}{5} - \frac{2\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} a^2 e \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{21\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}b} - \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x)

[Out] $\frac{1}{8}fx^2(bx^4+a)^{3/2}/b - \frac{1}{16}afx^2(bx^4+a)^{1/2}/b - \frac{1}{16}fa^2/b^{3/2} \ln(b^{1/2}x^2+(bx^4+a)^{1/2}) + \frac{1}{7}ex^5(bx^4+a)^{1/2} + \frac{2}{21}aex(bx^4+a)^{1/2}/b - \frac{2}{21}ea^2/b \sqrt{I/a^{1/2}b^{1/2}}^{1/2} (-I/a^{1/2}b^{1/2}x^2+1)^{1/2} \sqrt{I/a^{1/2}b^{1/2}x^2+1}^{1/2} / (bx^4+a)^{1/2} \operatorname{EllipticF}((I/a^{1/2}b^{1/2})^{1/2}x, I) + \frac{1}{6}d/b (bx^4+a)^{3/2} + \frac{1}{5}cx^3(bx^4+a)^{1/2} + \frac{2}{5}Ica^{3/2} \sqrt{I/a^{1/2}b^{1/2}}^{1/2} (-I/a^{1/2}b^{1/2}x^2+1)^{1/2} \sqrt{I/a^{1/2}b^{1/2}x^2+1}^{1/2} / (bx^4+a)^{1/2} / b^{1/2} \operatorname{EllipticF}((I/a^{1/2}b^{1/2})^{1/2}x, I) - \frac{2}{5}Ica^{3/2} \sqrt{I/a^{1/2}b^{1/2}}^{1/2} (-I/a^{1/2}b^{1/2}x^2+1)^{1/2} \sqrt{I/a^{1/2}b^{1/2}x^2+1}^{1/2} / (bx^4+a)^{1/2} / b^{1/2} \operatorname{EllipticE}((I/a^{1/2}b^{1/2})^{1/2}x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)

[Out] int(x^2*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 7.09, size = 212, normalized size = 0.57

$$\frac{a^{\frac{3}{2}} f x^2}{16b\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} c x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{\sqrt{a} e x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{3\sqrt{a} f x^6}{16\sqrt{1 + \frac{bx^4}{a}}} - \frac{a^2 f \operatorname{asinh}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{16b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2), x)

[Out] a**(3/2)*f*x**2/(16*b*sqrt(1 + b*x**4/a)) + sqrt(a)*c*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + sqrt(a)*e*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 3*sqrt(a)*f*x**6/(16*sqrt(1 + b*x**4/a)) - a**2*f*asinh(sqrt(b)*x**2/sqrt(a))/(16*b**(3/2)) + d*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True)) + b*f*x**10/(8*sqrt(a)*sqrt(1 + b*x**4/a))

3.498 $\int x (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$

Optimal. Leaf size=354

$$\frac{a^{5/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{b}d - 5\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2a^{5/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{1}{2}\right)}{105b^{5/4}\sqrt{a+bx^4} - 5b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{6}e*(b*x^4+a)^{(3/2)}/b+1/4*a*c*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}+2/21*a*f*x*(b*x^4+a)^{(1/2)}/b+1/4*c*x^2*(b*x^4+a)^{(1/2)}+1/35*x^3*(5*f*x^2+7*d)*(b*x^4+a)^{(1/2)}+2/5*a*d*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*a^{(5/4)}*d*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/105*a^{(5/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-5*f*a^{(1/2)}+21*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 354, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {1833, 1248, 641, 195, 217, 206, 1274, 1280, 1198, 220, 1196}

$$\frac{a^{5/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{b}d - 5\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2a^{5/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{1}{2}\right)}{105b^{5/4}\sqrt{a+bx^4} - 5b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4], x]$

[Out] $(2*a*f*x*\operatorname{Sqrt}[a + b*x^4])/(21*b) + (c*x^2*\operatorname{Sqrt}[a + b*x^4])/4 + (2*a*d*x*\operatorname{Sqrt}[a + b*x^4])/(5*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (x^3*(7*d + 5*f*x^2)*\operatorname{Sqrt}[a + b*x^4])/35 + (e*(a + b*x^4)^{(3/2)})/(6*b) + (a*c*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*\operatorname{Sqrt}[b]) - (2*a^{(5/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (a^{(5/4)}*(21*\operatorname{Sqrt}[b]*d - 5*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(105*b^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x],
1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 641

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```


Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
  :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
  [{a, c, d, e, p, q}, x]
```

Rule 1274

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x
_Symbol] :> Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p
+ m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/(4*p
+ m + 1)*(m + 4*p + 3), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p +
3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ
[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (I
ntegerQ[p] || IntegerQ[m])
```

Rule 1280

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x
_Symbol] :> Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
])
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int x(c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx &= \int \left(x(c + ex^2) \sqrt{a + bx^4} + x^2(d + fx^2) \sqrt{a + bx^4} \right) dx \\
&= \int x(c + ex^2) \sqrt{a + bx^4} dx + \int x^2(d + fx^2) \sqrt{a + bx^4} dx \\
&= \frac{1}{35} x^3 (7d + 5fx^2) \sqrt{a + bx^4} + \frac{1}{2} \text{Subst} \left(\int (c + ex) \sqrt{a + bx^2} dx, x, x^2 \right) + \\
&= \frac{2afx \sqrt{a + bx^4}}{21b} + \frac{1}{35} x^3 (7d + 5fx^2) \sqrt{a + bx^4} + \frac{e(a + bx^4)^{3/2}}{6b} - \frac{(2a) \int}{6b} \\
&= \frac{2afx \sqrt{a + bx^4}}{21b} + \frac{1}{4} cx^2 \sqrt{a + bx^4} + \frac{1}{35} x^3 (7d + 5fx^2) \sqrt{a + bx^4} + \frac{e(a -}{4} \\
&= \frac{2afx \sqrt{a + bx^4}}{21b} + \frac{1}{4} cx^2 \sqrt{a + bx^4} + \frac{2adx \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{35} x^3 (7d + 5 \\
&= \frac{2afx \sqrt{a + bx^4}}{21b} + \frac{1}{4} cx^2 \sqrt{a + bx^4} + \frac{2adx \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{35} x^3 (7d + 5
\end{aligned}$$

Mathematica [C] time = 0.20, size = 211, normalized size = 0.60

$$\frac{\sqrt{a + bx^4} \left(21\sqrt{a} \sqrt{b} c \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right) + 21bcx^2 \sqrt{\frac{bx^4}{a} + 1} + 28bdx^3 {}_2F_1 \left(-\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right) + 14bex^4 \sqrt{\frac{bx^4}{a} + 1} + 14ae \sqrt{\frac{bx^4}{a} + 1} \right)}{84b \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4],x]

[Out] (Sqrt[a + b*x^4]*(14*a*e*Sqrt[1 + (b*x^4)/a] + 12*a*f*x*Sqrt[1 + (b*x^4)/a] + 21*b*c*x^2*Sqrt[1 + (b*x^4)/a] + 14*b*e*x^4*Sqrt[1 + (b*x^4)/a] + 12*b*f*x^5*Sqrt[1 + (b*x^4)/a] + 21*Sqrt[a]*Sqrt[b]*c*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] - 12*a*f*x*Hypergeometric2F1[-1/2, 1/4, 5/4, -(b*x^4)/a] + 28*b*d*x^3*Hypergeometric2F1[-1/2, 3/4, 7/4, -(b*x^4)/a]))/(84*b*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left(\sqrt{bx^4 + a} (fx^4 + ex^3 + dx^2 + cx), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^4 + e*x^3 + d*x^2 + c*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)*x, x)

maple [C] time = 0.16, size = 337, normalized size = 0.95

$$\frac{\sqrt{bx^4+a} f x^5}{7} + \frac{\sqrt{bx^4+a} d x^3}{5} - \frac{2\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} a^2 f \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{21\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a} b} - \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x)

[Out] $\frac{1}{7}f x^5 (b x^4 + a)^{1/2} + \frac{2}{21} a f x (b x^4 + a)^{1/2} / b - \frac{2}{21} f a^2 / b (I/a^{1/2} b^{1/2})^{1/2} (-I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} (I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} \operatorname{EllipticF}((I/a^{1/2} b^{1/2})^{1/2} x, I) + \frac{1}{6} e (b x^4 + a)^{3/2} / b + \frac{1}{5} x^3 d (b x^4 + a)^{1/2} + \frac{2}{5} I d a^{3/2} / (I/a^{1/2} b^{1/2})^{1/2} (-I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} (I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} / b^{1/2} \operatorname{EllipticF}((I/a^{1/2} b^{1/2})^{1/2} x, I) - \frac{2}{5} I d a^{3/2} / (I/a^{1/2} b^{1/2})^{1/2} (-I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} (I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} / b^{1/2} \operatorname{EllipticE}((I/a^{1/2} b^{1/2})^{1/2} x, I) + \frac{1}{4} c x^2 (b x^4 + a)^{1/2} + \frac{1}{4} c a / b^{1/2} \ln(b^{1/2} x^2 + (b x^4 + a)^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{8} \left(\frac{a \log\left(-\frac{\sqrt{b} - \frac{\sqrt{bx^4+a}}{x^2}}{\sqrt{b} + \frac{\sqrt{bx^4+a}}{x^2}}\right)}{\sqrt{b}} + \frac{2\sqrt{bx^4+a} a}{\left(b - \frac{bx^4+a}{x^4}\right)x^2} \right) c + \int \sqrt{bx^4 + a} (fx^4 + ex^3 + dx^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] -1/8*(a*log(-(sqrt(b) - sqrt(b*x^4 + a)/x^2)/(sqrt(b) + sqrt(b*x^4 + a)/x^2)))/sqrt(b) + 2*sqrt(b*x^4 + a)*a/((b - (b*x^4 + a)/x^4)*x^2))*c + integrate(sqrt(b*x^4 + a)*(f*x^4 + e*x^3 + d*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x*(a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 6.53, size = 158, normalized size = 0.45

$$\frac{\sqrt{a} cx^2 \sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{\sqrt{a} dx^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{\sqrt{a} fx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{ac \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4\sqrt{b}} + e \left\{ \begin{array}{l} \frac{\sqrt{a}x^4}{4} \\ \frac{(a+bx^4)^{\frac{3}{2}}}{6b} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2),x)

[Out] sqrt(a)*c*x**2*sqrt(1 + b*x**4/a)/4 + sqrt(a)*d*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + sqrt(a)*f*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + a*c*asinh(sqrt(b)*x**2/sqrt(a))/(4*sqrt(b)) + e*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True))

3.499 $\int (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx$

Optimal. Leaf size=331

$$\frac{a^{3/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + 2a^{5/4}e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a+bx^4} + 5b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{6}f*(b*x^4+a)^{(3/2)}/b+1/4*a*d*\arctanh(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}+1/15*x*(3*e*x^2+5*c)*(b*x^4+a)^{(1/2)}+2/5*a*e*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*a^{(5/4)}*e*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/15*a^{(3/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(3*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.370$, Rules used = {1885, 1177, 1198, 220, 1196, 1248, 641, 195, 217, 206}

$$\frac{a^{3/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + 2a^{5/4}e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a+bx^4} + 5b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4], x]

[Out] $(d*x^2*\text{Sqrt}[a + b*x^4])/4 + (2*a*e*x*\text{Sqrt}[a + b*x^4])/(5*\text{Sqrt}[b]*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) + (x*(5*c + 3*e*x^2)*\text{Sqrt}[a + b*x^4])/15 + (f*(a + b*x^4)^{(3/2)})/(6*b) + (a*d*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a + b*x^4]])/(4*\text{Sqrt}[b]) - (2*a^{(5/4)}*e*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*b^{(3/4)}*\text{Sqrt}[a + b*x^4]) + (a^{(3/4)}*(5*\text{Sqrt}[b]*c + 3*\text{Sqrt}[a]*e)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*b^{(3/4)}*\text{Sqrt}[a + b*x^4])$

Rule 195

Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free

$Q\{a, b\}, x \ \&\& \text{IGtQ}[n, 0] \ \&\& \text{GtQ}[p, 0] \ \&\& (\text{IntegerQ}[2*p] \ || \ (\text{EqQ}[n, 2] \ \&\& \text{IntegerQ}[4*p])) \ || \ (\text{EqQ}[n, 2] \ \&\& \text{IntegerQ}[3*p]) \ || \ \text{LtQ}[\text{Denominator}[p + 1/n], \text{Denominator}[p]]$)

Rule 206

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \ :> \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] \ /; \text{FreeQ}\{a, b\}, x \ \&\& \text{NegQ}[a/b] \ \&\& (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] \ :> \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \ /; \text{FreeQ}\{a, b\}, x \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^4], x_Symbol] \ :> \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2])]/(2*q*\text{Sqrt}[a + b*x^4]), x] \ /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[b/a]$

Rule 641

$\text{Int}[(d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] \ :> \text{Simp}[(e*(a + c*x^2)^{(p + 1)})/(2*c*(p + 1)), x] + \text{Dist}[d, \text{Int}[(a + c*x^2)^p, x], x] \ /; \text{FreeQ}\{a, c, d, e, p\}, x \ \&\& \ \text{NeQ}[p, -1]$

Rule 1177

$\text{Int}[(d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^{(p_.)}, x_Symbol] \ :> \text{Simp}[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] + \text{Dist}[(2*p)/((4*p + 1)*(4*p + 3)), \text{Int}[\text{Simp}[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^{(p - 1)}, x], x] \ /; \text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{FractionQ}[p] \ \&\& \ \text{IntegerQ}[2*p]$

Rule 1196

$\text{Int}[(d_) + (e_.)*(x_)^2]/\text{Sqrt}[(a_) + (c_.)*(x_)^4], x_Symbol] \ :> \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])]/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2])]/(q*\text{Sqrt}[a + c*x^4]), x] \ /; \text{EqQ}[e + d*q^2, 0] \ /; \text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*((a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3) \sqrt{a + bx^4} dx &= \int \left((c + ex^2) \sqrt{a + bx^4} + x(d + fx^2) \sqrt{a + bx^4} \right) dx \\
&= \int (c + ex^2) \sqrt{a + bx^4} dx + \int x(d + fx^2) \sqrt{a + bx^4} dx \\
&= \frac{1}{15} x(5c + 3ex^2) \sqrt{a + bx^4} + \frac{1}{15} \int \frac{10ac + 6aex^2}{\sqrt{a + bx^4}} dx + \frac{1}{2} \text{Subst} \left(\int (d + f) \sqrt{a + bx^2} dx, \right. \\
&= \frac{1}{15} x(5c + 3ex^2) \sqrt{a + bx^4} + \frac{f(a + bx^4)^{3/2}}{6b} + \frac{1}{2} d \text{Subst} \left(\int \sqrt{a + bx^2} dx, \right. \\
&= \frac{1}{4} dx^2 \sqrt{a + bx^4} + \frac{2aex \sqrt{a + bx^4}}{5\sqrt{b}(\sqrt{a} + \sqrt{bx^2})} + \frac{1}{15} x(5c + 3ex^2) \sqrt{a + bx^4} + \frac{f(a + bx^4)^{3/2}}{6b} \\
&= \frac{1}{4} dx^2 \sqrt{a + bx^4} + \frac{2aex \sqrt{a + bx^4}}{5\sqrt{b}(\sqrt{a} + \sqrt{bx^2})} + \frac{1}{15} x(5c + 3ex^2) \sqrt{a + bx^4} + \frac{f(a + bx^4)^{3/2}}{6b} \\
&= \frac{1}{4} dx^2 \sqrt{a + bx^4} + \frac{2aex \sqrt{a + bx^4}}{5\sqrt{b}(\sqrt{a} + \sqrt{bx^2})} + \frac{1}{15} x(5c + 3ex^2) \sqrt{a + bx^4} + \frac{f(a + bx^4)^{3/2}}{6b}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 171, normalized size = 0.52

$$\frac{\sqrt{a + bx^4} \left(12bcx {}_2F_1 \left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right) + 3\sqrt{a} \sqrt{b} d \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right) + 3bdx^2 \sqrt{\frac{bx^4}{a} + 1} + 4bex^3 {}_2F_1 \left(-\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right) \right)}{12b \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4], x]

[Out] (Sqrt[a + b*x^4]*(2*a*f*Sqrt[1 + (b*x^4)/a] + 3*b*d*x^2*Sqrt[1 + (b*x^4)/a] + 2*b*f*x^4*Sqrt[1 + (b*x^4)/a] + 3*Sqrt[a]*Sqrt[b]*d*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + 12*b*c*x*Hypergeometric2F1[-1/2, 1/4, 5/4, -(b*x^4)/a] + 4*b*e*x^3*Hypergeometric2F1[-1/2, 3/4, 7/4, -(b*x^4)/a]))/(12*b*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral} \left(\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c), x)

maple [C] time = 0.18, size = 313, normalized size = 0.95

$$\frac{\sqrt{bx^4 + a} e x^3}{5} - \frac{2i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} e \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{b}} + \frac{2i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} e \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x)

[Out] $\frac{1}{6} f (b x^4 + a)^{3/2} / b + \frac{1}{5} e x^3 (b x^4 + a)^{1/2} + \frac{2}{5} I e a^{3/2} / (I/a^{1/2}) * b^{1/2} * (I/a^{1/2})^{1/2} * (-I/a^{1/2}) * b^{1/2} * x^2 + 1)^{1/2} * (I/a^{1/2}) * b^{1/2} * x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} / b^{1/2} * \operatorname{EllipticF}((I/a^{1/2}) * b^{1/2})^{1/2} * x, I) - \frac{2}{5} * I e a^{3/2} / (I/a^{1/2}) * b^{1/2} * (-I/a^{1/2}) * b^{1/2} * x^2 + 1)^{1/2} * (I/a^{1/2}) * b^{1/2} * x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} / b^{1/2} * \operatorname{EllipticE}((I/a^{1/2}) * b^{1/2})^{1/2} * x, I) + \frac{1}{4} d x^2 (b x^4 + a)^{1/2} + \frac{1}{4} d a / b^{1/2} * \ln(b^{1/2} * x^2 + (b x^4 + a)^{1/2}) + \frac{1}{3} c x (b x^4 + a)^{1/2} + \frac{2}{3} c a / (I/a^{1/2}) * b^{1/2} * (-I/a^{1/2}) * b^{1/2} * x^2 + 1)^{1/2} * (I/a^{1/2}) * b^{1/2} * x^2 + 1)^{1/2} / (b x^4 + a)^{1/2} * \operatorname{EllipticF}((I/a^{1/2}) * b^{1/2})^{1/2} * x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)

[Out] int((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 5.97, size = 156, normalized size = 0.47

$$\frac{\sqrt{a} cx \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{\sqrt{a} dx^2 \sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{\sqrt{a} ex^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{ad \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4\sqrt{b}} + f \left\{ \begin{array}{l} \frac{\sqrt{a}x^4}{4} \\ \frac{(a+bx^4)^{\frac{3}{2}}}{6b} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2), x)

[Out] sqrt(a)*c*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + sqrt(a)*d*x**2*sqrt(1 + b*x**4/a)/4 + sqrt(a)*e*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + a*d*asinh(sqrt(b)*x**2/sqrt(a))/(4*sqrt(b)) + f*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True))

$$3.500 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x} dx$$

Optimal. Leaf size=345

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (3\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a+bx^4}} - \frac{2a^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+1/4*a*e*\operatorname{arctanh}(x^2*b^{(1/2)})/(b*x^4+a)^{(1/2)}/b^{(1/2)}+1/4*(e*x^2+2*c)*(b*x^4+a)^{(1/2)}+1/15*x*(3*f*x^2+5*d)*(b*x^4+a)^{(1/2)}+2/5*a*f*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*a^{(5/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/15*a^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(3*f*a^{(1/2)}+5*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {1833, 1252, 815, 844, 217, 206, 266, 63, 208, 1177, 1198, 220, 1196}

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (3\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a+bx^4}} - \frac{2a^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x,x]

[Out] $(2*a*f*x*\operatorname{Sqrt}[a + b*x^4])/(5*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + ((2*c + e*x^2)*\operatorname{Sqrt}[a + b*x^4])/4 + (x*(5*d + 3*f*x^2)*\operatorname{Sqrt}[a + b*x^4])/15 + (a*e*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*\operatorname{Sqrt}[b]) - (\operatorname{Sqrt}[a]*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (2*a^{(5/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (a^{(3/4)}*(5*\operatorname{Sqrt}[b]*d + 3*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x]
, 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 815

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
/; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
```

$Q[m + 2*p, 0] \&\& (\text{IntegerQ}[m] \mid\mid \text{IntegerQ}[p] \mid\mid \text{IntegersQ}[2*m, 2*p])$

Rule 844

$\text{Int}[(d_.) + (e_.)(x_)^m][(f_.) + (g_.)(x_)]((a_.) + (c_.)(x_)^2)^p$, x_Symbol] \rightarrow $\text{Dist}[g/e, \text{Int}[(d + e*x)^{m+1}(a + c*x^2)^p, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^m(a + c*x^2)^p, x], x] /;$ $\text{FreeQ}\{a, c, d, e, f, g, m, p\}, x\} \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{!IGtQ}[m, 0]$

Rule 1177

$\text{Int}[(d_.) + (e_.)(x_)^2][(a_.) + (c_.)(x_)^4]^p$, x_Symbol] \rightarrow $\text{Simp}[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] + \text{Dist}[(2*p)/((4*p + 1)*(4*p + 3)), \text{Int}[\text{Simp}[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^{p-1}, x], x] /;$ $\text{FreeQ}\{a, c, d, e\}, x\} \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{GtQ}[p, 0] \&\& \text{FractionQ}[p] \&\& \text{IntegerQ}[2*p]$

Rule 1196

$\text{Int}[(d_.) + (e_.)(x_)^2]/\text{Sqrt}[(a_.) + (c_.)(x_)^4]$, x_Symbol] \rightarrow $\text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)^2)*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2]/(q*\text{Sqrt}[a + c*x^4]), x] /;$ $\text{EqQ}[e + d*q^2, 0] /;$ $\text{FreeQ}\{a, c, d, e\}, x\} \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_.) + (e_.)(x_)^2]/\text{Sqrt}[(a_.) + (c_.)(x_)^4]$, x_Symbol] \rightarrow $\text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /;$ $\text{NeQ}[e + d*q, 0] /;$ $\text{FreeQ}\{a, c, d, e\}, x\} \&\& \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[(x_)^m][(d_.) + (e_.)(x_)^2]^q[(a_.) + (c_.)(x_)^4]^p$, x_Symbol] \rightarrow $\text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2}(d + e*x)^q(a + c*x^2)^p, x], x, x^2], x] /;$ $\text{FreeQ}\{a, c, d, e, p, q\}, x\} \&\& \text{IntegerQ}[(m + 1)/2]$

Rule 1833

$\text{Int}[(Pq_)*((c_.)(x_)^m)((a_.) + (b_.)(x_)^n)]^p$, x_Symbol] \rightarrow $\text{Module}\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[(c*x)^{m+j}*\text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2]*x^{(k*n)/2}, \{k, 0, (2*(q - j))/n + 1\}](a + b*x^n)^p)/c^j, \{j, 0, n/2 - 1\}], x] /;$ $\text{FreeQ}\{a, b, c, m, p\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0]$

] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x} dx &= \int \left(\frac{(c + ex^2) \sqrt{a + bx^4}}{x} + (d + fx^2) \sqrt{a + bx^4} \right) dx \\
&= \int \frac{(c + ex^2) \sqrt{a + bx^4}}{x} dx + \int (d + fx^2) \sqrt{a + bx^4} dx \\
&= \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4} + \frac{1}{15} \int \frac{10ad + 6afx^2}{\sqrt{a + bx^4}} dx + \frac{1}{2} \text{Subst} \left(\int \frac{(c + ex^2) \sqrt{a + bx^4}}{x} dx \right) \\
&= \frac{1}{4} (2c + ex^2) \sqrt{a + bx^4} + \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4} + \frac{\text{Subst} \left(\int \frac{2abc + abex^2}{x \sqrt{a + bx^4}} dx \right)}{4b} \\
&= \frac{2afx \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2c + ex^2) \sqrt{a + bx^4} + \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4} \\
&= \frac{2afx \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2c + ex^2) \sqrt{a + bx^4} + \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4} \\
&= \frac{2afx \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2c + ex^2) \sqrt{a + bx^4} + \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4} \\
&= \frac{2afx \sqrt{a + bx^4}}{5\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2c + ex^2) \sqrt{a + bx^4} + \frac{1}{15} x (5d + 3fx^2) \sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.39, size = 208, normalized size = 0.60

$$\frac{3a^{3/2} e^{\sqrt{\frac{bx^4}{a}}} + 1 \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right) + 3\sqrt{b} \left((a + bx^4) (2c + ex^2) - 2\sqrt{a} c \sqrt{a + bx^4} \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \right) + 12a\sqrt{b} dx \sqrt{\frac{bx^4}{a}}}{12\sqrt{b} \sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x,x]

[Out] (3*a^(3/2)*e*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + 3*Sqrt[b] * ((2*c + e*x^2)*(a + b*x^4) - 2*Sqrt[a]*c*Sqrt[a + b*x^4]*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]]) + 12*a*Sqrt[b]*d*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/2, 1/4, 5/4, -((b*x^4)/a)] + 4*a*Sqrt[b]*f*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/2, 3/4, 7/4, -((b*x^4)/a)]/(12*Sqrt[b]*Sqrt[a + b*x^4])

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x, x)

maple [C] time = 0.20, size = 339, normalized size = 0.98

$$\frac{\sqrt{bx^4 + a} f x^3}{5} - \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} f \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{b}} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} f \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x,x)

[Out] 1/5*x^3*f*(b*x^4+a)^(1/2)+2/5*I*f*a^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-2/5*I*f*a^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/4*e

$x^2(bx^4+a)^{1/2}+1/4*ea/b^{1/2}*\ln(b^{1/2}*x^2+(bx^4+a)^{1/2})+1/3*d*x*(bx^4+a)^{1/2}+2/3*d*a/(I/a^{1/2}*b^{1/2})^{1/2}*(-I/a^{1/2}*b^{1/2}*x^2+1)^{1/2}*(I/a^{1/2}*b^{1/2}*x^2+1)^{1/2}/(bx^4+a)^{1/2}*EllipticF((I/a^{1/2}*b^{1/2})^{1/2}*x,I)+1/2*c*(bx^4+a)^{1/2}-1/2*c*a^{1/2}*\ln((2*a+2*(bx^4+a)^{1/2})*a^{1/2})/x^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x, x)

sympy [C] time = 10.13, size = 204, normalized size = 0.59

$$-\frac{\sqrt{a} c \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b} x^2}\right)}{2} + \frac{\sqrt{a} dx \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4 \Gamma\left(\frac{5}{4}\right)} + \frac{\sqrt{a} ex^2 \sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{\sqrt{a} fx^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4 \Gamma\left(\frac{7}{4}\right)} + \frac{a}{2\sqrt{b} x^2 \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x,x)

[Out] $-\sqrt{a}*c*\operatorname{asinh}(\sqrt{a}/(\sqrt{b}*x**2))/2 + \sqrt{a}*d*x*\operatorname{gamma}(1/4)*\operatorname{hyper}((-1/2, 1/4), (5/4,), b*x**4*\exp_polar(I*pi)/a)/(4*\operatorname{gamma}(5/4)) + \sqrt{a}*e*x**2*\sqrt{1 + b*x**4/a}/4 + \sqrt{a}*f*x**3*\operatorname{gamma}(3/4)*\operatorname{hyper}((-1/2, 3/4), (7/4,), b*x**4*\exp_polar(I*pi)/a)/(4*\operatorname{gamma}(7/4)) + a*c/(2*\sqrt{b}*x**2*\sqrt{a}/(b*x**4) + 1) + a*e*\operatorname{asinh}(\sqrt{b}*x**2/\sqrt{a})/(4*\sqrt{b}) + \sqrt{b}*c*x**2/(2*\sqrt{a}/(b*x**4) + 1)$

$$3.501 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^2} dx$$

Optimal. Leaf size=341

$$\frac{\sqrt{a+bx^4}(3c-ex^2)}{3x} + \frac{\sqrt[4]{a}(\sqrt{a}+\sqrt{b}x^2)\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}(\sqrt{a}e+3\sqrt{b}c)F\left(2\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\middle|\frac{1}{2}\right)}{3\sqrt[4]{b}\sqrt{a+bx^4}} + \frac{2\sqrt{b}cx\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{b}x^2}$$

[Out] $-1/2*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+1/4*a*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}-1/3*(-e*x^2+3*c)*(b*x^4+a)^{(1/2)}/x+1/4*(f*x^2+2*d)*(b*x^4+a)^{(1/2)}+2*c*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2*a^{(1/4)}*b^{(1/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+1/3*a^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(e*a^{(1/2)}+3*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {1833, 1272, 1198, 220, 1196, 1252, 815, 844, 217, 206, 266, 63, 208}

$$\frac{\sqrt{a+bx^4}(3c-ex^2)}{3x} + \frac{\sqrt[4]{a}(\sqrt{a}+\sqrt{b}x^2)\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}(\sqrt{a}e+3\sqrt{b}c)F\left(2\tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\middle|\frac{1}{2}\right)}{3\sqrt[4]{b}\sqrt{a+bx^4}} + \frac{2\sqrt{b}cx\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{b}x^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}(((c+d*x+e*x^2+f*x^3)*\operatorname{Sqrt}[a+b*x^4])/x^2,x]$

[Out] $(2*\operatorname{Sqrt}[b]*c*x*\operatorname{Sqrt}[a+b*x^4])/(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)-((3*c-e*x^2)*\operatorname{Sqrt}[a+b*x^4])/(3*x)+((2*d+f*x^2)*\operatorname{Sqrt}[a+b*x^4])/4+(a*f*\operatorname{ArcTan}h[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a+b*x^4]])/(4*\operatorname{Sqrt}[b])-(\operatorname{Sqrt}[a]*d*\operatorname{ArcTan}h[\operatorname{Sqrt}[a+b*x^4]/\operatorname{Sqrt}[a]])/2-(2*a^{(1/4)}*b^{(1/4)}*c*(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a+b*x^4)/(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}],1/2])/(\operatorname{Sqrt}[a+b*x^4]+(a^{(1/4)}*(3*\operatorname{Sqrt}[b]*c+\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a+b*x^4)/(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}],1/2])/(3*b^{(1/4)}*\operatorname{Sqrt}[a+b*x^4])$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x]
, 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 815

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
/; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
```

$Q[m + 2*p, 0] \&\& (\text{IntegerQ}[m] \parallel \text{IntegerQ}[p] \parallel \text{IntegersQ}[2*m, 2*p])$

Rule 844

$\text{Int}[(d + e*x)^m * (f + g*x) * (a + c*x^2)^p, x] \text{ :> } \text{Dist}[g/e, \text{Int}[(d + e*x)^{m+1} * (a + c*x^2)^p, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^m * (a + c*x^2)^p, x], x] \text{ ; FreeQ}\{a, c, d, e, f, g, m, p\}, x \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{!IGtQ}[m, 0]$

Rule 1196

$\text{Int}[(d + e*x^2)/\text{Sqrt}[a + c*x^4], x] \text{ :> } \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2]/(q*\text{Sqrt}[a + c*x^4]), x] \text{ ; EqQ}[e + d*q^2, 0] \text{ ; FreeQ}\{a, c, d, e, x\} \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d + e*x^2)/\text{Sqrt}[a + c*x^4], x] \text{ :> } \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] \text{ ; NeQ}[e + d*q, 0] \text{ ; FreeQ}\{a, c, d, e, x\} \&\& \text{PosQ}[c/a]$

Rule 1252

$\text{Int}[x^m * (d + e*x^2)^q * (a + c*x^4)^p, x] \text{ :> } \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2} * (d + e*x)^q * (a + c*x^2)^p, x], x, x^2], x] \text{ ; FreeQ}\{a, c, d, e, p, q\}, x \&\& \text{IntegerQ}[(m+1)/2]$

Rule 1272

$\text{Int}[(f*x)^m * (d + e*x^2) * (a + c*x^4)^p, x] \text{ :> } \text{Simp}[(f*x)^{m+1} * (a + c*x^4)^p * (d*(m+4*p+3) + e*(m+1)*x^2)/(f*(m+1)*(m+4*p+3)), x] + \text{Dist}[(4*p)/(f^2*(m+1)*(m+4*p+3)), \text{Int}[(f*x)^{m+2} * (a + c*x^4)^{p-1} * (a*e*(m+1) - c*d*(m+4*p+3)*x^2), x], x] \text{ ; FreeQ}\{a, c, d, e, f\}, x \&\& \text{GtQ}[p, 0] \&\& \text{LtQ}[m, -1] \&\& m + 4*p + 3 \neq 0 \&\& \text{IntegerQ}[2*p] \&\& (\text{IntegerQ}[p] \parallel \text{IntegerQ}[m])$

Rule 1833

$\text{Int}[(Pq) * (c*x)^m * (a + b*x^n)^p, x] \text{ :> } \text{Module}\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[(c*x)^{m+j} * \text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2] * x^{(k*n)/2}, \{k, 0, (2*(q-j))/n + 1\}] * (a + b*x^n)^p]/c^j, \{j, 0, n/2 - 1\}], x] \text{ ; FreeQ}\{a, b, c, m, p\}, x \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0]$

] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^2} dx &= \int \left(\frac{(c + ex^2) \sqrt{a + bx^4}}{x^2} + \frac{(d + fx^2) \sqrt{a + bx^4}}{x} \right) dx \\
&= \int \frac{(c + ex^2) \sqrt{a + bx^4}}{x^2} dx + \int \frac{(d + fx^2) \sqrt{a + bx^4}}{x} dx \\
&= -\frac{(3c - ex^2) \sqrt{a + bx^4}}{3x} + \frac{1}{2} \text{Subst} \left(\int \frac{(d + fx) \sqrt{a + bx^2}}{x} dx, x, x^2 \right) - \frac{2}{3} \int \frac{ex^2 \sqrt{a + bx^4}}{x^2} dx \\
&= -\frac{(3c - ex^2) \sqrt{a + bx^4}}{3x} + \frac{1}{4} (2d + fx^2) \sqrt{a + bx^4} + \frac{\text{Subst} \left(\int \frac{2abd + abfx}{x \sqrt{a + bx^2}} dx \right)}{4b} \\
&= \frac{2\sqrt{b} cx \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(3c - ex^2) \sqrt{a + bx^4}}{3x} + \frac{1}{4} (2d + fx^2) \sqrt{a + bx^4} - \frac{2\sqrt{b} ex^2 \sqrt{a + bx^4}}{3x} \\
&= \frac{2\sqrt{b} cx \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(3c - ex^2) \sqrt{a + bx^4}}{3x} + \frac{1}{4} (2d + fx^2) \sqrt{a + bx^4} - \frac{2\sqrt{b} ex^2 \sqrt{a + bx^4}}{3x} \\
&= \frac{2\sqrt{b} cx \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(3c - ex^2) \sqrt{a + bx^4}}{3x} + \frac{1}{4} (2d + fx^2) \sqrt{a + bx^4} + \frac{af}{3x} \\
&= \frac{2\sqrt{b} cx \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(3c - ex^2) \sqrt{a + bx^4}}{3x} + \frac{1}{4} (2d + fx^2) \sqrt{a + bx^4} + \frac{af}{3x}
\end{aligned}$$

Mathematica [C] time = 0.43, size = 208, normalized size = 0.61

$$\frac{x \left(\sqrt{b} \sqrt{\frac{bx^4}{a} + 1} \left(\sqrt{a + bx^4} (2d + fx^2) - 2\sqrt{a} d \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \right) + 4\sqrt{b} ex \sqrt{a + bx^4} {}_2F_1 \left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right) + \sqrt{a} f \right)}{4\sqrt{b} x \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^2,x]

[Out] $(-4*\text{Sqrt}[b]*c*\text{Sqrt}[a + b*x^4]*\text{Hypergeometric2F1}[-1/2, -1/4, 3/4, -((b*x^4)/a)] + x*(\text{Sqrt}[a]*f*\text{Sqrt}[a + b*x^4]*\text{ArcSinh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]] + \text{Sqrt}[b]*\text{Sqrt}[1 + (b*x^4)/a]*((2*d + f*x^2)*\text{Sqrt}[a + b*x^4] - 2*\text{Sqrt}[a]*d*\text{ArcTanh}[\text{Sqrt}[a + b*x^4]/\text{Sqrt}[a]]) + 4*\text{Sqrt}[b]*e*x*\text{Sqrt}[a + b*x^4]*\text{Hypergeometric2F1}[-1/2, 1/4, 5/4, -((b*x^4)/a)]))/(4*\text{Sqrt}[b]*x*\text{Sqrt}[1 + (b*x^4)/a])$

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^2,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^2,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^2, x)

maple [C] time = 0.20, size = 339, normalized size = 0.99

$$\frac{2\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}ae\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right) - 2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}\sqrt{b}c\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\right)}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a} - \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^2,x)

[Out] $1/4*x^2*f*(b*x^4+a)^{(1/2)}+1/4*f*a/b^{(1/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})+1/3*e*x*(b*x^4+a)^{(1/2)}+2/3*e*a/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-c/x*(b*x^4+a)^{(1/2)}+2*I*c*b^{(1/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x$

$$\begin{aligned} & \frac{(b^2 x^4 + a)^{1/2} \operatorname{EllipticF}\left(\frac{I/a^{1/2} b^{1/2}}{(b^2 x^4 + a)^{1/2}} x, I\right) - 2 I c b^{1/2} a^{1/2} / (I/a^{1/2} b^{1/2})^{1/2} * (-I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} * (I/a^{1/2} b^{1/2} x^2 + 1)^{1/2} / (b^2 x^4 + a)^{1/2} \operatorname{EllipticE}\left(\frac{I/a^{1/2} b^{1/2}}{(b^2 x^4 + a)^{1/2}} x, I\right) + 1/2 d (b^2 x^4 + a)^{1/2} - 1/2 d a^{1/2} \ln\left(\frac{2 a + 2 (b^2 x^4 + a)^{1/2} a^{1/2}}{x^2}\right)}{x^2} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^2,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^2,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^2, x)

sympy [C] time = 7.00, size = 206, normalized size = 0.60

$$\frac{\sqrt{a} c \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x \Gamma\left(\frac{3}{4}\right)} - \frac{\sqrt{a} d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b} x^2}\right)}{2} + \frac{\sqrt{a} e x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4 \Gamma\left(\frac{5}{4}\right)} + \frac{\sqrt{a} f x^2 \sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{ad}{2\sqrt{b} x^2 \sqrt{1 + \frac{bx^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**2,x)

[Out] sqrt(a)*c*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - sqrt(a)*d*asinh(sqrt(a)/(sqrt(b)*x**2))/2 + sqrt(a)*e*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + sqrt(a)*f*x**2*sqrt(1 + b*x**4/a)/4 + a*d/(2*sqrt(b)*x**2*sqrt(a/(b*x**4) + 1)) + a*f*asinh(sqrt(b)*x**2/sqrt(a))/(4*sqrt(b)) + sqrt(b)*d*x**2/(2*sqrt(a/(b*x**4) + 1))

$$3.502 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^3} dx$$

Optimal. Leaf size=342

$$-\frac{\sqrt{a+bx^4}(c-ex^2)}{2x^2} + \frac{1}{2}\sqrt{b}c \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) - \frac{\sqrt{a+bx^4}(3d-fx^2)}{3x} + \frac{\sqrt[4]{a}(\sqrt{a}+\sqrt{b}x^2)\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}(\sqrt{a}}{3\sqrt[4]{b}\sqrt{a+}}$$

[Out] $-1/2*e*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+1/2*c*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}-1/2*(-e*x^2+c)*(b*x^4+a)^{(1/2)}/x^2-1/3*(-f*x^2+3*d)*(b*x^4+a)^{(1/2)}/x+2*d*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2*a^{(1/4)}*b^{(1/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+1/3*a^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(f*a^{(1/2)}+3*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 342, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {1833, 1252, 813, 844, 217, 206, 266, 63, 208, 1272, 1198, 220, 1196}

$$-\frac{\sqrt{a+bx^4}(c-ex^2)}{2x^2} + \frac{1}{2}\sqrt{b}c \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) - \frac{\sqrt{a+bx^4}(3d-fx^2)}{3x} + \frac{\sqrt[4]{a}(\sqrt{a}+\sqrt{b}x^2)\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}(\sqrt{a}}{3\sqrt[4]{b}\sqrt{a+}}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^3,x]

[Out] $(2*\operatorname{Sqrt}[b]*d*x*\operatorname{Sqrt}[a + b*x^4])/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2) - ((c - e*x^2)*\operatorname{Sqrt}[a + b*x^4])/(2*x^2) - ((3*d - f*x^2)*\operatorname{Sqrt}[a + b*x^4])/(3*x) + (\operatorname{Sqrt}[b]*c*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/2 - (\operatorname{Sqrt}[a]*e*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (2*a^{(1/4)}*b^{(1/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(\operatorname{Sqrt}[a + b*x^4] + (a^{(1/4)}*(3*\operatorname{Sqrt}[b]*d + \operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2]))/(3*b^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x]
, 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 813

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
```


p] || IntegersQ[2*m, 2*p])

Rule 844

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)*EllipticE[2*ArcTan[q*x], 1/2]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1272

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^n)^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]

] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^3} dx &= \int \left(\frac{(c + ex^2) \sqrt{a + bx^4}}{x^3} + \frac{(d + fx^2) \sqrt{a + bx^4}}{x^2} \right) dx \\
&= \int \frac{(c + ex^2) \sqrt{a + bx^4}}{x^3} dx + \int \frac{(d + fx^2) \sqrt{a + bx^4}}{x^2} dx \\
&= -\frac{(3d - fx^2) \sqrt{a + bx^4}}{3x} + \frac{1}{2} \text{Subst} \left(\int \frac{(c + ex) \sqrt{a + bx^2}}{x^2} dx, x, x^2 \right) - \frac{2}{3} \int \frac{(d + fx^2) \sqrt{a + bx^4}}{x^2} dx \\
&= -\frac{(c - ex^2) \sqrt{a + bx^4}}{2x^2} - \frac{(3d - fx^2) \sqrt{a + bx^4}}{3x} - \frac{1}{4} \text{Subst} \left(\int \frac{-2ae - 2bcx}{x \sqrt{a + bx^2}} dx, x, x^2 \right) \\
&= \frac{2\sqrt{b} dx \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(c - ex^2) \sqrt{a + bx^4}}{2x^2} - \frac{(3d - fx^2) \sqrt{a + bx^4}}{3x} - \frac{2\sqrt[4]{a} \sqrt[4]{b} c}{\sqrt{a} + \sqrt{b} x^2} \\
&= \frac{2\sqrt{b} dx \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(c - ex^2) \sqrt{a + bx^4}}{2x^2} - \frac{(3d - fx^2) \sqrt{a + bx^4}}{3x} - \frac{2\sqrt[4]{a} \sqrt[4]{b} c}{\sqrt{a} + \sqrt{b} x^2} \\
&= \frac{2\sqrt{b} dx \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(c - ex^2) \sqrt{a + bx^4}}{2x^2} - \frac{(3d - fx^2) \sqrt{a + bx^4}}{3x} + \frac{1}{2} \sqrt{b} c \\
&= \frac{2\sqrt{b} dx \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(c - ex^2) \sqrt{a + bx^4}}{2x^2} - \frac{(3d - fx^2) \sqrt{a + bx^4}}{3x} + \frac{1}{2} \sqrt{b} c
\end{aligned}$$

Mathematica [C] time = 0.26, size = 204, normalized size = 0.60

$$\frac{\sqrt{a} \sqrt{b} c x^2 \sqrt{\frac{bx^4}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right) - 2 a d x \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{bx^4}{a} \right) - \sqrt{a} e x^2 \sqrt{a + bx^4} \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) + 2}{2x^2 \sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^3,x]

[Out] $(-(a*c) + a*e*x^2 - b*c*x^4 + b*e*x^6 + \text{Sqrt}[a]*\text{Sqrt}[b]*c*x^2*\text{Sqrt}[1 + (b*x^4)/a]*\text{ArcSinh}[\text{Sqrt}[b]*x^2/\text{Sqrt}[a]] - \text{Sqrt}[a]*e*x^2*\text{Sqrt}[a + b*x^4]*\text{ArcTanh}[\text{Sqrt}[a + b*x^4]/\text{Sqrt}[a]] - 2*a*d*x*\text{Sqrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[-1/2, -1/4, 3/4, -((b*x^4)/a)] + 2*a*f*x^3*\text{Sqrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[-1/2, 1/4, 5/4, -((b*x^4)/a)])/(2*x^2*\text{Sqrt}[a + b*x^4])$

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^3,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^3,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^3, x)

maple [C] time = 0.18, size = 360, normalized size = 1.05

$$\frac{2\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}af\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right) - 2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}\sqrt{b}d\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\right)}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a} - \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^3,x)

[Out] $1/3*f*x*(b*x^4+a)^{(1/2)}+2/3*f*a/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/2*c/a/x^2*(b*x^4+a)^{(3/2)}+1/2*c/a*b*x^2*(b*x^4+a)^{(1/2)}+1/2*c*b^{(1/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-d/x*(b*x^4+a)^{(1/2)}+2*I*d*b^{(1/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2$

$$+1)^{(1/2)} * (I/a^{(1/2)} * b^{(1/2)} * x^2 + 1)^{(1/2)} / (b * x^4 + a)^{(1/2)} * \text{EllipticF}((I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * x, I) - 2 * I * d * b^{(1/2)} * a^{(1/2)} / (I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * (-I/a^{(1/2)} * b^{(1/2)} * x^2 + 1)^{(1/2)} * (I/a^{(1/2)} * b^{(1/2)} * x^2 + 1)^{(1/2)} / (b * x^4 + a)^{(1/2)} * \text{EllipticE}((I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * x, I) + 1/2 * e * (b * x^4 + a)^{(1/2)} - 1/2 * e * a^{(1/2)} * \ln((2 * a + 2 * (b * x^4 + a)^{(1/2)} * a^{(1/2)}) / x^2)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^3,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^3,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^3, x)

sympy [C] time = 6.41, size = 230, normalized size = 0.67

$$-\frac{\sqrt{a}c}{2x^2\sqrt{1+\frac{bx^4}{a}}} + \frac{\sqrt{a}d\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x\Gamma\left(\frac{3}{4}\right)} - \frac{\sqrt{a}e \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{2} + \frac{\sqrt{a}fx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{1}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{ae}{2\sqrt{b}x^2\sqrt{\frac{a}{bx^4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**3,x)

[Out] -sqrt(a)*c/(2*x**2*sqrt(1 + b*x**4/a)) + sqrt(a)*d*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - sqrt(a)*e*asin h(sqrt(a)/(sqrt(b)*x**2))/2 + sqrt(a)*f*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + a*e/(2*sqrt(b)*x**2*sqrt(a/(b*x**4) + 1)) + sqrt(b)*c*asinh(sqrt(b)*x**2/sqrt(a))/2 + sqrt(b)*e*x**2/(2*sqrt(a/(b*x**4) + 1)) - b*c*x**2/(2*sqrt(a)*sqrt(1 + b*x**4/a))

$$3.503 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^4} dx$$

Optimal. Leaf size=357

$$\frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{3\sqrt[4]{a} \sqrt{a+bx^4}} - \frac{\sqrt{a+bx^4} (c-3ex^2)}{3x^3} - \frac{\sqrt{a+bx^4} (d-fx^2)}{2x^2}$$

[Out] $-1/2*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+1/2*d*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}-2*e*(b*x^4+a)^{(1/2)}/x-1/3*(-3*e*x^2+c)*(b*x^4+a)^{(1/2)}/x^3-1/2*(-f*x^2+d)*(b*x^4+a)^{(1/2)}/x^2+2*e*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2*a^{(1/4)}*b^{(1/4)}*e*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^{(1/2)})^2/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^{(1/2)}/(b*x^4+a)^{(1/2)}+1/3*b^{(1/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^{(1/2)})^2/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(3*e*a^{(1/2)}+c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^{(1/2)}/a^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.30, antiderivative size = 357, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 14, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1833, 1272, 1282, 1198, 220, 1196, 1252, 813, 844, 217, 206, 266, 63, 208}

$$-\frac{\sqrt{a+bx^4} (c-3ex^2)}{3x^3} + \frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{3\sqrt[4]{a} \sqrt{a+bx^4}} - \frac{\sqrt{a+bx^4} (d-fx^2)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^4,x]

[Out] $(-2*e*\operatorname{Sqrt}[a + b*x^4])/x + (2*\operatorname{Sqrt}[b]*e*x*\operatorname{Sqrt}[a + b*x^4])/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2) - ((c - 3*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/(3*x^3) - ((d - f*x^2)*\operatorname{Sqrt}[a + b*x^4])/(2*x^2) + (\operatorname{Sqrt}[b]*d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/2 - (\operatorname{Sqrt}[a]*f*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (2*a^{(1/4)}*b^{(1/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(\operatorname{Sqrt}[a + b*x^4]) + (b^{(1/4)}*(\operatorname{Sqrt}[b]*c + 3*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(3*a^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x]
, 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 813

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
```

p] || IntegersQ[2*m, 2*p])

Rule 844

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1272

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1282

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&

IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

```
Int[(Pq_)*((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^4} dx &= \int \left(\frac{(c + ex^2) \sqrt{a + bx^4}}{x^4} + \frac{(d + fx^2) \sqrt{a + bx^4}}{x^3} \right) dx \\
 &= \int \frac{(c + ex^2) \sqrt{a + bx^4}}{x^4} dx + \int \frac{(d + fx^2) \sqrt{a + bx^4}}{x^3} dx \\
 &= -\frac{(c - 3ex^2) \sqrt{a + bx^4}}{3x^3} + \frac{1}{2} \text{Subst} \left(\int \frac{(d + fx) \sqrt{a + bx^2}}{x^2} dx, x, x^2 \right) - \frac{2}{3} \int \frac{(d + fx^2) \sqrt{a + bx^4}}{x^3} dx \\
 &= -\frac{2e\sqrt{a + bx^4}}{x} - \frac{(c - 3ex^2) \sqrt{a + bx^4}}{3x^3} - \frac{(d - fx^2) \sqrt{a + bx^4}}{2x^2} - \frac{1}{4} \text{Subst} \left(\int \frac{(d + fx) \sqrt{a + bx^2}}{x^2} dx, x, x^2 \right) \\
 &= -\frac{2e\sqrt{a + bx^4}}{x} - \frac{(c - 3ex^2) \sqrt{a + bx^4}}{3x^3} - \frac{(d - fx^2) \sqrt{a + bx^4}}{2x^2} + \frac{1}{2} (bd) \text{Subst} \left(\int \frac{(d + fx) \sqrt{a + bx^2}}{x^2} dx, x, x^2 \right) \\
 &= -\frac{2e\sqrt{a + bx^4}}{x} + \frac{2\sqrt{b} ex \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(c - 3ex^2) \sqrt{a + bx^4}}{3x^3} - \frac{(d - fx^2) \sqrt{a + bx^4}}{2x^2} \\
 &= -\frac{2e\sqrt{a + bx^4}}{x} + \frac{2\sqrt{b} ex \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(c - 3ex^2) \sqrt{a + bx^4}}{3x^3} - \frac{(d - fx^2) \sqrt{a + bx^4}}{2x^2} \\
 &= -\frac{2e\sqrt{a + bx^4}}{x} + \frac{2\sqrt{b} ex \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{(c - 3ex^2) \sqrt{a + bx^4}}{3x^3} - \frac{(d - fx^2) \sqrt{a + bx^4}}{2x^2}
 \end{aligned}$$

Mathematica [C] time = 0.33, size = 205, normalized size = 0.57

$$\frac{3x \left(\sqrt{a} \sqrt{b} dx^2 \sqrt{\frac{bx^4}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right) - 2aex \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{bx^4}{a} \right) - \sqrt{a} fx^2 \sqrt{a + bx^4} \tanh^{-1} \left(\frac{\sqrt{a+bx^4}}{\sqrt{a}} \right) \right)}{6x^3 \sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^4, x]

[Out] (-2*a*c*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-3/4, -1/2, 1/4, -(b*x^4)/a] + 3*x*(-(a*d) + a*f*x^2 - b*d*x^4 + b*f*x^6 + Sqrt[a]*Sqrt[b]*d*x^2*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] - Sqrt[a]*f*x^2*Sqrt[a + b*x^4]*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]] - 2*a*e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/2, -1/4, 3/4, -(b*x^4)/a]))/(6*x^3*Sqrt[a + b*x^4])

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^4,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^4,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^4, x)

maple [C] time = 0.20, size = 362, normalized size = 1.01

$$\frac{2i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{a} \sqrt{b} e \text{EllipticE} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right) + 2i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{a} \sqrt{b} e \text{EllipticE} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}} + \frac{2i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{a} \sqrt{b} e \text{EllipticE} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right) + 2i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{a} \sqrt{b} e \text{EllipticE} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^4,x)

[Out]
$$-1/3*c/x^3*(b*x^4+a)^{(1/2)}+2/3*c*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/2*d/a/x^2*(b*x^4+a)^{(3/2)}+1/2*d/a*b*x^2*(b*x^4+a)^{(1/2)}+1/2*d*b^{(1/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-e*(b*x^4+a)^{(1/2)}/x+2*I*e*b^{(1/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-2*I*e*b^{(1/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)+1/2*f*(b*x^4+a)^{(1/2)}-1/2*f*a^{(1/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^4,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^4,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^4, x)

sympy [C] time = 6.62, size = 235, normalized size = 0.66

$$\frac{\sqrt{a} c \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a} d}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} e \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x \Gamma\left(\frac{3}{4}\right)} - \frac{\sqrt{a} f \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b} x^2}\right)}{2} + \frac{af}{2\sqrt{b} x^2 \sqrt{\frac{a}{bx^4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**4,x)

```
[Out] sqrt(a)*c*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)
/(4*x**3*gamma(1/4)) - sqrt(a)*d/(2*x**2*sqrt(1 + b*x**4/a)) + sqrt(a)*e*ga
mma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(
3/4)) - sqrt(a)*f*asinh(sqrt(a)/(sqrt(b)*x**2))/2 + a*f/(2*sqrt(b)*x**2*sqr
t(a/(b*x**4) + 1)) + sqrt(b)*d*asinh(sqrt(b)*x**2/sqrt(a))/2 + sqrt(b)*f*x*
*2/(2*sqrt(a/(b*x**4) + 1)) - b*d*x**2/(2*sqrt(a)*sqrt(1 + b*x**4/a))
```

$$3.504 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^5} dx$$

Optimal. Leaf size=329

$$-\frac{1}{12}\sqrt{a+bx^4}\left(\frac{3c}{x^4}+\frac{4d}{x^3}+\frac{6e}{x^2}+\frac{12f}{x}\right)-\frac{bc \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right)}{4\sqrt{a}}+\frac{\sqrt[4]{b}(\sqrt{a}+\sqrt{bx^2})\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}}(3\sqrt{a}f+\sqrt{bd})F\left(\frac{2\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{bx^2}}\right)}{3\sqrt[4]{a}\sqrt{a+bx^4}}$$

[Out] $-1/4*b*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+1/2*e*\operatorname{arctanh}(x^2*b^{(1/2)})/(b*x^4+a)^{(1/2)}*b^{(1/2)}-1/12*(3*c/x^4+4*d/x^3+6*e/x^2+12*f/x)*(b*x^4+a)^{(1/2)}+2*f*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-2*a^{(1/4)}*b^{(1/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+1/3*b^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(3*f*a^{(1/2)}+d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.28, antiderivative size = 329, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1832, 266, 63, 208, 1885, 275, 217, 206, 1198, 220, 1196}

$$-\frac{1}{12}\sqrt{a+bx^4}\left(\frac{3c}{x^4}+\frac{4d}{x^3}+\frac{6e}{x^2}+\frac{12f}{x}\right)-\frac{bc \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right)}{4\sqrt{a}}+\frac{\sqrt[4]{b}(\sqrt{a}+\sqrt{bx^2})\sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}}(3\sqrt{a}f+\sqrt{bd})F\left(\frac{2\sqrt{a+bx^4}}{\sqrt{a}+\sqrt{bx^2}}\right)}{3\sqrt[4]{a}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^5,x]

[Out] $-(((3*c)/x^4+(4*d)/x^3+(6*e)/x^2+(12*f)/x)*\operatorname{Sqrt}[a+b*x^4])/12+(2*\operatorname{Sqrt}[b]*f*x*\operatorname{Sqrt}[a+b*x^4])/(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)+(\operatorname{Sqrt}[b]*e*\operatorname{ArcTan}h[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a+b*x^4]])/2-(b*c*\operatorname{ArcTan}h[\operatorname{Sqrt}[a+b*x^4]/\operatorname{Sqrt}[a]])/(4*\operatorname{Sqrt}[a])-(2*a^{(1/4)}*b^{(1/4)}*f*(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a+b*x^4)/(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}],1/2])/(\operatorname{Sqrt}[a+b*x^4]+(b^{(1/4)}*(\operatorname{Sqrt}[b]*d+3*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a+b*x^4)/(\operatorname{Sqrt}[a]+\operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}],1/2]))/(3*a^{(1/4)}*\operatorname{Sqrt}[a+b*x^4])$

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 275

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = GCD[m + 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
```

$^k], x] /; k \neq 1] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

Rule 1196

$\text{Int}[\{(d_)+(e_)*(x_)^2\}/\text{Sqrt}[(a_)+(c_)*(x_)^4], x_Symbol] :> \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(\text{a}*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[a + c*x^4]/(\text{a}*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x, 1/2])/(\text{q}*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[\{(d_)+(e_)*(x_)^2\}/\text{Sqrt}[(a_)+(c_)*(x_)^4], x_Symbol] :> \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1825

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}], x_Symbol] :> \text{Module}[\{u = \text{IntHide}[x^m*Pq, x]\}, \text{Simp}[u*(a + b*x^n)^p, x] - \text{Dist}[b*n*p, \text{Int}[x^{(m+n)}*(a + b*x^n)^{(p-1)}*\text{ExpandToSum}[u/x^{(m+1)}, x], x], x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[p, 0] \&\& \text{LtQ}[m + \text{Expon}[Pq, x] + 1, 0]$

Rule 1832

$\text{Int}[(Pq_)/((x_)*\text{Sqrt}[(a_) + (b_)*(x_)^{(n_)}])], x_Symbol] :> \text{Dist}[\text{Coeff}[Pq, x, 0], \text{Int}[1/(x*\text{Sqrt}[a + b*x^n]), x], x] + \text{Int}[\text{ExpandToSum}[(Pq - \text{Coeff}[Pq, x, 0])/x, x]/\text{Sqrt}[a + b*x^n], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[\text{Coeff}[Pq, x, 0], 0]$

Rule 1885

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}], x_Symbol] :> \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[x^j*\text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2]*x^{((k*n)/2)}, \{k, 0, (2*(q - j))/n + 1\}]*(\text{a} + \text{b}*x^n)^p, \{j, 0, n/2 - 1\}], x]] /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& !\text{PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^5} dx &= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{4} - \frac{dx}{3} - \frac{ex^2}{2} - fx^3}{x\sqrt{a + bx^4}} dx \\
&= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{d}{3} - \frac{ex}{2} - fx^2}{\sqrt{a + bx^4}} dx + \frac{1}{2} \left(\frac{c}{\sqrt{a + bx^4}} - \frac{d}{\sqrt{a + bx^4}} \right) \\
&= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} - (2b) \int \left(-\frac{ex}{2\sqrt{a + bx^4}} + \frac{-\frac{d}{3} - fx^2}{\sqrt{a + bx^4}} \right) dx \\
&= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{d}{3} - fx^2}{\sqrt{a + bx^4}} dx + \frac{1}{4} c \operatorname{Subst} \left(\frac{1}{\sqrt{a + bx^4}}, x, \frac{a + bx^4}{b} \right) \\
&= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} - \frac{bc \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{4\sqrt{a}} + \frac{1}{2} (be) \operatorname{Subst} \left(\frac{1}{\sqrt{a + bx^4}}, x, \frac{a + bx^4}{b} \right) \\
&= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} + \frac{2\sqrt{b} fx \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} - \frac{bc \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{4\sqrt{a}} \\
&= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) \sqrt{a + bx^4} + \frac{2\sqrt{b} fx \sqrt{a + bx^4}}{\sqrt{a} + \sqrt{b} x^2} + \frac{1}{2} \sqrt{b} e \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)
\end{aligned}$$

Mathematica [C] time = 0.27, size = 175, normalized size = 0.53

$$\frac{\sqrt{\frac{bx^4}{a} + 1} \left(3ac \sqrt{\frac{bx^4}{a} + 1} + 3bcx^4 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) + 4adx {}_2F_1 \left(-\frac{3}{4}, -\frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a} \right) + 6aex^2 \sqrt{\frac{bx^4}{a} + 1} - 6\sqrt{a} \sqrt{b} \right)}{12x^4 \sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^5,x]

[Out] -1/12*(Sqrt[1 + (b*x^4)/a]*(3*a*c*Sqrt[1 + (b*x^4)/a] + 6*a*e*x^2*Sqrt[1 + (b*x^4)/a] - 6*Sqrt[a]*Sqrt[b]*e*x^4*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + 3*b*c*x^4*ArcTanh[Sqrt[1 + (b*x^4)/a]] + 4*a*d*x*Hypergeometric2F1[-3/4, -1/2, 1/4, -(b*x^4)/a] + 12*a*f*x^3*Hypergeometric2F1[-1/2, -1/4, 3/4, -(b*x^4)/a]))/(x^4*Sqrt[a + b*x^4])

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4+a}(fx^3+ex^2+dx+c)}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^5,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^5, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4+a}(fx^3+ex^2+dx+c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^5,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^5, x)

maple [C] time = 0.20, size = 385, normalized size = 1.17

$$\frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}\sqrt{b}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}\sqrt{b}f\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^5,x)

[Out]
$$\begin{aligned} & -1/4*c/a/x^4*(b*x^4+a)^{(3/2)}-1/4*c/a^{(1/2)}*b*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)+1/4*c/a*b*(b*x^4+a)^{(1/2)}-1/3*d/x^3*(b*x^4+a)^{(1/2)}+2/3*d*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/2*e/a/x^2*(b*x^4+a)^{(3/2)}+1/2*e/a*b*x^2*(b*x^4+a)^{(1/2)}+1/2*e*b^{(1/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-f/x*(b*x^4+a)^{(1/2)}+2*I*f*b^{(1/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-2*I*f*b^{(1/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{8} \left(\frac{b \log \left(\frac{\sqrt{bx^4+a} - \sqrt{a}}{\sqrt{bx^4+a} + \sqrt{a}} \right)}{\sqrt{a}} - \frac{2\sqrt{bx^4+a}}{x^4} \right) c + \int \frac{\sqrt{bx^4+a} (fx^2 + ex + d)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^5,x, algorithm="maxima")

[Out] 1/8*(b*log((sqrt(b*x^4 + a) - sqrt(a))/(sqrt(b*x^4 + a) + sqrt(a)))/sqrt(a) - 2*sqrt(b*x^4 + a)/x^4)*c + integrate(sqrt(b*x^4 + a)*(f*x^2 + e*x + d)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4+a} (fx^3 + ex^2 + dx + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^5,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^5, x)

sympy [C] time = 6.78, size = 211, normalized size = 0.64

$$\frac{\sqrt{a} d \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a} e}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} f \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x \Gamma\left(\frac{3}{4}\right)} - \frac{\sqrt{b} c \sqrt{\frac{a}{bx^4} + 1}}{4x^2} + \frac{\sqrt{b} e \operatorname{asinh}\left(\frac{\sqrt{bx^4+a}}{\sqrt{a}}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**5,x)

[Out] sqrt(a)*d*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - sqrt(a)*e/(2*x**2*sqrt(1 + b*x**4/a)) + sqrt(a)*f*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - sqrt(b)*c*sqrt(a/(b*x**4) + 1)/(4*x**2) + sqrt(b)*e*asinh(sqrt(b)*x**2/sqrt(a))/2 - b*c*asinh(sqrt(a)/(sqrt(b)*x**2))/(4*sqrt(a)) - b*e*x**2/(2*sqrt(a)*sqrt(1 + b*x**4/a))

$$3.505 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^6} dx$$

Optimal. Leaf size=360

$$\frac{b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 3\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15a^{3/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*b*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+1/2*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}-1/60*(12*c/x^5+15*d/x^4+20*e/x^3+30*f/x^2)*(b*x^4+a)^{(1/2)}-2/5*b*c*(b*x^4+a)^{(1/2)}/a/x+2/5*b^{(3/2)}*c*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*b^{(5/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}+1/15*b^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(5*e*a^{(1/2)}+3*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 360, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 14, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 844, 217, 206, 266, 63, 208}

$$\frac{b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 3\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15a^{3/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4])/x^6, x]$

[Out] $-(((12*c)/x^5 + (15*d)/x^4 + (20*e)/x^3 + (30*f)/x^2)*\operatorname{Sqrt}[a + b*x^4])/60 - (2*b*c*\operatorname{Sqrt}[a + b*x^4])/(5*a*x) + (2*b^{(3/2)}*c*x*\operatorname{Sqrt}[a + b*x^4])/(5*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (\operatorname{Sqrt}[b]*f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/2 - (b*d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(4*\operatorname{Sqrt}[a]) - (2*b^{(5/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (b^{(3/4)}*(3*\operatorname{Sqrt}[b]*c + 5*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1833

```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[
{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^6} dx &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{5} - \frac{dx}{4} - \frac{ex^2}{3} - \frac{fx^3}{2}}{x^2 \sqrt{a + bx^4}} \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - (2b) \int \left(\frac{-\frac{c}{5} - \frac{ex^2}{3}}{x^2 \sqrt{a + bx^4}} + \frac{-\frac{dx}{4} - \frac{fx^3}{2}}{x \sqrt{a + bx^4}} \right) \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{5} - \frac{ex^2}{3}}{x^2 \sqrt{a + bx^4}} dx - (2b) \int \frac{-\frac{dx}{4} - \frac{fx^3}{2}}{x \sqrt{a + bx^4}} \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{5ax} - b \operatorname{Subst} \left(\int \frac{-\frac{c}{5} - \frac{ex^2}{3}}{x^2 \sqrt{a + bx^4}} dx, x, \frac{\sqrt{a + bx^4}}{b} \right) \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{5ax} - \frac{(2b^{3/2}c) \int \frac{-\frac{c}{5} - \frac{ex^2}{3}}{x^2 \sqrt{a + bx^4}} dx}{5\sqrt{a + bx^4}} \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{5ax} + \frac{2b^{3/2}cx\sqrt{a + bx^4}}{5a(\sqrt{a + bx^4})} \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{5ax} + \frac{2b^{3/2}cx\sqrt{a + bx^4}}{5a(\sqrt{a + bx^4})} \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{5ax} + \frac{2b^{3/2}cx\sqrt{a + bx^4}}{5a(\sqrt{a + bx^4})}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 179, normalized size = 0.50

$$\frac{\sqrt{a + bx^4} \left(12ac {}_2F_1 \left(-\frac{5}{4}, -\frac{1}{2}; -\frac{1}{4}; -\frac{bx^4}{a} \right) + 5x \left(3ad \sqrt{\frac{bx^4}{a} + 1} + 3bdx^4 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) + 4aex {}_2F_1 \left(-\frac{3}{4}, -\frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a} \right) \right) \right)}{60ax^5 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^6,x]

[Out] -1/60*(Sqrt[a + b*x^4]*(12*a*c*Hypergeometric2F1[-5/4, -1/2, -1/4, -((b*x^4)/a)] + 5*x*(3*a*d*Sqrt[1 + (b*x^4)/a] + 6*a*f*x^2*Sqrt[1 + (b*x^4)/a] - 6*Sqrt[a]*Sqrt[b]*f*x^4*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + 3*b*d*x^4*ArcTanh[Sqrt[1 + (b*x^4)/a]] + 4*a*e*x*Hypergeometric2F1[-3/4, -1/2, 1/4, -((b*x^4)/a)])))/(a*x^5*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^6}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^6,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^6, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^6,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^6, x)

maple [C] time = 0.20, size = 404, normalized size = 1.12

$$\frac{2i \sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} b^{\frac{3}{2}} c \text{EllipticE} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right)}{5 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a}} + \frac{2i \sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} b^{\frac{3}{2}} c \text{EllipticF} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right)}{5 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^6,x)`

[Out]
$$-1/5*c/x^5*(b*x^4+a)^{(1/2)}-2/5*b*c*(b*x^4+a)^{(1/2)}/a/x+2/5*I*c*b^{(3/2)}/a^{(1/2)}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x^2+1)^{(1/2)}*(I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I)-2/5*I*c*b^{(3/2)}/a^{(1/2)}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x^2+1)^{(1/2)}*(I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I)-1/4*d/a/x^4*(b*x^4+a)^{(3/2)}-1/4*d/a^{(1/2)*b*\ln((2*a+2*(b*x^4+a)^{(1/2)*a^{(1/2)}})/x^2)+1/4*d/a*b*(b*x^4+a)^{(1/2)}-1/3*e/x^3*(b*x^4+a)^{(1/2)+2/3*e*b/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x^2+1)^{(1/2)}*(I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I)-1/2*f/a/x^2*(b*x^4+a)^{(3/2)}+1/2*f/a*b*x^2*(b*x^4+a)^{(1/2)}+1/2*f*b^{(1/2)*\ln(b^{(1/2)*x^2+(b*x^4+a)^{(1/2)})}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^6,x, algorithm="maxima")`

[Out] `integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^6, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^6,x)`

[Out] `int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^6, x)`

sympy [C] time = 7.06, size = 216, normalized size = 0.60

$$\frac{\sqrt{a} c \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a} e \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a} f}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} - \frac{\sqrt{b} d \sqrt{\frac{a}{bx^4} + 1}}{4x^2} + \frac{\sqrt{b} f \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^4}}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**6,x)

[Out] $\sqrt{a} * c * \gamma(-5/4) * \text{hyper}((-5/4, -1/2), (-1/4,), b * x^{4} * \exp(\text{I} * \pi) / a) / (4 * x^{5} * \gamma(-1/4)) + \sqrt{a} * e * \gamma(-3/4) * \text{hyper}((-3/4, -1/2), (1/4,), b * x^{4} * \exp(\text{I} * \pi) / a) / (4 * x^{3} * \gamma(1/4)) - \sqrt{a} * f / (2 * x^{2} * \sqrt{1 + b * x^{4} / a}) - \sqrt{b} * d * \sqrt{a / (b * x^{4} + 1)} / (4 * x^{2}) + \sqrt{b} * f * \text{asinh}(\sqrt{b} * x^{2} / \sqrt{a}) / 2 - b * d * \text{asinh}(\sqrt{a} / (\sqrt{b} * x^{2})) / (4 * \sqrt{a}) - b * f * x^{2} / (2 * \sqrt{a} * \sqrt{1 + b * x^{4} / a})$

$$3.506 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^7} dx$$

Optimal. Leaf size=352

$$\frac{b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}f + 3\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15a^{3/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*b*e*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/60*(10*c/x^6+12*d/x^5+15*e/x^4+20*f/x^3)*(b*x^4+a)^{(1/2)}-1/6*b*c*(b*x^4+a)^{(1/2)}/a/x^2-2/5*b*d*(b*x^4+a)^{(1/2)}/a/x+2/5*b^{(3/2)}*d*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*b^{(5/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}+1/15*b^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(5*f*a^{(1/2)}+3*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 352, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {14, 1825, 1833, 1252, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}f + 3\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15a^{3/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^7, x]

[Out] $-(((10*c)/x^6 + (12*d)/x^5 + (15*e)/x^4 + (20*f)/x^3)*\operatorname{Sqrt}[a + b*x^4])/60 - (b*c*\operatorname{Sqrt}[a + b*x^4])/(6*a*x^2) - (2*b*d*\operatorname{Sqrt}[a + b*x^4])/(5*a*x) + (2*b^{(3/2)}*d*x*\operatorname{Sqrt}[a + b*x^4])/(5*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (b*e*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(4*\operatorname{Sqrt}[a]) - (2*b^{(5/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (b^{(3/4)}*(3*\operatorname{Sqrt}[b]*d + 5*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1196

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n
)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x]] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^7} dx &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{6} - \frac{dx}{5} - \frac{ex^2}{4} - \frac{fx^3}{3}}{x^3 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - (2b) \int \left(\frac{-\frac{c}{6} - \frac{ex^2}{4}}{x^3 \sqrt{a + bx^4}} + \frac{-\frac{d}{5}}{x^2 \sqrt{a + bx^4}} \right) dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{6} - \frac{ex^2}{4}}{x^3 \sqrt{a + bx^4}} dx - (2b) \int \frac{-\frac{d}{5}}{x^2 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - \frac{2bd\sqrt{a + bx^4}}{5ax} - b \operatorname{Subst} \left(\int \frac{-\frac{d}{5}}{x^2 \sqrt{a + bx^4}} dx \right) \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{6ax^2} - \frac{2bd\sqrt{a + bx^4}}{5ax} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{6ax^2} - \frac{2bd\sqrt{a + bx^4}}{5ax} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{6ax^2} - \frac{2bd\sqrt{a + bx^4}}{5ax} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{6ax^2} - \frac{2bd\sqrt{a + bx^4}}{5ax} \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{6ax^2} - \frac{2bd\sqrt{a + bx^4}}{5ax}
\end{aligned}$$

Mathematica [C] time = 0.27, size = 145, normalized size = 0.41

$$\frac{\sqrt{a + bx^4} \left(5 \left(\sqrt{\frac{bx^4}{a}} + 1 \right) (2ac + 3aex^2 + 2bcx^4) + 3bex^6 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a}} + 1 \right) + 4afx^3 {}_2F_1 \left(-\frac{3}{4}, -\frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a} \right) \right) + 12c}{60ax^6 \sqrt{\frac{bx^4}{a}} + 1}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^7,x]

[Out] $-1/60*(\text{Sqrt}[a + b*x^4]*(12*a*d*x*\text{Hypergeometric2F1}[-5/4, -1/2, -1/4, -((b*x^4)/a)] + 5*(\text{Sqrt}[1 + (b*x^4)/a]*(2*a*c + 3*a*e*x^2 + 2*b*c*x^4) + 3*b*e*x^6*\text{ArcTanh}[\text{Sqrt}[1 + (b*x^4)/a]] + 4*a*f*x^3*\text{Hypergeometric2F1}[-3/4, -1/2, 1/4, -((b*x^4)/a)])))/(a*x^6*\text{Sqrt}[1 + (b*x^4)/a])$

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^7}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^7,x, algorithm="fricas")`

[Out] `integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^7, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^7,x, algorithm="giac")`

[Out] `integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^7, x)`

maple [C] time = 0.19, size = 361, normalized size = 1.03

$$\frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{3}{2}}d\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}\sqrt{a}} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{3}{2}}d\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^7,x)`

[Out] $-1/5*d/x^5*(b*x^4+a)^{(1/2)} - 2/5*b*d*(b*x^4+a)^{(1/2)}/a/x + 2/5*I*d*b^{(3/2)}/a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) - 2/5*I*d*b^{(3/2)}/a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) - 1/4*e/a/x^4*(b*x^4+a)^{(3/2)} - 1/4*e/a^{(1/2)}*b*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2) + 1/4*e/a*b*(b*x^4+a)^{(1/2)} - 1/3*f/x^3*(b*x^4$

$$+a)^{(1/2)}+2/3*f*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/6*c*(b*x^4+a)^{(3/2)}/x^6/a$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{(bx^4 + a)^{\frac{3}{2}}c}{6ax^6} + \int \frac{\sqrt{bx^4 + a}(fx^2 + ex + d)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^7,x, algorithm="maxima")

[Out] -1/6*(b*x^4 + a)^(3/2)*c/(a*x^6) + integrate(sqrt(b*x^4 + a)*(f*x^2 + e*x + d)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^7,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^7, x)

sympy [C] time = 7.04, size = 189, normalized size = 0.54

$$\frac{\sqrt{a}d\Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^5\Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a}f\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^3\Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{b}c\sqrt{\frac{a}{bx^4}+1}}{6x^4} - \frac{\sqrt{b}e\sqrt{\frac{a}{bx^4}+1}}{4x^2} - \frac{b^{\frac{3}{2}}c\sqrt{\frac{a}{bx^4}+1}}{6a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**7,x)

[Out] sqrt(a)*d*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) + sqrt(a)*f*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - sqrt(b)*c*sqrt(a/(b*x**4) + 1)/(6*x**4) - sqrt(b)*e*sqrt(a/(b*x**4) + 1)/(4*x**2) - b**(3/2)*c*sqrt(a/(b*x**4) + 1)/(6*a) - b*e*asinh(sqrt(a)/(sqrt(b)*x**2))/(4*sqrt(a))

$$3.507 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^8} dx$$

Optimal. Leaf size=375

$$\frac{b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}c - 21\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105a^{5/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*b*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/420*(60*c/x^7+70*d/x^6+84*e/x^5+105*f/x^4)*(b*x^4+a)^{(1/2)}-2/21*b*c*(b*x^4+a)^{(1/2)}/a/x^3-1/6*b*d*(b*x^4+a)^{(1/2)}/a/x^2-2/5*b*e*(b*x^4+a)^{(1/2)}/a/x+2/5*b^{(3/2)}*e*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*b^{(5/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}-1/105*b^{(5/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-21*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.36, antiderivative size = 375, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 807, 266, 63, 208}

$$\frac{b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}c - 21\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105a^{5/4}\sqrt{a+bx^4}} - \frac{2b^{5/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2}\right)}{5a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^8,x]

[Out] $-(((60*c)/x^7 + (70*d)/x^6 + (84*e)/x^5 + (105*f)/x^4)*\operatorname{Sqrt}[a + b*x^4])/420 - (2*b*c*\operatorname{Sqrt}[a + b*x^4])/(21*a*x^3) - (b*d*\operatorname{Sqrt}[a + b*x^4])/(6*a*x^2) - (2*b*e*\operatorname{Sqrt}[a + b*x^4])/(5*a*x) + (2*b^{(3/2)}*e*x*\operatorname{Sqrt}[a + b*x^4])/(5*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (b*f*\operatorname{ArcTan}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(4*\operatorname{Sqrt}[a]) - (2*b^{(5/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) - (b^{(5/4)}*(5*\operatorname{Sqrt}[b]*c - 21*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(105*a^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

$\text{Int}[(u_*)*((c_*)*(x_))^{(m_*)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

Rule 63

$\text{Int}[(a_*) + (b_*)*(x_))^{(m_*)}*((c_*) + (d_*)*(x_))^{(n_*)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

$\text{Int}[(a_*) + (b_*)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_*) + (b_*)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]]/(2*q*\text{Sqrt}[a + b*x^4]), x]] /;$ FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

$\text{Int}[(x_)^{(m_*)}*((a_*) + (b_*)*(x_)^{(n_*)})^{(p_*)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /;$ FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m+1)/n]]

Rule 807

$\text{Int}[(d_*) + (e_*)*(x_))^{(m_*)}*((f_*) + (g_*)*(x_))*((a_*) + (c_*)*(x_)^2)^{(p_*)}, x_Symbol] \rightarrow -\text{Simp}[(e*f - d*g)*(d + e*x)^{(m+1)}*(a + c*x^2)^{(p+1)}/(2*(p+1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d*f + a*e*g)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{(m+1)}*(a + c*x^2)^p, x], x] /;$ FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 1196

$\text{Int}[(d_*) + (e_*)*(x_)^2)/\text{Sqrt}[(a_*) + (c_*)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2]]/(q*\text{Sqrt}[a + c*x^4]), x] /;$ EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},

x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1282

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1825

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

Rule 1833

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^8} dx &= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{7} - \frac{dx}{6} - \frac{ex^2}{5} - \frac{fx^3}{4}}{x^4 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - (2b) \int \left(\frac{-\frac{c}{7} - \frac{ex^2}{5}}{x^4 \sqrt{a + bx^4}} + \frac{dx}{6x^5} - \frac{fx^3}{4x^4} \right) dx \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{7} - \frac{ex^2}{5}}{x^4 \sqrt{a + bx^4}} dx - \frac{bd}{6} \int \frac{1}{x^2} dx \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{21ax^3} - b \operatorname{Subst} \left(\int \frac{1}{u} du, \frac{bx^4}{a} \right) \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{21ax^3} - \frac{bd\sqrt{a + bx^4}}{6ax^2} \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{21ax^3} - \frac{bd\sqrt{a + bx^4}}{6ax^2} \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{21ax^3} - \frac{bd\sqrt{a + bx^4}}{6ax^2} \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{21ax^3} - \frac{bd\sqrt{a + bx^4}}{6ax^2} \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{21ax^3} - \frac{bd\sqrt{a + bx^4}}{6ax^2}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 145, normalized size = 0.39

$$\frac{\sqrt{a + bx^4} \left(60ac {}_2F_1 \left(-\frac{7}{4}, -\frac{1}{2}; -\frac{3}{4}; -\frac{bx^4}{a} \right) + 35x \left(\sqrt{\frac{bx^4}{a} + 1} (2ad + 3afx^2 + 2bdx^4) + 3bf x^6 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) \right) \right)}{420ax^7 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^8,x]

[Out] -1/420*(Sqrt[a + b*x^4]*(35*x*(Sqrt[1 + (b*x^4)/a]*(2*a*d + 3*a*f*x^2 + 2*b*d*x^4) + 3*b*f*x^6*ArcTanh[Sqrt[1 + (b*x^4)/a]])) + 60*a*c*Hypergeometric2F

$1[-7/4, -1/2, -3/4, -((b*x^4)/a)] + 84*a*e*x^2*Hypergeometric2F1[-5/4, -1/2, -1/4, -((b*x^4)/a)]/(a*x^7*sqrt[1 + (b*x^4)/a])$

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^8}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^8,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^8, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^8,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^8, x)

maple [C] time = 0.19, size = 385, normalized size = 1.03

$$\frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{3}{2}}e\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{3}{2}}e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^8,x)

[Out] $-1/5*e/x^5*(b*x^4+a)^{(1/2)}-2/5*b*e*(b*x^4+a)^{(1/2)}/a/x+2/5*I*e*b^{(3/2)}/a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-2/5*I*e*b^{(3/2)}/a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/4*f/a/x^4*(b*x^4+a)^{(3/2)}-1/4*f/a^{(1/2)}*b*ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)+1/4*f/a*b*(b*x^4+a)^{(1/2)}-1/7*c/x^7*(b*x^4+a)^{(1/2)}-2/21*b*c*(b*x^4+a)^{(1/2)}/a/x^3-2/21*c*b^2/a/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}$

$4+a)^{1/2} * \text{EllipticF}((I/a^{1/2} * b^{1/2})^{1/2} * x, I) - 1/6 * d * (b * x^4 + a)^{3/2} / x^6 / a$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^8,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^8, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^8,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^8, x)

sympy [C] time = 6.93, size = 192, normalized size = 0.51

$$\frac{\sqrt{a} c \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} + \frac{\sqrt{a} e \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} - \frac{\sqrt{b} d \sqrt{\frac{a}{bx^4} + 1}}{6x^4} - \frac{\sqrt{b} f \sqrt{\frac{a}{bx^4} + 1}}{4x^2} - \frac{b^{\frac{3}{2}} d \sqrt{\frac{a}{bx^4} + 1}}{6a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**8,x)

[Out] sqrt(a)*c*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) + sqrt(a)*e*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) - sqrt(b)*d*sqrt(a/(b*x**4) + 1)/(6*x**4) - sqrt(b)*f*sqrt(a/(b*x**4) + 1)/(4*x**2) - b**(3/2)*d*sqrt(a/(b*x**4) + 1)/(6*a) - b*f*asinh(sqrt(a)/(sqrt(b)*x**2))/(4*sqrt(a))

$$3.508 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^9} dx$$

Optimal. Leaf size=400

$$\frac{b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}d - 21\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2b^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E}{105a^{5/4}\sqrt{a+bx^4} + 5a^{3/4}\sqrt{a+bx^4}}$$

[Out] $1/16*b^2*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/840*(105*c/x^8+120*d/x^7+140*e/x^6+168*f/x^5)*(b*x^4+a)^{(1/2)}-1/16*b*c*(b*x^4+a)^{(1/2)}/a/x^4-2/21*b*d*(b*x^4+a)^{(1/2)}/a/x^3-1/6*b*e*(b*x^4+a)^{(1/2)}/a/x^2-2/5*b*f*(b*x^4+a)^{(1/2)}/a/x+2/5*b^{(3/2)}*f*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-2/5*b^{(5/4)}*f*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}-1/105*b^{(5/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-21*f*a^{(1/2)}+5*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.39, antiderivative size = 400, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1833, 1252, 835, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{b^2c \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right) + b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}d - 21\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2b^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E}{16a^{3/2} + 105a^{5/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^9, x]

[Out] $-(((105*c)/x^8 + (120*d)/x^7 + (140*e)/x^6 + (168*f)/x^5)*\operatorname{Sqrt}[a + b*x^4])/840 - (b*c*\operatorname{Sqrt}[a + b*x^4])/(16*a*x^4) - (2*b*d*\operatorname{Sqrt}[a + b*x^4])/(21*a*x^3) - (b*e*\operatorname{Sqrt}[a + b*x^4])/(6*a*x^2) - (2*b*f*\operatorname{Sqrt}[a + b*x^4])/(5*a*x) + (2*b^{(3/2)}*f*x*\operatorname{Sqrt}[a + b*x^4])/(5*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (b^2*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(16*a^{(3/2)}) - (2*b^{(5/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) - (b^{(5/4)}*(5*\operatorname{Sqrt}[b]*d - 21*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)$

)^2]*EllipticF[2*ArcTan[(b^(1/4)*x)/a^(1/4)], 1/2]]/(105*a^(5/4)*Sqrt[a + b*x^4])

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 220

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 835

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/

```
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rule 1196

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n
)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1833

```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^9} dx &= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{8} - \frac{dx}{7} - \frac{ex^2}{6}}{x^5 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - (2b) \int \left(\frac{-\frac{c}{8} - \frac{ex^2}{6}}{x^5 \sqrt{a + bx^4}} - \frac{dx}{x^5 \sqrt{a + bx^4}} \right) dx \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{8} - \frac{ex^2}{6}}{x^5 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{2bd\sqrt{a + bx^4}}{21ax^3} - b \operatorname{Subst} \left(\int \frac{-\frac{c}{8} - \frac{ex^2}{6}}{x^5 \sqrt{a + bx^4}} dx, x, \frac{x}{\sqrt{a + bx^4}} \right) \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{16ax^4} - \frac{2bd\sqrt{a + bx^4}}{21a} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{16ax^4} - \frac{2bd\sqrt{a + bx^4}}{21a} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{16ax^4} - \frac{2bd\sqrt{a + bx^4}}{21a} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{16ax^4} - \frac{2bd\sqrt{a + bx^4}}{21a} \\
&= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) \sqrt{a + bx^4} - \frac{bc\sqrt{a + bx^4}}{16ax^4} - \frac{2bd\sqrt{a + bx^4}}{21a}
\end{aligned}$$

Mathematica [C] time = 0.18, size = 146, normalized size = 0.36

$$\frac{\sqrt{a+bx^4} \left(30a^3 d {}_2F_1 \left(-\frac{7}{4}, -\frac{1}{2}; -\frac{3}{4}; -\frac{bx^4}{a} \right) + 7x \left(6a^3 f x {}_2F_1 \left(-\frac{5}{4}, -\frac{1}{2}; -\frac{1}{4}; -\frac{bx^4}{a} \right) + 5(a+bx^4) \sqrt{\frac{bx^4}{a} + 1} (a^2 e + b^2 c) \right) \right)}{210a^3 x^7 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^9,x]

[Out] -1/210*(Sqrt[a + b*x^4]*(30*a^3*d*Hypergeometric2F1[-7/4, -1/2, -3/4, -((b*x^4)/a)] + 7*x*(6*a^3*f*x*Hypergeometric2F1[-5/4, -1/2, -1/4, -((b*x^4)/a)] + 5*(a + b*x^4)*Sqrt[1 + (b*x^4)/a]*(a^2*e + b^2*c*x^6*Hypergeometric2F1[3/2, 3, 5/2, 1 + (b*x^4)/a])))/(a^3*x^7*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^9}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^9,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^9, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^9,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^9, x)

maple [C] time = 0.18, size = 408, normalized size = 1.02

$$\frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} b^{\frac{3}{2}} f \text{EllipticE} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a}} + \frac{2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} b^{\frac{3}{2}} f \text{EllipticF} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x \right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^9,x)

[Out]
$$-1/5*f/x^5*(b*x^4+a)^{(1/2)}-2/5*b*f*(b*x^4+a)^{(1/2)}/a/x+2/5*I*f*b^{(3/2)}/a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-2/5*I*f*b^{(3/2)}/a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/8*c/a/x^8*(b*x^4+a)^{(3/2)}+1/16*c/a^2*b/x^4*(b*x^4+a)^{(3/2)}+1/16*c/a^{(3/2)}*b^2*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/16*c/a^2*b^2*(b*x^4+a)^{(1/2)}-1/7*d/x^7*(b*x^4+a)^{(1/2)}-2/21*b*d*(b*x^4+a)^{(1/2)}/a/x^3-2/21*d*b^2/a/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/6*e*(b*x^4+a)^{(3/2)}/x^6/a$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{32} \left(\frac{b^2 \log\left(\frac{\sqrt{bx^4+a}-\sqrt{a}}{\sqrt{bx^4+a}+\sqrt{a}}\right)}{a^{\frac{3}{2}}} + \frac{2\left((bx^4+a)^{\frac{3}{2}}b^2 + \sqrt{bx^4+a}ab^2\right)}{(bx^4+a)^2a - 2(bx^4+a)a^2 + a^3} \right) c + \int \frac{\sqrt{bx^4+a}(fx^2+ex+d)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^9,x, algorithm="maxima")

[Out]
$$-1/32*(b^2*\log((\text{sqrt}(b*x^4+a)-\text{sqrt}(a))/(\text{sqrt}(b*x^4+a)+\text{sqrt}(a))))/a^{(3/2)}+2*((b*x^4+a)^{(3/2)}*b^2+\text{sqrt}(b*x^4+a)*a*b^2)/((b*x^4+a)^2*a-2*(b*x^4+a)*a^2+a^3)*c+\text{integrate}(\text{sqrt}(b*x^4+a)*(f*x^2+e*x+d)/x^8,x)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4+a}(fx^3+ex^2+dx+c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a+b*x^4)^(1/2)*(c+d*x+e*x^2+f*x^3))/x^9,x)

[Out] int(((a+b*x^4)^(1/2)*(c+d*x+e*x^2+f*x^3))/x^9,x)

sympy [C] time = 9.62, size = 246, normalized size = 0.62

$$\frac{\sqrt{a} d \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(-\frac{7}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} + \frac{\sqrt{a} f \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(-\frac{5}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} - \frac{ac}{8\sqrt{b} x^{10} \sqrt{\frac{a}{bx^4} + 1}} - \frac{3\sqrt{b} c}{16x^6 \sqrt{\frac{a}{bx^4} + 1}} - \frac{\sqrt{b} e \sqrt{\frac{a}{bx^4} + 1}}{6x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**9,x)`

[Out] `sqrt(a)*d*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) + sqrt(a)*f*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) - a*c/(8*sqrt(b)*x**10*sqrt(a/(b*x**4) + 1)) - 3*sqrt(b)*c/(16*x**6*sqrt(a/(b*x**4) + 1)) - sqrt(b)*e*sqrt(a/(b*x**4) + 1)/(6*x**4) - b**(3/2)*c/(16*a*x**2*sqrt(a/(b*x**4) + 1)) - b**(3/2)*e*sqrt(a/(b*x**4) + 1)/(6*a) + b**2*c*asinh(sqrt(a)/(sqrt(b)*x**2))/(16*a**(3/2))`

$$3.509 \quad \int \frac{(c+dx+ex^2+fx^3)\sqrt{a+bx^4}}{x^{10}} dx$$

Optimal. Leaf size=425

$$\frac{b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (5\sqrt{a}e + 7\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105a^{7/4}\sqrt{a+bx^4}} + \frac{2b^{9/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15a^{7/4}\sqrt{a+bx^4}}$$

[Out] $1/16*b^2*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/504*(56*c/x^9+63*d/x^8+72*e/x^7+84*f/x^6)*(b*x^4+a)^{(1/2)}-2/45*b*c*(b*x^4+a)^{(1/2)}/a/x^5-1/16*b*d*(b*x^4+a)^{(1/2)}/a/x^4-2/21*b*e*(b*x^4+a)^{(1/2)}/a/x^3-1/6*b*f*(b*x^4+a)^{(1/2)}/a/x^2+2/15*b^2*c*(b*x^4+a)^{(1/2)}/a^2/x-2/15*b^{(5/2)}*c*x*(b*x^4+a)^{(1/2)}/a^2/(a^{(1/2)}+x^2*b^{(1/2)})+2/15*b^{(9/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}-1/105*b^{(7/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(5*e*a^{(1/2)}+7*c*b^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.43, antiderivative size = 425, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 835, 807, 266, 63, 208}

$$\frac{b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (5\sqrt{a}e + 7\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105a^{7/4}\sqrt{a+bx^4}} - \frac{2b^{5/2}cx\sqrt{a+bx^4}}{15a^2(\sqrt{a} + \sqrt{b}x^2)} + \frac{2b^2c\sqrt{a+bx^4}}{15a^2x} + \dots$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}(((c + d*x + e*x^2 + f*x^3)*\operatorname{Sqrt}[a + b*x^4])/x^{10}, x)$

[Out] $-(((56*c)/x^9 + (63*d)/x^8 + (72*e)/x^7 + (84*f)/x^6)*\operatorname{Sqrt}[a + b*x^4])/504 - (2*b*c*\operatorname{Sqrt}[a + b*x^4])/(45*a*x^5) - (b*d*\operatorname{Sqrt}[a + b*x^4])/(16*a*x^4) - (2*b*e*\operatorname{Sqrt}[a + b*x^4])/(21*a*x^3) - (b*f*\operatorname{Sqrt}[a + b*x^4])/(6*a*x^2) + (2*b^2*c*\operatorname{Sqrt}[a + b*x^4])/(15*a^2*x) - (2*b^{(5/2)}*c*x*\operatorname{Sqrt}[a + b*x^4])/(15*a^2*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (b^2*d*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(16*a^{(3/2)}) + (2*b^{(9/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2)*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*a^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (b^{(7/4)}*(7*\operatorname{Sqrt}[b]*c + 5*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)$

) * Sqrt[(a + b*x^4)/(Sqrt[a] + Sqrt[b]*x^2)^2] * EllipticF[2*ArcTan[(b^(1/4)*x)/a^(1/4)], 1/2]/(105*a^(7/4)*Sqrt[a + b*x^4])

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 63

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 220

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 835

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/

```
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 1196

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_)*(x_)^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1833

```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[
{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0,
n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3) \sqrt{a + bx^4}}{x^{10}} dx &= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{9} - \frac{dx}{8} - \frac{ex^2}{7} - \frac{fx^3}{6}}{x^6 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - (2b) \int \left(\frac{-\frac{c}{9} - \frac{ex^2}{7}}{x^6 \sqrt{a + bx^4}} + \frac{dx}{8x^7 \sqrt{a + bx^4}} + \frac{fx^3}{6x^6 \sqrt{a + bx^4}} \right) dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - (2b) \int \frac{-\frac{c}{9} - \frac{ex^2}{7}}{x^6 \sqrt{a + bx^4}} dx - \frac{bd}{8} \int \frac{1}{x^7 \sqrt{a + bx^4}} dx - \frac{fd}{6} \int \frac{x^3}{x^6 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{45ax^5} - b \operatorname{Subst} \left(\int \frac{-\frac{c}{9} - \frac{ex^2}{7}}{x^6 \sqrt{a + bx^4}} dx, x, \sqrt{a + bx^4} \right) - \frac{bd}{8} \int \frac{1}{x^7 \sqrt{a + bx^4}} dx - \frac{fd}{6} \int \frac{x^3}{x^6 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{45ax^5} - \frac{bd\sqrt{a + bx^4}}{16ax^4} - \frac{fd}{6} \int \frac{x^3}{x^6 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{45ax^5} - \frac{bd\sqrt{a + bx^4}}{16ax^4} - \frac{fd}{6} \int \frac{x^3}{x^6 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{45ax^5} - \frac{bd\sqrt{a + bx^4}}{16ax^4} - \frac{fd}{6} \int \frac{x^3}{x^6 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{45ax^5} - \frac{bd\sqrt{a + bx^4}}{16ax^4} - \frac{fd}{6} \int \frac{x^3}{x^6 \sqrt{a + bx^4}} dx \\
&= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) \sqrt{a + bx^4} - \frac{2bc\sqrt{a + bx^4}}{45ax^5} - \frac{bd\sqrt{a + bx^4}}{16ax^4} - \frac{fd}{6} \int \frac{x^3}{x^6 \sqrt{a + bx^4}} dx
\end{aligned}$$

Mathematica [C] time = 0.18, size = 148, normalized size = 0.35

$$\frac{\sqrt{a+bx^4} \left(14a^3 c {}_2F_1 \left(-\frac{9}{4}, -\frac{1}{2}; -\frac{5}{4}; -\frac{bx^4}{a} \right) + 3x^2 \left(6a^3 e {}_2F_1 \left(-\frac{7}{4}, -\frac{1}{2}; -\frac{3}{4}; -\frac{bx^4}{a} \right) + 7x(a+bx^4) \sqrt{\frac{bx^4}{a}+1} (a^2 f + b^2 d) \right) \right)}{126a^3 x^9 \sqrt{\frac{bx^4}{a}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*Sqrt[a + b*x^4])/x^10,x]

[Out] -1/126*(Sqrt[a + b*x^4]*(14*a^3*c*Hypergeometric2F1[-9/4, -1/2, -5/4, -(b*x^4)/a] + 3*x^2*(6*a^3*e*Hypergeometric2F1[-7/4, -1/2, -3/4, -(b*x^4)/a] + 7*x*(a + b*x^4)*Sqrt[1 + (b*x^4)/a]*(a^2*f + b^2*d*x^6*Hypergeometric2F1[3/2, 3, 5/2, 1 + (b*x^4)/a]))) / (a^3*x^9*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^{10}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^10,x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^10, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^10,x, algorithm="giac")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^10, x)

maple [C] time = 0.21, size = 429, normalized size = 1.01

$$\frac{2\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^2e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}},x,i\right)+2i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}c\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}},x,i\right)}{21\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a-15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^10,x)

[Out]
$$-1/8*d/a/x^8*(b*x^4+a)^{(3/2)}+1/16*d/a^2*b/x^4*(b*x^4+a)^{(3/2)}+1/16*d/a^{(3/2)}*b^2*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/16*d/a^2*b^2*(b*x^4+a)^{(1/2)}-1/9*c/x^9*(b*x^4+a)^{(1/2)}-2/45*b*c*(b*x^4+a)^{(1/2)}/a/x^5+2/15*b^2*c*(b*x^4+a)^{(1/2)}/a^2/x-2/15*I*c*b^{(5/2)}/a^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*E\text{llipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)+2/15*I*c*b^{(5/2)}/a^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*E\text{llipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/7*e/x^7*(b*x^4+a)^{(1/2)}-2/21*b*e*(b*x^4+a)^{(1/2)}/a/x^3-2/21*e*b^2/a/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*E\text{llipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/6*f*(b*x^4+a)^{(3/2)}/x^6/a$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(1/2)/x^10,x, algorithm="maxima")

[Out] integrate(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/x^10, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^10,x)

[Out] int(((a + b*x^4)^(1/2)*(c + d*x + e*x^2 + f*x^3))/x^10, x)

sympy [C] time = 10.71, size = 246, normalized size = 0.58

$$\frac{\sqrt{a} c \Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{9}{4}, -\frac{1}{2} \\ -\frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^9 \Gamma\left(-\frac{5}{4}\right)} + \frac{\sqrt{a} e \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} - \frac{ad}{8\sqrt{b} x^{10} \sqrt{\frac{a}{bx^4} + 1}} - \frac{3\sqrt{b} d}{16x^6 \sqrt{\frac{a}{bx^4} + 1}} - \frac{\sqrt{b} f \sqrt{\frac{a}{bx^4}}}{6x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(1/2)/x**10,x)

[Out] sqrt(a)*c*gamma(-9/4)*hyper((-9/4, -1/2), (-5/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**9*gamma(-5/4)) + sqrt(a)*e*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) - a*d/(8*sqrt(b)*x**10*sqrt(a/(b*x**4) + 1)) - 3*sqrt(b)*d/(16*x**6*sqrt(a/(b*x**4) + 1)) - sqrt(b)*f*sqrt(a/(b*x**4) + 1)/(6*x**4) - b**(3/2)*d/(16*a*x**2*sqrt(a/(b*x**4) + 1)) - b**(3/2)*f*sqrt(a/(b*x**4) + 1)/(6*a) + b**2*d*asinh(sqrt(a)/(sqrt(b)*x**2))/(16*a**(3/2))

$$3.510 \quad \int x^4 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$$

Optimal. Leaf size=476

$$\frac{2a^{11/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (77\sqrt{a}e + 65\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5005b^{7/4}\sqrt{a + bx^4}} + \frac{4a^{13/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{65b^{7/4}\sqrt{a + bx^4}}$$

[Out] $-1/48*a*d*x^2*(b*x^4+a)^{(3/2)}/b+1/143*x^5*(11*e*x^2+13*c)*(b*x^4+a)^{(3/2)+1/14*f*x^4*(b*x^4+a)^{(5/2)}/b-1/420*(-35*b*d*x^2+12*a*f)*(b*x^4+a)^{(5/2)}/b^2-1/32*a^3*d*arctanh(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+4/77*a^2*c*x*(b*x^4+a)^{(1/2)}/b-1/32*a^2*d*x^2*(b*x^4+a)^{(1/2)}/b+4/195*a^2*e*x^3*(b*x^4+a)^{(1/2)}/b+2/3003*a*x^5*(77*e*x^2+117*c)*(b*x^4+a)^{(1/2)}-4/65*a^3*e*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+4/65*a^{(13/4)}*e*(\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))*EllipticE(\sin(2*arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}-2/5005*a^{(11/4)}*(\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))*EllipticF(\sin(2*arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(77*e*a^{(1/2)}+65*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.44, antiderivative size = 476, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1833, 1274, 1280, 1198, 220, 1196, 1252, 833, 780, 195, 217, 206}

$$\frac{2a^{11/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (77\sqrt{a}e + 65\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5005b^{7/4}\sqrt{a + bx^4}} - \frac{a^3 d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{32b^{3/2}} - \frac{4a^3 ex \sqrt{a+bx^4}}{65b^{3/2}(\sqrt{a+bx^4})}$$

Antiderivative was successfully verified.

[In] Int[x^4*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2), x]

[Out] $(4*a^2*c*x*\text{Sqrt}[a + b*x^4])/(77*b) - (a^2*d*x^2*\text{Sqrt}[a + b*x^4])/(32*b) + (4*a^2*e*x^3*\text{Sqrt}[a + b*x^4])/(195*b) - (4*a^3*e*x*\text{Sqrt}[a + b*x^4])/(65*b^{(3/2)}*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) + (2*a*x^5*(117*c + 77*e*x^2)*\text{Sqrt}[a + b*x^4])/3003 - (a*d*x^2*(a + b*x^4)^{(3/2)})/(48*b) + (x^5*(13*c + 11*e*x^2)*(a + b*x^4)^{(3/2)})/143 + (f*x^4*(a + b*x^4)^{(5/2)})/(14*b) - ((12*a*f - 35*b*d*x^2)*(a + b*x^4)^{(5/2)})/(420*b^2) - (a^3*d*ArcTanh[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a + b*x^4]])/(32*b^{(3/2)}) + (4*a^{(13/4)}*e*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(a + b*x^4)])/(65*b^{(3/2)})$

$\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2 * \text{EllipticE}[2*\text{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2]]/(65*b^{7/4}*\text{Sqrt}[a + b*x^4]) - (2*a^{11/4}*(65*\text{Sqrt}[b]*c + 77*\text{Sqrt}[a]*e)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2] * \text{EllipticF}[2*\text{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2]]/(5005*b^{7/4}*\text{Sqrt}[a + b*x^4])$

Rule 195

$\text{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] := \text{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \text{Dist}[(a*n*p)/(n*p + 1), \text{Int}[(a + b*x^n)^{p-1}, x], x] /;$ FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] := \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^2)], x_Symbol] := \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /;$ FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^4)], x_Symbol] := \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2]] * \text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]]/(2*q*\text{Sqrt}[a + b*x^4]), x] /;$ FreeQ[{a, b}, x] && PosQ[b/a]

Rule 780

$\text{Int}[(d_ + (e_)*(x_))*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}, x_Symbol] := \text{Simp}[(e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x]*(a + c*x^2)^{(p + 1)}/(2*c*(p + 1)*(2*p + 3)), x] - \text{Dist}[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), \text{Int}[(a + c*x^2)^p, x], x] /;$ FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 833

$\text{Int}[(d_ + (e_)*(x_))^{(m_)*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}, x_Symbol] := \text{Simp}[(g*(d + e*x)^m*(a + c*x^2)^{(p + 1)}/(c*(m + 2*p + 2)), x] + \text{Dist}[1/(c*(m + 2*p + 2)), \text{Int}[(d + e*x)^{(m - 1)}*(a + c*x^2)^p * \text{Simp}[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /;$ FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

) && !(IGtQ[m, 0] && EqQ[f, 0])

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1274

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p + 3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1280

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int x^4 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx &= \int \left(x^4 (c + ex^2) (a + bx^4)^{3/2} + x^5 (d + fx^2) (a + bx^4)^{3/2} \right) dx \\
&= \int x^4 (c + ex^2) (a + bx^4)^{3/2} dx + \int x^5 (d + fx^2) (a + bx^4)^{3/2} dx \\
&= \frac{1}{143} x^5 (13c + 11ex^2) (a + bx^4)^{3/2} + \frac{1}{2} \text{Subst} \left(\int x^2 (d + fx) (a + bx^2)^{3/2} dx, x, x^4 \right) \\
&= \frac{2ax^5 (117c + 77ex^2) \sqrt{a + bx^4}}{3003} + \frac{1}{143} x^5 (13c + 11ex^2) (a + bx^4)^{3/2} + \dots \\
&= \frac{4a^2 ex^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (117c + 77ex^2) \sqrt{a + bx^4}}{3003} + \frac{1}{143} x^5 (13c + 11ex^2) (a + bx^4)^{3/2} + \dots \\
&= \frac{4a^2 cx \sqrt{a + bx^4}}{77b} + \frac{4a^2 ex^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (117c + 77ex^2) \sqrt{a + bx^4}}{3003} + \dots \\
&= \frac{4a^2 cx \sqrt{a + bx^4}}{77b} - \frac{a^2 dx^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 ex^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (117c + 77ex^2) \sqrt{a + bx^4}}{3003} + \dots \\
&= \frac{4a^2 cx \sqrt{a + bx^4}}{77b} - \frac{a^2 dx^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 ex^3 \sqrt{a + bx^4}}{195b} - \frac{4a^3 ex \sqrt{a + bx^4}}{65b^{3/2} (\sqrt{a + bx^4})} + \dots \\
&= \frac{4a^2 cx \sqrt{a + bx^4}}{77b} - \frac{a^2 dx^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 ex^3 \sqrt{a + bx^4}}{195b} - \frac{4a^3 ex \sqrt{a + bx^4}}{65b^{3/2} (\sqrt{a + bx^4})} + \dots
\end{aligned}$$

Mathematica [C] time = 0.94, size = 225, normalized size = 0.47

$$\frac{\sqrt{a + bx^4} \left(-\frac{15015a^{5/2} \sqrt{b} d \sinh^{-1} \left(\frac{\sqrt{bx^2}}{\sqrt{a}} \right)}{\sqrt{\frac{bx^4}{a} + 1}} + 5005bdx^2 (3a^2 + 14abx^4 + 8b^2x^8) - \frac{43680a^2bcx {}_2F_1 \left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} - \frac{36960a^2bex^3 {}_2F_1 \left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} \right)}{480480b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2),x]

[Out] (Sqrt[a + b*x^4]*(43680*b*c*x*(a + b*x^4)^2 + 36960*b*e*x^3*(a + b*x^4)^2 + 6864*f*(a + b*x^4)^2*(-2*a + 5*b*x^4) + 5005*b*d*x^2*(3*a^2 + 14*a*b*x^4 + 8*b^2*x^8) - (15015*a^(5/2)*Sqrt[b]*d*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/Sqrt[1 + (b*x^4)/a] - (43680*a^2*b*c*x*Hypergeometric2F1[-3/2, 1/4, 5/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a] - (36960*a^2*b*e*x^3*Hypergeometric2F1[-3/2, 3/4, 7/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a]))/(480480*b^2)

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bfx^{11} + bex^{10} + bdx^9 + bcx^8 + afx^7 + aex^6 + adx^5 + acx^4\right)\sqrt{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((b*f*x^11 + b*e*x^10 + b*d*x^9 + b*c*x^8 + a*f*x^7 + a*e*x^6 + a*d*x^5 + a*c*x^4)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x^4, x)

maple [C] time = 0.20, size = 462, normalized size = 0.97

$$\frac{\sqrt{bx^4 + a} bex^{11}}{13} + \frac{\sqrt{bx^4 + a} bdx^{10}}{12} + \frac{\sqrt{bx^4 + a} bcx^9}{11} + \frac{5\sqrt{bx^4 + a} aex^7}{39} + \frac{7\sqrt{bx^4 + a} adx^6}{48} + \frac{13\sqrt{bx^4 + a} acx^5}{77}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x)

[Out] -1/70*f*(b*x^4+a)^(1/2)*(-5*b*x^4+2*a)*(b^2*x^8+2*a*b*x^4+a^2)/b^2+1/13*e*b*x^11*(b*x^4+a)^(1/2)+5/39*e*a*x^7*(b*x^4+a)^(1/2)+4/195*a^2*e*x^3*(b*x^4+a

$$\begin{aligned} &)^{(1/2)}/b-4/65*I*e*a^{(7/2)}/b^{(3/2)}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)*(-I/a^{(1/2)*b^{(1/2)}} \\ &^{(1/2)*x^2+1})^{(1/2)*(I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)/(b*x^4+a)^{(1/2)*Elliptic \\ &F((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x,I)+4/65*I*e*a^{(7/2)}/b^{(3/2)}/(I/a^{(1/2)*b^{(1/2)}} \\ &)^{(1/2)*(-I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)*(I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)/(\\ &b*x^4+a)^{(1/2)*EllipticE((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x,I)+1/12*d*b*x^{10}*(b*x^ \\ &4+a)^{(1/2)+7/48*d*a*x^6*(b*x^4+a)^{(1/2)+1/32*a^2*d*x^2*(b*x^4+a)^{(1/2)}/b-1/ \\ &32*d/b^{(3/2)*a^3*\ln(b^{(1/2)*x^2+(b*x^4+a)^{(1/2)})+1/11*c*b*x^9*(b*x^4+a)^{(1/ \\ &2)+13/77*c*a*x^5*(b*x^4+a)^{(1/2)+4/77*a^2*c*x*(b*x^4+a)^{(1/2)}/b-4/77*c*a^3/ \\ &b/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)*(-I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)*(I/a^{(1/2)*b^{(1/2)}} \\ &^{(1/2)*x^2+1)^{(1/2)/(b*x^4+a)^{(1/2)*EllipticF((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x,I)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}} (fx^3 + ex^2 + dx + c)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 (bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x^4*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 22.07, size = 462, normalized size = 0.97

$$\frac{a^{\frac{5}{2}} dx^2}{32b\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}} cx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{17a^{\frac{3}{2}} dx^6}{96\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}} ex^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{4} \\ \frac{11}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{11}{4}\right)} + \frac{\sqrt{a} bcx^9 \Gamma\left(\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{9}{4} \\ \frac{13}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\Gamma\left(\frac{13}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2),x)

[Out] a**(5/2)*d*x**2/(32*b*sqrt(1 + b*x**4/a)) + a**(3/2)*c*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 17*a**(3/2)

$$\begin{aligned}
& 2) * d * x^{**6} / (96 * \sqrt{1 + b * x^{**4} / a}) + a^{**3/2} * e * x^{**7} * \gamma(7/4) * \text{hyper}((-1/2, \\
& 7/4), (11/4,), b * x^{**4} * \exp_polar(I * \pi) / a) / (4 * \gamma(11/4)) + \sqrt{a} * b * c * x^{**} \\
& 9 * \gamma(9/4) * \text{hyper}((-1/2, 9/4), (13/4,), b * x^{**4} * \exp_polar(I * \pi) / a) / (4 * \gamma \\
& (13/4)) + 11 * \sqrt{a} * b * d * x^{**10} / (48 * \sqrt{1 + b * x^{**4} / a}) + \sqrt{a} * b * e * x^{**11} * \\
& \gamma(11/4) * \text{hyper}((-1/2, 11/4), (15/4,), b * x^{**4} * \exp_polar(I * \pi) / a) / (4 * \gamma \\
& (15/4)) - a^{**3} * d * \text{asinh}(\sqrt{b} * x^{**2} / \sqrt{a}) / (32 * b^{**3/2}) + a * f * \text{Piecewise} \\
& (-a^{**2} * \sqrt{a + b * x^{**4}} / (15 * b^{**2}) + a * x^{**4} * \sqrt{a + b * x^{**4}} / (30 * b) + x^{**8} * \sqrt{a + b * x^{**4}} / 10, \text{Ne}(b, 0)), (\sqrt{a} * x^{**8} / 8, \text{True})) + b * g * \text{Piecewise}((4 * a \\
& **3 * \sqrt{a + b * x^{**4}} / (105 * b^{**3}) - 2 * a^{**2} * x^{**4} * \sqrt{a + b * x^{**4}} / (105 * b^{**2}) + \\
& a * x^{**8} * \sqrt{a + b * x^{**4}} / (70 * b) + x^{**12} * \sqrt{a + b * x^{**4}} / 14, \text{Ne}(b, 0)), (\sqrt{a} * x^{**12} / 12, \text{True})) + b^{**2} * d * x^{**14} / (12 * \sqrt{a} * \sqrt{1 + b * x^{**4} / a})
\end{aligned}$$

$$3.511 \quad \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$$

Optimal. Leaf size=452

$$\frac{2a^{11/4} (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} (77\sqrt{a}f + 65\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4a^{13/4} f (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}}}{5005b^{7/4}\sqrt{a+bx^4}} + \frac{4a^{13/4} f (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}}}{65b^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/48*a*e*x^2*(b*x^4+a)^{(3/2)}/b+1/143*x^5*(11*f*x^2+13*d)*(b*x^4+a)^{(3/2)+1/60*(5*e*x^2+6*c)*(b*x^4+a)^{(5/2)}/b-1/32*a^3*e*arctanh(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+4/77*a^2*d*x*(b*x^4+a)^{(1/2)}/b-1/32*a^2*e*x^2*(b*x^4+a)^{(1/2)}/b+4/195*a^2*f*x^3*(b*x^4+a)^{(1/2)}/b+2/3003*a*x^5*(77*f*x^2+117*d)*(b*x^4+a)^{(1/2)}-4/65*a^3*f*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+4/65*a^{(13/4)}*f*(\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))*EllipticE(\sin(2*arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}-2/5005*a^{(11/4)}*(\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))*EllipticF(\sin(2*arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.41, antiderivative size = 452, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1252, 780, 195, 217, 206, 1274, 1280, 1198, 220, 1196}

$$\frac{2a^{11/4} (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} (77\sqrt{a}f + 65\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + a^3 e \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a+bx^4}}\right) + 4a^3 f x \sqrt{a}}{5005b^{7/4}\sqrt{a+bx^4}} - \frac{a^3 e \tanh^{-1}\left(\frac{\sqrt{bx^2}}{\sqrt{a+bx^4}}\right)}{32b^{3/2}} - \frac{4a^3 f x \sqrt{a}}{65b^{3/2}(\sqrt{a+bx^4})}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2),x]

[Out] $(4*a^2*d*x*\text{Sqrt}[a + b*x^4])/(77*b) - (a^2*e*x^2*\text{Sqrt}[a + b*x^4])/(32*b) + (4*a^2*f*x^3*\text{Sqrt}[a + b*x^4])/(195*b) - (4*a^3*f*x*\text{Sqrt}[a + b*x^4])/(65*b^{(3/2)}*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) + (2*a*x^5*(117*d + 77*f*x^2)*\text{Sqrt}[a + b*x^4])/3003 - (a*e*x^2*(a + b*x^4)^{(3/2)})/(48*b) + (x^5*(13*d + 11*f*x^2)*(a + b*x^4)^{(3/2)})/143 + ((6*c + 5*e*x^2)*(a + b*x^4)^{(5/2)})/(60*b) - (a^3*e*ArcTanh[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a + b*x^4]])/(32*b^{(3/2)}) + (4*a^{(13/4)}*f*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*EllipticE[2*ArcTan[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(65*b^{(7/4)}*\text{Sqrt}[a + b*x^4]) - (2*a^{(11/4)}*(65$

*Sqrt[b]*d + 77*Sqrt[a]*f)*(Sqrt[a] + Sqrt[b]*x^2)*Sqrt[(a + b*x^4)/(Sqrt[a] + Sqrt[b]*x^2)^2]*EllipticF[2*ArcTan[(b^(1/4)*x)/a^(1/4)], 1/2]/(5005*b^(7/4)*Sqrt[a + b*x^4])

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1274

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x
_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p
+ m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p
+ m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p +
3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ[
p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (I
ntegerQ[p] || IntegerQ[m])
```

Rule 1280

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx &= \int \left(x^3 (c + ex^2) (a + bx^4)^{3/2} + x^4 (d + fx^2) (a + bx^4)^{3/2} \right) dx \\
&= \int x^3 (c + ex^2) (a + bx^4)^{3/2} dx + \int x^4 (d + fx^2) (a + bx^4)^{3/2} dx \\
&= \frac{1}{143} x^5 (13d + 11fx^2) (a + bx^4)^{3/2} + \frac{1}{2} \text{Subst} \left(\int x(c + ex) (a + bx^2)^{3/2} dx, bx^2, a + bx^4 \right) \\
&= \frac{2ax^5 (117d + 77fx^2) \sqrt{a + bx^4}}{3003} + \frac{1}{143} x^5 (13d + 11fx^2) (a + bx^4)^{3/2} \\
&= \frac{4a^2 fx^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (117d + 77fx^2) \sqrt{a + bx^4}}{3003} - \frac{aex^2 (a + bx^4)^{3/2}}{48b} \\
&= \frac{4a^2 dx \sqrt{a + bx^4}}{77b} - \frac{a^2 ex^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 fx^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (117d + 77fx^2) \sqrt{a + bx^4}}{3003} \\
&= \frac{4a^2 dx \sqrt{a + bx^4}}{77b} - \frac{a^2 ex^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 fx^3 \sqrt{a + bx^4}}{195b} + \frac{2ax^5 (117d + 77fx^2) \sqrt{a + bx^4}}{3003} \\
&= \frac{4a^2 dx \sqrt{a + bx^4}}{77b} - \frac{a^2 ex^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 fx^3 \sqrt{a + bx^4}}{195b} - \frac{4a^3 fx^3 \sqrt{a + bx^4}}{65b^{3/2}} + \frac{2ax^5 (117d + 77fx^2) \sqrt{a + bx^4}}{3003}
\end{aligned}$$

Mathematica [C] time = 0.77, size = 238, normalized size = 0.53

$$\frac{\sqrt{a + bx^4} \left(-\frac{6240a^2 \sqrt{b} dx {}_2F_1\left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{\sqrt{\frac{bx^4}{a} + 1}} - \frac{5280a^2 \sqrt{b} fx^3 {}_2F_1\left(-\frac{3}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a}\right)}{\sqrt{\frac{bx^4}{a} + 1}} + 715e \left(\sqrt{b} x^2 (3a^2 + 14abx^4 + 8b^2x^8) - \frac{3a^{5/2}}{\sqrt{a}} \right) \right)}{68640b^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2),x]

[Out] (Sqrt[a + b*x^4]*(6864*Sqrt[b]*c*(a + b*x^4)^2 + 6240*Sqrt[b]*d*x*(a + b*x^4)^2 + 5280*Sqrt[b]*f*x^3*(a + b*x^4)^2 + 715*e*(Sqrt[b]*x^2*(3*a^2 + 14*a*b*x^4 + 8*b^2*x^8) - (3*a^(5/2)*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/Sqrt[1 + (b*x^4)/a]) - (6240*a^2*Sqrt[b]*d*x*Hypergeometric2F1[-3/2, 1/4, 5/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a] - (5280*a^2*Sqrt[b]*f*x^3*Hypergeometric2F1[-3/2, 3/4, 7/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a))/(68640*b^(3/2))

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bfx^{10} + bex^9 + bdx^8 + bcx^7 + afx^6 + aex^5 + adx^4 + acx^3\right)\sqrt{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((b*f*x^10 + b*e*x^9 + b*d*x^8 + b*c*x^7 + a*f*x^6 + a*e*x^5 + a*d*x^4 + a*c*x^3)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x^3, x)

maple [C] time = 0.19, size = 434, normalized size = 0.96

$$\frac{\sqrt{bx^4 + a} b f x^{11}}{13} + \frac{\sqrt{bx^4 + a} b e x^{10}}{12} + \frac{\sqrt{bx^4 + a} b d x^9}{11} + \frac{5\sqrt{bx^4 + a} a f x^7}{39} + \frac{7\sqrt{bx^4 + a} a e x^6}{48} + \frac{13\sqrt{bx^4 + a} a d x^5}{77} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x)

[Out] 1/13*f*b*x^11*(b*x^4+a)^(1/2)+5/39*f*a*x^7*(b*x^4+a)^(1/2)+4/195*a^2*f*x^3*(b*x^4+a)^(1/2)/b-4/65*I*f*a^(7/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+4/65*I*f*a^(7/2)/b^(3/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/12*e*b*x^10*(b*x^4+a)^(1/2)+7/48*e*a*x^6*(b*x^4+a)^(1/2)+1/32*a^2*e*x^2*(b*x^4+a)^(1/2)/b-1/32*e/b^(3/2)*a^3*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/11*d*b*x^9*(b*x^4+a)^(1/2)+13/77*d*a*x^5*(b*x^4+a)^(1/2)+4/77*a^2*d*x*(b*x^4+a)^(1/2)/b-4/77*d*a^3/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/10*c/b*(b*x^4+a)^(5/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bx^4 + a)^{\frac{5}{2}}c}{10b} + \int (bf x^{10} + bex^9 + bdx^8 + afx^6 + aex^5 + adx^4)\sqrt{bx^4 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] 1/10*(b*x^4 + a)^(5/2)*c/b + integrate((b*f*x^10 + b*e*x^9 + b*d*x^8 + a*f*x^6 + a*e*x^5 + a*d*x^4)*sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 (bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x^3*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 17.95, size = 398, normalized size = 0.88

$$\frac{a^{\frac{5}{2}}ex^2}{32b\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}}dx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{17a^{\frac{3}{2}}ex^6}{96\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}}fx^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{7}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{11}{4}\right)} + \frac{\sqrt{a}bdx^9\Gamma\left(\frac{9}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{9}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{13}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2),x)

[Out] a**(5/2)*e*x**2/(32*b*sqrt(1 + b*x**4/a)) + a**(3/2)*d*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 17*a**(3/2)*e*x**6/(96*sqrt(1 + b*x**4/a)) + a**(3/2)*f*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) + sqrt(a)*b*d*x**9*gamma(9/4)*hyper((-1/2, 9/4), (13/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(13/4)) + 11*sqrt(a)*b*e*x**10/(48*sqrt(1 + b*x**4/a)) + sqrt(a)*b*f*x**11*gamma(11/4)*hyper((-1/2, 11/4), (15/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(15/4)) - a**3*e*asinh(sqrt(b)*x**2/sqrt(a))/(32*b**(3/2)) + a*c*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True)) + b*c*Piecewise((-a**2*sqrt(a + b*x**4)/(15*b**2) + a*x**4*sqrt(a + b*x**4)/(30*b) + x**8*sqrt(a + b*x**4)/10, Ne(b, 0)), (sqrt(a)*x**8/8, True)) + b**2*e*x**14/(12*sqrt(a)*sqrt(1 + b*x**4/a))

$$3.512 \quad \int x^2 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$$

Optimal. Leaf size=427

$$\frac{2a^{9/4} (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} (77\sqrt{b}c - 15\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4a^{9/4}c (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} E\left(\frac{1}{2}, \frac{1}{2} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{1155b^{5/4}\sqrt{a+bx^4} - 15b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/48*a*f*x^2*(b*x^4+a)^{(3/2)}/b+1/99*x^3*(9*e*x^2+11*c)*(b*x^4+a)^{(3/2)}+1/60*(5*f*x^2+6*d)*(b*x^4+a)^{(5/2)}/b-1/32*a^3*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}+4/77*a^2*e*x*(b*x^4+a)^{(1/2)}/b-1/32*a^2*f*x^2*(b*x^4+a)^{(1/2)}/b+2/1155*a*x^3*(45*e*x^2+77*c)*(b*x^4+a)^{(1/2)}+4/15*a^2*c*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*a^{(9/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+2/1155*a^{(9/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)}*(-15*e*a^{(1/2)}+77*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 427, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1274, 1280, 1198, 220, 1196, 1252, 780, 195, 217, 206}

$$\frac{2a^{9/4} (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} (77\sqrt{b}c - 15\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4a^{9/4}c (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} E\left(\frac{1}{2}, \frac{1}{2} \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{1155b^{5/4}\sqrt{a+bx^4} - 15b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}, x]$

[Out] $(4*a^2*e*x*\operatorname{Sqrt}[a + b*x^4])/(77*b) - (a^2*f*x^2*\operatorname{Sqrt}[a + b*x^4])/(32*b) + (4*a^2*c*x*\operatorname{Sqrt}[a + b*x^4])/(15*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (2*a*x^3*(77*c + 45*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/1155 - (a*f*x^2*(a + b*x^4)^{(3/2)})/(48*b) + (x^3*(11*c + 9*e*x^2)*(a + b*x^4)^{(3/2)})/99 + ((6*d + 5*f*x^2)*(a + b*x^4)^{(5/2)})/(60*b) - (a^3*f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(32*b^{(3/2)}) - (4*a^{(9/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(9/4)}*(77*\operatorname{Sqrt}[b]*c - 15*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]$

$x^2 \sqrt{(a + bx^4)/(\sqrt{a} + \sqrt{b}x^2)^2} \text{EllipticF}[2 \text{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2]/(1155b^{5/4}\sqrt{a + bx^4})$

Rule 195

$\text{Int}[(a_ + (b_)(x_)^{n_})^{p_}, x_Symbol] \rightarrow \text{Simp}[(x(a + bx^n)^p)/(n*p + 1), x] + \text{Dist}[(a*n*p)/(n*p + 1), \text{Int}[(a + bx^n)^{p-1}, x], x] /;$ Free Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

$\text{Int}[(a_ + (b_)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

$\text{Int}[1/\sqrt{(a_ + (b_)(x_)^2)}, x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - bx^2), x], x, x/\sqrt{a + bx^2}] /;$ FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

$\text{Int}[1/\sqrt{(a_ + (b_)(x_)^4)}, x_Symbol] \rightarrow \text{With}[q = \text{Rt}[b/a, 4], \text{Simp}[(1 + q^2x^2)\sqrt{(a + bx^4)/(a*(1 + q^2x^2)^2)} \text{EllipticF}[2 \text{ArcTan}[q*x], 1/2]]/(2*q*\sqrt{a + bx^4}), x] /;$ FreeQ[{a, b}, x] && PosQ[b/a]

Rule 780

$\text{Int}[(d_ + (e_)(x_))*((f_ + (g_)(x_))*((a_ + (c_)(x_)^2)^{p_}), x_Symbol] \rightarrow \text{Simp}[(e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x*(a + cx^2)^{p+1}]/(2*c*(p + 1)*(2*p + 3)), x] - \text{Dist}[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), \text{Int}[(a + cx^2)^p, x], x] /;$ FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1196

$\text{Int}[(d_ + (e_)(x_)^2)/\sqrt{(a_ + (c_)(x_)^4)}, x_Symbol] \rightarrow \text{With}[q = \text{Rt}[c/a, 4], -\text{Simp}[(d*x*\sqrt{a + cx^4})/(a*(1 + q^2x^2)), x] + \text{Simp}[(d*(1 + q^2x^2)*\sqrt{(a + cx^4)/(a*(1 + q^2x^2)^2)} \text{EllipticE}[2 \text{ArcTan}[q*x], 1/2]]/(q*\sqrt{a + cx^4}), x] /;$ EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1274

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x
_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p
+ m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p
+ m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p +
3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ
[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (I
ntegerQ[p] || IntegerQ[m])
```

Rule 1280

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m]
)
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int x^2 (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx &= \int \left(x^2 (c + ex^2) (a + bx^4)^{3/2} + x^3 (d + fx^2) (a + bx^4)^{3/2} \right) dx \\
&= \int x^2 (c + ex^2) (a + bx^4)^{3/2} dx + \int x^3 (d + fx^2) (a + bx^4)^{3/2} dx \\
&= \frac{1}{99} x^3 (11c + 9ex^2) (a + bx^4)^{3/2} + \frac{1}{2} \text{Subst} \left(\int x(d + fx) (a + bx^2)^{3/2} dx \right) \\
&= \frac{2ax^3 (77c + 45ex^2) \sqrt{a + bx^4}}{1155} + \frac{1}{99} x^3 (11c + 9ex^2) (a + bx^4)^{3/2} + \frac{1}{2} \int x(d + fx) (a + bx^2)^{3/2} dx \\
&= \frac{4a^2 ex \sqrt{a + bx^4}}{77b} + \frac{2ax^3 (77c + 45ex^2) \sqrt{a + bx^4}}{1155} - \frac{afx^2 (a + bx^4)^{3/2}}{48b} \\
&= \frac{4a^2 ex \sqrt{a + bx^4}}{77b} - \frac{a^2 fx^2 \sqrt{a + bx^4}}{32b} + \frac{2ax^3 (77c + 45ex^2) \sqrt{a + bx^4}}{1155} \\
&= \frac{4a^2 ex \sqrt{a + bx^4}}{77b} - \frac{a^2 fx^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 cx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{2ax^3}{b} \\
&= \frac{4a^2 ex \sqrt{a + bx^4}}{77b} - \frac{a^2 fx^2 \sqrt{a + bx^4}}{32b} + \frac{4a^2 cx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{2ax^3}{b}
\end{aligned}$$

Mathematica [C] time = 0.94, size = 205, normalized size = 0.48

$$\sqrt{a + bx^4} \left(-\frac{480a^2 ex {}_2F_1\left(-\frac{3}{2}, \frac{5}{4}; -\frac{bx^4}{a}\right)}{b\sqrt{\frac{bx^4}{a} + 1}} + \frac{55f \left(\sqrt{b} x^2 (3a^2 + 14abx^4 + 8b^2 x^8) - \frac{3a^{5/2} \sinh^{-1}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{\sqrt{\frac{bx^4}{a} + 1}} \right)}{b^{3/2}} + \frac{1760acx^3 {}_2F_1\left(-\frac{3}{2}, \frac{7}{4}; -\frac{bx^4}{a}\right)}{\sqrt{\frac{bx^4}{a} + 1}} + \frac{528d(a + bx^4)^{3/2}}{b} \right)$$

5280

Antiderivative was successfully verified.

[In] Integrate[x^2*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2), x]

[Out] (Sqrt[a + b*x^4]*((528*d*(a + b*x^4)^2)/b + (480*e*x*(a + b*x^4)^2)/b + (55*f*(Sqrt[b]*x^2*(3*a^2 + 14*a*b*x^4 + 8*b^2*x^8) - (3*a^(5/2)*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]]))/Sqrt[1 + (b*x^4)/a]))/b^(3/2) - (480*a^2*e*x*Hypergeomet

ric2F1[-3/2, 1/4, 5/4, -((b*x^4)/a)]/(b*Sqrt[1 + (b*x^4)/a]) + (1760*a*c*x^3*Hypergeometric2F1[-3/2, 3/4, 7/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a])/5280

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bfx^9 + bex^8 + bdx^7 + bcx^6 + afx^5 + aex^4 + adx^3 + acx^2\right)\sqrt{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] integral((b*f*x^9 + b*e*x^8 + b*d*x^7 + b*c*x^6 + a*f*x^5 + a*e*x^4 + a*d*x^3 + a*c*x^2)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2), x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x^2, x)

maple [C] time = 0.21, size = 413, normalized size = 0.97

$$\frac{\sqrt{bx^4 + a} b f x^{10}}{12} + \frac{\sqrt{bx^4 + a} b e x^9}{11} + \frac{\sqrt{bx^4 + a} b c x^7}{9} + \frac{7\sqrt{bx^4 + a} a f x^6}{48} + \frac{13\sqrt{bx^4 + a} a e x^5}{77} + \frac{11\sqrt{bx^4 + a} a c x^3}{45}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2), x)

[Out] 1/12*f*b*x^10*(b*x^4+a)^(1/2)+7/48*f*a*x^6*(b*x^4+a)^(1/2)+1/32*a^2*f*x^2*(b*x^4+a)^(1/2)/b-1/32*f/b^(3/2)*a^3*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+1/11*e*b*x^9*(b*x^4+a)^(1/2)+13/77*e*a*x^5*(b*x^4+a)^(1/2)+4/77*a^2*e*x*(b*x^4+a)^(1/2)/b-4/77*e*a^3/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x, I)+1/10*d/b*(b*x^4+a)^(5/2)+1/9*c*b*x^7*(b*x^4+a)^(1/2)+11/45*c*a*x^3*(b*x^4+a)^(1/2)+4/15*I*c*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x, I)-4/15*I*c*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)

2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}} (fx^3 + ex^2 + dx + c)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x^2*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 17.74, size = 398, normalized size = 0.93

$$\frac{a^{\frac{5}{2}}fx^2}{32b\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}}cx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{3}{4}}{\frac{7}{4}} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{a^{\frac{3}{2}}ex^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{5}{4}}{\frac{9}{4}} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{17a^{\frac{3}{2}}fx^6}{96\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a}bcx^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{-\frac{1}{2}, \frac{7}{4}}{\frac{11}{4}} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2),x)

[Out] a**(5/2)*f*x**2/(32*b*sqrt(1 + b*x**4/a)) + a**(3/2)*c*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + a**(3/2)*e*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 17*a**(3/2)*f*x**6/(96*sqrt(1 + b*x**4/a)) + sqrt(a)*b*c*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) + sqrt(a)*b*e*x**9*gamma(9/4)*hyper((-1/2, 9/4), (13/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(13/4)) + 11*sqrt(a)*b*f*x**10/(48*sqrt(1 + b*x**4/a)) - a**3*f*asinh(sqrt(b)*x**2/sqrt(a))/(32*b**(3/2)) + a*d*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True)) + b*d*Piecewise((

```
-a**2*sqrt(a + b*x**4)/(15*b**2) + a*x**4*sqrt(a + b*x**4)/(30*b) + x**8*sqrt(a + b*x**4)/10, Ne(b, 0)), (sqrt(a)*x**8/8, True)) + b**2*f*x**14/(12*sqrt(a)*sqrt(1 + b*x**4/a))
```

$$3.513 \quad \int x (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$$

Optimal. Leaf size=409

$$\frac{2a^{9/4} (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} (77\sqrt{b}d - 15\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4a^{9/4}d (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}}}{1155b^{5/4}\sqrt{a+bx^4} + 15b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{8}c*x^2*(b*x^4+a)^{(3/2)}+1/99*x^3*(9*f*x^2+11*d)*(b*x^4+a)^{(3/2)}+1/10*e*(b*x^4+a)^{(5/2)}/b+3/16*a^2*c*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}+4/77*a^2*f*x*(b*x^4+a)^{(1/2)}/b+3/16*a*c*x^2*(b*x^4+a)^{(1/2)}+2/1155*a*x^3*(45*f*x^2+77*d)*(b*x^4+a)^{(1/2)}+4/15*a^2*d*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*a^{(9/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+2/1155*a^{(9/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-15*f*a^{(1/2)}+77*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 409, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {1833, 1248, 641, 195, 217, 206, 1274, 1280, 1198, 220, 1196}

$$\frac{2a^{9/4} (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}} (77\sqrt{b}d - 15\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4a^{9/4}d (\sqrt{a} + \sqrt{bx^2}) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{bx^2})^2}}}{1155b^{5/4}\sqrt{a+bx^4} + 15b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}, x]$

[Out] $(4*a^2*f*x*\operatorname{Sqrt}[a + b*x^4])/(77*b) + (3*a*c*x^2*\operatorname{Sqrt}[a + b*x^4])/16 + (4*a^2*d*x*\operatorname{Sqrt}[a + b*x^4])/(15*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (2*a*x^3*(77*d + 45*f*x^2)*\operatorname{Sqrt}[a + b*x^4])/1155 + (c*x^2*(a + b*x^4)^{(3/2)})/8 + (x^3*(11*d + 9*f*x^2)*(a + b*x^4)^{(3/2)})/99 + (e*(a + b*x^4)^{(5/2)})/(10*b) + (3*a^2*c*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(16*\operatorname{Sqrt}[b]) - (4*a^{(9/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(9/4)}*(77*\operatorname{Sqrt}[b]*d - 15*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(1155*b^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,

d, e}, x] && PosQ[c/a]

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
  :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
  [{a, c, d, e, p, q}, x]
```

Rule 1274

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x
_Symbol] :> Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p
+ m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/(4*p
+ m + 1)*(m + 4*p + 3), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p +
3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ
[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (I
ntegerQ[p] || IntegerQ[m])
```

Rule 1280

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
Symbol] :> Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
])
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int x(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2} dx &= \int \left(x(c + ex^2)(a + bx^4)^{3/2} + x^2(d + fx^2)(a + bx^4)^{3/2} \right) dx \\
&= \int x(c + ex^2)(a + bx^4)^{3/2} dx + \int x^2(d + fx^2)(a + bx^4)^{3/2} dx \\
&= \frac{1}{99}x^3(11d + 9fx^2)(a + bx^4)^{3/2} + \frac{1}{2} \text{Subst} \left(\int (c + ex)(a + bx^2)^{3/2} dx \right. \\
&= \frac{2ax^3(77d + 45fx^2)\sqrt{a + bx^4}}{1155} + \frac{1}{99}x^3(11d + 9fx^2)(a + bx^4)^{3/2} + \frac{e}{99}x^3(a + bx^4)^{3/2} \\
&= \frac{4a^2fx\sqrt{a + bx^4}}{77b} + \frac{2ax^3(77d + 45fx^2)\sqrt{a + bx^4}}{1155} + \frac{1}{8}cx^2(a + bx^4)^{3/2} \\
&= \frac{4a^2fx\sqrt{a + bx^4}}{77b} + \frac{3}{16}acx^2\sqrt{a + bx^4} + \frac{2ax^3(77d + 45fx^2)\sqrt{a + bx^4}}{1155} \\
&= \frac{4a^2fx\sqrt{a + bx^4}}{77b} + \frac{3}{16}acx^2\sqrt{a + bx^4} + \frac{4a^2dx\sqrt{a + bx^4}}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{2ax^3}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} \\
&= \frac{4a^2fx\sqrt{a + bx^4}}{77b} + \frac{3}{16}acx^2\sqrt{a + bx^4} + \frac{4a^2dx\sqrt{a + bx^4}}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{2ax^3}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)}
\end{aligned}$$

Mathematica [C] time = 0.98, size = 196, normalized size = 0.48

$$\sqrt{a + bx^4} \left(165c \left(\frac{3a^{5/2}\sqrt{\frac{bx^4}{a} + 1} \sinh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{\sqrt{b}(a + bx^4)} + 5ax^2 + 2bx^6 \right) - \frac{240a^2fx {}_2F_1\left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{b\sqrt{\frac{bx^4}{a} + 1}} + \frac{880adx^3 {}_2F_1\left(-\frac{3}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a}\right)}{\sqrt{\frac{bx^4}{a} + 1}} + \frac{264e(a + bx^4)^{3/2}}{b} \right)$$

2640

Antiderivative was successfully verified.

[In] Integrate[x*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2), x]

[Out] (Sqrt[a + b*x^4]*((264*e*(a + b*x^4)^2)/b + (240*f*x*(a + b*x^4)^2)/b + 165*c*(5*a*x^2 + 2*b*x^6 + (3*a^(5/2)*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/(Sqrt[b]*(a + b*x^4))) - (240*a^2*f*x*Hypergeometric2F1[-3/2, 1/4, 5/4, -(b*x^4)/a])/(b*Sqrt[1 + (b*x^4)/a]) + (880*a*d*x^3*Hypergeometric2F1[-3/2, 3/4, 7/4, -(b*x^4)/a])/Sqrt[1 + (b*x^4)/a])/2640

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bfx^8 + bex^7 + bdx^6 + bcx^5 + afx^4 + aex^3 + adx^2 + acx\right)\sqrt{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((b*f*x^8 + b*e*x^7 + b*d*x^6 + b*c*x^5 + a*f*x^4 + a*e*x^3 + a*d*x^2 + a*c*x)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)*x, x)

maple [C] time = 0.17, size = 392, normalized size = 0.96

$$\frac{\sqrt{bx^4 + a} b f x^9}{11} + \frac{\sqrt{bx^4 + a} b d x^7}{9} + \frac{\sqrt{bx^4 + a} b c x^6}{8} + \frac{13\sqrt{bx^4 + a} a f x^5}{77} + \frac{11\sqrt{bx^4 + a} a d x^3}{45} - \frac{4\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1}}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x)

[Out] 1/11*f*b*x^9*(b*x^4+a)^(1/2)+13/77*f*a*x^5*(b*x^4+a)^(1/2)+4/77*a^2*f*x*(b*x^4+a)^(1/2)/b-4/77*f*a^3/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/10*e*(b*x^4+a)^(5/2)/b+1/9*d*b*x^7*(b*x^4+a)^(1/2)+11/45*d*a*x^3*(b*x^4+a)^(1/2)+4/15*I*d*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-4/15*I*d*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/8*c*b*x^6*(b*x^4+a)^(1/2)+5/16*a*c*x^2*(b*x^4+a)^(1/2)+3/16*c*a^2*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{32} \left(\frac{3a^2 \log\left(-\frac{\sqrt{b}-\frac{\sqrt{bx^4+a}}{x^2}}{\sqrt{b}+\frac{\sqrt{bx^4+a}}{x^2}}\right)}{\sqrt{b}} + \frac{2\left(\frac{3\sqrt{bx^4+a}a^2b}{x^2} - \frac{5(bx^4+a)^{\frac{3}{2}}a^2}{x^6}\right)}{b^2 - \frac{2(bx^4+a)b}{x^4} + \frac{(bx^4+a)^2}{x^8}} \right) c + \int (bfx^8 + bex^7 + bdx^6 + afx^4 + aex^3 + adx^2)\sqrt{bx^4+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] -1/32*(3*a^2*log(-sqrt(b) - sqrt(b*x^4 + a)/x^2)/(sqrt(b) + sqrt(b*x^4 + a)/x^2))/sqrt(b) + 2*(3*sqrt(b*x^4 + a)*a^2*b/x^2 - 5*(b*x^4 + a)^(3/2)*a^2/x^6)/(b^2 - 2*(b*x^4 + a)*b/x^4 + (b*x^4 + a)^2/x^8)*c + integrate((b*f*x^8 + b*e*x^7 + b*d*x^6 + a*f*x^4 + a*e*x^3 + a*d*x^2)*sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x (bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x*(a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 13.23, size = 396, normalized size = 0.97

$$\frac{a^{\frac{3}{2}}cx^2\sqrt{1+\frac{bx^4}{a}}}{4} + \frac{a^{\frac{3}{2}}cx^2}{16\sqrt{1+\frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}}dx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{3}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{a^{\frac{3}{2}}fx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{3\sqrt{a}bcx^6}{16\sqrt{1+\frac{bx^4}{a}}} + \frac{\sqrt{a}b}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2),x)

[Out] a**(3/2)*c*x**2*sqrt(1 + b*x**4/a)/4 + a**(3/2)*c*x**2/(16*sqrt(1 + b*x**4/a)) + a**(3/2)*d*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + a**(3/2)*f*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 3*sqrt(a)*b*c*x**6/(16*sq

```

rt(1 + b*x**4/a)) + sqrt(a)*b*d*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,),
  b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) + sqrt(a)*b*f*x**9*gamma(9/4)*hy
per((-1/2, 9/4), (13/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(13/4)) + 3*a**
2*c*asinh(sqrt(b)*x**2/sqrt(a))/(16*sqrt(b)) + a*e*Piecewise((sqrt(a)*x**4/
4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True)) + b*e*Piecewise((-a**2*sqrt
(a + b*x**4)/(15*b**2) + a*x**4*sqrt(a + b*x**4)/(30*b) + x**8*sqrt(a + b*
x**4)/10, Ne(b, 0)), (sqrt(a)*x**8/8, True)) + b**2*c*x**10/(8*sqrt(a)*sqrt
(1 + b*x**4/a))

```

$$3.514 \quad \int (c + dx + ex^2 + fx^3) (a + bx^4)^{3/2} dx$$

Optimal. Leaf size=382

$$\frac{2a^{7/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}e + 15\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{105b^{3/4}\sqrt{a+bx^4}} - \frac{4a^{9/4}e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{8}dx^2(bx^4+a)^{3/2} + \frac{1}{63}x(7ex^2+9c)(bx^4+a)^{3/2} + \frac{1}{10}f(bx^4+a)^{5/2}/b + \frac{3}{16}a^2d \operatorname{arctanh}(x^2b^{1/2}/(bx^4+a)^{1/2})/b^{1/2} + \frac{3}{16}a^2dx^2(bx^4+a)^{1/2} + \frac{2}{105}ax(7ex^2+15c)(bx^4+a)^{1/2} + \frac{4}{15}a^2ex(bx^4+a)^{1/2}/b^{1/2} / (a^{1/2}+x^2b^{1/2}) - \frac{4}{15}a^{9/4}e(\cos(2\arctan(b^{1/4}x/a^{1/4}))^2)^{1/2} / \cos(2\arctan(b^{1/4}x/a^{1/4})) * \operatorname{EllipticE}(\sin(2\arctan(b^{1/4}x/a^{1/4})), 1/2, 2^{1/2}) * (a^{1/2}+x^2b^{1/2}) * ((bx^4+a)/(a^{1/2}+x^2b^{1/2}))^{1/2} / b^{3/4} / (bx^4+a)^{1/2} + \frac{2}{105}a^{7/4}(\cos(2\arctan(b^{1/4}x/a^{1/4}))^2)^{1/2} / \cos(2\arctan(b^{1/4}x/a^{1/4})) * \operatorname{EllipticF}(\sin(2\arctan(b^{1/4}x/a^{1/4})), 1/2, 2^{1/2}) * (7ea^{1/2}+15cb^{1/2}) * (a^{1/2}+x^2b^{1/2}) * ((bx^4+a)/(a^{1/2}+x^2b^{1/2}))^{1/2} / b^{3/4} / (bx^4+a)^{1/2}$

Rubi [A] time = 0.25, antiderivative size = 382, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.370$, Rules used = {1885, 1177, 1198, 220, 1196, 1248, 641, 195, 217, 206}

$$\frac{2a^{7/4} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}e + 15\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{105b^{3/4}\sqrt{a+bx^4}} - \frac{4a^{9/4}e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2), x]

[Out] $\frac{3ad^2\sqrt{a+bx^4}}{16} + \frac{4a^2e\sqrt{a+bx^4}}{(15\sqrt{b}(S\sqrt{a} + \sqrt{b}x^2))} + \frac{2ax(15c + 7ex^2)\sqrt{a+bx^4}}{105} + \frac{dx^2(a+bx^4)^{3/2}}{8} + \frac{x(9c + 7ex^2)(a+bx^4)^{3/2}}{63} + \frac{f(a+bx^4)^{5/2}}{(10b)} + \frac{3a^2d \operatorname{ArcTanh}(\sqrt{b}x^2/\sqrt{a+bx^4})}{(16\sqrt{b})} - \frac{4a^{9/4}e(\sqrt{a} + \sqrt{b}x^2)\sqrt{(a+bx^4)/(\sqrt{a} + \sqrt{b}x^2)^2} * \operatorname{EllipticE}[2 \operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2]}{(15b^{3/4}\sqrt{a+bx^4})} + \frac{2a^{7/4}(15\sqrt{b}c + 7\sqrt{a}e)(\sqrt{a} + \sqrt{b}x^2)\sqrt{(a+bx^4)/(\sqrt{a} + \sqrt{b}x^2)^2} * \operatorname{EllipticF}[2 \operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2]}{(105b^{3/4}\sqrt{a+bx^4})}$

Rule 195

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p
+ 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; Free
Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] &&
IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n],
Denominator[p]])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x],
1/2])/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 641

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 1177

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*
(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] +
Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p +
1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*
d^2 + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*((a + b*x^n)^p, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^{3/2} dx &= \int \left((c + ex^2)(a + bx^4)^{3/2} + x(d + fx^2)(a + bx^4)^{3/2} \right) dx \\
&= \int (c + ex^2)(a + bx^4)^{3/2} dx + \int x(d + fx^2)(a + bx^4)^{3/2} dx \\
&= \frac{1}{63}x(9c + 7ex^2)(a + bx^4)^{3/2} + \frac{1}{21} \int (18ac + 14aex^2) \sqrt{a + bx^4} dx + \\
&= \frac{2}{105}ax(15c + 7ex^2) \sqrt{a + bx^4} + \frac{1}{63}x(9c + 7ex^2)(a + bx^4)^{3/2} + \frac{f(a - \\
&= \frac{2}{105}ax(15c + 7ex^2) \sqrt{a + bx^4} + \frac{1}{8}dx^2(a + bx^4)^{3/2} + \frac{1}{63}x(9c + 7ex^2) \\
&= \frac{3}{16}adx^2\sqrt{a + bx^4} + \frac{4a^2ex\sqrt{a + bx^4}}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{105}ax(15c + 7ex^2)\sqrt{a + \\
&= \frac{3}{16}adx^2\sqrt{a + bx^4} + \frac{4a^2ex\sqrt{a + bx^4}}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{105}ax(15c + 7ex^2)\sqrt{a + \\
&= \frac{3}{16}adx^2\sqrt{a + bx^4} + \frac{4a^2ex\sqrt{a + bx^4}}{15\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{105}ax(15c + 7ex^2)\sqrt{a +
\end{aligned}$$

Mathematica [C] time = 0.56, size = 175, normalized size = 0.46

$$\frac{1}{240} \sqrt{a + bx^4} \left(15d \left(\frac{3a^{5/2} \sqrt{\frac{bx^4}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right) + 5ax^2 + 2bx^6 \right) + \frac{240acx {}_2F_1 \left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{\frac{bx^4}{a} + 1}} + \frac{80aex^3 {}_2F_1 \left(\dots \right)}{\sqrt{\frac{bx^4}{a} + 1}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2),x]

[Out] (Sqrt[a + b*x^4]*((24*f*(a + b*x^4)^2)/b + 15*d*(5*a*x^2 + 2*b*x^6 + (3*a^(5/2)*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/(Sqrt[b]*(a + b*x^4))) + (240*a*c*x*Hypergeometric2F1[-3/2, 1/4, 5/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a] + (80*a*e*x^3*Hypergeometric2F1[-3/2, 3/4, 7/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a]))/240

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac\right)\sqrt{bx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c), x)

maple [C] time = 0.18, size = 368, normalized size = 0.96

$$\frac{\sqrt{bx^4 + a} bex^7}{9} + \frac{\sqrt{bx^4 + a} bdx^6}{8} + \frac{\sqrt{bx^4 + a} bcx^5}{7} + \frac{11\sqrt{bx^4 + a} aex^3}{45} - \frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{5}{2}} e \text{EllipticF}\left(\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1, \sqrt{bx^4 + a}\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}} \sqrt{bx^4 + a} \sqrt{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x)

[Out] 1/10*f*(b*x^4+a)^(5/2)/b+1/9*e*b*x^7*(b*x^4+a)^(1/2)+11/45*e*a*x^3*(b*x^4+a)^(1/2)+4/15*I*e*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-4/15*I*e*a^(5/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/8*d*b*x^6*(b*x^4+a)^(1/2)+5/16*a*d*x^2*(b*x^4+a)^(1/2)+3/16*d*a^2*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)+1/7*c*b*x^5*(b*x^4+a)^(1/2)+3/7*c*a*x*(b*x^4+a)^(1/2)+4/7*c*a^2/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3),x)

[Out] int((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 12.31, size = 394, normalized size = 1.03

$$\frac{a^{\frac{3}{2}}cx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{1}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{a^{\frac{3}{2}}dx^2\sqrt{1+\frac{bx^4}{a}}}{4} + \frac{a^{\frac{3}{2}}dx^2}{16\sqrt{1+\frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}}ex^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{3}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{\sqrt{a}bcx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2),x)

[Out] a**(3/2)*c*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + a**(3/2)*d*x**2*sqrt(1 + b*x**4/a)/4 + a**(3/2)*d*x**2/(16*sqrt(1 + b*x**4/a)) + a**(3/2)*e*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + sqrt(a)*b*c*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 3*sqrt(a)*b*d*x**6/(16*sqrt(1 + b*x**4/a)) + sqrt(a)*b*e*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4)) + 3*a**2*d*a*sinh(sqrt(b)*x**2/sqrt(a))/(16*sqrt(b)) + a*f*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True)) + b*f*Piecewise((-a**2*sqrt(a + b*x**4)/(15*b**2) + a*x**4*sqrt(a + b*x**4)/(30*b) + x**8*sqrt(a + b*x**4)/10, Ne(b, 0)), (sqrt(a)*x**8/8, True)) + b**2*d*x**10/(8*sqrt(a)*sqrt(1 + b*x**4/a))

$$3.515 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x} dx$$

Optimal. Leaf size=403

$$\frac{2a^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}f + 15\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{3/4}\sqrt{a+bx^4}} - \frac{4a^{9/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{\sqrt{a+bx^4}}{(\sqrt{a}+\sqrt{b}x^2)^2}\right)}{15b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{24}*(3*e*x^2+4*c)*(b*x^4+a)^{(3/2)}+1/63*x*(7*f*x^2+9*d)*(b*x^4+a)^{(3/2)}-1/2*a^{(3/2)*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})+3/16*a^2*e*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}+1/16*a*(3*e*x^2+8*c)*(b*x^4+a)^{(1/2)}+2/105*a*x*(7*f*x^2+15*d)*(b*x^4+a)^{(1/2)}+4/15*a^2*f*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*a^{(9/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+2/105*a^{(7/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(7*f*a^{(1/2)}+15*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 403, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {1833, 1252, 815, 844, 217, 206, 266, 63, 208, 1177, 1198, 220, 1196}

$$\frac{2a^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (7\sqrt{a}f + 15\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{105b^{3/4}\sqrt{a+bx^4}} - \frac{4a^{9/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{\sqrt{a+bx^4}}{(\sqrt{a}+\sqrt{b}x^2)^2}\right)}{15b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x,x]

[Out] $(4*a^2*f*x*\operatorname{Sqrt}[a + b*x^4])/(15*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (a*(8*c + 3*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/16 + (2*a*x*(15*d + 7*f*x^2)*\operatorname{Sqrt}[a + b*x^4])/105 + ((4*c + 3*e*x^2)*(a + b*x^4)^{(3/2)})/24 + (x*(9*d + 7*f*x^2)*(a + b*x^4)^{(3/2)})/63 + (3*a^2*e*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(16*\operatorname{Sqrt}[b]) - (a^{(3/2)*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (4*a^{(9/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(7/4)}*(15*\operatorname{Sqrt}[b]*d + 7*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a]$

+ Sqrt[b]*x^2)^2]*EllipticF[2*ArcTan[(b^(1/4)*x)/a^(1/4)], 1/2]]/(105*b^(3/4)*Sqrt[a + b*x^4])

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 815

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p]/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d

```
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1177

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*
(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] +
Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p +
1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*
d^2 + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j))*Sum[Coeff[Pq, x, j +
```

$(k*n)/2] * x^{((k*n)/2)}, \{k, 0, (2*(q - j))/n + 1\} * (a + b*x^n)^p / c^j, \{j, 0, n/2 - 1\}, x]] /; \text{FreeQ}\{a, b, c, m, p, x\} \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& \text{!PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned}
 \int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x} dx &= \int \left(\frac{(c + ex^2)(a + bx^4)^{3/2}}{x} + (d + fx^2)(a + bx^4)^{3/2} \right) dx \\
 &= \int \frac{(c + ex^2)(a + bx^4)^{3/2}}{x} dx + \int (d + fx^2)(a + bx^4)^{3/2} dx \\
 &= \frac{1}{63} x (9d + 7fx^2)(a + bx^4)^{3/2} + \frac{1}{21} \int (18ad + 14afx^2) \sqrt{a + bx^4} dx \\
 &= \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4} + \frac{1}{24} (4c + 3ex^2)(a + bx^4)^{3/2} + \frac{1}{63} x (4c + 3ex^2) \sqrt{a + bx^4} \\
 &= \frac{1}{16} a (8c + 3ex^2) \sqrt{a + bx^4} + \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4} + \frac{1}{24} (4c + 3ex^2) \sqrt{a + bx^4} \\
 &= \frac{4a^2 fx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{16} a (8c + 3ex^2) \sqrt{a + bx^4} + \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4} \\
 &= \frac{4a^2 fx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{16} a (8c + 3ex^2) \sqrt{a + bx^4} + \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4} \\
 &= \frac{4a^2 fx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{16} a (8c + 3ex^2) \sqrt{a + bx^4} + \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4} \\
 &= \frac{4a^2 fx \sqrt{a + bx^4}}{15\sqrt{b} (\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{16} a (8c + 3ex^2) \sqrt{a + bx^4} + \frac{2}{105} ax (15d + 7fx^2) \sqrt{a + bx^4}
 \end{aligned}$$

Mathematica [C] time = 0.57, size = 224, normalized size = 0.56

$$\frac{1}{6}c \left(\sqrt{a+bx^4} (4a+bx^4) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a+bx^4}}{\sqrt{a}} \right) \right) + \frac{1}{16} e \sqrt{a+bx^4} \left(\frac{3a^{3/2} \sinh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{\sqrt{b} \sqrt{\frac{bx^4}{a} + 1}} + 5ax^2 + 2bx^6 \right) + \frac{adx^7}{15}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x,x]

[Out] (e*Sqrt[a + b*x^4]*(5*a*x^2 + 2*b*x^6 + (3*a^(3/2)*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/(Sqrt[b]*Sqrt[1 + (b*x^4)/a]))/16 + (c*(Sqrt[a + b*x^4]*(4*a + b*x^4) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]]))/6 + (a*d*x*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, 1/4, 5/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a] + (a*f*x^3*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, 3/4, 7/4, -((b*x^4)/a)])/(3*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bf x^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac) \sqrt{bx^4 + a}}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}} (fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x, x)

maple [C] time = 0.18, size = 411, normalized size = 1.02

$$\frac{\sqrt{bx^4+a} b f x^7}{9} + \frac{\sqrt{bx^4+a} b e x^6}{8} + \frac{\sqrt{bx^4+a} b d x^5}{7} + \frac{\sqrt{bx^4+a} b c x^4}{6} + \frac{11 \sqrt{bx^4+a} a f x^3}{45} - \frac{4i \sqrt{-\frac{i \sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i \sqrt{b} x^2}{\sqrt{a}}}}{15 \sqrt{\frac{i \sqrt{b} x^2}{\sqrt{a}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x,x)`

[Out] $\frac{1}{9}f b x^7 (b x^4+a)^{1/2} + \frac{11}{45} f a x^3 (b x^4+a)^{1/2} + \frac{4}{15} I f a^{5/2} / (I/a^{1/2} b^{1/2})^{1/2} * (-I/a^{1/2} b^{1/2} x^2+1)^{1/2} * (I/a^{1/2} b^{1/2} x^2+1)^{1/2} / (b x^4+a)^{1/2} / b^{1/2} * \text{EllipticF}((I/a^{1/2} b^{1/2})^{1/2} x, I) - \frac{4}{15} I f a^{5/2} / (I/a^{1/2} b^{1/2})^{1/2} * (-I/a^{1/2} b^{1/2} x^2+1)^{1/2} * (I/a^{1/2} b^{1/2} x^2+1)^{1/2} / (b x^4+a)^{1/2} / b^{1/2} * \text{EllipticE}((I/a^{1/2} b^{1/2})^{1/2} x, I) + \frac{1}{8} e b x^6 (b x^4+a)^{1/2} + \frac{5}{16} e a x^2 (b x^4+a)^{1/2} + \frac{3}{16} e a^2 \ln(b^{1/2} x^2 + (b x^4+a)^{1/2}) / b^{1/2} + \frac{1}{7} d b x^5 (b x^4+a)^{1/2} + \frac{3}{7} d a x (b x^4+a)^{1/2} + \frac{4}{7} d a^2 / (I/a^{1/2} b^{1/2})^{1/2} * (-I/a^{1/2} b^{1/2} x^2+1)^{1/2} * (I/a^{1/2} b^{1/2} x^2+1)^{1/2} / (b x^4+a)^{1/2} * \text{EllipticF}((I/a^{1/2} b^{1/2})^{1/2} x, I) + \frac{1}{6} c b x^4 (b x^4+a)^{1/2} + \frac{2}{3} c a (b x^4+a)^{1/2} - \frac{1}{2} c a^{3/2} \ln((2 a + 2 (b x^4+a)^{1/2} a^{1/2}) / x^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}} (fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x,x, algorithm="maxima")`

[Out] `integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x,x)`

[Out] `int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x, x)`

sympy [A] time = 31.32, size = 405, normalized size = 1.00

$$-\frac{a^{\frac{3}{2}} c \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b} x^2}\right)}{2} + \frac{a^{\frac{3}{2}} d x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{b x^4 e^{i \pi}}{a} \right)}{4 \Gamma\left(\frac{5}{4}\right)} + \frac{a^{\frac{3}{2}} e x^2 \sqrt{1 + \frac{b x^4}{a}}}{4} + \frac{a^{\frac{3}{2}} e x^2}{16 \sqrt{1 + \frac{b x^4}{a}}} + \frac{a^{\frac{3}{2}} f x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{b x^4 e^{i \pi}}{a} \right)}{4 \Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x,x)

[Out] $-a^{3/2}c \operatorname{asinh}(\sqrt{a}/(\sqrt{b}x^{2})) / 2 + a^{3/2}d x \operatorname{gamma}(1/4) \operatorname{hyper}((-1/2, 1/4), (5/4,), b x^{4} \exp_{\text{polar}}(I\pi)/a) / (4 \operatorname{gamma}(5/4)) + a^{3/2}e x^{2} \sqrt{1 + b x^{4}/a} / 4 + a^{3/2}e x^{2} / (16 \sqrt{1 + b x^{4}/a}) + a^{3/2}f x^{3} \operatorname{gamma}(3/4) \operatorname{hyper}((-1/2, 3/4), (7/4,), b x^{4} \exp_{\text{polar}}(I\pi)/a) / (4 \operatorname{gamma}(7/4)) + \sqrt{a} b d x^{5} \operatorname{gamma}(5/4) \operatorname{hyper}((-1/2, 5/4), (9/4,), b x^{4} \exp_{\text{polar}}(I\pi)/a) / (4 \operatorname{gamma}(9/4)) + 3 \sqrt{a} b e x^{6} / (16 \sqrt{1 + b x^{4}/a}) + \sqrt{a} b f x^{7} \operatorname{gamma}(7/4) \operatorname{hyper}((-1/2, 7/4), (11/4,), b x^{4} \exp_{\text{polar}}(I\pi)/a) / (4 \operatorname{gamma}(11/4)) + a^{2} c / (2 \sqrt{b} x^{2} \sqrt{a/(b x^{4} + 1)}) + 3 a^{2} e \operatorname{asinh}(\sqrt{b} x^{2} / \sqrt{a}) / (16 \sqrt{b}) + a \sqrt{b} c x^{2} / (2 \sqrt{a/(b x^{4} + 1)}) + b c \operatorname{Piecewise}(\sqrt{a} x^{4} / 4, \operatorname{Eq}(b, 0)), ((a + b x^{4})^{3/2} / (6 b), \operatorname{True})) + b^{2} e x^{10} / (8 \sqrt{a} \sqrt{1 + b x^{4}/a})$

$$3.516 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^2} dx$$

Optimal. Leaf size=404

$$\frac{2a^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (5\sqrt{a}e + 21\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{b}\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

[Out] $-1/7*(-e*x^2+7*c)*(b*x^4+a)^{(3/2)}/x+1/24*(3*f*x^2+4*d)*(b*x^4+a)^{(3/2)}-1/2*a^{(3/2)*d*arctanh((b*x^4+a)^{(1/2)}/a^{(1/2)})+3/16*a^2*f*arctanh(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}+2/35*x*(21*b*c*x^2+5*a*e)*(b*x^4+a)^{(1/2)}+1/16*a*(3*f*x^2+8*d)*(b*x^4+a)^{(1/2)}+12/5*a*c*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(5/4)*b^{(1/4)*c*(cos(2*arctan(b^{(1/4)*x/a^{(1/4)}}))^2)^{(1/2)}/cos(2*arctan(b^{(1/4)*x/a^{(1/4)}})))*EllipticE(sin(2*arctan(b^{(1/4)*x/a^{(1/4)}})),1/2*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/35*a^{(5/4)*c*(cos(2*arctan(b^{(1/4)*x/a^{(1/4)}}))^2)^{(1/2)}/cos(2*arctan(b^{(1/4)*x/a^{(1/4)}})))*EllipticF(sin(2*arctan(b^{(1/4)*x/a^{(1/4)}})),1/2*2^{(1/2)}*(5*e*a^{(1/2)}+21*c*b^{(1/2)}))*((a^{(1/2)}+x^2*b^{(1/2)}))*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 404, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 14, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1833, 1272, 1177, 1198, 220, 1196, 1252, 815, 844, 217, 206, 266, 63, 208}

$$\frac{2a^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (5\sqrt{a}e + 21\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{b}\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^2,x]

[Out] $(12*a*\text{Sqrt}[b]*c*x*\text{Sqrt}[a + b*x^4])/(5*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) + (2*x*(5*a*e + 21*b*c*x^2)*\text{Sqrt}[a + b*x^4])/35 + (a*(8*d + 3*f*x^2)*\text{Sqrt}[a + b*x^4])/16 - ((7*c - e*x^2)*(a + b*x^4)^{(3/2)})/(7*x) + ((4*d + 3*f*x^2)*(a + b*x^4)^{(3/2)})/24 + (3*a^2*f*\text{ArcTan}h[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a + b*x^4]])/(16*\text{Sqrt}[b]) - (a^{(3/2)*d*\text{ArcTan}h[\text{Sqrt}[a + b*x^4]/\text{Sqrt}[a]])/2 - (12*a^{(5/4)*b^{(1/4)*c*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)]^2)*\text{EllipticE}[2*\text{ArcTan}[(b^{(1/4)*x}/a^{(1/4)}], 1/2])/5*\text{Sqrt}[a + b*x^4]) + (2*a^{(5/4)*(21*\text{Sqrt}[b]*c + 5*\text{Sqrt}[a]*e)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)]^2)/5*\text{Sqrt}[a + b*x^4]$

$\text{Sqrt}[b*x^2]^2*\text{EllipticF}[2*\text{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2]/(35*b^{1/4}*\text{Sqrt}[a + b*x^4])$

Rule 63

$\text{Int}[(a_.) + (b_.)*(x_)^{(m_)}*((c_.) + (d_.)*(x_)^{(n_)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2])]/(2*q*\text{Sqrt}[a + b*x^4]), x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 815

$\text{Int}[(d_.) + (e_.)*(x_)^{(m_)}*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(d + e*x)^{(m+1)}*(c*e*f*(m+2*p+2) - g*c*d*(2*p+1) + g*c*e*(m+2*p+1)*x)*(a + c*x^2)^p]/(c*e^2*(m+2*p+1)*(m+2*p+2)), x] + \text{Dist}[(2*p)/(c*e^2*(m+2*p+1)*(m+2*p+2)), \text{Int}[(d + e*x)^m*(a + c*x^2)^{(p-1)}*\text{Simp}[f*a*c*e^2*(m+2*p+2) + a*c*d*e*g*m - (c^2*f*d$

```
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1177

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*
(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] +
Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p +
1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*
d^2 + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1272

```
Int[((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x
_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*
```

```

x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)
), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x
^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m +
4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

```

Rule 1833

```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^2} dx &= \int \left(\frac{(c + ex^2)(a + bx^4)^{3/2}}{x^2} + \frac{(d + fx^2)(a + bx^4)^{3/2}}{x} \right) dx \\
&= \int \frac{(c + ex^2)(a + bx^4)^{3/2}}{x^2} dx + \int \frac{(d + fx^2)(a + bx^4)^{3/2}}{x} dx \\
&= -\frac{(7c - ex^2)(a + bx^4)^{3/2}}{7x} + \frac{1}{2} \text{Subst} \left(\int \frac{(d + fx)(a + bx^2)^{3/2}}{x} dx, x, x^2 \right) \\
&= \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} - \frac{(7c - ex^2)(a + bx^4)^{3/2}}{7x} + \frac{1}{24}(4d + 3f) \\
&= \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} + \frac{1}{16}a(8d + 3fx^2)\sqrt{a + bx^4} - \frac{(7c - e)}{24} \\
&= \frac{12a\sqrt{b}cx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} + \frac{1}{16}a(8d + 3fx^2)\sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}cx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} + \frac{1}{16}a(8d + 3fx^2)\sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}cx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} + \frac{1}{16}a(8d + 3fx^2)\sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}cx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{2}{35}x(5ae + 21bcx^2)\sqrt{a + bx^4} + \frac{1}{16}a(8d + 3fx^2)\sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.57, size = 222, normalized size = 0.55

$$\frac{1}{6}d \left(\sqrt{a + bx^4} (4a + bx^4) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \right) + \frac{1}{16}f\sqrt{a + bx^4} \left(\frac{3a^{3/2} \sinh^{-1} \left(\frac{\sqrt{bx^2}}{\sqrt{a}} \right)}{\sqrt{b} \sqrt{\frac{bx^4}{a} + 1}} + 5ax^2 + 2bx^6 \right) - \frac{ac}{24}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^2,x]

[Out] (f*Sqrt[a + b*x^4]*(5*a*x^2 + 2*b*x^6 + (3*a^(3/2)*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]])/(Sqrt[b]*Sqrt[1 + (b*x^4)/a]))/16 + (d*(Sqrt[a + b*x^4]*(4*a + b*x^4) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]]))/6 - (a*c*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, -1/4, 3/4, -((b*x^4)/a)]/(x*Sqrt[1 + (b*x^4)/a]) + (a*e*x*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, 1/4, 5/4, -((b*x^4)/a)]/Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bf x^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^2,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^2,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^2, x)

maple [C] time = 0.21, size = 411, normalized size = 1.02

$$\frac{\sqrt{bx^4 + a} b f x^6}{8} + \frac{\sqrt{bx^4 + a} b e x^5}{7} + \frac{\sqrt{bx^4 + a} b d x^4}{6} + \frac{\sqrt{bx^4 + a} b c x^3}{5} + \frac{4\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^2 e \text{EllipticF}}{7\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^2,x)

[Out] 1/8*f*b*x^6*(b*x^4+a)^(1/2)+5/16*f*a*x^2*(b*x^4+a)^(1/2)+3/16*f*a^2*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)+1/7*e*b*x^5*(b*x^4+a)^(1/2)+3/7*e*a*x*(b*x

$$\begin{aligned} & \sqrt[4]{a} + \frac{4}{7} e \sqrt{a} / \left(\sqrt{a} \sqrt{b} \right)^{1/2} \sqrt{-\sqrt{a} \sqrt{b} x^2 + 1}^{1/2} \\ & \sqrt{\sqrt{a} \sqrt{b} x^2 + 1} / \left(b x^4 + a \right)^{1/2} \operatorname{EllipticF} \left(\sqrt{\sqrt{a} \sqrt{b} x^2 + 1} / \sqrt{b x^4 + a}, I \right) \\ & - c \sqrt{a} \sqrt{b} x^4 + a \sqrt{b} x^3 \sqrt{b x^4 + a} + 12/5 \sqrt{a} \sqrt{b} x^3 \sqrt{b x^4 + a} \\ & \sqrt{\sqrt{a} \sqrt{b} x^2 + 1} / \left(\sqrt{a} \sqrt{b} \right)^{1/2} \sqrt{-\sqrt{a} \sqrt{b} x^2 + 1}^{1/2} \\ & \sqrt{\sqrt{a} \sqrt{b} x^2 + 1} / \left(b x^4 + a \right)^{1/2} \operatorname{EllipticF} \left(\sqrt{\sqrt{a} \sqrt{b} x^2 + 1} / \sqrt{b x^4 + a}, I \right) \\ & - 12/5 \sqrt{a} \sqrt{b} x^3 \sqrt{b x^4 + a} / \left(\sqrt{a} \sqrt{b} \right)^{1/2} \sqrt{-\sqrt{a} \sqrt{b} x^2 + 1}^{1/2} \\ & \sqrt{\sqrt{a} \sqrt{b} x^2 + 1} / \left(\sqrt{a} \sqrt{b} \right)^{1/2} \sqrt{-\sqrt{a} \sqrt{b} x^2 + 1}^{1/2} / \left(b x^4 + a \right)^{1/2} \\ & \operatorname{EllipticE} \left(\sqrt{\sqrt{a} \sqrt{b} x^2 + 1} / \sqrt{b x^4 + a}, I \right) + 1/6 d \sqrt{a} \sqrt{b} x^4 \sqrt{b x^4 + a} \\ & + 2/3 d \sqrt{a} \sqrt{b} x^4 \sqrt{b x^4 + a} - 1/2 d \sqrt{a} \sqrt{b} x^4 \sqrt{b x^4 + a} \ln \left(\frac{2 \sqrt{a} \sqrt{b} x^4 + a}{x^2} \right) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^2,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^2,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^2, x)

sympy [A] time = 14.15, size = 406, normalized size = 1.00

$$\frac{a^{3/2} c \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x \Gamma\left(\frac{3}{4}\right)} - \frac{a^{3/2} d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b} x^2}\right)}{2} + \frac{a^{3/2} e x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4 \Gamma\left(\frac{5}{4}\right)} + \frac{a^{3/2} f x^2 \sqrt{1 + \frac{bx^4}{a}}}{4} + \frac{a^{3/2} f x^2}{16 \sqrt{1 + \frac{bx^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**2,x)

```
[Out] a**(3/2)*c*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a
)/(4*x*gamma(3/4)) - a**(3/2)*d*asinh(sqrt(a)/(sqrt(b)*x**2))/2 + a**(3/2)*
e*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma
a(5/4)) + a**(3/2)*f*x**2*sqrt(1 + b*x**4/a)/4 + a**(3/2)*f*x**2/(16*sqrt(1
+ b*x**4/a)) + sqrt(a)*b*c*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x*
**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + sqrt(a)*b*e*x**5*gamma(5/4)*hyper((-
1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + 3*sqrt(a)*b*f
*x**6/(16*sqrt(1 + b*x**4/a)) + a**2*d/(2*sqrt(b)*x**2*sqrt(a/(b*x**4) + 1)
) + 3*a**2*f*asinh(sqrt(b)*x**2/sqrt(a))/(16*sqrt(b)) + a*sqrt(b)*d*x**2/(2
*sqrt(a/(b*x**4) + 1)) + b*d*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*
x**4)**(3/2)/(6*b), True)) + b**2*f*x**10/(8*sqrt(a)*sqrt(1 + b*x**4/a))
```

$$3.517 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^3} dx$$

Optimal. Leaf size=406

$$\frac{2a^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (5\sqrt{a}f + 21\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{b}\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

[Out] $-1/6*(-e*x^2+3*c)*(b*x^4+a)^{(3/2)}/x^2-1/7*(-f*x^2+7*d)*(b*x^4+a)^{(3/2)}/x-1/2*a^{(3/2)}*e*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})+3/4*a*c*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}+1/4*(3*b*c*x^2+2*a*e)*(b*x^4+a)^{(1/2)}+2/35*x*(21*b*d*x^2+5*a*f)*(b*x^4+a)^{(1/2)}+12/5*a*d*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(5/4)}*b^{(1/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/35*a^{(5/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(5*f*a^{(1/2)}+21*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 406, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 15, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1833, 1252, 813, 815, 844, 217, 206, 266, 63, 208, 1272, 1177, 1198, 220, 1196}

$$\frac{2a^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (5\sqrt{a}f + 21\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{b}\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^3, x]$

[Out] $(12*a*\operatorname{Sqrt}[b]*d*x*\operatorname{Sqrt}[a + b*x^4])/(5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + ((2*a*e + 3*b*c*x^2)*\operatorname{Sqrt}[a + b*x^4])/4 + (2*x*(5*a*f + 21*b*d*x^2)*\operatorname{Sqrt}[a + b*x^4])/35 - ((3*c - e*x^2)*(a + b*x^4)^{(3/2)})/(6*x^2) - ((7*d - f*x^2)*(a + b*x^4)^{(3/2)})/(7*x) + (3*a*\operatorname{Sqrt}[b]*c*\operatorname{ArcTan}h[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/4 - (a^{(3/2)}*e*\operatorname{ArcTan}h[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (12*a^{(5/4)}*b^{(1/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/ (5*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(5/4)}*(21*\operatorname{Sqrt}[b]*d + 5*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] +$

$\text{Sqrt}[b*x^2]^2*\text{EllipticF}[2*\text{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2]/(35*b^{1/4}* \text{Sqrt}[a + b*x^4])$

Rule 63

$\text{Int}[(a_.) + (b_.)*(x_)^{(m_)}*((c_.) + (d_.)*(x_)^{(n_)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2)]/(2*q*\text{Sqrt}[a + b*x^4]), x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_.)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 813

$\text{Int}[(d_.) + (e_.)*(x_)^{(m_)}*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(d + e*x)^{(m+1)}*(e*f*(m+2*p+2) - d*g*(2*p+1) + e*g*(m+1)*x*(a + c*x^2)^p)/(e^2*(m+1)*(m+2*p+2)), x] + \text{Dist}[p/(e^2*(m+1)*(m+2*p+2)), \text{Int}[(d + e*x)^{(m+1)}*(a + c*x^2)^{(p-1)}*\text{Simp}[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m+2*p+2))*x, x],$

$x], x] /;$ FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 815

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1))]*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 844

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1177

Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] :> Simp[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2])*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,

d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1272

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^3} dx &= \int \left(\frac{(c + ex^2)(a + bx^4)^{3/2}}{x^3} + \frac{(d + fx^2)(a + bx^4)^{3/2}}{x^2} \right) dx \\
&= \int \frac{(c + ex^2)(a + bx^4)^{3/2}}{x^3} dx + \int \frac{(d + fx^2)(a + bx^4)^{3/2}}{x^2} dx \\
&= -\frac{(7d - fx^2)(a + bx^4)^{3/2}}{7x} + \frac{1}{2} \text{Subst} \left(\int \frac{(c + ex)(a + bx^2)^{3/2}}{x^2} dx, x, x^2 \right) \\
&= \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4} - \frac{(3c - ex^2)(a + bx^4)^{3/2}}{6x^2} - \frac{(7d - fx^2)(a + bx^4)^{3/2}}{7x} \\
&= \frac{1}{4} (2ae + 3bcx^2) \sqrt{a + bx^4} + \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4} - \frac{(3c - ex^2)(a + bx^4)^{3/2}}{6x^2} \\
&= \frac{12a\sqrt{b} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2ae + 3bcx^2) \sqrt{a + bx^4} + \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2ae + 3bcx^2) \sqrt{a + bx^4} + \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2ae + 3bcx^2) \sqrt{a + bx^4} + \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} + \frac{1}{4} (2ae + 3bcx^2) \sqrt{a + bx^4} + \frac{2}{35} x (5af + 21bdx^2) \sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.40, size = 194, normalized size = 0.48

$$\frac{x \left(ex \sqrt{\frac{bx^4}{a}} + 1 \left(\sqrt{a + bx^4} (4a + bx^4) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \right) - 6ad \sqrt{a + bx^4} {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{bx^4}{a} \right) + 6afx^2 \sqrt{a + bx^4} \right)}{6x^2 \sqrt{\frac{bx^4}{a}} + 1}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^3,x]

[Out] (-3*a*c*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, -1/2, 1/2, -((b*x^4)/a)] + x*(e*x*Sqrt[1 + (b*x^4)/a]*(Sqrt[a + b*x^4]*(4*a + b*x^4) - 3*a^(3/2)*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]]) - 6*a*d*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, -1/4, 3/4, -((b*x^4)/a)] + 6*a*f*x^2*Sqrt[a + b*x^4]*Hypergeometric2F1[-3/2, 1/4, 5/4, -((b*x^4)/a)]))/(6*x^2*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^3,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^3,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^3, x)

maple [C] time = 0.21, size = 409, normalized size = 1.01

$$\frac{\sqrt{bx^4 + a} b f x^5}{7} + \frac{\sqrt{bx^4 + a} b e x^4}{6} + \frac{\sqrt{bx^4 + a} b d x^3}{5} + \frac{4 \sqrt{-\frac{i \sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i \sqrt{b} x^2}{\sqrt{a}} + 1} a^2 f \text{EllipticF}\left(\sqrt{\frac{i \sqrt{b}}{\sqrt{a}}} x, i\right)}{7 \sqrt{\frac{i \sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}} - 12i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^3,x)

[Out] 1/7*f*b*x^5*(b*x^4+a)^(1/2)+3/7*f*a*x*(b*x^4+a)^(1/2)+4/7*f*a^2/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x, I)+1/4*c*b*x^2*(

$b*x^4+a)^{(1/2)}+3/4*c*a*b^{(1/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-1/2*c*a/x^2*(b*x^4+a)^{(1/2)}-d*a*(b*x^4+a)^{(1/2)}/x+1/5*d*b*x^3*(b*x^4+a)^{(1/2)}+12/5*I*d*a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-12/5*I*d*a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/6*e*b*x^4*(b*x^4+a)^{(1/2)}+2/3*e*a*(b*x^4+a)^{(1/2)}-1/2*e*a^{(3/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^3,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^3,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^3, x)

sympy [A] time = 11.48, size = 377, normalized size = 0.93

$$-\frac{a^{\frac{3}{2}}c}{2x^2\sqrt{1+\frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}}d\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x\Gamma\left(\frac{3}{4}\right)} - \frac{a^{\frac{3}{2}}e \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^2}}\right)}{2} + \frac{a^{\frac{3}{2}}fx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{2}, \frac{1}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{\sqrt{a}bcx^2\sqrt{1+\frac{bx^4}{a}}}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**3,x)

[Out] -a**(3/2)*c/(2*x**2*sqrt(1 + b*x**4/a)) + a**(3/2)*d*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - a**(3/2)*e*a

```

sinh(sqrt(a)/(sqrt(b)*x**2))/2 + a**(3/2)*f*x*gamma(1/4)*hyper((-1/2, 1/4),
(5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + sqrt(a)*b*c*x**2*sqrt(1
+ b*x**4/a)/4 - sqrt(a)*b*c*x**2/(2*sqrt(1 + b*x**4/a)) + sqrt(a)*b*d*x**3
*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7
/4)) + sqrt(a)*b*f*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), b*x**4*exp_po
lar(I*pi)/a)/(4*gamma(9/4)) + a**2*e/(2*sqrt(b)*x**2*sqrt(a/(b*x**4) + 1))
+ 3*a*sqrt(b)*c*asinh(sqrt(b)*x**2/sqrt(a))/4 + a*sqrt(b)*e*x**2/(2*sqrt(a/
(b*x**4) + 1)) + b*e*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(
3/2)/(6*b), True))

```

$$3.518 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^4} dx$$

Optimal. Leaf size=408

$$\frac{2a^{3/4}\sqrt[4]{b}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

[Out] $-1/15*(-3*e*x^2+5*c)*(b*x^4+a)^{(3/2)}/x^3-1/6*(-f*x^2+3*d)*(b*x^4+a)^{(3/2)}/x^2-1/2*a^{(3/2)}*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})+3/4*a*d*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}-2/15*(-5*b*c*x^2+9*a*e)*(b*x^4+a)^{(1/2)}/x+1/4*(3*b*d*x^2+2*a*f)*(b*x^4+a)^{(1/2)}+12/5*a*e*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(5/4)}*b^{(1/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/15*a^{(3/4)}*b^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(9*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 408, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 14, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1833, 1272, 1198, 220, 1196, 1252, 813, 815, 844, 217, 206, 266, 63, 208}

$$\frac{2a^{3/4}\sqrt[4]{b}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^4, x]$

[Out] $(12*a*\operatorname{Sqrt}[b]*e*x*\operatorname{Sqrt}[a + b*x^4])/(5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (2*(9*a*e - 5*b*c*x^2)*\operatorname{Sqrt}[a + b*x^4])/(15*x) + ((2*a*f + 3*b*d*x^2)*\operatorname{Sqrt}[a + b*x^4])/4 - ((5*c - 3*e*x^2)*(a + b*x^4)^{(3/2)})/(15*x^3) - ((3*d - f*x^2)*(a + b*x^4)^{(3/2)})/(6*x^2) + (3*a*\operatorname{Sqrt}[b]*d*\operatorname{ArcTan}h[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/4 - (a^{(3/2)}*f*\operatorname{ArcTan}h[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/2 - (12*a^{(5/4)}*b^{(1/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(3/4)}*b^{(1/4)}*(5*\operatorname{Sqrt}[b]*c + 9*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)$

$$\frac{1}{\sqrt{a + b x^2}} \operatorname{EllipticF}\left[2 \operatorname{ArcTan}\left[\frac{b^{1/4} x}{a^{1/4}}\right], \frac{1}{2}\right]$$

$$\frac{1}{(15 \sqrt{a + b x^4})}$$

Rule 63

$$\operatorname{Int}[(a_.) + (b_.)(x_)^{(m_)}((c_.) + (d_.)(x_)^{(n_)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p(m+1)-1)}(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x]] /; \operatorname{FreeQ}\{a, b, c, d, x\} \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$$

Rule 206

$$\operatorname{Int}[(a_.) + (b_.)(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 * \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] * x] / \operatorname{Rt}[a, 2]) / (\operatorname{Rt}[a, 2] * \operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b, x\} \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \mid \mid \operatorname{LtQ}[b, 0])$$

Rule 208

$$\operatorname{Int}[(a_.) + (b_.)(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2] * \operatorname{ArcTanh}[x / \operatorname{Rt}[-(a/b), 2]]) / a, x] /; \operatorname{FreeQ}\{a, b, x\} \&\& \operatorname{NegQ}[a/b]$$

Rule 217

$$\operatorname{Int}[1 / \sqrt{(a_.) + (b_.)(x_)^2}, x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1 / (1 - b*x^2), x], x, x / \sqrt{a + b*x^2}] /; \operatorname{FreeQ}\{a, b, x\} \&\& \operatorname{!GtQ}[a, 0]$$

Rule 220

$$\operatorname{Int}[1 / \sqrt{(a_.) + (b_.)(x_)^4}, x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Rt}[b/a, 4]\}, \operatorname{Simp}[(1 + q^2*x^2) * \sqrt{(a + b*x^4) / (a*(1 + q^2*x^2)^2)}] * \operatorname{EllipticF}[2 * \operatorname{ArcTan}[q*x], 1/2] / (2*q*\sqrt{a + b*x^4}), x]] /; \operatorname{FreeQ}\{a, b, x\} \&\& \operatorname{PosQ}[b/a]$$

Rule 266

$$\operatorname{Int}[(x_)^{(m_)}((a_.) + (b_.)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \operatorname{FreeQ}\{a, b, m, n, p, x\} \&\& \operatorname{IntegerQ}[\operatorname{Simplify}[(m+1)/n]]$$

Rule 813

$$\operatorname{Int}[(d_.) + (e_.)(x_)^{(m_)}((f_.) + (g_.)(x_))^{(p_)}((a_.) + (c_.)(x_)^2)^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[(d + e*x)^{(m+1)} * (e*f*(m+2*p+2) - d*g*(2*p+1) + e*g*(m+1)*x) * (a + c*x^2)^p / (e^2*(m+1)*(m+2*p+2)), x] + \operatorname{Dist}[p / (e^2*(m+1)*(m+2*p+2)), \operatorname{Int}[(d + e*x)^{(m+1)} * (a + c*x^2)^{(p-1)} * \operatorname{Simp}[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m+2*p+2))*x, x],$$

$x], x] /;$ FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 815

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p]/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1))]*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 844

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1272

```

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x
_Symbol] :> Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*
x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)
), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x
^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m +
4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

```

Rule 1833

```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^4} dx &= \int \left(\frac{(c + ex^2)(a + bx^4)^{3/2}}{x^4} + \frac{(d + fx^2)(a + bx^4)^{3/2}}{x^3} \right) dx \\
&= \int \frac{(c + ex^2)(a + bx^4)^{3/2}}{x^4} dx + \int \frac{(d + fx^2)(a + bx^4)^{3/2}}{x^3} dx \\
&= -\frac{(5c - 3ex^2)(a + bx^4)^{3/2}}{15x^3} - \frac{2}{5} \int \frac{(-3ae - 5bcx^2)\sqrt{a + bx^4}}{x^2} dx + \frac{1}{2} \int \frac{(3d - fx^2)\sqrt{a + bx^4}}{x} dx \\
&= -\frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} - \frac{(5c - 3ex^2)(a + bx^4)^{3/2}}{15x^3} - \frac{(3d - fx^2)\sqrt{a + bx^4}}{6x} \\
&= -\frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} + \frac{1}{4}(2af + 3bdx^2)\sqrt{a + bx^4} - \frac{(5c - 3ex^2)(a + bx^4)^{3/2}}{15x^3} \\
&= \frac{12a\sqrt{b}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} + \frac{1}{4}(2af + 3bdx^2)\sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} + \frac{1}{4}(2af + 3bdx^2)\sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} + \frac{1}{4}(2af + 3bdx^2)\sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{2(9ae - 5bcx^2)\sqrt{a + bx^4}}{15x} + \frac{1}{4}(2af + 3bdx^2)\sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.39, size = 194, normalized size = 0.48

$$\frac{x^2 \left(fx \sqrt{\frac{bx^4}{a}} + 1 \left(\sqrt{a + bx^4} (4a + bx^4) - 3a^{3/2} \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \right) - 6ae\sqrt{a + bx^4} {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{bx^4}{a} \right) \right) - 2ac\sqrt{a + bx^4}}{6x^3 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^4,x]

[Out] $(-2*a*c*\text{Sqrt}[a + b*x^4]*\text{Hypergeometric2F1}[-3/2, -3/4, 1/4, -((b*x^4)/a)] - 3*a*d*x*\text{Sqrt}[a + b*x^4]*\text{Hypergeometric2F1}[-3/2, -1/2, 1/2, -((b*x^4)/a)] + x^2*(f*x*\text{Sqrt}[1 + (b*x^4)/a]*(\text{Sqrt}[a + b*x^4]*(4*a + b*x^4) - 3*a^{3/2}*\text{ArcTanh}[\text{Sqrt}[a + b*x^4]/\text{Sqrt}[a]]) - 6*a*e*\text{Sqrt}[a + b*x^4]*\text{Hypergeometric2F1}[-3/2, -1/4, 3/4, -((b*x^4)/a)))/(6*x^3*\text{Sqrt}[1 + (b*x^4)/a])$

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bf x^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^4,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^4,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^4, x)

maple [C] time = 0.22, size = 408, normalized size = 1.00

$$\frac{\sqrt{bx^4 + a} b f x^4}{6} + \frac{\sqrt{bx^4 + a} b e x^3}{5} - \frac{12i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} \sqrt{b} e \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}} + \frac{12i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1}}{\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^4,x)

[Out] $-1/3*c*a*(b*x^4+a)^{(1/2)}/x^3+1/3*c*b*x*(b*x^4+a)^{(1/2)}+4/3*c*a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/4*d*b*x^2*$

$(bx^4+a)^{1/2}+3/4*d*a*b^{1/2}*ln(b^{1/2}*x^2+(bx^4+a)^{1/2})-1/2*d*a/x^2$
 $* (bx^4+a)^{1/2}-e*a*(bx^4+a)^{1/2}/x+1/5*e*b*x^3*(bx^4+a)^{1/2}+12/5*I*e$
 $*a^{3/2}*b^{1/2}/(I/a^{1/2}*b^{1/2})^{1/2}*(-I/a^{1/2}*b^{1/2}*x^2+1)^{1/2}$
 $*(I/a^{1/2}*b^{1/2}*x^2+1)^{1/2}/(bx^4+a)^{1/2}*EllipticF((I/a^{1/2}*b^{1/2})^{1/2}*x, I)$
 $-12/5*I*e*a^{3/2}*b^{1/2}/(I/a^{1/2}*b^{1/2})^{1/2}*(-I/a^{1/2}*b^{1/2}*x^2+1)^{1/2}$
 $*(I/a^{1/2}*b^{1/2}*x^2+1)^{1/2}/(bx^4+a)^{1/2}*EllipticE((I/a^{1/2}*b^{1/2})^{1/2}*x, I)$
 $+1/6*f*b*x^4*(bx^4+a)^{1/2}+2/3*f*a*(bx^4+a)^{1/2}-1/2*f*a^{3/2}*ln((2*a+2*(bx^4+a)^{1/2})*a^{1/2})/x^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^4,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^4,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^4, x)

sympy [A] time = 11.34, size = 381, normalized size = 0.93

$$\frac{a^{3/2}c\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(-\frac{3}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3\Gamma\left(\frac{1}{4}\right)} - \frac{a^{3/2}d}{2x^2\sqrt{1 + \frac{bx^4}{a}}} + \frac{a^3e\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x\Gamma\left(\frac{3}{4}\right)} - \frac{a^{3/2}f \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{2} + \frac{\sqrt{a}bcx\Gamma\left(\frac{1}{4}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**4,x)

[Out] a**(3/2)*c*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - a**(3/2)*d/(2*x**2*sqrt(1 + b*x**4/a)) + a**(3/2)*e

```

*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - a**(3/2)*f*asinh(sqrt(a)/(sqrt(b)*x**2))/2 + sqrt(a)*b*c*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + sqrt(a)*b*d*x**2*sqrt(1 + b*x**4/a)/4 - sqrt(a)*b*d*x**2/(2*sqrt(1 + b*x**4/a)) + sqrt(a)*b*e*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + a**2*f/(2*sqrt(b)*x**2*sqrt(a/(b*x**4) + 1)) + 3*a*sqrt(b)*d*asinh(sqrt(b)*x**2/sqrt(a))/4 + a*sqrt(b)*f*x**2/(2*sqrt(a/(b*x**4) + 1)) + b*f*Piecewise((sqrt(a)*x**4/4, Eq(b, 0)), ((a + b*x**4)**(3/2)/(6*b), True))

```

$$3.519 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^5} dx$$

Optimal. Leaf size=386

$$\frac{2a^{3/4}\sqrt[4]{b}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

[Out] $-1/12*(3*c/x^4+4*d/x^3+6*e/x^2+12*f/x)*(b*x^4+a)^{(3/2)}-3/4*b*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+3/4*a*e*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}+3/4*b*(e*x^2+c)*(b*x^4+a)^{(1/2)}+2/15*b*x*(9*f*x^2+5*d)*(b*x^4+a)^{(1/2)}+12/5*a*f*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(5/4)}*b^{(1/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/15*a^{(3/4)}*b^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(9*f*a^{(1/2)}+5*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 386, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 15, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {14, 1825, 1833, 1252, 815, 844, 217, 206, 266, 63, 208, 1177, 1198, 220, 1196}

$$\frac{2a^{3/4}\sqrt[4]{b}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} - \frac{12a^{5/4}\sqrt[4]{b}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{5\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}(((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)})/x^5, x)$

[Out] $(12*a*\operatorname{Sqrt}[b]*f*x*\operatorname{Sqrt}[a + b*x^4])/(5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (3*b*(c + e*x^2)*\operatorname{Sqrt}[a + b*x^4])/4 + (2*b*x*(5*d + 9*f*x^2)*\operatorname{Sqrt}[a + b*x^4])/15 - ((3*c)/x^4 + (4*d)/x^3 + (6*e)/x^2 + (12*f)/x)*(a + b*x^4)^{(3/2)}/12 + (3*a*\operatorname{Sqrt}[b]*e*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/4 - (3*\operatorname{Sqrt}[a]*b*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/4 - (12*a^{(5/4)}*b^{(1/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(3/4)}*b^{(1/4)}*(5*\operatorname{Sqrt}[b]*d + 9*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*\operatorname{Sqrt}[a + b*x^4])$

Rule 14

```
Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 815

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p]/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1))]*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

```

Rule 844

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

```

Rule 1177

```

Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

```

Rule 1196

```

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

```

Rule 1198

```

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

```

Rule 1252

```

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],

```

$x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m + 1)/2]$

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)
]*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] :> Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^5} dx &= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{4} - \frac{dx}{3} - \frac{ex^2}{2} - f \right)}{x} \\
&= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) (a + bx^4)^{3/2} - (6b) \int \left(\frac{\left(-\frac{c}{4} - \frac{ex^2}{2} \right) \sqrt{a + bx^4}}{x} \right. \\
&= -\frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{4} - \frac{ex^2}{2} \right) \sqrt{a + bx^4}}{x} \\
&= \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4} - \frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} + \frac{6e}{x^2} + \frac{12f}{x} \right) (a + bx^4)^{3/2} \\
&= \frac{3}{4} b (c + ex^2) \sqrt{a + bx^4} + \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4} - \frac{1}{12} \left(\frac{3c}{x^4} + \frac{4d}{x^3} \right. \\
&= \frac{12a\sqrt{b}fx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{3}{4} b (c + ex^2) \sqrt{a + bx^4} + \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}fx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{3}{4} b (c + ex^2) \sqrt{a + bx^4} + \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}fx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{3}{4} b (c + ex^2) \sqrt{a + bx^4} + \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4} \\
&= \frac{12a\sqrt{b}fx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} + \frac{3}{4} b (c + ex^2) \sqrt{a + bx^4} + \frac{2}{15} bx (5d + 9fx^2) \sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.25, size = 163, normalized size = 0.42

$$\frac{\sqrt{a + bx^4} \left(3x \left(-5a^3 e {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; -\frac{bx^4}{a} \right) - 10a^3 f x {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{bx^4}{a} \right) + bcx^2 (a + bx^4)^2 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(2, \frac{5}{2}; \frac{7}{2}; -\frac{bx^4}{a} \right) \right)}{30a^2 x^3 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^5,x]

[Out] (Sqrt[a + b*x^4]*(-10*a^3*d*Hypergeometric2F1[-3/2, -3/4, 1/4, -((b*x^4)/a)] + 3*x*(-5*a^3*e*Hypergeometric2F1[-3/2, -1/2, 1/2, -((b*x^4)/a)] - 10*a^3*f*x*Hypergeometric2F1[-3/2, -1/4, 3/4, -((b*x^4)/a)] + b*c*x^2*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^4)/a]))/(30*a^2*x^3*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^5,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^5, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^5,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^5, x)

maple [C] time = 0.18, size = 409, normalized size = 1.06

$$\frac{\sqrt{bx^4 + a} b f x^3}{5} - \frac{12i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} \sqrt{b} f \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}} + \frac{12i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}}}{5 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^5,x)

[Out] 1/2*c*b*(b*x^4+a)^(1/2)-1/4*c*a/x^4*(b*x^4+a)^(1/2)-3/4*c*a^(1/2)*b*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)-1/3*d*a*(b*x^4+a)^(1/2)/x^3+1/3*d*b*x*(b*x

$$\begin{aligned} &^4+a)^{(1/2)}+4/3*d*a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)} \\ &*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) \\ &+1/4*e*b*x^2*(b*x^4+a)^{(1/2)}+3/4*e*a*b^{(1/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)}) \\ &-1/2*e*a/x^2*(b*x^4+a)^{(1/2)}-f*a*(b*x^4+a)^{(1/2)}/x+1/5*f*b*x^3*(b*x^4+a)^{(1/2)} \\ &+12/5*I*f*a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)} \\ &*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) \\ &-12/5*I*f*a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)} \\ &*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{8} \left(3\sqrt{a}b \log\left(\frac{\sqrt{bx^4+a}-\sqrt{a}}{\sqrt{bx^4+a}+\sqrt{a}}\right) + 4\sqrt{bx^4+a}b - \frac{2\sqrt{bx^4+a}a}{x^4} \right) c + \int \frac{(bfx^6 + bex^5 + bdx^4 + afx^2 + aex + ad)}{x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^5,x, algorithm="maxima")

[Out] 1/8*(3*sqrt(a)*b*log((sqrt(b*x^4 + a) - sqrt(a))/(sqrt(b*x^4 + a) + sqrt(a))) + 4*sqrt(b*x^4 + a)*b - 2*sqrt(b*x^4 + a)*a/x^4)*c + integrate((b*f*x^6 + b*e*x^5 + b*d*x^4 + a*f*x^2 + a*e*x + a*d)*sqrt(b*x^4 + a)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^5, x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^5, x)

sympy [C] time = 13.19, size = 379, normalized size = 0.98

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(-\frac{3}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{a^{\frac{3}{2}} e}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} + \frac{a^{\frac{3}{2}} f \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x \Gamma\left(\frac{3}{4}\right)} - \frac{3\sqrt{a}bc \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{4} + \frac{\sqrt{a}bdx\Gamma\left(\frac{3}{4}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**5,x)

```
[Out] a**(3/2)*d*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a
)/(4*x**3*gamma(1/4)) - a**(3/2)*e/(2*x**2*sqrt(1 + b*x**4/a)) + a**(3/2)*f
*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gam
ma(3/4)) - 3*sqrt(a)*b*c*asinh(sqrt(a)/(sqrt(b)*x**2))/4 + sqrt(a)*b*d*x*ga
mma(1/4)*hyper((-1/2, 1/4), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)
) + sqrt(a)*b*e*x**2*sqrt(1 + b*x**4/a)/4 - sqrt(a)*b*e*x**2/(2*sqrt(1 + b*
x**4/a)) + sqrt(a)*b*f*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), b*x**4*ex
p_polar(I*pi)/a)/(4*gamma(7/4)) - a*sqrt(b)*c*sqrt(a/(b*x**4) + 1)/(4*x**2)
+ a*sqrt(b)*c/(2*x**2*sqrt(a/(b*x**4) + 1)) + 3*a*sqrt(b)*e*asinh(sqrt(b)*
x**2/sqrt(a))/4 + b**(3/2)*c*x**2/(2*sqrt(a/(b*x**4) + 1))
```

$$3.520 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^6} dx$$

Optimal. Leaf size=387

$$\frac{2\sqrt[4]{a}b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 9\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} + \frac{12b^{3/2}cx\sqrt{a+bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{12\sqrt[4]{a}b^{5/4}c(\sqrt{a} + \sqrt{b}x^2)}{5(\sqrt{a} + \sqrt{b}x^2)}$$

[Out] $-1/60*(12*c/x^5+15*d/x^4+20*e/x^3+30*f/x^2)*(b*x^4+a)^{(3/2)}-3/4*b*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}+3/4*a*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})*b^{(1/2)}-2/15*b*(-5*e*x^2+9*c)*(b*x^4+a)^{(1/2)}/x+3/4*b*(f*x^2+d)*(b*x^4+a)^{(1/2)}+12/5*b^{(3/2)}*c*x*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(1/4)}*b^{(5/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/15*a^{(1/4)}*b^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(5*e*a^{(1/2)}+9*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 387, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 15, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {14, 1825, 1833, 1272, 1198, 220, 1196, 1252, 815, 844, 217, 206, 266, 63, 208}

$$\frac{2\sqrt[4]{a}b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 9\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} + \frac{12b^{3/2}cx\sqrt{a+bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} - \frac{12\sqrt[4]{a}b^{5/4}c(\sqrt{a} + \sqrt{b}x^2)}{5(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^6, x]$

[Out] $(12*b^{(3/2)}*c*x*\operatorname{Sqrt}[a + b*x^4])/(5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (2*b*(9*c - 5*e*x^2)*\operatorname{Sqrt}[a + b*x^4])/(15*x) + (3*b*(d + f*x^2)*\operatorname{Sqrt}[a + b*x^4])/4 - ((12*c)/x^5 + (15*d)/x^4 + (20*e)/x^3 + (30*f)/x^2)*(a + b*x^4)^{(3/2)}/60 + (3*a*\operatorname{Sqrt}[b]*f*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/4 - (3*\operatorname{Sqrt}[a]*b*d*\operatorname{ArcTan}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/4 - (12*a^{(1/4)}*b^{(5/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*\operatorname{Sqrt}[a + b*x^4]) + (2*a^{(1/4)}*b^{(3/4)}*(9*\operatorname{Sqrt}[b]*c + 5*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]$

$b]x^2)^2] * \text{EllipticF}[2 * \text{ArcTan}[(b^{1/4} * x) / a^{1/4}], 1/2] / (15 * \text{Sqrt}[a + b * x^4])$

Rule 14

$\text{Int}[(u_*) * ((c_*) * (x_*)^{(m_*)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c * x)^m * u, x], x] /;$ $\text{FreeQ}\{c, m\}, x\} \ \&\& \ \text{SumQ}[u] \ \&\& \ !\text{LinearQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (a_*) + (b_*) * (v_*)] /;$ $\text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{InverseFunctionQ}[v]$

Rule 63

$\text{Int}[(a_*) + (b_*) * (x_*)^{(m_*)} * ((c_*) + (d_*) * (x_*)^{(n_*)}), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p * (m + 1) - 1) * (c - (a * d) / b + (d * x^p) / b)^n}, x], x, (a + b * x)^{(1/p)}], x]] /;$ $\text{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{NeQ}[b * c - a * d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\text{Int}[(a_*) + (b_*) * (x_*)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTanh}[(\text{Rt}[-b, 2] * x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] * \text{Rt}[-b, 2]), x] /;$ $\text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_*) + (b_*) * (x_*)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /;$ $\text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1 / \text{Sqrt}[(a_*) + (b_*) * (x_*)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1 / (1 - b * x^2), x], x, x / \text{Sqrt}[a + b * x^2]] /;$ $\text{FreeQ}\{a, b\}, x\} \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1 / \text{Sqrt}[(a_*) + (b_*) * (x_*)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 * x^2) * \text{Sqrt}[(a + b * x^4) / (a * (1 + q^2 * x^2)^2)] * \text{EllipticF}[2 * \text{ArcTan}[q * x], 1/2]] / (2 * q * \text{Sqrt}[a + b * x^4]), x]] /;$ $\text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_*)^{(m_*)} * ((a_*) + (b_*) * (x_*)^{(n_*)})^{(p_*)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1) / n] - 1) * (a + b * x)^p}, x], x, x^n], x] /;$ $\text{FreeQ}\{a, b, m, n, p\}, x\} \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1) / n]]$

Rule 815

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1272

```
Int[((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x
_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*
x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3))
```

```
), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^6} dx &= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{5} - \frac{dx}{4} - \frac{ex^2}{3} \right)}{x^2} \sqrt{a + bx^4} dx \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{5} - \frac{ex^2}{3} \right) \sqrt{a + bx^4}}{x^2} dx \\
&= -\frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{5} - \frac{ex^2}{3} \right) \sqrt{a + bx^4}}{x^2} dx \\
&= -\frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) (a + bx^4)^{3/2} \\
&= -\frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} + \frac{3}{4} b (d + fx^2) \sqrt{a + bx^4} - \frac{1}{60} \left(\frac{12c}{x^5} + \frac{15d}{x^4} + \frac{20e}{x^3} + \frac{30f}{x^2} \right) (a + bx^4)^{3/2} \\
&= \frac{12b^{3/2} cx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} - \frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} + \frac{3}{4} b (d + fx^2) \sqrt{a + bx^4} \\
&= \frac{12b^{3/2} cx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} - \frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} + \frac{3}{4} b (d + fx^2) \sqrt{a + bx^4} \\
&= \frac{12b^{3/2} cx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} - \frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} + \frac{3}{4} b (d + fx^2) \sqrt{a + bx^4} \\
&= \frac{12b^{3/2} cx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} - \frac{2b(9c - 5ex^2) \sqrt{a + bx^4}}{15x} + \frac{3}{4} b (d + fx^2) \sqrt{a + bx^4}
\end{aligned}$$

Mathematica [C] time = 0.23, size = 165, normalized size = 0.43

$$\frac{\sqrt{a + bx^4} \left(-6a^3 c {}_2F_1 \left(-\frac{3}{2}, -\frac{5}{4}; -\frac{1}{4}; -\frac{bx^4}{a} \right) - 10a^3 ex^2 {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{4}; \frac{1}{4}; -\frac{bx^4}{a} \right) - 15a^3 fx^3 {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; -\frac{bx^4}{a} \right) + 3bdx^4 \right)}{30a^2 x^5 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^6,x]

[Out] (Sqrt[a + b*x^4]*(-6*a^3*c*Hypergeometric2F1[-3/2, -5/4, -1/4, -((b*x^4)/a)] - 10*a^3*e*x^2*Hypergeometric2F1[-3/2, -3/4, 1/4, -((b*x^4)/a)] - 15*a^3*f*x^3*Hypergeometric2F1[-3/2, -1/2, 1/2, -((b*x^4)/a)] + 3*b*d*x^5*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^4)/a]))/(30*a^2*x^5*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bf x^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^6,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^6, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^6,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^6, x)

maple [C] time = 0.21, size = 409, normalized size = 1.06

$$\frac{4\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}abe\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right) - 12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}c\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x\right)}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}} - \frac{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^6,x)

[Out] -1/5*c*a*(b*x^4+a)^(1/2)/x^5-7/5*c*b*(b*x^4+a)^(1/2)/x+12/5*I*c*b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*

$b^{(1/2)}x^{2+1}^{(1/2)}/(bx^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-12/5*I*c*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^{2+1})^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^{2+1})^{(1/2)}/(bx^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*d*b*(bx^4+a)^{(1/2)}-1/4*d*a/x^4*(bx^4+a)^{(1/2)}-3/4*d*a^{(1/2)}*b*ln((2*a+2*(bx^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/3*e*a*(bx^4+a)^{(1/2)}/x^3+1/3*e*b*x*(bx^4+a)^{(1/2)}+4/3*e*a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^{2+1})^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^{2+1})^{(1/2)}/(bx^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/4*f*b*x^2*(bx^4+a)^{(1/2)}+3/4*f*a*b^{(1/2)}*ln(b^{(1/2)}*x^2+(bx^4+a)^{(1/2)})-1/2*f*a/x^2*(bx^4+a)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^6,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^6,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^6, x)

sympy [C] time = 13.16, size = 386, normalized size = 1.00

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4x^5\Gamma\left(-\frac{1}{4}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4x^3\Gamma\left(\frac{1}{4}\right)} - \frac{a^{\frac{3}{2}}f}{2x^2\sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a}bc\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4x\Gamma\left(\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**6,x)

[Out] a**(3/2)*c*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) + a**(3/2)*e*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,)

$$\begin{aligned}
& , b^{x^4} \exp(\pi i/a) / (4x^3 \Gamma(1/4)) - a^{3/2} f / (2x^2 \sqrt{1 + b^{x^4}/a}) + \sqrt{a} b^c \Gamma(-1/4) \operatorname{hyper}((-1/2, -1/4), (3/4,), b^{x^4} \exp(\pi i/a) / (4x \Gamma(3/4)) - 3\sqrt{a} b^d \operatorname{asinh}(\sqrt{a}/(\sqrt{b} x^2)) / 4 + \sqrt{a} b^e x \Gamma(1/4) \operatorname{hyper}((-1/2, 1/4), (5/4,), b^{x^4} \exp(\pi i/a) / (4 \Gamma(5/4)) + \sqrt{a} b^f x^2 \sqrt{1 + b^{x^4}/a}) / 4 - \sqrt{a} b^f x^2 / (2\sqrt{1 + b^{x^4}/a}) - a \sqrt{b} d \sqrt{a/(b^{x^4}) + 1} / (4x^2) + a \sqrt{b} d / (2x^2 \sqrt{a/(b^{x^4}) + 1}) + 3a \sqrt{b} f \operatorname{asinh}(\sqrt{b} x^2 / \sqrt{a}) / 4 + b^{3/2} d x^2 / (2\sqrt{a/(b^{x^4}) + 1})
\end{aligned}$$

$$3.521 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^7} dx$$

Optimal. Leaf size=392

$$\frac{1}{2}b^{3/2}c \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{2\sqrt[4]{a}b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}f + 9\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} + \frac{12b^{3/2}}{5(\sqrt{a+bx^4})}$$

[Out] $-1/60*(10*c/x^6+12*d/x^5+15*e/x^4+20*f/x^3)*(b*x^4+a)^{(3/2)}+1/2*b^{(3/2)}*c*a$
 $rctanh(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})-3/4*b*e*arctanh((b*x^4+a)^{(1/2)}/a^{(1/2)})$
 $*a^{(1/2)}-1/4*b*(-3*e*x^2+2*c)*(b*x^4+a)^{(1/2)}/x^2-2/15*b*(-5*f*x^2+9*d)*(b$
 $*x^4+a)^{(1/2)}/x+12/5*b^{(3/2)}*d*x*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5$
 $*a^{(1/4)}*b^{(5/4)}*d*(\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*arctan($
 $b^{(1/4)}*x/a^{(1/4)})*EllipticE(\sin(2*arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})$
 $*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{($
 $1/2)+2/15*a^{(1/4)}*b^{(3/4)}*(\cos(2*arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2$
 $*arctan(b^{(1/4)}*x/a^{(1/4)})*EllipticF(\sin(2*arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*$
 $2^{(1/2)})*(5*f*a^{(1/2)}+9*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}$
 $+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 392, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 15, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {14, 1825, 1833, 1252, 813, 844, 217, 206, 266, 63, 208, 1272, 1198, 220, 1196}

$$\frac{1}{2}b^{3/2}c \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{2\sqrt[4]{a}b^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}f + 9\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{15\sqrt{a+bx^4}} + \frac{12b^{3/2}}{5(\sqrt{a+bx^4})}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^7,x]

[Out] $(12*b^{(3/2)}*d*x*\text{Sqrt}[a + b*x^4])/(5*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) - (b*(2*c - 3*$
 $e*x^2)*\text{Sqrt}[a + b*x^4])/(4*x^2) - (2*b*(9*d - 5*f*x^2)*\text{Sqrt}[a + b*x^4])/(15$
 $*x) - (((10*c)/x^6 + (12*d)/x^5 + (15*e)/x^4 + (20*f)/x^3)*(a + b*x^4)^{(3/2)}$
 $)/60 + (b^{(3/2)}*c*\text{ArcTanh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a + b*x^4]])/2 - (3*\text{Sqrt}[a]*b$
 $*e*\text{ArcTanh}[\text{Sqrt}[a + b*x^4]/\text{Sqrt}[a]])/4 - (12*a^{(1/4)}*b^{(5/4)}*d*(\text{Sqrt}[a] + \text{S}$
 $qrt[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[$
 $(b^{(1/4)}*x)/a^{(1/4)}], 1/2]]/(5*\text{Sqrt}[a + b*x^4]) + (2*a^{(1/4)}*b^{(3/4)}*(9*\text{Sqr}$
 $t[b]*d + 5*\text{Sqrt}[a]*f)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{S}$

$\text{qrt}[b]*x^2)^2*\text{EllipticF}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2]/(15*\text{Sqrt}[a + b*x^4])$

Rule 14

$\text{Int}[(u_)*((c_)*(x_))^{(m_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \&\& \text{SumQ}[u] \&\& !\text{LinearQ}[u, x] \&\& !\text{MatchQ}[u, (a_ + (b_)*(v_)) /; \text{FreeQ}[\{a, b\}, x] \&\& \text{InverseFunctionQ}[v]]$

Rule 63

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^2), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]]/(2*q*\text{Sqrt}[a + b*x^4]), x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_))^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 813

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1272

```
Int[((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x
_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*
x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3))
```

```
), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^7} dx &= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{6} - \frac{dx}{5} - \frac{ex^2}{4} \right)}{x^3} \sqrt{a + bx^4} dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{6} - \frac{ex^2}{4} \right) \sqrt{a + bx^4}}{x^3} dx \\
&= -\frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{6} - \frac{ex^2}{4} \right) \sqrt{a + bx^4}}{x^3} dx \\
&= -\frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a + bx^4)^{3/2} \\
&= -\frac{b(2c - 3ex^2) \sqrt{a + bx^4}}{4x^2} - \frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x} - \frac{1}{60} \left(\frac{10c}{x^6} + \frac{12d}{x^5} + \frac{15e}{x^4} + \frac{20f}{x^3} \right) (a + bx^4)^{3/2} \\
&= \frac{12b^{3/2} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} - \frac{b(2c - 3ex^2) \sqrt{a + bx^4}}{4x^2} - \frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x} \\
&= \frac{12b^{3/2} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} - \frac{b(2c - 3ex^2) \sqrt{a + bx^4}}{4x^2} - \frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x} \\
&= \frac{12b^{3/2} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} - \frac{b(2c - 3ex^2) \sqrt{a + bx^4}}{4x^2} - \frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x} \\
&= \frac{12b^{3/2} dx \sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b} x^2)} - \frac{b(2c - 3ex^2) \sqrt{a + bx^4}}{4x^2} - \frac{2b(9d - 5fx^2) \sqrt{a + bx^4}}{15x}
\end{aligned}$$

Mathematica [C] time = 0.22, size = 163, normalized size = 0.42

$$\frac{\sqrt{a + bx^4} \left(-5a^3 c {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; -\frac{bx^4}{a} \right) - 6a^3 dx {}_2F_1 \left(-\frac{3}{2}, -\frac{5}{4}; -\frac{1}{4}; -\frac{bx^4}{a} \right) - 10a^3 fx^3 {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{4}; \frac{1}{4}; -\frac{bx^4}{a} \right) + 3bex^5 \right)}{30a^2 x^6 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^7,x]

[Out] (Sqrt[a + b*x^4]*(-5*a^3*c*Hypergeometric2F1[-3/2, -3/2, -1/2, -((b*x^4)/a)] - 6*a^3*d*x*Hypergeometric2F1[-3/2, -5/4, -1/4, -((b*x^4)/a)] - 10*a^3*f*x^3*Hypergeometric2F1[-3/2, -3/4, 1/4, -((b*x^4)/a)] + 3*b*e*x^6*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^4)/a]))/(30*a^2*x^6*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^7}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^7,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^7, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^7,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^7, x)

maple [C] time = 0.21, size = 408, normalized size = 1.04

$$\frac{4\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}abf\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right) - 12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}d\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\right)}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a} - 5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^7,x)

[Out] -1/5*d*a*(b*x^4+a)^(1/2)/x^5-7/5*d*b*(b*x^4+a)^(1/2)/x+12/5*I*d*b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*

$b^{(1/2)}x^{2+1}^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-12/5*I*d*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^{2+1})^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^{2+1})^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*e*b*(b*x^4+a)^{(1/2)}-1/4*e*a/x^4*(b*x^4+a)^{(1/2)}-3/4*e*a^{(1/2)}*b*ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/3*f*a*(b*x^4+a)^{(1/2)}/x^3+1/3*f*b*x*(b*x^4+a)^{(1/2)}+4/3*f*a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^{2+1})^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^{2+1})^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*c*b^{(3/2)}*ln(b^{(1/2)}*x^{2+1}*(b*x^4+a)^{(1/2)})-1/6*c*a/x^6*(b*x^4+a)^{(1/2)}-2/3*c*b/x^2*(b*x^4+a)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{12} \left(3 b^{\frac{3}{2}} \log \left(-\frac{\sqrt{b} - \frac{\sqrt{bx^4+a}}{x^2}}{\sqrt{b} + \frac{\sqrt{bx^4+a}}{x^2}} \right) + \frac{6 \sqrt{bx^4+a} b}{x^2} + \frac{2 (bx^4+a)^{\frac{3}{2}}}{x^6} \right) c + \int \frac{(bfx^6 + bex^5 + bdx^4 + afx^2 + aex + ad) \sqrt{bx^4+a}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^7,x, algorithm="maxima")

[Out] -1/12*(3*b^(3/2)*log(-(sqrt(b) - sqrt(b*x^4 + a)/x^2)/(sqrt(b) + sqrt(b*x^4 + a)/x^2)) + 6*sqrt(b*x^4 + a)*b/x^2 + 2*(b*x^4 + a)^(3/2)/x^6)*c + integrate((b*f*x^6 + b*e*x^5 + b*d*x^4 + a*f*x^2 + a*e*x + a*d)*sqrt(b*x^4 + a)/x^6, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^7,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^7, x)

sympy [C] time = 12.31, size = 406, normalized size = 1.04

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(-\frac{5}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} + \frac{a^{\frac{3}{2}} f \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(-\frac{3}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a} bc}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} + \frac{\sqrt{a} b d \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x \Gamma\left(\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**7,x)

[Out] $a^{3/2}d\Gamma(-5/4)\text{hyper}((-5/4, -1/2), (-1/4,), b^4x^4\exp(\pi i)/a)/(4x^5\Gamma(-1/4)) + a^{3/2}f\Gamma(-3/4)\text{hyper}((-3/4, -1/2), (1/4,), b^4x^4\exp(\pi i)/a)/(4x^3\Gamma(1/4)) - \sqrt{a}bc/(2x^2\sqrt{1 + b^4x^4/a}) + \sqrt{a}bd\Gamma(-1/4)\text{hyper}((-1/2, -1/4), (3/4,), b^4x^4\exp(\pi i)/a)/(4x\Gamma(3/4)) - 3\sqrt{a}be\text{asinh}(\sqrt{a}/(\sqrt{b}x^2))/4 + \sqrt{a}bf\Gamma(1/4)\text{hyper}((-1/2, 1/4), (5/4,), b^4x^4\exp(\pi i)/a)/(4\Gamma(5/4)) - a\sqrt{b}c\sqrt{a/(b^4x^4) + 1}/(6x^4) - a\sqrt{b}e\sqrt{a/(b^4x^4) + 1}/(4x^2) + a\sqrt{b}e/(2x^2\sqrt{a/(b^4x^4) + 1}) - b^{3/2}c\sqrt{a/(b^4x^4) + 1}/6 + b^{3/2}c\text{asinh}(\sqrt{b}x^2/\sqrt{a})/2 + b^{3/2}e^2/(2\sqrt{a/(b^4x^4) + 1}) - b^2c^2x^2/(2\sqrt{a}\sqrt{1 + b^4x^4/a})$

$$3.522 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^8} dx$$

Optimal. Leaf size=412

$$\frac{2b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{a}\sqrt{a+bx^4}} + \frac{1}{2}b^{3/2}d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{12b^{3/2}ex}{5(\sqrt{a} + \sqrt{b}x^2)}$$

[Out] $-1/420*(60*c/x^7+70*d/x^6+84*e/x^5+105*f/x^4)*(b*x^4+a)^{(3/2)}+1/2*b^{(3/2)*d*\arctanh(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})-3/4*b*f*\arctanh((b*x^4+a)^{(1/2)}/a^{(1/2)})*a^{(1/2)}-12/5*b*e*(b*x^4+a)^{(1/2)}/x-2/35*b*(-21*e*x^2+5*c)*(b*x^4+a)^{(1/2)}/x^3-1/4*b*(-3*f*x^2+2*d)*(b*x^4+a)^{(1/2)}/x^2+12/5*b^{(3/2)*e*x*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(1/4)*b^{(5/4)*e*(\cos(2*\arctan(b^{(1/4)*x/a^{(1/4)}}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)*x/a^{(1/4)}}))*\text{EllipticE}(\sin(2*\arctan(b^{(1/4)*x/a^{(1/4)}})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/35*b^{(5/4)*(\cos(2*\arctan(b^{(1/4)*x/a^{(1/4)}}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)*x/a^{(1/4)}}))*\text{EllipticF}(\sin(2*\arctan(b^{(1/4)*x/a^{(1/4)}})),1/2*2^{(1/2)})*(21*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.39, antiderivative size = 412, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 16, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$, Rules used = {14, 1825, 1833, 1272, 1282, 1198, 220, 1196, 1252, 813, 844, 217, 206, 266, 63, 208}

$$\frac{2b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{a}\sqrt{a+bx^4}} + \frac{1}{2}b^{3/2}d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{12b^{3/2}ex}{5(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^8,x]

[Out] $(-12*b*e*\text{Sqrt}[a + b*x^4])/(5*x) + (12*b^{(3/2)*e*x*\text{Sqrt}[a + b*x^4])/(5*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) - (2*b*(5*c - 21*e*x^2)*\text{Sqrt}[a + b*x^4])/(35*x^3) - (b*(2*d - 3*f*x^2)*\text{Sqrt}[a + b*x^4])/(4*x^2) - (((60*c)/x^7 + (70*d)/x^6 + (84*e)/x^5 + (105*f)/x^4)*(a + b*x^4)^{(3/2)}/420 + (b^{(3/2)*d*\text{ArcTan}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a + b*x^4]])/2 - (3*\text{Sqrt}[a]*b*f*\text{ArcTan}[\text{Sqrt}[a + b*x^4]/\text{Sqrt}[a]])/4 - (12*a^{(1/4)*b^{(5/4)*e*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(b^{(1/4)*x}/a^{(1/4)}], 1/2])/(5*\text{Sqrt}[a + b*x^4]) + (2*b^{(5/4)*e*(5*\text{Sqrt}[b]*c + 21*\text{Sqrt}[a]*e)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)$

$2) \sqrt{(a + b x^4) / (\sqrt{a} + \sqrt{b} x^2)^2} \operatorname{EllipticF}[2 \operatorname{ArcTan}[(b^{1/4} x) / a^{1/4}], 1/2] / (35 a^{1/4} \sqrt{a + b x^4})$

Rule 14

$\operatorname{Int}[(u_*)((c_*) (x_*)^{m_*}), x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c x)^m u, x], x] /;$ $\operatorname{FreeQ}\{c, m\}, x\} \ \&\& \ \operatorname{SumQ}[u] \ \&\& \ \operatorname{!LinearQ}[u, x] \ \&\& \ \operatorname{!MatchQ}[u, (a_*) + (b_*) (v_*)] /;$ $\operatorname{FreeQ}\{a, b\}, x\} \ \&\& \ \operatorname{InverseFunctionQ}[v]$

Rule 63

$\operatorname{Int}[(a_*) + (b_*) (x_*)^{m_*} ((c_*) + (d_*) (x_*)^{n_*}), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{p(m+1)-1} (c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x]] /;$ $\operatorname{FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{LtQ}[-1, m, 0] \ \&\& \ \operatorname{LeQ}[-1, n, 0] \ \&\& \ \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \ \&\& \ \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\operatorname{Int}[(a_*) + (b_*) (x_*)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 * \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] x] / \operatorname{Rt}[a, 2]) / (\operatorname{Rt}[a, 2] * \operatorname{Rt}[-b, 2]), x] /;$ $\operatorname{FreeQ}\{a, b\}, x\} \ \&\& \ \operatorname{NegQ}[a/b] \ \&\& \ (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 208

$\operatorname{Int}[(a_*) + (b_*) (x_*)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2] * \operatorname{ArcTanh}[x / \operatorname{Rt}[-(a/b), 2]]) / a, x] /;$ $\operatorname{FreeQ}\{a, b\}, x\} \ \&\& \ \operatorname{NegQ}[a/b]$

Rule 217

$\operatorname{Int}[1 / \sqrt{(a_*) + (b_*) (x_*)^2}, x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1 / (1 - b x^2), x], x, x / \sqrt{a + b x^2}] /;$ $\operatorname{FreeQ}\{a, b\}, x\} \ \&\& \ \operatorname{!GtQ}[a, 0]$

Rule 220

$\operatorname{Int}[1 / \sqrt{(a_*) + (b_*) (x_*)^4}, x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Rt}[b/a, 4]\}, \operatorname{Simp}[(1 + q^2 x^2) \sqrt{(a + b x^4) / (a (1 + q^2 x^2)^2)} \operatorname{EllipticF}[2 \operatorname{ArcTan}[q x], 1/2] / (2 q \sqrt{a + b x^4}), x]] /;$ $\operatorname{FreeQ}\{a, b\}, x\} \ \&\& \ \operatorname{PosQ}[b/a]$

Rule 266

$\operatorname{Int}[(x_*)^{m_*} ((a_*) + (b_*) (x_*)^{n_*})^{p_*}, x_Symbol] \rightarrow \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[(m+1)/n] - 1) (a + b x)^p}, x], x, x^n], x] /;$ $\operatorname{FreeQ}\{a, b, m, n, p\}, x\} \ \&\& \ \operatorname{IntegerQ}[\operatorname{Simplify}[(m+1)/n]]$

Rule 813

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1) + e*g*(m + 1)*x*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1272

```
Int[((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3))
```

```
), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1282

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^((m_)*((a_) + (b_)*(x_)^(n_)))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^8} dx &= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{7} - \frac{dx}{6} - \frac{ex^2}{5} \right)}{x^4} \sqrt{a + bx^4} dx \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) (a + bx^4)^{3/2} - (6b) \int \left(\frac{-\frac{c}{7} - \frac{ex^2}{5}}{x^4} \right) \sqrt{a + bx^4} dx \\
&= -\frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) (a + bx^4)^{3/2} - (6b) \int \frac{\left(-\frac{c}{7} - \frac{ex^2}{5} \right) \sqrt{a + bx^4}}{x^4} dx \\
&= -\frac{2b(5c - 21ex^2) \sqrt{a + bx^4}}{35x^3} - \frac{1}{420} \left(\frac{60c}{x^7} + \frac{70d}{x^6} + \frac{84e}{x^5} + \frac{105f}{x^4} \right) (a + bx^4)^{3/2} \\
&= -\frac{12be\sqrt{a + bx^4}}{5x} - \frac{2b(5c - 21ex^2) \sqrt{a + bx^4}}{35x^3} - \frac{b(2d - 3fx^2) \sqrt{a + bx^4}}{4x^2} \\
&= -\frac{12be\sqrt{a + bx^4}}{5x} - \frac{2b(5c - 21ex^2) \sqrt{a + bx^4}}{35x^3} - \frac{b(2d - 3fx^2) \sqrt{a + bx^4}}{4x^2} \\
&= -\frac{12be\sqrt{a + bx^4}}{5x} + \frac{12b^{3/2}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{bx^2})} - \frac{2b(5c - 21ex^2) \sqrt{a + bx^4}}{35x^3} \\
&= -\frac{12be\sqrt{a + bx^4}}{5x} + \frac{12b^{3/2}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{bx^2})} - \frac{2b(5c - 21ex^2) \sqrt{a + bx^4}}{35x^3} \\
&= -\frac{12be\sqrt{a + bx^4}}{5x} + \frac{12b^{3/2}ex\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{bx^2})} - \frac{2b(5c - 21ex^2) \sqrt{a + bx^4}}{35x^3}
\end{aligned}$$

Mathematica [C] time = 0.25, size = 164, normalized size = 0.40

$$\frac{\sqrt{a + bx^4} \left(7x \left(-5a^3 d {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; -\frac{bx^4}{a} \right) - 6a^3 ex {}_2F_1 \left(-\frac{3}{2}, -\frac{5}{4}; -\frac{1}{4}; -\frac{bx^4}{a} \right) + 3bfx^6 (a + bx^4)^2 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(2, \frac{3}{2}; \frac{5}{2}; -\frac{bx^4}{a} \right) \right)}{210a^2 x^7 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^8,x]

[Out] (Sqrt[a + b*x^4]*(-30*a^3*c*Hypergeometric2F1[-7/4, -3/2, -3/4, -((b*x^4)/a)] + 7*x*(-5*a^3*d*Hypergeometric2F1[-3/2, -3/2, -1/2, -((b*x^4)/a)] - 6*a^3*e*x*Hypergeometric2F1[-3/2, -5/4, -1/4, -((b*x^4)/a)] + 3*b*f*x^6*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[2, 5/2, 7/2, 1 + (b*x^4)/a]))/(210*a^2*x^7*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^8}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^8,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^8, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^8,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^8, x)

maple [C] time = 0.22, size = 411, normalized size = 1.00

$$\frac{12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}e\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}} + \frac{12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^8,x)

[Out] -1/5*e*a*(b*x^4+a)^(1/2)/x^5-7/5*b*e*(b*x^4+a)^(1/2)/x+12/5*I*e*b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,

$I) -12/5 * I * e * b^{(3/2)} * a^{(1/2)} / (I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * (-I/a^{(1/2)} * b^{(1/2)} * x^{2+1})^{(1/2)} * (I/a^{(1/2)} * b^{(1/2)} * x^{2+1})^{(1/2)} / (b * x^4 + a)^{(1/2)} * \text{EllipticE}((I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * x, I) + 1/2 * f * b * (b * x^4 + a)^{(1/2)} - 1/4 * f * a / x^4 * (b * x^4 + a)^{(1/2)} - 3/4 * f * a^{(1/2)} * b * \ln((2 * a + 2 * (b * x^4 + a)^{(1/2)} * a^{(1/2)}) / x^2) - 1/7 * c * a * (b * x^4 + a)^{(1/2)} / x^7 - 3/7 * c * b * (b * x^4 + a)^{(1/2)} / x^3 + 4/7 * c * b^2 / (I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * (-I/a^{(1/2)} * b^{(1/2)} * x^{2+1})^{(1/2)} * (I/a^{(1/2)} * b^{(1/2)} * x^{2+1})^{(1/2)} / (b * x^4 + a)^{(1/2)} * \text{EllipticF}((I/a^{(1/2)} * b^{(1/2)})^{(1/2)} * x, I) + 1/2 * d * b^{(3/2)} * \ln(b^{(1/2)} * x^2 + (b * x^4 + a)^{(1/2)}) - 1/6 * d * a / x^6 * (b * x^4 + a)^{(1/2)} - 2/3 * d * b / x^2 * (b * x^4 + a)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}} (fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^8,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^8, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^8,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^8, x)

sympy [C] time = 13.00, size = 415, normalized size = 1.01

$$\frac{a^{\frac{3}{2}} c \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} + \frac{a^{\frac{3}{2}} e \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, -\frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a} b c \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a} b d}{2x^2 \sqrt{1 + \frac{bx^4}{a}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**8,x)

[Out] a**(3/2)*c*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) + a**(3/2)*e*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,

```

), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) + sqrt(a)*b*c*gamma(-3/4)
*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4))
- sqrt(a)*b*d/(2*x**2*sqrt(1 + b*x**4/a)) + sqrt(a)*b*e*gamma(-1/4)*hyper((
-1/2, -1/4), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - 3*sqrt(a)
*b*f*asinh(sqrt(a)/(sqrt(b)*x**2))/4 - a*sqrt(b)*d*sqrt(a/(b*x**4) + 1)/(6*
x**4) - a*sqrt(b)*f*sqrt(a/(b*x**4) + 1)/(4*x**2) + a*sqrt(b)*f/(2*x**2*sq
rt(a/(b*x**4) + 1)) - b**(3/2)*d*sqrt(a/(b*x**4) + 1)/6 + b**(3/2)*d*asinh(s
qrt(b)*x**2/sqrt(a))/2 + b**(3/2)*f*x**2/(2*sqrt(a/(b*x**4) + 1)) - b**2*d*
x**2/(2*sqrt(a)*sqrt(1 + b*x**4/a))

```

$$3.523 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^9} dx$$

Optimal. Leaf size=377

$$\frac{2b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{a}\sqrt{a+bx^4}} + \frac{1}{2}b^{3/2}e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{12b^{3/2}f}{5(\sqrt{a}}$$

[Out] $-1/840*(105*c/x^8+120*d/x^7+140*e/x^6+168*f/x^5)*(b*x^4+a)^{(3/2)}+1/2*b^{(3/2)}*e*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})-3/16*b^2*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/560*b*(105*c/x^4+160*d/x^3+280*e/x^2+672*f/x)*(b*x^4+a)^{(1/2)}+12/5*b^{(3/2)}*f*x*(b*x^4+a)^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-12/5*a^{(1/4)}*b^{(5/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/(b*x^4+a)^{(1/2)}+2/3*5*b^{(5/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(21*f*a^{(1/2)}+5*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.37, antiderivative size = 377, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1832, 266, 63, 208, 1885, 275, 217, 206, 1198, 220, 1196}

$$-\frac{3b^2c \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right)}{16\sqrt{a}} + \frac{2b^{5/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (21\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{35\sqrt[4]{a}\sqrt{a+bx^4}} + \frac{1}{2}b^{3/2}e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^9, x]$

[Out] $-(b*((105*c)/x^4 + (160*d)/x^3 + (280*e)/x^2 + (672*f)/x)*\operatorname{Sqrt}[a + b*x^4])/560 + (12*b^{(3/2)}*f*x*\operatorname{Sqrt}[a + b*x^4])/((5*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - ((105*c)/x^8 + (120*d)/x^7 + (140*e)/x^6 + (168*f)/x^5)*(a + b*x^4)^{(3/2)})/840 + (b^{(3/2)}*e*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/2 - (3*b^2*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(16*\operatorname{Sqrt}[a]) - (12*a^{(1/4)}*b^{(5/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/((5*\operatorname{Sqrt}[a + b*x^4]) + (2*b^{(5/4)}*(5*\operatorname{Sqrt}[b]*d + 2*1*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2))$

$2)^2 * \text{EllipticF}[2 * \text{ArcTan}[(b^{1/4} * x) / a^{1/4}], 1/2] / (35 * a^{1/4} * \text{Sqrt}[a + b * x^4])$

Rule 14

$\text{Int}[(u_*) * ((c_*) * (x_*)^{m_*}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c * x)^m * u, x], x] /;$ FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_*) * (v_*) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 63

$\text{Int}[(a_ + (b_*) * (x_*)^{m_*}) * ((c_*) + (d_*) * (x_*)^{n_*}), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{p * (m + 1) - 1} * (c - (a * d)/b + (d * x^p)/b)^n, x], x, (a + b * x)^{1/p}], x]] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b * c - a * d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

$\text{Int}[(a_ + (b_*) * (x_*)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTanh}[\text{Rt}[-b, 2] * x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2] * \text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

$\text{Int}[(a_ + (b_*) * (x_*)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

$\text{Int}[1 / \text{Sqrt}[(a_ + (b_*) * (x_*)^2)], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1 / (1 - b * x^2), x], x, x / \text{Sqrt}[a + b * x^2]] /;$ FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

$\text{Int}[1 / \text{Sqrt}[(a_ + (b_*) * (x_*)^4)], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 * x^2) * \text{Sqrt}[(a + b * x^4) / (a * (1 + q^2 * x^2)^2)] * \text{EllipticF}[2 * \text{ArcTan}[q * x], 1/2] / (2 * q * \text{Sqrt}[a + b * x^4]), x]] /;$ FreeQ[{a, b}, x] && PosQ[b/a]

Rule 266

$\text{Int}[(x_*)^{m_*} * ((a_ + (b_*) * (x_*)^{n_*})^{p_*}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) * (a + b * x)^p}, x], x, x^n], x] /;$ FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 275

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{k = GCD[m
+ 1, n]}, Dist[1/k, Subst[Int[x^((m + 1)/k - 1)*(a + b*x^(n/k))^p, x], x, x
^k], x] /; k != 1] /; FreeQ[{a, b, p}, x] && IGtQ[n, 0] && IntegerQ[m]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{u
= IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)
*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x]] /; FreeQ[{a, b},
x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
0]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_.)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]]*(a + b*x^n)^p, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^9} dx &= -\frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} + \frac{140e}{x^6} + \frac{168f}{x^5} \right) (a + bx^4)^{3/2} - (6b) \int \left(-\frac{c}{8} - \frac{dx}{7} - \right. \\
&= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} - \frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} \right. \\
&= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} - \frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} \right. \\
&= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} - \frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} \right. \\
&= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} - \frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} \right. \\
&= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} - \frac{1}{840} \left(\frac{105c}{x^8} + \frac{120d}{x^7} \right. \\
&= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} + \frac{12b^{3/2}fx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)} \\
&= -\frac{1}{560} b \left(\frac{105c}{x^4} + \frac{160d}{x^3} + \frac{280e}{x^2} + \frac{672f}{x} \right) \sqrt{a + bx^4} + \frac{12b^{3/2}fx\sqrt{a + bx^4}}{5(\sqrt{a} + \sqrt{b}x^2)}
\end{aligned}$$

Mathematica [C] time = 0.32, size = 174, normalized size = 0.46

$$\frac{\sqrt{a + bx^4} \left(7 \left(40a^2ex^2 {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; -\frac{bx^4}{a} \right) + 48a^2fx^3 {}_2F_1 \left(-\frac{3}{2}, -\frac{5}{4}; -\frac{1}{4}; -\frac{bx^4}{a} \right) + 15c \left(3b^2x^8 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) \right) \right)}{1680ax^8\sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^9,x]

[Out] -1/1680*(Sqrt[a + b*x^4]*(240*a^2*d*x*Hypergeometric2F1[-7/4, -3/2, -3/4, -(b*x^4)/a] + 7*(15*c*(a*(2*a + 5*b*x^4))*Sqrt[1 + (b*x^4)/a] + 3*b^2*x^8*A

$\text{rcTanh}[\text{Sqrt}[1 + (b*x^4)/a]] + 40*a^2*e*x^2*\text{Hypergeometric2F1}[-3/2, -3/2, -1/2, -((b*x^4)/a)] + 48*a^2*f*x^3*\text{Hypergeometric2F1}[-3/2, -5/4, -1/4, -((b*x^4)/a)])))/(a*x^8*\text{Sqrt}[1 + (b*x^4)/a])$

fricas [F] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^9}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^9,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^9, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^9,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^9, x)

maple [C] time = 0.21, size = 416, normalized size = 1.10

$$\frac{12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}} + \frac{12i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{a}b^{\frac{3}{2}}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^9,x)

[Out] $-1/5*f*a*(b*x^4+a)^{(1/2)}/x^5-7/5*f*b*(b*x^4+a)^{(1/2)}/x+12/5*I*f*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-12/5*I*f*b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/8*c*a/x^8*(b*x^4+a)^{(1/2)}-5/16*c*b/x^4*(b*x^4+a)^{(1/2)}-3/16*c*b^2/a^{(1/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/7*d*a*$

$$(b*x^4+a)^{(1/2)}/x^{7-3/7}*d*b*(b*x^4+a)^{(1/2)}/x^{3+4/7}*d*b^2/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^{2+1})^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^{2+1})^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)+1/2*e*b^{(3/2)}*\ln(b^{(1/2)}*x^{2+(b*x^4+a)^{(1/2)})}-1/6*e*a/x^6*(b*x^4+a)^{(1/2)}-2/3*e*b/x^2*(b*x^4+a)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{32} \left(\frac{3b^2 \log\left(\frac{\sqrt{bx^4+a}-\sqrt{a}}{\sqrt{bx^4+a}+\sqrt{a}}\right)}{\sqrt{a}} - \frac{2\left(5(bx^4+a)^{\frac{3}{2}}b^2 - 3\sqrt{bx^4+a}ab^2\right)}{(bx^4+a)^2 - 2(bx^4+a)a + a^2} \right) c + \int \frac{(bfx^6 + bex^5 + bdx^4 + afx^2 + aex + ad)}{x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^9,x, algorithm="maxima")

[Out] 1/32*(3*b^2*log((sqrt(b*x^4 + a) - sqrt(a))/(sqrt(b*x^4 + a) + sqrt(a)))/sqrt(a) - 2*(5*(b*x^4 + a)^(3/2)*b^2 - 3*sqrt(b*x^4 + a)*a*b^2)/((b*x^4 + a)^2 - 2*(b*x^4 + a)*a + a^2))*c + integrate((b*f*x^6 + b*e*x^5 + b*d*x^4 + a*f*x^2 + a*e*x + a*d)*sqrt(b*x^4 + a)/x^8, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^9,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^9, x)

sympy [C] time = 18.59, size = 444, normalized size = 1.18

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(-\frac{7}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} + \frac{a^{\frac{3}{2}} f \Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(-\frac{5}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a} b d \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(-\frac{3}{4}, -\frac{1}{2} \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4x^3 \Gamma\left(\frac{1}{4}\right)} - \frac{\sqrt{a} b e}{2x^2 \sqrt{1 + \frac{bx^4}{a}}} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**9,x)


```
[Out] a**(3/2)*d*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4, ), b*x**4*exp_polar(I*pi)/
a)/(4*x**7*gamma(-3/4)) + a**(3/2)*f*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,
), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) + sqrt(a)*b*d*gamma(-3/4)
*hyper((-3/4, -1/2), (1/4, ), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4))
- sqrt(a)*b*e/(2*x**2*sqrt(1 + b*x**4/a)) + sqrt(a)*b*f*gamma(-1/4)*hyper((
-1/2, -1/4), (3/4, ), b*x**4*exp_polar(I*pi)/a)/(4*x*gamma(3/4)) - a**2*c/(8
*sqrt(b)*x**10*sqrt(a/(b*x**4) + 1)) - 3*a*sqrt(b)*c/(16*x**6*sqrt(a/(b*x**
4) + 1)) - a*sqrt(b)*e*sqrt(a/(b*x**4) + 1)/(6*x**4) - b**(3/2)*c*sqrt(a/(b
*x**4) + 1)/(4*x**2) - b**(3/2)*c/(16*x**2*sqrt(a/(b*x**4) + 1)) - b**(3/2)
*e*sqrt(a/(b*x**4) + 1)/6 + b**(3/2)*e*asinh(sqrt(b)*x**2/sqrt(a))/2 - 3*b*
*2*c*asinh(sqrt(a)/(sqrt(b)*x**2))/(16*sqrt(a)) - b**2*e*x**2/(2*sqrt(a)*sq
rt(1 + b*x**4/a))
```

$$3.524 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{10}} dx$$

Optimal. Leaf size=405

$$\frac{2b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (15\sqrt{a}e + 7\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{105a^{3/4}\sqrt{a+bx^4}} - \frac{4b^{9/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/504*(56*c/x^9+63*d/x^8+72*e/x^7+84*f/x^6)*(b*x^4+a)^{(3/2)}+1/2*b^{(3/2)}*f*\arctanh(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})-3/16*b^2*d*\arctanh((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/1680*b*(224*c/x^5+315*d/x^4+480*e/x^3+840*f/x^2)*(b*x^4+a)^{(1/2)}-4/15*b^2*c*(b*x^4+a)^{(1/2)}/a/x+4/15*b^{(5/2)}*c*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*b^{(9/4)}*c*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}+2/105*b^{(7/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(15*e*a^{(1/2)}+7*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.43, antiderivative size = 405, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 14, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 844, 217, 206, 266, 63, 208}

$$\frac{2b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (15\sqrt{a}e + 7\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{105a^{3/4}\sqrt{a+bx^4}} - \frac{4b^{9/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{15a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^10,x]

[Out] $-(b*((224*c)/x^5 + (315*d)/x^4 + (480*e)/x^3 + (840*f)/x^2)*\text{Sqrt}[a + b*x^4])/1680 - (4*b^2*c*\text{Sqrt}[a + b*x^4])/((15*a*x) + (4*b^{(5/2)}*c*x*\text{Sqrt}[a + b*x^4]))/(15*a*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) - (((56*c)/x^9 + (63*d)/x^8 + (72*e)/x^7 + (84*f)/x^6)*(a + b*x^4)^{(3/2)}/504 + (b^{(3/2)}*f*\text{ArcTanh}[\text{Sqrt}[b]*x^2]/\text{Sqrt}[a + b*x^4]))/2 - (3*b^2*d*\text{ArcTanh}[\text{Sqrt}[a + b*x^4]/\text{Sqrt}[a]])/(16*\text{Sqrt}[a]) - (4*b^{(9/4)}*c*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)]^2)*\text{EllipticE}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/((15*a^{(3/4)}*\text{Sqrt}[a + b*x^4]) + (2*b^{(7/4)}*(7*\text{Sqrt}[b]*c + 15*\text{Sqrt}[a]*e)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*$

$\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(b^{1/4})*x]/a^{1/4}], 1/2]/(105*a^{3/4}*\text{Sqrt}[a + b*x^4])$

Rule 14

$\text{Int}[(u_)*(c_)*(x_)^{(m_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \&\& \text{SumQ}[u] \&\& !\text{LinearQ}[u, x] \&\& !\text{MatchQ}[u, (a_ + (b_)*(v_))] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{InverseFunctionQ}[v]$

Rule 63

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m + 1) - 1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2)]/(2*q*\text{Sqrt}[a + b*x^4]), x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_))^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)}*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]
```

Rule 1833

```

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[
{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^{10}} dx &= -\frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \frac{84f}{x^6} \right) (a + bx^4)^{3/2} - (6b) \int \left(-\frac{c}{9} - \frac{dx}{8} - \frac{ex}{7} \right) \\
&= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \right. \\
&= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \right. \\
&= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{1}{504} \left(\frac{56c}{x^9} + \frac{63d}{x^8} + \frac{72e}{x^7} + \right. \\
&= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{4b^2c\sqrt{a + bx^4}}{15ax} - \frac{1}{504} \left(\frac{56c}{x^9} + \right. \\
&= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{4b^2c\sqrt{a + bx^4}}{15ax} - \frac{1}{504} \left(\frac{56c}{x^9} + \right. \\
&= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{4b^2c\sqrt{a + bx^4}}{15ax} + \frac{4b^{5/2}cx}{15a(\sqrt{a}} \\
&= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{4b^2c\sqrt{a + bx^4}}{15ax} + \frac{4b^{5/2}cx}{15a(\sqrt{a}} \\
&= -\frac{b \left(\frac{224c}{x^5} + \frac{315d}{x^4} + \frac{480e}{x^3} + \frac{840f}{x^2} \right) \sqrt{a + bx^4}}{1680} - \frac{4b^2c\sqrt{a + bx^4}}{15ax} + \frac{4b^{5/2}cx}{15a(\sqrt{a}}
\end{aligned}$$

Mathematica [C] time = 0.35, size = 174, normalized size = 0.43

$$\frac{\sqrt{a+bx^4} \left(3x \left(7 \left(8a^2 f x^2 {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; -\frac{bx^4}{a} \right) + 9b^2 dx^8 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) + 3ad (2a + 5bx^4) \sqrt{\frac{bx^4}{a} + 1} \right) + 4 \right)}{1008ax^9 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^10,x]

[Out] -1/1008*(Sqrt[a + b*x^4]*(112*a^2*c*Hypergeometric2F1[-9/4, -3/2, -5/4, -((b*x^4)/a)] + 3*x*(48*a^2*e*x*Hypergeometric2F1[-7/4, -3/2, -3/4, -((b*x^4)/a)] + 7*(3*a*d*(2*a + 5*b*x^4)*Sqrt[1 + (b*x^4)/a] + 9*b^2*d*x^8*ArcTanh[Sqrt[1 + (b*x^4)/a]] + 8*a^2*f*x^2*Hypergeometric2F1[-3/2, -3/2, -1/2, -((b*x^4)/a)])))/((a*x^9*Sqrt[1 + (b*x^4)/a]))

fricas [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bf x^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac) \sqrt{bx^4 + a}}{x^{10}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^10,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^10, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}} (fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^10,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^10, x)

maple [C] time = 0.21, size = 437, normalized size = 1.08

$$\frac{4i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} b^{\frac{5}{2}} c \text{EllipticE} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right)}{15 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a}} + \frac{4i \sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} b^{\frac{5}{2}} c \text{EllipticF} \left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i \right)}{15 \sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^10,x)`

[Out]
$$-1/8*d*a/x^8*(b*x^4+a)^{(1/2)}-5/16*d*b/x^4*(b*x^4+a)^{(1/2)}-3/16*d*b^2/a^{(1/2)}$$

$$*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/9*c*a*(b*x^4+a)^{(1/2)}/x^9-11/45$$

$$*c*b*(b*x^4+a)^{(1/2)}/x^5-4/15*b^2*c*(b*x^4+a)^{(1/2)}/a/x+4/15*I*c/a^{(1/2)}*b^{(5/2)}$$

$$/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}$$

$$*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x$$

$$,I)-4/15*I*c/a^{(1/2)}*b^{(5/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}$$

$$*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}$$

$$*b^{(1/2)})^{(1/2)}*x,I)-1/7*e*a*(b*x^4+a)^{(1/2)}/x^7-3/7*e*b*(b*x^4+a)^{(1/2)}/x^3$$

$$+4/7*e*b^2/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}$$

$$*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x$$

$$,I)+1/2*f*b^{(3/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-1/6*f*a/x^6*(b*x^4+a)^{(1/2)}$$

$$-2/3*f*b/x^2*(b*x^4+a)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^10,x, algorithm="maxima")`

[Out] `integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^10, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^10,x)`

[Out] `int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^10, x)`

sympy [C] time = 21.89, size = 449, normalized size = 1.11

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(-\frac{9}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^9\Gamma\left(-\frac{5}{4}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(-\frac{7}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7\Gamma\left(-\frac{3}{4}\right)} + \frac{\sqrt{a}bc\Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(-\frac{5}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5\Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a}be\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(-\frac{3}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3\Gamma\left(\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**10,x)

[Out] a**(3/2)*c*gamma(-9/4)*hyper((-9/4, -1/2), (-5/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**9*gamma(-5/4)) + a**(3/2)*e*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) + sqrt(a)*b*c*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) + sqrt(a)*b*e*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**3*gamma(1/4)) - sqrt(a)*b*f/(2*x**2*sqrt(1 + b*x**4/a)) - a**2*d/(8*sqrt(b)*x**10*sqrt(a/(b*x**4) + 1)) - 3*a*sqrt(b)*d/(16*x**6*sqrt(a/(b*x**4) + 1)) - a*sqrt(b)*f*sqrt(a/(b*x**4) + 1)/(6*x**4) - b**(3/2)*d*sqrt(a/(b*x**4) + 1)/(4*x**2) - b**(3/2)*d/(16*x**2*sqrt(a/(b*x**4) + 1)) - b**(3/2)*f*sqrt(a/(b*x**4) + 1)/6 + b**(3/2)*f*asinh(sqrt(b)*x**2/sqrt(a))/2 - 3*b**2*d*asinh(sqrt(a)/(sqrt(b)*x**2))/(16*sqrt(a)) - b**2*f*x**2/(2*sqrt(a)*sqrt(1 + b*x**4/a))

$$3.525 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{11}} dx$$

Optimal. Leaf size=399

$$\frac{2b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (15\sqrt{a}f + 7\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E}{105a^{3/4}\sqrt{a+bx^4} - 15a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2520*(252*c/x^{10}+280*d/x^9+315*e/x^8+360*f/x^7)*(b*x^4+a)^{(3/2)}-3/16*b^2*e*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/1680*b*(168*c/x^6+224*d/x^5+15*e/x^4+480*f/x^3)*(b*x^4+a)^{(1/2)}-1/10*b^2*c*(b*x^4+a)^{(1/2)}/a/x^2-4/15*b^2*d*(b*x^4+a)^{(1/2)}/a/x+4/15*b^{(5/2)}*d*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*b^{(9/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}+2/105*b^{(7/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(15*f*a^{(1/2)}+7*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.42, antiderivative size = 399, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {14, 1825, 1833, 1252, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{2b^{7/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (15\sqrt{a}f + 7\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E}{105a^{3/4}\sqrt{a+bx^4} - 15a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^{11}, x]$

[Out] $-(b*((168*c)/x^6 + (224*d)/x^5 + (315*e)/x^4 + (480*f)/x^3)*\operatorname{Sqrt}[a + b*x^4])/1680 - (b^2*c*\operatorname{Sqrt}[a + b*x^4])/(10*a*x^2) - (4*b^2*d*\operatorname{Sqrt}[a + b*x^4])/(15*a*x) + (4*b^{(5/2)}*d*x*\operatorname{Sqrt}[a + b*x^4])/(15*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - ((252*c)/x^{10} + (280*d)/x^9 + (315*e)/x^8 + (360*f)/x^7)*(a + b*x^4)^{(3/2)}/2520 - (3*b^2*e*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(16*\operatorname{Sqrt}[a]) - (4*b^{(9/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(15*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (2*b^{(7/4)}*(7*\operatorname{Sqrt}[b]*d + 15*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2])/(15*a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4])$

$x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2*\text{EllipticF}[2*\text{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2]/(105*a^{3/4}*\text{Sqrt}[a + b*x^4])$

Rule 14

$\text{Int}[(u_)*((c_)*(x_))^{(m_)}], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \&\& \text{SumQ}[u] \&\& !\text{LinearQ}[u, x] \&\& !\text{MatchQ}[u, (a_ + (b_)*(v_))] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{InverseFunctionQ}[v]$

Rule 63

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}], x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}], x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^4)], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]]/(2*q*\text{Sqrt}[a + b*x^4]), x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_))^{(p_)}], x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n]-1)}*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 807

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}], x_Symbol] \rightarrow -\text{Simp}[(e*f - d*g)*(d + e*x)^{(m+1)}*(a + c*x^2)^{(p+1)}/(2*(p+1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d*f + a*e*g)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{(m+1)}*(a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, g, m, p\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$

Rule 1196

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4)], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*($

```
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_S
  ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
  x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
  Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
  ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
  m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
  IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{u
  = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)
  *(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x]] /; FreeQ[{a, b},
  x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
  0]
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Mo
  dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
  (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
  n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
  && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^{11}} dx &= -\frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)(a + bx^4)^{3/2}}{2520} - (6b) \int \frac{\left(-\frac{c}{10} - \frac{dx}{9} - \frac{ex^2}{8} - \frac{fx^3}{7}\right)(a + bx^4)^{3/2}}{x^7} dx \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)\sqrt{a + bx^4}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)\sqrt{a + bx^4}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)\sqrt{a + bx^4}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{4b^2d\sqrt{a + bx^4}}{15ax} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)\sqrt{a + bx^4}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{b^2c\sqrt{a + bx^4}}{10ax^2} - \frac{4b^2d\sqrt{a + bx^4}}{15ax} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)\sqrt{a + bx^4}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{b^2c\sqrt{a + bx^4}}{10ax^2} - \frac{4b^2d\sqrt{a + bx^4}}{15ax} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)\sqrt{a + bx^4}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{b^2c\sqrt{a + bx^4}}{10ax^2} - \frac{4b^2d\sqrt{a + bx^4}}{15ax} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)\sqrt{a + bx^4}}{2520} \\
&= -\frac{b\left(\frac{168c}{x^6} + \frac{224d}{x^5} + \frac{315e}{x^4} + \frac{480f}{x^3}\right)\sqrt{a + bx^4}}{1680} - \frac{b^2c\sqrt{a + bx^4}}{10ax^2} - \frac{4b^2d\sqrt{a + bx^4}}{15ax} - \frac{\left(\frac{252c}{x^{10}} + \frac{280d}{x^9} + \frac{315e}{x^8} + \frac{360f}{x^7}\right)\sqrt{a + bx^4}}{2520}
\end{aligned}$$

Mathematica [C] time = 0.35, size = 171, normalized size = 0.43

$$\frac{\sqrt{a + bx^4} \left(63\sqrt{\frac{bx^4}{a}} + 1 \left(2a^2(4c + 5ex^2) + abx^4(16c + 25ex^2) + 8b^2cx^8 \right) + 560a^2dx {}_2F_1\left(-\frac{9}{4}, -\frac{3}{2}; -\frac{5}{4}; -\frac{bx^4}{a}\right) + 72 \right)}{5040ax^{10}\sqrt{\frac{bx^4}{a}} + 1}$$

Antiderivative was successfully verified.

[In] Integrate(((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^11,x)

[Out]
$$-1/5040*(\text{Sqrt}[a + b*x^4]*(63*\text{Sqrt}[1 + (b*x^4)/a]*(8*b^2*c*x^8 + 2*a^2*(4*c + 5*e*x^2) + a*b*x^4*(16*c + 25*e*x^2)) + 945*b^2*e*x^{10}*\text{ArcTanh}[\text{Sqrt}[1 + (b*x^4)/a]] + 560*a^2*d*x*\text{Hypergeometric2F1}[-9/4, -3/2, -5/4, -((b*x^4)/a)] + 720*a^2*f*x^3*\text{Hypergeometric2F1}[-7/4, -3/2, -3/4, -((b*x^4)/a)]))/ (a*x^{10}*\text{Sqrt}[1 + (b*x^4)/a])$$

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^{11}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^11,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^11, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^11,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^11, x)

maple [C] time = 0.19, size = 417, normalized size = 1.05

$$\frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{5}{2}}d\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right) + 4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{5}{2}}d\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^11,x)

[Out]
$$-1/8*e*a/x^8*(b*x^4+a)^{(1/2)} - 5/16*e*b/x^4*(b*x^4+a)^{(1/2)} - 3/16*e*b^2/a^{(1/2)} * \ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2) - 1/9*d*a*(b*x^4+a)^{(1/2)}/x^9 - 11/45 * d*b*(b*x^4+a)^{(1/2)}/x^5 - 4/15*b^2*d*(b*x^4+a)^{(1/2)}/a/x + 4/15*I*d/a^{(1/2)}*b^2$$

$(5/2)/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-4/15*I*d/a^{(1/2)}*b^{(5/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/7*f*a*(b*x^4+a)^{(1/2)}/x^7-3/7*f*b*(b*x^4+a)^{(1/2)}/x^3+4/7*f*b^2/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/10*c*(b*x^4+a)^{(1/2)}/x^10/a*(b^2*x^8+2*a*b*x^4+a^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{(bx^4 + a)^{\frac{5}{2}}c}{10ax^{10}} + \int \frac{(bfx^6 + bex^5 + bdx^4 + afx^2 + aex + ad)\sqrt{bx^4 + a}}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^11,x, algorithm="maxima")

[Out] -1/10*(b*x^4 + a)^(5/2)*c/(a*x^10) + integrate((b*f*x^6 + b*e*x^5 + b*d*x^4 + a*f*x^2 + a*e*x + a*d)*sqrt(b*x^4 + a)/x^10, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^11,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^11, x)

sympy [C] time = 19.19, size = 398, normalized size = 1.00

$$\frac{a^{\frac{3}{2}}d\Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(-\frac{9}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^9\Gamma\left(-\frac{5}{4}\right)} + \frac{a^{\frac{3}{2}}f\Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(-\frac{7}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7\Gamma\left(-\frac{3}{4}\right)} + \frac{\sqrt{a}bd\Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(-\frac{5}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^5\Gamma\left(-\frac{1}{4}\right)} + \frac{\sqrt{a}bf\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(-\frac{3}{4}, -\frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^3\Gamma\left(\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**11,x)

[Out] a**(3/2)*d*gamma(-9/4)*hyper((-9/4, -1/2), (-5/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**9*gamma(-5/4)) + a**(3/2)*f*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,

$$\begin{aligned}
&), b^{x^4} \exp(\pi i/a) / (4x^7 \Gamma(-3/4)) + \sqrt{a} b^d \Gamma(-5/4) \\
& * \text{hyper}((-5/4, -1/2), (-1/4,), b^{x^4} \exp(\pi i/a) / (4x^5 \Gamma(-1/4) \\
&) + \sqrt{a} b^f \Gamma(-3/4) * \text{hyper}((-3/4, -1/2), (1/4,), b^{x^4} \exp(\pi i/a) / (4x^3 \Gamma(1/4)) - a^2 e / (8 \sqrt{b} x^{10} \sqrt{a/(b^{x^4} + 1)}) \\
& - a \sqrt{b} c \sqrt{a/(b^{x^4} + 1)} / (10x^8) - 3a \sqrt{b} e / (16x^6 \sqrt{a/(b^{x^4} + 1)}) - b^{3/2} c \sqrt{a/(b^{x^4} + 1)} / (5x^4) - b^{3/2} e \sqrt{a/(b^{x^4} + 1)} / (4x^2) - b^{3/2} e / (16x^2 \sqrt{a/(b^{x^4} + 1)}) - b^{5/2} c \sqrt{a/(b^{x^4} + 1)} / (10a) - 3b^2 e * \text{asinh}(\sqrt{a}) / (\sqrt{b} x^2) / (16 \sqrt{a})
\end{aligned}$$

$$3.526 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{12}} dx$$

Optimal. Leaf size=424

$$\frac{2b^{9/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (15\sqrt{b}c - 77\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E}{1155a^{5/4}\sqrt{a+bx^4} \quad 15a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/3960*(360*c/x^{11}+396*d/x^{10}+440*e/x^9+495*f/x^8)*(b*x^4+a)^{(3/2)}-3/16*b^2*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/18480*b*(1440*c/x^7+1848*d/x^6+2464*e/x^5+3465*f/x^4)*(b*x^4+a)^{(1/2)}-4/77*b^2*c*(b*x^4+a)^{(1/2)}/a/x^3-1/10*b^2*d*(b*x^4+a)^{(1/2)}/a/x^2-4/15*b^2*e*(b*x^4+a)^{(1/2)}/a/x+4/15*b^{(5/2)}*e*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*b^{(9/4)}*e*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}-2/1155*b^{(9/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-77*e*a^{(1/2)}+15*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.46, antiderivative size = 424, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 807, 266, 63, 208}

$$\frac{2b^{9/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (15\sqrt{b}c - 77\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E}{1155a^{5/4}\sqrt{a+bx^4} \quad 15a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^{12},x]$

[Out] $-(b*((1440*c)/x^7 + (1848*d)/x^6 + (2464*e)/x^5 + (3465*f)/x^4)*\operatorname{Sqrt}[a + b*x^4])/18480 - (4*b^2*c*\operatorname{Sqrt}[a + b*x^4])/(77*a*x^3) - (b^2*d*\operatorname{Sqrt}[a + b*x^4])/(10*a*x^2) - (4*b^2*e*\operatorname{Sqrt}[a + b*x^4])/(15*a*x) + (4*b^{(5/2)}*e*x*\operatorname{Sqrt}[a + b*x^4])/(15*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (((360*c)/x^{11} + (396*d)/x^{10} + (440*e)/x^9 + (495*f)/x^8)*(a + b*x^4)^{(3/2)}/3960 - (3*b^2*f*\operatorname{ArcTan}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(16*\operatorname{Sqrt}[a]) - (4*b^{(9/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2])* \operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}],1/2]$

$1/4], 1/2]) / (15*a^{(3/4)}*Sqrt[a + b*x^4]) - (2*b^{(9/4)}*(15*Sqrt[b]*c - 77*Sqrt[a]*e)*(Sqrt[a] + Sqrt[b]*x^2)*Sqrt[(a + b*x^4)/(Sqrt[a] + Sqrt[b]*x^2)^2]*EllipticF[2*ArcTan[(b^{(1/4)}*x)/a^{(1/4)}], 1/2]) / (1155*a^{(5/4)}*Sqrt[a + b*x^4])$

Rule 14

$\text{Int}[(u_)*((c_)*(x_))^{(m_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \ \&\& \ \text{SumQ}[u] \ \&\& \ \text{!LinearQ}[u, x] \ \&\& \ \text{!MatchQ}[u, (a_ + (b_)*(v_)) /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{InverseFunctionQ}[v]]$

Rule 63

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^4), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]) / (2*q*\text{Sqrt}[a + b*x^4]), x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_))^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)}*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 807

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow -\text{Simp}[(e*f - d*g)*(d + e*x)^{(m+1)}*(a + c*x^2)^{(p+1)} / (2*(p+1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d*f + a*e*g)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{(m+1)}*(a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
  ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
  x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
  Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
  ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
  m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
  IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := Module[{u
  = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n
  )*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x]] /; FreeQ[{a, b},
  x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
  0]
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p, x_Symbol] := Mo
  dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
  (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
  n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
  ] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^{12}} dx &= -\frac{\left(\frac{360c}{x^{11}} + \frac{396d}{x^{10}} + \frac{440e}{x^9} + \frac{495f}{x^8}\right)(a + bx^4)^{3/2}}{3960} - (6b) \int \left(-\frac{c}{11} - \frac{dx}{10} - \frac{ex^2}{9} - \frac{fx^3}{8}\right) \frac{1}{x^8} dx \\
&= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{360c}{x^{11}} + \frac{396d}{x^{10}} + \frac{440e}{x^9} + \frac{495f}{x^8}\right)(a + bx^4)^{3/2}}{3960} \\
&= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{360c}{x^{11}} + \frac{396d}{x^{10}} + \frac{440e}{x^9} + \frac{495f}{x^8}\right)(a + bx^4)^{3/2}}{3960} \\
&= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{360c}{x^{11}} + \frac{396d}{x^{10}} + \frac{440e}{x^9} + \frac{495f}{x^8}\right)(a + bx^4)^{3/2}}{3960} \\
&= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2c\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{360c}{x^{11}} + \frac{396d}{x^{10}} + \frac{440e}{x^9} + \frac{495f}{x^8}\right)(a + bx^4)^{3/2}}{3960} \\
&= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2c\sqrt{a + bx^4}}{77ax^3} - \frac{b^2d\sqrt{a + bx^4}}{1} \\
&= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2c\sqrt{a + bx^4}}{77ax^3} - \frac{b^2d\sqrt{a + bx^4}}{1} \\
&= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2c\sqrt{a + bx^4}}{77ax^3} - \frac{b^2d\sqrt{a + bx^4}}{1} \\
&= -\frac{b\left(\frac{1440c}{x^7} + \frac{1848d}{x^6} + \frac{2464e}{x^5} + \frac{3465f}{x^4}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2c\sqrt{a + bx^4}}{77ax^3} - \frac{b^2d\sqrt{a + bx^4}}{1}
\end{aligned}$$

Mathematica [C] time = 0.42, size = 172, normalized size = 0.41

$$\frac{\sqrt{a + bx^4} \left(11x \left(9\sqrt{\frac{bx^4}{a}} + 1 \right) (2a^2(4d + 5fx^2) + abx^4(16d + 25fx^2) + 8b^2dx^8) + 80a^2ex {}_2F_1\left(-\frac{9}{4}, -\frac{3}{2}; -\frac{5}{4}; -\frac{bx^4}{a}\right) \right)}{7920ax^{11}\sqrt{\frac{bx^4}{a}} + 1}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^12,x]

[Out]
$$-1/7920*(\text{Sqrt}[a + b*x^4]*(720*a^2*c*\text{Hypergeometric2F1}[-11/4, -3/2, -7/4, -(b*x^4)/a]] + 11*x*(9*\text{Sqrt}[1 + (b*x^4)/a]*(8*b^2*d*x^8 + 2*a^2*(4*d + 5*f*x^2) + a*b*x^4*(16*d + 25*f*x^2)) + 135*b^2*f*x^10*\text{ArcTanh}[\text{Sqrt}[1 + (b*x^4)/a]] + 80*a^2*e*x*\text{Hypergeometric2F1}[-9/4, -3/2, -5/4, -(b*x^4)/a]])))/(a*x^11*\text{Sqrt}[1 + (b*x^4)/a])$$

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^{12}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^12,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^12, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^12,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^12, x)

maple [C] time = 0.22, size = 441, normalized size = 1.04

$$\frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{5}{2}}e\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right) + 4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{5}{2}}e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}\sqrt{a}} + \frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{5}{2}}e\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right) + 4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}b^{\frac{5}{2}}e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^12,x)

[Out]
$$-1/8*f*a/x^8*(b*x^4+a)^{(1/2)} - 5/16*f*b/x^4*(b*x^4+a)^{(1/2)} - 3/16*f*b^2/a^{(1/2)} * \ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2) - 1/9*e*a*(b*x^4+a)^{(1/2)}/x^9 - 11/45 * e*b*(b*x^4+a)^{(1/2)}/x^5 - 4/15*b^2*e*(b*x^4+a)^{(1/2)}/a/x + 4/15*I*e/a^{(1/2)}*b^{\frac{5}{2}}$$

$(5/2)/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)*(-I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)*(I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)/(b*x^4+a)^{(1/2)*EllipticF((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x, I)-4/15*I*e/a^{(1/2)*b^{(5/2)}}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)*(-I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)*(I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)/(b*x^4+a)^{(1/2)*EllipticE((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x, I)-1/11*c*a*(b*x^4+a)^{(1/2)/x^{11}-13/77*c*b*(b*x^4+a)^{(1/2)/x^{7-4/77*b^2*c*(b*x^4+a)^{(1/2)/a/x^{3-4/77*c/a*b^3/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)*(-I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)*(I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)/(b*x^4+a)^{(1/2)*EllipticF((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x, I)-1/10*d*(b*x^4+a)^{(1/2)/x^{10}/a*(b^2*x^8+2*a*b*x^4+a^2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^12,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^12, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{3/2} (fx^3 + ex^2 + dx + c)}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^12,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^12, x)

sympy [C] time = 22.52, size = 401, normalized size = 0.95

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{11}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{11}{4}, -\frac{1}{2} \\ -\frac{7}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a} \right)}{4x^{11}\Gamma\left(-\frac{7}{4}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{9}{4}, -\frac{1}{2} \\ -\frac{5}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a} \right)}{4x^9\Gamma\left(-\frac{5}{4}\right)} + \frac{\sqrt{a}bc\Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a} \right)}{4x^7\Gamma\left(-\frac{3}{4}\right)} + \frac{\sqrt{a}be\Gamma\left(-\frac{5}{4}\right)}{4x^5\Gamma\left(-\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**12,x)

[Out] a**(3/2)*c*gamma(-11/4)*hyper((-11/4, -1/2), (-7/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**11*gamma(-7/4)) + a**(3/2)*e*gamma(-9/4)*hyper((-9/4, -1/2), (-5

$$\begin{aligned}
& /4,), b^{x^4} \exp(\pi i/a) / (4x^9 \Gamma(-5/4)) + \sqrt{a} b^c \Gamma(-7/4) \operatorname{hyper}((-7/4, -1/2), (-3/4,), b^{x^4} \exp(\pi i/a) / (4x^7 \Gamma(-3/4)) + \sqrt{a} b^e \Gamma(-5/4) \operatorname{hyper}((-5/4, -1/2), (-1/4,), b^{x^4} \exp(\pi i/a) / (4x^5 \Gamma(-1/4)) - a^2 f / (8\sqrt{b} x^{10} \sqrt{a/(b^{x^4} + 1)}) - a\sqrt{b} d \sqrt{a/(b^{x^4} + 1)} / (10x^8) - 3a\sqrt{b} f / (16x^6 \sqrt{a/(b^{x^4} + 1)}) - b^{3/2} d \sqrt{a/(b^{x^4} + 1)} / (5x^4) - b^{3/2} f \sqrt{a/(b^{x^4} + 1)} / (4x^2) - b^{3/2} f / (16x^2 \sqrt{a/(b^{x^4} + 1)}) - b^{5/2} d \sqrt{a/(b^{x^4} + 1)} / (10a) - 3b^2 f \operatorname{asinh}(\sqrt{a}) / (\sqrt{b} x^2)) / (16\sqrt{a})
\end{aligned}$$

$$3.527 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{13}} dx$$

Optimal. Leaf size=449

$$\frac{2b^{9/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (15\sqrt{b}d - 77\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{1155a^{5/4}\sqrt{a+bx^4} + 15a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/1980*(165*c/x^{12}+180*d/x^{11}+198*e/x^{10}+220*f/x^9)*(b*x^4+a)^{(3/2)}+1/32*b^3*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/18480*b*(1155*c/x^8+1440*d/x^7+1848*e/x^6+2464*f/x^5)*(b*x^4+a)^{(1/2)}-1/32*b^2*c*(b*x^4+a)^{(1/2)}/a/x^4-4/77*b^2*d*(b*x^4+a)^{(1/2)}/a/x^3-1/10*b^2*e*(b*x^4+a)^{(1/2)}/a/x^2-4/15*b^2*f*(b*x^4+a)^{(1/2)}/a/x+4/15*b^{(5/2)}*f*x*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-4/15*b^{(9/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}-2/1155*b^{(9/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-77*f*a^{(1/2)}+15*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 449, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1833, 1252, 835, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{b^3c \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right)}{32a^{3/2}} + \frac{2b^{9/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (15\sqrt{b}d - 77\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + 4b^{9/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{1155a^{5/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^{(3/2)}/x^{13}, x]$

[Out] $-(b*((1155*c)/x^8 + (1440*d)/x^7 + (1848*e)/x^6 + (2464*f)/x^5)*\operatorname{Sqrt}[a + b*x^4])/18480 - (b^2*c*\operatorname{Sqrt}[a + b*x^4])/(32*a*x^4) - (4*b^2*d*\operatorname{Sqrt}[a + b*x^4])/(77*a*x^3) - (b^2*e*\operatorname{Sqrt}[a + b*x^4])/(10*a*x^2) - (4*b^2*f*\operatorname{Sqrt}[a + b*x^4])/(15*a*x) + (4*b^{(5/2)}*f*x*\operatorname{Sqrt}[a + b*x^4])/(15*a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (((165*c)/x^{12} + (180*d)/x^{11} + (198*e)/x^{10} + (220*f)/x^9)*(a + b*x^4)^{(3/2)}/1980 + (b^3*c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(32*a^{(3/2)}) - (4*b^{(9/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)]^2$

$$\int \frac{\text{EllipticE}\left[2 \arctan\left(\frac{b^{1/4}x}{a^{1/4}}\right), \frac{1}{2}\right]}{(15a^{3/4}\sqrt{a+bx^4}) - (2b^{9/4}(15\sqrt{b}d - 77\sqrt{a}f)(\sqrt{a} + \sqrt{b}x^2)\sqrt{a+bx^4})} dx$$

Rule 14

$$\text{Int}[(u_*)((c_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \ \&\& \ \text{SumQ}[u] \ \&\& \ \text{!LinearQ}[u, x] \ \&\& \ \text{!MatchQ}[u, (a_ + (b_.)*(v_))] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{InverseFunctionQ}[v]$$

Rule 63

$$\text{Int}[(a_ + (b_.)*(x_))^{(m_)}*((c_.) + (d_.)*(x_))^{(n_.)}, x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$$

Rule 208

$$\text{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$$

Rule 220

$$\text{Int}[1/\sqrt{(a_ + (b_.)*(x_)^4)}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\sqrt{(a + b*x^4)/(a*(1 + q^2*x^2)^2)}*\text{EllipticF}[2*\text{ArcTan}[q*x, 1/2]]/(2*q*\sqrt{a + b*x^4}), x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$$

Rule 266

$$\text{Int}[(x_)^{(m_)}*((a_ + (b_.)*(x_)^n)^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$$

Rule 807

$$\text{Int}[(d_ + (e_.)*(x_))^{(m_)}*((f_ + (g_.)*(x_))*((a_ + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow -\text{Simp}[(e*f - d*g)*(d + e*x)^{(m+1)}*(a + c*x^2)^{(p+1)}]/(2*(p+1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d*f + a*e*g)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{(m+1)}*(a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$$

Rule 835


```

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

```

Rule 1196

```

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2])*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

```

Rule 1198

```

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

```

Rule 1252

```

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

```

Rule 1282

```

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

```

Rule 1825

```

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1, 0]

```

Rule 1833

```

Int[(Pq_)*((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^{13}} dx &= -\frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} - (6b) \int \left(-\frac{c}{12} - \frac{dx}{11} - \frac{ex^2}{10} - \frac{fx^3}{9}\right) \frac{1}{x^9} dx \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{b^2c\sqrt{a + bx^4}}{32ax^4} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{b^2c\sqrt{a + bx^4}}{32ax^4} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{b^2c\sqrt{a + bx^4}}{32ax^4} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{b^2c\sqrt{a + bx^4}}{32ax^4} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980} \\
&= -\frac{b\left(\frac{1155c}{x^8} + \frac{1440d}{x^7} + \frac{1848e}{x^6} + \frac{2464f}{x^5}\right)\sqrt{a + bx^4}}{18480} - \frac{b^2c\sqrt{a + bx^4}}{32ax^4} - \frac{4b^2d\sqrt{a + bx^4}}{77ax^3} - \frac{\left(\frac{165c}{x^{12}} + \frac{180d}{x^{11}} + \frac{198e}{x^{10}} + \frac{220f}{x^9}\right)(a + bx^4)^{3/2}}{1980}
\end{aligned}$$

Mathematica [C] time = 0.21, size = 149, normalized size = 0.33

$$\frac{\sqrt{a+bx^4} \left(90a^5 d {}_2F_1 \left(-\frac{11}{4}, -\frac{3}{2}; -\frac{7}{4}; -\frac{bx^4}{a} \right) + 11x \left(10a^5 f x {}_2F_1 \left(-\frac{9}{4}, -\frac{3}{2}; -\frac{5}{4}; -\frac{bx^4}{a} \right) + 9(a+bx^4)^2 \sqrt{\frac{bx^4}{a}+1} (a^3 e - \dots) \right) \right)}{990a^4 x^{11} \sqrt{\frac{bx^4}{a}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^13,x]

[Out] -1/990*(Sqrt[a + b*x^4]*(90*a^5*d*Hypergeometric2F1[-11/4, -3/2, -7/4, -(b*x^4)/a]) + 11*x*(10*a^5*f*x*Hypergeometric2F1[-9/4, -3/2, -5/4, -(b*x^4)/a]) + 9*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*(a^3*e - b^3*c*x^10*Hypergeometric2F1[5/2, 4, 7/2, 1 + (b*x^4)/a]))) / (a^4*x^11*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bf x^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^{13}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^13,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^13, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{13}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^13,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^13, x)

maple [C] time = 0.20, size = 462, normalized size = 1.03

$$\frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}f\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}+\frac{4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{5}{2}}f\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,\right)}{15\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^13,x)`

[Out]
$$-7/48*c*b/x^8*(b*x^4+a)^{(1/2)}-1/32*b^2*c*(b*x^4+a)^{(1/2)}/a/x^4+1/32*c/a^{(3/2)}*b^3*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/12*c*a/x^{12}*(b*x^4+a)^{(1/2)}-1/9*f*a*(b*x^4+a)^{(1/2)}/x^9-11/45*f*b*(b*x^4+a)^{(1/2)}/x^5-4/15*b^2*f*(b*x^4+a)^{(1/2)}/a/x+4/15*I*f/a^{(1/2)}*b^{(5/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-4/15*I*f/a^{(1/2)}*b^{(5/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/11*d*a*(b*x^4+a)^{(1/2)}/x^{11}-13/77*d*b*(b*x^4+a)^{(1/2)}/x^7-4/77*b^2*d*(b*x^4+a)^{(1/2)}/a/x^3-4/77*d/a*b^3/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/10*e*(b*x^4+a)^{(1/2)}/x^{10}/a*(b^2*x^8+2*a*b*x^4+a^2)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{192} \left(\frac{3b^3 \log\left(\frac{\sqrt{bx^4+a}-\sqrt{a}}{\sqrt{bx^4+a}+\sqrt{a}}\right)}{a^{\frac{3}{2}}} + \frac{2\left(3(bx^4+a)^{\frac{5}{2}}b^3 + 8(bx^4+a)^{\frac{3}{2}}ab^3 - 3\sqrt{bx^4+a}a^2b^3\right)}{(bx^4+a)^3a - 3(bx^4+a)^2a^2 + 3(bx^4+a)a^3 - a^4} \right) c + \int \frac{(bfx^6 + bex^5 + bdx^4 + afx^2 + aex + ad)*\sqrt{bx^4+a}}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^13,x, algorithm="maxima")`

[Out]
$$-1/192*(3*b^3*\log((\sqrt{b*x^4+a}-\sqrt{a})/(\sqrt{b*x^4+a}+\sqrt{a}))/a^{(3/2)}+2*(3*(b*x^4+a)^{(5/2)}*b^3+8*(b*x^4+a)^{(3/2)}*a*b^3-3*\sqrt{b*x^4+a}*a^2*b^3)/((b*x^4+a)^3*a-3*(b*x^4+a)^2*a^2+3*(b*x^4+a)*a^3-a^4))*c+\int((b*f*x^6+b*e*x^5+b*d*x^4+a*f*x^2+a*e*x+a*d)*\sqrt{b*x^4+a})/x^{12},x)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4+a)^{3/2} (fx^3+ex^2+dx+c)}{x^{13}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a+b*x^4)^(3/2)*(c+d*x+e*x^2+f*x^3))/x^13,x)`

[Out] `int(((a+b*x^4)^(3/2)*(c+d*x+e*x^2+f*x^3))/x^13,x)`

sympy [C] time = 31.88, size = 403, normalized size = 0.90

$$\frac{a^{\frac{3}{2}} d \Gamma\left(-\frac{11}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{11}{4}, -\frac{1}{2} \\ -\frac{7}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^{11} \Gamma\left(-\frac{7}{4}\right)} + \frac{a^{\frac{3}{2}} f \Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{9}{4}, -\frac{1}{2} \\ -\frac{5}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^9 \Gamma\left(-\frac{5}{4}\right)} + \frac{\sqrt{a} b d \Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{7}{4}, -\frac{1}{2} \\ -\frac{3}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4x^7 \Gamma\left(-\frac{3}{4}\right)} + \frac{\sqrt{a} b f \Gamma\left(-\frac{5}{4}\right)}{4x^5 \Gamma\left(-\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**13,x)

[Out] a**(3/2)*d*gamma(-11/4)*hyper((-11/4, -1/2), (-7/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**11*gamma(-7/4)) + a**(3/2)*f*gamma(-9/4)*hyper((-9/4, -1/2), (-5/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**9*gamma(-5/4)) + sqrt(a)*b*d*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**7*gamma(-3/4)) + sqrt(a)*b*f*gamma(-5/4)*hyper((-5/4, -1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*x**5*gamma(-1/4)) - a**2*c/(12*sqrt(b)*x**14*sqrt(a/(b*x**4)+1)) - 11*a*sqrt(b)*c/(48*x**10*sqrt(a/(b*x**4)+1)) - a*sqrt(b)*e*sqrt(a/(b*x**4)+1)/(10*x**8) - 17*b**(3/2)*c/(96*x**6*sqrt(a/(b*x**4)+1)) - b**(3/2)*e*sqrt(a/(b*x**4)+1)/(5*x**4) - b**(5/2)*c/(32*a*x**2*sqrt(a/(b*x**4)+1)) - b**(5/2)*e*sqrt(a/(b*x**4)+1)/(10*a) + b**3*c*asinh(sqrt(a/(sqrt(b)*x**2)))/(32*a**(3/2))

$$3.528 \quad \int \frac{(c+dx+ex^2+fx^3)(a+bx^4)^{3/2}}{x^{14}} dx$$

Optimal. Leaf size=474

$$\frac{2b^{11/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (65\sqrt{a}e + 77\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5005a^{7/4}\sqrt{a+bx^4}} + \frac{4b^{13/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}}}{65a^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/8580*(660*c/x^{13}+715*d/x^{12}+780*e/x^{11}+858*f/x^{10})*(b*x^4+a)^{(3/2)}+1/32*b^3*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/240240*b*(12320*c/x^9+15015*d/x^8+18720*e/x^7+24024*f/x^6)*(b*x^4+a)^{(1/2)}-4/195*b^2*c*(b*x^4+a)^{(1/2)}/a/x^5-1/32*b^2*d*(b*x^4+a)^{(1/2)}/a/x^4-4/77*b^2*e*(b*x^4+a)^{(1/2)}/a/x^3-1/10*b^2*f*(b*x^4+a)^{(1/2)}/a/x^2+4/65*b^3*c*(b*x^4+a)^{(1/2)}/a^2/x-4/65*b^{(7/2)}*c*x*(b*x^4+a)^{(1/2)}/a^2/(a^{(1/2)}+x^2*b^{(1/2)})+4/65*b^{(13/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}-2/5005*b^{(11/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(65*e*a^{(1/2)}+77*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.55, antiderivative size = 474, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {14, 1825, 1833, 1282, 1198, 220, 1196, 1252, 835, 807, 266, 63, 208}

$$\frac{2b^{11/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (65\sqrt{a}e + 77\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{5005a^{7/4}\sqrt{a+bx^4}} - \frac{4b^{7/2}cx\sqrt{a+bx^4}}{65a^2(\sqrt{a} + \sqrt{b}x^2)} + \frac{4b^3c\sqrt{a+bx^4}}{65a^2x}$$

Antiderivative was successfully verified.

[In] Int[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^14,x]

[Out] $-(b*((12320*c)/x^9 + (15015*d)/x^8 + (18720*e)/x^7 + (24024*f)/x^6)*\operatorname{Sqrt}[a + b*x^4])/240240 - (4*b^2*c*\operatorname{Sqrt}[a + b*x^4])/(195*a*x^5) - (b^2*d*\operatorname{Sqrt}[a + b*x^4])/(32*a*x^4) - (4*b^2*e*\operatorname{Sqrt}[a + b*x^4])/(77*a*x^3) - (b^2*f*\operatorname{Sqrt}[a + b*x^4])/(10*a*x^2) + (4*b^3*c*\operatorname{Sqrt}[a + b*x^4])/(65*a^2*x) - (4*b^{(7/2)}*c*x*\operatorname{Sqrt}[a + b*x^4])/(65*a^2*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (((660*c)/x^{13} + (715*d)/x^{12} + (780*e)/x^{11} + (858*f)/x^{10})*(a + b*x^4)^{(3/2)})/8580 + (b^3*d*\operatorname{Arc}$

$\text{Tanh}[\sqrt{a + b x^4}/\sqrt{a}]/(32 a^{3/2}) + (4 b^{13/4} c (\sqrt{a} + \sqrt{b x^2}) \sqrt{(a + b x^4)/(\sqrt{a} + \sqrt{b x^2})^2} \text{EllipticE}[2 \text{ArcTan}[(b^{1/4} x)/a^{1/4}], 1/2]) / (65 a^{7/4} \sqrt{a + b x^4}) - (2 b^{11/4} (77 \sqrt{b} c + 65 \sqrt{a} e) (\sqrt{a} + \sqrt{b x^2}) \sqrt{(a + b x^4)/(\sqrt{a} + \sqrt{b x^2})^2} \text{EllipticF}[2 \text{ArcTan}[(b^{1/4} x)/a^{1/4}], 1/2]) / (5005 a^{7/4}) \sqrt{a + b x^4}$

Rule 14

$\text{Int}[(u_*)((c_*)(x_*)^{(m_*)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c x)^m u, x], x] /; \text{FreeQ}[\{c, m\}, x] \&\& \text{SumQ}[u] \&\& !\text{LinearQ}[u, x] \&\& !\text{MatchQ}[u, (a_*) + (b_*)(v_*)] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{InverseFunctionQ}[v]$

Rule 63

$\text{Int}[(a_*) + (b_*)(x_*)^{(m_*)}((c_*) + (d_*)(x_*)^{(n_*)}), x_Symbol] \rightarrow \text{With}[\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p(m+1)-1)}(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{1/p}], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_*) + (b_*)(x_*)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\sqrt{(a_*) + (b_*)(x_*)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 x^2) \sqrt{(a + b x^4)/(a(1 + q^2 x^2)^2)} \text{EllipticF}[2 \text{ArcTan}[q x], 1/2]) / (2 q \sqrt{a + b x^4}), x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_*)^{(m_*)}((a_*) + (b_*)(x_*)^{(n_*)})^{(p_*)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)(a + b x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 807

$\text{Int}[(d_*) + (e_*)(x_*)^{(m_*)}((f_*) + (g_*)(x_*)^{(p_*)})^{(a_*) + (c_*)(x_*)^2)^{(p_*)}, x_Symbol] \rightarrow -\text{Simp}[(e*f - d*g)(d + e*x)^{(m+1)}(a + c*x^2)^{(p+1)} / (2*(p+1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d*f + a*e*g)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{(m+1)}(a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, g, m, p\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$

Rule 835

```
Int[((d_.) + (e_.)*(x_.))^(m_.)*((f_.) + (g_.)*(x_.))*((a_.) + (c_.)*(x_.)^2)^(p_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 1196

```
Int[((d_.) + (e_.)*(x_.)^2)/Sqrt[(a_.) + (c_.)*(x_.)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_.) + (e_.)*(x_.)^2)/Sqrt[(a_.) + (c_.)*(x_.)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_.) + (e_.)*(x_.)^2)^(q_.)*((a_.) + (c_.)*(x_.)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_.)*(x_.))^(m_.)*((d_.) + (e_.)*(x_.)^2)*((a_.) + (c_.)*(x_.)^4)^(p_.), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1825

```
Int[(Pq_)*(x_)^(m_.)*((a_.) + (b_.)*(x_.)^n)^(p_.), x_Symbol] := Module[{u = IntHide[x^m*Pq, x]}, Simp[u*(a + b*x^n)^p, x] - Dist[b*n*p, Int[x^(m + n)*(a + b*x^n)^(p - 1)*ExpandToSum[u/x^(m + 1), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m + Expon[Pq, x] + 1,
```

0]

Rule 1833

```

Int[(Pq_)*((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx + ex^2 + fx^3)(a + bx^4)^{3/2}}{x^{14}} dx &= -\frac{\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}} + \frac{858f}{x^{10}}\right)(a + bx^4)^{3/2}}{8580} - (6b) \int \frac{\left(-\frac{c}{13} - \frac{dx}{12} - \frac{ex^2}{11} - \frac{fx^3}{10}\right)(a + bx^4)^{3/2}}{x^{10}} dx \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}}\right)(a + bx^4)^{3/2}}{8} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}}\right)(a + bx^4)^{3/2}}{8} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}}\right)(a + bx^4)^{3/2}}{8} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} - \frac{\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}}\right)(a + bx^4)^{3/2}}{8} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} - \frac{b\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}}\right)(a + bx^4)^{3/2}}{8} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} - \frac{b\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}}\right)(a + bx^4)^{3/2}}{8} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} - \frac{b\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}}\right)(a + bx^4)^{3/2}}{8} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} - \frac{b\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}}\right)(a + bx^4)^{3/2}}{8} \\
&= -\frac{b\left(\frac{12320c}{x^9} + \frac{15015d}{x^8} + \frac{18720e}{x^7} + \frac{24024f}{x^6}\right)\sqrt{a + bx^4}}{240240} - \frac{4b^2c\sqrt{a + bx^4}}{195ax^5} - \frac{b\left(\frac{660c}{x^{13}} + \frac{715d}{x^{12}} + \frac{780e}{x^{11}}\right)(a + bx^4)^{3/2}}{8}
\end{aligned}$$

Mathematica [C] time = 0.21, size = 151, normalized size = 0.32

$$\frac{\sqrt{a + bx^4} \left(110a^5 c {}_2F_1\left(-\frac{13}{4}, -\frac{3}{2}; -\frac{9}{4}; -\frac{bx^4}{a}\right) + 13x^2 \left(10a^5 e {}_2F_1\left(-\frac{11}{4}, -\frac{3}{2}; -\frac{7}{4}; -\frac{bx^4}{a}\right) + 11x(a + bx^4)^2 \sqrt{\frac{bx^4}{a} + 1}\right) \left(a + bx^4\right)^{3/2}}{1430a^4 x^{13} \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[((c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^(3/2))/x^14,x]

[Out] -1/1430*(Sqrt[a + b*x^4]*(110*a^5*c*Hypergeometric2F1[-13/4, -3/2, -9/4, -(b*x^4)/a] + 13*x^2*(10*a^5*e*Hypergeometric2F1[-11/4, -3/2, -7/4, -(b*x^4)/a] + 11*x*(a + b*x^4)^2*Sqrt[1 + (b*x^4)/a]*(a^3*f - b^3*d*x^10*Hypergeometric2F1[5/2, 4, 7/2, 1 + (b*x^4)/a]))) / (a^4*x^13*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bfx^7 + bex^6 + bdx^5 + bcx^4 + afx^3 + aex^2 + adx + ac)\sqrt{bx^4 + a}}{x^{14}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^14,x, algorithm="fricas")

[Out] integral((b*f*x^7 + b*e*x^6 + b*d*x^5 + b*c*x^4 + a*f*x^3 + a*e*x^2 + a*d*x + a*c)*sqrt(b*x^4 + a)/x^14, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{14}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^14,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^14, x)

maple [C] time = 0.22, size = 483, normalized size = 1.02

$$\frac{4\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^3e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+4i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{7}{2}}c\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{77\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a-65\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^14,x)

[Out] -7/48*d*b/x^8*(b*x^4+a)^(1/2)-1/32*b^2*d*(b*x^4+a)^(1/2)/a/x^4+1/32*d/a^(3/2)*b^3*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)-1/12*d*a/x^12*(b*x^4+a)^(1/2)

$$\begin{aligned}
 & -1/13*c*a*(b*x^4+a)^{(1/2)}/x^{13}-5/39*c*b*(b*x^4+a)^{(1/2)}/x^9-4/195*b^2*c*(b \\
 & *x^4+a)^{(1/2)}/a/x^5+4/65*b^3*c*(b*x^4+a)^{(1/2)}/a^2/x-4/65*I*c*b^{(7/2)}/a^{(3/ \\
 & 2)/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}*(I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I) \\
 & +4/65*I*c*b^{(7/2)}/a^{(3/2)}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}*(I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I)-1/11*e*a*(b*x^4+a)^{(1/2)}/x^{11}-13/77*e*b*(b*x^4+a)^{(1/2)}/x^7-4/77*b^2*e*(b*x^4+a)^{(1/2)}/a/x^3-4/77*e/a*b^3/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}*(I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I)-1/10*f*(b*x^4+a)^{(1/2)}/x^{10}/a*(b^2*x^8+2*a*b*x^4+a^2)
 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{14}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^(3/2)/x^14,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^(3/2)*(f*x^3 + e*x^2 + d*x + c)/x^14, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(bx^4 + a)^{\frac{3}{2}}(fx^3 + ex^2 + dx + c)}{x^{14}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^14,x)

[Out] int(((a + b*x^4)^(3/2)*(c + d*x + e*x^2 + f*x^3))/x^14, x)

sympy [C] time = 27.90, size = 403, normalized size = 0.85

$$\frac{a^{\frac{3}{2}}c\Gamma\left(-\frac{13}{4}\right) {}_2F_1\left(-\frac{13}{4}, -\frac{1}{2} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^{13}\Gamma\left(-\frac{9}{4}\right)} + \frac{a^{\frac{3}{2}}e\Gamma\left(-\frac{11}{4}\right) {}_2F_1\left(-\frac{11}{4}, -\frac{1}{2} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^{11}\Gamma\left(-\frac{7}{4}\right)} + \frac{\sqrt{a}bc\Gamma\left(-\frac{9}{4}\right) {}_2F_1\left(-\frac{9}{4}, -\frac{1}{2} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^9\Gamma\left(-\frac{5}{4}\right)} + \frac{\sqrt{a}be\Gamma\left(-\frac{7}{4}\right) {}_2F_1\left(-\frac{7}{4}, -\frac{1}{2} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4x^7\Gamma\left(-\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**(3/2)/x**14,x)

```
[Out] a**(3/2)*c*gamma(-13/4)*hyper((-13/4, -1/2), (-9/4, ), b*x**4*exp_polar(I*pi
)/a)/(4*x**13*gamma(-9/4)) + a**(3/2)*e*gamma(-11/4)*hyper((-11/4, -1/2), (
-7/4, ), b*x**4*exp_polar(I*pi)/a)/(4*x**11*gamma(-7/4)) + sqrt(a)*b*c*gamma
(-9/4)*hyper((-9/4, -1/2), (-5/4, ), b*x**4*exp_polar(I*pi)/a)/(4*x**9*gamma
(-5/4)) + sqrt(a)*b*e*gamma(-7/4)*hyper((-7/4, -1/2), (-3/4, ), b*x**4*exp_p
olar(I*pi)/a)/(4*x**7*gamma(-3/4)) - a**2*d/(12*sqrt(b)*x**14*sqrt(a/(b*x**
4) + 1)) - 11*a*sqrt(b)*d/(48*x**10*sqrt(a/(b*x**4) + 1)) - a*sqrt(b)*f*sqr
t(a/(b*x**4) + 1)/(10*x**8) - 17*b**(3/2)*d/(96*x**6*sqrt(a/(b*x**4) + 1))
- b**(3/2)*f*sqrt(a/(b*x**4) + 1)/(5*x**4) - b**(5/2)*d/(32*a*x**2*sqrt(a/(
b*x**4) + 1)) - b**(5/2)*f*sqrt(a/(b*x**4) + 1)/(10*a) + b**3*d*asinh(sqrt(
a)/(sqrt(b)*x**2))/(32*a**(3/2))
```

$$3.529 \quad \int \frac{x^4(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=361

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{3a^{5/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{1}{2}\right)}{5b^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*a*d*\operatorname{arctanh}(x^2*b^{(1/2)/(b*x^4+a)^{(1/2)})}/b^{(3/2)}+1/3*c*x*(b*x^4+a)^{(1/2)}/b+1/5*e*x^3*(b*x^4+a)^{(1/2)}/b+1/6*f*x^4*(b*x^4+a)^{(1/2)}/b-1/12*(-3*b*d*x^2+4*a*f)*(b*x^4+a)^{(1/2)}/b^2-3/5*a*e*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+3/5*a^{(5/4)}*e*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}-1/30*a^{(3/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(9*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.30, antiderivative size = 361, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1833, 1280, 1198, 220, 1196, 1252, 833, 780, 217, 206}

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}e + 5\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{3a^{5/4}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{1}{2}\right)}{5b^{7/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^4*(c + d*x + e*x^2 + f*x^3))/\operatorname{Sqrt}[a + b*x^4], x]$

[Out] $(c*x*\operatorname{Sqrt}[a + b*x^4])/(3*b) + (e*x^3*\operatorname{Sqrt}[a + b*x^4])/(5*b) + (f*x^4*\operatorname{Sqrt}[a + b*x^4])/(6*b) - (3*a*e*x*\operatorname{Sqrt}[a + b*x^4])/(5*b^{(3/2)}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - ((4*a*f - 3*b*d*x^2)*\operatorname{Sqrt}[a + b*x^4])/(12*b^{(3/2)}) - (a*d*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*b^{(3/2)}) + (3*a^{(5/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (a^{(3/4)}*(5*\operatorname{Sqrt}[b]*c + 9*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(30*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 833

Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I

Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1280

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m - 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}])*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{x^4(c + dx + ex^2 + fx^3)}{\sqrt{a + bx^4}} dx &= \int \left(\frac{x^4(c + ex^2)}{\sqrt{a + bx^4}} + \frac{x^5(d + fx^2)}{\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{x^4(c + ex^2)}{\sqrt{a + bx^4}} dx + \int \frac{x^5(d + fx^2)}{\sqrt{a + bx^4}} dx \\
&= \frac{ex^3\sqrt{a + bx^4}}{5b} + \frac{1}{2} \text{Subst} \left(\int \frac{x^2(d + fx)}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{x^2(3ae - 5bcx^2)}{\sqrt{a + bx^4}} dx}{5b} \\
&= \frac{cx\sqrt{a + bx^4}}{3b} + \frac{ex^3\sqrt{a + bx^4}}{5b} + \frac{fx^4\sqrt{a + bx^4}}{6b} + \frac{\int \frac{-5abc - 9abex^2}{\sqrt{a + bx^4}} dx}{15b^2} + \frac{\text{Subst} \left(\int \frac{x^2(d + fx)}{\sqrt{a + bx^2}} dx, x, x^2 \right)}{2} \\
&= \frac{cx\sqrt{a + bx^4}}{3b} + \frac{ex^3\sqrt{a + bx^4}}{5b} + \frac{fx^4\sqrt{a + bx^4}}{6b} - \frac{(4af - 3bdx^2)\sqrt{a + bx^4}}{12b^2} - \frac{(ad)}{12b^2} \\
&= \frac{cx\sqrt{a + bx^4}}{3b} + \frac{ex^3\sqrt{a + bx^4}}{5b} + \frac{fx^4\sqrt{a + bx^4}}{6b} - \frac{3aex\sqrt{a + bx^4}}{5b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{(4af - 3bd)}{12b^2} \\
&= \frac{cx\sqrt{a + bx^4}}{3b} + \frac{ex^3\sqrt{a + bx^4}}{5b} + \frac{fx^4\sqrt{a + bx^4}}{6b} - \frac{3aex\sqrt{a + bx^4}}{5b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{(4af - 3bd)}{12b^2}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 212, normalized size = 0.59

$$\frac{-20a^2f - 20abcx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 20abcx + 15abdx^2 - 15a\sqrt{b}d\sqrt{a + bx^4} \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}}\right) - 12abex}{60b^2\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4], x]

[Out] (-20*a^2*f + 20*a*b*c*x + 15*a*b*d*x^2 + 12*a*b*e*x^3 - 10*a*b*f*x^4 + 20*b^2*c*x^5 + 15*b^2*d*x^6 + 12*b^2*e*x^7 + 10*b^2*f*x^8 - 15*a*Sqrt[b]*d*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 20*a*b*c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] - 12*a*b*e*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((b*x^4)/a)])/(60*b^2*Sqrt[a + b*x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx^7 + ex^6 + dx^5 + cx^4}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral((f*x^7 + e*x^6 + d*x^5 + c*x^4)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^4}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^4/sqrt(b*x^4 + a), x)

maple [C] time = 0.23, size = 335, normalized size = 0.93

$$\frac{\sqrt{bx^4 + a} e x^3}{5b} + \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} e \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b^{\frac{3}{2}}} - \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} e \text{Ellip}}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x)

[Out] $-1/6*f*(b*x^4+a)^{(1/2)}*(-b*x^4+2*a)/b^2+1/5*e*x^3*(b*x^4+a)^{(1/2)}/b-3/5*I*e*a^{(3/2)}/b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+3/5*I*e*a^{(3/2)}/b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/4*d*x^2/b*(b*x^4+a)^{(1/2)}-1/4*d*a/b^{(3/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})+1/3*c*x*(b*x^4+a)^{(1/2)}/b-1/3*c*a/b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^4}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^4/sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (f x^3 + e x^2 + d x + c)}{\sqrt{b x^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2),x)

[Out] int((x^4*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2), x)

sympy [A] time = 10.79, size = 177, normalized size = 0.49

$$\frac{\sqrt{a} dx^2 \sqrt{1 + \frac{bx^4}{a}}}{4b} - \frac{ad \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4b^{\frac{3}{2}}} + f \left(\begin{cases} -\frac{a\sqrt{a+bx^4}}{3b^2} + \frac{x^4\sqrt{a+bx^4}}{6b} & \text{for } b \neq 0 \\ \frac{x^8}{8\sqrt{a}} & \text{otherwise} \end{cases} \right) + \frac{cx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{9}{4}\right)} + \frac{ex^7 \Gamma\left(\frac{7}{4}\right)}{4\sqrt{a} \Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2),x)

[Out] sqrt(a)*d*x**2*sqrt(1 + b*x**4/a)/(4*b) - a*d*asinh(sqrt(b)*x**2/sqrt(a))/(4*b**(3/2)) + f*Piecewise((-a*sqrt(a + b*x**4)/(3*b**2) + x**4*sqrt(a + b*x**4)/(6*b), Ne(b, 0)), (x**8/(8*sqrt(a)), True)) + c*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(9/4)) + e*x**7*gamma(7/4)*hyper((1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(11/4))

$$3.530 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=336

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{3a^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E}{5b^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*a*e*\operatorname{arctanh}(x^2*b^{(1/2)/(b*x^4+a)^{(1/2)})}/b^{(3/2)}+1/3*d*x*(b*x^4+a)^{(1/2)}/b+1/5*f*x^3*(b*x^4+a)^{(1/2)}/b+1/4*(e*x^2+2*c)*(b*x^4+a)^{(1/2)}/b-3/5*a*f*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+3/5*a^{(5/4)}*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}-1/30*a^{(3/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(9*f*a^{(1/2)}+5*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1833, 1252, 780, 217, 206, 1280, 1198, 220, 1196}

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{a}f + 5\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30b^{7/4}\sqrt{a+bx^4}} + \frac{3a^{5/4}f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E}{5b^{7/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3*(c + d*x + e*x^2 + f*x^3))/\operatorname{Sqrt}[a + b*x^4], x]$

[Out] $(d*x*\operatorname{Sqrt}[a + b*x^4])/(3*b) + (f*x^3*\operatorname{Sqrt}[a + b*x^4])/(5*b) - (3*a*f*x*\operatorname{Sqrt}[a + b*x^4])/(5*b^{(3/2)}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + ((2*c + e*x^2)*\operatorname{Sqrt}[a + b*x^4])/(4*b) - (a*e*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*b^{(3/2)}) + (3*a^{(5/4)}*f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (a^{(3/4)}*(5*\operatorname{Sqrt}[b]*d + 9*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(30*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1280

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
Symbol] :> Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3(c + dx + ex^2 + fx^3)}{\sqrt{a + bx^4}} dx &= \int \left(\frac{x^3(c + ex^2)}{\sqrt{a + bx^4}} + \frac{x^4(d + fx^2)}{\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{x^3(c + ex^2)}{\sqrt{a + bx^4}} dx + \int \frac{x^4(d + fx^2)}{\sqrt{a + bx^4}} dx \\
&= \frac{fx^3\sqrt{a + bx^4}}{5b} + \frac{1}{2} \text{Subst} \left(\int \frac{x(c + ex)}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{x^2(3af - 5bdx^2)}{\sqrt{a + bx^4}} dx}{5b} \\
&= \frac{dx\sqrt{a + bx^4}}{3b} + \frac{fx^3\sqrt{a + bx^4}}{5b} + \frac{(2c + ex^2)\sqrt{a + bx^4}}{4b} + \frac{\int \frac{-5abd - 9abfx^2}{\sqrt{a + bx^4}} dx}{15b^2} - \frac{(ae)}{15b^2} \\
&= \frac{dx\sqrt{a + bx^4}}{3b} + \frac{fx^3\sqrt{a + bx^4}}{5b} + \frac{(2c + ex^2)\sqrt{a + bx^4}}{4b} - \frac{(ae) \text{Subst} \left(\int \frac{1}{1 - bx^2} dx, x, x^2 \right)}{4b} \\
&= \frac{dx\sqrt{a + bx^4}}{3b} + \frac{fx^3\sqrt{a + bx^4}}{5b} - \frac{3afx\sqrt{a + bx^4}}{5b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} + \frac{(2c + ex^2)\sqrt{a + bx^4}}{4b} - \frac{(ae)}{15b^2}
\end{aligned}$$

Mathematica [C] time = 0.16, size = 212, normalized size = 0.63

$$\frac{30\sqrt{b}c(a+bx^4) - 20a\sqrt{b}dx\sqrt{\frac{bx^4}{a}+1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 20\sqrt{b}dx(a+bx^4) + 15\sqrt{b}ex^2(a+bx^4) - 15ae\sqrt{a+bx^4}}{60b^{3/2}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4], x]

[Out] (30*Sqrt[b]*c*(a + b*x^4) + 20*Sqrt[b]*d*x*(a + b*x^4) + 15*Sqrt[b]*e*x^2*(a + b*x^4) + 12*Sqrt[b]*f*x^3*(a + b*x^4) - 15*a*e*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 20*a*Sqrt[b]*d*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] - 12*a*Sqrt[b]*f*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((b*x^4)/a)])/(60*b^(3/2)*Sqrt[a + b*x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx^6 + ex^5 + dx^4 + cx^3}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((f*x^6 + e*x^5 + d*x^4 + c*x^3)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^3}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^3/sqrt(b*x^4 + a), x)

maple [C] time = 0.17, size = 325, normalized size = 0.97

$$\frac{\sqrt{bx^4 + a} f x^3}{5b} + \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} f \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b^{\frac{3}{2}}} - \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} a^{\frac{3}{2}} f \text{Ellip}}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^{(1/2)}, x)$

[Out] $\frac{1}{5}f*x^3*(b*x^4+a)^{(1/2)}/b-3/5*I*f*a^{(3/2)}/b^{(3/2)}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)}*(I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*x, I)+3/5*I*f*a^{(3/2)}/b^{(3/2)}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)}*(I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*x, I)+1/4*e*x^2/b*(b*x^4+a)^{(1/2)}-1/4*e*a/b^{(3/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})+1/3*d*x*(b*x^4+a)^{(1/2)}/b-1/3*d*a/b/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)}*(I/a^{(1/2)*b^{(1/2)}}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*x, I)+1/2*c/b*(b*x^4+a)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\sqrt{bx^4 + ac}}{2b} + \int \frac{fx^6 + ex^5 + dx^4}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] $1/2*\text{sqrt}(b*x^4 + a)*c/b + \text{integrate}((f*x^6 + e*x^5 + d*x^4)/\text{sqrt}(b*x^4 + a), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (fx^3 + ex^2 + dx + c)}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^{(1/2)}, x)$

[Out] $\text{int}((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^{(1/2)}, x)$

sympy [A] time = 10.30, size = 156, normalized size = 0.46

$$\frac{\sqrt{a}ex^2\sqrt{1+\frac{bx^4}{a}}}{4b} - \frac{ae \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4b^{\frac{3}{2}}} + c \left(\begin{cases} \frac{x^4}{4\sqrt{a}} & \text{for } b = 0 \\ \frac{\sqrt{a+bx^4}}{2b} & \text{otherwise} \end{cases} \right) + \frac{dx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{9}{4}\right)} + \frac{fx^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{7}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2),x)
```

```
[Out] sqrt(a)*e*x**2*sqrt(1 + b*x**4/a)/(4*b) - a*e*asinh(sqrt(b)*x**2/sqrt(a))/(4*b**(3/2)) + c*Piecewise((x**4/(4*sqrt(a)), Eq(b, 0)), (sqrt(a + b*x**4)/(2*b), True)) + d*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(9/4)) + f*x**7*gamma(7/4)*hyper((1/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(11/4))
```

$$3.531 \quad \int \frac{x^2(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=308

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{6b^{5/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/4*a*f*\operatorname{arctanh}(x^2*b^{(1/2)/(b*x^4+a)^{(1/2)})}/b^{(3/2)}+1/3*e*x*(b*x^4+a)^{(1/2)}/b+1/4*(f*x^2+2*d)*(b*x^4+a)^{(1/2)}/b+c*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-a^{(1/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/6*a^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(-e*a^{(1/2)}+3*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 308, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1833, 1280, 1198, 220, 1196, 1252, 780, 217, 206}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{6b^{5/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^2*(c + d*x + e*x^2 + f*x^3))/\operatorname{Sqrt}[a + b*x^4], x]$

[Out] $(e*x*\operatorname{Sqrt}[a + b*x^4])/(3*b) + (c*x*\operatorname{Sqrt}[a + b*x^4])/(\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + ((2*d + f*x^2)*\operatorname{Sqrt}[a + b*x^4])/(4*b) - (a*f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*b^{(3/2)}) - (a^{(1/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + (a^{(1/4)}*(3*\operatorname{Sqrt}[b]*c - \operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(6*b^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

$\operatorname{Int}[(a_+ + (b_-)*(x_-)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

$Q[a, 0] \parallel \text{Lt}Q[b, 0]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ !\text{Gt}Q[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]]/(2*q*\text{Sqrt}[a + b*x^4]), x] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ \text{Pos}Q[b/a]$

Rule 780

$\text{Int}[(d_ + (e_)*(x_))*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{p_}), x_Symbol] \rightarrow \text{Simp}[(e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x*(a + c*x^2)^{(p + 1)}]/(2*c*(p + 1)*(2*p + 3)), x] - \text{Dist}[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), \text{Int}[(a + c*x^2)^p, x], x] \text{ /; FreeQ}[\{a, c, d, e, f, g, p\}, x] \ \&\& \ !\text{Le}Q[p, -1]$

Rule 1196

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2]]/(q*\text{Sqrt}[a + c*x^4]), x] \text{ /; Eq}Q[e + d*q^2, 0] \text{ /; FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{Pos}Q[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] \text{ /; Ne}Q[e + d*q, 0] \text{ /; FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{Pos}Q[c/a]$

Rule 1252

$\text{Int}[(x_)^{(m_)*((d_ + (e_)*(x_)^2)^{(q_)*((a_ + (c_)*(x_)^4)^{(p_))}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p}, x], x, x^2], x] \text{ /; FreeQ}[\{a, c, d, e, p, q\}, x] \ \&\& \ \text{Integer}Q[(m + 1)/2]$

Rule 1280

```

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
])

```

Rule 1833

```

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0
] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(c + dx + ex^2 + fx^3)}{\sqrt{a + bx^4}} dx &= \int \left(\frac{x^2(c + ex^2)}{\sqrt{a + bx^4}} + \frac{x^3(d + fx^2)}{\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{x^2(c + ex^2)}{\sqrt{a + bx^4}} dx + \int \frac{x^3(d + fx^2)}{\sqrt{a + bx^4}} dx \\
&= \frac{ex\sqrt{a + bx^4}}{3b} + \frac{1}{2} \text{Subst} \left(\int \frac{x(d + fx)}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{ae - 3bcx^2}{\sqrt{a + bx^4}} dx}{3b} \\
&= \frac{ex\sqrt{a + bx^4}}{3b} + \frac{(2d + fx^2)\sqrt{a + bx^4}}{4b} - \frac{(\sqrt{a}c) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{\sqrt{b}} + \frac{(\sqrt{a}(3\sqrt{b}c - \sqrt{a}))}{3b} \\
&= \frac{ex\sqrt{a + bx^4}}{3b} + \frac{cx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{(2d + fx^2)\sqrt{a + bx^4}}{4b} - \frac{\sqrt[4]{a}c(\sqrt{a} + \sqrt{b}x^2)}{3b} \\
&= \frac{ex\sqrt{a + bx^4}}{3b} + \frac{cx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{(2d + fx^2)\sqrt{a + bx^4}}{4b} - \frac{af \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{4b^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.18, size = 193, normalized size = 0.63

$$\frac{4b^{3/2}cx^3\sqrt{\frac{bx^4}{a}+1} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a}\right) + 6\sqrt{b}d(a+bx^4) - 4a\sqrt{b}ex\sqrt{\frac{bx^4}{a}+1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 4\sqrt{b}ex(a+bx^4)}{12b^{3/2}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4], x]

[Out] (6*Sqrt[b]*d*(a + b*x^4) + 4*Sqrt[b]*e*x*(a + b*x^4) + 3*Sqrt[b]*f*x^2*(a + b*x^4) - 3*a*f*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 4*a*Sqrt[b]*e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a]) + 4*b^(3/2)*c*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -(b*x^4)/a])/(12*b^(3/2)*Sqrt[a + b*x^4])

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx^5 + ex^4 + dx^3 + cx^2}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((f*x^5 + e*x^4 + d*x^3 + c*x^2)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^2}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^2/sqrt(b*x^4 + a), x)

maple [C] time = 0.19, size = 248, normalized size = 0.81

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}ae\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right) + \frac{\sqrt{bx^4+a}fx^2}{4b} - \frac{af\ln\left(\sqrt{b}x^2 + \sqrt{bx^4+a}\right)}{4b^{\frac{3}{2}}} + \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+ab}}}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x)`

[Out] $\frac{1}{4}fx^2/b(bx^4+a)^{1/2} - \frac{1}{4}fa/b^{3/2} \ln(b^{1/2}x^2 + (bx^4+a)^{1/2}) + \frac{1}{3}ex*(bx^4+a)^{1/2}/b - \frac{1}{3}ea/b(I/a^{1/2}b^{1/2})^{1/2} * (-I/a^{1/2}b^{1/2}x^2+1)^{1/2} * (I/a^{1/2}b^{1/2}x^2+1)^{1/2} / (bx^4+a)^{1/2} * \text{EllipticF}((I/a^{1/2}b^{1/2})^{1/2}x, I) + \frac{1}{2}d/b*(bx^4+a)^{1/2} + I*c*a^{1/2} / (I/a^{1/2}b^{1/2})^{1/2} * (-I/a^{1/2}b^{1/2}x^2+1)^{1/2} * (I/a^{1/2}b^{1/2}x^2+1)^{1/2} / (bx^4+a)^{1/2} / b^{1/2} * (\text{EllipticF}((I/a^{1/2}b^{1/2})^{1/2}x, I) - \text{EllipticE}((I/a^{1/2}b^{1/2})^{1/2}x, I))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^2}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="maxima")`

[Out] `integrate((f*x^3 + e*x^2 + d*x + c)*x^2/sqrt(b*x^4 + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (fx^3 + ex^2 + dx + c)}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2), x)`

[Out] `int((x^2*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2), x)`

sympy [A] time = 10.86, size = 156, normalized size = 0.51

$$\frac{\sqrt{a}fx^2\sqrt{1+\frac{bx^4}{a}}}{4b} - \frac{af\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4b^{\frac{3}{2}}} + d \left(\begin{array}{l} \frac{x^4}{4\sqrt{a}} \quad \text{for } b = 0 \\ \frac{\sqrt{a+bx^4}}{2b} \quad \text{otherwise} \end{array} \right) + \frac{cx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)} + \frac{ex^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2), x)`

[Out] `sqrt(a)*f*x**2*sqrt(1 + b*x**4/a)/(4*b) - a*f*asinh(sqrt(b)*x**2/sqrt(a))/(4*b**(3/2)) + d*Piecewise((x**4/(4*sqrt(a)), Eq(b, 0)), (sqrt(a + b*x**4)/(`

```
2*b), True)) + c*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b*x**4*exp_polar
(I*pi)/a)/(4*sqrt(a)*gamma(7/4)) + e*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4
.), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(9/4))
```


$$3.532 \quad \int \frac{x(c+dx+ex^2+fx^3)}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=299

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{6b^{5/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{2}c \operatorname{arctanh}\left(\frac{x^2 b^{1/2}}{(b x^4 + a)^{1/2}}\right) / b^{1/2} + \frac{1}{2}e (b x^4 + a)^{1/2} / b + \frac{1}{3}f x (b x^4 + a)^{1/2} / b + d x (b x^4 + a)^{1/2} / b^{1/2} / (a^{1/2} + x^2 b^{1/2}) - a^{1/4} d (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticE}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2 * 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / b^{3/4} / (b x^4 + a)^{1/2} + 1/6 a^{1/4} (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticF}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2 * 2^{1/2}) * (-f a^{1/2} + 3 d b^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / b^{5/4} / (b x^4 + a)^{1/2}$

Rubi [A] time = 0.20, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.321$, Rules used = {1833, 1248, 641, 217, 206, 1280, 1198, 220, 1196}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{6b^{5/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4], x]

[Out] $\frac{e \operatorname{Sqrt}[a + b x^4]}{2 b} + \frac{f x \operatorname{Sqrt}[a + b x^4]}{3 b} + \frac{d x \operatorname{Sqrt}[a + b x^4]}{(\operatorname{Sqrt}[b] (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2))} + \frac{c \operatorname{ArcTanh}[(\operatorname{Sqrt}[b] x^2) / \operatorname{Sqrt}[a + b x^4]]}{2 \operatorname{Sqrt}[b]} - \frac{a^{1/4} d (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2]}{b^{3/4} \operatorname{Sqrt}[a + b x^4]} + \frac{a^{1/4} (3 \operatorname{Sqrt}[b] d - \operatorname{Sqrt}[a] f) (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2]}{6 b^{5/4} \operatorname{Sqrt}[a + b x^4]} \operatorname{EllipticE}[2 \operatorname{ArcTan}[b^{1/4} x / a^{1/4}], 1/2] / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

$Q[a, 0] \parallel LtQ[b, 0]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}\{a, b\}, x] \&\& !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2])/(2*q*\text{Sqrt}[a + b*x^4]), x] \text{ /; FreeQ}\{a, b\}, x] \&\& \text{PosQ}[b/a]$

Rule 641

$\text{Int}[(d_) + (e_)*(x_)]*((a_) + (c_)*(x_)^2)^{(p_)}], x_Symbol] \rightarrow \text{Simp}[(e*(a + c*x^2)^{(p + 1)})/(2*c*(p + 1)), x] + \text{Dist}[d, \text{Int}[(a + c*x^2)^p, x], x] \text{ /; FreeQ}\{a, c, d, e, p\}, x] \&\& \text{NeQ}[p, -1]$

Rule 1196

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2])/(q*\text{Sqrt}[a + c*x^4]), x] \text{ /; EqQ}[e + d*q^2, 0] \text{ /; FreeQ}\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] \text{ /; NeQ}[e + d*q, 0] \text{ /; FreeQ}\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1248

$\text{Int}[(x_)*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (c_)*(x_)^4)^{(p_)}], x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] \text{ /; FreeQ}\{a, c, d, e, p, q\}, x]$

Rule 1280

$\text{Int}[(f_)*(x_)]^{(m_)}*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^{(p_)}], x_Symbol] \rightarrow \text{Simp}[(e*f*(f*x)^{(m - 1)}*(a + c*x^4)^{(p + 1)})/(c*(m + 4*p + 3)), x] - \text{Dist}[f^2/(c*(m + 4*p + 3)), \text{Int}[(f*x)^{(m - 2)}*(a + c*x^4)^p*(a*e*(m -$

1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
 \int \frac{x(c + dx + ex^2 + fx^3)}{\sqrt{a + bx^4}} dx &= \int \left(\frac{x(c + ex^2)}{\sqrt{a + bx^4}} + \frac{x^2(d + fx^2)}{\sqrt{a + bx^4}} \right) dx \\
 &= \int \frac{x(c + ex^2)}{\sqrt{a + bx^4}} dx + \int \frac{x^2(d + fx^2)}{\sqrt{a + bx^4}} dx \\
 &= \frac{fx\sqrt{a + bx^4}}{3b} + \frac{1}{2} \text{Subst} \left(\int \frac{c + ex}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{af - 3bdx^2}{\sqrt{a + bx^4}} dx}{3b} \\
 &= \frac{e\sqrt{a + bx^4}}{2b} + \frac{fx\sqrt{a + bx^4}}{3b} + \frac{1}{2}c \text{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{(\sqrt{a}d) \int \frac{1 - \sqrt{b}x}{\sqrt{a + bx^4}} dx}{\sqrt{b}} \\
 &= \frac{e\sqrt{a + bx^4}}{2b} + \frac{fx\sqrt{a + bx^4}}{3b} + \frac{dx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{a}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{b^{3/4}\sqrt{a + bx^4}} \\
 &= \frac{e\sqrt{a + bx^4}}{2b} + \frac{fx\sqrt{a + bx^4}}{3b} + \frac{dx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{c \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} - \frac{\sqrt[4]{a}d(\sqrt{a} + \sqrt{b}x^2)}{b^{3/4}\sqrt{a + bx^4}}
 \end{aligned}$$

Mathematica [C] time = 0.10, size = 160, normalized size = 0.54

$$\frac{3\sqrt{b}c\sqrt{a + bx^4} \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right) + 2bdx^3 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right) - 2afx \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a} \right) + 3ae}{6b\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3))/Sqrt[a + b*x^4], x]

[Out] (3*a*e + 2*a*f*x + 3*b*e*x^4 + 2*b*f*x^5 + 3*Sqrt[b]*c*Sqrt[a + b*x^4]*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]] - 2*a*f*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a] + 2*b*d*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -(b*x^4)/a])/(6*b*Sqrt[a + b*x^4])

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx^4 + ex^3 + dx^2 + cx}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((f*x^4 + e*x^3 + d*x^2 + c*x)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x/sqrt(b*x^4 + a), x)

maple [C] time = 0.17, size = 229, normalized size = 0.77

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \operatorname{afEllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right) + c \ln\left(\sqrt{b}x^2 + \sqrt{bx^4 + a}\right) + i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}b} + \frac{c \ln\left(\sqrt{b}x^2 + \sqrt{bx^4 + a}\right)}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2), x)

[Out] 1/3*f*x*(b*x^4+a)^(1/2)/b-1/3*f*a/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x, I)+1/2*e*(b*x^4+a)^(1/2)/b+I*d*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^

$2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}/b^{(1/2)}*(\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I))+1/2*c*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)}/b^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{c \log\left(-\frac{\sqrt{b}-\frac{\sqrt{bx^4+a}}{x^2}}{\sqrt{b}+\frac{\sqrt{bx^4+a}}{x^2}}\right)}{4\sqrt{b}} + \int \frac{fx^4 + ex^3 + dx^2}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] $-1/4*c*\log(-(\text{sqrt}(b) - \text{sqrt}(b*x^4 + a)/x^2)/(\text{sqrt}(b) + \text{sqrt}(b*x^4 + a)/x^2))/\text{sqrt}(b) + \text{integrate}((f*x^4 + e*x^3 + d*x^2)/\text{sqrt}(b*x^4 + a), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x (f x^3 + e x^2 + d x + c)}{\sqrt{b x^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2),x)

[Out] int((x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(1/2), x)

sympy [A] time = 8.23, size = 129, normalized size = 0.43

$$e \left(\begin{array}{l} \frac{x^4}{4\sqrt{a}} \\ \frac{\sqrt{a+bx^4}}{2b} \end{array} \right) \begin{array}{l} \text{for } b = 0 \\ \text{otherwise} \end{array} + \frac{c \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} + \frac{dx^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{7}{4}\right)} + \frac{fx^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2),x)

[Out] $e*\text{Piecewise}((x**4/(4*\text{sqrt}(a)), \text{Eq}(b, 0)), (\text{sqrt}(a + b*x**4)/(2*b), \text{True})) + c*\text{asinh}(\text{sqrt}(b)*x**2/\text{sqrt}(a))/(2*\text{sqrt}(b)) + d*x**3*\text{gamma}(3/4)*\text{hyper}((1/2, 3/4), (7/4,), b*x**4*\text{exp_polar}(I*pi)/a)/(4*\text{sqrt}(a)*\text{gamma}(7/4)) + f*x**5*\text{gamma}(5/4)*\text{hyper}((1/2, 5/4), (9/4,), b*x**4*\text{exp_polar}(I*pi)/a)/(4*\text{sqrt}(a)*\text{gamma}(9/4))$

$$3.533 \quad \int \frac{c+dx+ex^2+fx^3}{\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=276

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{2}d \operatorname{arctanh}\left(\frac{x^2 b^{1/2}}{(b x^4+a)^{1/2}}\right) / b^{1/2} + \frac{1}{2}f (b x^4+a)^{1/2} / b + e x x (b x^4+a)^{1/2} / b^{1/2} / (a^{1/2}+x^2 b^{1/2}) - a^{1/4} e (\cos(2 \operatorname{arctan}(b^{1/4} x/a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x/a^{1/4})) * \operatorname{EllipticE}(\sin(2 \operatorname{arctan}(b^{1/4} x/a^{1/4})), 1/2) * 2^{1/2}) * (a^{1/2}+x^2 b^{1/2}) * ((b x^4+a) / (a^{1/2}+x^2 b^{1/2}))^{1/2} / b^{3/4} / (b x^4+a)^{1/2} + \frac{1}{2} a^{1/4} (\cos(2 \operatorname{arctan}(b^{1/4} x/a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x/a^{1/4})) * \operatorname{EllipticF}(\sin(2 \operatorname{arctan}(b^{1/4} x/a^{1/4})), 1/2) * 2^{1/2}) * (a^{1/2}+x^2 b^{1/2}) * (e c * b^{1/2} / a^{1/2}) * ((b x^4+a) / (a^{1/2}+x^2 b^{1/2}))^{1/2} / b^{3/4} / (b x^4+a)^{1/2}$

Rubi [A] time = 0.14, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$, Rules used = {1885, 1198, 220, 1196, 1248, 641, 217, 206}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{bc}}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)/\operatorname{Sqrt}[a + b*x^4], x]$

[Out] $(f*\operatorname{Sqrt}[a + b*x^4])/(2*b) + (e*x*\operatorname{Sqrt}[a + b*x^4])/(\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(2*\operatorname{Sqrt}[b]) - (a^{1/4}) * e * (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2) * \operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2] * \operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2]) / (b^{3/4}*\operatorname{Sqrt}[a + b*x^4]) + (a^{1/4}) * ((\operatorname{Sqrt}[b]*c)/\operatorname{Sqrt}[a] + e) * (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2) * \operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2] * \operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2]) / (2*b^{3/4}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

$\operatorname{Int}[(a_0 + (b_1*x)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& \operatorname{Gt}$

$Q[a, 0] \parallel LtQ[b, 0]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2)]/(2*q*\text{Sqrt}[a + b*x^4]), x] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 641

$\text{Int}[(d_) + (e_)*(x_)^p, x_Symbol] \rightarrow \text{Simp}[(e*(a + c*x^2)^{(p+1)})/(2*c*(p+1)), x] + \text{Dist}[d, \text{Int}[(a + c*x^2)^p, x], x] \text{ /; FreeQ}[\{a, c, d, e, p\}, x] \ \&\& \ \text{NeQ}[p, -1]$

Rule 1196

$\text{Int}[(d_) + (e_)*(x_)^2/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2)]/(q*\text{Sqrt}[a + c*x^4]), x] \text{ /; EqQ}[e + d*q^2, 0] \text{ /; FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_) + (e_)*(x_)^2/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] \text{ /; NeQ}[e + d*q, 0] \text{ /; FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1248

$\text{Int}[(x_)*((d_) + (e_)*(x_)^2)^{(q_)*((a_) + (c_)*(x_)^4)^{(p_)}], x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] \text{ /; FreeQ}[\{a, c, d, e, p, q\}, x]$

Rule 1885

$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^n)^{(p_)}], x_Symbol] \rightarrow \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[x^j*\text{Sum}[\text{Coeff}[Pq, x, j + (k*n)/2]*x^{(k*n)/2}, \{k, 0, (2*(q - j))/n + 1\}]*\text{Sqrt}[a + b*x^n]^p, \{j, 0, n/2 - 1\}], x] \text{ /; FreeQ}[\{a, b, p\},$

x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
 \int \frac{c + dx + ex^2 + fx^3}{\sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{\sqrt{a + bx^4}} + \frac{x(d + fx^2)}{\sqrt{a + bx^4}} \right) dx \\
 &= \int \frac{c + ex^2}{\sqrt{a + bx^4}} dx + \int \frac{x(d + fx^2)}{\sqrt{a + bx^4}} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{(\sqrt{a}e) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a+bx^4}} dx}{\sqrt{b}} + \left(c + \frac{\sqrt{a}e}{\sqrt{b}} \right) \int \frac{1}{\sqrt{a + bx^4}} dx \\
 &= \frac{f\sqrt{a + bx^4}}{2b} + \frac{ex\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{{}^4\sqrt{a}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(2 \tan^{-1} \left(\frac{{}^4\sqrt{b}x}{{}^4\sqrt{a}} \right) \right)}{b^{3/4}\sqrt{a + bx^4}} \\
 &= \frac{f\sqrt{a + bx^4}}{2b} + \frac{ex\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{{}^4\sqrt{a}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(2 \tan^{-1} \left(\frac{{}^4\sqrt{b}x}{{}^4\sqrt{a}} \right) \right)}{b^{3/4}\sqrt{a + bx^4}} \\
 &= \frac{f\sqrt{a + bx^4}}{2b} + \frac{ex\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}} \right)}{2\sqrt{b}} - \frac{{}^4\sqrt{a}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{b^{3/4}\sqrt{a + bx^4}}
 \end{aligned}$$

Mathematica [C] time = 0.11, size = 150, normalized size = 0.54

$$\frac{cx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{\sqrt{a + bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2\sqrt{b}} + \frac{ex^3\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a}\right)}{3\sqrt{a + bx^4}} + \frac{f\sqrt{a + bx^4}}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/Sqrt[a + b*x^4], x]

[Out] (f*Sqrt[a + b*x^4])/(2*b) + (d*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]])/(2*Sqrt[b]) + (c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)])/Sqrt[a + b*x^4] + (e*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((b*x^4)/a)])/(3*Sqrt[a + b*x^4])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral((f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

maple [C] time = 0.18, size = 208, normalized size = 0.75

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}c\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)+d\ln\left(\sqrt{b}x^2+\sqrt{bx^4+a}\right)+i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}+\frac{1}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x)

[Out] 1/2*(b*x^4+a)^(1/2)/b*f+I*e*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*
*(EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I))+1/2/b^(1/2)*d*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))+c/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/sqrt(b*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{f x^3 + e x^2 + d x + c}{\sqrt{b x^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(1/2),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(1/2), x)

sympy [A] time = 6.14, size = 128, normalized size = 0.46

$$f \left(\begin{cases} \frac{x^4}{4\sqrt{a}} & \text{for } b = 0 \\ \frac{\sqrt{a+bx^4}}{2b} & \text{otherwise} \end{cases} \right) + \frac{d \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2\sqrt{b}} + \frac{cx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} + \frac{ex^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(1/2),x)

[Out] f*Piecewise((x**4/(4*sqrt(a)), Eq(b, 0)), (sqrt(a + b*x**4)/(2*b), True)) + d*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) + c*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4))

$$3.534 \quad \int \frac{c+dx+ex^2+fx^3}{x\sqrt{a+bx^4}} dx$$

Optimal. Leaf size=285

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{bd}}{\sqrt{a}} + f\right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+1/2*e*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}+f*x*(b*x^4+a)^{(1/2)}/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-a^{(1/4)}*f*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/2*a^{(1/4)}*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*(f+d*b^{(1/2)}/a^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.18, antiderivative size = 285, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1832, 266, 63, 208, 1885, 275, 217, 206, 1198, 220, 1196}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \left(\frac{\sqrt{bd}}{\sqrt{a}} + f\right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2b^{3/4}\sqrt{a+bx^4}} - \frac{\sqrt[4]{a} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(x*sqrt[a + b*x^4]),x]

[Out] $(f*x*\sqrt{a+bx^4})/(\sqrt{b}*(\sqrt{a}+\sqrt{b}*x^2))+ (e*\operatorname{ArcTanh}[(\sqrt{b}*x^2)/\sqrt{a+bx^4}])/(2*\sqrt{b}) - (c*\operatorname{ArcTanh}[\sqrt{a+bx^4}/\sqrt{a}])/(2*\sqrt{a}) - (a^{(1/4)}*f*(\sqrt{a}+\sqrt{b}*x^2)*\sqrt{(a+bx^4)/(\sqrt{a}+\sqrt{b}*x^2)^2})*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}],1/2]/(b^{(3/4)}*\sqrt{a+bx^4}) + (a^{(1/4)}*((\sqrt{b}*d)/\sqrt{a}+f)*(\sqrt{a}+\sqrt{b}*x^2)*\sqrt{(a+bx^4)/(\sqrt{a}+\sqrt{b}*x^2)^2})*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}],1/2]/(2*b^{(3/4)}*\sqrt{a+bx^4})$

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m+1)-1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ

$[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTanh}[(\text{Rt}[-b, 2] * x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] * \text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] * \text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1 / \text{Sqrt}[(a_ + (b_ \cdot)(x_)^2)], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1 / (1 - b * x^2), x], x, x / \text{Sqrt}[a + b * x^2]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1 / \text{Sqrt}[(a_ + (b_ \cdot)(x_)^4)], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 * x^2) * \text{Sqrt}[(a + b * x^4) / (a * (1 + q^2 * x^2)^2)] * \text{EllipticF}[2 * \text{ArcTan}[q * x], 1/2]) / (2 * q * \text{Sqrt}[a + b * x^4]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_ \cdot)} * ((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) * (a + b * x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 275

$\text{Int}[(x_)^{(m_ \cdot)} * ((a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{With}[\{k = \text{GCD}[m + 1, n]\}, \text{Dist}[1/k, \text{Subst}[\text{Int}[x^{((m + 1)/k - 1) * (a + b * x^{(n/k)})^p}, x], x, x^k], x] /; k \neq 1 /; \text{FreeQ}[\{a, b, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IntegerQ}[m]$

Rule 1196

$\text{Int}(((d_ + (e_ \cdot)(x_)^2) / \text{Sqrt}[(a_ + (c_ \cdot)(x_)^4)], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d * x * \text{Sqrt}[a + c * x^4]) / (a * (1 + q^2 * x^2)), x] + \text{Simp}[(d * (1 + q^2 * x^2) * \text{Sqrt}[(a + c * x^4) / (a * (1 + q^2 * x^2)^2)] * \text{EllipticE}[2 * \text{ArcTan}[q * x], 1/2]) / (q * \text{Sqrt}[a + c * x^4]), x] /; \text{EqQ}[e + d * q^2, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1832

```
Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*((a + b*x^n)^p, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x\sqrt{a + bx^4}} dx &= c \int \frac{1}{x\sqrt{a + bx^4}} dx + \int \frac{d + ex + fx^2}{\sqrt{a + bx^4}} dx \\
&= \frac{1}{4} c \operatorname{Subst} \left(\int \frac{1}{x\sqrt{a + bx}} dx, x, x^4 \right) + \int \left(\frac{ex}{\sqrt{a + bx^4}} + \frac{d + fx^2}{\sqrt{a + bx^4}} \right) dx \\
&= \frac{c \operatorname{Subst} \left(\int \frac{1}{\frac{-a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a + bx^4} \right)}{2b} + e \int \frac{x}{\sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{\sqrt{a + bx^4}} dx \\
&= -\frac{c \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} + \frac{1}{2} e \operatorname{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{(\sqrt{a} f) \int \frac{1 - \frac{\sqrt{b} x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{\sqrt{b}} + \left(d \int \frac{1}{\sqrt{a + bx^4}} dx \right) \\
&= \frac{fx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{c \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} - \frac{\sqrt[4]{a} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(2 \operatorname{atanh} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \right)}{b^{3/4} \sqrt{a + bx^4}} \\
&= \frac{fx\sqrt{a + bx^4}}{\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{e \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} - \frac{c \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} - \frac{\sqrt[4]{a} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(2 \operatorname{atanh} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right) \right)}{b^{3/4} \sqrt{a + bx^4}}
\end{aligned}$$

Mathematica [C] time = 0.24, size = 159, normalized size = 0.56

$$-\frac{c \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} + \frac{dx \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{a + bx^4}} + \frac{e \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} + \frac{fx^3 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{bx^4}{a} \right)}{3\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x*sqrt[a + b*x^4]),x]

[Out] (e*ArcTanh[(sqrt[b]*x^2)/sqrt[a + b*x^4]])/(2*sqrt[b]) - (c*ArcTanh[sqrt[a + b*x^4]/sqrt[a]])/(2*sqrt[a]) + (d*x*sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)]/sqrt[a + b*x^4] + (f*x^3*sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((b*x^4)/a)])/(3*sqrt[a + b*x^4])

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{bx^5 + ax}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b*x^5 + a*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x), x)

maple [C] time = 0.42, size = 222, normalized size = 0.78

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} d \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right) - c \ln\left(\frac{2a+2\sqrt{bx^4+a}\sqrt{a}}{x^2}\right) + e \ln\left(\sqrt{b}x^2 + \sqrt{bx^4+a}\right) + i\sqrt{-\frac{i\sqrt{b}}{\sqrt{a}}}}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4+a} - \frac{c}{2\sqrt{a}} + \frac{e}{2\sqrt{b}} + \frac{i\sqrt{-\frac{i\sqrt{b}}{\sqrt{a}}}}{2\sqrt{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(1/2),x)

[Out] I*f*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*(EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I))+1/2*e*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)+d/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*c/a^(1/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{f x^3 + e x^2 + d x + c}{x \sqrt{b x^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(1/2)), x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(1/2)), x)

sympy [C] time = 9.71, size = 126, normalized size = 0.44

$$\frac{e \operatorname{asinh}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2\sqrt{b}} - \frac{c \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b} x^2}\right)}{2\sqrt{a}} + \frac{d x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{b x^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{5}{4}\right)} + \frac{f x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{b x^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x/(b*x**4+a)**(1/2), x)

[Out] e*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) - c*asinh(sqrt(a)/(sqrt(b)*x**2))/(2*sqrt(a)) + d*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + f*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4))

$$3.535 \quad \int \frac{c+dx+ex^2+fx^3}{x^2 \sqrt{a+bx^4}} dx$$

Optimal. Leaf size=309

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + \sqrt[4]{b}c (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4} \sqrt[4]{b} \sqrt{a+bx^4} - a^{3/4} \sqrt{a+bx^4}}$$

[Out] $-1/2*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}+1/2*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(1/2)}-c*(b*x^4+a)^{(1/2)}/a/x+c*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-b^{(1/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}+1/2*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(e*a^{(1/2)}+c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 309, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1833, 1282, 1198, 220, 1196, 1252, 844, 217, 206, 266, 63, 208}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) + \sqrt[4]{b}c (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4} \sqrt[4]{b} \sqrt{a+bx^4} - a^{3/4} \sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)/(x^2*\operatorname{Sqrt}[a + b*x^4]),x]$

[Out] $-((c*\operatorname{Sqrt}[a + b*x^4])/(a*x)) + (\operatorname{Sqrt}[b]*c*x*\operatorname{Sqrt}[a + b*x^4])/(a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (f*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(2*\operatorname{Sqrt}[b]) - (d*\operatorname{ArcTan}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(2*\operatorname{Sqrt}[a]) - (b^{(1/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + ((\operatorname{Sqrt}[b]*c + \operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(3/4)}*b^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] := \operatorname{With}[p = \operatorname{Denominator}[m]], \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b +$

$(d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 206

$\text{Int}[\{(a_) + (b_.)*(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 208

$\text{Int}[\{(a_) + (b_.)*(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 217

$\text{Int}[1/\text{Sqrt}[\{(a_) + (b_.)*(x_)^2\}], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[\{(a_) + (b_.)*(x_)^4\}], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2)]/(2*q*\text{Sqrt}[a + b*x^4]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_.)}*\{(a_) + (b_.)*(x_)^{(n_)}\}^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 844

$\text{Int}[\{(d_.) + (e_.)*(x_)\}^{(m_)}*\{(f_.) + (g_.)*(x_)\}*\{(a_) + (c_.)*(x_)^2\}^{(p_)}, x_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^m*(a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ !\text{IGtQ}[m, 0]$

Rule 1196

$\text{Int}[\{(d_.) + (e_.)*(x_)^2\}/\text{Sqrt}[\{(a_) + (c_.)*(x_)^4\}], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])]/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2)]/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}[\{a, c, d, e\},$

x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1282

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1833

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^2\sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{x^2\sqrt{a + bx^4}} + \frac{d + fx^2}{x\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{c + ex^2}{x^2\sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{x\sqrt{a + bx^4}} dx \\
&= -\frac{c\sqrt{a + bx^4}}{ax} + \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{x\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{-ae - bcx^2}{\sqrt{a + bx^4}} dx}{a} \\
&= -\frac{c\sqrt{a + bx^4}}{ax} - \frac{(\sqrt{b}c) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{\sqrt{a}} + \frac{1}{2} d \text{Subst} \left(\int \frac{1}{x\sqrt{a + bx^2}} dx, x, x^2 \right) + \left(\frac{\sqrt{b}c}{\sqrt{a}} + e \right) \\
&= -\frac{c\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b}cx\sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{b}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(2 \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt{a}} \right) \right)}{a^{3/4}\sqrt{a + bx^4}} \\
&= -\frac{c\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b}cx\sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} + \frac{f \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} - \frac{\sqrt[4]{b}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{a^{3/4}\sqrt{a + bx^4}} \\
&= -\frac{c\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b}cx\sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} + \frac{f \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}} - \frac{d \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} - \frac{\sqrt[4]{b}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{a^{3/4}\sqrt{a + bx^4}}
\end{aligned}$$

Mathematica [C] time = 0.25, size = 157, normalized size = 0.51

$$\frac{c\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1 \left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -\frac{bx^4}{a} \right)}{x\sqrt{a + bx^4}} - \frac{d \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} + \frac{ex\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{\sqrt{a + bx^4}} + \frac{f \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^2*Sqrt[a + b*x^4]),x]

[Out] (f*ArcTanh[(Sqrt[b]*x^2)/Sqrt[a + b*x^4]])/(2*Sqrt[b]) - (d*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]])/(2*Sqrt[a]) - (c*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/4, 1/2, 3/4, -((b*x^4)/a)]/(x*Sqrt[a + b*x^4]) + (e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)]/Sqrt[a + b*x^4])

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4+a}(fx^3+ex^2+dx+c)}{bx^6+ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4+a)*(f*x^3+e*x^2+d*x+c)/(b*x^6+a*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3+ex^2+dx+c}{\sqrt{bx^4+ax^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3+e*x^2+d*x+c)/(sqrt(b*x^4+a)*x^2), x)

maple [C] time = 0.20, size = 299, normalized size = 0.97

$$\frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}c\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)+i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}c\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}+\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(1/2),x)

[Out] 1/2*f*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))/b^(1/2)+e/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-c*(b*x^4+a)^(1/2)/a/x+I*c/a^(1/2)*b^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-I*c/a^(1/2)*b^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*d/a^(1/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3+ex^2+dx+c}{\sqrt{bx^4+ax^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{f x^3 + e x^2 + d x + c}{x^2 \sqrt{b x^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^2*(a + b*x^4)^(1/2)),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x^2*(a + b*x^4)^(1/2)), x)

sympy [C] time = 6.57, size = 128, normalized size = 0.41

$$\frac{f \operatorname{asinh}\left(\frac{\sqrt{b} x^2}{\sqrt{a}}\right)}{2\sqrt{b}} + \frac{c \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2} \left| \frac{b x^4 e^{i\pi}}{a} \right. \right)}{4\sqrt{a} x \Gamma\left(\frac{3}{4}\right)} - \frac{d \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b} x^2}\right)}{2\sqrt{a}} + \frac{e x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \left| \frac{b x^4 e^{i\pi}}{a} \right. \right)}{4\sqrt{a} \Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x**2/(b*x**4+a)**(1/2),x)

[Out] f*asinh(sqrt(b)*x**2/sqrt(a))/(2*sqrt(b)) + c*gamma(-1/4)*hyper((-1/4, 1/2), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x*gamma(3/4)) - d*asinh(sqrt(a)/(sqrt(b)*x**2))/(2*sqrt(a)) + e*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4))

$$3.536 \quad \int \frac{c+dx+ex^2+fx^3}{x^3 \sqrt{a+bx^4}} dx$$

Optimal. Leaf size=300

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}f + \sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt[4]{b}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4}\sqrt[4]{b}\sqrt{a+bx^4} - a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*e*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/2*c*(b*x^4+a)^{(1/2)}/a/x^2-d*(b*x^4+a)^{(1/2)}/a/x+d*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-b^{(1/4)}*d*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}+1/2*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(f*a^{(1/2)}+d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 300, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1833, 1252, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}f + \sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt[4]{b}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4}\sqrt[4]{b}\sqrt{a+bx^4} - a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)/(x^3*\operatorname{Sqrt}[a + b*x^4]), x]$

[Out] $-(c*\operatorname{Sqrt}[a + b*x^4])/(2*a*x^2) - (d*\operatorname{Sqrt}[a + b*x^4])/(a*x) + (\operatorname{Sqrt}[b]*d*x*\operatorname{Sqrt}[a + b*x^4])/(a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (e*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(2*\operatorname{Sqrt}[a]) - (b^{(1/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + ((\operatorname{Sqrt}[b]*d + \operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(3/4)}*b^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}$

$[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] \text{ ; FreeQ}\{a, b\}, x \&\& \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[a + b*x^4]/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]/(2*q*\text{Sqrt}[a + b*x^4]), x] \text{ ; FreeQ}\{a, b\}, x \&\& \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] \text{ ; FreeQ}\{a, b, m, n, p\}, x \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 807

$\text{Int}[(d_) + (e_)*(x_)^{(m_)}*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow -\text{Simp}[(e*f - d*g)*(d + e*x)^{(m + 1)}*(a + c*x^2)^{(p + 1)}/(2*(p + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d*f + a*e*g)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] \text{ ; FreeQ}\{a, c, d, e, f, g, m, p\}, x \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$

Rule 1196

$\text{Int}[(d_) + (e_)*(x_)^2/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/a*(1 + q^2*x^2), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[a + c*x^4]/a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2]/(q*\text{Sqrt}[a + c*x^4]), x] \text{ ; EqQ}[e + d*q^2, 0] \text{ ; FreeQ}\{a, c, d, e\}, x \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_) + (e_)*(x_)^2/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] \text{ ; NeQ}[e + d*q, 0] \text{ ; FreeQ}\{a, c, d, e\}, x \&\& \text{PosQ}[c/a]$

Rule 1252


```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x]
/; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x]
/; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol]
:> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0, n/2 - 1}], x]
/; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^3 \sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{x^3 \sqrt{a + bx^4}} + \frac{d + fx^2}{x^2 \sqrt{a + bx^4}} \right) dx \\
&= \int \frac{c + ex^2}{x^3 \sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{x^2 \sqrt{a + bx^4}} dx \\
&= -\frac{d\sqrt{a + bx^4}}{ax} + \frac{1}{2} \text{Subst} \left(\int \frac{c + ex}{x^2 \sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{-af - bdx^2}{\sqrt{a + bx^4}} dx}{a} \\
&= -\frac{c\sqrt{a + bx^4}}{2ax^2} - \frac{d\sqrt{a + bx^4}}{ax} - \frac{(\sqrt{b}d) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{\sqrt{a}} + \frac{1}{2} e \text{Subst} \left(\int \frac{1}{x\sqrt{a + bx^2}} dx, x, x^2 \right) \\
&= -\frac{c\sqrt{a + bx^4}}{2ax^2} - \frac{d\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} dx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{b} d (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2} \right)}{a^{3/4} \sqrt{a + bx^4}} \\
&= -\frac{c\sqrt{a + bx^4}}{2ax^2} - \frac{d\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} dx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{b} d (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2} \right)}{a^{3/4} \sqrt{a + bx^4}} \\
&= -\frac{c\sqrt{a + bx^4}}{2ax^2} - \frac{d\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} dx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{e \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} - \frac{\sqrt[4]{b} d (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E \left(\frac{a + bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2} \right)}{a^{3/4} \sqrt{a + bx^4}}
\end{aligned}$$

Mathematica [C] time = 0.15, size = 148, normalized size = 0.49

$$\frac{c\sqrt{a + bx^4}}{2ax^2} - \frac{d\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, -\frac{bx^4}{a} \right)}{x\sqrt{a + bx^4}} - \frac{e \tanh^{-1} \left(\frac{\sqrt{a + bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}} + \frac{fx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, -\frac{bx^4}{a} \right)}{\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^3*Sqrt[a + b*x^4]),x]

[Out] -1/2*(c*Sqrt[a + b*x^4])/(a*x^2) - (e*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]])/(2*Sqrt[a]) - (d*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/4, 1/2, 3/4, -((b*x^4)/a)])/(x*Sqrt[a + b*x^4]) + (f*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)]/Sqrt[a + b*x^4])

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4+a}(fx^3+ex^2+dx+c)}{bx^7+ax^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4+a)*(f*x^3+e*x^2+d*x+c)/(b*x^7+a*x^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3+ex^2+dx+c}{\sqrt{bx^4+ax^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3+e*x^2+d*x+c)/(sqrt(b*x^4+a)*x^3), x)

maple [C] time = 0.18, size = 293, normalized size = 0.98

$$\frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}d\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)+i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}d\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(1/2),x)

[Out] f/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*c*(b*x^4+a)^(1/2)/a/x^2-d*(b*x^4+a)^(1/2)/a/x+I*d/a^(1/2)*b^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-I*d/a^(1/2)*b^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*e/a^(1/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3+ex^2+dx+c}{\sqrt{bx^4+ax^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^3), x)

mupad [B] time = 5.85, size = 118, normalized size = 0.39

$$\frac{f x \sqrt{\frac{b x^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{b x^4}{a}\right)}{\sqrt{b x^4 + a}} - \frac{c \sqrt{b x^4 + a}}{2 a x^2} - \frac{d \sqrt{\frac{a}{b x^4} + 1} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{a}{b x^4}\right)}{3 x \sqrt{b x^4 + a}} - \frac{e \operatorname{atanh}\left(\frac{\sqrt{b x^4 + a}}{\sqrt{a}}\right)}{2 \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^3*(a + b*x^4)^(1/2)),x)

[Out] (f*x*((b*x^4)/a + 1)^(1/2)*hypergeom([1/4, 1/2], 5/4, -(b*x^4)/a))/(a + b*x^4)^(1/2) - (c*(a + b*x^4)^(1/2))/(2*a*x^2) - (d*(a/(b*x^4) + 1)^(1/2)*hypergeom([1/2, 3/4], 7/4, -a/(b*x^4)))/(3*x*(a + b*x^4)^(1/2)) - (e*atanh((a + b*x^4)^(1/2)/a^(1/2)))/(2*a^(1/2))

sympy [C] time = 6.33, size = 126, normalized size = 0.42

$$-\frac{\sqrt{b} c \sqrt{\frac{a}{b x^4} + 1}}{2 a} + \frac{d \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \frac{b x^4 e^{i \pi}}{a}\right)}{4 \sqrt{a} x \Gamma\left(\frac{3}{4}\right)} - \frac{e \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b} x^2}\right)}{2 \sqrt{a}} + \frac{f x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; \frac{b x^4 e^{i \pi}}{a}\right)}{4 \sqrt{a} \Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x**3/(b*x**4+a)**(1/2),x)

[Out] -sqrt(b)*c*sqrt(a/(b*x**4) + 1)/(2*a) + d*gamma(-1/4)*hyper((-1/4, 1/2), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x*gamma(3/4)) - e*asinh(sqrt(a)/(sqrt(b)*x**2))/(2*sqrt(a)) + f*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4))

$$3.537 \quad \int \frac{c+dx+ex^2+fx^3}{x^4 \sqrt{a+bx^4}} dx$$

Optimal. Leaf size=323

$$\frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - 3\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{6a^{5/4}\sqrt{a+bx^4}} + \frac{\sqrt[4]{b}e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{a^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(1/2)}-1/3*c*(b*x^4+a)^{(1/2)}/a/x^3-1/2*d*(b*x^4+a)^{(1/2)}/a/x^2-e*(b*x^4+a)^{(1/2)}/a/x+e*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/a/(a^{(1/2)}+x^2*b^{(1/2)})-b^{(1/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(b*x^4+a)^{(1/2)}-1/6*b^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(-3*e*a^{(1/2)}+c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1833, 1282, 1198, 220, 1196, 1252, 807, 266, 63, 208}

$$\frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - 3\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{6a^{5/4}\sqrt{a+bx^4}} + \frac{\sqrt[4]{b}e (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{a^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)/(x^4*\operatorname{Sqrt}[a + b*x^4]),x]$

[Out] $-(c*\operatorname{Sqrt}[a + b*x^4])/(3*a*x^3) - (d*\operatorname{Sqrt}[a + b*x^4])/(2*a*x^2) - (e*\operatorname{Sqrt}[a + b*x^4])/(a*x) + (\operatorname{Sqrt}[b]*e*x*\operatorname{Sqrt}[a + b*x^4])/(a*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (f*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(2*\operatorname{Sqrt}[a]) - (b^{(1/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(a^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) - (b^{(1/4)}*(\operatorname{Sqrt}[b]*c - 3*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(6*a^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] := \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b +$

$(d*x^p/b)^n, x, (a + b*x)^{1/p}, x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \ :> \ \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]]/(2*q*\text{Sqrt}[a + b*x^4]), x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \ :> \ \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rule 807

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \ :> \ -\text{Simp}[(e*f - d*g)*(d + e*x)^{(m + 1)}*(a + c*x^2)^{(p + 1)}]/(2*(p + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[(c*d*f + a*e*g)/(c*d^2 + a*e^2), \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$

Rule 1196

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2]]/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4], x_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x]
/; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(m + 4*p + 5)*x^2), x], x]
/; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^n)^(p_), x_Symbol]
:> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0, n/2 - 1}], x]
/; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^4\sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{x^4\sqrt{a + bx^4}} + \frac{d + fx^2}{x^3\sqrt{a + bx^4}} \right) dx \\
&= \int \frac{c + ex^2}{x^4\sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{x^3\sqrt{a + bx^4}} dx \\
&= -\frac{c\sqrt{a + bx^4}}{3ax^3} + \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{x^2\sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{-3ae+bcx^2}{x^2\sqrt{a+bx^4}} dx}{3a} \\
&= -\frac{c\sqrt{a + bx^4}}{3ax^3} - \frac{d\sqrt{a + bx^4}}{2ax^2} - \frac{e\sqrt{a + bx^4}}{ax} + \frac{\int \frac{-abc+3abex^2}{\sqrt{a+bx^4}} dx}{3a^2} + \frac{1}{2}f \text{Subst} \left(\int \frac{1}{x\sqrt{a + b}} \right) \\
&= -\frac{c\sqrt{a + bx^4}}{3ax^3} - \frac{d\sqrt{a + bx^4}}{2ax^2} - \frac{e\sqrt{a + bx^4}}{ax} - \frac{(\sqrt{b}e) \int \frac{1-\frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a+bx^4}} dx}{\sqrt{a}} - \frac{(\sqrt{b}(\sqrt{b}c - 3\sqrt{a}e))}{3a} \\
&= -\frac{c\sqrt{a + bx^4}}{3ax^3} - \frac{d\sqrt{a + bx^4}}{2ax^2} - \frac{e\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b}ex\sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{\sqrt[4]{b}e(\sqrt{a} + \sqrt{b}x^2)}{a^3} \\
&= -\frac{c\sqrt{a + bx^4}}{3ax^3} - \frac{d\sqrt{a + bx^4}}{2ax^2} - \frac{e\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b}ex\sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b}x^2)} - \frac{f \tanh^{-1} \left(\frac{\sqrt{a+bx^4}}{\sqrt{a}} \right)}{2\sqrt{a}}
\end{aligned}$$

Mathematica [C] time = 0.17, size = 149, normalized size = 0.46

$$\frac{-2ac\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a}\right) - 3x\left(2aex\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -\frac{bx^4}{a}\right) + \sqrt{a}fx^2\sqrt{a + bx^4} \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right)\right)}{6ax^3\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^4*Sqrt[a + b*x^4]),x]

[Out] (-2*a*c*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-3/4, 1/2, 1/4, -((b*x^4)/a)] - 3*x*(a*d + b*d*x^4 + Sqrt[a]*f*x^2*Sqrt[a + b*x^4]*ArcTanh[Sqrt[a + b*x^4]/Sqrt[a]] + 2*a*e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/4, 1/2, 3/4, -((b*x^4)/a)]))/(6*a*x^3*Sqrt[a + b*x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{bx^8 + ax^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b*x^8 + a*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^4), x)

maple [C] time = 0.18, size = 316, normalized size = 0.98

$$\frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}e\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x,i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}} + \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}e\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(1/2),x)

[Out] $-1/3*c*(b*x^4+a)^{(1/2)}/a/x^3-1/3*c/a*b/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}*(I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I)-1/2*d*(b*x^4+a)^{(1/2)}/a/x^2-e*(b*x^4+a)^{(1/2)}/a/x+I*e/a^{(1/2)*b^{(1/2)}}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}*(I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I)-I*e/a^{(1/2)*b^{(1/2)}}/(I/a^{(1/2)*b^{(1/2)}})^{(1/2)}*(-I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}*(I/a^{(1/2)*b^{(1/2)*x^2+1}})^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticE}((I/a^{(1/2)*b^{(1/2)}})^{(1/2)*x},I)-1/2*f/a^{(1/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)*a^{(1/2)}})/x^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{f x^3 + e x^2 + d x + c}{x^4 \sqrt{b x^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^4*(a + b*x^4)^(1/2)), x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x^4*(a + b*x^4)^(1/2)), x)

sympy [C] time = 6.79, size = 131, normalized size = 0.41

$$-\frac{\sqrt{b} d \sqrt{\frac{a}{b x^4} + 1}}{2 a} + \frac{c \Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, \frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{b x^4 e^{i \pi}}{a}\right)}{4 \sqrt{a} x^3 \Gamma\left(\frac{1}{4}\right)} + \frac{e \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{4}, \frac{1}{2} \\ \frac{3}{4} \end{matrix} \middle| \frac{b x^4 e^{i \pi}}{a}\right)}{4 \sqrt{a} x \Gamma\left(\frac{3}{4}\right)} - \frac{f \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b} x^2}\right)}{2 \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x**4/(b*x**4+a)**(1/2), x)

[Out] -sqrt(b)*d*sqrt(a/(b*x**4) + 1)/(2*a) + c*gamma(-3/4)*hyper((-3/4, 1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x**3*gamma(1/4)) + e*gamma(-1/4)*hyper((-1/4, 1/2), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x*gamma(3/4)) - f*asinh(sqrt(a)/(sqrt(b)*x**2))/(2*sqrt(a))

$$3.538 \quad \int \frac{c+dx+ex^2+fx^3}{x^5 \sqrt{a+bx^4}} dx$$

Optimal. Leaf size=346

$$\frac{bc \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right) \sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}d - 3\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt[4]{b} f (\sqrt{a} + \sqrt{b}x^2)}{4a^{3/2} \cdot 6a^{5/4} \sqrt{a+bx^4}}$$

[Out] $\frac{1}{4}bc \operatorname{arctanh}\left(\frac{(bx^4+a)^{1/2}}{a^{1/2}}\right) a^{-3/2} - \frac{1}{4}c(bx^4+a)^{1/2} a^{-3/2} - \frac{1}{3}d(bx^4+a)^{1/2} a^{-3/2} - \frac{1}{2}e(bx^4+a)^{1/2} a^{-3/2} - f(bx^4+a)^{1/2} a^{-3/2} + \frac{f(bx^4+a)^{1/2} (bx^4+a)^{1/2} a^{-3/2}}{(a^{1/2}+x^2b^{1/2})^2} - \frac{b^{1/4}f(\cos(2\arctan(b^{1/4}x/a^{1/4}))^2)^{1/2}}{\cos(2\arctan(b^{1/4}x/a^{1/4}))} \operatorname{EllipticE}(\sin(2\arctan(b^{1/4}x/a^{1/4})), 1/2) \cdot 2^{1/2} (a^{1/2}+x^2b^{1/2}) \cdot \frac{(bx^4+a)^{1/2}}{(a^{1/2}+x^2b^{1/2})^2} a^{-3/4}}{(bx^4+a)^{1/2} - 1/6 b^{1/4} (\cos(2\arctan(b^{1/4}x/a^{1/4}))^2)^{1/2} / \cos(2\arctan(b^{1/4}x/a^{1/4}))} \operatorname{EllipticF}(\sin(2\arctan(b^{1/4}x/a^{1/4})), 1/2) \cdot 2^{1/2} (-3fa^{1/2}+db^{1/2}) (a^{1/2}+x^2b^{1/2}) \cdot \frac{(bx^4+a)^{1/2}}{(a^{1/2}+x^2b^{1/2})^2} a^{-5/4}}{(bx^4+a)^{1/2}}$

Rubi [A] time = 0.28, antiderivative size = 346, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1252, 835, 807, 266, 63, 208, 1282, 1198, 220, 1196}

$$\frac{bc \tanh^{-1}\left(\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right) \sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}d - 3\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt[4]{b} f (\sqrt{a} + \sqrt{b}x^2)}{4a^{3/2} \cdot 6a^{5/4} \sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(x^5*Sqrt[a + b*x^4]), x]

[Out] $-\frac{c\sqrt{a+bx^4}}{4ax^4} - \frac{d\sqrt{a+bx^4}}{3ax^3} - \frac{e\sqrt{a+bx^4}}{2ax^2} - \frac{f\sqrt{a+bx^4}}{ax} + \frac{\sqrt{b}f\sqrt{a+bx^4}}{a(\sqrt{a}+\sqrt{b}x^2)} + \frac{bc\operatorname{ArcTanh}\left[\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right]}{4a^{3/2}} - \frac{b^{1/4}f(\sqrt{a}+\sqrt{b}x^2)\sqrt{(a+bx^4)/(\sqrt{a}+\sqrt{b}x^2)^2} \operatorname{EllipticE}[2\operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2]}{a^{3/4}\sqrt{a+bx^4}} - \frac{b^{1/4}(\sqrt{b}d-3\sqrt{a}f)(\sqrt{a}+\sqrt{b}x^2)\sqrt{(a+bx^4)/(\sqrt{a}+\sqrt{b}x^2)^2} \operatorname{EllipticF}[2\operatorname{ArcTan}[(b^{1/4}x)/a^{1/4}], 1/2]}{6a^{5/4}\sqrt{a+bx^4}}$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x]
, 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
```

```
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_S
  ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
  x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
  Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
  ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
  m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
  IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Mo
  dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
  (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
  n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
  ] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^5 \sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{x^5 \sqrt{a + bx^4}} + \frac{d + fx^2}{x^4 \sqrt{a + bx^4}} \right) dx \\
&= \int \frac{c + ex^2}{x^5 \sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{x^4 \sqrt{a + bx^4}} dx \\
&= -\frac{d\sqrt{a + bx^4}}{3ax^3} + \frac{1}{2} \text{Subst} \left(\int \frac{c + ex}{x^3 \sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{-3af + bdx^2}{x^2 \sqrt{a + bx^4}} dx}{3a} \\
&= -\frac{c\sqrt{a + bx^4}}{4ax^4} - \frac{d\sqrt{a + bx^4}}{3ax^3} - \frac{f\sqrt{a + bx^4}}{ax} + \frac{\int \frac{-abd + 3abfx^2}{\sqrt{a + bx^4}} dx}{3a^2} - \frac{\text{Subst} \left(\int \frac{-2ae + bcx}{x^2 \sqrt{a + bx^2}} dx, x, x^2 \right)}{4a} \\
&= -\frac{c\sqrt{a + bx^4}}{4ax^4} - \frac{d\sqrt{a + bx^4}}{3ax^3} - \frac{e\sqrt{a + bx^4}}{2ax^2} - \frac{f\sqrt{a + bx^4}}{ax} - \frac{(bc) \text{Subst} \left(\int \frac{1}{x \sqrt{a + bx^2}} dx, x, x^2 \right)}{4a} \\
&= -\frac{c\sqrt{a + bx^4}}{4ax^4} - \frac{d\sqrt{a + bx^4}}{3ax^3} - \frac{e\sqrt{a + bx^4}}{2ax^2} - \frac{f\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} fx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b} x^2)} - \frac{\sqrt[4]{b} f(\sqrt{a + bx^4})}{a(\sqrt{a} + \sqrt{b} x^2)} \\
&= -\frac{c\sqrt{a + bx^4}}{4ax^4} - \frac{d\sqrt{a + bx^4}}{3ax^3} - \frac{e\sqrt{a + bx^4}}{2ax^2} - \frac{f\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} fx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b} x^2)} - \frac{\sqrt[4]{b} f(\sqrt{a + bx^4})}{a(\sqrt{a} + \sqrt{b} x^2)} \\
&= -\frac{c\sqrt{a + bx^4}}{4ax^4} - \frac{d\sqrt{a + bx^4}}{3ax^3} - \frac{e\sqrt{a + bx^4}}{2ax^2} - \frac{f\sqrt{a + bx^4}}{ax} + \frac{\sqrt{b} fx \sqrt{a + bx^4}}{a(\sqrt{a} + \sqrt{b} x^2)} + \frac{bc \tanh^{-1} \left(\frac{\sqrt{bx^4}}{\sqrt{a} + \sqrt{bx^4}} \right)}{4a}
\end{aligned}$$

Mathematica [C] time = 0.16, size = 147, normalized size = 0.42

$$\frac{\sqrt{a + bx^4} \left(3ac \sqrt{\frac{bx^4}{a} + 1} - 3bcx^4 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) + 4adx {}_2F_1 \left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a} \right) + 6aex^2 \sqrt{\frac{bx^4}{a} + 1} + 12afx^3 {}_2F_1 \left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a} \right) \right)}{12a^2 x^4 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^5*Sqrt[a + b*x^4]),x]

[Out] -1/12*(Sqrt[a + b*x^4]*(3*a*c*Sqrt[1 + (b*x^4)/a] + 6*a*e*x^2*Sqrt[1 + (b*x^4)/a] - 3*b*c*x^4*ArcTanh[Sqrt[1 + (b*x^4)/a]]) + 4*a*d*x*Hypergeometric2F1

$[-3/4, 1/2, 1/4, -((b*x^4)/a)] + 12*a*f*x^3*Hypergeometric2F1[-1/4, 1/2, 3/4, -((b*x^4)/a)]/(a^2*x^4*sqrt[1 + (b*x^4)/a])$

fricas [F] time = 0.52, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4+a}(fx^3+ex^2+dx+c)}{bx^9+ax^5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^5/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4+a)*(f*x^3+e*x^2+d*x+c)/(b*x^9+a*x^5), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3+ex^2+dx+c}{\sqrt{bx^4+ax^5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^5/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3+e*x^2+d*x+c)/(sqrt(b*x^4+a)*x^5), x)

maple [C] time = 0.21, size = 335, normalized size = 0.97

$$\frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}f\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right) + i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}f\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}, x, i\right)}{\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^5/(b*x^4+a)^(1/2),x)

[Out] $-1/4*c*(b*x^4+a)^{(1/2)}/a/x^4+1/4*c*b/a^{(3/2)}*\ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/3*d*(b*x^4+a)^{(1/2)}/a/x^3-1/3*d/a*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/2*e*(b*x^4+a)^{(1/2)}/a/x^2-f*(b*x^4+a)^{(1/2)}/a/x+I*f/a^{(1/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-I*f/a^{(1/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{8}c \left(\frac{2\sqrt{bx^4+a}b}{(bx^4+a)a-a^2} + \frac{b \log\left(\frac{\sqrt{bx^4+a}-\sqrt{a}}{\sqrt{bx^4+a}+\sqrt{a}}\right)}{a^{\frac{3}{2}}}\right) + \int \frac{fx^2+ex+d}{\sqrt{bx^4+ax^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^5/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] -1/8*c*(2*sqrt(b*x^4 + a)*b/((b*x^4 + a)*a - a^2) + b*log((sqrt(b*x^4 + a) - sqrt(a))/(sqrt(b*x^4 + a) + sqrt(a)))/a^(3/2)) + integrate((f*x^2 + e*x + d)/(sqrt(b*x^4 + a)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{fx^3+ex^2+dx+c}{x^5\sqrt{bx^4+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^5*(a + b*x^4)^(1/2)),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x^5*(a + b*x^4)^(1/2)), x)

sympy [C] time = 8.55, size = 158, normalized size = 0.46

$$-\frac{\sqrt{b}c\sqrt{\frac{a}{bx^4}+1}}{4ax^2} - \frac{\sqrt{b}e\sqrt{\frac{a}{bx^4}+1}}{2a} + \frac{d\Gamma\left(-\frac{3}{4}\right)_2F_1\left(\begin{matrix} -\frac{3}{4}, \frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\sqrt{a}x^3\Gamma\left(\frac{1}{4}\right)} + \frac{f\Gamma\left(-\frac{1}{4}\right)_2F_1\left(\begin{matrix} -\frac{1}{4}, \frac{1}{2} \\ \frac{3}{4} \end{matrix} \middle| \frac{bx^4e^{i\pi}}{a}\right)}{4\sqrt{a}x\Gamma\left(\frac{3}{4}\right)} + \frac{bc \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{bx^2}}\right)}{4a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x**5/(b*x**4+a)**(1/2),x)

[Out] -sqrt(b)*c*sqrt(a/(b*x**4) + 1)/(4*a*x**2) - sqrt(b)*e*sqrt(a/(b*x**4) + 1)/(2*a) + d*gamma(-3/4)*hyper((-3/4, 1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x**3*gamma(1/4)) + f*gamma(-1/4)*hyper((-1/4, 1/2), (3/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x*gamma(3/4)) + b*c*asinh(sqrt(a)/(sqrt(b)*x**2))/(4*a**(3/2))

$$3.539 \quad \int \frac{c+dx+ex^2+fx^3}{x^6 \sqrt{a+bx^4}} dx$$

Optimal. Leaf size=377

$$\frac{b^{3/4} (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 9\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30a^{7/4}\sqrt{a+bx^4}} + \frac{3b^{5/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2}\right)}{5a^{7/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{4} b d \operatorname{arctanh}\left(\frac{(b x^4+a)^{1/2}}{a^{1/2}}\right) / a^{3/2} - \frac{1}{5} c (b x^4+a)^{1/2} / a x^{5-1/4} d (b x^4+a)^{1/2} / a x^4 - \frac{1}{3} e (b x^4+a)^{1/2} / a x^3 - \frac{1}{2} f (b x^4+a)^{1/2} / a x^2 + \frac{3}{5} b^3 c (b x^4+a)^{1/2} / a^2 x - \frac{3}{5} b^{3/2} c x (b x^4+a)^{1/2} / a^2 \left(\frac{1}{a^{1/2}+x^2 b^{1/2}} + \frac{3}{5} b^{5/4} c \left(\cos\left(2 \operatorname{arctan}\left(\frac{b^{1/4} x}{a^{1/4}}\right)\right) \right)^2 \right)^{1/2} / \cos\left(2 \operatorname{arctan}\left(\frac{b^{1/4} x}{a^{1/4}}\right)\right) * \operatorname{EllipticE}\left(\sin\left(2 \operatorname{arctan}\left(\frac{b^{1/4} x}{a^{1/4}}\right)\right), \frac{1}{2}\right) * \left(\frac{a^{1/2}+x^2 b^{1/2}}{(b x^4+a)^{1/2}} \right)^2 \right)^{1/2} / a^{7/4} / (b x^4+a)^{1/2} - \frac{1}{30} b^{3/4} c \left(\cos\left(2 \operatorname{arctan}\left(\frac{b^{1/4} x}{a^{1/4}}\right)\right) \right)^2 \right)^{1/2} / \cos\left(2 \operatorname{arctan}\left(\frac{b^{1/4} x}{a^{1/4}}\right)\right) * \operatorname{EllipticF}\left(\sin\left(2 \operatorname{arctan}\left(\frac{b^{1/4} x}{a^{1/4}}\right)\right), \frac{1}{2}\right) * \left(\frac{a^{1/2}+x^2 b^{1/2}}{(b x^4+a)^{1/2}} \right)^2 \right)^{1/2} / a^{7/4} / (b x^4+a)^{1/2}$

Rubi [A] time = 0.33, antiderivative size = 377, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1833, 1282, 1198, 220, 1196, 1252, 835, 807, 266, 63, 208}

$$\frac{b^{3/4} (\sqrt{a} + \sqrt{b} x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{a}e + 9\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{30a^{7/4}\sqrt{a+bx^4}} - \frac{3b^{3/2}cx\sqrt{a+bx^4}}{5a^2(\sqrt{a} + \sqrt{b}x^2)} + \frac{3b^{5/4}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(\frac{2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2}\right)}{5a^{7/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(x^6*Sqrt[a + b*x^4]), x]

[Out] $-\frac{c \sqrt{a+bx^4}}{5ax^5} - \frac{d \sqrt{a+bx^4}}{4ax^4} - \frac{e \sqrt{a+bx^4}}{3ax^3} - \frac{f \sqrt{a+bx^4}}{2ax^2} + \frac{3b^3 c \sqrt{a+bx^4}}{5a^2 x} - \frac{3b^{3/2} c x \sqrt{a+bx^4}}{5a^2 (\sqrt{a} + \sqrt{b}x^2)} + \frac{b d \operatorname{ArcTanh}\left[\frac{\sqrt{a+bx^4}}{\sqrt{a}}\right]}{4a^{3/2}} + \frac{3b^{5/4} c \left(\sqrt{a} + \sqrt{b}x^2 \right) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} \operatorname{EllipticE}\left[2 \operatorname{ArcTan}\left[\frac{b^{1/4} x}{a^{1/4}}\right], \frac{1}{2}\right]}{5a^{7/4} \sqrt{a+bx^4}} - \frac{b^{3/4} c \left(\cos\left(2 \operatorname{arctan}\left(\frac{b^{1/4} x}{a^{1/4}}\right)\right) \right)^2 \right)^{1/2} / \cos\left(2 \operatorname{arctan}\left(\frac{b^{1/4} x}{a^{1/4}}\right)\right) * \operatorname{EllipticF}\left(\sin\left(2 \operatorname{arctan}\left(\frac{b^{1/4} x}{a^{1/4}}\right)\right), \frac{1}{2}\right) * \left(\frac{a^{1/2}+x^2 b^{1/2}}{(b x^4+a)^{1/2}} \right)^2 \right)^{1/2} / a^{7/4} / (b x^4+a)^{1/2}}{30a^{7/4} \sqrt{a+bx^4}}$

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x]
, 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
```

```
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1282

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1833

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^6 \sqrt{a + bx^4}} dx &= \int \left(\frac{c + ex^2}{x^6 \sqrt{a + bx^4}} + \frac{d + fx^2}{x^5 \sqrt{a + bx^4}} \right) dx \\
&= \int \frac{c + ex^2}{x^6 \sqrt{a + bx^4}} dx + \int \frac{d + fx^2}{x^5 \sqrt{a + bx^4}} dx \\
&= -\frac{c\sqrt{a + bx^4}}{5ax^5} + \frac{1}{2} \text{Subst} \left(\int \frac{d + fx}{x^3 \sqrt{a + bx^2}} dx, x, x^2 \right) - \frac{\int \frac{-5ae + 3bcx^2}{x^4 \sqrt{a + bx^4}} dx}{5a} \\
&= -\frac{c\sqrt{a + bx^4}}{5ax^5} - \frac{d\sqrt{a + bx^4}}{4ax^4} - \frac{e\sqrt{a + bx^4}}{3ax^3} + \frac{\int \frac{-9abc - 5abex^2}{x^2 \sqrt{a + bx^4}} dx}{15a^2} - \frac{\text{Subst} \left(\int \frac{-2af + bdx}{x^2 \sqrt{a + bx^2}} dx, x, x^2 \right)}{4a} \\
&= -\frac{c\sqrt{a + bx^4}}{5ax^5} - \frac{d\sqrt{a + bx^4}}{4ax^4} - \frac{e\sqrt{a + bx^4}}{3ax^3} - \frac{f\sqrt{a + bx^4}}{2ax^2} + \frac{3bc\sqrt{a + bx^4}}{5a^2x} - \frac{\int \frac{5a^2be + 9ab^2}{\sqrt{a + bx^4}} dx}{15a^3} \\
&= -\frac{c\sqrt{a + bx^4}}{5ax^5} - \frac{d\sqrt{a + bx^4}}{4ax^4} - \frac{e\sqrt{a + bx^4}}{3ax^3} - \frac{f\sqrt{a + bx^4}}{2ax^2} + \frac{3bc\sqrt{a + bx^4}}{5a^2x} + \frac{(3b^{3/2}c) \int}{5a^3} \\
&= -\frac{c\sqrt{a + bx^4}}{5ax^5} - \frac{d\sqrt{a + bx^4}}{4ax^4} - \frac{e\sqrt{a + bx^4}}{3ax^3} - \frac{f\sqrt{a + bx^4}}{2ax^2} + \frac{3bc\sqrt{a + bx^4}}{5a^2x} - \frac{3b^{3/2}cx\sqrt{a + bx^4}}{5a^2(\sqrt{a + bx^4})} \\
&= -\frac{c\sqrt{a + bx^4}}{5ax^5} - \frac{d\sqrt{a + bx^4}}{4ax^4} - \frac{e\sqrt{a + bx^4}}{3ax^3} - \frac{f\sqrt{a + bx^4}}{2ax^2} + \frac{3bc\sqrt{a + bx^4}}{5a^2x} - \frac{3b^{3/2}cx\sqrt{a + bx^4}}{5a^2(\sqrt{a + bx^4})}
\end{aligned}$$

Mathematica [C] time = 0.23, size = 134, normalized size = 0.36

$$\frac{\sqrt{a + bx^4} \left(12ac {}_2F_1 \left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; -\frac{bx^4}{a} \right) + 5x \left(3a \sqrt{\frac{bx^4}{a} + 1} (d + 2fx^2) - 3bdx^4 \tanh^{-1} \left(\sqrt{\frac{bx^4}{a} + 1} \right) + 4aex {}_2F_1 \left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; -\frac{bx^4}{a} \right) \right) \right)}{60a^2x^5 \sqrt{\frac{bx^4}{a} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^6*Sqrt[a + b*x^4]),x]

[Out] -1/60*(Sqrt[a + b*x^4]*(12*a*c*Hypergeometric2F1[-5/4, 1/2, -1/4, -((b*x^4)/a)] + 5*x*(3*a*(d + 2*f*x^2)*Sqrt[1 + (b*x^4)/a] - 3*b*d*x^4*ArcTanh[Sqrt[1 + (b*x^4)/a]] + 4*a*e*x*Hypergeometric2F1[-3/4, 1/2, 1/4, -((b*x^4)/a)])))/(a^2*x^5*Sqrt[1 + (b*x^4)/a])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4+a}(fx^3+ex^2+dx+c)}{bx^{10}+ax^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^6/(b*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4+a)*(f*x^3+e*x^2+d*x+c)/(b*x^10+a*x^6), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3+ex^2+dx+c}{\sqrt{bx^4+ax^6}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^6/(b*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((f*x^3+e*x^2+d*x+c)/(sqrt(b*x^4+a)*x^6), x)

maple [C] time = 0.19, size = 354, normalized size = 0.94

$$\frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1} \operatorname{be} \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{3\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a} + \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}b^{\frac{3}{2}}c \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{5\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^6/(b*x^4+a)^(1/2),x)

[Out]
$$\begin{aligned} & -1/5*c*(b*x^4+a)^{(1/2)}/a/x^5+3/5*b*c*(b*x^4+a)^{(1/2)}/a^2/x-3/5*I*c/a^{(3/2)}* \\ & b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}* \\ & b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)} \\ & *x, I)+3/5*I*c/a^{(3/2)}*b^{(3/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)} \\ & *x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticE}((I/a^{(1/2)}* \\ & b^{(1/2)})^{(1/2)}*x, I)-1/4*d*(b*x^4+a)^{(1/2)}/a/x^4+1/4*d*b/a^{(3/2)}*\ln(\\ & (2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)-1/3*e*(b*x^4+a)^{(1/2)}/a/x^3-1/3*e/a*b/ \\ & (I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)} \\ & *x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\operatorname{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/ \\ & 2*f*(b*x^4+a)^{(1/2)}/a/x^2 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{\sqrt{bx^4 + ax^6}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^6/(b*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(sqrt(b*x^4 + a)*x^6), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{x^6 \sqrt{bx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^6*(a + b*x^4)^(1/2)),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x^6*(a + b*x^4)^(1/2)), x)

sympy [C] time = 9.88, size = 163, normalized size = 0.43

$$-\frac{\sqrt{b}d\sqrt{\frac{a}{bx^4}+1}}{4ax^2} - \frac{\sqrt{b}f\sqrt{\frac{a}{bx^4}+1}}{2a} + \frac{c\Gamma\left(-\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{5}{4}, \frac{1}{2} \\ -\frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\sqrt{a}x^5\Gamma\left(-\frac{1}{4}\right)} + \frac{e\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, \frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{bx^4 e^{i\pi}}{a} \right)}{4\sqrt{a}x^3\Gamma\left(\frac{1}{4}\right)} + \frac{bd \operatorname{asinh}\left(\frac{\sqrt{a}}{\sqrt{b}x^2}\right)}{4a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x**6/(b*x**4+a)**(1/2),x)

[Out] -sqrt(b)*d*sqrt(a/(b*x**4) + 1)/(4*a*x**2) - sqrt(b)*f*sqrt(a/(b*x**4) + 1)/(2*a) + c*gamma(-5/4)*hyper((-5/4, 1/2), (-1/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x**5*gamma(-1/4)) + e*gamma(-3/4)*hyper((-3/4, 1/2), (1/4,), b*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*x**3*gamma(1/4)) + b*d*asinh(sqrt(a)/(sqrt(b)*x**2))/(4*a**(3/2))

$$3.540 \quad \int \frac{x^6(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=365

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{b}c - 5\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{12b^{9/4}\sqrt{a+bx^4}} + \frac{3cx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt[4]{a}c(\sqrt{a} + \sqrt{b}x^2)}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

[Out] $-3/4*a*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(5/2)}+1/2*x*(-b*d*x^3-b*c*x^2+a*f*x+a*e)/b^2/(b*x^4+a)^{(1/2)}+d*(b*x^4+a)^{(1/2)}/b^2+1/3*e*x*(b*x^4+a)^{(1/2)}/b^2+1/4*f*x^2*(b*x^4+a)^{(1/2)}/b^2+3/2*c*x*(b*x^4+a)^{(1/2)}/b^{(3/2)}/(a^{(1/2)}+x^2*b^{(1/2)})-3/2*a^{(1/4)}*c*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(7/4)}/(b*x^4+a)^{(1/2)}+1/12*a^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(-5*e*a^{(1/2)}+9*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/b^{(9/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.52, antiderivative size = 365, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {1828, 1885, 1888, 1198, 220, 1196, 1819, 1815, 641, 217, 206}

$$\frac{x(ae + afx - bcx^2 - bdx^3)}{2b^2\sqrt{a+bx^4}} + \frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (9\sqrt{b}c - 5\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{12b^{9/4}\sqrt{a+bx^4}} + \frac{3cx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^6*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^{(3/2)}, x]$

[Out] $(x*(a*e + a*f*x - b*c*x^2 - b*d*x^3))/(2*b^2*\operatorname{Sqrt}[a + b*x^4]) + (d*\operatorname{Sqrt}[a + b*x^4])/b^2 + (e*x*\operatorname{Sqrt}[a + b*x^4])/(3*b^2) + (f*x^2*\operatorname{Sqrt}[a + b*x^4])/(4*b^2) + (3*c*x*\operatorname{Sqrt}[a + b*x^4])/(2*b^{(3/2)}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (3*a*f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(4*b^{(5/2)}) - (3*a^{(1/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*b^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) + (a^{(1/4)}*(9*\operatorname{Sqrt}[b]*c - 5*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(12*b^{(9/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1815

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x]

], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

Rule 1819

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), Pq, x]*(a + b*x^Simplify[n/(m + 1)])^p, x], x, x^(m + 1)], x] /; FreeQ[{a, b, m, n, p}, x] && NeQ[m, -1] && IGtQ[Simplify[n/(m + 1)], 0] && PolyQ[Pq, x^(m + 1)]

Rule 1828

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1885

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1888

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^6 (c + dx + ex^2 + fx^3)}{(a + bx^4)^{3/2}} dx &= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \frac{a^2 be + 2a^2 bfx - 3ab^2 cx^2 - 4ab^2 dx^3 - 2ab^2 ex^4 - 2ab^2 fx^5}{\sqrt{a + bx^4}} dx}{2ab^3} \\
&= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \left(\frac{a^2 be - 3ab^2 cx^2 - 2ab^2 ex^4}{\sqrt{a + bx^4}} + \frac{x(2a^2 bf - 4ab^2 dx^2 - 2ab^2 fx^4)}{\sqrt{a + bx^4}} \right) dx}{2ab^3} \\
&= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \frac{a^2 be - 3ab^2 cx^2 - 2ab^2 ex^4}{\sqrt{a + bx^4}} dx}{2ab^3} - \frac{\int \frac{x(2a^2 bf - 4ab^2 dx^2 - 2ab^2 fx^4)}{\sqrt{a + bx^4}} dx}{2ab^3} \\
&= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} + \frac{ex \sqrt{a + bx^4}}{3b^2} - \frac{\int \frac{5a^2 b^2 e - 9ab^3 cx^2}{\sqrt{a + bx^4}} dx}{6ab^4} - \frac{\text{Subst} \left(\int \frac{2a^2 bf}{\sqrt{a + bx^4}} dx \right)}{2ab^3} \\
&= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} + \frac{ex \sqrt{a + bx^4}}{3b^2} + \frac{fx^2 \sqrt{a + bx^4}}{4b^2} - \frac{\text{Subst} \left(\int \frac{6a^2 b^2 f - 8a}{\sqrt{a + bx^4}} dx \right)}{8ab^4} \\
&= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} + \frac{d \sqrt{a + bx^4}}{b^2} + \frac{ex \sqrt{a + bx^4}}{3b^2} + \frac{fx^2 \sqrt{a + bx^4}}{4b^2} + \frac{3}{2b^3} \\
&= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} + \frac{d \sqrt{a + bx^4}}{b^2} + \frac{ex \sqrt{a + bx^4}}{3b^2} + \frac{fx^2 \sqrt{a + bx^4}}{4b^2} + \frac{3}{2b^3} \\
&= \frac{x (ae + afx - bcx^2 - bdx^3)}{2b^2 \sqrt{a + bx^4}} + \frac{d \sqrt{a + bx^4}}{b^2} + \frac{ex \sqrt{a + bx^4}}{3b^2} + \frac{fx^2 \sqrt{a + bx^4}}{4b^2} + \frac{3}{2b^3}
\end{aligned}$$

Mathematica [C] time = 0.19, size = 220, normalized size = 0.60

$$\frac{-9a^{3/2} f \sqrt{\frac{bx^4}{a}} + 1 \sinh^{-1} \left(\frac{\sqrt{b} x^2}{\sqrt{a}} \right) - 12b^{3/2} cx^3 \sqrt{\frac{bx^4}{a}} + 1 {}_2F_1 \left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a} \right) + 12a\sqrt{b} d - 10a\sqrt{b} ex \sqrt{\frac{bx^4}{a}} + 1 {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a} \right)}{12b^{5/2} \sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x]

[Out] $(12*a*\text{Sqrt}[b]*d + 10*a*\text{Sqrt}[b]*e*x + 9*a*\text{Sqrt}[b]*f*x^2 + 12*b^{(3/2)}*c*x^3 + 6*b^{(3/2)}*d*x^4 + 4*b^{(3/2)}*e*x^5 + 3*b^{(3/2)}*f*x^6 - 9*a^{(3/2)}*f*\text{Sqrt}[1 + (b*x^4)/a]*\text{ArcSinh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]] - 10*a*\text{Sqrt}[b]*e*x*\text{Sqrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[1/4, 1/2, 5/4, -((b*x^4)/a)] - 12*b^{(3/2)}*c*x^3*\text{Sqrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[3/4, 3/2, 7/4, -((b*x^4)/a)])/(12*b^{(5/2)}*\text{Sqrt}[a + b*x^4])$

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(fx^9 + ex^8 + dx^7 + cx^6)\sqrt{bx^4 + a}}{b^2x^8 + 2abx^4 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="fricas")`

[Out] `integral((f*x^9 + e*x^8 + d*x^7 + c*x^6)*sqrt(b*x^4 + a)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^6}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="giac")`

[Out] `integrate((f*x^3 + e*x^2 + d*x + c)*x^6/(b*x^4 + a)^(3/2), x)`

maple [C] time = 0.19, size = 378, normalized size = 1.04

$$\frac{fx^6}{4\sqrt{bx^4 + a}b} - \frac{cx^3}{2\sqrt{(x^4 + \frac{a}{b})}bb} + \frac{3afx^2}{4\sqrt{bx^4 + a}b^2} + \frac{aex}{2\sqrt{(x^4 + \frac{a}{b})}bb^2} - \frac{5\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}ae\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\right)}{6\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}}\sqrt{bx^4 + a}b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)`

[Out] $1/4*f*x^6/b/(b*x^4+a)^{(1/2)}+3/4*f*a/b^2*x^2/(b*x^4+a)^{(1/2)}-3/4*f*a/b^{(5/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})+1/2*e/b^2*a*x/((x^4+a/b)*b)^{(1/2)}+1/3*e*x*(b*x^4+a)^{(1/2)}/b^2-5/6*e*a/b^2/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)})^{(1/2)}$

$2) * x^{2+1} \wedge (1/2) * (I/a \wedge (1/2) * b \wedge (1/2) * x^{2+1} \wedge (1/2) / (b * x^4 + a) \wedge (1/2) * \text{EllipticF}((I/a \wedge (1/2) * b \wedge (1/2)) \wedge (1/2) * x, I) + 1/2 * d * (b * x^4 + 2 * a) / (b * x^4 + a) \wedge (1/2) / b^{2-1/2} * c / b * x^3 / ((x^4 + a/b) * b) \wedge (1/2) + 3/2 * I * c / b \wedge (3/2) * a \wedge (1/2) / (I/a \wedge (1/2) * b \wedge (1/2)) \wedge (1/2) * (-I/a \wedge (1/2) * b \wedge (1/2) * x^{2+1} \wedge (1/2) * (I/a \wedge (1/2) * b \wedge (1/2) * x^{2+1} \wedge (1/2) / (b * x^4 + a) \wedge (1/2) * \text{EllipticF}((I/a \wedge (1/2) * b \wedge (1/2)) \wedge (1/2) * x, I) - 3/2 * I * c / b \wedge (3/2) * a \wedge (1/2) / (I/a \wedge (1/2) * b \wedge (1/2)) \wedge (1/2) * (-I/a \wedge (1/2) * b \wedge (1/2) * x^{2+1} \wedge (1/2) * (I/a \wedge (1/2) * b \wedge (1/2) * x^{2+1} \wedge (1/2) / (b * x^4 + a) \wedge (1/2) * \text{EllipticE}((I/a \wedge (1/2) * b \wedge (1/2)) \wedge (1/2) * x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^6}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^6/(b*x^4 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^6 (fx^3 + ex^2 + dx + c)}{(bx^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^6*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x)

[Out] int((x^6*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

sympy [A] time = 51.87, size = 202, normalized size = 0.55

$$d \left(\begin{cases} \frac{a}{b^2 \sqrt{a+bx^4}} + \frac{x^4}{2b \sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^8}{8a^{\frac{3}{2}}} & \text{otherwise} \end{cases} \right) + f \left(\frac{3\sqrt{a}x^2}{4b^2 \sqrt{1 + \frac{bx^4}{a}}} - \frac{3a \operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{4b^{\frac{5}{2}}} + \frac{x^6}{4\sqrt{a}b \sqrt{1 + \frac{bx^4}{a}}} \right) + \frac{cx^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{3}{2}, \frac{7}{4}\right)}{4a^{\frac{3}{2}} \Gamma\left(\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2),x)

[Out] d*Piecewise((a/(b**2*sqrt(a + b*x**4)) + x**4/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**8/(8*a**(3/2)), True)) + f*(3*sqrt(a)*x**2/(4*b**2*sqrt(1 + b*x**

$$\begin{aligned}
& 4/a)) - 3*a*asinh(\sqrt{b}*x**2/\sqrt{a})/(4*b**(5/2)) + x**6/(4*\sqrt{a}*b*\sqrt{1 + b*x**4/a})) + c*x**7*\gamma(7/4)*\text{hyper}((3/2, 7/4), (11/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*a**(3/2)*\gamma(11/4)) + e*x**9*\gamma(9/4)*\text{hyper}((3/2, 9/4), (13/4,), b*x**4*\exp_polar(I*\pi)/a)/(4*a**(3/2)*\gamma(13/4))
\end{aligned}$$

$$3.541 \quad \int \frac{x^5(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=343

$$\frac{c \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{\sqrt[4]{a}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (9\sqrt{b}d - 5\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{12b^{9/4}\sqrt{a+bx^4}} + \frac{3dx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

[Out] $1/2*c*\operatorname{arctanh}(x^2*b^{1/2}/(b*x^4+a)^{1/2})/b^{3/2}+1/2*x*(-b*e*x^3-b*d*x^2-b*c*x+a*f)/b^2/(b*x^4+a)^{1/2}+e*(b*x^4+a)^{1/2}/b^2+1/3*f*x*(b*x^4+a)^{1/2}/b^2+3/2*d*x*(b*x^4+a)^{1/2}/b^{3/2}/(a^{1/2}+x^2*b^{1/2})-3/2*a^{1/4}*d*(\cos(2*\arctan(b^{1/4}*x/a^{1/4}))^2)^{1/2}/\cos(2*\arctan(b^{1/4}*x/a^{1/4}))*$
 $\operatorname{EllipticE}(\sin(2*\arctan(b^{1/4}*x/a^{1/4})), 1/2*2^{1/2})*(a^{1/2}+x^2*b^{1/2})*((b*x^4+a)/(a^{1/2}+x^2*b^{1/2}))^{1/2}/b^{7/4}/(b*x^4+a)^{1/2}+1/12*a^{1/4}*(\cos(2*\arctan(b^{1/4}*x/a^{1/4}))^2)^{1/2}/\cos(2*\arctan(b^{1/4}*x/a^{1/4}))*$
 $\operatorname{EllipticF}(\sin(2*\arctan(b^{1/4}*x/a^{1/4})), 1/2*2^{1/2})*(-5*f*a^{1/2}+9*d*b^{1/2})*(a^{1/2}+x^2*b^{1/2})*((b*x^4+a)/(a^{1/2}+x^2*b^{1/2}))^{1/2}/b^{9/4}/(b*x^4+a)^{1/2}$

Rubi [A] time = 0.37, antiderivative size = 343, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1828, 1885, 1248, 641, 217, 206, 1888, 1198, 220, 1196}

$$\frac{x(af - bcx - bdx^2 - bex^3)}{2b^2\sqrt{a+bx^4}} + \frac{c \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{\sqrt[4]{a}(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} (9\sqrt{b}d - 5\sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{12b^{9/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^5*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^{3/2}, x]$

[Out] $(x*(a*f - b*c*x - b*d*x^2 - b*e*x^3))/(2*b^2*\operatorname{Sqrt}[a + b*x^4]) + (e*\operatorname{Sqrt}[a + b*x^4])/b^2 + (f*x*\operatorname{Sqrt}[a + b*x^4])/(3*b^2) + (3*d*x*\operatorname{Sqrt}[a + b*x^4])/(2*b^{3/2}*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (c*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(2*b^{3/2}) - (3*a^{1/4}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2])/(2*b^{7/4}*\operatorname{Sqrt}[a + b*x^4]) + (a^{1/4}*(9*\operatorname{Sqrt}[b]*d - 5*\operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{1/4}*x)/a^{1/4}], 1/2])/(12*b^{9/4}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^2}{(x_+)^{-1}}, x_Symbol] \rightarrow \text{Simp}[\frac{1 \cdot \text{ArcTanh}[\frac{\text{Rt}[-b, 2] \cdot x}{\text{Rt}[a, 2]}]}{\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]}, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_+) + (b_+)(x_+)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b \cdot x^2), x], x, x/\text{Sqrt}[a + b \cdot x^2]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_+) + (b_+)(x_+)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 \cdot x^2) \cdot \text{Sqrt}[(a + b \cdot x^4)/(a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[q \cdot x], 1/2]]/(2 \cdot q \cdot \text{Sqrt}[a + b \cdot x^4]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 641

$\text{Int}[\frac{(d_+) + (e_+)(x_+)^p}{(a_+) + (c_+)(x_+)^2}, x_Symbol] \rightarrow \text{Simp}[\frac{e \cdot (a + c \cdot x^2)^{p+1}}{(2 \cdot c \cdot (p+1))}, x] + \text{Dist}[d, \text{Int}[(a + c \cdot x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, p\}, x] \ \&\& \ \text{NeQ}[p, -1]$

Rule 1196

$\text{Int}[\frac{(d_+) + (e_+)(x_+)^2}{\text{Sqrt}[(a_+) + (c_+)(x_+)^4]}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[\frac{d \cdot x \cdot \text{Sqrt}[a + c \cdot x^4]}{a \cdot (1 + q^2 \cdot x^2)}, x] + \text{Simp}[\frac{d \cdot (1 + q^2 \cdot x^2) \cdot \text{Sqrt}[(a + c \cdot x^4)/(a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticE}[2 \cdot \text{ArcTan}[q \cdot x], 1/2]}{q \cdot \text{Sqrt}[a + c \cdot x^4]}, x] /; \text{EqQ}[e + d \cdot q^2, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[\frac{(d_+) + (e_+)(x_+)^2}{\text{Sqrt}[(a_+) + (c_+)(x_+)^4]}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d \cdot q)/q, \text{Int}[1/\text{Sqrt}[a + c \cdot x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q \cdot x^2)/\text{Sqrt}[a + c \cdot x^4], x], x] /; \text{NeQ}[e + d \cdot q, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1248

$\text{Int}[(x_+)^q \cdot \frac{(d_+) + (e_+)(x_+)^2}{(a_+) + (c_+)(x_+)^4}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e \cdot x)^q \cdot (a + c \cdot x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x]$

Rule 1828

```

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]

```

Rule 1885

```

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

```

Rule 1888

```

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x
]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum
[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^
n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1
)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[
p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (c + dx + ex^2 + fx^3)}{(a + bx^4)^{3/2}} dx &= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \frac{a^2 f - 2abcx - 3abdx^2 - 4abex^3 - 2abfx^4}{\sqrt{a + bx^4}} dx}{2ab^2} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \left(\frac{x(-2abc - 4abex^2)}{\sqrt{a + bx^4}} + \frac{a^2 f - 3abdx^2 - 2abfx^4}{\sqrt{a + bx^4}} \right) dx}{2ab^2} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} - \frac{\int \frac{x(-2abc - 4abex^2)}{\sqrt{a + bx^4}} dx}{2ab^2} - \frac{\int \frac{a^2 f - 3abdx^2 - 2abfx^4}{\sqrt{a + bx^4}} dx}{2ab^2} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} + \frac{fx\sqrt{a + bx^4}}{3b^2} - \frac{\int \frac{5a^2 bf - 9ab^2 dx^2}{\sqrt{a + bx^4}} dx}{6ab^3} \quad \text{Subst} \left(\int \frac{-2a}{\sqrt{a + bx^4}} dx \right) \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} + \frac{e\sqrt{a + bx^4}}{b^2} + \frac{fx\sqrt{a + bx^4}}{3b^2} + \frac{c \text{Subst} \left(\int \frac{1}{\sqrt{a + bx^2}} dx \right)}{2b} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} + \frac{e\sqrt{a + bx^4}}{b^2} + \frac{fx\sqrt{a + bx^4}}{3b^2} + \frac{3dx\sqrt{a + bx^4}}{2b^{3/2} (\sqrt{a} + \sqrt{bx^2})} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2b^2 \sqrt{a + bx^4}} + \frac{e\sqrt{a + bx^4}}{b^2} + \frac{fx\sqrt{a + bx^4}}{3b^2} + \frac{3dx\sqrt{a + bx^4}}{2b^{3/2} (\sqrt{a} + \sqrt{bx^2})}
\end{aligned}$$

Mathematica [C] time = 0.17, size = 176, normalized size = 0.51

$$\frac{3\sqrt{a}\sqrt{b}c\sqrt{\frac{bx^4}{a}+1}\sinh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)-6bdx^3\sqrt{\frac{bx^4}{a}+1}{}_2F_1\left(\frac{3}{4},\frac{3}{2};\frac{7}{4};-\frac{bx^4}{a}\right)-5afx\sqrt{\frac{bx^4}{a}+1}{}_2F_1\left(\frac{1}{4},\frac{1}{2};\frac{5}{4};-\frac{bx^4}{a}\right)+6a}{6b^2\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x]

[Out] (6*a*e + 5*a*f*x - 3*b*c*x^2 + 6*b*d*x^3 + 3*b*e*x^4 + 2*b*f*x^5 + 3*Sqrt[a]*Sqrt[b]*c*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] - 5*a*f*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a] - 6*b*d*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -(b*x^4)/a])/(6*b^2*Sqrt[a + b*x^4])

fricas [F] time = 0.57, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(fx^8 + ex^7 + dx^6 + cx^5)\sqrt{bx^4 + a}}{b^2x^8 + 2abx^4 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((f*x^8 + e*x^7 + d*x^6 + c*x^5)*sqrt(b*x^4 + a)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^5}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^5/(b*x^4 + a)^(3/2), x)

maple [C] time = 0.19, size = 358, normalized size = 1.04

$$-\frac{dx^3}{2\sqrt{(x^4 + \frac{a}{b})} b} - \frac{cx^2}{2\sqrt{bx^4 + a} b} + \frac{afx}{2\sqrt{(x^4 + \frac{a}{b})} b b^2} - \frac{5\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} af \text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{6\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b^2} - \frac{3i\sqrt{\dots}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)

[Out] 1/2*f/b^2*a*x/((x^4+a/b)*b)^(1/2)+1/3*f*x*(b*x^4+a)^(1/2)/b^2-5/6*f*a/b^2/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*e*(b*x^4+2*a)/(b*x^4+a)^(1/2)/b^2-1/2*d/b*x^3/((x^4+a/b)*b)^(1/2)+3/2*I*d/b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-3/2*I*d/b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*c*x^2/b/(b*x^4+a)^(1/2)+1/2*c/b^(3/2)*ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{4}c \left(\frac{2x^2}{\sqrt{bx^4 + ab}} + \frac{\log\left(-\frac{\sqrt{b} - \frac{\sqrt{bx^4 + a}}{x^2}}{\sqrt{b} + \frac{\sqrt{bx^4 + a}}{x^2}}\right)}{b^{\frac{3}{2}}}\right) + \int \frac{fx^8 + ex^7 + dx^6}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] -1/4*c*(2*x^2/(sqrt(b*x^4 + a)*b) + log(-(sqrt(b) - sqrt(b*x^4 + a)/x^2)/(sqrt(b) + sqrt(b*x^4 + a)/x^2))/b^(3/2)) + integrate((f*x^8 + e*x^7 + d*x^6)/(b*x^4 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (f x^3 + e x^2 + d x + c)}{(b x^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x)

[Out] int((x^5*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

sympy [A] time = 43.26, size = 172, normalized size = 0.50

$$c \left(\frac{\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{\frac{3}{2}}} - \frac{x^2}{2\sqrt{a}b\sqrt{1 + \frac{bx^4}{a}}}\right) + e \left(\begin{cases} \frac{a}{b^2\sqrt{a+bx^4}} + \frac{x^4}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^8}{8a^{\frac{3}{2}}} & \text{otherwise} \end{cases} \right) + \frac{dx^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{3}{2}, \frac{7}{4} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{11}{4}\right)} + \frac{fx^9\Gamma\left(\frac{9}{4}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{13}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2),x)

[Out] c*(asinh(sqrt(b)*x**2/sqrt(a))/(2*b**(3/2)) - x**2/(2*sqrt(a)*b*sqrt(1 + b*x**4/a))) + e*Piecewise((a/(b**2*sqrt(a + b*x**4)) + x**4/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**8/(8*a**(3/2)), True)) + d*x**7*gamma(7/4)*hyper((3/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(11/4)) + f*x**9*gamma(9/4)*hyper((3/2, 9/4), (13/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(13/4))

$$3.542 \quad \int \frac{x^4(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=314

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4\sqrt[4]{a} b^{7/4} \sqrt{a+bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{3ex\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt[4]{a}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

[Out] $\frac{1}{2}d \operatorname{arctanh}\left(\frac{x^2 b^{1/2}}{(b x^4 + a)^{1/2}}\right) / b^{3/2} - \frac{1}{2}x(f x^3 + e x^2 + d x + c) / b (b x^4 + a)^{1/2} + f (b x^4 + a)^{1/2} / b^2 + \frac{3}{2}e x x (b x^4 + a)^{1/2} / b^{3/2} / (a^{1/2} + x^2 b^{1/2}) - \frac{3}{2}a^{1/4} e (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticE}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))), \frac{1}{2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / b^{7/4} / (b x^4 + a)^{1/2} + \frac{1}{4} (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * \operatorname{EllipticF}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))), \frac{1}{2}) * (3 e a^{1/2} + c b^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / a^{1/4} / b^{7/4} / (b x^4 + a)^{1/2}$

Rubi [A] time = 0.27, antiderivative size = 314, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1885, 1198, 220, 1196, 1248, 641, 217, 206}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}e + \sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4\sqrt[4]{a} b^{7/4} \sqrt{a+bx^4}} + \frac{d \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{3ex\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt[4]{a}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^4(c + d x + e x^2 + f x^3)) / (a + b x^4)^{3/2}, x]$

[Out] $-\frac{x(c + d x + e x^2 + f x^3)}{2 b \operatorname{Sqrt}[a + b x^4]} + \frac{f \operatorname{Sqrt}[a + b x^4]}{b^2 + (3 e x \operatorname{Sqrt}[a + b x^4]) / (2 b^{3/2} (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2))} + \frac{d \operatorname{ArcTanh}[(\operatorname{Sqrt}[b] x^2) / \operatorname{Sqrt}[a + b x^4]]}{(2 b^{3/2})} - \frac{(3 a^{1/4} e (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2] * \operatorname{EllipticE}[2 \operatorname{ArcTan}[(b^{1/4} x) / a^{1/4}], 1/2]) / (2 b^{7/4} \operatorname{Sqrt}[a + b x^4])} + ((\operatorname{Sqrt}[b] c + 3 \operatorname{Sqrt}[a] e) (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2] * \operatorname{EllipticF}[2 \operatorname{ArcTan}[(b^{1/4} x) / a^{1/4}], 1/2]) / (4 a^{1/4} b^{7/4} \operatorname{Sqrt}[a + b x^4])$

Rule 206

$\operatorname{Int}[(a + b x^2)^{-1}, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(1 * \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] x] / \operatorname{Rt}[a, 2]) / (\operatorname{Rt}[a, 2] * \operatorname{Rt}[-b, 2]), x] / ; \operatorname{FreeQ}\{a, b, x\} \ \&\& \operatorname{NegQ}[a/b] \ \&\& \operatorname{Gt}$

$Q[a, 0] \parallel \text{Lt}Q[b, 0]$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ !\text{Gt}Q[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2)]/(2*q*\text{Sqrt}[a + b*x^4]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{Pos}Q[b/a]$

Rule 641

$\text{Int}[(d_) + (e_)*(x_)^2]^p, x_Symbol] \rightarrow \text{Simp}[(e*(a + c*x^2)^{p+1})/(2*c*(p+1)), x] + \text{Dist}[d, \text{Int}[(a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, p\}, x] \ \&\& \ \text{Ne}Q[p, -1]$

Rule 1196

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2)]/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{Eq}Q[e + d*q^2, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{Pos}Q[c/a]$

Rule 1198

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{Ne}Q[e + d*q, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{Pos}Q[c/a]$

Rule 1248

$\text{Int}[(x_)^m * ((d_) + (e_)*(x_)^2)^q * ((a_) + (c_)*(x_)^4)^p, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q * (a + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x]$

Rule 1828

$\text{Int}[(Pq_)*(x_)^{m_} * ((a_) + (b_)*(x_)^{n_})^p, x_Symbol] \rightarrow \text{With}[\{q = m + \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[b^{(\text{Floor}[(q-1)/n] + 1)*x^m * Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q-1)/n] + 1)*x^m * Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q-1)/n] + 1)*x^m * Pq, a + b*x^n, x], R = \text{PolynomialRemainder}[b^{(\text{Floor}[(q-1)/n] + 1)*x^m * Pq, a + b*x^n, x]$

```

m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]

```

Rule 1885

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]]*(a + b*x^n)^p, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (c + dx + ex^2 + fx^3)}{(a + bx^4)^{3/2}} dx &= -\frac{x(c + dx + ex^2 + fx^3)}{2b\sqrt{a + bx^4}} - \frac{\int \frac{-abc - 2abdx - 3abex^2 - 4abfx^3}{\sqrt{a + bx^4}} dx}{2ab^2} \\
&= -\frac{x(c + dx + ex^2 + fx^3)}{2b\sqrt{a + bx^4}} - \frac{\int \left(\frac{-abc - 3abex^2}{\sqrt{a + bx^4}} + \frac{x(-2abd - 4abfx^2)}{\sqrt{a + bx^4}} \right) dx}{2ab^2} \\
&= -\frac{x(c + dx + ex^2 + fx^3)}{2b\sqrt{a + bx^4}} - \frac{\int \frac{-abc - 3abex^2}{\sqrt{a + bx^4}} dx}{2ab^2} - \frac{\int \frac{x(-2abd - 4abfx^2)}{\sqrt{a + bx^4}} dx}{2ab^2} \\
&= -\frac{x(c + dx + ex^2 + fx^3)}{2b\sqrt{a + bx^4}} - \frac{\text{Subst} \left(\int \frac{-2abd - 4abfx}{\sqrt{a + bx^2}} dx, x, x^2 \right)}{4ab^2} - \frac{(3\sqrt{a}e) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{2b^{3/2}} \\
&= -\frac{x(c + dx + ex^2 + fx^3)}{2b\sqrt{a + bx^4}} + \frac{f\sqrt{a + bx^4}}{b^2} + \frac{3ex\sqrt{a + bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3^4\sqrt{a}e(\sqrt{a} + \sqrt{b}x^2)}{2b^{3/2}} \\
&= -\frac{x(c + dx + ex^2 + fx^3)}{2b\sqrt{a + bx^4}} + \frac{f\sqrt{a + bx^4}}{b^2} + \frac{3ex\sqrt{a + bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3^4\sqrt{a}e(\sqrt{a} + \sqrt{b}x^2)}{2b^{3/2}} \\
&= -\frac{x(c + dx + ex^2 + fx^3)}{2b\sqrt{a + bx^4}} + \frac{f\sqrt{a + bx^4}}{b^2} + \frac{3ex\sqrt{a + bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} + \frac{d \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a + bx^4}} \right)}{2b^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.16, size = 166, normalized size = 0.53

$$\frac{bcx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + \sqrt{a}\sqrt{b}d\sqrt{\frac{bx^4}{a} + 1} \sinh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right) - 2bex^3\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a}\right) + 2af}{2b^2\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x]

[Out] (2*a*f - b*c*x - b*d*x^2 + 2*b*e*x^3 + b*f*x^4 + Sqrt[a]*Sqrt[b]*d*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + b*c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] - 2*b*e*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -((b*x^4)/a)])/(2*b^2*Sqrt[a + b*x^4])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(fx^7 + ex^6 + dx^5 + cx^4)\sqrt{bx^4 + a}}{b^2x^8 + 2abx^4 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((f*x^7 + e*x^6 + d*x^5 + c*x^4)*sqrt(b*x^4 + a)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^4}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^4/(b*x^4 + a)^(3/2), x)

maple [C] time = 0.17, size = 340, normalized size = 1.08

$$\frac{ex^3}{2\sqrt{\left(x^4 + \frac{a}{b}\right) b}} - \frac{dx^2}{2\sqrt{bx^4 + a} b} - \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{a} e \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b^{\frac{3}{2}}} + \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{a} e \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)

[Out] $\frac{1}{2}f*(b*x^4+2*a)/(b*x^4+a)^{(1/2)}/b^2-1/2*e/b*x^3/((x^4+a/b)*b)^{(1/2)}+3/2*I*e/b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-3/2*I*e/b^{(3/2)}*a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/2*d*x^2/b/(b*x^4+a)^{(1/2)}+1/2*d/b^{(3/2)}*ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-1/2*c/b*x/((x^4+a/b)*b)^{(1/2)}+1/2*c/b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^4}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^4/(b*x^4 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (fx^3 + ex^2 + dx + c)}{(bx^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x)

[Out] int((x^4*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

sympy [A] time = 26.11, size = 172, normalized size = 0.55

$$d \left(\frac{\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{\frac{3}{2}}} - \frac{x^2}{2\sqrt{a}b\sqrt{1 + \frac{bx^4}{a}}} \right) + f \left(\begin{cases} \frac{a}{b^2\sqrt{a+bx^4}} + \frac{x^4}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^8}{8a^{\frac{3}{2}}} & \text{otherwise} \end{cases} \right) + \frac{cx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)} + \frac{ex^7\Gamma\left(\frac{7}{4}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2),x)

[Out] d*(asinh(sqrt(b)*x**2/sqrt(a))/(2*b**(3/2)) - x**2/(2*sqrt(a)*b*sqrt(1 + b*x**4/a)) + f*Piecewise((a/(b**2*sqrt(a + b*x**4)) + x**4/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**8/(8*a**(3/2)), True)) + c*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4)) + e*x**7*gamma(7/4)*hyper((3/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(11/4))

$$3.543 \quad \int \frac{x^3(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=302

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}f + \sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{3fx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt[4]{a}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}} + \frac{e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{3fx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt[4]{a}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{2}e \operatorname{arctanh}\left(\frac{x^2 b^{1/2}}{(b x^4 + a)^{1/2}}\right) / b^{3/2} + \frac{1}{2}(-f x^3 - e x^2 - d x - c) / b / (b x^4 + a)^{1/2} + \frac{3}{2} f x x (b x^4 + a)^{1/2} / b^{3/2} / (a^{1/2} + x^2 b^{1/2}) - \frac{3}{2} a^{1/4} f * (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * x / a^{1/4} * \operatorname{EllipticE}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / b^{7/4} / (b x^4 + a)^{1/2} + \frac{1}{4} * (\cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})) * x / a^{1/4} * \operatorname{EllipticF}(\sin(2 \operatorname{arctan}(b^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (3 f a^{1/2} + d b^{1/2}) * (a^{1/2} + x^2 b^{1/2}) * ((b x^4 + a) / (a^{1/2} + x^2 b^{1/2}))^{1/2} / a^{1/4} / b^{7/4} / (b x^4 + a)^{1/2}$

Rubi [A] time = 0.20, antiderivative size = 297, normalized size of antiderivative = 0.98, number of steps used = 9, number of rules used = 8, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {1823, 1885, 275, 217, 206, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (3\sqrt{a}f + \sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right) + \frac{3fx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt[4]{a}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}} + \frac{e \tanh^{-1}\left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}}\right)}{2b^{3/2}} + \frac{3fx\sqrt{a+bx^4}}{2b^{3/2}(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt[4]{a}}{4\sqrt[4]{a}b^{7/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3(c + d x + e x^2 + f x^3)) / (a + b x^4)^{3/2}, x]$

[Out] $-(c + d x + e x^2 + f x^3) / (2 b \operatorname{Sqrt}[a + b x^4]) + (3 f x \operatorname{Sqrt}[a + b x^4]) / (2 b^{3/2} (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)) + (e \operatorname{ArcTanh}[(\operatorname{Sqrt}[b] x^2) / \operatorname{Sqrt}[a + b x^4]]) / (2 b^{3/2}) - (3 a^{1/4} f * (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2] \operatorname{EllipticE}[2 \operatorname{ArcTan}[b^{1/4} x / a^{1/4}], 1/2]) / (2 b^{7/4} \operatorname{Sqrt}[a + b x^4]) + ((\operatorname{Sqrt}[b] d + 3 \operatorname{Sqrt}[a] f) * (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2) \operatorname{Sqrt}[(a + b x^4) / (\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b] x^2)^2] \operatorname{EllipticF}[2 \operatorname{ArcTan}[b^{1/4} x / a^{1/4}], 1/2]) / (4 a^{1/4} b^{7/4} \operatorname{Sqrt}[a + b x^4])$

Rule 206

$\operatorname{Int}[(a + b x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 \operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2] x) / \operatorname{Rt}[a, 2]]) / (\operatorname{Rt}[a, 2] \operatorname{Rt}[-b, 2]), x] / ; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& \operatorname{Gt}$

$Q[a, 0] \parallel LtQ[b, 0]$

Rule 217

$Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[\{a, b\}, x] \&\& !GtQ[a, 0]$

Rule 220

$Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow With[\{q = Rt[b/a, 4]\}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[\{a, b\}, x] \&\& PosQ[b/a]$

Rule 275

$Int[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow With[\{k = GCD[m + 1, n]\}, Dist[1/k, Subst[Int[x^{(m + 1)/k - 1}*(a + b*x^{(n/k)})^p, x], x, x^k], x] /; k != 1] /; FreeQ[\{a, b, p\}, x] \&\& IGtQ[n, 0] \&\& IntegerQ[m]$

Rule 1196

$Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow With[\{q = Rt[c/a, 4]\}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[\{a, c, d, e\}, x] \&\& PosQ[c/a]$

Rule 1198

$Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow With[\{q = Rt[c/a, 2]\}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[\{a, c, d, e\}, x] \&\& PosQ[c/a]$

Rule 1823

$Int[(Pq_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow Simp[(Pq*(a + b*x^n)^{(p + 1)})/(b*n*(p + 1)), x] - Dist[1/(b*n*(p + 1)), Int[D[Pq, x]*(a + b*x^n)^{(p + 1)}, x], x] /; FreeQ[\{a, b, m, n\}, x] \&\& PolyQ[Pq, x] \&\& EqQ[m - n + 1, 0] \&\& LtQ[p, -1]$

Rule 1885

$Int[(Pq_)*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow Module[\{q = Expon[Pq, x], j, k\}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^{(k*n)/2}], \{k, 0, ($

$2*(q - j)/n + 1\}*(a + b*x^n)^p, \{j, 0, n/2 - 1\}, x] /; \text{FreeQ}\{a, b, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& !\text{PolyQ}[Pq, x^{(n/2)}]$

Rubi steps

$$\begin{aligned}
 \int \frac{x^3 (c + dx + ex^2 + fx^3)}{(a + bx^4)^{3/2}} dx &= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{\int \frac{d+2ex+3fx^2}{\sqrt{a+bx^4}} dx}{2b} \\
 &= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{\int \left(\frac{2ex}{\sqrt{a+bx^4}} + \frac{d+3fx^2}{\sqrt{a+bx^4}} \right) dx}{2b} \\
 &= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{\int \frac{d+3fx^2}{\sqrt{a+bx^4}} dx}{2b} + \frac{e \int \frac{x}{\sqrt{a+bx^4}} dx}{b} \\
 &= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{e \text{Subst} \left(\int \frac{1}{\sqrt{a+bx^2}} dx, x, x^2 \right)}{2b} - \frac{(3\sqrt{a} f) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a+bx^4}} dx}{2b^{3/2}} + \frac{3^4 \sqrt{a} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{2b^{7/4} \sqrt{a + bx^4}} \\
 &= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{3fx\sqrt{a + bx^4}}{2b^{3/2} (\sqrt{a} + \sqrt{b}x^2)} - \frac{3^4 \sqrt{a} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{2b^{7/4} \sqrt{a + bx^4}} \\
 &= -\frac{c + dx + ex^2 + fx^3}{2b\sqrt{a + bx^4}} + \frac{3fx\sqrt{a + bx^4}}{2b^{3/2} (\sqrt{a} + \sqrt{b}x^2)} + \frac{e \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a+bx^4}} \right)}{2b^{3/2}} - \frac{3^4 \sqrt{a} f (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}}}{2b^{7/4} \sqrt{a + bx^4}}
 \end{aligned}$$

Mathematica [C] time = 0.14, size = 181, normalized size = 0.60

$$\frac{\sqrt{b} dx \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a} \right) + \sqrt{a} e \sqrt{\frac{bx^4}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right) - 2\sqrt{b} f x^3 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a} \right) - \sqrt{b} c}{2b^{3/2} \sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x]

[Out] $(-\text{Sqrt}[b]*c) - \text{Sqrt}[b]*d*x - \text{Sqrt}[b]*e*x^2 + 2*\text{Sqrt}[b]*f*x^3 + \text{Sqrt}[a]*e*\text{Sqrt}[1 + (b*x^4)/a]*\text{ArcSinh}[(\text{Sqrt}[b]*x^2)/\text{Sqrt}[a]] + \text{Sqrt}[b]*d*x*\text{Sqrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[1/4, 1/2, 5/4, -((b*x^4)/a)] - 2*\text{Sqrt}[b]*f*x^3*$

$\text{qrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[3/4, 3/2, 7/4, -((b*x^4)/a)]/(2*b^(3/2)*\text{Sqrt}[a + b*x^4])$

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(fx^6 + ex^5 + dx^4 + cx^3)\sqrt{bx^4 + a}}{b^2x^8 + 2abx^4 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x, \text{algorithm}="fricas")$

[Out] $\text{integral}((f*x^6 + e*x^5 + d*x^4 + c*x^3)*\text{sqrt}(b*x^4 + a)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^3}{(bx^4 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x, \text{algorithm}="giac")$

[Out] $\text{integrate}((f*x^3 + e*x^2 + d*x + c)*x^3/(b*x^4 + a)^(3/2), x)$

maple [C] time = 0.17, size = 331, normalized size = 1.10

$$\frac{\frac{f x^3}{2\sqrt{(x^4 + \frac{a}{b})b}} - \frac{e x^2}{2\sqrt{b x^4 + a}} - \frac{3i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{a} f \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{b x^4 + a} b^{\frac{3}{2}}} + \frac{3i\sqrt{-\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b} x^2}{\sqrt{a}} + 1} \sqrt{a}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{b x^4 + a} b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x)$

[Out] $-1/2*f/b*x^3/((x^4+a/b)*b)^(1/2)+3/2*I*f/b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*\text{EllipticF}((I/a^(1/2)*b^(1/2))^(1/2)*x, I)-3/2*I*f/b^(3/2)*a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*\text{EllipticE}((I/a^(1/2)*b^(1/2))^(1/2)*x, I)-1/2*e*x^2/b/(b*x^4+a)^(1/2)+1/2*e/b^(3/2)*\ln(b^(1/2)*x^2+(b*x^4+a)^(1/2))-1/2*d/b*x/((x^4+a/b)*b)^(1/2)+1/2*d/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)$

) * b^(1/2) * x^2 + 1)^(1/2) * (I/a^(1/2) * b^(1/2) * x^2 + 1)^(1/2) / (b * x^4 + a)^(1/2) * EllipticF((I/a^(1/2) * b^(1/2))^(1/2) * x, I) - 1/2 * c/b / (b * x^4 + a)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{c}{2\sqrt{bx^4+ab}} + \int \frac{fx^6+ex^5+dx^4}{(bx^4+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x, algorithm="maxima")

[Out] -1/2*c/(sqrt(b*x^4+a)*b) + integrate((f*x^6+e*x^5+d*x^4)/(b*x^4+a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (f x^3 + e x^2 + d x + c)}{(b x^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

[Out] int((x^3*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

sympy [A] time = 24.64, size = 156, normalized size = 0.52

$$c \left(\begin{array}{l} \left(-\frac{1}{2b\sqrt{a+bx^4}} \right) \text{ for } b \neq 0 \\ \left(\frac{x^4}{4a^2} \right) \text{ otherwise} \end{array} \right) + e \left(\frac{\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{\frac{3}{2}}} - \frac{x^2}{2\sqrt{a}b\sqrt{1+\frac{bx^4}{a}}} \right) + \frac{dx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)} + \frac{fx^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{7}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2), x)

[Out] c*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True)) + e*(asinh(sqrt(b)*x**2/sqrt(a))/(2*b**(3/2)) - x**2/(2*sqrt(a)*b*sqrt(1 + b*x**4/a))) + d*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4)) + f*x**7*gamma(7/4)*hyper((3/2, 7/4), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(11/4))

$$3.544 \quad \int \frac{x^2(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=333

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4a^{3/4}b^{5/4}\sqrt{a+bx^4}} + \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

[Out] $1/2*f*\operatorname{arctanh}(x^2*b^{(1/2)}/(b*x^4+a)^{(1/2)})/b^{(3/2)}-1/2*x*(-b*d*x^3-b*c*x^2+a*f*x+a*e)/a/b/(b*x^4+a)^{(1/2)}-1/2*d*(b*x^4+a)^{(1/2)}/a/b-1/2*c*x*(b*x^4+a)^{(1/2)}/a/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+1/2*c*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}-1/4*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-e*a^{(1/2)}+c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/b^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 333, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1828, 1885, 1198, 220, 1196, 1248, 641, 217, 206}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4a^{3/4}b^{5/4}\sqrt{a+bx^4}} + \frac{c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^2*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^{(3/2)}, x]$

[Out] $-(x*(a*e + a*f*x - b*c*x^2 - b*d*x^3))/(2*a*b*\operatorname{Sqrt}[a + b*x^4]) - (d*\operatorname{Sqrt}[a + b*x^4])/(2*a*b) - (c*x*\operatorname{Sqrt}[a + b*x^4])/(2*a*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) + (f*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x^2)/\operatorname{Sqrt}[a + b*x^4]])/(2*b^{(3/2)}) + (c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(3/4)}*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) - ((\operatorname{Sqrt}[b]*c - \operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(4*a^{(3/4)}*b^{(5/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 206

$\text{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2)]/(2*q*\text{Sqrt}[a + b*x^4]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 641

$\text{Int}[(d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(e*(a + c*x^2)^{(p + 1)})/(2*c*(p + 1)), x] + \text{Dist}[d, \text{Int}[(a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, p\}, x] \ \&\& \ \text{NeQ}[p, -1]$

Rule 1196

$\text{Int}[(d_) + (e_.)*(x_)^2]/\text{Sqrt}[(a_) + (c_.)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])]/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2)]/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_) + (e_.)*(x_)^2]/\text{Sqrt}[(a_) + (c_.)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1248

$\text{Int}[(x_)*((d_) + (e_.)*(x_)^2)^{(q_.))*((a_) + (c_.)*(x_)^4)^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x]$

Rule 1828


```

Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_), x_Symbol] := With[{q =
m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)
*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a
+ b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x],
x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] +
1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] &&
LtQ[p, -1] && IGtQ[m, 0]

```

Rule 1885

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}, x]] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (c + dx + ex^2 + fx^3)}{(a + bx^4)^{3/2}} dx &= -\frac{x (ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \frac{-abe - 2abfx + b^2cx^2 + 2b^2dx^3}{\sqrt{a + bx^4}} dx}{2ab^2} \\
&= -\frac{x (ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \left(\frac{-abe + b^2cx^2}{\sqrt{a + bx^4}} + \frac{x(-2abf + 2b^2dx^2)}{\sqrt{a + bx^4}} \right) dx}{2ab^2} \\
&= -\frac{x (ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \frac{-abe + b^2cx^2}{\sqrt{a + bx^4}} dx}{2ab^2} - \frac{\int \frac{x(-2abf + 2b^2dx^2)}{\sqrt{a + bx^4}} dx}{2ab^2} \\
&= -\frac{x (ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{\text{Subst} \left(\int \frac{-2abf + 2b^2dx}{\sqrt{a + bx^2}} dx, x, x^2 \right)}{4ab^2} + \frac{c \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{2\sqrt{a} \sqrt{b}} \\
&= -\frac{x (ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{d\sqrt{a + bx^4}}{2ab} - \frac{cx\sqrt{a + bx^4}}{2a\sqrt{b} (\sqrt{a} + \sqrt{b}x^2)} + \frac{c(\sqrt{a} + \sqrt{b}x^2)}{2\sqrt{a} \sqrt{b}} \\
&= -\frac{x (ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{d\sqrt{a + bx^4}}{2ab} - \frac{cx\sqrt{a + bx^4}}{2a\sqrt{b} (\sqrt{a} + \sqrt{b}x^2)} + \frac{c(\sqrt{a} + \sqrt{b}x^2)}{2\sqrt{a} \sqrt{b}} \\
&= -\frac{x (ae + afx - bcx^2 - bdx^3)}{2ab\sqrt{a + bx^4}} - \frac{d\sqrt{a + bx^4}}{2ab} - \frac{cx\sqrt{a + bx^4}}{2a\sqrt{b} (\sqrt{a} + \sqrt{b}x^2)} + \frac{f \tanh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right)}{2b^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.22, size = 165, normalized size = 0.50

$$\frac{3a^{3/2}f\sqrt{\frac{bx^4}{a} + 1} \sinh^{-1} \left(\frac{\sqrt{b}x^2}{\sqrt{a}} \right) + 2b^{3/2}cx^3\sqrt{\frac{bx^4}{a} + 1} {}_2F_1 \left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a} \right) - 3a\sqrt{b}(d + x(e + fx)) + 3a\sqrt{b}ex\sqrt{\frac{bx^4}{a} + 1}}{6ab^{3/2}\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x]

[Out] (-3*a*Sqrt[b]*(d + x*(e + f*x)) + 3*a^(3/2)*f*Sqrt[1 + (b*x^4)/a]*ArcSinh[(Sqrt[b]*x^2)/Sqrt[a]] + 3*a*Sqrt[b]*e*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a] + 2*b^(3/2)*c*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -(b*x^4)/a])/(6*a*b^(3/2)*Sqrt[a + b*x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(fx^5 + ex^4 + dx^3 + cx^2)\sqrt{bx^4 + a}}{b^2x^8 + 2abx^4 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral((f*x^5 + e*x^4 + d*x^3 + c*x^2)*sqrt(b*x^4 + a)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^2}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^2/(b*x^4 + a)^(3/2), x)

maple [C] time = 0.18, size = 331, normalized size = 0.99

$$\frac{cx^3}{2\sqrt{(x^4 + \frac{a}{b})}ba} - \frac{fx^2}{2\sqrt{bx^4 + a}b} + \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}c \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}\sqrt{a}\sqrt{b}} - \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)

[Out] $-1/2*f*x^2/b/(b*x^4+a)^{(1/2)}+1/2*f/b^{(3/2)}*\ln(b^{(1/2)}*x^2+(b*x^4+a)^{(1/2)})-1/2*e/b*x/((x^4+a/b)*b)^{(1/2)}+1/2*e/b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)-1/2*d/b/(b*x^4+a)^{(1/2)}+1/2*c/a*x^3/((x^4+a/b)*b)^{(1/2)}-1/2*I*c/a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}/b^{(1/2)}*\text{EllipticF}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)+1/2*I*c/a^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}/b^{(1/2)}*\text{EllipticE}((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x^2}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x^2/(b*x^4 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (fx^3 + ex^2 + dx + c)}{(bx^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2),x)

[Out] int((x^2*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

sympy [A] time = 21.07, size = 156, normalized size = 0.47

$$d \left(\begin{cases} -\frac{1}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^4}{4a^2} & \text{otherwise} \end{cases} \right) + f \left(\frac{\operatorname{asinh}\left(\frac{\sqrt{b}x^2}{\sqrt{a}}\right)}{2b^{\frac{3}{2}}} - \frac{x^2}{2\sqrt{a}b\sqrt{1+\frac{bx^4}{a}}} \right) + \frac{cx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{7}{4}\right)} + \frac{ex^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2),x)

[Out] d*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True)) + f*(asinh(sqrt(b)*x**2/sqrt(a))/(2*b**(3/2)) - x**2/(2*sqrt(a)*b*sqrt(1 + b*x**4/a))) + c*x**3*gamma(3/4)*hyper((3/4, 3/2), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(7/4)) + e*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4))

$$3.545 \quad \int \frac{x(c+dx+ex^2+fx^3)}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=303

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{4a^{3/4}b^{5/4}\sqrt{a+bx^4}} + \frac{d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*x*(-b*e*x^3-b*d*x^2-b*c*x+a*f)/a/b/(b*x^4+a)^{(1/2)}-1/2*e*(b*x^4+a)^{(1/2)}/a/b-1/2*d*x*(b*x^4+a)^{(1/2)}/a/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+1/2*d*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}-1/4*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-f*a^{(1/2)}+d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(3/4)}/b^{(5/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 303, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {1828, 1885, 261, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{4a^{3/4}b^{5/4}\sqrt{a+bx^4}} + \frac{d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x]

[Out] $-(x*(a*f - b*c*x - b*d*x^2 - b*e*x^3))/(2*a*b*\text{Sqrt}[a + b*x^4]) - (e*\text{Sqrt}[a + b*x^4])/(2*a*b) - (d*x*\text{Sqrt}[a + b*x^4])/(2*a*\text{Sqrt}[b]*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) + (d*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)]^2)*\text{EllipticE}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2]/(2*a^{(3/4)}*b^{(3/4)}*\text{Sqrt}[a + b*x^4]) - ((\text{Sqrt}[b]*d - \text{Sqrt}[a]*f)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)]^2)*\text{EllipticF}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2]/(4*a^{(3/4)}*b^{(5/4)}*\text{Sqrt}[a + b*x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2] * EllipticF[2*ArcTan[q*x]

, 1/2]]/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1828

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{q = m + Expon[Pq, x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x]}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*ExpandToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && IGtQ[m, 0]

Rule 1885

Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1}]*((a + b*x^n)^p), {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
\int \frac{x(c + dx + ex^2 + fx^3)}{(a + bx^4)^{3/2}} dx &= -\frac{x(af - bcx - bdx^2 - bex^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \frac{-af + bdx^2 + 2bex^3}{\sqrt{a + bx^4}} dx}{2ab} \\
&= -\frac{x(af - bcx - bdx^2 - bex^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \left(\frac{2bex^3}{\sqrt{a + bx^4}} + \frac{-af + bdx^2}{\sqrt{a + bx^4}} \right) dx}{2ab} \\
&= -\frac{x(af - bcx - bdx^2 - bex^3)}{2ab\sqrt{a + bx^4}} - \frac{\int \frac{-af + bdx^2}{\sqrt{a + bx^4}} dx}{2ab} - \frac{e \int \frac{x^3}{\sqrt{a + bx^4}} dx}{a} \\
&= -\frac{x(af - bcx - bdx^2 - bex^3)}{2ab\sqrt{a + bx^4}} - \frac{e\sqrt{a + bx^4}}{2ab} + \frac{d \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{2\sqrt{a}\sqrt{b}} - \frac{\left(\frac{\sqrt{b}d}{\sqrt{a}} - f\right) \int \frac{1}{\sqrt{a + bx^4}} dx}{2b} \\
&= -\frac{x(af - bcx - bdx^2 - bex^3)}{2ab\sqrt{a + bx^4}} - \frac{e\sqrt{a + bx^4}}{2ab} - \frac{dx\sqrt{a + bx^4}}{2a\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} + \frac{d(\sqrt{a} + \sqrt{b}x^2)}{2b}
\end{aligned}$$

Mathematica [C] time = 0.08, size = 116, normalized size = 0.38

$$\frac{2bdx^3 \sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a}\right) + 3afx \sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) - 3ae - 3afx + 3bcx^2}{6ab\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x]

[Out] (-3*a*e - 3*a*f*x + 3*b*c*x^2 + 3*a*f*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] + 2*b*d*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -((b*x^4)/a)])/(6*a*b*Sqrt[a + b*x^4])

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^4 + ex^3 + dx^2 + cx)}{b^2x^8 + 2abx^4 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^4 + e*x^3 + d*x^2 + c*x)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx^3 + ex^2 + dx + c)x}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*x/(b*x^4 + a)^(3/2), x)

maple [C] time = 0.17, size = 250, normalized size = 0.83

$$\frac{cx^2}{2\sqrt{bx^4 + a}a} + \left(\frac{x^3}{2\sqrt{\left(x^4 + \frac{a}{b}\right)ba}} - \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \left(-\text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right) + \text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right) \right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a} \sqrt{a} \sqrt{b}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x)

[Out] f*(-1/2/b*x/((x^4+a/b)*b)^(1/2)+1/2/b/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I))-1/2*e/b/(b*x^4+a)^(1/2)+d*(1/2/a*x^3/((x^4+a/b)*b)^(1/2)-1/2*I/a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*(EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)))+1/2*c/(b*x^4+a)^(1/2)/a*x^2

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{cx^2}{2\sqrt{bx^4 + a}a} + \int \frac{fx^4 + ex^3 + dx^2}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] 1/2*c*x^2/(sqrt(b*x^4 + a)*a) + integrate((f*x^4 + e*x^3 + d*x^2)/(b*x^4 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x (f x^3 + e x^2 + d x + c)}{(b x^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

[Out] int((x*(c + d*x + e*x^2 + f*x^3))/(a + b*x^4)^(3/2), x)

sympy [A] time = 19.34, size = 133, normalized size = 0.44

$$e \left(\begin{array}{ll} -\frac{1}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^4}{4a^2} & \text{otherwise} \end{array} \right) + \frac{cx^2}{2a^{\frac{3}{2}}\sqrt{1+\frac{bx^4}{a}}} + \frac{dx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{7}{4}\right)} + \frac{fx^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2), x)

[Out] e*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True)) + c*x**2/(2*a**(3/2)*sqrt(1 + b*x**4/a)) + d*x**3*gamma(3/4)*hyper((3/4, 3/2), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(7/4)) + f*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(9/4))

$$3.546 \quad \int \frac{c+dx+ex^2+fx^3}{(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=275

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\right)}{4a^{5/4}b^{3/4}\sqrt{a+bx^4}} + \frac{e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

[Out] $\frac{1}{2}*(-a*f+b*x*(e*x^2+d*x+c))/a/b/(b*x^4+a)^{(1/2)}-1/2*e*x*(b*x^4+a)^{(1/2)}/a/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+1/2*e*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/4*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2)*2^{(1/2)}*(-e*a^{(1/2)}+c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(5/4)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1854, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}c - \sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\right)}{4a^{5/4}b^{3/4}\sqrt{a+bx^4}} + \frac{e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)\right)}{2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(3/2), x]

[Out] $-(e*x*\text{Sqrt}[a + b*x^4])/(2*a*\text{Sqrt}[b]*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)) - (a*f - b*x*(c + d*x + e*x^2))/(2*a*b*\text{Sqrt}[a + b*x^4]) + (e*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(3/4)}*b^{(3/4)}*\text{Sqrt}[a + b*x^4]) + ((\text{Sqrt}[b]*c - \text{Sqrt}[a]*e)*(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)*\text{Sqrt}[(a + b*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[b]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(4*a^{(5/4)}*b^{(3/4)}*\text{Sqrt}[a + b*x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1854

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
  x], i}, Simp[((a*Coeff[Pq, x, q] - b*x*ExpandToSum[Pq - Coeff[Pq, x, q]*x^
  q, x])*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] + Dist[1/(a*n*(p + 1)), Int
  [Sum[(n*(p + 1) + i + 1)*Coeff[Pq, x, i]*x^i, {i, 0, q - 1}]]*(a + b*x^n)^(p
  + 1), x], x] /; q == n - 1] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n,
  0] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx + ex^2 + fx^3}{(a + bx^4)^{3/2}} dx &= -\frac{af - bx(c + dx + ex^2)}{2ab\sqrt{a + bx^4}} - \frac{\int \frac{-c+ex^2}{\sqrt{a+bx^4}} dx}{2a} \\ &= -\frac{af - bx(c + dx + ex^2)}{2ab\sqrt{a + bx^4}} + \frac{e \int \frac{1-\frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a+bx^4}} dx}{2\sqrt{a}\sqrt{b}} + \frac{\left(c - \frac{\sqrt{a}e}{\sqrt{b}}\right) \int \frac{1}{\sqrt{a+bx^4}} dx}{2a} \\ &= -\frac{ex\sqrt{a + bx^4}}{2a\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{af - bx(c + dx + ex^2)}{2ab\sqrt{a + bx^4}} + \frac{e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}} E\left(\frac{a+bx^4}{(\sqrt{a} + \sqrt{b}x^2)^2}\right)}{2a^{3/4}b^{3/4}\sqrt{a + bx^4}} \end{aligned}$$

Mathematica [C] time = 0.06, size = 116, normalized size = 0.42

$$\frac{3bcx\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 2bex^3\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a}\right) - 3af + 3bcx + 3bdx^2}{6ab\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(3/2), x]

[Out] (-3*a*f + 3*b*c*x + 3*b*d*x^2 + 3*b*c*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)] + 2*b*e*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -((b*x^4)/a)])/(6*a*b*Sqrt[a + b*x^4])

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{bx^4 + a} (fx^3 + ex^2 + dx + c)}{b^2x^8 + 2abx^4 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^8 + 2*a*b*x^4 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(b*x^4 + a)^(3/2), x)

maple [C] time = 0.17, size = 250, normalized size = 0.91

$$\frac{dx^2}{2\sqrt{bx^4 + a}a} + \left(\frac{x}{2\sqrt{(x^4 + \frac{a}{b})ba}} + \frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}a} \right) c + \left(\frac{x^3}{2\sqrt{(x^4 + \frac{a}{b})ba}} - \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2), x)

[Out] -1/2*f/b/(b*x^4+a)^(1/2)+e*(1/2/((x^4+a/b)*b)^(1/2)/a*x^3-1/2*I/a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*(EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x

,I)-EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I))+1/2*d/(b*x^4+a)^(1/2)/a*x^2+c*(1/2/a*x/((x^4+a/b)*b)^(1/2)+1/2/a/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/(b*x^4 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(3/2),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(a + b*x^4)^(3/2), x)

sympy [A] time = 18.32, size = 131, normalized size = 0.48

$$f \begin{cases} -\frac{1}{2b\sqrt{a+bx^4}} & \text{for } b \neq 0 \\ \frac{x^4}{4a^{\frac{3}{2}}} & \text{otherwise} \end{cases} + \frac{cx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{5}{4}\right)} + \frac{dx^2}{2a^{\frac{3}{2}}\sqrt{1 + \frac{bx^4}{a}}} + \frac{ex^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{2} \middle| \frac{bx^4 e^{i\pi}}{a}\right)}{4a^{\frac{3}{2}}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/(b*x**4+a)**(3/2),x)

[Out] f*Piecewise((-1/(2*b*sqrt(a + b*x**4)), Ne(b, 0)), (x**4/(4*a**(3/2)), True)) + c*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(5/4)) + d*x**2/(2*a**(3/2)*sqrt(1 + b*x**4/a)) + e*x**3*gamma(3/4)*hyper((3/4, 3/2), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(7/4))

$$3.547 \quad \int \frac{c+dx+ex^2+fx^3}{x(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=323

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\right)}{4a^{5/4}b^{3/4}\sqrt{a+bx^4} + 2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*c*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}+1/2*x*(-b*c*x^3+a*f*x^2+a*e*x+a*d)/a^2/(b*x^4+a)^{(1/2)}+1/2*c*(b*x^4+a)^{(1/2)}/a^2-1/2*f*x*(b*x^4+a)^{(1/2)}/a/b^{(1/2)}/(a^{(1/2)}+x^2*b^{(1/2)})+1/2*f*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}+1/4*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-f*a^{(1/2)}+d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(5/4)}/b^{(3/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1829, 1832, 266, 63, 208, 1885, 261, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{b}d - \sqrt{a}f) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) f(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right)\right)}{4a^{5/4}b^{3/4}\sqrt{a+bx^4} + 2a^{3/4}b^{3/4}\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(3/2)), x]

[Out] $(x*(a*d + a*e*x + a*f*x^2 - b*c*x^3))/(2*a^2*\operatorname{Sqrt}[a + b*x^4]) + (c*\operatorname{Sqrt}[a + b*x^4])/(2*a^2) - (f*x*\operatorname{Sqrt}[a + b*x^4])/(2*a*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (c*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(2*a^{(3/2)}) + (f*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(3/4)}*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4]) + ((\operatorname{Sqrt}[b]*d - \operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(4*a^{(5/4)}*b^{(3/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +

$(d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 208

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2)]/(2*q*\text{Sqrt}[a + b*x^4]), x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 261

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(a + b*x^n)^{(p+1)}/(b*n*(p+1)), x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{EqQ}[m, n - 1] \ \&\& \ \text{NeQ}[p, -1]$

Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n) - 1})*(a + b*x)^p, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m+1)/n]]$

Rule 1196

$\text{Int}[(d_) + (e_)*(x_)^2)/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2)]/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_) + (e_)*(x_)^2)/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1829

```

Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q =
Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^
m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[
x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i
+ 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(
a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ
[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

Rule 1832

```

Int[(Pq_)/((x_)*Sqrt[(a_) + (b_.)*(x_)^(n_)]), x_Symbol] := Dist[Coeff[Pq,
x, 0], Int[1/(x*Sqrt[a + b*x^n]), x], x] + Int[ExpandToSum[(Pq - Coeff[Pq,
x, 0])/x, x]/Sqrt[a + b*x^n], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGt
Q[n, 0] && NeQ[Coeff[Pq, x, 0], 0]

```

Rule 1885

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*a + b*x^n)^p, {j, 0, n/2 - 1}, x]] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x(a + bx^4)^{3/2}} dx &= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-2bc - bdx + bfx^3 - \frac{2b^2cx^4}{a}}{x\sqrt{a+bx^4}} dx}{2ab} \\
&= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-bd + bfx^2 - \frac{2b^2cx^3}{a}}{\sqrt{a+bx^4}} dx}{2ab} + \frac{c \int \frac{1}{x\sqrt{a+bx^4}} dx}{a} \\
&= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \left(-\frac{2b^2cx^3}{a\sqrt{a+bx^4}} + \frac{-bd + bfx^2}{\sqrt{a+bx^4}} \right) dx}{2ab} + \frac{c \operatorname{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \sqrt{a+bx^4} \right)}{4a} \\
&= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-bd + bfx^2}{\sqrt{a+bx^4}} dx}{2ab} + \frac{c \operatorname{Subst} \left(\int \frac{1}{\frac{-a}{-b} + \frac{x^2}{b}} dx, x, \sqrt{a + bx^4} \right)}{2ab} + \frac{c \operatorname{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \sqrt{a+bx^4} \right)}{4a} \\
&= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} + \frac{c\sqrt{a + bx^4}}{2a^2} - \frac{c \tanh^{-1} \left(\frac{\sqrt{a+bx^4}}{\sqrt{a}} \right)}{2a^{3/2}} + \frac{f \int \frac{1 - \frac{\sqrt{bx^2}}{\sqrt{a}}}{\sqrt{a+bx^4}} dx}{2\sqrt{a}\sqrt{b}} + \frac{c \operatorname{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \sqrt{a+bx^4} \right)}{4a} \\
&= \frac{x(ad + aex + afx^2 - bcx^3)}{2a^2\sqrt{a + bx^4}} + \frac{c\sqrt{a + bx^4}}{2a^2} - \frac{fx\sqrt{a + bx^4}}{2a\sqrt{b}(\sqrt{a} + \sqrt{b}x^2)} - \frac{c \tanh^{-1} \left(\frac{\sqrt{a+bx^4}}{\sqrt{a}} \right)}{2a^{3/2}} + \frac{c \operatorname{Subst} \left(\int \frac{1}{x\sqrt{a+bx}} dx, x, \sqrt{a+bx^4} \right)}{4a}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 125, normalized size = 0.39

$$\frac{3c {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^4}{a} + 1\right) + x\left(3d\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + 2fx^2\sqrt{\frac{bx^4}{a} + 1} {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{bx^4}{a}\right) + 3d + 3ex\right)}{6a\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(3/2)),x]

[Out] (3*c*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*x^4)/a] + x*(3*d + 3*e*x + 3*d*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a] + 2*f*x^2*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[3/4, 3/2, 7/4, -(b*x^4)/a]))/(6*a*Sqrt[a + b*x^4])

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{b^2x^9 + 2abx^5 + a^2x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^9 + 2*a*b*x^5 + a^2*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x), x)

maple [C] time = 0.16, size = 336, normalized size = 1.04

$$\frac{\frac{fx^3}{2\sqrt{(x^4 + \frac{a}{b})b}} + \frac{ex^2}{2\sqrt{bx^4 + a}} + \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} f \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}\sqrt{a}\sqrt{b}} - \frac{i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(3/2),x)

[Out] 1/2*f/a*x^3/((x^4+a/b)*b)^(1/2)-1/2*I*f/a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*I*f/a^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)/b^(1/2)*EllipticE((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*e/(b*x^4+a)^(1/2)/a*x^2+1/2*d/a*x/((x^4+a/b)*b)^(1/2)+1/2*d/a/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)+1/2*c/a/(b*x^4+a)^(1/2)-1/2*c/a^(3/2)*ln((2*a+2*(b*x^4+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{f x^3 + e x^2 + d x + c}{x (b x^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(3/2)),x)

[Out] int((c + d*x + e*x^2 + f*x^3)/(x*(a + b*x^4)^(3/2)), x)

sympy [C] time = 23.82, size = 289, normalized size = 0.89

$$c \left(\frac{2a^3 \sqrt{1 + \frac{bx^4}{a}}}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}}bx^4} + \frac{a^3 \log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}}bx^4} - \frac{2a^3 \log\left(\sqrt{1 + \frac{bx^4}{a}} + 1\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}}bx^4} + \frac{a^2 bx^4 \log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}}bx^4} - \frac{2a^2 bx^4 \log\left(\sqrt{1 + \frac{bx^4}{a}} + 1\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}}bx^4} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x/(b*x**4+a)**(3/2),x)

[Out] c*(2*a**3*sqrt(1 + b*x**4/a)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) + a**3*log(b*x**4/a)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) - 2*a**3*log(sqrt(1 + b*x**4/a) + 1)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) + a**2*b*x**4*log(b*x**4/a)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) - 2*a**2*b*x**4*log(sqrt(1 + b*x**4/a) + 1)/(4*a**(9/2) + 4*a**(7/2)*b*x**4)) + d*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(5/4)) + e*x**2/(2*a**(3/2)*sqrt(1 + b*x**4/a)) + f*x**3*gamma(3/4)*hyper((3/4, 3/2), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(7/4))

$$3.548 \quad \int \frac{c+dx+ex^2+fx^3}{x^2(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=344

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}e + 3\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right) - 3\sqrt[4]{b}c(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{4a^{7/4}\sqrt[4]{b}\sqrt{a+bx^4} - 2a^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*d*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}+1/2*x*(-b*d*x^3-b*c*x^2+a*f*x+a*e)/a^2/(b*x^4+a)^{(1/2)}+1/2*d*(b*x^4+a)^{(1/2)}/a^2-c*(b*x^4+a)^{(1/2)}/a^2/x+3/2*c*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/a^2/(a^{(1/2)}+x^2*b^{(1/2)})-3/2*b^{(1/4)}*c*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)})))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}+1/4*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)})))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(e*a^{(1/2)}+3*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(7/4)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.38, antiderivative size = 344, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1829, 1833, 1835, 1584, 1198, 220, 1196, 21, 266, 50, 63, 208}

$$\frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a+bx^4}} + \frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}e + 3\sqrt{b}c) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{4a^{7/4}\sqrt[4]{b}\sqrt{a+bx^4}} - \frac{c\sqrt{a+bx^4}}{a^2x} + \frac{3\sqrt{b}}{2a^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(x^2*(a + b*x^4)^(3/2)), x]

[Out] $(x*(a*e + a*f*x - b*c*x^2 - b*d*x^3))/(2*a^2*\operatorname{Sqrt}[a + b*x^4]) + (d*\operatorname{Sqrt}[a + b*x^4])/(2*a^2) - (c*\operatorname{Sqrt}[a + b*x^4])/(a^2*x) + (3*\operatorname{Sqrt}[b]*c*x*\operatorname{Sqrt}[a + b*x^4])/(2*a^2*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (d*\operatorname{ArcTan}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(2*a^{(3/2)}) - (3*b^{(1/4)}*c*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) + ((3*\operatorname{Sqrt}[b]*c + \operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(4*a^{(7/4)}*b^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplifierQ[c + d*x,
  a + b*x])
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Simp[
  ((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
  (b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
  c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[
  m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
  + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := With[
  {p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
  (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[
  b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
  ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
  Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
  (1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x],
  1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
  Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
  m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
```

x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1584

Int[(u_.)*(x_)^(m_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x^(m + n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, m, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1829

Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq, x]}, Module[{Q = PolynomialQuotient[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], R = PolynomialRemainder[a*b^(Floor[(q - 1)/n] + 1)*x^m*Pq, a + b*x^n, x], i}, Dist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[x^m*(a + b*x^n)^(p + 1)*ExpandToSum[(n*(p + 1)*Q)/x^m + Sum[((n*(p + 1) + i + 1)*Coeff[R, x, i]*x^(i - m))/a, {i, 0, n - 1}], x], x] - Simp[(x*R*(a + b*x^n)^(p + 1))/(a^2*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rule 1833

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rule 1835

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x^n)^p, x], x] /; NeQ[Pq0, 0]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^2(a + bx^4)^{3/2}} dx &= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-2bc - 2bdx - bex^2 - \frac{b^2cx^4}{a} - \frac{2b^2dx^5}{a}}{x^2\sqrt{a+bx^4}} dx}{2ab} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \left(\frac{-2bc - bex^2 - \frac{b^2cx^4}{a}}{x^2\sqrt{a+bx^4}} + \frac{-2bd - \frac{2b^2dx^4}{a}}{x\sqrt{a+bx^4}} \right) dx}{2ab} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-2bc - bex^2 - \frac{b^2cx^4}{a}}{x^2\sqrt{a+bx^4}} dx}{2ab} - \frac{\int \frac{-2bd - \frac{2b^2dx^4}{a}}{x\sqrt{a+bx^4}} dx}{2ab} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{a^2x} + \frac{\int \frac{2abex + 6b^2cx^3}{x\sqrt{a+bx^4}} dx}{4a^2b} + \frac{d \int \frac{\sqrt{a+bx^4}}{x} dx}{a^2} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{a^2x} + \frac{\int \frac{2abe + 6b^2cx^2}{\sqrt{a+bx^4}} dx}{4a^2b} + \frac{d \text{Subst} \left(\int \frac{\sqrt{a+bx}}{x} dx \right)}{4a^2} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} + \frac{d\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{a^2x} - \frac{(3\sqrt{b}c) \int \frac{1 - \frac{\sqrt{b}x^2}{\sqrt{a}}}{\sqrt{a+bx^4}} dx}{2a^{3/2}} + \frac{d}{2a^2} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} + \frac{d\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{a^2x} + \frac{3\sqrt{b}cx\sqrt{a + bx^4}}{2a^2(\sqrt{a} + \sqrt{b}x^2)} - \frac{3\sqrt{b}c}{2a^2} \\
&= \frac{x(ae + afx - bcx^2 - bdx^3)}{2a^2\sqrt{a + bx^4}} + \frac{d\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{a^2x} + \frac{3\sqrt{b}cx\sqrt{a + bx^4}}{2a^2(\sqrt{a} + \sqrt{b}x^2)} - \frac{d}{2a^2}
\end{aligned}$$

Mathematica [C] time = 0.13, size = 123, normalized size = 0.36

$$\frac{-2c\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(-\frac{1}{4}, \frac{3}{2}; \frac{3}{4}; -\frac{bx^4}{a}\right) + dx {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^4}{a} + 1\right) + x^2\left(e\sqrt{\frac{bx^4}{a}} + 1 {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) + e + fx\right)}{2ax\sqrt{a + bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^2*(a + b*x^4)^(3/2)), x]

[Out] (d*x*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*x^4)/a] - 2*c*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/4, 3/2, 3/4, -((b*x^4)/a)] + x^2*(e + f*x + e*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((b*x^4)/a)])/(2*a*x*Sqrt[a + b*x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4 + a}(fx^3 + ex^2 + dx + c)}{b^2x^{10} + 2abx^6 + a^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^10 + 2*a*b*x^6 + a^2*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x^2), x)

maple [C] time = 0.19, size = 355, normalized size = 1.03

$$-\frac{bcx^3}{2\sqrt{(x^4 + \frac{a}{b})b}a^2} + \frac{fx^2}{2\sqrt{bx^4 + a}a} + \frac{ex}{2\sqrt{(x^4 + \frac{a}{b})b}a} + \frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1} e \text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right) 3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}} + 1}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}} \sqrt{bx^4 + a}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(3/2),x)

[Out] 1/2*f/(b*x^4+a)^(1/2)/a*x^2+1/2*e/a*x/((x^4+a/b)*b)^(1/2)+1/2*e/a/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-1/2*c*b/a^2*x^3/((x^4+a/b)*b)^(1/2)-c*(b*x^4+a)^(1/2)/a^2/x+3/2*I*c/a^(3/2)*b^(1/2)/(I/a^(1/2)*b^(1/2))^(1/2)*(-I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*b^(1/2)*x^2+1)^(1/2)/(b*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*b^(1/2))^(1/2)*x,I)-3/2*

$I \cdot c/a^{3/2} \cdot b^{1/2} / (I/a^{1/2} \cdot b^{1/2})^{1/2} \cdot (-I/a^{1/2} \cdot b^{1/2} \cdot x^{2+1})^{1/2} \cdot (I/a^{1/2} \cdot b^{1/2} \cdot x^{2+1})^{1/2} / (b \cdot x^4 + a)^{1/2} \cdot \text{EllipticE}((I/a^{1/2} \cdot b^{1/2})^{1/2} \cdot x, I) + 1/2 \cdot d/a / (b \cdot x^4 + a)^{1/2} - 1/2 \cdot d/a^{3/2} \cdot \ln((2 \cdot a + 2 \cdot (b \cdot x^4 + a)^{1/2}) \cdot a^{1/2}) / x^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{f x^3 + e x^2 + d x + c}{(b x^4 + a)^{3/2} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^2/(b*x^4+a)^(3/2),x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x^2), x)

mupad [B] time = 5.94, size = 133, normalized size = 0.39

$$\frac{d}{2a\sqrt{bx^4+a}} - \frac{d \operatorname{atanh}\left(\frac{\sqrt{bx^4+a}}{\sqrt{a}}\right)}{2a^{3/2}} + \frac{f x^2}{2a\sqrt{bx^4+a}} - \frac{c\left(\frac{a}{bx^4}+1\right)^{3/2} {}_2F_1\left(\frac{3}{2}, \frac{7}{4}; \frac{11}{4}; -\frac{a}{bx^4}\right)}{7x(bx^4+a)^{3/2}} + \frac{ex\left(\frac{bx^4}{a}+1\right)^{3/2} {}_2F_1\left(\frac{1}{4}, \frac{3}{2}\right)}{(bx^4+a)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x + e*x^2 + f*x^3)/(x^2*(a + b*x^4)^(3/2)),x)

[Out] $d/(2*a*(a + b*x^4)^{1/2}) - (d*\operatorname{atanh}((a + b*x^4)^{1/2}/a^{1/2}))/ (2*a^{3/2}) + (f*x^2)/(2*a*(a + b*x^4)^{1/2}) - (c*(a/(b*x^4) + 1)^{3/2}*\operatorname{hypergeom}([3/2, 7/4], 11/4, -a/(b*x^4)))/(7*x*(a + b*x^4)^{3/2}) + (e*x*((b*x^4)/a + 1)^{3/2}*\operatorname{hypergeom}([1/4, 3/2], 5/4, -(b*x^4)/a))/(a + b*x^4)^{3/2}$

sympy [C] time = 28.56, size = 291, normalized size = 0.85

$$d \left(\frac{2a^3 \sqrt{1 + \frac{bx^4}{a}}}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}} bx^4} + \frac{a^3 \log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}} bx^4} - \frac{2a^3 \log\left(\sqrt{1 + \frac{bx^4}{a}} + 1\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}} bx^4} + \frac{a^2 bx^4 \log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}} bx^4} - \frac{2a^2 bx^4 \log\left(\sqrt{1 + \frac{bx^4}{a}} + 1\right)}{4a^{\frac{9}{2}} + 4a^{\frac{7}{2}} bx^4} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x**2/(b*x**4+a)**(3/2),x)

[Out] $d*(2*a**3*\sqrt{1 + b*x**4/a})/(4*a**(9/2) + 4*a**(7/2)*b*x**4) + a**3*\log(b*x**4/a)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) - 2*a**3*\log(\sqrt{1 + b*x**4/a}) +$

$$\begin{aligned}
& 1)/(4*a**(9/2) + 4*a**(7/2)*b*x**4) + a**2*b*x**4*log(b*x**4/a)/(4*a**(9/2) \\
& + 4*a**(7/2)*b*x**4) - 2*a**2*b*x**4*log(sqrt(1 + b*x**4/a) + 1)/(4*a**(9/ \\
& 2) + 4*a**(7/2)*b*x**4)) + c*gamma(-1/4)*hyper((-1/4, 3/2), (3/4,), b*x**4* \\
& exp_polar(I*pi)/a)/(4*a**(3/2)*x*gamma(3/4)) + e*x*gamma(1/4)*hyper((1/4, 3 \\
& /2), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(5/4)) + f*x**2/(2* \\
& a**(3/2)*sqrt(1 + b*x**4/a))
\end{aligned}$$

$$3.549 \quad \int \frac{c+dx+ex^2+fx^3}{x^3(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=367

$$\frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}f + 3\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) - 3\sqrt[4]{b}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4a^{7/4}\sqrt[4]{b}\sqrt{a+bx^4} - 2a^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*e*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}+1/2*x*(-b*e*x^3-b*d*x^2-b*c*x+a*f)/a^2/(b*x^4+a)^{(1/2)}+1/2*e*(b*x^4+a)^{(1/2)}/a^2-1/2*c*(b*x^4+a)^{(1/2)}/a^2/x^2-d*(b*x^4+a)^{(1/2)}/a^2/x+3/2*d*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/a^2/(a^{(1/2)}+x^2*b^{(1/2)})-3/2*b^{(1/4)}*d*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}+1/4*(\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(f*a^{(1/2)}+3*d*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)}))^2)^{(1/2)}/a^{(7/4)}/b^{(1/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.48, antiderivative size = 367, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 12, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1829, 1833, 1835, 1584, 1198, 220, 1196, 21, 266, 50, 63, 208}

$$\frac{x(af - bcx - bdx^2 - bex^3)}{2a^2\sqrt{a+bx^4}} - \frac{c\sqrt{a+bx^4}}{2a^2x^2} + \frac{(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (\sqrt{a}f + 3\sqrt{b}d) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) - 3\sqrt[4]{b}d(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4a^{7/4}\sqrt[4]{b}\sqrt{a+bx^4}} - dx$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x + e*x^2 + f*x^3)/(x^3*(a + b*x^4)^{(3/2)}), x]$

[Out] $(x*(a*f - b*c*x - b*d*x^2 - b*e*x^3))/(2*a^2*\operatorname{Sqrt}[a + b*x^4]) + (e*\operatorname{Sqrt}[a + b*x^4])/(2*a^2) - (c*\operatorname{Sqrt}[a + b*x^4])/(2*a^2*x^2) - (d*\operatorname{Sqrt}[a + b*x^4])/(a^2*x) + (3*\operatorname{Sqrt}[b]*d*x*\operatorname{Sqrt}[a + b*x^4])/(2*a^2*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (e*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(2*a^{(3/2)}) - (3*b^{(1/4)}*d*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[b^{(1/4)}*x/a^{(1/4)}], 1/2])/(2*a^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) + ((3*\operatorname{Sqrt}[b]*d + \operatorname{Sqrt}[a]*f)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[b^{(1/4)}*x/a^{(1/4)}], 1/2])/(4*a^{(7/4)}*b^{(1/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
  ((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
  (b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
  c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
  [m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
  + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
  {p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
  (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
  [b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
  ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
  Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[
  ((1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2])*EllipticF[2*ArcTan[q*x],
  1/2])/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
  Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
  m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
```

$1 + q^2 x^2) \sqrt{(a + c x^4)/(a(1 + q^2 x^2)^2)} \text{EllipticE}[2 \text{ArcTan}[q x], 1/2]/(q \sqrt{a + c x^4}), x] /; \text{EqQ}[e + d q^2, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d) + (e)(x)^2/\sqrt{(a) + (c)(x)^4}, x_Symbol] \text{:> With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d q)/q, \text{Int}[1/\sqrt{a + c x^4}, x], x] - \text{Dist}[e/q, \text{Int}[(1 - q x^2)/\sqrt{a + c x^4}, x], x] /; \text{NeQ}[e + d q, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1584

$\text{Int}[(u)(x)^m((a)(x)^p + (b)(x)^q)^n, x_Symbol] \text{:> Int}[u x^{m+n p}(a + b x^{q-p})^n, x] /; \text{FreeQ}[\{a, b, m, p, q\}, x] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ \text{PosQ}[q - p]$

Rule 1829

$\text{Int}[(Pq)(x)^m((a) + (b)(x)^n)^p, x_Symbol] \text{:> With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a b^{\text{Floor}[(q-1)/n] + 1} x^{m Pq}, a + b x^n, x], R = \text{PolynomialRemainder}[a b^{\text{Floor}[(q-1)/n] + 1} x^m Pq, a + b x^n, x], i\}, \text{Dist}[1/(a n (p+1) b^{\text{Floor}[(q-1)/n] + 1}), \text{Int}[x^m (a + b x^n)^{p+1} \text{ExpandToSum}[(n(p+1)Q)/x^m + \text{Sum}[(n(p+1) + i + 1) \text{Coeff}[R, x, i] x^{i-m}]/a, \{i, 0, n-1\}], x], x] - \text{Simp}[(x R (a + b x^n)^{p+1})/(a^2 n (p+1) b^{\text{Floor}[(q-1)/n] + 1}), x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

Rule 1833

$\text{Int}[(Pq)((c)(x))^m((a) + (b)(x)^n)^p, x_Symbol] \text{:> Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[(c x)^{m+j} \text{Sum}[\text{Coeff}[Pq, x, j + (k n)/2] x^{(k n)/2}, \{k, 0, (2(q-j))/n + 1\}] (a + b x^n)^p]/c^j, \{j, 0, n/2 - 1\}], x] /; \text{FreeQ}[\{a, b, c, m, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{!PolyQ}[Pq, x^{(n/2)}]$

Rule 1835

$\text{Int}[(Pq)((c)(x))^m((a) + (b)(x)^n)^p, x_Symbol] \text{:> With}[\{Pq0 = \text{Coeff}[Pq, x, 0]\}, \text{Simp}[(Pq0 (c x)^{m+1} (a + b x^n)^{p+1})/(a c (m+1)), x] + \text{Dist}[1/(2 a c (m+1)), \text{Int}[(c x)^{m+1} \text{ExpandToSum}[(2 a (m+1) (Pq - Pq0))/x - 2 b Pq0 (m + n (p+1) + 1) x^{n-1}], x] (a + b x^n)^p, x], x] /; \text{NeQ}[Pq0, 0] /; \text{FreeQ}[\{a, b, c, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{LeQ}[n - 1, \text{Expon}[Pq, x]]$

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^3 (a + bx^4)^{3/2}} dx &= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{\int \frac{-2bc - 2bdx - 2bex^2 - bfx^3 - \frac{b^2 dx^5}{a} - \frac{2b^2 ex^6}{a}}{x^3 \sqrt{a + bx^4}} dx}{2ab} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{\int \left(\frac{-2bd - bfx^2 - \frac{b^2 dx^4}{a}}{x^2 \sqrt{a + bx^4}} + \frac{-2bc - 2bex^2 - \frac{2b^2 ex^6}{a}}{x^3 \sqrt{a + bx^4}} \right) dx}{2ab} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{\int \frac{-2bd - bfx^2 - \frac{b^2 dx^4}{a}}{x^2 \sqrt{a + bx^4}} dx}{2ab} - \frac{\int \frac{-2bc - 2bex^2 - \frac{2b^2 ex^6}{a}}{x^3 \sqrt{a + bx^4}} dx}{2ab} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{\int \frac{8abex + 8b^2 ex^5}{x^2 \sqrt{a + bx^4}} dx}{8a^2 b} + \frac{\int \frac{2abfx}{x\sqrt{a + bx^4}} dx}{4a^2} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{\int \frac{8abe + 8b^2 ex^4}{x\sqrt{a + bx^4}} dx}{8a^2 b} + \frac{\int \frac{2abf + 6b^2 ex^3}{\sqrt{a + bx^4}} dx}{4a^2} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} - \frac{(3\sqrt{b} d) \int \frac{1 - \frac{\sqrt{b} x^2}{\sqrt{a}}}{\sqrt{a + bx^4}} dx}{2a^{3/2}} + \frac{e \int \frac{2abf + 6b^2 ex^3}{\sqrt{a + bx^4}} dx}{4a^2} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{3\sqrt{b} dx \sqrt{a + bx^4}}{2a^2 (\sqrt{a} + \sqrt{b} x^2)} - \frac{3^4 \sqrt{b} a}{4a^2} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} + \frac{e\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{3\sqrt{b} dx \sqrt{a + bx^4}}{2a^2 (\sqrt{a} + \sqrt{b} x^2)} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} + \frac{e\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{3\sqrt{b} dx \sqrt{a + bx^4}}{2a^2 (\sqrt{a} + \sqrt{b} x^2)} \\
&= \frac{x (af - bcx - bdx^2 - bex^3)}{2a^2 \sqrt{a + bx^4}} + \frac{e\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{2a^2 x^2} - \frac{d\sqrt{a + bx^4}}{a^2 x} + \frac{3\sqrt{b} dx \sqrt{a + bx^4}}{2a^2 (\sqrt{a} + \sqrt{b} x^2)}
\end{aligned}$$

Mathematica [C] time = 0.13, size = 140, normalized size = 0.38

$$\frac{-2adx\sqrt{\frac{bx^4}{a}+1} {}_2F_1\left(-\frac{1}{4}, \frac{3}{2}; \frac{3}{4}; -\frac{bx^4}{a}\right) + aex^2 {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^4}{a}+1\right) + afx^3\sqrt{\frac{bx^4}{a}+1} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{bx^4}{a}\right) - ac + af}{2a^2x^2\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^3*(a + b*x^4)^(3/2)), x]

[Out] $(-(a*c) + a*f*x^3 - 2*b*c*x^4 + a*e*x^2*Hypergeometric2F1[-1/2, 1, 1/2, 1 + (b*x^4)/a] - 2*a*d*x*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[-1/4, 3/2, 3/4, -(b*x^4)/a] + a*f*x^3*Sqrt[1 + (b*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -(b*x^4)/a])/(2*a^2*x^2*Sqrt[a + b*x^4])$

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4+a}(fx^3+ex^2+dx+c)}{b^2x^{11}+2abx^7+a^2x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^11 + 2*a*b*x^7 + a^2*x^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(3/2), x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x^3), x)

maple [C] time = 0.19, size = 363, normalized size = 0.99

$$\frac{bdx^3}{2\sqrt{(x^4 + \frac{a}{b})b}a^2} + \frac{fx}{2\sqrt{(x^4 + \frac{a}{b})b}a} + \frac{\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}f\text{EllipticF}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a} - \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(3/2),x)`

[Out] $\frac{1}{2}f/a*x/((x^4+a/b)*b)^{(1/2)}+1/2*f/a/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/2*c/x^2*(2*b*x^4+a)/(b*x^4+a)^{(1/2)}/a^2-1/2*d*b/a^2*x^3/((x^4+a/b)*b)^{(1/2)}-d*(b*x^4+a)^{(1/2)}/a^2/x+3/2*I*d/a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-3/2*I*d/a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)+1/2*e/a/(b*x^4+a)^{(1/2)}-1/2*e/a^{(3/2)}*ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)/x^3/(b*x^4+a)^(3/2),x, algorithm="maxima")`

[Out] `integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x^3), x)`

mupad [B] time = 6.08, size = 147, normalized size = 0.40

$$\frac{e}{2a\sqrt{bx^4+a}} - \frac{e \operatorname{atanh}\left(\frac{\sqrt{bx^4+a}}{\sqrt{a}}\right)}{2a^{3/2}} - \frac{2c(bx^4+a) - ac}{2a^2x^2\sqrt{bx^4+a}} - \frac{d\left(\frac{a}{bx^4}+1\right)^{3/2}}{7x(bx^4+a)^{3/2}} {}_2F_1\left(\frac{3}{2}, \frac{7}{4}; \frac{11}{4}; -\frac{a}{bx^4}\right) + \frac{fx\left(\frac{bx^4}{a}+1\right)^{3/2}}{(bx^4+a)} {}_2F_1\left(\frac{3}{2}, \frac{7}{4}; \frac{11}{4}; -\frac{a}{bx^4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3)/(x^3*(a + b*x^4)^(3/2)),x)`

[Out] $\frac{e/(2*a*(a + b*x^4)^{(1/2)}) - (e*\operatorname{atanh}((a + b*x^4)^{(1/2)}/a^{(1/2)}))}{(2*a^{(3/2)})} - \frac{(2*c*(a + b*x^4) - a*c)}{(2*a^2*x^2*(a + b*x^4)^{(1/2)})} - \frac{(d*(a/(b*x^4) + 1)^{(3/2)}*\operatorname{hypergeom}([3/2, 7/4], 11/4, -a/(b*x^4)))}{(7*x*(a + b*x^4)^{(3/2)})} + \frac{(f*x*((b*x^4)/a + 1)^{(3/2)}*\operatorname{hypergeom}([1/4, 3/2], 5/4, -(b*x^4)/a))}{(a + b*x^4)^{(3/2)}}$

sympy [C] time = 25.30, size = 316, normalized size = 0.86

$$c \left(-\frac{1}{2a\sqrt{b}x^4\sqrt{\frac{a}{bx^4}+1}} - \frac{\sqrt{b}}{a^2\sqrt{\frac{a}{bx^4}+1}} \right) + e \left(\frac{2a^3\sqrt{1+\frac{bx^4}{a}}}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} + \frac{a^3\log\left(\frac{bx^4}{a}\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} - \frac{2a^3\log\left(\sqrt{1+\frac{bx^4}{a}}+1\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} + \frac{a^2bx^4\log\left(\sqrt{1+\frac{bx^4}{a}}+1\right)}{4a^{\frac{9}{2}}+4a^{\frac{7}{2}}bx^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x**3+e*x**2+d*x+c)/x**3/(b*x**4+a)**(3/2),x)

[Out] c*(-1/(2*a*sqrt(b)*x**4*sqrt(a/(b*x**4)+1))-sqrt(b)/(a**2*sqrt(a/(b*x**4)+1))) + e*(2*a**3*sqrt(1+b*x**4/a)/(4*a**(9/2)+4*a**(7/2)*b*x**4)+a**3*log(b*x**4/a)/(4*a**(9/2)+4*a**(7/2)*b*x**4)-2*a**3*log(sqrt(1+b*x**4/a)+1)/(4*a**(9/2)+4*a**(7/2)*b*x**4)+a**2*b*x**4*log(b*x**4/a)/(4*a**(9/2)+4*a**(7/2)*b*x**4)-2*a**2*b*x**4*log(sqrt(1+b*x**4/a)+1)/(4*a**(9/2)+4*a**(7/2)*b*x**4))+d*gamma(-1/4)*hyper((-1/4,3/2),(3/4,),b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*x*gamma(3/4))+f*x*gamma(1/4)*hyper((1/4,3/2),(5/4,),b*x**4*exp_polar(I*pi)/a)/(4*a**(3/2)*gamma(5/4))

$$3.550 \quad \int \frac{c+dx+ex^2+fx^3}{x^4(a+bx^4)^{3/2}} dx$$

Optimal. Leaf size=387

$$\frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}c - 9\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{12a^{9/4}\sqrt{a+bx^4}} - \frac{3\sqrt[4]{b}e(\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2a^{7/4}\sqrt{a+bx^4}}$$

[Out] $-1/2*f*\operatorname{arctanh}((b*x^4+a)^{(1/2)}/a^{(1/2)})/a^{(3/2)}-1/2*x*(b*f*x^3+b*e*x^2+b*d*x+b*c)/a^2/(b*x^4+a)^{(1/2)}+1/2*f*(b*x^4+a)^{(1/2)}/a^2-1/3*c*(b*x^4+a)^{(1/2)}/a^2/x^3-1/2*d*(b*x^4+a)^{(1/2)}/a^2/x^2-e*(b*x^4+a)^{(1/2)}/a^2/x+3/2*e*x*b^{(1/2)}*(b*x^4+a)^{(1/2)}/a^2/(a^{(1/2)}+x^2*b^{(1/2)})-3/2*b^{(1/4)}*e*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticE}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(7/4)}/(b*x^4+a)^{(1/2)}-1/12*b^{(1/4)}*(\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(b^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(-9*e*a^{(1/2)}+5*c*b^{(1/2)})*(a^{(1/2)}+x^2*b^{(1/2)})*((b*x^4+a)/(a^{(1/2)}+x^2*b^{(1/2)})^2)^{(1/2)}/a^{(9/4)}/(b*x^4+a)^{(1/2)}$

Rubi [A] time = 0.61, antiderivative size = 387, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 13, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.433$, Rules used = {1829, 1833, 1835, 1585, 1584, 1198, 220, 1196, 21, 266, 50, 63, 208}

$$\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a+bx^4}} - \frac{\sqrt[4]{b} (\sqrt{a} + \sqrt{b}x^2) \sqrt{\frac{a+bx^4}{(\sqrt{a}+\sqrt{b}x^2)^2}} (5\sqrt{b}c - 9\sqrt{a}e) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{12a^{9/4}\sqrt{a+bx^4}} - \frac{c\sqrt{a+bx^4}}{3a^2x^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)/(x^4*(a + b*x^4)^(3/2)), x]

[Out] $-(x*(b*c + b*d*x + b*e*x^2 + b*f*x^3))/(2*a^2*\operatorname{Sqrt}[a + b*x^4]) + (f*\operatorname{Sqrt}[a + b*x^4])/(2*a^2) - (c*\operatorname{Sqrt}[a + b*x^4])/(3*a^2*x^3) - (d*\operatorname{Sqrt}[a + b*x^4])/(2*a^2*x^2) - (e*\operatorname{Sqrt}[a + b*x^4])/(a^2*x) + (3*\operatorname{Sqrt}[b]*e*x*\operatorname{Sqrt}[a + b*x^4])/(2*a^2*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)) - (f*\operatorname{ArcTanh}[\operatorname{Sqrt}[a + b*x^4]/\operatorname{Sqrt}[a]])/(2*a^{(3/2)}) - (3*b^{(1/4)}*e*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(7/4)}*\operatorname{Sqrt}[a + b*x^4]) - (b^{(1/4)}*(5*\operatorname{Sqrt}[b]*c - 9*\operatorname{Sqrt}[a]*e)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)*\operatorname{Sqrt}[(a + b*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[b]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}], 1/2])/(12*a^{(9/4)}*\operatorname{Sqrt}[a + b*x^4])$

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplifierQ[c + d*x,
  a + b*x])
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :=> Simp[
  ((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
  (b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
  c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
  [m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
  + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :=> With[
  {p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
  (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
  [b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
  ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
  Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :=> With[{q = Rt[b/a, 4]}, Simp[(
  (1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2])*EllipticF[2*ArcTan[q*x]
  , 1/2]]/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :=> Dist[1/n, Subst[
  Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
  , m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :=> With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
```

$1 + q^2 x^2) \sqrt{(a + c x^4)/(a(1 + q^2 x^2)^2)} \text{EllipticE}[2 \text{ArcTan}[q x], 1/2] / (q \sqrt{a + c x^4}), x] /; \text{EqQ}[e + d q^2, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d) + (e) x^2 / \sqrt{(a) + (c) x^4}, x_Symbol] :> \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d q)/q, \text{Int}[1/\sqrt{a + c x^4}, x], x] - \text{Dist}[e/q, \text{Int}[(1 - q x^2)/\sqrt{a + c x^4}, x], x] /; \text{NeQ}[e + d q, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1584

$\text{Int}[(u) x^m ((a) x^p + (b) x^q)^n, x_Symbol] :> \text{Int}[u x^{m+n p} (a + b x^{q-p})^n, x] /; \text{FreeQ}[\{a, b, m, p, q\}, x] \&\& \text{IntegerQ}[n] \&\& \text{PosQ}[q - p]$

Rule 1585

$\text{Int}[(u) x^m ((a) x^p + (b) x^q + (c) x^r)^n, x_Symbol] :> \text{Int}[u x^{m+n p} (a + b x^{q-p} + c x^{r-p})^n, x] /; \text{FreeQ}[\{a, b, c, m, p, q, r\}, x] \&\& \text{IntegerQ}[n] \&\& \text{PosQ}[q - p] \&\& \text{PosQ}[r - p]$

Rule 1829

$\text{Int}[(Pq) x^m ((a) + (b) x^n)^p, x_Symbol] :> \text{With}[\{q = \text{Expon}[Pq, x]\}, \text{Module}[\{Q = \text{PolynomialQuotient}[a b^{(\text{Floor}[(q-1)/n] + 1) x^m * Pq, a + b x^n, x], R = \text{PolynomialRemainder}[a b^{(\text{Floor}[(q-1)/n] + 1) x^m * Pq, a + b x^n, x], i\}, \text{Dist}[1/(a^n (p+1) b^{(\text{Floor}[(q-1)/n] + 1)}), \text{Int}[x^m (a + b x^n)^{p+1} \text{ExpandToSum}[(n(p+1)Q)/x^m + \text{Sum}[(n(p+1) + i + 1) \text{Coeff}[R, x, i] x^{i-m}]/a, \{i, 0, n-1\}], x], x] - \text{Simp}[(x R (a + b x^n)^{p+1})/(a^2 n (p+1) b^{(\text{Floor}[(q-1)/n] + 1)}), x]]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& \text{ILtQ}[m, 0]$

Rule 1833

$\text{Int}[(Pq) ((c) x)^m ((a) + (b) x^n)^p, x_Symbol] :> \text{Module}[\{q = \text{Expon}[Pq, x], j, k\}, \text{Int}[\text{Sum}[(c x)^{m+j} \text{Sum}[\text{Coeff}[Pq, x, j + (k n)/2] x^{(k n)/2}, \{k, 0, (2(q-j))/n + 1\}] (a + b x^n)^p] / c^j, \{j, 0, n/2 - 1\}], x] /; \text{FreeQ}[\{a, b, c, m, p\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[n/2, 0] \&\& !\text{PolyQ}[Pq, x^{(n/2)}]$

Rule 1835

```

Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Wit
h[{Pq0 = Coeff[Pq, x, 0]}, Simp[(Pq0*(c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*
c*(m + 1)), x] + Dist[1/(2*a*c*(m + 1)), Int[(c*x)^(m + 1)*ExpandToSum[(2*a
*(m + 1)*(Pq - Pq0))/x - 2*b*Pq0*(m + n*(p + 1) + 1)*x^(n - 1), x]*(a + b*x
^n)^p, x], x] /; NeQ[Pq0, 0]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] &&
IGtQ[n, 0] && LtQ[m, -1] && LeQ[n - 1, Expon[Pq, x]]

```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx + ex^2 + fx^3}{x^4 (a + bx^4)^{3/2}} dx &= -\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-2bc - 2bdx - 2bex^2 - 2bfx^3 + \frac{b^2cx^4}{a} - \frac{b^2ex^6}{a} - \frac{2b^2fx^7}{a}}{x^4\sqrt{a + bx^4}} dx}{2ab} \\
&= -\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \left(\frac{-2bc - 2bex^2 + \frac{b^2cx^4}{a} - \frac{b^2ex^6}{a}}{x^4\sqrt{a + bx^4}} + \frac{-2bd - 2bfx^2 - \frac{2b^2fx^6}{a}}{x^3\sqrt{a + bx^4}} \right) dx}{2ab} \\
&= -\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{\int \frac{-2bc - 2bex^2 + \frac{b^2cx^4}{a} - \frac{b^2ex^6}{a}}{x^4\sqrt{a + bx^4}} dx}{2ab} - \frac{\int \frac{-2bd - 2bfx^2 - \frac{2b^2fx^6}{a}}{x^3\sqrt{a + bx^4}} dx}{2ab} \\
&= -\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} + \frac{\int \frac{12abex - 10b^2cx^3 + 6b^2ex^5}{x^3\sqrt{a + bx^4}} dx}{12a^2b} \\
&= -\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} + \frac{\int \frac{12abe - 10b^2cx^2 + 6b^2ex^4}{x^2\sqrt{a + bx^4}} dx}{12a^2b} \\
&= -\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} - \frac{e\sqrt{a + bx^4}}{a^2x} - \frac{\int \frac{20ab^2cx - 36}{x\sqrt{a + bx^4}} dx}{24a^3} \\
&= -\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} - \frac{e\sqrt{a + bx^4}}{a^2x} - \frac{\int \frac{20ab^2c - 36a}{\sqrt{a + bx^4}} dx}{24a^3} \\
&= -\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} + \frac{f\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} - \frac{e\sqrt{a + bx^4}}{a^2x} \\
&= -\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} + \frac{f\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} - \frac{e\sqrt{a + bx^4}}{a^2x} \\
&= -\frac{x(bc + bdx + bex^2 + bfx^3)}{2a^2\sqrt{a + bx^4}} + \frac{f\sqrt{a + bx^4}}{2a^2} - \frac{c\sqrt{a + bx^4}}{3a^2x^3} - \frac{d\sqrt{a + bx^4}}{2a^2x^2} - \frac{e\sqrt{a + bx^4}}{a^2x}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 136, normalized size = 0.35

$$\frac{-2ac\sqrt{\frac{bx^4}{a}+1} {}_2F_1\left(-\frac{3}{4}, \frac{3}{2}; \frac{1}{4}; -\frac{bx^4}{a}\right) - 3x\left(2aex\sqrt{\frac{bx^4}{a}+1} {}_2F_1\left(-\frac{1}{4}, \frac{3}{2}; \frac{3}{4}; -\frac{bx^4}{a}\right) - afx^2 {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{bx^4}{a}+1\right) + ad + \dots\right)}{6a^2x^3\sqrt{a+bx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)/(x^4*(a + b*x^4)^(3/2)),x]

[Out] $(-2*a*c*\text{Sqrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[-3/4, 3/2, 1/4, -((b*x^4)/a)] - 3*x*(a*d + 2*b*d*x^4 - a*f*x^2*\text{Hypergeometric2F1}[-1/2, 1, 1/2, 1 + (b*x^4)/a] + 2*a*e*x*\text{Sqrt}[1 + (b*x^4)/a]*\text{Hypergeometric2F1}[-1/4, 3/2, 3/4, -((b*x^4)/a)]))/(6*a^2*x^3*\text{Sqrt}[a + b*x^4])$

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{bx^4+a}(fx^3+ex^2+dx+c)}{b^2x^{12}+2abx^8+a^2x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b*x^4 + a)*(f*x^3 + e*x^2 + d*x + c)/(b^2*x^12 + 2*a*b*x^8 + a^2*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(3/2),x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x^4), x)

maple [C] time = 0.19, size = 383, normalized size = 0.99

$$\frac{be x^3}{2\sqrt{\left(x^4 + \frac{a}{b}\right) b a^2}} - \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b} e \text{EllipticE}\left(\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}x, i\right)}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}a^{\frac{3}{2}}} + \frac{3i\sqrt{-\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{\frac{i\sqrt{b}x^2}{\sqrt{a}}+1}\sqrt{b}}{2\sqrt{\frac{i\sqrt{b}}{\sqrt{a}}}\sqrt{bx^4+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(3/2),x)`

[Out]
$$-1/3*c*(b*x^4+a)^{(1/2)}/a^2/x^3-1/2*c*b/a^2*x/((x^4+a/b)*b)^{(1/2)}-5/6*c/a^2*b/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-1/2*d/x^2*(2*b*x^4+a)/(b*x^4+a)^{(1/2)}/a^2-1/2*e*b/a^2*x^3/((x^4+a/b)*b)^{(1/2)}-e*(b*x^4+a)^{(1/2)}/a^2/x+3/2*I*e/a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticF((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)-3/2*I*e/a^{(3/2)}*b^{(1/2)}/(I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*b^{(1/2)}*x^2+1)^{(1/2)}/(b*x^4+a)^{(1/2)}*EllipticE((I/a^{(1/2)}*b^{(1/2)})^{(1/2)}*x,I)+1/2*f/a/(b*x^4+a)^{(1/2)}-1/2*f/a^{(3/2)}*ln((2*a+2*(b*x^4+a)^{(1/2)}*a^{(1/2)})/x^2)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{(bx^4 + a)^{\frac{3}{2}}x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^3+e*x^2+d*x+c)/x^4/(b*x^4+a)^(3/2),x, algorithm="maxima")`

[Out] `integrate((f*x^3 + e*x^2 + d*x + c)/((b*x^4 + a)^(3/2)*x^4), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{fx^3 + ex^2 + dx + c}{x^4(bx^4 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x + e*x^2 + f*x^3)/(x^4*(a + b*x^4)^(3/2)),x)`

[Out] `int((c + d*x + e*x^2 + f*x^3)/(x^4*(a + b*x^4)^(3/2)), x)`

sympy [C] time = 33.73, size = 321, normalized size = 0.83

$$d \left(-\frac{1}{2a\sqrt{b}x^4\sqrt{\frac{a}{bx^4}+1}} - \frac{\sqrt{b}}{a^2\sqrt{\frac{a}{bx^4}+1}} \right) + f \left(\frac{2a^3\sqrt{1+\frac{bx^4}{a}}}{4a^2+4a^2bx^4} + \frac{a^3\log\left(\frac{bx^4}{a}\right)}{4a^2+4a^2bx^4} - \frac{2a^3\log\left(\sqrt{1+\frac{bx^4}{a}}+1\right)}{4a^2+4a^2bx^4} + \frac{a^2bx^4\log\left(\sqrt{1+\frac{bx^4}{a}}+1\right)}{4a^2+4a^2bx^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**3+e*x**2+d*x+c)/x**4/(b*x**4+a)**(3/2),x)`

[Out] $d \cdot \left(-\frac{1}{2a\sqrt{b}} x^4 \sqrt{\frac{a}{bx^4} + 1} - \frac{\sqrt{b}}{a^2 \sqrt{\frac{a}{bx^4} + 1}} \right) + f \cdot \left(\frac{2a^3 \sqrt{1 + \frac{bx^4}{a}}}{4a^{9/2} + 4a^{7/2}bx^4} + a^3 \log\left(\frac{bx^4}{a}\right) / (4a^{9/2} + 4a^{7/2}bx^4) - 2a^3 \log\left(\sqrt{1 + \frac{bx^4}{a}}\right) / (4a^{9/2} + 4a^{7/2}bx^4) + a^2 bx^4 \log\left(\frac{bx^4}{a}\right) / (4a^{9/2} + 4a^{7/2}bx^4) - 2a^2 bx^4 \log\left(\sqrt{1 + \frac{bx^4}{a}}\right) / (4a^{9/2} + 4a^{7/2}bx^4) \right) + c \cdot \left(\gamma(-3/4) \operatorname{hyper}\left(-3/4, 3/2, (1/4, \right), \frac{bx^4 \exp(\pi i/a)}{4a^{3/2} x^3 \gamma(1/4)} + e \cdot \gamma(-1/4) \operatorname{hyper}\left(-1/4, 3/2, (3/4, \right), \frac{bx^4 \exp(\pi i/a)}{4a^{3/2} x \gamma(3/4)} \right)$

$$3.551 \quad \int (gx)^m (c + dx + ex^2 + fx^3) (a + bx^4)^p dx$$

Optimal. Leaf size=269

$$\frac{c(gx)^{m+1} (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+1}{4}, -p; \frac{m+5}{4}; -\frac{bx^4}{a}\right)}{g(m+1)} + \frac{d(gx)^{m+2} (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+2}{4}, -p; \frac{m+6}{4}; -\frac{bx^4}{a}\right)}{g^2(m+2)}$$

[Out] c*(g*x)^(1+m)*(b*x^4+a)^p*hypergeom([-p, 1/4+1/4*m], [5/4+1/4*m], -b*x^4/a)/g/(1+m)/((1+b*x^4/a)^p)+d*(g*x)^(2+m)*(b*x^4+a)^p*hypergeom([-p, 1/2+1/4*m], [3/2+1/4*m], -b*x^4/a)/g^2/(2+m)/((1+b*x^4/a)^p)+e*(g*x)^(3+m)*(b*x^4+a)^p*hypergeom([-p, 3/4+1/4*m], [7/4+1/4*m], -b*x^4/a)/g^3/(3+m)/((1+b*x^4/a)^p)+f*(g*x)^(4+m)*(b*x^4+a)^p*hypergeom([-p, 1+1/4*m], [2+1/4*m], -b*x^4/a)/g^4/(4+m)/((1+b*x^4/a)^p)

Rubi [A] time = 0.26, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {1833, 1336, 365, 364}

$$\frac{c(gx)^{m+1} (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+1}{4}, -p; \frac{m+5}{4}; -\frac{bx^4}{a}\right)}{g(m+1)} + \frac{d(gx)^{m+2} (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+2}{4}, -p; \frac{m+6}{4}; -\frac{bx^4}{a}\right)}{g^2(m+2)}$$

Antiderivative was successfully verified.

[In] Int[(g*x)^m*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p,x]

[Out] (c*(g*x)^(1 + m)*(a + b*x^4)^p*Hypergeometric2F1[(1 + m)/4, -p, (5 + m)/4, -(b*x^4)/a])/((g*(1 + m)*(1 + (b*x^4)/a)^p) + (d*(g*x)^(2 + m)*(a + b*x^4)^p*Hypergeometric2F1[(2 + m)/4, -p, (6 + m)/4, -(b*x^4)/a])/((g^2*(2 + m)*(1 + (b*x^4)/a)^p) + (e*(g*x)^(3 + m)*(a + b*x^4)^p*Hypergeometric2F1[(3 + m)/4, -p, (7 + m)/4, -(b*x^4)/a])/((g^3*(3 + m)*(1 + (b*x^4)/a)^p) + (f*(g*x)^(4 + m)*(a + b*x^4)^p*Hypergeometric2F1[(4 + m)/4, -p, (8 + m)/4, -(b*x^4)/a])/((g^4*(4 + m)*(1 + (b*x^4)/a)^p)

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^p*IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a]]/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

$m*(1 + (b*x^n)/a)^p, x], x] /;$ FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]
&& !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1336

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e, f, m, p, q}, x] && (IGtQ[p, 0] || IGtQ[q, 0] | IntegersQ[m, q])

Rule 1833

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Module[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p]/c^j, {j, 0, n/2 - 1}], x] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]

Rubi steps

$$\begin{aligned}
 \int (gx)^m (c + dx + ex^2 + fx^3) (a + bx^4)^p dx &= \int \left((gx)^m (c + ex^2) (a + bx^4)^p + \frac{(gx)^{1+m} (d + fx^2) (a + bx^4)^p}{g} \right) dx \\
 &= \frac{\int (gx)^{1+m} (d + fx^2) (a + bx^4)^p dx}{g} + \int (gx)^m (c + ex^2) (a + bx^4)^p dx \\
 &= \frac{\int \left(d(gx)^{1+m} (a + bx^4)^p + \frac{f(gx)^{3+m} (a + bx^4)^p}{g^2} \right) dx}{g} + \int \left(c(gx)^m (a + bx^4)^p + \frac{e(gx)^{2+m} (a + bx^4)^p}{g^2} \right) dx \\
 &= c \int (gx)^m (a + bx^4)^p dx + \frac{f \int (gx)^{3+m} (a + bx^4)^p dx}{g^3} + \frac{e \int (gx)^{2+m} (a + bx^4)^p dx}{g^2} \\
 &= \left(c (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int (gx)^m \left(1 + \frac{bx^4}{a} \right)^p dx + \frac{\left(f (a + bx^4)^p \right) \int (gx)^{3+m} \left(1 + \frac{bx^4}{a} \right)^p dx}{g^3} + \frac{\left(e (a + bx^4)^p \right) \int (gx)^{2+m} \left(1 + \frac{bx^4}{a} \right)^p dx}{g^2} \\
 &= \frac{c (gx)^{1+m} (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1 \left(\frac{1+m}{4}, -p; \frac{5+m}{4}; -\frac{bx^4}{a} \right)}{g(1+m)} + \frac{d (gx)^{2+m} (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1 \left(\frac{1+m}{4}, -p; \frac{5+m}{4}; -\frac{bx^4}{a} \right)}{g^2(1+m)} + \frac{e (gx)^{3+m} (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1 \left(\frac{1+m}{4}, -p; \frac{5+m}{4}; -\frac{bx^4}{a} \right)}{g^3(1+m)}
 \end{aligned}$$

Mathematica [A] time = 0.24, size = 174, normalized size = 0.65

$$x(gx)^m (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} \left(\frac{{}_2F_1\left(\frac{m+1}{4}, -p; \frac{m+5}{4}; -\frac{bx^4}{a}\right)}{m+1} + x \left(\frac{{}_2F_1\left(\frac{m+2}{4}, -p; \frac{m+6}{4}; -\frac{bx^4}{a}\right)}{m+2} + x \left(\frac{{}_2F_1\left(\frac{m+3}{4}, -p; \frac{m+7}{4}; -\frac{bx^4}{a}\right)}{m+3} + \dots \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(g*x)^m*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p,x]

[Out] (x*(g*x)^m*(a + b*x^4)^p*((c*Hypergeometric2F1[(1 + m)/4, -p, (5 + m)/4, -(b*x^4)/a]))/(1 + m) + x*((d*Hypergeometric2F1[(2 + m)/4, -p, (6 + m)/4, -(b*x^4)/a]))/(2 + m) + x*((e*Hypergeometric2F1[(3 + m)/4, -p, (7 + m)/4, -(b*x^4)/a]))/(3 + m) + (f*x*Hypergeometric2F1[(4 + m)/4, -p, (8 + m)/4, -(b*x^4)/a]))/(4 + m)))/(1 + (b*x^4)/a)^p

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(fx^3 + ex^2 + dx + c\right)\left(bx^4 + a\right)^p \left(gx\right)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x)^m*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="fricas")

[Out] integral((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p*(g*x)^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx^3 + ex^2 + dx + c)(bx^4 + a)^p (gx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x)^m*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p*(g*x)^m, x)

maple [F] time = 0.47, size = 0, normalized size = 0.00

$$\int (fx^3 + ex^2 + dx + c)(gx)^m (bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x)^m*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)

[Out] int((g*x)^m*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx^3 + ex^2 + dx + c)(bx^4 + a)^p (gx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x)^m*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p*(g*x)^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (gx)^m (bx^4 + a)^p (fx^3 + ex^2 + dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x)^m*(a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3),x)

[Out] int((g*x)^m*(a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x)**m*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**p,x)

[Out] Timed out

$$3.552 \quad \int (c + dx + ex^2 + fx^3) (a + bx^4)^p dx$$

Optimal. Leaf size=143

$$\frac{cx(a+bx^4)^{p+1} {}_2F_1\left(1, p + \frac{5}{4}; \frac{5}{4}; -\frac{bx^4}{a}\right)}{a} + \frac{dx^2(a+bx^4)^{p+1} {}_2F_1\left(1, p + \frac{3}{2}; \frac{3}{2}; -\frac{bx^4}{a}\right)}{2a} + \frac{ex^3(a+bx^4)^{p+1} {}_2F_1\left(1, p + \frac{7}{4}; \frac{7}{4}; -\frac{bx^4}{a}\right)}{3a}$$

[Out] $\frac{1}{4} f (b x^4 + a)^{(1+p)} / b / (1+p) + c x (b x^4 + a)^{(1+p)} \operatorname{hypergeom}\left(\left[1, \frac{5}{4} + p\right], \left[\frac{5}{4}\right], -b x^4 / a\right) / a + \frac{1}{2} d x^2 (b x^4 + a)^{(1+p)} \operatorname{hypergeom}\left(\left[1, \frac{3}{2} + p\right], \left[\frac{3}{2}\right], -b x^4 / a\right) / a + \frac{1}{3} e x^3 (b x^4 + a)^{(1+p)} \operatorname{hypergeom}\left(\left[1, \frac{7}{4} + p\right], \left[\frac{7}{4}\right], -b x^4 / a\right) / a$

Rubi [A] time = 0.13, antiderivative size = 170, normalized size of antiderivative = 1.19, number of steps used = 12, number of rules used = 8, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$, Rules used = {1885, 1204, 246, 245, 365, 364, 1248, 641}

$$cx(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right) + \frac{1}{2} dx^2 (a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2}, -p; \frac{3}{2}; -\frac{bx^4}{a}\right) + \frac{1}{3} ex^3 (a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -\frac{bx^4}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p, x]

[Out] $(f(a + b x^4)^{(1+p)}) / (4 b (1+p)) + (c x (a + b x^4)^p \operatorname{Hypergeometric2F1}\left[\frac{1}{4}, -p, \frac{5}{4}, -((b x^4)/a)\right]) / (1 + (b x^4)/a)^p + (d x^2 (a + b x^4)^p \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, -p, \frac{3}{2}, -((b x^4)/a)\right]) / (2(1 + (b x^4)/a)^p) + (e x^3 (a + b x^4)^p \operatorname{Hypergeometric2F1}\left[\frac{3}{4}, -p, \frac{7}{4}, -((b x^4)/a)\right]) / (3(1 + (b x^4)/a)^p)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 246

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p]) / (1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

Rule 364

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a
)]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

Rule 365

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^
IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^
m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]
&& !(ILtQ[p, 0] || GtQ[a, 0])
```

Rule 641

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

Rule 1204

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Int[Expa
ndIntegrand[(d + e*x^2)*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] &&
NeQ[c*d^2 + a*e^2, 0]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rule 1885

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Module[{q = Expon[Pq,
x], j, k}, Int[Sum[x^j*Sum[Coeff[Pq, x, j + (k*n)/2]*x^((k*n)/2), {k, 0, (
2*(q - j))/n + 1}]*((a + b*x^n)^p, {j, 0, n/2 - 1}], x]] /; FreeQ[{a, b, p},
x] && PolyQ[Pq, x] && IGtQ[n/2, 0] && !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int (c + dx + ex^2 + fx^3)(a + bx^4)^p dx &= \int \left((c + ex^2)(a + bx^4)^p + x(d + fx^2)(a + bx^4)^p \right) dx \\
&= \int (c + ex^2)(a + bx^4)^p dx + \int x(d + fx^2)(a + bx^4)^p dx \\
&= \frac{1}{2} \text{Subst} \left(\int (d + fx)(a + bx^2)^p dx, x, x^2 \right) + \int (c(a + bx^4)^p + ex^2(a + bx^4)^p) dx \\
&= \frac{f(a + bx^4)^{1+p}}{4b(1+p)} + c \int (a + bx^4)^p dx + \frac{1}{2} d \text{Subst} \left(\int (a + bx^2)^p dx, x, x^2 \right) \\
&= \frac{f(a + bx^4)^{1+p}}{4b(1+p)} + \left(c(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int \left(1 + \frac{bx^4}{a} \right)^p dx + \frac{1}{2} \left(d(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int \left(1 + \frac{bx^4}{a} \right)^p dx \\
&= \frac{f(a + bx^4)^{1+p}}{4b(1+p)} + cx(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1 \left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a} \right) + \frac{1}{2} dx^2 \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1 \left(\frac{1}{2}, -p; \frac{3}{2}; -\frac{bx^4}{a} \right) + 4ex^3 \left(\frac{bx^4}{a} + 1 \right)^{-p} {}_2F_1 \left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a} \right)
\end{aligned}$$

Mathematica [A] time = 0.12, size = 147, normalized size = 1.03

$$\frac{1}{12} (a + bx^4)^p \left(12cx \left(\frac{bx^4}{a} + 1 \right)^{-p} {}_2F_1 \left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a} \right) + 6dx^2 \left(\frac{bx^4}{a} + 1 \right)^{-p} {}_2F_1 \left(\frac{1}{2}, -p; \frac{3}{2}; -\frac{bx^4}{a} \right) + 4ex^3 \left(\frac{bx^4}{a} + 1 \right)^{-p} {}_2F_1 \left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p,x]

[Out] ((a + b*x^4)^p*((3*f*(a + b*x^4))/(b*(1 + p)) + (12*c*x*Hypergeometric2F1[1/4, -p, 5/4, -(b*x^4)/a])/(1 + (b*x^4)/a)^p + (6*d*x^2*Hypergeometric2F1[1/2, -p, 3/2, -(b*x^4)/a])/(1 + (b*x^4)/a)^p + (4*e*x^3*Hypergeometric2F1[3/4, -p, 7/4, -(b*x^4)/a])/(1 + (b*x^4)/a)^p))/12

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral} \left((fx^3 + ex^2 + dx + c)(bx^4 + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="fricas")

[Out] integral((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx^3 + ex^2 + dx + c)(bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p, x)

maple [F] time = 0.47, size = 0, normalized size = 0.00

$$\int (f x^3 + e x^2 + d x + c) (b x^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)

[Out] int((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (f x^3 + e x^2 + d x + c) (b x^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="maxima")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (b x^4 + a)^p (f x^3 + e x^2 + d x + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3),x)

[Out] int((a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 49.57, size = 141, normalized size = 0.99

$$\frac{a^p c x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, -p \middle| \frac{b x^4 e^{i\pi}}{a}\right)}{4 \Gamma\left(\frac{5}{4}\right)} + \frac{a^p d x^2 {}_2F_1\left(\frac{1}{2}, -p \middle| \frac{b x^4 e^{i\pi}}{a}\right)}{2} + \frac{a^p e x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, -p \middle| \frac{b x^4 e^{i\pi}}{a}\right)}{4 \Gamma\left(\frac{7}{4}\right)} + f \begin{cases} \frac{a^p x^4}{4} \\ \frac{(a + b x^4)^{p+1}}{p+1} & \text{for } p \\ \log(a + b x^4) & \text{other} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**3+e*x**2+d*x+c)*(b*x**4+a)**p,x)
```

```
[Out] a**p*c*x*gamma(1/4)*hyper((1/4, -p), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + a**p*d*x**2*hyper((1/2, -p), (3/2,), b*x**4*exp_polar(I*pi)/a)/2 + a**p*e*x**3*gamma(3/4)*hyper((3/4, -p), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + f*Piecewise((a**p*x**4/4, Eq(b, 0)), (Piecewise(((a + b*x**4)**(p + 1)/(p + 1), Ne(p, -1)), (log(a + b*x**4), True)))/(4*b), True)
```

$$3.553 \quad \int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^p dx$$

Optimal. Leaf size=175

$$\frac{c(a + bx^4)^{p+1}}{4b(p+1)} + \frac{1}{5} dx^5 (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{5}{4}, -p; \frac{9}{4}; -\frac{bx^4}{a}\right) + \frac{1}{6} ex^6 (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{3}{2}, -p; \frac{5}{2}; -\frac{bx^4}{a}\right) + \frac{1}{7} fx^7 (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{7}{4}, -p; \frac{11}{4}; -\frac{bx^4}{a}\right)$$

[Out] 1/4*c*(b*x^4+a)^(1+p)/b/(1+p)+1/5*d*x^5*(b*x^4+a)^p*hypergeom([5/4, -p], [9/4], -b*x^4/a)/((1+b*x^4/a)^p)+1/6*e*x^6*(b*x^4+a)^p*hypergeom([3/2, -p], [5/2], -b*x^4/a)/((1+b*x^4/a)^p)+1/7*f*x^7*(b*x^4+a)^p*hypergeom([7/4, -p], [11/4], -b*x^4/a)/((1+b*x^4/a)^p)

Rubi [A] time = 0.18, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1833, 1252, 764, 261, 365, 364, 1336}

$$\frac{c(a + bx^4)^{p+1}}{4b(p+1)} + \frac{1}{5} dx^5 (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{5}{4}, -p; \frac{9}{4}; -\frac{bx^4}{a}\right) + \frac{1}{6} ex^6 (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{3}{2}, -p; \frac{5}{2}; -\frac{bx^4}{a}\right) + \frac{1}{7} fx^7 (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{7}{4}, -p; \frac{11}{4}; -\frac{bx^4}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p,x]

[Out] (c*(a + b*x^4)^(1 + p))/(4*b*(1 + p)) + (d*x^5*(a + b*x^4)^p*Hypergeometric2F1[5/4, -p, 9/4, -((b*x^4)/a)])/(5*(1 + (b*x^4)/a)^p) + (e*x^6*(a + b*x^4)^p*Hypergeometric2F1[3/2, -p, 5/2, -((b*x^4)/a)])/(6*(1 + (b*x^4)/a)^p) + (f*x^7*(a + b*x^4)^p*Hypergeometric2F1[7/4, -p, 11/4, -((b*x^4)/a)])/(7*(1 + (b*x^4)/a)^p)

Rule 261

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 364

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^
IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^
m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]
&& !(ILtQ[p, 0] || GtQ[a, 0])
```

Rule 764

```
Int[(x_)^(m_.)*((f_) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :
> Dist[f, Int[x^m*(a + c*x^2)^p, x], x] + Dist[g, Int[x^(m + 1)*(a + c*x^2)
^p, x], x] /; FreeQ[{a, c, f, g, p}, x] && IntegerQ[m] && !IntegerQ[2*p]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1336

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p
_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + c*x^4)^p,
x], x] /; FreeQ[{a, c, d, e, f, m, p, q}, x] && (IGtQ[p, 0] || IGtQ[q, 0] |
| IntegerQ[m, q])
```

Rule 1833

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Mo
dule[{q = Expon[Pq, x], j, k}, Int[Sum[((c*x)^(m + j)*Sum[Coeff[Pq, x, j +
(k*n)/2]*x^((k*n)/2), {k, 0, (2*(q - j))/n + 1})*(a + b*x^n)^p)/c^j, {j, 0,
n/2 - 1}], x]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && IGtQ[n/2, 0]
&& !PolyQ[Pq, x^(n/2)]
```

Rubi steps

$$\begin{aligned}
\int x^3 (c + dx + ex^2 + fx^3) (a + bx^4)^p dx &= \int \left(x^3 (c + ex^2) (a + bx^4)^p + x^4 (d + fx^2) (a + bx^4)^p \right) dx \\
&= \int x^3 (c + ex^2) (a + bx^4)^p dx + \int x^4 (d + fx^2) (a + bx^4)^p dx \\
&= \frac{1}{2} \text{Subst} \left(\int x(c + ex) (a + bx^2)^p dx, x, x^2 \right) + \int \left(dx^4 (a + bx^4)^p + f \right) dx \\
&= \frac{1}{2} c \text{Subst} \left(\int x (a + bx^2)^p dx, x, x^2 \right) + d \int x^4 (a + bx^4)^p dx + \frac{1}{2} e \text{Subst} \left(\int x^2 (a + bx^2)^p dx, x, x^2 \right) \\
&= \frac{c(a + bx^4)^{1+p}}{4b(1+p)} + \left(d(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int x^4 \left(1 + \frac{bx^4}{a} \right)^p dx + \frac{1}{2} e \text{Subst} \left(\int x^2 (a + bx^2)^p dx, x, x^2 \right) \\
&= \frac{c(a + bx^4)^{1+p}}{4b(1+p)} + \frac{1}{5} dx^5 (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1 \left(\frac{5}{4}, -p; \frac{9}{4}; -\frac{bx^4}{a} \right) + 70be(p+1)x^6 {}_2F_1 \left(\frac{3}{2}, -p; \frac{7}{2}; -\frac{bx^4}{a} \right)
\end{aligned}$$

Mathematica [A] time = 0.14, size = 145, normalized size = 0.83

$$\frac{(a + bx^4)^p \left(\frac{bx^4}{a} + 1 \right)^{-p} \left(105c(a + bx^4) \left(\frac{bx^4}{a} + 1 \right)^p + 84bd(p+1)x^5 {}_2F_1 \left(\frac{5}{4}, -p; \frac{9}{4}; -\frac{bx^4}{a} \right) + 70be(p+1)x^6 {}_2F_1 \left(\frac{3}{2}, -p; \frac{7}{2}; -\frac{bx^4}{a} \right) \right)}{420b(p+1)}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c + d*x + e*x^2 + f*x^3)*(a + b*x^4)^p,x]

[Out] ((a + b*x^4)^p*(105*c*(a + b*x^4)*(1 + (b*x^4)/a)^p + 84*b*d*(1 + p)*x^5*Hypergeometric2F1[5/4, -p, 9/4, -(b*x^4)/a]) + 70*b*e*(1 + p)*x^6*Hypergeometric2F1[3/2, -p, 5/2, -(b*x^4)/a] + 60*b*f*(1 + p)*x^7*Hypergeometric2F1[7/4, -p, 11/4, -(b*x^4)/a]))/(420*b*(1 + p)*(1 + (b*x^4)/a)^p)

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left((fx^6 + ex^5 + dx^4 + cx^3)(bx^4 + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="fricas")

[Out] integral((f*x^6 + e*x^5 + d*x^4 + c*x^3)*(b*x^4 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx^3 + ex^2 + dx + c)(bx^4 + a)^p x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="giac")

[Out] integrate((f*x^3 + e*x^2 + d*x + c)*(b*x^4 + a)^p*x^3, x)

maple [F] time = 0.48, size = 0, normalized size = 0.00

$$\int (f x^3 + e x^2 + d x + c) x^3 (b x^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)

[Out] int(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(b x^4 + a)^{p+1} c}{4 b (p + 1)} + \int (f x^6 + e x^5 + d x^4) (b x^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(f*x^3+e*x^2+d*x+c)*(b*x^4+a)^p,x, algorithm="maxima")

[Out] 1/4*(b*x^4 + a)^(p + 1)*c/(b*(p + 1)) + integrate((f*x^6 + e*x^5 + d*x^4)*(b*x^4 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (b x^4 + a)^p (f x^3 + e x^2 + d x + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3),x)

[Out] int(x^3*(a + b*x^4)^p*(c + d*x + e*x^2 + f*x^3), x)

sympy [A] time = 111.18, size = 143, normalized size = 0.82

$$\frac{a^p d x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, -p \left| \frac{b x^4 e^{i \pi}}{a} \right. \right)}{4 \Gamma\left(\frac{9}{4}\right)} + \frac{a^p e x^6 {}_2F_1\left(\frac{3}{2}, -p \left| \frac{b x^4 e^{i \pi}}{a} \right. \right)}{6} + \frac{a^p f x^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{7}{4}, -p \left| \frac{b x^4 e^{i \pi}}{a} \right. \right)}{4 \Gamma\left(\frac{11}{4}\right)} + c \begin{cases} \frac{a^p x^4}{4} \\ \frac{(a + b x^4)^{p+1}}{p+1} & \text{for } p \\ \log(a + b x^4) & \text{other} \end{cases}$$

4b

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(f*x**3+e*x**2+d*x+c)*(b*x**4+a)**p,x)
```

```
[Out] a**p*d*x**5*gamma(5/4)*hyper((5/4, -p), (9/4, ), b*x**4*exp_polar(I*pi)/a)/(
4*gamma(9/4)) + a**p*e*x**6*hyper((3/2, -p), (5/2, ), b*x**4*exp_polar(I*pi)
/a)/6 + a**p*f*x**7*gamma(7/4)*hyper((7/4, -p), (11/4, ), b*x**4*exp_polar(I
*pi)/a)/(4*gamma(11/4)) + c*Piecewise((a**p*x**4/4, Eq(b, 0)), (Piecewise((
(a + b*x**4)**(p + 1)/(p + 1), Ne(p, -1)), (log(a + b*x**4), True)))/(4*b),
True))
```

$$3.554 \quad \int \frac{1+x+x^2+x^3+x^4}{1-x^5} dx$$

Optimal. Leaf size=8

$$-\log(1-x)$$

[Out] -ln(1-x)

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1586, 31}

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x + x^2 + x^3 + x^4)/(1 - x^5), x]

[Out] -Log[1 - x]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{1+x+x^2+x^3+x^4}{1-x^5} dx = \int \frac{1}{1-x} dx = -\log(1-x)$$

Mathematica [A] time = 0.00, size = 8, normalized size = 1.00

$$-\log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x + x^2 + x^3 + x^4)/(1 - x^5), x]

[Out] $-\text{Log}[1 - x]$

fricas [A] time = 0.40, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+x^3+x^2+x+1)/(-x^5+1),x, algorithm="fricas")`

[Out] $-\log(x - 1)$

giac [A] time = 0.17, size = 7, normalized size = 0.88

$$-\log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+x^3+x^2+x+1)/(-x^5+1),x, algorithm="giac")`

[Out] $-\log(\text{abs}(x - 1))$

maple [A] time = 0.04, size = 7, normalized size = 0.88

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+x^3+x^2+x+1)/(-x^5+1),x)`

[Out] $-\ln(x-1)$

maxima [A] time = 1.30, size = 6, normalized size = 0.75

$$-\log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+x^3+x^2+x+1)/(-x^5+1),x, algorithm="maxima")`

[Out] $-\log(x - 1)$

mupad [B] time = 0.02, size = 6, normalized size = 0.75

$$-\ln(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x + x^2 + x^3 + x^4 + 1)/(x^5 - 1),x)`

[Out] $-\log(x - 1)$

sympy [A] time = 0.08, size = 5, normalized size = 0.62

$-\log(x - 1)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+x**3+x**2+x+1)/(-x**5+1),x)`

[Out] $-\log(x - 1)$

$$3.555 \quad \int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{729-64x^6} dx$$

Optimal. Leaf size=10

$$\frac{1}{2} \log(2x + 3)$$

[Out] 1/2*ln(3+2*x)

Rubi [A] time = 0.01, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1586, 31}

$$\frac{1}{2} \log(2x + 3)$$

Antiderivative was successfully verified.

[In] Int[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6),x]

[Out] Log[3 + 2*x]/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\int \frac{243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5}{729 - 64x^6} dx = \int \frac{1}{3 + 2x} dx = \frac{1}{2} \log(3 + 2x)$$

Mathematica [A] time = 0.00, size = 10, normalized size = 1.00

$$\frac{1}{2} \log(2x + 3)$$

Antiderivative was successfully verified.

[In] Integrate[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6),x]

[Out] Log[3 + 2*x]/2

fricas [A] time = 0.40, size = 8, normalized size = 0.80

$$\frac{1}{2} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729),x, algorithm="fricas")

[Out] 1/2*log(2*x + 3)

giac [A] time = 0.19, size = 9, normalized size = 0.90

$$\frac{1}{2} \log(|2x + 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729),x, algorithm="giac")

[Out] 1/2*log(abs(2*x + 3))

maple [A] time = 0.04, size = 9, normalized size = 0.90

$$\frac{\ln(2x + 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729),x)

[Out] 1/2*ln(3+2*x)

maxima [A] time = 1.33, size = 8, normalized size = 0.80

$$\frac{1}{2} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729),x, algorithm="maxima")

[Out] $\frac{1}{2} \log(2x + 3)$

mupad [B] time = 0.06, size = 6, normalized size = 0.60

$$\frac{\ln\left(x + \frac{3}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((162*x - 108*x^2 + 72*x^3 - 48*x^4 + 32*x^5 - 243)/(64*x^6 - 729), x)`

[Out] $\log(x + 3/2)/2$

sympy [A] time = 0.08, size = 7, normalized size = 0.70

$$\frac{\log(2x + 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-32*x**5+48*x**4-72*x**3+108*x**2-162*x+243)/(-64*x**6+729), x)`

[Out] $\log(2x + 3)/2$

$$3.556 \quad \int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{729-64x^6} dx$$

Optimal. Leaf size=10

$$-\frac{1}{2} \log(3-2x)$$

[Out] -1/2*ln(3-2*x)

Rubi [A] time = 0.01, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1586, 31}

$$-\frac{1}{2} \log(3-2x)$$

Antiderivative was successfully verified.

[In] Int[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6), x]

[Out] -Log[3 - 2*x]/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 1586

Int[(u_.)*(P_x_)^(p_.)*(Q_x_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[P_x, Q_x, x]^p*Q_x^(p+q), x] /; FreeQ[q, x] && PolyQ[P_x, x] && PolyQ[Q_x, x] && EqQ[PolynomialRemainder[P_x, Q_x, x], 0] && IntegerQ[p] && LtQ[p+q, 0]

Rubi steps

$$\int \frac{243 + 162x + 108x^2 + 72x^3 + 48x^4 + 32x^5}{729 - 64x^6} dx = \int \frac{1}{3 - 2x} dx = -\frac{1}{2} \log(3 - 2x)$$

Mathematica [A] time = 0.00, size = 10, normalized size = 1.00

$$-\frac{1}{2} \log(3-2x)$$

Antiderivative was successfully verified.

[In] Integrate[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6),x]

[Out] $-1/2*\text{Log}[3 - 2*x]$

fricas [A] time = 0.40, size = 8, normalized size = 0.80

$$-\frac{1}{2} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729),x, algorithm="fricas")

[Out] $-1/2*\log(2*x - 3)$

giac [A] time = 0.18, size = 9, normalized size = 0.90

$$-\frac{1}{2} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729),x, algorithm="giac")

[Out] $-1/2*\log(\text{abs}(2*x - 3))$

maple [A] time = 0.04, size = 9, normalized size = 0.90

$$\frac{\ln(2x - 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729),x)

[Out] $-1/2*\ln(-3+2*x)$

maxima [A] time = 1.39, size = 8, normalized size = 0.80

$$-\frac{1}{2} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729),x, algorithm="maxima")

[Out] $-1/2 \cdot \log(2x - 3)$

mupad [B] time = 4.99, size = 6, normalized size = 0.60

$$-\frac{\ln\left(x - \frac{3}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5 + 243)/(64*x^6 - 729), x)`

[Out] $-\log(x - 3/2)/2$

sympy [A] time = 0.09, size = 8, normalized size = 0.80

$$-\frac{\log(2x - 3)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((32*x**5+48*x**4+72*x**3+108*x**2+162*x+243)/(-64*x**6+729), x)`

[Out] $-\log(2x - 3)/2$

$$3.557 \quad \int \frac{81+36x^2+16x^4}{729-64x^6} dx$$

Optimal. Leaf size=10

$$\frac{1}{6} \tanh^{-1}\left(\frac{2x}{3}\right)$$

[Out] 1/6*arctanh(2/3*x)

Rubi [A] time = 0.01, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1586, 206}

$$\frac{1}{6} \tanh^{-1}\left(\frac{2x}{3}\right)$$

Antiderivative was successfully verified.

[In] Int[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6), x]

[Out] ArcTanh[(2*x)/3]/6

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{81 + 36x^2 + 16x^4}{729 - 64x^6} dx &= \int \frac{1}{9 - 4x^2} dx \\ &= \frac{1}{6} \tanh^{-1}\left(\frac{2x}{3}\right) \end{aligned}$$

Mathematica [B] time = 0.00, size = 21, normalized size = 2.10

$$\frac{1}{12} \log(2x + 3) - \frac{1}{12} \log(3 - 2x)$$

Antiderivative was successfully verified.

[In] Integrate[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6), x]

[Out] -1/12*Log[3 - 2*x] + Log[3 + 2*x]/12

fricas [B] time = 0.42, size = 17, normalized size = 1.70

$$\frac{1}{12} \log(2x + 3) - \frac{1}{12} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/12*log(2*x + 3) - 1/12*log(2*x - 3)

giac [B] time = 0.20, size = 15, normalized size = 1.50

$$\frac{1}{12} \log\left(\left|x + \frac{3}{2}\right|\right) - \frac{1}{12} \log\left(\left|x - \frac{3}{2}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/12*log(abs(x + 3/2)) - 1/12*log(abs(x - 3/2))

maple [B] time = 0.05, size = 18, normalized size = 1.80

$$-\frac{\ln(2x - 3)}{12} + \frac{\ln(2x + 3)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((16*x^4+36*x^2+81)/(-64*x^6+729), x)

[Out] 1/12*ln(2*x+3)-1/12*ln(2*x-3)

maxima [B] time = 1.33, size = 17, normalized size = 1.70

$$\frac{1}{12} \log(2x + 3) - \frac{1}{12} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729), x, algorithm="maxima")

[Out] 1/12*log(2*x + 3) - 1/12*log(2*x - 3)

mupad [B] time = 0.10, size = 6, normalized size = 0.60

$$\frac{\operatorname{atanh}\left(\frac{2x}{3}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(36*x^2 + 16*x^4 + 81)/(64*x^6 - 729), x)`

[Out] `atanh((2*x)/3)/6`

sympy [B] time = 0.11, size = 15, normalized size = 1.50

$$-\frac{\log\left(x - \frac{3}{2}\right)}{12} + \frac{\log\left(x + \frac{3}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((16*x**4+36*x**2+81)/(-64*x**6+729), x)`

[Out] `-log(x - 3/2)/12 + log(x + 3/2)/12`

$$3.558 \quad \int \frac{81+54x-24x^3-16x^4}{729-64x^6} dx$$

Optimal. Leaf size=24

$$-\frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{3\sqrt{3}}$$

[Out] -1/9*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.02, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1586, 618, 204}

$$-\frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6), x]

[Out] -ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(3*Sqrt[3])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p+q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned}
\int \frac{81 + 54x - 24x^3 - 16x^4}{729 - 64x^6} dx &= \int \frac{1}{9 - 6x + 4x^2} dx \\
&= -\left(2 \operatorname{Subst}\left(\int \frac{1}{-108 - x^2} dx, x, -6 + 8x\right)\right) \\
&= -\frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{3\sqrt{3}}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 24, normalized size = 1.00

$$\frac{\tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6), x]

[Out] ArcTan[(-3 + 4*x)/(3*Sqrt[3])]/(3*Sqrt[3])

fricas [A] time = 0.39, size = 16, normalized size = 0.67

$$\frac{1}{9} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/9*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3))

giac [A] time = 0.19, size = 16, normalized size = 0.67

$$\frac{1}{9} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/9*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3))

maple [A] time = 0.04, size = 17, normalized size = 0.71

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729),x)`

[Out] `1/9*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))`

maxima [A] time = 2.93, size = 16, normalized size = 0.67

$$\frac{1}{9} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729),x, algorithm="maxima")`

[Out] `1/9*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3))`

mupad [B] time = 0.03, size = 16, normalized size = 0.67

$$\frac{\sqrt{3} \operatorname{atan}\left(\frac{\sqrt{3}(4x-3)}{9}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(54*x - 24*x^3 - 16*x^4 + 81)/(64*x^6 - 729),x)`

[Out] `(3^(1/2)*atan((3^(1/2)*(4*x - 3))/9))/9`

sympy [A] time = 0.15, size = 24, normalized size = 1.00

$$\frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-16*x**4-24*x**3+54*x+81)/(-64*x**6+729),x)`

[Out] `sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/9`

$$3.559 \quad \int \frac{3-2x}{729-64x^6} dx$$

Optimal. Leaf size=50

$$-\frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

[Out] 1/486*ln(3+2*x)-1/972*ln(4*x^2-6*x+9)+1/486*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.05, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1586, 2058, 628, 618, 204}

$$-\frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(3 - 2*x)/(729 - 64*x^6), x]

[Out] ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(162*Sqrt[3]) + Log[3 + 2*x]/486 - Log[9 - 6*x + 4*x^2]/972

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2058

```
Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]]] /; PolyQ[P, x] && ILtQ[p, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{3-2x}{729-64x^6} dx &= \int \frac{1}{243+162x+108x^2+72x^3+48x^4+32x^5} dx \\ &= \int \left(\frac{1}{243(3+2x)} + \frac{3-4x}{486(9-6x+4x^2)} + \frac{1}{54(9+6x+4x^2)} \right) dx \\ &= \frac{1}{486} \log(3+2x) + \frac{1}{486} \int \frac{3-4x}{9-6x+4x^2} dx + \frac{1}{54} \int \frac{1}{9+6x+4x^2} dx \\ &= \frac{1}{486} \log(3+2x) - \frac{1}{972} \log(9-6x+4x^2) - \frac{1}{27} \text{Subst} \left(\int \frac{1}{-108-x^2} dx, x, 6+8x \right) \\ &= \frac{\tan^{-1} \left(\frac{3+4x}{3\sqrt{3}} \right)}{162\sqrt{3}} + \frac{1}{486} \log(3+2x) - \frac{1}{972} \log(9-6x+4x^2) \end{aligned}$$

Mathematica [A] time = 0.02, size = 50, normalized size = 1.00

$$-\frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3) + \frac{\tan^{-1} \left(\frac{4x+3}{3\sqrt{3}} \right)}{162\sqrt{3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(3 - 2*x)/(729 - 64*x^6), x]
```

```
[Out] ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(162*Sqrt[3]) + Log[3 + 2*x]/486 - Log[9 - 6*x + 4*x^2]/972
```

fricas [A] time = 0.41, size = 38, normalized size = 0.76

$$\frac{1}{486} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x + 3) \right) - \frac{1}{972} \log(4x^2 - 6x + 9) + \frac{1}{486} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729),x, algorithm="fricas")

[Out] $\frac{1}{486}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) - \frac{1}{972}\log(4x^2 - 6x + 9) + \frac{1}{486}\log(2x + 3)$

giac [A] time = 0.20, size = 39, normalized size = 0.78

$$\frac{1}{486}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) - \frac{1}{972}\log(4x^2 - 6x + 9) + \frac{1}{486}\log(|2x + 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729),x, algorithm="giac")

[Out] $\frac{1}{486}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) - \frac{1}{972}\log(4x^2 - 6x + 9) + \frac{1}{486}\log(\text{abs}(2x + 3))$

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3}\arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{486} + \frac{\ln(2x+3)}{486} - \frac{\ln(4x^2-6x+9)}{972}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3-2*x)/(-64*x^6+729),x)

[Out] $-1/972*\ln(4*x^2-6*x+9)+1/486*\ln(2*x+3)+1/486*3^{(1/2)}*\arctan(1/18*(8*x+6)*3^{(1/2)})$

maxima [A] time = 2.89, size = 38, normalized size = 0.76

$$\frac{1}{486}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) - \frac{1}{972}\log(4x^2 - 6x + 9) + \frac{1}{486}\log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729),x, algorithm="maxima")

[Out] $\frac{1}{486}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) - \frac{1}{972}\log(4x^2 - 6x + 9) + \frac{1}{486}\log(2x + 3)$

mupad [B] time = 0.13, size = 49, normalized size = 0.98

$$\frac{\ln\left(x + \frac{3}{2}\right)}{486} - \frac{\ln\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{972} - \frac{\sqrt{3}\operatorname{atan}\left(\frac{\sqrt{3}}{1327104\left(\frac{x}{884736} + \frac{1}{884736}\right)} - \frac{\sqrt{3}x}{7962624\left(\frac{x}{884736} + \frac{1}{884736}\right)}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x - 3)/(64*x^6 - 729), x)`

[Out] $\log(x + 3/2)/486 - \log(x^2 - (3*x)/2 + 9/4)/972 - (3^{(1/2)}*\operatorname{atan}(3^{(1/2)/(1327104*(x/884736 + 1/884736))} - (3^{(1/2)*x})/(7962624*(x/884736 + 1/884736))))/486$

sympy [A] time = 0.21, size = 46, normalized size = 0.92

$$\frac{\log\left(x + \frac{3}{2}\right)}{486} - \frac{\log(4x^2 - 6x + 9)}{972} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3-2*x)/(-64*x**6+729), x)`

[Out] $\log(x + 3/2)/486 - \log(4*x**2 - 6*x + 9)/972 + \operatorname{sqrt}(3)*\operatorname{atan}(4*\operatorname{sqrt}(3)*x/9 + \operatorname{sqrt}(3)/3)/486$

$$3.560 \quad \int \frac{3+2x}{729-64x^6} dx$$

Optimal. Leaf size=50

$$\frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

[Out] -1/486*ln(3-2*x)+1/972*ln(4*x^2+6*x+9)-1/486*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.05, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1586, 2058, 618, 204, 628}

$$\frac{1}{972} \log(4x^2 + 6x + 9) - \frac{1}{486} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{162\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(3 + 2*x)/(729 - 64*x^6), x]

[Out] -ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(162*Sqrt[3]) - Log[3 - 2*x]/486 + Log[9 + 6*x + 4*x^2]/972

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2058

```
Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]]] /; PolyQ[P, x] && ILtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{3+2x}{729-64x^6} dx &= \int \frac{1}{243-162x+108x^2-72x^3+48x^4-32x^5} dx \\
 &= \int \left(-\frac{1}{243(-3+2x)} + \frac{1}{54(9-6x+4x^2)} + \frac{3+4x}{486(9+6x+4x^2)} \right) dx \\
 &= -\frac{1}{486} \log(3-2x) + \frac{1}{486} \int \frac{3+4x}{9+6x+4x^2} dx + \frac{1}{54} \int \frac{1}{9-6x+4x^2} dx \\
 &= -\frac{1}{486} \log(3-2x) + \frac{1}{972} \log(9+6x+4x^2) - \frac{1}{27} \text{Subst} \left(\int \frac{1}{-108-x^2} dx, x, -6+8x \right) \\
 &= -\frac{\tan^{-1} \left(\frac{3-4x}{3\sqrt{3}} \right)}{162\sqrt{3}} - \frac{1}{486} \log(3-2x) + \frac{1}{972} \log(9+6x+4x^2)
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 46, normalized size = 0.92

$$\frac{1}{972} \left(\log(4x^2+6x+9) - 2\log(3-2x) + 2\sqrt{3} \tan^{-1} \left(\frac{4x-3}{3\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(3 + 2*x)/(729 - 64*x^6), x]
```

```
[Out] (2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] - 2*Log[3 - 2*x] + Log[9 + 6*x + 4*x^2])/972
```

fricas [A] time = 0.44, size = 38, normalized size = 0.76

$$\frac{1}{486} \sqrt{3} \arctan \left(\frac{1}{9} \sqrt{3} (4x-3) \right) + \frac{1}{972} \log(4x^2+6x+9) - \frac{1}{486} \log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729),x, algorithm="fricas")

[Out] $\frac{1}{486}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{1}{972}\log(4x^2+6x+9) - \frac{1}{486}\log(2x-3)$

giac [A] time = 0.18, size = 39, normalized size = 0.78

$$\frac{1}{486}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{1}{972}\log(4x^2+6x+9) - \frac{1}{486}\log(|2x-3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729),x, algorithm="giac")

[Out] $\frac{1}{486}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{1}{972}\log(4x^2+6x+9) - \frac{1}{486}\log(\text{abs}(2x-3))$

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3}\arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{486} - \frac{\ln(2x-3)}{486} + \frac{\ln(4x^2+6x+9)}{972}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x+3)/(-64*x^6+729),x)

[Out] $\frac{1}{486}3^{(1/2)}\arctan\left(\frac{1}{18}(8x-6)3^{(1/2)}\right) + \frac{1}{972}\ln(4x^2+6x+9) - \frac{1}{486}\ln(2x-3)$

maxima [A] time = 2.95, size = 38, normalized size = 0.76

$$\frac{1}{486}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{1}{972}\log(4x^2+6x+9) - \frac{1}{486}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729),x, algorithm="maxima")

[Out] $\frac{1}{486}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{1}{972}\log(4x^2+6x+9) - \frac{1}{486}\log(2x-3)$

mupad [B] time = 4.99, size = 48, normalized size = 0.96

$$\frac{\ln\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{972} - \frac{\ln\left(x - \frac{3}{2}\right)}{486} - \frac{\sqrt{3}\operatorname{atan}\left(\frac{\sqrt{3}}{1327104\left(\frac{x}{884736} - \frac{1}{884736}\right)} + \frac{\sqrt{3}x}{7962624\left(\frac{x}{884736} - \frac{1}{884736}\right)}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*x + 3)/(64*x^6 - 729), x)`

[Out] `log((3*x)/2 + x^2 + 9/4)/972 - log(x - 3/2)/486 - (3^(1/2)*atan(3^(1/2)/(1327104*(x/884736 - 1/884736))) + (3^(1/2)*x)/(7962624*(x/884736 - 1/884736)))/486`

sympy [A] time = 0.24, size = 46, normalized size = 0.92

$$-\frac{\log\left(x - \frac{3}{2}\right)}{486} + \frac{\log(4x^2 + 6x + 9)}{972} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{486}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3+2*x)/(-64*x**6+729), x)`

[Out] `-log(x - 3/2)/486 + log(4*x**2 + 6*x + 9)/972 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/486`

$$3.561 \quad \int \frac{9-6x+4x^2}{729-64x^6} dx$$

Optimal. Leaf size=60

$$-\frac{1}{324} \log(4x^2 + 6x + 9) - \frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

[Out] $-1/324*\ln(3-2*x)+1/108*\ln(3+2*x)-1/324*\ln(4*x^2+6*x+9)+1/162*\arctan(1/9*(3+4*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1586, 2058, 634, 618, 204, 628}

$$-\frac{1}{324} \log(4x^2 + 6x + 9) - \frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(9 - 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(54*Sqrt[3]) - Log[3 - 2*x]/324 + Log[3 + 2*x]/108 - Log[9 + 6*x + 4*x^2]/324

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d._) + (e._)*(x_))/((a._) + (b._)*(x_) + (c._)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1586

```
Int[(u._)*(Px_)^(p._)*(Qx_)^(q._), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2058

```
Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p,
x], x] /; !SumQ[NonfreeFactors[u, x]]] /; PolyQ[P, x] && ILtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{9 - 6x + 4x^2}{729 - 64x^6} dx &= \int \frac{1}{81 + 54x - 24x^3 - 16x^4} dx \\
&= \int \left(-\frac{1}{162(-3 + 2x)} + \frac{1}{54(3 + 2x)} + \frac{3 - 2x}{81(9 + 6x + 4x^2)} \right) dx \\
&= -\frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) + \frac{1}{81} \int \frac{3 - 2x}{9 + 6x + 4x^2} dx \\
&= -\frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) - \frac{1}{324} \int \frac{6 + 8x}{9 + 6x + 4x^2} dx + \frac{1}{18} \int \frac{1}{9 + 6x + 4x^2} dx \\
&= -\frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) - \frac{1}{324} \log(9 + 6x + 4x^2) - \frac{1}{9} \text{Subst} \left(\int \frac{1}{-108 - x^2} dx \right. \\
&\quad \left. \tan^{-1} \left(\frac{3+4x}{3\sqrt{3}} \right) - \frac{1}{54\sqrt{3}} - \frac{1}{324} \log(3 - 2x) + \frac{1}{108} \log(3 + 2x) - \frac{1}{324} \log(9 + 6x + 4x^2) \right)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 56, normalized size = 0.93

$$\frac{1}{324} \left(-\log(4x^2 + 6x + 9) - \log(3 - 2x) + 3 \log(2x + 3) + 2\sqrt{3} \tan^{-1} \left(\frac{4x + 3}{3\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(9 - 6*x + 4*x^2)/(729 - 64*x^6), x]
```


[Out] $(2\sqrt{3}\operatorname{ArcTan}[(3 + 4x)/(3\sqrt{3})] - \operatorname{Log}[3 - 2x] + 3\operatorname{Log}[3 + 2x] - \operatorname{Log}[9 + 6x + 4x^2])/324$

fricas [A] time = 0.44, size = 46, normalized size = 0.77

$$\frac{1}{162}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) - \frac{1}{324}\log(4x^2+6x+9) + \frac{1}{108}\log(2x+3) - \frac{1}{324}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x^2-6*x+9)/(-64*x^6+729),x, algorithm="fricas")`

[Out] $1/162*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) - 1/324*\log(4*x^2 + 6*x + 9) + 1/108*\log(2*x + 3) - 1/324*\log(2*x - 3)$

giac [A] time = 0.19, size = 48, normalized size = 0.80

$$\frac{1}{162}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) - \frac{1}{324}\log(4x^2+6x+9) + \frac{1}{108}\log(|2x+3|) - \frac{1}{324}\log(|2x-3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x^2-6*x+9)/(-64*x^6+729),x, algorithm="giac")`

[Out] $1/162*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) - 1/324*\log(4*x^2 + 6*x + 9) + 1/108*\log(\operatorname{abs}(2*x + 3)) - 1/324*\log(\operatorname{abs}(2*x - 3))$

maple [A] time = 0.05, size = 47, normalized size = 0.78

$$\frac{\sqrt{3}\arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{162} - \frac{\ln(2x-3)}{324} + \frac{\ln(2x+3)}{108} - \frac{\ln(4x^2+6x+9)}{324}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((4*x^2-6*x+9)/(-64*x^6+729),x)`

[Out] $1/108*\ln(2*x+3) - 1/324*\ln(4*x^2+6*x+9) + 1/162*3^{(1/2)}*\arctan(1/18*(8*x+6)*3^{(1/2)}) - 1/324*\ln(2*x-3)$

maxima [A] time = 2.94, size = 46, normalized size = 0.77

$$\frac{1}{162}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) - \frac{1}{324}\log(4x^2+6x+9) + \frac{1}{108}\log(2x+3) - \frac{1}{324}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x^2-6*x+9)/(-64*x^6+729),x, algorithm="maxima")`

[Out] $1/162*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) - 1/324*\log(4*x^2 + 6*x + 9) + 1/108*\log(2*x + 3) - 1/324*\log(2*x - 3)$

mupad [B] time = 5.01, size = 52, normalized size = 0.87

$$\frac{\ln\left(x + \frac{3}{2}\right)}{108} - \frac{\ln\left(x - \frac{3}{2}\right)}{324} - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{324} + \frac{\sqrt{3} 1i}{324}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{324} + \frac{\sqrt{3} 1i}{324}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(4*x^2 - 6*x + 9)/(64*x^6 - 729), x)`

[Out] $\log(x + 3/2)/108 - \log(x - 3/2)/324 - \log(x - (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/324 + 1/324) + \log(x + (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/324 - 1/324)$

sympy [A] time = 0.23, size = 56, normalized size = 0.93

$$-\frac{\log\left(x - \frac{3}{2}\right)}{324} + \frac{\log\left(x + \frac{3}{2}\right)}{108} - \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{324} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{162}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x**2-6*x+9)/(-64*x**6+729), x)`

[Out] $-\log(x - 3/2)/324 + \log(x + 3/2)/108 - \log(x**2 + 3*x/2 + 9/4)/324 + \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 + \sqrt{3}/3)/162$

$$3.562 \quad \int \frac{9+6x+4x^2}{729-64x^6} dx$$

Optimal. Leaf size=60

$$\frac{1}{324} \log(4x^2 - 6x + 9) - \frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

[Out] $-1/108*\ln(3-2*x)+1/324*\ln(3+2*x)+1/324*\ln(4*x^2-6*x+9)-1/162*\arctan(1/9*(3-4*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1586, 2058, 634, 618, 204, 628}

$$\frac{1}{324} \log(4x^2 - 6x + 9) - \frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{54\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(9 + 6*x + 4*x^2)/(729 - 64*x^6), x]

[Out] $-\text{ArcTan}[(3 - 4*x)/(3*\text{Sqrt}[3])]/(54*\text{Sqrt}[3]) - \text{Log}[3 - 2*x]/108 + \text{Log}[3 + 2*x]/324 + \text{Log}[9 - 6*x + 4*x^2]/324$

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d._) + (e._)*(x_))/((a._) + (b._)*(x_) + (c._)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1586

```
Int[(u._)*(Px_)^(p._)*(Qx_)^(q._), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2058

```
Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p,
x], x] /; !SumQ[NonfreeFactors[u, x]]] /; PolyQ[P, x] && ILtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{9 + 6x + 4x^2}{729 - 64x^6} dx &= \int \frac{1}{81 - 54x + 24x^3 - 16x^4} dx \\
&= \int \left(-\frac{1}{54(-3 + 2x)} + \frac{1}{162(3 + 2x)} + \frac{3 + 2x}{81(9 - 6x + 4x^2)} \right) dx \\
&= -\frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{81} \int \frac{3 + 2x}{9 - 6x + 4x^2} dx \\
&= -\frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{324} \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx + \frac{1}{18} \int \frac{1}{9 - 6x + 4x^2} dx \\
&= -\frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{324} \log(9 - 6x + 4x^2) - \frac{1}{9} \text{Subst} \left(\int \frac{1}{-108 - x^2} dx \right. \\
&\quad \left. \tan^{-1} \left(\frac{3 - 4x}{3\sqrt{3}} \right) - \frac{1}{108} \log(3 - 2x) + \frac{1}{324} \log(3 + 2x) + \frac{1}{324} \log(9 - 6x + 4x^2) \right)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 52, normalized size = 0.87

$$\frac{1}{324} \left(\log(4x^2 - 6x + 9) - 3 \log(3 - 2x) + \log(2x + 3) + 2\sqrt{3} \tan^{-1} \left(\frac{4x - 3}{3\sqrt{3}} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(9 + 6*x + 4*x^2)/(729 - 64*x^6), x]
```

[Out] $(2\sqrt{3}\operatorname{ArcTan}[-3 + 4x]/(3\sqrt{3})) - 3\operatorname{Log}[3 - 2x] + \operatorname{Log}[3 + 2x] + \operatorname{Log}[9 - 6x + 4x^2])/324$

fricas [A] time = 0.41, size = 46, normalized size = 0.77

$$\frac{1}{162}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{1}{324}\log(4x^2-6x+9) + \frac{1}{324}\log(2x+3) - \frac{1}{108}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x^2+6*x+9)/(-64*x^6+729),x, algorithm="fricas")`

[Out] $1/162*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 1/324*\log(4*x^2 - 6*x + 9) + 1/324*\log(2*x + 3) - 1/108*\log(2*x - 3)$

giac [A] time = 0.18, size = 48, normalized size = 0.80

$$\frac{1}{162}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{1}{324}\log(4x^2-6x+9) + \frac{1}{324}\log(|2x+3|) - \frac{1}{108}\log(|2x-3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x^2+6*x+9)/(-64*x^6+729),x, algorithm="giac")`

[Out] $1/162*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 1/324*\log(4*x^2 - 6*x + 9) + 1/324*\log(\operatorname{abs}(2*x + 3)) - 1/108*\log(\operatorname{abs}(2*x - 3))$

maple [A] time = 0.05, size = 47, normalized size = 0.78

$$\frac{\sqrt{3}\arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{162} - \frac{\ln(2x-3)}{108} + \frac{\ln(2x+3)}{324} + \frac{\ln(4x^2-6x+9)}{324}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((4*x^2+6*x+9)/(-64*x^6+729),x)`

[Out] $1/324*\ln(4*x^2-6*x+9) + 1/162*3^{(1/2)}*\arctan(1/18*(8*x-6)*3^{(1/2)}) + 1/324*\ln(2*x+3) - 1/108*\ln(2*x-3)$

maxima [A] time = 3.08, size = 46, normalized size = 0.77

$$\frac{1}{162}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{1}{324}\log(4x^2-6x+9) + \frac{1}{324}\log(2x+3) - \frac{1}{108}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x^2+6*x+9)/(-64*x^6+729),x, algorithm="maxima")`

[Out] $1/162*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 1/324*\log(4*x^2 - 6*x + 9) + 1/324*\log(2*x + 3) - 1/108*\log(2*x - 3)$

mupad [B] time = 4.98, size = 52, normalized size = 0.87

$$\frac{\ln\left(x + \frac{3}{2}\right)}{324} - \frac{\ln\left(x - \frac{3}{2}\right)}{108} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{324} + \frac{\sqrt{3} 1i}{324}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{324} + \frac{\sqrt{3} 1i}{324}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(6*x + 4*x^2 + 9)/(64*x^6 - 729), x)`

[Out] $\log(x + 3/2)/324 - \log(x - 3/2)/108 - \log(x - (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*1i)/324 - 1/324) + \log(x + (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*1i)/324 + 1/324)$

sympy [A] time = 0.23, size = 56, normalized size = 0.93

$$-\frac{\log\left(x - \frac{3}{2}\right)}{108} + \frac{\log\left(x + \frac{3}{2}\right)}{324} + \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{324} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{162}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x**2+6*x+9)/(-64*x**6+729), x)`

[Out] $-\log(x - 3/2)/108 + \log(x + 3/2)/324 + \log(x**2 - 3*x/2 + 9/4)/324 + \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 - \sqrt{3}/3)/162$

$$3.563 \quad \int \frac{27-8x^3}{729-64x^6} dx$$

Optimal. Leaf size=50

$$-\frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

[Out] 1/54*ln(3+2*x)-1/108*ln(4*x^2-6*x+9)-1/54*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.03, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {26, 200, 31, 634, 618, 204, 628}

$$-\frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(27 - 8*x^3)/(729 - 64*x^6),x]

[Out] -ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(18*Sqrt[3]) + Log[3 + 2*x]/54 - Log[9 - 6*x + 4*x^2]/108

Rule 26

Int[(u_.)*((a_.) + (b_.)*(x_)^(n_.))^(m_.)*((c_.) + (d_.)*(x_)^(j_.))^(p_.), x_Symbol] :> Dist[(- (b^2/d))^m, Int[u/(a - b*x^n)^m, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[j, 2*n] && EqQ[p, -m] && EqQ[b^2*c + a^2*d, 0] && GtQ[a, 0] && LtQ[d, 0]

Rule 31

Int[((a_.) + (b_.)*(x_))^-1, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_.) + (b_.)*(x_)^3)^-1, x_Symbol] :> Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
 \int \frac{27 - 8x^3}{729 - 64x^6} dx &= \int \frac{1}{27 + 8x^3} dx \\
 &= \frac{1}{27} \int \frac{1}{3 + 2x} dx + \frac{1}{27} \int \frac{6 - 2x}{9 - 6x + 4x^2} dx \\
 &= \frac{1}{54} \log(3 + 2x) - \frac{1}{108} \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx + \frac{1}{6} \int \frac{1}{9 - 6x + 4x^2} dx \\
 &= \frac{1}{54} \log(3 + 2x) - \frac{1}{108} \log(9 - 6x + 4x^2) - \frac{1}{3} \text{Subst} \left(\int \frac{1}{-108 - x^2} dx, x, -6 + 8x \right) \\
 &= -\frac{\tan^{-1} \left(\frac{3-4x}{3\sqrt{3}} \right)}{18\sqrt{3}} + \frac{1}{54} \log(3 + 2x) - \frac{1}{108} \log(9 - 6x + 4x^2)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.00

$$-\frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3) + \frac{\tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(27 - 8*x^3)/(729 - 64*x^6), x]

[Out] ArcTan[(-3 + 4*x)/(3*Sqrt[3])]/(18*Sqrt[3]) + Log[3 + 2*x]/54 - Log[9 - 6*x + 4*x^2]/108

fricas [A] time = 0.45, size = 38, normalized size = 0.76

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729), x, algorithm="fricas")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/108*log(4*x^2 - 6*x + 9) + 1/54*log(2*x + 3)

giac [A] time = 0.17, size = 35, normalized size = 0.70

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{1}{108} \log\left(x^2 - \frac{3}{2}x + \frac{9}{4}\right) + \frac{1}{54} \log\left(\left|x + \frac{3}{2}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729), x, algorithm="giac")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/108*log(x^2 - 3/2*x + 9/4) + 1/54*log(abs(x + 3/2))

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{54} + \frac{\ln(2x + 3)}{54} - \frac{\ln(4x^2 - 6x + 9)}{108}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-8*x^3+27)/(-64*x^6+729), x)

[Out] $-1/108*\ln(4*x^2-6*x+9)+1/54*3^{(1/2)}*\arctan(1/18*(8*x-6)*3^{(1/2)})+1/54*\ln(2*x+3)$

maxima [A] time = 2.93, size = 38, normalized size = 0.76

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) - \frac{1}{108} \log(4x^2 - 6x + 9) + \frac{1}{54} \log(2x + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-8*x^3+27)/(-64*x^6+729),x, algorithm="maxima")`

[Out] $1/54*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) - 1/108*\log(4*x^2 - 6*x + 9) + 1/54*\log(2*x + 3)$

mupad [B] time = 0.09, size = 46, normalized size = 0.92

$$\frac{\ln\left(x + \frac{3}{2}\right)}{54} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{108} + \frac{\sqrt{3} 1i}{108}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{108} + \frac{\sqrt{3} 1i}{108}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((8*x^3 - 27)/(64*x^6 - 729),x)`

[Out] $\log(x + 3/2)/54 - \log(x - (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*1i)/108 + 1/108) + \log(x + (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*1i)/108 - 1/108)$

sympy [A] time = 0.16, size = 48, normalized size = 0.96

$$\frac{\log\left(x + \frac{3}{2}\right)}{54} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{108} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{54}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-8*x**3+27)/(-64*x**6+729),x)`

[Out] $\log(x + 3/2)/54 - \log(x**2 - 3*x/2 + 9/4)/108 + \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 - \sqrt{3}/3)/54$

$$3.564 \quad \int \frac{27+36x+24x^2+8x^3}{729-64x^6} dx$$

Optimal. Leaf size=50

$$\frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

[Out] $-1/18*\ln(3-2*x)+1/36*\ln(4*x^2-6*x+9)-1/54*\arctan(1/9*(3-4*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1586, 2058, 634, 618, 204, 628}

$$\frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(3 - 2x) - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6), x]

[Out] $-\text{ArcTan}[(3 - 4*x)/(3*\text{Sqrt}[3])]/(18*\text{Sqrt}[3]) - \text{Log}[3 - 2*x]/18 + \text{Log}[9 - 6*x + 4*x^2]/36$

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2058

```
Int[(P_)^(p_), x_Symbol] := With[{u = Factor[P]}, Int[ExpandIntegrand[u^p, x], x] /; !SumQ[NonfreeFactors[u, x]]] /; PolyQ[P, x] && ILtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{27 + 36x + 24x^2 + 8x^3}{729 - 64x^6} dx &= \int \frac{1}{27 - 36x + 24x^2 - 8x^3} dx \\
 &= \int \left(-\frac{1}{9(-3 + 2x)} + \frac{2x}{9(9 - 6x + 4x^2)} \right) dx \\
 &= -\frac{1}{18} \log(3 - 2x) + \frac{2}{9} \int \frac{x}{9 - 6x + 4x^2} dx \\
 &= -\frac{1}{18} \log(3 - 2x) + \frac{1}{36} \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx + \frac{1}{6} \int \frac{1}{9 - 6x + 4x^2} dx \\
 &= -\frac{1}{18} \log(3 - 2x) + \frac{1}{36} \log(9 - 6x + 4x^2) - \frac{1}{3} \text{Subst} \left(\int \frac{1}{-108 - x^2} dx, x, -6 + 8x \right) \\
 &= -\frac{\tan^{-1} \left(\frac{3-4x}{3\sqrt{3}} \right)}{18\sqrt{3}} - \frac{1}{18} \log(3 - 2x) + \frac{1}{36} \log(9 - 6x + 4x^2)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 50, normalized size = 1.00

$$\frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(3 - 2x) + \frac{\tan^{-1} \left(\frac{4x-3}{3\sqrt{3}} \right)}{18\sqrt{3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6), x]
```

[Out] ArcTan[(-3 + 4*x)/(3*Sqrt[3])]/(18*Sqrt[3]) - Log[3 - 2*x]/18 + Log[9 - 6*x + 4*x^2]/36

fricas [A] time = 0.44, size = 38, normalized size = 0.76

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729),x, algorithm="fricas")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/36*log(4*x^2 - 6*x + 9) - 1/18*log(2*x - 3)

giac [A] time = 0.18, size = 39, normalized size = 0.78

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(|2x - 3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729),x, algorithm="giac")

[Out] 1/54*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/36*log(4*x^2 - 6*x + 9) - 1/18*log(abs(2*x - 3))

maple [A] time = 0.05, size = 39, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{54} - \frac{\ln(2x-3)}{18} + \frac{\ln(4x^2-6x+9)}{36}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8*x^3+24*x^2+36*x+27)/(-64*x^6+729),x)

[Out] 1/36*ln(4*x^2-6*x+9)+1/54*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/18*ln(2*x-3)

maxima [A] time = 2.95, size = 38, normalized size = 0.76

$$\frac{1}{54} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{1}{36} \log(4x^2 - 6x + 9) - \frac{1}{18} \log(2x - 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729),x, algorithm="maxima")

[Out] $\frac{1}{54}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + \frac{1}{36}\log(4x^2-6x+9) - \frac{1}{18}\log(2x-3)$

mupad [B] time = 0.10, size = 46, normalized size = 0.92

$$-\frac{\ln\left(x-\frac{3}{2}\right)}{18} - \ln\left(x-\frac{3}{4}-\frac{\sqrt{3}3i}{4}\right)\left(-\frac{1}{36}+\frac{\sqrt{3}1i}{108}\right) + \ln\left(x-\frac{3}{4}+\frac{\sqrt{3}3i}{4}\right)\left(\frac{1}{36}+\frac{\sqrt{3}1i}{108}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(36*x + 24*x^2 + 8*x^3 + 27)/(64*x^6 - 729), x)`

[Out] $\log\left(x + \frac{(3^{1/2})3i}{4} - \frac{3}{4}\right)\left(\frac{(3^{1/2})1i}{108} + \frac{1}{36}\right) - \log\left(x - \frac{(3^{1/2})3i}{4} - \frac{3}{4}\right)\left(\frac{(3^{1/2})1i}{108} - \frac{1}{36}\right) - \log\left(x - \frac{3}{2}\right)/18$

sympy [A] time = 0.20, size = 48, normalized size = 0.96

$$-\frac{\log\left(x-\frac{3}{2}\right)}{18} + \frac{\log\left(x^2-\frac{3x}{2}+\frac{9}{4}\right)}{36} + \frac{\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9}-\frac{\sqrt{3}}{3}\right)}{54}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((8*x**3+24*x**2+36*x+27)/(-64*x**6+729), x)`

[Out] $-\log\left(x - \frac{3}{2}\right)/18 + \log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)/36 + \sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)/54$

$$3.565 \quad \int \frac{243-162x+108x^2-72x^3+48x^4-32x^5}{(729-64x^6)^2} dx$$

Optimal. Leaf size=110

$$\frac{\log(4x^2 - 6x + 9)}{17496} - \frac{\log(4x^2 + 6x + 9)}{17496} - \frac{1}{2916(2x + 3)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(2x + 3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x}{3\sqrt{3}}\right)}{2916\sqrt{3}}$$

[Out] -1/2916/(3+2*x)-1/17496*ln(3-2*x)+5/17496*ln(3+2*x)-1/17496*ln(4*x^2-6*x+9)
-1/17496*ln(4*x^2+6*x+9)-1/26244*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/8748
arctan(1/9(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.12, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {1586, 2074, 634, 618, 204, 628}

$$\frac{\log(4x^2 - 6x + 9)}{17496} - \frac{\log(4x^2 + 6x + 9)}{17496} - \frac{1}{2916(2x + 3)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(2x + 3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x}{3\sqrt{3}}\right)}{2916\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6)^2,x]

[Out] -1/(2916*(3 + 2*x)) - ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(8748*Sqrt[3]) + ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(2916*Sqrt[3]) - Log[3 - 2*x]/17496 + (5*Log[3 + 2*x])/17496 - Log[9 - 6*x + 4*x^2]/17496 - Log[9 + 6*x + 4*x^2]/17496

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2074

Int[(P_)^(p_.)*(Q_)^(q_.), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]

Rubi steps

$$\begin{aligned}
 \int \frac{243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5}{(729 - 64x^6)^2} dx &= \int \frac{1}{(3 + 2x)^2 (243 - 162x + 108x^2 - 72x^3 + 48x^4 - 32x^5)} dx \\
 &= \int \left(-\frac{1}{8748(-3 + 2x)} + \frac{1}{1458(3 + 2x)^2} + \frac{5}{8748(3 + 2x)} + \frac{1}{4374} \right) dx \\
 &= -\frac{1}{2916(3 + 2x)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(3 + 2x)}{17496} + \frac{\int \frac{3-2x}{9-6x+4x^2} dx}{4374} \\
 &= -\frac{1}{2916(3 + 2x)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(3 + 2x)}{17496} - \frac{\int \frac{-6+8x}{9-6x+4x^2} dx}{17496} \\
 &= -\frac{1}{2916(3 + 2x)} - \frac{\log(3 - 2x)}{17496} + \frac{5 \log(3 + 2x)}{17496} - \frac{\log(9 - 6x + 4x^2)}{17496} \\
 &= -\frac{1}{2916(3 + 2x)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} - \frac{\log(3 - 2x)}{17496}
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 100, normalized size = 0.91

$$\frac{-3 \log(4x^2 - 6x + 9) - 3 \log(4x^2 + 6x + 9) - \frac{18}{2x+3} - 3 \log(3 - 2x) + 15 \log(2x + 3) + 2\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 6\sqrt{3}}{52488}$$

Antiderivative was successfully verified.

[In] Integrate[(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5)/(729 - 64*x^6)^2,x]

[Out] (-18/(3 + 2*x) + 2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 6*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 3*Log[3 - 2*x] + 15*Log[3 + 2*x] - 3*Log[9 - 6*x + 4*x^2] - 3*Log[9 + 6*x + 4*x^2])/52488

fricas [A] time = 0.42, size = 115, normalized size = 1.05

$$\frac{6\sqrt{3}(2x+3)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + 2\sqrt{3}(2x+3)\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - 3(2x+3)\log(4x^2+6x+9)}{52488(2x+3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/52488*(6*sqrt(3)*(2*x + 3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 2*sqrt(3)*(2*x + 3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 3*(2*x + 3)*log(4*x^2 + 6*x + 9) - 3*(2*x + 3)*log(4*x^2 - 6*x + 9) + 15*(2*x + 3)*log(2*x + 3) - 3*(2*x + 3)*log(2*x - 3) - 18)/(2*x + 3)

giac [A] time = 0.19, size = 86, normalized size = 0.78

$$\frac{1}{8748}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + \frac{1}{26244}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) - \frac{1}{2916(2x+3)} - \frac{1}{17496}\log(4x^2+6x+9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x + 3) - 1/17496*log(4*x^2 + 6*x + 9) - 1/17496*log(4*x^2 - 6*x + 9) + 5/17496*log(abs(2*x + 3)) - 1/17496*log(abs(2*x - 3))

maple [A] time = 0.06, size = 85, normalized size = 0.77

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{26244} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{8748} - \frac{\ln(2x-3)}{17496} + \frac{5 \ln(2x+3)}{17496} - \frac{\ln(4x^2-6x+9)}{17496} - \frac{\ln(4x^2+6x+9)}{17496}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2,x)

[Out] -1/17496*ln(4*x^2-6*x+9)+1/26244*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/2916/(2*x+3)+5/17496*ln(2*x+3)-1/17496*ln(4*x^2+6*x+9)+1/8748*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/17496*ln(2*x-3)

maxima [A] time = 2.98, size = 84, normalized size = 0.76

$$\frac{1}{8748} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x+3)\right) + \frac{1}{26244} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x-3)\right) - \frac{1}{2916(2x+3)} - \frac{1}{17496} \log(4x^2+6x+9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-32*x^5+48*x^4-72*x^3+108*x^2-162*x+243)/(-64*x^6+729)^2,x, algo rithm="maxima")

[Out] 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x + 3) - 1/17496*log(4*x^2 + 6*x + 9) - 1/17496*log(4*x^2 - 6*x + 9) + 5/17496*log(2*x + 3) - 1/17496*log(2*x - 3)

mupad [B] time = 5.10, size = 100, normalized size = 0.91

$$\frac{5 \ln\left(x + \frac{3}{2}\right)}{17496} - \frac{\ln\left(x - \frac{3}{2}\right)}{17496} - \frac{1}{5832\left(x + \frac{3}{2}\right)} - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(162*x - 108*x^2 + 72*x^3 - 48*x^4 + 32*x^5 - 243)/(64*x^6 - 729)^2,x)

[Out] (5*log(x + 3/2))/17496 - log(x - 3/2)/17496 - 1/(5832*(x + 3/2)) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/17496 + 1/17496) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/17496 - 1/17496) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/52488 + 1/17496) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/52488 - 1/17496)

sympy [A] time = 0.43, size = 105, normalized size = 0.95

$$-\frac{\log\left(x - \frac{3}{2}\right)}{17496} + \frac{5 \log\left(x + \frac{3}{2}\right)}{17496} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{17496} - \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{17496} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{26244} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{8748}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-32*x**5+48*x**4-72*x**3+108*x**2-162*x+243)/(-64*x**6+729)**2,x  
)
```

```
[Out] -log(x - 3/2)/17496 + 5*log(x + 3/2)/17496 - log(x**2 - 3*x/2 + 9/4)/17496  
- log(x**2 + 3*x/2 + 9/4)/17496 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/2  
6244 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/8748 - 1/(5832*x + 8748)
```

$$3.566 \quad \int \frac{243+162x+108x^2+72x^3+48x^4+32x^5}{(729-64x^6)^2} dx$$

Optimal. Leaf size=110

$$\frac{\log(4x^2 - 6x + 9)}{17496} + \frac{\log(4x^2 + 6x + 9)}{17496} + \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(2x + 3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{8748\sqrt{3}}$$

[Out] 1/2916/(3-2*x)-5/17496*ln(3-2*x)+1/17496*ln(3+2*x)+1/17496*ln(4*x^2-6*x+9)+1/17496*ln(4*x^2+6*x+9)-1/8748*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/26244*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.12, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {1586, 2074, 634, 618, 204, 628}

$$\frac{\log(4x^2 - 6x + 9)}{17496} + \frac{\log(4x^2 + 6x + 9)}{17496} + \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(2x + 3)}{17496} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{8748\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6)^2,x]

[Out] 1/(2916*(3 - 2*x)) - ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(2916*Sqrt[3]) + ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(8748*Sqrt[3]) - (5*Log[3 - 2*x])/17496 + Log[3 + 2*x]/17496 + Log[9 - 6*x + 4*x^2]/17496 + Log[9 + 6*x + 4*x^2]/17496

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2074

Int[(P_)^(p_)*(Q_)^(q_.), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]

Rubi steps

$$\begin{aligned}
 \int \frac{243 + 162x + 108x^2 + 72x^3 + 48x^4 + 32x^5}{(729 - 64x^6)^2} dx &= \int \frac{1}{(3 - 2x)^2 (243 + 162x + 108x^2 + 72x^3 + 48x^4 + 32x^5)} dx \\
 &= \int \left(\frac{1}{1458(-3 + 2x)^2} - \frac{5}{8748(-3 + 2x)} + \frac{1}{8748(3 + 2x)} + \frac{1}{4374(9 - 6x + 4x^2)} \right) dx \\
 &= \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(3 + 2x)}{17496} + \frac{\int \frac{3+2x}{9-6x+4x^2} dx}{4374} \\
 &= \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(3 + 2x)}{17496} + \frac{\int \frac{-6+8x}{9-6x+4x^2} dx}{17496} \\
 &= \frac{1}{2916(3 - 2x)} - \frac{5 \log(3 - 2x)}{17496} + \frac{\log(3 + 2x)}{17496} + \frac{\log(9 - 6x)}{17496} \\
 &= \frac{1}{2916(3 - 2x)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{2916\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{8748\sqrt{3}} - \frac{5 \log(3 - 2x)}{17496}
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 97, normalized size = 0.88

$$\frac{3 \left(\log(4x^2 - 6x + 9) + \log(4x^2 + 6x + 9) + \frac{6}{3-2x} - 5 \log(3 - 2x) + \log(2x + 3) \right) + 6\sqrt{3} \tan^{-1} \left(\frac{4x-3}{3\sqrt{3}} \right) + 2\sqrt{3} \tan^{-1} \left(\frac{4x+3}{3\sqrt{3}} \right)}{52488}$$

Antiderivative was successfully verified.

[In] Integrate[(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5)/(729 - 64*x^6)^2,x]

[Out] (6*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 2*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] + 3*(6/(3 - 2*x) - 5*Log[3 - 2*x] + Log[3 + 2*x] + Log[9 - 6*x + 4*x^2] + Log[9 + 6*x + 4*x^2]))/52488

fricas [A] time = 0.45, size = 115, normalized size = 1.05

$$\frac{2\sqrt{3}(2x-3)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + 6\sqrt{3}(2x-3)\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right) + 3(2x-3)\log(4x^2+6x+9) + 3(2x-3)\log(4x^2-6x+9) + 3(2x-3)\log(2x+3) - 15(2x-3)\log(2x-3) - 18}{52488(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/52488*(2*sqrt(3)*(2*x - 3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 6*sqrt(3)*(2*x - 3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 3*(2*x - 3)*log(4*x^2 + 6*x + 9) + 3*(2*x - 3)*log(4*x^2 - 6*x + 9) + 3*(2*x - 3)*log(2*x + 3) - 15*(2*x - 3)*log(2*x - 3) - 18)/(2*x - 3)

giac [A] time = 0.21, size = 86, normalized size = 0.78

$$\frac{1}{26244} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{8748} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{1}{2916(2x-3)} + \frac{1}{17496} \log(4x^2+6x+9) + \frac{1}{17496} \log(4x^2-6x+9) + \frac{1}{17496} \log(2x+3) - \frac{5}{17496} \log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x - 3) + 1/17496*log(4*x^2 + 6*x + 9) + 1/17496*log(4*x^2 - 6*x + 9) + 1/17496*log(abs(2*x + 3)) - 5/17496*log(abs(2*x - 3))

maple [A] time = 0.05, size = 85, normalized size = 0.77

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{8748} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{26244} - \frac{5 \ln(2x-3)}{17496} + \frac{\ln(2x+3)}{17496} + \frac{\ln(4x^2-6x+9)}{17496} + \frac{\ln(4x^2+6x+9)}{17496}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2,x)

[Out] 1/17496*ln(4*x^2-6*x+9)+1/8748*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/17496*ln(2*x+3)+1/17496*ln(4*x^2+6*x+9)+1/26244*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/2916/(2*x-3)-5/17496*ln(2*x-3)

maxima [A] time = 2.94, size = 84, normalized size = 0.76

$$\frac{1}{26244} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x+3)\right) + \frac{1}{8748} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x-3)\right) - \frac{1}{2916(2x-3)} + \frac{1}{17496} \log(4x^2+6x+9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((32*x^5+48*x^4+72*x^3+108*x^2+162*x+243)/(-64*x^6+729)^2,x, algorith="maxima")

[Out] 1/26244*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/8748*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/2916/(2*x - 3) + 1/17496*log(4*x^2 + 6*x + 9) + 1/17496*log(4*x^2 - 6*x + 9) + 1/17496*log(2*x + 3) - 5/17496*log(2*x - 3)

mupad [B] time = 0.19, size = 100, normalized size = 0.91

$$\frac{\ln\left(x + \frac{3}{2}\right)}{17496} - \frac{5 \ln\left(x - \frac{3}{2}\right)}{17496} - \frac{1}{5832 \left(x - \frac{3}{2}\right)} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{17496} + \frac{\sqrt{3} 1i}{17496}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5 + 243)/(64*x^6 - 729)^2,x)

[Out] log(x + 3/2)/17496 - (5*log(x - 3/2))/17496 - 1/(5832*(x - 3/2)) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/17496 - 1/17496) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/17496 + 1/17496) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/52488 - 1/17496) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/52488 + 1/17496)

sympy [A] time = 0.47, size = 105, normalized size = 0.95

$$-\frac{5 \log\left(x - \frac{3}{2}\right)}{17496} + \frac{\log\left(x + \frac{3}{2}\right)}{17496} + \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{17496} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{17496} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{8748} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} + \frac{\sqrt{3}}{3}\right)}{26244}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((32*x**5+48*x**4+72*x**3+108*x**2+162*x+243)/(-64*x**6+729)**2,x)
```

```
[Out] -5*log(x - 3/2)/17496 + log(x + 3/2)/17496 + log(x**2 - 3*x/2 + 9/4)/17496  
+ log(x**2 + 3*x/2 + 9/4)/17496 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/8  
748 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/26244 - 1/(5832*x - 8748)
```


$$3.567 \quad \int \frac{81+36x^2+16x^4}{(729-64x^6)^2} dx$$

Optimal. Leaf size=81

$$\frac{1}{17496(3-2x)} - \frac{1}{17496(2x+3)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748}$$

[Out] 1/17496/(3-2*x)-1/17496/(3+2*x)+1/8748*arctanh(2/3*x)-1/39366*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/39366*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.07, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1586, 1170, 207, 618, 204}

$$\frac{1}{17496(3-2x)} - \frac{1}{17496(2x+3)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748}$$

Antiderivative was successfully verified.

[In] Int[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6)^2,x]

[Out] 1/(17496*(3 - 2*x)) - 1/(17496*(3 + 2*x)) - ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(13122*Sqrt[3]) + ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(13122*Sqrt[3]) + ArcTanh[(2*x)/3]/8748

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1170

Int[((d_) + (e_)*(x_)^2)^(q_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rubi steps

$$\begin{aligned} \int \frac{81 + 36x^2 + 16x^4}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 - 4x^2)^2 (81 + 36x^2 + 16x^4)} dx \\ &= \int \left(\frac{1}{8748(-3 + 2x)^2} + \frac{1}{8748(3 + 2x)^2} - \frac{1}{1458(-9 + 4x^2)} + \frac{1}{4374(9 - 6x + 4x^2)} + \frac{1}{4374(9 + 6x + 4x^2)} \right) dx \\ &= \frac{1}{17496(3 - 2x)} - \frac{1}{17496(3 + 2x)} + \frac{\int \frac{1}{9 - 6x + 4x^2} dx}{4374} + \frac{\int \frac{1}{9 + 6x + 4x^2} dx}{4374} - \frac{\int \frac{1}{-9 + 4x^2} dx}{1458} \\ &= \frac{1}{17496(3 - 2x)} - \frac{1}{17496(3 + 2x)} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748} - \frac{\text{Subst}\left(\int \frac{1}{-108 - x^2} dx, x, -6 + 8x\right)}{2187} \\ &= \frac{1}{17496(3 - 2x)} - \frac{1}{17496(3 + 2x)} - \frac{\tan^{-1}\left(\frac{3 - 4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3 + 4x}{3\sqrt{3}}\right)}{13122\sqrt{3}} + \frac{\tanh^{-1}\left(\frac{2x}{3}\right)}{8748} \end{aligned}$$

Mathematica [C] time = 0.57, size = 122, normalized size = 1.51

$$\frac{36x}{9-4x^2} - 9 \log(3 - 2x) + 9 \log(2x + 3) + 3\sqrt{3} \tan^{-1}\left(\frac{1}{3}(\sqrt{3} - i)x\right) + 4i\sqrt{3} \tanh^{-1}\left(\frac{1}{3}(1 - i\sqrt{3})x\right) + \left(-3 + \frac{2}{\sqrt{\frac{1}{6}(1 + \dots)}}\right)$$

157464

Warning: Unable to verify antiderivative.

[In] Integrate[(81 + 36*x^2 + 16*x^4)/(729 - 64*x^6)^2, x]

[Out] ((36*x)/(9 - 4*x^2) + 3*Sqrt[3]*ArcTan[(-I + Sqrt[3])*x]/3] + (4*I)*Sqrt[3]*ArcTanh[((1 - I*Sqrt[3])*x)/3] + (-3 + 2/Sqrt[(1 + I*Sqrt[3])/6])*ArcTanh[(x + I*Sqrt[3])*x]/3 - 9*Log[3 - 2*x] + 9*Log[3 + 2*x])/157464

fricas [A] time = 0.42, size = 91, normalized size = 1.12

$$\frac{4\sqrt{3}(4x^2-9)\arctan\left(\frac{4}{81}\sqrt{3}(2x^3+9x)\right)+4\sqrt{3}(4x^2-9)\arctan\left(\frac{2}{9}\sqrt{3}x\right)+9(4x^2-9)\log(2x+3)-9(4x^2-9)\log(2x-3)-36x}{157464(4x^2-9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/157464*(4*sqrt(3)*(4*x^2 - 9)*arctan(4/81*sqrt(3)*(2*x^3 + 9*x)) + 4*sqrt(3)*(4*x^2 - 9)*arctan(2/9*sqrt(3)*x) + 9*(4*x^2 - 9)*log(2*x + 3) - 9*(4*x^2 - 9)*log(2*x - 3) - 36*x)/(4*x^2 - 9)

giac [A] time = 0.17, size = 63, normalized size = 0.78

$$\frac{1}{39366}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right)+\frac{1}{39366}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)-\frac{x}{4374(4x^2-9)}+\frac{1}{17496}\log(|2x+3|)-\frac{1}{17496}\log(|2x-3|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/39366*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/39366*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/(4*x^2 - 9) + 1/17496*log(abs(2*x + 3)) - 1/17496*log(abs(2*x - 3))

maple [A] time = 0.06, size = 68, normalized size = 0.84

$$\frac{\sqrt{3}\arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{39366}+\frac{\sqrt{3}\arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{39366}-\frac{\ln(2x-3)}{17496}+\frac{\ln(2x+3)}{17496}-\frac{1}{17496(2x+3)}-\frac{1}{17496(2x-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x)

[Out] 1/39366*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/17496/(2*x+3)+1/17496*ln(2*x+3)+1/39366*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/17496/(2*x-3)-1/17496*ln(2*x-3)

maxima [A] time = 3.06, size = 61, normalized size = 0.75

$$\frac{1}{39366}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right)+\frac{1}{39366}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)-\frac{x}{4374(4x^2-9)}+\frac{1}{17496}\log(2x+3)-\frac{1}{17496}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x^4+36*x^2+81)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/39366*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/39366*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/(4*x^2 - 9) + 1/17496*log(2*x + 3) - 1/17496*log(2*x - 3)

mupad [B] time = 4.92, size = 52, normalized size = 0.64

$$\frac{\operatorname{atanh}\left(\frac{2x}{3}\right)}{8748} + \frac{\sqrt{3} \left(2 \operatorname{atan}\left(\frac{8\sqrt{3}x^3}{81} + \frac{4\sqrt{3}x}{9}\right) + 2 \operatorname{atan}\left(\frac{2\sqrt{3}x}{9}\right) \right)}{78732} - \frac{x}{17496 \left(x^2 - \frac{9}{4} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((36*x^2 + 16*x^4 + 81)/(64*x^6 - 729)^2,x)

[Out] atanh((2*x)/3)/8748 + (3^(1/2)*(2*atan((4*3^(1/2)*x)/9) + (8*3^(1/2)*x^3)/81) + 2*atan((2*3^(1/2)*x)/9))/78732 - x/(17496*(x^2 - 9/4))

sympy [A] time = 0.23, size = 70, normalized size = 0.86

$$-\frac{x}{17496x^2 - 39366} + \frac{\sqrt{3} \left(2 \operatorname{atan}\left(\frac{2\sqrt{3}x}{9}\right) + 2 \operatorname{atan}\left(\frac{8\sqrt{3}x^3}{81} + \frac{4\sqrt{3}x}{9}\right) \right)}{78732} - \frac{\log\left(x - \frac{3}{2}\right)}{17496} + \frac{\log\left(x + \frac{3}{2}\right)}{17496}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((16*x**4+36*x**2+81)/(-64*x**6+729)**2,x)

[Out] -x/(17496*x**2 - 39366) + sqrt(3)*(2*atan(2*sqrt(3)*x/9) + 2*atan(8*sqrt(3)*x**3/81 + 4*sqrt(3)*x/9))/78732 - log(x - 3/2)/17496 + log(x + 3/2)/17496

$$3.568 \quad \int \frac{81+54x-24x^3-16x^4}{(729-64x^6)^2} dx$$

Optimal. Leaf size=92

$$\frac{x}{4374(4x^2-6x+9)} - \frac{\log(4x^2-6x+9)}{157464} + \frac{\log(4x^2+6x+9)}{52488} - \frac{\log(3-2x)}{26244} + \frac{\log(2x+3)}{78732} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{4374\sqrt{3}}$$

[Out] 1/4374*x/(4*x^2-6*x+9)-1/26244*ln(3-2*x)+1/78732*ln(3+2*x)-1/157464*ln(4*x^2-6*x+9)+1/52488*ln(4*x^2+6*x+9)-1/13122*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.12, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$\frac{x}{4374(4x^2-6x+9)} - \frac{\log(4x^2-6x+9)}{157464} + \frac{\log(4x^2+6x+9)}{52488} - \frac{\log(3-2x)}{26244} + \frac{\log(2x+3)}{78732} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{4374\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6)^2, x]

[Out] x/(4374*(9 - 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*sqrt[3])]/(4374*sqrt[3]) - Log[3 - 2*x]/26244 + Log[3 + 2*x]/78732 - Log[9 - 6*x + 4*x^2]/157464 + Log[9 + 6*x + 4*x^2]/52488

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 638

Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 1586

Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 2074

Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]

Rubi steps

$$\begin{aligned}
\int \frac{81 + 54x - 24x^3 - 16x^4}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 - 6x + 4x^2)^2 (81 + 54x - 24x^3 - 16x^4)} dx \\
&= \int \left(-\frac{1}{13122(-3 + 2x)} + \frac{1}{39366(3 + 2x)} + \frac{3 - x}{729(9 - 6x + 4x^2)^2} + \frac{39 - 4x}{78732(9 - 6x + 4x^2)} \right) dx \\
&= -\frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} + \frac{\int \frac{39-4x}{9-6x+4x^2} dx}{78732} + \frac{\int \frac{3+4x}{9+6x+4x^2} dx}{26244} + \frac{1}{729} \int \frac{39-4x}{(9-6x+4x^2)^2} dx \\
&= \frac{x}{4374(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} + \frac{\log(9 + 6x + 4x^2)}{52488} - \frac{\int \frac{39-4x}{9-6x+4x^2} dx}{157464} \\
&= \frac{x}{4374(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} - \frac{\log(9 - 6x + 4x^2)}{157464} + \frac{\log(9 + 6x + 4x^2)}{157464} \\
&= \frac{x}{4374(9 - 6x + 4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{4374\sqrt{3}} - \frac{\log(3 - 2x)}{26244} + \frac{\log(3 + 2x)}{78732} - \frac{\log(9 - 6x + 4x^2)}{157464}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 84, normalized size = 0.91

$$\frac{\frac{36x}{4x^2-6x+9} - \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) - 6 \log(3 - 2x) + 2 \log(2x + 3) + 12\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right)}{157464}$$

Antiderivative was successfully verified.

[In] Integrate[(81 + 54*x - 24*x^3 - 16*x^4)/(729 - 64*x^6)^2,x]

[Out] ((36*x)/(9 - 6*x + 4*x^2) + 12*sqrt(3)*ArcTan[(-3 + 4*x)/(3*sqrt(3))] - 6*Log[3 - 2*x] + 2*Log[3 + 2*x] - Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/157464

fricas [A] time = 0.44, size = 126, normalized size = 1.37

$$\frac{12\sqrt{3}(4x^2 - 6x + 9) \arctan\left(\frac{1}{9}\sqrt{3}(4x - 3)\right) + 3(4x^2 - 6x + 9) \log(4x^2 + 6x + 9) - (4x^2 - 6x + 9) \log(4x^2 - 6x + 9)}{157464(4x^2 - 6x + 9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] $1/157464*(12*\sqrt{3}*(4*x^2 - 6*x + 9)*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 3*(4*x^2 - 6*x + 9)*\log(4*x^2 + 6*x + 9) - (4*x^2 - 6*x + 9)*\log(4*x^2 - 6*x + 9) + 2*(4*x^2 - 6*x + 9)*\log(2*x + 3) - 6*(4*x^2 - 6*x + 9)*\log(2*x - 3) + 36*x)/(4*x^2 - 6*x + 9)$

giac [A] time = 0.19, size = 76, normalized size = 0.83

$$\frac{1}{13122} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{x}{4374 (4x^2 - 6x + 9)} + \frac{1}{52488} \log(4x^2 + 6x + 9) - \frac{1}{157464} \log(4x^2 - 6x + 9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] $1/13122*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 1/4374*x/(4*x^2 - 6*x + 9) + 1/52488*\log(4*x^2 + 6*x + 9) - 1/157464*\log(4*x^2 - 6*x + 9) + 1/78732*\log(\text{abs}(2*x + 3)) - 1/26244*\log(\text{abs}(2*x - 3))$

maple [A] time = 0.06, size = 73, normalized size = 0.79

$$\frac{x}{17496x^2 - 26244x + 39366} + \frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{13122} - \frac{\ln(2x-3)}{26244} + \frac{\ln(2x+3)}{78732} - \frac{\ln(4x^2-6x+9)}{157464} + \frac{\ln(4x^2+6x+9)}{52488}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x)

[Out] $1/17496*x/(x^2-3/2*x+9/4)-1/157464*\ln(4*x^2-6*x+9)+1/13122*3^{(1/2)}*\arctan(1/18*(8*x-6)*3^{(1/2)})+1/78732*\ln(2*x+3)+1/52488*\ln(4*x^2+6*x+9)-1/26244*\ln(2*x-3)$

maxima [A] time = 2.97, size = 74, normalized size = 0.80

$$\frac{1}{13122} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{x}{4374 (4x^2 - 6x + 9)} + \frac{1}{52488} \log(4x^2 + 6x + 9) - \frac{1}{157464} \log(4x^2 - 6x + 9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x^4-24*x^3+54*x+81)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] $1/13122*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 1/4374*x/(4*x^2 - 6*x + 9) + 1/52488*\log(4*x^2 + 6*x + 9) - 1/157464*\log(4*x^2 - 6*x + 9) + 1/78732*\log(2*x + 3) - 1/26244*\log(2*x - 3)$

mupad [B] time = 0.12, size = 77, normalized size = 0.84

$$\frac{\ln\left(x + \frac{3}{2}\right)}{78732} - \frac{\ln\left(x - \frac{3}{2}\right)}{26244} + \frac{\ln\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{52488} + \frac{x}{17496\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{157464} + \frac{\sqrt{3} 1i}{26244}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{157464} + \frac{\sqrt{3} 1i}{26244}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((54*x - 24*x^3 - 16*x^4 + 81)/(64*x^6 - 729)^2,x)

[Out] log(x + 3/2)/78732 - log(x - 3/2)/26244 + log((3*x)/2 + x^2 + 9/4)/52488 + x/(17496*(x^2 - (3*x)/2 + 9/4)) - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/26244 + 1/157464) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/26244 - 1/157464)

sympy [A] time = 0.42, size = 82, normalized size = 0.89

$$\frac{x}{17496x^2 - 26244x + 39366} - \frac{\log\left(x - \frac{3}{2}\right)}{26244} + \frac{\log\left(x + \frac{3}{2}\right)}{78732} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{157464} + \frac{\log(4x^2 + 6x + 9)}{52488} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}}{9}\right)}{13122}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-16*x**4-24*x**3+54*x+81)/(-64*x**6+729)**2,x)

[Out] x/(17496*x**2 - 26244*x + 39366) - log(x - 3/2)/26244 + log(x + 3/2)/78732 - log(x**2 - 3*x/2 + 9/4)/157464 + log(4*x**2 + 6*x + 9)/52488 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/13122

$$3.569 \quad \int \frac{3-2x}{(729-64x^6)^2} dx$$

Optimal. Leaf size=148

$$\frac{3-x}{708588(4x^2-6x+9)} + \frac{x}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{8503056} - \frac{1}{708588(2x+3)} - \frac{\log(4x^2-6x+9)}{4251528}$$

[Out] -1/708588/(3+2*x)+1/708588*(3-x)/(4*x^2-6*x+9)+1/236196*x/(4*x^2+6*x+9)-1/4251528*ln(3-2*x)+1/472392*ln(3+2*x)-1/944784*ln(4*x^2-6*x+9)+1/8503056*ln(4*x^2+6*x+9)-1/4251528*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/472392*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.17, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$\frac{3-x}{708588(4x^2-6x+9)} + \frac{x}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{8503056} - \frac{1}{708588(2x+3)} - \frac{\log(4x^2-6x+9)}{4251528}$$

Antiderivative was successfully verified.

[In] Int[(3 - 2*x)/(729 - 64*x^6)^2, x]

[Out] -1/(708588*(3 + 2*x)) + (3 - x)/(708588*(9 - 6*x + 4*x^2)) + x/(236196*(9 + 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*sqrt[3])]/(1417176*sqrt[3]) + ArcTan[(3 + 4*x)/(3*sqrt[3])]/(157464*sqrt[3]) - Log[3 - 2*x]/4251528 + Log[3 + 2*x]/472392 - Log[9 - 6*x + 4*x^2]/944784 + Log[9 + 6*x + 4*x^2]/8503056

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 638

```
Int[((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol
] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p +
1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a
*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 1586

```
Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2074

```
Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandInt
egrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] &&
PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{3-2x}{(729-64x^6)^2} dx &= \int \frac{1}{(3-2x)(243+162x+108x^2+72x^3+48x^4+32x^5)^2} dx \\
&= \int \left(-\frac{1}{2125764(-3+2x)} + \frac{1}{354294(3+2x)^2} + \frac{1}{236196(3+2x)} - \frac{x}{39366(9-6x+4x^2)^2} \right) dx \\
&= -\frac{1}{708588(3+2x)} - \frac{\log(3-2x)}{4251528} + \frac{\log(3+2x)}{472392} + \frac{\int \frac{33+2x}{9+6x+4x^2} dx}{2125764} + \frac{\int \frac{7-6x}{9-6x+4x^2} dx}{708588} - \frac{\int \frac{1}{(9-6x+4x^2)^2} dx}{39366} \\
&= -\frac{1}{708588(3+2x)} + \frac{3-x}{708588(9-6x+4x^2)} + \frac{x}{236196(9+6x+4x^2)} - \frac{\log(3-2x)}{4251528} + \frac{\log(3+2x)}{472392} \\
&= -\frac{1}{708588(3+2x)} + \frac{3-x}{708588(9-6x+4x^2)} + \frac{x}{236196(9+6x+4x^2)} - \frac{\log(3-2x)}{4251528} + \frac{\log(3+2x)}{472392} \\
&= -\frac{1}{708588(3+2x)} + \frac{3-x}{708588(9-6x+4x^2)} + \frac{x}{236196(9+6x+4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{1417176\sqrt{3}} + \frac{\log(3+2x)}{472392}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 119, normalized size = 0.80

$$\frac{-9 \log(4x^2 - 6x + 9) + \log(4x^2 + 6x + 9) + \frac{1944x}{32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243} - 2 \log(3 - 2x) + 18 \log(2x + 3) + 2 \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + 2 \sqrt{3} \left(32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243\right)}{8503056}$$

Antiderivative was successfully verified.

[In] Integrate[(3 - 2*x)/(729 - 64*x^6)^2,x]

[Out] ((1944*x)/(243 + 162*x + 108*x^2 + 72*x^3 + 48*x^4 + 32*x^5) + 2*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] + 18*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 2*Log[3 - 2*x] + 18*Log[3 + 2*x] - 9*Log[9 - 6*x + 4*x^2] + Log[9 + 6*x + 4*x^2])/8503056

fricas [B] time = 0.44, size = 256, normalized size = 1.73

$$\frac{18 \sqrt{3} (32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243) \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + 2 \sqrt{3} (32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243)}{8503056}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/8503056*(18*sqrt(3)*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*arctan(1/9*sqrt(3)*(4*x + 3)) + 2*sqrt(3)*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*arctan(1/9*sqrt(3)*(4*x - 3)) + (32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(4*x^2 + 6*x + 9) - 9*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(4*x^2 - 6*x + 9) + 18*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(2*x + 3) - 2*(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)*log(2*x - 3) + 1944*x)/(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243)

giac [A] time = 0.20, size = 111, normalized size = 0.75

$$\frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) + \frac{1}{4251528} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{x}{4374(4x^2 + 6x + 9)(4x^2 - 6x + 9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/4251528*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/((4*x^2 + 6*x + 9)*(4*x^2 - 6*x + 9)*(2*x + 3)) + 1/8503056*log(4*x^2 + 6*x + 9) - 1/944784*log(4*x^2 - 6*x + 9) + 1/472392*log(abs(2*x + 3)) - 1/4251528*log(abs(2*x - 3))

maple [A] time = 0.07, size = 115, normalized size = 0.78

$$\frac{x}{944784x^2 + 1417176x + 2125764} + \frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{4251528} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{472392} - \frac{\ln(2x-3)}{4251528} + \frac{\ln(2x+3)}{472392} - \frac{\ln(2x-3)}{472392}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3-2*x)/(-64*x^6+729)^2,x)

[Out] -1/708588*(1/4*x-3/4)/(x^2-3/2*x+9/4)-1/944784*ln(4*x^2-6*x+9)+1/4251528*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/708588/(2*x+3)+1/472392*ln(2*x+3)+1/944784*x/(x^2+3/2*x+9/4)+1/8503056*ln(4*x^2+6*x+9)+1/472392*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/4251528*ln(2*x-3)

maxima [A] time = 2.91, size = 105, normalized size = 0.71

$$\frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) + \frac{1}{4251528} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) + \frac{x}{4374(32x^5 + 48x^4 + 72x^3 + 108x^2 + 162x + 243)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/4251528*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/(32*x^5 + 48*x^4 + 72*x^3 + 108*x^2 + 162*x + 243) + 1/8503056*log(4*x^2 + 6*x + 9) - 1/944784*log(4*x^2 - 6*x + 9) + 1/472392*log(2*x + 3) - 1/4251528*log(2*x - 3)

mupad [B] time = 0.19, size = 120, normalized size = 0.81

$$\frac{\ln\left(x + \frac{3}{2}\right) - \ln\left(x - \frac{3}{2}\right)}{472392} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{944784} + \frac{\sqrt{3} 1i}{8503056}\right) - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{8503056} + \frac{\sqrt{3} 1i}{944784}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x - 3)/(64*x^6 - 729)^2,x)

[Out] log(x + 3/2)/472392 - log(x - 3/2)/4251528 - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/8503056 + 1/944784) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/944784 - 1/8503056) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/8503056 - 1/944784) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/944784 + 1/8503056) + x/(139968*((81*x)/16 + (27*x^2)/8 + (9*x^3)/4 + (3*x^4)/2 + x^5 + 243/32))

sympy [A] time = 0.65, size = 124, normalized size = 0.84

$$\frac{x}{139968x^5 + 209952x^4 + 314928x^3 + 472392x^2 + 708588x + 1062882} - \frac{\log\left(x - \frac{3}{2}\right)}{4251528} + \frac{\log\left(x + \frac{3}{2}\right)}{472392} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{944784}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-2*x)/(-64*x**6+729)**2,x)

[Out] x/(139968*x**5 + 209952*x**4 + 314928*x**3 + 472392*x**2 + 708588*x + 1062882) - log(x - 3/2)/4251528 + log(x + 3/2)/472392 - log(x**2 - 3*x/2 + 9/4)/944784 + log(x**2 + 3*x/2 + 9/4)/8503056 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/4251528 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/472392

$$3.570 \quad \int \frac{3+2x}{(729-64x^6)^2} dx$$

Optimal. Leaf size=146

$$\frac{x}{236196(4x^2-6x+9)} - \frac{x+3}{708588(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{8503056} + \frac{\log(4x^2+6x+9)}{944784} + \frac{1}{708588(3-2x)} - \frac{\log}{4}$$

[Out] 1/708588/(3-2*x)+1/236196*x/(4*x^2-6*x+9)+1/708588*(-3-x)/(4*x^2+6*x+9)-1/4
72392*ln(3-2*x)+1/4251528*ln(3+2*x)-1/8503056*ln(4*x^2-6*x+9)+1/944784*ln(4
*x^2+6*x+9)-1/472392*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/4251528*arctan(1
/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.17, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 7, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$\frac{x}{236196(4x^2-6x+9)} - \frac{x+3}{708588(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{8503056} + \frac{\log(4x^2+6x+9)}{944784} + \frac{1}{708588(3-2x)} - \frac{\log}{4}$$

Antiderivative was successfully verified.

[In] Int[(3 + 2*x)/(729 - 64*x^6)^2, x]

[Out] 1/(708588*(3 - 2*x)) + x/(236196*(9 - 6*x + 4*x^2)) - (3 + x)/(708588*(9 + 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(157464*Sqrt[3]) + ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(1417176*Sqrt[3]) - Log[3 - 2*x]/472392 + Log[3 + 2*x]/4251528 - Log[9 - 6*x + 4*x^2]/8503056 + Log[9 + 6*x + 4*x^2]/944784

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 638

```
Int[((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol
] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p +
1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a
*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 1586

```
Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2074

```
Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandInt
egrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] &&
PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{3+2x}{(729-64x^6)^2} dx &= \int \frac{1}{(3+2x)(243-162x+108x^2-72x^3+48x^4-32x^5)^2} dx \\
&= \int \left(\frac{1}{354294(-3+2x)^2} - \frac{1}{236196(-3+2x)} + \frac{1}{2125764(3+2x)} + \frac{3-x}{39366(9-6x+4x^2)^2} \right) dx \\
&= \frac{1}{708588(3-2x)} - \frac{\log(3-2x)}{472392} + \frac{\log(3+2x)}{4251528} + \frac{\int \frac{33-2x}{9-6x+4x^2} dx}{2125764} + \frac{\int \frac{7+6x}{9+6x+4x^2} dx}{708588} + \frac{\int \frac{1}{(9-6x+4x^2)^2} dx}{39366} \\
&= \frac{1}{708588(3-2x)} + \frac{x}{236196(9-6x+4x^2)} - \frac{3+x}{708588(9+6x+4x^2)} - \frac{\log(3-2x)}{472392} + \frac{\log(3+2x)}{4251528} \\
&= \frac{1}{708588(3-2x)} + \frac{x}{236196(9-6x+4x^2)} - \frac{3+x}{708588(9+6x+4x^2)} - \frac{\log(3-2x)}{472392} + \frac{\log(3+2x)}{4251528} \\
&= \frac{1}{708588(3-2x)} + \frac{x}{236196(9-6x+4x^2)} - \frac{3+x}{708588(9+6x+4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{157464\sqrt{3}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 121, normalized size = 0.83

$$\frac{-\log(4x^2-6x+9) + 9\log(4x^2+6x+9) + \frac{1944x}{-32x^5+48x^4-72x^3+108x^2-162x+243} - 18\log(3-2x) + 2\log(2x+3) + \frac{18\sqrt{3}\arctan\left(\frac{3-4x}{3\sqrt{3}}\right) + 18\sqrt{3}\arctan\left(\frac{3+4x}{3\sqrt{3}}\right)}{8503056}}{8503056}$$

Antiderivative was successfully verified.

[In] Integrate[(3 + 2*x)/(729 - 64*x^6)^2, x]

[Out] ((1944*x)/(243 - 162*x + 108*x^2 - 72*x^3 + 48*x^4 - 32*x^5) + 18*sqrt(3)*ArcTan[(-3 + 4*x)/(3*sqrt(3))] + 2*sqrt(3)*ArcTan[(3 + 4*x)/(3*sqrt(3))] - 18*Log[3 - 2*x] + 2*Log[3 + 2*x] - Log[9 - 6*x + 4*x^2] + 9*Log[9 + 6*x + 4*x^2])/8503056

fricas [B] time = 0.46, size = 257, normalized size = 1.76

$$\frac{2\sqrt{3}(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right) + 18\sqrt{3}(32x^5 - 48x^4 + 72x^3 - 108x^2 + 162x - 243)\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right)}{8503056}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/8503056*(2*sqrt(3)*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*arctan(1/9*sqrt(3)*(4*x + 3)) + 18*sqrt(3)*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*arctan(1/9*sqrt(3)*(4*x - 3)) + 9*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*log(4*x^2 + 6*x + 9) - (32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*log(4*x^2 - 6*x + 9) + 2*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*log(2*x + 3) - 18*(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)*log(2*x - 3) - 1944*x)/(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243)

giac [A] time = 0.18, size = 111, normalized size = 0.76

$$\frac{1}{4251528} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{x}{4374(4x^2+6x+9)(4x^2-6x+9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/4251528*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/((4*x^2 + 6*x + 9)*(4*x^2 - 6*x + 9)*(2*x - 3)) + 1/944784*log(4*x^2 + 6*x + 9) - 1/8503056*log(4*x^2 - 6*x + 9) + 1/4251528*log(abs(2*x + 3)) - 1/472392*log(abs(2*x - 3))

maple [A] time = 0.07, size = 115, normalized size = 0.79

$$\frac{x}{944784x^2 - 1417176x + 2125764} + \frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{472392} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{4251528} - \frac{\ln(2x-3)}{472392} + \frac{\ln(2x+3)}{4251528} - \frac{\ln(2x-3)}{4251528}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x+3)/(-64*x^6+729)^2,x)

[Out] 1/944784/(x^2-3/2*x+9/4)*x-1/8503056*ln(4*x^2-6*x+9)+1/472392*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))+1/4251528*ln(2*x+3)+1/708588*(-1/4*x-3/4)/(x^2+3/2*x+9/4)+1/944784*ln(4*x^2+6*x+9)+1/4251528*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/708588/(2*x-3)-1/472392*ln(2*x-3)

maxima [A] time = 2.90, size = 105, normalized size = 0.72

$$\frac{1}{4251528} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) - \frac{x}{4374(32x^5 - 48x^4 + 72x^3 - 108x^2 - 108x^2 + 162x - 243)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] 1/4251528*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 1/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) - 1/4374*x/(32*x^5 - 48*x^4 + 72*x^3 - 108*x^2 + 162*x - 243) + 1/944784*log(4*x^2 + 6*x + 9) - 1/8503056*log(4*x^2 - 6*x + 9) + 1/4251528*log(2*x + 3) - 1/472392*log(2*x - 3)

mupad [B] time = 5.09, size = 121, normalized size = 0.83

$$\frac{\ln\left(x + \frac{3}{2}\right) - \ln\left(x - \frac{3}{2}\right)}{4251528} - \frac{\ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{8503056} + \frac{\sqrt{3} 1i}{944784}\right) - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{944784} + \frac{\sqrt{3} 1i}{8503056}\right)}{472392}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x + 3)/(64*x^6 - 729)^2,x)

[Out] log(x + 3/2)/4251528 - log(x - 3/2)/472392 - log(x - (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/944784 + 1/8503056) - log(x - (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/8503056 - 1/944784) + log(x + (3^(1/2)*3i)/4 - 3/4)*((3^(1/2)*1i)/944784 - 1/8503056) + log(x + (3^(1/2)*3i)/4 + 3/4)*((3^(1/2)*1i)/8503056 + 1/944784) - x/(139968*((81*x)/16 - (27*x^2)/8 + (9*x^3)/4 - (3*x^4)/2 + x^5 - 243/32))

sympy [A] time = 0.65, size = 124, normalized size = 0.85

$$\frac{x}{139968x^5 - 209952x^4 + 314928x^3 - 472392x^2 + 708588x - 1062882} + \frac{\log\left(x - \frac{3}{2}\right)}{472392} + \frac{\log\left(x + \frac{3}{2}\right)}{4251528} - \frac{\log\left(x^2 - \frac{3}{2}\right)}{8503056}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+2*x)/(-64*x**6+729)**2,x)

[Out] -x/(139968*x**5 - 209952*x**4 + 314928*x**3 - 472392*x**2 + 708588*x - 1062882) - log(x - 3/2)/472392 + log(x + 3/2)/4251528 - log(x**2 - 3*x/2 + 9/4)/8503056 + log(x**2 + 3*x/2 + 9/4)/944784 + sqrt(3)*atan(4*sqrt(3)*x/9 - sqrt(3)/3)/472392 + sqrt(3)*atan(4*sqrt(3)*x/9 + sqrt(3)/3)/4251528

$$3.571 \quad \int \frac{9-6x+4x^2}{(729-64x^6)^2} dx$$

Optimal. Leaf size=142

$$\frac{4x+3}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} - \frac{5\log(4x^2+6x+9)}{2834352} + \frac{1}{472392(3-2x)} - \frac{1}{157464(2x+3)} - \frac{\log(3-2x)}{354294}$$

[Out] 1/472392/(3-2*x)-1/157464/(3+2*x)+1/236196*(3+4*x)/(4*x^2+6*x+9)-1/354294*ln(3-2*x)+1/118098*ln(3+2*x)-1/944784*ln(4*x^2-6*x+9)-5/2834352*ln(4*x^2+6*x+9)-1/1417176*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/157464*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.15, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1586, 2074, 634, 618, 204, 628, 614}

$$\frac{4x+3}{236196(4x^2+6x+9)} - \frac{\log(4x^2-6x+9)}{944784} - \frac{5\log(4x^2+6x+9)}{2834352} + \frac{1}{472392(3-2x)} - \frac{1}{157464(2x+3)} - \frac{\log(3-2x)}{354294}$$

Antiderivative was successfully verified.

[In] Int[(9 - 6*x + 4*x^2)/(729 - 64*x^6)^2,x]

[Out] 1/(472392*(3 - 2*x)) - 1/(157464*(3 + 2*x)) + (3 + 4*x)/(236196*(9 + 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*Sqrt[3])]/(472392*Sqrt[3]) + ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(52488*Sqrt[3]) - Log[3 - 2*x]/354294 + Log[3 + 2*x]/118098 - Log[9 - 6*x + 4*x^2]/944784 - (5*Log[9 + 6*x + 4*x^2])/2834352

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 614

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[(2*c*(2*p + 3))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2] && IntegerQ[4*p]

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2074

```
Int[(P_)^(p_.)*(Q_)^(q_.), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{9 - 6x + 4x^2}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 - 6x + 4x^2)(81 + 54x - 24x^3 - 16x^4)^2} dx \\
&= \int \left(\frac{1}{236196(-3 + 2x)^2} - \frac{1}{177147(-3 + 2x)} + \frac{1}{78732(3 + 2x)^2} + \frac{1}{59049(3 + 2x)} + \frac{1}{236196} \right) dx \\
&= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} - \frac{\log(3 - 2x)}{354294} + \frac{\log(3 + 2x)}{118098} + \frac{\int \frac{21-10x}{9+6x+4x^2} dx}{708588} + \frac{\int \frac{3}{9-6x}}{236196} \\
&= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} + \frac{3 + 4x}{236196(9 + 6x + 4x^2)} - \frac{\log(3 - 2x)}{354294} + \frac{\log(3 + 2x)}{118098} \\
&= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} + \frac{3 + 4x}{236196(9 + 6x + 4x^2)} - \frac{\log(3 - 2x)}{354294} + \frac{\log(3 + 2x)}{118098} \\
&= \frac{1}{472392(3 - 2x)} - \frac{1}{157464(3 + 2x)} + \frac{3 + 4x}{236196(9 + 6x + 4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{472392\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{52488\sqrt{3}}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 111, normalized size = 0.78

$$\frac{-3 \log(4x^2 - 6x + 9) - 5 \log(4x^2 + 6x + 9) + \frac{648x}{-16x^4 - 24x^3 + 54x + 81} - 8 \log(3 - 2x) + 24 \log(2x + 3) + 2\sqrt{3} \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right) + 2\sqrt{3} \tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{2834352}$$

Antiderivative was successfully verified.

[In] Integrate[(9 - 6*x + 4*x^2)/(729 - 64*x^6)^2,x]

[Out] ((648*x)/(81 + 54*x - 24*x^3 - 16*x^4) + 2*sqrt[3]*ArcTan[(-3 + 4*x)/(3*sqrt[3])] + 18*sqrt[3]*ArcTan[(3 + 4*x)/(3*sqrt[3])] - 8*Log[3 - 2*x] + 24*Log[3 + 2*x] - 3*Log[9 - 6*x + 4*x^2] - 5*Log[9 + 6*x + 4*x^2])/2834352

fricas [A] time = 0.43, size = 187, normalized size = 1.32

$$\frac{18\sqrt{3}(16x^4 + 24x^3 - 54x - 81) \arctan\left(\frac{1}{9}\sqrt{3}(4x + 3)\right) + 2\sqrt{3}(16x^4 + 24x^3 - 54x - 81) \arctan\left(\frac{1}{9}\sqrt{3}(4x - 3)\right)}{2834352}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] $\frac{1}{2834352} \cdot (18 \cdot \sqrt{3}) \cdot (16x^4 + 24x^3 - 54x - 81) \cdot \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + 2 \cdot \sqrt{3} \cdot (16x^4 + 24x^3 - 54x - 81) \cdot \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - 5 \cdot (16x^4 + 24x^3 - 54x - 81) \cdot \log(4x^2 + 6x + 9) - 3 \cdot (16x^4 + 24x^3 - 54x - 81) \cdot \log(4x^2 - 6x + 9) + 24 \cdot (16x^4 + 24x^3 - 54x - 81) \cdot \log(2x + 3) - 8 \cdot (16x^4 + 24x^3 - 54x - 81) \cdot \log(2x - 3) - 648x / (16x^4 + 24x^3 - 54x - 81)$

giac [A] time = 0.18, size = 106, normalized size = 0.75

$$\frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + \frac{1}{1417176} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{x}{4374(4x^2 + 6x + 9)(2x + 3)(2x - 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] $\frac{1}{157464} \cdot \sqrt{3} \cdot \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + \frac{1}{1417176} \cdot \sqrt{3} \cdot \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{1}{4374} \cdot \frac{x}{(4x^2 + 6x + 9)(2x + 3)(2x - 3)} - \frac{5}{2834352} \cdot \log(4x^2 + 6x + 9) - \frac{1}{944784} \cdot \log(4x^2 - 6x + 9) + \frac{1}{118098} \cdot \log(\text{abs}(2x + 3)) - \frac{1}{354294} \cdot \log(\text{abs}(2x - 3))$

maple [A] time = 0.06, size = 111, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{1417176} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{157464} - \frac{\ln(2x-3)}{354294} + \frac{\ln(2x+3)}{118098} - \frac{\ln(4x^2-6x+9)}{944784} - \frac{5 \ln(4x^2+6x+9)}{2834352}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2-6*x+9)/(-64*x^6+729)^2,x)

[Out] $-\frac{1}{944784} \cdot \ln(4x^2 - 6x + 9) + \frac{1}{1417176} \cdot 3^{(1/2)} \cdot \arctan\left(\frac{1}{18} \cdot (8x - 6) \cdot 3^{(1/2)}\right) - \frac{1}{157464} \cdot \frac{1}{(2x + 3)} + \frac{1}{118098} \cdot \ln(2x + 3) - \frac{1}{708588} \cdot \frac{(-3x - 9/4)}{(x^2 + 3/2x + 9/4)} - \frac{5}{2834352} \cdot \ln(4x^2 + 6x + 9) + \frac{1}{157464} \cdot 3^{(1/2)} \cdot \arctan\left(\frac{1}{18} \cdot (8x + 6) \cdot 3^{(1/2)}\right) - \frac{1}{472392} \cdot \frac{1}{(2x - 3)} - \frac{1}{354294} \cdot \ln(2x - 3)$

maxima [A] time = 2.98, size = 95, normalized size = 0.67

$$\frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + \frac{1}{1417176} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{x}{4374(16x^4 + 24x^3 - 54x - 81)} - \frac{5}{2834352} \ln(4x^2 + 6x + 9) - \frac{1}{944784} \ln(4x^2 - 6x + 9) + \frac{1}{118098} \ln(\text{abs}(2x + 3)) - \frac{1}{354294} \ln(\text{abs}(2x - 3))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2-6*x+9)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] $1/157464*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) + 1/1417176*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) - 1/4374*x/(16*x^4 + 24*x^3 - 54*x - 81) - 5/2834352*\log(4*x^2 + 6*x + 9) - 1/944784*\log(4*x^2 - 6*x + 9) + 1/118098*\log(2*x + 3) - 1/354294*\log(2*x - 3)$

mupad [B] time = 5.08, size = 110, normalized size = 0.77

$$\frac{\ln\left(x + \frac{3}{2}\right)}{118098} - \frac{\ln\left(x - \frac{3}{2}\right)}{354294} - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{5}{2834352} + \frac{\sqrt{3} 1i}{314928}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{5}{2834352} + \frac{\sqrt{3} 1i}{314928}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((4*x^2 - 6*x + 9)/(64*x^6 - 729)^2,x)`

[Out] $\log(x + 3/2)/118098 - \log(x - 3/2)/354294 - \log(x - (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/314928 + 5/2834352) + \log(x + (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/314928 - 5/2834352) - \log(x - (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*1i)/2834352 + 1/944784) + \log(x + (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*1i)/2834352 - 1/944784) + x/(69984*((27*x)/8 - (3*x^3)/2 - x^4 + 81/16))$

sympy [A] time = 0.64, size = 116, normalized size = 0.82

$$-\frac{x}{69984x^4 + 104976x^3 - 236196x - 354294} - \frac{\log\left(x - \frac{3}{2}\right)}{354294} + \frac{\log\left(x + \frac{3}{2}\right)}{118098} - \frac{\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{944784} - \frac{5\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{2834352}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x**2-6*x+9)/(-64*x**6+729)**2,x)`

[Out] $-x/(69984*x**4 + 104976*x**3 - 236196*x - 354294) - \log(x - 3/2)/354294 + \log(x + 3/2)/118098 - \log(x**2 - 3*x/2 + 9/4)/944784 - 5*\log(x**2 + 3*x/2 + 9/4)/2834352 + \sqrt{3}*atan(4*\sqrt{3}*x/9 - \sqrt{3}/3)/1417176 + \sqrt{3}*atan(4*\sqrt{3}*x/9 + \sqrt{3}/3)/157464$

$$3.572 \quad \int \frac{9+6x+4x^2}{(729-64x^6)^2} dx$$

Optimal. Leaf size=142

$$-\frac{3-4x}{236196(4x^2-6x+9)} + \frac{5 \log(4x^2-6x+9)}{2834352} + \frac{\log(4x^2+6x+9)}{944784} + \frac{1}{157464(3-2x)} - \frac{1}{472392(2x+3)} - \frac{\log(3-2x)}{118098}$$

[Out] 1/157464/(3-2*x)-1/472392/(3+2*x)+1/236196*(-3+4*x)/(4*x^2-6*x+9)-1/118098*ln(3-2*x)+1/354294*ln(3+2*x)+5/2834352*ln(4*x^2-6*x+9)+1/944784*ln(4*x^2+6*x+9)-1/157464*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/1417176*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.14, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1586, 2074, 614, 618, 204, 634, 628}

$$-\frac{3-4x}{236196(4x^2-6x+9)} + \frac{5 \log(4x^2-6x+9)}{2834352} + \frac{\log(4x^2+6x+9)}{944784} + \frac{1}{157464(3-2x)} - \frac{1}{472392(2x+3)} - \frac{\log(3-2x)}{118098}$$

Antiderivative was successfully verified.

[In] Int[(9 + 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

[Out] 1/(157464*(3 - 2*x)) - 1/(472392*(3 + 2*x)) - (3 - 4*x)/(236196*(9 - 6*x + 4*x^2)) - ArcTan[(3 - 4*x)/(3*sqrt(3))]/(52488*sqrt(3)) + ArcTan[(3 + 4*x)/(3*sqrt(3))]/(472392*sqrt(3)) - Log[3 - 2*x]/118098 + Log[3 + 2*x]/354294 + (5*Log[9 - 6*x + 4*x^2])/2834352 + Log[9 + 6*x + 4*x^2]/944784

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 614

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[(2*c*(2*p + 3))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2] && IntegerQ[4*p]

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1586

```
Int[(u_.)*(Px_)^(p_.)*(Qx_)^(q_.), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2074

```
Int[(P_)^(p_)*(Q_)^(q_.), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandIntegrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] && PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{9 + 6x + 4x^2}{(729 - 64x^6)^2} dx &= \int \frac{1}{(9 + 6x + 4x^2)(81 - 54x + 24x^3 - 16x^4)^2} dx \\
&= \int \left(\frac{1}{78732(-3 + 2x)^2} - \frac{1}{59049(-3 + 2x)} + \frac{1}{236196(3 + 2x)^2} + \frac{1}{177147(3 + 2x)} + \frac{1}{4374(9 - 6x + 4x^2)} \right) dx \\
&= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{\log(3 - 2x)}{118098} + \frac{\log(3 + 2x)}{354294} + \frac{\int \frac{21+10x}{9-6x+4x^2} dx}{708588} + \frac{\int \frac{1}{9-6x+4x^2} dx}{2} \\
&= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{3 - 4x}{236196(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{118098} + \frac{\log(3 + 2x)}{354294} \\
&= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{3 - 4x}{236196(9 - 6x + 4x^2)} - \frac{\log(3 - 2x)}{118098} + \frac{\log(3 + 2x)}{354294} \\
&= \frac{1}{157464(3 - 2x)} - \frac{1}{472392(3 + 2x)} - \frac{3 - 4x}{236196(9 - 6x + 4x^2)} - \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{52488\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3+2x}{3}\right)}{472392}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 111, normalized size = 0.78

$$\frac{5 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) + \frac{648x}{-16x^4 + 24x^3 - 54x + 81} - 24 \log(3 - 2x) + 8 \log(2x + 3) + 18\sqrt{3} \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right) + \frac{\tan^{-1}\left(\frac{3+2x}{3}\right)}{472392}}{2834352}$$

Antiderivative was successfully verified.

[In] Integrate[(9 + 6*x + 4*x^2)/(729 - 64*x^6)^2, x]

[Out] ((648*x)/(81 - 54*x + 24*x^3 - 16*x^4) + 18*sqrt(3)*ArcTan[(-3 + 4*x)/(3*sqrt(3))] + 2*sqrt(3)*ArcTan[(3 + 4*x)/(3*sqrt(3))] - 24*Log[3 - 2*x] + 8*Log[3 + 2*x] + 5*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/2834352

fricas [A] time = 0.43, size = 187, normalized size = 1.32

$$\frac{2\sqrt{3}(16x^4 - 24x^3 + 54x - 81) \arctan\left(\frac{1}{9}\sqrt{3}(4x + 3)\right) + 18\sqrt{3}(16x^4 - 24x^3 + 54x - 81) \arctan\left(\frac{1}{9}\sqrt{3}(4x - 3)\right)}{2834352}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] $\frac{1}{2834352} \cdot (2 \cdot \sqrt{3}) \cdot (16x^4 - 24x^3 + 54x - 81) \cdot \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + 18 \cdot \sqrt{3} \cdot (16x^4 - 24x^3 + 54x - 81) \cdot \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) + 3 \cdot (16x^4 - 24x^3 + 54x - 81) \cdot \log(4x^2 + 6x + 9) + 5 \cdot (16x^4 - 24x^3 + 54x - 81) \cdot \log(4x^2 - 6x + 9) + 8 \cdot (16x^4 - 24x^3 + 54x - 81) \cdot \log(2x + 3) - 24 \cdot (16x^4 - 24x^3 + 54x - 81) \cdot \log(2x - 3) - 648x / (16x^4 - 24x^3 + 54x - 81)$

giac [A] time = 0.24, size = 106, normalized size = 0.75

$$\frac{1}{1417176} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + \frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{x}{4374(4x^2 - 6x + 9)(2x + 3)(2x - 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] $\frac{1}{1417176} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + \frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{1}{4374} \frac{x}{(4x^2 - 6x + 9)(2x + 3)(2x - 3)} + \frac{1}{944784} \log(4x^2 + 6x + 9) + \frac{5}{2834352} \log(4x^2 - 6x + 9) + \frac{1}{354294} \log(\text{abs}(2x + 3)) - \frac{1}{118098} \log(\text{abs}(2x - 3))$

maple [A] time = 0.06, size = 111, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{157464} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{1417176} - \frac{\ln(2x-3)}{118098} + \frac{\ln(2x+3)}{354294} + \frac{5 \ln(4x^2-6x+9)}{2834352} + \frac{\ln(4x^2+6x+9)}{944784}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4*x^2+6*x+9)/(-64*x^6+729)^2,x)

[Out] $\frac{1}{708588} \cdot (3x - 9/4) / (x^2 - 3/2x + 9/4) + 5/2834352 \cdot \ln(4x^2 - 6x + 9) + 1/157464 \cdot 3^{1/2} \cdot \arctan\left(\frac{1}{18} \cdot (8x - 6) \cdot 3^{1/2}\right) - 1/472392 \cdot (2x + 3) + 1/354294 \cdot \ln(2x + 3) + 1/944784 \cdot 4 \cdot \ln(4x^2 + 6x + 9) + 1/1417176 \cdot 3^{1/2} \cdot \arctan\left(\frac{1}{18} \cdot (8x + 6) \cdot 3^{1/2}\right) - 1/157464 \cdot (2x - 3) - 1/118098 \cdot \ln(2x - 3)$

maxima [A] time = 2.88, size = 95, normalized size = 0.67

$$\frac{1}{1417176} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + \frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{x}{4374(16x^4 - 24x^3 + 54x - 81)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^2+6*x+9)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] $\frac{1}{1417176} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + \frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) - \frac{1}{4374} \frac{x}{(16x^4 - 24x^3 + 54x - 81)} + \frac{1}{944784} \cdot 4 \cdot \ln(4x^2 + 6x + 9) + \dots$

$\log(4x^2 + 6x + 9) + 5/2834352 \cdot \log(4x^2 - 6x + 9) + 1/354294 \cdot \log(2x + 3) - 1/118098 \cdot \log(2x - 3)$

mupad [B] time = 0.19, size = 111, normalized size = 0.78

$$\frac{\ln\left(x + \frac{3}{2}\right)}{354294} - \frac{\ln\left(x - \frac{3}{2}\right)}{118098} - \frac{x}{69984 \left(x^4 - \frac{3x^3}{2} + \frac{27x}{8} - \frac{81}{16}\right)} - \ln\left(x - \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{5}{2834352} + \frac{\sqrt{3} 1i}{314928}\right) + \ln\left(x - \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{5}{2834352} + \frac{\sqrt{3} 1i}{314928}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((6*x + 4*x^2 + 9)/(64*x^6 - 729)^2,x)

[Out] $\log(x + 3/2)/354294 - \log(x - 3/2)/118098 - x/(69984 \cdot ((27x)/8 - (3x^3)/2 + x^4 - 81/16)) - \log(x - (3^{(1/2)} \cdot 3i)/4 - 3/4) \cdot ((3^{(1/2)} \cdot 1i)/314928 - 5/2834352) + \log(x + (3^{(1/2)} \cdot 3i)/4 - 3/4) \cdot ((3^{(1/2)} \cdot 1i)/314928 + 5/2834352) - \log(x - (3^{(1/2)} \cdot 3i)/4 + 3/4) \cdot ((3^{(1/2)} \cdot 1i)/2834352 - 1/944784) + \log(x + (3^{(1/2)} \cdot 3i)/4 + 3/4) \cdot ((3^{(1/2)} \cdot 1i)/2834352 + 1/944784)$

sympy [A] time = 0.57, size = 116, normalized size = 0.82

$$-\frac{x}{69984x^4 - 104976x^3 + 236196x - 354294} - \frac{\log\left(x - \frac{3}{2}\right)}{118098} + \frac{\log\left(x + \frac{3}{2}\right)}{354294} + \frac{5 \log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{2834352} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{944784}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x**2+6*x+9)/(-64*x**6+729)**2,x)

[Out] $-x/(69984x^4 - 104976x^3 + 236196x - 354294) - \log(x - 3/2)/118098 + \log(x + 3/2)/354294 + 5 \cdot \log(x^2 - 3x/2 + 9/4)/2834352 + \log(x^2 + 3x/2 + 9/4)/944784 + \sqrt{3} \cdot \operatorname{atan}(4\sqrt{3}x/9 - \sqrt{3}/3)/157464 + \sqrt{3} \cdot \operatorname{atan}(4\sqrt{3}x/9 + \sqrt{3}/3)/1417176$

$$3.573 \quad \int \frac{27-8x^3}{(729-64x^6)^2} dx$$

Optimal. Leaf size=113

$$\frac{x}{4374(8x^3+27)} - \frac{7 \log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} - \frac{\log(3-2x)}{157464} + \frac{7 \log(2x+3)}{472392} - \frac{7 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{52488}$$

[Out] 1/4374*x/(8*x^3+27)-1/157464*ln(3-2*x)+7/472392*ln(3+2*x)-7/944784*ln(4*x^2-6*x+9)+1/314928*ln(4*x^2+6*x+9)-7/472392*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)+1/157464*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.08, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 9, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {1404, 414, 522, 200, 31, 634, 618, 204, 628}

$$\frac{x}{4374(8x^3+27)} - \frac{7 \log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} - \frac{\log(3-2x)}{157464} + \frac{7 \log(2x+3)}{472392} - \frac{7 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{52488}$$

Antiderivative was successfully verified.

[In] Int[(27 - 8*x^3)/(729 - 64*x^6)^2,x]

[Out] x/(4374*(27 + 8*x^3)) - (7*ArcTan[(3 - 4*x)/(3*sqrt[3])])/(157464*sqrt[3]) + ArcTan[(3 + 4*x)/(3*sqrt[3])]/(52488*sqrt[3]) - Log[3 - 2*x]/157464 + (7*Log[3 + 2*x])/472392 - (7*Log[9 - 6*x + 4*x^2])/944784 + Log[9 + 6*x + 4*x^2]/314928

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 414

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(
n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

Rule 618

```
Int[((a_.) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_.) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1404

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (c_)*(x_)^(n2_))^(p_), x_Symbo
l] :> Int[(d + e*x^n)^(p + q)*(a/d + (c*x^n)/e)^p, x] /; FreeQ[{a, c, d, e,
n, q}, x] && EqQ[n2, 2*n] && EqQ[c*d^2 + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{27 - 8x^3}{(729 - 64x^6)^2} dx &= \int \frac{1}{(27 - 8x^3)(27 + 8x^3)^2} dx \\
&= \frac{x}{4374(27 + 8x^3)} - \frac{\int \frac{-1080 + 128x^3}{(27 - 8x^3)(27 + 8x^3)} dx}{34992} \\
&= \frac{x}{4374(27 + 8x^3)} + \frac{\int \frac{1}{27 - 8x^3} dx}{2916} + \frac{7 \int \frac{1}{27 + 8x^3} dx}{8748} \\
&= \frac{x}{4374(27 + 8x^3)} + \frac{\int \frac{1}{3 - 2x} dx}{78732} + \frac{\int \frac{6 + 2x}{9 + 6x + 4x^2} dx}{78732} + \frac{7 \int \frac{1}{3 + 2x} dx}{236196} + \frac{7 \int \frac{6 - 2x}{9 - 6x + 4x^2} dx}{236196} \\
&= \frac{x}{4374(27 + 8x^3)} - \frac{\log(3 - 2x)}{157464} + \frac{7 \log(3 + 2x)}{472392} + \frac{\int \frac{6 + 8x}{9 + 6x + 4x^2} dx}{314928} - \frac{7 \int \frac{-6 + 8x}{9 - 6x + 4x^2} dx}{944784} + \frac{\int \frac{1}{9 - 6x + 4x^2} dx}{944784} \\
&= \frac{x}{4374(27 + 8x^3)} - \frac{\log(3 - 2x)}{157464} + \frac{7 \log(3 + 2x)}{472392} - \frac{7 \log(9 - 6x + 4x^2)}{944784} + \frac{\log(9 + 6x + 4x^2)}{314928} \\
&= \frac{x}{4374(27 + 8x^3)} - \frac{7 \tan^{-1}\left(\frac{3 - 4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} + \frac{\tan^{-1}\left(\frac{3 + 4x}{3\sqrt{3}}\right)}{52488\sqrt{3}} - \frac{\log(3 - 2x)}{157464} + \frac{7 \log(3 + 2x)}{472392} - \frac{7 \log(9 - 6x + 4x^2)}{944784}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 103, normalized size = 0.91

$$\frac{\frac{216x}{8x^3+27} - 7 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) - 6 \log(3 - 2x) + 14 \log(2x + 3) + 14\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 6\sqrt{3} \tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{944784}$$

Antiderivative was successfully verified.

[In] Integrate[(27 - 8*x^3)/(729 - 64*x^6)^2, x]

[Out] ((216*x)/(27 + 8*x^3) + 14*sqrt[3]*ArcTan[(-3 + 4*x)/(3*sqrt[3])]) + 6*sqrt[3]*ArcTan[(3 + 4*x)/(3*sqrt[3])] - 6*Log[3 - 2*x] + 14*Log[3 + 2*x] - 7*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/944784

fricas [A] time = 0.42, size = 131, normalized size = 1.16

$$\frac{6\sqrt{3}(8x^3 + 27) \arctan\left(\frac{1}{9}\sqrt{3}(4x + 3)\right) + 14\sqrt{3}(8x^3 + 27) \arctan\left(\frac{1}{9}\sqrt{3}(4x - 3)\right) + 3(8x^3 + 27) \log(4x^2 + 6x + 9) - 6 \log(3 - 2x) + 14 \log(2x + 3) + 14\sqrt{3} \tan^{-1}\left(\frac{4x-3}{3\sqrt{3}}\right) + 6\sqrt{3} \tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{944784(8x^3 + 27)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] 1/944784*(6*sqrt(3)*(8*x^3 + 27)*arctan(1/9*sqrt(3)*(4*x + 3)) + 14*sqrt(3)*(8*x^3 + 27)*arctan(1/9*sqrt(3)*(4*x - 3)) + 3*(8*x^3 + 27)*log(4*x^2 + 6*x + 9) - 7*(8*x^3 + 27)*log(4*x^2 - 6*x + 9) + 14*(8*x^3 + 27)*log(2*x + 3) - 6*(8*x^3 + 27)*log(2*x - 3) + 216*x)/(8*x^3 + 27)

giac [A] time = 0.17, size = 89, normalized size = 0.79

$$\frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{7}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) + \frac{x}{4374(8x^3+27)} + \frac{1}{314928} \log(4x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] 1/157464*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 7/472392*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/4374*x/(8*x^3 + 27) + 1/314928*log(4*x^2 + 6*x + 9) - 7/944784*log(4*x^2 - 6*x + 9) + 7/472392*log(abs(2*x + 3)) - 1/157464*log(abs(2*x - 3))

maple [A] time = 0.06, size = 102, normalized size = 0.90

$$\frac{7\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{472392} + \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{157464} - \frac{\ln(2x-3)}{157464} + \frac{7\ln(2x+3)}{472392} - \frac{7\ln(4x^2-6x+9)}{944784} + \frac{\ln(4x^2+6x)}{314928}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-8*x^3+27)/(-64*x^6+729)^2,x)

[Out] -1/118098*(-3/4*x-9/8)/(x^2-3/2*x+9/4)-7/944784*ln(4*x^2-6*x+9)+7/472392*3^(1/2)*arctan(1/18*(8*x-6)*3^(1/2))-1/78732/(2*x+3)+7/472392*ln(2*x+3)+1/314928*ln(4*x^2+6*x+9)+1/157464*3^(1/2)*arctan(1/18*(8*x+6)*3^(1/2))-1/157464*ln(2*x-3)

maxima [A] time = 2.94, size = 87, normalized size = 0.77

$$\frac{1}{157464} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x+3)\right) + \frac{7}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x-3)\right) + \frac{x}{4374(8x^3+27)} + \frac{1}{314928} \log(4x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-8*x^3+27)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] $1/157464*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) + 7/472392*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 1/4374*x/(8*x^3 + 27) + 1/314928*\log(4*x^2 + 6*x + 9) - 7/944784*\log(4*x^2 - 6*x + 9) + 7/472392*\log(2*x + 3) - 1/157464*\log(2*x - 3)$

mupad [B] time = 0.17, size = 102, normalized size = 0.90

$$\frac{7 \ln\left(x + \frac{3}{2}\right) - \ln\left(x - \frac{3}{2}\right)}{472392} + \frac{x}{34992\left(x^3 + \frac{27}{8}\right)} - \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(-\frac{1}{314928} + \frac{\sqrt{3} 1i}{314928}\right) + \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{314928} - \frac{\sqrt{3} 1i}{314928}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(-(8*x^3 - 27)/(64*x^6 - 729)^2, x)$

[Out] $(7*\log(x + 3/2))/472392 - \log(x - 3/2)/157464 + x/(34992*(x^3 + 27/8)) - \log(x - (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/314928 - 1/314928) + \log(x + (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/314928 + 1/314928) - \log(x - (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*7i)/944784 + 7/944784) + \log(x + (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*7i)/944784 - 7/944784)$

sympy [A] time = 0.53, size = 110, normalized size = 0.97

$$\frac{x}{34992x^3 + 118098} - \frac{\log\left(x - \frac{3}{2}\right)}{157464} + \frac{7\log\left(x + \frac{3}{2}\right)}{472392} - \frac{7\log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{944784} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{314928} + \frac{7\sqrt{3} \operatorname{atan}\left(\frac{4\sqrt{3}x}{9} - \frac{\sqrt{3}}{3}\right)}{472392}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((-8*x**3+27)/(-64*x**6+729)**2, x)$

[Out] $x/(34992*x**3 + 118098) - \log(x - 3/2)/157464 + 7*\log(x + 3/2)/472392 - 7*\log(x**2 - 3*x/2 + 9/4)/944784 + \log(x**2 + 3*x/2 + 9/4)/314928 + 7*\sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 - \sqrt{3}/3)/472392 + \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 + \sqrt{3}/3)/157464$

$$3.574 \quad \int \frac{27+36x+24x^2+8x^3}{(729-64x^6)^2} dx$$

Optimal. Leaf size=131

$$-\frac{3-2x}{26244(4x^2-6x+9)} + \frac{17 \log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} + \frac{1}{26244(3-2x)} - \frac{7 \log(3-2x)}{157464} + \frac{\log(2x+3)}{472392}$$

[Out] 1/26244/(3-2*x)+1/26244*(-3+2*x)/(4*x^2-6*x+9)-7/157464*ln(3-2*x)+1/472392*ln(3+2*x)+17/944784*ln(4*x^2-6*x+9)+1/314928*ln(4*x^2+6*x+9)-11/472392*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)-1/472392*arctan(1/9*(3+4*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.15, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1586, 2074, 638, 618, 204, 634, 628}

$$-\frac{3-2x}{26244(4x^2-6x+9)} + \frac{17 \log(4x^2-6x+9)}{944784} + \frac{\log(4x^2+6x+9)}{314928} + \frac{1}{26244(3-2x)} - \frac{7 \log(3-2x)}{157464} + \frac{\log(2x+3)}{472392}$$

Antiderivative was successfully verified.

[In] Int[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6)^2,x]

[Out] 1/(26244*(3 - 2*x)) - (3 - 2*x)/(26244*(9 - 6*x + 4*x^2)) - (11*ArcTan[(3 - 4*x)/(3*sqrt[3])])/(157464*sqrt[3]) - ArcTan[(3 + 4*x)/(3*sqrt[3])]/(157464*sqrt[3]) - (7*Log[3 - 2*x])/157464 + Log[3 + 2*x]/472392 + (17*Log[9 - 6*x + 4*x^2])/944784 + Log[9 + 6*x + 4*x^2]/314928

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 638

```
Int[((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol
] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p +
1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a
*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 1586

```
Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px
, Qx, x]^p*Qx^(p + q), x] /; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] &&
EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]
```

Rule 2074

```
Int[(P_)^(p_)*(Q_)^(q_), x_Symbol] := With[{PP = Factor[P]}, Int[ExpandInt
egrand[PP^p*Q^q, x], x] /; !SumQ[NonfreeFactors[PP, x]] /; FreeQ[q, x] &&
PolyQ[P, x] && PolyQ[Q, x] && IntegerQ[p] && NeQ[P, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{27 + 36x + 24x^2 + 8x^3}{(729 - 64x^6)^2} dx &= \int \frac{1}{(27 - 36x + 24x^2 - 8x^3)^2 (27 + 36x + 24x^2 + 8x^3)} dx \\
&= \int \left(\frac{1}{13122(-3 + 2x)^2} - \frac{7}{78732(-3 + 2x)} + \frac{1}{236196(3 + 2x)} + \frac{3 + 2x}{4374(9 - 6x + 4x^2)} \right) dx \\
&= \frac{1}{26244(3 - 2x)} - \frac{7 \log(3 - 2x)}{157464} + \frac{\log(3 + 2x)}{472392} + \frac{\int \frac{3+17x}{9-6x+4x^2} dx}{118098} + \frac{\int \frac{x}{9+6x+4x^2} dx}{39366} \\
&= \frac{1}{26244(3 - 2x)} - \frac{3 - 2x}{26244(9 - 6x + 4x^2)} - \frac{7 \log(3 - 2x)}{157464} + \frac{\log(3 + 2x)}{472392} + \frac{\int \frac{6-}{9+6x+4x^2} dx}{314} \\
&= \frac{1}{26244(3 - 2x)} - \frac{3 - 2x}{26244(9 - 6x + 4x^2)} - \frac{7 \log(3 - 2x)}{157464} + \frac{\log(3 + 2x)}{472392} + \frac{17 \log}{\dots} \\
&= \frac{1}{26244(3 - 2x)} - \frac{3 - 2x}{26244(9 - 6x + 4x^2)} - \frac{11 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} - \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{157464\sqrt{3}} - \frac{7 \log}{\dots}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 111, normalized size = 0.85

$$\frac{17 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) + \frac{216x}{-8x^3 + 24x^2 - 36x + 27} - 42 \log(3 - 2x) + 2 \log(2x + 3) + 22\sqrt{3} \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right) - 22\sqrt{3} \tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{944784}$$

Antiderivative was successfully verified.

[In] Integrate[(27 + 36*x + 24*x^2 + 8*x^3)/(729 - 64*x^6)^2,x]

[Out] ((216*x)/(27 - 36*x + 24*x^2 - 8*x^3) + 22*sqrt(3)*ArcTan[(-3 + 4*x)/(3*sqrt(3))] - 2*sqrt(3)*ArcTan[(3 + 4*x)/(3*sqrt(3))] - 42*Log[3 - 2*x] + 2*Log[3 + 2*x] + 17*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/944784

fricas [A] time = 0.43, size = 187, normalized size = 1.43

$$\frac{2\sqrt{3}(8x^3 - 24x^2 + 36x - 27) \arctan\left(\frac{1}{9}\sqrt{3}(4x + 3)\right) - 22\sqrt{3}(8x^3 - 24x^2 + 36x - 27) \arctan\left(\frac{1}{9}\sqrt{3}(4x - 3)\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x, algorithm="fricas")

[Out] $-1/944784*(2*\sqrt{3}*(8*x^3 - 24*x^2 + 36*x - 27)*\arctan(1/9*\sqrt{3}*(4*x + 3)) - 22*\sqrt{3}*(8*x^3 - 24*x^2 + 36*x - 27)*\arctan(1/9*\sqrt{3}*(4*x - 3)) - 3*(8*x^3 - 24*x^2 + 36*x - 27)*\log(4*x^2 + 6*x + 9) - 17*(8*x^3 - 24*x^2 + 36*x - 27)*\log(4*x^2 - 6*x + 9) - 2*(8*x^3 - 24*x^2 + 36*x - 27)*\log(2*x + 3) + 42*(8*x^3 - 24*x^2 + 36*x - 27)*\log(2*x - 3) + 216*x)/(8*x^3 - 24*x^2 + 36*x - 27)$

giac [A] time = 0.18, size = 99, normalized size = 0.76

$$-\frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) + \frac{11}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) - \frac{x}{4374(4x^2 - 6x + 9)(2x - 3)} + \frac{1}{314928}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x, algorithm="giac")

[Out] $-1/472392*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) + 11/472392*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) - 1/4374*x/((4*x^2 - 6*x + 9)*(2*x - 3)) + 1/314928*\log(4*x^2 + 6*x + 9) + 17/944784*\log(4*x^2 - 6*x + 9) + 1/472392*\log(\text{abs}(2*x + 3)) - 7/157464*\log(\text{abs}(2*x - 3))$

maple [A] time = 0.06, size = 102, normalized size = 0.78

$$\frac{11\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right) - \sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{472392} - \frac{7 \ln(2x-3)}{157464} + \frac{\ln(2x+3)}{472392} + \frac{17 \ln(4x^2-6x+9)}{944784} + \frac{\ln(4x^2+6x+9)}{314928}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x)

[Out] $1/118098*(9/4*x-27/8)/(x^2-3/2*x+9/4)+17/944784*\ln(4*x^2-6*x+9)+11/472392*3^(1/2)*\arctan(1/18*(8*x-6)*3^(1/2))+1/472392*\ln(2*x+3)+1/314928*\ln(4*x^2+6*x+9)-1/472392*3^(1/2)*\arctan(1/18*(8*x+6)*3^(1/2))-1/26244/(2*x-3)-7/157464*\ln(2*x-3)$

maxima [A] time = 2.99, size = 95, normalized size = 0.73

$$-\frac{1}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x + 3)\right) + \frac{11}{472392} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3} (4x - 3)\right) - \frac{x}{4374(8x^3 - 24x^2 + 36x - 27)} + \frac{1}{314928}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8*x^3+24*x^2+36*x+27)/(-64*x^6+729)^2,x, algorithm="maxima")

[Out] $-1/472392*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) + 11/472392*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) - 1/4374*x/(8*x^3 - 24*x^2 + 36*x - 27) + 1/314928*\log(4*x^2 + 6*x + 9) + 17/944784*\log(4*x^2 - 6*x + 9) + 1/472392*\log(\text{abs}(2*x + 3)) - 7/157464*\log(\text{abs}(2*x - 3))$

$\log(4x^2 + 6x + 9) + 17/944784 \cdot \log(4x^2 - 6x + 9) + 1/472392 \cdot \log(2x + 3) - 7/157464 \cdot \log(2x - 3)$

mupad [B] time = 0.19, size = 111, normalized size = 0.85

$$\frac{\ln\left(x + \frac{3}{2}\right)}{472392} - \frac{7 \ln\left(x - \frac{3}{2}\right)}{157464} - \frac{x}{34992 \left(x^3 - 3x^2 + \frac{9x}{2} - \frac{27}{8}\right)} + \ln\left(x + \frac{3}{4} - \frac{\sqrt{3} 3i}{4}\right) \left(\frac{1}{314928} + \frac{\sqrt{3} 1i}{944784}\right) - \ln\left(x + \frac{3}{4} + \frac{\sqrt{3} 3i}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((36*x + 24*x^2 + 8*x^3 + 27)/(64*x^6 - 729)^2, x)`

[Out] $\log(x + 3/2)/472392 - (7 \cdot \log(x - 3/2))/157464 - x/(34992 \cdot ((9x)/2 - 3x^2 + x^3 - 27/8)) + \log(x - (3^{1/2} \cdot 3i)/4 + 3/4) \cdot ((3^{1/2} \cdot 1i)/944784 + 1/314928) - \log(x + (3^{1/2} \cdot 3i)/4 + 3/4) \cdot ((3^{1/2} \cdot 1i)/944784 - 1/314928) - \log(x - (3^{1/2} \cdot 3i)/4 - 3/4) \cdot ((3^{1/2} \cdot 11i)/944784 - 17/944784) + \log(x + (3^{1/2} \cdot 3i)/4 - 3/4) \cdot ((3^{1/2} \cdot 11i)/944784 + 17/944784)$

sympy [A] time = 0.70, size = 119, normalized size = 0.91

$$-\frac{x}{34992x^3 - 104976x^2 + 157464x - 118098} - \frac{7 \log\left(x - \frac{3}{2}\right)}{157464} + \frac{\log\left(x + \frac{3}{2}\right)}{472392} + \frac{17 \log\left(x^2 - \frac{3x}{2} + \frac{9}{4}\right)}{944784} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{9}{4}\right)}{314928}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((8*x**3+24*x**2+36*x+27)/(-64*x**6+729)**2, x)`

[Out] $-x/(34992x^3 - 104976x^2 + 157464x - 118098) - 7 \cdot \log(x - 3/2)/157464 + \log(x + 3/2)/472392 + 17 \cdot \log(x^2 - 3x/2 + 9/4)/944784 + \log(x^2 + 3x/2 + 9/4)/314928 + 11 \cdot \sqrt{3} \cdot \operatorname{atan}(4 \cdot \sqrt{3} \cdot x/9 - \sqrt{3}/3)/472392 - \sqrt{3} \cdot \operatorname{atan}(4 \cdot \sqrt{3} \cdot x/9 + \sqrt{3}/3)/472392$

$$3.575 \quad \int \frac{x(27-2x^3)}{729-64x^6} dx$$

Optimal. Leaf size=99

$$\frac{5}{576} \log(4x^2 - 6x + 9) + \frac{1}{192} \log(4x^2 + 6x + 9) - \frac{1}{96} \log(3-2x) - \frac{5}{288} \log(2x+3) - \frac{5 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{96\sqrt{3}} - \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{32\sqrt{3}}$$

[Out] -1/96*ln(3-2*x)-5/288*ln(3+2*x)+5/576*ln(4*x^2-6*x+9)+1/192*ln(4*x^2+6*x+9)
-5/288*arctan(1/9*(3-4*x)*3^(1/2))*3^(1/2)-1/96*arctan(1/9*(3+4*x)*3^(1/2))
*3^(1/2)

Rubi [A] time = 0.06, antiderivative size = 99, normalized size of antiderivative = 1.00,
number of steps used = 13, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}}$
= 0.389, Rules used = {1511, 292, 31, 634, 618, 204, 628}

$$\frac{5}{576} \log(4x^2 - 6x + 9) + \frac{1}{192} \log(4x^2 + 6x + 9) - \frac{1}{96} \log(3-2x) - \frac{5}{288} \log(2x+3) - \frac{5 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{96\sqrt{3}} - \frac{\tan^{-1}\left(\frac{4x+3}{3\sqrt{3}}\right)}{32\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(27 - 2*x^3))/(729 - 64*x^6),x]

[Out] (-5*ArcTan[(3 - 4*x)/(3*Sqrt[3])])/(96*Sqrt[3]) - ArcTan[(3 + 4*x)/(3*Sqrt[3])]/(32*Sqrt[3]) - Log[3 - 2*x]/96 - (5*Log[3 + 2*x])/288 + (5*Log[9 - 6*x + 4*x^2])/576 + Log[9 + 6*x + 4*x^2]/192

Rule 31

Int[((a_) + (b_.)*(x_))^-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 292

Int[(x_)/((a_) + (b_.)*(x_)^3), x_Symbol] := -Dist[(3*Rt[a, 3]*Rt[b, 3])^-1, Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]*Rt[b, 3]), Int[(Rt[a, 3] + Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1511

```
Int[(((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^(n_)))/((a_) + (c_.)*(x_)^(n2_))), x_Symbol] := With[{q = Rt[-(a*c), 2]}, -Dist[e/2 + (c*d)/(2*q), Int[(f*x)^m/(q - c*x^n), x], x] + Dist[e/2 - (c*d)/(2*q), Int[(f*x)^m/(q + c*x^n), x], x]] /; FreeQ[{a, c, d, e, f, m}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{x(27-2x^3)}{729-64x^6} dx &= 3 \int \frac{x}{216-64x^3} dx + 5 \int \frac{x}{216+64x^3} dx \\
 &= \frac{1}{24} \int \frac{1}{6-4x} dx - \frac{1}{24} \int \frac{6-4x}{36+24x+16x^2} dx - \frac{5}{72} \int \frac{1}{6+4x} dx + \frac{5}{72} \int \frac{6+4x}{36-24x+16x^2} dx \\
 &= -\frac{1}{96} \log(3-2x) - \frac{5}{288} \log(3+2x) + \frac{1}{192} \int \frac{24+32x}{36+24x+16x^2} dx + \frac{5}{576} \int \frac{-24+32x}{36-24x+16x^2} dx \\
 &= -\frac{1}{96} \log(3-2x) - \frac{5}{288} \log(3+2x) + \frac{5}{576} \log(9-6x+4x^2) + \frac{1}{192} \log(9+6x+4x^2) + \\
 &= -\frac{5 \tan^{-1}\left(\frac{3-4x}{3\sqrt{3}}\right)}{96\sqrt{3}} - \frac{\tan^{-1}\left(\frac{3+4x}{3\sqrt{3}}\right)}{32\sqrt{3}} - \frac{1}{96} \log(3-2x) - \frac{5}{288} \log(3+2x) + \frac{5}{576} \log(9-6x+4x^2)
 \end{aligned}$$

Mathematica [A] time = 0.04, size = 91, normalized size = 0.92

$$\frac{1}{576} \left(5 \log(4x^2 - 6x + 9) + 3 \log(4x^2 + 6x + 9) - 6 \log(3 - 2x) - 10 \log(2x + 3) + 10\sqrt{3} \tan^{-1} \left(\frac{4x - 3}{3\sqrt{3}} \right) - 6\sqrt{3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(27 - 2*x^3))/(729 - 64*x^6), x]

[Out] (10*Sqrt[3]*ArcTan[(-3 + 4*x)/(3*Sqrt[3])] - 6*Sqrt[3]*ArcTan[(3 + 4*x)/(3*Sqrt[3])] - 6*Log[3 - 2*x] - 10*Log[3 + 2*x] + 5*Log[9 - 6*x + 4*x^2] + 3*Log[9 + 6*x + 4*x^2])/576

fricas [A] time = 0.40, size = 75, normalized size = 0.76

$$-\frac{1}{96} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + \frac{5}{288} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) + \frac{1}{192} \log(4x^2 + 6x + 9) + \frac{5}{576} \log(4x^2 - 6x + 9)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*x^3+27)/(-64*x^6+729), x, algorithm="fricas")

[Out] -1/96*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 5/288*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/192*log(4*x^2 + 6*x + 9) + 5/576*log(4*x^2 - 6*x + 9) - 5/288*log(2*x + 3) - 1/96*log(2*x - 3)

giac [A] time = 0.19, size = 69, normalized size = 0.70

$$-\frac{1}{96} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x + 3)\right) + \frac{5}{288} \sqrt{3} \arctan\left(\frac{1}{9} \sqrt{3}(4x - 3)\right) + \frac{1}{192} \log\left(x^2 + \frac{3}{2}x + \frac{9}{4}\right) + \frac{5}{576} \log\left(x^2 - \frac{3}{2}x + \frac{9}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-2*x^3+27)/(-64*x^6+729), x, algorithm="giac")

[Out] -1/96*sqrt(3)*arctan(1/9*sqrt(3)*(4*x + 3)) + 5/288*sqrt(3)*arctan(1/9*sqrt(3)*(4*x - 3)) + 1/192*log(x^2 + 3/2*x + 9/4) + 5/576*log(x^2 - 3/2*x + 9/4) - 5/288*log(abs(x + 3/2)) - 1/96*log(abs(x - 3/2))

maple [A] time = 0.05, size = 76, normalized size = 0.77

$$\frac{5\sqrt{3} \arctan\left(\frac{(8x-6)\sqrt{3}}{18}\right)}{288} - \frac{\sqrt{3} \arctan\left(\frac{(8x+6)\sqrt{3}}{18}\right)}{96} - \frac{\ln(2x-3)}{96} - \frac{5 \ln(2x+3)}{288} + \frac{5 \ln(4x^2-6x+9)}{576} + \frac{\ln(4x^2+6x+9)}{192}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(-2*x^3+27)/(-64*x^6+729), x)

[Out] $5/576*\ln(4*x^2-6*x+9)+5/288*3^{(1/2)}*\arctan(1/18*(8*x-6)*3^{(1/2)})-5/288*\ln(2*x+3)+1/192*\ln(4*x^2+6*x+9)-1/96*3^{(1/2)}*\arctan(1/18*(8*x+6)*3^{(1/2)})-1/96*\ln(2*x-3)$

maxima [A] time = 2.99, size = 75, normalized size = 0.76

$$-\frac{1}{96}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x+3)\right)+\frac{5}{288}\sqrt{3}\arctan\left(\frac{1}{9}\sqrt{3}(4x-3)\right)+\frac{1}{192}\log(4x^2+6x+9)+\frac{5}{576}\log(4x^2-6x+9)-\frac{1}{96}\log(2x+3)-\frac{1}{96}\log(2x-3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-2*x^3+27)/(-64*x^6+729),x, algorithm="maxima")`

[Out] $-1/96*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x + 3)) + 5/288*\sqrt{3}*\arctan(1/9*\sqrt{3}*(4*x - 3)) + 1/192*\log(4*x^2 + 6*x + 9) + 5/576*\log(4*x^2 - 6*x + 9) - 5/288*\log(2*x + 3) - 1/96*\log(2*x - 3)$

mupad [B] time = 5.10, size = 91, normalized size = 0.92

$$-\frac{\ln\left(x-\frac{3}{2}\right)}{96}-\frac{5\ln\left(x+\frac{3}{2}\right)}{288}+\ln\left(x+\frac{3}{4}-\frac{\sqrt{3}3i}{4}\right)\left(\frac{1}{192}+\frac{\sqrt{3}1i}{192}\right)-\ln\left(x+\frac{3}{4}+\frac{\sqrt{3}3i}{4}\right)\left(-\frac{1}{192}+\frac{\sqrt{3}1i}{192}\right)-\ln\left(x-\frac{3}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(2*x^3 - 27))/(64*x^6 - 729),x)`

[Out] $\log(x - (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/192 + 1/192) - (5*\log(x + 3/2))/288 - \log(x - 3/2)/96 - \log(x + (3^{(1/2)}*3i)/4 + 3/4)*((3^{(1/2)}*1i)/192 - 1/192) - \log(x - (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*5i)/576 - 5/576) + \log(x + (3^{(1/2)}*3i)/4 - 3/4)*((3^{(1/2)}*5i)/576 + 5/576)$

sympy [A] time = 0.40, size = 102, normalized size = 1.03

$$\frac{\log\left(x-\frac{3}{2}\right)}{96}-\frac{5\log\left(x+\frac{3}{2}\right)}{288}+\frac{5\log\left(x^2-\frac{3x}{2}+\frac{9}{4}\right)}{576}+\frac{\log\left(x^2+\frac{3x}{2}+\frac{9}{4}\right)}{192}+\frac{5\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9}-\frac{\sqrt{3}}{3}\right)}{288}-\frac{\sqrt{3}\operatorname{atan}\left(\frac{4\sqrt{3}x}{9}+\frac{\sqrt{3}}{3}\right)}{96}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-2*x**3+27)/(-64*x**6+729),x)`

[Out] $-\log(x - 3/2)/96 - 5*\log(x + 3/2)/288 + 5*\log(x**2 - 3*x/2 + 9/4)/576 + \log(x**2 + 3*x/2 + 9/4)/192 + 5*\sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 - \sqrt{3}/3)/288 - \sqrt{3}*\operatorname{atan}(4*\sqrt{3}*x/9 + \sqrt{3}/3)/96$

$$3.576 \quad \int \frac{(cx)^m (d + ex^n + fx^{2n} + gx^{3n})}{a + bx^n} dx$$

Optimal. Leaf size=162

$$\frac{(cx)^{m+1} (a^2g - abf + b^2e)}{b^3c(m+1)} + \frac{(cx)^{m+1} (a^3(-g) + a^2bf - ab^2e + b^3d) {}_2F_1\left(1, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{ab^3c(m+1)} + \frac{x^{n+1}(cx)^m (bf - ag)}{b^2(m+n+1)}$$

[Out] $(-a*g+b*f)*x^{(1+n)}*(c*x)^m/b^2/(1+m+n)+g*x^{(1+2*n)}*(c*x)^m/b/(1+m+2*n)+(a^2*g-a*b*f+b^2*e)*(c*x)^{(1+m)}/b^3/c/(1+m)+(-a^3*g+a^2*b*f-a*b^2*e+b^3*d)*(c*x)^{(1+m)}*hypergeom([1, (1+m)/n], [(1+m+n)/n], -b*x^n/a)/a/b^3/c/(1+m)$

Rubi [A] time = 0.17, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1844, 20, 30, 364}

$$\frac{(cx)^{m+1} (a^2bf + a^3(-g) - ab^2e + b^3d) {}_2F_1\left(1, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{ab^3c(m+1)} + \frac{(cx)^{m+1} (a^2g - abf + b^2e)}{b^3c(m+1)} + \frac{x^{n+1}(cx)^m (bf - ag)}{b^2(m+n+1)}$$

Antiderivative was successfully verified.

[In] Int[((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n), x]

[Out] $((b*f - a*g)*x^{(1 + n)}*(c*x)^m)/(b^2*(1 + m + n)) + (g*x^{(1 + 2*n)}*(c*x)^m)/(b*(1 + m + 2*n)) + ((b^2*e - a*b*f + a^2*g)*(c*x)^{(1 + m)})/(b^3*c*(1 + m)) + ((b^3*d - a*b^2*e + a^2*b*f - a^3*g)*(c*x)^{(1 + m)}*Hypergeometric2F1[1, (1 + m)/n, (1 + m + n)/n, -((b*x^n)/a)])/(a*b^3*c*(1 + m))$

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] :> Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 30

Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a

)]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1844

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n]) && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned} \int \frac{(cx)^m (d + ex^n + fx^{2n} + gx^{3n})}{a + bx^n} dx &= \int \left(\frac{(b^2e - abf + a^2g)(cx)^m}{b^3} + \frac{(bf - ag)x^n(cx)^m}{b^2} + \frac{gx^{2n}(cx)^m}{b} + \frac{(b^3d - ab^2e + a^2bf - a^3g)(cx)^m}{b^3c} \right) dx \\ &= \frac{(b^2e - abf + a^2g)(cx)^{1+m}}{b^3c(1+m)} + \frac{g \int x^{2n}(cx)^m dx}{b} + \frac{(bf - ag) \int x^n(cx)^m dx}{b^2} \\ &= \frac{(b^2e - abf + a^2g)(cx)^{1+m}}{b^3c(1+m)} + \frac{(b^3d - ab^2e + a^2bf - a^3g)(cx)^{1+m} {}_2F_1\left(1, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{ab^3c(1+m)} \\ &= \frac{(bf - ag)x^{1+n}(cx)^m}{b^2(1+m+n)} + \frac{gx^{1+2n}(cx)^m}{b(1+m+2n)} + \frac{(b^2e - abf + a^2g)(cx)^{1+m}}{b^3c(1+m)} + \frac{(b^3d - ab^2e + a^2bf - a^3g)(cx)^m}{b^3c} \end{aligned}$$

Mathematica [A] time = 0.43, size = 130, normalized size = 0.80

$$\frac{x(cx)^m \left(\frac{a^2g - abf + b^2e}{m+1} + \frac{(a^3(-g) + a^2bf - ab^2e + b^3d) {}_2F_1\left(1, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{a(m+1)} + \frac{bx^n(bf - ag)}{m+n+1} + \frac{b^2gx^{2n}}{m+2n+1} \right)}{b^3}$$

Antiderivative was successfully verified.

[In] Integrate[((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n), x]

[Out] (x*(c*x)^m*((b^2*e - a*b*f + a^2*g)/(1 + m) + (b*(b*f - a*g)*x^n)/(1 + m + n) + (b^2*g*x^(2*n))/(1 + m + 2*n) + ((b^3*d - a*b^2*e + a^2*b*f - a^3*g)*Hypergeometric2F1[1, (1 + m)/n, (1 + m + n)/n, -((b*x^n)/a)])/(a*(1 + m)))/b^3

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(gx^{3n} + fx^{2n} + ex^n + d)(cx)^m}{bx^n + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n),x, algorithm="fricas")

[Out] integral((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(c*x)^m/(b*x^n + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^{3n} + fx^{2n} + ex^n + d)(cx)^m}{bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n),x, algorithm="giac")

[Out] integrate((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(c*x)^m/(b*x^n + a), x)

maple [F] time = 0.65, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + fx^{2n} + gx^{3n} + d)(cx)^m}{bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(b*x^n+a),x)

[Out] int((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(b*x^n+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$(b^3c^m d - ab^2c^m e + a^2bc^m f - a^3c^m g) \int \frac{x^m}{b^4x^n + ab^3} dx + \frac{(m^2 + m(n+2) + n+1)b^2c^m g x e^{(m \log(x) + 2n \log(x))} + ((m^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n),x, algorithm="maxima")

[Out] (b^3*c^m*d - a*b^2*c^m*e + a^2*b*c^m*f - a^3*c^m*g)*integrate(x^m/(b^4*x^n + a*b^3), x) + ((m^2 + m*(n + 2) + n + 1)*b^2*c^m*g*x*e^(m*log(x) + 2*n*log(x)) + ((m^2 + m*(3*n + 2) + 2*n^2 + 3*n + 1)*b^2*c^m*e - (m^2 + m*(3*n + 2) + 2*n^2 + 3*n + 1)*a*b*c^m*f + (m^2 + m*(3*n + 2) + 2*n^2 + 3*n + 1)*a^2*c^m*g)*x*x^m + ((m^2 + 2*m*(n + 1) + 2*n + 1)*b^2*c^m*f - (m^2 + 2*m*(n + 1) + 2*n + 1)*a*b*c^m*g)*x*e^(m*log(x) + n*log(x)))/((m^3 + 3*m^2*(n + 1) + (2*n^2 + 6*n + 3)*m + 2*n^2 + 3*n + 1)*b^3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(cx)^m (d + ex^n + fx^{2n} + gx^{3n})}{a + bx^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n),x)

[Out] int(((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n), x)

sympy [C] time = 57.81, size = 654, normalized size = 4.04

$$\frac{c^m d m x x^m \Phi\left(\frac{bx^n e^{i\pi}}{a}, 1, \frac{m}{n} + \frac{1}{n}\right) \Gamma\left(\frac{m}{n} + \frac{1}{n}\right)}{a n^2 \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right)} + \frac{c^m d x x^m \Phi\left(\frac{bx^n e^{i\pi}}{a}, 1, \frac{m}{n} + \frac{1}{n}\right) \Gamma\left(\frac{m}{n} + \frac{1}{n}\right)}{a n^2 \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right)} + \frac{c^m e m x x^m x^n \Phi\left(\frac{bx^n e^{i\pi}}{a}, 1, \frac{m}{n} + 1\right)}{a n^2 \Gamma\left(\frac{m}{n} + 2 + \frac{1}{n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)**m*(d+e*x**n+f*x**(2*n)+g*x**(3*n))/(a+b*x**n),x)

[Out] c**m*d*m*x*x**m*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 1/n)*gamma(m/n + 1/n)/(a*n**2*gamma(m/n + 1 + 1/n)) + c**m*d*x*x**m*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 1/n)*gamma(m/n + 1/n)/(a*n**2*gamma(m/n + 1 + 1/n)) + c**m*e*m*x*x**m*x**n*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 1 + 1/n)*gamma(m/n + 1 + 1/n)/(a*n**2*gamma(m/n + 2 + 1/n)) + c**m*e*x*x**m*x**n*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 1 + 1/n)*gamma(m/n + 1 + 1/n)/(a*n**2*gamma(m/n + 2 + 1/n)) + c**m*f*m*x*x**m*x**(2*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 2 + 1/n)*gamma(m/n + 2 + 1/n)/(a*n**2*gamma(m/n + 3 + 1/n)) + 2*c**m*f*x*x**m*x**(2*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 2 + 1/n)*gamma(m/n + 2 + 1/n)/(a*n*gamma(m/n + 3 + 1/n)) + c**m*f*x*x**m*x**(2*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 2 + 1/n)*gamma(m/n + 2 + 1/n)/(a*n**2*gamma(m/n + 3 + 1/n)) + c**m*g*m*x*x**m*x**(3*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 3 + 1/n)*gamma(m/n + 3 + 1/n)/(a*n**2*gamma(m/n + 4 + 1/n)) + 3*c**m*g*x*x**m*x**(3*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 3 + 1/n)*gamma(m/n + 3 + 1/n)/(a*n*gamma(m/n + 4 + 1/n)) + c**m*g*x*x**m*x**(3*n)*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, m/n + 3 + 1/n)*gamma(m/n + 3 + 1/n)/(a*n**2*gamma(m/n + 4 + 1/n))

$$3.577 \quad \int (c + dx^{-1+n}) (a + bx^n)^3 dx$$

Optimal. Leaf size=84

$$a^3cx + \frac{3a^2bcx^{n+1}}{n+1} + \frac{3ab^2cx^{2n+1}}{2n+1} + \frac{d(a+bx^n)^4}{4bn} + \frac{b^3cx^{3n+1}}{3n+1}$$

[Out] $a^3cx + 3a^2bcx^{n+1}/(n+1) + 3ab^2cx^{2n+1}/(2n+1) + b^3cx^{3n+1}/(3n+1) + 1/4*d*(a+bx^n)^4/b/n$

Rubi [A] time = 0.06, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 244, 261}

$$\frac{3a^2bcx^{n+1}}{n+1} + a^3cx + \frac{3ab^2cx^{2n+1}}{2n+1} + \frac{d(a+bx^n)^4}{4bn} + \frac{b^3cx^{3n+1}}{3n+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))*(a + b*x^n)^3, x]

[Out] $a^3cx + (3a^2bcx^{n+1})/(n+1) + (3ab^2cx^{2n+1})/(2n+1) + (b^3cx^{3n+1})/(3n+1) + (d*(a+bx^n)^4)/(4bn)$

Rule 244

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && IGtQ[p, 0]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p+1)/(b*n*(p+1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n-1] && NeQ[p, -1]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m-n+1, 0]

Rubi steps

$$\begin{aligned}
\int (c + dx^{-1+n})(a + bx^n)^3 dx &= c \int (a + bx^n)^3 dx + d \int x^{-1+n} (a + bx^n)^3 dx \\
&= \frac{d(a + bx^n)^4}{4bn} + c \int (a^3 + 3a^2bx^n + 3ab^2x^{2n} + b^3x^{3n}) dx \\
&= a^3cx + \frac{3a^2bcx^{1+n}}{1+n} + \frac{3ab^2cx^{1+2n}}{1+2n} + \frac{b^3cx^{1+3n}}{1+3n} + \frac{d(a + bx^n)^4}{4bn}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 108, normalized size = 1.29

$$\frac{x(c + dx^{n-1}) \left(4a^3cx + \frac{12a^2bcx^{n+1}}{n+1} + \frac{12ab^2cx^{2n+1}}{2n+1} + \frac{d(a+bx^n)^4}{bn} + \frac{4b^3cx^{3n+1}}{3n+1} \right)}{4(cx + dx^n)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))*(a + b*x^n)^3, x]

[Out] (x*(c + d*x^(-1 + n))*(4*a^3*c*x + (12*a^2*b*c*x^(1 + n))/(1 + n) + (12*a*b^2*c*x^(1 + 2*n))/(1 + 2*n) + (4*b^3*c*x^(1 + 3*n))/(1 + 3*n) + (d*(a + b*x^n)^4)/(b*n)))/(4*(c*x + d*x^n))

fricas [B] time = 0.45, size = 305, normalized size = 3.63

$$\frac{4(6a^3cn^4 + 11a^3cn^3 + 6a^3cn^2 + a^3cn)x + (6b^3dn^3 + 11b^3dn^2 + 6b^3dn + b^3d)x^{4n} + 4(6ab^2dn^3 + 11ab^2dn^2 + \dots)}{4(cx + dx^n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^3,x, algorithm="fricas")

[Out] 1/4*(4*(6*a^3*c*n^4 + 11*a^3*c*n^3 + 6*a^3*c*n^2 + a^3*c*n)*x + (6*b^3*d*n^3 + 11*b^3*d*n^2 + 6*b^3*d*n + b^3*d)*x^(4*n) + 4*(6*a*b^2*d*n^3 + 11*a*b^2*d*n^2 + 6*a*b^2*d*n + a*b^2*d + (2*b^3*c*n^3 + 3*b^3*c*n^2 + b^3*c*n)*x)*x^(3*n) + 6*(6*a^2*b*d*n^3 + 11*a^2*b*d*n^2 + 6*a^2*b*d*n + a^2*b*d + 2*(3*a*b^2*c*n^3 + 4*a*b^2*c*n^2 + a*b^2*c*n)*x)*x^(2*n) + 4*(6*a^3*d*n^3 + 11*a^3*d*n^2 + 6*a^3*d*n + a^3*d + 3*(6*a^2*b*c*n^3 + 5*a^2*b*c*n^2 + a^2*b*c*n)*x)*x^n)/(6*n^4 + 11*n^3 + 6*n^2 + n)

giac [B] time = 0.26, size = 392, normalized size = 4.67

$$\frac{24a^3cn^4x + 8b^3cn^3xx^{3n} + 36ab^2cn^3xx^{2n} + 72a^2bcn^3xx^n + 44a^3cn^3x + 6b^3dn^3x^{4n} + 24ab^2dn^3x^{3n} + 12b^3cn^3x}{4(cx + dx^n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^3,x, algorithm="giac")

[Out] $\frac{1}{4}*(24*a^3*c*n^4*x + 8*b^3*c*n^3*x*x^(3*n) + 36*a*b^2*c*n^3*x*x^(2*n) + 72*a^2*b*c*n^3*x*x^n + 44*a^3*c*n^3*x + 6*b^3*d*n^3*x^(4*n) + 24*a*b^2*d*n^3*x^(3*n) + 12*b^3*c*n^2*x*x^(3*n) + 36*a^2*b*d*n^3*x^(2*n) + 48*a*b^2*c*n^2*x*x^(2*n) + 24*a^3*d*n^3*x^n + 60*a^2*b*c*n^2*x*x^n + 24*a^3*c*n^2*x + 11*b^3*d*n^2*x^(4*n) + 44*a*b^2*d*n^2*x^(3*n) + 4*b^3*c*n*x*x^(3*n) + 66*a^2*b*d*n^2*x^(2*n) + 12*a*b^2*c*n*x*x^(2*n) + 44*a^3*d*n^2*x^n + 12*a^2*b*c*n*x*x^n + 4*a^3*c*n*x + 6*b^3*d*n*x^(4*n) + 24*a*b^2*d*n*x^(3*n) + 36*a^2*b*d*n*x^(2*n) + 24*a^3*d*n*x^n + b^3*d*x^(4*n) + 4*a*b^2*d*x^(3*n) + 6*a^2*b*d*x^(2*n) + 4*a^3*d*x^n)/(6*n^4 + 11*n^3 + 6*n^2 + n)$

maple [A] time = 0.06, size = 130, normalized size = 1.55

$$\frac{3a^2bcx e^{n \ln(x)}}{n+1} + \frac{3a b^2cx e^{2n \ln(x)}}{2n+1} + \frac{b^3cx e^{3n \ln(x)}}{3n+1} + a^3cx + \frac{a^3d e^{n \ln(x)}}{n} + \frac{3a^2bd e^{2n \ln(x)}}{2n} + \frac{a b^2d e^{3n \ln(x)}}{n} + \frac{b^3d e^{4n \ln(x)}}{4n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x^(n-1))*(b*x^n+a)^3,x)

[Out] $a^3*c*x + a^3*d/n*\exp(n*\ln(x)) + a*b^2*d/n*\exp(n*\ln(x))^3 + b^3*c/(3*n+1)*x*\exp(n*\ln(x))^3 + 1/4*b^3*d/n*\exp(n*\ln(x))^4 + 3/2*a^2*d*b/n*\exp(n*\ln(x))^2 + 3*a*b^2*c/(2*n+1)*x*\exp(n*\ln(x))^2 + 3*a^2*c*b/(n+1)*x*\exp(n*\ln(x))$

maxima [A] time = 1.36, size = 118, normalized size = 1.40

$$a^3cx + \frac{b^3dx^{4n}}{4n} + \frac{ab^2dx^{3n}}{n} + \frac{3a^2bdx^{2n}}{2n} + \frac{b^3cx^{3n+1}}{3n+1} + \frac{3ab^2cx^{2n+1}}{2n+1} + \frac{3a^2bcx^{n+1}}{n+1} + \frac{a^3dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^3,x, algorithm="maxima")

[Out] $a^3*c*x + 1/4*b^3*d*x^(4*n)/n + a*b^2*d*x^(3*n)/n + 3/2*a^2*b*d*x^(2*n)/n + b^3*c*x^(3*n+1)/(3*n+1) + 3*a*b^2*c*x^(2*n+1)/(2*n+1) + 3*a^2*b*c*x^(n+1)/(n+1) + a^3*d*x^n/n$

mupad [B] time = 5.13, size = 115, normalized size = 1.37

$$a^3cx + \frac{a^3dx^n}{n} + \frac{b^3dx^{4n}}{4n} + \frac{b^3cx^{3n}}{3n+1} + \frac{3a^2bdx^{2n}}{2n} + \frac{ab^2dx^{3n}}{n} + \frac{3ab^2cx^{2n}}{2n+1} + \frac{3a^2bcx^n}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^(n - 1))*(a + b*x^n)^3,x)

[Out] $a^3cx + (a^3d*x^n)/n + (b^3d*x^{(4*n)})/(4*n) + (b^3c*x*x^{(3*n)})/(3*n + 1) + (3*a^2*b*d*x^{(2*n)})/(2*n) + (a*b^2*d*x^{(3*n)})/n + (3*a*b^2*c*x*x^{(2*n)})/(2*n + 1) + (3*a^2*b*c*x*x^n)/(n + 1)$

sympy [A] time = 8.17, size = 1251, normalized size = 14.89

$$\left\{ \begin{array}{l} a^3cx - \frac{a^3d}{x} + 3a^2bc \log(x) - \frac{3a^2bd}{2x^2} - \frac{3ab^2c}{x} - \frac{ab^2d}{x^3} - \frac{b^3c}{2x^2} - \frac{b^3d}{4x^4} \\ a^3cx - \frac{2a^3d}{\sqrt{x}} + 6a^2bc\sqrt{x} - \frac{3a^2bd}{x} + 3ab^2c \log(x) - \frac{2ab^2d}{x^{\frac{3}{2}}} - \frac{2b^3c}{\sqrt{x}} - \frac{b^3d}{2x^2} \\ a^3cx - \frac{3a^3d}{\sqrt[3]{x}} + \frac{9a^2bcx^{\frac{2}{3}}}{2} - \frac{9a^2bd}{2x^{\frac{2}{3}}} + 9ab^2c\sqrt[3]{x} - \frac{3ab^2d}{x} + b^3c \log(x) - \frac{3b^3d}{4x^{\frac{4}{3}}} \\ (a+b)^3 (cx + d \log(x)) \\ \frac{24a^3cn^4x}{24n^4+44n^3+24n^2+4n} + \frac{44a^3cn^3x}{24n^4+44n^3+24n^2+4n} + \frac{24a^3cn^2x}{24n^4+44n^3+24n^2+4n} + \frac{4a^3cnx}{24n^4+44n^3+24n^2+4n} + \frac{24a^3dn^3x^n}{24n^4+44n^3+24n^2+4n} + \frac{44a^3dn^2}{24n^4+44n^3+24n^2+4n} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*x**(-1+n))*(a+b*x**n)**3,x)`

[Out] `Piecewise((a**3*c*x - a**3*d/x + 3*a**2*b*c*log(x) - 3*a**2*b*d/(2*x**2) - 3*a*b**2*c/x - a*b**2*d/x**3 - b**3*c/(2*x**2) - b**3*d/(4*x**4), Eq(n, -1)), (a**3*c*x - 2*a**3*d/sqrt(x) + 6*a**2*b*c*sqrt(x) - 3*a**2*b*d/x + 3*a*b**2*c*log(x) - 2*a*b**2*d/x**(3/2) - 2*b**3*c/sqrt(x) - b**3*d/(2*x**2), Eq(n, -1/2)), (a**3*c*x - 3*a**3*d/x**(1/3) + 9*a**2*b*c*x**(2/3)/2 - 9*a**2*b*d/(2*x**(2/3)) + 9*a*b**2*c*x**(1/3) - 3*a*b**2*d/x + b**3*c*log(x) - 3*b**3*d/(4*x**(4/3)), Eq(n, -1/3)), ((a + b)**3*(c*x + d*log(x)), Eq(n, 0)), (24*a**3*c*n**4*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 44*a**3*c*n**3*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a**3*c*n**2*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 4*a**3*c*n*x/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a**3*d*n**3*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 44*a**3*d*n**2*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a**3*d*n*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 4*a**3*d*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 72*a**2*b*c*n**3*x*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 60*a**2*b*c*n**2*x*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 12*a**2*b*c*n*x*x**n/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 36*a**2*b*d*n**3*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 66*a**2*b*d*n**2*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 36*a**2*b*d*n*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 6*a**2*b*d*x**2*(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 36*a*b**2*c*n**3*x*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 48*a*b**2*c*n**2*x*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 12*a*b**2*c*n*x*x**(2*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a*b**2*d*n**3*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n)`

```

) + 44*a*b**2*d*n**2*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 24*a*b*
*2*d*n*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 4*a*b**2*d*x**(3*n)/(
24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 8*b**3*c*n**3*x*x**(3*n)/(24*n**4 + 44
*n**3 + 24*n**2 + 4*n) + 12*b**3*c*n**2*x*x**(3*n)/(24*n**4 + 44*n**3 + 24*
n**2 + 4*n) + 4*b**3*c*n*x*x**(3*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 6
*b**3*d*n**3*x**(4*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 11*b**3*d*n**2*
x**(4*n)/(24*n**4 + 44*n**3 + 24*n**2 + 4*n) + 6*b**3*d*n*x**(4*n)/(24*n**4
+ 44*n**3 + 24*n**2 + 4*n) + b**3*d*x**(4*n)/(24*n**4 + 44*n**3 + 24*n**2
+ 4*n), True))

```

$$3.578 \quad \int (c + dx^{-1+n}) (a + bx^n)^2 dx$$

Optimal. Leaf size=61

$$a^2cx + \frac{2abcx^{n+1}}{n+1} + \frac{d(a+bx^n)^3}{3bn} + \frac{b^2cx^{2n+1}}{2n+1}$$

[Out] $a^2c*x + 2*a*b*c*x^{(1+n)}/(1+n) + b^2*c*x^{(1+2*n)}/(1+2*n) + 1/3*d*(a+b*x^n)^3/b/n$

Rubi [A] time = 0.04, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 244, 261}

$$a^2cx + \frac{2abcx^{n+1}}{n+1} + \frac{d(a+bx^n)^3}{3bn} + \frac{b^2cx^{2n+1}}{2n+1}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))*(a + b*x^n)^2,x]

[Out] $a^2*c*x + (2*a*b*c*x^{(1+n)})/(1+n) + (b^2*c*x^{(1+2*n)})/(1+2*n) + (d*(a+b*x^n)^3)/(3*b*n)$

Rule 244

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && IGtQ[p, 0]

Rule 261

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a + b*x^n)^(p+1)/(b*n*(p+1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n-1] && NeQ[p, -1]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]

Rubi steps

$$\begin{aligned} \int (c + dx^{-1+n})(a + bx^n)^2 dx &= c \int (a + bx^n)^2 dx + d \int x^{-1+n} (a + bx^n)^2 dx \\ &= \frac{d(a + bx^n)^3}{3bn} + c \int (a^2 + 2abx^n + b^2x^{2n}) dx \\ &= a^2cx + \frac{2abcx^{1+n}}{1+n} + \frac{b^2cx^{1+2n}}{1+2n} + \frac{d(a + bx^n)^3}{3bn} \end{aligned}$$

Mathematica [A] time = 0.15, size = 120, normalized size = 1.97

$$\frac{a^3d(2n^2 + 3n + 1) + 3a^2b(2n^2 + 3n + 1)(cnx + dx^n) + 3ab^2(2n + 1)x^n(2cnx + d(n + 1)x^n) + b^3(n + 1)x^{2n}(3cnx + d(n + 1)x^n)}{3bn(n + 1)(2n + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))*(a + b*x^n)^2,x]

[Out] (a^3*d*(1 + 3*n + 2*n^2) + 3*a^2*b*(1 + 3*n + 2*n^2)*(c*n*x + d*x^n) + 3*a*b^2*(1 + 2*n)*x^n*(2*c*n*x + d*(1 + n)*x^n) + b^3*(1 + n)*x^(2*n)*(3*c*n*x + d*(1 + 2*n)*x^n))/(3*b*n*(1 + n)*(1 + 2*n))

fricas [B] time = 0.44, size = 160, normalized size = 2.62

$$\frac{3(2a^2cn^3 + 3a^2cn^2 + a^2cn)x + (2b^2dn^2 + 3b^2dn + b^2d)x^{3n} + 3(2abdn^2 + 3abdn + abd + (b^2cn^2 + b^2cn)x)x^{2n}}{3(2n^3 + 3n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^2,x, algorithm="fricas")

[Out] 1/3*(3*(2*a^2*c*n^3 + 3*a^2*c*n^2 + a^2*c*n)*x + (2*b^2*d*n^2 + 3*b^2*d*n + b^2*d)*x^(3*n) + 3*(2*a*b*d*n^2 + 3*a*b*d*n + a*b*d + (b^2*c*n^2 + b^2*c*n)*x)*x^(2*n) + 3*(2*a^2*d*n^2 + 3*a^2*d*n + a^2*d + 2*(2*a*b*c*n^2 + a*b*c*n)*x)*x^n)/(2*n^3 + 3*n^2 + n)

giac [B] time = 0.22, size = 196, normalized size = 3.21

$$\frac{6a^2cn^3x + 3b^2cn^2xx^{2n} + 12abcn^2xx^n + 9a^2cn^2x + 2b^2dn^2x^{3n} + 6abdn^2x^{2n} + 3b^2cnxx^{2n} + 6a^2dn^2x^n + 6abcn^2x}{3(2n^3 + 3n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n)^2,x, algorithm="giac")

[Out] $\frac{1}{3}(6a^2cn^3x + 3b^2cn^2xx^{(2n)} + 12abcn^2xx^n + 9a^2cn^2x + 2b^2dn^2x^{(3n)} + 6abdn^2x^{(2n)} + 3b^2cnxx^{(2n)} + 6a^2dn^2x^n + 6abcnxx^n + 3a^2cnx + 3b^2dnx^{(3n)} + 9abdnnx^{(2n)} + 9a^2dnx^n + b^2dx^{(3n)} + 3abdxx^{(2n)} + 3a^2dx^n) / (2n^3 + 3n^2 + n)$

maple [A] time = 0.06, size = 87, normalized size = 1.43

$$\frac{2abcx e^{n \ln(x)}}{n+1} + \frac{b^2cx e^{2n \ln(x)}}{2n+1} + a^2cx + \frac{a^2d e^{n \ln(x)}}{n} + \frac{abd e^{2n \ln(x)}}{n} + \frac{b^2d e^{3n \ln(x)}}{3n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d*x^(n-1))*(b*x^n+a)^2,x)`

[Out] $a^2cx + a^2d/n \exp(n \ln(x)) + b^2d/n \exp(n \ln(x))^2 + c^2b^2/(2n+1) x \exp(n \ln(x))^2 + 1/3 b^2d/n \exp(n \ln(x))^3 + 2abdc/(n+1) x \exp(n \ln(x))$

maxima [A] time = 1.40, size = 78, normalized size = 1.28

$$a^2cx + \frac{b^2dx^{3n}}{3n} + \frac{abdx^{2n}}{n} + \frac{b^2cx^{2n+1}}{2n+1} + \frac{2abcx^{n+1}}{n+1} + \frac{a^2dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*x^(-1+n))*(a+b*x^n)^2,x, algorithm="maxima")`

[Out] $a^2cx + 1/3 b^2d x^{(3n)}/n + a^2d x^{(2n)}/n + b^2c x^{(2n+1)}/(2n+1) + 2abdc x^{(n+1)}/(n+1) + a^2d x^n/n$

mupad [B] time = 5.06, size = 76, normalized size = 1.25

$$a^2cx + \frac{a^2dx^n}{n} + \frac{b^2dx^{3n}}{3n} + \frac{b^2c x x^{2n}}{2n+1} + \frac{abdx^{2n}}{n} + \frac{2abcx x^n}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^(n - 1))*(a + b*x^n)^2,x)`

[Out] $a^2cx + (a^2d x^n)/n + (b^2d x^{(3n)})/(3n) + (b^2c x x^{(2n)})/(2n+1) + (a^2d x^n)/n + (2abdc x x^n)/(n+1)$

sympy [A] time = 4.27, size = 552, normalized size = 9.05

$$\left\{ \begin{array}{l} a^2cx - \frac{a^2d}{x} + 2abc \log(x) - \frac{abd}{x^2} - \frac{b^2c}{x} - \frac{b^2d}{3x^3} \\ a^2cx - \frac{2a^2d}{\sqrt{x}} + 4abc\sqrt{x} - \frac{2abd}{x} + b^2c \log(x) - \frac{2b^2d}{3x^{\frac{3}{2}}} \\ (a+b)^2 (cx + d \log(x)) \\ \frac{6a^2cn^3x}{6n^3+9n^2+3n} + \frac{9a^2cn^2x}{6n^3+9n^2+3n} + \frac{3a^2cnx}{6n^3+9n^2+3n} + \frac{6a^2dn^2x^n}{6n^3+9n^2+3n} + \frac{9a^2dnx^n}{6n^3+9n^2+3n} + \frac{3a^2dx^n}{6n^3+9n^2+3n} + \frac{12abcn^2xx^n}{6n^3+9n^2+3n} + \frac{6abcnxx^n}{6n^3+9n^2+3n} + \frac{6abd n^2}{6n^3+9n^2+3n} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**(-1+n))*(a+b*x**n)**2,x)

[Out] Piecewise((a**2*c*x - a**2*d/x + 2*a*b*c*log(x) - a*b*d/x**2 - b**2*c/x - b**2*d/(3*x**3), Eq(n, -1)), (a**2*c*x - 2*a**2*d/sqrt(x) + 4*a*b*c*sqrt(x) - 2*a*b*d/x + b**2*c*log(x) - 2*b**2*d/(3*x**(3/2)), Eq(n, -1/2)), ((a + b)**2*(c*x + d*log(x)), Eq(n, 0)), (6*a**2*c*n**3*x/(6*n**3 + 9*n**2 + 3*n) + 9*a**2*c*n**2*x/(6*n**3 + 9*n**2 + 3*n) + 3*a**2*c*n*x/(6*n**3 + 9*n**2 + 3*n) + 6*a**2*d*n**2*x**n/(6*n**3 + 9*n**2 + 3*n) + 9*a**2*d*n*x**n/(6*n**3 + 9*n**2 + 3*n) + 3*a**2*d*x**n/(6*n**3 + 9*n**2 + 3*n) + 12*a*b*c*n**2*x*x**n/(6*n**3 + 9*n**2 + 3*n) + 6*a*b*c*n*x*x**n/(6*n**3 + 9*n**2 + 3*n) + 6*a*b*d*n**2*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 9*a*b*d*n*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 3*a*b*d*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 3*b**2*c*n**2*x*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 3*b**2*c*n*x*x**(2*n)/(6*n**3 + 9*n**2 + 3*n) + 2*b**2*d*n**2*x**(3*n)/(6*n**3 + 9*n**2 + 3*n) + 3*b**2*d*n*x**(3*n)/(6*n**3 + 9*n**2 + 3*n) + b**2*d*x**(3*n)/(6*n**3 + 9*n**2 + 3*n), True))

$$3.579 \quad \int (c + dx^{-1+n}) (a + bx^n) dx$$

Optimal. Leaf size=41

$$acx + \frac{adx^n}{n} + \frac{bcx^{n+1}}{n+1} + \frac{bdx^{2n}}{2n}$$

[Out] a*c*x+a*d*x^n/n+1/2*b*d*x^(2*n)/n+b*c*x^(1+n)/(1+n)

Rubi [A] time = 0.02, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {1891, 14}

$$acx + \frac{adx^n}{n} + \frac{bcx^{n+1}}{n+1} + \frac{bdx^{2n}}{2n}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))*(a + b*x^n), x]

[Out] a*c*x + (a*d*x^n)/n + (b*d*x^(2*n))/(2*n) + (b*c*x^(1 + n))/(1 + n)

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]

Rubi steps

$$\begin{aligned} \int (c + dx^{-1+n}) (a + bx^n) dx &= c \int (a + bx^n) dx + d \int x^{-1+n} (a + bx^n) dx \\ &= acx + \frac{bcx^{1+n}}{1+n} + d \int (ax^{-1+n} + bx^{-1+2n}) dx \\ &= acx + \frac{adx^n}{n} + \frac{bdx^{2n}}{2n} + \frac{bcx^{1+n}}{1+n} \end{aligned}$$

Mathematica [A] time = 0.13, size = 42, normalized size = 1.02

$$\frac{2a(cnx + dx^n) + bx^n \left(\frac{2cnx}{n+1} + dx^n \right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))*(a + b*x^n), x]

[Out] (2*a*(c*n*x + d*x^n) + b*x^n*((2*c*n*x)/(1 + n) + d*x^n))/(2*n)

fricas [A] time = 0.46, size = 56, normalized size = 1.37

$$\frac{2(acn^2 + acn)x + (bdn + bd)x^{2n} + 2(bcnx + adn + ad)x^n}{2(n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n), x, algorithm="fricas")

[Out] 1/2*(2*(a*c*n^2 + a*c*n)*x + (b*d*n + b*d)*x^(2*n) + 2*(b*c*n*x + a*d*n + a*d)*x^n)/(n^2 + n)

giac [A] time = 0.22, size = 65, normalized size = 1.59

$$\frac{2acn^2x + 2bcnxx^n + 2acnx + bdnx^{2n} + 2adnx^n + bdx^{2n} + 2adx^n}{2(n^2 + n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n), x, algorithm="giac")

[Out] 1/2*(2*a*c*n^2*x + 2*b*c*n*x*x^n + 2*a*c*n*x + b*d*n*x^(2*n) + 2*a*d*n*x^n + b*d*x^(2*n) + 2*a*d*x^n)/(n^2 + n)

maple [A] time = 0.06, size = 45, normalized size = 1.10

$$\frac{bcx e^{n \ln(x)}}{n+1} + acx + \frac{ad e^{n \ln(x)}}{n} + \frac{bd e^{2n \ln(x)}}{2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x^(n-1))*(b*x^n+a), x)

[Out] a*c*x+a*d/n*exp(n*ln(x))+b*c/(n+1)*x*exp(n*ln(x))+1/2*b*d/n*exp(n*ln(x))^2

maxima [A] time = 1.29, size = 39, normalized size = 0.95

$$acx + \frac{bdx^{2n}}{2n} + \frac{bcx^{n+1}}{n+1} + \frac{adx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))*(a+b*x^n),x, algorithm="maxima")

[Out] a*c*x + 1/2*b*d*x^(2*n)/n + b*c*x^(n + 1)/(n + 1) + a*d*x^n/n

mupad [B] time = 5.06, size = 38, normalized size = 0.93

$$acx + \frac{adx^n}{n} + \frac{bdx^{2n}}{2n} + \frac{bcxx^n}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^(n - 1))*(a + b*x^n),x)

[Out] a*c*x + (a*d*x^n)/n + (b*d*x^(2*n))/(2*n) + (b*c*x*x^n)/(n + 1)

sympy [A] time = 2.03, size = 163, normalized size = 3.98

$$\begin{cases} acx - \frac{ad}{x} + bc \log(x) - \frac{bd}{2x^2} & \text{for } n = -1 \\ (a + b)(cx + d \log(x)) & \text{for } n = 0 \\ \frac{2acn^2x}{2n^2+2n} + \frac{2acnx}{2n^2+2n} + \frac{2adnx^n}{2n^2+2n} + \frac{2adx^n}{2n^2+2n} + \frac{2bcnxx^n}{2n^2+2n} + \frac{bdnx^{2n}}{2n^2+2n} + \frac{bdx^{2n}}{2n^2+2n} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**(-1+n))*(a+b*x**n),x)

[Out] Piecewise((a*c*x - a*d/x + b*c*log(x) - b*d/(2*x**2), Eq(n, -1)), ((a + b)*(c*x + d*log(x)), Eq(n, 0)), (2*a*c*n**2*x/(2*n**2 + 2*n) + 2*a*c*n*x/(2*n**2 + 2*n) + 2*a*d*n*x**n/(2*n**2 + 2*n) + 2*a*d*x**n/(2*n**2 + 2*n) + 2*b*c*n*x*x**n/(2*n**2 + 2*n) + b*d*n*x**(2*n)/(2*n**2 + 2*n) + b*d*x**(2*n)/(2*n**2 + 2*n), True))

$$3.580 \quad \int (c + dx^{-1+n}) dx$$

Optimal. Leaf size=12

$$cx + \frac{dx^n}{n}$$

[Out] c*x+d*x^n/n

Rubi [A] time = 0.00, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, integrand size = 9, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.000, Rules used = {}

$$cx + \frac{dx^n}{n}$$

Antiderivative was successfully verified.

[In] Int[c + d*x^(-1 + n), x]

[Out] c*x + (d*x^n)/n

Rubi steps

$$\int (c + dx^{-1+n}) dx = cx + \frac{dx^n}{n}$$

Mathematica [A] time = 0.00, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Antiderivative was successfully verified.

[In] Integrate[c + d*x^(-1 + n), x]

[Out] c*x + (d*x^n)/n

fricas [A] time = 0.44, size = 17, normalized size = 1.42

$$\frac{cnx + dxx^{n-1}}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(c+d*x^(-1+n), x, algorithm="fricas")

[Out] $(c*n*x + d*x*x^{(n - 1)})/n$

giac [A] time = 0.17, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(c+d*x^(-1+n),x, algorithm="giac")`

[Out] $c*x + d*x^n/n$

maple [A] time = 0.04, size = 13, normalized size = 1.08

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(c+d*x^(n-1),x)`

[Out] $c*x+d*x^n/n$

maxima [A] time = 1.32, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(c+d*x^(-1+n),x, algorithm="maxima")`

[Out] $c*x + d*x^n/n$

mupad [B] time = 5.01, size = 12, normalized size = 1.00

$$cx + \frac{dx^n}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(c + d*x^(n - 1),x)`

[Out] $c*x + (d*x^n)/n$

sympy [A] time = 0.07, size = 15, normalized size = 1.25

$$cx + d \begin{cases} \frac{x^n}{n} & \text{for } n - 1 \neq -1 \\ \log(x) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(c+d*x**(-1+n),x)
```

```
[Out] c*x + d*Piecewise((x**n/n, Ne(n - 1, -1)), (log(x), True))
```

$$3.581 \quad \int \frac{c+dx^{-1+n}}{a+bx^n} dx$$

Optimal. Leaf size=42

$$\frac{cx {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a} + \frac{d \log(a + bx^n)}{bn}$$

[Out] c*x*hypergeom([1, 1/n], [1+1/n], -b*x^n/a)/a+d*ln(a+b*x^n)/b/n

Rubi [A] time = 0.03, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 245, 260}

$$\frac{cx {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a} + \frac{d \log(a + bx^n)}{bn}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))/(a + b*x^n), x]

[Out] (c*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((b*x^n)/a)])/a + (d*Log[a + b*x^n])/(b*n)

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 1891

Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]

Rubi steps

$$\int \frac{c + dx^{-1+n}}{a + bx^n} dx = c \int \frac{1}{a + bx^n} dx + d \int \frac{x^{-1+n}}{a + bx^n} dx$$

$$= \frac{cx {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a} + \frac{d \log(a + bx^n)}{bn}$$

Mathematica [A] time = 0.07, size = 42, normalized size = 1.00

$$\frac{cx {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a} + \frac{d \log(a + bx^n)}{bn}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))/(a + b*x^n), x]

[Out] (c*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((b*x^n)/a)])/a + (d*Log[a + b*x^n])/(b*n)

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx^{n-1} + c}{bx^n + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n), x, algorithm="fricas")

[Out] integral((d*x^(n - 1) + c)/(b*x^n + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^{n-1} + c}{bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n), x, algorithm="giac")

[Out] integrate((d*x^(n - 1) + c)/(b*x^n + a), x)

maple [F] time = 0.78, size = 0, normalized size = 0.00

$$\int \frac{dx^{n-1} + c}{bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d*x^(n-1))/(b*x^n+a),x)`

[Out] `int((c+d*x^(n-1))/(b*x^n+a),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{d \log(x)}{b} + \int \frac{bcx - ad}{b^2xx^n + abx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*x^(-1+n))/(a+b*x^n),x, algorithm="maxima")`

[Out] `d*log(x)/b + integrate((b*c*x - a*d)/(b^2*x*x^n + a*b*x), x)`

mupad [B] time = 5.33, size = 43, normalized size = 1.02

$$\frac{cx {}_2F_1\left(1, \frac{1}{n}; \frac{1}{n} + 1; -\frac{bx^n}{a}\right)}{a} + \frac{d \ln(a + bx^n)}{bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^(n - 1))/(a + b*x^n),x)`

[Out] `(c*x*hypergeom([1, 1/n], 1/n + 1, -(b*x^n)/a))/a + (d*log(a + b*x^n))/(b*n)`

sympy [A] time = 17.15, size = 65, normalized size = 1.55

$$d \left(\begin{array}{l} \left(\frac{\log(x)}{a} \quad \text{for } b = 0 \wedge n = 0 \right) \\ \left(\frac{\log(x)}{a+b} \quad \text{for } n = 0 \right) \\ \left(\frac{x^n}{an} \quad \text{for } b = 0 \right) \\ \left(\frac{\log\left(\frac{a}{b} + x^n\right)}{bn} \quad \text{otherwise} \right) \end{array} \right) + \frac{cx \Phi\left(\frac{bx^n e^{i\pi}}{a}, 1, \frac{1}{n}\right) \Gamma\left(\frac{1}{n}\right)}{an^2 \Gamma\left(1 + \frac{1}{n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*x**(-1+n))/(a+b*x**n),x)`

[Out] `d*Piecewise((log(x)/a, Eq(b, 0) & Eq(n, 0)), (log(x)/(a + b), Eq(n, 0)), (x**n/(a*n), Eq(b, 0)), (log(a/b + x**n)/(b*n), True)) + c*x*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, 1/n)*gamma(1/n)/(a*n**2*gamma(1 + 1/n))`

$$3.582 \quad \int \frac{c+dx^{-1+n}}{(a+bx^n)^2} dx$$

Optimal. Leaf size=44

$$\frac{cx {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2} - \frac{d}{bn(a+bx^n)}$$

[Out] -d/b/n/(a+b*x^n)+c*x*hypergeom([2, 1/n], [1+1/n], -b*x^n/a)/a^2

Rubi [A] time = 0.03, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 245, 261}

$$\frac{cx {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2} - \frac{d}{bn(a+bx^n)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))/(a + b*x^n)^2, x]

[Out] -(d/(b*n*(a + b*x^n))) + (c*x*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -(b*x^n/a)])/a^2

Rule 245

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b*x^n/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 1891

```
Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]
```

Rubi steps

$$\int \frac{c + dx^{-1+n}}{(a + bx^n)^2} dx = c \int \frac{1}{(a + bx^n)^2} dx + d \int \frac{x^{-1+n}}{(a + bx^n)^2} dx$$

$$= -\frac{d}{bn(a + bx^n)} + \frac{cx {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2}$$

Mathematica [A] time = 0.12, size = 44, normalized size = 1.00

$$\frac{cx {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2} - \frac{d}{abn + b^2nx^n}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))/(a + b*x^n)^2, x]

[Out] -(d/(a*b*n + b^2*n*x^n)) + (c*x*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -(b*x^n)/a])/a^2

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx^{n-1} + c}{b^2x^{2n} + 2abx^n + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n)^2,x, algorithm="fricas")

[Out] integral((d*x^(n - 1) + c)/(b^2*x^(2*n) + 2*a*b*x^n + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^{n-1} + c}{(bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n)^2,x, algorithm="giac")

[Out] integrate((d*x^(n - 1) + c)/(b*x^n + a)^2, x)

maple [F] time = 1.03, size = 0, normalized size = 0.00

$$\int \frac{dx^{n-1} + c}{(bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^(n-1)+c)/(b*x^n+a)^2,x)`

[Out] `int((d*x^(n-1)+c)/(b*x^n+a)^2,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$c(n-1) \int \frac{1}{abnx^n + a^2n} dx + \frac{bcx - ad}{ab^2nx^n + a^2bn}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*x^(-1+n))/(a+b*x^n)^2,x, algorithm="maxima")`

[Out] `c*(n - 1)*integrate(1/(a*b*n*x^n + a^2*n), x) + (b*c*x - a*d)/(a*b^2*n*x^n + a^2*b*n)`

mupad [B] time = 5.35, size = 49, normalized size = 1.11

$$\frac{cx {}_2F_1\left(2, \frac{1}{n}; \frac{1}{n} + 1; -\frac{bx^n}{a}\right)}{a^2} - \frac{ad}{b(a^2n + abnx^n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^(n - 1))/(a + b*x^n)^2,x)`

[Out] `(c*x*hypergeom([2, 1/n], 1/n + 1, -(b*x^n)/a))/a^2 - (a*d)/(b*(a^2*n + a*b*n*x^n))`

sympy [C] time = 51.15, size = 299, normalized size = 6.80

$$c \left(\frac{nx \Phi\left(\frac{bx^n e^{i\pi}}{a}, 1, \frac{1}{n}\right) \Gamma\left(\frac{1}{n}\right)}{a \left(an^3 \Gamma\left(1 + \frac{1}{n}\right) + bn^3 x^n \Gamma\left(1 + \frac{1}{n}\right) \right)} + \frac{nx \Gamma\left(\frac{1}{n}\right)}{a \left(an^3 \Gamma\left(1 + \frac{1}{n}\right) + bn^3 x^n \Gamma\left(1 + \frac{1}{n}\right) \right)} - \frac{x \Phi\left(\frac{bx^n e^{i\pi}}{a}, 1, \frac{1}{n}\right) \Gamma\left(\frac{1}{n}\right)}{a \left(an^3 \Gamma\left(1 + \frac{1}{n}\right) + bn^3 x^n \Gamma\left(1 + \frac{1}{n}\right) \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*x**(-1+n))/(a+b*x**n)**2,x)`

[Out] `c*(n*x*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, 1/n)*gamma(1/n)/(a*(a*n**3*gamma(1 + 1/n) + b*n**3*x**n*gamma(1 + 1/n))) + n*x*gamma(1/n)/(a*(a*n**3*gamma(1 + 1/n) + b*n**3*x**n*gamma(1 + 1/n)))`

```

a(1 + 1/n) + b*n**3*x**n*gamma(1 + 1/n))) - x*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, 1/n)*gamma(1/n)/(a*(a*n**3*gamma(1 + 1/n) + b*n**3*x**n*gamma(1 + 1/n))) + b*n*x*x**n*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, 1/n)*gamma(1/n)/(a**2*(a*n**3*gamma(1 + 1/n) + b*n**3*x**n*gamma(1 + 1/n))) - b*x*x**n*lerchphi(b*x**n*exp_polar(I*pi)/a, 1, 1/n)*gamma(1/n)/(a**2*(a*n**3*gamma(1 + 1/n) + b*n**3*x**n*gamma(1 + 1/n))) + d*Piecewise((log(x)/a**2, Eq(b, 0) & Eq(n, 0)), (x**n/(a**2*n), Eq(b, 0)), (log(x)/(a + b)**2, Eq(n, 0)), (-1/(a*b*n + b**2*n*x**n), True))

```

$$3.583 \quad \int \frac{c+dx^{-1+n}}{(a+bx^n)^3} dx$$

Optimal. Leaf size=46

$$\frac{cx {}_2F_1\left(3, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^3} - \frac{d}{2bn(a+bx^n)^2}$$

[Out] -1/2*d/b/n/(a+b*x^n)^2+c*x*hypergeom([3, 1/n], [1+1/n], -b*x^n/a)/a^3

Rubi [A] time = 0.03, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1891, 245, 261}

$$\frac{cx {}_2F_1\left(3, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^3} - \frac{d}{2bn(a+bx^n)^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(-1 + n))/(a + b*x^n)^3, x]

[Out] -d/(2*b*n*(a + b*x^n)^2) + (c*x*Hypergeometric2F1[3, n^(-1), 1 + n^(-1), -(b*x^n)/a])/a^3

Rule 245

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])
```

Rule 261

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a + b*x^n)^(p + 1)/(b*n*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]
```

Rule 1891

```
Int[((A_) + (B_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[A, Int[(a + b*x^n)^p, x], x] + Dist[B, Int[x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, A, B, m, n, p}, x] && EqQ[m - n + 1, 0]
```

Rubi steps

$$\int \frac{c + dx^{-1+n}}{(a + bx^n)^3} dx = c \int \frac{1}{(a + bx^n)^3} dx + d \int \frac{x^{-1+n}}{(a + bx^n)^3} dx$$

$$= -\frac{d}{2bn(a + bx^n)^2} + \frac{cx {}_2F_1\left(3, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^3}$$

Mathematica [A] time = 0.11, size = 63, normalized size = 1.37

$$\frac{2bcnx(a + bx^n)^2 {}_2F_1\left(3, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right) - a^3d}{2a^3bn(a + bx^n)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^(-1 + n))/(a + b*x^n)^3, x]

[Out] $(-(a^3d) + 2*b*c*n*x*(a + b*x^n)^2*Hypergeometric2F1[3, n^(-1), 1 + n^(-1), -(b*x^n)/a])/(2*a^3*b*n*(a + b*x^n)^2)$

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{dx^{n-1} + c}{b^3x^{3n} + 3ab^2x^{2n} + 3a^2bx^n + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n)^3,x, algorithm="fricas")

[Out] integral((d*x^(n - 1) + c)/(b^3*x^(3*n) + 3*a*b^2*x^(2*n) + 3*a^2*b*x^n + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{dx^{n-1} + c}{(bx^n + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n)^3,x, algorithm="giac")

[Out] integrate((d*x^(n - 1) + c)/(b*x^n + a)^3, x)

maple [F] time = 0.71, size = 0, normalized size = 0.00

$$\int \frac{d x^{n-1} + c}{(b x^n + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^(n-1)+c)/(b*x^n+a)^3,x)

[Out] int((d*x^(n-1)+c)/(b*x^n+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$(2n^2 - 3n + 1)c \int \frac{1}{2(a^2bn^2x^n + a^3n^2)} dx + \frac{b^2c(2n-1)xx^n + abc(3n-1)x - a^2dn}{2(a^2b^3n^2x^{2n} + 2a^3b^2n^2x^n + a^4bn^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(-1+n))/(a+b*x^n)^3,x, algorithm="maxima")

[Out] (2*n^2 - 3*n + 1)*c*integrate(1/2/(a^2*b*n^2*x^n + a^3*n^2), x) + 1/2*(b^2*c*(2*n - 1)*x*x^n + a*b*c*(3*n - 1)*x - a^2*d*n)/(a^2*b^3*n^2*x^(2*n) + 2*a^3*b^2*n^2*x^n + a^4*b*n^2)

mupad [B] time = 5.41, size = 59, normalized size = 1.28

$$\frac{c x {}_2F_1\left(3, \frac{1}{n}; \frac{1}{n} + 1; -\frac{b x^n}{a}\right)}{a^3} - \frac{d}{2 b (a^2 n + b^2 n x^{2n} + 2 a b n x^n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^(n - 1))/(a + b*x^n)^3,x)

[Out] (c*x*hypergeom([3, 1/n], 1/n + 1, -(b*x^n)/a))/a^3 - d/(2*b*(a^2*n + b^2*n*x^(2*n) + 2*a*b*n*x^n))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x**(-1+n))/(a+b*x**n)**3,x)

[Out] Timed out

$$3.584 \quad \int \frac{(cx)^m (d + ex^n + fx^{2n} + gx^{3n})}{\sqrt{a + bx^n}} dx$$

Optimal. Leaf size=305

$$\frac{d(cx)^{m+1} \sqrt{\frac{bx^n}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{c(m+1)\sqrt{a+bx^n}} + \frac{ex^{n+1}(cx)^m \sqrt{\frac{bx^n}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{m+n+1}{n}; \frac{m+2n+1}{n}; -\frac{bx^n}{a}\right)}{(m+n+1)\sqrt{a+bx^n}} + \frac{fx^{2n+1}(cx)^m}{\sqrt{a+bx^n}}$$

[Out] d*(c*x)^(1+m)*hypergeom([1/2, (1+m)/n], [(1+m+n)/n], -b*x^n/a)*(1+b*x^n/a)^(1/2)/c/(1+m)/(a+b*x^n)^(1/2)+e*x^(1+n)*(c*x)^m*hypergeom([1/2, (1+m+n)/n], [(1+m+2*n)/n], -b*x^n/a)*(1+b*x^n/a)^(1/2)/(1+m+n)/(a+b*x^n)^(1/2)+f*x^(1+2*n)*(c*x)^m*hypergeom([1/2, (1+m+2*n)/n], [(1+m+3*n)/n], -b*x^n/a)*(1+b*x^n/a)^(1/2)/(1+m+2*n)/(a+b*x^n)^(1/2)+g*x^(1+3*n)*(c*x)^m*hypergeom([1/2, (1+m+3*n)/n], [(1+m+4*n)/n], -b*x^n/a)*(1+b*x^n/a)^(1/2)/(1+m+3*n)/(a+b*x^n)^(1/2)

Rubi [A] time = 0.23, antiderivative size = 305, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 4, integrand size = 38, number of rules / integrand size = 0.105, Rules used = {1844, 365, 364, 20}

$$\frac{d(cx)^{m+1} \sqrt{\frac{bx^n}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{c(m+1)\sqrt{a+bx^n}} + \frac{ex^{n+1}(cx)^m \sqrt{\frac{bx^n}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{m+n+1}{n}; \frac{m+2n+1}{n}; -\frac{bx^n}{a}\right)}{(m+n+1)\sqrt{a+bx^n}} + \frac{fx^{2n+1}(cx)^m}{\sqrt{a+bx^n}}$$

Antiderivative was successfully verified.

[In] Int[((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/Sqrt[a + b*x^n],x]

[Out] (d*(c*x)^(1 + m)*Sqrt[1 + (b*x^n)/a]*Hypergeometric2F1[1/2, (1 + m)/n, (1 + m + n)/n, -((b*x^n)/a)]/(c*(1 + m)*Sqrt[a + b*x^n]) + (e*x^(1 + n)*(c*x)^m*Sqrt[1 + (b*x^n)/a]*Hypergeometric2F1[1/2, (1 + m + n)/n, (1 + m + 2*n)/n, -((b*x^n)/a)])/((1 + m + n)*Sqrt[a + b*x^n]) + (f*x^(1 + 2*n)*(c*x)^m*Sqrt[1 + (b*x^n)/a]*Hypergeometric2F1[1/2, (1 + m + 2*n)/n, (1 + m + 3*n)/n, -((b*x^n)/a)])/((1 + m + 2*n)*Sqrt[a + b*x^n]) + (g*x^(1 + 3*n)*(c*x)^m*Sqrt[1 + (b*x^n)/a]*Hypergeometric2F1[1/2, (1 + m + 3*n)/n, (1 + m + 4*n)/n, -((b*x^n)/a)])/((1 + m + 3*n)*Sqrt[a + b*x^n])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 364

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

Rule 365

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^
IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^
m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]
&& !(ILtQ[p, 0] || GtQ[a, 0])
```

Rule 1844

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := I
nt[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n
, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n]) && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(cx)^m (d + ex^n + fx^{2n} + gx^{3n})}{\sqrt{a + bx^n}} dx &= \int \left(\frac{d(cx)^m}{\sqrt{a + bx^n}} + \frac{ex^n(cx)^m}{\sqrt{a + bx^n}} + \frac{fx^{2n}(cx)^m}{\sqrt{a + bx^n}} + \frac{gx^{3n}(cx)^m}{\sqrt{a + bx^n}} \right) dx \\
&= d \int \frac{(cx)^m}{\sqrt{a + bx^n}} dx + e \int \frac{x^n(cx)^m}{\sqrt{a + bx^n}} dx + f \int \frac{x^{2n}(cx)^m}{\sqrt{a + bx^n}} dx + g \int \frac{x^{3n}(cx)^m}{\sqrt{a + bx^n}} dx \\
&= (ex^{-m}(cx)^m) \int \frac{x^{m+n}}{\sqrt{a + bx^n}} dx + (fx^{-m}(cx)^m) \int \frac{x^{m+2n}}{\sqrt{a + bx^n}} dx + (gx^{-m}(cx)^m) \int \frac{x^{m+3n}}{\sqrt{a + bx^n}} dx \\
&= \frac{d(cx)^{1+m} \sqrt{1 + \frac{bx^n}{a}} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{n}; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)\sqrt{a + bx^n}} + \frac{\left(ex^{-m}(cx)^m \sqrt{1 + \frac{bx^n}{a}}\right) \int \frac{x^{m+n}}{\sqrt{a + bx^n}} dx}{\sqrt{a + bx^n}} \\
&= \frac{d(cx)^{1+m} \sqrt{1 + \frac{bx^n}{a}} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{n}; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)\sqrt{a + bx^n}} + \frac{ex^{1+n}(cx)^m \sqrt{1 + \frac{bx^n}{a}} {}_2F_1\left(\frac{1}{2}, \frac{1+m+n}{n}; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{(1+m+n)\sqrt{a + bx^n}}
\end{aligned}$$

Mathematica [A] time = 0.56, size = 206, normalized size = 0.68

$$\frac{x(cx)^m \sqrt{\frac{bx^n}{a} + 1} \left(\frac{d {}_2F_1\left(\frac{1}{2}, \frac{m+1}{n}; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{m+1} + x^n \left(\frac{e {}_2F_1\left(\frac{1}{2}, \frac{m+n+1}{n}; \frac{m+2n+1}{n}; -\frac{bx^n}{a}\right)}{m+n+1} + x^n \left(\frac{f {}_2F_1\left(\frac{1}{2}, \frac{m+2n+1}{n}; \frac{m+3n+1}{n}; -\frac{bx^n}{a}\right)}{m+2n+1} + \frac{gx^n {}_2F_1\left(\frac{1}{2}, \frac{m+3n+1}{n}; \frac{m+4n+1}{n}; -\frac{bx^n}{a}\right)}{m+3n+1} \right) \right) \right)}{\sqrt{a + bx^n}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/Sqrt[a + b*x^n],x]
[Out] (x*(c*x)^m*Sqrt[1 + (b*x^n)/a]*((d*Hypergeometric2F1[1/2, (1 + m)/n, (1 + m + n)/n, -((b*x^n)/a)])/(1 + m) + x^n*((e*Hypergeometric2F1[1/2, (1 + m + n)/n, (1 + m + 2*n)/n, -((b*x^n)/a)])/(1 + m + n) + x^n*((f*Hypergeometric2F1[1/2, (1 + m + 2*n)/n, (1 + m + 3*n)/n, -((b*x^n)/a)])/(1 + m + 2*n) + (g*x^n*Hypergeometric2F1[1/2, (1 + m + 3*n)/n, (1 + m + 4*n)/n, -((b*x^n)/a)])/(1 + m + 3*n))))/Sqrt[a + b*x^n]
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n)^(1/2),x, algorithm m="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^{3n} + fx^{2n} + ex^n + d)(cx)^m}{\sqrt{bx^n + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n)^(1/2),x, algorithm m="giac")
```

```
[Out] integrate((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(c*x)^m/sqrt(b*x^n + a), x)
```

maple [F] time = 0.70, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + fx^{2n} + gx^{3n} + d)(cx)^m}{\sqrt{bx^n + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*x)^m*(e*x^n+f*x^(2*n)+g*x^(3*n)+d)/(b*x^n+a)^(1/2),x)
```

```
[Out] int((c*x)^m*(e*x^n+f*x^(2*n)+g*x^(3*n)+d)/(b*x^n+a)^(1/2),x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx^{3n} + fx^{2n} + ex^n + d)(cx)^m}{\sqrt{bx^n + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(d+e*x^n+f*x^(2*n)+g*x^(3*n))/(a+b*x^n)^(1/2),x, algorithm="maxima")

[Out] integrate((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(c*x)^m/sqrt(b*x^n + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cx)^m (d + ex^n + fx^{2n} + gx^{3n})}{\sqrt{a + bx^n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n)^(1/2),x)

[Out] int(((c*x)^m*(d + e*x^n + f*x^(2*n) + g*x^(3*n)))/(a + b*x^n)^(1/2), x)

sympy [C] time = 55.36, size = 274, normalized size = 0.90

$$\frac{c^m dx x^m \Gamma\left(\frac{m}{n} + \frac{1}{n}\right) {}_2F_1\left(\frac{1}{2}, \frac{m}{n} + \frac{1}{n} \left| \frac{bx^n e^{i\pi}}{a} \right. \right)}{\sqrt{a} n \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right)} + \frac{c^m ex x^m x^n \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right) {}_2F_1\left(\frac{1}{2}, \frac{m}{n} + 1 + \frac{1}{n} \left| \frac{bx^n e^{i\pi}}{a} \right. \right)}{\sqrt{a} n \Gamma\left(\frac{m}{n} + 2 + \frac{1}{n}\right)} + \frac{c^m f x x^m x^{2n} \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right) {}_2F_1\left(\frac{1}{2}, \frac{m}{n} + 1 + \frac{1}{n} \left| \frac{bx^n e^{i\pi}}{a} \right. \right)}{\sqrt{a} n \Gamma\left(\frac{m}{n} + 3 + \frac{1}{n}\right)} + \frac{c^m g x x^m x^{3n} \Gamma\left(\frac{m}{n} + 1 + \frac{1}{n}\right) {}_2F_1\left(\frac{1}{2}, \frac{m}{n} + 1 + \frac{1}{n} \left| \frac{bx^n e^{i\pi}}{a} \right. \right)}{\sqrt{a} n \Gamma\left(\frac{m}{n} + 4 + \frac{1}{n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)**m*(d+e*x**n+f*x**(2*n)+g*x**(3*n))/(a+b*x**n)**(1/2),x)

[Out] c**m*d*x*x**m*gamma(m/n + 1/n)*hyper((1/2, m/n + 1/n), (m/n + 1 + 1/n,)), b*x**n*exp_polar(I*pi)/a)/(sqrt(a)*n*gamma(m/n + 1 + 1/n)) + c**m*e*x*x**m*x**n*gamma(m/n + 1 + 1/n)*hyper((1/2, m/n + 1 + 1/n), (m/n + 2 + 1/n,)), b*x**n*exp_polar(I*pi)/a)/(sqrt(a)*n*gamma(m/n + 2 + 1/n)) + c**m*f*x*x**m*x**(2*n)*gamma(m/n + 2 + 1/n)*hyper((1/2, m/n + 2 + 1/n), (m/n + 3 + 1/n,)), b*x**n*exp_polar(I*pi)/a)/(sqrt(a)*n*gamma(m/n + 3 + 1/n)) + c**m*g*x*x**m*x**(3*n)*gamma(m/n + 3 + 1/n)*hyper((1/2, m/n + 3 + 1/n), (m/n + 4 + 1/n,)), b*x**n*exp_polar(I*pi)/a)/(sqrt(a)*n*gamma(m/n + 4 + 1/n))

$$3.585 \quad \int \frac{-ahx^{-1+\frac{n}{4}} + bfx^{-1+\frac{n}{2}} + bgx^{-1+n} + bhx^{-1+\frac{5n}{4}}}{(a+bx^n)^{3/2}} dx$$

Optimal. Leaf size=45

$$-\frac{2(ag + 2ahx^{n/4} - bfx^{n/2})}{an\sqrt{a + bx^n}}$$

[Out] $-2*(a*g+2*a*h*x^{(1/4*n)}-b*f*x^{(1/2*n)})/a/n/(a+b*x^n)^{(1/2)}$

Rubi [A] time = 0.39, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 58, $\frac{\text{number of rules}}{\text{integrand size}} = 0.034$, Rules used = {6741, 1816}

$$-\frac{2(ag + 2ahx^{n/4} - bfx^{n/2})}{an\sqrt{a + bx^n}}$$

Antiderivative was successfully verified.

[In] Int[(-(a*h*x^(-1 + n/4)) + b*f*x^(-1 + n/2) + b*g*x^(-1 + n) + b*h*x^(-1 + (5*n)/4))/(a + b*x^n)^(3/2), x]

[Out] $(-2*(a*g + 2*a*h*x^{(n/4)} - b*f*x^{(n/2)}))/(a*n*\text{Sqrt}[a + b*x^n])$

Rule 1816

Int[((x_)^(m_.)*((e_) + (h_.)*(x_)^(n_.) + (f_.)*(x_)^(q_.) + (g_.)*(x_)^(r_.)))/((a_) + (c_.)*(x_)^(n_.))^(3/2), x_Symbol] :> -Simp[(2*a*g + 4*a*h*x^(n/4) - 2*c*f*x^(n/2))/(a*c*n*Sqrt[a + c*x^n]), x] /; FreeQ[{a, c, e, f, g, h, m, n}, x] && EqQ[q, n/4] && EqQ[r, (3*n)/4] && EqQ[4*m - n + 4, 0] && EqQ[c*e + a*h, 0]

Rule 6741

Int[u_, x_Symbol] :> With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]

Rubi steps

$$\int \frac{-ahx^{-1+\frac{n}{4}} + bfx^{-1+\frac{n}{2}} + bgx^{-1+n} + bhx^{-1+\frac{5n}{4}}}{(a+bx^n)^{3/2}} dx = \int \frac{x^{-1+\frac{n}{4}}(-ah + bfx^{n/4} + bgx^{3n/4} + bhx^n)}{(a+bx^n)^{3/2}} dx$$

$$= -\frac{2(ag + 2ahx^{n/4} - bfx^{n/2})}{an\sqrt{a+bx^n}}$$

Mathematica [A] time = 0.31, size = 45, normalized size = 1.00

$$\frac{2bfx^{n/2} - 2a(g + 2hx^{n/4})}{an\sqrt{a+bx^n}}$$

Antiderivative was successfully verified.

[In] Integrate[(-a*h*x^(-1 + n/4)) + b*f*x^(-1 + n/2) + b*g*x^(-1 + n) + b*h*x^(-1 + (5*n)/4)]/(a + b*x^n)^(3/2), x]

[Out] (2*b*f*x^(n/2) - 2*a*(g + 2*h*x^(n/4)))/(a*n*Sqrt[a + b*x^n])

fricas [A] time = 0.46, size = 66, normalized size = 1.47

$$\frac{2\sqrt{bx^4x^{n-4} + a}\left(bfx^2x^{\frac{1}{2}n-2} - 2ahxx^{\frac{1}{4}n-1} - ag\right)}{abnx^4x^{n-4} + a^2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a*h*x^(-1+1/4*n)+b*f*x^(-1+1/2*n)+b*g*x^(-1+n)+b*h*x^(-1+5/4*n))/(a+b*x^n)^(3/2), x, algorithm="fricas")

[Out] 2*sqrt(b*x^4*x^(n - 4) + a)*(b*f*x^2*x^(1/2*n - 2) - 2*a*h*x*x^(1/4*n - 1) - a*g)/(a*b*n*x^4*x^(n - 4) + a^2*n)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bhx^{\frac{5}{4}n-1} + bgx^{n-1} + bfx^{\frac{1}{2}n-1} - ahx^{\frac{1}{4}n-1}}{(bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a*h*x^(-1+1/4*n)+b*f*x^(-1+1/2*n)+b*g*x^(-1+n)+b*h*x^(-1+5/4*n))/(a+b*x^n)^(3/2), x, algorithm="giac")

[Out] integrate((b*h*x^(5/4*n - 1) + b*g*x^(n - 1) + b*f*x^(1/2*n - 1) - a*h*x^(1/4*n - 1))/(b*x^n + a)^(3/2), x)

maple [F] time = 0.69, size = 0, normalized size = 0.00

$$\int \frac{-ahx^{\frac{n}{4}-1} + bfx^{\frac{n}{2}-1} + bgx^{n-1} + bhx^{\frac{5n}{4}-1}}{(bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a*h*x^(-1+1/4*n)+b*f*x^(1/2*n-1)+b*g*x^(n-1)+b*h*x^(-1+5/4*n))/(b*x^n+a)^(3/2), x)

[Out] int((-a*h*x^(-1+1/4*n)+b*f*x^(1/2*n-1)+b*g*x^(n-1)+b*h*x^(-1+5/4*n))/(b*x^n+a)^(3/2), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bhx^{\frac{5}{4}n-1} + bgx^{n-1} + bfx^{\frac{1}{2}n-1} - ahx^{\frac{1}{4}n-1}}{(bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a*h*x^(-1+1/4*n)+b*f*x^(-1+1/2*n)+b*g*x^(-1+n)+b*h*x^(-1+5/4*n))/(a+b*x^n)^(3/2), x, algorithm="maxima")

[Out] integrate((b*h*x^(5/4*n - 1) + b*g*x^(n - 1) + b*f*x^(1/2*n - 1) - a*h*x^(1/4*n - 1))/(b*x^n + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{bfx^{\frac{n}{2}-1} - ahx^{\frac{n}{4}-1} + bhx^{\frac{5n}{4}-1} + bgx^{n-1}}{(a + bx^n)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*f*x^(n/2 - 1) - a*h*x^(n/4 - 1) + b*h*x^((5*n)/4 - 1) + b*g*x^(n - 1))/(a + b*x^n)^(3/2), x)

[Out] int((b*f*x^(n/2 - 1) - a*h*x^(n/4 - 1) + b*h*x^((5*n)/4 - 1) + b*g*x^(n - 1))/(a + b*x^n)^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a*h*x**(-1+1/4*n)+b*f*x**(-1+1/2*n)+b*g*x**(-1+n)+b*h*x**(-1+5/4*n))/(a+b*x**n)**(3/2),x)
```

```
[Out] Timed out
```


$$3.586 \quad \int (cx)^m (d + ex + fx^2 + gx^3) (a + bx^n)^p dx$$

Optimal. Leaf size=273

$$\frac{g(cx)^{m+4} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+4}{n}, -p; \frac{m+n+4}{n}; -\frac{bx^n}{a}\right)}{c^4(m+4)} + \frac{f(cx)^{m+3} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+3}{n}, -p; \frac{m+n}{n}\right)}{c^3(m+3)}$$

[Out] $d*(c*x)^{(1+m)}*(a+b*x^n)^p*\text{hypergeom}([-p, (1+m)/n], [(1+m+n)/n], -b*x^n/a)/c/(1+m)/((1+b*x^n/a)^p)+e*(c*x)^{(2+m)}*(a+b*x^n)^p*\text{hypergeom}([-p, (2+m)/n], [(2+m+n)/n], -b*x^n/a)/c^2/(2+m)/((1+b*x^n/a)^p)+f*(c*x)^{(3+m)}*(a+b*x^n)^p*\text{hypergeom}([-p, (3+m)/n], [(3+m+n)/n], -b*x^n/a)/c^3/(3+m)/((1+b*x^n/a)^p)+g*(c*x)^{(4+m)}*(a+b*x^n)^p*\text{hypergeom}([-p, (4+m)/n], [(4+m+n)/n], -b*x^n/a)/c^4/(4+m)/((1+b*x^n/a)^p)$

Rubi [A] time = 0.19, antiderivative size = 273, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 3, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1844, 365, 364}

$$\frac{e(cx)^{m+2} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+2}{n}, -p; \frac{m+n+2}{n}; -\frac{bx^n}{a}\right)}{c^2(m+2)} + \frac{f(cx)^{m+3} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+3}{n}, -p; \frac{m+n}{n}\right)}{c^3(m+3)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*x)^m*(d + e*x + f*x^2 + g*x^3)*(a + b*x^n)^p, x]$

[Out] $(d*(c*x)^{(1+m)}*(a + b*x^n)^p*\text{Hypergeometric2F1}[(1+m)/n, -p, (1+m+n)/n, -(b*x^n/a)]/(c*(1+m)*(1 + (b*x^n/a)^p) + (e*(c*x)^{(2+m)}*(a + b*x^n)^p*\text{Hypergeometric2F1}[(2+m)/n, -p, (2+m+n)/n, -(b*x^n/a)]/(c^2*(2+m)*(1 + (b*x^n/a)^p) + (f*(c*x)^{(3+m)}*(a + b*x^n)^p*\text{Hypergeometric2F1}[(3+m)/n, -p, (3+m+n)/n, -(b*x^n/a)]/(c^3*(3+m)*(1 + (b*x^n/a)^p) + (g*(c*x)^{(4+m)}*(a + b*x^n)^p*\text{Hypergeometric2F1}[(4+m)/n, -p, (4+m+n)/n, -(b*x^n/a)]/(c^4*(4+m)*(1 + (b*x^n/a)^p)$

Rule 364

$\text{Int}[(c_.)*(x_.))^{(m_.)*((a_.) + (b_.)*(x_.)^{(n_.))^{(p_.)}, x_Symbol] := \text{Simp}[(a^p*(c*x)^{(m+1)}*\text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, -(b*x^n/a)])/c*(m+1), x] /;$ FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

$\text{Int}[(c_.)*(x_.))^{(m_.)*((a_.) + (b_.)*(x_.)^{(n_.))^{(p_.)}, x_Symbol] := \text{Dist}[(a^{\text{IntPart}[p]}*(a + b*x^n)^{\text{FracPart}[p]})/(1 + (b*x^n/a)^{\text{FracPart}[p]}], \text{Int}[(c*x)^m$

$m*(1 + (b*x^n)/a)^p, x], x] /; \text{FreeQ}[\{a, b, c, m, n, p\}, x] \&\& \text{!IGtQ}[p, 0]$
 $\&\& \text{!(ILtQ}[p, 0] \parallel \text{GtQ}[a, 0])$

Rule 1844

$\text{Int}[(\text{Pq}_*)*((c_*)*(x_*))^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}, x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(c*x)^m*\text{Pq}*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, m, n, p\}, x] \&\& (\text{PolyQ}[\text{Pq}, x] \parallel \text{PolyQ}[\text{Pq}, x^n]) \&\& \text{!IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \int (cx)^m (d + ex + fx^2 + gx^3) (a + bx^n)^p dx &= \int \left(d(cx)^m (a + bx^n)^p + \frac{e(cx)^{1+m} (a + bx^n)^p}{c} + \frac{f(cx)^{2+m} (a + bx^n)^p}{c^2} \right. \\ &= d \int (cx)^m (a + bx^n)^p dx + \frac{e \int (cx)^{1+m} (a + bx^n)^p dx}{c} + \frac{f \int (cx)^{2+m} (a + bx^n)^p dx}{c^2} \\ &= \left(d(a + bx^n)^p \left(1 + \frac{bx^n}{a} \right)^{-p} \right) \int (cx)^m \left(1 + \frac{bx^n}{a} \right)^p dx + \frac{\left(e(a + bx^n)^p \left(1 + \frac{bx^n}{a} \right)^{-p} \right) \int (cx)^{1+m} \left(1 + \frac{bx^n}{a} \right)^p dx}{c} \\ &= \frac{d(cx)^{1+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a} \right)^{-p} {}_2F_1\left(\frac{1+m}{n}, -p; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)} + \frac{e(cx)^{2+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a} \right)^{-p} {}_2F_1\left(\frac{2+m}{n}, -p; \frac{2+m+n}{n}; -\frac{bx^n}{a}\right)}{c^2} \end{aligned}$$

Mathematica [A] time = 0.32, size = 178, normalized size = 0.65

$$x(cx)^m (a + bx^n)^p \left(\frac{bx^n}{a} + 1 \right)^{-p} \left(\frac{d {}_2F_1\left(\frac{m+1}{n}, -p; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{m+1} + x \left(\frac{e {}_2F_1\left(\frac{m+2}{n}, -p; \frac{m+n+2}{n}; -\frac{bx^n}{a}\right)}{m+2} + x \left(\frac{f {}_2F_1\left(\frac{m+3}{n}, -p; \frac{m+n+3}{n}; -\frac{bx^n}{a}\right)}{m+3} + \dots \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c*x)^m*(d + e*x + f*x^2 + g*x^3)*(a + b*x^n)^p,x]

[Out] $(x*(c*x)^m*(a + b*x^n)^p*((d*\text{Hypergeometric2F1}[(1 + m)/n, -p, (1 + m + n)/n, -((b*x^n)/a)])/(1 + m) + x*((e*\text{Hypergeometric2F1}[(2 + m)/n, -p, (2 + m + n)/n, -((b*x^n)/a)])/(2 + m) + x*((f*\text{Hypergeometric2F1}[(3 + m)/n, -p, (3 + m + n)/n, -((b*x^n)/a)])/(3 + m) + (g*x*\text{Hypergeometric2F1}[(4 + m)/n, -p, (4 + m + n)/n, -((b*x^n)/a)])/(4 + m)))/((1 + (b*x^n)/a)^p)$

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}((gx^3 + fx^2 + ex + d)(bx^n + a)^p (cx)^m, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(g*x^3+f*x^2+e*x+d)*(a+b*x^n)^p,x, algorithm="fricas")

[Out] integral((g*x^3 + f*x^2 + e*x + d)*(b*x^n + a)^p*(c*x)^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^3 + fx^2 + ex + d)(bx^n + a)^p (cx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(g*x^3+f*x^2+e*x+d)*(a+b*x^n)^p,x, algorithm="giac")

[Out] integrate((g*x^3 + f*x^2 + e*x + d)*(b*x^n + a)^p*(c*x)^m, x)

maple [F] time = 0.74, size = 0, normalized size = 0.00

$$\int (gx^3 + fx^2 + ex + d)(cx)^m (bx^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x)^m*(g*x^3+f*x^2+e*x+d)*(b*x^n+a)^p,x)

[Out] int((c*x)^m*(g*x^3+f*x^2+e*x+d)*(b*x^n+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (gx^3 + fx^2 + ex + d)(bx^n + a)^p (cx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)^m*(g*x^3+f*x^2+e*x+d)*(a+b*x^n)^p,x, algorithm="maxima")

[Out] integrate((g*x^3 + f*x^2 + e*x + d)*(b*x^n + a)^p*(c*x)^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (cx)^m (a + bx^n)^p (gx^3 + fx^2 + ex + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x)^m*(a + b*x^n)^p*(d + e*x + f*x^2 + g*x^3),x)

[Out] int((c*x)^m*(a + b*x^n)^p*(d + e*x + f*x^2 + g*x^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x)**m*(g*x**3+f*x**2+e*x+d)*(a+b*x**n)**p,x)

[Out] Timed out

$$3.587 \quad \int (cx)^m (a + bx^n)^p (d + ex^n + fx^{2n} + gx^{3n}) dx$$

Optimal. Leaf size=297

$$\frac{d(cx)^{m+1} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+1}{n}, -p; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{c(m+1)} + \frac{ex^{n+1}(cx)^m (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+n+1}{n}, -p; \frac{m+n+1}{n}, -p; \frac{bx^n}{a}\right)}{m+n+1}$$

[Out] d*(c*x)^(1+m)*(a+b*x^n)^p*hypergeom([-p, (1+m)/n], [(1+m+n)/n], -b*x^n/a)/c/(1+m)/((1+b*x^n/a)^p)+e*x^(1+n)*(c*x)^m*(a+b*x^n)^p*hypergeom([-p, (1+m+n)/n], [(1+m+2*n)/n], -b*x^n/a)/(1+m+n)/((1+b*x^n/a)^p)+f*x^(1+2*n)*(c*x)^m*(a+b*x^n)^p*hypergeom([-p, (1+m+2*n)/n], [(1+m+3*n)/n], -b*x^n/a)/(1+m+2*n)/((1+b*x^n/a)^p)+g*x^(1+3*n)*(c*x)^m*(a+b*x^n)^p*hypergeom([-p, (1+m+3*n)/n], [(1+m+4*n)/n], -b*x^n/a)/(1+m+3*n)/((1+b*x^n/a)^p)

Rubi [A] time = 0.21, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 4, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1844, 365, 364, 20}

$$\frac{d(cx)^{m+1} (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+1}{n}, -p; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{c(m+1)} + \frac{ex^{n+1}(cx)^m (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} {}_2F_1\left(\frac{m+n+1}{n}, -p; \frac{m+n+1}{n}, -p; \frac{bx^n}{a}\right)}{m+n+1}$$

Antiderivative was successfully verified.

[In] Int[(c*x)^m*(a + b*x^n)^p*(d + e*x^n + f*x^(2*n) + g*x^(3*n)),x]

[Out] (d*(c*x)^(1+m)*(a+b*x^n)^p*Hypergeometric2F1[(1+m)/n, -p, (1+m+n)/n, -(b*x^n/a)]/(c*(1+m)*(1+(b*x^n/a)^p) + (e*x^(1+n)*(c*x)^m*(a+b*x^n)^p*Hypergeometric2F1[(1+m+n)/n, -p, (1+m+2*n)/n, -(b*x^n/a)])/((1+m+n)*(1+(b*x^n/a)^p) + (f*x^(1+2*n)*(c*x)^m*(a+b*x^n)^p*Hypergeometric2F1[(1+m+2*n)/n, -p, (1+m+3*n)/n, -(b*x^n/a)])/((1+m+2*n)*(1+(b*x^n/a)^p) + (g*x^(1+3*n)*(c*x)^m*(a+b*x^n)^p*Hypergeometric2F1[(1+m+3*n)/n, -p, (1+m+4*n)/n, -(b*x^n/a)])/((1+m+3*n)*(1+(b*x^n/a)^p)

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a

)]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1844

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n]) && !IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int (cx)^m (a + bx^n)^p (d + ex^n + fx^{2n} + gx^{3n}) dx &= \int (d(cx)^m (a + bx^n)^p + ex^n (cx)^m (a + bx^n)^p + fx^{2n} (cx)^m (a + bx^n)^p + gx^{3n} (cx)^m (a + bx^n)^p) dx \\
 &= d \int (cx)^m (a + bx^n)^p dx + e \int x^n (cx)^m (a + bx^n)^p dx + f \int x^{2n} (cx)^m (a + bx^n)^p dx + g \int x^{3n} (cx)^m (a + bx^n)^p dx \\
 &= (ex^{-m} (cx)^m) \int x^{m+n} (a + bx^n)^p dx + (fx^{-m} (cx)^m) \int x^{m+2n} (a + bx^n)^p dx + (gx^{-m} (cx)^m) \int x^{m+3n} (a + bx^n)^p dx \\
 &= \frac{d(cx)^{1+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a}\right)^{-p} {}_2F_1\left(\frac{1+m}{n}, -p; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)} + \frac{e(cx)^{1+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a}\right)^{-p} {}_2F_1\left(\frac{1+m}{n}, -p; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)} + \frac{f(cx)^{1+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a}\right)^{-p} {}_2F_1\left(\frac{1+m}{n}, -p; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)} + \frac{g(cx)^{1+m} (a + bx^n)^p \left(1 + \frac{bx^n}{a}\right)^{-p} {}_2F_1\left(\frac{1+m}{n}, -p; \frac{1+m+n}{n}; -\frac{bx^n}{a}\right)}{c(1+m)}
 \end{aligned}$$

Mathematica [A] time = 0.30, size = 204, normalized size = 0.69

$$x(cx)^m (a + bx^n)^p \left(\frac{bx^n}{a} + 1\right)^{-p} \left(\frac{d {}_2F_1\left(\frac{m+1}{n}, -p; \frac{m+n+1}{n}; -\frac{bx^n}{a}\right)}{m+1} + x^n \left(\frac{e {}_2F_1\left(\frac{m+n+1}{n}, -p; \frac{m+2n+1}{n}; -\frac{bx^n}{a}\right)}{m+n+1} + x^{2n} \left(\frac{f {}_2F_1\left(\frac{m+2n+1}{n}, -p; \frac{m+3n+1}{n}; -\frac{bx^n}{a}\right)}{m+2n+1} + \frac{g {}_2F_1\left(\frac{m+3n+1}{n}, -p; \frac{m+4n+1}{n}; -\frac{bx^n}{a}\right)}{m+3n+1}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c*x)^m*(a + b*x^n)^p*(d + e*x^n + f*x^(2*n) + g*x^(3*n)),x]

```
[Out] (x*(c*x)^m*(a + b*x^n)^p*((d*Hypergeometric2F1[(1 + m)/n, -p, (1 + m + n)/n,
-((b*x^n)/a)]/(1 + m) + x^n*((e*Hypergeometric2F1[(1 + m + n)/n, -p, (1
+ m + 2*n)/n, -((b*x^n)/a)]/(1 + m + n) + x^n*((f*Hypergeometric2F1[(1 + m
+ 2*n)/n, -p, (1 + m + 3*n)/n, -((b*x^n)/a)]/(1 + m + 2*n) + (g*x^n*Hyper
geometric2F1[(1 + m + 3*n)/n, -p, (1 + m + 4*n)/n, -((b*x^n)/a)]/(1 + m +
3*n))))))/(1 + (b*x^n)/a)^p
```

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(gx^{3n} + fx^{2n} + ex^n + d\right)(bx^n + a)^p (cx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x)^m*(a+b*x^n)^p*(d+e*x^n+f*x^(2*n)+g*x^(3*n)),x, algorithm="f
ricas")
```

```
[Out] integral((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(b*x^n + a)^p*(c*x)^m, x)
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x)^m*(a+b*x^n)^p*(d+e*x^n+f*x^(2*n)+g*x^(3*n)),x, algorithm="g
iac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Simplification assuming x near 0Simplificati
on assuming c near 0Simplification assuming x near 0Simplification assuming
c near 0Unable to divide, perhaps due to rounding error%%{1,[2,0,6,4,0,2,
4,4,1,0,0]%%}+%%{4,[2,0,6,4,0,2,3,4,1,0,0]%%}+%%{6,[2,0,6,4,0,2,2,4,1,0
,0]%%}+%%{4,[2,0,6,4,0,2,1,4,1,0,0]%%}+%%{1,[2,0,6,4,0,2,0,4,1,0,0]%%}
+%%{1,[1,0,6,4,0,2,4,4,0,1,0]%%}+%%{4,[1,0,6,4,0,2,3,4,0,1,0]%%}+%%{6,
[1,0,6,4,0,2,2,4,0,1,0]%%}+%%{4,[1,0,6,4,0,2,1,4,0,1,0]%%}+%%{1,[1,0,6,
4,0,2,0,4,0,1,0]%%}+%%{-1,[1,0,6,4,0,1,4,5,1,0,0]%%}+%%{-4,[1,0,6,4,0,1
,3,5,1,0,0]%%}+%%{-6,[1,0,6,4,0,1,2,5,1,0,0]%%}+%%{-4,[1,0,6,4,0,1,1,5,
1,0,0]%%}+%%{-1,[1,0,6,4,0,1,0,5,1,0,0]%%}+%%{1,[0,0,6,4,0,3,4,3,0,0,1]
%%}+%%{4,[0,0,6,4,0,3,3,3,0,0,1]%%}+%%{6,[0,0,6,4,0,3,2,3,0,0,1]%%}+%%
{4,[0,0,6,4,0,3,1,3,0,0,1]%%}+%%{1,[0,0,6,4,0,3,0,3,0,0,1]%%}+%%{1,[0,
0,6,3,1,3,3,3,0,0,1]%%}+%%{3,[0,0,6,3,1,3,2,3,0,0,1]%%}+%%{3,[0,0,6,3,1
,3,1,3,0,0,1]%%}+%%{1,[0,0,6,3,1,3,0,3,0,0,1]%%}+%%{1,[0,0,6,3,1,1,3,5,
0,1,0]%%}+%%{3,[0,0,6,3,1,1,2,5,0,1,0]%%}+%%{3,[0,0,6,3,1,1,1,5,0,1,0]
%%}+%%{1,[0,0,6,3,1,1,0,5,0,1,0]%%}+%%{-1,[0,0,6,3,1,0,3,6,1,0,0]%%}+%%
{-3,[0,0,6,3,1,0,2,6,1,0,0]%%}+%%{-3,[0,0,6,3,1,0,1,6,1,0,0]%%}+%%{-1,
[0,0,6,3,1,0,0,6,1,0,0]%%}+%%{1,[0,0,6,3,0,3,3,3,0,0,1]%%}+%%{3,[0,0,6,
```

```

3,0,3,2,3,0,0,1]%%}+%%{3,[0,0,6,3,0,3,1,3,0,0,1]%%}+%%{1,[0,0,6,3,0,3,0,3,0,0,1]%%}+%%{1,[0,0,6,3,0,1,3,5,0,1,0]%%}+%%{3,[0,0,6,3,0,1,2,5,0,1,0]%%}+%%{3,[0,0,6,3,0,1,1,5,0,1,0]%%}+%%{1,[0,0,6,3,0,1,0,5,0,1,0]%%}+%%{-1,[0,0,6,3,0,0,3,6,1,0,0]%%}+%%{-3,[0,0,6,3,0,0,2,6,1,0,0]%%}+%%{-3,[0,0,6,3,0,0,1,6,1,0,0]%%}+%%{-1,[0,0,6,3,0,0,0,6,1,0,0]%%} / %%{1,[0,0,7,4,0,3,4,4,0,0,0]%%}+%%{4,[0,0,7,4,0,3,3,4,0,0,0]%%}+%%{6,[0,0,7,4,0,3,2,4,0,0,0]%%}+%%{4,[0,0,7,4,0,3,1,4,0,0,0]%%}+%%{1,[0,0,7,4,0,3,0,4,0,0,0]%%} Error: Bad Argument Value

```

maple [F] time = 0.66, size = 0, normalized size = 0.00

$$\int (e x^n + f x^{2n} + g x^{3n} + d)(c x)^m (b x^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*x)^m*(b*x^n+a)^p*(e*x^n+f*x^(2*n)+g*x^(3*n)+d),x)
```

```
[Out] int((c*x)^m*(b*x^n+a)^p*(e*x^n+f*x^(2*n)+g*x^(3*n)+d),x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (g x^{3n} + f x^{2n} + e x^n + d)(b x^n + a)^p (c x)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x)^m*(a+b*x^n)^p*(d+e*x^n+f*x^(2*n)+g*x^(3*n)),x, algorithm="maxima")
```

```
[Out] integrate((g*x^(3*n) + f*x^(2*n) + e*x^n + d)*(b*x^n + a)^p*(c*x)^m, x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (c x)^m (a + b x^n)^p (d + e x^n + f x^{2n} + g x^{3n}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*x)^m*(a + b*x^n)^p*(d + e*x^n + f*x^(2*n) + g*x^(3*n)),x)
```

```
[Out] int((c*x)^m*(a + b*x^n)^p*(d + e*x^n + f*x^(2*n) + g*x^(3*n)), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x)**m*(a+b*x**n)**p*(d+e*x**n+f*x**(2*n)+g*x**(3*n)),x)
```

```
[Out] Timed out
```


$$3.588 \quad \int \frac{c+dx^{n/2}+ex^n+fx^{3n/2}}{(a+bx^n)^2} dx$$

Optimal. Leaf size=162

$$\frac{x(ae - bc(1 - n)) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2bn} - \frac{x^{\frac{n+2}{2}}(bd(2 - n) - af(n + 2)) {}_2F_1\left(1, \frac{1}{2}\left(1 + \frac{2}{n}\right); \frac{1}{2}\left(3 + \frac{2}{n}\right); -\frac{bx^n}{a}\right)}{a^2bn(n + 2)} + \frac{x(x^n)^{n/2}}{a^2bn(n + 2)}$$

[Out] x*(b*c-a*e+(-a*f+b*d)*x^(1/2*n))/a/b/n/(a+b*x^n)-(b*d*(2-n)-a*f*(2+n))*x^(1+1/2*n)*hypergeom([1, 1/2+1/n], [3/2+1/n], -b*x^n/a)/a^2/b/n/(2+n)+(a*e-b*c*(1-n))*x*hypergeom([1, 1/n], [1+1/n], -b*x^n/a)/a^2/b/n

Rubi [A] time = 0.12, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {1892, 1418, 245, 364}

$$\frac{x(ae - bc(1 - n)) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right)}{a^2bn} - \frac{x^{\frac{n+2}{2}}(bd(2 - n) - af(n + 2)) {}_2F_1\left(1, \frac{1}{2}\left(1 + \frac{2}{n}\right); \frac{1}{2}\left(3 + \frac{2}{n}\right); -\frac{bx^n}{a}\right)}{a^2bn(n + 2)} + \frac{x(x^n)^{n/2}}{a^2bn(n + 2)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^(n/2) + e*x^n + f*x^((3*n)/2))/(a + b*x^n)^2,x]

[Out] (x*(b*c - a*e + (b*d - a*f)*x^(n/2)))/(a*b*n*(a + b*x^n)) - ((b*d*(2 - n) - a*f*(2 + n))*x^((2 + n)/2)*Hypergeometric2F1[1, (1 + 2/n)/2, (3 + 2/n)/2, -(b*x^n/a)])/(a^2*b*n*(2 + n)) + ((a*e - b*c*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -(b*x^n/a)])/(a^2*b*n)

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b*x^n/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !LtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (LtQ[p, 0] || GtQ[a, 0])

Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d
, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

Rule 1892

```
Int[(P3_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{A = Coeff[P3, x
^(n/2), 0], B = Coeff[P3, x^(n/2), 1], C = Coeff[P3, x^(n/2), 2], D = Coeff
[P3, x^(n/2), 3]}, -Simp[(x*(b*A - a*C + (b*B - a*D)*x^(n/2))*(a + b*x^n)^(
p + 1))/(a*b*n*(p + 1)), x] - Dist[1/(2*a*b*n*(p + 1)), Int[(a + b*x^n)^(p
+ 1)*Simp[2*a*C - 2*b*A*(n*(p + 1) + 1) + (a*D*(n + 2) - b*B*(n*(2*p + 3) +
2))*x^(n/2), x], x], x]] /; FreeQ[{a, b, n}, x] && PolyQ[P3, x^(n/2), 3] &
& ILtQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx^{n/2} + ex^n + fx^{3n/2}}{(a + bx^n)^2} dx &= \frac{x(bc - ae + (bd - af)x^{n/2})}{abn(a + bx^n)} + \frac{\int \frac{2(ae - bc(1-n)) - (bd(2-n) - af(2+n))x^{n/2}}{a + bx^n} dx}{2abn} \\ &= \frac{x(bc - ae + (bd - af)x^{n/2})}{abn(a + bx^n)} + \frac{(ae - bc(1-n)) \int \frac{1}{a + bx^n} dx}{abn} - \frac{(bd(2-n) - af(2+n))}{2abn} \\ &= \frac{x(bc - ae + (bd - af)x^{n/2})}{abn(a + bx^n)} - \frac{(bd(2-n) - af(2+n))x^{\frac{2+n}{2}} {}_2F_1\left(1, \frac{1}{2}\left(1 + \frac{2}{n}\right); \frac{1}{2}\left(3 + \frac{2}{n}\right); -\frac{bx^n}{a}\right)}{a^2bn(2+n)} \end{aligned}$$

Mathematica [A] time = 0.39, size = 147, normalized size = 0.91

$$\frac{x \left((bc - ae) {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right) + \frac{2x^{n/2}(bd - af) {}_2F_1\left(2, \frac{1}{2} + \frac{1}{n}; \frac{3}{2} + \frac{1}{n}; -\frac{bx^n}{a}\right)}{n+2} + ae {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{bx^n}{a}\right) + \frac{2afx^{n/2} {}_2F_1\left(1, \frac{1}{2} + \frac{1}{n}; \frac{3}{2} + \frac{1}{n}; -\frac{bx^n}{a}\right)}{n+2} \right)}{a^2b}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x^(n/2) + e*x^n + f*x^((3*n)/2))/(a + b*x^n)^2, x]
```

```
[Out] (x*((2*a*f*x^(n/2)*Hypergeometric2F1[1, 1/2 + n^(-1), 3/2 + n^(-1), -((b*x^n)/a)])/(2 + n) + a*e*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((b*x^n)/a)] + (2*(b*d - a*f)*x^(n/2)*Hypergeometric2F1[2, 1/2 + n^(-1), 3/2 + n^(-1), -((b*x^n)/a)])/(2 + n) + (b*c - a*e)*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -((b*x^n)/a)]))/(a^2*b)
```

fricas [F] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx^{\frac{3}{2}n} + dx^{\frac{1}{2}n} + ex^n + c}{b^2x^{2n} + 2abx^n + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(1/2*n)+e*x^n+f*x^(3/2*n))/(a+b*x^n)^2,x, algorithm="fricas")

[Out] integral((f*x^(3/2*n) + d*x^(1/2*n) + e*x^n + c)/(b^2*x^(2*n) + 2*a*b*x^n + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx^{\frac{3}{2}n} + dx^{\frac{1}{2}n} + ex^n + c}{(bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(1/2*n)+e*x^n+f*x^(3/2*n))/(a+b*x^n)^2,x, algorithm="giac")

[Out] integrate((f*x^(3/2*n) + d*x^(1/2*n) + e*x^n + c)/(b*x^n + a)^2, x)

maple [F] time = 0.65, size = 0, normalized size = 0.00

$$\int \frac{dx^{\frac{n}{2}} + ex^n + fx^{\frac{3n}{2}} + c}{(bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c+d*x^(1/2*n)+e*x^n+f*x^(3/2*n))/(b*x^n+a)^2,x)

[Out] int((c+d*x^(1/2*n)+e*x^n+f*x^(3/2*n))/(b*x^n+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bd - af)xx^{\frac{1}{2}n} + (bc - ae)x}{ab^2nx^n + a^2bn} + \int \frac{2bc(n-1) + 2ae + (af(n+2) + bd(n-2))x^{\frac{1}{2}n}}{2(ab^2nx^n + a^2bn)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c+d*x^(1/2*n)+e*x^n+f*x^(3/2*n))/(a+b*x^n)^2,x, algorithm="maxima")

[Out] $((b*d - a*f)*x*x^{(1/2*n)} + (b*c - a*e)*x)/(a*b^{2*n}*x^n + a^2*b*n) + \text{integrate}(1/2*(2*b*c*(n - 1) + 2*a*e + (a*f*(n + 2) + b*d*(n - 2))*x^{(1/2*n)})/(a*b^{2*n}*x^n + a^2*b*n), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c + e x^n + d x^{n/2} + f x^{\frac{3n}{2}}}{(a + b x^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + e*x^n + d*x^(n/2) + f*x^((3*n)/2))/(a + b*x^n)^2, x)`

[Out] `int((c + e*x^n + d*x^(n/2) + f*x^((3*n)/2))/(a + b*x^n)^2, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c+d*x**(1/2*n)+e*x**n+f*x**(3/2*n))/(a+b*x**n)**2, x)`

[Out] Timed out

$$3.589 \quad \int \frac{ac+2(bc+ad)x^2+3bdx^4}{\sqrt{a+bx^2} \sqrt{c+dx^2}} dx$$

Optimal. Leaf size=24

$$x\sqrt{a+bx^2} \sqrt{c+dx^2}$$

[Out] $x*(b*x^2+a)^{(1/2)}*(d*x^2+c)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.022$, Rules used = {1590}

$$x\sqrt{a+bx^2} \sqrt{c+dx^2}$$

Antiderivative was successfully verified.

[In] Int[(a*c + 2*(b*c + a*d)*x^2 + 3*b*d*x^4)/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x]

[Out] x*Sqrt[a + b*x^2]*Sqrt[c + d*x^2]

Rule 1590

Int[(Pp_)*(Qq_)^(m_.)*(Rr_)^(n_.), x_Symbol] :> With[{p = Expon[Pp, x], q = Expon[Qq, x], r = Expon[Rr, x]}, Simp[(Coeff[Pp, x, p]*x^(p - q - r + 1)*Qq^(m + 1)*Rr^(n + 1)]/((p + m*q + n*r + 1)*Coeff[Qq, x, q]*Coeff[Rr, x, r]), x] /; NeQ[p + m*q + n*r + 1, 0] && EqQ[(p + m*q + n*r + 1)*Coeff[Qq, x, q]*Coeff[Rr, x, r]*Pp, Coeff[Pp, x, p]*x^(p - q - r)*((p - q - r + 1)*Qq*Rr + (m + 1)*x*Rr*D[Qq, x] + (n + 1)*x*Qq*D[Rr, x])] /; FreeQ[{m, n}, x] && PolyQ[Pp, x] && PolyQ[Qq, x] && PolyQ[Rr, x] && NeQ[m, -1] && NeQ[n, -1]

Rubi steps

$$\int \frac{ac + 2(bc + ad)x^2 + 3bdx^4}{\sqrt{a+bx^2} \sqrt{c+dx^2}} dx = x\sqrt{a+bx^2} \sqrt{c+dx^2}$$

Mathematica [A] time = 0.18, size = 24, normalized size = 1.00

$$x\sqrt{a+bx^2} \sqrt{c+dx^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a*c + 2*(b*c + a*d)*x^2 + 3*b*d*x^4)/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x]

[Out] $x\sqrt{a + b*x^2}\sqrt{c + d*x^2}$

fricas [A] time = 0.42, size = 20, normalized size = 0.83

$$\sqrt{bx^2 + a} \sqrt{dx^2 + c} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x, algorithm="fricas")`

[Out] $\sqrt{bx^2 + a}\sqrt{dx^2 + c}x$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3bdx^4 + 2(bc + ad)x^2 + ac}{\sqrt{bx^2 + a} \sqrt{dx^2 + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x, algorithm="giac")`

[Out] `integrate((3*b*d*x^4 + 2*(b*c + a*d)*x^2 + a*c)/(sqrt(b*x^2 + a)*sqrt(d*x^2 + c)), x)`

maple [A] time = 0.05, size = 21, normalized size = 0.88

$$\sqrt{bx^2 + a} \sqrt{dx^2 + c} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x)`

[Out] $x(b*x^2+a)^{(1/2)}(d*x^2+c)^{(1/2)}$

maxima [A] time = 2.13, size = 20, normalized size = 0.83

$$\sqrt{bx^2 + a} \sqrt{dx^2 + c} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*c+2*(a*d+b*c)*x^2+3*b*d*x^4)/(b*x^2+a)^(1/2)/(d*x^2+c)^(1/2), x, algorithm="maxima")`

[Out] $\sqrt{bx^2 + a}\sqrt{dx^2 + c}x$

mupad [B] time = 5.59, size = 20, normalized size = 0.83

$$x \sqrt{bx^2 + a} \sqrt{dx^2 + c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*c + 2*x^2*(a*d + b*c) + 3*b*d*x^4)/((a + b*x^2)^(1/2)*(c + d*x^2)^(1/2)), x)`

[Out] `x*(a + b*x^2)^(1/2)*(c + d*x^2)^(1/2)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ac + 2adx^2 + 2bcx^2 + 3bdx^4}{\sqrt{a + bx^2} \sqrt{c + dx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*c+2*(a*d+b*c)*x**2+3*b*d*x**4)/(b*x**2+a)**(1/2)/(d*x**2+c)**(1/2), x)`

[Out] `Integral((a*c + 2*a*d*x**2 + 2*b*c*x**2 + 3*b*d*x**4)/(sqrt(a + b*x**2)*sqrt(c + d*x**2)), x)`

$$3.590 \quad \int \frac{1+x^3}{(1-x^4)\sqrt[4]{1+x^4}} dx$$

Optimal. Leaf size=103

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}}$$

[Out] 1/4*arctan(2^(1/4)*x/(x^4+1)^(1/4))*2^(3/4)-1/4*arctan(1/2*(x^4+1)^(1/4)*2^(3/4))*2^(3/4)+1/4*arctanh(2^(1/4)*x/(x^4+1)^(1/4))*2^(3/4)+1/4*arctanh(1/2*(x^4+1)^(1/4)*2^(3/4))*2^(3/4)

Rubi [A] time = 0.10, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1899, 377, 212, 206, 203, 444, 63, 298}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}}\right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{x^4+1}}{\sqrt[4]{2}}\right)}{2\sqrt[4]{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^3)/((1 - x^4)*(1 + x^4)^(1/4)), x]

[Out] ArcTan[(2^(1/4)*x)/(1 + x^4)^(1/4)]/(2*2^(1/4)) - ArcTan[(1 + x^4)^(1/4)/2^(1/4)]/(2*2^(1/4)) + ArcTanh[(2^(1/4)*x)/(1 + x^4)^(1/4)]/(2*2^(1/4)) + ArcTanh[(1 + x^4)^(1/4)/2^(1/4)]/(2*2^(1/4))

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206


```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 298

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b)
], 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x
], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !G
tQ[a/b, 0]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 444

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.
), x_Symbol] := Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x
] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
1, 0]
```

Rule 1899

```
Int[((A_) + (B_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)
*(x_)^(n_))^(q_.), x_Symbol] := Dist[A, Int[(a + b*x^n)^p*(c + d*x^n)^q, x]
, x] + Dist[B, Int[x^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b,
c, d, A, B, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n + 1, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1+x^3}{(1-x^4)\sqrt[4]{1+x^4}} dx &= \int \frac{1}{(1-x^4)\sqrt[4]{1+x^4}} dx + \int \frac{x^3}{(1-x^4)\sqrt[4]{1+x^4}} dx \\
&= \frac{1}{4} \text{Subst} \left(\int \frac{1}{(1-x)\sqrt[4]{1+x}} dx, x, x^4 \right) + \text{Subst} \left(\int \frac{1}{1-2x^4} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{1-\sqrt{2}x^2} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) + \frac{1}{2} \text{Subst} \left(\int \frac{1}{1+\sqrt{2}x^2} dx, x, \frac{x}{\sqrt[4]{1+x^4}} \right) + \text{Su} \\
&= \frac{\tan^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} + \frac{1}{2} \text{Subst} \left(\int \frac{1}{\sqrt{2}-x^2} dx, x, \sqrt[4]{1+x^4} \right) - \frac{1}{2} \text{Subst} \left(\int \frac{1}{\sqrt{2}+x^2} dx, x, \sqrt[4]{1+x^4} \right) \\
&= \frac{\tan^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} - \frac{\tan^{-1} \left(\frac{\sqrt[4]{1+x^4}}{\sqrt[4]{2}} \right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{1+x^4}} \right)}{2\sqrt[4]{2}} + \frac{\tanh^{-1} \left(\frac{\sqrt[4]{1+x^4}}{\sqrt[4]{2}} \right)}{2\sqrt[4]{2}}
\end{aligned}$$

Mathematica [C] time = 0.20, size = 93, normalized size = 0.90

$$\frac{1}{4} x^4 F_1 \left(1; \frac{1}{4}, 1, 2; -x^4, x^4 \right) + \frac{-\log \left(1 - \frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}} \right) + \log \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}} + 1 \right) + 2 \tan^{-1} \left(\frac{\sqrt[4]{2}x}{\sqrt[4]{x^4+1}} \right)}{4\sqrt[4]{2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 + x^3)/((1 - x^4)*(1 + x^4)^(1/4)), x]

[Out] (x^4*AppellF1[1, 1/4, 1, 2, -x^4, x^4])/4 + (2*ArcTan[(2^(1/4)*x)/(1 + x^4)^(1/4)] - Log[1 - (2^(1/4)*x)/(1 + x^4)^(1/4)] + Log[1 + (2^(1/4)*x)/(1 + x^4)^(1/4)])/(4*2^(1/4))

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+1)/(-x^4+1)/(x^4+1)^(1/4), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (residue poly has multiple non-linear factors)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^3 + 1}{(x^4 + 1)^{\frac{1}{4}}(x^4 - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x, algorithm="giac")

[Out] integrate(-(x^3 + 1)/((x^4 + 1)^(1/4)*(x^4 - 1)), x)

maple [F(-1)] time = 180.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 + 1}{(-x^4 + 1)(x^4 + 1)^{\frac{1}{4}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x)

[Out] int((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^3 + 1}{(x^4 + 1)^{\frac{1}{4}}(x^4 - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+1)/(-x^4+1)/(x^4+1)^(1/4),x, algorithm="maxima")

[Out] -integrate((x^3 + 1)/((x^4 + 1)^(1/4)*(x^4 - 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int -\frac{x^3 + 1}{(x^4 - 1)(x^4 + 1)^{\frac{1}{4}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^3 + 1)/((x^4 - 1)*(x^4 + 1)^(1/4)),x)

[Out] int(-(x^3 + 1)/((x^4 - 1)*(x^4 + 1)^(1/4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \left(\frac{x}{x^3 \sqrt[4]{x^4+1} - x^2 \sqrt[4]{x^4+1} + x \sqrt[4]{x^4+1} - \sqrt[4]{x^4+1}} \right) dx - \int \frac{x^2}{x^3 \sqrt[4]{x^4+1} - x^2 \sqrt[4]{x^4+1} + x \sqrt[4]{x^4+1} - \sqrt[4]{x^4+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**3+1)/(-x**4+1)/(x**4+1)**(1/4),x)

[Out] -Integral(-x/(x**3*(x**4 + 1)**(1/4) - x**2*(x**4 + 1)**(1/4) + x*(x**4 + 1)**(1/4) - (x**4 + 1)**(1/4)), x) - Integral(x**2/(x**3*(x**4 + 1)**(1/4) - x**2*(x**4 + 1)**(1/4) + x*(x**4 + 1)**(1/4) - (x**4 + 1)**(1/4)), x) - Integral(1/(x**3*(x**4 + 1)**(1/4) - x**2*(x**4 + 1)**(1/4) + x*(x**4 + 1)**(1/4) - (x**4 + 1)**(1/4)), x)

$$3.591 \quad \int (a + bx^n)^{\frac{-1-n}{n}} (c + dx^n)^{\frac{-1-n}{n}} (ac - bdx^{2n}) dx$$

Optimal. Leaf size=28

$$x(a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

[Out] x/((a+b*x^n)^(1/n))/((c+d*x^n)^(1/n))

Rubi [A] time = 0.10, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 48, $\frac{\text{number of rules}}{\text{integrand size}} = 0.021$, Rules used = {1898}

$$x(a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^((-1 - n)/n)*(c + d*x^n)^((-1 - n)/n)*(a*c - b*d*x^(2*n)), x]

[Out] x/((a + b*x^n)^n^(-1)*(c + d*x^n)^n^(-1))

Rule 1898

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(p_)*((e_) + (g_)*(x_)^(n2_)), x_Symbol] :> Simp[(e*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(p + 1))/(a*c), x] /; FreeQ[{a, b, c, d, e, g, n, p}, x] && EqQ[n2, 2*n] && EqQ[n*(p + 1) + 1, 0] && EqQ[a*c*g - b*d*e*(2*n*(p + 1) + 1), 0]

Rubi steps

$$\int (a + bx^n)^{\frac{-1-n}{n}} (c + dx^n)^{\frac{-1-n}{n}} (ac - bdx^{2n}) dx = x(a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

Mathematica [A] time = 0.35, size = 28, normalized size = 1.00

$$x(a + bx^n)^{-1/n} (c + dx^n)^{-1/n}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^((-1 - n)/n)*(c + d*x^n)^((-1 - n)/n)*(a*c - b*d*x^(2*n)), x]

[Out] x/((a + b*x^n)^n^(-1)*(c + d*x^n)^n^(-1))

fricas [B] time = 0.95, size = 61, normalized size = 2.18

$$\frac{bdxx^{2n} + acx + (bc + ad)xx^n}{(bx^n + a)^{\frac{n+1}{n}} (dx^n + c)^{\frac{n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((-1-n)/n)*(c+d*x^n)^((-1-n)/n)*(a*c-b*d*x^(2*n)),x, algorithm="fricas")

[Out] (b*d*x*x^(2*n) + a*c*x + (b*c + a*d)*x*x^n)/((b*x^n + a)^((n + 1)/n)*(d*x^n + c)^((n + 1)/n))

giac [B] time = 0.42, size = 228, normalized size = 8.14

$$bdxx^{2n}e^{\left(-\frac{n\log(bx^n+a)+\log(bx^n+a)}{n}-\frac{n\log(dx^n+c)+\log(dx^n+c)}{n}\right)}+bcxx^n e^{\left(-\frac{n\log(bx^n+a)+\log(bx^n+a)}{n}-\frac{n\log(dx^n+c)+\log(dx^n+c)}{n}\right)}+adxx^n e^{\left(-\frac{n\log(bx^n+a)}{n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((-1-n)/n)*(c+d*x^n)^((-1-n)/n)*(a*c-b*d*x^(2*n)),x, algorithm="giac")

[Out] b*d*x*x^(2*n)*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n) + b*c*x*x^n*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n) + a*d*x*x^n*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n) + a*c*x*e^(-(n*log(b*x^n + a) + log(b*x^n + a))/n - (n*log(d*x^n + c) + log(d*x^n + c))/n)

maple [F] time = 1.08, size = 0, normalized size = 0.00

$$\int (-bdx^{2n} + ac)(bx^n + a)^{\frac{-n-1}{n}}(dx^n + c)^{\frac{-n-1}{n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^((-n-1)/n)*(d*x^n+c)^((-n-1)/n)*(a*c-b*d*x^(2*n)),x)

[Out] int((b*x^n+a)^((-n-1)/n)*(d*x^n+c)^((-n-1)/n)*(a*c-b*d*x^(2*n)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{bdx^{2n} - ac}{(bx^n + a)^{\frac{n+1}{n}} (dx^n + c)^{\frac{n+1}{n}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^((-1-n)/n)*(c+d*x^n)^((-1-n)/n)*(a*c-b*d*x^(2*n)),x, algorithm="maxima")

[Out] -integrate((b*d*x^(2*n) - a*c)/((b*x^n + a)^((n + 1)/n)*(d*x^n + c)^((n + 1)/n)), x)

mupad [B] time = 5.20, size = 95, normalized size = 3.39

$$\frac{\frac{a c x}{(a+b x^n)^{\frac{n+1}{n}}} + \frac{x x^n (a d+b c)}{(a+b x^n)^{\frac{n+1}{n}}} + \frac{b d x x^{2 n}}{(a+b x^n)^{\frac{n+1}{n}}}}{(c+d x^n)^{\frac{n+1}{n}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*c - b*d*x^(2*n))/((a + b*x^n)^((n + 1)/n)*(c + d*x^n)^((n + 1)/n)),x)

[Out] ((a*c*x)/(a + b*x^n)^((n + 1)/n) + (x*x^n*(a*d + b*c))/(a + b*x^n)^((n + 1)/n) + (b*d*x*x^(2*n))/(a + b*x^n)^((n + 1)/n))/(c + d*x^n)^((n + 1)/n)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n)**((-1-n)/n)*(c+d*x**n)**((-1-n)/n)*(a*c-b*d*x**(2*n)),x)

[Out] Timed out

$$3.592 \quad \int (hx)^{-1-n-np} (a + bx^n)^p (c + dx^n)^p (ac - bdx^{2n}) dx$$

Optimal. Leaf size=45

$$\frac{(hx)^{-n(p+1)} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{hn(p+1)}$$

[Out] $-(a+b*x^n)^{(1+p)}*(c+d*x^n)^{(1+p)}/h/n/(1+p)/((h*x)^{(n*(1+p))})$

Rubi [A] time = 0.16, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 45, $\frac{\text{number of rules}}{\text{integrand size}} = 0.022$, Rules used = {1849}

$$\frac{(hx)^{-n(p+1)} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{hn(p+1)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(h*x)^{-1-n-n*p}*(a+b*x^n)^p*(c+d*x^n)^p*(a*c-b*d*x^{2*n}),x]$

[Out] $-\left(\frac{(a+b*x^n)^{(1+p)}*(c+d*x^n)^{(1+p)}}{(h*n*(1+p)*(h*x)^{(n*(1+p))}}\right)$

Rule 1849

$\text{Int}[(h_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^{(n_*)})^{(p_*)}*((c_*) + (d_*)*(x_*)^{(n_*)})^{(p_*)}*((e_*) + (g_*)*(x_*)^{(n2_*)}), x_Symbol] :> \text{Simp}[(e*(h*x)^{(m+1)}*(a+b*x^n)^{(p+1)}*(c+d*x^n)^{(p+1)})/(a*c*h*(m+1)), x] /;$ FreeQ[{a, b, c, d, e, g, h, m, n, p}, x] && EqQ[n2, 2*n] && EqQ[m+n*(p+1)+1, 0] && EqQ[a*c*g*(m+1)-b*d*e*(m+2*n*(p+1)+1), 0] && NeQ[m, -1]

Rubi steps

$$\int (hx)^{-1-n-np} (a + bx^n)^p (c + dx^n)^p (ac - bdx^{2n}) dx = -\frac{(hx)^{-n(1+p)} (a + bx^n)^{1+p} (c + dx^n)^{1+p}}{hn(1+p)}$$

Mathematica [A] time = 0.41, size = 46, normalized size = 1.02

$$\frac{(hx)^{n(-p)-n} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{hnp + hn}$$

Antiderivative was successfully verified.

[In] Integrate[(h*x)^(-1 - n - n*p)*(a + b*x^n)^p*(c + d*x^n)^p*(a*c - b*d*x^(2*n)), x]

[Out] -(((h*x)^(-n - n*p)*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(h*n + h*n*p))

fricas [B] time = 1.09, size = 119, normalized size = 2.64

$$\frac{\left(bdx^{2n}e^{-(np+n+1)\log(h)-(np+n+1)\log(x)} + acxe^{-(np+n+1)\log(h)-(np+n+1)\log(x)} + (bc + ad)xx^n e^{-(np+n+1)\log(h)-(np+n+1)\log(x)}\right)}{np + n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^(-n*p-n-1)*(a+b*x^n)^p*(c+d*x^n)^p*(a*c-b*d*x^(2*n)), x, algorithm="fricas")

[Out] -(b*d*x*x^(2*n)*e^(-(n*p + n + 1)*log(h) - (n*p + n + 1)*log(x)) + a*c*x*e^(-(n*p + n + 1)*log(h) - (n*p + n + 1)*log(x)) + (b*c + a*d)*x*x^n*e^(-(n*p + n + 1)*log(h) - (n*p + n + 1)*log(x)))*(b*x^n + a)^p*(d*x^n + c)^p/(n*p + n)

giac [B] time = 0.43, size = 237, normalized size = 5.27

$$\frac{(bx^n + a)^p(dx^n + c)^p bdx^{2n}e^{(-np \log(h) - np \log(x) - n \log(h) - n \log(x) - \log(h) - \log(x))} + (bx^n + a)^p(dx^n + c)^p bcxx^n e^{(-np \log(h) - np \log(x) - n \log(h) - n \log(x) - \log(h) - \log(x))}}{(p+1)n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^(-n*p-n-1)*(a+b*x^n)^p*(c+d*x^n)^p*(a*c-b*d*x^(2*n)), x, algorithm="giac")

[Out] -((b*x^n + a)^p*(d*x^n + c)^p*b*d*x*x^(2*n)*e^(-n*p*log(h) - n*p*log(x) - n*log(h) - n*log(x) - log(h) - log(x)) + (b*x^n + a)^p*(d*x^n + c)^p*b*c*x*x^n*e^(-n*p*log(h) - n*p*log(x) - n*log(h) - n*log(x) - log(h) - log(x)) + (b*x^n + a)^p*(d*x^n + c)^p*a*d*x*x^n*e^(-n*p*log(h) - n*p*log(x) - n*log(h) - n*log(x) - log(h) - log(x)) + (b*x^n + a)^p*(d*x^n + c)^p*a*c*x*e^(-n*p*log(h) - n*p*log(x) - n*log(h) - n*log(x) - log(h) - log(x)))/(n*p + n)

maple [C] time = 0.58, size = 138, normalized size = 3.07

$$\frac{\left(ad x^n + bc x^n + bd x^{2n} + ac\right) x (b x^n + a)^p (d x^n + c)^p e^{-\frac{(np+n+1)\left(-i\pi \operatorname{csgn}(ih)\operatorname{csgn}(ix)\operatorname{csgn}(ihx)+i\pi \operatorname{csgn}(ih)\operatorname{csgn}(ihx)^2+i\pi \operatorname{csgn}(ix)\operatorname{csgn}(ihx)\right)}{2}}}{(p+1)n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x)^(-n*p-n-1)*(b*x^n+a)^p*(d*x^n+c)^p*(-b*d*x^(2*n)+a*c), x)

[Out] $-(b*x^n+a)^p*\exp(-1/2*(n*p+n+1)*(-I*\text{Pi}*c\text{sgn}(I*h*x)^3+I*\text{Pi}*c\text{sgn}(I*h*x)^2*c\text{sgn}(I*h)+I*\text{Pi}*c\text{sgn}(I*h*x)^2*c\text{sgn}(I*x)-I*\text{Pi}*c\text{sgn}(I*h*x)*c\text{sgn}(I*h)*c\text{sgn}(I*x)+2*\ln(h)+2*\ln(x)))*(b*d*(x^n)^2+a*d*x^n+b*c*x^n+a*c)*x/(p+1)/n*(d*x^n+c)^p$

maxima [A] time = 3.04, size = 77, normalized size = 1.71

$$\frac{(bdx^{2n} + ac + (bc + ad)x^n)h^{-np-n-1}e^{(-np\log(x)+p\log(bx^n+a)+p\log(dx^n+c)-n\log(x))}}{n(p+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x)^(-n*p-n-1)*(a+b*x^n)^p*(c+d*x^n)^p*(a*c-b*d*x^(2*n)),x, algorithm="maxima")`

[Out] $-(b*d*x^{(2*n)} + a*c + (b*c + a*d)*x^n)*h^{(-n*p - n - 1)}*e^{(-n*p*\log(x) + p*\log(b*x^n + a) + p*\log(d*x^n + c) - n*\log(x))}/(n*(p + 1))$

mupad [B] time = 5.37, size = 124, normalized size = 2.76

$$-(c + dx^n)^p \left(\frac{acx(a + bx^n)^p}{n(hx)^{n+np+1}(p+1)} + \frac{xx^n(ad + bc)(a + bx^n)^p}{n(hx)^{n+np+1}(p+1)} + \frac{bdxx^{2n}(a + bx^n)^p}{n(hx)^{n+np+1}(p+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a*c - b*d*x^(2*n))*(a + b*x^n)^p*(c + d*x^n)^p)/(h*x)^(n + n*p + 1),x)`

[Out] $-(c + d*x^n)^p*((a*c*x*(a + b*x^n)^p)/(n*(h*x)^(n + n*p + 1)*(p + 1)) + (x*x^n*(a*d + b*c)*(a + b*x^n)^p)/(n*(h*x)^(n + n*p + 1)*(p + 1)) + (b*d*x*x^(2*n)*(a + b*x^n)^p)/(n*(h*x)^(n + n*p + 1)*(p + 1)))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x)**(-n*p-n-1)*(a+b*x**n)**p*(c+d*x**n)**p*(a*c-b*d*x**(2*n)),x)`

[Out] Timed out

$$3.593 \quad \int (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc+ad)e(1+n+np)x^n}{ac} + \frac{bde(1+2n+2np)x^{2n}}{ac} \right) dx = \frac{ex(a + bx^n)^{1+p} (c + dx^n)^{1+p}}{ac}$$

Optimal. Leaf size=31

$$\frac{ex(a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac}$$

[Out] e*x*(a+b*x^n)^(1+p)*(c+d*x^n)^(1+p)/a/c

Rubi [A] time = 0.21, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 69, $\frac{\text{number of rules}}{\text{integrand size}} = 0.014$, Rules used = {1897}

$$\frac{ex(a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + n + n*p)*x^n)/(a*c) + (b*d*e*(1 + 2*n + 2*n*p)*x^(2*n))/(a*c)), x]

[Out] (e*x*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(a*c)

Rule 1897

Int[((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(p_.)*((e_) + (f_.)*(x_)^(n_.) + (g_.)*(x_)^(2*n_.)), x_Symbol] :> Simp[(e*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(p + 1))/(a*c), x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && EqQ[n2, 2*n] && EqQ[a*c*f - e*(b*c + a*d)*(n*(p + 1) + 1), 0] && EqQ[a*c*g - b*d*e*(2*n*(p + 1) + 1), 0]

Rubi steps

$$\int (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc + ad)e(1 + n + np)x^n}{ac} + \frac{bde(1 + 2n + 2np)x^{2n}}{ac} \right) dx = \frac{ex(a + bx^n)^{1+p} (c + dx^n)^{1+p}}{ac}$$

Mathematica [A] time = 0.60, size = 31, normalized size = 1.00

$$\frac{ex(a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + n + n*p)*x^n)/(a*c) + (b*d*e*(1 + 2*n + 2*n*p)*x^(2*n))/(a*c)), x]

[Out] (e*x*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(a*c)

fricas [A] time = 0.86, size = 54, normalized size = 1.74

$$\frac{(bdexx^{2n} + acex + (bc + ad)exx^n)(bx^n + a)^p(dx^n + c)^p}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+n+1)*x^n/a/c+b*d*e*(2*n*p+2*n+1)*x^(2*n)/a/c), x, algorithm="fricas")

[Out] (b*d*e*x*x^(2*n) + a*c*e*x + (b*c + a*d)*e*x*x^n)*(b*x^n + a)^p*(d*x^n + c)^p/(a*c)

giac [B] time = 0.56, size = 115, normalized size = 3.71

$$\frac{(bx^n + a)^p(dx^n + c)^p bdx^{2n}e + (bx^n + a)^p(dx^n + c)^p bcx^ne + (bx^n + a)^p(dx^n + c)^p adxx^ne + (bx^n + a)^p(dx^n + c)^p a}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+n+1)*x^n/a/c+b*d*e*(2*n*p+2*n+1)*x^(2*n)/a/c), x, algorithm="giac")

[Out] ((b*x^n + a)^p*(d*x^n + c)^p*b*d*x*x^(2*n)*e + (b*x^n + a)^p*(d*x^n + c)^p*b*c*x*x^n*e + (b*x^n + a)^p*(d*x^n + c)^p*a*d*x*x^n*e + (b*x^n + a)^p*(d*x^n + c)^p*a*c*x*e)/(a*c)

maple [A] time = 0.17, size = 52, normalized size = 1.68

$$\frac{(ad x^n + bc x^n + bd x^{2n} + ac) ex (b x^n + a)^p (d x^n + c)^p}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+a)^p*(d*x^n+c)^p*(e+(a*d+b*c)*e*(n*p+n+1)*x^n/a/c+b*d*e*(2*n*p+2*n+1)*x^(2*n)/a/c), x)

[Out] (b*x^n+a)^p*(b*d*(x^n)^2+a*d*x^n+b*c*x^n+a*c)*e*x/a/c*(d*x^n+c)^p

maxima [A] time = 2.67, size = 59, normalized size = 1.90

$$\frac{(bdexx^{2n} + acex + (bce + ade)xx^n)e^{(p \log(bx^n+a) + p \log(dx^n+c))}}{ac}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+n+1)*x^n/a/c+b*d*e*(2
*n*p+2*n+1)*x^(2*n)/a/c),x, algorithm="maxima")
```

```
[Out] (b*d*e*x*x^(2*n) + a*c*e*x + (b*c*e + a*d*e)*x*x^n)*e^(p*log(b*x^n + a) + p
*log(d*x^n + c))/(a*c)
```

mupad [B] time = 5.30, size = 76, normalized size = 2.45

$$(c + dx^n)^p \left(ex(a + bx^n)^p + \frac{exx^n(ad + bc)(a + bx^n)^p}{ac} + \frac{bdexx^{2n}(a + bx^n)^p}{ac} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x^n)^p*(c + d*x^n)^p*(e + (e*x^n*(a*d + b*c)*(n + n*p + 1)))/(a*c
) + (b*d*e*x^(2*n)*(2*n + 2*n*p + 1))/(a*c)),x)
```

```
[Out] (c + d*x^n)^p*(e*x*(a + b*x^n)^p + (e*x*x^n*(a*d + b*c)*(a + b*x^n)^p)/(a*c
) + (b*d*e*x*x^(2*n)*(a + b*x^n)^p)/(a*c))
```

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x**n)**p*(c+d*x**n)**p*(e+(a*d+b*c)*e*(n*p+n+1)*x**n/a/c+b*d
*e*(2*n*p+2*n+1)*x**(2*n)/a/c),x)
```

```
[Out] Exception raised: HeuristicGCDFailed
```

$$3.594 \quad \int (hx)^m (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc+ad)e(1+m+n+np)x^n}{ac(1+m)} + \frac{bde(1+m+2n+2np)x^{2n}}{ac(1+m)} \right) dx = \frac{e(hx)^{1+m} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ach(m+1)}$$

Optimal. Leaf size=45

$$\frac{e(hx)^{m+1} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ach(m+1)}$$

[Out] $e*(h*x)^{(1+m)}*(a+b*x^n)^{(1+p)}*(c+d*x^n)^{(1+p)}/a/c/h/(1+m)$

Rubi [A] time = 0.55, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 86, $\frac{\text{number of rules}}{\text{integrand size}} = 0.012$, Rules used = {1848}

$$\frac{e(hx)^{m+1} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ach(m+1)}$$

Antiderivative was successfully verified.

[In] `Int[(h*x)^m*(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + m + n + n*p)*x^n)/(a*c*(1 + m)) + (b*d*e*(1 + m + 2*n + 2*n*p)*x^(2*n))/(a*c*(1 + m)), x]`

[Out] $(e*(h*x)^{(1 + m)}*(a + b*x^n)^{(1 + p)}*(c + d*x^n)^{(1 + p)})/(a*c*h*(1 + m))$

Rule 1848

`Int[((h_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(p_)*((e_) + (f_)*(x_)^(n_) + (g_)*(x_)^(n2_)), x_Symbol] :> Simp[(e*(h*x)^(m + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(p + 1))/(a*c*h*(m + 1)), x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p}, x] && EqQ[n2, 2*n] && EqQ[a*c*f*(m + 1) - e*(b*c + a*d)*(m + n*(p + 1) + 1), 0] && EqQ[a*c*g*(m + 1) - b*d*e*(m + 2*n*(p + 1) + 1), 0] && NeQ[m, -1]`

Rubi steps

$$\int (hx)^m (a + bx^n)^p (c + dx^n)^p \left(e + \frac{(bc + ad)e(1 + m + n + np)x^n}{ac(1 + m)} + \frac{bde(1 + m + 2n + 2np)x^{2n}}{ac(1 + m)} \right) dx = \frac{e(hx)^{1+m} (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ach(m+1)}$$

Mathematica [A] time = 0.89, size = 41, normalized size = 0.91

$$\frac{ex(hx)^m (a + bx^n)^{p+1} (c + dx^n)^{p+1}}{ac(m+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(h*x)^m*(a + b*x^n)^p*(c + d*x^n)^p*(e + ((b*c + a*d)*e*(1 + m + n + n*p)*x^n)/(a*c*(1 + m)) + (b*d*e*(1 + m + 2*n + 2*n*p)*x^(2*n))/(a*c*(1 + m))), x]

[Out] (e*x*(h*x)^m*(a + b*x^n)^(1 + p)*(c + d*x^n)^(1 + p))/(a*c*(1 + m))

fricas [A] time = 0.99, size = 88, normalized size = 1.96

$$\frac{\left(bd e x x^{2n} e^{(m \log(h) + m \log(x))} + a c e x e^{(m \log(h) + m \log(x))} + (bc + ad) e x x^n e^{(m \log(h) + m \log(x))}\right) (b x^n + a)^p (d x^n + c)^p}{acm + ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^m*(a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+m+n+1)*x^n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(1+m)), x, algorithm="fricas")

[Out] (b*d*e*x*x^(2*n)*e^(m*log(h) + m*log(x)) + a*c*e*x*e^(m*log(h) + m*log(x)) + (b*c + a*d)*e*x*x^n*e^(m*log(h) + m*log(x)))*(b*x^n + a)^p*(d*x^n + c)^p/(a*c*m + a*c)

giac [B] time = 0.81, size = 155, normalized size = 3.44

$$\frac{(b x^n + a)^p (d x^n + c)^p b d x x^{2n} e^{(m \log(h) + m \log(x) + 1)} + (b x^n + a)^p (d x^n + c)^p b c x x^n e^{(m \log(h) + m \log(x) + 1)} + (b x^n + a)^p (d x^n + c)^p a c x e^{(m \log(h) + m \log(x) + 1)}}{acm + ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((h*x)^m*(a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+m+n+1)*x^n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(1+m)), x, algorithm="giac")

[Out] ((b*x^n + a)^p*(d*x^n + c)^p*b*d*x*x^(2*n)*e^(m*log(h) + m*log(x) + 1) + (b*x^n + a)^p*(d*x^n + c)^p*b*c*x*x^n*e^(m*log(h) + m*log(x) + 1) + (b*x^n + a)^p*(d*x^n + c)^p*a*d*x*x^n*e^(m*log(h) + m*log(x) + 1) + (b*x^n + a)^p*(d*x^n + c)^p*a*c*x*e^(m*log(h) + m*log(x) + 1))/(a*c*m + a*c)

maple [C] time = 0.50, size = 136, normalized size = 3.02

$$\frac{\left(ad x^n + bc x^n + bd x^{2n} + ac\right) e x (b x^n + a)^p (d x^n + c)^p e^{\frac{(-i\pi \operatorname{csgn}(ih) \operatorname{csgn}(ix) \operatorname{csgn}(ihx) + i\pi \operatorname{csgn}(ih) \operatorname{csgn}(ihx)^2 + i\pi \operatorname{csgn}(ix) \operatorname{csgn}(ihx)^2 - i\pi \operatorname{csgn}(ihx) \operatorname{csgn}(ix) \operatorname{csgn}(ihx)^2)}{2}}}{(m + 1) ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((h*x)^m*(b*x^n+a)^p*(d*x^n+c)^p*(e+(a*d+b*c)*e*(n*p+m+n+1)*x^n/a/c/(m+1)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(m+1)), x)

[Out] $(b*x^n+a)^p*\exp(1/2*m*(-I*Pi*csgn(I*h)*csgn(I*x)*csgn(I*h*x)+I*Pi*csgn(I*h)*csgn(I*h*x)^2+I*Pi*csgn(I*x)*csgn(I*h*x)^2-I*Pi*csgn(I*h*x)^3+2*\ln(h)+2*\ln(x)))*(b*d*(x^n)^2+a*d*x^n+b*c*x^n+a*c)*e*x/a/c/(m+1)*(d*x^n+c)^p$

maxima [B] time = 3.04, size = 92, normalized size = 2.04

$$\frac{(aceh^m x x^m + bdeh^m x e^{(m \log(x) + 2n \log(x))} + (bceh^m + adeh^m) x e^{(m \log(x) + n \log(x))}) e^{(p \log(bx^n + a) + p \log(dx^n + c))}}{ac(m+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x)^m*(a+b*x^n)^p*(c+d*x^n)^p*(e+(a*d+b*c)*e*(n*p+m+n+1)*x^n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x^(2*n)/a/c/(1+m)),x, algorithm="maxima")`

[Out] $(a*c*e*h^m*x*x^m + b*d*e*h^m*x*e^{(m*\log(x) + 2*n*\log(x))} + (b*c*e*h^m + a*d*e*h^m)*x*e^{(m*\log(x) + n*\log(x))})*e^{(p*\log(b*x^n + a) + p*\log(d*x^n + c))}/(a*c*(m + 1))$

mupad [B] time = 5.64, size = 106, normalized size = 2.36

$$(c + dx^n)^p \left(\frac{ex(hx)^m(a + bx^n)^p}{m + 1} + \frac{exx^n(hx)^m(ad + bc)(a + bx^n)^p}{ac(m + 1)} + \frac{bdexx^{2n}(hx)^m(a + bx^n)^p}{ac(m + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((h*x)^m*(a + b*x^n)^p*(c + d*x^n)^p*(e + (e*x^n*(a*d + b*c)*(m + n + n*p + 1))/(a*c*(m + 1)) + (b*d*e*x^(2*n)*(m + 2*n + 2*n*p + 1))/(a*c*(m + 1))),x)`

[Out] $(c + d*x^n)^p*((e*x*(h*x)^m*(a + b*x^n)^p)/(m + 1) + (e*x*x^n*(h*x)^m*(a*d + b*c)*(a + b*x^n)^p)/(a*c*(m + 1)) + (b*d*e*x*x^(2*n)*(h*x)^m*(a + b*x^n)^p)/(a*c*(m + 1)))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((h*x)**m*(a+b*x**n)**p*(c+d*x**n)**p*(e+(a*d+b*c)*e*(n*p+m+n+1)*x**n/a/c/(1+m)+b*d*e*(2*n*p+m+2*n+1)*x**(2*n)/a/c/(1+m)),x)`

[Out] Timed out

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
```

```

If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
  If[LeafCount[result]<=2*LeafCount[optimal],
    "A",
    "B"],
  "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

```

```

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]===Plus || Head[expn]===Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
    If[AppellFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],

```

```

If[Head[expn]===RootSum,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
If[Head[expn]===Integrate || Head[expn]===Int,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]

SpecialFunctionQ[func_] :=
MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
            ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

4.0.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
    ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]
```



```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
    ))
    else:
        return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
    ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type
    (expn,'`*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print (">>>>Enter expnType, expn=", expn)
        print (">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
#is checked before calling the grading function that is passed.
#but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

```

```
#main function
```

```
def grade_antiderivative(result,optimal):
```

```

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

```

```

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

```

```

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```